## RESTORATION ADVISORY BOARD MEETING NAVAL WEAPONS INDUSTRIAL RESERVE PLANT (NWIRP), CALVERTON CALVERTON COMMUNITY CENTER, CALVERTON, NEW YORK THURSDAY, JULY 31, 2008

The twenty-seventh meeting of the Restoration Advisory Board (RAB) was held at the Calverton Community Center. Meeting attendees included representatives from the Navy (Lora Fly and Nina Johnson), New York State Department of Environmental Conservation (NYSDEC) (Henry Wilkie and Larry Rosenmann), RAB Community members (Bill Gunther, Harry Histand, Lou Cork, and Sid Bail), Suffolk County Department of Health Services (SCDHS) (Andrew Rapiejko and Mary Hime), Tetra Tech NUS, Inc. (David Brayack and Debbie Cohen), ECOR Solutions, Inc. (Bob Ingram, Al Taormina, Will Torres, and Matt Lapp), and TAPP Consultant (Frank Anastasi). The meeting sign-in sheet is provided as Attachment 1.

#### **WELCOME AND AGENDA REVIEW**

The Navy representative, Ms. Lora Fly, welcomed everyone to the RAB meeting and introduced the meeting agenda. The agenda for the meeting is included as Attachment 2. The presentations for the meeting are included as Attachments 3 to 5.

#### DISTRIBUTION AND APPROVAL OF MINUTES

Ms. Fly asked whether the RAB members received the April 2008 minutes, which were distributed in June 2008, and asked whether there were questions or comments on the minutes. There were no questions or comments, and the minutes for the April 2008 RAB meeting were approved.

#### **COMMUNITY UPDATE**

Mr. Bill Gunther, RAB Community Co-chair, indicated that he preferred electronic copies of documents and wanted to poll other RAB Community members to see whether they also wanted electronic copies. The RAB Community members at the meeting also wanted electronic copies, so the Navy will start sending electronic copies of documents on CD to the RAB Community members. The Navy can provide hard copies of portions of documents (such as large-size maps), if needed.

The frequency of the RAB meetings was discussed to see whether the RAB members wanted to reduce meetings from three times a year to two times a year (fall and spring) with the option to have a summer meeting when needed. The RAB Community members would like to think about it and discuss it again at the November RAB meeting. During discussion of the technical progress, there was a suggestion to try to schedule RAB meetings so that the results of the semi-annual monitoring (see the General Program discussion) would be available for presentation at the RAB meeting.

#### **TECHNICAL PROGRESS – GENERAL PROGRAM**

Ms. Fly continued the meeting with a review of the Navy's program. The technical progress presentation handout is provided as Attachment 3.

Ms. Fly provided the schedule of projects and funding. Funded items and their status are as follows:

- The Navy has funded quarterly sampling at the PRSC well and semiannual groundwater sampling at sites 2, 6A, 10B, and the southern area for an additional two years (\$400,000).
- Site 7 Operation and Maintenance activities are continuing through the end of this year. It is expected to continue through next year, but a mechanism is not in place.
- The Site 2 removal action is funded (approximately \$1 million). The work was awarded in June 2008. Work related to traffic controls began, the work plan will be completed in October, and the removal action will start in November 2008. The Site 2 removal action is expected to be completed by April 2009.
- During the removal action at Site 2, oversight and sampling will be conducted at a cost of approximately \$120,000.
- The Site 10B removal action is funded (approximately \$1,000,000). The Site 10B removal action is expected to be completed by August 2009. Because the estimated costs are higher than originally expected, Ms. Fly indicated that Site 6A removal action funding is not available at this time. The Navy is anticipating that the Site 6A removal action will cost \$5 million, so it will need to be funded in stages. Part of the cost was associated with an electrical line that has to be moved before conducting the removal action.

Ms. Fly explained that the next year's budget is not available yet; however, the Navy will continue to prepare scopes of work so that projects can be funded more quickly once funding is available.

Mr. Brayack (Tetra Tech) provided a general review of NWIRP Calverton activities, including the following:

- Groundwater sampling for Sites 6A/10B/Southern Area will be completed in August and subsequent sampling will be conducted semiannually during wet and dry months (March and September). Site 2 onsite groundwater monitoring will also be conducted at the same time as groundwater monitoring at Sites 6A/10B.
- A new entrance will be constructed for Site 2 to support the removal action.

#### TECHNICAL PROGRESS – SITES 2 GROUNDWATER INVESTIGATION

Mr. Brayack presented the current status of the Site 2 groundwater investigation (Attachment 3) and indicated that the investigation was in the Remedial Investigation (RI/FS) stage. As discussed at the April 2008 RAB meeting, a source removal action is planned. This action is an interim measure at the site to remove accessible contaminated soil that is acting as a continuing source of groundwater contamination. The removal action design was completed in April 2008, a public comment period on the proposed removal action was held in May 2008, and a contractor for the work was selected in June 2008. Mr. Brayack explained the excavation plan for the removal action and the results of the January 2008 groundwater sampling, which was presented at the April 2008 RAB meeting.

Based on comments on the removal action design, the Navy will include SB-226 in the excavation area. Also, the Navy will collect confirmation samples to determine whether additional soil excavation is needed as part of the removal action.

As mentioned at the April 2008 RAB meeting, SCDHS completed sampling of groundwater on the Swan Lake Golf Course.

Mr. Andrew Rapiejko (SCDHS) presented the results and the presentation is included as Attachment 5. Mr. Rapiejko mentioned that SCDHS did the sampling because it was easier for

SCDHS to obtain access agreements for the sampling than the Navy. Several groundwater profile borings were installed to approximately 70 feet below ground surface (bgs). The profile borings were installed with geoprobes and groundwater samples were collected from the bottom of the profile, moving up the boring to collect groundwater samples at different depths. The final well screen is placed at the top of the boring. The results showed low and infrequent detections of volatile organic compounds (VOCs) at most locations. The greatest concentration was detected at SL/G-5 at 30 to 40 feet bgs. Lithology was not logged during installation of these borings; however, Mr. Brayack indicated that based on previous geological information there is a clay layer present at approximately 50 to 60 feet.

Several questions were raised concerning Site 2 groundwater. A question was asked about sampling in an area by the building north of the SL/G wells. Mr. Brayack explained that there are monitoring wells in this area and the wells do not show contamination. Also, Grumman sampled groundwater around this building and did not find contamination. In answer to a question regarding plans based on the SCDHS sampling, the Navy indicated that the Navy is planning to put in more groundwater wells.

## TECHNICAL PROGRESS – SITES 6A AND 10B AND SOUTHERN AREA GROUNDWATER INVESTIGATION AND OFFSITE GROUNDWATER FEASIBILITY STUDY

Mr. Brayack presented the current status of Sites 6A and 10B and Southern Area groundwater since the April 2008 RAB meeting. As part of the removal action for Sites 6A and 10B, the Navy will excavate down to the water table to remove the majority (expected to be greater than 90 percent) of contamination and use ORC to treat residual soil contamination.

There was discussion regarding the groundwater flow directions for Sites 6A and 10B and the Southern Area. Mr. Brayack indicated that the general groundwater flow is the southeast, but once you get closer to the pond on the PRSC, the pond appears to be deflecting groundwater flow to the east toward the Peconic River. Groundwater contamination is tracking along the groundwater flow pathway from the source area.

Several questions were asked about investigation of contaminant sources. In particular, the figure showed a couple of features that may represent potential sources. Mr. Brayack indicated that the Navy has investigated contaminant sources in the past and believes that the major sources have been identified. Previous investigations included property record searches and

geophysical surveys (e.g., magnetometry survey). For the pond area, Mr. Brayack indicated that there does not appear to be a residual source in this area. No soil contamination and only low level groundwater contamination were found in this area. The groundwater is shallow in this area, with only a few feet from ground surface to the top of the groundwater table. However, now that an apparent plume has been identified, additional work may be warranted in that area.

There was discussion regarding having a comprehensive groundwater data set to evaluate groundwater contaminant sources, extent, and migration pathways. The Navy collected the first round of comprehensive groundwater data for NWIRP Calverton in January 2008 and the Navy will continue to conduct sampling to provide data to evaluate the nature, extent, and migration of groundwater contamination. In response to a concern that contamination is at the property boundary and remediation may be needed, Mr. Rosenmann explained that there could be draw backs to active remedies if the remedial activities mobilize contaminants that are immobile under current conditions. At this point, NYSDEC believes that comprehensive groundwater data will provide the information needed to evaluate whether monitored natural attenuation is the best remedy or whether other remediation action is needed to address the contamination. Mr. Anastasi added that potential exposure routes are well known, so that if there is a concern for exposure to contamination, the appropriate measures can be implemented to prevent unacceptable exposure. Mr. Brayack noted that there has been one public drinking water well identified with contamination and the Navy is monitoring this area. Also, the Navy has identified areas where additional monitoring wells are needed to understand what is occurring within the groundwater contaminant plume, including where the contaminant plume may be discharging into the river. The new wells will be included in the comprehensive groundwater monitoring program.

There was a concern that potential vapor intrusion into buildings has not been investigated. Mr. Rosenmann indicated that vapor intrusion into buildings is not likely a significant exposure pathway because buildings in the area do not have basements (because groundwater is too shallow) and the groundwater contaminant plume is not in the shallow groundwater. The groundwater contamination is 30 to 50 feet bgs. Mr. Rosenmann will see whether there is information on vapor intrusion concerns where there is a large buffer of clean groundwater between the house foundation and deeper groundwater contaminant plume.

Mr. Rapiejko presented the results of SCDHS' profile well sampling in locations along Grumman Boulevard (GB series profile wells), in the Southern Area plume. The presentation is provided in Attachment 5. Mr. Rapiejko indicated that profile borings did not go into the clay layer that was found at 55 to 60 feet bgs. Various VOCs were detected; however, 1,1-Dichloroethane (1,1-DCA) was most frequently detected at the greatest concentrations. GB-2 had the greatest concentration, with 1,1-DCA at 1,090 µg/L. Typically the greatest concentrations were detected around 30 to 40 feet bgs. Although some elevated levels of VOCs in a relatively large area was found, the groundwater in the Southern Area is not used for drinking, so there are no imminent exposure concerns. Mr. Brayack indicated that the Navy will review the SCDHS' sampling results to determine where additional monitoring wells are needed. The Navy is preparing a work plan to identify additional locations needed at Sites 6A and 10 B and in the Southern Area. Also, the Navy is planning to issue a report on the recent groundwater monitoring data that will provide the comprehensive data, discuss groundwater flow pathways and concentration trends, and identify data gaps where additional groundwater data are needed. At the next RAB meeting, the Navy is planning to provide a presentation on the results of the comprehensive data evaluation and the identified data gaps.

#### **TECHNICAL PROGRESS – SITE 7 REMEDIAL ACTIVITIES**

Mr. Will Torres (ECOR) presented the progress of the Site 7 remedial activities (Attachment 4). The presentation provided updated contaminant concentration trend maps and mass removal statistics since reactivating the Air Sparge/Soil Vapor Extraction System in April 2008. The future planned activities were also presented. Mr. Torres explained that the data showed several locations had elevated concentrations of several VOCs and naphthalene and the concentrations appear to be increasing. The Navy plans to conduct additional sampling to determine the cause for the elevated and potentially increasing concentrations. As part of the sampling, the treatment system will be shut down and groundwater and air samples will be collected from soil vapor extraction locations, existing monitoring wells, and additional groundwater sampling points. The Navy is expecting to install the additional groundwater sampling points and collect data before the next RAB meeting. The information will be used to determine whether modification to the existing treatment system or an alternative remedy is needed to address the contamination.

#### **CLOSING REMARKS**

Ms. Fly asked whether there were any questions or comments. With no other questions or comments Ms. Fly proposed that the next RAB meeting be held on November 6, 2008. This meeting date was agreed upon and the meeting was adjourned.

#### **ATTACHMENT 1**

JULY 31, 2008 RAB MEETING SIGN-IN SHEET

## 27<sup>th</sup> RAB Meeting for NWIRP Calverton July 31, 2008 Sign-In List

Name	Address (if interested	in being on mailing list)	Organization	How Did You Hear of Meeting?
Debbie Col		TENUS		CD
Frank Ana		SCA Assoc.		
Lou Co	RE	R.A.B.	t .	CD
Andre	PAPIETKO	Sco As		
Hanny 1	Histand	RAR		< D
5 cg (3	ail	RAB	Wholing Ric	restivic
mary /	line.	SCOL	15	
Bob Jan		ECOR		
AL TAORMO	nA	FLOR		
Nina Jo	hason	NAVFAC /	M: dAtlan	tic
LANNY RO.	SOHMANN	MYSOCC		

### 27<sup>th</sup> RAB Meeting for NWIRP Calverton July 31, 2008 Sign-In List

Name	Address (if interested in being on mailing list)	Organization	How Did You Hear of Meeting?
Matt Lapp	E	ECOP	
Will Tori	res	Ecop	
HONRY	Wilkie N	MSDEC	
LORA FLY	/	NAVPAC	
	Brogock	TolonToo	1

#### **ATTACHMENT 2**

JULY 31, 2008 RAB MEETING AGENDA

### Agenda

#### Restoration Advisory Board Naval Weapons Industrial Reserve Plant Calverton

July 31, 2008 Calverton Community Center, Calverton NY 7:00 p.m.

#### Welcome and Agenda Review

Lora Fly, NAVFAC Mid-Atlantic

#### **Distribution of Minutes**

All Members

#### **Community Update**

Bill Gunther, RAB Co-chair

#### **Technical Progress**

#### **General Program**

Lora Fly

#### **Site 2 Groundwater Investigation**

David Brayack, Tetra Tech

#### Sites 6A and 10B and Southern Area Groundwater Investigation and Offsite Groundwater Feasibility Study

Dave Brayack Frank Anastasi

#### **Site 7 Remedial Activities**

**ECOR** 

#### **Closing Remarks**

Lora Fly

Presenters will be available after the program for questions.

#### **ATTACHMENT 3**

NAVY AND TETRA TECH NUS, INC. PRESENTATION



# Restoration Advisory Board (RAB Meeting)

Naval Weapons Industrial Reserve Plant (NWIRP) Calverton, New York July 31, 2008

### **AGENDA**



#### Agenda

Restoration Advisory Board Naval Weapons Industrial Reserve Plant Calverton

July 31, 2008 Calverton Community Center, Calverton NY 7:00 p.m.

> Welcome and Agenda Review Lota Fly, NAVFAC Mid-Atlantic

> > Distribution of Minutes
> > All Members

Community Update Bill Gunther, RAB Co-chair

Technical Progress

General Program Lora Fly

Site 2 Groundwater Investigation David Brayack, Tetra Tech

Sites 6A and 10B and Southern Area Groundwater Investigation and Offsite

Groundwater Feasibility Study

Dave Bravack

Dave Brayack Frank Anastasi

Site 7 Remedial Activities ECOR

> Closing Remarks Lora Fly

Presenters will be available after the program for questions.

### WELCOME AND MEETING MINUTES



• Meeting Minutes Approval – April 2008

### PROGRAM OVERVIEW



- •PRSC Quarterly Sampling May 08, August 08, quarterly through 2010
- •Sites 6A/10B and Southern Area Groundwater Sampling, including Peconic River July/August 2008, Semiannual through 2010 (March and September)
- •Sites 6A/10B Remedial Design Complete
- •Sites 6A/10B Remedial Action 2009 to 2011
- •Southern Area Offsite Feasibility Study (Ongoing)
- •Site 2 Removal Action 2009
- •Site 2 Groundwater Monitoring Semi-annual through 2010 (March and September).
- •Site 2 Feasibility Study 2010/2011

## **FACILITY LAYOUT**






## SITE 2 GROUNDWATER INVESTIGATION



- •Fire Training Activities 1950s to mid-1990s.
- •Free product recovery from late 1980s to mid-1990s.
- •Free product and limited solvents present in soil and groundwater at site.
- •Air sparging/soil vapor extraction was used to treat solvents (volatile organic compounds) in soils 1995 to 2001.
- •Good success on groundwater, but did not address a continuing source of groundwater contamination above the groundwater.
- •Removal action planned. Design is complete.
- Work was awarded to a contractor.


# SITE 2 REMOVAL ACTION – EXCAVATION PLAN






# SITE 2 REMOVAL ACTION – EXCAVATION PLAN





## SITE 2 JANUARY 2008 GROUNDWATER RESULTS





## SCDHS 2008 RESULTS FROM GOLF COURSE



Suffolk County Department of Health Services Profile Wells at Swan Lake Golf Course Installed January 2008




## **SITE 2 QUESTIONS/DISCUSSION**



## •Questions/Discussion


## SITE 6A/10B JANUARY 2008 GROUNDWATER RESULTS






### SITE 6A/10B JANUARY 2008 GROUNDWATER FLOW






### SOUTHERN AREA GROUNDWATER






# SOUTHERN AREA GROUNDWATER RESULTS






# SOUTHERN AREA GROUNDWATER CONTOURS






### SOUTHERN AREA GROUNDWATER CONTOURS (EAST/WEST)





## SOUTHERN AREA GROUNDWATER CONTOURS (NORTHWEST TO SOUTHEAST)





### SOUTHERN AREA GROUNDWATER





# SOUTHERN AREA QUESTIONS/DISCUSSION



• Questions/Discussion

#### **ATTACHMENT 4**

**ECOR SOLUTIONS - PRESENTATION** 



## Site 7: Former Fuel Depot

Air Sparge/Soil Vapor Extraction System
Naval Weapons Industrial Reserve Plant
Calverton, NY

# Restoration Advisory Board Meeting July 31, 2008




# Project Overview

- Contaminants of Concern:
   BTEX, Napthalene, and Freon in groundwater
- Air Sparge/Soil Vapor Extraction System constructed 2004
- Goal:
  - Mass removal of groundwater contaminants
  - Operate & Maintain in-situ treatment system until remediation goals are attained



Site 7: Former Fuel Depot



Source: TtEC, Inc.


Area Map

ECOR Solutions, Inc.

# The Site








Source: TtEC, Inc.



# Operational Activities

- System restarted on April 3, 2008 following winter shutdown
- Latest groundwater samples collected June 23-24, 2008
- Groundwater sampling events also planned for September and December
- Performed weekly O&M visits to:
  - Monitor vapor phase carbon adsorbers
  - Obtain instrument measurements
  - Perform general site inspections







### Well Location/Contaminant Concentration Map




#### Groundwater Contaminant Concentrations at Monitoring Well Locations NWIRP Calverton, NY June 2008



# Groundwater Contaminant Concentrations at Select SVE Wells NWIRP Calverton, NY June 2008



# Groundwater Analytical Results at Select SVE Well Locations NWIRP Calverton, NY June 2008



## Mass Removal

### Mass Removal is calculated from:

- the concentration of contaminants in vapor samples collected monthly at a location immediately prior to carbon adsorption.
- The flowrate of the vapor through the adsorbers
- And the operational time of the system for the month.

$$\left(\frac{\text{mass}}{\text{volume}}\right)$$
 X  $\left(\frac{\text{volume}}{\text{time}}\right)$  X time = mass


Concentration Flowrate



## Mass Removal Statistics

- The mass removal for April was 2.06 lbs
- The mass removal for May was 2.08 lbs
- The mass removal for June was 3.14 lbs
- Cumulative mass removal since 2008 system start up is 6.3 lbs
- Cumulative mass removal from system startup is 155.7 lbs






## Future Activities

- Continue collecting monthly effluent air samples to monitor vapor concentrations
- Collect groundwater samples using GeoProbe® system in the areas south and east of SV-2 and SV-4
- Get a better understanding of site contamination and determine if new AS/SVE wells could reduce increasing concentrations in SV-2 and SV-4
- Investigate if contamination may be moving east resulting in increased concentrations in MW-10S






# Questions?



#### **ATTACHMENT 5**

**SCDHS - PRESENTATION** 



# Suffolk County Department of Helath Services Division of Environmental Quality Swan Lake Golf Course Detected VOC Sample Results

#### **DRAFT**

				<u> </u>											
Monitoring Well ID & Sampling Interval (feet below grade)	Location	Sample Type	Sample Date	Carbon disulfide	Chloroform	Trichloroethene	Chloroethane	Vinyl chloride	1,1 Dichloroethane	cis-1,2-Dichloroethene	1,2-Dichlorobenzene (o)	1,4-Dichlorobenzene (p)	tert-Butylbenzene	sec-Butylbenzene	Tetrachloroethene
				ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
SL/G-1 (15-20)	Swan Lake Golf Course	Groundwater	1/31/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-1 (25-30)	Swan Lake Golf Course	Groundwater	1/31/2008	< 0.5	1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-1 (35-40)	Swan Lake Golf Course	Groundwater	1/31/2008	< 0.5	1.1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	T		T												
SL/G-2 (20-25)	Swan Lake Golf Course	Groundwater	3/31/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-2 (30-35)	Swan Lake Golf Course	Groundwater	3/31/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-2 (40-45)	Swan Lake Golf Course	Groundwater	3/31/2008	< 0.5	0.8	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-2 (50-55)	Swan Lake Golf Course	Groundwater	3/31/2008	< 0.5	0.8	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-2 (60-65)	Swan Lake Golf Course	Groundwater	3/31/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	T		T												
SL/G-3 (10-15)	Swan Lake Golf Course	Groundwater	4/8/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-3 (20-25)	Swan Lake Golf Course	Groundwater	4/8/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-3 (30-35)	Swan Lake Golf Course	Groundwater	4/8/2008	< 0.5	< 0.5	< 0.5	0.6	0.5	7.1	1.2	3	1	0.7	2.4	< 0.5
SL/G-3 (40-45)	Swan Lake Golf Course	Groundwater	4/8/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	T		I												
SL/G-4 (10-15)	Swan Lake Golf Course	Groundwater	4/7/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-4 (20-25)	Swan Lake Golf Course	Groundwater	4/7/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-4 (30-35)	Swan Lake Golf Course	Groundwater	4/7/2008	< 0.5	< 0.5	0.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.7
SL/G-4 (40-45)	Swan Lake Golf Course	Groundwater	4/7/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-4 (50-55)	Swan Lake Golf Course	Groundwater	4/7/2008	< 0.5	1.1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-4 (60-65)	Swan Lake Golf Course	Groundwater	4/7/2008	< 0.5	0.6	< 0.5	< 0.5	<0.5	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
01 (0 5 (40 45)	0	0	4/0/0000	4.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
SL/G-5 (10-15)	Swan Lake Golf Course	Groundwater	4/8/2008	1.0	< 0.5	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-5 (20-25)	Swan Lake Golf Course	Groundwater	4/8/2008	< 0.5	<0.5	<0.5 <b>24</b>	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-5 (30-35)	Swan Lake Golf Course	Groundwater	4/8/2008	< 0.5	_		< 0.5	< 0.5	1.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-5 (40-45)	Swan Lake Golf Course	Groundwater	4/8/2008	< 0.5	<0.5	2.3	<0.5	<0.5	<0.5	< 0.5	<0.5	< 0.5	<0.5	< 0.5	<0.5
SL/G-5 (50-55)	Swan Lake Golf Course	Groundwater	4/8/2008	< 0.5		<0.5	<0.5	< 0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SL/G-5 (60-65)	Swan Lake Golf Course	Groundwater	4/8/2008	< 0.5	0.6	<0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
SLG-SW	Swan Lake Golf Course	Surface Water	3/25/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	< 0.5
605-570			4/9/2008				10.0	<0.5							
605-560	Swan Lake Golf Course Swan Lake Golf Course	Surface Water Surface Water	4/9/2008	<0.5	<0.5	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
003-300	Swall Lake Goll Course	Surface water	4/9/2008	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 0.5	< 0.5	<0.0

Drinking water Maximum Contaminant Level of 5 ug/l exceeded

ug/l = micrograms per liter or parts per billion (ppb)



#### Suffolk County Department of Health Services Profile Well Data Grumman Blvd, Calverton 2008

\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/ell Inforn	nation							2008	Dot	ected VC	)C'e							
		nation		힐		<u>ə</u>		(D)		Det	ocieu VC	,	I			I	σl	al	اه
Well ID	Screen Interval (ft below grade)	Sample Date	1,1-Dichloroethene	1,2,4-Trichlorobenzene	Chloroethane	1,2,3-Trichlorobenzene	1,1-Dichloroethane	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride	1,2-Dichloroethane	Benzene	Isopropylbenzene	tert-Butylbenzene	sec-Butylbenzene	Carbon disulfide	1,2- Dichlorobenzene (0)	1,3- Dichlorobenzene (m)	1,4- Dichlorobenzene (p)
GB-1	510 1520 2530 3540 4550 5560	5/29/2008 5/29/2008 5/29/2008 5/29/2008 5/29/2008 5/28/2008	<0.5 <0.5 <0.5 14 8.1 3	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 33 2.9	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 1.4 1.7 260 94 60	<0.5 <0.5 <0.5 39 20 6.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <b>0.8</b> <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <b>2</b> <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5
GB-2	510 1520 2530 3540 4550 5560	6/2/2008 6/2/2008 6/2/2008 6/2/2008 6/2/2008 5/28/2008	0.8 <0.5 0.6 39 4.5	<0.5 <0.5 <0.5 <0.5 <b>2.5</b> <0.5	0.9 0.6 0.8 137 2.7 3.6	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	12 6.2 9.3 1090 66 77	1.4 0.9 1.2 177 10	<0.5 <0.5 <0.5 <0.5 0.7 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <b>2.7</b> <0.5	<0.5 <0.5 <0.5 <0.5 1.7 <0.5	<0.5 <0.5 <0.5 1.1 <0.5	<0.5 <0.5 <0.5 <b>4</b> <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <b>2.8</b> <0.5	<0.5 <0.5 <0.5 1 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <b>4.2</b> <0.5
GB-3	510 1520 2530 3540 4550 510	6/3/2008 6/3/2008 6/2/2008 6/2/2008 6/2/2008	<0.5 <0.5 0.7 53 7.5 <0.5	<0.5 <0.5 <0.5 0.9 0.6	<0.5 <0.5 0.8 86 1.9 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 2.9 9.1 851 115 0.7	<0.5 <0.5 1.2 110 17 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <b>0.7</b> <0.5	<0.5 <0.5 <0.5 <b>2.1</b> <0.5	<0.5 <0.5 <0.5 <0.5 1.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 1.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <b>1</b> <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <b>1.7</b> <0.5
GB-4	1520 2530 3540 4550 5560	6/5/2008 6/5/2008 6/5/2008 6/5/2008 6/5/2008 6/3/2008	<0.5 <1 1.8 4.4 1.9	<0.5 <0.5 <1 <1 <1 <0.5	<0.5 <1 3.9 4.8 1.8	<0.5 <0.5 <0.5 <0.5 <0.5	1.2 <1 40 92 41	<0.5 <1 3.4 15 4.6	<0.5 <0.5 <1 <1 <1 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <1 <1 <1 <0.5	<0.5 <0.5 <1 <1 <1 <0.5	<0.5 <1 <1 <1 <0.5	<0.5 <1 <1 <1 <0.5	<0.5 <0.5 <1 <1 <1 <0.5	<0.5 <0.5 <1 <1 <1 <0.5	<0.5 <1 <1 <1 <0.5	<0.5 <1 <1 <1 <0.5	<0.5 <0.5 <1 <1 <1 <0.5
GB-5	510 1520 2530 3540 4550 510	6/5/2008 6/5/2008 6/5/2008 6/5/2008 6/3/2008 6/11/2008	<0.5 <0.5 <0.5 11 5.1 <0.5	<0.5 <0.5 <0.5 <b>2.9</b> <0.5 <0.5	<0.5 <0.5 <0.5 15 2.9 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 0.6 0.7 151 132 1.7	<0.5 <0.5 <0.5 30 12 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <b>0.5</b> <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <b>0.7</b> <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 1.7 <0.5 <0.5
GB-6	1520 2530 3540 4550 5560	6/11/2008 6/11/2008 6/11/2008 6/5/2008 6/5/2008	<0.5 0.8 16 1 <0.5	<0.5 2.7 2.3 <0.5 <0.5	<0.5 0.5 34 3.6 1.3	<0.5 1.1 0.7 <0.5 <0.5	0.5 17 333 55 16	<0.5 0.5 70 3.2 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 0.8 1 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 2.1 0.6 <0.5 <0.5	<0.5 1.4 <0.5 <0.5 <0.5	<0.5 1.5 1.7 <0.5 <0.5
GB- 7	1520 2530 3540 4550 5560 1520	6/9/2008 6/9/2008 6/9/2008 6/9/2008 6/9/2008	<0.5 <0.5 15 3.3 <0.5 <0.5	<0.5 <0.5 3.5 <0.5 <0.5 <0.5	<0.5 <0.5 24 4.6 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	0.6 3.4 215 53 2.5	<0.5 <0.5 49 5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <b>0.6</b> <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 1 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 1.2 <0.5 <0.5 <0.5	<0.5 <0.5 1 <0.5 <0.5 <0.5	<0.5 <0.5 3.8 <0.5 <0.5 <0.5
GB- 8	2530 3540 4550 5560	6/9/2008 6/9/2008 6/9/2008 6/9/2008 6/9/2008 6/11/2008	<0.5 <0.5 16 4.4 <0.5 <0.5	<0.5 <0.5 1.6 0.6 <0.5	<0.5 <0.5 12 4.1 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	1.2 174 53 4.3	<0.5 <0.5 35 9.8 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 0.7 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 1 0.7 <0.5
GB-9	2530 3540 4550 5560 1520	6/11/2008 6/11/2008 6/11/2008 6/9/2008 6/11/2008	<0.5 4.8 7.2 3.3 <0.5	<0.5 0.6 0.8 <0.5 <0.5	<0.5 1 3.7 1.3 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	1.4 57 56 39 <0.5	<0.5 6.4 15 3.9 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5 <0.5
GB- 10	2530 3540 4550 5560 20-25	6/11/2008 6/11/2008 6/11/2008 6/11/2008	<0.5 <0.5 <0.5 15 6.5	<0.5 <0.5 <0.5 <b>2.4</b> <0.5	<0.5 <0.5 <0.5 12 1.6	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 2.5 151 42	<0.5 <0.5 <0.5 44 15	<0.5 <0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5
GB-11	30-35 40-45 50-55 20-25	6/11/2008 6/23/2008	P P 6.2 <0.5	P P <0.5	P P 1.7 <0.5	P P <0.5 <0.5	P P 76	P P 14 <0.5	P P <0.5 <0.5	P P <0.5 <0.5	P P <0.5 <0.5	P P <0.5 <0.5	P P <0.5 <0.5	P P V <0.5 V <0.5	P P <0.5 <0.5	P P <0.5 <0.5	P P P <0.5 <0.5	P P <0.5 <0.5	P P P <0.5 <0.5
GB- 12	30-35 40-45 50-55	6/23/2008 6/23/2008 6/12/2008	<0.5 18 10	<0.5 <b>2.9</b> <0.5	<0.5 6.9 2.8	<0.5 <b>0.8</b> <0.5	1.4 201 111	<0.5 48 16	<0.5 <0.5 <0.5	<0.5 <0.5 <0.5	<0.5 <0.5 <0.5	<0.5 <0.5 <0.5	<0.5 <0.5 <0.5	<0.5 <0.5 <0.5	<0.5 <b>0.5</b> <0.5	<0.5 <0.5 <0.5	<0.5 <b>0.5</b> <0.5	<0.5 <0.5 <0.5	<0.5 <b>0.7</b> <0.5

Note: Units = ug/l P = Samples Pending NA = No Sample

#### Suffolk County Department of Health Services Profile Well Data Grumman Blvd, Calverton 2008

B	Well Information Detected VOC's																			
Color	- 1		iation		ان		ان		es i		Det	ecieu V	,			1		اده	اما	ما
15-20   612/2008   615   605   605   605   605   625	Well ID	(e)	Sample Date	1,1-Dichloroethene	1,2,4-Trichlorobenzen	Chloroethane	1,2,3-Trichlorobenzen	1,1-Dichloroethane	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride	1,2-Dichloroethane	Benzene	Isopropylbenzene	tert-Butylbenzene	sec-Butylbenzene	Carbon disulfide	1,2- Dichlorobenzene ( <u>o)</u>	1,3- Dichlorobenzene (m)	1,4- Dichlorobenzene (p)
Section   Sect		1520	6/23/2008	< 0.5		< 0.5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
35-40   61/22008   16   1.4   11   415   214   57   415	GR-13	2530	6/12/2008	< 0.5	< 0.5		< 0.5	2.4		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
15-20   66/4/2008   0.5   0.	05 10																			0.7
BB-16																_				< 0.5
Section   Sect	GR- 14																			<0.5 <0.5
15-20   674/2008   0.6   0.5	GB- 14																			1.3
GB-16   35-30   672/2008   0.6   0.5   0																				< 0.5
S=-0	GB- 15																			< 0.5
15-20   670/2008   40.5   40	GB- 13		6/24/2008		4.1		1.2	-		0.5	2.9		1.2		0.5	1.5	< 0.5	1.4	0.5	2.2
GB-16   25-30   6/3/2008   -0.5   -0.																				< 0.5
GB-16   35-40   6.630/2008   30   3   16   0.8   355   94   -0.5   -0.																				< 0.5
Section   Sect	GB- 16																			<0.5 1.3
Section   Graystools   clos									_											0.5
Fig.													4010							<0.5
S-40   6/24/2008   29   2.5   12   0.7   405   99   40.5																				< 0.5
GB-18   45-50   6/24/2008   -0.5	GB-17	2530	6/24/2008	0.8	< 0.5	< 0.5	< 0.5	9.2	0.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
GB-18  GB-18  GB-18  GB-19  GB																				0.9
BB-18    25-30   6/25/2008   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <																				< 0.5
SS-40   6/25/2008   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <																				< 0.5
A5-50   6/25/2008   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <	GB- 18																			<0.5
GB-19 15-20 6/30/2008																				<0.5 <0.5
GB-19  25-30 6/30/2008																				<0.5
35-40   6/30/2008   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <	GB-19																			<0.5
GB-20  GB																				< 0.5
GB-20   35-40   6/25/2008   4.0   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <		1520	6/25/2008	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
S5-40 6/25/2008   4.0   c0.5	GB-20			_	< 0.5															< 0.5
BB-21    15-20   7/1/2008   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0																				< 0.5
GB-21																				<0.5
SB-21																				<0.5 <0.5
45-50 7/2/2008	GB-21																			<0.5
GB-22   25-30   6/26/2008   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0																				< 0.5
BB-22  BB-23  BB-24  BB-24  BB-24  BB-24  BB-24  BB-24  BB-24  BB-24  BB-25  BB-26  BB-26  BB-27  BB-28  BB		1520		< 0.5	< 0.5	< 0.5	< 0.5	1.3	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
35-40 6/26/2008	GB-22	2530	6/26/2008	< 0.5	< 0.5	< 0.5	< 0.5	1.3		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
GB-23 7/1/2008 < 0.5	OD-22																			< 0.5
GB-23 7/1/2008 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5																				< 0.5
SB-23   35-40   7/1/2008   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <																				<0.5
45-50 6/30/2008 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	GB-23																			<0.5 <0.5
GB-24 Fig. 1.8 Sign of the control o																				<0.5
GB-24   15-20   7/2/2008   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.5   <0.																				< 0.5
GB-24 25–30 7/2/2008 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5																				<0.5
<b>35-40 7/2/2008 1.8 &lt;</b> 0.5 <0.5 <0.5 <b>0.7</b> <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	GB-24																			< 0.5
45-50 7/1/2008 0.6 40.5 40.5 40.5 40.5 40.5 40.5 40.5 40.5		3540	7/2/2008	1.8	< 0.5	< 0.5	< 0.5	0.7	< 0.5	< 0.5	< 0.5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
40-70   1/1/2000   0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0   <0.0		4550	7/1/2008	0.6	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5