

N60200.AR.003631
NAS CECIL FIELD, FL
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
COMMENTS ON DRAFT PROPOSED PLAN FOR OPERABLE UNIT 9 (OU 9) SITE 57 AND
SITE 58 NAS CECIL FIELD FL
6/11/2003
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

June 11, 2003
OFFICIAL CORRESPONDENCE

Commanding Officer
attn: Mr. Mark Davidson, Code ES339
Southern Division
Naval Facilities Engineering Command
Post Office Box 190010
North Charleston, SC 29419-9010

Dear Mr. Davidson:

I have completed my review of the Draft Proposed Plan for Operable Unit 9, Sites 57 and 58, NAS Cecil Field, dated April 2003 (received April 18, 2003). The proposed remedy at both sites is the implementation of land use controls to restrict use of the surficial aquifer, monitoring of groundwater to evaluate decreases in contaminant concentrations through naturally occurring processes and the performance of 5-year reviews. I have the following editorial comments that should be addressed in the final document:

- (1) On page 1, second column, second bullet of the section titled **The Proposed Cleanup Plan**, please replace ". . . verify that no contaminant migration is taking place." with ". . . verify that contamination is not migrating past selected compliance wells."
- (2) On page 5, second column, fourth bullet of the section titled **Site History**, fourth sentence, please remove the word "of" after the word "remediated".
- (3) On page 5, second column, second sentence of the first paragraph of the section titled **Summary of Site Risks**, please remove the word "However" from the sentence.

This electronic message is being sent in lieu of regular mail. If you have any questions concerning this review, please contact me at (850)245-8997.

Sincerely,

David P. Grabka, P.G.
Remedial Project Manager
MS4535
Florida Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400
Direct: 850.245.8997
FAX: 850.245.8703
david.grabka@dep.state.fl.us