

N60200.AR.003656  
NAS CECIL FIELD, FL  
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
COMMENTS ON DRAFT PROPOSED PLAN FOR OPERABLE UNIT 10 (OU 10) SITE 25 NAS  
CECIL FIELD FL  
7/7/2003  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

July 7, 2003  
OFFICIAL CORRESPONDENCE

Commanding Officer  
attn: Mr. Mark Davidson, Code ES339  
Southern Division  
Naval Facilities Engineering Command  
Post Office Box 190010  
North Charleston, SC 29419-9010

Dear Mr. Davidson:

I have completed my review of the Draft Proposed Plan for Operable Unit 10, Site 25, NAS Cecil Field, first draft dated April 2003 (received April 18, 2003), revised draft dated May 2003 (received May 15, 2003). The proposed remedy at Site 25 is the implementation of land use controls to restrict use of the surficial aquifer, monitoring of groundwater to evaluate decreases in contaminant concentrations through naturally occurring processes and the performance of 5-year reviews. I have the following editorial comment that should be addressed in the final document:

On page 1, second column, second bullet of the section titled **The Proposed Cleanup Plan**, please replace "... verify that no contaminant migration is taking place." with "... verify that contamination is not migrating past selected compliance wells."

This electronic message is being sent in lieu of regular mail. If you have any questions concerning this review, please contact me at (850)245-8997.

Sincerely,

David P. Grabka, P.G.  
Remedial Project Manager  
MS4535  
Florida Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400  
Direct: 850.245.8997  
FAX: 850.245.8703  
david.grabka@dep.state.fl.us