

N60200.AR.003966
NAS CECIL FIELD, FL
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
APPROVAL OF DRAFT ANNUAL GROUNDWATER MONITORING REPORT YEAR 2 FOR
OPERABLE UNIT 10 (OU 10) SITE 25 NAS CECIL FIELD FL
9/14/2004
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

September 14, 2004

Commanding Officer
Mr. Mark Davidson, Code ES33
SOUTHNAVFACENGCOM
Post Office Box 190010
North Charleston, SC 29419-9010

RE: Draft Annual Groundwater Monitoring Report - Year 2 for
Operable Unit 10, Site 25, Naval Air Station Cecil Field,
Florida.

Dear Mr. Davidson:

I have completed my review of the Draft Annual Groundwater Monitoring Report - Year 2 for Operable Unit 10, Site 25, Naval Air Station Cecil Field, dated July 2004 (received July 16, 2004), prepared and submitted by Tetra Tech NUS, Inc. I have only one editorial comment. On page 3-1, third paragraph, fourth sentence, please change "August 2004" to "August 2003". Otherwise, the draft report appears adequate for its intended use and may be finalized. I also concur with the recommendation to decrease the groundwater sampling frequency to annually. Please submit the Appendix A Year 2 Analytical Laboratory Results with the final report (electronic copy).

If you have any concerns regarding this letter, please contact me at (850)245-8997.

Sincerely,

David P. Grabka, P.G.
Remedial Project Manager

CC: Tim Bahr, FDEP
Doyle Brittain, USEP, Atlanta
John Flowe, City of Jacksonville
Mark Speranza, TtNUS, Pittsburgh
Mike Fitzsimmons, FDEP, Northeast District

JJC ESN

"More Protection, Less Process"

Printed on recycled paper.