

N60200.AR.004005
NAS CECIL FIELD, FL
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
COMMENTS ON DRAFT RECORD OF DECISION FOR OPERABLE UNIT 10 (OU 10) SITE 21
NAS CECIL FIELD FL
10/25/2004
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

October 25, 2004
OFFICIAL CORRESPONDENCE

Commanding Officer
attn: Mr. Mark Davidson, Code ES33
Southern Division
Naval Facilities Engineering Command
Post Office Box 190010
North Charleston, SC 29419-9010

Dear Mr. Davidson:

I have completed my review of the Draft Record of Decision (ROD) for Operable Unit 10, Site 21, Golf Course Maintenance Area, Naval Air Station Cecil Field, dated May 2004 (received May 24, 2004), prepared and submitted by Tetra Tech NUS, Inc. I have the following comments on the Draft ROD:

- (1) On page 2-7, second paragraph, last sentence, please change the word "industrial" to "residential".
- (2) On page 2-15, Section 2.10.2, first paragraph, it says the remedy consists of five components, but only four are listed.

This electronic message is being sent in lieu of regular mail. If you have any questions concerning this review, please contact me at (850)245-8997.

Sincerely,

David P. Grabka, P.G.
Remedial Project Manager
MS4535
Florida Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400
Office: 850.245.8907
Direct: 850.245.8997
FAX: 850.245.8703
david.grabka@dep.state.fl.us