

N60200.AR.004156  
NAS CECIL FIELD, FL  
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
APPROVAL OF FINAL SAMPLING AND ANALYSIS REPORT ADDENDUM FOR BUILDING  
1848 NAS CECIL FIELD FL  
4/26/2005  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Jeb Bush  
Governor

# Department of Environmental Protection

Twin Towers Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

CTO 78  
Building 1848  
SAR

Colleen M. Castille  
Secretary

April 26, 2005

Commanding Officer  
Mr. Mark Davidson, Code ES33  
SOUTHNAVFACENGCOM  
Post Office Box 190010  
North Charleston, SC 29419-9010

RE: Final Sampling and Analysis Report Addendum for Building  
1848, Naval Air Station Cecil Field, Florida.

Dear Mr. Davidson:

I have completed my review of the Final Sampling and Analysis Report Addendum for Building 1848, Naval Air Station Cecil Field, dated April 2005 (received April 21, 2005), prepared and submitted by Tetra Tech NUS, Inc. The report is suitable for its intent and is approved. I concur that for soils only, the color classification could be changed from Yellow to Light Green to denote that release, disposal and/or migration of hazardous substances have occurred but not at concentrations that require a removal or remedial action. However, since Building 1848 is located within the area of Operable Unit 9, Site 57 groundwater plume, the color classification for Building 1848 will remain Yellow until the remedial action proposed for Site 57 has either remediated groundwater or received an Operating Properly and Successfully determination from EPA.

If you have any concerns regarding this letter, please contact me at (850)245-8997.

Sincerely,

David P. Grabka, P.G.  
Remedial Project Manager

CC: Tim Bahr, FDEP  
Doyle Brittain, EPA Region 4, Atlanta  
John Flowe, City of Jacksonville

"More Protection, Less Process"