

N60200.AR.009209
NAS CECIL FIELD
5090.3a

LETTER REGARDING REGULATORY REVIEW AND CONDITIONAL APPROVAL OF DRAFT
TECHNICAL MEMORANDUM FOR PLUME DELINEATION AT SITE 5 OPERABLE UNIT 2 (OU
2) NAS CECIL FIELD FL
10/5/2012
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

October 5, 2012

BRAC PMO SE
Attn: Mr. Art Sanford
4130 Faber Place Drive
Suite 202
North Charleston, SC 29405

RE: Draft Technical Memorandum for Plume Delineation for Operable Unit 2, Site 5,
Naval Air Station Cecil Field, Jacksonville, Florida.

Dear Mr. Sanford:

I have completed my review of the Draft Technical Memorandum for Plume Delineation for Operable Unit 2, Site 5, Naval Air Station Cecil Field, dated September 2012 (received September 12, 2012), prepared and submitted by Tetra Tech NUS, Inc. In Section 4.0, page 4-1, first bulleted paragraph, several of the directions are incorrect, with east being used instead of west and northeast being used instead of northwest. Otherwise the report appears suitable for its intent and may be finalized. Please begin working with the City of Jacksonville to address erosion of the soils pile so that the Navy can proceed with the installation of the two eastern wells proposed in the report.

If you have any concerns regarding this letter, please contact me at (850) 245-8997.

Sincerely,

David P. Grabka, P.G.
Remedial Project Manager
Federal Programs Section
Bureau of Waste Cleanup

CC: John Flowe, City of Jacksonville
Rob Simcik, TtNUS, Pittsburgh
Sam Naik, CH2M Hill, Atlanta
Mike Fitzsimmons, FDEP, Northeast District

KAW

DOD_5_205