

N61165.AR.002801
CNC CHARLESTON
5090.3a

LETTER TRANSMITTING CORRECTIVE MEASURE STUDY WORK PLAN ZONE C CNC
CHARLESTON SC
7/1/1998
NAVFAC SOUTHERN



DEPARTMENT OF THE NAVY

SOUTHERN DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
P.O. BOX 190010
2155 EAGLE DRIVE
NORTH CHARLESTON, S.C. 29419-9010

5090/11
Code 1877
1 July, 1998

Mr. John Litton, P.E.
Director, Division of Hazardous and Infectious Waste Management
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, SC 29201

Subj: SUBMITTAL OF ZONE C CORRECTIVE MEASURE STUDY WORKPLANS

Dear Mr. Litton,

The purpose of this letter is to submit the Zone C Draft Corrective Measure Study (CMS) Work Plan for Naval Base Charleston. The work plan is submitted to fulfill the requirements of condition IV.E.2 of the RCRA Part B permit issued to the Navy by the South Carolina Department of Health and Environmental Control and the U.S. Environmental Protection Agency.

The Navy requests that the Department and the USEPA review and provide comment or approval whichever is applicable. If you should have any questions please contact Billy Drawdy or Matthew Hunt at (843) 743-9985 and (843) 820-5525 respectively.

Sincerely,

A handwritten signature in cursive script that reads "W. A. Drawdy for".

H.N. SHEPARD II, P.E.
Caretaker Site Officer
by direction

Copy to:
SCDHEC (Paul Bergstrand, Johnny Tapia)
USEPA (Dann Spariosu)
CSO Naval Base Charleston (Billy Drawdy, Daryle Fontenot)
SPORTENVDETCASN (Bobby Dearhart)