

N61165.AR.003002
CNC CHARLESTON
5090.3a

LETTER TRANSMITTING ZONE J STORM WATER EVALUATION REPORT DATED
OCTOBER 2002 CNC CHARLESTON SC
10/15/2002
ENSAFE INC.

October 15, 2002

Ms. Priscilla Wendt
SCDNR
217 Ft. Johnson Rd.
Charleston, SC 29420

Dear Ms. Wendt:

Please find enclosed one copy of the *Zone J Storm Water Effluent Evaluation Report*, October 2002. This document has been compiled for your review and comment and contains Drainage Basin evaluations for Noisette and Shipyard Creeks. An addendum to this report will contain the Drainage Basin evaluations for the Cooper River. If you have any questions, please feel free to call me at (843) 884-0029. Thank you.

Sincerely,
EnSafe Inc.

Charlie Vernoy

cc: Rob Harrell/Tony Hunt – SouthDiv
file 0154
USEPA
SCDHEC
NOAA
CH2M Hill

October 15, 2002

Ms. Sharon Thoms
USEPA Region IV
61 Forsyth St. SW
Atlanta, GA 30303

Dear Ms. Thoms:

Please find enclosed one copy of the *Zone J Storm Water Effluent Evaluation Report*, October 2002. This document has been compiled for your review and comment and contains Drainage Basin evaluations for Noisette and Shipyard Creeks. An addendum to this report will contain the Drainage Basin evaluations for the Cooper River. If you have any questions, please feel free to call me at (843) 884-0029. Thank you.

Sincerely,
EnSafe Inc.

Charlie Vernoy

cc: Rob Harrell/Tony Hunt – SouthDiv
file 0154
SCDNR
SCDHEC
NOAA
CH2M Hill

October 15, 2002

Mr. Dann Spariosu
USEPA Region IV
61 Forsyth St. SW
Atlanta, GA 30303

Dear Mr. Spariosu:

Please find enclosed one copy of the *Zone J Storm Water Effluent Evaluation Report*, October 2002. This document has been compiled for your review and comment and contains Drainage Basin evaluations for Noisette and Shipyard Creeks. An addendum to this report will contain the Drainage Basin evaluations for the Cooper River. If you have any questions, please feel free to call me at (843) 884-0029. Thank you.

Sincerely,
EnSafe Inc.

Charlie Vernoy

cc: Rob Harrell/Tony Hunt – SouthDiv
file 0154
SCDNR
SCDHEC
NOAA
CH2M Hill

October 15, 2002

Mr. John Litton
SCDHEC
Bureau of Land and Waste Management
8901 Farrow Rd., Suite 109
Columbia, SC 29203

Dear Mr. Litton:

Please find enclosed four copies of the *Zone J Storm Water Effluent Evaluation Report*, October 2002, for distribution. This document has been compiled for your review and comment and contains Drainage Basin evaluations for Noisette and Shipyard Creeks. An addendum to this report will contain the Drainage Basin evaluations for the Cooper River. If you have any questions, please feel free to call me at (843) 884-0029. Thank you.

Sincerely,
EnSafe Inc.

Charlie Vernoy

cc: Rob Harrell/Tony Hunt – SouthDiv
file 0154
USEPA
SCDNR
NOAA
CH2M Hill

October 15, 2002

Mr. Robert Duncan
SCDNR
217 Ft. Johnson Rd.
Charleston, SC 29420

Dear Mr. Duncan:

Please find enclosed one copy of the *Zone J Storm Water Effluent Evaluation Report, October 2002*. This document has been compiled for your review and comment and contains Drainage Basin evaluations for Noisette and Shipyard Creeks. An addendum to this report will contain the Drainage Basin evaluations for the Cooper River. If you have any questions, please feel free to call me at (843) 884-0029. Thank you.

Sincerely,
EnSafe Inc.

Charlie Vernoy

cc: Rob Harrell/Tony Hunt – SouthDiv
file 0154
USEPA
SCDHEC
NOAA
CH2M Hill

October 15, 2002

Mr. Tom Dillon
NOAA
US Department of Commerce
61 Forsyth St., SW, 10th Floor
Atlanta, GA 30303

Dear Mr. Dillon:

Please find enclosed one copy of the *Zone J Storm Water Effluent Evaluation Report*, October 2002. This document has been compiled for your review and comment and contains Drainage Basin evaluations for Noisette and Shipyard Creeks. An addendum to this report will contain the Drainage Basin evaluations for the Cooper River. If you have any questions, please feel free to call me at (843) 884-0029. Thank you.

Sincerely,
EnSafe Inc.

Charlie Vernoy

cc: Rob Harrell/Tony Hunt – SouthDiv
file 0154
USEPA
SCDNR
SCDHEC
CH2M Hill