

N61165.AR.003114
CNC CHARLESTON
5090.3a

LETTER TRANSMITTING PAGE CHANGES AND RESPONSE TO COMMENTS ON
RESOURCE CONSERVATION AND RECOVERY FACILITY INVESTIGATION ZONE D CNC
CHARLESTON SC
7/21/1997
NAVFAC SOUTHERN



DEPARTMENT OF THE NAVY
SOUTHERN DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
P.O. BOX 190010
2155 EAGLE DRIVE
NORTH CHARLESTON, S.C. 29419-9010

5090/11
Code 1877
21 July 1997

Mr. John Litton, P.E.
Director, Division of Hazardous and Infectious Waste Management
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, SC 29201

Subj: ZONE D RCRA FACILITY INVESTIGATION REPORT CORRECTIONS AND
RESPONSE TO COMMENTS

Dear Mr. Litton:

The purpose of this letter is to submit responses and page changes to the Zone D RCRA Facility Investigation for Naval Base Charleston. The Report is submitted to fulfill the requirements of condition IV.C.6 of the RCRA Part B permit issued to the Navy by the South Carolina Department of Health and Environmental Control and U.S. Environmental Protection Agency.

Comments made by the Department and the EPA on the February 19, 1997 submittal have been addressed and included in this submittal. We request that the Department and the EPA review the report and provide comment or approval as appropriate. If you should have any questions, please contact Reece Batten or myself at (803) 820-5578 and (803) 820-5525 respectively.

Sincerely,

M.A. HUNT
Environmental Engineer
Installation Restoration III

Encl: (1) Zone D RFI Report changes, response to comments, and filing instructions, dated 17 July 1997

Copy to:

SCDHEC (Paul Bergstrand, Johnny Tapia), USEPA (Jay Bassett)

SOUTHDIV (Matthew Hunt), CSO Naval Base Charleston (Billy Drawdy, Daryle Fontenot)

SPORTENVDETCASN (Dearhart)



DEPARTMENT OF THE NAVY

SOUTHERN DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
P.O. BOX 190010
2155 EAGLE DRIVE
NORTH CHARLESTON, S.C. 29419-9010

5090/11
Code 1877
26 February 1997

Mr. G. Randall Thompson
Director, Division of Hazardous and Infectious Waste Management
Bureau of Solid and Hazardous Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, SC 29201

Subj: SUBMITTAL OF ZONE D RCRA FACILITY INVESTIGATION REPORT

Dear Mr. Thompson,

The purpose of this letter is to submit the Zone D Final RCRA Facility Investigation Report for Naval Base Charleston. The Report is submitted to fulfill the requirements of condition IV.B.2 of the RCRA Part B permit issued to the Navy by the South Carolina Department of Health and Environmental Control and U.S. Environmental Protection Agency.

The results of Zone D RFI field work was reviewed with Department and EPA representatives during the Project Team meeting of February 12th, 1996, and concerns incorporated into this draft report. We request that the Department and the EPA review the report and provide comment or approval as appropriate. If you should have any questions, please contact Bill Drawdy or Matthew Hunt at (803) 743-9985 and (803) 820-5525 respectively.

Sincerely,

A handwritten signature in black ink, appearing to read "P. M. Rose".

P. M. ROSE
LCDR, U.S. Navy
Caretaker Site Officer
by direction

Encl: Zone D Final RFI Report, dated 19 February 1997

Copy to:

SCDHEC (Bergstrand, Tapia)

USEPA (3) (Brittain)

SOUTHNAVFACENGCOM (Hunt, Stockmaster)

CSO Naval Base Charleston (Drawdy, Fontenot)

SPORTENVDETCHASN (Dearhart)