

N61165.AR.004572
CNC CHARLESTON
5090.3a

TRANSMITTAL OR INTERIM MEASURE COMPLETION REPORT AREA OF CONCERN 518
(AOC 518) CNC CHARLESTON SC
7/5/2001
NAVFAC SOUTHERN



DEPARTMENT OF THE NAVY
SOUTHERN DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
P.O. BOX 190010
2155 EAGLE DRIVE
NORTH CHARLESTON, S.C. 29419-9010

5090/11
Code 18713
05 Jul 01

Mr. John Litton, P.E.
Director, Division of Hazardous and Infectious Waste Management
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, SC 29201

Subj: SUBMITTAL OF INTERIM MEASUREMENT COMPLETION REPORT FOR AREA OF
CONCERN 518

Dear Mr. Litton:

The purpose of this letter is to submit an Interim Measure Completion Report (Revision 0) for Area of Concern (AOC) 518, Zone C, located at the Charleston Naval Complex. The completion report is submitted to fulfill the requirements of condition IV.E.2 of the RCRA Part B permit issued to the Navy by the South Carolina Department of Health and Environmental Control and the U.S. Environmental Protection Agency (EPA).

CH2M Hill distributed this document under separate cover letter and appropriate certification was provided with this correspondence. We request that the Department and the EPA review this document and provide comments or approval whichever is appropriate.

If you should have any questions, please contact, Amy Daniels or myself at (843) 743-9985 and (843) 820-5551 respectively.

Sincerely,


ROBERT A. HARRELL, JR., P.E.
Environmental Engineer
BRAC Division

Copy to:
SCDHEC (David Scaturo (4))
USEPA (Dann Spariosu)
CSO Naval Base Charleston (Amy Daniels)
CH2M-Hill (Dean Williamson)