

N61165.AR.005280
CNC CHARLESTON
5090.3a

LETTER REGARDING REQUEST TO TRANSFER FUEL DISTRIBUTION SYSTEM
CORRECTIVE ACTION CNC CHARLESTON SC
08/20/1997
NAVFAC SOUTHERN



DEPARTMENT OF THE NAVY
SOUTHERN DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
P.O. BOX 190010
2155 EAGLE DRIVE
NORTH CHARLESTON, S.C. 29419-9010

Handwritten: *Superseded 2.24.98*

Handwritten: *L: 10.9.97*
Co 10.9.97

Handwritten: *H15405 General*
5090/11
Code 1877
20 August 1997

Mr. John Litton, P.E.
Director, Division of Hazardous and Infectious Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, SC 29201

Subj: TRANSFER OF FUEL DISTRIBUTION SYSTEM CORRECTIVE ACTION

Dear Mr. Litton:

The purpose of this letter is to request formal approval of the transfer of corrective action for the Fuel Distribution System (AOC 626) and associated facilities as enclosed. Corrective action had began under the requirements of the facility's RCRA Part B permit, however based on the initial results of field work at these sites it has been determined that the site contaminants are petroleum products that most likely originated from virgin petroleum releases and therefore corrective action is appropriate under Subtitle I of RCRA, the Underground Storage Tank Program. This issue has been discussed with and concurred by representatives from the S.C. Department of Health and Environmental Control and U.S. Environmental Protection Agency.

We request that the Department and the EPA provide approval for transfer of the Fuel Distribution System (AOC 626) and associated facilities as enclosed and initiate permit revisions as required. If you should have any questions, please contact Gabe Magwood or myself at (803) 820-7307 or 820-5525 respectively.

Sincerely,

M. A. Hunt

M.A. HUNT
Remedial Project Manager
Environmental Department

Encl:

- (1) Fuel Distribution System and Associated Facilities
- Copy to:
- SCDHEC (Paul Bergstrand, Johnny Tapia, Paul Bristol)
 - USEPA (Jay Bassett)
 - CSO Naval Base Charleston (Billy Drawdy, Daryle Fontenot)
 - SPORTENVDETCASN (Dearhart)
 - SOUTHDIV (Gabe Magwood)

RECEIVED

AUG 29 1997

Groundwater Assessment
and Development Section

From: Johnny Tapia
To: IPCDOM01:IPCDOM01.INET:"mahunt@efdsouth.navfac.nav...
Date: 9/2/97 11:22am
Subject: Fuel Distribution System.

Tony,

I got your letter requesting to transfer the FDS to the Paul Bristol, however before I do that, I'll like to get the data organized in relation to identified SWMUs or AOCs.

For example:

SWMU 24 is part of the fuel distribution system. Need to know what samples(soil and gw) were taken specifically related to this SMWU. Tables containing the analytical data have to be sorted, as it is done for individual investigative areas, and with a map identifying all the sampling points taken.

This should be done for every AOC/SWMU included in the FDS.
It is important for us to know the amount of work done at each AOC/SWMU in relation with the minimum requirements for CSI or RFI.

Please resubmit all the above information and maps for the Fuel Distribution System in a format that is more useful.

Johnny Tapia
SCDHEC

CC: BERGSTPM, IPCDOM01:IPCDOM01.INET:"BASSETT.JAY@epam...

From: Johnny Tapia
To: IPCDOM01:IPCDOM01.INET:"mahunt@efdsouth.navfac.nav...
Date: 9/2/97 11:22am
Subject: Fuel Distribution System.

Tony,

I got your letter requesting to transfer the FDS to the Paul Bristol, however before I do that, I'll like to get the data organized in relation to identified SWMUs or AOCs.

For example:

SWMU 24 is part of the fuel distribution system. Need to know what samples(soil and gw) were taken specifically related to this SMWU. Tables containing the analytical data have to be sorted, as it is done for individual investigative areas, and with a map identifying all the sampling points taken.

This should be done for every AOC/SWMU included in the FDS.
It is important for us to know the amount of work done at each AOC/SWMU in relation with the minimum requirements for CSI or RFI.

Please resubmit all the above information and maps for the Fuel Distribution System in a format that is more useful.

Johnny Tapia
SCDHEC

CC: BERGSTPM, IPCDOM01:IPCDOM01.INET:"BASSETT.JAY@epam...