

N61165.AR.005351  
CNC CHARLESTON  
5090.3a

LETTER REGARDING SOUTH CAROLINA DEPARTMENT OF HEALTH AND  
ENVIRONMENTAL CONTROL REVIEW OF THIRD QUARTER 2001 MONITORING REPORT  
RECEIVED 8 OCTOBER 2001 FOR ZONE I BUILDING NS-200 CNC CHARLESTON SC  
12/14/2001  
SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL



14 December 2001

2600 Bull Street  
Columbia, SC 29201-1708

COMMISSIONER:  
C. Earl Hunter

BOARD:  
Bradford W. Wyche  
Chairman

Mark B. Kent  
Vice Chairman

Howard L. Brilliant, MD  
Secretary

Carl L. Brazell

Louisiana W. Wright

L. Michael Blackmon

Larry R. Chewning, Jr., DMD

Commander  
NAVFACENGCOC Southern Division  
Attn: Code ES24 (Gabriel Magwood)  
P.O. Box 190010  
North Charleston, SC 29419-9010

Re: Zone I, BLDG. NS200  
Site Identification # 17624  
Third Quarter 2001 Monitoring Report received 8 October 2001  
No Further Action  
Charleston County

Dear Mr. Magwood:

The Department has reviewed the referenced assessment report. As submitted, the report documents current and historical efforts to monitor soil and groundwater for hydrocarbon contamination at the subject site. Based on this review, it appears that maximum contaminant levels are not exceeded in soil and/or groundwater at the site.

Based on the information and analytical data submitted, the Department recognizes that the Department of the Navy has adequately addressed the known environmental contamination identified on the property to date in accordance with the approved scope of work. Consequently, no further investigation is required at this time. Please note, this statement pertains only to the portion of the site addressed in the referenced report and does not apply to other areas of the site and/or any other potential regulatory violations. Furthermore, the Department retains the right to request further investigation if deemed necessary.

The monitoring well(s) may be permanently abandoned by a certified well driller licensed in South Carolina in accordance with the South Carolina Well Standards and Regulations, R.61-71 or properly maintained. Should you choose to abandon the well, please submit a well abandonment record to my attention within 30 days of abandonment. Should you choose to properly maintain the monitoring well, please notify me within 14 days of this correspondence.

Should you have any questions, please contact me at 803-898-3553 (office phone), 803-898-3795 (fax) or [bishopma@columb32.dhec.state.sc.us](mailto:bishopma@columb32.dhec.state.sc.us).

Sincerely,

Michael Bishop, Hydrogeologist  
Groundwater Quality Section  
Bureau of Water

Tom Knight, Manager  
Groundwater Quality Section  
Bureau of Water

cc: Trident District EQC  
Paul Bergstrand - SCDHEC BLWM  
Brian Crawford, Charleston Naval Complex, 1848 Ave. F, North Charleston, SC 29405  
Technical File