

N61165.AR.005620
CNC CHARLESTON
5090.3a

LETTER REGARDING SUMMARY OF SAMPLING AT ZONE E SITE 26 BUILDING 6 CNC
CHARLESTON SC
09/10/2001
CH2M HILL

SCDHEC
2600 Bull Street
Columbia, SC 29201
Bureau of Water
Attention: Michael Bishop

10 September 2001

RECEIVED

SEP 18 2001

Re: Sampling at Zone E, Site 26/ Building 6

Mr. Bishop:

Water Monitoring, Assessment &
Protection Division

The following is a brief summary of the sampling performed at Zone E, Site 26/ Building 6.

On 19 June 2001 six monitoring wells (266GMW01, 266GMW02, 266GMW05, 266GMW06, 266GMW12, and 266GMW13) were sampled for VOCs and SVOCs.

On 15 June 2001 seven soil borings (266SB001, 266SB002, 266SB003, 266SB004, 266SB005, 266SB006, and 266SB007) were sampled and analyzed for VOCs and PAHs. For each soil boring collected, two intervals were sampled. The first interval was from 0-1 feet below land surface (bls) and the second interval was collected from 3-5 feet bls.

On 02 July 2001 four soil borings (266SB005, 266SB006, 266SB007, and 266SB008) were sampled and analyzed for VOCs. For each soil boring collected, two intervals were sampled. The first interval was from 0-1 feet (bls) and the second interval was collected from 3-5 feet bls. These samples were collected to further delineate samples 266SB001, 266SB002, 266SB003, 266SB004 collected on 15 June 2001.

Please make note that samples collected on 15 June 2001 and 02 July 2001 have the same nomenclature (i.e. sample 266SB005 thru 266SB007). CH2M-Jones, LLC inadvertently repeated the nomenclature at the time of issue.

I apologize for the confusion, please do not hesitate to give me a call if you have any questions.

Sincerely,



Brian R. Crawford

CH2M-Jones, LLC.