

N61165.AR.005652
CNC CHARLESTON
5090.3a

TRANSMITTAL LETTER FOR COMPLETION REPORT FOR REMEDIAL ACTION AT NS-705
CNC CHARLESTON SC
05/21/1999
NAVFAC SOUTHERN



DEPARTMENT OF THE NAVY
SOUTHERN DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
P.O. BOX 190010
2155 EAGLE DRIVE
NORTH CHARLESTON, S.C. 29419-9010

Li 5.28.99
Lo 6.3.99

5090
Code 1849
21 May 99

Mr. Paul Bristol
South Carolina Department of Health
And Environmental Control
Groundwater Quality Section
Bureau of Water
2600 Bull Street
Columbia, SC 29201


COMPLETION REPORT FOR REMEDIAL ACTION @ NS 705

Dear Mr. Bristol:

Enclosed is a copy of the Completion Report for NS 705, Naval Base Charleston. The remedial action was executed in accordance with the recommendation in the Contamination Assessment Report that was approved by SCDHEC letter dated 24 August 1998.

If you have any questions please contact me at (843) 820-7307.

Sincerely,


GABRIEL L. MAGWOOD
Remedial Project Manager

Encl:
Completion Report – Remedial Action @ NS 705

RECEIVED

MAY 25 1999

**Water Monitoring, Assessment &
Protection Division**