

N60201.AR.000261  
NS MAYPORT  
5090.3a

LETTER REGARDING CERTIFICATION OF APPROVAL FOR INTERIM MEASURES WORK  
PLAN FOR SOLID WASTE MANAGEMENT UNIT 2 NS MAYPORT FL  
9/19/1995  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

32228-000  
09.01.00.0051



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

September 19, 1995

Mr. David Driggers  
Department of the Navy  
Southern Division  
Naval Facilities Engineering Command  
2155 Eagle Drive, P.O. Box 190010  
North Charleston, SC 29419-9010

file: swmu2cer

RE: Interim Measures Workplan SWMU 2, NAVSTA Mayport  
May 1994

Dear David:

Enclosed is the certification for the above document by Tim R. Larson, P.E. This certification should be entered into the public record for the project along with the certification of Margaret E. Layne, P.E., that was issued on July 21, 1995. This certification was inadvertently omitted during the review process of the above workplan in 1994 and completes the requirements for certification of the current workplan.

If you have questions or require further clarification, please contact me at (904) 921-9994.

Sincerely,

James H. Cason, P.G.  
Remedial Project Manager

cc: ~~Cheryl Mitchell~~ NAVSTA Mayport  
Martha Berry, EPA Region IV, Atlanta  
Terry Hansen, ABB Environmental Services, Tallahassee  
Satish Kastury, FDEP, Tallahassee  
Brian Cheary, FDEP Northeast District, Jacksonville  
TB B JJC JJC ESN ESN

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Certification of Approval


September 15, 1995

RE: Interim Measures Workplan for Solid Waste Management  
Unit 2; Polychlorinated Biphenyl (PCB) Area; U.S. Naval  
Station, Mayport, Florida; Prepared by ABB  
Environmental Services Inc.

The engineering features described in the above referenced document provide reasonable assurance of reducing applicable pollutants below levels which may be harmful or injurious to human health or welfare and animal or plant life in accordance with state criteria and authorized by Florida Statutes Chapter 376.

The proposed interim measures is a plan to reduce PCB contamination in the soil. Other site pollutants and contaminated media will be addressed during future corrective measures as necessary per the RCRA Solid Waste Amendments Permit FL9 170 024 260.

I have not evaluated and do not certify aspects of this plan that are outside the limits of my review responsibilities and outside my area of expertise (including but not limited to electrical, mechanical and structural features). I personally completed this review.

  
Tim R. Larson P.E.

9-15-95  
Date