

N65928.AR.001166
NTC ORLANDO
5090.3a

LETTER REGARDING DISPOSAL OF WASTE WATER INTO THE CITY OF ORLANDO
SANITARY SEWER SYSTEM NTC ORLANDO FL
4/27/2001
CITY OF ORLANDO



CITY OF ORLANDO

CIG 0024 - 5A - 2

09.01.52.0002

00650

April 27, 2001

Wayne Hansel
Southern Division Caretaker
2850 Seabee Street
Orlando, FL 32803

Mailed Certified
71064575129422275465

**RE: DISPOSAL OF GROUNDWATER FROM STUDY AREA 52 WELL 13 AT U.S. NAVY
BASE, McCOY ANNEX PERMIT # CO85TA**

Dear Mr. Hansel:

I have received a letter from Steve B. McCoy of Tetra Tech NUS (April 13, 2001), made a site visit, and reviewed documentation stating that you wish to dispose of approximately 1000 to 5000 gallons of groundwater into the City of Orlando's sanitary sewer system.

It is my understanding that:


- 1) This groundwater was derived from Study Area 52, monitoring well OLD-52-13 from overdeveloping this well because the target level for dieldrin (0.005 ppb) exceeded the Florida Groundwater Cleanup Target Level.
- 2) This groundwater (1000 to 5000 gallons) will be collected in a tanker truck, and then discharged to the City's sanitary sewer permitted sample location.
- 3) The anticipated discharge rate will remain below 50 gallons per minute.

Based upon the information outlined above, a site visit and conversations with you, it has been determined that the above mentioned groundwater can be discharged to the City of Orlando's sanitary sewer system under the current guidelines established within the City of Orlando's Sanitary Sewer Use Ordinance (Chapter 30) and your Industrial User Discharge Permit (CO85TA).

Upon completion of said discharge, a report totaling gallons discharged to the City's sanitary sewer system, to include discharge date and time, must be submitted to the City of Orlando, Environmental Control Section.

Please call me if you have any questions.

Sincerely,



Burgess "Andy" Johnson
Senior Environmental Specialist

c: Dan Dashtaki, Acting Supervisor, Environmental Control Section
Steven B. McCoy, PE, Task Order Manager
File