

N65928.AR.002723
NTC ORLANDO
5090.3a

LETTER REGARDING REGULATORY AGREEMENT TO OVERDEVELOP MONITORING
WELLS TO SUPPORT CONTAMINATION ASSESSMENT ADDENDUM FOR BUILDING 7211
MCCOY ANNEX NTC ORLANDO FL
11/25/1996
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

November 25, 1996

Mr. Nick Ugolini
Code 184(PVC)
Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
P.O. Box 190010
North Charleston, South Carolina 29419-9010


RE: Contamination Assessment Report Addendum, Building 7211,
McCoy Annex, NTC Orlando
FDEP #488840202

Dear Mr. Ugolini:

I have completed the technical review of the Contamination Assessment Report (CAR) Addendum dated August 29, 1996 (received September 5, 1996) submitted for Building 7211. Due to the reduction of contaminant concentrations from overdevelopment of monitoring well MW-1 to monitoring only levels, I agree that another attempt at overdevelopment could be beneficial, Especially since this could possibly decrease contamination levels to allow transfer of the property to the City of Orlando.

If I can be of any further assistance with this matter, please contact me at (904) 921-9989.

Sincerely,


John W. Mitchell
Remedial Project Manager

cc: Wayne Hansel, Navy SouthDiv
John Kaiser, ABB Orlando
Mac McNeil, Bechtel
Nancy Rodriguez, USEPA Region IV
Gary Whipple, NTC Orlando
Bill Bostwick, FDEP Central District

TJB B

JJC JJC

ESN ESN