

DEPARTMENT OF TOXIC SUBSTANCES CONTROL

REGION 2

70 HEINZ AVE., SUITE 200
BERKELEY, CA 94710-2737

May 7, 1992

Mr. Wing Wong
Code 1811
Naval Facilities Engineering Command
Western Division
900 Commodore Drive
San Bruno, California 94066-2402

Dear Mr. Wong:

**RESPONSE TO COMMENTS - ADDITIONAL FIELD WORK AT SITES 4 and 5 FOR
THE RI/FS, NAS ALAMEDA**

The Department of Toxic Substances Control (DTSC) has reviewed the subject document dated May 5, 1992, and approves all requested changes except for the schedule of the submittal of report from 75 days (by July 22nd) instead of 90 days from the date of this letter.

In the future, to avoid delay in the implementation of fieldwork, please notify DTSC immediately of any comments and/or if it is reasonable initiate some of the fieldwork that are not affected by these comments.

If you have any comments, please call at (510) 540-3817.

Sincerely,

A handwritten signature in cursive script that reads "Virginia L. Lasky".

Virginia L. Lasky
Associate Hazardous Materials
Specialist
Site Mitigation Branch

cc: Ms. Janette Baxter
SF Bay Regional Water Quality Control Board
2101 Webster Street, Suite 500
Oakland, California 94612

Mr. Randy Cate
Alameda Naval Air Station
Building 114, Code 52
Alameda, California 94501

1098

