

DEPARTMENT OF TOXIC SUBSTANCES CONTROL

Region 4
245 West Broadway, Suite 425
Long Beach, CA 90802-4444

M60050.000937
MCAS EL TORO
SSIC # 5090.3

M60050.000937



MAY 30 1995 4:06

May 30, 1995

Mr. Joseph Joyce
BRAC Environmental Coordinator
Environment and Safety
Marine Corps Air Station El Toro
P.O. Box 95001
Santa Ana, California 92709-5001

Dear Mr. Joyce:

TRANSMITTAL OF REGIONAL WATER QUALITY CONTROL BOARD COMMENTS ON THE
FINAL ADDENDUM TO THE RCRA FACILITY ASSESSMENT WORK PLAN, MARINE CORPS
AIR STATION EL TORO

The Department of Toxic Substances Control (DTSC) has received the enclosed Regional Water Quality Control Board, Santa Ana Region comments on the above mentioned document.

We look forward to working with you on this project. If you have any questions, please call me at (310) 590-4919.

Sincerely,

A large, stylized handwritten signature in black ink, appearing to read "Juan Manuel Jimenez".

Juan Manuel Jimenez,
Remedial Project Manager
Base Closure Unit, Region 4
Office of Military Facilities

Enclosures

cc: Ms. Bonnie Arthur
U.S. Environmental Protection Agency
Region IX
Hazardous Waste Management Division, H-9-2
75 Hawthorne Street
San Francisco, California 94105



Mr. Joseph Joyce
May 30, 1995
Page 2

Ms. Lynn Hornecker
Remedial Project Manager
Department of the Navy
Naval Facilities Engineering Command
Environmental Division
1220 Pacific Highway, Room 18
San Diego, California 92132-5181

Mr. Lawrence Vitale
Remedial Project Manager
California Regional Water Quality Control Board
2010 Iowa Avenue, Suite 100
Riverside, California 92507-2409

Mr. David Cowser
BECHTEL National Inc.
401 W. A Street, Suite 1000
San Diego, California 92101-7905

Memorandum

To: Mr. Juan Jimenez
Department of Toxic Substances Control
245 West Broadway, Suite 425
Long Beach, CA 90802


Date: May 12, 1995

From: CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD - SANTA ANA REGION
2010 IOWA AVENUE, SUITE 100, RIVERSIDE, CALIFORNIA 92507-2409
Telephone: CALNET 632-4130 Public (909) 782-4130

Subject: Final Addendum To The RCRA Facility Assessment Work Plan MCAS
El Toro CTO-0065

We have reviewed the subject document, dated April 1995 and received by us on May 9, 1995. As a result of our review we have determined that, because the document is a plan to investigate shallow surface soils at various locations through out the base, no water quality issues will be addressed. Therefore, we have no comments on the document. However if severe soil contamination is discovered that might impact surface or groundwater those areas will be included in the base wide surface/groundwater remediation plans.

If you have any comments, please call me at (909)782-4998.


Lawrence Vitale
DOD Section