

5090

Ser 1811JC/00202

11 DEC 1989

Mr. Howard Hatayama  
Department of Health Services  
Toxic Substances Control Division  
North Coast Section  
2151 Berkeley Way, Annex 9  
Berkeley, CA 94704

Dear Mr. Hatayama:

Enclosed please find a copy of the Site Inspection Work Plan for Sites PA-13, PA-15, PA-16, PA-17, and PA-18, Naval Station Treasure Island, Hunters Point Annex, and a copy of the Preliminary Assessment, Sites PA-12 through PA-18, Naval Station Treasure Island, Hunters Point Annex.

The Site Inspection Work Plan for Sites PA-13, PA-15, PA-16, PA-17, and PA-18 is forwarded to you for your review and comment. Please provide any comments you may have on the Site Inspection Work Plan in writing to: Commanding Officer, Naval Station Treasure Island, Attn: Kam Tung, Building 1 (Code 70), San Francisco, CA 94130-5000 and a copy to Western Division, Naval Facilities Engineering Command (Attn: Louise Lew, Code 1811), P.O. Box 727, San Bruno, CA 94056-0720, by no later than 11 January 1990.

The Preliminary Assessment, Sites PA-12 through PA-18 is a final report which includes revisions in response to the California Department of Health Services (DHS) comments dated July 17, 1989. These revisions include 1) the addition of Section 3.1, which discusses potential exposure pathways; 2) the addition of potential dermal contact to the discussion of potential health risks at each PA site; and 3) revisions of the Tables to incorporate format changes requested by the DHS.

During the review of previous analytical data required to make the necessary changes to the tables, errors were discovered in the reporting of data on Tables 2 and 6. The tables have therefore been revised. Table 4 was also revised by deleting those metals only identified at low levels. This is consistent with the methodology used in the other tables and does not in any way affect recommendations for additional work at these sites, or the relative priority for the additional work.

5090

Ser 1811JC/00202

11 DEC 1989

By copy of this letter, this documentation is also being submitted to other concerned regulatory agencies for their review.

Sincerely,

Original signed by:

L. A. MICHLIN  
Commander, CEC, USN  
Director, Office of Environmental  
Management

Encl:

- (1) Site Inspection Work Plan for Sites PA-13, PA-15, PA-16, PA-17, and PA-18
- (2) Preliminary Assessment, Sites PA-12 through PA-18

Copy to:

Regional Water Quality Control Board (Attn: Steve Ritchie)  
Bay Area Air Quality Management District (Attn: Scott Lutz)  
U.S. Environmental Protection Agency (Attn: Jerry Clifford)  
California Dept. of Fish & Game (Attn: Mike Rugg)  
U.S. Fish & Wildlife Service (Attn: Steve Schwarzback)  
National Oceanic & Atmospheric Administration (Attn: Chip Demarest)  
Technical Review Committee Public Representative (Attn: Margie O'Driscoll)  
City and County of San Francisco (Attn: David Wells)  
San Francisco District Attorney (Attn: Steve Castleman)

Blind copy to: (w/o encl) 18A2PW, 09C4, 202, 09A2C.90, 181, 1811, 1811JC,  
1811RP, Admin. Record (w/ encl), Harding Lawson Associates (Attn: Mary  
Lucas), PWC SF Bay (Code 420), COMNAVSEASYSCOM (Attn: Robert Milner),  
COMNAVBASE San Francisco, NAVSTA Treasure Island, OIC Treasure Island, HPA

Writer: Julie Carver, 1811JC, x7502  
Typist: A. Araujo, 891206, Ser 4337h  
File: NSTI/HPA

**ENCLOSURE (1) – SITE INSPECTION WORK PLAN  
FOR SITES PA-13, PA-15, PA-16,  
PA-17 AND PA-18**

**ENCLOSURE (2) – PRELIMINARY ASSESSMENT  
SITES PA-12 THROUGH PA-18**

**THE ABOVE IDENTIFIED ENCLOSURES ARE NOT  
AVAILABLE.**

**EXTENSIVE RESEARCH WAS PERFORMED BY  
SOUTHWEST DIVISION TO LOCATE THESE  
ENCLOSURES. THIS PAGE HAS BEEN INSERTED  
AS A PLACEHOLDER AND WILL BE REPLACED  
SHOULD THE MISSING ITEMS BE LOCATED.**

**QUESTIONS MAY BE DIRECTED TO:**

**DIANE C. SILVA  
RECORDS MANAGEMENT SPECIALIST  
SOUTHWEST DIVISION  
NAVAL FACILITIES ENGINEERING COMMAND  
1220 PACIFIC HIGHWAY  
SAN DIEGO, CA 92132**

**TELEPHONE: (619) 532-3676**