

5090
Ser 1811WR/L2392
8 Sep 1992

From: Commander, Western Division, Naval Facilities Engineering Command
To: Distribution

Subj: REMOVAL ACTION, TANK S-505, NAVAL STATION, TREASURE ISLAND,
HUNTERS POINT ANNEX

Encl: (1) August 19, 1992 Harding Lawson Associates ltr, 11400 012700

1. Enclosure (1) is forwarded for your information and reference. The laboratory test value described in enclosure (1) was originally presented in the "Removal Action for Tank S-505, Volume I-Work Plan, Naval Station Treasure Island, Hunters Point Annex, San Francisco, California," prepared by Harding Lawson Associates and dated August 28, 1990. The laboratory originally reported a value of 18,000 ug/kg (18 mg/kg) for Aroclor 1260 in sample 8924D009. The correct value should be 180,000 ug/kg (180 mg/kg).

3. Should you have any questions regarding this matter, the point of contact is Commander, Western Division, Naval Facilities Engineering Command (Attn: William Radzevich, Code 1811WR, (415) 244-2555).

LOUISE T. LEW
By direction

Distribution:

U.S. Environmental Protection Agency (Attn: Roberta Blank)
California Department of Toxic Substances Control (Attn: Bonnie Arthur)
California Regional Water Quality Control Board (Attn: Barbara Smith)

Copy to:

National Oceanic & Atmospheric Administration (Attn: Denise Klimas)
U.S. Department of the Interior (Attn: Bill Allen)
U.S. Fish & Wildlife Service (Attn: Steve Schwarzbach)
Agency for Toxic Substances and Disease Registry (Attn: Joan Davis)
California Department of Fish & Game (Attn: Mike Rugg)
Bay Area Air Quality Management District (Attn: Catherine Fortney)
Bay Conservation and Development Commission (Attn: Nancy Wakeman)
City and County of San Francisco (Attn: David Wells)
San Francisco District Attorney (Attn: Steve Castleman)
TRC Public Representative (Attn: Leslie Katz)
TAG Liaison (Attn: Sy-Allen Browning)
PRC (Attn: Gary Welshans)
ROICC, San Francisco Bay Area (Attn: ENS D.J. Kopp)
NAVSTA Treasure Island (Attn: Jim Sullivan) (2 copies)
COMNAVBASE S.F. (Attn: Randy Friedman)

Blind copy to:

09CMN, 09B, 04, 1811, 1811WW, 1811WR

Admin Record (3 copies)

Chron, blue, pink, green

File: HPA/IR



August 19, 1992

11400 012700

Installation Restoration Branch, Code 1811, Western Division
Naval Facilities Engineering Command
900 Commodore Drive, Building 101
San Bruno, California 94066-2402

Attention: Mr. Wing Wong

Gentlemen:

Correction of Tank S505 Sludge Data

A typographical error for sample 8924D009 has recently been brought to our attention by Tarek Gaylon of Chemwest Laboratory. Sample 8924D009 is a sludge sample collected from Tank S505; the chemical data were reported in *Soil and Sludge Sampling, Tank S505 Hunters Point Annex, San Francisco, California (HLA, 1989)*. The laboratory originally reported a value of 18,000 $\mu\text{g}/\text{kg}$ (18 mg/kg) for Aroclor 1260 in sample 8924D009. The correct value for Aroclor 1260 in sample 8924D009 is 180,000 $\mu\text{g}/\text{kg}$ (180 mg/kg). Please make the appropriate correction to Table 3 and page 6 in your copy of the report. Please notify us if you intend to inform the recipients of this report.

Yours very truly,

HARDING LAWSON ASSOCIATES

A handwritten signature in cursive script that reads 'Carl J. Michelsen'.

Carl J. Michelsen
Senior Geochemist

CJM/rlg25344

RECEIVED
IN CODE 1&1

'92 AGO 26 P2:14

N00217.002779
HUNTERS POINT
SSIC NO. 5090.3

DRAFT FINAL
REMOVAL ACTION FOR TANK S-505
VOLUME 1 – WORK PLAN

DATED 28 AUGUST 1990

IS ENTERED IN THE DATABASE AND FILED AT
ADMINISTRATIVE RECORD NO. N00217.001420