

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
ANGELES REGION

CENTRE PLAZA DRIVE
MONTEREY PARK, CA 91754-2156
(213) 266-7500
FAX (213) 266-7600




March 17, 1997

Mr. Gary Simon
Code 56SD.GS
Naval Facilities Engineering Command
Southwest Division BRAC Program Office
1420 Kettner Boulevard Suite 507
San Diego, CA 92101-2404

**CONFIRMATION SAMPLING/REQUEST TO BACKFILL CELLS B 2-7, C 2-7, AND
D 2-7, SITE 4 EAST LONG BEACH NAVAL COMPLEX, LONG BEACH, CALIFORNIA
(File No. 90-76)**

We have received and reviewed the Confirmation Sampling/Request to Backfill Cells B 2-7, C 2-7, and D 2-7, Site 4 East, at the Naval Complex, dated March 6, 1997. We concur that the above referenced cells, with the exception of the east and south sidewalls, have been remediated as per the requirements outlined in Order No. 96-098. Therefore we have no objections to your proposal to backfill Cells B 2-7, C 2-7, and D 2-7. Soil removal and confirmation sampling will continue along the east and south sidewall of the excavation.

If you have any questions regarding this matter, please contact Hugh Marley at (213) 266-7669.


J.E. ROSS, Unit Chief
Site Cleanup Unit

cc: Alvaro Gutterez, Department of Toxic Substances Control
CDR Anthony Didomenico, Naval Shipyard Long Beach
Faiq Aljabi, Navy Southwest Division, San Diego
Martin Hausladen, U.S. Environmental Protection Agency
Alan Lee, Navy Southwest Division, San Diego
Ms. Anna Ulaszewski, Naval Shipyard long Beach