



DEPARTMENT OF THE NAVY
NAVAL ORDNANCE SAFETY & SECURITY ACTIVITY
FARRAGUT HALL BLDG D-323
23 STRAUSS AVENUE
INDIAN HEAD MD 20640-5555

N00221_002391
MARE ISLAND
SSIC NO. 5090.3.A

8020
Ser N511/41
5 Jan 04

From: Commanding Officer, Naval Ordnance Safety and Security Activity

To: Commander, Southwest Division, Naval Facilities Engineering Command

Subj: EXPLOSIVES SAFETY SUBMISSION (ESS)

Ref: (a) SWDIV ltr 5090 Ser 06CM.JD/1442 of 5 Nov 03
(b) Final Explosives Safety Submission, Revision 2, 30 Oct 03, Time-Critical Removal Action at the Marine Corps Firing Range at the Former Mare Island Naval Shipyard, Vallejo, CA
(c) NAVSEA OP 5, Revision 7

Encl: (1) NOSSA Comments on 30 Oct 03 Mare Island USMC Firing Range ESS

1. As requested by reference (a), the Naval Ordnance Safety and Security Activity (NOSSA) reviewed the reference (b) Explosives Safety Submission (ESS) in accordance with reference (c).

2. NOSSA concur with the ESS, subject to the following conditions:

a. SWDIV must resubmit for our records the corrected ESS on or before 31 Jan 04. It must satisfactorily address each of the concerns identified in enclosure (1); and

b. SWDIV may proceed with the Time-Critical Removal Action (TCRA) operations per the timeline proposed in reference (b) providing operations comply with the changes identified in enclosure (1).

3. The NOSSA point of contact for this matter, Mr. Doug Murray, can be contacted at DSN 354-4355 or commercial (301)-744-4355.


R. S. BARCUS

Copy to:
CNO (N411, N45C)
COMNAVFACENCOM (EN, ENC)
NOSSA ESSOPAC (N7)