

5090  
Ser 1813HC/L3199  
26 FEB 1993

From: Commander, Western Division, Naval Facilities Engineering Command  
To: Distribution

Subj: BUILDING 690 ADDITION, MARE ISLAND NAVAL SHIPYARD,  
VALLEJO, CA.

Encl: (1) Navy Response To DTSC and RWQCB Comments on the Technical  
Memorandum and the Health and Safety Plan dtd 9 Dec 1992

1. The Navy has reviewed the comments prepared by the California Department of Toxic Substance Control (DTSC) dated 28 Dec 1992 and the California Regional Water Quality Control Board (RWQCB) dated 20 Jan. 1992. The Navy has prepared responses to both DTSC and RWQCB comments and are provided as enclosure (1).
2. It is requested that any comments be provided to Navy no later than 24 Mar 1993. Field activity is currently planned to start during the week of 5 April 1993.
3. Should you have any questions concerning enclosure (1), please contact Mr. Hubert Chan, Code 1813HC, of this Command at (415) 244-2562.

Original signed by:

GILBERT A. RIVERA  
By direction

Distribution:

Department of Health Services (Attn: Ms. Lynn Nakashima)  
Regional Water Quality Control Board (Attn: Ms. Shin-Roi Lee)  
NAVSHIPYD Mare Island (Attn: Code 106)  
NAVSHIPYD Mare Island (Attn: Code 105)  
WESTNAVFACENGCOM (Code 04/09A2C)

Blind copy to: (w/o encl)  
1813, 1813RC, 1815TM  
Admin Record (w/encl)  
File: Mare island Naval Shipyard  
Chron, blue, pink, green

727  
728