

5090

Ser 1146/Moffett/NAS

04 FEB 1988

Regional Water Quality Control Board
Attn: Mr. Tom Perkins
1711 Jackson Street, Room 6040
Oakland, CA 94607

Dear Mr. Perkins:

Regulatory agencies submitted comments regarding the Kennedy/Jenks/Chilton (K/J/C) Revised Sampling Plan and enclosures (1), (2), and (3) are our responses to those comments. Our consultant, IT Corporation, incorporated the regulatory agencies' comments into a revised sampling plan. The revised plans were submitted to the regulatory agencies on December 15, 1987.

Should you have any questions regarding this matter, the point of contact is Commander, Western Division, Naval Facilities Engineering Command (Attn: Ms. Chloe Jue, Code 1146CJ, (415) 877-7504).

Sincerely,

ALEX E. DONG
Head, Environmental Restoration Section

Encl:

- (1) Response to Environmental Protection Agency comments
- (2) Response to Regional Water Quality Control Board comments
- (3) Response to State Water Resource Board comments

Copy to:

Regional Water Quality Control Board (Attn: Tom Perkins)
State Water Resource Board (Attn: Gil Torres) - 813 880204.02
Department of Health Services (Attn: Chien Kao) - 814 880204.03
NAS Moffett Field (Code 189A)
NEESA (Code 112E)
Martin Marietta Energy Systems (Attn: Paula Pritz) (w/o encl)
IT Corporation (Attn: Keith Bradley) (w/o encl)

WRITER: C. Jue/1146CJ/7504
TYPIST: B. Palmer/4 Feb 88/Ser 3291h
FILE: MOFFETT/NAS

248
249
250

NAVY/RWQCB 44

**ENCLOSURE 1 – RESPONSE TO
ENVIRONMENTAL PROTECTION AGENCY
COMMENTS**

**TRANSMITTAL OF RESPONSES TO COMMENTS
ON THE REVISED SAMPLING PLAN**

**THE ABOVE IDENTIFIED ENCLOSURE IS NOT
AVAILABLE.**

**EXTENSIVE RESEARCH WAS PERFORMED BY
NAVFAC SOUTHWEST TO LOCATE THIS
ENCLOSURE. THIS PAGE HAS BEEN INSERTED
AS A PLACEHOLDER AND WILL BE REPLACED
SHOULD THE MISSING ITEM BE LOCATED.**

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA
RECORDS MANAGEMENT SPECIALIST
NAVAL FACILITIES ENGINEERING COMMAND
SOUTHWEST
1220 PACIFIC HIGHWAY
SAN DIEGO, CA 92132**

TELEPHONE: (619) 532-3676

**ENCLOSURE 2 – RESPONSE TO REGIONAL
WATER QUALITY CONTROL BOARD COMMENTS**

**TRANSMITTAL OF RESPONSES TO COMMENTS
ON THE REVISED SAMPLING PLAN**

**THE ABOVE IDENTIFIED ENCLOSURE IS NOT
AVAILABLE.**

**EXTENSIVE RESEARCH WAS PERFORMED BY
NAVFAC SOUTHWEST TO LOCATE THIS
ENCLOSURE. THIS PAGE HAS BEEN INSERTED
AS A PLACEHOLDER AND WILL BE REPLACED
SHOULD THE MISSING ITEM BE LOCATED.**

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA
RECORDS MANAGEMENT SPECIALIST
NAVAL FACILITIES ENGINEERING COMMAND
SOUTHWEST
1220 PACIFIC HIGHWAY
SAN DIEGO, CA 92132**

TELEPHONE: (619) 532-3676

**ENCLOSURE 3 – RESPONSE TO STATE WATER
RESOURCE BOARD COMMENTS**

**TRANSMITTAL OF RESPONSES TO COMMENTS
ON THE REVISED SAMPLING PLAN**

**THE ABOVE IDENTIFIED ENCLOSURE IS NOT
AVAILABLE.**

**EXTENSIVE RESEARCH WAS PERFORMED BY
NAVFAC SOUTHWEST TO LOCATE THIS
ENCLOSURE. THIS PAGE HAS BEEN INSERTED
AS A PLACEHOLDER AND WILL BE REPLACED
SHOULD THE MISSING ITEM BE LOCATED.**

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA
RECORDS MANAGEMENT SPECIALIST
NAVAL FACILITIES ENGINEERING COMMAND
SOUTHWEST
1220 PACIFIC HIGHWAY
SAN DIEGO, CA 92132**

TELEPHONE: (619) 532-3676