N00296.000785
MOFFETT FIELD
SSIC NO. 5090.3

QUARTERLY REPORT
3RD QUARTER 1989
NAS MOFFETT FIELD, CALIFORNIA
REMEDIAL INVESTIGATION/FEASIBILITY STUDY

VOLUME 2: APPENDIX B

NOVEMBER 15, 1989

Prepared by:

IT Corporation
312 Directors Drive
Knoxville, Tennessee 37923

Submitted by:

Hazardous Waste Remedial Actions Program
Martin Marietta Energy Systems, Inc.
Oak Ridge, Tennessee 37831

for:

U.S. Department of Energy
Contract DE-AC05-84OR21400

Submitted to:

Department of the Navy
Western Division
Naval Facilities Engineering Command
San Bruno, California 94066-0720

N00296.000785
MOFFETT FIELD
SSIC NO. 5090.3

QUARTERLY REPORT
3RD QUARTER 1989
REMEDIAL INVESTIGATION/FEASIBILITY STUDY

DATED 15 NOVEMBER 1989

THIS RECORD CONTAINS MULTIPLE VOLUMES
WHICH HAVE BEEN ENTERED SEPARATELY

VOLUME 1 OF 3 IS FILED AS ADMINISTRATIVE
RECORD NO. **N00296.000784**

VOLUME 3 OF 3 IS FILED AS ADMINISTRATIVE
RECORD NO. **N00296.000786**

VOLUME 1 - REPORT
TABLE OF CONTENTS

PAGE

LIST OF APPENDICES.....xiv

LIST OF ABBREVIATIONS.....xv

EXECUTIVE SUMMARY.....xvi

1.0 SUMMARY OF FIELD ACTIVITIES.....1-1

1.1 INTRODUCTION.....1-1

1.2 SAMPLING PROGRESS.....1-2

2.0 SITE SPECIFIC SUMMARY OF FIELD ACTIVITIES.....2-1

2.1 OBJECTIVES OF THE INVESTIGATIONS.....2-1

2.2 PROGRESS OF THE INVESTIGATION.....2-4

2.3 REMAINING FIELD ACTIVITIES.....2-4

3.0 MAJOR ACTIVITIES PLANNED FOR NEXT REPORTING PERIOD.....3-1

VOLUME 1
APPENDIX A TABLE OF CONTENTS

APPENDIX A

1.0 SITE ACTIVITY MAPS

FIGURE NO.	TITLE
1-1	Site Location Map, Sites 1-10
1-2	Site Location Map, Sites 11-19
1-3	Site 1 - Monitoring Well and Boring Locations
1-4	Site 2 - Monitoring Well and Boring Locations
1-5	Site 3 - Monitoring Well and Boring Locations
1-6	Site 4, 5, 6, 7 - Monitoring Well and Boring Locations
1-7	Site 8 - Monitoring Well and Boring Locations
1-8	Site 9 - Monitoring Well and Boring Locations
1-9	Site 10 - C-Aquifer and Runway (Site 10) Monitoring Well Locations
1-10	Approximate Location of Wells for Potential Conduit Investigation and Approximate Location of Monitoring Wells at Sites 3 and 10 (Not Shown on Figures 1-5 and 1-9, respectively)
1-11	Site 11 - Monitoring Well and Boring Locations
1-12	Site 12 - Monitoring Well and Boring Locations
1-13	Site 13 - Monitoring Well and Boring Locations
1-14	Site 14 - Monitoring Well and Boring Locations, Near Former Location of Tanks 19 and 20
1-15	Site 14 - Monitoring Well and Boring Locations Near Tanks 67 and 68
1-16	Site 15 - Location Map, Sumps and Oil/Water Separators
1-17	Site 16 - Boring Locations
1-18	Site 17 - Monitoring Well and Boring Locations
1-19	Site 18 - Monitoring Well and Boring Locations
1-20	Site 19 - Tanks 2 and 43, Monitoring Well and Boring Locations

VOLUME 1
APPENDIX A TABLE OF CONTENTS
(Continued)

1.0 SITE ACTIVITY MAPS

FIGURE NO.	TITLE
1-21	Site 19 - Tank 53, Monitoring Well and Boring Locations
1-22	Site 19 - Tank 14 Location

2.0 TABLES

TABLE NO.	TITLE
2-1	Completed Phase I Field Activities, NAS Moffett Field
2-2	Remaining Phase II Field Activities, NAS Moffett Field

VOLUME 2
APPENDIX B TABLE OF CONTENTS

PAGE

1.0 SITE 1 ANALYTICAL RESULTS

1.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 1.....1.1-1

2.0 SITE 2 ANALYTICAL RESULTS

2.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 2.....2.1-1

3.0 SITE 3 ANALYTICAL RESULTS

3.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 3.....3.1-1

4.0 SITE 4 ANALYTICAL RESULTS

4.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 4.....4.1-1

5.0 SITE 5 ANALYTICAL RESULTS

5.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 5.....5.1-1

6.0 SITE 6 ANALYTICAL RESULTS

6.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 6.....6.1-1

7.0 SITE 7 ANALYTICAL RESULTS

7.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 7.....7.1-1

8.0 SITE 8 ANALYTICAL RESULTS

8.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 8.....8.1-1

9.0 SITE 9 ANALYTICAL RESULTS

9.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 9.....9.1-1

10.0 SITE 10 ANALYTICAL RESULTS

10.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 10.....10.1-1

VOLUME 2
APPENDIX B TABLE OF CONTENTS
(CONTINUED)

PAGE

11.0 SITE 11 ANALYTICAL RESULTS

11.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 11.....11.1-1

12.0 SITE 12 ANALYTICAL RESULTS

12.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 12.....12.1-1

14.0 SITE 14 ANALYTICAL RESULTS

14.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 14 .....14.1-1

15.0 SITE 19 ANALYTICAL RESULTS

15.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 19 .....19.1-1

VOLUME 3
TABLE OF CONTENTS
APPENDICIES C, D, E, F & G

APPENDIX C

FIGURE NO.	TITLE
C-1	Potentiometric Surface Contour Map, A Aquifer, September 1989, Sites 1 and 2
C-2	Potentiometric Surface Contour Map, A Aquifer - East, September 1989, NAS Moffett Field
C-3	Potentiometric Surface Contour Map, B Aquifer - East, September 1989, NAS Moffett Field
C-4	Potentiometric Surface Contour Map, A Aquifer - West, September 1989, NAS Moffett Field
C-5	Potentiometric Surface Contour Map, B Aquifer - West, September 1989, NAS Moffett Field

APPENDIX D

D-1	Hydrograph of Site 1 A-Aquifer Wells
D-2	Hydrograph of Site 1 A-Aquifer Wells
D-3	Hydrograph of Site 1 Leachate Wells
D-4	Hydrograph of Site 2 A-Aquifer Wells
D-5	Hydrograph of Site 2 Leachate Wells
D-6	Hydrograph of Site 3 A-Aquifer Wells
D-7	Hydrograph of Site 3 A-Aquifer Wells
D-8	Hydrograph of Site 3 B-Aquifer Wells
D-9	Hydrograph of Site 3 B-Aquifer Wells
D-10	Hydrograph of Site 4 A-Aquifer Wells
D-11	Hydrograph of Site 4 B-Aquifer Wells
D-12	Hydrograph of Site 4 C-Aquifer Wells
D-13	Hydrograph of Site 5 A-Aquifer Wells
D-14	Hydrograph of Site 5 A-Aquifer Wells
D-15	Hydrograph of Site 5 B-Aquifer Wells
D-16	Hydrograph of Site 5 C-Aquifer Wells

VOLUME 3
TABLE OF CONTENTS
APPENDICIES C, D, E, F & G
(CONTINUED)

FIGURE NO.	TITLE
D-17	Hydrograph of Site 6 A-Aquifer Wells
D-18	Hydrograph of Site 7 A-Aquifer Wells
D-19	Hydrograph of Site 7 A-Aquifer Wells
D-20	Hydrograph of Site 7 B-Aquifer Wells
D-21	Hydrograph of Site 7 C-Aquifer Wells
D-22	Hydrograph of Site 8 A-Aquifer Wells
D-23	Hydrograph of Site 8 B-Aquifer Wells
D-24	Hydrograph of Site 8 C-Aquifer Wells
D-25	Hydrograph of Site 9 A-Aquifer Wells
D-26	Hydrograph of Site 9 B-Aquifer Wells
D-27	Hydrograph of Site 9 C-Aquifer Wells
D-28	Hydrograph of Site 10 A-Aquifer Wells
D-29	Hydrograph of Site 10 B-Aquifer Wells
D-30	Hydrograph of Site 10 C-Aquifer Wells
D-31	Hydrograph of Site 11 A-Aquifer Wells
D-32	Hydrograph of Site 12 A-Aquifer Wells
D-33	Hydrograph of Site 14 A-Aquifer Wells
D-34	Hydrograph of Site 14 B-Aquifer Wells
D-35	Hydrograph of Site 19 A-Aquifer Wells
D-36	Hydrograph of Site 19 B-Aquifer Wells

VOLUME 3
TABLE OF CONTENTS
APPENDICIES C, D, E, F & G
(CONTINUED)

APPENDIX E

	TITLE	PAGE
	Water Level Measurements, Site 1	E-1
	Water Level Measurements, Site 2	E-8
	Water Level Measurements, Site 3	E-12
	Water Level Measurements, Site 4	E-19
	Water Level Measurements, Site 5	E-22
	Water Level Measurements, Site 6	E-27
	Water Level Measurements, Site 7	E-28
	Water Level Measurements, Site 8	E-32
	Water Level Measurements, Site 9	E-35
	Water Level Measurements, Site 10	E-40
	Water Level Measurements, Site 11	E-42
	Water Level Measurements, Site 12	E-43
	Water Level Measurements, Site 14	E-45
	Water Level Measurements, Site 19	E-48
	Water Level Measurements, MEW Wells	E-50
APPENDIX F	Summary Of Major/Significant Meetings	F-1
APPENDIX G	Project Variances	G-1

LIST OF APPENDICES

APPENDIX		VOLUME NO.
A	Site Maps	1
B	Analytical Data and Summary Tables	2
C	Potentiometric Surface Contour Maps	3
D	Hydrographs	3
E	Water Level Measurements	3
F	Summary of Major/Significant Meetings	3
G	Project Variances	3

ABBREVIATIONS

BNAs	Base/neutral and acid extractable priority pollutants
ERM-West	Environmental Resources Management West, Inc.
ESA	Earth Science Associates, Inc.
DCA	Dichloroethane
DCE	Dichloroethene
EPA	Environmental Protection Agency
FS	Feasibility study
GC	Gas chromatograph
gpm	Gallons per minute
IRP	Installation Restoration Program
IT	IT Corporation
ID	Internal Diameter
MEW	Middlefield - Ellis - Whisman
NAS	Naval Air Station
NTU	Nephelometric turbidity unit
PCBs	Polychlorinated biphenyls
ppb	Parts per billion
ppm	Parts per million
RI	Remedial Investigation
RWQCB	Regional Water Quality Control Board
SWAT	Solid Waste Assessment Test
TCA	Trichloroethane
TCE	Trichloroethene
TDS	Total dissolved solids
TIP	Total Ionizables Present, Photovac, photoionization detector/pump
TL-#	Transect Lines
TPHC	Total petroleum hydrocarbons
VOCs	Volatile organic priority pollutants

N00296.000784
MOFFETT FIELD
SSIC NO. 5090.3

APPENDIX B

QUARTERLY REPORT
3RD QUARTER 1989
REMEDIAL INVESTIGATION/FEASIBILITY STUDY

DATED 15 NOVEMBER 1989

PAGE

1.0 SITE 1 ANALYTICAL RESULTS

1.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 1.....1.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-05(A)	W01-05(A)	W01-05(A)
SAMPLE NUMBER =====>	MOF-658	MOF-816	MOF-817
SAMPLE DATE ========>	05/10/89	08/08/89	08/08/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	ND	NA
1,2,4-Trichlorobenzene	10	ND	ND	NA
1,3 Dichlorobenzene	10	ND	ND	NA
1,4 Dichlorobenzene	10	ND	ND	NA
2 nitrophenol	10	ND	ND	NA
2,4 Dimethylphenol	10	ND	ND	NA
2,4,5-Trichlorophenol	50	ND	ND	NA
2,4,6-Trichlorophenol	10	ND	ND	NA
2,4-Dichlorophenol	10	ND	ND	NA
2,4-Dinitrophenol	50	ND	ND	NA
2,4-Dinitrotoluene	10	ND	ND	NA
2,6-Dinitrotoluene	10	ND	ND	NA
2-Chloronaphthalene	10	ND	ND	NA
2-Chlorophenol	10	ND	ND	NA
2-Methylnaphthalene	10	ND	ND	NA
2-Methylphenol	10	ND	ND	NA
2-Nitroaniline	50	ND	ND	NA
3,3'-Dichlorobenzidine	20	ND	ND	NA
3-Nitroaniline	50	ND	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	ND	NA
4-Bromophenyl phenyl ether	10	ND	ND	NA
4-Chloro-3-methylphenol	10	ND	ND	NA
4-Chloroaniline	10	ND	ND	NA
4-Chlorophenyl phenyl ether	10	ND	ND	NA
4-Methylphenol	10	ND	ND	NA
4-Nitroaniline	50	ND	ND	NA
4-Nitrophenol	50	ND	ND	NA
Acenaphthene	10	ND	ND	NA
Acenaphthylene	10	ND	ND	NA
Anthracene	10	ND	ND	NA
Benzo(a)anthracene	10	ND	ND	NA
Benzo(a)pyrene	10	ND	ND	NA
Benzo(b)fluoranthene	10	ND	ND	NA
Benzo(g,h,i)perylene	10	ND	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-05(A)	W01-05(A)	W01-05(A)
SAMPLE NUMBER =====>	MOF-658	MOF-816	MOF-817
SAMPLE DATE ========>	05/10/89	08/08/89	08/08/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	ND	NA
Benzoic acid	50	ND	ND	NA
Benzyl Alcohol	10	ND	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	ND	NA
Bis(2-Chloroethyl)ether	10	ND	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	ND	NA
Butyl benzyl phthalate	10	ND	ND	NA
Chrysene	10	ND	ND	NA
Di-n-butylphthalate	10	ND	BJ 2	NA
Di-n-octyl phthalate	10	ND	ND	NA
Dibenz(a,h)anthracene	10	ND	ND	NA
Dibenzofuran	10	ND	ND	NA
Diethylphthalate	10	ND	ND	NA
Dimethyl phthalate	10	ND	ND	NA
Fluoranthene	10	ND	ND	NA
Fluorene	10	ND	ND	NA
Hexachlorobenzene	10	ND	ND	NA
Hexachlorobutadiene	10	ND	ND	NA
Hexachlorocyclopentadiene	10	ND	ND	NA
Hexachloroethane	10	ND	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	ND	NA
Isophorone	10	ND	ND	NA
N-nitroso-dipropylamine	10	ND	ND	NA
Naphthalene	10	ND	ND	NA
Nitrobenzene	10	ND	ND	NA
Pentachlorophenol	50	ND	ND	NA
Phenanthrene	10	ND	ND	NA
Phenol	10	ND	ND	NA
Pyrene	10	ND	ND	NA
========== TIC ==========				
2-Ethylhexyl Ester- @ 33.47	TIC		J 40	
Unknown @ 28.44	TIC	J 12		
Unknown @ 33.37	TIC	J 20		
Unknown @ 33.59	TIC	J 14		
Unknown @ 8.47	TIC	J 100		

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-05(A)	W01-05(A)	W01-05(A)
SAMPLE NUMBER =====>	MOF-658	MOF-816	MOF-817
SAMPLE DATE ========>	05/10/89	08/08/89	08/08/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Unknown @ 9.92	TIC	J 10		
Unknown @ 9.95	TIC		J 10	
Unknown Hydrocarbon @ 30.96	TIC	J 12		
Unknown Hydrocarbon @ 32.07	TIC	J 14		
Unknown Hydrocarbon @ 33.16	TIC	J 12		
Unknown Hydrocarbon @ 34.19	TIC	J 12		
Unknown Hydrocarbon @ 35.22	TIC	J 10		

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-05(A)	W01-05(A)	W01-05(A)
SAMPLE NUMBER =====>	MOF-658	MOF-816	MOF-817
SAMPLE DATE ========>	05/10/89	08/08/89	08/08/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	3000	J 828	NA
Antimony	60	J 567	J 518	NA
Arsenic	10	ND<30.0	ND<21.0	NA
Barium	200	J 988	J 598	NA
Beryllium	5	ND<17.0	ND<12.0	NA
Cadmium	5	ND<40.0	ND<60.0	NA
Calcium	5000	360000	454000	NA
Chromium	10	ND<37.0	ND<82.0	NA
Cobalt	50	ND<68.0	ND<54.0	NA
Copper	25	ND<38.0	J 146	NA
Iron	100	2610	J 604	NA
Lead	5	110	J 11.0	NA
Magnesium	5000	1300000	1580000	NA
Manganese	15	1890	2380	NA
Mercury	.2	ND<0.10	0.39	NA
Nickel	40	ND<132	ND<136	NA
Potassium	5000	362000	390000	NA
Selenium	5	ND<24.0	ND<10	NA
Silver	10	ND<30.0	J 108	NA
Sodium	5000	8860000	14300000	NA
Thallium	10	ND<15.0	ND<7.0	NA
Vanadium	50	537	J 218	NA
Zinc	20	338	ND<28.0	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-05(A)	W01-05(A)	W01-05(A)
SAMPLE NUMBER =====>		MOF-658	MOF-816	MOF-817
SAMPLE DATE ========>		05/10/89	08/08/89	08/08/89
SAMPLE TYPE ========>				TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND	ND	NA
AROCLOR-1221	.5	ND	ND	NA
AROCLOR-1232	.5	ND	ND	NA
AROCLOR-1242	.5	ND	ND	NA
AROCLOR-1248	.5	ND	ND	NA
AROCLOR-1254	1	ND	ND	NA
AROCLOR-1260	1	ND	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-05(A)	W01-05(A)	W01-05(A)
SAMPLE NUMBER =====>	MOF-658	MOF-816	MOF-817
SAMPLE DATE ========>	05/10/89	08/08/89	08/08/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	10	J 6	32
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	BJ 2	B 10	B 19
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-06(A)	W01-06(A)
SAMPLE NUMBER =====>	MOF-649	MOF-818
SAMPLE DATE ========>	05/09/89	08/08/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-06(A)	W01-06(A)
SAMPLE NUMBER =====>	MOF-649	MOF-818
SAMPLE DATE ========>	05/09/89	08/08/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	ND
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
Dioctyl Ester Hexanedioi@31.8	TIC		BJ 26
Unknown @ 10.09	TIC		J 260
Unknown @ 10.54	TIC	J 20	
Unknown @ 10.57	TIC		J 28
Unknown @ 8.70	TIC	J 26	

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W01-06(A)	W01-06(A)
SAMPLE NUMBER	=====>	MOF-649	MOF-818
SAMPLE DATE	========>	05/09/89	08/08/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Unknown @ 9.14	TIC	J 12	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-06(A)	W01-06(A)
SAMPLE NUMBER =====>	MOF-649	MOF-818
SAMPLE DATE ========>	05/09/89	08/08/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	2680	J 2020
Antimony	60	J 552	J 450
Arsenic	10	J 1.4	ND<21.0
Barium	200	J 702	J 466
Beryllium	5	ND<17.0	ND<12.0
Cadmium	5	ND<39.6	ND<60.0
Calcium	5000	633000	704000
Chromium	10	ND<37.0	ND<82.0
Cobalt	50	ND<68.0	ND<54.0
Copper	25	ND<38.0	J 198
Iron	100	1110	3840
Lead	5	ND<23.0	J 11.0
Magnesium	5000	1590000	1780000
Manganese	15	7950	6940
Mercury	.2	ND<0.10	J 0.081
Nickel	40	ND<132	ND<136
Potassium	5000	449000	560000
Selenium	5	ND<25.0	ND<10
Silver	10	ND<30.0	J 94.0
Sodium	5000	11100000	16400000
Thallium	10	J 48.0	ND<7.0
Vanadium	50	J 490	J 418
Zinc	20	ND<59.0	J 36.0

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-06(A)	W01-06(A)
SAMPLE NUMBER =====>	MOF-649	MOF-818
SAMPLE DATE ========>	05/09/89	08/08/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	ND
AROCLOR-1221	.5	ND	ND
AROCLOR-1232	.5	ND	ND
AROCLOR-1242	.5	ND	ND
AROCLOR-1248	.5	ND	ND
AROCLOR-1254	1	ND	ND
AROCLOR-1260	1	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-06(A)	W01-06(A)
SAMPLE NUMBER =====>	MOF-649	MOF-818
SAMPLE DATE ========>	05/09/89	08/08/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	J 8
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	ND	B 5
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-07(A)	W01-07(A)	W01-07(A)	W01-07(A)
SAMPLE NUMBER =====>		MOF-663	MOF-664	MOF-821	MOF-822
SAMPLE DATE ========>		05/11/89	05/11/89	08/09/89	08/09/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,2 Dichlorobenzene	10	ND	NA	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA	ND	NA
1,3 Dichlorobenzene	10	ND	NA	ND	NA
1,4 Dichlorobenzene	10	ND	NA	ND	NA
2 nitrophenol	10	ND	NA	ND	NA
2,4 Dimethylphenol	10	ND	NA	ND	NA
2,4,5-Trichlorophenol	50	ND	NA	ND	NA
2,4,6-Trichlorophenol	10	ND	NA	ND	NA
2,4-Dichlorophenol	10	ND	NA	ND	NA
2,4-Dinitrophenol	50	ND	NA	ND	NA
2,4-Dinitrotoluene	10	ND	NA	ND	NA
2,6-Dinitrotoluene	10	ND	NA	ND	NA
2-Chloronaphthalene	10	ND	NA	ND	NA
2-Chlorophenol	10	ND	NA	ND	NA
2-Methylnaphthalene	10	ND	NA	ND	NA
2-Methylphenol	10	ND	NA	ND	NA
2-Nitroaniline	50	ND	NA	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA	ND	NA
3-Nitroaniline	50	ND	NA	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA	ND	NA
4-Chloro-3-methylphenol	10	ND	NA	ND	NA
4-Chloroaniline	10	ND	NA	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA	ND	NA
4-Methylphenol	10	ND	NA	ND	NA
4-Nitroaniline	50	ND	NA	ND	NA
4-Nitrophenol	50	ND	NA	ND	NA
Acenaphthene	10	ND	NA	ND	NA
Acenaphthylene	10	ND	NA	ND	NA
Anthracene	10	ND	NA	ND	NA
Benzo(a)anthracene	10	ND	NA	ND	NA
Benzo(a)pyrene	10	ND	NA	ND	NA
Benzo(b)fluoranthene	10	ND	NA	ND	NA
Benzo(g,h,i)perylene	10	ND	NA	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-07(A)	W01-07(A)	W01-07(A)	W01-07(A)
SAMPLE NUMBER =====>		MOF-663	MOF-664	MOF-821	MOF-822
SAMPLE DATE ========>		05/11/89	05/11/89	08/09/89	08/09/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Benzo(k)fluoranthene	10	ND	NA	ND	NA
Benzoic acid	50	ND	NA	ND	NA
Benzyl Alcohol	10	ND	NA	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA	ND	NA
Butyl benzyl phthalate	10	ND	NA	ND	NA
Chrysene	10	ND	NA	ND	NA
Di-n-butylphthalate	10	ND	NA	ND	NA
Di-n-octyl phthalate	10	ND	NA	ND	NA
Dibenz(a,h)anthracene	10	ND	NA	ND	NA
Dibenzofuran	10	ND	NA	ND	NA
Diethylphthalate	10	ND	NA	ND	NA
Dimethyl phthalate	10	ND	NA	ND	NA
Fluoranthene	10	ND	NA	ND	NA
Fluorene	10	ND	NA	ND	NA
Hexachlorobenzene	10	ND	NA	ND	NA
Hexachlorobutadiene	10	ND	NA	ND	NA
Hexachlorocyclopentadiene	10	ND	NA	ND	NA
Hexachloroethane	10	ND	NA	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA	ND	NA
Isophorone	10	ND	NA	ND	NA
N-nitroso-dipropylamine	10	ND	NA	ND	NA
Naphthalene	10	ND	NA	ND	NA
Nitrobenzene	10	ND	NA	ND	NA
Pentachlorophenol	50	ND	NA	ND	NA
Phenanthrene	10	ND	NA	ND	NA
Phenol	10	ND	NA	ND	NA
Pyrene	10	ND	NA	ND	NA
========== TIC ==========					
Substituted Hexanedioic @28.5	TIC			BJ 20	
Unknown @ 10.50	TIC	J 30			
Unknown @ 3.95	TIC			J 40	
Unknown @ 6.63	TIC			J 200	
Unknown @ 7.17	TIC			J 12	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-07(A)	W01-07(A)	W01-07(A)	W01-07(A)
SAMPLE NUMBER =====>		MOF-663	MOF-664	MOF-821	MOF-822
SAMPLE DATE ========>		05/11/89	05/11/89	08/09/89	08/09/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Aluminum	200	2600	NA	J 1640	NA
Antimony	60	ND<370	NA	ND<360	NA
Arsenic	10	ND<14.0	NA	J 4.4	NA
Barium	200	J 847	NA	J 300	NA
Beryllium	5	ND<17.0	NA	ND<12.0	NA
Cadmium	5	ND<39.6	NA	ND<60.0	NA
Calcium	5000	599000	NA	648000	NA
Chromium	10	ND<37.0	NA	ND<82.0	NA
Cobalt	50	ND<68.0	NA	ND<54.0	NA
Copper	25	ND<38.0	NA	ND<54.0	NA
Iron	100	4990	NA	4820	NA
Lead	5	ND<14.0	NA	ND<9.0	NA
Magnesium	5000	1620000	NA	1960000	NA
Manganese	15	7220	NA	7880	NA
Mercury	.2	ND<0.10	NA	ND<0.050	NA
Nickel	40	ND<132	NA	ND<136	NA
Potassium	5000	374000	NA	432000	NA
Selenium	5	62.0	NA	J 35.0	NA
Silver	10	ND<30.0	NA	ND<62.0	NA
Sodium	5000	11000000	NA	13600000	NA
Thallium	10	ND	NA	ND<7.0	NA
Vanadium	50	J 482	NA	J 262	NA
Zinc	20	365	NA	ND<28.0	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-07(A)	W01-07(A)	W01-07(A)	W01-07(A)
SAMPLE NUMBER =====>		MOF-663	MOF-664	MOF-821	MOF-822
SAMPLE DATE ========>		05/11/89	05/11/89	08/09/89	08/09/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
AROCLOR-1016	.5	ND	NA	ND	NA
AROCLOR-1221	.5	ND	NA	ND	NA
AROCLOR-1232	.5	ND	NA	ND	NA
AROCLOR-1242	.5	ND	NA	ND	NA
AROCLOR-1248	.5	ND	NA	ND	NA
AROCLOR-1254	1	ND	NA	ND	NA
AROCLOR-1260	1	ND	NA	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-07(A)	W01-07(A)	W01-07(A)	W01-07(A)
SAMPLE NUMBER =====>		MOF-663	MOF-664	MOF-821	MOF-822
SAMPLE DATE ========>		05/11/89	05/11/89	08/09/89	08/09/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,1,1-Trichloroethane	5	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND	ND
2-Butanone	10	ND	ND	ND	ND
2-Hexanone	10	ND	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND	ND
Acetone	10	12	10	ND	26
Benzene	5	ND	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND	ND
Bromoform	5	ND	ND	ND	ND
Bromomethane	10	ND	ND	ND	ND
Carbon disulfide	5	ND	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND	ND
Chlorobenzene	5	ND	ND	ND	ND
Chloroethane	10	ND	ND	ND	ND
Chloroform	5	ND	ND	ND	ND
Chloromethane	10	ND	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND	ND
Ethyl benzene	5	ND	ND	ND	ND
Methylene chloride	5	BJ 4	B 8	BJ 4	B 13
Styrene	5	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND
Total xylenes	5	ND	ND	ND	ND
Trichloroethene	5	ND	ND	ND	ND
Vinyl acetate	10	ND	ND	ND	ND
Vinyl chloride	10	ND	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-08(A)	W01-08(A)	W01-08(A)
SAMPLE NUMBER =====>	MOF-650	MOF-662	MOF-815
SAMPLE DATE ========>	05/10/89	05/10/89	08/08/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	NA	ND
1,2,4-Trichlorobenzene	10	ND	NA	ND
1,3 Dichlorobenzene	10	ND	NA	ND
1,4 Dichlorobenzene	10	ND	NA	ND
2 nitrophenol	10	ND	NA	ND
2,4 Dimethylphenol	10	ND	NA	ND
2,4,5-Trichlorophenol	50	ND	NA	ND
2,4,6-Trichlorophenol	10	ND	NA	ND
2,4-Dichlorophenol	10	ND	NA	ND
2,4-Dinitrophenol	50	ND	NA	ND
2,4-Dinitrotoluene	10	ND	NA	ND
2,6-Dinitrotoluene	10	ND	NA	ND
2-Chloronaphthalene	10	ND	NA	ND
2-Chlorophenol	10	ND	NA	ND
2-Methylnaphthalene	10	ND	NA	ND
2-Methylphenol	10	ND	NA	ND
2-Nitroaniline	50	ND	NA	ND
3,3'-Dichlorobenzidine	20	ND	NA	ND
3-Nitroaniline	50	ND	NA	ND
4,6-Dinitro-2-methylphenol	50	ND	NA	ND
4-Bromophenyl phenyl ether	10	ND	NA	ND
4-Chloro-3-methylphenol	10	ND	NA	ND
4-Chloroaniline	10	ND	NA	ND
4-Chlorophenyl phenyl ether	10	ND	NA	ND
4-Methylphenol	10	ND	NA	ND
4-Nitroaniline	50	ND	NA	ND
4-Nitrophenol	50	ND	NA	ND
Acenaphthene	10	ND	NA	ND
Acenaphthylene	10	ND	NA	ND
Anthracene	10	ND	NA	ND
Benzo(a)anthracene	10	ND	NA	ND
Benzo(a)pyrene	10	ND	NA	ND
Benzo(b)fluoranthene	10	ND	NA	ND
Benzo(g,h,i)perylene	10	ND	NA	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-08(A)	W01-08(A)	W01-08(A)
SAMPLE NUMBER =====>	MOF-650	MOF-662	MOF-815
SAMPLE DATE ========>	05/10/89	05/10/89	08/08/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	NA	ND
Benzoic acid	50	ND	NA	ND
Benzyl Alcohol	10	ND	NA	ND
Bis(2-Chloroethoxy)methane	10	ND	NA	ND
Bis(2-Chloroethyl)ether	10	ND	NA	ND
Bis(2-Chloroisopropyl)ether	10	ND	NA	ND
Bis(2-Ethylhexyl)phthalate	10	ND	NA	ND
Butyl benzyl phthalate	10	ND	NA	ND
Chrysene	10	ND	NA	ND
Di-n-butylphthalate	10	ND	NA	ND
Di-n-octyl phthalate	10	ND	NA	ND
Dibenz(a,h)anthracene	10	ND	NA	ND
Dibenzofuran	10	ND	NA	ND
Diethylphthalate	10	ND	NA	ND
Dimethyl phthalate	10	ND	NA	ND
Fluoranthene	10	ND	NA	ND
Fluorene	10	ND	NA	ND
Hexachlorobenzene	10	ND	NA	ND
Hexachlorobutadiene	10	ND	NA	ND
Hexachlorocyclopentadiene	10	ND	NA	ND
Hexachloroethane	10	ND	NA	ND
Indeno(1,2,3-c,d)pyrene	10	ND	NA	ND
Isophorone	10	ND	NA	ND
N-nitroso-dipropylamine	10	ND	NA	ND
Naphthalene	10	ND	NA	ND
Nitrobenzene	10	ND	NA	ND
Pentachlorophenol	50	ND	NA	ND
Phenanthrene	10	ND	NA	ND
Phenol	10	ND	NA	ND
Pyrene	10	ND	NA	ND
========== TIC ==========				
2-Ethylhexyl Ester- @ 33.49	TIC			J 120
Unknown @ 10.89	TIC			J 140
Unknown @ 22.74	TIC			J 10
Unknown @ 28.42	TIC	J 8		
Unknown @ 29.26	TIC	J 20		

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-08(A)	W01-08(A)	W01-08(A)
SAMPLE NUMBER =====>	MOF-650	MOF-662	MOF-815
SAMPLE DATE ========>	05/10/89	05/10/89	08/08/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Unknown @ 33.37	TIC	J 18		
Unknown @ 33.57	TIC	J 10		
Unknown @ 8.59	TIC	J 60		
Unknown Hydrocarbon @ 30.96	TIC	J 8		
Unknown Hydrocarbon @ 32.06	TIC	J 12		
Unknown Hydrocarbon @ 33.14	TIC	J 12		
Unknown Hydrocarbon @ 34.17	TIC	J 10		
Unknown Hydrocarbon @ 35.21	TIC	J 8		

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-08(A)	W01-08(A)	W01-08(A)
SAMPLE NUMBER =====>	MOF-650	MOF-662	MOF-815
SAMPLE DATE ========>	05/10/89	05/10/89	08/08/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	3560	NA	J 504
Antimony	60	ND<370	NA	J 694
Arsenic	10	ND<30.0	NA	ND<21.0
Barium	200	J 857	NA	J 396
Beryllium	5	ND<17.0	NA	ND<12.0
Cadmium	5	ND<40.0	NA	ND<60.0
Calcium	5000	413000	NA	490000
Chromium	10	ND<37.0	NA	ND<82.0
Cobalt	50	ND<68.0	NA	ND<54.0
Copper	25	ND<38.0	NA	J 190
Iron	100	2960	NA	3140
Lead	5	112	NA	J 10
Magnesium	5000	1320000	NA	1540000
Manganese	15	1670	NA	1940
Mercury	.2	J 0.14	NA	J 0.11
Nickel	40	ND<132	NA	ND<136
Potassium	5000	424000	NA	430000
Selenium	5	ND<24.0	NA	ND<10
Silver	10	J 84.0	NA	ND<62.0
Sodium	5000	9560000	NA	15000000
Thallium	10	ND<15.0	NA	ND<7.0
Vanadium	50	615	NA	J 196
Zinc	20	325	NA	ND<28

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-08(A)	W01-08(A)	W01-08(A)
SAMPLE NUMBER =====>	MOF-650	MOF-662	MOF-815
SAMPLE DATE ========>	05/10/89	05/10/89	08/08/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND	NA	ND
AROCLOR-1221	.5	ND	NA	ND
AROCLOR-1232	.5	ND	NA	ND
AROCLOR-1242	.5	ND	NA	ND
AROCLOR-1248	.5	ND	NA	ND
AROCLOR-1254	1	ND	NA	ND
AROCLOR-1260	1	ND	NA	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-08(A)	W01-08(A)	W01-08(A)
SAMPLE NUMBER =====>		MOF-650	MOF-662	MOF-815
SAMPLE DATE ========>		05/10/89	05/10/89	08/08/89
SAMPLE TYPE ========>			TRIP BLANK	
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	10	14	ND
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	ND	B 5	B 6
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-09(F)	W01-09(F)	W01-09(F)	W01-09(F)
SAMPLE NUMBER =====>		MOF-647	MOF-648	MOF-812	MOF-813
SAMPLE DATE ========>		05/09/89	05/09/89	08/07/89	08/07/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,2 Dichlorobenzene	10	ND<160	NA	ND<200	NA
1,2,4-Trichlorobenzene	10	ND<160	NA	ND<200	NA
1,3 Dichlorobenzene	10	ND<160	NA	ND<200	NA
1,4 Dichlorobenzene	10	ND<160	NA	ND<200	NA
2 nitrophenol	10	ND<160	NA	ND<200	NA
2,4 Dimethylphenol	10	ND<160	NA	ND<200	NA
2,4,5-Trichlorophenol	50	ND<800	NA	ND<1000	NA
2,4,6-Trichlorophenol	10	ND<160	NA	ND<200	NA
2,4-Dichlorophenol	10	ND<160	NA	ND<200	NA
2,4-Dinitrophenol	50	ND<800	NA	ND<1000	NA
2,4-Dinitrotoluene	10	ND<160	NA	ND<200	NA
2,6-Dinitrotoluene	10	ND<160	NA	ND<200	NA
2-Chloronaphthalene	10	ND<160	NA	ND<200	NA
2-Chlorophenol	10	ND<160	NA	ND<200	NA
2-Methylnaphthalene	10	ND<160	NA	ND<200	NA
2-Methylphenol	10	ND<160	NA	ND<200	NA
2-Nitroaniline	50	ND<800	NA	ND<1000	NA
3,3'-Dichlorobenzidine	20	ND<320	NA	ND<400	NA
3-Nitroaniline	50	ND<800	NA	ND<1000	NA
4,6-Dinitro-2-methylphenol	50	ND<800	NA	ND<1000	NA
4-Bromophenyl phenyl ether	10	ND<160	NA	ND<200	NA
4-Chloro-3-methylphenol	10	ND<160	NA	ND<200	NA
4-Chloroaniline	10	ND<160	NA	ND<200	NA
4-Chlorophenyl phenyl ether	10	ND<160	NA	ND<200	NA
4-Methylphenol	10	4000	NA	3900	NA
4-Nitroaniline	50	ND<800	NA	ND<1000	NA
4-Nitrophenol	50	ND<800	NA	ND<1000	NA
Acenaphthene	10	ND<160	NA	ND<200	NA
Acenaphthylene	10	ND<160	NA	ND<200	NA
Anthracene	10	ND<160	NA	ND<200	NA
Benzo(a)anthracene	10	ND<160	NA	ND<200	NA
Benzo(a)pyrene	10	ND<160	NA	ND<200	NA
Benzo(b)fluoranthene	10	ND<160	NA	ND<200	NA
Benzo(g,h,i)perylene	10	ND<160	NA	ND<200	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-09(F)	W01-09(F)	W01-09(F)	W01-09(F)
SAMPLE NUMBER =====>		MOF-647	MOF-648	MOF-812	MOF-813
SAMPLE DATE ========>		05/09/89	05/09/89	08/07/89	08/07/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Benzo(k)fluoranthene	10	ND<160	NA	ND<200	NA
Benzoic acid	50	ND<800	NA	4400	NA
Benzyl Alcohol	10	ND<160	NA	ND<200	NA
Bis(2-Chloroethoxy)methane	10	ND<160	NA	ND<200	NA
Bis(2-Chloroethyl)ether	10	ND<160	NA	ND<200	NA
Bis(2-Chloroisopropyl)ether	10	ND<160	NA	ND<200	NA
Bis(2-Ethylhexyl)phthalate	10	ND<160	NA	ND<200	NA
Butyl benzyl phthalate	10	ND<160	NA	ND<200	NA
Chrysene	10	ND<160	NA	ND<200	NA
Di-n-butylphthalate	10	ND<160	NA	ND<200	NA
Di-n-octyl phthalate	10	ND<160	NA	ND<200	NA
Dibenz(a,h)anthracene	10	ND<160	NA	ND<200	NA
Dibenzofuran	10	ND<160	NA	ND<200	NA
Diethylphthalate	10	ND<160	NA	ND<200	NA
Dimethyl phthalate	10	ND<160	NA	ND<200	NA
Fluoranthene	10	ND<160	NA	ND<200	NA
Fluorene	10	ND<160	NA	ND<200	NA
Hexachlorobenzene	10	ND<160	NA	ND<200	NA
Hexachlorobutadiene	10	ND<160	NA	ND<200	NA
Hexachlorocyclopentadiene	10	ND<160	NA	ND<200	NA
Hexachloroethane	10	ND<160	NA	ND<200	NA
Indeno(1,2,3-c,d)pyrene	10	ND<160	NA	ND<200	NA
Isophorone	10	ND<160	NA	ND<200	NA
N-nitroso-dipropylamine	10	ND<160	NA	ND<200	NA
Naphthalene	10	ND<160	NA	ND<200	NA
Nitrobenzene	10	ND<160	NA	ND<200	NA
Pentachlorophenol	50	ND<800	NA	ND<1000	NA
Phenanthrene	10	ND<160	NA	ND<200	NA
Phenol	10	J 49	NA	J 61	NA
Pyrene	10	ND<160	NA	ND<200	NA
========== TIC ==========					
10-(Benzoyloxy)-6 Pyrido@15.2	TIC	J 220			
Benzeneacetic Acid @ 16.59	TIC	J 320			
Benzenepropanoic Acid @ 17.92	TIC	J 190			
Unknown @ 14.09	TIC	J 220			
Unknown @ 16.19	TIC	J 260			

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-09(F)	W01-09(F)	W01-09(F)	W01-09(F)
SAMPLE NUMBER =====>		MOF-647	MOF-648	MOF-812	MOF-813
SAMPLE DATE ========>		05/09/89	05/09/89	08/07/89	08/07/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Unknown @ 16.90	TIC			J 280	
Unknown @ 17.27	TIC	J 160			
Unknown @ 21.67	TIC	J 610			
Unknown @ 22.24	TIC			J 160	
Unknown @ 22.39	TIC			J 560	
Unknown @ 8.27	TIC	J 160			

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-09(F)	W01-09(F)	W01-09(F)	W01-09(F)
SAMPLE NUMBER =====>		MOF-647	MOF-648	MOF-812	MOF-813
SAMPLE DATE ========>		05/09/89	05/09/89	08/07/89	08/07/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Aluminum	200	J 1300	NA	J 1690	NA
Antimony	60	J 378	NA	J 510	NA
Arsenic	10	34.1	NA	J 40.0	NA
Barium	200	5860	NA	6580	NA
Beryllium	5	ND<17.0	NA	ND<1.2	NA
Cadmium	5	ND<39.6	NA	ND<60.0	NA
Calcium	5000	519000	NA	505000	NA
Chromium	10	ND<37.0	NA	ND<82.0	NA
Cobalt	50	ND<68.0	NA	J 97.8	NA
Copper	25	ND<38.0	NA	J 129	NA
Iron	100	8950	NA	54800	NA
Lead	5	ND<23.0	NA	J 18.0	NA
Magnesium	5000	1590000	NA	1550000	NA
Manganese	15	521	NA	594	NA
Mercury	.2	ND<0.10	NA	ND<0.050	NA
Nickel	40	ND<132	NA	ND<136	NA
Potassium	5000	333000	NA	357000	NA
Selenium	5	ND<24.0	NA	ND<10	NA
Silver	10	ND<30.0	NA	J 143	NA
Sodium	5000	10900000	NA	10600000	NA
Thallium	10	J 31.0	NA	ND<7.0	NA
Vanadium	50	J 459	NA	J 364	NA
Zinc	20	ND<59.0	NA	J 48.0	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-09(F)	W01-09(F)	W01-09(F)	W01-09(F)
SAMPLE NUMBER =====>		MOF-647	MOF-648	MOF-812	MOF-813
SAMPLE DATE ========>		05/09/89	05/09/89	08/07/89	08/07/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
AROCLOR-1016	.5	ND<2	NA	ND<2	NA
AROCLOR-1221	.5	ND<2	NA	ND<2	NA
AROCLOR-1232	.5	ND<2	NA	ND<2	NA
AROCLOR-1242	.5	ND<2	NA	ND<2	NA
AROCLOR-1248	.5	ND<2	NA	ND<2	NA
AROCLOR-1254	1	ND<4	NA	ND<4	NA
AROCLOR-1260	1	ND<4	NA	ND<4	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-09(F)	W01-09(F)	W01-09(F)	W01-09(F)
SAMPLE NUMBER =====>		MOF-647	MOF-648	MOF-812	MOF-813
SAMPLE DATE ========>		05/09/89	05/09/89	08/07/89	08/07/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,1,1-Trichloroethane	5	ND<25	ND	ND<130	ND
1,1,2,2-Tetrachloroethane	5	ND<25	ND	ND<130	ND
1,1,2-Trichloroethane	5	ND<25	ND	ND<130	ND
1,1-Dichloroethane	5	ND<25	ND	ND<130	ND
1,1-Dichloroethylene	5	ND<25	ND	ND<130	ND
1,2-Dichloroethane	5	ND<25	ND	ND<130	ND
1,2-Dichloroethenes(Total)	5	ND<25	ND	ND<130	ND
1,2-Dichloropropane	5	ND<25	ND	ND<130	ND
2-Butanone	10	110	ND	ND<250	ND
2-Hexanone	10	ND<50	ND	ND<250	ND
4-Methyl-2-pentanone	10	ND<50	ND	J 96	ND
Acetone	10	480	J 7	3200	26
Benzene	5	ND<25	ND	ND<130	ND
Bromodichloromethane	5	ND<25	ND	ND<130	ND
Bromoform	5	ND<25	ND	ND<130	ND
Bromomethane	10	ND<50	ND	ND<250	ND
Carbon disulfide	5	ND<25	ND	ND<130	ND
Carbon tetrachloride	5	ND<25	ND	ND<130	ND
Chlorobenzene	5	ND<25	ND	ND<130	ND
Chloroethane	10	ND<50	ND	ND<250	ND
Chloroform	5	ND<25	ND	ND<130	ND
Chloromethane	10	ND<50	ND	ND<250	ND
Dibromochloromethane	5	ND<25	ND	ND<130	ND
Ethyl benzene	5	26	ND	ND<130	ND
Methylene chloride	5	BJ 14	B 8	BJ 100	B 12
Styrene	5	ND<25	ND	ND<130	ND
Tetrachloroethene	5	ND<25	ND	ND<130	ND
Toluene	5	59	ND	J 43	ND
Total xylenes	5	91	ND	ND<130	ND
Trichloroethene	5	ND<25	ND	ND<130	ND
Vinyl acetate	10	ND<50	ND	ND<250	ND
Vinyl chloride	10	ND<50	ND	ND<250	ND
cis-1,3-Dichloropropene	5	ND<25	ND	ND<130	ND
trans-1,3-Dichloropropene	5	ND<25	ND	ND<130	ND
========== TIC ==========					
Unknown @ 31.44	TIC	J 110			

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-10(F)	W01-10(F)
SAMPLE NUMBER =====>	MOF-660	MOF-820
SAMPLE DATE ========>	05/12/89	08/10/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	15	33
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	35	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	J 3	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-10(F)	W01-10(F)
SAMPLE NUMBER =====>	MOF-660	MOF-820
SAMPLE DATE ========>	05/12/89	08/10/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	J 4
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
Naphthalene	10	J 7	13
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
(.+-.)-1,7,7-Trimethyl- @10.6	TIC		J 160
1,3,3-Trimethyl-Bicyclo @12.9	TIC	J 200	
4-Acetyl-Morpholine @ 15.17	TIC	J 60	
Bromohexane Isomer @ 8.72	TIC	J 60	
Dimethyl Benzene Isomer @ 8.1	TIC	J 20	

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-10(F)	W01-10(F)
SAMPLE NUMBER =====>	MOF-660	MOF-820
SAMPLE DATE ========>	05/12/89	08/10/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Dimethylethyl Phenol Iso@13.7	TIC		J 18
N,N-Diethyl-3-Methyl-@ 18.49	TIC		J 60
N,N-Diethyl-3-Methyl-@ 21.95	TIC	J 260	
Substituted Hexanedioic@28.64	TIC		BJ 14
Substituted Phenol @ 26.54	TIC		J 40
Trimethyl Benzene Isomer @7.0	TIC		J 40
Trimethyl Bicyclo[2.2.1]-@9.3	TIC		J 200
Unknown @ 11.90	TIC		J 40
Unknown @ 12.10	TIC	J 40	
Unknown @ 13.50	TIC	J 20	
Unknown @ 14.10	TIC	J 180	
Unknown @ 15.34	TIC	J 180	
Unknown @ 15.52	TIC		J 40
Unknown @ 15.99	TIC		J 120
Unknown @ 16.25	TIC	J 120	
Unknown @ 16.60	TIC	J 60	
Unknown @ 16.87	TIC	J 40	
Unknown @ 16.94	TIC		J 20
Unknown @ 17.05	TIC	J 40	
Unknown @ 17.50	TIC		J 60
Unknown @ 17.99	TIC	J 20	
Unknown @ 18.90	TIC		J 20
Unknown @ 19.59	TIC		J 20
Unknown @ 19.65	TIC		J 40
Unknown @ 20.07	TIC		J 60
Unknown @ 20.67	TIC	J 20	
Unknown @ 22.45	TIC	J 100	
Unknown @ 22.55	TIC		J 80
Unknown @ 23.99	TIC		J 800
Unknown @ 25.99	TIC		J 40
Unknown @ 29.49	TIC		J 60
Unknown @ 29.66	TIC	J 40	
Unknown @ 9.72	TIC	J 16	
Unknown Hydrocarbon @ 11.67	TIC	J 60	
Unknown Hydrocarbon @ 19.12	TIC	J 18	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-10(F)	W01-10(F)
SAMPLE NUMBER =====>	MOF-660	MOF-820
SAMPLE DATE ========>	05/12/89	08/10/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 602	ND<180
Antimony	60	J 592	ND<180
Arsenic	10	J 25.0	23.3
Barium	200	J 1880	J 1540
Beryllium	5	ND<17.0	J 3.1
Cadmium	5	J 48.0	ND<30.0
Calcium	5000	318000	279000
Chromium	10	J 61.0	ND<41.0
Cobalt	50	ND<68.0	J 27.0
Copper	25	ND<38.0	J 106
Iron	100	42900	41300
Lead	5	ND<14.0	3.2
Magnesium	5000	396000	363000
Manganese	15	1830	987
Mercury	.2	ND<0.10	ND<0.050
Nickel	40	J 190	ND<68.0
Potassium	5000	67500	56900
Selenium	5	ND<10.5	ND<10
Silver	10	ND<30.0	ND<31.0
Sodium	5000	1500000	1350000
Thallium	10	ND<1.5	ND<1.0
Vanadium	50	J 130	J 49.0
Zinc	20	375	J 42.1

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W01-10(F)	W01-10(F)
SAMPLE NUMBER	=====>	MOF-660	MOF-820
SAMPLE DATE	========>	05/12/89	08/10/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND<1	ND
AROCLOR-1221	.5	ND<1	ND
AROCLOR-1232	.5	ND<1	ND
AROCLOR-1242	.5	ND<1	1.40
AROCLOR-1248	.5	ND<1	ND
AROCLOR-1254	1	ND<2	ND
AROCLOR-1260	1	ND<2	J 0.50

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W01-10(F)	W01-10(F)
SAMPLE NUMBER	=====>	MOF-660	MOF-820
SAMPLE DATE	========>	05/12/89	08/10/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,1,1-Trichloroethane	5		ND		ND
1,1,2,2-Tetrachloroethane	5		ND		ND
1,1,2-Trichloroethane	5		ND		ND
1,1-Dichloroethane	5		ND		ND
1,1-Dichloroethylene	5		ND		ND
1,2-Dichloroethane	5		ND		ND
1,2-Dichloroethenes(Total)	5		ND		ND
1,2-Dichloropropane	5		ND		ND
2-Butanone	10		ND		ND
2-Hexanone	10		ND		ND
4-Methyl-2-pentanone	10		ND		ND
Acetone	10	B	13	B	36
Benzene	5	J	3		5
Bromodichloromethane	5		ND		ND
Bromoform	5		ND		ND
Bromomethane	10		ND		ND
Carbon disulfide	5		ND		ND
Carbon tetrachloride	5		ND		ND
Chlorobenzene	5	J	2		ND
Chloroethane	10	J	7		ND
Chloroform	5		ND		ND
Chloromethane	10		ND		ND
Dibromochloromethane	5		ND		ND
Ethyl benzene	5		140		150
Methylene chloride	5	B	6	B	5
Styrene	5		ND		ND
Tetrachloroethene	5		ND		ND
Toluene	5	J	3	J	4
Total xylenes	5		170		350
Trichloroethene	5		ND		ND
Vinyl acetate	10		ND		ND
Vinyl chloride	10		ND		ND
cis-1,3-Dichloropropene	5		ND		ND
trans-1,3-Dichloropropene	5		ND		ND
========== TIC ==========					
(1R)1,3,3-TrimethylBicyc@23.9	TIC	J	25		

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-10(F)	W01-10(F)
SAMPLE NUMBER =====>	MOF-660	MOF-820
SAMPLE DATE ========>	05/12/89	08/10/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
2,4-Dimethyl-2-Pentanol @ 6.1	TIC		J 40
2,4-Dimethyl-3-Pentanone@15.4	TIC	J 50	
2,4-Dimethyl-3-Pentanone@17.2	TIC		J 60
Tetrahydro-Furan @ 5.80	TIC	J 7	
Unknown @ 24.94	TIC		J 50
Unknown @ 25.44	TIC		J 7
Unknown @ 6.43	TIC	J 180	
Unknown @ 6.70	TIC		J 200

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-11(F)	W01-11(F)	W01-11(F)
SAMPLE NUMBER =====>	MOF-656	MOF-657	MOF-814
SAMPLE DATE ========>	05/09/89	05/09/89	08/07/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	ND	ND<20
1,2,4-Trichlorobenzene	10	ND	ND	ND<20
1,3 Dichlorobenzene	10	ND	ND	ND<20
1,4 Dichlorobenzene	10	ND	ND	J 9
2 nitrophenol	10	ND	ND	ND<20
2,4 Dimethylphenol	10	13	ND	ND<20
2,4,5-Trichlorophenol	50	ND	ND	ND<100
2,4,6-Trichlorophenol	10	ND	ND	ND<20
2,4-Dichlorophenol	10	ND	ND	ND<20
2,4-Dinitrophenol	50	ND	ND	ND<100
2,4-Dinitrotoluene	10	ND	ND	ND<20
2,6-Dinitrotoluene	10	ND	ND	ND<20
2-Chloronaphthalene	10	ND	ND	ND<20
2-Chlorophenol	10	ND	ND	ND<20
2-Methylnaphthalene	10	ND	ND	ND<20
2-Methylphenol	10	ND	ND<12	J 16
2-Nitroaniline	50	ND	ND	ND<100
3,3'-Dichlorobenzidine	20	ND	ND	ND
3-Nitroaniline	50	ND	ND	ND<100
4,6-Dinitro-2-methylphenol	50	ND	ND	ND<100
4-Bromophenyl phenyl ether	10	ND	ND	ND<20
4-Chloro-3-methylphenol	10	ND	ND	ND<20
4-Chloroaniline	10	ND	ND	ND<20
4-Chlorophenyl phenyl ether	10	ND	ND	ND<20
4-Methylphenol	10	250	ND<230	460
4-Nitroaniline	50	ND	ND	ND<100
4-Nitrophenol	50	ND	ND	ND<100
Acenaphthene	10	ND	ND	ND<20
Acenaphthylene	10	ND	ND	ND<20
Anthracene	10	ND	ND	ND<20
Benzo(a)anthracene	10	ND	ND	ND<20
Benzo(a)pyrene	10	ND	ND	ND<20
Benzo(b)fluoranthene	10	ND	ND	ND<20
Benzo(g,h,i)perylene	10	ND	ND	ND<20

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-11(F)	W01-11(F)	W01-11(F)
SAMPLE NUMBER =====>	MOF-656	MOF-657	MOF-814
SAMPLE DATE ========>	05/09/89	05/09/89	08/07/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	ND	ND<20
Benzoic acid	50	ND	ND	ND<100
Benzyl Alcohol	10	ND	ND	ND<20
Bis(2-Chloroethoxy)methane	10	ND	ND	ND<20
Bis(2-Chloroethyl)ether	10	ND	ND	ND<20
Bis(2-Chloroisopropyl)ether	10	ND	ND	ND<20
Bis(2-Ethylhexyl)phthalate	10	ND	ND	ND<20
Butyl benzyl phthalate	10	ND	ND	ND<20
Chrysene	10	ND	ND	ND<20
Di-n-butylphthalate	10	ND	ND<13	J 13
Di-n-octyl phthalate	10	B 48	ND	ND<20
Dibenz(a,h)anthracene	10	ND	ND	ND<20
Dibenzofuran	10	ND	ND	ND<20
Diethylphthalate	10	ND	ND	ND<20
Dimethyl phthalate	10	ND	ND	ND<20
Fluoranthene	10	ND	ND	ND<20
Fluorene	10	ND	ND	ND<20
Hexachlorobenzene	10	ND	ND	ND<20
Hexachlorobutadiene	10	ND	ND	ND<20
Hexachlorocyclopentadiene	10	ND	ND	ND<20
Hexachloroethane	10	ND	ND	ND<20
Indeno(1,2,3-c,d)pyrene	10	ND	ND	ND<20
Isophorone	10	ND	ND	ND<20
N-nitroso-dipropylamine	10	ND	ND	ND<20
Naphthalene	10	ND	ND	J 16
Nitrobenzene	10	ND	ND	ND<20
Pentachlorophenol	50	ND	ND	ND<100
Phenanthrene	10	ND	ND	ND<20
Phenol	10	ND	ND	J 17
Pyrene	10	ND	ND	ND<20
========== TIC ==========				
(.+-.)-1,7,7-Trimethyl- @14.5	TIC			J 80
(.+-.)-1,7,7-Trimethyl-@ 14.1	TIC		J 78	
1,8-Naphthalic Anhydride@28.4	TIC		J 20	
2(3H)-Benzothiazoline @ 23.67	TIC		J 60	
2,5-Dimethyl- @ 22.90	TIC			J 120

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-11(F)	W01-11(F)	W01-11(F)
SAMPLE NUMBER =====>		MOF-656	MOF-657	MOF-814
SAMPLE DATE ========>		05/09/89	05/09/89	08/07/89
SAMPLE TYPE ========>			DUP	
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
2,5-Dimethyl- @ 23.09	TIC			J 80
2,5-Dimethyl-Benzenebuta@22.2	TIC		J 120	
3,6,6 Trimethyl-Bicyclo.@15.8	TIC			J 40
3,6,6-Trimethyl-Bicyclo @15.4	TIC		J 30	
Ethylphenol Isomer @ 14.97	TIC			J 80
Methylbenzoic Acid Iso@ 18.15	TIC			J 800
Terpin Hydrate @ 17.44	TIC		J 28	
Unknown @ 10.74	TIC	J 120		
Unknown @ 13.07	TIC	J 60		
Unknown @ 13.92	TIC	J 40		
Unknown @ 14.05	TIC			J 40
Unknown @ 14.19	TIC	J 40		
Unknown @ 14.59	TIC		J 22	
Unknown @ 15.10	TIC		J 24	
Unknown @ 15.27	TIC	J 2000		
Unknown @ 15.72	TIC		J 34	
Unknown @ 16.29	TIC		J 40	
Unknown @ 16.62	TIC	J 1600		
Unknown @ 16.69	TIC			J 80
Unknown @ 17.02	TIC	J 40		
Unknown @ 17.12	TIC	J 40		
Unknown @ 17.55	TIC			J 80
Unknown @ 17.65	TIC			J 40
Unknown @ 17.84	TIC			J 160
Unknown @ 18.29	TIC		J 1100	
Unknown @ 18.42	TIC	J 3400		
Unknown @ 18.77	TIC	J 100		
Unknown @ 19.19	TIC	J 200		
Unknown @ 19.64	TIC		J 76	
Unknown @ 19.87	TIC		J 28	J 800
Unknown @ 20.09	TIC			J 800
Unknown @ 20.49	TIC	J 60		
Unknown @ 20.80	TIC			J 360
Unknown @ 21.29	TIC		J 64	
Unknown @ 21.60	TIC		j 40	

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-11(F)	W01-11(F)	W01-11(F)
SAMPLE NUMBER =====>	MOF-656	MOF-657	MOF-814
SAMPLE DATE ========>	05/09/89	05/09/89	08/07/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Unknown @ 21.80	TIC			J 1200
Unknown @ 22.04	TIC			J 1200
Unknown @ 22.15	TIC			J 120
Unknown @ 22.55	TIC		J 94	J 160
Unknown @ 24.45	TIC	J 60		
Unknown @ 24.72	TIC	J 40		
Unknown @ 26.16	TIC		J 20	
Unknown @ 28.74	TIC			J 80
Unknown @ 29.62	TIC		J 40	
Unknown @ 31.57	TIC		J 62	
Unknown @ 8.62	TIC		J 48	
Unknown @15.50	TIC			J 80
Unknown Phthalate @ 30.21	TIC	J 40		
Unknown Phthalate @ 31.37	TIC	J 20		
Unknown Phthalate @ 31.49	TIC	J 20		
Unknown Phthalate @ 33.19	TIC	J 40		
Unknown Phthalate @ 33.92	TIC	J 100		
Unknown Phthalate @ 35.62	TIC	J 60		

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-11(F)	W01-11(F)	W01-11(F)
SAMPLE NUMBER =====>	MOF-656	MOF-657	MOF-814
SAMPLE DATE ========>	05/09/89	05/09/89	08/07/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	2140	J 1930	J 2150
Antimony	60	ND<370	ND<370	J 429
Arsenic	10	J 6.6	ND<14.0	ND<21.0
Barium	200	4430	ND<4730	5370
Beryllium	5	ND<17.0	ND<17.0	J 7.8
Cadmium	5	ND<39.6	ND<39.6	157
Calcium	5000	223000	ND<221000	216000
Chromium	10	ND<37.0	ND<37.0	ND<82.0
Cobalt	50	ND<68.0	ND<68.0	J 207
Copper	25	ND<38.0	ND<38.0	J 204
Iron	100	24000	ND<50300	91900
Lead	5	ND<23.0	ND<23.0	J 21.0
Magnesium	5000	1390000	ND<1420000	1510000
Manganese	15	452	ND<488	569
Mercury	.2	ND<0.10	ND<0.10	ND<0.050
Nickel	40	ND<132	ND<132	ND<136
Potassium	5000	673000	ND<681000	802000
Selenium	5	ND<24.0	ND<25.0	ND<10
Silver	10	ND<30.0	J 82.4	J 161
Sodium	5000	14600000	ND<14900000	16400000
Thallium	10	J 45.0	J 52.0	J 3.0
Vanadium	50	J 409	J 368	J 615
Zinc	20	ND<59.0	ND<59.0	J 251

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-11(F)	W01-11(F)	W01-11(F)
SAMPLE NUMBER =====>	MOF-656	MOF-657	MOF-814
SAMPLE DATE ========>	05/09/89	05/09/89	08/07/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND<1	ND<1	ND
AROCLOR-1221	.5	ND<1	ND<1	ND
AROCLOR-1232	.5	ND<1	ND<1	ND
AROCLOR-1242	.5	ND<1	ND<1	ND
AROCLOR-1248	.5	ND<1	ND<1	ND
AROCLOR-1254	1	ND<2	ND<2	ND
AROCLOR-1260	1	ND<2	ND<2	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-11(F)	W01-11(F)	W01-11(F)
SAMPLE NUMBER =====>	MOF-656	MOF-657	MOF-814
SAMPLE DATE ========>	05/09/89	05/09/89	08/07/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND<20	ND<10	ND<13
1,1,2,2-Tetrachloroethane	5	ND<20	ND<10	ND<13
1,1,2-Trichloroethane	5	ND<20	ND<10	ND<13
1,1-Dichloroethane	5	ND<20	ND<10	ND<13
1,1-Dichloroethylene	5	ND<20	ND<10	ND<13
1,2-Dichloroethane	5	ND<20	ND<10	ND<13
1,2-Dichloroethenes(Total)	5	ND<20	ND<13	ND<13
1,2-Dichloropropane	5	ND<20	ND<10	ND<13
2-Butanone	10	ND<40	ND<240	ND<25
2-Hexanone	10	ND<40	ND<20	ND<25
4-Methyl-2-pentanone	10	ND<40	ND<20	J 19
Acetone	10	310	E 520	470
Benzene	5	J 15	J 4	J 7
Bromodichloromethane	5	ND<20	ND<10	ND<13
Bromoform	5	ND<20	ND<10	ND<13
Bromomethane	10	ND<40	ND<20	ND<25
Carbon disulfide	5	ND<20	ND<10	ND<13
Carbon tetrachloride	5	ND<20	ND<10	ND<13
Chlorobenzene	5	ND<20	ND<10	ND<13
Chloroethane	10	ND<40	ND<20	ND<25
Chloroform	5	J 8	ND<10	ND<13
Chloromethane	10	ND<40	ND<20	ND<25
Dibromochloromethane	5	ND<20	ND<10	ND<13
Ethyl benzene	5	J 17	ND<26	J 9
Methylene chloride	5	B 28	BJ 6	B 20
Styrene	5	ND<20	ND<10	ND<13
Tetrachloroethene	5	ND<20	ND<10	ND<13
Toluene	5	180	57	200
Total xylenes	5	100	110	50
Trichloroethene	5	ND<20	ND<10	ND<13
Vinyl acetate	10	ND<40	ND<20	ND<25
Vinyl chloride	10	ND<40	ND<20	ND<25
cis-1,3-Dichloropropene	5	ND<20	ND<10	ND<13
trans-1,3-Dichloropropene	5	ND<20	ND<10	ND<13

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-12(A)	W01-12(A)	W01-12(A)
SAMPLE NUMBER =====>	MOF-659	MOF-810	MOF-811
SAMPLE DATE ========>	05/11/89	08/04/89	08/04/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	ND	NA
1,2,4-Trichlorobenzene	10	ND	ND	NA
1,3 Dichlorobenzene	10	ND	ND	NA
1,4 Dichlorobenzene	10	ND	ND	NA
2 nitrophenol	10	ND	ND	NA
2,4 Dimethylphenol	10	ND	ND	NA
2,4,5-Trichlorophenol	50	ND	ND	NA
2,4,6-Trichlorophenol	10	ND	ND	NA
2,4-Dichlorophenol	10	ND	ND	NA
2,4-Dinitrophenol	50	ND	ND	NA
2,4-Dinitrotoluene	10	ND	ND	NA
2,6-Dinitrotoluene	10	ND	ND	NA
2-Chloronaphthalene	10	ND	ND	NA
2-Chlorophenol	10	ND	ND	NA
2-Methylnaphthalene	10	ND	ND	NA
2-Methylphenol	10	ND	ND	NA
2-Nitroaniline	50	ND	ND	NA
3,3'-Dichlorobenzidine	20	ND	ND	NA
3-Nitroaniline	50	ND	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	ND	NA
4-Bromophenyl phenyl ether	10	ND	ND	NA
4-Chloro-3-methylphenol	10	ND	ND	NA
4-Chloroaniline	10	ND	ND	NA
4-Chlorophenyl phenyl ether	10	ND	ND	NA
4-Methylphenol	10	ND	ND	NA
4-Nitroaniline	50	ND	ND	NA
4-Nitrophenol	50	ND	ND	NA
Acenaphthene	10	ND	ND	NA
Acenaphthylene	10	ND	ND	NA
Anthracene	10	ND	ND	NA
Benzo(a)anthracene	10	ND	ND	NA
Benzo(a)pyrene	10	ND	ND	NA
Benzo(b)fluoranthene	10	ND	ND	NA
Benzo(g,h,i)perylene	10	ND	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-12(A)	W01-12(A)	W01-12(A)
SAMPLE NUMBER =====>	MOF-659	MOF-810	MOF-811
SAMPLE DATE ========>	05/11/89	08/04/89	08/04/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	ND	NA
Benzoic acid	50	ND	ND	NA
Benzyl Alcohol	10	ND	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	ND	NA
Bis(2-Chloroethyl)ether	10	ND	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	ND	NA
Butyl benzyl phthalate	10	ND	ND	NA
Chrysene	10	ND	ND	NA
Di-n-butylphthalate	10	ND	ND	NA
Di-n-octyl phthalate	10	ND	ND	NA
Dibenz(a,h)anthracene	10	ND	ND	NA
Dibenzofuran	10	ND	ND	NA
Diethylphthalate	10	ND	ND	NA
Dimethyl phthalate	10	ND	ND	NA
Fluoranthene	10	ND	ND	NA
Fluorene	10	ND	ND	NA
Hexachlorobenzene	10	ND	ND	NA
Hexachlorobutadiene	10	ND	ND	NA
Hexachlorocyclopentadiene	10	ND	ND	NA
Hexachloroethane	10	ND	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	ND	NA
Isophorone	10	ND	ND	NA
N-nitroso-dipropylamine	10	ND	ND	NA
Naphthalene	10	ND	ND	NA
Nitrobenzene	10	ND	ND	NA
Pentachlorophenol	50	ND	ND	NA
Phenanthrene	10	ND	ND	NA
Phenol	10	ND	ND	NA
Pyrene	10	ND	ND	NA
========== TIC ==========				
Molecular Sulfur (S8) @ 29.31	TIC		J 40	
Molecular Sulfur (S8)@ 28.46	TIC	J 20		

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-12(A)	W01-12(A)	W01-12(A)
SAMPLE NUMBER =====>	MOF-659	MOF-810	MOF-811
SAMPLE DATE ========>	05/11/89	08/04/89	08/04/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	J 919	J 1140	NA
Antimony	60	J 571	J 660	NA
Arsenic	10	J 6.3	J 22.0	NA
Barium	200	J 733	J 464	NA
Beryllium	5	ND<17.0	ND<1.2	NA
Cadmium	5	ND<39.6	ND<60.0	NA
Calcium	5000	399000	516000	NA
Chromium	10	ND<37.0	ND<82.0	NA
Cobalt	50	ND<68.0	ND<54.0	NA
Copper	25	ND<38.0	678	NA
Iron	100	5480	7690	NA
Lead	5	ND<14.0	56.0	NA
Magnesium	5000	1380000	1570000	NA
Manganese	15	4250	4420	NA
Mercury	.2	ND<0.10	J 0.061	NA
Nickel	40	ND<132	ND<136	NA
Potassium	5000	326000	397000	NA
Selenium	5	ND<12.5	ND<10	NA
Silver	10	ND<30.0	J 130	NA
Sodium	5000	10000000	15500000	NA
Thallium	10	ND	ND<7.0	NA
Vanadium	50	J 221	J 271	NA
Zinc	20	298	ND<28.0	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-12(A)	W01-12(A)	W01-12(A)
SAMPLE NUMBER =====>	MOF-659	MOF-810	MOF-811
SAMPLE DATE ========>	05/11/89	08/04/89	08/04/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND	ND	NA
AROCLOR-1221	.5	ND	ND	NA
AROCLOR-1232	.5	ND	ND	NA
AROCLOR-1242	.5	ND	ND	NA
AROCLOR-1248	.5	ND	ND	NA
AROCLOR-1254	1	ND	ND	NA
AROCLOR-1260	1	ND	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-12(A)	W01-12(A)	W01-12(A)
SAMPLE NUMBER =====>	MOF-659	MOF-810	MOF-811
SAMPLE DATE ========>	05/11/89	08/04/89	08/04/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	11	ND	ND
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	BJ 2	B 10	B 32
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-13(F)	W01-13(F)	W01-13(F)
SAMPLE NUMBER =====>	MOF-665	MOF-666	MOF-819
SAMPLE DATE ========>	05/12/89	05/12/89	08/09/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND	ND
1,3 Dichlorobenzene	10	ND	ND	ND
1,4 Dichlorobenzene	10	18	19	17
2 nitrophenol	10	ND	ND	ND
2,4 Dimethylphenol	10	ND	ND	ND
2,4,5-Trichlorophenol	50	ND	ND	ND
2,4,6-Trichlorophenol	10	ND	ND	ND
2,4-Dichlorophenol	10	ND	ND	ND
2,4-Dinitrophenol	50	ND	ND	ND
2,4-Dinitrotoluene	10	ND	ND	ND
2,6-Dinitrotoluene	10	ND	ND	ND
2-Chloronaphthalene	10	ND	ND	ND
2-Chlorophenol	10	ND	ND	ND
2-Methylnaphthalene	10	ND	ND	ND
2-Methylphenol	10	ND	ND	ND
2-Nitroaniline	50	ND	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND	ND
3-Nitroaniline	50	ND	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND	ND
4-Chloro-3-methylphenol	10	ND	ND	ND
4-Chloroaniline	10	ND	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND	ND
4-Methylphenol	10	ND	ND	ND
4-Nitroaniline	50	ND	ND	ND
4-Nitrophenol	50	ND	ND	ND
Acenaphthene	10	ND	ND	ND
Acenaphthylene	10	ND	ND	ND
Anthracene	10	ND	ND	ND
Benzo(a)anthracene	10	ND	ND	ND
Benzo(a)pyrene	10	ND	ND	ND
Benzo(b)fluoranthene	10	ND	ND	ND
Benzo(g,h,i)perylene	10	ND	ND<10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-13(F)	W01-13(F)	W01-13(F)
SAMPLE NUMBER =====>	MOF-665	MOF-666	MOF-819
SAMPLE DATE ========>	05/12/89	05/12/89	08/09/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	ND	ND
Benzoic acid	50	ND	ND	ND
Benzyl Alcohol	10	ND	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	ND	ND
Butyl benzyl phthalate	10	ND	ND	ND
Chrysene	10	ND	ND	ND
Di-n-butylphthalate	10	ND	ND	ND
Di-n-octyl phthalate	10	ND	ND	ND
Dibenz(a,h)anthracene	10	ND	ND	ND
Dibenzofuran	10	ND	ND	ND
Diethylphthalate	10	ND	ND	ND
Dimethyl phthalate	10	ND	ND	ND
Fluoranthene	10	ND	ND	ND
Fluorene	10	ND	ND	ND
Hexachlorobenzene	10	ND	ND	ND
Hexachlorobutadiene	10	ND	ND	ND
Hexachlorocyclopentadiene	10	ND	ND	ND
Hexachloroethane	10	ND	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND	ND
Isophorone	10	ND	ND	ND
N-nitroso-dipropylamine	10	ND	ND	ND
Naphthalene	10	ND	ND	ND
Nitrobenzene	10	ND	ND	ND
Pentachlorophenol	50	ND	ND	ND
Phenanthrene	10	ND	ND	ND
Phenol	10	ND	ND	ND
Pyrene	10	ND	ND	ND
========== TIC ==========				
1-2-2-Methoxy-1-Methylet@16.7	TIC	J 200		
1-2-2-Methoxy-1-Methylet@16.9	TIC		J 200	
1-[2-(2-Methoxy-1- @ 13.60	TIC			J 200
1-[2-(2-Methoxy-1- @ 13.72	TIC			J 200
1-[2-(2-Methoxy-1- @ 13.79	TIC			J 200

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-13(F)	W01-13(F)	W01-13(F)
SAMPLE NUMBER =====>	MOF-665	MOF-666	MOF-819
SAMPLE DATE ========>	05/12/89	05/12/89	08/09/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
2(3H)-Benzothiazolone @ 19.97	TIC			J 40
4-Acetyl Morpholine @ 11.65	TIC			J 16
EthylesterPhosphoricAcid@13.5	TIC	J 14		
N,N-Diethyl-3-Methyl @ 18.44	TIC			J 120
N,N-Diethyl-3-Methyl-@ 21.72	TIC	J 140		
N,N-Diethyl-3-Methyl-@ 21.92	TIC		J 80	
Phosphate-2-Butoxy Etha@ 28.9	TIC			J 20
Substituted Hexanedioic@ 28.6	TIC			BJ 20
Unknown @ 11.17	TIC		J 40	
Unknown @ 11.20	TIC	J 40		
Unknown @ 11.45	TIC		J 60	
Unknown @ 11.67	TIC		J 100	
Unknown @ 12.37	TIC		J 20	
Unknown @ 12.40	TIC			J 60
Unknown @ 12.90	TIC			J 18
Unknown @ 13.17	TIC	J 12		
Unknown @ 13.32	TIC		J 20	
Unknown @ 13.65	TIC	J 12		
Unknown @ 13.95	TIC			J 60
Unknown @ 14.02	TIC			J 60
Unknown @ 14.70	TIC		J 40	
Unknown @ 14.77	TIC	J 20		
Unknown @ 15.07	TIC	J 20		
Unknown @ 15.10	TIC		J 40	
Unknown @ 15.92	TIC			J 120
Unknown @ 16.57	TIC			J 40
Unknown @ 16.85	TIC			J 20
Unknown @ 17.05	TIC	J 20		
Unknown @ 17.14	TIC	J 40		
Unknown @ 17.37	TIC			J 80
Unknown @ 17.40	TIC		J 180	
Unknown @ 17.65	TIC	J 14		
Unknown @ 18.72	TIC	J 10		
Unknown @ 19.07	TIC		J 40	
Unknown @ 19.54	TIC			J 40

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-13(F)	W01-13(F)	W01-13(F)
SAMPLE NUMBER =====>	MOF-665	MOF-666	MOF-819
SAMPLE DATE ========>	05/12/89	05/12/89	08/09/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Unknown @ 19.80	TIC	J 14		
Unknown @ 20.05	TIC		J 60	
Unknown @ 20.14	TIC		J 60	
Unknown @ 20.42	TIC	J 18		
Unknown @ 20.59	TIC		J 40	
Unknown @ 23.10	TIC	J 80		
Unknown @ 23.14	TIC		J 40	
Unknown @ 23.47	TIC		J 20	
Unknown @ 24.04	TIC		J 40	
Unknown @ 25.97	TIC			J 60
Unknown @ 27.72	TIC			J 80
Unknown @ 28.99	TIC		J 20	
Unknown @ 29.42	TIC	J 80		
Unknown @ 29.77	TIC		J 160	
Unknown @ 32.52	TIC	J 60		
Unknown @ 7.80	TIC			J 20
Unknown @ 8.39	TIC	J 12		
Unknown @ 9.07	TIC		J 12	
Unknown Hydrocarbon @ 11.35	TIC	J 80		
Unknown Hydrocarbon @ 17.29	TIC	J 12		

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-13(F)	W01-13(F)	W01-13(F)
SAMPLE NUMBER =====>	MOF-665	MOF-666	MOF-819
SAMPLE DATE ========>	05/12/89	05/12/89	08/09/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	J 298	J 349	J 982
Antimony	60	J 399	ND<370	ND<360
Arsenic	10	ND<14.0	ND<14.0	ND<21.0
Barium	200	J 960	J 1010	J 1070
Beryllium	5	ND<17.0	ND<17.0	ND<12.0
Cadmium	5	ND<40.0	ND<40.0	ND<60.0
Calcium	5000	217000	212000	326000
Chromium	10	ND<37.0	J 39	ND<82.0
Cobalt	50	ND<68.0	ND<68	ND<54.0
Copper	25	ND<38.0	ND<38	ND<54.0
Iron	100	2970	3100	J 1894
Lead	5	ND<14.0	ND<14.0	ND<9.0
Magnesium	5000	521000	508000	1040000
Manganese	15	459	451	754
Mercury	.2	ND<0.10	ND<0.10	ND<0.050
Nickel	40	ND<132	ND<132	ND<136
Potassium	5000	208000	207000	358000
Selenium	5	J 18.5	ND<10.5	J 16.0
Silver	10	J 31.0	J 38.0	J 130.0
Sodium	5000	4070000	3980000	6980000
Thallium	10	ND<15.0	ND<15.0	ND<7.0
Vanadium	50	J 73.0	J 86.0	J 132
Zinc	20	J 116	J 104.0	ND<28.0

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W01-13(F)	W01-13(F)	W01-13(F)
SAMPLE NUMBER =====>		MOF-665	MOF-666	MOF-819
SAMPLE DATE ========>		05/12/89	05/12/89	08/09/89
SAMPLE TYPE ========>			DUP	
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND<1	ND<1	ND
AROCLOR-1221	.5	ND<1	ND<1	ND
AROCLOR-1232	.5	ND<1	ND<1	ND
AROCLOR-1242	.5	ND<1	ND<1	ND
AROCLOR-1248	.5	ND<1	ND<1	ND
AROCLOR-1254	1	ND<2	ND<2	ND
AROCLOR-1260	1	ND<2	ND<2	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-13(F)	W01-13(F)	W01-13(F)
SAMPLE NUMBER =====>	MOF-665	MOF-666	MOF-819
SAMPLE DATE ========>	05/12/89	05/12/89	08/09/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	J 1	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	16	B 10	J 7
Benzene	5	J 2	J 2	J 1
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	J 3	5	J 1
Methylene chloride	5	BJ 2	B 6	B 6
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	J 3	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND
========== TIC ==========				
1,3-Oxathiolane @ 9.07	TIC	J 6		

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W01-13(F)	W01-13(F)	W01-13(F)
SAMPLE NUMBER =====>	MOF-665	MOF-666	MOF-819
SAMPLE DATE ========>	05/12/89	05/12/89	08/09/89
SAMPLE TYPE ========>		DUP	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,3-Oxathiolane @ 9.14	TIC		J 5	
1-(1-Methylethoxy)-@6.33	TIC	J 30		
Tetrahydro-Furan @ 5.80	TIC		J 5	
Unknown @ 16.50	TIC		J 6	
Unknown @ 6.40	TIC		J 27	
Unknown @ 6.73	TIC			J 20

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> ALHAMBRA-BOTTLE
SAMPLE NUMBER =====> MOF-661

SAMPLE DATE ========> 05/05/89
SAMPLE TYPE ========> SOURCE WTR

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> ALHAMBRA-BOTTLE
SAMPLE NUMBER =====> MOF-661

SAMPLE DATE ========> 05/05/89
SAMPLE TYPE ========> SOURCE WTR

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> ALHAMBRA-BOTTLE
SAMPLE NUMBER =====> MOF-661

SAMPLE DATE ========> 05/05/89
SAMPLE TYPE ========> SOURCE WTR

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 108
Antimony	60	ND<37.0
Arsenic	10	J 3.0
Barium	200	J 12.4
Beryllium	5	ND<1.7
Cadmium	5	J 4.2
Calcium	5000	J 52.0
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	J 15.3
Lead	5	J 1.4
Magnesium	5000	J 101
Manganese	15	J 2.9
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 3810
Selenium	5	ND<2.4
Silver	10	ND<3.0
Sodium	5000	J 272
Thallium	10	ND<1.5
Vanadium	50	J 16.8
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> ALHAMBRA-BOTTLE
SAMPLE NUMBER =====> MOF-661

SAMPLE DATE ========> 05/05/89
SAMPLE TYPE ========> SOURCE WTR

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
Bicarbonate	1	1
Carbonate	1	ND
Chloride	.1	ND
Fluoride	.1	ND
Nitrate	.1	ND
Sulfate	.2	ND
TDS	1	ND
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 1, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> ALHAMBRA-BOTTLE
SAMPLE NUMBER =====> MOF-661

SAMPLE DATE ========> 05/05/89
SAMPLE TYPE ========> SOURCE WTR

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	ND
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 5
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PAGE

2.0 SITE 2 ANALYTICAL RESULTS

2.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 2.....2.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)
SAMPLE NUMBER =====>		MOF-644	MOF-645	MOF-826	MOF-827	MOF-828
SAMPLE DATE ========>		05/08/89	05/08/89	08/11/89	08/11/89	08/11/89
SAMPLE TYPE ========>			TRIP BLANK		DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]				
1,2 Dichlorobenzene	10	ND	NA	ND	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA	ND	ND	NA
1,3 Dichlorobenzene	10	ND	NA	ND	ND	NA
1,4 Dichlorobenzene	10	ND	NA	ND	ND	NA
2 nitrophenol	10	ND	NA	ND	ND	NA
2,4 Dimethylphenol	10	ND	NA	ND	ND	NA
2,4,5-Trichlorophenol	50	ND	NA	ND	ND	NA
2,4,6-Trichlorophenol	10	ND	NA	ND	ND	NA
2,4-Dichlorophenol	10	ND	NA	ND	ND	NA
2,4-Dinitrophenol	50	ND	NA	ND	ND	NA
2,4-Dinitrotoluene	10	ND	NA	ND	ND	NA
2,6-Dinitrotoluene	10	ND	NA	ND	ND	NA
2-Chloronaphthalene	10	ND	NA	ND	ND	NA
2-Chlorophenol	10	ND	NA	ND	ND	NA
2-Methylnaphthalene	10	ND	NA	ND	ND	NA
2-Methylphenol	10	ND	NA	ND	ND	NA
2-Nitroaniline	50	ND	NA	ND	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA	ND	ND	NA
3-Nitroaniline	50	ND	NA	ND	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA	ND	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA	ND	ND	NA
4-Chloro-3-methylphenol	10	ND	NA	ND	ND	NA
4-Chloroaniline	10	ND	NA	ND	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA	ND	ND	NA
4-Methylphenol	10	ND	NA	ND	ND	NA
4-Nitroaniline	50	ND	NA	ND	ND	NA
4-Nitrophenol	50	ND	NA	ND	ND	NA
Acenaphthene	10	ND	NA	ND	ND	NA
Acenaphthylene	10	ND	NA	ND	ND	NA
Anthracene	10	ND	NA	ND	ND	NA
Benzo(a)anthracene	10	ND	NA	ND	ND	NA
Benzo(a)pyrene	10	ND	NA	ND	ND	NA
Benzo(b)fluoranthene	10	ND	NA	ND	ND	NA
Benzo(g,h,i)perylene	10	ND	NA	ND	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)
SAMPLE NUMBER =====>		MOF-644	MOF-645	MOF-826	MOF-827	MOF-828
SAMPLE DATE ========>		05/08/89	05/08/89	08/11/89	08/11/89	08/11/89
SAMPLE TYPE ========>			TRIP BLANK		DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]				
Benzo(k)fluoranthene	10	ND	NA	ND	ND	NA
Benzoic acid	50	ND	NA	ND	ND	NA
Benzyl Alcohol	10	ND	NA	ND	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA	ND	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA	ND	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA	ND	ND	NA
Bis(2-Ethylhexyl)phthalate	10	J 8	NA	ND	ND	NA
Butyl benzyl phthalate	10	ND	NA	ND	ND	NA
Chrysene	10	ND	NA	ND	ND	NA
Di-n-butylphthalate	10	ND	NA	ND	ND	NA
Di-n-octyl phthalate	10	ND	NA	ND	ND	NA
Dibenz(a,h)anthracene	10	ND	NA	ND	ND	NA
Dibenzofuran	10	ND	NA	ND	ND	NA
Diethylphthalate	10	ND	NA	ND	ND	NA
Dimethyl phthalate	10	ND	NA	ND	ND	NA
Fluoranthene	10	ND	NA	ND	ND	NA
Fluorene	10	ND	NA	ND	ND	NA
Hexachlorobenzene	10	ND	NA	ND	ND	NA
Hexachlorobutadiene	10	ND	NA	ND	ND	NA
Hexachlorocyclopentadiene	10	ND	NA	ND	ND	NA
Hexachloroethane	10	ND	NA	ND	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA	ND	ND	NA
Isophorone	10	ND	NA	ND	ND	NA
N-nitroso-dipropylamine	10	ND	NA	ND	ND	NA
Naphthalene	10	ND	NA	ND	ND	NA
Nitrobenzene	10	ND	NA	ND	ND	NA
Pentachlorophenol	50	ND	NA	ND	ND	NA
Phenanthrene	10	ND	NA	ND	ND	NA
Phenol	10	ND	NA	ND	ND	NA
Pyrene	10	ND	NA	ND	ND	NA
========== TIC ==========						
Dioctyesterhexanedioic @ 31.7	TIC	J 28				
Iodo Cyclohexane @ 11.82	TIC	J 8				
Unknown @ 10.50	TIC			J 120		
Unknown @ 10.54	TIC				J 200	
Unknown @ 7.95	TIC	BJ 34				

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)
SAMPLE NUMBER =====>		MOF-644	MOF-645	MOF-826	MOF-827	MOF-828
SAMPLE DATE ========>		05/08/89	05/08/89	08/11/89	08/11/89	08/11/89
SAMPLE TYPE ========>			TRIP BLANK		DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]				
Unknown @ 8.40	TIC	J 10				
Unknown Hexanedioic Acid@32.5	TIC			J 22	J 14	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)
SAMPLE NUMBER =====>		MOF-644	MOF-645	MOF-826	MOF-827	MOF-828
SAMPLE DATE ========>		05/08/89	05/08/89	08/11/89	08/11/89	08/11/89
SAMPLE TYPE ========>			TRIP BLANK		DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]				
Aluminum	200	ND<13.4	NA	J 108	J 164	NA
Antimony	60	ND<37.0	NA	J 52.0	J 23.0	NA
Arsenic	10	ND<3.0	NA	ND<2.1	ND<2.1	NA
Barium	200	J 100	NA	J 121	J 137	NA
Beryllium	5	ND<1.7	NA	ND<0.060	ND<0.060	NA
Cadmium	5	ND<4.0	NA	ND<3.0	ND<3.0	NA
Calcium	5000	208000	NA	231000	243000	NA
Chromium	10	ND<3.7	NA	ND<1.4	ND<4.1	NA
Cobalt	50	ND<6.8	NA	ND<2.7	ND<2.7	NA
Copper	25	ND<3.8	NA	39.3	29.2	NA
Iron	100	J 45.1	NA	J 61.2	J 72.4	NA
Lead	5	5.0	NA	J 0.90	J 1.0	NA
Magnesium	5000	213000	NA	230000	234000	NA
Manganese	15	1590	NA	1810	1880	NA
Mercury	.2	ND<0.10	NA	ND<0.050	ND<0.050	NA
Nickel	40	J 23.0	NA	ND<6.8	ND<6.8	NA
Potassium	5000	ND<416	NA	J 1980	J 2860	NA
Selenium	5	ND<21.0	NA	ND<1.0	ND<1.0	NA
Silver	10	ND<3.0	NA	J 6.6	J 9.9	NA
Sodium	5000	596000	NA	660000	677000	NA
Thallium	10	J 1.0	NA	ND<0.70	ND<0.70	NA
Vanadium	50	J 4.9	NA	J 20.5	J 30.4	NA
Zinc	20	ND<5.9	NA	ND<1.4	ND<1.4	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)
SAMPLE NUMBER =====>		MOF-644	MOF-645	MOF-826	MOF-827	MOF-828
SAMPLE DATE ========>		05/08/89	05/08/89	08/11/89	08/11/89	08/11/89
SAMPLE TYPE ========>			TRIP BLANK		DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]				
AROCLOR-1016	.5	ND	NA	ND	ND	NA
AROCLOR-1221	.5	ND	NA	ND	ND	NA
AROCLOR-1232	.5	ND	NA	ND	ND	NA
AROCLOR-1242	.5	ND	NA	ND	ND	NA
AROCLOR-1248	.5	ND	NA	ND	ND	NA
AROCLOR-1254	1	ND	NA	ND	ND	NA
AROCLOR-1260	1	ND	NA	ND	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)	W02-05(A)
SAMPLE NUMBER =====>		MOF-644	MOF-645	MOF-826	MOF-827	MOF-828
SAMPLE DATE ========>		05/08/89	05/08/89	08/11/89	08/11/89	08/11/89
SAMPLE TYPE ========>			TRIP BLANK		DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]				
1,1,1-Trichloroethane	5	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND	ND	ND
2-Butanone	10	ND	ND	ND	ND	ND
2-Hexanone	10	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND	ND	ND
Acetone	10	ND	BJ 9	B 24	B 15	B 14
Benzene	5	ND	ND	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND	ND	ND
Bromoform	5	ND	ND	ND	ND	ND
Bromomethane	10	ND	ND	ND	ND	ND
Carbon disulfide	5	ND	ND	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND	ND	ND
Chlorobenzene	5	ND	ND	ND	ND	ND
Chloroethane	10	ND	ND	ND	ND	ND
Chloroform	5	ND	ND	ND	ND	ND
Chloromethane	10	ND	ND	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND	ND	ND
Ethyl benzene	5	ND	ND	ND	ND	ND
Methylene chloride	5	B 7	B 13	B 5	B 10	B 16
Styrene	5	ND	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND	ND
Total xylenes	5	ND	ND	ND	ND	ND
Trichloroethene	5	ND	ND	ND	ND	ND
Vinyl acetate	10	ND	ND	ND	ND	ND
Vinyl chloride	10	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-06(A)	W02-06(A)	W02-06(A)
SAMPLE NUMBER =====>	MOF-655	MOF-823	MOF-825
SAMPLE DATE ========>	05/08/89	08/10/89	08/10/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	ND	NA
1,2,4-Trichlorobenzene	10	ND	ND	NA
1,3 Dichlorobenzene	10	ND	ND	NA
1,4 Dichlorobenzene	10	ND	ND	NA
2 nitrophenol	10	ND	ND	NA
2,4 Dimethylphenol	10	ND	ND	NA
2,4,5-Trichlorophenol	50	ND	ND	NA
2,4,6-Trichlorophenol	10	ND	ND	NA
2,4-Dichlorophenol	10	ND	ND	NA
2,4-Dinitrophenol	50	ND	ND	NA
2,4-Dinitrotoluene	10	ND	ND	NA
2,6-Dinitrotoluene	10	ND	ND	NA
2-Chloronaphthalene	10	ND	ND	NA
2-Chlorophenol	10	ND	ND	NA
2-Methylnaphthalene	10	ND	ND	NA
2-Methylphenol	10	ND	ND	NA
2-Nitroaniline	50	ND	ND	NA
3,3'-Dichlorobenzidine	20	ND	ND	NA
3-Nitroaniline	50	ND	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	ND	NA
4-Bromophenyl phenyl ether	10	ND	ND	NA
4-Chloro-3-methylphenol	10	ND	ND	NA
4-Chloroaniline	10	ND	ND	NA
4-Chlorophenyl phenyl ether	10	ND	ND	NA
4-Methylphenol	10	ND	ND	NA
4-Nitroaniline	50	ND	ND	NA
4-Nitrophenol	50	ND	ND	NA
Acenaphthene	10	ND	ND	NA
Acenaphthylene	10	ND	ND	NA
Anthracene	10	ND	ND	NA
Benzo(a)anthracene	10	ND	ND	NA
Benzo(a)pyrene	10	ND	ND	NA
Benzo(b)fluoranthene	10	ND	ND	NA
Benzo(g,h,i)perylene	10	ND	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-06(A)	W02-06(A)	W02-06(A)
SAMPLE NUMBER =====>	MOF-655	MOF-823	MOF-825
SAMPLE DATE ========>	05/08/89	08/10/89	08/10/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	ND	NA
Benzoic acid	50	ND	ND	NA
Benzyl Alcohol	10	ND	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	ND	NA
Bis(2-Chloroethyl)ether	10	ND	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	ND	NA
Butyl benzyl phthalate	10	ND	ND	NA
Chrysene	10	ND	ND	NA
Di-n-butylphthalate	10	ND	ND	NA
Di-n-octyl phthalate	10	ND	ND	NA
Dibenz(a,h)anthracene	10	ND	ND	NA
Dibenzofuran	10	ND	ND	NA
Diethylphthalate	10	ND	ND	NA
Dimethyl phthalate	10	ND	ND	NA
Fluoranthene	10	ND	ND	NA
Fluorene	10	ND	ND	NA
Hexachlorobenzene	10	ND	ND	NA
Hexachlorobutadiene	10	ND	ND	NA
Hexachlorocyclopentadiene	10	ND	ND	NA
Hexachloroethane	10	ND	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	ND	NA
Isophorone	10	ND	ND	NA
N-nitroso-dipropylamine	10	ND	ND	NA
Naphthalene	10	ND	ND	NA
Nitrobenzene	10	ND	ND	NA
Pentachlorophenol	50	ND	ND	NA
Phenanthrene	10	ND	ND	NA
Phenol	10	ND	ND	NA
Pyrene	10	ND	ND	NA
========== TIC ==========				
Dioctyl Ester Hexanedioi@31.6	TIC	J 40		
Iodo Cyclohexane @ 11.85	TIC	J 10		
Substituted Hexanedioic @28.5	TIC		BJ 18	
Unknown @ 3.95	TIC		J 12	
Unknown @ 6.63	TIC		J 200	

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-06(A)	W02-06(A)	W02-06(A)
SAMPLE NUMBER =====>	MOF-655	MOF-823	MOF-825
SAMPLE DATE ========>	05/08/89	08/10/89	08/10/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Unknown @ 8.02	TIC	BJ 10		
Unknown @ 8.49	TIC	J 16		
Unknown @ 9.89	TIC	J 40		

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-06(A)	W02-06(A)	W02-06(A)
SAMPLE NUMBER =====>	MOF-655	MOF-823	MOF-825
SAMPLE DATE ========>	05/08/89	08/10/89	08/10/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	J 866	ND<180	NA
Antimony	60	J 586	J 275	NA
Arsenic	10	J 1.5	ND<2.1	NA
Barium	200	J 349	J 138	NA
Beryllium	5	ND<17.0	ND<6.0	NA
Cadmium	5	J 40.5	ND<30.0	NA
Calcium	5000	354000	366000	NA
Chromium	10	ND<37.0	ND<41.0	NA
Cobalt	50	ND<68.0	ND<27.0	NA
Copper	25	ND<38.0	333	NA
Iron	100	J 265	J 123	NA
Lead	5	ND<23.0	ND<0.90	NA
Magnesium	5000	753000	868000	NA
Manganese	15	4640	4820	NA
Mercury	.2	ND<0.10	ND<0.050	NA
Nickel	40	J 207	ND<68.0	NA
Potassium	5000	81000	73800	NA
Selenium	5	ND<21.0	ND<140	NA
Silver	10	ND<30.0	ND<31.0	NA
Sodium	5000	5000000	5760000	NA
Thallium	10	ND	ND	NA
Vanadium	50	J 171	ND<33.0	NA
Zinc	20	ND<59.0	ND<14.0	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-06(A)	W02-06(A)	W02-06(A)
SAMPLE NUMBER =====>	MOF-655	MOF-823	MOF-825
SAMPLE DATE ========>	05/08/89	08/10/89	08/10/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND	ND	NA
AROCLOR-1221	.5	ND	ND	NA
AROCLOR-1232	.5	ND	ND	NA
AROCLOR-1242	.5	ND	ND	NA
AROCLOR-1248	.5	ND	ND	NA
AROCLOR-1254	1	ND	ND	NA
AROCLOR-1260	1	ND	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-06(A)	W02-06(A)	W02-06(A)
SAMPLE NUMBER =====>	MOF-655	MOF-823	MOF-825
SAMPLE DATE ========>	05/08/89	08/10/89	08/10/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	J 1	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	B 13	ND	B 14
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	J 2	ND
Methylene chloride	5	B 6	B 8	B 13
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	J 1	ND
Total xylenes	5	ND	8	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-07(A)	W02-07(A)
SAMPLE NUMBER =====>	MOF-654	MOF-832
SAMPLE DATE ========>	05/05/89	08/14/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-07(A)	W02-07(A)
SAMPLE NUMBER =====>	MOF-654	MOF-832
SAMPLE DATE ========>	05/05/89	08/14/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	10
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
Ester Hexanedioic Acid @28.51	TIC		J 20
Unknown @ 4.35	TIC		J 12
Unknown @ 6.55	TIC		J 200
Unknown @ 9.87	TIC	J 14	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-07(A)	W02-07(A)
SAMPLE NUMBER =====>	MOF-654	MOF-832
SAMPLE DATE ========>	05/05/89	08/14/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 1640	13300
Antimony	60	J 419	ND<360
Arsenic	10	J 3.0	ND<9.5
Barium	200	J 430	J 730
Beryllium	5	ND<17.0	ND<12.0
Cadmium	5	ND<39.6	ND<60.0
Calcium	5000	1390000	2020000
Chromium	10	ND<37.0	ND<82.0
Cobalt	50	ND<68.0	ND<54.0
Copper	25	ND<38.0	J 66.4
Iron	100	J 630	J 1950
Lead	5	19.0	J 12.0
Magnesium	5000	1440000	1720000
Manganese	15	1220	2030
Mercury	.2	ND<0.10	ND<0.050
Nickel	40	ND<132	ND<136
Potassium	5000	J 41900	369000
Selenium	5	ND<24.0	ND<1.0
Silver	10	J 79.6	J 74.4
Sodium	5000	4680000	5700000
Thallium	10	ND<15.0	ND
Vanadium	50	J 303	2120
Zinc	20	ND<59.0	J 207

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-07(A)	W02-07(A)
SAMPLE NUMBER =====>	MOF-654	MOF-832
SAMPLE DATE ========>	05/05/89	08/14/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	ND
AROCLOR-1221	.5	ND	ND
AROCLOR-1232	.5	ND	ND
AROCLOR-1242	.5	ND	ND
AROCLOR-1248	.5	ND	ND
AROCLOR-1254	1	ND	ND
AROCLOR-1260	1	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-07(A)	W02-07(A)
SAMPLE NUMBER =====>	MOF-654	MOF-832
SAMPLE DATE ========>	05/05/89	08/14/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	ND
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 4	B 18
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W02-08(F)
SAMPLE NUMBER =====> MOF-831

SAMPLE DATE ========> 08/14/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W02-08(F)
SAMPLE NUMBER =====> MOF-831

SAMPLE DATE ========> 08/14/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Unknown @ 6.48	TIC	J 40

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W02-08(F)
SAMPLE NUMBER =====> MOF-831

SAMPLE DATE ========> 08/14/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 133
Antimony	60	J 51.1
Arsenic	10	ND<1.9
Barium	200	J 129
Beryllium	5	ND<0.6
Cadmium	5	ND<3.0
Calcium	5000	199000
Chromium	10	ND<4.1
Cobalt	50	ND<2.7
Copper	25	ND<2.7
Iron	100	J 86.2
Lead	5	J 1.6
Magnesium	5000	377000
Manganese	15	196
Mercury	.2	ND<0.050
Nickel	40	52.3
Potassium	5000	10100
Selenium	5	ND<1.0
Silver	10	J 3.9
Sodium	5000	910000
Thallium	10	ND<0.70
Vanadium	50	J 32.5
Zinc	20	ND<1.4

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W02-08(F)
SAMPLE NUMBER =====> MOF-831

SAMPLE DATE ========> 08/14/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
AROCLOR-1016	.5	ND
AROCLOR-1221	.5	ND
AROCLOR-1232	.5	ND
AROCLOR-1242	.5	ND
AROCLOR-1248	.5	ND
AROCLOR-1254	1	ND
AROCLOR-1260	1	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W02-08(F)
SAMPLE NUMBER =====> MOF-831

SAMPLE DATE ========> 08/14/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits		Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5		ND
1,1,2,2-Tetrachloroethane	5		ND
1,1,2-Trichloroethane	5		ND
1,1-Dichloroethane	5		ND
1,1-Dichloroethylene	5		ND
1,2-Dichloroethane	5		ND
1,2-Dichloroethenes(Total)	5		17
1,2-Dichloropropane	5		ND
2-Butanone	10		ND
2-Hexanone	10		ND
4-Methyl-2-pentanone	10		ND
Acetone	10	B	18
Benzene	5		37
Bromodichloromethane	5		ND
Bromoform	5		ND
Bromomethane	10		ND
Carbon disulfide	5		ND
Carbon tetrachloride	5		ND
Chlorobenzene	5	J	3
Chloroethane	10		ND
Chloroform	5		ND
Chloromethane	10		ND
Dibromochloromethane	5		ND
Ethyl benzene	5	J	1
Methylene chloride	5	B	18
Styrene	5		ND
Tetrachloroethene	5		6
Toluene	5		ND
Total xylenes	5		ND
Trichloroethene	5		ND
Vinyl acetate	10		ND
Vinyl chloride	10		18
cis-1,3-Dichloropropene	5		ND
trans-1,3-Dichloropropene	5		ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W02-09(A)	W02-09(A)
SAMPLE NUMBER	=====>	MOF-829	MOF-830
SAMPLE DATE	========>	08/14/89	08/14/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-09(A)	W02-09(A)
SAMPLE NUMBER =====>	MOF-829	MOF-830
SAMPLE DATE ========>	08/14/89	08/14/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 6.50	TIC	J 40	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-09(A)	W02-09(A)
SAMPLE NUMBER =====>	MOF-829	MOF-830
SAMPLE DATE ========>	08/14/89	08/14/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 24.5	NA
Antimony	60	J 52.5	NA
Arsenic	10	ND<1.9	NA
Barium	200	J 20.5	NA
Beryllium	5	ND<0.6	NA
Cadmium	5	ND<3.0	NA
Calcium	5000	247000	NA
Chromium	10	ND<4.1	NA
Cobalt	50	ND<2.7	NA
Copper	25	ND<2.7	NA
Iron	100	J 39.0	NA
Lead	5	J 1.6	NA
Magnesium	5000	244000	NA
Manganese	15	ND<0.70	NA
Mercury	.2	ND<0.050	NA
Nickel	40	ND<6.8	NA
Potassium	5000	ND<572	NA
Selenium	5	ND<1.0	NA
Silver	10	ND<3.1	NA
Sodium	5000	634000	NA
Thallium	10	ND<0.70	NA
Vanadium	50	J 14.6	NA
Zinc	20	ND<1.4	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-09(A)	W02-09(A)
SAMPLE NUMBER =====>	MOF-829	MOF-830
SAMPLE DATE ========>	08/14/89	08/14/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W02-09(A)	W02-09(A)
SAMPLE NUMBER	=====>	MOF-829	MOF-830
SAMPLE DATE	========>	08/14/89	08/14/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	B 18	B 15
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	J 3
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 13	B 14
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	J 1	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-10(F)	W02-10(F)	W02-10(F)
SAMPLE NUMBER =====>	MOF-642	MOF-643	MOF-824
SAMPLE DATE ========>	05/05/89	05/05/89	08/10/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	NA	ND
1,2,4-Trichlorobenzene	10	ND	NA	ND
1,3 Dichlorobenzene	10	ND	NA	ND
1,4 Dichlorobenzene	10	ND	NA	ND
2 nitrophenol	10	ND	NA	ND
2,4 Dimethylphenol	10	ND	NA	ND
2,4,5-Trichlorophenol	50	ND	NA	ND
2,4,6-Trichlorophenol	10	ND	NA	ND
2,4-Dichlorophenol	10	ND	NA	ND
2,4-Dinitrophenol	50	ND	NA	ND
2,4-Dinitrotoluene	10	ND	NA	ND
2,6-Dinitrotoluene	10	ND	NA	ND
2-Chloronaphthalene	10	ND	NA	ND
2-Chlorophenol	10	ND	NA	ND
2-Methylnaphthalene	10	ND	NA	ND
2-Methylphenol	10	ND	NA	ND
2-Nitroaniline	50	ND	NA	ND
3,3'-Dichlorobenzidine	20	ND	NA	ND
3-Nitroaniline	50	ND	NA	ND
4,6-Dinitro-2-methylphenol	50	ND	NA	ND
4-Bromophenyl phenyl ether	10	ND	NA	ND
4-Chloro-3-methylphenol	10	ND	NA	ND
4-Chloroaniline	10	ND	NA	ND
4-Chlorophenyl phenyl ether	10	ND	NA	ND
4-Methylphenol	10	ND	NA	ND
4-Nitroaniline	50	ND	NA	ND
4-Nitrophenol	50	ND	NA	ND
Acenaphthene	10	ND	NA	ND
Acenaphthylene	10	ND	NA	ND
Anthracene	10	ND	NA	ND
Benzo(a)anthracene	10	ND	NA	ND
Benzo(a)pyrene	10	ND	NA	ND
Benzo(b)fluoranthene	10	ND	NA	ND
Benzo(g,h,i)perylene	10	ND	NA	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-10(F)	W02-10(F)	W02-10(F)
SAMPLE NUMBER =====>	MOF-642	MOF-643	MOF-824
SAMPLE DATE ========>	05/05/89	05/05/89	08/10/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	NA	ND
Benzoic acid	50	ND	NA	ND
Benzyl Alcohol	10	ND	NA	ND
Bis(2-Chloroethoxy)methane	10	ND	NA	ND
Bis(2-Chloroethyl)ether	10	ND	NA	ND
Bis(2-Chloroisopropyl)ether	10	ND	NA	ND
Bis(2-Ethylhexyl)phthalate	10	ND	NA	ND
Butyl benzyl phthalate	10	ND	NA	ND
Chrysene	10	ND	NA	ND
Di-n-butylphthalate	10	ND	NA	ND
Di-n-octyl phthalate	10	ND	NA	ND
Dibenz(a,h)anthracene	10	ND	NA	ND
Dibenzofuran	10	ND	NA	ND
Diethylphthalate	10	ND	NA	ND
Dimethyl phthalate	10	ND	NA	ND
Fluoranthene	10	ND	NA	ND
Fluorene	10	ND	NA	ND
Hexachlorobenzene	10	ND	NA	ND
Hexachlorobutadiene	10	ND	NA	ND
Hexachlorocyclopentadiene	10	ND	NA	ND
Hexachloroethane	10	ND	NA	ND
Indeno(1,2,3-c,d)pyrene	10	ND	NA	ND
Isophorone	10	ND	NA	ND
N-nitroso-dipropylamine	10	ND	NA	ND
Naphthalene	10	27	NA	12
Nitrobenzene	10	ND	NA	ND
Pentachlorophenol	50	ND	NA	ND
Phenanthrene	10	ND	NA	ND
Phenol	10	ND	NA	ND
Pyrene	10	ND	NA	ND
========== TIC ==========				
(.+-.)-1,7,7-Trimethyl- @10.5	TIC			J 12
1,2,3,4-Tetrahydro @ 13.82	TIC	J 10		
1-Methylethl Benzene @ 8.77	TIC	J 10		
1H-Indene,2,3-Dihydro @11.20	TIC	J 40		
2,3-Dihydro-1-Methyl-@ 12.30	TIC	J 44		

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W02-10(F)	W02-10(F)	W02-10(F)
SAMPLE NUMBER =====>		MOF-642	MOF-643	MOF-824
SAMPLE DATE ========>		05/05/89	05/05/89	08/10/89
SAMPLE TYPE ========>			TRIP BLANK	
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
2,3-Dihydro-2-Methyl-@ 12.19	TIC	J 14		
3,6,6-Trimethyl-Bicyclo @14.7	TIC	J 12		
Benzene,1-Ethyl-2,3-Dime@12.9	TIC	J 12		
Diethyl Benzene Isomer @ 11.5	TIC	J 10		
Dihydro-4-Methylindene @ 9.29	TIC			J 40
Ethenylmethyl Benzene Iso@8.0	TIC			J 20
Octahydro-2H-Inden-2-One@14.9	TIC	J 8		
Propyl Benzene @ 9.40	TIC	J 14		
Substituted Hexanedioic @28.5	TIC			BJ 20
Trimethyl Benzene Isomer@10.3	TIC	J 10		
Unknown @ 10.87	TIC			J 8
Unknown @ 11.67	TIC	J 10		
Unknown @ 12.69	TIC	J 18		
Unknown @ 13.37	TIC	J 14		
Unknown @ 13.50	TIC	J 32		
Unknown @ 13.60	TIC	J 14		
Unknown @ 16.62	TIC	J 8		
Unknown @ 20.04	TIC	J 14		
Unknown @ 31.69	TIC	J 10		
Unknown @ 5.58	TIC			J 10
Unknown @ 6.62	TIC			J 20
Unknown @ 8.02	TIC	J 32		
Unknown @ 9.77	TIC			J 10

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-10(F)	W02-10(F)	W02-10(F)
SAMPLE NUMBER =====>	MOF-642	MOF-643	MOF-824
SAMPLE DATE ========>	05/05/89	05/05/89	08/10/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	J 54.2	NA	ND<18.0
Antimony	60	ND<37.0	NA	J 19.5
Arsenic	10	J 3.0	NA	395
Barium	200	3270	NA	4160
Beryllium	5	J 4.0	NA	15.0
Cadmium	5	ND<4.0	NA	ND<3.0
Calcium	5000	187000	NA	314000
Chromium	10	ND<3.7	NA	ND<4.1
Cobalt	50	ND<6.8	NA	ND<2.7
Copper	25	ND<3.8	NA	J 6.5
Iron	100	113000	NA	217000
Lead	5	ND<19.0	NA	J 2.2
Magnesium	5000	98700	NA	130000
Manganese	15	1190	NA	2450
Mercury	.2	ND<0.10	NA	ND<0.050
Nickel	40	ND<13.2	NA	ND<6.8
Potassium	5000	62200	NA	72600
Selenium	5	ND<2.4	NA	ND<1.4
Silver	10	ND<3.0	NA	ND<3.1
Sodium	5000	880000	NA	929000
Thallium	10	ND<1.5	NA	ND<1.0
Vanadium	50	J 5.6	NA	ND<3.3
Zinc	20	ND<5.9	NA	50.3

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-10(F)	W02-10(F)	W02-10(F)
SAMPLE NUMBER =====>	MOF-642	MOF-643	MOF-824
SAMPLE DATE ========>	05/05/89	05/05/89	08/10/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND	NA	ND
AROCLOR-1221	.5	ND	NA	ND
AROCLOR-1232	.5	ND	NA	ND
AROCLOR-1242	.5	ND	NA	ND
AROCLOR-1248	.5	ND	NA	ND
AROCLOR-1254	1	ND	NA	ND
AROCLOR-1260	1	ND	NA	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-10(F)	W02-10(F)	W02-10(F)
SAMPLE NUMBER =====>	MOF-642	MOF-643	MOF-824
SAMPLE DATE ========>	05/05/89	05/05/89	08/10/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	J 2	ND	J 3
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	BJ 4	ND	B 21
Benzene	5	6	ND	9
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	12	ND	17
Methylene chloride	5	ND	B 7	B 10
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	J 1	ND	J 2
Total xylenes	5	J 3	ND	5
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND
========== TIC ==========				
Unknown @ 17.64	TIC	J 6		

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-11(F)	W02-11(F)	W02-11(F)
SAMPLE NUMBER =====>	MOF-646	MOF-833	MOF-834
SAMPLE DATE ========>	05/08/89	08/15/89	08/15/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	ND	NA
1,2,4-Trichlorobenzene	10	ND	ND	NA
1,3 Dichlorobenzene	10	ND	ND	NA
1,4 Dichlorobenzene	10	ND	ND	NA
2 nitrophenol	10	ND	ND	NA
2,4 Dimethylphenol	10	ND	ND	NA
2,4,5-Trichlorophenol	50	ND	ND	NA
2,4,6-Trichlorophenol	10	ND	ND	NA
2,4-Dichlorophenol	10	ND	ND	NA
2,4-Dinitrophenol	50	ND	ND	NA
2,4-Dinitrotoluene	10	ND	ND	NA
2,6-Dinitrotoluene	10	ND	ND	NA
2-Chloronaphthalene	10	ND	ND	NA
2-Chlorophenol	10	ND	ND	NA
2-Methylnaphthalene	10	ND	ND	NA
2-Methylphenol	10	ND	ND	NA
2-Nitroaniline	50	ND	ND	NA
3,3'-Dichlorobenzidine	20	ND	ND	NA
3-Nitroaniline	50	ND	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	ND	NA
4-Bromophenyl phenyl ether	10	ND	ND	NA
4-Chloro-3-methylphenol	10	ND	ND	NA
4-Chloroaniline	10	ND	ND	NA
4-Chlorophenyl phenyl ether	10	ND	ND	NA
4-Methylphenol	10	ND	ND	NA
4-Nitroaniline	50	ND	ND	NA
4-Nitrophenol	50	ND	ND	NA
Acenaphthene	10	ND	ND	NA
Acenaphthylene	10	ND	ND	NA
Anthracene	10	ND	ND	NA
Benzo(a)anthracene	10	ND	ND	NA
Benzo(a)pyrene	10	ND	ND	NA
Benzo(b)fluoranthene	10	ND	ND	NA
Benzo(g,h,i)perylene	10	ND	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-11(F)	W02-11(F)	W02-11(F)
SAMPLE NUMBER =====>	MOF-646	MOF-833	MOF-834
SAMPLE DATE ========>	05/08/89	08/15/89	08/15/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	ND	NA
Benzoic acid	50	ND	ND	NA
Benzyl Alcohol	10	ND	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	ND	NA
Bis(2-Chloroethyl)ether	10	ND	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	ND	NA
Butyl benzyl phthalate	10	ND	ND	NA
Chrysene	10	ND	ND	NA
Di-n-butylphthalate	10	ND	ND	NA
Di-n-octyl phthalate	10	ND	ND	NA
Dibenz(a,h)anthracene	10	ND	ND	NA
Dibenzofuran	10	ND	ND	NA
Diethylphthalate	10	ND	ND	NA
Dimethyl phthalate	10	ND	ND	NA
Fluoranthene	10	ND	ND	NA
Fluorene	10	ND	ND	NA
Hexachlorobenzene	10	ND	ND	NA
Hexachlorobutadiene	10	ND	ND	NA
Hexachlorocyclopentadiene	10	ND	ND	NA
Hexachloroethane	10	ND	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	ND	NA
Isophorone	10	ND	ND	NA
N-nitroso-dipropylamine	10	ND	ND	NA
Naphthalene	10	ND	ND	NA
Nitrobenzene	10	ND	ND	NA
Pentachlorophenol	50	ND	ND	NA
Phenanthrene	10	ND	ND	NA
Phenol	10	ND	ND	NA
Pyrene	10	ND	ND	NA
========== TIC ==========				
Unknown @ 8.52	TIC		J 40	
Unknown Hydrocarbon @ 31.71	TIC	J 10		

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-11(F)	W02-11(F)	W02-11(F)
SAMPLE NUMBER =====>	MOF-646	MOF-833	MOF-834
SAMPLE DATE ========>	05/08/89	08/15/89	08/15/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	J 276	J 633	NA
Antimony	60	ND<370	ND<180	NA
Arsenic	10	J 3.0	ND<1.9	NA
Barium	200	J 73.9	J 58.0	NA
Beryllium	5	ND<17.0	ND<6.0	NA
Cadmium	5	ND<40.0	ND<30.0	NA
Calcium	5000	355000	345000	NA
Chromium	10	ND<37.0	ND<41.0	NA
Cobalt	50	ND<68.0	ND<27.0	NA
Copper	25	ND<38.0	ND<27.0	NA
Iron	100	J 133	J 106	NA
Lead	5	ND<23.0	J 1.1	NA
Magnesium	5000	372000	363000	NA
Manganese	15	226	331	NA
Mercury	.2	ND<0.10	J 0.051	NA
Nickel	40	J 161	J 104	NA
Potassium	5000	J 13900	J 23400	NA
Selenium	5	ND<21.0	ND<1.0	NA
Silver	10	J 58.8	J 45.7	NA
Sodium	5000	1050000	1090000	NA
Thallium	10	J 1.0	J 1.7	NA
Vanadium	50	J 76.8	J 112	NA
Zinc	20	ND<59.0	ND<14.0	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-11(F)	W02-11(F)	W02-11(F)
SAMPLE NUMBER =====>	MOF-646	MOF-833	MOF-834
SAMPLE DATE ========>	05/08/89	08/15/89	08/15/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND	ND	NA
AROCLOR-1221	.5	ND	ND	NA
AROCLOR-1232	.5	ND	ND	NA
AROCLOR-1242	.5	ND	ND	NA
AROCLOR-1248	.5	ND	ND	NA
AROCLOR-1254	1	ND	ND	NA
AROCLOR-1260	1	ND	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 2, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W02-11(F)	W02-11(F)	W02-11(F)
SAMPLE NUMBER =====>	MOF-646	MOF-833	MOF-834
SAMPLE DATE ========>	05/08/89	08/15/89	08/15/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	BJ 8	ND	ND
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	B 9	BJ 3	B 6
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PAGE

3.0 SITE 3 ANALYTICAL RESULTS

3.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 3.....3.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W03-01(A)	W03-01(A)
SAMPLE NUMBER	=====>	MOF-673	MOF-835
SAMPLE DATE	========>	05/15/89	08/15/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	6	7
1,1-Dichloroethylene	5	J 3	J 4
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	12	14
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	B 15
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 15	BJ 2
Styrene	5	ND	ND
Tetrachloroethene	5	ND	J 2
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	13	15
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	J 3
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-01(A)	W03-01(A)
SAMPLE NUMBER =====>		MOF-673	MOF-835
SAMPLE DATE ========>		05/15/89	08/15/89
SAMPLE TYPE ========>			
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
========== TIC ==========			
1,2-Dichloro-1,1,2- @ 4.77	TIC	J 6	

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-02(A)	W03-02(A)	W03-02(A)
SAMPLE NUMBER =====>	MOF-678	MOF-853	MOF-854
SAMPLE DATE ========>	05/19/89	08/23/89	08/23/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	J 7	B 24	B 13
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	B 10	BJ 2	B 9
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-03(A)	W03-03(A)	W03-03(A)	W03-03(A)
SAMPLE NUMBER =====>		MOF-676	MOF-840	MOF-841	MOF-842
SAMPLE DATE ========>		05/16/89	08/17/89	08/17/89	08/17/89
SAMPLE TYPE ========>				TRIP BLANK	DUP
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,1,1-Trichloroethane	5	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethylene	5	J 2	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND	ND
2-Butanone	10	ND	ND	ND	ND
2-Hexanone	10	ND	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND	ND
Acetone	10	ND	B 23	B 20	B 14
Benzene	5	ND	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND	ND
Bromoform	5	ND	ND	ND	ND
Bromomethane	10	ND	ND	ND	ND
Carbon disulfide	5	ND	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND	ND
Chlorobenzene	5	ND	ND	ND	ND
Chloroethane	10	ND	ND	ND	ND
Chloroform	5	ND	ND	ND	ND
Chloromethane	10	ND	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND	ND
Ethyl benzene	5	ND	ND	ND	ND
Methylene chloride	5	B 14	BJ 3	B 6	B 5
Styrene	5	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND
Total xylenes	5	ND	ND	ND	ND
Trichloroethene	5	ND	ND	ND	ND
Vinyl acetate	10	ND	ND	ND	ND
Vinyl chloride	10	ND	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-04(B2)	W03-04(B2)
SAMPLE NUMBER =====>	MOF-687	MOF-844
SAMPLE DATE ========>	05/18/89	08/17/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	ND
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	J 3	B 6
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-07(B2)	W03-07(B2)	W03-07(B2)	W03-07(B2)	W03-07(B2)
SAMPLE NUMBER =====>	MOF-674	MOF-675	MOF-855	MOF-856	MOF-857
SAMPLE DATE ========>	05/16/89	05/16/89	08/23/89	08/23/89	08/23/89
SAMPLE TYPE ========>		TRIP BLANK		DUP	EQUIP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]				
1,1,1-Trichloroethane	5	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND	ND	ND
2-Butanone	10	ND	ND	ND	ND	ND
2-Hexanone	10	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND	ND	ND
Acetone	10	ND	J 8	B 16	B 17	BJ 5
Benzene	5	ND	ND	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND	ND	ND
Bromoform	5	ND	ND	ND	ND	ND
Bromomethane	10	ND	ND	ND	ND	ND
Carbon disulfide	5	ND	ND	ND	ND	ND
Carbon tetrachloride	5	ND	18	ND	ND	ND
Chlorobenzene	5	ND	ND	ND	ND	ND
Chloroethane	10	ND	ND	ND	ND	ND
Chloroform	5	ND	J 3	ND	ND	ND
Chloromethane	10	ND	ND	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND	ND	ND
Ethyl benzene	5	ND	ND	ND	ND	ND
Methylene chloride	5	B 15	B 17	BJ 2	BJ 2	BJ 3
Styrene	5	ND	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND	ND
Total xylenes	5	ND	ND	ND	ND	ND
Trichloroethene	5	ND	ND	ND	ND	ND
Vinyl acetate	10	ND	ND	ND	ND	ND
Vinyl chloride	10	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-08(A)	W03-08(A)	W03-08(A)
SAMPLE NUMBER =====>	MOF-685	MOF-686	MOF-852
SAMPLE DATE ========>	05/18/89	05/18/89	08/22/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	J 6	J 8	BJ 8
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	5	9	BJ 1
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-09(B1)	W03-09(B1)	W03-09(B1)
SAMPLE NUMBER =====>	MOF-679	MOF-680	MOF-848
SAMPLE DATE ========>	05/23/89	05/23/89	08/21/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	BJ 4	BJ 8	26
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	J 1
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	BJ 2	B 6	B 6
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-11(A)	W03-11(A)	W03-11(A)
SAMPLE NUMBER =====>		MOF-683	MOF-684	MOF-839
SAMPLE DATE ========>		05/18/89	05/18/89	08/16/89
SAMPLE TYPE ========>			DUP	
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	J 4	J 5	B 14
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	J 4	J 4	BJ 2
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-12(B1)	W03-12(B1)	W03-12(B1)
SAMPLE NUMBER =====>	MOF-688	MOF-689	MOF-858
SAMPLE DATE ========>	05/19/89	05/19/89	08/24/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	NA	ND
1,2,4-Trichlorobenzene	10	ND	NA	ND
1,3 Dichlorobenzene	10	ND	NA	ND
1,4 Dichlorobenzene	10	ND	NA	ND
2 nitrophenol	10	ND	NA	ND
2,4 Dimethylphenol	10	ND	NA	ND
2,4,5-Trichlorophenol	50	ND	NA	ND
2,4,6-Trichlorophenol	10	ND	NA	ND
2,4-Dichlorophenol	10	ND	NA	ND
2,4-Dinitrophenol	50	ND	NA	ND
2,4-Dinitrotoluene	10	ND	NA	ND
2,6-Dinitrotoluene	10	ND	NA	ND
2-Chloronaphthalene	10	ND	NA	ND
2-Chlorophenol	10	ND	NA	ND
2-Methylnaphthalene	10	ND	NA	ND
2-Methylphenol	10	ND	NA	ND
2-Nitroaniline	50	ND	NA	ND
3,3'-Dichlorobenzidine	20	ND	NA	ND
3-Nitroaniline	50	ND	NA	ND
4,6-Dinitro-2-methylphenol	50	ND	NA	ND
4-Bromophenyl phenyl ether	10	ND	NA	ND
4-Chloro-3-methylphenol	10	ND	NA	ND
4-Chloroaniline	10	ND	NA	ND
4-Chlorophenyl phenyl ether	10	ND	NA	ND
4-Methylphenol	10	ND	NA	ND
4-Nitroaniline	50	ND	NA	ND
4-Nitrophenol	50	ND	NA	ND
Acenaphthene	10	ND	NA	ND
Acenaphthylene	10	ND	NA	ND
Anthracene	10	ND	NA	ND
Benzo(a)anthracene	10	ND	NA	ND
Benzo(a)pyrene	10	ND	NA	ND
Benzo(b)fluoranthene	10	ND	NA	ND
Benzo(g,h,i)perylene	10	ND	NA	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-12(B1)	W03-12(B1)	W03-12(B1)
SAMPLE NUMBER =====>	MOF-688	MOF-689	MOF-858
SAMPLE DATE ========>	05/19/89	05/19/89	08/24/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	NA	ND
Benzoic acid	50	ND	NA	ND
Benzyl Alcohol	10	ND	NA	ND
Bis(2-Chloroethoxy)methane	10	ND	NA	ND
Bis(2-Chloroethyl)ether	10	ND	NA	ND
Bis(2-Chloroisopropyl)ether	10	ND	NA	ND
Bis(2-Ethylhexyl)phthalate	10	ND	NA	ND
Butyl benzyl phthalate	10	ND	NA	ND
Chrysene	10	ND	NA	ND
Di-n-butylphthalate	10	ND	NA	ND
Di-n-octyl phthalate	10	B 63	NA	ND
Dibenz(a,h)anthracene	10	ND	NA	ND
Dibenzofuran	10	ND	NA	ND
Diethylphthalate	10	ND	NA	ND
Dimethyl phthalate	10	ND	NA	ND
Fluoranthene	10	ND	NA	ND
Fluorene	10	ND	NA	ND
Hexachlorobenzene	10	ND	NA	ND
Hexachlorobutadiene	10	ND	NA	ND
Hexachlorocyclopentadiene	10	ND	NA	ND
Hexachloroethane	10	ND	NA	ND
Indeno(1,2,3-c,d)pyrene	10	ND	NA	ND
Isophorone	10	ND	NA	ND
N-nitroso-dipropylamine	10	ND	NA	ND
Naphthalene	10	ND	NA	ND
Nitrobenzene	10	ND	NA	ND
Pentachlorophenol	50	ND	NA	ND
Phenanthrene	10	ND	NA	ND
Phenol	10	ND	NA	ND
Pyrene	10	ND	NA	ND
========== TIC ==========				
2-Cyclohexen-1-OL @ 5.28	TIC			J 8
2-Cyclohexen-1-One @ 6.42	TIC			J 8
3-Chlorocyclohexene @ 5.78	TIC			J 8
Cyclohexanol @ 7.37	TIC	J 10		
Cyclohexanone @ 7.53	TIC	J 8		

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-12(B1)	W03-12(B1)	W03-12(B1)
SAMPLE NUMBER =====>	MOF-688	MOF-689	MOF-858
SAMPLE DATE ========>	05/19/89	05/19/89	08/24/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Trans-2-Bromocyclohexano@10.5	TIC			J 12
Unknown @ 10.15	TIC	J 8		
Unknown @ 12.69	TIC			J 64
Unknown @ 17.17	TIC			J 12
Unknown @ 19.40	TIC			J 8
Unknown @ 22.27	TIC			J 10
Unknown @ 24.89	TIC			J 16
Unknown @ 6.07	TIC			J 8
Unknown @ 9.60	TIC	J 20		
Unknown Alkene @ 13.59	TIC			J 84
Unknown Cycloalkane @ 15.20	TIC			J 8
Unknown Hexanedioic Acid@31.4	TIC	J 10		
Unknown Phthalate @ 32.97	TIC	J 44		
Unknown Phthalate @ 34.21	TIC	J 24		
Unknown Phthalate @ 34.34	TIC	J 20		
Unknown Phthalate @ 35.89	TIC	J 12		
Unknown Phthalate @ 36.17	TIC	J 44		
Unknown Phthalate @ 36.36	TIC	J 20		
Unknown Phthalate @ 37.01	TIC	J 68		
Unknown Phthalate @ 38.17	TIC	J 14		
Unknown Phthalate @ 38.94	TIC	J 48		

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-12(B1)	W03-12(B1)	W03-12(B1)
SAMPLE NUMBER =====>	MOF-688	MOF-689	MOF-858
SAMPLE DATE ========>	05/19/89	05/19/89	08/24/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	J 127	NA	J 2970
Antimony	60	J 38.5	NA	ND<360
Arsenic	10	ND<4.2	NA	ND<2.1
Barium	200	J 41.8	NA	J 291
Beryllium	5	ND<1.7	NA	ND<12.0
Cadmium	5	ND<4.0	NA	ND<60.0
Calcium	5000	88100	NA	1520000
Chromium	10	ND<3.7	NA	ND<82.0
Cobalt	50	ND<6.8	NA	ND<54.0
Copper	25	ND<3.8	NA	ND<54.0
Iron	100	J 61.6	NA	J 687
Lead	5	25.0	NA	36.0
Magnesium	5000	139000	NA	2680000
Manganese	15	277	NA	5820
Mercury	.2	ND<0.10	NA	J 0.050
Nickel	40	ND<13.2	NA	ND<136
Potassium	5000	J 3100	NA	J 90800
Selenium	5	ND<24.0	NA	ND<14.0
Silver	10	ND<3.0	NA	J 176
Sodium	5000	766000	NA	13300000
Thallium	10	ND<15.1	NA	ND
Vanadium	50	J 23.3	NA	J 540
Zinc	20	28.8	NA	J 113

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-12(B1)	W03-12(B1)	W03-12(B1)
SAMPLE NUMBER =====>		MOF-688	MOF-689	MOF-858
SAMPLE DATE ========>		05/19/89	05/19/89	08/24/89
SAMPLE TYPE ========>			TRIP BLANK	
COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]		
TPHC	.25	ND	NA	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-12(B1)	W03-12(B1)	W03-12(B1)
SAMPLE NUMBER =====>	MOF-688	MOF-689	MOF-858
SAMPLE DATE ========>	05/19/89	05/19/89	08/24/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND	NA	ND
AROCLOR-1221	.5	ND	NA	ND
AROCLOR-1232	.5	ND	NA	ND
AROCLOR-1242	.5	ND	NA	ND
AROCLOR-1248	.5	ND	NA	ND
AROCLOR-1254	1	ND	NA	ND
AROCLOR-1260	1	ND	NA	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-12(B1)	W03-12(B1)	W03-12(B1)
SAMPLE NUMBER =====>	MOF-688	MOF-689	MOF-858
SAMPLE DATE ========>	05/19/89	05/19/89	08/24/89
SAMPLE TYPE ========>		TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	ND	ND	BJ 7
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	BJ 4	B 13	BJ 1
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-13(B1)	W03-13(B1)	W03-13(B1)	W03-13(B1)
SAMPLE NUMBER =====>		MOF-669	MOF-670	MOF-859	MOF-860
SAMPLE DATE ========>		05/16/89	05/16/89	08/24/89	08/24/89
SAMPLE TYPE ========>			DUP		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,2 Dichlorobenzene	10	ND	ND	ND	NA
1,2,4-Trichlorobenzene	10	ND	ND	ND	NA
1,3 Dichlorobenzene	10	ND	ND	ND	NA
1,4 Dichlorobenzene	10	ND	ND	ND	NA
2 nitrophenol	10	ND	ND	ND	NA
2,4 Dimethylphenol	10	ND	ND	ND	NA
2,4,5-Trichlorophenol	50	ND	ND	ND	NA
2,4,6-Trichlorophenol	10	ND	ND	ND	NA
2,4-Dichlorophenol	10	ND	ND	ND	NA
2,4-Dinitrophenol	50	ND	ND	ND	NA
2,4-Dinitrotoluene	10	ND	ND	ND	NA
2,6-Dinitrotoluene	10	ND	ND	ND	NA
2-Chloronaphthalene	10	ND	ND	ND	NA
2-Chlorophenol	10	ND	ND	ND	NA
2-Methylnaphthalene	10	ND	ND	ND	NA
2-Methylphenol	10	ND	ND	ND	NA
2-Nitroaniline	50	ND	ND	ND	NA
3,3'-Dichlorobenzidine	20	ND	ND	ND	NA
3-Nitroaniline	50	ND	ND	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	ND	ND	NA
4-Bromophenyl phenyl ether	10	ND	ND	ND	NA
4-Chloro-3-methylphenol	10	ND	ND	ND	NA
4-Chloroaniline	10	ND	ND	ND	NA
4-Chlorophenyl phenyl ether	10	ND	ND	ND	NA
4-Methylphenol	10	ND	ND	ND	NA
4-Nitroaniline	50	ND	ND	ND	NA
4-Nitrophenol	50	ND	ND	ND	NA
Acenaphthene	10	ND	ND	ND	NA
Acenaphthylene	10	ND	ND	ND	NA
Anthracene	10	ND	ND	ND	NA
Benzo(a)anthracene	10	ND	ND	ND	NA
Benzo(a)pyrene	10	ND	ND	ND	NA
Benzo(b)fluoranthene	10	ND	ND	ND	NA
Benzo(g,h,i)perylene	10	ND	ND	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-13(B1)	W03-13(B1)	W03-13(B1)	W03-13(B1)
SAMPLE NUMBER =====>		MOF-669	MOF-670	MOF-859	MOF-860
SAMPLE DATE ========>		05/16/89	05/16/89	08/24/89	08/24/89
SAMPLE TYPE ========>			DUP		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Benzo(k)fluoranthene	10	ND	ND	ND	NA
Benzoic acid	50	ND	ND	ND	NA
Benzyl Alcohol	10	ND	ND	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	ND	ND	NA
Bis(2-Chloroethyl)ether	10	ND	ND	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	ND	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	ND	ND	NA
Butyl benzyl phthalate	10	ND	ND	ND	NA
Chrysene	10	ND	ND	ND	NA
Di-n-butylphthalate	10	ND	ND	ND	NA
Di-n-octyl phthalate	10	ND	ND	ND	NA
Dibenz(a,h)anthracene	10	ND	ND	ND	NA
Dibenzofuran	10	ND	ND	ND	NA
Diethylphthalate	10	ND	ND	ND	NA
Dimethyl phthalate	10	ND	ND	ND	NA
Fluoranthene	10	ND	ND	ND	NA
Fluorene	10	ND	ND	ND	NA
Hexachlorobenzene	10	ND	ND	ND	NA
Hexachlorobutadiene	10	ND	ND	ND	NA
Hexachlorocyclopentadiene	10	ND	ND	ND	NA
Hexachloroethane	10	ND	ND	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	ND	ND	NA
Isophorone	10	ND	ND	ND	NA
N-nitroso-dipropylamine	10	ND	ND	ND	NA
Naphthalene	10	ND	ND	ND	NA
Nitrobenzene	10	ND	ND	ND	NA
Pentachlorophenol	50	ND	ND	ND	NA
Phenanthrene	10	ND	ND	ND	NA
Phenol	10	ND	ND	ND	NA
Pyrene	10	ND	ND	ND	NA
========== TIC ==========					
Trans-2-Bromocyclohexano@10.5	TIC			J 8	
Unknown @ 12.65	TIC			J 32	
Unknown @ 5.52	TIC			J 16	
Unknown @ 6.08	TIC			J 10	
Unknown @ 9.59	TIC		J 20		

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-13(B1)	W03-13(B1)	W03-13(B1)	W03-13(B1)
SAMPLE NUMBER =====>		MOF-669	MOF-670	MOF-859	MOF-860
SAMPLE DATE ========>		05/16/89	05/16/89	08/24/89	08/24/89
SAMPLE TYPE ========>			DUP		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Unknown @ 9.64	TIC	J 10			
Unknown HexadecanoicAcid@31.3	TIC	J 14			

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-13(B1)	W03-13(B1)	W03-13(B1)	W03-13(B1)
SAMPLE NUMBER =====>		MOF-669	MOF-670	MOF-859	MOF-860
SAMPLE DATE ========>		05/16/89	05/16/89	08/24/89	08/24/89
SAMPLE TYPE ========>			DUP		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Aluminum	200	J 1320	J 1230	J 2440	NA
Antimony	60	ND<370	ND<370	ND<360	NA
Arsenic	10	J 4.1	J 6.0	J 2.8	NA
Barium	200	J 392	J 386	J 208	NA
Beryllium	5	ND<17.0	ND<17.0	ND<12.0	NA
Cadmium	5	ND<39.6	ND<39.6	ND<60.0	NA
Calcium	5000	1090000	1110000	1180000	NA
Chromium	10	ND<37.0	ND<37.0	ND<82.0	NA
Cobalt	50	ND<68.0	ND<68.0	ND<54.0	NA
Copper	25	ND<38.0	ND<38.0	ND<54.0	NA
Iron	100	J 680	J 728	J 654	NA
Lead	5	ND<23.0	ND<23.0	4.7	NA
Magnesium	5000	851000	864000	947000	NA
Manganese	15	4770	4840	5300	NA
Mercury	.2	ND<0.10	ND<0.10	ND<0.050	NA
Nickel	40	ND<132	ND<132	ND<136	NA
Potassium	5000	J 45000	J 41700	J 73100	NA
Selenium	5	ND<24.0	ND<24.0	ND<1.4	NA
Silver	10	J 94.7	J 79.2	J 103	NA
Sodium	5000	1760000	1780000	2100000	NA
Thallium	10	ND<15.0	ND<15.1	ND<1.0	NA
Vanadium	50	J 231	J 205	J 377	NA
Zinc	20	207	207	J 88.6	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-13(B1)	W03-13(B1)	W03-13(B1)	W03-13(B1)
SAMPLE NUMBER =====>		MOF-669	MOF-670	MOF-859	MOF-860
SAMPLE DATE ========>		05/16/89	05/16/89	08/24/89	08/24/89
SAMPLE TYPE ========>			DUP		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]			
TPHC	.25	ND	ND	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-13(B1)	W03-13(B1)	W03-13(B1)	W03-13(B1)
SAMPLE NUMBER =====>		MOF-669	MOF-670	MOF-859	MOF-860
SAMPLE DATE ========>		05/16/89	05/16/89	08/24/89	08/24/89
SAMPLE TYPE ========>			DUP		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
AROCLOR-1016	.5	ND	ND	ND	NA
AROCLOR-1221	.5	ND	ND	ND	NA
AROCLOR-1232	.5	ND	ND	ND	NA
AROCLOR-1242	.5	ND	ND	ND	NA
AROCLOR-1248	.5	ND	ND	ND	NA
AROCLOR-1254	1	ND	ND	ND	NA
AROCLOR-1260	1	ND	ND	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-13(B1)	W03-13(B1)	W03-13(B1)	W03-13(B1)
SAMPLE NUMBER =====>		MOF-669	MOF-670	MOF-859	MOF-860
SAMPLE DATE ========>		05/16/89	05/16/89	08/24/89	08/24/89
SAMPLE TYPE ========>			DUP		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,1,1-Trichloroethane	5	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND	ND
2-Butanone	10	ND	ND	ND	ND
2-Hexanone	10	ND	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND	ND
Acetone	10	10	ND	BJ 5	BJ 6
Benzene	5	ND	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND	ND
Bromoform	5	ND	ND	ND	ND
Bromomethane	10	ND	ND	ND	ND
Carbon disulfide	5	ND	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND	ND
Chlorobenzene	5	ND	ND	ND	ND
Chloroethane	10	ND	ND	ND	ND
Chloroform	5	ND	ND	ND	ND
Chloromethane	10	ND	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND	ND
Ethyl benzene	5	ND	ND	ND	ND
Methylene chloride	5	B 14	B 15	B 24	B 22
Styrene	5	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND
Total xylenes	5	ND	ND	ND	ND
Trichloroethene	5	ND	ND	ND	ND
Vinyl acetate	10	ND	ND	ND	ND
Vinyl chloride	10	ND	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-14(B1)	W03-14(B1)	W03-14(B1)	W03-14(B1)
SAMPLE NUMBER =====>		MOF-672	MOF-836	MOF-837	MOF-838
SAMPLE DATE ========>		05/15/89	08/16/89	08/16/89	08/16/89
SAMPLE TYPE ========>				DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,2 Dichlorobenzene	10	ND	ND	ND	NA
1,2,4-Trichlorobenzene	10	ND	ND	ND	NA
1,3 Dichlorobenzene	10	ND	ND	ND	NA
1,4 Dichlorobenzene	10	ND	ND	ND	NA
2 nitrophenol	10	ND	ND	ND	NA
2,4 Dimethylphenol	10	ND	ND	ND	NA
2,4,5-Trichlorophenol	50	ND	ND	ND	NA
2,4,6-Trichlorophenol	10	ND	ND	ND	NA
2,4-Dichlorophenol	10	ND	ND	ND	NA
2,4-Dinitrophenol	50	ND	ND	ND	NA
2,4-Dinitrotoluene	10	ND	ND	ND	NA
2,6-Dinitrotoluene	10	ND	ND	ND	NA
2-Chloronaphthalene	10	ND	ND	ND	NA
2-Chlorophenol	10	ND	ND	ND	NA
2-Methylnaphthalene	10	ND	ND	ND	NA
2-Methylphenol	10	ND	ND	ND	NA
2-Nitroaniline	50	ND	ND	ND	NA
3,3'-Dichlorobenzidine	20	ND	ND	ND	NA
3-Nitroaniline	50	ND	ND	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	ND	ND	NA
4-Bromophenyl phenyl ether	10	ND	ND	ND	NA
4-Chloro-3-methylphenol	10	ND	ND	ND	NA
4-Chloroaniline	10	ND	ND	ND	NA
4-Chlorophenyl phenyl ether	10	ND	ND	ND	NA
4-Methylphenol	10	ND	ND	ND	NA
4-Nitroaniline	50	ND	ND	ND	NA
4-Nitrophenol	50	ND	ND	ND	NA
Acenaphthene	10	ND	ND	ND	NA
Acenaphthylene	10	ND	ND	ND	NA
Anthracene	10	ND	ND	ND	NA
Benzo(a)anthracene	10	ND	ND	ND	NA
Benzo(a)pyrene	10	ND	ND	ND	NA
Benzo(b)fluoranthene	10	ND	ND	ND	NA
Benzo(g,h,i)perylene	10	ND	ND	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-14(B1)	W03-14(B1)	W03-14(B1)	W03-14(B1)
SAMPLE NUMBER =====>		MOF-672	MOF-836	MOF-837	MOF-838
SAMPLE DATE ========>		05/15/89	08/16/89	08/16/89	08/16/89
SAMPLE TYPE ========>				DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Benzo(k)fluoranthene	10	ND	ND	ND	NA
Benzoic acid	50	ND	ND	ND	NA
Benzyl Alcohol	10	ND	ND	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	ND	ND	NA
Bis(2-Chloroethyl)ether	10	ND	ND	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	ND	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	ND	ND	NA
Butyl benzyl phthalate	10	ND	ND	ND	NA
Chrysene	10	ND	ND	ND	NA
Di-n-butylphthalate	10	ND	ND	ND	NA
Di-n-octyl phthalate	10	ND	ND	ND	NA
Dibenz(a,h)anthracene	10	ND	ND	ND	NA
Dibenzofuran	10	ND	ND	ND	NA
Diethylphthalate	10	ND	ND	ND	NA
Dimethyl phthalate	10	ND	ND	ND	NA
Fluoranthene	10	ND	ND	ND	NA
Fluorene	10	ND	ND	ND	NA
Hexachlorobenzene	10	ND	ND	ND	NA
Hexachlorobutadiene	10	ND	ND	ND	NA
Hexachlorocyclopentadiene	10	ND	ND	ND	NA
Hexachloroethane	10	ND	ND	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	ND	ND	NA
Isophorone	10	ND	ND	ND	NA
N-nitroso-dipropylamine	10	ND	ND	ND	NA
Naphthalene	10	ND	ND	ND	NA
Nitrobenzene	10	ND	ND	ND	NA
Pentachlorophenol	50	ND	ND	ND	NA
Phenanthrene	10	ND	ND	ND	NA
Phenol	10	ND	ND	ND	NA
Pyrene	10	ND	ND	ND	NA
========== TIC ==========					
Unknown @ 36.64	TIC			J 8	
Unknown @ 4.32	TIC	J 8			
Unknown @ 4.63	TIC	J 20			

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-14(B1)	W03-14(B1)	W03-14(B1)	W03-14(B1)
SAMPLE NUMBER =====>		MOF-672	MOF-836	MOF-837	MOF-838
SAMPLE DATE ========>		05/15/89	08/16/89	08/16/89	08/16/89
SAMPLE TYPE ========>				DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Aluminum	200	ND<13.4	254	247	NA
Antimony	60	J 44.1	ND<18.0	ND<18.0	NA
Arsenic	10	J 5.1	J 6.4	J 5.5	NA
Barium	200	J 29.9	J 32.7	J 42.1	NA
Beryllium	5	ND<1.7	ND<0.6	ND<0.6	NA
Cadmium	5	ND<4.0	ND<3.0	ND<3.0	NA
Calcium	5000	15700	13500	16300	NA
Chromium	10	ND<3.7	ND<4.1	ND<4.1	NA
Cobalt	50	ND<6.8	ND<2.7	ND<2.7	NA
Copper	25	ND<3.8	ND<2.7	ND<2.7	NA
Iron	100	J 11.4	J 38.2	J 38.2	NA
Lead	5	ND<2.3	J 1.4	J 1.4	NA
Magnesium	5000	11000	9270	11700	NA
Manganese	15	44.8	45.5	60.0	NA
Mercury	.2	ND<0.10	ND<0.050	ND<0.050	NA
Nickel	40	ND<13.2	J 8.6	J 7.3	NA
Potassium	5000	J 1630	5580	5310	NA
Selenium	5	ND<2.1	ND<1.0	ND<1.0	NA
Silver	10	ND<3.0	J 4.0	ND<3.1	NA
Sodium	5000	83700	87500	89400	NA
Thallium	10	ND<2.5	J 2.6	J 2.8	NA
Vanadium	50	J 2.3	J 36.9	J 36.6	NA
Zinc	20	J 9.0	J 4.6	J 4.4	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-14(B1)	W03-14(B1)	W03-14(B1)	W03-14(B1)
SAMPLE NUMBER =====>		MOF-672	MOF-836	MOF-837	MOF-838
SAMPLE DATE ========>		05/15/89	08/16/89	08/16/89	08/16/89
SAMPLE TYPE ========>				DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]			
TPHC	.25	ND	ND	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-14(B1)	W03-14(B1)	W03-14(B1)	W03-14(B1)
SAMPLE NUMBER =====>		MOF-672	MOF-836	MOF-837	MOF-838
SAMPLE DATE ========>		05/15/89	08/16/89	08/16/89	08/16/89
SAMPLE TYPE ========>				DUP	TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
AROCLOR-1016	.5	ND	ND	ND	NA
AROCLOR-1221	.5	ND	ND	ND	NA
AROCLOR-1232	.5	ND	ND	ND	NA
AROCLOR-1242	.5	ND	ND	ND	NA
AROCLOR-1248	.5	ND	ND	ND	NA
AROCLOR-1254	1	ND	ND	ND	NA
AROCLOR-1260	1	ND	ND	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-14(B1)	W03-14(B1)	W03-14(B1)	W03-14(B1)
SAMPLE NUMBER =====>	MOF-672	MOF-836	MOF-837	MOF-838
SAMPLE DATE ========>	05/15/89	08/16/89	08/16/89	08/16/89
SAMPLE TYPE ========>			DUP	TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,1,1-Trichloroethane	5	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND	ND
2-Butanone	10	ND	ND	ND	ND
2-Hexanone	10	ND	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND	ND
Acetone	10	J 9	BJ 8	ND	B 30
Benzene	5	ND	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND	ND
Bromoform	5	ND	ND	ND	ND
Bromomethane	10	ND	ND	ND	ND
Carbon disulfide	5	ND	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND	ND
Chlorobenzene	5	ND	ND	ND	ND
Chloroethane	10	ND	ND	ND	ND
Chloroform	5	ND	ND	ND	ND
Chloromethane	10	ND	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND	ND
Ethyl benzene	5	ND	ND	ND	ND
Methylene chloride	5	B 16	BJ 2	BJ 4	BJ 4
Styrene	5	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND
Total xylenes	5	ND	ND	ND	ND
Trichloroethene	5	ND	ND	ND	ND
Vinyl acetate	10	ND	ND	ND	ND
Vinyl chloride	10	ND	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-15(B2)	W03-15(B2)	W03-15(B2)	W03-15(B2)
SAMPLE NUMBER =====>		MOF-667	MOF-668	MOF-846	MOF-847
SAMPLE DATE ========>		05/15/89	05/15/89	08/21/89	08/21/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,2 Dichlorobenzene	10	ND	NA	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA	ND	NA
1,3 Dichlorobenzene	10	ND	NA	ND	NA
1,4 Dichlorobenzene	10	ND	NA	ND	NA
2 nitrophenol	10	ND	NA	ND	NA
2,4 Dimethylphenol	10	ND	NA	ND	NA
2,4,5-Trichlorophenol	50	ND	NA	ND	NA
2,4,6-Trichlorophenol	10	ND	NA	ND	NA
2,4-Dichlorophenol	10	ND	NA	ND	NA
2,4-Dinitrophenol	50	ND	NA	ND	NA
2,4-Dinitrotoluene	10	ND	NA	ND	NA
2,6-Dinitrotoluene	10	ND	NA	ND	NA
2-Chloronaphthalene	10	ND	NA	ND	NA
2-Chlorophenol	10	ND	NA	ND	NA
2-Methylnaphthalene	10	ND	NA	ND	NA
2-Methylphenol	10	ND	NA	ND	NA
2-Nitroaniline	50	ND	NA	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA	ND	NA
3-Nitroaniline	50	ND	NA	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA	ND	NA
4-Chloro-3-methylphenol	10	ND	NA	ND	NA
4-Chloroaniline	10	ND	NA	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA	ND	NA
4-Methylphenol	10	ND	NA	ND	NA
4-Nitroaniline	50	ND	NA	ND	NA
4-Nitrophenol	50	ND	NA	ND	NA
Acenaphthene	10	ND	NA	ND	NA
Acenaphthylene	10	ND	NA	ND	NA
Anthracene	10	ND	NA	ND	NA
Benzo(a)anthracene	10	ND	NA	ND	NA
Benzo(a)pyrene	10	ND	NA	ND	NA
Benzo(b)fluoranthene	10	ND	NA	ND	NA
Benzo(g,h,i)perylene	10	ND	NA	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-15(B2)	W03-15(B2)	W03-15(B2)	W03-15(B2)
SAMPLE NUMBER =====>		MOF-667	MOF-668	MOF-846	MOF-847
SAMPLE DATE ========>		05/15/89	05/15/89	08/21/89	08/21/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Benzo(k)fluoranthene	10	ND	NA	ND	NA
Benzoic acid	50	ND	NA	ND	NA
Benzyl Alcohol	10	ND	NA	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA	J 3	NA
Butyl benzyl phthalate	10	ND	NA	ND	NA
Chrysene	10	ND	NA	ND	NA
Di-n-butylphthalate	10	ND	NA	ND	NA
Di-n-octyl phthalate	10	ND	NA	ND	NA
Dibenz(a,h)anthracene	10	ND	NA	ND	NA
Dibenzofuran	10	ND	NA	ND	NA
Diethylphthalate	10	ND	NA	ND	NA
Dimethyl phthalate	10	ND	NA	ND	NA
Fluoranthene	10	ND	NA	ND	NA
Fluorene	10	ND	NA	ND	NA
Hexachlorobenzene	10	ND	NA	ND	NA
Hexachlorobutadiene	10	ND	NA	ND	NA
Hexachlorocyclopentadiene	10	ND	NA	ND	NA
Hexachloroethane	10	ND	NA	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA	ND	NA
Isophorone	10	ND	NA	ND	NA
N-nitroso-dipropylamine	10	ND	NA	ND	NA
Naphthalene	10	ND	NA	ND	NA
Nitrobenzene	10	ND	NA	ND	NA
Pentachlorophenol	50	ND	NA	ND	NA
Phenanthrene	10	ND	NA	ND	NA
Phenol	10	ND	NA	ND	NA
Pyrene	10	ND	NA	ND	NA
========== TIC ==========					
Cyclohexanone (ACN) @ 4.52	TIC	J 8			
Unknown @ 4.32	TIC	J 8			
Unknown @ 4.63	TIC	J 14			

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-15(B2)	W03-15(B2)	W03-15(B2)	W03-15(B2)
SAMPLE NUMBER =====>		MOF-667	MOF-668	MOF-846	MOF-847
SAMPLE DATE ========>		05/15/89	05/15/89	08/21/89	08/21/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Aluminum	200	ND<13.4	NA	J 74.1	NA
Antimony	60	ND<37.0	NA	ND<18.0	NA
Arsenic	10	J 6.3	NA	J 6.4	NA
Barium	200	J 30.9	NA	J 29.9	NA
Beryllium	5	ND<1.7	NA	J 0.75	NA
Cadmium	5	ND<4.0	NA	ND<3.0	NA
Calcium	5000	22600	NA	23100	NA
Chromium	10	ND<3.7	NA	ND<4.1	NA
Cobalt	50	ND<6.8	NA	ND<2.7	NA
Copper	25	ND<3.8	NA	ND<2.7	NA
Iron	100	J 89.7	NA	131	NA
Lead	5	ND<2.3	NA	J 1.5	NA
Magnesium	5000	11600	NA	12300	NA
Manganese	15	79.6	NA	90.8	NA
Mercury	.2	ND<0.10	NA	ND<0.050	NA
Nickel	40	ND<13.2	NA	ND<6.8	NA
Potassium	5000	J 886	NA	J 2790	NA
Selenium	5	ND<2.1	NA	ND<1.4	NA
Silver	10	ND<3.0	NA	ND<3.1	NA
Sodium	5000	84500	NA	77800	NA
Thallium	10	ND<2.5	NA	ND<1.0	NA
Vanadium	50	J 2.0	NA	J 9.7	NA
Zinc	20	J 7.8	NA	J 2.5	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-15(B2)	W03-15(B2)	W03-15(B2)	W03-15(B2)
SAMPLE NUMBER =====>		MOF-667	MOF-668	MOF-846	MOF-847
SAMPLE DATE ========>		05/15/89	05/15/89	08/21/89	08/21/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]			
TPHC	.25	ND	NA	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-15(B2)	W03-15(B2)	W03-15(B2)	W03-15(B2)
SAMPLE NUMBER =====>		MOF-667	MOF-668	MOF-846	MOF-847
SAMPLE DATE ========>		05/15/89	05/15/89	08/21/89	08/21/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
AROCLOR-1016	.5	ND	NA	ND	NA
AROCLOR-1221	.5	ND	NA	ND	NA
AROCLOR-1232	.5	ND	NA	ND	NA
AROCLOR-1242	.5	ND	NA	ND	NA
AROCLOR-1248	.5	ND	NA	ND	NA
AROCLOR-1254	1	ND	NA	ND	NA
AROCLOR-1260	1	ND	NA	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-15(B2)	W03-15(B2)	W03-15(B2)	W03-15(B2)
SAMPLE NUMBER =====>		MOF-667	MOF-668	MOF-846	MOF-847
SAMPLE DATE ========>		05/15/89	05/15/89	08/21/89	08/21/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,1,1-Trichloroethane	5	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND	ND
2-Butanone	10	ND	ND	ND	ND
2-Hexanone	10	ND	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND	ND
Acetone	10	ND	J 7	ND	23
Benzene	5	ND	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND	ND
Bromoform	5	ND	ND	ND	ND
Bromomethane	10	ND	ND	ND	ND
Carbon disulfide	5	ND	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND	ND
Chlorobenzene	5	ND	ND	ND	ND
Chloroethane	10	ND	ND	ND	ND
Chloroform	5	ND	ND	ND	J 1
Chloromethane	10	ND	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND	ND
Ethyl benzene	5	ND	ND	ND	ND
Methylene chloride	5	B 17	B 20	B 5	B 6
Styrene	5	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND
Total xylenes	5	ND	ND	ND	ND
Trichloroethene	5	ND	ND	ND	ND
Vinyl acetate	10	ND	ND	ND	ND
Vinyl chloride	10	ND	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W03-16(C)	W03-16(C)
SAMPLE NUMBER	=====>	MOF-677	MOF-843
SAMPLE DATE	========>	05/17/89	08/17/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-16(C)	W03-16(C)
SAMPLE NUMBER =====>	MOF-677	MOF-843
SAMPLE DATE ========>	05/17/89	08/17/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	ND
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
Substituted Hexanedioic @28.9	TIC	J	40

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-16(C)	W03-16(C)
SAMPLE NUMBER =====>	MOF-677	MOF-843
SAMPLE DATE ========>	05/17/89	08/17/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.4	ND<18.0
Antimony	60	ND<37.0	ND<18.0
Arsenic	10	J 2.5	J 3.0
Barium	200	J 119	J 127
Beryllium	5	ND<1.7	J 1.2
Cadmium	5	ND<4.0	ND<3.0
Calcium	5000	29700	29600
Chromium	10	ND<3.7	ND<4.1
Cobalt	50	ND<6.8	ND<2.7
Copper	25	ND<3.8	ND<2.7
Iron	100	J 11.6	J 11.4
Lead	5	ND<2.3	ND<0.90
Magnesium	5000	8790	9110
Manganese	15	37.3	38.3
Mercury	.2	ND<0.10	J 0.12
Nickel	40	ND<13.2	ND<6.8
Potassium	5000	J 1590	J 2400
Selenium	5	ND<2.4	ND<1.0
Silver	10	ND<3.0	ND<3.1
Sodium	5000	60800	53600
Thallium	10	ND<2.5	J 2.9
Vanadium	50	ND<1.7	ND<3.3
Zinc	20	ND<5.9	ND<1.4

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W03-16(C)	W03-16(C)
SAMPLE NUMBER	=====>	MOF-677	MOF-843
SAMPLE DATE	========>	05/17/89	08/17/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W03-16(C)	W03-16(C)
SAMPLE NUMBER	=====>	MOF-677	MOF-843
SAMPLE DATE	========>	05/17/89	08/17/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	ND
AROCLOR-1221	.5	ND	ND
AROCLOR-1232	.5	ND	ND
AROCLOR-1242	.5	ND	ND
AROCLOR-1248	.5	ND	ND
AROCLOR-1254	1	ND	ND
AROCLOR-1260	1	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W03-16(C)	W03-16(C)
SAMPLE NUMBER	=====>	MOF-677	MOF-843
SAMPLE DATE	========>	05/17/89	08/17/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	B 15
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 14	B 9
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-22(A)	W03-22(A)	W03-22(A)
SAMPLE NUMBER =====>	MOF-690	MOF-845	MOF-850
SAMPLE DATE ========>	05/23/89	08/18/89	08/18/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	ND	NA
1,2,4-Trichlorobenzene	10	ND	ND	NA
1,3 Dichlorobenzene	10	ND	ND	NA
1,4 Dichlorobenzene	10	ND	ND	NA
2 nitrophenol	10	ND	ND	NA
2,4 Dimethylphenol	10	ND	ND	NA
2,4,5-Trichlorophenol	50	ND	ND	NA
2,4,6-Trichlorophenol	10	ND	ND	NA
2,4-Dichlorophenol	10	ND	ND	NA
2,4-Dinitrophenol	50	ND	ND	NA
2,4-Dinitrotoluene	10	ND	ND	NA
2,6-Dinitrotoluene	10	ND	ND	NA
2-Chloronaphthalene	10	ND	ND	NA
2-Chlorophenol	10	ND	ND	NA
2-Methylnaphthalene	10	ND	ND	NA
2-Methylphenol	10	ND	ND	NA
2-Nitroaniline	50	ND	ND	NA
3,3'-Dichlorobenzidine	20	ND	ND	NA
3-Nitroaniline	50	ND	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	ND	NA
4-Bromophenyl phenyl ether	10	ND	ND	NA
4-Chloro-3-methylphenol	10	ND	ND	NA
4-Chloroaniline	10	ND	ND	NA
4-Chlorophenyl phenyl ether	10	ND	ND	NA
4-Methylphenol	10	ND	ND	NA
4-Nitroaniline	50	ND	ND	NA
4-Nitrophenol	50	ND	ND	NA
Acenaphthene	10	ND	ND	NA
Acenaphthylene	10	ND	ND	NA
Anthracene	10	ND	ND	NA
Benzo(a)anthracene	10	ND	ND	NA
Benzo(a)pyrene	10	ND	ND	NA
Benzo(b)fluoranthene	10	ND	ND	NA
Benzo(g,h,i)perylene	10	ND	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-22(A)	W03-22(A)	W03-22(A)
SAMPLE NUMBER =====>	MOF-690	MOF-845	MOF-850
SAMPLE DATE ========>	05/23/89	08/18/89	08/18/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	ND	NA
Benzoic acid	50	ND	ND	NA
Benzyl Alcohol	10	ND	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	ND	NA
Bis(2-Chloroethyl)ether	10	ND	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	ND	NA
Bis(2-Ethylhexyl)phthalate	10	J 6	ND	NA
Butyl benzyl phthalate	10	ND	ND	NA
Chrysene	10	ND	ND	NA
Di-n-butylphthalate	10	ND	ND	NA
Di-n-octyl phthalate	10	59	ND	NA
Dibenz(a,h)anthracene	10	ND	ND	NA
Dibenzofuran	10	ND	ND	NA
Diethylphthalate	10	ND	ND	NA
Dimethyl phthalate	10	ND	ND	NA
Fluoranthene	10	ND	ND	NA
Fluorene	10	ND	ND	NA
Hexachlorobenzene	10	ND	ND	NA
Hexachlorobutadiene	10	ND	ND	NA
Hexachlorocyclopentadiene	10	ND	ND	NA
Hexachloroethane	10	ND	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	ND	NA
Isophorone	10	ND	ND	NA
N-nitroso-dipropylamine	10	ND	ND	NA
Naphthalene	10	ND	ND	NA
Nitrobenzene	10	ND	ND	NA
Pentachlorophenol	50	ND	ND	NA
Phenanthrene	10	ND	ND	NA
Phenol	10	ND	ND	NA
Pyrene	10	ND	ND	NA
========== TIC ==========				
3-Bromocyclohexene @ 10.79	TIC		J 16	
Dioctyl Ester Hexanedioi@32.4	TIC		BJ 16	
Trans-2-Bromocyclohexano@13.0	TIC		J 40	
Unknown @ 14.02	TIC		J 14	
Unknown @ 15.12	TIC		J 80	

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-22(A)	W03-22(A)	W03-22(A)
SAMPLE NUMBER =====>	MOF-690	MOF-845	MOF-850
SAMPLE DATE ========>	05/23/89	08/18/89	08/18/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Unknown @ 16.04	TIC		J 110	
Unknown @ 4.23	TIC	J 12		
Unknown @ 4.57	TIC	J 80		
Unknown @ 4.98	TIC	J 12		
Unknown @ 6.68	TIC	J 20		
Unknown @ 6.77	TIC	J 200		
Unknown Phthalate @ 29.51	TIC	J 20		
Unknown Phthalate @ 30.17	TIC	J 40		
Unknown Phthalate @ 31.36	TIC	J 40		
Unknown Phthalate @ 31.46	TIC	J 40		
Unknown Phthalate @ 32.67	TIC	J 12		
Unknown Phthalate @ 32.92	TIC	J 12		
Unknown Phthalate @ 33.16	TIC	J 60		
Unknown Phthalate @ 33.91	TIC	J 100		
Unknown Phthalate @ 34.86	TIC	J 20		
Unknown Phthalate @ 34.91	TIC	J 20		
Unknown Phthalate @ 35.64	TIC	J 80		
Unknown Phthalate @ 36.82	TIC	J 12		
Unknown Phthalate @ 37.87	TIC	J 16		

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-22(A)	W03-22(A)	W03-22(A)
SAMPLE NUMBER =====>	MOF-690	MOF-845	MOF-850
SAMPLE DATE ========>	05/23/89	08/18/89	08/18/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	J 161	2800	NA
Antimony	60	ND<37.4	ND<180	NA
Arsenic	10	ND<21.0	ND<21.0	NA
Barium	200	J 360	J 260	NA
Beryllium	5	ND<1.7	ND<6.0	NA
Cadmium	5	ND<4.0	ND<30.0	NA
Calcium	5000	307000	2510000	NA
Chromium	10	ND<3.7	ND<41.0	NA
Cobalt	50	ND<6.9	ND<27.0	NA
Copper	25	ND<3.8	ND<27.0	NA
Iron	100	140	J 953	NA
Lead	5	ND<14.0	ND<9.0	NA
Magnesium	5000	287000	2560000	NA
Manganese	15	2800	23400	NA
Mercury	.2	ND<0.10	J 0.090	NA
Nickel	40	ND<13.3	ND<68.0	NA
Potassium	5000	J 2990	70400	NA
Selenium	5	ND<21.0	ND<14.0	NA
Silver	10	ND<3.0	ND<31.0	NA
Sodium	5000	1080000	8750000	NA
Thallium	10	J 22.0	ND	NA
Vanadium	50	J 26.4	J 405	NA
Zinc	20	49.3	ND<14.0	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-22(A)	W03-22(A)	W03-22(A)
SAMPLE NUMBER =====>		MOF-690	MOF-845	MOF-850
SAMPLE DATE ========>		05/23/89	08/18/89	08/18/89
SAMPLE TYPE ========>				TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]		
TPHC	.25	ND	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-22(A)	W03-22(A)	W03-22(A)
SAMPLE NUMBER =====>	MOF-690	MOF-845	MOF-850
SAMPLE DATE ========>	05/23/89	08/18/89	08/18/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND	ND	NA
AROCLOR-1221	.5	ND	ND	NA
AROCLOR-1232	.5	ND	ND	NA
AROCLOR-1242	.5	ND	ND	NA
AROCLOR-1248	.5	ND	ND	NA
AROCLOR-1254	1	ND	ND	NA
AROCLOR-1260	1	ND	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W03-22(A)	W03-22(A)	W03-22(A)
SAMPLE NUMBER =====>	MOF-690	MOF-845	MOF-850
SAMPLE DATE ========>	05/23/89	08/18/89	08/18/89
SAMPLE TYPE ========>			TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	BJ 6	ND	B 37
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	BJ 1	B 5	B 12
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-23(A)	W03-23(A)	W03-23(A)	W03-23(A)
SAMPLE NUMBER =====>		MOF-681	MOF-682	MOF-849	MOF-851
SAMPLE DATE ========>		05/17/89	05/17/89	08/22/89	08/22/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,2 Dichlorobenzene	10	J 3	NA	J 3	NA
1,2,4-Trichlorobenzene	10	ND	NA	ND	NA
1,3 Dichlorobenzene	10	ND	NA	ND	NA
1,4 Dichlorobenzene	10	ND	NA	ND	NA
2 nitrophenol	10	ND	NA	ND	NA
2,4 Dimethylphenol	10	ND	NA	ND	NA
2,4,5-Trichlorophenol	50	ND	NA	ND	NA
2,4,6-Trichlorophenol	10	ND	NA	ND	NA
2,4-Dichlorophenol	10	ND	NA	ND	NA
2,4-Dinitrophenol	50	ND	NA	ND	NA
2,4-Dinitrotoluene	10	ND	NA	ND	NA
2,6-Dinitrotoluene	10	ND	NA	ND	NA
2-Chloronaphthalene	10	ND	NA	ND	NA
2-Chlorophenol	10	ND	NA	ND	NA
2-Methylnaphthalene	10	ND	NA	ND	NA
2-Methylphenol	10	ND	NA	ND	NA
2-Nitroaniline	50	ND	NA	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA	ND	NA
3-Nitroaniline	50	ND	NA	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA	ND	NA
4-Chloro-3-methylphenol	10	ND	NA	ND	NA
4-Chloroaniline	10	ND	NA	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA	ND	NA
4-Methylphenol	10	ND	NA	ND	NA
4-Nitroaniline	50	ND	NA	ND	NA
4-Nitrophenol	50	ND	NA	ND	NA
Acenaphthene	10	ND	NA	ND	NA
Acenaphthylene	10	ND	NA	ND	NA
Anthracene	10	ND	NA	ND	NA
Benzo(a)anthracene	10	ND	NA	ND	NA
Benzo(a)pyrene	10	ND	NA	ND	NA
Benzo(b)fluoranthene	10	ND	NA	ND	NA
Benzo(g,h,i)perylene	10	ND	NA	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-23(A)	W03-23(A)	W03-23(A)	W03-23(A)
SAMPLE NUMBER =====>		MOF-681	MOF-682	MOF-849	MOF-851
SAMPLE DATE ========>		05/17/89	05/17/89	08/22/89	08/22/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Benzo(k)fluoranthene	10	ND	NA	ND	NA
Benzoic acid	50	ND	NA	ND	NA
Benzyl Alcohol	10	ND	NA	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA	ND	NA
Butyl benzyl phthalate	10	ND	NA	ND	NA
Chrysene	10	ND	NA	ND	NA
Di-n-butylphthalate	10	ND	NA	ND	NA
Di-n-octyl phthalate	10	ND	NA	ND	NA
Dibenz(a,h)anthracene	10	ND	NA	ND	NA
Dibenzofuran	10	ND	NA	ND	NA
Diethylphthalate	10	ND	NA	ND	NA
Dimethyl phthalate	10	ND	NA	ND	NA
Fluoranthene	10	ND	NA	ND	NA
Fluorene	10	ND	NA	ND	NA
Hexachlorobenzene	10	ND	NA	ND	NA
Hexachlorobutadiene	10	ND	NA	ND	NA
Hexachlorocyclopentadiene	10	ND	NA	ND	NA
Hexachloroethane	10	ND	NA	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA	ND	NA
Isophorone	10	ND	NA	ND	NA
N-nitroso-dipropylamine	10	ND	NA	ND	NA
Naphthalene	10	ND	NA	ND	NA
Nitrobenzene	10	ND	NA	ND	NA
Pentachlorophenol	50	ND	NA	ND	NA
Phenanthrene	10	ND	NA	ND	NA
Phenol	10	ND	NA	ND	NA
Pyrene	10	ND	NA	ND	NA
========== TIC ==========					
Substituted Hexanedioic@28.94	TIC			J 20	
Unknown @ 12.02	TIC			J 60	
Unknown @ 12.92	TIC			J 14	
Unknown @ 4.15	TIC			J 140	
Unknown @ 6.62	TIC	J 10			

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-23(A)	W03-23(A)	W03-23(A)	W03-23(A)
SAMPLE NUMBER =====>		MOF-681	MOF-682	MOF-849	MOF-851
SAMPLE DATE ========>		05/17/89	05/17/89	08/22/89	08/22/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Unknown @ 6.72	TIC	J 20			
Unknown @ 6.92	TIC			J 20	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-23(A)	W03-23(A)	W03-23(A)	W03-23(A)
SAMPLE NUMBER =====>		MOF-681	MOF-682	MOF-849	MOF-851
SAMPLE DATE ========>		05/17/89	05/17/89	08/22/89	08/22/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
Aluminum	200	2090	NA	J 676	NA
Antimony	60	J 594	NA	ND<180	NA
Arsenic	10	ND<2.0	NA	ND<2.1	NA
Barium	200	J 587	NA	J 149	NA
Beryllium	5	ND<17.0	NA	ND<6.0	NA
Cadmium	5	ND<40.0	NA	ND<30.0	NA
Calcium	5000	813000	NA	752000	NA
Chromium	10	J 67.0	NA	ND<41.0	NA
Cobalt	50	ND<68.0	NA	ND<27.0	NA
Copper	25	ND<38.0	NA	ND<27.0	NA
Iron	100	4000	NA	2940	NA
Lead	5	ND<23.0	NA	30.0	NA
Magnesium	5000	1000000	NA	1000000	NA
Manganese	15	6600	NA	6510	NA
Mercury	.2	ND<0.10	NA	ND<0.050	NA
Nickel	40	ND<132	NA	ND<68.0	NA
Potassium	5000	65200	NA	J 22900	NA
Selenium	5	ND<24.0	NA	J 26.0	NA
Silver	10	ND<30.0	NA	ND<31.0	NA
Sodium	5000	4380000	NA	4430000	NA
Thallium	10	ND<15.0	NA	ND<7.0	NA
Vanadium	50	J 393	NA	J 114	NA
Zinc	20	252	NA	J 28.2	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-23(A)	W03-23(A)	W03-23(A)	W03-23(A)
SAMPLE NUMBER =====>		MOF-681	MOF-682	MOF-849	MOF-851
SAMPLE DATE ========>		05/17/89	05/17/89	08/22/89	08/22/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]			
TPHC	.25	ND	NA	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-23(A)	W03-23(A)	W03-23(A)	W03-23(A)
SAMPLE NUMBER =====>		MOF-681	MOF-682	MOF-849	MOF-851
SAMPLE DATE ========>		05/17/89	05/17/89	08/22/89	08/22/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
AROCLOR-1016	.5	ND	NA	ND	NA
AROCLOR-1221	.5	ND	NA	ND	NA
AROCLOR-1232	.5	ND	NA	ND	NA
AROCLOR-1242	.5	ND	NA	ND	NA
AROCLOR-1248	.5	ND	NA	ND	NA
AROCLOR-1254	1	ND	NA	ND	NA
AROCLOR-1260	1	ND	NA	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 3, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W03-23(A)	W03-23(A)	W03-23(A)	W03-23(A)
SAMPLE NUMBER =====>		MOF-681	MOF-682	MOF-849	MOF-851
SAMPLE DATE ========>		05/17/89	05/17/89	08/22/89	08/22/89
SAMPLE TYPE ========>			TRIP BLANK		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,1,1-Trichloroethane	5	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	13	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND	ND
2-Butanone	10	ND	ND	ND	ND
2-Hexanone	10	ND	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND	ND
Acetone	10	ND	BJ 4	ND	ND
Benzene	5	ND	ND	J 2	ND
Bromodichloromethane	5	ND	ND	ND	ND
Bromoform	5	ND	ND	ND	ND
Bromomethane	10	ND	ND	ND	ND
Carbon disulfide	5	ND	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND	ND
Chlorobenzene	5	ND	ND	ND	ND
Chloroethane	10	ND	ND	ND	ND
Chloroform	5	ND	ND	ND	J 2
Chloromethane	10	ND	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND	ND
Ethyl benzene	5	ND	ND	ND	ND
Methylene chloride	5	ND	BJ 4	B 5	B 12
Styrene	5	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND
Total xylenes	5	ND	ND	ND	ND
Trichloroethene	5	J 1	ND	J 3	ND
Vinyl acetate	10	ND	ND	ND	ND
Vinyl chloride	10	ND	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND	ND

PAGE

4.0 SITE 4 ANALYTICAL RESULTS

4.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 4.....4.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W04-02(A)	W04-02(A)
SAMPLE NUMBER	=====>	MOF-695	MOF-697
SAMPLE DATE	========>	05/25/89	05/25/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	J 3	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 6	ND
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 6	B 11
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	51	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W04-03(A)	W04-03(A)
SAMPLE NUMBER	=====>	MOF-692	MOF-693
SAMPLE DATE	========>	05/24/89	05/24/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	J 3	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	14	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	J 4
Acetone	10	BJ 5	BJ 7
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 4	B 11
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	J 3
Total xylenes	5	ND	ND
Trichloroethene	5	14	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W04-03(A)	W04-03(A)
SAMPLE NUMBER =====>		MOF-692	MOF-693
SAMPLE DATE ========>		05/24/89	05/24/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
========== TIC ==========			
Unknown @ 27.04	TIC	J 22	

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W04-04(A)
SAMPLE NUMBER =====> MOF-691

SAMPLE DATE ========> 05/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	7
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	100
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 5
Benzene	5	ND
Bromodichloromethane	5	J 1
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	5
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	29
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 4
Styrene	5	ND
Tetrachloroethene	5	7
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	24
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W04-04(A)
SAMPLE NUMBER =====> MOF-691

SAMPLE DATE ========> 05/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
========== TIC ==========		
2,2,3,4TetramethylPentan@17.5	TIC	J 9
Unknown @ 27.17	TIC	J 60

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W04-06(A)
SAMPLE NUMBER =====> MOF-694

SAMPLE DATE ========> 05/25/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5		ND
1,1,2,2-Tetrachloroethane	5		ND
1,1,2-Trichloroethane	5		ND
1,1-Dichloroethane	5		ND
1,1-Dichloroethylene	5		ND
1,2-Dichloroethane	5		ND
1,2-Dichloroethenes(Total)	5		ND
1,2-Dichloropropane	5		ND
2-Butanone	10		ND
2-Hexanone	10		ND
4-Methyl-2-pentanone	10		ND
Acetone	10	B	13
Benzene	5		ND
Bromodichloromethane	5		ND
Bromoform	5		ND
Bromomethane	10		ND
Carbon disulfide	5		ND
Carbon tetrachloride	5	J	1
Chlorobenzene	5		ND
Chloroethane	10		ND
Chloroform	5	J	1
Chloromethane	10		ND
Dibromochloromethane	5		ND
Ethyl benzene	5		ND
Methylene chloride	5	B	5
Styrene	5		ND
Tetrachloroethene	5		ND
Toluene	5		ND
Total xylenes	5		ND
Trichloroethene	5	J	1
Vinyl acetate	10		ND
Vinyl chloride	10		ND
cis-1,3-Dichloropropene	5		ND
trans-1,3-Dichloropropene	5		ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W04-07(C)	W04-07(C)
SAMPLE NUMBER =====>	MOF-696	MOF-702
SAMPLE DATE ========>	05/24/89	06/05/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W04-07(C)	W04-07(C)
SAMPLE NUMBER =====>	MOF-696	MOF-702
SAMPLE DATE ========>	05/24/89	06/05/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	BJ 3	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 2.30	TIC	J 130	
Unknown @ 2.72	TIC	J 14	
Unknown @ 3.20	TIC	J 62	
Unknown @ 4.25	TIC	J 12	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W04-07(C)	W04-07(C)
SAMPLE NUMBER =====>	MOF-696	MOF-702
SAMPLE DATE ========>	05/24/89	06/05/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.4	NA
Antimony	60	ND<37.0	NA
Arsenic	10	J 3.0	NA
Barium	200	J 119	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	30700	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	J 8.3	NA
Lead	5	ND<1.9	NA
Magnesium	5000	9260	NA
Manganese	15	37.8	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 838	NA
Selenium	5	ND<2.1	NA
Silver	10	ND<3.0	NA
Sodium	5000	59700	NA
Thallium	10	ND<1.5	NA
Vanadium	50	J 8.4	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W04-07(C)	W04-07(C)
SAMPLE NUMBER =====>	MOF-696	MOF-702
SAMPLE DATE ========>	05/24/89	06/05/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	NA	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W04-07(C)	W04-07(C)
SAMPLE NUMBER =====>	MOF-696	MOF-702
SAMPLE DATE ========>	05/24/89	06/05/89
SAMPLE TYPE ========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W04-07(C)	W04-07(C)
SAMPLE NUMBER	=====>	MOF-696	MOF-702
SAMPLE DATE	========>	05/24/89	06/05/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	J 2	NA
1,1,2,2-Tetrachloroethane	5	ND	NA
1,1,2-Trichloroethane	5	ND	NA
1,1-Dichloroethane	5	ND	NA
1,1-Dichloroethylene	5	ND	NA
1,2-Dichloroethane	5	ND	NA
1,2-Dichloroethenes(Total)	5	ND	NA
1,2-Dichloropropane	5	ND	NA
2-Butanone	10	ND	NA
2-Hexanone	10	ND	NA
4-Methyl-2-pentanone	10	ND	NA
Acetone	10	ND	NA
Benzene	5	ND	NA
Bromodichloromethane	5	ND	NA
Bromoform	5	ND	NA
Bromomethane	10	ND	NA
Carbon disulfide	5	ND	NA
Carbon tetrachloride	5	ND	NA
Chlorobenzene	5	ND	NA
Chloroethane	10	ND	NA
Chloroform	5	J 1	NA
Chloromethane	10	ND	NA
Dibromochloromethane	5	ND	NA
Ethyl benzene	5	ND	NA
Methylene chloride	5	BJ 4	NA
Styrene	5	ND	NA
Tetrachloroethene	5	ND	NA
Toluene	5	ND	NA
Total xylenes	5	ND	NA
Trichloroethene	5	ND	NA
Vinyl acetate	10	ND	NA
Vinyl chloride	10	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W04-07(C)	W04-07(C)
SAMPLE NUMBER	=====>	MOF-696	MOF-702
SAMPLE DATE	========>	05/24/89	06/05/89
SAMPLE TYPE	========>		

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
cis-1,3-Dichloropropene	5	ND	NA
trans-1,3-Dichloropropene	5	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W04-09(B2)	W04-09(B2)
SAMPLE NUMBER	=====>	MOF-639	MOF-640
SAMPLE DATE	========>	05/03/89	05/03/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W04-09(B2)	W04-09(B2)
SAMPLE NUMBER	=====>	MOF-639	MOF-640
SAMPLE DATE	========>	05/03/89	05/03/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W04-09(B2)	W04-09(B2)
SAMPLE NUMBER	=====>	MOF-639	MOF-640
SAMPLE DATE	========>	05/03/89	05/03/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.4	NA
Antimony	60	ND<37.0	NA
Arsenic	10	J 8.9	NA
Barium	200	J 20.0	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	22600	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	J 45.6	NA
Lead	5	ND<1.4	NA
Magnesium	5000	11600	NA
Manganese	15	70.5	NA
Mercury	.2	J 0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 1190	NA
Selenium	5	ND<2.5	NA
Silver	10	ND<3.0	NA
Sodium	5000	76000	NA
Thallium	10	ND<1.0	NA
Vanadium	50	ND<1.7	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W04-09(B2)	W04-09(B2)
SAMPLE NUMBER	=====>	MOF-639	MOF-640
SAMPLE DATE	========>	05/03/89	05/03/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 4, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W04-09(B2)	W04-09(B2)
SAMPLE NUMBER	=====>	MOF-639	MOF-640
SAMPLE DATE	========>	05/03/89	05/03/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	BJ 6
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 12	B 17
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PAGE

5.0 SITE 5 ANALYTICAL RESULTS

5.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 5.....5.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-04(B1)
SAMPLE NUMBER =====> MOF-773

SAMPLE DATE ========> 07/17/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-04(B1)
SAMPLE NUMBER =====> MOF-773

SAMPLE DATE ========> 07/17/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Unknown @ 6.98	TIC	J 14

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-04(B1)
SAMPLE NUMBER =====> MOF-773

SAMPLE DATE ========> 07/17/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 72.9
Antimony	60	ND<37.0
Arsenic	10	J 2.2
Barium	200	J 95.0
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	35100
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	137
Lead	5	ND<1.9
Magnesium	5000	24600
Manganese	15	221
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 3830
Selenium	5	ND<2.4
Silver	10	ND<3.0
Sodium	5000	81400
Thallium	10	ND<1.0
Vanadium	50	J 14.4
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-04(B1)
SAMPLE NUMBER =====> MOF-773

SAMPLE DATE ========> 07/17/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-04(B1)
SAMPLE NUMBER =====> MOF-773

SAMPLE DATE ========> 07/17/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	B 19
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 20
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W05-05(C)	W05-05(C)
SAMPLE NUMBER =====>	MOF-772	MOF-774
SAMPLE DATE ========>	07/17/89	07/17/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W05-05(C)	W05-05(C)
SAMPLE NUMBER =====>	MOF-772	MOF-774
SAMPLE DATE ========>	07/17/89	07/17/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 6.98	TIC	J 14	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-05(C)	W05-05(C)
SAMPLE NUMBER	=====>	MOF-772	MOF-774
SAMPLE DATE	========>	07/17/89	07/17/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 76.3	NA
Antimony	60	ND<37.0	NA
Arsenic	10	J 7.1	NA
Barium	200	J 80.0	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<3.9	NA
Calcium	5000	29800	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	J 84.1	NA
Lead	5	ND<1.9	NA
Magnesium	5000	11200	NA
Manganese	15	126	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	5080	NA
Selenium	5	ND<2.4	NA
Silver	10	ND<3.0	NA
Sodium	5000	66000	NA
Thallium	10	ND<1.0	NA
Vanadium	50	J 11.7	NA
Zinc	20	38.6	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-05(C)	W05-05(C)
SAMPLE NUMBER	=====>	MOF-772	MOF-774
SAMPLE DATE	========>	07/17/89	07/17/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-05(C)	W05-05(C)
SAMPLE NUMBER	=====>	MOF-772	MOF-774
SAMPLE DATE	========>	07/17/89	07/17/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	B 24	B 28
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	J 1
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 14	B 46
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-06(A)
SAMPLE NUMBER =====> MOF-767

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-06(A)
SAMPLE NUMBER =====> MOF-767

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Trimethyl Benzene Isomer @9.4	TIC	J 8
Unknown @ 7.20	TIC	J 10

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-06(A)
SAMPLE NUMBER =====> MOF-767

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 84.5
Antimony	60	ND<37.0
Arsenic	10	ND<2.0
Barium	200	J 150
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	55000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	1520
Lead	5	ND<1.9
Magnesium	5000	40800
Manganese	15	892
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 2340
Selenium	5	ND<2.4
Silver	10	J 4.2
Sodium	5000	52700
Thallium	10	ND<1.0
Vanadium	50	J 13.8
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-06(A)
SAMPLE NUMBER =====> MOF-767

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-06(A)
SAMPLE NUMBER =====> MOF-767

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	J 2
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 3
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND
========== TIC ==========		
Unknown Hydrocarbon @ 14.54	TIC	J 100

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-07(A)	W05-07(A)
SAMPLE NUMBER	=====>	MOF-763	MOF-764
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-07(A)	W05-07(A)
SAMPLE NUMBER	=====>	MOF-763	MOF-764
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	ND
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
N-nitrosodipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
Unknown @ 8.50	TIC		J 20
Unknown @ 8.52	TIC	J 20	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-07(A)	W05-07(A)
SAMPLE NUMBER	=====>	MOF-763	MOF-764
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 65.3	J 78.3
Antimony	60	ND<37.0	ND<37.0
Arsenic	10	ND<2.0	ND<2.0
Barium	200	J 111	J 116
Beryllium	5	ND<1.7	ND<1.7
Cadmium	5	ND<3.9	ND<3.9
Calcium	5000	85000	86400
Chromium	10	ND<3.7	ND<3.7
Cobalt	50	ND<6.8	ND<6.8
Copper	25	ND<3.8	ND<3.8
Iron	100	322	274
Lead	5	ND<1.9	ND<1.9
Magnesium	5000	61100	60600
Manganese	15	67.0	61.3
Mercury	.2	ND<0.10	J 0.15
Nickel	40	ND<13.2	ND<13.2
Potassium	5000	J 1830	J 2390
Selenium	5	ND<2.1	ND<2.4
Silver	10	ND<3.0	J 4.1
Sodium	5000	70200	70100
Thallium	10	ND<1.0	ND<1.0
Vanadium	50	J 12.2	J 14.3
Zinc	20	ND<5.9	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-07(A)	W05-07(A)
SAMPLE NUMBER	=====>	MOF-763	MOF-764
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-07(A)	W05-07(A)
SAMPLE NUMBER	=====>	MOF-763	MOF-764
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	J 2	J 3
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 5	B 11
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-08(B1)
SAMPLE NUMBER =====> MOF-766

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-08(B1)
SAMPLE NUMBER =====> MOF-766

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Unknown @ 12.40	TIC	J 10

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-08(B1)
SAMPLE NUMBER =====> MOF-766

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 73.5
Antimony	60	ND<37.0
Arsenic	10	ND<2.0
Barium	200	J 132
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	70600
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	273
Lead	5	ND<1.9
Magnesium	5000	51800
Manganese	15	285
Mercury	.2	J 0.15
Nickel	40	ND<13.2
Potassium	5000	J 2760
Selenium	5	15.3
Silver	10	ND<3.0
Sodium	5000	72300
Thallium	10	ND<1.0
Vanadium	50	J 15.0
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-08(B1)
SAMPLE NUMBER =====> MOF-766

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-08(B1)
SAMPLE NUMBER =====> MOF-766

SAMPLE DATE ========> 07/13/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	J 1
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 2
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-09(A)
SAMPLE NUMBER =====> MOF-775

SAMPLE DATE ========> 07/18/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-09(A)
SAMPLE NUMBER =====> MOF-775

SAMPLE DATE ========> 07/18/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Cyclohexane @ 7.18	TIC	J 8

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-09(A)
SAMPLE NUMBER =====> MOF-775

SAMPLE DATE ========> 07/18/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 83.5
Antimony	60	ND<37.4
Arsenic	10	ND<3.0
Barium	200	J 26.9
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	55900
Chromium	10	ND<3.7
Cobalt	50	ND<6.9
Copper	25	ND<3.8
Iron	100	434
Lead	5	ND<1.9
Magnesium	5000	27700
Manganese	15	35.7
Mercury	.2	ND<0.10
Nickel	40	ND<13.3
Potassium	5000	J 4400
Selenium	5	ND<2.1
Silver	10	ND<3.0
Sodium	5000	49400
Thallium	10	ND<1.0
Vanadium	50	J 20.5
Zinc	20	ND<6.0

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-09(A)
SAMPLE NUMBER =====> MOF-775

SAMPLE DATE ========> 07/18/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-09(A)
SAMPLE NUMBER =====> MOF-775

SAMPLE DATE ========> 07/18/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	J 3
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	J 3
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 7
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-10(A)	W05-10(A)
SAMPLE NUMBER	=====>	MOF-765	MOF-770
SAMPLE DATE	========>	07/13/89	07/13/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-10(A)	W05-10(A)
SAMPLE NUMBER	=====>	MOF-765	MOF-770
SAMPLE DATE	========>	07/13/89	07/13/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-10(A)	W05-10(A)
SAMPLE NUMBER	=====>	MOF-765	MOF-770
SAMPLE DATE	========>	07/13/89	07/13/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 61.0	NA
Antimony	60	ND<37.0	NA
Arsenic	10	ND<2.0	NA
Barium	200	J 178	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<3.9	NA
Calcium	5000	85500	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	1140	NA
Lead	5	ND<1.9	NA
Magnesium	5000	60300	NA
Manganese	15	180	NA
Mercury	.2	0.42	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 1660	NA
Selenium	5	ND<2.4	NA
Silver	10	ND<3.0	NA
Sodium	5000	71300	NA
Thallium	10	ND<1.0	NA
Vanadium	50	J 9.2	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-10(A)	W05-10(A)
SAMPLE NUMBER	=====>	MOF-765	MOF-770
SAMPLE DATE	========>	07/13/89	07/13/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-10(A)	W05-10(A)
SAMPLE NUMBER	=====>	MOF-765	MOF-770
SAMPLE DATE	========>	07/13/89	07/13/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	J 1	J 2
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	J 1
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 2	B 15
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND
========== TIC ==========			
3-Ethyl-2,2-Dimethyl-Pen@14.4	TIC	J 7	

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-14(A)
SAMPLE NUMBER =====> MOF-771

SAMPLE DATE ========> 07/04/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-14(A)
SAMPLE NUMBER =====> MOF-771

SAMPLE DATE ========> 07/04/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Unknown @ 12.40	TIC	J 14
Unknown @ 12.79	TIC	J 10

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-14(A)
SAMPLE NUMBER =====> MOF-771

SAMPLE DATE ========> 07/04/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	ND<13.4
Antimony	60	ND<37.0
Arsenic	10	ND<2.0
Barium	200	J 130
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	77000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	957
Lead	5	ND<1.9
Magnesium	5000	53400
Manganese	15	854
Mercury	.2	0.33
Nickel	40	ND<13.2
Potassium	5000	ND<416
Selenium	5	ND<2.4
Silver	10	ND<3.0
Sodium	5000	70200
Thallium	10	ND<1.0
Vanadium	50	J 3.0
Zinc	20	J 14.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-14(A)
SAMPLE NUMBER =====> MOF-771

SAMPLE DATE ========> 07/04/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-14(A)
SAMPLE NUMBER =====> MOF-771

SAMPLE DATE ========> 07/04/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits		Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5		ND
1,1,2,2-Tetrachloroethane	5		ND
1,1,2-Trichloroethane	5		ND
1,1-Dichloroethane	5		ND
1,1-Dichloroethylene	5		ND
1,2-Dichloroethane	5		ND
1,2-Dichloroethenes(Total)	5		ND
1,2-Dichloropropane	5		ND
2-Butanone	10		ND
2-Hexanone	10		ND
4-Methyl-2-pentanone	10		ND
Acetone	10	B	27
Benzene	5		ND
Bromodichloromethane	5		ND
Bromoform	5		ND
Bromomethane	10		ND
Carbon disulfide	5		ND
Carbon tetrachloride	5		ND
Chlorobenzene	5		ND
Chloroethane	10		ND
Chloroform	5		ND
Chloromethane	10		ND
Dibromochloromethane	5		ND
Ethyl benzene	5		ND
Methylene chloride	5	B	11
Styrene	5		ND
Tetrachloroethene	5		ND
Toluene	5		ND
Total xylenes	5		ND
Trichloroethene	5		ND
Vinyl acetate	10		ND
Vinyl chloride	10		ND
cis-1,3-Dichloropropene	5		ND
trans-1,3-Dichloropropene	5		ND
========== TIC ==========			
1,1,3-Trimethyl Cyclopen@16.2	TIC	J	7

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-14(A)
SAMPLE NUMBER =====> MOF-771

SAMPLE DATE ========> 07/04/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
2,2,3,4-Tetramethyl Pent@17.5	TIC	J 72
2,4-Dimethyl Pentane @ 14.64	TIC	J 15

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W05-15(A)	W05-15(A)
SAMPLE NUMBER =====>		MOF-768	MOF-769
SAMPLE DATE ========>		07/14/89	07/14/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-15(A)	W05-15(A)
SAMPLE NUMBER	=====>	MOF-768	MOF-769
SAMPLE DATE	========>	07/14/89	07/14/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W05-15(A)	W05-15(A)
SAMPLE NUMBER =====>	MOF-768	MOF-769
SAMPLE DATE ========>	07/14/89	07/14/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.4	NA
Antimony	60	ND<37.0	NA
Arsenic	10	J 5.8	NA
Barium	200	J 59.6	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<3.9	NA
Calcium	5000	91200	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	251	NA
Lead	5	ND<1.9	NA
Magnesium	5000	55300	NA
Manganese	15	51.3	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	ND<416	NA
Selenium	5	ND<2.4	NA
Silver	10	ND<3.0	NA
Sodium	5000	72800	NA
Thallium	10	ND<1.0	NA
Vanadium	50	ND<1.7	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-15(A)	W05-15(A)
SAMPLE NUMBER	=====>	MOF-768	MOF-769
SAMPLE DATE	========>	07/14/89	07/14/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-15(A)	W05-15(A)
SAMPLE NUMBER	=====>	MOF-768	MOF-769
SAMPLE DATE	========>	07/14/89	07/14/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	B 19	B 15
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	J 2
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 13	B 56
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W05-16(A)	W05-16(A)
SAMPLE NUMBER =====>	MOF-761	MOF-762
SAMPLE DATE ========>	07/12/89	07/12/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-16(A)	W05-16(A)
SAMPLE NUMBER	=====>	MOF-761	MOF-762
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 15.09	TIC	J 12	
Unknown @ 18.85	TIC	J 8	
Unknown @ 22.40	TIC	J 16	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-16(A)	W05-16(A)
SAMPLE NUMBER	=====>	MOF-761	MOF-762
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 114	NA
Antimony	60	ND<37.0	NA
Arsenic	10	ND<2.0	NA
Barium	200	J 162	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<3.9	NA
Calcium	5000	99400	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	116	NA
Lead	5	ND<1.9	NA
Magnesium	5000	65200	NA
Manganese	15	1080	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 3120	NA
Selenium	5	ND<2.4	NA
Silver	10	J 9.5	NA
Sodium	5000	69100	NA
Thallium	10	ND<1.0	NA
Vanadium	50	J 20.0	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-16(A)	W05-16(A)
SAMPLE NUMBER	=====>	MOF-761	MOF-762
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-16(A)	W05-16(A)
SAMPLE NUMBER	=====>	MOF-761	MOF-762
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	J 1	J 2
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 6	B 13
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND
========== TIC ==========			
2,2,5,5-Tetramethyl-Hexa@18.6	TIC	J 4	

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-16(A)	W05-16(A)
SAMPLE NUMBER	=====>	MOF-761	MOF-762
SAMPLE DATE	========>	07/12/89	07/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
2,4-Dimethyl-Pentane @ 12.14	TIC	J 5	
2-Azido-2,3,3-Trimethyl-@14.4	TIC	J 60	

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-17(A)	W05-17(A)
SAMPLE NUMBER	=====>	MOF-753	MOF-760
SAMPLE DATE	========>	07/11/89	07/11/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-17(A)	W05-17(A)
SAMPLE NUMBER	=====>	MOF-753	MOF-760
SAMPLE DATE	========>	07/11/89	07/11/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 15.02	TIC	J 30	
Unknown @ 15.42	TIC	J 22	
Unknown @ 18.87	TIC	J 10	
Unknown @ 22.27	TIC	J 10	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-17(A)	W05-17(A)
SAMPLE NUMBER	=====>	MOF-753	MOF-760
SAMPLE DATE	========>	07/11/89	07/11/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 19.6	NA
Antimony	60	ND<37.0	NA
Arsenic	10	ND<2.0	NA
Barium	200	J 55.8	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<3.9	NA
Calcium	5000	120000	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	659	NA
Lead	5	ND<1.9	NA
Magnesium	5000	61900	NA
Manganese	15	761	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 880	NA
Selenium	5	J 4.2	NA
Silver	10	ND<3.0	NA
Sodium	5000	74300	NA
Thallium	10	ND<1.0	NA
Vanadium	50	J 3.6	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W05-17(A)	W05-17(A)
SAMPLE NUMBER	=====>	MOF-753	MOF-760
SAMPLE DATE	========>	07/11/89	07/11/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W05-17(A)	W05-17(A)
SAMPLE NUMBER =====>		MOF-753	MOF-760
SAMPLE DATE ========>		07/11/89	07/11/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 3	BJ 5
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 13	B 58
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND
========== TIC ==========			
2,2,3,4-Tetramethyl Pen@17.47	TIC	J 190	

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W05-17(A)	W05-17(A)
SAMPLE NUMBER =====>		MOF-753	MOF-760
SAMPLE DATE ========>		07/11/89	07/11/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
2,2,3-Trimethyl Butane @ 13.1	TIC	J 5	
2,2,5-Trimethyl Hexane @ 22.2	TIC	J 8	
2,3-Dimethyl Hexane @ 18.14	TIC	J 50	
2,4-Dimethyl Pentane @ 14.60	TIC	J 17	

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-18(A)
SAMPLE NUMBER =====> MOF-755

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-18(A)
SAMPLE NUMBER =====> MOF-755

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Unknown @ 8.47	TIC	JB 22
Unknown @ 9.20	TIC	J 12

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-18(A)
SAMPLE NUMBER =====> MOF-755

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 88.6
Antimony	60	ND<37.0
Arsenic	10	ND<2.0
Barium	200	J 95.7
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	101000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	J 54.6
Lead	5	ND<1.9
Magnesium	5000	62800
Manganese	15	536
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 2790
Selenium	5	ND<2.1
Silver	10	J 7.2
Sodium	5000	71900
Thallium	10	ND<1.0
Vanadium	50	J 15.1
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-18(A)
SAMPLE NUMBER =====> MOF-755

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-18(A)
SAMPLE NUMBER =====> MOF-755

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 8
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 15
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-19(A)
SAMPLE NUMBER =====> MOF-754

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-19(A)
SAMPLE NUMBER =====> MOF-754

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
2-Methyl-Cyclopentanol @ 9.60	TIC	J 46
Unknown @ 8.50	TIC	J 36

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-19(A)
SAMPLE NUMBER =====> MOF-754

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 43.1
Antimony	60	ND<37.0
Arsenic	10	ND<2.0
Barium	200	J 101
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	109000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	204
Lead	5	ND<1.9
Magnesium	5000	55200
Manganese	15	51.7
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 963
Selenium	5	ND<2.1
Silver	10	J 4.5
Sodium	5000	70200
Thallium	10	ND<1.0
Vanadium	50	J 6.3
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-19(A)
SAMPLE NUMBER =====> MOF-754

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 5, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W05-19(A)
SAMPLE NUMBER =====> MOF-754

SAMPLE DATE ========> 07/11/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits		Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5		ND
1,1,2,2-Tetrachloroethane	5		ND
1,1,2-Trichloroethane	5		ND
1,1-Dichloroethane	5		ND
1,1-Dichloroethylene	5		ND
1,2-Dichloroethane	5		ND
1,2-Dichloroethenes(Total)	5		ND
1,2-Dichloropropane	5		ND
2-Butanone	10		ND
2-Hexanone	10		ND
4-Methyl-2-pentanone	10		ND
Acetone	10	B	10
Benzene	5		ND
Bromodichloromethane	5		ND
Bromoform	5		ND
Bromomethane	10		ND
Carbon disulfide	5		ND
Carbon tetrachloride	5		ND
Chlorobenzene	5		ND
Chloroethane	10		ND
Chloroform	5		ND
Chloromethane	10		ND
Dibromochloromethane	5		ND
Ethyl benzene	5		ND
Methylene chloride	5	B	15
Styrene	5		ND
Tetrachloroethene	5		ND
Toluene	5		ND
Total xylenes	5		ND
Trichloroethene	5		ND
Vinyl acetate	10		ND
Vinyl chloride	10		ND
cis-1,3-Dichloropropene	5		ND
trans-1,3-Dichloropropene	5		ND

PAGE

6.0 SITE 6 ANALYTICAL RESULTS

6.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 6.....6.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 6, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W06-02(A)	W06-02(A)
SAMPLE NUMBER	=====>	MOF-776	MOF-777
SAMPLE DATE	========>	07/18/89	07/18/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	J 4	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	J 8	J 3
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 12	B 12
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 6, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W06-03(A)	W06-03(A)	W06-03(A)
SAMPLE NUMBER =====>	MOF-778	MOF-779	MOF-780
SAMPLE DATE ========>	07/19/89	07/19/89	07/19/89
SAMPLE TYPE ========>		DUP	TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	J 4	J 3	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	J 2	J 2	J 6
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	BJ 2	BJ 2	B 14
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	J 3	J 3	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PAGE

7.0 SITE 7 ANALYTICAL RESULTS

7.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 7.....7.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-01(A)
SAMPLE NUMBER =====> MOF-784

SAMPLE DATE ========> 07/20/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 3
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 3
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-04(B1)	W07-04(B1)
SAMPLE NUMBER	=====>	MOF-789	MOF-791
SAMPLE DATE	========>	07/24/89	07/24/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	J 9	23
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 5	B 17
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W07-08(A)	W07-08(A)	W07-08(A)
SAMPLE NUMBER =====>		MOF-785	MOF-786	MOF-787
SAMPLE DATE ========>		07/21/89	07/21/89	07/21/89
SAMPLE TYPE ========>		EQUIP RNSE		TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	7	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	5	ND
1,1-Dichloroethylene	5	ND	J 4	ND
1,2-Dichloroethane	5	9	ND	ND
1,2-Dichloroethenes(Total)	5	ND	25	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	J 9	15	23
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	8	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	8	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	B 8	B 10	B 21
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	180	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	50	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-13(A)
SAMPLE NUMBER =====> MOF-788

SAMPLE DATE ========> 07/21/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	J 9
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 11
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W07-15(B1)	W07-15(B1)
SAMPLE NUMBER =====>	MOF-795	MOF-796
SAMPLE DATE ========>	07/25/89	07/25/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	B 12	B 37
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 2	B 10
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-16(C)	W07-16(C)
SAMPLE NUMBER	=====>	MOF-782	MOF-783
SAMPLE DATE	========>	07/20/89	07/20/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-16(C)	W07-16(C)
SAMPLE NUMBER	=====>	MOF-782	MOF-783
SAMPLE DATE	========>	07/20/89	07/20/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	BJ 3	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
2-Bromohexane @ 9.39	TIC	BJ 50	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-16(C)	W07-16(C)
SAMPLE NUMBER	=====>	MOF-782	MOF-783
SAMPLE DATE	========>	07/20/89	07/20/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.4	NA
Antimony	60	ND<37.0	NA
Arsenic	10	J 8.4	NA
Barium	200	J 85.6	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<3.9	NA
Calcium	5000	30000	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	J 45.5	NA
Lead	5	ND<2.3	NA
Magnesium	5000	9450	NA
Manganese	15	63.9	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 2100	NA
Selenium	5	ND<2.1	NA
Silver	10	J 5.4	NA
Sodium	5000	60000	NA
Thallium	10	ND<1.0	NA
Vanadium	50	J 4.7	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-16(C)	W07-16(C)
SAMPLE NUMBER	=====>	MOF-782	MOF-783
SAMPLE DATE	========>	07/20/89	07/20/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-16(C)	W07-16(C)
SAMPLE NUMBER	=====>	MOF-782	MOF-783
SAMPLE DATE	========>	07/20/89	07/20/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 3	BJ 8
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 3	B 17
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-18(A)
SAMPLE NUMBER =====> MOF-781

SAMPLE DATE ========> 07/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-18(A)
SAMPLE NUMBER =====> MOF-781

SAMPLE DATE ========> 07/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
2-Bromohexane @ 9.35	TIC	BJ 16
Unknown @ 25.62	TIC	J 10

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-18(A)
SAMPLE NUMBER =====> MOF-781

SAMPLE DATE ========> 07/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	ND<13.4
Antimony	60	ND<37.0
Arsenic	10	J 6.7
Barium	200	J 55.3
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	102000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	1070
Lead	5	ND<2.3
Magnesium	5000	50800
Manganese	15	616
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 2510
Selenium	5	ND<2.1
Silver	10	ND<3.0
Sodium	5000	60400
Thallium	10	ND<1.0
Vanadium	50	J 3.6
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-18(A)
SAMPLE NUMBER =====> MOF-781

SAMPLE DATE ========> 07/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-18(A)
SAMPLE NUMBER =====> MOF-781

SAMPLE DATE ========> 07/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	J 2
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 3
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-19(A)	W07-19(A)
SAMPLE NUMBER	=====>	MOF-793	MOF-794
SAMPLE DATE	========>	07/25/89	07/25/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-19(A)	W07-19(A)
SAMPLE NUMBER	=====>	MOF-793	MOF-794
SAMPLE DATE	========>	07/25/89	07/25/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	12
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
N-nitrosodipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
Unknown @ 8.90	TIC	BJ 12	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-19(A)	W07-19(A)
SAMPLE NUMBER	=====>	MOF-793	MOF-794
SAMPLE DATE	========>	07/25/89	07/25/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	210	296
Antimony	60	ND<37.0	ND<37.4
Arsenic	10	ND<2.0	ND<2.0
Barium	200	J 75.0	J 78.1
Beryllium	5	ND<1.7	ND<1.7
Cadmium	5	ND<3.9	ND<3.9
Calcium	5000	139000	140000
Chromium	10	ND<3.7	ND<3.7
Cobalt	50	ND<6.8	ND<6.9
Copper	25	ND<3.8	ND<3.8
Iron	100	1320	1060
Lead	5	ND<1.9	ND<1.9
Magnesium	5000	87100	87100
Manganese	15	79.3	81.1
Mercury	.2	ND<0.10	ND<0.10
Nickel	40	ND<13.2	ND<13.3
Potassium	5000	7780	11100
Selenium	5	ND<2.1	ND<2.1
Silver	10	J 8.8	ND<3.0
Sodium	5000	68000	72900
Thallium	10	J 1.0	J 1.2
Vanadium	50	J 29.6	J 40.8
Zinc	20	ND<5.9	ND<6.0

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-19(A)	W07-19(A)
SAMPLE NUMBER	=====>	MOF-793	MOF-794
SAMPLE DATE	========>	07/25/89	07/25/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W07-19(A)	W07-19(A)
SAMPLE NUMBER	=====>	MOF-793	MOF-794
SAMPLE DATE	========>	07/25/89	07/25/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	B 15	ND
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 3	BJ 2
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-20(A)
SAMPLE NUMBER =====> MOF-792

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-20(A)
SAMPLE NUMBER =====> MOF-792

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Unknown @ 8.92	TIC	BJ 24

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-20(A)
SAMPLE NUMBER =====> MOF-792

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 177
Antimony	60	ND<37.0
Arsenic	10	ND<3.0
Barium	200	J 100
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	125000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	804
Lead	5	J 2.5
Magnesium	5000	61700
Manganese	15	37.4
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	7180
Selenium	5	J 4.1
Silver	10	ND<3.0
Sodium	5000	66700
Thallium	10	ND<1.5
Vanadium	50	J 24.2
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-20(A)
SAMPLE NUMBER =====> MOF-792

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-20(A)
SAMPLE NUMBER =====> MOF-792

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5		ND
1,1,2,2-Tetrachloroethane	5		ND
1,1,2-Trichloroethane	5		ND
1,1-Dichloroethane	5		ND
1,1-Dichloroethylene	5		ND
1,2-Dichloroethane	5		ND
1,2-Dichloroethenes(Total)	5		ND
1,2-Dichloropropane	5		ND
2-Butanone	10		ND
2-Hexanone	10		ND
4-Methyl-2-pentanone	10		ND
Acetone	10		15
Benzene	5		ND
Bromodichloromethane	5		ND
Bromoform	5		ND
Bromomethane	10		ND
Carbon disulfide	5		ND
Carbon tetrachloride	5		ND
Chlorobenzene	5		ND
Chloroethane	10		ND
Chloroform	5		ND
Chloromethane	10		ND
Dibromochloromethane	5		ND
Ethyl benzene	5		ND
Methylene chloride	5	B	6
Styrene	5		ND
Tetrachloroethene	5	J	2
Toluene	5		ND
Total xylenes	5		ND
Trichloroethene	5	J	3
Vinyl acetate	10		ND
Vinyl chloride	10		ND
cis-1,3-Dichloropropene	5		ND
trans-1,3-Dichloropropene	5		ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-21(A)
SAMPLE NUMBER =====> MOF-790

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-21(A)
SAMPLE NUMBER =====> MOF-790

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Unknown @ 8.92	TIC	BJ 10

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-21(A)
SAMPLE NUMBER =====> MOF-790

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 126
Antimony	60	ND<37.0
Arsenic	10	ND<3.0
Barium	200	J 57.0
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	155000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	552
Lead	5	J 2.3
Magnesium	5000	108000
Manganese	15	31.4
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 3920
Selenium	5	J 3.8
Silver	10	ND<3.0
Sodium	5000	56000
Thallium	10	ND<1.5
Vanadium	50	J 20.2
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-21(A)
SAMPLE NUMBER =====> MOF-790

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 7, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W07-21(A)
SAMPLE NUMBER =====> MOF-790

SAMPLE DATE ========> 07/24/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	12
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 8
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PAGE

8.0 SITE 8 ANALYTICAL RESULTS

8.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 8.....8.1-1

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-01(A)	W08-01(A)
SAMPLE NUMBER	=====>	MOF-726	MOF-727
SAMPLE DATE	========>	06/16/89	06/16/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	18	J 4
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	J 4	ND
1,1-Dichloroethylene	5	7	J 2
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	BJ 8
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 4	B 10
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	10	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-02(B1)	W08-02(B1)
SAMPLE NUMBER	=====>	MOF-724	MOF-738
SAMPLE DATE	========>	06/15/89	06/15/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-02(B1)	W08-02(B1)
SAMPLE NUMBER	=====>	MOF-724	MOF-738
SAMPLE DATE	========>	06/15/89	06/15/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Hexanedioic Acid Isomer @28.9	TIC	J 16	
Unknown @ 4.72	TIC	J 14	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-02(B1)	W08-02(B1)
SAMPLE NUMBER	=====>	MOF-724	MOF-738
SAMPLE DATE	========>	06/15/89	06/15/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	204	NA
Antimony	60	J 44.5	NA
Arsenic	10	ND<3.0	NA
Barium	200	J 59.3	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	54200	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	367	NA
Lead	5	ND<1.9	NA
Magnesium	5000	24200	NA
Manganese	15	200	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 4630	NA
Selenium	5	ND<2.1	NA
Silver	10	J 4.9	NA
Sodium	5000	55600	NA
Thallium	10	ND<0.90	NA
Vanadium	50	J 29.1	NA
Zinc	20	J 6.5	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-02(B1)	W08-02(B1)
SAMPLE NUMBER	=====>	MOF-724	MOF-738
SAMPLE DATE	========>	06/15/89	06/15/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-02(B1)	W08-02(B1)
SAMPLE NUMBER	=====>	MOF-724	MOF-738
SAMPLE DATE	========>	06/15/89	06/15/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-02(B1)	W08-02(B1)
SAMPLE NUMBER	=====>	MOF-724	MOF-738
SAMPLE DATE	========>	06/15/89	06/15/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 2	BJ 5
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 3	B 7
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	BJ 1	BJ 1
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-03(C)
SAMPLE NUMBER =====> MOF-728

SAMPLE DATE ========> 06/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-03(C)
SAMPLE NUMBER =====> MOF-728

SAMPLE DATE ========> 06/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Unknown @ 7.03	TIC	J 18

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-03(C)
SAMPLE NUMBER =====> MOF-728

SAMPLE DATE ========> 06/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	245
Antimony	60	ND<37.0
Arsenic	10	J 9.5
Barium	200	J 47.3
Beryllium	5	ND<1.7
Cadmium	5	ND<4.0
Calcium	5000	28300
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	131
Lead	5	ND<1.9
Magnesium	5000	12600
Manganese	15	80.2
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	6300
Selenium	5	ND<2.1
Silver	10	J 9.2
Sodium	5000	55200
Thallium	10	J 1.4
Vanadium	50	J 33.2
Zinc	20	J 6.0

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-03(C)
SAMPLE NUMBER =====> MOF-728

SAMPLE DATE ========> 06/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-03(C)
SAMPLE NUMBER =====> MOF-728

SAMPLE DATE ========> 06/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
AROCLOR-1016	.5	ND
AROCLOR-1221	.5	ND
AROCLOR-1232	.5	ND
AROCLOR-1242	.5	ND
AROCLOR-1248	.5	ND
AROCLOR-1254	1	ND
AROCLOR-1260	1	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-03(C)
SAMPLE NUMBER =====> MOF-728

SAMPLE DATE ========> 06/19/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	11
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 5
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-04(A)	W08-04(A)
SAMPLE NUMBER	=====>	MOF-721	MOF-722
SAMPLE DATE	========>	06/14/89	06/14/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-04(A)	W08-04(A)
SAMPLE NUMBER	=====>	MOF-721	MOF-722
SAMPLE DATE	========>	06/14/89	06/14/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	ND
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
N-nitrosodipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W08-04(A)	W08-04(A)
SAMPLE NUMBER =====>	MOF-721	MOF-722
SAMPLE DATE ========>	06/14/89	06/14/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 78.2	J 109
Antimony	60	ND<37.0	ND<37.0
Arsenic	10	ND<3.0	ND<3.0
Barium	200	J 64.0	J 65.5
Beryllium	5	ND<1.7	ND<1.7
Cadmium	5	ND<4.0	ND<4.0
Calcium	5000	105000	103000
Chromium	10	ND<3.7	ND<3.7
Cobalt	50	ND<6.8	ND<6.8
Copper	25	ND<3.8	ND<3.8
Iron	100	1530	1540
Lead	5	ND<1.9	ND<1.9
Magnesium	5000	91400	89600
Manganese	15	190	187
Mercury	.2	ND<0.10	ND<0.10
Nickel	40	ND<13.2	ND<13.2
Potassium	5000	J 588	J 1280
Selenium	5	ND<2.4	ND<2.4
Silver	10	ND<3.0	J 4.5
Sodium	5000	91600	89200
Thallium	10	ND<0.90	ND<0.90
Vanadium	50	J 15.5	J 18.9
Zinc	20	J 8.2	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-04(A)	W08-04(A)
SAMPLE NUMBER	=====>	MOF-721	MOF-722
SAMPLE DATE	========>	06/14/89	06/14/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W08-04(A)	W08-04(A)
SAMPLE NUMBER =====>	MOF-721	MOF-722
SAMPLE DATE ========>	06/14/89	06/14/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	ND
AROCLOR-1221	.5	ND	ND
AROCLOR-1232	.5	ND	ND
AROCLOR-1242	.5	ND	ND
AROCLOR-1248	.5	ND	ND
AROCLOR-1254	1	ND	ND
AROCLOR-1260	1	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-04(A)	W08-04(A)
SAMPLE NUMBER	=====>	MOF-721	MOF-722
SAMPLE DATE	========>	06/14/89	06/14/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	J 3	J 3
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	J 2	J 2
1,1-Dichloroethylene	5	J 2	J 2
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	J 2	J 2
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 5	BJ 6
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 3	BJ 4
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	5	5
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W08-05(A)	W08-05(A)
SAMPLE NUMBER =====>	MOF-725	MOF-739
SAMPLE DATE ========>	06/19/89	06/19/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W08-05(A)	W08-05(A)
SAMPLE NUMBER =====>	MOF-725	MOF-739
SAMPLE DATE ========>	06/19/89	06/19/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 7.03	TIC	J 18	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-05(A)	W08-05(A)
SAMPLE NUMBER	=====>	MOF-725	MOF-739
SAMPLE DATE	========>	06/19/89	06/19/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 188	NA
Antimony	60	ND<37.0	NA
Arsenic	10	ND<3.0	NA
Barium	200	J 107	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	102000	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	J 11.8	NA
Iron	100	194	NA
Lead	5	ND<1.9	NA
Magnesium	5000	102000	NA
Manganese	15	15.3	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 2990	NA
Selenium	5	ND<2.1	NA
Silver	10	ND<3.0	NA
Sodium	5000	80700	NA
Thallium	10	J 1.5	NA
Vanadium	50	J 35.8	NA
Zinc	20	J 9.5	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-05(A)	W08-05(A)
SAMPLE NUMBER	=====>	MOF-725	MOF-739
SAMPLE DATE	========>	06/19/89	06/19/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W08-05(A)	W08-05(A)
SAMPLE NUMBER =====>	MOF-725	MOF-739
SAMPLE DATE ========>	06/19/89	06/19/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W08-05(A)	W08-05(A)
SAMPLE NUMBER	=====>	MOF-725	MOF-739
SAMPLE DATE	========>	06/19/89	06/19/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]			
1,1,1-Trichloroethane	5		30		ND
1,1,2,2-Tetrachloroethane	5		ND		ND
1,1,2-Trichloroethane	5		ND		ND
1,1-Dichloroethane	5		12		ND
1,1-Dichloroethylene	5		35		ND
1,2-Dichloroethane	5		ND		ND
1,2-Dichloroethenes(Total)	5		ND		ND
1,2-Dichloropropane	5		ND		ND
2-Butanone	10		ND		ND
2-Hexanone	10		ND		ND
4-Methyl-2-pentanone	10		ND		ND
Acetone	10	J	7		10
Benzene	5		ND		ND
Bromodichloromethane	5		ND		ND
Bromoform	5		ND		ND
Bromomethane	10		ND		ND
Carbon disulfide	5		ND		ND
Carbon tetrachloride	5		ND		ND
Chlorobenzene	5		ND		ND
Chloroethane	10		ND		ND
Chloroform	5	J	1		ND
Chloromethane	10		ND		ND
Dibromochloromethane	5		ND		ND
Ethyl benzene	5		ND		ND
Methylene chloride	5	B	6	B	15
Styrene	5		ND		ND
Tetrachloroethene	5		ND		ND
Toluene	5		ND		ND
Total xylenes	5		ND		ND
Trichloroethene	5	J	4		ND
Vinyl acetate	10		ND		ND
Vinyl chloride	10		ND		ND
cis-1,3-Dichloropropene	5		ND		ND
trans-1,3-Dichloropropene	5		ND		ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-06(A)
SAMPLE NUMBER =====> MOF-723

SAMPLE DATE ========> 06/15/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-06(A)
SAMPLE NUMBER =====> MOF-723

SAMPLE DATE ========> 06/15/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Hexanedioic Acid Isomer @28.9	TIC	J 20
Unknown @ 4.72	TIC	J 8

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-06(A)
SAMPLE NUMBER =====> MOF-723

SAMPLE DATE ========> 06/15/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 166
Antimony	60	J 55.3
Arsenic	10	ND<3.0
Barium	200	J 97.1
Beryllium	5	ND<1.7
Cadmium	5	ND<4.0
Calcium	5000	93700
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	J 95.1
Lead	5	ND<1.9
Magnesium	5000	80900
Manganese	15	40.8
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 2260
Selenium	5	11.5
Silver	10	ND<3.0
Sodium	5000	73700
Thallium	10	ND<0.90
Vanadium	50	J 30.8
Zinc	20	J 7.1

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-06(A)
SAMPLE NUMBER =====> MOF-723

SAMPLE DATE ========> 06/15/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-06(A)
SAMPLE NUMBER =====> MOF-723

SAMPLE DATE ========> 06/15/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
AROCLOR-1016	.5	ND
AROCLOR-1221	.5	ND
AROCLOR-1232	.5	ND
AROCLOR-1242	.5	ND
AROCLOR-1248	.5	ND
AROCLOR-1254	1	ND
AROCLOR-1260	1	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W08-06(A)
SAMPLE NUMBER =====> MOF-723

SAMPLE DATE ========> 06/15/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	51
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	10
1,1-Dichloroethylene	5	9
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 3
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 4
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	BJ 1
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 8, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	MEW-82(B2)	MEW-82(B2)
SAMPLE NUMBER	=====>	MOF-744	MOF-745
SAMPLE DATE	========>	06/20/89	06/20/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 3	BJ 3
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	J 1
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 11	B 19
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	J 1	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PAGE

9.0 SITE 9 ANALYTICAL RESULTS

9.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 9.....9.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-03(C)	W09-03(C)
SAMPLE NUMBER	=====>	MOF-734	MOF-735
SAMPLE DATE	========>	06/13/89	06/13/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-03(C)	W09-03(C)
SAMPLE NUMBER =====>	MOF-734	MOF-735
SAMPLE DATE ========>	06/13/89	06/13/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 4.72	TIC	J 12	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-03(C)	W09-03(C)
SAMPLE NUMBER =====>	MOF-734	MOF-735
SAMPLE DATE ========>	06/13/89	06/13/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 105	NA
Antimony	60	ND<37.0	NA
Arsenic	10	J 3.5	NA
Barium	200	J 107	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	35600	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	J 15.4	NA
Lead	5	ND<1.9	NA
Magnesium	5000	12800	NA
Manganese	15	59.8	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 1580	NA
Selenium	5	ND<2.1	NA
Silver	10	J 4.7	NA
Sodium	5000	49800	NA
Thallium	10	ND<0.90	NA
Vanadium	50	J 13.3	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-03(C)	W09-03(C)
SAMPLE NUMBER	=====>	MOF-734	MOF-735
SAMPLE DATE	========>	06/13/89	06/13/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-03(C)	W09-03(C)
SAMPLE NUMBER	=====>	MOF-734	MOF-735
SAMPLE DATE	========>	06/13/89	06/13/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-03(C)	W09-03(C)
SAMPLE NUMBER	=====>	MOF-734	MOF-735
SAMPLE DATE	========>	06/13/89	06/13/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	B 13
Benzene	5	J 1	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	J 2	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 17	B 20
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	J 2	J 1
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-04(B2)	W09-04(B2)
SAMPLE NUMBER	=====>	MOF-732	MOF-733
SAMPLE DATE	========>	06/12/89	06/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-04(B2)	W09-04(B2)
SAMPLE NUMBER =====>	MOF-732	MOF-733
SAMPLE DATE ========>	06/12/89	06/12/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-04(B2)	W09-04(B2)
SAMPLE NUMBER	=====>	MOF-732	MOF-733
SAMPLE DATE	========>	06/12/89	06/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 85.4	NA
Antimony	60	ND<37.0	NA
Arsenic	10	14.0	NA
Barium	200	J 107	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	45400	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	J 59.1	NA
Lead	5	ND<1.9	NA
Magnesium	5000	19000	NA
Manganese	15	119	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 3100	NA
Selenium	5	ND<2.1	NA
Silver	10	J 3.7	NA
Sodium	5000	39100	NA
Thallium	10	ND<0.90	NA
Vanadium	50	J 10.9	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-04(B2)	W09-04(B2)
SAMPLE NUMBER	=====>	MOF-732	MOF-733
SAMPLE DATE	========>	06/12/89	06/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-04(B2)	W09-04(B2)
SAMPLE NUMBER	=====>	MOF-732	MOF-733
SAMPLE DATE	========>	06/12/89	06/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-04(B2)	W09-04(B2)
SAMPLE NUMBER	=====>	MOF-732	MOF-733
SAMPLE DATE	========>	06/12/89	06/12/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	B 11
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 15	B 18
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-05(B3)
SAMPLE NUMBER =====> MOF-720

SAMPLE DATE ========> 06/12/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-05(B3)
SAMPLE NUMBER =====> MOF-720

SAMPLE DATE ========> 06/12/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-05(B3)
SAMPLE NUMBER =====> MOF-720

SAMPLE DATE ========> 06/12/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 102
Antimony	60	ND<37.0
Arsenic	10	J 9.8
Barium	200	J 130
Beryllium	5	ND<1.7
Cadmium	5	ND<4.0
Calcium	5000	34400
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	J 58.8
Lead	5	ND<1.9
Magnesium	5000	17500
Manganese	15	103
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 3910
Selenium	5	ND<2.1
Silver	10	J 6.0
Sodium	5000	52300
Thallium	10	J 1.7
Vanadium	50	J 13.1
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-05(B3)
SAMPLE NUMBER =====> MOF-720

SAMPLE DATE ========> 06/12/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-05(B3)
SAMPLE NUMBER =====> MOF-720

SAMPLE DATE ========> 06/12/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
AROCLOR-1016	.5	ND
AROCLOR-1221	.5	ND
AROCLOR-1232	.5	ND
AROCLOR-1242	.5	ND
AROCLOR-1248	.5	ND
AROCLOR-1254	1	ND
AROCLOR-1260	1	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-05(B3)
SAMPLE NUMBER =====> MOF-720

SAMPLE DATE ========> 06/12/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 6
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 14
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-06(A)	W09-06(A)
SAMPLE NUMBER =====>	MOF-736	MOF-737
SAMPLE DATE ========>	06/14/89	06/14/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-06(A)	W09-06(A)
SAMPLE NUMBER	=====>	MOF-736	MOF-737
SAMPLE DATE	========>	06/14/89	06/14/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
DioctylesterHexanedioic @28.9	TIC	J 14	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-06(A)	W09-06(A)
SAMPLE NUMBER	=====>	MOF-736	MOF-737
SAMPLE DATE	========>	06/14/89	06/14/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 184	NA
Antimony	60	ND<37.4	NA
Arsenic	10	J 3.3	NA
Barium	200	J 46.0	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	159000	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.9	NA
Copper	25	ND<3.8	NA
Iron	100	2200	NA
Lead	5	J 1.9	NA
Magnesium	5000	62200	NA
Manganese	15	244	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.3	NA
Potassium	5000	J 3900	NA
Selenium	5	ND<2.4	NA
Silver	10	ND<3.0	NA
Sodium	5000	46900	NA
Thallium	10	ND<0.90	NA
Vanadium	50	J 23.9	NA
Zinc	20	ND<6.0	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-06(A)	W09-06(A)
SAMPLE NUMBER	=====>	MOF-736	MOF-737
SAMPLE DATE	========>	06/14/89	06/14/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W09-06(A)	W09-06(A)
SAMPLE NUMBER =====>		MOF-736	MOF-737
SAMPLE DATE ========>		06/14/89	06/14/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-06(A)	W09-06(A)
SAMPLE NUMBER =====>	MOF-736	MOF-737
SAMPLE DATE ========>	06/14/89	06/14/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	J 2	J 2
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	6	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	21	13
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	BJ 4	B 8
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	J 3	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND
========== TIC ==========			
Diisopropyl Ether (Dot) @12.8	TIC	J 11	

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-07(A)
SAMPLE NUMBER =====> MOF-708

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-07(A)
SAMPLE NUMBER =====> MOF-708

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-07(A)
SAMPLE NUMBER =====> MOF-708

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 97.4
Antimony	60	ND<37.4
Arsenic	10	ND<3.0
Barium	200	J 50.9
Beryllium	5	ND<1.7
Cadmium	5	ND<4.0
Calcium	5000	151000
Chromium	10	ND<3.7
Cobalt	50	ND<6.9
Copper	25	ND<3.8
Iron	100	J 89.2
Lead	5	ND<1.9
Magnesium	5000	48600
Manganese	15	46.4
Mercury	.2	ND<0.10
Nickel	40	ND<13.3
Potassium	5000	J 4110
Selenium	5	10.9
Silver	10	J 6.8
Sodium	5000	38000
Thallium	10	ND<0.90
Vanadium	50	J 15.8
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-07(A)
SAMPLE NUMBER =====> MOF-708

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-07(A)
SAMPLE NUMBER =====> MOF-708

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
AROCLOR-1016	.5	ND
AROCLOR-1221	.5	ND
AROCLOR-1232	.5	ND
AROCLOR-1242	.5	ND
AROCLOR-1248	.5	ND
AROCLOR-1254	1	ND
AROCLOR-1260	1	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-07(A)
SAMPLE NUMBER =====> MOF-708

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	J 57
1,1,2,2-Tetrachloroethane	5	ND<130
1,1,2-Trichloroethane	5	ND<130
1,1-Dichloroethane	5	J 71
1,1-Dichloroethylene	5	J 93
1,2-Dichloroethane	5	ND<130
1,2-Dichloroethenes(Total)	5	J 120
1,2-Dichloropropane	5	ND<130
2-Butanone	10	ND<250
2-Hexanone	10	ND<250
4-Methyl-2-pentanone	10	ND<250
Acetone	10	BJ 130
Benzene	5	ND<130
Bromodichloromethane	5	ND<130
Bromoform	5	ND<130
Bromomethane	10	ND<250
Carbon disulfide	5	ND<130
Carbon tetrachloride	5	ND<130
Chlorobenzene	5	ND<130
Chloroethane	10	ND<250
Chloroform	5	ND<130
Chloromethane	10	ND<250
Dibromochloromethane	5	ND<130
Ethyl benzene	5	ND<130
Methylene chloride	5	B 310
Styrene	5	ND<130
Tetrachloroethene	5	ND<130
Toluene	5	ND<130
Total xylenes	5	ND<130
Trichloroethene	5	3800
Vinyl acetate	10	ND<250
Vinyl chloride	10	ND<250
cis-1,3-Dichloropropene	5	ND<130
trans-1,3-Dichloropropene	5	ND<130

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-13(B1)	W09-13(B1)
SAMPLE NUMBER	=====>	MOF-709	MOF-731
SAMPLE DATE	========>	06/09/89	06/09/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-13(B1)	W09-13(B1)
SAMPLE NUMBER	=====>	MOF-709	MOF-731
SAMPLE DATE	========>	06/09/89	06/09/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 8.67	TIC	J 12	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-13(B1)	W09-13(B1)
SAMPLE NUMBER	=====>	MOF-709	MOF-731
SAMPLE DATE	========>	06/09/89	06/09/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 33.0	NA
Antimony	60	ND<37.0	NA
Arsenic	10	ND<3.0	NA
Barium	200	J 23.8	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	146000	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	J 7.2	NA
Iron	100	J 87.1	NA
Lead	5	ND<1.9	NA
Magnesium	5000	48200	NA
Manganese	15	J 11.5	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 2280	NA
Selenium	5	14.1	NA
Silver	10	J 8.0	NA
Sodium	5000	38300	NA
Thallium	10	J 3.9	NA
Vanadium	50	J 4.9	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-13(B1)	W09-13(B1)
SAMPLE NUMBER	=====>	MOF-709	MOF-731
SAMPLE DATE	========>	06/09/89	06/09/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W09-13(B1)	W09-13(B1)
SAMPLE NUMBER =====>		MOF-709	MOF-731
SAMPLE DATE ========>		06/09/89	06/09/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-13(B1)	W09-13(B1)
SAMPLE NUMBER =====>	MOF-709	MOF-731
SAMPLE DATE ========>	06/09/89	06/09/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	J 44	ND
1,1,2,2-Tetrachloroethane	5	ND<130	ND
1,1,2-Trichloroethane	5	ND<130	ND
1,1-Dichloroethane	5	J 49	ND
1,1-Dichloroethylene	5	J 75	ND
1,2-Dichloroethane	5	ND<130	ND
1,2-Dichloroethenes(Total)	5	J 70	ND
1,2-Dichloropropane	5	ND<130	ND
2-Butanone	10	ND<250	ND
2-Hexanone	10	ND<250	ND
4-Methyl-2-pentanone	10	ND<250	ND
Acetone	10	ND<250	BJ 4
Benzene	5	ND<130	ND
Bromodichloromethane	5	ND<130	ND
Bromoform	5	ND<130	ND
Bromomethane	10	ND<250	ND
Carbon disulfide	5	ND<130	ND
Carbon tetrachloride	5	ND<130	ND
Chlorobenzene	5	ND<130	ND
Chloroethane	10	ND<250	ND
Chloroform	5	ND<130	ND
Chloromethane	10	ND<250	ND
Dibromochloromethane	5	ND<130	ND
Ethyl benzene	5	ND<130	ND
Methylene chloride	5	B 460	B 13
Styrene	5	ND<130	ND
Tetrachloroethene	5	ND<130	ND
Toluene	5	ND<130	ND
Total xylenes	5	ND<130	ND
Trichloroethene	5	3300	ND
Vinyl acetate	10	ND<250	ND
Vinyl chloride	10	ND<250	ND
cis-1,3-Dichloropropene	5	ND<130	ND
trans-1,3-Dichloropropene	5	ND<130	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-14(B1)
SAMPLE NUMBER =====> MOF-707

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-14(B1)
SAMPLE NUMBER =====> MOF-707

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-14(B1)
SAMPLE NUMBER =====> MOF-707

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 93.7
Antimony	60	ND<37.0
Arsenic	10	ND<3.0
Barium	200	J 31.0
Beryllium	5	ND<1.7
Cadmium	5	ND<4.0
Calcium	5000	129000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	J 33.0
Lead	5	ND<1.9
Magnesium	5000	40200
Manganese	15	ND<2.4
Mercury	.2	ND<0.089
Nickel	40	ND<13.2
Potassium	5000	J 3720
Selenium	5	ND<2.1
Silver	10	ND<3.0
Sodium	5000	32000
Thallium	10	J 2.0
Vanadium	50	J 14.4
Zinc	20	J 13.0

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-14(B1)
SAMPLE NUMBER =====> MOF-707

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-14(B1)
SAMPLE NUMBER =====> MOF-707

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
AROCLOR-1016	.5	ND
AROCLOR-1221	.5	ND
AROCLOR-1232	.5	ND
AROCLOR-1242	.5	ND
AROCLOR-1248	.5	ND
AROCLOR-1254	1	ND
AROCLOR-1260	1	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W09-14(B1)
SAMPLE NUMBER =====> MOF-707

SAMPLE DATE ========> 06/08/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND<1300
1,1,2,2-Tetrachloroethane	5	ND<1300
1,1,2-Trichloroethane	5	ND<1300
1,1-Dichloroethane	5	ND<1300
1,1-Dichloroethylene	5	ND<1300
1,2-Dichloroethane	5	ND<1300
1,2-Dichloroethenes(Total)	5	J 580
1,2-Dichloropropane	5	ND<1300
2-Butanone	10	ND<2500
2-Hexanone	10	ND<2500
4-Methyl-2-pentanone	10	ND<2500
Acetone	10	ND<2500
Benzene	5	ND<1300
Bromodichloromethane	5	ND<1300
Bromoform	5	ND<1300
Bromomethane	10	ND<2500
Carbon disulfide	5	ND<1300
Carbon tetrachloride	5	ND<1300
Chlorobenzene	5	ND<1300
Chloroethane	10	ND<2500
Chloroform	5	ND<1300
Chloromethane	10	ND<2500
Dibromochloromethane	5	ND<1300
Ethyl benzene	5	ND<1300
Methylene chloride	5	B 3000
Styrene	5	ND<1300
Tetrachloroethene	5	ND<1300
Toluene	5	ND<1300
Total xylenes	5	ND<1300
Trichloroethene	5	32000
Vinyl acetate	10	ND<2500
Vinyl chloride	10	ND<2500
cis-1,3-Dichloropropene	5	ND<1300
trans-1,3-Dichloropropene	5	ND<1300

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-15(B2)	W09-15(B2)
SAMPLE NUMBER	=====>	MOF-716	MOF-717
SAMPLE DATE	========>	06/08/89	06/08/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-15(B2)	W09-15(B2)
SAMPLE NUMBER =====>	MOF-716	MOF-717
SAMPLE DATE ========>	06/08/89	06/08/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-15(B2)	W09-15(B2)
SAMPLE NUMBER	=====>	MOF-716	MOF-717
SAMPLE DATE	========>	06/08/89	06/08/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 107	NA
Antimony	60	ND<37.4	NA
Arsenic	10	J 5.0	NA
Barium	200	J 113	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	40800	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.9	NA
Copper	25	ND<3.8	NA
Iron	100	358	NA
Lead	5	ND<1.9	NA
Magnesium	5000	16200	NA
Manganese	15	124	NA
Mercury	.2	J 0.091	NA
Nickel	40	ND<13.3	NA
Potassium	5000	J 4330	NA
Selenium	5	ND<2.1	NA
Silver	10	J 9.4	NA
Sodium	5000	44300	NA
Thallium	10	J 2.8	NA
Vanadium	50	J 14.2	NA
Zinc	20	J 8.0	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-15(B2)	W09-15(B2)
SAMPLE NUMBER =====>	MOF-716	MOF-717
SAMPLE DATE ========>	06/08/89	06/08/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-15(B2)	W09-15(B2)
SAMPLE NUMBER	=====>	MOF-716	MOF-717
SAMPLE DATE	========>	06/08/89	06/08/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W09-15(B2)	W09-15(B2)
SAMPLE NUMBER =====>		MOF-716	MOF-717
SAMPLE DATE ========>		06/08/89	06/08/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 5	BJ 3
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 6	B 9
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-27(B1)	W09-27(B1)
SAMPLE NUMBER	=====>	MOF-718	MOF-719
SAMPLE DATE	========>	06/09/89	06/09/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-27(B1)	W09-27(B1)
SAMPLE NUMBER =====>	MOF-718	MOF-719
SAMPLE DATE ========>	06/09/89	06/09/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	ND
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
N-nitrosodipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
Molecular Sulfur (S8)	TIC		J 16
Unknown @ 10.50	TIC	J 12	
Unknown @ 8.74	TIC		J 12

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-27(B1)	W09-27(B1)
SAMPLE NUMBER =====>	MOF-718	MOF-719
SAMPLE DATE ========>	06/09/89	06/09/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 39.4	J 44.6
Antimony	60	ND<37.0	ND<37.0
Arsenic	10	ND<3.0	ND<3.0
Barium	200	J 178	J 161
Beryllium	5	ND<1.7	ND<1.7
Cadmium	5	ND<4.0	ND<4.0
Calcium	5000	104000	97300
Chromium	10	ND<3.7	ND<3.7
Cobalt	50	ND<6.8	ND<6.8
Copper	25	ND<3.8	ND<3.8
Iron	100	147	129
Lead	5	ND<1.9	ND<1.9
Magnesium	5000	35000	34600
Manganese	15	411	376
Mercury	.2	ND<0.10	ND<0.10
Nickel	40	ND<13.2	ND<13.2
Potassium	5000	J 2650	J 2440
Selenium	5	ND<2.1	ND<2.1
Silver	10	J 7.7	J 8.0
Sodium	5000	37100	37600
Thallium	10	J 4.1	J 3.8
Vanadium	50	J 6.0	J 3.5
Zinc	20	ND<5.9	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-27(B1)	W09-27(B1)
SAMPLE NUMBER	=====>	MOF-718	MOF-719
SAMPLE DATE	========>	06/09/89	06/09/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W09-27(B1)	W09-27(B1)
SAMPLE NUMBER	=====>	MOF-718	MOF-719
SAMPLE DATE	========>	06/09/89	06/09/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	ND
AROCLOR-1221	.5	ND	ND
AROCLOR-1232	.5	ND	ND
AROCLOR-1242	.5	ND	ND
AROCLOR-1248	.5	ND	ND
AROCLOR-1254	1	ND	ND
AROCLOR-1260	1	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W09-27(B1)	W09-27(B1)
SAMPLE NUMBER =====>	MOF-718	MOF-719
SAMPLE DATE ========>	06/09/89	06/09/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	J 3	J 4
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	J 2	J 2
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	J 2	J 3
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 6	ND
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 10	B 6
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> MEW-46(B1)
SAMPLE NUMBER =====> MOF-752

SAMPLE DATE ========> 06/22/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	J 84
1,1,2,2-Tetrachloroethane	5	ND<250
1,1,2-Trichloroethane	5	ND<250
1,1-Dichloroethane	5	J 58
1,1-Dichloroethylene	5	J 200
1,2-Dichloroethane	5	ND<250
1,2-Dichloroethenes(Total)	5	610
1,2-Dichloropropane	5	ND<250
2-Butanone	10	ND<500
2-Hexanone	10	ND<500
4-Methyl-2-pentanone	10	ND<500
Acetone	10	ND<500
Benzene	5	ND<250
Bromodichloromethane	5	ND<250
Bromoform	5	ND<250
Bromomethane	10	ND<500
Carbon disulfide	5	ND<250
Carbon tetrachloride	5	ND<250
Chlorobenzene	5	ND<250
Chloroethane	10	ND<500
Chloroform	5	290
Chloromethane	10	ND<500
Dibromochloromethane	5	ND<250
Ethyl benzene	5	ND<250
Methylene chloride	5	B 730
Styrene	5	ND<250
Tetrachloroethene	5	ND<250
Toluene	5	ND<250
Total xylenes	5	ND<250
Trichloroethene	5	8000
Vinyl acetate	10	ND<500
Vinyl chloride	10	ND<500
cis-1,3-Dichloropropene	5	ND<250
trans-1,3-Dichloropropene	5	ND<250

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	MEW-75(A)	MEW-75(A)
SAMPLE NUMBER =====>	MOF-750	MOF-751
SAMPLE DATE ========>	06/22/89	06/22/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND<8	ND<8
1,1,2,2-Tetrachloroethane	5	ND<8	ND<8
1,1,2-Trichloroethane	5	ND<8	ND<8
1,1-Dichloroethane	5	J 5	J 4
1,1-Dichloroethylene	5	J 3	J 3
1,2-Dichloroethane	5	ND<8	ND<8
1,2-Dichloroethenes(Total)	5	37	34
1,2-Dichloropropane	5	ND<8	ND<8
2-Butanone	10	ND<17	ND<17
2-Hexanone	10	ND<17	ND<17
4-Methyl-2-pentanone	10	ND<17	ND<17
Acetone	10	BJ 9	BJ 8
Benzene	5	ND<8	ND<8
Bromodichloromethane	5	ND<8	ND<8
Bromoform	5	ND<8	ND<8
Bromomethane	10	ND<17	ND<17
Carbon disulfide	5	ND<8	ND<8
Carbon tetrachloride	5	ND<8	ND<8
Chlorobenzene	5	ND<8	ND<8
Chloroethane	10	ND<17	ND<17
Chloroform	5	ND<8	ND<8
Chloromethane	10	ND<17	ND<17
Dibromochloromethane	5	ND<8	ND<8
Ethyl benzene	5	ND<8	ND<8
Methylene chloride	5	B 24	B 14
Styrene	5	ND<8	ND<8
Tetrachloroethene	5	ND<8	ND<8
Toluene	5	ND<8	ND<8
Total xylenes	5	ND<8	ND<8
Trichloroethene	5	240	190
Vinyl acetate	10	ND<17	ND<17
Vinyl chloride	10	ND<17	ND<17
cis-1,3-Dichloropropene	5	ND<8	ND<8
trans-1,3-Dichloropropene	5	ND<8	ND<8

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> MEW-78(B1)
SAMPLE NUMBER =====> MOF-749

SAMPLE DATE ========> 06/21/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	J 17
1,1,2,2-Tetrachloroethane	5	ND<31
1,1,2-Trichloroethane	5	ND<31
1,1-Dichloroethane	5	ND<31
1,1-Dichloroethylene	5	J 12
1,2-Dichloroethane	5	ND<31
1,2-Dichloroethenes(Total)	5	ND<31
1,2-Dichloropropane	5	ND<31
2-Butanone	10	ND<63
2-Hexanone	10	ND<63
4-Methyl-2-pentanone	10	ND<63
Acetone	10	BJ 22
Benzene	5	ND<31
Bromodichloromethane	5	ND<31
Bromoform	5	ND<31
Bromomethane	10	ND<63
Carbon disulfide	5	ND<31
Carbon tetrachloride	5	ND<31
Chlorobenzene	5	ND<31
Chloroethane	10	ND<63
Chloroform	5	ND<31
Chloromethane	10	ND<63
Dibromochloromethane	5	ND<31
Ethyl benzene	5	ND<31
Methylene chloride	5	B 99
Styrene	5	ND<31
Tetrachloroethene	5	ND<31
Toluene	5	ND<31
Total xylenes	5	ND<31
Trichloroethene	5	880
Vinyl acetate	10	ND<63
Vinyl chloride	10	ND<63
cis-1,3-Dichloropropene	5	ND<31
trans-1,3-Dichloropropene	5	ND<31

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> MEW-81(A)
SAMPLE NUMBER =====> MOF-748

SAMPLE DATE ========> 06/21/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND<20
1,1,2,2-Tetrachloroethane	5	ND<20
1,1,2-Trichloroethane	5	ND<20
1,1-Dichloroethane	5	52
1,1-Dichloroethylene	5	31
1,2-Dichloroethane	5	ND<20
1,2-Dichloroethenes(Total)	5	420
1,2-Dichloropropane	5	ND<20
2-Butanone	10	ND<40
2-Hexanone	10	ND<40
4-Methyl-2-pentanone	10	ND<40
Acetone	10	BJ 22
Benzene	5	ND<20
Bromodichloromethane	5	ND<20
Bromoform	5	ND<20
Bromomethane	10	ND<40
Carbon disulfide	5	ND<20
Carbon tetrachloride	5	ND<20
Chlorobenzene	5	ND<20
Chloroethane	10	ND<40
Chloroform	5	ND<20
Chloromethane	10	ND<40
Dibromochloromethane	5	ND<20
Ethyl benzene	5	ND<20
Methylene chloride	5	B 64
Styrene	5	ND<20
Tetrachloroethene	5	ND<20
Toluene	5	ND<20
Total xylenes	5	ND<20
Trichloroethene	5	420
Vinyl acetate	10	ND<40
Vinyl chloride	10	ND<40
cis-1,3-Dichloropropene	5	ND<20
trans-1,3-Dichloropropene	5	ND<20

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> MEW-83(B1)
SAMPLE NUMBER =====> MOF-743

SAMPLE DATE ========> 06/20/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 3
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 13
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> MEW-88(A)
SAMPLE NUMBER =====> MOF-740

SAMPLE DATE ========> 06/21/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	J 1
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	ND
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 12
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	39
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 9, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	MEW-121(B2)	MEW-121(B2)
SAMPLE NUMBER	=====>	MOF-741	MOF-742
SAMPLE DATE	========>	06/20/89	06/20/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 5	BJ 2
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 10	B 11
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	J 1
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PAGE

10.0 SITE 10 ANALYTICAL RESULTS

10.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 10.....10.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-02(A)
SAMPLE NUMBER =====> MOF-797

SAMPLE DATE ========> 07/25/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	J 4
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	ND
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 2
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-03(B2)
SAMPLE NUMBER =====> MOF-798

SAMPLE DATE ========> 07/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	B 16
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 3
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-04(B1)
SAMPLE NUMBER =====> MOF-801

SAMPLE DATE ========> 07/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
Bicarbonate	1	250
Carbonate	1	ND
Chloride	.1	17
Fluoride	.1	ND<0.3
Nitrate	.1	ND
Sulfate	.2	48
TDS	1	350

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-04(B1)
SAMPLE NUMBER =====> MOF-801

SAMPLE DATE ========> 07/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	B 11
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 3
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-05(A)
SAMPLE NUMBER =====> MOF-800

SAMPLE DATE ========> 07/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-05(A)
SAMPLE NUMBER =====> MOF-800

SAMPLE DATE ========> 07/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-05(A)
SAMPLE NUMBER =====> MOF-800

SAMPLE DATE ========> 07/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	ND<13.4
Antimony	60	ND<37.0
Arsenic	10	ND<3.0
Barium	200	J 38.6
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	191000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	463
Lead	5	ND<1.9
Magnesium	5000	139000
Manganese	15	143
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	ND<416
Selenium	5	ND<2.1
Silver	10	ND<3.0
Sodium	5000	61300
Thallium	10	J 1.2
Vanadium	50	J 6.4
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-05(A)
SAMPLE NUMBER =====> MOF-800

SAMPLE DATE ========> 07/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-05(A)
SAMPLE NUMBER =====> MOF-800

SAMPLE DATE ========> 07/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 7
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 3
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-06(C)
SAMPLE NUMBER =====> MOF-803

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-06(C)
SAMPLE NUMBER =====> MOF-803

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-06(C)
SAMPLE NUMBER =====> MOF-803

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 29.3
Antimony	60	ND<37.0
Arsenic	10	J 8.3
Barium	200	J 97.5
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	27400
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	J 78.3
Lead	5	ND<1.9
Magnesium	5000	10600
Manganese	15	66.1
Mercury	.2	J 0.13
Nickel	40	ND<13.2
Potassium	5000	J 2420
Selenium	5	ND<2.1
Silver	10	J 3.6
Sodium	5000	57900
Thallium	10	ND<1.5
Vanadium	50	J 5.6
Zinc	20	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-06(C)
SAMPLE NUMBER =====> MOF-803

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-06(C)
SAMPLE NUMBER =====> MOF-803

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
AROCLOR-1016	.5	ND
AROCLOR-1221	.5	ND
AROCLOR-1232	.5	ND
AROCLOR-1242	.5	ND
AROCLOR-1248	.5	ND
AROCLOR-1254	1	ND
AROCLOR-1260	1	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 10, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W10-06(C)
SAMPLE NUMBER =====> MOF-803

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 9
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 1
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PAGE

11.0 SITE 11 ANALYTICAL RESULTS

11.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 11.....11.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W11-01(A)
SAMPLE NUMBER =====> MOF-698

SAMPLE DATE ========> 05/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W11-01(A)
SAMPLE NUMBER =====> MOF-698

SAMPLE DATE ========> 05/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Mol.(S8) Sulfur	TIC	J 40
Unknown @ 16.92	TIC	J 8
Unknown @ 6.67	TIC	J 20
Unknown @ 7.23	TIC	J 12

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W11-01(A)
SAMPLE NUMBER =====> MOF-698

SAMPLE DATE ========> 05/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 555
Antimony	60	ND<370
Arsenic	10	J 3.0
Barium	200	J 308
Beryllium	5	ND<17.0
Cadmium	5	ND<39.6
Calcium	5000	614000
Chromium	10	ND<37.0
Cobalt	50	ND<68.0
Copper	25	ND<38.0
Iron	100	3280
Lead	5	ND<19.0
Magnesium	5000	1660000
Manganese	15	8670
Mercury	.2	ND<0.10
Nickel	40	ND<132
Potassium	5000	293000
Selenium	5	ND<42.0
Silver	10	ND<30.0
Sodium	5000	12400000
Thallium	10	ND<15.0
Vanadium	50	J 115
Zinc	20	345

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W11-01(A)
SAMPLE NUMBER =====> MOF-698

SAMPLE DATE ========> 05/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W11-01(A)
SAMPLE NUMBER =====> MOF-698

SAMPLE DATE ========> 05/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
AROCLOR-1016	.5	ND
AROCLOR-1221	.5	ND
AROCLOR-1232	.5	ND
AROCLOR-1242	.5	ND
AROCLOR-1248	.5	ND
AROCLOR-1254	1	ND
AROCLOR-1260	1	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W11-01(A)
SAMPLE NUMBER =====> MOF-698

SAMPLE DATE ========> 05/26/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 3
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	BJ 3
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W11-02(A)	W11-02(A)	W11-02(A)
SAMPLE NUMBER =====>	MOF-699	MOF-700	MOF-701
SAMPLE DATE ========>	05/26/89	05/26/89	05/26/89
SAMPLE TYPE ========>		DUP	TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,2 Dichlorobenzene	10	ND	ND	NA
1,2,4-Trichlorobenzene	10	ND	ND	NA
1,3 Dichlorobenzene	10	ND	ND	NA
1,4 Dichlorobenzene	10	ND	ND	NA
2 nitrophenol	10	ND	ND	NA
2,4 Dimethylphenol	10	ND	ND	NA
2,4,5-Trichlorophenol	50	ND	ND	NA
2,4,6-Trichlorophenol	10	ND	ND	NA
2,4-Dichlorophenol	10	ND	ND	NA
2,4-Dinitrophenol	50	ND	ND	NA
2,4-Dinitrotoluene	10	ND	ND	NA
2,6-Dinitrotoluene	10	ND	ND	NA
2-Chloronaphthalene	10	ND	ND	NA
2-Chlorophenol	10	ND	ND	NA
2-Methylnaphthalene	10	ND	ND	NA
2-Methylphenol	10	ND	ND	NA
2-Nitroaniline	50	ND	ND	NA
3,3'-Dichlorobenzidine	20	ND	ND	NA
3-Nitroaniline	50	ND	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	ND	NA
4-Bromophenyl phenyl ether	10	ND	ND	NA
4-Chloro-3-methylphenol	10	ND	ND	NA
4-Chloroaniline	10	ND	ND	NA
4-Chlorophenyl phenyl ether	10	ND	ND	NA
4-Methylphenol	10	ND	ND	NA
4-Nitroaniline	50	ND	ND	NA
4-Nitrophenol	50	ND	ND	NA
Acenaphthene	10	ND	ND	NA
Acenaphthylene	10	ND	ND	NA
Anthracene	10	ND	ND	NA
Benzo(a)anthracene	10	ND	ND	NA
Benzo(a)pyrene	10	ND	ND	NA
Benzo(b)fluoranthene	10	ND	ND	NA
Benzo(g,h,i)perylene	10	ND	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W11-02(A)	W11-02(A)	W11-02(A)
SAMPLE NUMBER =====>	MOF-699	MOF-700	MOF-701
SAMPLE DATE ========>	05/26/89	05/26/89	05/26/89
SAMPLE TYPE ========>		DUP	TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Benzo(k)fluoranthene	10	ND	ND	NA
Benzoic acid	50	ND	ND	NA
Benzyl Alcohol	10	ND	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	ND	NA
Bis(2-Chloroethyl)ether	10	ND	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	ND	NA
Butyl benzyl phthalate	10	ND	ND	NA
Chrysene	10	ND	ND	NA
Di-n-butylphthalate	10	ND	ND	NA
Di-n-octyl phthalate	10	ND	ND	NA
Dibenz(a,h)anthracene	10	ND	ND	NA
Dibenzofuran	10	ND	ND	NA
Diethylphthalate	10	ND	ND	NA
Dimethyl phthalate	10	ND	ND	NA
Fluoranthene	10	ND	ND	NA
Fluorene	10	ND	ND	NA
Hexachlorobenzene	10	ND	ND	NA
Hexachlorobutadiene	10	ND	ND	NA
Hexachlorocyclopentadiene	10	ND	ND	NA
Hexachloroethane	10	ND	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	ND	NA
Isophorone	10	ND	ND	NA
N-nitroso-dipropylamine	10	ND	ND	NA
Naphthalene	10	ND	ND	NA
Nitrobenzene	10	ND	ND	NA
Pentachlorophenol	50	ND	ND	NA
Phenanthrene	10	ND	ND	NA
Phenol	10	ND	ND	NA
Pyrene	10	ND	ND	NA
========== TIC ==========				
Unknown @ 6.67	TIC	J 40	J 40	
Unknown @ 6.73	TIC	J 8	J 10	
Unknown @ 7.25	TIC	J 18	J 20	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W11-02(A)	W11-02(A)	W11-02(A)
SAMPLE NUMBER =====>	MOF-699	MOF-700	MOF-701
SAMPLE DATE ========>	05/26/89	05/26/89	05/26/89
SAMPLE TYPE ========>		DUP	TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
Aluminum	200	J 613	J 723	NA
Antimony	60	J 473	ND<370	NA
Arsenic	10	J 3.5	J 3.8	NA
Barium	200	J 321	J 290	NA
Beryllium	5	ND<17.0	ND<17.0	NA
Cadmium	5	ND<39.6	ND<39.6	NA
Calcium	5000	694000	689000	NA
Chromium	10	ND<37.0	ND<37.0	NA
Cobalt	50	ND<68.0	ND<68.0	NA
Copper	25	ND<38.0	ND<38.0	NA
Iron	100	16100	17100	NA
Lead	5	ND<19.0	ND<19.0	NA
Magnesium	5000	1660000	1650000	NA
Manganese	15	7080	7020	NA
Mercury	.2	ND<0.10	ND<0.10	NA
Nickel	40	ND<132	ND<132	NA
Potassium	5000	210000	206000	NA
Selenium	5	ND<21.0	ND<21.0	NA
Silver	10	J 54.5	J 74.6	NA
Sodium	5000	11400000	11400000	NA
Thallium	10	J 15.0	J 18.0	NA
Vanadium	50	J 127	J 128	NA
Zinc	20	345	368	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W11-02(A)	W11-02(A)	W11-02(A)
SAMPLE NUMBER	=====>	MOF-699	MOF-700	MOF-701
SAMPLE DATE	========>	05/26/89	05/26/89	05/26/89
SAMPLE TYPE	========>		DUP	TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]		
TPHC	.25	ND	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W11-02(A)	W11-02(A)	W11-02(A)
SAMPLE NUMBER =====>	MOF-699	MOF-700	MOF-701
SAMPLE DATE ========>	05/26/89	05/26/89	05/26/89
SAMPLE TYPE ========>		DUP	TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
AROCLOR-1016	.5	ND<1	ND<1	NA
AROCLOR-1221	.5	ND<1	ND<1	NA
AROCLOR-1232	.5	ND<1	ND<1	NA
AROCLOR-1242	.5	ND<1	ND<1	NA
AROCLOR-1248	.5	ND<1	ND<1	NA
AROCLOR-1254	1	ND<2	ND<2	NA
AROCLOR-1260	1	ND<2	ND<2	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 11, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W11-02(A)	W11-02(A)	W11-02(A)
SAMPLE NUMBER =====>	MOF-699	MOF-700	MOF-701
SAMPLE DATE ========>	05/26/89	05/26/89	05/26/89
SAMPLE TYPE ========>		DUP	TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]		
1,1,1-Trichloroethane	5	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND
1,1,2-Trichloroethane	5	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND
1,1-Dichloroethylene	5	ND	ND	ND
1,2-Dichloroethane	5	ND	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND	ND
1,2-Dichloropropane	5	ND	ND	ND
2-Butanone	10	ND	ND	ND
2-Hexanone	10	ND	ND	ND
4-Methyl-2-pentanone	10	ND	ND	ND
Acetone	10	BJ 3	BJ 5	BJ 5
Benzene	5	ND	ND	ND
Bromodichloromethane	5	ND	ND	ND
Bromoform	5	ND	ND	ND
Bromomethane	10	ND	ND	ND
Carbon disulfide	5	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND
Chlorobenzene	5	ND	ND	ND
Chloroethane	10	ND	ND	ND
Chloroform	5	ND	ND	ND
Chloromethane	10	ND	ND	ND
Dibromochloromethane	5	ND	ND	ND
Ethyl benzene	5	ND	ND	ND
Methylene chloride	5	BJ 2	BJ 2	B 7
Styrene	5	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND
Toluene	5	ND	ND	ND
Total xylenes	5	ND	ND	ND
Trichloroethene	5	ND	ND	ND
Vinyl acetate	10	ND	ND	ND
Vinyl chloride	10	ND	ND	ND
cis-1,3-Dichloropropene	5	ND	ND	ND
trans-1,3-Dichloropropene	5	ND	ND	ND

PAGE

12.0 SITE 12 ANALYTICAL RESULTS

12.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 12.....12.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-01(A)	W12-01(A)
SAMPLE NUMBER =====>	MOF-756	MOF-757
SAMPLE DATE ========>	06/21/89	06/21/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W12-01(A)	W12-01(A)
SAMPLE NUMBER	=====>	MOF-756	MOF-757
SAMPLE DATE	========>	06/21/89	06/21/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	J 9	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W12-01(A)	W12-01(A)
SAMPLE NUMBER	=====>	MOF-756	MOF-757
SAMPLE DATE	========>	06/21/89	06/21/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.5	NA
Antimony	60	ND<37.4	NA
Arsenic	10	ND<3.0	NA
Barium	200	J 144	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	78300	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.9	NA
Copper	25	ND<3.8	NA
Iron	100	407	NA
Lead	5	ND<1.9	NA
Magnesium	5000	84200	NA
Manganese	15	76.9	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.3	NA
Potassium	5000	ND<420	NA
Selenium	5	ND<2.4	NA
Silver	10	ND<3.0	NA
Sodium	5000	79400	NA
Thallium	10	ND<1.5	NA
Vanadium	50	J 3.5	NA
Zinc	20	ND<6.0	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W12-01(A)	W12-01(A)
SAMPLE NUMBER =====>		MOF-756	MOF-757
SAMPLE DATE ========>		06/21/89	06/21/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-01(A)	W12-01(A)
SAMPLE NUMBER =====>	MOF-756	MOF-757
SAMPLE DATE ========>	06/21/89	06/21/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W12-01(A)	W12-01(A)
SAMPLE NUMBER	=====>	MOF-756	MOF-757
SAMPLE DATE	========>	06/21/89	06/21/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	BJ 8
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	J 2	BJ 2
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 6	B 23
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-02(A)	W12-02(A)
SAMPLE NUMBER =====>	MOF-758	MOF-759
SAMPLE DATE ========>	06/22/89	06/22/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W12-02(A)	W12-02(A)
SAMPLE NUMBER =====>		MOF-758	MOF-759
SAMPLE DATE ========>		06/22/89	06/22/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 7.98	TIC	J 10	
Unknown @ 9.80	TIC	J 12	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-02(A)	W12-02(A)
SAMPLE NUMBER =====>	MOF-758	MOF-759
SAMPLE DATE ========>	06/22/89	06/22/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 58.0	NA
Antimony	60	ND<37.0	NA
Arsenic	10	ND<3.0	NA
Barium	200	J 125	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	80500	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	1130	NA
Lead	5	ND<1.9	NA
Magnesium	5000	61500	NA
Manganese	15	198	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	J 2260	NA
Selenium	5	ND<2.1	NA
Silver	10	J 9.4	NA
Sodium	5000	73100	NA
Thallium	10	ND<1.5	NA
Vanadium	50	J 8.6	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W12-02(A)	W12-02(A)
SAMPLE NUMBER	=====>	MOF-758	MOF-759
SAMPLE DATE	========>	06/22/89	06/22/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-02(A)	W12-02(A)
SAMPLE NUMBER =====>	MOF-758	MOF-759
SAMPLE DATE ========>	06/22/89	06/22/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-02(A)	W12-02(A)
SAMPLE NUMBER =====>	MOF-758	MOF-759
SAMPLE DATE ========>	06/22/89	06/22/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 7	BJ 8
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	J 2
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 11	B 22
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-03(A)	W12-03(A)
SAMPLE NUMBER =====>	MOF-729	MOF-730
SAMPLE DATE ========>	06/20/89	06/20/89
SAMPLE TYPE ========>		FIELD BLNK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-03(A)	W12-03(A)
SAMPLE NUMBER =====>	MOF-729	MOF-730
SAMPLE DATE ========>	06/20/89	06/20/89
SAMPLE TYPE ========>		FIELD BLNK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	ND
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
Unknown @ 8.08	TIC		J 24

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-03(A)	W12-03(A)
SAMPLE NUMBER =====>	MOF-729	MOF-730
SAMPLE DATE ========>	06/20/89	06/20/89
SAMPLE TYPE ========>		FIELD BLNK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.4	J 86.6
Antimony	60	ND<37.0	ND<37.0
Arsenic	10	ND<3.0	ND<3.0
Barium	200	J 144	J 4.9
Beryllium	5	ND<1.7	ND<1.7
Cadmium	5	ND<4.0	ND<4.0
Calcium	5000	82400	J 64.2
Chromium	10	ND<3.7	ND<3.7
Cobalt	50	ND<6.8	ND<6.8
Copper	25	ND<3.8	ND<3.8
Iron	100	1110	J 21.9
Lead	5	ND<1.9	ND<1.9
Magnesium	5000	74000	J 83.8
Manganese	15	65.6	ND<2.4
Mercury	.2	ND<0.10	ND<0.10
Nickel	40	ND<13.2	ND<13.2
Potassium	5000	ND<416	J 3130
Selenium	5	ND<2.1	ND<2.1
Silver	10	ND<3.0	ND<3.0
Sodium	5000	80100	J 89.5
Thallium	10	ND<1.5	ND<1.5
Vanadium	50	J 4.5	J 11.0
Zinc	20	ND<5.9	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W12-03(A)	W12-03(A)
SAMPLE NUMBER	=====>	MOF-729	MOF-730
SAMPLE DATE	========>	06/20/89	06/20/89
SAMPLE TYPE	========>		FIELD BLNK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W12-03(A)	W12-03(A)
SAMPLE NUMBER =====>		MOF-729	MOF-730
SAMPLE DATE ========>		06/20/89	06/20/89
SAMPLE TYPE ========>			FIELD BLNK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	ND
AROCLOR-1221	.5	ND	ND
AROCLOR-1232	.5	ND	ND
AROCLOR-1242	.5	ND	ND
AROCLOR-1248	.5	ND	ND
AROCLOR-1254	1	ND	ND
AROCLOR-1260	1	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 12, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W12-03(A)	W12-03(A)
SAMPLE NUMBER =====>	MOF-729	MOF-730
SAMPLE DATE ========>	06/20/89	06/20/89
SAMPLE TYPE ========>		FIELD BLNK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	J 1	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	5
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 3	BJ 2
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 13	B 14
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PAGE

14.0 SITE 14 ANALYTICAL RESULTS

14.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 14.....14.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-01(B1)	W14-01(B1)
SAMPLE NUMBER =====>	MOF-705	MOF-715
SAMPLE DATE ========>	06/07/89	06/07/89
SAMPLE TYPE ========>	TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	NA	ND
1,2,4-Trichlorobenzene	10	NA	ND
1,3 Dichlorobenzene	10	NA	ND
1,4 Dichlorobenzene	10	NA	ND
2 nitrophenol	10	NA	ND
2,4 Dimethylphenol	10	NA	ND
2,4,5-Trichlorophenol	50	NA	ND
2,4,6-Trichlorophenol	10	NA	ND
2,4-Dichlorophenol	10	NA	ND
2,4-Dinitrophenol	50	NA	ND
2,4-Dinitrotoluene	10	NA	ND
2,6-Dinitrotoluene	10	NA	ND
2-Chloronaphthalene	10	NA	ND
2-Chlorophenol	10	NA	ND
2-Methylnaphthalene	10	NA	ND
2-Methylphenol	10	NA	ND
2-Nitroaniline	50	NA	ND
3,3'-Dichlorobenzidine	20	NA	ND
3-Nitroaniline	50	NA	ND
4,6-Dinitro-2-methylphenol	50	NA	ND
4-Bromophenyl phenyl ether	10	NA	ND
4-Chloro-3-methylphenol	10	NA	ND
4-Chloroaniline	10	NA	ND
4-Chlorophenyl phenyl ether	10	NA	ND
4-Methylphenol	10	NA	ND
4-Nitroaniline	50	NA	ND
4-Nitrophenol	50	NA	ND
Acenaphthene	10	NA	ND
Acenaphthylene	10	NA	ND
Anthracene	10	NA	ND
Benzo(a)anthracene	10	NA	ND
Benzo(a)pyrene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(g,h,i)perylene	10	NA	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-01(B1)	W14-01(B1)
SAMPLE NUMBER =====>	MOF-705	MOF-715
SAMPLE DATE ========>	06/07/89	06/07/89
SAMPLE TYPE ========>	TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	NA	ND
Benzoic acid	50	NA	ND
Benzyl Alcohol	10	NA	ND
Bis(2-Chloroethoxy)methane	10	NA	ND
Bis(2-Chloroethyl)ether	10	NA	ND
Bis(2-Chloroisopropyl)ether	10	NA	ND
Bis(2-Ethylhexyl)phthalate	10	NA	ND
Butyl benzyl phthalate	10	NA	ND
Chrysene	10	NA	ND
Di-n-butylphthalate	10	NA	ND
Di-n-octyl phthalate	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND
Dibenzofuran	10	NA	ND
Diethylphthalate	10	NA	ND
Dimethyl phthalate	10	NA	ND
Fluoranthene	10	NA	ND
Fluorene	10	NA	ND
Hexachlorobenzene	10	NA	ND
Hexachlorobutadiene	10	NA	ND
Hexachlorocyclopentadiene	10	NA	ND
Hexachloroethane	10	NA	ND
Indeno(1,2,3-c,d)pyrene	10	NA	ND
Isophorone	10	NA	ND
N-nitroso-dipropylamine	10	NA	ND
Naphthalene	10	NA	ND
Nitrobenzene	10	NA	ND
Pentachlorophenol	50	NA	ND
Phenanthrene	10	NA	ND
Phenol	10	NA	ND
Pyrene	10	NA	ND
========== TIC ==========			
Unknown @ 10.29	TIC		J 14
Unknown @ 10.74	TIC		J 12

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-01(B1)	W14-01(B1)
SAMPLE NUMBER =====>	MOF-705	MOF-715
SAMPLE DATE ========>	06/07/89	06/07/89
SAMPLE TYPE ========>	TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	NA	J 112
Antimony	60	NA	ND<37.0
Arsenic	10	NA	J 3.6
Barium	200	NA	J 37.5
Beryllium	5	NA	ND<1.7
Cadmium	5	NA	ND<4.0
Calcium	5000	NA	167000
Chromium	10	NA	ND<3.7
Cobalt	50	NA	ND<6.8
Copper	25	NA	ND<3.8
Iron	100	NA	530
Lead	5	NA	ND<1.9
Magnesium	5000	NA	49900
Manganese	15	NA	478
Mercury	.2	NA	ND<0.10
Nickel	40	NA	ND<13.2
Potassium	5000	NA	J 4360
Selenium	5	NA	6.4
Silver	10	NA	ND<3.0
Sodium	5000	NA	39100
Thallium	10	NA	ND<1.5
Vanadium	50	NA	J 13.6
Zinc	20	NA	J 11.8

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W14-01(B1)	W14-01(B1)
SAMPLE NUMBER	=====>	MOF-705	MOF-715
SAMPLE DATE	========>	06/07/89	06/07/89
SAMPLE TYPE	========>	TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	NA	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-01(B1)	W14-01(B1)
SAMPLE NUMBER =====>	MOF-705	MOF-715
SAMPLE DATE ========>	06/07/89	06/07/89
SAMPLE TYPE ========>	TRIP BLANK	

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	J 3
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	J 3
1,1-Dichloroethylene	5	ND	J 2
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	J 1
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	BJ 7	ND
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	BJ 4	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 10	B 5
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	J 3
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-02(A)
SAMPLE NUMBER =====> MOF-710

SAMPLE DATE ========> 06/06/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	25
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	24
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-02(A)
SAMPLE NUMBER =====> MOF-710

SAMPLE DATE ========> 06/06/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
Naphthalene	10	110
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
1,2,4,5-Tetramethyl Benz@13.2	TIC	J 52
1-Ethenyl-2-Methyl-Benze@12.1	TIC	J 180
1-Methyl-Naphthalene @ 17.77	TIC	J 22
1-Methyl-Propyl-Benzene @12.5	TIC	J 30
Diethyl Benzene @ 12.60	TIC	J 22

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-02(A)
SAMPLE NUMBER =====> MOF-710

SAMPLE DATE ========> 06/06/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Dihydromethyl-1H-Indene @14.3	TIC	J 62
Dihydromethyl-1H-Indene @14.6	TIC	J 80
Ethyl Dimethyl Benzene @ 13.0	TIC	J 36
Ethyl Dimethyl Benzene @ 13.7	TIC	J 22
Ethyl Methyl Benzene Iso@10.4	TIC	J 120
Methyl Phenol Isomer @ 12.97	TIC	J 22
Methyl-Propyl-Benzene Is@12.8	TIC	J 18
Methylethyl Benzene Isome@9.5	TIC	J 26
Propylbenzene @ 10.24	TIC	J 80
Tetramethyl Benzene Isom@13.9	TIC	J 40
Tetramethyl Benzene Isom@14.0	TIC	J 54
Trimethyl Benzene Isomer@10.5	TIC	J 82
Trimethyl Benzene Isomer@11.2	TIC	J 360
Trimethyl Benzene Isomer@11.8	TIC	J 130
Unknown @ 14.87	TIC	J 26

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-02(A)
SAMPLE NUMBER =====> MOF-710

SAMPLE DATE ========> 06/06/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 112
Antimony	60	ND<37.0
Arsenic	10	28.9
Barium	200	J 37.4
Beryllium	5	ND<1.7
Cadmium	5	ND<4.0
Calcium	5000	167000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	530
Lead	5	ND<1.9
Magnesium	5000	49900
Manganese	15	478
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 4360
Selenium	5	ND<2.1
Silver	10	ND<3.0
Sodium	5000	39100
Thallium	10	ND<1.5
Vanadium	50	J 13.6
Zinc	20	J 11.8

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-02(A)
SAMPLE NUMBER =====> MOF-710

SAMPLE DATE ========> 06/06/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	3.8

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-02(A)
SAMPLE NUMBER =====> MOF-710

SAMPLE DATE ========> 06/06/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	ND
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	ND
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-03(A)	W14-03(A)
SAMPLE NUMBER =====>	MOF-703	MOF-704
SAMPLE DATE ========>	06/06/89	06/06/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-03(A)	W14-03(A)
SAMPLE NUMBER =====>	MOF-703	MOF-704
SAMPLE DATE ========>	06/06/89	06/06/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-03(A)	W14-03(A)
SAMPLE NUMBER =====>	MOF-703	MOF-704
SAMPLE DATE ========>	06/06/89	06/06/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 133	NA
Antimony	60	ND<37.0	NA
Arsenic	10	J 3.3	NA
Barium	200	J 79.4	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	166000	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	693	NA
Lead	5	ND<1.9	NA
Magnesium	5000	45800	NA
Manganese	15	806	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	5050	NA
Selenium	5	ND<2.1	NA
Silver	10	J 3.6	NA
Sodium	5000	36900	NA
Thallium	10	ND<1.5	NA
Vanadium	50	J 16.2	NA
Zinc	20	J 10	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-03(A)	W14-03(A)
SAMPLE NUMBER =====>	MOF-703	MOF-704
SAMPLE DATE ========>	06/06/89	06/06/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-03(A)	W14-03(A)
SAMPLE NUMBER =====>	MOF-703	MOF-704
SAMPLE DATE ========>	06/06/89	06/06/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	ND	J 6
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 7	B 13
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W14-04(A)	W14-04(A)
SAMPLE NUMBER	=====>	MOF-711	MOF-712
SAMPLE DATE	========>	06/05/89	06/05/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W14-04(A)	W14-04(A)
SAMPLE NUMBER =====>		MOF-711	MOF-712
SAMPLE DATE ========>		06/05/89	06/05/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Mol.(58) Sulfur @ 24.52	TIC	J 20	
Unknown @ 12.20	TIC	J 20	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-04(A)	W14-04(A)
SAMPLE NUMBER =====>	MOF-711	MOF-712
SAMPLE DATE ========>	06/05/89	06/05/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	419	NA
Antimony	60	J 54.1	NA
Arsenic	10	J 3.0	NA
Barium	200	J 26.0	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<4.0	NA
Calcium	5000	360000	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	2030	NA
Lead	5	ND<1.4	NA
Magnesium	5000	116000	NA
Manganese	15	1990	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	13200	NA
Selenium	5	ND<2.1	NA
Silver	10	J 5.0	NA
Sodium	5000	35600	NA
Thallium	10	ND<1.5	NA
Vanadium	50	J 47.5	NA
Zinc	20	29.2	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-04(A)	W14-04(A)
SAMPLE NUMBER =====>	MOF-711	MOF-712
SAMPLE DATE ========>	06/05/89	06/05/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W14-04(A)	W14-04(A)
SAMPLE NUMBER =====>		MOF-711	MOF-712
SAMPLE DATE ========>		06/05/89	06/05/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	J 8	J 9
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 8	B 10
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloroprope	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-05(B1)
SAMPLE NUMBER =====> MOF-706

SAMPLE DATE ========> 06/07/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-05(B1)
SAMPLE NUMBER =====> MOF-706

SAMPLE DATE ========> 06/07/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-05(B1)
SAMPLE NUMBER =====> MOF-706

SAMPLE DATE ========> 06/07/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 112
Antimony	60	ND<37.0
Arsenic	10	ND<3.0
Barium	200	J 45.4
Beryllium	5	ND<1.7
Cadmium	5	ND<4.0
Calcium	5000	161000
Chromium	10	ND<3.7
Cobalt	50	ND<6.8
Copper	25	ND<3.8
Iron	100	J 35.6
Lead	5	ND<1.9
Magnesium	5000	49900
Manganese	15	ND<2.4
Mercury	.2	ND<0.10
Nickel	40	ND<13.2
Potassium	5000	J 4700
Selenium	5	6.0
Silver	10	ND<3.0
Sodium	5000	31900
Thallium	10	ND<1.5
Vanadium	50	J 14.0
Zinc	20	J 14.7

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-05(B1)
SAMPLE NUMBER =====> MOF-706

SAMPLE DATE ========> 06/07/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W14-05(B1)
SAMPLE NUMBER =====> MOF-706

SAMPLE DATE ========> 06/07/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	11
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	6
1,1-Dichloroethylene	5	18
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	25
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 6
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	BJ 1
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 7
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	170
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-06(B1)	W14-06(B1)
SAMPLE NUMBER =====>	MOF-713	MOF-714
SAMPLE DATE ========>	06/06/89	06/06/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-06(B1)	W14-06(B1)
SAMPLE NUMBER =====>	MOF-713	MOF-714
SAMPLE DATE ========>	06/06/89	06/06/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	ND
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
Unknown @ 11.84	TIC	J 10	
Unknown @ 8.74	TIC	J 10	
Unknown @ 8.75	TIC		J 10

PANEL : METALS
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-06(B1)	W14-06(B1)
SAMPLE NUMBER =====>	MOF-713	MOF-714
SAMPLE DATE ========>	06/06/89	06/06/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	J 34.3	J 125
Antimony	60	ND<37.0	ND<37.0
Arsenic	10	J 3.0	J 3.0
Barium	200	J 84.6	J 84.3
Beryllium	5	ND<1.7	ND<1.7
Cadmium	5	ND<4.0	ND<4.0
Calcium	5000	151000	153000
Chromium	10	ND<3.7	ND<3.7
Cobalt	50	ND<6.8	ND<6.8
Copper	25	ND<3.8	ND<3.8
Iron	100	209	214
Lead	5	ND<1.9	ND<1.9
Magnesium	5000	47200	47900
Manganese	15	72.3	76.9
Mercury	.2	ND<0.10	ND<0.10
Nickel	40	ND<13.2	ND<13.2
Potassium	5000	J 1980	5150
Selenium	5	J 4.8	J 4.7
Silver	10	ND<3.0	ND<3.0
Sodium	5000	36300	35900
Thallium	10	ND<1.5	ND<1.5
Vanadium	50	J 4.1	J 16.8
Zinc	20	J 12.0	J 14.8

PANEL : MISC
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W14-06(B1)	W14-06(B1)
SAMPLE NUMBER =====>		MOF-713	MOF-714
SAMPLE DATE ========>		06/06/89	06/06/89
SAMPLE TYPE ========>			DUP
COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W14-06(B1)	W14-06(B1)
SAMPLE NUMBER =====>	MOF-713	MOF-714
SAMPLE DATE ========>	06/06/89	06/06/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	7	7
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	J 3	J 3
1,1-Dichloroethylene	5	J 3	J 3
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	J 2	J 2
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	J 6	J 4
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	ND	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 7	B 7
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	ND	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> MEW-72(A)
SAMPLE NUMBER =====> MOF-746

SAMPLE DATE ========> 06/20/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	J 3
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	7
1,1-Dichloroethylene	5	J 2
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	J 3
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 2
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 9
Styrene	5	ND
Tetrachloroethene	5	11
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	19
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/13/89

Results of Water Sample Analyses
Site 14, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> MEW-74(A)
SAMPLE NUMBER =====> MOF-747

SAMPLE DATE ========> 06/21/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	22
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	11
1,1-Dichloroethylene	5	16
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	24
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	BJ 4
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	J 1
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 10
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	54
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND

PAGE

15.0 SITE 19 ANALYTICAL RESULTS

15.1 RESULTS OF WATER SAMPLE ANALYSES, SITE 19.....19.1-1

FOOTNOTES FOR DATA TABLES

a	- No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	- One or more unknown compounds were detected; see complete data tables for retention time and concentrations.
j	- Indicates an estimated value. For organics, equivalent to "j" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the instrument detection limit.
B	- Equivalent to "B" qualifier defined and EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
E	- Indicates an estimated value; compound concentration exceeded the calibration range of the GC/MS instrument for the specific analysis. Sample could not be rerun at a higher dilution as there was potential damage to the instrument due to the sample matrix.
A	- Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condenstion product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown @ 9.07	- Indicates the retention time for the unknown TIC.
TIC	- Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	- Not Analyzed.
TRIP BLANK	- A trip blank is an HPLC/ASTM - Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	- A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technic are used.
SPLIT	- A split sample is obtained at the identical time and place of the original. When collecting the split , the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	- After decontamination has been performed on sampling equipment and before equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	- A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.
N.D.	- None detected, analyte not detected at or above the stated detection limit.
µg/L	- Micrograms / Liter.

Quantitation Limits are specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and analysis plan, March, 1988.

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-01(A)	W19-01(A)
SAMPLE NUMBER =====>	MOF-802	MOF-805
SAMPLE DATE ========>	07/27/89	07/27/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-01(A)	W19-01(A)
SAMPLE NUMBER =====>	MOF-802	MOF-805
SAMPLE DATE ========>	07/27/89	07/27/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	J 2	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	ND	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 8.05	TIC	J 16	
Unknown @ 8.72	TIC	J 20	
Unknown @ 9.00	TIC	J 12	
Unknown Hydrocarbon @8.27	TIC	J 20	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W19-01(A)	W19-01(A)
SAMPLE NUMBER =====>		MOF-802	MOF-805
SAMPLE DATE ========>		07/27/89	07/27/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.4	NA
Antimony	60	ND<37.0	NA
Arsenic	10	ND<2.0	NA
Barium	200	J 142	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<3.9	NA
Calcium	5000	119000	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	J 52.6	NA
Lead	5	ND<1.9	NA
Magnesium	5000	71900	NA
Manganese	15	24.4	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	ND<465	NA
Selenium	5	ND<4.4	NA
Silver	10	ND<3.0	NA
Sodium	5000	68900	NA
Thallium	10	ND<1.5	NA
Vanadium	50	ND<5.2	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W19-01(A)	W19-01(A)
SAMPLE NUMBER =====>		MOF-802	MOF-805
SAMPLE DATE ========>		07/27/89	07/27/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-01(A)	W19-01(A)
SAMPLE NUMBER =====>	MOF-802	MOF-805
SAMPLE DATE ========>	07/27/89	07/27/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-01(A)	W19-01(A)
SAMPLE NUMBER =====>	MOF-802	MOF-805
SAMPLE DATE ========>	07/27/89	07/27/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	6	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	6	ND
1,1-Dichloroethylene	5	J 2	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	17	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	11	19
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	9	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	7	J 2
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 10	B 16
Styrene	5	ND	ND
Tetrachloroethene	5	85	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	25	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W19-02(B1)
SAMPLE NUMBER =====> MOF-804

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,2 Dichlorobenzene	10	ND
1,2,4-Trichlorobenzene	10	ND
1,3 Dichlorobenzene	10	ND
1,4 Dichlorobenzene	10	ND
2 nitrophenol	10	ND
2,4 Dimethylphenol	10	ND
2,4,5-Trichlorophenol	50	ND
2,4,6-Trichlorophenol	10	ND
2,4-Dichlorophenol	10	ND
2,4-Dinitrophenol	50	ND
2,4-Dinitrotoluene	10	ND
2,6-Dinitrotoluene	10	ND
2-Chloronaphthalene	10	ND
2-Chlorophenol	10	ND
2-Methylnaphthalene	10	ND
2-Methylphenol	10	ND
2-Nitroaniline	50	ND
3,3'-Dichlorobenzidine	20	ND
3-Nitroaniline	50	ND
4,6-Dinitro-2-methylphenol	50	ND
4-Bromophenyl phenyl ether	10	ND
4-Chloro-3-methylphenol	10	ND
4-Chloroaniline	10	ND
4-Chlorophenyl phenyl ether	10	ND
4-Methylphenol	10	ND
4-Nitroaniline	50	ND
4-Nitrophenol	50	ND
Acenaphthene	10	ND
Acenaphthylene	10	ND
Anthracene	10	ND
Benzo(a)anthracene	10	ND
Benzo(a)pyrene	10	ND
Benzo(b)fluoranthene	10	ND
Benzo(g,h,i)perylene	10	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W19-02(B1)
SAMPLE NUMBER =====> MOF-804

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Benzo(k)fluoranthene	10	ND
Benzoic acid	50	ND
Benzyl Alcohol	10	ND
Bis(2-Chloroethoxy)methane	10	ND
Bis(2-Chloroethyl)ether	10	ND
Bis(2-Chloroisopropyl)ether	10	ND
Bis(2-Ethylhexyl)phthalate	10	ND
Butyl benzyl phthalate	10	ND
Chrysene	10	ND
Di-n-butylphthalate	10	ND
Di-n-octyl phthalate	10	ND
Dibenz(a,h)anthracene	10	ND
Dibenzofuran	10	ND
Diethylphthalate	10	ND
Dimethyl phthalate	10	ND
Fluoranthene	10	ND
Fluorene	10	ND
Hexachlorobenzene	10	ND
Hexachlorobutadiene	10	ND
Hexachlorocyclopentadiene	10	ND
Hexachloroethane	10	ND
Indeno(1,2,3-c,d)pyrene	10	ND
Isophorone	10	ND
N-nitroso-dipropylamine	10	ND
N-nitrosodipropylamine	10	ND
Naphthalene	10	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Phenanthrene	10	ND
Phenol	10	ND
Pyrene	10	ND
========== TIC ==========		
Unknown Hydrocarbon @ 8.27	TIC	J 8

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W19-02(B1)
SAMPLE NUMBER =====> MOF-804

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
Aluminum	200	J 62.2
Antimony	60	ND<37.4
Arsenic	10	J 2.8
Barium	200	J 63.5
Beryllium	5	ND<1.7
Cadmium	5	ND<3.9
Calcium	5000	31300
Chromium	10	ND<3.7
Cobalt	50	ND<6.9
Copper	25	ND<3.8
Iron	100	151
Lead	5	ND<1.9
Magnesium	5000	19700
Manganese	15	154
Mercury	.2	ND<0.10
Nickel	40	ND<13.3
Potassium	5000	J 2430
Selenium	5	ND<2.1
Silver	10	J 9.0
Sodium	5000	74200
Thallium	10	ND<1.5
Vanadium	50	J 11.0
Zinc	20	ND<6.0

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W19-02(B1)
SAMPLE NUMBER =====> MOF-804

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]
TPHC	.25	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W19-02(B1)
SAMPLE NUMBER =====> MOF-804

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
AROCLOR-1016	.5	ND
AROCLOR-1221	.5	ND
AROCLOR-1232	.5	ND
AROCLOR-1242	.5	ND
AROCLOR-1248	.5	ND
AROCLOR-1254	1	ND
AROCLOR-1260	1	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====> W19-02(B1)
SAMPLE NUMBER =====> MOF-804

SAMPLE DATE ========> 07/27/89
SAMPLE TYPE ========>

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]
1,1,1-Trichloroethane	5	ND
1,1,2,2-Tetrachloroethane	5	ND
1,1,2-Trichloroethane	5	ND
1,1-Dichloroethane	5	ND
1,1-Dichloroethylene	5	ND
1,2-Dichloroethane	5	ND
1,2-Dichloroethenes(Total)	5	ND
1,2-Dichloropropane	5	ND
2-Butanone	10	ND
2-Hexanone	10	ND
4-Methyl-2-pentanone	10	ND
Acetone	10	J 7
Benzene	5	ND
Bromodichloromethane	5	ND
Bromoform	5	ND
Bromomethane	10	ND
Carbon disulfide	5	ND
Carbon tetrachloride	5	ND
Chlorobenzene	5	ND
Chloroethane	10	ND
Chloroform	5	ND
Chloromethane	10	ND
Dibromochloromethane	5	ND
Ethyl benzene	5	ND
Methylene chloride	5	B 10
Styrene	5	ND
Tetrachloroethene	5	ND
Toluene	5	ND
Total xylenes	5	ND
Trichloroethene	5	ND
Vinyl acetate	10	ND
Vinyl chloride	10	ND
cis-1,3-Dichloropropene	5	ND
trans-1,3-Dichloropropene	5	ND
========== TIC ==========		
Unknown @ 26.74	TIC	J 9

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-03(B1)	W19-03(B1)
SAMPLE NUMBER =====>	MOF-806	MOF-807
SAMPLE DATE ========>	07/28/89	07/28/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	ND
1,2,4-Trichlorobenzene	10	ND	ND
1,3 Dichlorobenzene	10	ND	ND
1,4 Dichlorobenzene	10	ND	ND
2 nitrophenol	10	ND	ND
2,4 Dimethylphenol	10	ND	ND
2,4,5-Trichlorophenol	50	ND	ND
2,4,6-Trichlorophenol	10	ND	ND
2,4-Dichlorophenol	10	ND	ND
2,4-Dinitrophenol	50	ND	ND
2,4-Dinitrotoluene	10	ND	ND
2,6-Dinitrotoluene	10	ND	ND
2-Chloronaphthalene	10	ND	ND
2-Chlorophenol	10	ND	ND
2-Methylnaphthalene	10	ND	ND
2-Methylphenol	10	ND	ND
2-Nitroaniline	50	ND	ND
3,3'-Dichlorobenzidine	20	ND	ND
3-Nitroaniline	50	ND	ND
4,6-Dinitro-2-methylphenol	50	ND	ND
4-Bromophenyl phenyl ether	10	ND	ND
4-Chloro-3-methylphenol	10	ND	ND
4-Chloroaniline	10	ND	ND
4-Chlorophenyl phenyl ether	10	ND	ND
4-Methylphenol	10	ND	ND
4-Nitroaniline	50	ND	ND
4-Nitrophenol	50	ND	ND
Acenaphthene	10	ND	ND
Acenaphthylene	10	ND	ND
Anthracene	10	ND	ND
Benzo(a)anthracene	10	ND	ND
Benzo(a)pyrene	10	ND	ND
Benzo(b)fluoranthene	10	ND	ND
Benzo(g,h,i)perylene	10	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-03(B1)	W19-03(B1)
SAMPLE NUMBER =====>	MOF-806	MOF-807
SAMPLE DATE ========>	07/28/89	07/28/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	ND
Benzoic acid	50	ND	ND
Benzyl Alcohol	10	ND	ND
Bis(2-Chloroethoxy)methane	10	ND	ND
Bis(2-Chloroethyl)ether	10	ND	ND
Bis(2-Chloroisopropyl)ether	10	ND	ND
Bis(2-Ethylhexyl)phthalate	10	ND	ND
Butyl benzyl phthalate	10	ND	ND
Chrysene	10	ND	ND
Di-n-butylphthalate	10	ND	ND
Di-n-octyl phthalate	10	ND	ND
Dibenz(a,h)anthracene	10	ND	ND
Dibenzofuran	10	ND	ND
Diethylphthalate	10	ND	ND
Dimethyl phthalate	10	ND	ND
Fluoranthene	10	ND	ND
Fluorene	10	ND	ND
Hexachlorobenzene	10	ND	ND
Hexachlorobutadiene	10	ND	ND
Hexachlorocyclopentadiene	10	ND	ND
Hexachloroethane	10	ND	ND
Indeno(1,2,3-c,d)pyrene	10	ND	ND
Isophorone	10	ND	ND
N-nitroso-dipropylamine	10	ND	ND
N-nitrosodipropylamine	10	ND	ND
Naphthalene	10	ND	ND
Nitrobenzene	10	ND	ND
Pentachlorophenol	50	ND	ND
Phenanthrene	10	ND	ND
Phenol	10	ND	ND
Pyrene	10	ND	ND
========== TIC ==========			
Unknown @ 4.60	TIC		J 60
Unknown @ 4.6[illegible]	TIC	J 60	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W19-03(B1)	W19-03(B1)
SAMPLE NUMBER	=====>	MOF-806	MOF-807
SAMPLE DATE	========>	07/28/89	07/28/89
SAMPLE TYPE	========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.4	ND<13.4
Antimony	60	ND<37.0	ND<37.0
Arsenic	10	ND<3.0	ND<3.0
Barium	200	J 113	J 111
Beryllium	5	ND<1.7	ND<1.7
Cadmium	5	ND<3.9	ND<3.9
Calcium	5000	41400	41000
Chromium	10	ND<3.7	ND<3.7
Cobalt	50	ND<6.8	ND<6.8
Copper	25	ND<3.8	ND<3.8
Iron	100	J 60.7	J 60.7
Lead	5	ND<2.3	ND<2.3
Magnesium	5000	24200	24000
Manganese	15	169	167
Mercury	.2	ND<0.10	ND<0.10
Nickel	40	ND<13.2	ND<13.2
Potassium	5000	J 641	ND<416
Selenium	5	ND<2.1	ND<2.1
Silver	10	ND<3.0	ND<3.0
Sodium	5000	67800	67000
Thallium	10	ND<1.5	ND<1.5
Vanadium	50	J 2.7	ND<1.7
Zinc	20	ND<5.9	ND<5.9

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-03(B1)	W19-03(B1)
SAMPLE NUMBER =====>	MOF-806	MOF-807
SAMPLE DATE ========>	07/28/89	07/28/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	ND

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-03(B1)	W19-03(B1)
SAMPLE NUMBER =====>	MOF-806	MOF-807
SAMPLE DATE ========>	07/28/89	07/28/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	ND
AROCLOR-1221	.5	ND	ND
AROCLOR-1232	.5	ND	ND
AROCLOR-1242	.5	ND	ND
AROCLOR-1248	.5	ND	ND
AROCLOR-1254	1	ND	ND
AROCLOR-1260	1	ND	ND

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-03(B1)	W19-03(B1)
SAMPLE NUMBER =====>	MOF-806	MOF-807
SAMPLE DATE ========>	07/28/89	07/28/89
SAMPLE TYPE ========>		DUP

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	ND	ND
1,1-Dichloroethylene	5	ND	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	ND	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	13	10
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	J 1	ND
Chlorobenzene	5	J 1	ND
Chloroethane	10	ND	ND
Chloroform	5	J 3	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 10	B 7
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	J 1	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-04(A)	W19-04(A)
SAMPLE NUMBER =====>	MOF-808	MOF-809
SAMPLE DATE ========>	07/28/89	07/28/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,2 Dichlorobenzene	10	ND	NA
1,2,4-Trichlorobenzene	10	ND	NA
1,3 Dichlorobenzene	10	ND	NA
1,4 Dichlorobenzene	10	ND	NA
2 nitrophenol	10	ND	NA
2,4 Dimethylphenol	10	ND	NA
2,4,5-Trichlorophenol	50	ND	NA
2,4,6-Trichlorophenol	10	ND	NA
2,4-Dichlorophenol	10	ND	NA
2,4-Dinitrophenol	50	ND	NA
2,4-Dinitrotoluene	10	ND	NA
2,6-Dinitrotoluene	10	ND	NA
2-Chloronaphthalene	10	ND	NA
2-Chlorophenol	10	ND	NA
2-Methylnaphthalene	10	ND	NA
2-Methylphenol	10	ND	NA
2-Nitroaniline	50	ND	NA
3,3'-Dichlorobenzidine	20	ND	NA
3-Nitroaniline	50	ND	NA
4,6-Dinitro-2-methylphenol	50	ND	NA
4-Bromophenyl phenyl ether	10	ND	NA
4-Chloro-3-methylphenol	10	ND	NA
4-Chloroaniline	10	ND	NA
4-Chlorophenyl phenyl ether	10	ND	NA
4-Methylphenol	10	ND	NA
4-Nitroaniline	50	ND	NA
4-Nitrophenol	50	ND	NA
Acenaphthene	10	ND	NA
Acenaphthylene	10	ND	NA
Anthracene	10	ND	NA
Benzo(a)anthracene	10	ND	NA
Benzo(a)pyrene	10	ND	NA
Benzo(b)fluoranthene	10	ND	NA
Benzo(g,h,i)perylene	10	ND	NA

PANEL : BNA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-04(A)	W19-04(A)
SAMPLE NUMBER =====>	MOF-808	MOF-809
SAMPLE DATE ========>	07/28/89	07/28/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Benzo(k)fluoranthene	10	ND	NA
Benzoic acid	50	ND	NA
Benzyl Alcohol	10	ND	NA
Bis(2-Chloroethoxy)methane	10	ND	NA
Bis(2-Chloroethyl)ether	10	ND	NA
Bis(2-Chloroisopropyl)ether	10	ND	NA
Bis(2-Ethylhexyl)phthalate	10	ND	NA
Butyl benzyl phthalate	10	ND	NA
Chrysene	10	ND	NA
Di-n-butylphthalate	10	J 5	NA
Di-n-octyl phthalate	10	ND	NA
Dibenz(a,h)anthracene	10	ND	NA
Dibenzofuran	10	ND	NA
Diethylphthalate	10	ND	NA
Dimethyl phthalate	10	ND	NA
Fluoranthene	10	ND	NA
Fluorene	10	ND	NA
Hexachlorobenzene	10	ND	NA
Hexachlorobutadiene	10	ND	NA
Hexachlorocyclopentadiene	10	ND	NA
Hexachloroethane	10	ND	NA
Indeno(1,2,3-c,d)pyrene	10	ND	NA
Isophorone	10	ND	NA
N-nitroso-dipropylamine	10	ND	NA
N-nitrosodipropylamine	10	ND	NA
Naphthalene	10	ND	NA
Nitrobenzene	10	ND	NA
Pentachlorophenol	50	ND	NA
Phenanthrene	10	ND	NA
Phenol	10	ND	NA
Pyrene	10	ND	NA
========== TIC ==========			
Unknown @ 4.57	TIC	J 40	

PANEL : METALS
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>		W19-04(A)	W19-04(A)
SAMPLE NUMBER =====>		MOF-808	MOF-809
SAMPLE DATE ========>		07/28/89	07/28/89
SAMPLE TYPE ========>			TRIP BLANK
COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
Aluminum	200	ND<13.4	NA
Antimony	60	ND<37.0	NA
Arsenic	10	ND<3.0	NA
Barium	200	J 101	NA
Beryllium	5	ND<1.7	NA
Cadmium	5	ND<3.9	NA
Calcium	5000	89100	NA
Chromium	10	ND<3.7	NA
Cobalt	50	ND<6.8	NA
Copper	25	ND<3.8	NA
Iron	100	273	NA
Lead	5	ND<2.3	NA
Magnesium	5000	63700	NA
Manganese	15	432	NA
Mercury	.2	ND<0.10	NA
Nickel	40	ND<13.2	NA
Potassium	5000	ND<416	NA
Selenium	5	ND<2.1	NA
Silver	10	ND<3.0	NA
Sodium	5000	64200	NA
Thallium	10	ND<1.5	NA
Vanadium	50	ND<1.7	NA
Zinc	20	ND<5.9	NA

PANEL : MISC
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION	=====>	W19-04(A)	W19-04(A)
SAMPLE NUMBER	=====>	MOF-808	MOF-809
SAMPLE DATE	========>	07/28/89	07/28/89
SAMPLE TYPE	========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in mg/L (ppm)]	
TPHC	.25	ND	NA

PANEL : PCB
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-04(A)	W19-04(A)
SAMPLE NUMBER =====>	MOF-808	MOF-809
SAMPLE DATE ========>	07/28/89	07/28/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
AROCLOR-1016	.5	ND	NA
AROCLOR-1221	.5	ND	NA
AROCLOR-1232	.5	ND	NA
AROCLOR-1242	.5	ND	NA
AROCLOR-1248	.5	ND	NA
AROCLOR-1254	1	ND	NA
AROCLOR-1260	1	ND	NA

PANEL : VOA
MATRIX: WATER

Report Generated: 10/02/89

Results of Water Sample Analyses
Site 19, Phase 1

NAS MOFFETT FIELD

SAMPLE LOCATION =====>	W19-04(A)	W19-04(A)
SAMPLE NUMBER =====>	MOF-808	MOF-809
SAMPLE DATE ========>	07/28/89	07/28/89
SAMPLE TYPE ========>		TRIP BLANK

COMPOUND NAME	Quantitation Limits	Concentration [All results in ug/L (ppb)]	
1,1,1-Trichloroethane	5	J 3	ND
1,1,2,2-Tetrachloroethane	5	ND	ND
1,1,2-Trichloroethane	5	ND	ND
1,1-Dichloroethane	5	7	ND
1,1-Dichloroethylene	5	7	ND
1,2-Dichloroethane	5	ND	ND
1,2-Dichloroethenes(Total)	5	J 2	ND
1,2-Dichloropropane	5	ND	ND
2-Butanone	10	ND	ND
2-Hexanone	10	ND	ND
4-Methyl-2-pentanone	10	ND	ND
Acetone	10	J 8	17
Benzene	5	ND	ND
Bromodichloromethane	5	ND	ND
Bromoform	5	ND	ND
Bromomethane	10	ND	ND
Carbon disulfide	5	ND	ND
Carbon tetrachloride	5	ND	ND
Chlorobenzene	5	ND	ND
Chloroethane	10	ND	ND
Chloroform	5	J 1	ND
Chloromethane	10	ND	ND
Dibromochloromethane	5	ND	ND
Ethyl benzene	5	ND	ND
Methylene chloride	5	B 7	B 19
Styrene	5	ND	ND
Tetrachloroethene	5	ND	ND
Toluene	5	ND	ND
Total xylenes	5	ND	ND
Trichloroethene	5	J 3	ND
Vinyl acetate	10	ND	ND
Vinyl chloride	10	ND	ND
cis-1,3-Dichloropropene	5	ND	ND
trans-1,3-Dichloropropene	5	ND	ND