N00296.001018
MOFFETT FIELD
SIC NO. 5090.3

QUARTERLY REPORT
3RD QUARTER 1990
NAS MOFFETT FIELD, CALIFORNIA
REMEDIAL INVESTIGATION/FEASIBILITY STUDY

VOLUME 2: APPENDICES B (CONTINUED), C, D, E, AND F

NOVEMBER 15, 1990

Prepared by:

IT Corporation
312 Directors Drive
Knoxville, Tennessee 37923

Submitted by:

Hazardous Waste Remedial Actions Program
Martin Marietta Energy Systems, Inc.
Oak Ridge, Tennessee 37831-6501

for:

U.S. Department of Energy
Contract DE-AC05-840R21400

Submitted to:

Department of the Navy
Western Division
Naval Facilities Engineering Command
San Bruno, California 94066-0727

QUARTERLY REPORT
3RD QUARTER 1990

NAS MOFFETT FIELD
REMEDIAL INVESTIGATION/FEASIBILITY STUDY

Prepared by:

IT Corporation
312 Directors Drive
Knoxville, Tennessee 37923

Approved: _____ Date: Nov. 13, 1990
C. Keith Bradley
Project Manager
IT Corporation

Approved: Bruce F. Manchon Date: 11/13/90
Bruce F. Manchon
California Registered Geologist No. 4923
IT Corporation

Approved: Don Mack Date: 13 NOV 90
Don Mack
Quality Assurance Manager
IT Corporation

Approved: _____ Date: 11/13/90
Robert L. Culbertson, Jr.
HAZWRAP Program Manager
IT Corporation

ENGR116.COV
10/25/90 F1

N00296.001018
MOFFETT FIELD
SSIC NO. 5090.3

QUARTERLY REPORT
3RD QUARTER 1990
REMEDIAL INVESTIGATION/FEASIBILITY STUDY

DATED 15 NOVEMBER 1990

THIS RECORD CONTAINS MULTIPLE VOLUMES
WHICH HAVE BEEN ENTERED SEPARATELY

VOLUME I OF II IS FILED AS ADMINISTRATIVE
RECORD NO. **N00296.001017**

CONTENTS

VOLUME 1 - REPORT, APPENDIX A, AND APPENDIX B

		Page
LIST OF APPENDICES		xiii
LIST OF ABBREVIATIONS		xiv
EXECUTIVE SUMMARY		xv
1.0	SUMMARY OF PROJECT ACTIVITIES	1-1
1.1	Project Status	1-1
1.2	Upcoming Activities	1-1
2.0	SITE SPECIFIC STATUS AND TRENDS	2-1
2.1	Site 8 - Waste Oil Transfer Area	2-1
2.1.1	Statistical Summary	2-1
2.1.2	Contaminant Trends	2-1
2.2	Site 9 - Old Fuel Farm	2-1
2.2.1	Statistical Summary	2-1
2.2.2	Contaminant Trends	2-1
2.3	Well Selection Rationale	2-2
2.3.1	Site 8	2-2
2.3.2	Site 9	2-2

TABLES

Number		Follows Page
1.1-1	Project Status for Phase II Activities	1-1
1.1-2	Status of Abandoned Well Closures	1-1
1.1-3	Monitoring Well Completion and Phase II Sampling Summary	1-1
1.2-1	Upcoming Phase II Field Activities	1-1
2.1-1	Statistical Summary of Selected Soil Contaminants, TCE Concentrations at less than 5 Feet below Ground Surface	2-3
2.1-2	Statistical Summary of Selected Soil Contaminants, TCE Concentrations at Greater than 5 Feet below Ground Surface	2-3
2.1-3	Statistical Summary of Selected Soil Contaminants, TPHC Concentrations at less than 5 Feet below Ground Surface	2-3

TABLES (Continued)

Number		Follows Page
2.1-4	Statistical Summary of Selected Soil Contaminants, TPH Concentrations at Greater than 5 Feet below Ground Surface	2-3
2.1-5	Statistical Summary of Selected Groundwater Contaminants, A-1 Aquifer, TCE, for June 1990	2-3
2.1-6	Statistical Summary of Selected Groundwater Contaminants, A-1 Aquifer, TCE for July 1990	2-3
2.1-7	Statistical Summary of Selected Groundwater Contaminants, A-1 Aquifer, TCE for August 1990	2-3
2.1-8	Statistical Summary of Selected Groundwater Contaminants, A-1 Aquifer, TPHC for June 1990	2-3
2.1-9	Statistical Summary of Selected Groundwater Contaminants, A-1 Aquifer, TPHC, for July 1990	2-3
2.1-10	Statistical Summary of Selected Groundwater Contaminants, A-1 Aquifer, TPHC, for August 1990	2-3
2.1-11	Statistical Summary of Selected Groundwater Contaminants, A-2 Aquifer, TCE, for June 1990	2-3
2.1-12	Statistical Summary of Selected Groundwater Contaminants, A-2 Aquifer, TCE, for July 1990	2-3
2.1-13	Statistical Summary of Selected Groundwater Contaminants, A-2 Aquifer, TCE, for August 1990	2-3
2.1-14	Statistical Summary of Selected Groundwater Contaminants, A-2 Aquifer, TPHC, for June 1990	2-3
2.1-15	Statistical Summary of Selected Groundwater Contaminants, A-2 Aquifer, TPHC, for July 1990	2-3
2.1-16	Statistical Summary of Selected Groundwater Contaminants, A-2 Aquifer, TPHC, for August 1990	2-3
2.1-17	Statistical Summary of Selected Groundwater Contaminants, B-2 Aquifer, TCE, for June 1990	2-3
2.1-18	Statistical Summary of Selected Groundwater Contaminants, B-2 Aquifer, TCE, for July 1990	2-3

TABLES (Continued)

Number		Follows Page
2.1-19	Statistical Summary of Selected Groundwater Contaminants, B-2 Aquifer, TCE, for August 1990	2-3
2.1-20	Statistical Summary of Selected Groundwater Contaminants, B-2 Aquifer, TPHC, for June 1990	2-3
2.1-21	Statistical Summary of Selected Groundwater Contaminants, B-2 Aquifer, TPHC, for July 1990	2-3
2.1-22	Statistical Summary of Selected Groundwater Contaminants, B-2 Aquifer, TPHC, for August 1990	2-3

FIGURES

Number		Follows Page
2-1	Contaminant Trends For Site 8 - Waste Oil Transfer Area, Well W8-8(A1), TCE and TPHC, NAS Moffett Field	2-3
2-2	Contaminant Trends For Site 8 - Waste Oil Transfer Area, Well W8-10(A2), TCE and TPHC, NAS Moffett Field	2-3
2-3	Contaminant Trends For Site 8 - Waste Oil Transfer Area, Well W8-11(A2), TCE and TPHC, NAS Moffett Field	2-3
2-4	Contaminant Trends For Site 8 - Waste Oil Transfer Area, Well W8-12(A2), TCE and TPHC, NAS Moffett Field	2-3
2-5	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-26(A1), TCE and TPHC, NAS Moffett Field	2-3
2-6	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-30(A1), TCE and TPHC, NAS Moffett Field	2-3
2-7	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-35(A1), TCE and TPHC, NAS Moffett Field	2-3
2-8	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-37(A1), TCE and TPHC, NAS Moffett Field	2-3
2-9	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-38(A1), TCE and TPHC, NAS Moffett Field	2-3
2-10	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-20(A2), TCE and TPHC, NAS Moffett Field	2-3
2-11	Contaminant Trends for Site 9 - Old Fuel Farm Well W9-41(A2), TCE and TPHC, NAS Moffett Field	2-3
2-12	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-42(A2), TCE and TPHC, NAS Moffett Field	2-3
2-13	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-43(A2), TCE and TPHC, NAS Moffett Field	2-3
2-14	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-18(A1), PCE, NAS Moffett Field	2-3

FIGURES

Number		Follows Page
2-15	Contaminant Trends for Site 9 - Old Fuel Farm Well W9-23(A1), PCE, NAS Moffett Field	2-3
2-16	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-35(A1), PCE, NAS Moffett Field	2-3
2-17	Contaminant Trends for Site 9 - Old Fuel Farm Well W9-37(A1), PCE, NAS Moffett Field	2-3
2-18	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-17(A2), PCE, NAS Moffett Field	2-3
2-19	Contaminant Trends for Site 9 - Old Fuel Farm Well W9-20(A2), PCE, NAS Moffett Field	2-3
2-20	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-21(A2), PCE, NAS Moffett Field	2-3
2-21	Contaminant Trends for Site 9 - Old Fuel Farm, Well W9-28(A2), PCE, NAS Moffett Field	2-3

APPENDIX A - SITE ACTIVITY MAPS

FIGURES

Number	
A-1	General Facility Map
A-2	Site Location Map
A-3	Site 8 - Waste Oil Transfer Area, Well Location Map
A-4	Site 9 - Old Fuel Farm, Well Location Map

APPENDIX B: ANALYTICAL RESULTS

B1.0 SITE 8 - ANALYTICAL RESULTS

B1.1 Site 8 - Analytical Results, Summary Tables

Number		Page
1-1	Site 8 - Analytical Results Summary, Soil Samples, Organic Analyses, NAS Moffett Field	1.1-1
1-2	Site 8 - Analytical Results Summary, Soil Samples, Inorganic Analyses, NAS Moffett Field	1.1-9
1-3	Site 8 - Analytical Results Summary, Water Samples, Organic Analyses, NAS Moffett Field	1.1-13
1-4	Site 8 - Analytical Results Summary, Water Samples, Inorganic Analyses, NAS Moffett Field	1.1-17

B1.2 Site 8 - Results Of Soil Sample Analyses 1.2-1

B1.3 Site 8 - Results Of Water Sample Analyses 1.3-1

B2.0 SITE 9 - ANALYTICAL RESULTS

B2.1 Site 9 - Analytical Results, Summary Tables

Number		Page
2-1	Site 9 - Analytical Results Summary, Soil Samples, Organic Analyses, NAS Moffett Field	2.1-1
2-2	Site 9 - Analytical Results Summary, Soil Samples, Inorganic Analyses, NAS Moffett Field	2.1-46
2-3	Site 9 - Analytical Results Summary, Water Samples, Organic Analyses, NAS Moffett Field	2.1-73
2-4	Site 9 - Analytical Results Summary, Water Samples, Inorganic Analyses, NAS Moffett Field	2.1-112

B2.2 Site 9 - Results Of Soil Sample Analyses 2.2-1

VOLUME 2 - APPENDICES B (CONTINUED), C, D, E, and F

APPENDIX B: ANALYTICAL RESULTS (CONTINUED)

Number

B2.3 Site 9 - Results Of Water Sample Analyses 2.3-1

APPENDIX C: POTENTIOMETRIC SURFACE CONTOUR MAPS

Number

C-1 Potentiometric Surface Contour Map A-1 Aquifer, August 1990

C-2 Potentiometric Surface Contour Map A-2 Aquifer, August 1990

C-3 Potentiometric Surface Contour Map B-2 Aquifer, August 1990

C-4 Potentiometric Surface Contour Map A-Aquifer, August 1990, Sites 1 and 2

C-5 Potentiometric Surface Contour Map A-1 Aquifer East, August 1990

C-6 Potentiometric Surface Contour Map A-2 Aquifer East, August 1990

C-7 Potentiometric Surface Contour Map A-1 Aquifer West, August 1990

C-8 Potentiometric Surface Contour Map A-2 Aquifer West, August 1990

C-9 Potentiometric Surface Contour Map B-2 Aquifer West, August 1990

APPENDIX D: HYDROGRAPHS

Number

D-1 Hydrographs of Site 01, A-Aquifer Wells

D-2 Hydrographs of Site 01, A-Aquifer Wells (continued)

D-3 Hydrographs of Site 01, Leachate Wells

D-4 Hydrographs of Site 02, A-Aquifer Wells

VOLUME D HYDROGRAPHS (continued)

Number	
D-5	Hydrographs of Site 02, Leachate Wells
D-6	Hydrographs of Site 03, A1-Aquifer Wells
D-7	Hydrographs of Site 03, A1-Aquifer Wells (continued)
D-8	Hydrographs of Site 03, A2-Aquifer Wells
D-9	Hydrographs of Site 03, B-Aquifer Wells
D-10	Hydrographs of Site 04, A-Aquifer Wells
D-11	Hydrograph of Site 04, B-Aquifer Well
D-12	Hydrograph of Site 04, C-Aquifer Well
D-13	Hydrographs of Site 05, A1-Aquifer Wells
D-14	Hydrographs of Site 05, A1-Aquifer Wells (continued)
D-15	Hydrographs of Site 05, A2-Aquifer Wells
D-16	Hydrograph of Site 05, C-Aquifer Well
D-17	Hydrographs of Site 06, A-Aquifer Wells
D-18	Hydrographs of Site 07, A1-Aquifer Wells
D-19	Hydrographs of Site 07, A2-Aquifer Wells
D-20	Hydrograph of Site 07, C-Aquifer Well
D-21	Hydrographs of Site 08, A1-Aquifer Wells
D-22	Hydrographs of Site 08, A2-Aquifer Wells
D-23	Hydrographs of Site 08, A2-Aquifer Wells (continued)
D-24	Hydrograph of Site 08, C-Aquifer Well
D-25	Hydrographs of Site 09, A1-Aquifer Wells
D-26	Hydrographs of Site 09, A1-Aquifer Wells (continued)
D-27	Hydrographs of Site 09, A1-Aquifer Wells (continued)
D-28	Hydrographs of Site 09, A1-Aquifer Wells (continued)

VOLUME D HYDROGRAPHS (continued)

D-29	Hydrographs of Site 09, A1-Aquifer Wells (continued)
D-30	Hydrographs of Site 09, A2-Aquifer Wells
D-31	Hydrographs of Site 09, A2-Aquifer Wells (continued)
D-32	Hydrographs of Site 09, A2-Aquifer Wells (continued)
D-33	Hydrographs of Site 09, A2-Aquifer Wells (continued)
D-34	Hydrographs of Site 09, A2-Aquifer Wells (continued)
D-35	Hydrographs of Site 09, B-Aquifer Wells
D-36	Hydrograph of Site 09, C-Aquifer Well
D-37	Hydrographs of Site 10, A-Aquifer Wells
D-38	Hydrograph of Site 10, B-Aquifer Well
D-39	Hydrograph of Site 10, C-Aquifer Well
D-40	Hydrographs of Site 11, A-Aquifer Wells
D-41	Hydrographs of Site 12, A-Aquifer Wells
D-42	Hydrographs of Site 14, A1-Aquifer Wells
D-43	Hydrographs of Site 14, A2-Aquifer Wells
D-44	Hydrographs of Site 19, A-Aquifer Wells

APPENDIX E: WATER LEVEL MEASUREMENTS

	Page
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 1	E-1
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 2	E-2
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 3	E-3
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 4	E-4
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 5	E-5
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 6	E-6
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 7	E-7
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 8	E-8
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 9	E-9
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 10	E-12
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 11	E-13
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 12	E-14
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 14	E-15
NAS Moffett Field, Quarterly Water Level Measurements Sorted by Site, Date, Well - Site 19	E-16

APPENDIX F: SUMMARY OF MAJOR/SIGNIFICANT MEETINGS

	Page
Briefing for MEW, July 19, 1990	F-1
Project Planning Meeting, July 20, 1990	F-1
Community Relations "Open House," August 20, 1990	F-1
Technical Review Meeting, August 21, 1990	F-2
Project Planning Meeting, August 21, 1990	F-2
Project Planning Meeting, September 20, 1990	F-2

LIST OF APPENDICES

NO.		VOLUME
A.	SITE ACTIVITY MAPS	1
B.	ANALYTICAL DATA	1
B.	ANALYTICAL DATA CONTINUED	2
C.	POTENTIOMETRIC SURFACE CONTOUR MAPS	2
D.	HYDROGRAPHS	2
E.	WATER LEVEL MEASUREMENTS	2
F.	SUMMARY OF MAJOR/SIGNIFICANT MEETINGS	2

LIST OF ABBREVIATIONS

BNAs	Base/neutral and acid extractable priority pollutants
CDM	Camp, Dresser, McKee
CLP	Contract Laboratory Program
CRQL	Contract Required Quantitation Limit
CRWQCB	California Regional Water Quality Control Board
DCA	Dichloroethane
DCE	Dichloroethene
DHS	Department of Health Services
EPA	U.S. Environmental Protection Agency
GC	Gas chromatograph
gpm	Gallons per minute
HAZWRAP	Hazardous Waste Remedial Actions Program
IT	IT Corporation
MEW	Middlefield_Ellis_Whisman
mg/kg	Milligrams per kilogram
NAS	Naval Air Station
NTU	Nephelometric turbidity unit
PCBs	Polychlorinated biphenyls
PCE	Tetrachloroethene
ppb	Parts per billion
ppm	Parts per million
PRC	PRC Environmental Management, Inc.
QA/QC	Quality assurance/quality control
RI	Remedial investigation
SCVWD	Santa Clara Valley Water District
TCA	Trichloroethane
TCE	Trichloroethene
TDS	Total dissolved solids
TPHC	Total petroleum hydrocarbons
µg/L	Micrograms per liter
VOC	Volatile organic compounds
WESTDIV	Western Division of the Naval Facilities Engineering Command

N00296.001018
MOFFETT FIELD
SSIC NO. 5090.3

APPENDIX B (Continued)

ANALYTICAL DATA

B2.3 SITE 9 - RESULTS OF WATER SAMPLE ANALYSIS

Organic

Data

FOOTNOTES FOR DATA TABLES

a	No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	One or more unknown compounds were detected; see complete data tables for retention times and concentrations.
J	Indicates an estimated value. For organics, equivalent to "J" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the Instrument Detection Limit.
B	Equivalent to "B" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
A	Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condensation product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown at 9.07	Indicates the retention time for unknown TIC.
TIC	Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	Not analyzed.
TRIP BLANK	A trip blank is an HPLC/ASTM Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technique are used.
SPLIT	A split sample is obtained at the identical time and place of the original. When collecting the split, the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	After decontamination has been performed on sampling equipment and before the equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.

Quantitation Limits are as specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and Analysis Plan, March, 1988.

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			FP9-1		FP9-1		FP9-1		FP9-1	
Sample Number==========>			MOF1066		MOF1067		MOF1127		MOF1184	
Sample Type==========>					TB					
Sample Date==========>			6/15/90		6/15/90		7/20/90		8/10/90	
Compounds	Quantitation limits	units								
1,1,1-TRICHLOROETHANE	5	UG/L	U	50	U	5	U	50	U	50
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50	U	5	U	50	U	50
1,1,2-TRICHLOROETHANE	5	UG/L	U	50	U	5	U	50	U	50
1,1-DICHLOROETHANE	5	UG/L	J	23	U	5	J	21	U	17
1,1-DICHLOROETHENE	5	UG/L	J	15	U	5	J	11	U	17
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	50	U	5	U	50	U	50
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		630	U	5		800	U	660
1,2-DICHLOROPROPANE	5	UG/L	U	50	U	5	U	50	U	50
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10	U	10
2-BUTANONE	10	UG/L	U	100	U	10	U	100	U	100
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10			U	10	U	10
2-HEXANONE	10	UG/L	U	100	U	10	U	100	U	100
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10			U	10	U	10
2-NITROANILINE	1600	UG/L	U	50			U	50	U	50
2-NITROPHENOL	330	UG/L	U	10			U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20	U	20
3,7,11-TRIDECATRIENENITRILE,		UG/L							BJ	20
3-NITROANILINE	1600	UG/L	U	50			U	50	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50			U	50	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			FP9-1		FP9-1		FP9-1		FP9-1	
Sample Number==========>			MOF1066		MOF1067		MOF1127		MOF1184	
Sample Type==========>					TB					
Sample Date==========>			6/15/90		6/15/90		7/20/90		8/10/90	
Compounds	Quantitation limits	units								
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10			U	10	U	10
4-CHLOROANILINE	330	UG/L	U	10			U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	10	U	100	U	100
4-METHYLPHENOL	330	UG/L	U	10			U	10	U	10
4-NITROANILINE	1600	UG/L	U	50			U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50			U	50	U	50
ACENAPHTHENE	330	UG/L	U	10			U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10			U	10	U	10
ACETONE	10	UG/L	U	100	U	10	U	100	U	100
ANTHRACENE	330	UG/L	U	10			U	10	U	10
AROCLOR-1016	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1254	1	UG/L	U	1.00			U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U	1.00			U	1.00	U	1.00
BENZENE	5	UG/L		1300	U	5		1100	U	1200
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10			U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10	U	10
BENZOIC ACID	1600	UG/L	U	50			J	3	U	50
BENZYL ALCOHOL	330	UG/L	U	10			U	10	U	10
BICARBONATE	1	UG/L		660				640		620
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	50	U	5	U	50	U	50
BROMOFORM	5	UG/L	U	50	U	5	U	50	U	50

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			FP9-1		FP9-1		FP9-1		FP9-1	
Sample Number==========>			MOF1066		MOF1067		MOF1127		MOF1184	
Sample Type==========>					TB					
Sample Date==========>			6/15/90		6/15/90		7/20/90		8/10/90	
Compounds	Quantitation limits	units								
BROMOMETHANE	10	UG/L	U	100	U	10	U	100	U	100
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10	U	10
CARBON DISULFIDE	5	UG/L	U	50	U	5	U	50	U	50
CARBON TETRACHLORIDE	5	UG/L	U	50	U	5	U	50	U	50
CARBONATE	1	UG/L	U	1			U	1	U	1
CHLORIDE	0.1	UG/L		41				32		38
CHLOROBENZENE	5	UG/L	U	50	U	5	U	50	U	50
CHLOROETHANE	10	UG/L	U	100	U	10	U	100	U	100
CHLOROFORM	5	UG/L	U	50	U	5	U	50	U	50
CHLOROMETHANE	10	UG/L	U	100	U	10	U	100	U	100
CHRYSENE	330	UG/L	U	10			U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5	U	50	U	50
CYCLOHEXANE		UG/L					J	1000	J	600
CYCLOPENTANE		UG/L	J	790			J	1000		
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10	U	10
DIBENZOFURAN	330	UG/L	U	10			U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	5	U	50	U	50
DIETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10
DIMETHYL-TRANS-CYCLOHEXANE IS		UG/L							J	90
DIMETHYLCYCLOHEXANE ISOMER		UG/L	J	74						
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10
ETHYLBENZENE	5	UG/L		990	U	5		1100	U	1200
ETHYLMETHYL BENZENE ISOMER		UG/L							J	8.0
FLUORANTHENE	330	UG/L	U	10			U	10	U	10
FLUORENE	330	UG/L	U	10			U	10	U	10
FLUORIDE	0.1	UG/L		0.3				0.2		0.4
HEXACHLOROBENZENE	330	UG/L	U	10			U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10			U	10	U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units										
Well Number=====>			FP9-1				FP9-1				FP9-1				FP9-1	
Sample Number=====>			MOF1066				MOF1067				MOF1127				MOF1184	
Sample Type=====>							TB									
Sample Date=====>			6/15/90				6/15/90				7/20/90				8/10/90	
ISOPHORONE	330	UG/L	U	10					U	10			U	10
JP5	200	MG/L	U	200					U	200			U	200
METHYL CYCLOHEXANE		UG/L							J	600				
METHYL CYCLOPENTANE		UG/L							J	2000				
METHYL-CYCLOHEXANE		UG/L	J	1100										
METHYLCYCLOHEXANE		UG/L											J	70
METHYLCYCLOPENTANE		UG/L											J	7000
METHYLENE CHLORIDE	5	UG/L	B	160	B	21			B	400			B	75
METHYLETHYL-BENZENE		UG/L	J	8.0										
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10					U	10			U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10					U	10			U	10
NAPHTHALENE	330	UG/L	J	5					J	4			U	10
NITRATE	0.1	UG/L	U	0.1					U	0.1			U	0.1
NITROBENZENE	330	UG/L	U	10					U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50					U	50			U	50
PENTANE		UG/L	J	340					J	500			J	3000
PHENANTHRENE	330	UG/L	U	10					U	10			U	10
PHENOL	330	UG/L	U	10					U	10			U	10
PYRENE	330	UG/L	U	10					U	10			U	10
STYRENE	5	UG/L	U	50	U	5			U	50			U	50
SULFATE	0.2	UG/L		6.0						3.2				2.3
TDS	10	UG/L		780						740				700
TETRACHLOROETHENE	5	UG/L	U	50	U	5			U	50			U	50
TETRAHYDRO-2-METHYL-FURAN		UG/L							J	200				
TOLUENE	5	UG/L	J	12	U	5			U	50			U	10
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5			U	50			U	50
TRICHLOROETHENE	5	UG/L	U	50	U	5			U	50			U	50
TRIMETHYL-2-PENTANE ISOMER		UG/L	J	180										
UNKNOWN	10	UG/L	J	10					J	58			J	40
UNKNOWN	10	UG/L	J	10					J	58			J	40
VINYL ACETATE	10	UG/L	U	100	U	10			U	100			U	100
VINYL CHLORIDE	10	UG/L	U	100	U	10			U	100			U	100
XYLENES (TOTAL)	5	UG/L		630	U	5				540			U	600

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			FP9-2		FP9-2		FP9-2		FP9-2	
Sample Number==========>			MOF1074		MOF1131		MOF1195		MOF1196	
Sample Type==========>									TB	
Sample Date==========>			6/20/90		7/23/90		8/16/90		8/16/90	
Compounds	Quantitation limits	units								
(1-METHYLETHYL)-BENZENE		UG/L					J	30		
1,1,1-TRICHLOROETHANE	5	UG/L	U	25	U	72	U	60	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	25	U	72	U	60	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	25	U	72	U	60	U	5
1,1-DICHLOROETHANE	5	UG/L		33	J	44		63	U	5
1,1-DICHLOROETHENE	5	UG/L	J	14	J	25	J	50	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
1,2-DICHLOROETHANE	5	UG/L	U	25	U	72	U	60	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		220		730		1400	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	25	U	72	U	60	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
2,3-DIHYDRO-1H-INDENE		UG/L	J	74						
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10		
2,4-DIMETHYLPHENOL	330	UG/L	J	5	J	8	U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10		
2-BUTANONE	10	UG/L	U	50	U	140	U	120	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10		
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10		
2-HEXANONE	10	UG/L	U	50	U	140	U	120	U	10
2-METHYL-BUTANE		UG/L	J	50						
2-METHYLNAPHTHALENE	330	UG/L		10		11	J	9		
2-METHYLPHENOL	330	UG/L		32	U	10	J	5		
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50		
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20		
3-METHYL-1-BUTANOL		UG/L	J	30						

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			FP9-2		FP9-2		FP9-2		FP9-2	
Sample Number=>			MOF1074		MOF1131		MOF1195		MOF1196	
Sample Type=>									TB	
Sample Date=>			6/20/90		7/23/90		8/16/90		8/16/90	
Compounds	Quantitation limits	units								
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10		
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	50	U	140	U	120	U	10
4-METHYLPHENOL	330	UG/L	J	8	J	6	J	6		
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50		
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50		
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10		
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10		
ACETONE	10	UG/L	U	50	U	140		210	U	10
ALKENE		UG/L			J	130				
ANTHRACENE	330	UG/L	U	10	U	10	U	10		
AROCLOR-1016	80	UG/L			U	0.50	U	0.50		
AROCLOR-1221	80	UG/L			U	0.50	U	0.50		
AROCLOR-1232	80	UG/L			U	0.50	U	0.50		
AROCLOR-1242	80	UG/L			U	0.50	U	0.50		
AROCLOR-1248	80	UG/L			U	0.50	U	0.50		
AROCLOR-1254	1	UG/L			U	1.00	U	1.00		
AROCLOR-1260	1	UG/L			U	1.00	U	1.00		
BENZENE	5	UG/L		110		370		470	U	5
BENZENE DERIVATIVE		UG/L			J	8.0				
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10		
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10		
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50		
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10		
BICARBONATE	1	UG/L		420		460		410		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			FP9-2		FP9-2		FP9-2		FP9-2	
Sample Number			MOF1074		MOF1131		MOF1195		MOF1196	
Sample Type									TB	
Sample Date			6/20/90		7/23/90		8/16/90		8/16/90	
Compounds	Quantitation limits	units								
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	J	5	U	10		
BROMODICHLOROMETHANE	5	UG/L	U	25	U	72	U	60	U	5
BROMOFORM	5	UG/L	U	25	U	72	U	60	U	5
BROMOMETHANE	10	UG/L	U	50	U	140	U	120	U	10
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
CARBON DISULFIDE	5	UG/L	U	25	U	72	U	60	U	5
CARBON TETRACHLORIDE	5	UG/L	U	25	U	72	U	60	U	5
CARBONATE	1	UG/L	U	1	U	1	U	1		
CHLORIDE	0.1	UG/L		36		52		37		
CHLOROBENZENE	5	UG/L	U	25	U	72	U	60	U	5
CHLOROETHANE	10	UG/L	U	50	U	140	U	120	U	10
CHLOROFORM	5	UG/L	U	25	U	72	U	60	U	5
CHLOROMETHANE	10	UG/L	U	50	U	140	U	120	U	10
CHRYSENE	330	UG/L	U	10	U	10	U	10		
CIS-1,2-DIMETHYL-CYCLOPROPAN		UG/L	J	45						
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	25	U	72	U	60	U	5
CYCLOALKENE		UG/L			J	72				
CYCLOHEXANE		UG/L			J	110				
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10		
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	25	U	72	U	60	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
DIHYDRO METHYL 1H-INDENE ISOME		UG/L					J	22		
DIHYDROMETHYL INDENE ISOMER		UG/L	J	16						
DIMETHYL BENZENE ISOMER		UG/L	J	200						
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
ETHYL DIMETHYL BENZENE ISOMER		UG/L			J	8.0				
ETHYL METHYL BENZENE ISOMER		UG/L					J	60		
ETHYLBENZENE	5	UG/L		140		400		490	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			FP9-2		FP9-2		FP9-2		FP9-2	
Sample Number=>			MOF1074		MOF1131		MOF1195		MOF1196	
Sample Type=>									TB	
Sample Date=>			6/20/90		7/23/90		8/16/90		8/16/90	
Compounds	Quantitation limits	units								
ETHYLMETHYL BENZENE		UG/L			J	92				
ETHYLMETHYL BENZENE ISOMER		UG/L	J	50	J	60				
FLUORANTHENE	330	UG/L	U	10	U	10	U	10		
FLUORENE	330	UG/L	U	10	U	10	U	10		
FLUORIDE	0.1	UG/L	U	0.2	U	0.2	U	0.2		
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10		
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10		
ISOPHORONE	330	UG/L	U	10	U	10	U	10		
JP5	200	MG/L	U	200		2520		2100		
METHYL CYCLOPENTANE		UG/L			J	290				
METHYL-CYCLOPENTANE		UG/L	J	50						
METHYLENE CHLORIDE	5	UG/L	B	27	B	260	B	210	B	20
METHYLETHYL BENZENE ISOMER		UG/L	J	20						
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10		
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10		
NAPHTHALENE	330	UG/L		52		74		57		
NITRATE	0.1	UG/L	U	0.1	U	0.1	U	0.01		
NITROBENZENE	330	UG/L	U	10	U	10	U	10		
OXETANE, 2,4-DIMETHYL-, TRANS		UG/L					J	54		
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50		
PENTENE ISOMER		UG/L			J	130				
PHENANTHRENE	330	UG/L	U	10	U	10	U	10		
PHENOL	330	UG/L	U	10	U	10	U	10		
PROPYL BENZENE		UG/L					J	42		
PYRENE	330	UG/L	U	10	U	10	U	10		
STYRENE	5	UG/L	U	25	J	19	U	60	U	5
SULFATE	0.2	UG/L		280		250		250		
TDS	10	UG/L		1030		990		990		
TETRACHLOROETHENE	5	UG/L	U	25	U	72	U	60	U	5
TETRAMETHYL BENZENE ISOMER		UG/L	J	10	J	14	J	16		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			FP9-2		FP9-2		FP9-2		FP9-2	
Sample Number==========>			MOF1074		MOF1131		MOF1195		MOF1196	
Sample Type==========>									TB	
Sample Date==========>			6/20/90		7/23/90		8/16/90		8/16/90	
Compounds	Quantitation limits	units								
TOLUENE	5	UG/L		360		1200		1400	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	25	U	72	U	60	U	5
TRICHLOROETHENE	5	UG/L		300		540		750	U	5
TRIMETHYL BENZENE ISOMER		UG/L	J	42	J	96				
TRIMETHYLBENZENE ISOMER		UG/L			J	72	BJ	280		
UNKNOWN	10	UG/L	J	30	J	24	J	16		
UNKNOWN	10	UG/L	J	30	J	24	J	16		
UNKNOWN ALCOHOL	10	UG/L					BJ	60		
UNKNOWN AROMATIC COMP.		UG/L					J	42		
VINYL ACETATE	10	UG/L	U	50	U	140	U	120	U	10
VINYL CHLORIDE	10	UG/L	U	50	U	140	U	120	U	10
XYLENES (TOTAL)	5	UG/L		740		2300		2400	U	5

Well Number==========> SB9-1
Sample Number==========> SB91GW
Sample Type==========> TB
Sample Date==========> 5/23/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5
1,1-DICHLOROETHANE	5	UG/L	U	5
1,1-DICHLOROETHENE	5	UG/L	U	5
1,2-DICHLOROETHANE	5	UG/L	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		7
1,2-DICHLOROPROPANE	5	UG/L	U	5
2-BUTANONE	10	UG/L	U	10
2-HEXANONE	10	UG/L	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	10
ACETONE	10	UG/L	U	10
BENZENE	5	UG/L	U	5
BROMODICHLOROMETHANE	5	UG/L	U	5
BROMOFORM	5	UG/L	U	5
BROMOMETHANE	10	UG/L	U	10
CARBON DISULFIDE	5	UG/L	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5
CHLOROBENZENE	5	UG/L	U	5
CHLOROETHANE	10	UG/L	U	10
CHLOROFORM	5	UG/L	U	5
CHLOROMETHANE	10	UG/L	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5
DIBROMOCHLOROMETHANE	5	UG/L	U	5
ETHYLBENZENE	5	UG/L	U	5
JP5	200	MG/L		210
METHYLENE CHLORIDE	5	UG/L	U	5
STYRENE	5	UG/L	U	5
TETRACHLOROETHENE	5	UG/L	U	5
TOLUENE	5	UG/L	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5
TRICHLOROETHENE	5	UG/L	U	5

Well Number==========> SB9-1
Sample Number==========> SB91GW
Sample Type==========> TB
Sample Date==========> 5/23/90

Compounds	Quantitation limits	units		
UNKNOWN HYDROCARBON		UG/L	J	5
VINYL ACETATE	10	UG/L	U	10
VINYL CHLORIDE	10	UG/L	U	10
XYLENES (TOTAL)	5	UG/L	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========> SB9-10
Sample Number==========> SB910GW
Sample Type==========> TB
Sample Date==========> 5/21/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	25
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	25
1,1,2-TRICHLOROETHANE	5	UG/L	U	25
1,1-DICHLOROETHANE	5	UG/L	J	24
1,1-DICHLOROETHENE	5	UG/L	U	25
1,2-DICHLOROETHANE	5	UG/L	U	25
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		340
1,2-DICHLOROPROPANE	5	UG/L	U	25
2-BUTANONE	10	UG/L	U	50
2-HEXANONE	10	UG/L	U	50
4-METHYL-2-PENTANONE	10	UG/L	U	50
ACETONE	10	UG/L	U	50
BENZENE	5	UG/L	U	25
BROMODICHLOROMETHANE	5	UG/L	U	25
BROMOFORM	5	UG/L	U	25
BROMOMETHANE	10	UG/L	U	50
CARBON DISULFIDE	5	UG/L	U	25
CARBON TETRACHLORIDE	5	UG/L	U	25
CHLOROBENZENE	5	UG/L	U	25
CHLOROETHANE	10	UG/L	U	50
CHLOROFORM	5	UG/L	U	25
CHLOROMETHANE	10	UG/L	U	50
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	25
DIBROMOCHLOROMETHANE	5	UG/L	U	25
ETHYLBENZENE	5	UG/L	U	25
JP5	200	MG/L	U	200
METHYLENE CHLORIDE	5	UG/L	U	25
STYRENE	5	UG/L	U	25
TETRACHLOROETHENE	5	UG/L		480
TOLUENE	5	UG/L	U	25
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	25
TRICHLOROETHENE	5	UG/L		570

Well Number==========> SB9-10
Sample Number==========> SB910GW
Sample Type==========> TB
Sample Date==========> 5/21/90

Compounds	Quantitation limits	units		
VINYL ACETATE	10	UG/L	U	50
VINYL CHLORIDE	10	UG/L	U	50
XYLENES (TOTAL)	5	UG/L	U	25

Well Number==========> SB9-11
Sample Number==========> SB911GW
Sample Type==========> TB
Sample Date==========> 5/21/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	100
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	100
1,1,2-TRICHLOROETHANE	5	UG/L	U	100
1,1-DICHLOROETHANE	5	UG/L	U	100
1,1-DICHLOROETHENE	5	UG/L	U	100
1,2-DICHLOROETHANE	5	UG/L	U	100
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	100
1,2-DICHLOROPROPANE	5	UG/L	U	100
2-BUTANONE	10	UG/L	U	200
2-HEXANONE	10	UG/L	U	200
4-METHYL-2-PENTANONE	10	UG/L	U	200
ACETONE	10	UG/L	U	200
BENZENE	5	UG/L	U	100
BROMODICHLOROMETHANE	5	UG/L	U	100
BROMOFORM	5	UG/L	U	100
BROMOMETHANE	10	UG/L	U	200
CARBON DISULFIDE	5	UG/L	U	100
CARBON TETRACHLORIDE	5	UG/L	U	100
CHLOROBENZENE	5	UG/L	U	100
CHLOROETHANE	10	UG/L	U	200
CHLOROFORM	5	UG/L	U	100
CHLOROMETHANE	10	UG/L	U	200
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	100
DIBROMOCHLOROMETHANE	5	UG/L	U	100
ETHYLBENZENE	5	UG/L	U	100
JP5	200	MG/L	U	200
METHYLENE CHLORIDE	5	UG/L	B	110
STYRENE	5	UG/L	U	100
TETRACHLOROETHENE	5	UG/L	U	100
TOLUENE	5	UG/L	U	100
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	100
TRICHLOROETHENE	5	UG/L		2100

Well Number==========> SB9-11
Sample Number==========> SB911GW
Sample Type==========> TB
Sample Date==========> 5/21/90

Compounds	Quantitation limits	units		
VINYL ACETATE	10	UG/L	U	200
VINYL CHLORIDE	10	UG/L	U	200
XYLENES (TOTAL)	5	UG/L	U	100

Well Number==========> SB9-12
Sample Number==========> SB912GW
Sample Type==========> TB
Sample Date==========> 5/21/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	J	21
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50
1,1,2-TRICHLOROETHANE	5	UG/L	U	50
1,1-DICHLOROETHANE	5	UG/L	J	20
1,1-DICHLOROETHENE	5	UG/L	U	50
1,2-DICHLOROETHANE	5	UG/L	U	50
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		290
1,2-DICHLOROPROPANE	5	UG/L	U	50
2-BUTANONE	10	UG/L	U	100
2-HEXANONE	10	UG/L	U	100
4-METHYL-2-PENTANONE	10	UG/L	U	100
ACETONE	10	UG/L	U	100
BENZENE	5	UG/L	U	50
BROMODICHLOROMETHANE	5	UG/L	U	50
BROMOFORM	5	UG/L	U	50
BROMOMETHANE	10	UG/L	U	100
CARBON DISULFIDE	5	UG/L	U	50
CARBON TETRACHLORIDE	5	UG/L	U	50
CHLOROBENZENE	5	UG/L	U	50
CHLOROETHANE	10	UG/L	U	100
CHLOROFORM	5	UG/L	U	50
CHLOROMETHANE	10	UG/L	U	100
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50
DIBROMOCHLOROMETHANE	5	UG/L	U	50
ETHYLBENZENE	5	UG/L	U	50
JP5	200	MG/L	U	200
METHYLENE CHLORIDE	5	UG/L	B	52
STYRENE	5	UG/L	U	50
TETRACHLOROETHENE	5	UG/L	U	50
TOLUENE	5	UG/L	U	50
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50
TRICHLOROETHENE	5	UG/L		1100

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========> SB9-12
Sample Number==========> SB912GW
Sample Type==========> TB
Sample Date==========> 5/21/90

Compounds	Quantitation limits	units		
VINYL ACETATE	10	UG/L	U	100
VINYL CHLORIDE	10	UG/L	U	100
XYLENES (TOTAL)	5	UG/L	U	50

Well Number==========> SB9-13
Sample Number==========> SB913GW
Sample Type==========> TB
Sample Date==========> 5/23/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	10
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	10
1,1,2-TRICHLOROETHANE	5	UG/L	U	10
1,1-DICHLOROETHANE	5	UG/L		110
1,1-DICHLOROETHENE	5	UG/L		29
1,2-DICHLOROETHANE	5	UG/L	U	10
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		120
1,2-DICHLOROPROPANE	5	UG/L	U	10
2-BUTANONE	10	UG/L	U	20
2-HEXANONE	10	UG/L	U	20
4-METHYL-2-PENTANONE	10	UG/L	U	20
ACETONE	10	UG/L	U	20
BENZENE	5	UG/L	U	10
BROMODICHLOROMETHANE	5	UG/L	U	10
BROMOFORM	5	UG/L	U	10
BROMOMETHANE	10	UG/L	U	20
CARBON DISULFIDE	5	UG/L	U	10
CARBON TETRACHLORIDE	5	UG/L	U	10
CHLOROBENZENE	5	UG/L	U	10
CHLOROETHANE	10	UG/L	U	20
CHLOROFORM	5	UG/L	U	10
CHLOROMETHANE	10	UG/L	U	20
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	10
ETHYLBENZENE	5	UG/L	U	10
JP5	200	MG/L	U	200
METHYLENE CHLORIDE	5	UG/L	U	10
STYRENE	5	UG/L	U	10
TETRACHLOROETHENE	5	UG/L	U	10
TOLUENE	5	UG/L	U	10
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	10
TRICHLOROETHENE	5	UG/L		200

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========> SB9-13
Sample Number==========> SB913GW
Sample Type==========> TB
Sample Date==========> 5/23/90

Compounds	Quantitation limits	units		
UNKNOWN	10	UG/L	J	12
VINYL ACETATE	10	UG/L	U	20
VINYL CHLORIDE	10	UG/L	U	20
XYLENES (TOTAL)	5	UG/L	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			SB9-14		SB9-14	
Sample Number==========>			SB914GW		SB914GWA	
Sample Type==========>			TB		TB	
Sample Date==========>			5/23/90		5/23/90	
Compounds	Quantitation limits	units				
1,1,1-TRICHLOROETHANE	5	UG/L	U	50	U	50
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50	U	50
1,1,2-TRICHLOROETHANE	5	UG/L	U	50	U	50
1,1-DICHLOROETHANE	5	UG/L	J	28	U	50
1,1-DICHLOROETHENE	5	UG/L	U	50	U	50
1,2-DICHLOROETHANE	5	UG/L	U	50	U	50
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		1900		1500
1,2-DICHLOROPROPANE	5	UG/L	U	50	U	50
2-BUTANONE	10	UG/L	U	100	U	100
2-HEXANONE	10	UG/L	U	100	U	100
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	100
ACETONE	10	UG/L	U	100	U	100
BENZENE	5	UG/L	U	50	U	50
BROMODICHLOROMETHANE	5	UG/L	U	50	U	50
BROMOFORM	5	UG/L	U	50	U	50
BROMOMETHANE	10	UG/L	U	100	U	100
CARBON DISULFIDE	5	UG/L	U	50	U	50
CARBON TETRACHLORIDE	5	UG/L	U	50	U	50
CHLOROBENZENE	5	UG/L	U	50	U	50
CHLOROETHANE	10	UG/L	U	100	U	100
CHLOROFORM	5	UG/L	U	50	U	50
CHLOROMETHANE	10	UG/L	U	100	U	100
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	50
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	50
ETHYLBENZENE	5	UG/L	U	50	U	50
JP5	200	MG/L	U	200		
METHYLENE CHLORIDE	5	UG/L	U	50	U	50
STYRENE	5	UG/L	U	50	U	50
TETRACHLOROETHENE	5	UG/L	U	50	U	50
TOLUENE	5	UG/L	U	50	U	50
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	50
TRICHLOROETHENE	5	UG/L		110		92

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			SB9-14		SB9-14	
Sample Number==========>			SB914GW		SB914GWA	
Sample Type==========>			TB		TB	
Sample Date==========>			5/23/90		5/23/90	
Compounds	Quantitation limits	units				
VINYL ACETATE	10	UG/L	U	100	U	100
VINYL CHLORIDE	10	UG/L	U	100	U	100
XYLENES (TOTAL)	5	UG/L	U	50	U	50

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			SB9-2		SB9-2	
Sample Number==========>			MOF1023		SB92GW	
Sample Type==========>			TB		TB	
Sample Date==========>			5/23/90		5/23/90	
Compounds	Quantitation limits	units				
1,1,1-TRICHLOROETHANE	5	UG/L	U	5	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5	U	5
1,1-DICHLOROETHANE	5	UG/L	U	5	U	5
1,1-DICHLOROETHENE	5	UG/L	U	5	U	5
1,2-DICHLOROETHANE	5	UG/L	U	5	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	5	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	5	U	5
2-BUTANONE	10	UG/L	U	10	U	10
2-HEXANONE	10	UG/L	U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	10	U	10
ACETONE	10	UG/L	U	10	U	10
BENZENE	5	UG/L	U	5	J	2
BROMODICHLOROMETHANE	5	UG/L	U	5	U	5
BROMOFORM	5	UG/L	U	5	U	5
BROMOMETHANE	10	UG/L	U	10	U	10
CARBON DISULFIDE	5	UG/L	U	5	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5	U	5
CHLOROBENZENE	5	UG/L	U	5	U	5
CHLOROETHANE	10	UG/L	U	10	U	10
CHLOROFORM	5	UG/L	U	5	U	5
CHLOROMETHANE	10	UG/L	U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5
DIBROMOCHLOROMETHANE	5	UG/L	U	5	U	5
ETHYLBENZENE	5	UG/L	U	5	U	5
JP5	200	MG/L			U	200
METHYLENE CHLORIDE	5	UG/L	U	5	U	5
STYRENE	5	UG/L	U	5	U	5
TETRACHLOROETHENE	5	UG/L	U	5	U	5
TOLUENE	5	UG/L	U	5	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5
TRICHLOROETHENE	5	UG/L	U	5		10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			SB9-2	SB9-2
Sample Number==========>			MOF1023	SB92GW
Sample Type==========>			TB	TB
Sample Date==========>			5/23/90	5/23/90
Compounds	Quantitation limits	units		
VINYL ACETATE	10	UG/L	U 10	U 10
VINYL CHLORIDE	10	UG/L	U 10	U 10
XYLENES (TOTAL)	5	UG/L	U 5	U 5

Well Number==========> SB9-3
Sample Number==========> SB93GW
Sample Type==========> TB
Sample Date==========> 5/23/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	12
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	12
1,1,2-TRICHLOROETHANE	5	UG/L	U	12
1,1-DICHLOROETHANE	5	UG/L	U	12
1,1-DICHLOROETHENE	5	UG/L	U	12
1,2,3-TRIMETHYL-CYCLOPENT-IS		UG/L	J	180
1,2-DICHLOROETHANE	5	UG/L	U	12
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	12
1,2-DICHLOROPROPANE	5	UG/L	U	12
2-BUTANONE	10	UG/L	U	25
2-HEXANONE	10	UG/L	U	25
3,3-DIMETHYL-2-HEXANONE		UG/L	J	20
3-OCTENE		UG/L	J	75
4-METHYL-2-PENTANONE	10	UG/L	U	25
ACETONE	10	UG/L	U	25
BENZENE	5	UG/L	U	320
BROMODICHLOROMETHANE	5	UG/L	U	12
BROMOFORM	5	UG/L	U	12
BROMOMETHANE	10	UG/L	U	25
CARBON DISULFIDE	5	UG/L	U	12
CARBON TETRACHLORIDE	5	UG/L	U	12
CHLOROBENZENE	5	UG/L	U	12
CHLOROETHANE	10	UG/L	U	25
CHLOROFORM	5	UG/L	U	12
CHLOROMETHANE	10	UG/L	U	25
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	12
CIS-DIMETHYLCYCLOHEXANE IS		UG/L	J	25
CYCLOHEXANE		UG/L	J	220
DIBROMOCHLOROMETHANE	5	UG/L	U	12
ETHYL-CYCLOHEXANE ISOMER		UG/L	J	50
ETHYLBENZENE	5	UG/L		360
JP5	200	MG/L		250

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========> SB9-3
Sample Number==========> SB93GW
Sample Type==========> TB
Sample Date==========> 5/23/90

Compounds	Quantitation limits	units		
METHYLCYCLOPENTANE		UG/L	J	120
METHYLENE CHLORIDE	5	UG/L	U	12
METHYLETHYL BENZENE ISOMER		UG/L	J	20
STYRENE	5	UG/L	U	12
TETRACHLOROETHENE	5	UG/L	U	12
TOLUENE	5	UG/L	U	12
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	12
TRANS-DIMETHYLCYCLOHEXANE IS		UG/L	J	75
TRICHLOROETHENE	5	UG/L	J	8
TRIMETHYL BENZENE ISOMER		UG/L	J	15
VINYL ACETATE	10	UG/L	U	25
VINYL CHLORIDE	10	UG/L	U	25
XYLENES (TOTAL)	5	UG/L		140

Well Number==========> SB9-8
Sample Number==========> MOF1022
Sample Type==========> TB
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5
1,1-DICHLOROETHANE	5	UG/L	U	5
1,1-DICHLOROETHENE	5	UG/L	U	5
1,2-DICHLOROETHANE	5	UG/L	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	5
2-BUTANONE	10	UG/L	U	10
2-HEXANONE	10	UG/L	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	10
ACETONE	10	UG/L	U	10
BENZENE	5	UG/L	U	5
BROMODICHLOROMETHANE	5	UG/L	U	5
BROMOFORM	5	UG/L	U	5
BROMOMETHANE	10	UG/L	U	10
CARBON DISULFIDE	5	UG/L	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5
CHLOROBENZENE	5	UG/L	U	5
CHLOROETHANE	10	UG/L	U	10
CHLOROFORM	5	UG/L	U	5
CHLOROMETHANE	10	UG/L	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5
DIBROMOCHLOROMETHANE	5	UG/L	U	5
ETHYLBENZENE	5	UG/L	U	5
METHYLENE CHLORIDE	5	UG/L	U	5
STYRENE	5	UG/L	U	5
TETRACHLOROETHENE	5	UG/L	U	5
TOLUENE	5	UG/L	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5
TRICHLOROETHENE	5	UG/L	U	5
VINYL ACETATE	10	UG/L	U	10

Well Number==========> SB9-8
Sample Number==========> MOF1022
Sample Type==========> TB
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
VINYL CHLORIDE	10	UG/L	U	10
XYLENES (TOTAL)	5	UG/L	U	5

Well Number==========> SP9-6
Sample Number==========> SB96GW
Sample Type==========>
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	10
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	10
1,1,2-TRICHLOROETHANE	5	UG/L	U	10
1,1-DICHLOROETHANE	5	UG/L	U	10
1,1-DICHLOROETHENE	5	UG/L	U	10
1,2-DICHLOROETHANE	5	UG/L	U	10
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		140
1,2-DICHLOROPROPANE	5	UG/L	U	10
2-BUTANONE	10	UG/L	U	20
2-HEXANONE	10	UG/L	U	20
4-METHYL-2-PENTANONE	10	UG/L	U	20
ACETONE	10	UG/L		23
BENZENE	5	UG/L	U	10
BROMODICHLOROMETHANE	5	UG/L	U	10
BROMOFORM	5	UG/L	U	10
BROMOMETHANE	10	UG/L	U	20
CARBON DISULFIDE	5	UG/L	U	10
CARBON TETRACHLORIDE	5	UG/L	J	2
CHLOROBENZENE	5	UG/L	U	10
CHLOROETHANE	10	UG/L	U	20
CHLOROFORM	5	UG/L	U	10
CHLOROMETHANE	10	UG/L	U	20
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	10
ETHYLBENZENE	5	UG/L	U	10
JP5	200	MG/L	U	2000
METHYLENE CHLORIDE	5	UG/L	U	10
STYRENE	5	UG/L	U	10
TETRACHLOROETHENE	5	UG/L	U	10
TOLUENE	5	UG/L	U	10
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	10
TRICHLOROETHENE	5	UG/L		280

Well Number==========> SP9-6
Sample Number==========> SB96GW
Sample Type==========>
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
VINYL ACETATE	10	UG/L	U	20
VINYL CHLORIDE	10	UG/L	U	20
XYLENES (TOTAL)	5	UG/L	U	10

Well Number==========> SP9-7
Sample Number==========> SB97GW
Sample Type==========>
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5
1,1-DICHLOROETHANE	5	UG/L		5
1,1-DICHLOROETHENE	5	UG/L	J	2
1,2-DICHLORO-1,1,2-TRIFLUORO		UG/L	J	8.0
1,2-DICHLOROETHANE	5	UG/L	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		9
1,2-DICHLOROPROPANE	5	UG/L	U	5
2-BUTANONE	10	UG/L	U	10
2-HEXANONE	10	UG/L	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	10
ACETONE	10	UG/L	U	10
BENZENE	5	UG/L	U	5
BROMODICHLOROMETHANE	5	UG/L	U	5
BROMOFORM	5	UG/L	U	5
BROMOMETHANE	10	UG/L	U	10
CARBON DISULFIDE	5	UG/L	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5
CHLOROBENZENE	5	UG/L	U	5
CHLOROETHANE	10	UG/L	U	10
CHLOROFORM	5	UG/L	U	5
CHLOROMETHANE	10	UG/L	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5
DIBROMOCHLOROMETHANE	5	UG/L	U	5
ETHYLBENZENE	5	UG/L	U	5
JP5	200	MG/L	U	200
METHYLENE CHLORIDE	5	UG/L	U	5
STYRENE	5	UG/L	U	5
TETRACHLOROETHENE	5	UG/L	U	5
TOLUENE	5	UG/L	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========> SP9-7
Sample Number==========> SB97GW
Sample Type==========>
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
TRICHLOROETHENE	5	UG/L		26
VINYL ACETATE	10	UG/L	U	10
VINYL CHLORIDE	10	UG/L	U	10
XYLENES (TOTAL)	5	UG/L	U	5

Well Number==========> SP9-8
Sample Number==========> SB98GW
Sample Type==========>
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	100
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	100
1,1,2-TRICHLOROETHANE	5	UG/L	U	100
1,1-DICHLOROETHANE	5	UG/L	U	100
1,1-DICHLOROETHENE	5	UG/L	J	77
1,2-DICHLOROETHANE	5	UG/L	U	100
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		580
1,2-DICHLOROPROPANE	5	UG/L	U	100
2-BUTANONE	10	UG/L	U	200
2-HEXANONE	10	UG/L	U	200
4-METHYL-2-PENTANONE	10	UG/L	U	200
ACETONE	10	UG/L	U	200
BENZENE	5	UG/L	U	100
BROMODICHLOROMETHANE	5	UG/L	U	100
BROMOFORM	5	UG/L	U	100
BROMOMETHANE	10	UG/L	U	200
CARBON DISULFIDE	5	UG/L	U	100
CARBON TETRACHLORIDE	5	UG/L	U	100
CHLOROBENZENE	5	UG/L	U	100
CHLOROETHANE	10	UG/L	U	200
CHLOROFORM	5	UG/L	U	100
CHLOROMETHANE	10	UG/L	U	200
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	100
DIBROMOCHLOROMETHANE	5	UG/L	U	100
ETHYLBENZENE	5	UG/L	U	100
JP5	200	MG/L	U	200
METHYLENE CHLORIDE	5	UG/L	U	100
STYRENE	5	UG/L	U	100
TETRACHLOROETHENE	5	UG/L	U	100
TOLUENE	5	UG/L	U	100
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	100
TRICHLOROETHENE	5	UG/L		3300

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========> SP9-8
Sample Number==========> SB98GW
Sample Type==========>
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
VINYL ACETATE	10	UG/L	U	200
VINYL CHLORIDE	10	UG/L	U	200
XYLENES (TOTAL)	5	UG/L	U	100

Well Number==========> SP9-9
Sample Number==========> SB99GW
Sample Type==========>
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	100
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	100
1,1,2-TRICHLOROETHANE	5	UG/L	U	100
1,1-DICHLOROETHANE	5	UG/L	U	100
1,1-DICHLOROETHENE	5	UG/L	U	100
1,2-DICHLOROETHANE	5	UG/L	U	100
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		200
1,2-DICHLOROPROPANE	5	UG/L	U	100
2-BUTANONE	10	UG/L	U	200
2-HEXANONE	10	UG/L	U	200
4-METHYL-2-PENTANONE	10	UG/L	U	200
ACETONE	10	UG/L	U	200
BENZENE	5	UG/L	U	100
BROMODICHLOROMETHANE	5	UG/L	J	79
BROMOFORM	5	UG/L		100
BROMOMETHANE	10	UG/L	U	200
CARBON DISULFIDE	5	UG/L	U	100
CARBON TETRACHLORIDE	5	UG/L	U	100
CHLOROBENZENE	5	UG/L	U	100
CHLOROETHANE	10	UG/L	U	200
CHLOROFORM	5	UG/L	U	100
CHLOROMETHANE	10	UG/L	U	200
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	100
DIBROMOCHLOROMETHANE	5	UG/L		140
ETHYLBENZENE	5	UG/L	U	100
JP5	200	MG/L	U	200
METHYLENE CHLORIDE	5	UG/L	U	100
STYRENE	5	UG/L	U	100
TETRACHLOROETHENE	5	UG/L	U	100
TOLUENE	5	UG/L	U	100
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	100
TRICHLOROETHENE	5	UG/L		2700

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========> SP9-9
Sample Number==========> SB99GW
Sample Type==========>
Sample Date==========> 5/22/90

Compounds	Quantitation limits	units		
VINYL ACETATE	10	UG/L	U	200
VINYL CHLORIDE	10	UG/L	U	200
XYLENES (TOTAL)	5	UG/L	U	100

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-10(A1)	W9-10(A1)	W9-10(A1)	W9-10(A1)	W9-10(A1)	W9-10(A1)
Sample Number=>			MOF1077	MOF1080	MOF1136	MOF1137	MOF1138	MOF1189
Sample Type=>				TB		FB	TB	
Sample Date=>			6/21/90	6/21/90	7/25/90	7/25/90	7/25/90	8/15/90
Compounds	Quantitation limits	units						
1,1,1-TRICHLOROETHANE	5	UG/L	J 13	U 5	19	U 5	U 5	J 17
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U 50	U 5	U 5	U 5	U 5	U 42
1,1,2-TRICHLOROETHANE	5	UG/L	U 50	U 5	U 5	U 5	U 5	U 42
1,1-DICHLOROETHANE	5	UG/L	J 32	U 5	44	U 5	U 5	45
1,1-DICHLOROETHENE	5	UG/L	56	U 5	120	U 5	U 5	65
1,2,4-TRICHLOROBENZENE	330	UG/L	U 10		U 10	U 10		U 10
1,2-DICHLOROBENZENE	330	UG/L	U 10		U 10	U 10		U 10
1,2-DICHLOROETHANE	5	UG/L	U 50	U 5	J 2	U 5	U 5	U 42
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	600	U 5	E 750	U 5	U 5	750
1,2-DICHLOROPROPANE	5	UG/L	U 50	U 5	U 5	U 5	U 5	U 42
1,3-DICHLOROBENZENE	330	UG/L	U 10		U 10	U 10		U 10
1,4-DICHLOROBENZENE	330	UG/L	U 10		U 10	U 10		U 10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U 50		U 50	U 50		U 50
2,4,6-TRICHLOROPHENOL	330	UG/L	U 10		U 10	U 10		U 10
2,4-DICHLOROPHENOL	330	UG/L	U 10		U 10	U 10		U 10
2,4-DIMETHYLPHENOL	330	UG/L	U 10		U 10	U 10		U 10
2,4-DINITROPHENOL	1600	UG/L	U 50		U 50	U 50		U 50
2,4-DINITROTOLUENE	330	UG/L	U 10		U 10	U 10		U 10
2,6-DINITROTOLUENE	330	UG/L	U 10		U 10	U 10		U 10
2-BUTANONE	10	UG/L	U 100	U 10	U 10	U 10	U 10	U 83
2-CHLORONAPHTHALENE	330	UG/L	U 10		U 10	U 10		U 10
2-CHLOROPHENOL	330	UG/L	U 10		U 10	U 10		U 10
2-HEXANONE	10	UG/L	U 100	U 10	U 10	U 10	U 10	U 83
2-METHYLNAPHTHALENE	330	UG/L	U 10		U 10	U 10		U 10
2-METHYLPHENOL	330	UG/L	U 10		U 10	U 10		U 10
2-NITROANILINE	1600	UG/L	U 50		U 50	U 50		U 50
2-NITROPHENOL	330	UG/L	U 10		U 10	U 10		U 10
3,3'-DICHLOROBENZIDINE	660	UG/L	U 20		U 20	U 20		U 20
3-NITROANILINE	1600	UG/L	U 50		U 50	U 50		U 50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U 50		U 50	U 50		U 50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U 10		U 10	U 10		U 10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U 10		U 10	U 10		U 10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-10(A1)		W9-10(A1)		W9-10(A1)		W9-10(A1)		W9-10(A1)		W9-10(A1)	
Sample Number			MOF1077		MOF1080		MOF1136		MOF1137		MOF1138		MOF1189	
Sample Type					TB				FB		TB			
Sample Date			6/21/90		6/21/90		7/25/90		7/25/90		7/25/90		8/15/90	
Compounds	Quantitation limits	units												
4-CHLOROANILINE	330	UG/L	U	10			U	10	U	10			U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10			U	10
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	10	U	10	U	10	U	10	U	83
4-METHYLPHENOL	330	UG/L	U	10			U	10	U	10			U	10
4-NITROANILINE	1600	UG/L	U	50			U	50	U	50			U	50
4-NITROPHENOL	1600	UG/L	U	50			U	50	U	50			U	50
ACENAPHTHENE	330	UG/L	U	10			U	10	U	10			U	10
ACENAPHTHYLENE	330	UG/L	U	10			U	10	U	10			U	10
ACETONE	10	UG/L	U	100	U	10		11		11	U	10	U	83
ANTHRACENE	330	UG/L	U	10			U	10	U	10			U	10
AROCLOR-1016	80	UG/L	U	0.50			U	0.50	U	0.50			U	0.50
AROCLOR-1221	80	UG/L	U	0.50			U	0.50	U	0.50			U	0.50
AROCLOR-1232	80	UG/L	U	0.50			U	0.50	U	0.50			U	0.50
AROCLOR-1242	80	UG/L	U	0.50			U	0.50	U	0.50			U	0.50
AROCLOR-1248	80	UG/L	U	0.50			U	0.50	U	0.50			U	0.50
AROCLOR-1254	1	UG/L	U	1.00			U	1.00	U	1.00			U	1.00
AROCLOR-1260	1	UG/L	U	1.00			U	1.00	U	1.00			U	1.00
BENZENE	5	UG/L	U	50	U	5	J	3	U	5	U	5	U	42
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10	U	10			U	10
BENZO(A)PYRENE	330	UG/L	U	10			U	10	U	10			U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10	U	10			U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10	U	10			U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10	U	10			U	10
BENZOIC ACID	1600	UG/L	U	50			U	50	U	50			U	50
BENZYL ALCOHOL	330	UG/L	U	10			U	10	U	10			U	10
BICARBONATE	1	UG/L		380				370	U	1				380
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10	U	10			U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10	U	10			U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10	U	10			U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10	U	10			U	10
BROMODICHLOROMETHANE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
BROMOFORM	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
BROMOMETHANE	10	UG/L	U	100	U	10	U	10	U	10	U	10	U	83

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units	W9-10(A1) MOF1077		W9-10(A1) MOF1080 TB		W9-10(A1) MOF1136		W9-10(A1) MOF1137 FB		W9-10(A1) MOF1138 TB		W9-10(A1) MOF1189	
Sample Date			6/21/90		6/21/90		7/25/90		7/25/90		7/25/90		8/15/90	
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10	U	10			U	10
CARBON DISULFIDE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
CARBON TETRACHLORIDE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
CARBONATE	1	UG/L	U	1			U	1	U	1			U	1
CHLORIDE	0.1	UG/L		30				50	U	0.1				36
CHLOROBENZENE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
CHLOROETHANE	10	UG/L	U	100	U	10	U	10	U	10	U	10	U	83
CHLOROFORM	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
CHLOROMETHANE	10	UG/L	U	100	U	10	U	10	U	10	U	10	U	83
CHRYSENE	330	UG/L	U	10			U	10	U	10			U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10	U	10			U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10	U	10			U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10	U	10			U	10
DIBENZOFURAN	330	UG/L	U	10			U	10	U	10			U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
DIETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10			U	10
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10			U	10
ETHANE, 1,1,2-TRICHLORO-1,2		UG/L					J	210						
ETHANE, 1,2-DICHLORO-1,1,2-T		UG/L					J	25						
ETHYLBENZENE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
ETHYLMETHYL DIOXOLANE ISOMER		UG/L	J	10										
FLUORANTHENE	330	UG/L	U	10			U	10	U	10			U	10
FLUORENE	330	UG/L	U	10			U	10	U	10			U	10
FLUORIDE	0.1	UG/L	U	0.2			U	0.2	U	0.2			U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10			U	10	U	10			U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10	U	10			U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10	U	10			U	10
HEXACHLOROETHANE	330	UG/L	U	10			U	10	U	10			U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10	U	10			U	10
ISOPHORONE	330	UG/L	U	10			U	10	U	10			U	10
JP5	200	MG/L	U	200			U	200	U	200			U	200
METHYLENE CHLORIDE	5	UG/L	B	88	B	9	U	5	U	5	U	5	B	71

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-10(A1)		W9-10(A1)		W9-10(A1)		W9-10(A1)		W9-10(A1)		W9-10(A1)	
Sample Number=>			MOF1077		MOF1080		MOF1136		MOF1137		MOF1138		MOF1189	
Sample Type=>					TB				FB		TB			
Sample Date=>			6/21/90		6/21/90		7/25/90		7/25/90		7/25/90		8/15/90	
Compounds	Quantitation limits	units												
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10	U	10			U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10	U	10			U	10
NAPHTHALENE	330	UG/L	U	10			U	10	U	10			U	10
NITRATE	0.1	UG/L	U	0.1			U	0.1	U	0.1			U	0.1
NITROBENZENE	330	UG/L	U	10			U	10	U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50	U	50			U	50
PHENANTHRENE	330	UG/L	U	10			U	10	U	10			U	10
PHENOL	330	UG/L	U	10			U	10	U	10			U	10
PYRENE	330	UG/L	U	10			U	10	U	10			U	10
STYRENE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
SULFATE	0.2	UG/L		240				250	U	0.2				240
TDS	10	UG/L		870				950	U	10				870
TETRACHLOROETHENE	5	UG/L		200	U	5	E	270	U	5	U	5		170
TOLUENE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42
TRICHLOROETHENE	5	UG/L		1300	U	5	E	1900	U	5	U	5		1600
UNKNOWN	10	UG/L					BJ	46	BJ	66				
VINYL ACETATE	10	UG/L	U	100	U	10	U	10	U	10	U	10	U	83
VINYL CHLORIDE	10	UG/L	U	100	U	10		16	U	10	U	10	U	83
XYLENES (TOTAL)	5	UG/L	U	50	U	5	U	5	U	5	U	5	U	42

Well Number==========> W9-10(A1)
Sample Number==========> MOF1190
Sample Type==========> TB
Sample Date==========> 8/15/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5
1,1-DICHLOROETHANE	5	UG/L	U	5
1,1-DICHLOROETHENE	5	UG/L	U	5
1,2-DICHLOROETHANE	5	UG/L	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	5
2-BUTANONE	10	UG/L	U	10
2-HEXANONE	10	UG/L	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	10
ACETONE	10	UG/L	U	10
BENZENE	5	UG/L	U	5
BROMODICHLOROMETHANE	5	UG/L	U	5
BROMOFORM	5	UG/L	U	5
BROMOMETHANE	10	UG/L	U	10
CARBON DISULFIDE	5	UG/L	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5
CHLOROBENZENE	5	UG/L	U	5
CHLOROETHANE	10	UG/L	U	10
CHLOROFORM	5	UG/L	U	5
CHLOROMETHANE	10	UG/L	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5
DIBROMOCHLOROMETHANE	5	UG/L	U	5
ETHYLBENZENE	5	UG/L	U	5
METHYLENE CHLORIDE	5	UG/L	B	13
STYRENE	5	UG/L	U	5
TETRACHLOROETHENE	5	UG/L	U	5
TOLUENE	5	UG/L	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5
TRICHLOROETHENE	5	UG/L	U	5
VINYL ACETATE	10	UG/L	U	10

Well Number==========> W9-10(A1)
Sample Number==========> MOF1190
Sample Type==========> TB
Sample Date==========> 8/15/90

Compounds	Quantitation limits	units		
VINYL CHLORIDE	10	UG/L	U	10
XYLENES (TOTAL)	5	UG/L	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units										
Well Number==========>			W9-11(B2)		W9-11(B2)		W9-11(B2)		W9-11(B2)	
Sample Number==========>			MOF1065		MOF1126		MOF1187		MOF1188	
Sample Type==========>							FB			
Sample Date==========>			6/15/90		7/20/90		8/14/90		8/14/90	
1,1,1-TRICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,1-DICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,1-DICHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	5	U	5	U	5	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	5	U	5	U	5	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10
2-BUTANONE	10	UG/L	U	10	U	10	U	10	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2-HEXANONE	10	UG/L	U	10	U	10	U	10	U	10
2-METHYL CYCLOPENTANOL		UG/L					BJ	76	BJ	18
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20	U	20
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-11(B2)		W9-11(B2)		W9-11(B2)		W9-11(B2)	
Sample Number			MOF1065		MOF1126		MOF1187		MOF1188	
Sample Type							FB			
Sample Date			6/15/90		7/20/90		8/14/90		8/14/90	
Compounds	Quantitation limits	units								
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	10	U	10	U	10	U	10
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10	U	10
ACETONE	10	UG/L	U	10	U	10	U	10	U	10
ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
AROCLOR-1016	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1254	1	UG/L	U	1.00	U	1.00	U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U	1.00	U	1.00	U	1.00	U	1.00
BENZENE	5	UG/L	U	5	U	5	U	5	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50	U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10	U	10
BICARBONATE	1	UG/L		210		220		3		220
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5
BROMOFORM	5	UG/L	U	5	U	5	U	5	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-11(B2)		W9-11(B2)		W9-11(B2)		W9-11(B2)	
Sample Number==========>			MOF1065		MOF1126		MOF1187		MOF1188	
Sample Type==========>							FB			
Sample Date==========>			6/15/90		7/20/90		8/14/90		8/14/90	
Compounds	Quantitation limits	units								
BROMOMETHANE	10	UG/L	U	10	U	10	U	10	U	10
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
CARBON DISULFIDE	5	UG/L	U	5	U	5	U	5	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5	U	5	U	5	U	5
CARBONATE	1	UG/L	U	1	U	1	U	1	U	1
CHLORIDE	0.1	UG/L		16		19	U	0.1		14
CHLOROBENZENE	5	UG/L	U	5	U	5	U	5	U	5
CHLOROETHANE	10	UG/L	U	10	U	10	U	10	U	10
CHLOROFORM	5	UG/L	U	5	U	5	U	5	U	5
CHLOROMETHANE	10	UG/L	U	10	U	10	U	10	U	10
CHRYSENE	330	UG/L	U	10	U	10	U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIISOPROPYL ETHER		UG/L					BJ	10		
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
ETHYLBENZENE	5	UG/L	U	5	U	5	U	5	U	5
FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORIDE	0.1	UG/L	U	0.2	U	0.2	U	0.2	U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10	U	10
HEXANEDIOIC ACID, BIS(2-ETHYL-		UG/L					J	10	J	36
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
ISOPHORONE	330	UG/L	U	10	U	10	U	10	U	10
JP5	200	MG/L	U	200	U	200	U	200	U	200
METHYLENE CHLORIDE	5	UG/L	B	13	BJ	4	BJ	4	BJ	4

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-11(B2)		W9-11(B2)		W9-11(B2)		W9-11(B2)	
Sample Number==========>			MOF1065		MOF1126		MOF1187		MOF1188	
Sample Type==========>							FB			
Sample Date==========>			6/15/90		7/20/90		8/14/90		8/14/90	
Compounds	Quantitation limits	units								
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10	U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10	U	10
NAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
NITRATE	0.1	UG/L	U	0.1	U	0.1	U	0.1	U	0.1
NITROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
PHENANTHRENE	330	UG/L	U	10	U	10	U	10	U	10
PHENOL	330	UG/L	U	10	U	10	U	10	U	10
PYRENE	330	UG/L	U	10	U	10	U	10	U	10
STYRENE	5	UG/L	U	5	U	5	U	5	U	5
SULFATE	0.2	UG/L		20		19	U	0.2		17
TDS	10	UG/L		290		310	U	10		300
TETRACHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5
TOLUENE	5	UG/L	U	5	U	5	U	5	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5
TRICHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5
VINYL ACETATE	10	UG/L	U	10	U	10	U	10	U	10
VINYL CHLORIDE	10	UG/L	U	10	U	10	U	10	U	10
XYLENES (TOTAL)	5	UG/L	U	5	U	5	U	5	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)	
Sample Number==========>			MOF1036		MOF1037		MOF1096		MOF1097		MOF1159		MOF1160	
Sample Type==========>			FB						TB				TB	
Sample Date==========>			6/5/90		6/5/90		7/11/90		7/11/90		8/3/90		8/3/90	
Compounds	Quantitation limits	units												
1,1,1-TRICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
1,1-DICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
1,1-DICHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
1,2-DICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10		
2-BUTANONE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10		
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2-HEXANONE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10		
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50		
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20			U	20		
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)	
Sample Number			MOF1036		MOF1037		MOF1096		MOF1097		MOF1159		MOF1160	
Sample Type			FB						TB				TB	
Sample Date			6/5/90		6/5/90		7/11/90		7/11/90		8/3/90		8/3/90	
Compounds	Quantitation limits	units												
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10			U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50		
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10			U	10		
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10			U	10		
ACETONE	10	UG/L	U	10	U	10	U	10	U	10	BJ	6	U	10
ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10		
AROCLOR-1016	80	UG/L	U	.5	U	.5	U	0.50			U	0.50		
AROCLOR-1221	80	UG/L	U	.5	U	.5	U	0.50			U	0.50		
AROCLOR-1232	80	UG/L	U	.5	U	.5	U	0.50			U	0.50		
AROCLOR-1242	80	UG/L	U	.5	U	.5	U	0.50			U	0.50		
AROCLOR-1248	80	UG/L	U	.5	U	.5	U	0.50			U	0.50		
AROCLOR-1254	1	UG/L	U	1	U	1	U	1.00			U	1.00		
AROCLOR-1260	1	UG/L	U	1	U	1	U	1.00			U	1.00		
BENZENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50			U	50		
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10			U	10		
BICARBONATE	1	UG/L						240				240		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10			U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10		
BIS(2-ETHYLHEXYL)ESTER HEXANE		UG/L									J	30		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10	J	4			U	10		
BROMODICHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
BROMOFORM	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)	
Sample Number==========>			MOF1036		MOF1037		MOF1096		MOF1097		MOF1159		MOF1160	
Sample Type==========>			FB						TB				TB	
Sample Date==========>			6/5/90		6/5/90		7/11/90		7/11/90		8/3/90		8/3/90	
Compounds	Quantitation limits	units												
BROMOMETHANE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
CARBON DISULFIDE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
CARBONATE	1	UG/L					U	1			U	1		
CHLORIDE	0.1	UG/L						15				14		
CHLOROBENZENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
CHLOROETHANE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
CHLOROFORM	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
CHLOROMETHANE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
CHRYSENE	330	UG/L	U	10	U	10	U	10			U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10		
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10			U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
ETHYLBENZENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10		
FLUORENE	330	UG/L	U	10	U	10	U	10			U	10		
FLUORIDE	0.1	UG/L					U	0.1			U	0.2		
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10			U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10			U	10		
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10			U	10		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10			U	10		
ISOPHORONE	330	UG/L	U	10	U	10	U	10			U	10		
JP5	200	MG/L	U	200	U	200	U	200			U	200		
METHYLENE CHLORIDE	5	UG/L	BJ	1	BJ	2	BJ	3	B	6	BJ	4	BJ	2
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10			U	10		
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10			U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)	
Sample Number==========>			MOF1036		MOF1037		MOF1096		MOF1097		MOF1159		MOF1160	
Sample Type==========>			FB						TB				TB	
Sample Date==========>			6/5/90		6/5/90		7/11/90		7/11/90		8/3/90		8/3/90	
Compounds	Quantitation limits	units												
NAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10		
NITRATE	0.1	UG/L					U	0.1			U	0.1		
NITROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
PHENANTHRENE	330	UG/L	U	10	U	10	U	10			U	10		
PHENOL	330	UG/L	U	10	U	10	U	10			U	10		
PYRENE	330	UG/L	U	10	U	10	U	10			U	10		
STYRENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
SULFATE	0.2	UG/L						14				16		
TDS	10	UG/L						320				330		
TETRACHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
TOLUENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
TRICHLOROETHENE	5	UG/L	U	5	J	2	U	5	U	5	U	5	U	5
UNKNOWN	10	UG/L									BJ	58		
UNKNOWN HYDROCARBON		UG/L	BJ	76	BJ	46								
VINYL ACETATE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
VINYL CHLORIDE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
XYLENES (TOTAL)	5	UG/L	U	5	U	5	U		U	5	U	5	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-16(A1)		W9-16(A1)		W9-16(A1)		W9-16(A1)		W9-16(A1)	
Sample Number==========>			MOF1050		MOF1051		MOF1107		MOF1108		MOF1167	
Sample Type==========>					TB				TB			
Sample Date==========>			6/12/90		6/12/90		7/16/90		7/16/90		8/7/90	
Compounds	Quantitation limits	units										
1,1,1-TRICHLOROETHANE	5	UG/L	J	2	U	5	U	8	U	5	U	7
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	6	U	5	U	8	U	5	U	7
1,1,2-TRICHLOROETHANE	5	UG/L	U	6	U	5	U	8	U	5	U	7
1,1-DICHLOROETHANE	5	UG/L		11	U	5		9	U	5		9
1,1-DICHLOROETHENE	5	UG/L		8	U	5	J	4	U	5	J	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,2-DICHLOROETHANE	5	UG/L	U	6	U	5	U	8	U	5	U	7
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		12	U	5		9	U	5		10
1,2-DICHLOROPROPANE	5	UG/L	U	6	U	5	U	8	U	5	U	7
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50			U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50			U	50
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10
2-BUTANONE	10	UG/L	U	12	U	10	U	17	U	10	U	14
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10			U	10
2-CHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2-HEXANONE	10	UG/L	U	12	U	10	U	17	U	10	U	14
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10			U	10
2-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
2-NITROANILINE	1600	UG/L	U	50			U	50			U	50
2-NITROPHENOL	330	UG/L	U	10			U	10			U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20			U	20
3-NITROANILINE	1600	UG/L	U	50			U	50			U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50			U	50			U	50
4-(ACETYLOXY)-2-BUTANONE		UG/L					J	100				
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=====>			W9-16(A1)		W9-16(A1)		W9-16(A1)		W9-16(A1)		W9-16(A1)	
Sample Number=====>			MOF1050		MOF1051		MOF1107		MOF1108		MOF1167	
Sample Type=====>					TB				TB			
Sample Date=====>			6/12/90		6/12/90		7/16/90		7/16/90		8/7/90	
Compounds	Quantitation limits	units										
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
4-CHLOROANILINE	330	UG/L	U	10			U	10			U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10			U	10
4-METHYL-2-PENTANONE	10	UG/L	U	12	U	10	U	17	U	10	U	14
4-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
4-NITROANILINE	1600	UG/L	U	50			U	50			U	50
4-NITROPHENOL	1600	UG/L	U	50			U	50			U	50
ACENAPHTHENE	330	UG/L	U	10			U	10			U	10
ACENAPHTHYLENE	330	UG/L	U	10			U	10			U	10
ACETONE	10	UG/L	U	12	U	10	U	17	U	10	U	14
ANTHRACENE	330	UG/L	U	10			U	10			U	10
AROCLOR-1016	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1221	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1232	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1242	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1248	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1254	1	UG/L	U	1.0			U	1.00			U	1.00
AROCLOR-1260	1	UG/L	U	1.0			U	1.00			U	1.00
BENZENE	5	UG/L	U	6	U	5	U	8	U	5	U	7
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10			U	10
BENZO(A)PYRENE	330	UG/L	U	10			U	10			U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10			U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10			U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10			U	10
BENZOIC ACID	1600	UG/L	U	50			U	50			U	50
BENZYL ALCOHOL	330	UG/L	U	10			U	10			U	10
BICARBONATE	1	UG/L		320				340				310
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10			U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10			U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10			U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10			U	10
BROMODICHLOROMETHANE	5	UG/L	U	6	U	5	U	8	U	5	U	7
BROMOFORM	5	UG/L	U	6	U	5	U	8	U	5	U	7

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-16(A1)		W9-16(A1)		W9-16(A1)		W9-16(A1)		W9-16(A1)	
Sample Number=>			MOF1050		MOF1051		MOF1107		MOF1108		MOF1167	
Sample Type=>					TB				TB			
Sample Date=>			6/12/90		6/12/90		7/16/90		7/16/90		8/7/90	
Compounds	Quantitation limits	units										
BROMOMETHANE	10	UG/L	U	12	U	10	U	17	U	10	U	14
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10			U	10
CARBON DISULFIDE	5	UG/L	U	6	U	5	U	8	U	5	U	7
CARBON TETRACHLORIDE	5	UG/L	U	6	U	5	U	8	U	5	U	7
CARBONATE	1	UG/L	U	1			U	1			U	1
CHLORIDE	0.1	UG/L		29				17				33
CHLOROBENZENE	5	UG/L	U	6	U	5	U	8	U	5	U	7
CHLOROETHANE	10	UG/L	U	12	U	10	U	17	U	10	U	14
CHLOROFORM	5	UG/L	U	6	U	5	U	8	U	5	U	7
CHLOROMETHANE	10	UG/L	U	12	U	10	U	17	U	10	U	14
CHRYSENE	330	UG/L	U	10			U	10			U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	6	U	5	U	8	U	5	U	7
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10			U	10
DIBENZOFURAN	330	UG/L	U	10			U	10			U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	6	U	5	U	8	U	5	U	7
DIETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DIOCTYL ESTER HEXANEDIOIC ACID		UG/L									BJ	10
ETHYLBENZENE	5	UG/L	U	6	U	5	U	8	U	5	U	7
FLUORANTHENE	330	UG/L	U	10			U	10			U	10
FLUORENE	330	UG/L	U	10			U	10			U	10
FLUORIDE	0.1	UG/L		0.5			U	0.2			U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROETHANE	330	UG/L	U	10			U	10			U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10			U	10
ISOPHORONE	330	UG/L	U	10			U	10			U	10
JP5	200	MG/L	U	200			U	200			U	200
METHYLENE CHLORIDE	5	UG/L	B	9	B	16	B	11	B	11	B	10
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-16(A1)		W9-16(A1)		W9-16(A1)		W9-16(A1)		W9-16(A1)	
Sample Number=>			MOF1050		MOF1051		MOF1107		MOF1108		MOF1167	
Sample Type=>					TB				TB			
Sample Date=>			6/12/90		6/12/90		7/16/90		7/16/90		8/7/90	
Compounds	Quantitation limits	units										
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10			U	10
NAPHTHALENE	330	UG/L	U	10			U	10			U	10
NITRATE	0.1	UG/L	U	0.1			U	0.1			U	0.1
NITROBENZENE	330	UG/L	U	10			U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50			U	50
PHENANTHRENE	330	UG/L	U	10			U	10			U	10
PHENOL	330	UG/L	U	10			U	10			U	10
PYRENE	330	UG/L	U	10			U	10			U	10
STYRENE	5	UG/L	U	6	U	5	U	8	U	5	U	7
SULFATE	0.2	UG/L		230				220				230
TDS	10	UG/L		830				850				800
TETRACHLOROETHENE	5	UG/L	U	6	U	5	U	8	U	5	U	7
TOLUENE	5	UG/L	U	6	U	5	U	8	U	5	U	7
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	6	U	5	U	8	U	5	U	7
TRICHLOROETHENE	5	UG/L		190	U	5		170	U	5		150
UNKNOWN	10	UG/L					J	8.0			BJ	20
VINYL ACETATE	10	UG/L	U	12	U	10	U	17	U	10	U	14
VINYL CHLORIDE	10	UG/L	U	12	U	10	U	17	U	10	U	14
XYLENES (TOTAL)	5	UG/L	U	6	U	5	U	8	U	5	U	7

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units	W9-17(A2) MOF1033		W9-17(A2) MOF1034 TB		W9-17(A2) MOF1094		W9-17(A2) MOF1157		W9-17(A2) MOF1158 FB	
Sample Date			6/5/90		6/5/90		7/10/90		8/3/90		8/3/90	
1,1,1-TRICHLOROETHANE	5	UG/L	U	250	U	5	U	250	U	250	J	3
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	250	U	5	U	250	U	250	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	250	U	5	U	250	U	250	U	5
1,1-DICHLOROETHANE	5	UG/L	J	56	U	5	U	250	U	250	U	5
1,1-DICHLOROETHENE	5	UG/L	J	130	U	5	J	150	J	74	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10	U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	250	U	5	U	250	U	250	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		560	U	5		660		560	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	250	U	5	U	250	U	250	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50	U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10	U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10	U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10	U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50	U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10	U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10	U	10	U	10
2-BUTANONE	10	UG/L	U	500	U	10	U	500	BJ	430	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10	U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10			U	10	U	10	U	10
2-HEXANONE	10	UG/L	U	500	U	10	U	500	U	500	U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10	U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10			U	10	U	10	U	10
2-NITROANILINE	1600	UG/L	U	50			U	50	U	50	U	50
2-NITROPHENOL	330	UG/L	U	10			U	10	U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20	U	20	U	20
3-NITROANILINE	1600	UG/L	U	50			U	50	U	50	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50			U	50	U	50	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10	U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10			U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-17(A2)		W9-17(A2)		W9-17(A2)		W9-17(A2)		W9-17(A2)	
Sample Number==========>			MOF1033		MOF1034		MOF1094		MOF1157		MOF1158	
Sample Type==========>					TB						FB	
Sample Date==========>			6/5/90		6/5/90		7/10/90		8/3/90		8/3/90	
Compounds	Quantitation limits	units										
4-CHLOROANILINE	330	UG/L	U	10			U	10	U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	500	U	10	U	500	U	500	U	10
4-METHYLPHENOL	330	UG/L	U	10			U	10	U	10	U	10
4-NITROANILINE	1600	UG/L	U	50			U	50	U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50			U	50	U	50	U	50
ACENAPHTHENE	330	UG/L	U	10			U	10	U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10			U	10	U	10	U	10
ACETONE	10	UG/L	U	500	U	10	U	500	U	500	U	10
ANTHRACENE	330	UG/L	U	10			U	10	U	10	U	10
AROCLOR-1016	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1016	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U				U	0.50	U	0.50	U	0.50
AROCLOR-1254	1	UG/L	U				U	1.00	U	1.00	U	1.00
AROCLOR-1254	1	UG/L	U				U	1.00	U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U				U	1.00	U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U				U	1.00	U	1.00	U	1.00
BENZENE	5	UG/L	U	250	U	5	U	250	U	250	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10	U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10			U	10	U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10	U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10	U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10	U	10	U	10
BENZOIC ACID	1600	UG/L	U	50			U	50	U	50	U	50
BENZYL ALCOHOL	330	UG/L	U	10			U	10	U	10	U	10
BICARBONATE	1	UG/L		350				350		360		11

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-17(A2)		W9-17(A2)		W9-17(A2)		W9-17(A2)		W9-17(A2)	
Sample Number==========>			MOF1033		MOF1034		MOF1094		MOF1157		MOF1158	
Sample Type==========>					TB						FB	
Sample Date==========>			6/5/90		6/5/90		7/10/90		8/3/90		8/3/90	
Compounds	Quantitation limits	units										
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10	U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10	U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10	U	10	U	10
BIS(2-ETHYLHEXYL)ESTER HEXANE		UG/L									J	16
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10	U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	250	U	5	U	250	U	250	U	5
BROMOFORM	5	UG/L	U	250	U	5	U	250	U	250	U	5
BROMOMETHANE	10	UG/L	U	500	U	10	U	500	U	500	U	10
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10	U	10	U	10
CARBON DISULFIDE	5	UG/L	U	250	U	5	U	250	U	250	U	5
CARBON TETRACHLORIDE	5	UG/L	U	250	U	5	U	250	U	250	U	5
CARBONATE	1	UG/L	U	1.0			U	1	U	1	U	1
CHLORIDE	0.1	UG/L		39				43		51	U	0.1
CHLOROBENZENE	5	UG/L	U	250	U	5	U	250	U	250	U	5
CHLOROETHANE	10	UG/L	U	500	U	10	U	500	U	500	U	10
CHLOROFORM	5	UG/L	U	250	U	5	U	250	U	250	U	5
CHLOROMETHANE	10	UG/L	U	500	U	10	U	500	U	500	U	10
CHRYSENE	330	UG/L	U	10			U	10	U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	5	U	250	U	250	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10	U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10	U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10	U	10	U	10
DIBENZOFURAN	330	UG/L	U	10			U	10	U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	250	U	5	U	250	U	250	U	5
DIETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10	U	10
ETHYLBENZENE	5	UG/L	U	250	U	5	U	250	U	250	U	5
FLUORANTHENE	330	UG/L	U	10			U	10	U	10	U	10
FLUORENE	330	UG/L	U	10			U	10	U	10	U	10
FLUORIDE	0.1	UG/L	U	0.2				0.1	U	0.2	U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10			U	10	U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10	U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-17(A2)		W9-17(A2)		W9-17(A2)		W9-17(A2)		W9-17(A2)	
Sample Number==========>			MOF1033		MOF1034		MOF1094		MOF1157		MOF1158	
Sample Type==========>					TB						FB	
Sample Date==========>			6/5/90		6/5/90		7/10/90		8/3/90		8/3/90	
Compounds	Quantitation limits	units										
HEXACHLOROETHANE	330	UG/L	U	10			U	10	U	10	U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10	U	10	U	10
ISOPHORONE	330	UG/L	U	10			U	10	U	10	U	10
JP5	200	MG/L	U				U	200	U	200	U	200
JP5	200	MG/L	U				U	200	U	200	U	200
METHYLENE CHLORIDE	5	UG/L	BJ	140	B	6	BJ	80	B	260	B	7
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10	U	10	U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10	U	10	U	10
NAPHTHALENE	330	UG/L	U	10			U	10	U	10	U	10
NITRATE	0.1	UG/L		2.6				2.7		3.0	U	0.1
NITROBENZENE	330	UG/L	U	10			U	10	U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50	U	50	U	50
PHENANTHRENE	330	UG/L	U	10			U	10	U	10	U	10
PHENOL	330	UG/L	U	10			U	10	U	10	U	10
PYRENE	330	UG/L	U	10			U	10	U	10	U	10
STYRENE	5	UG/L	U	250	U	5	U	250	U	250	U	5
SULFATE	0.2	UG/L		370				370		380	U	0.2
TDS	10	UG/L		1150				1240		1290		14
TETRACHLOROETHENE	5	UG/L	U	250	U	5	U	250	U	250	U	5
TOLUENE	5	UG/L	U	250	U	5	U	250	U	250	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	5	U	250	U	250	U	5
TRICHLOROETHENE	5	UG/L		8800	U	5		7400		6700	U	5
UNKNOWN	10	UG/L	BJ	10					BJ	18	BJ	12
VINYL ACETATE	10	UG/L	U	500	U	10	U	500	U	500	U	10
VINYL CHLORIDE	10	UG/L	U	500	U	10	U	500	U	500	U	10
XYLENES (TOTAL)	5	UG/L	U	250	U	5	U	250	U	250	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units	W9-18(A1) MOF1041		W9-18(A1) MOF1091 FB		W9-18(A1) MOF1092		W9-18(A1) MOF1093 TB		W9-18(A1) MOF1168		W9-18(A1) MOF1169 TB	
Sample Date			6/6/90		7/10/90		7/10/90		7/10/90		8/7/90		8/7/90	
1,1,1-TRICHLOROETHANE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
1,1-DICHLOROETHANE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
1,1-DICHLOROETHENE	5	UG/L	J	27	U	5	J	56	U	5	J	60	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
1,2-DICHLOROETHANE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	J	90	U	5		260	U	5		330	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10		
2-BUTANONE	10	UG/L	U	200	U	10	BJ	230	U	10	U	500	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10		
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2-HEXANONE	10	UG/L	U	200	U	10	U	500	U	10	U	500	U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10		
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50		
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20			U	20		
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-18(A1)		W9-18(A1)		W9-18(A1)		W9-18(A1)		W9-18(A1)		W9-18(A1)	
Sample Number=>			MOF1041		MOF1091		MOF1092		MOF1093		MOF1168		MOF1169	
Sample Type=>					FB				TB				TB	
Sample Date=>			6/6/90		7/10/90		7/10/90		7/10/90		8/7/90		8/7/90	
Compounds	Quantitation limits	units												
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10			U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	200	U	10	U	500	U	10	U	500	U	10
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50		
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10			U	10		
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10			U	10		
ACETONE	10	UG/L	U	200		13	U	500	U	10	U	500	U	10
ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10		
AROCLOR-1016	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1221	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1232	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1242	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1248	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1254	1	UG/L	U	1.00	U	1.00	U	1.00			U	1.00		
AROCLOR-1260	1	UG/L	U	1.00	U	1.00	U	1.00			U	1.00		
BENZENE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50			U	50		
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10			U	10		
BICARBONATE	1	UG/L		290	U	1		290				250		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10			U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10		45			U	10		
BROMODICHLOROMETHANE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
BROMOFORM	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
BROMOMETHANE	10	UG/L	U	200	U	10	U	500	U	10	U	500	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-18(A1)		W9-18(A1)		W9-18(A1)		W9-18(A1)		W9-18(A1)		W9-18(A1)	
Sample Number=>			MOF1041		MOF1091		MOF1092		MOF1093		MOF1168		MOF1169	
Sample Type=>					FB				TB				TB	
Sample Date=>			6/6/90		7/10/90		7/10/90		7/10/90		8/7/90		8/7/90	
Compounds	Quantitation limits	units												
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
CARBON DISULFIDE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
CARBON TETRACHLORIDE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
CARBONATE	1	UG/L	U	1	U	1	U	1			U	1		
CHLORIDE	0.1	UG/L		54	U	0.1		52				51		
CHLOROBENZENE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
CHLOROETHANE	10	UG/L	U	200	U	10	U	500	U	10	U	500	U	10
CHLOROFORM	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
CHLOROMETHANE	10	UG/L	U	200	U	10	U	500	U	10	U	500	U	10
CHRYSENE	330	UG/L	U	10	U	10	U	10			U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10		
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10			U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DIOCTYL ESTER HEXANEDIOIC ACID		UG/L									BJ	10		
ETHYLBENZENE	5	UG/L	U	100	U	5	U	250	U	5	U	250	U	5
FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10		
FLUORENE	330	UG/L	U	10	U	10	U	10			U	10		
FLUORIDE	0.1	UG/L	U	0.2	U	0.1		0.2				0.2		
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10			U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10			U	10		
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10			U	10		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10			U	10		
ISOPHORONE	330	UG/L	U	10	U	10	U	10			U	10		
JP5	200	MG/L	U	200	U	200	U	200			U	200		
METHYLENE CHLORIDE	5	UG/L	B	300	BJ	1	BJ	86	BJ	3	BJ	200	B	9
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10			U	10		
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10			U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units																
Well Number==========>			W9-18(A1)				W9-18(A1)				W9-18(A1)				W9-18(A1)			
Sample Number==========>			MOF1041				MOF1091				MOF1092				MOF1093			
Sample Type==========>							FB								TB			
Sample Date==========>			6/6/90				7/10/90				7/10/90				7/10/90			
NAPHTHALENE	330	UG/L	U	10			U	10			U	10					U	10
NITRATE	0.1	UG/L	U	0.1			U	0.1			U	0.1					U	0.1
NITROBENZENE	330	UG/L	U	10			U	10			U	10					U	10
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50			U	50					U	50
PHENANTHRENE	330	UG/L	U	10			U	10			U	10					U	10
PHENOL	330	UG/L	U	10			U	10			U	10					U	10
PYRENE	330	UG/L	U	10			U	10			U	10					U	10
STYRENE	5	UG/L	U	100			U	5			U	250			U	5	U	250
SULFATE	0.2	UG/L		390			U	0.2				380						380
TDS	10	UG/L		1030			U	10				1080						1020
TETRACHLOROETHENE	5	UG/L	J	61			U	5			J	140			U	5	J	140
TOLUENE	5	UG/L	U	100			U	5			U	250			U	5	U	250
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	100			U	5			U	250			U	5	U	250
TRICHLOROETHENE	5	UG/L		2700			U	5				6000			U	5		8600
UNKNOWN	10	UG/L	BJ	800													BJ	16
UNKNOWN ALCOHOL	10	UG/L	J	10														
VINYL ACETATE	10	UG/L	U	200			U	10			U	500			U	10	U	500
VINYL CHLORIDE	10	UG/L	U	200			U	10			U	500			U	10	U	500
XYLENES (TOTAL)	5	UG/L	U	100			U	5			U	250			U	5	U	250

Compounds	W9-18(A1) MOF1168				W9-18(A1) MOF1169			
Well Number==========>								
Sample Number==========>								
Sample Type==========>								
Sample Date==========>								
NAPHTHALENE			U	10				
NITRATE			U	0.1				
NITROBENZENE			U	10				
PENTACHLOROPHENOL			U	50				
PHENANTHRENE			U	10				
PHENOL			U	10				
PYRENE			U	10				
STYRENE			U	250			U	5
SULFATE				380				
TDS				1020				
TETRACHLOROETHENE			J	140			U	5
TOLUENE			U	250			U	5
TRANS-1,3-DICHLOROPROPENE			U	250			U	5
TRICHLOROETHENE				8600			U	5
UNKNOWN			BJ	16				
UNKNOWN ALCOHOL								
VINYL ACETATE			U	500			U	10
VINYL CHLORIDE			U	500			U	10
XYLENES (TOTAL)			U	250			U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-19(A1)		W9-19(A1)		W9-19(A1)		W9-19(A1)		W9-19(A1)	
Sample Number			MOF1052		MOF1111		MOF1112		MOF1113		MOF1161	
Sample Type							DUP		TB			
Sample Date			6/12/90		7/17/90		7/17/90		7/17/90		8/3/90	
Compounds	Quantitation limits	units										
1,1,1-TRICHLOROETHANE	5	UG/L	U	25	U	31	U	25	U	5	U	25
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	25	U	31	U	25	U	5	U	25
1,1,2-TRICHLOROETHANE	5	UG/L	U	25	U	31	U	25	U	5	U	25
1,1-DICHLOROETHANE	5	UG/L		25	J	17	J	16	U	5	J	20
1,1-DICHLOROETHENE	5	UG/L	U	16	J	14	J	12	U	5	J	16
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
1,2-DICHLOROETHANE	5	UG/L	U	25	U	31	U	25	U	5	U	25
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	25		58		52	U	5		92
1,2-DICHLOROPROPANE	5	UG/L	U	25	U	31	U	25	U	5	U	25
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10
2-BUTANONE	10	UG/L	U	50	U	62	U	50	U	10	U	50
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2-HEXANONE	10	UG/L	U	50	U	62	U	50	U	10	U	50
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10			U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20			U	20
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
4-(ACETYLOXY)-2-BUTANONE		UG/L			J	98	J	80				
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-19(A1)		W9-19(A1)		W9-19(A1)		W9-19(A1)		W9-19(A1)	
Sample Number			MOF1052		MOF1111		MOF1112		MOF1113		MOF1161	
Sample Type							DUP		TB			
Sample Date			6/12/90		7/17/90		7/17/90		7/17/90		8/3/90	
Compounds	Quantitation limits	units										
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10			U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10
4-METHYL-2-PENTANONE	10	UG/L	U	50	U	62	U	50	U	10	U	50
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10			U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10			U	10
ACETONE	10	UG/L	U	50	U	62	U	50	U	10	U	50
ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10
AROCLOR-1016	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1221	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1232	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1242	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1248	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1254	1	UG/L	U	1.0			U	1.00			U	1.00
AROCLOR-1260	1	UG/L	U	1.0			U	1.00			U	1.00
BENZENE	5	UG/L	U	25	U	31	U	25	U	5	U	25
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10			U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10			U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50			U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10			U	10
BICARBONATE	1	UG/L		330		340		340				350
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10			U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10
BIS(2-ETHYLHEXYL)ESTER-		UG/L									J	32
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
BROMODICHLOROMETHANE	5	UG/L	U	25	U	31	U	25	U	5	U	25

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-19(A1)		W9-19(A1)		W9-19(A1)		W9-19(A1)		W9-19(A1)	
Sample Number			MOF1052		MOF1111		MOF1112		MOF1113		MOF1161	
Sample Type							DUP		TB			
Sample Date			6/12/90		7/17/90		7/17/90		7/17/90		8/3/90	
Compounds	Quantitation limits	units										
BROMOFORM	5	UG/L	U	25	U	31	U	25	U	5	U	25
BROMOMETHANE	10	UG/L	U	50	U	62	U	50	U	10	U	50
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
CARBON DISULFIDE	5	UG/L	U	25	U	31	U	25	U	5	U	25
CARBON TETRACHLORIDE	5	UG/L	U	25	U	31	U	25	U	5	U	25
CARBONATE	1	UG/L	U	1	U	1	U	1			U	1
CHLORIDE	0.1	UG/L		28		27		15				31
CHLOROBENZENE	5	UG/L	U	25	U	31	U	25	U	5	U	25
CHLOROETHANE	10	UG/L	U	50	U	62	U	50	U	10	U	50
CHLOROFORM	5	UG/L	U	25	U	31	U	25	U	5	U	25
CHLOROMETHANE	10	UG/L	U	50	U	62	U	50	U	10	U	50
CHRYSENE	330	UG/L	U	10	U	10	U	10			U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	25	U	31	U	25	U	5	U	25
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10			U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	25	U	31	U	25	U	5	U	25
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
ETHYLBENZENE	5	UG/L	U	25	U	31	U	25	U	5	U	25
FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10
FLUORENE	330	UG/L	U	10	U	10	U	10			U	10
FLUORIDE	0.1	UG/L		0.2	U	0.2	U	0.2			U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10			U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10			U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10			U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10			U	10
ISOPHORONE	330	UG/L	U	10	U	10	U	10			U	10
JP5	200	MG/L	U	200	U	200	U	200			U	200
METHYLENE CHLORIDE	5	UG/L	BJ	8	B	400	B	25	BJ	4	BJ	20
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-19(A1)		W9-19(A1)		W9-19(A1)		W9-19(A1)		W9-19(A1)	
Sample Number==========>			MOF1052		MOF1111		MOF1112		MOF1113		MOF1161	
Sample Type==========>							DUP		TB			
Sample Date==========>			6/12/90		7/17/90		7/17/90		7/17/90		8/3/90	
Compounds	Quantitation limits	units										
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10			U	10
NAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10
NITRATE	0.1	UG/L	U	0.1	U	0.1	U	0.1			U	0.1
NITROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
PHENANTHRENE	330	UG/L	U	10	U	10	U	10			U	10
PHENOL	330	UG/L	U	10	U	10	U	10			U	10
PYRENE	330	UG/L	U	10	U	10	U	10			U	10
STYRENE	5	UG/L	U	25	U	31	U	25	U	5	U	25
SULFATE	0.2	UG/L		200		370		190				200
TDS	10	UG/L		890		780		780				790
TETRACHLOROETHENE	5	UG/L	U	25	U	31	U	25	U	5	U	25
TOLUENE	5	UG/L	U	25	U	31	U	25	U	5	U	25
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	25	U	31	U	25	U	5	U	25
TRICHLOROETHENE	5	UG/L		850		760		740	U	5		660
TRIMETHYLBENZENE ISOMER		UG/L									J	8.0
UNKNOWN	10	UG/L			J	14	J	16			BJ	18
UNKNOWN KETONE		UG/L					J	18				
VINYL ACETATE	10	UG/L	U	50	U	62	U	50	U	10	U	50
VINYL CHLORIDE	10	UG/L	U	50	U	62	U	50	U	10	U	50
XYLENES (TOTAL)	5	UG/L	U	25	U	31	U	25	U	5	U	25

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-20(A2)		W9-20(A2)		W9-20(A2)		W9-20(A2)		W9-20(A2)	
Sample Number==========>			MOF1044		MOF1046		MOF1103		MOF1104		MOF1173	
Sample Type==========>					TB				TB			
Sample Date==========>			6/7/90		6/7/90		7/13/90		7/13/90		8/8/90	
Compounds	Quantitation limits	units										
1,1,1-TRICHLOROETHANE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
1,1,2-TRICHLOROETHANE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
1,1-DICHLOROETHANE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
1,1-DICHLOROETHENE	5	UG/L	J	150	U	5	J	150	U	5	U	1000
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,2-DICHLOROETHANE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	J	300	U	5	J	370	U	5	U	1000
1,2-DICHLOROPROPANE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50			U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50			U	50
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10
2-BUTANONE	10	UG/L	U	1200	U	10	U	1200	U	10	U	2000
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10			U	10
2-CHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2-HEXANONE	10	UG/L	U	1200	U	10	U	1200	U	10	U	2000
2-METHYLCYCLOPENTANOL		UG/L									J	46
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10			U	10
2-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
2-NITROANILINE	1600	UG/L	U	50			U	50			U	50
2-NITROPHENOL	330	UG/L	U	10			U	10			U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20			U	20
3-NITROANILINE	1600	UG/L	U	50			U	50			U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50			U	50			U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-20(A2)		W9-20(A2)		W9-20(A2)		W9-20(A2)		W9-20(A2)	
Sample Number=>			MOF1044		MOF1046		MOF1103		MOF1104		MOF1173	
Sample Type=>					TB				TB			
Sample Date=>			6/7/90		6/7/90		7/13/90		7/13/90		8/8/90	
Compounds	Quantitation limits	units										
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
4-CHLOROANILINE	330	UG/L	U	10			U	10			U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10			U	10
4-METHYL-2-PENTANONE	10	UG/L	U	1200	U	10	U	1200	U	10	U	2000
4-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
4-NITROANILINE	1600	UG/L	U	50			U	50			U	50
4-NITROPHENOL	1600	UG/L	U	50			U	50			U	50
ACENAPHTHENE	330	UG/L	U	10			U	10			U	10
ACENAPHTHYLENE	330	UG/L	U	10			U	10			U	10
ACETONE	10	UG/L	U	1200	B	13	U	1200	U	10	U	2000
ANTHRACENE	330	UG/L	U	10			U	10			U	10
AROCLOR-1016	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1221	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1232	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1242	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1248	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1254	1	UG/L	U	1.00			U	1.00			U	1.00
AROCLOR-1260	1	UG/L	U	1.00			U	1.00			U	1.00
BENZENE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10			U	10
BENZO(A)PYRENE	330	UG/L	U	10			U	10			U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10			U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10			U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10			U	10
BENZOIC ACID	1600	UG/L	U	50			U	50			U	50
BENZYL ALCOHOL	330	UG/L	U	10			U	10			U	10
BICARBONATE	1	UG/L		290				280				240
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10			U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10			U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10			U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10			U	10
BROMODICHLOROMETHANE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
BROMOFORM	5	UG/L	U	620	U	5	U	620	U	5	U	1000

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-20(A2)		W9-20(A2)		W9-20(A2)		W9-20(A2)		W9-20(A2)	
Sample Number==========>			MOF1044		MOF1046		MOF1103		MOF1104		MOF1173	
Sample Type==========>					TB				TB			
Sample Date==========>			6/7/90		6/7/90		7/13/90		7/13/90		8/8/90	
Compounds	Quantitation limits	units										
BROMOMETHANE	10	UG/L	U	1200	U	10	U	1200	U	10	U	2000
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10			U	10
CARBON DISULFIDE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
CARBON TETRACHLORIDE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
CARBONATE	1	UG/L	U	1.0			U	1			U	1
CHLORIDE	0.1	UG/L		39				57				41
CHLOROBENZENE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
CHLOROETHANE	10	UG/L	U	1200	U	10	U	1200	U	10	U	2000
CHLOROFORM	5	UG/L	U	620	U	5	U	620	U	5	U	1000
CHLOROMETHANE	10	UG/L	U	1200	U	10	U	1200	U	10	U	2000
CHRYSENE	330	UG/L	U	10			U	10			U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10			U	10
DIBENZOFURAN	330	UG/L	U	10			U	10			U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
DIETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10
ETHYLBENZENE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
FLUORANTHENE	330	UG/L	U	10			U	10			U	10
FLUORENE	330	UG/L	U	10			U	10			U	10
FLUORIDE	0.1	UG/L	U	0.2				0.1			U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROETHANE	330	UG/L	U	10			U	10			U	10
HEXANEDIOIC ACID ISOMER		UG/L									BJ	30
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10			U	10
ISOPHORONE	330	UG/L	U	10			U	10			U	10
JP5	200	MG/L	U	200			U	200			U	200
METHYLENE CHLORIDE	5	UG/L	BJ	450	B	5	BJ	470	B	15	B	1100
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-20(A2)		W9-20(A2)		W9-20(A2)		W9-20(A2)		W9-20(A2)	
Sample Number			MOF1044		MOF1046		MOF1103		MOF1104		MOF1173	
Sample Type					TB				TB			
Sample Date			6/7/90		6/7/90		7/13/90		7/13/90		8/8/90	
Compounds	Quantitation limits	units										
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10			U	10
NAPHTHALENE	330	UG/L	U	10			U	10			U	10
NITRATE	0.1	UG/L		1.0				1.9				2.2
NITROBENZENE	330	UG/L	U	10			U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50			U	50
PHENANTHRENE	330	UG/L	U	10			U	10			U	10
PHENOL	330	UG/L	U	10			U	10			U	10
PYRENE	330	UG/L	U	10			U	10			U	10
STYRENE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
SULFATE	0.2	UG/L		300				300				290
TDS	10	UG/L		860				960				920
TETRACHLOROETHENE	5	UG/L	J	340	U	5	J	380	U	5	J	400
TOLUENE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	620	U	5	U	620	U	5	U	1000
TRICHLOROETHENE	5	UG/L		18000	U	5		20000	U	5	B	22000
UNKNOWN	10	UG/L	BJ	12							BJ	22
VINYL ACETATE	10	UG/L	U	1200	U	10	U	1200	U	10	U	2000
VINYL CHLORIDE	10	UG/L	U	1200	U	10	U	1200	U	10	U	2000
XYLENES (TOTAL)	5	UG/L	U	620	U	5	U	620	U	5	U	1000

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)	
Sample Number=>			MOF1059		MOF1060		MOF1061		MOF1109		MOF1171		MOF1172	
Sample Type=>					FB		TB						TB	
Sample Date=>			6/14/90		6/14/90		6/14/90		7/16/90		8/7/90		8/7/90	
Compounds	Quantitation limits	units												
1,1,1-TRICHLOROETHANE	5	UG/L	J	28	U	5	U	5	U	250	U	120	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
1,1-DICHLOROETHANE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
1,1-DICHLOROETHENE	5	UG/L	J	84	U	5	U	5	J	170		140	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
1,2-DICHLOROETHANE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	120	U	5	U	5	J	200		170	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10	U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10	U	10		
2-BUTANONE	10	UG/L	U	250	U	10	U	10	U	500	U	250	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10			U	10	U	10		
2-CHLOROPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2-HEXANONE	10	UG/L	U	250	U	10	U	10	U	500	U	250	U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10			U	10	U	10		
2-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50		
2-NITROPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20			U	20	U	20		
3-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
4-(ACETYLOXY)-2-BUTANONE		UG/L							J	36				
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)	
Sample Number=>			MOF1059		MOF1060		MOF1061		MOF1109		MOF1171		MOF1172	
Sample Type=>					FB		TB						TB	
Sample Date=>			6/14/90		6/14/90		6/14/90		7/16/90		8/7/90		8/7/90	
Compounds	Quantitation limits	units												
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
4-CHLOROANILINE	330	UG/L	U	10	U	10			U	10	U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10	U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	250	U	10	U	10	U	500	U	250	U	10
4-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
4-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50		
4-NITROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
ACENAPHTHENE	330	UG/L	U	10	U	10			U	10	U	10		
ACENAPHTHYLENE	330	UG/L	U	10	U	10			U	10	U	10		
ACETONE	10	UG/L	U	250	U	10	U	10	U	500	U	250	J	4
ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10		
AROCLOR-1016	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1221	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1232	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1242	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1248	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1254	1	UG/L	U	1.00	U	1.00			U	1.00	U	1.00		
AROCLOR-1260	1	UG/L	U	1.00	U	1.00			U	1.00	U	1.00		
BENZENE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(A)PYRENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZOIC ACID	1600	UG/L	U	50	U	50			U	50	U	50		
BENZYL ALCOHOL	330	UG/L	U	10	U	10			U	10	U	10		
BICARBONATE	1	UG/L		240	U	1				250		230		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10			U	10	U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10			U	10	U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10			U	10	U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
BROMODICHLOROMETHANE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
BROMOFORM	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)	
Sample Number=>			MOF1059		MOF1060		MOF1061		MOF1109		MOF1171		MOF1172	
Sample Type=>					FB		TB						TB	
Sample Date=>			6/14/90		6/14/90		6/14/90		7/16/90		8/7/90		8/7/90	
Compounds	Quantitation limits	units												
BROMOMETHANE	10	UG/L	U	250	U	10	U	10	U	500	U	250	U	10
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
CARBON DISULFIDE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
CARBON TETRACHLORIDE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
CARBONATE	1	UG/L	U	1	U	1			U	1	U	1		
CHLORIDE	0.1	UG/L		37	U	0.1				30		36		
CHLOROBENZENE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
CHLOROETHANE	10	UG/L	U	250	U	10	U	10	U	500	U	250	U	10
CHLOROFORM	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
CHLOROMETHANE	10	UG/L	U	250	U	10	U	10	U	500	U	250	U	10
CHRYSENE	330	UG/L	U	10	U	10			U	10	U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10		
DIBENZOFURAN	330	UG/L	U	10	U	10			U	10	U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
ETHYLBENZENE	5	UG/L	U	120	U	5	U	5	U	250	U	120	U	5
FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10		
FLUORENE	330	UG/L	U	10	U	10			U	10	U	10		
FLUORIDE	0.1	UG/L	U	0.2	U	0.2			U	0.2	U	0.2		
HEXACHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10			U	10	U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10			U	10	U	10		
HEXACHLOROETHANE	330	UG/L	U	10	U	10			U	10	U	10		
HEXANEDIOIC ACID ISOMER		UG/L									BJ	44		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10			U	10	U	10		
ISOPHORONE	330	UG/L	U	10	U	10			U	10	U	10		
JP5	200	MG/L	U	200	U	200			U	200	U	200		
METHYLENE CHLORIDE	5	UG/L	B	190	B	19	B	7	B	360	BJ	120	B	14
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units	W9-21(A2) MOF1059	W9-21(A2) MOF1060 FB	W9-21(A2) MOF1061 TB	W9-21(A2) MOF1109	W9-21(A2) MOF1171	W9-21(A2) MOF1172 TB
Sample Date			6/14/90	6/14/90	6/14/90	7/16/90	8/7/90	8/7/90
N-NITROSODIPHENYLAMINE	330	UG/L	U 10	U 10		U 10	U 10	
NAPHTHALENE	330	UG/L	U 10	U 10		U 10	U 10	
NITRATE	0.1	UG/L	1.1	U 0.1		1.3	0.7	
NITROBENZENE	330	UG/L	U 10	U 10		U 10	U 10	
PENTACHLOROPHENOL	1600	UG/L	U 50	U 50		U 50	U 50	
PHENANTHRENE	330	UG/L	U 10	U 10		U 10	U 10	
PHENOL	330	UG/L	U 10	U 10		U 10	U 10	
PYRENE	330	UG/L	U 10	U 10		U 10	U 10	
SSUBSTITUTED HEXANE		UG/L		BJ 8.0				
STYRENE	5	UG/L	U 120	U 5	U 5	U 250	U 120	U 5
SUBSTITUTED HEXANE		UG/L	BJ 10					
SULFATE	0.2	UG/L	280	U 0.2		280	280	
TDS	10	UG/L	880	U 10		840	830	
TETRACHLOROETHENE	5	UG/L	340	U 5	U 5	560	400	U 5
TOLUENE	5	UG/L	U 120	U 5	U 5	U 250	U 120	U 5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U 120	U 5	U 5	U 250	U 120	U 5
TRICHLOROETHENE	5	UG/L	3800	U 5	U 5	8600	4700	U 5
UNKNOWN	10	UG/L					BJ 34	
VINYL ACETATE	10	UG/L	U 250	U 10	U 10	U 500	U 250	U 10
VINYL CHLORIDE	10	UG/L	U 250	U 10	U 10	U 500	U 250	U 10
XYLENES (TOTAL)	5	UG/L	U 120	U 5	U 5	U 250	U 120	U 5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-22(A2)		W9-22(A2)		W9-22(A2)		W9-22(A2)	
Sample Number==========>			MOF1078		MOF1079		MOF1132		MOF1193	
Sample Type==========>					DUP					
Sample Date==========>			6/21/90		6/21/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units								
1,1,1-TRICHLOROETHANE	5	UG/L	U	120	U	120	U	120	U	120
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	120	U	120	U	120	U	120
1,1,2-TRICHLOROETHANE	5	UG/L	U	120	U	120	U	120	U	120
1,1-DICHLOROETHANE	5	UG/L	U	120	U	120	U	120	U	120
1,1-DICHLOROETHENE	5	UG/L	J	34	J	40	J	25	J	52
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	120	U	120	U	120	U	120
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	J	110		130	J	110		150
1,2-DICHLOROPROPANE	5	UG/L	U	120	U	120	U	120	U	120
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10
2-BUTANONE	10	UG/L	U	250	U	250	U	250	U	250
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2-HEXANONE	10	UG/L	U	250	U	250	U	250	U	250
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20	U	20
3-ETHYL-1-OCTENE		UG/L			J	12				
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-22(A2)		W9-22(A2)		W9-22(A2)		W9-22(A2)	
Sample Number==========>			MOF1078		MOF1079		MOF1132		MOF1193	
Sample Type==========>					DUP					
Sample Date==========>			6/21/90		6/21/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units								
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	250	U	250	U	250	U	250
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10	U	10
ACETONE	10	UG/L	U	250	U	250	U	250	U	250
ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
AROCLOR-1016	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1254	1	UG/L	U	1.0	U	1.00	U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U	1.0	U	1.00	U	1.00	U	1.00
BENZENE	5	UG/L	U	120	U	120	U	120	U	120
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50	U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10	U	10
BICARBONATE	1	UG/L		250		270		250		260
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	120	U	120	U	120	U	120
BROMOFORM	5	UG/L	U	120	U	120	U	120	U	120

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-22(A2)		W9-22(A2)		W9-22(A2)		W9-22(A2)	
Sample Number==========>			MOF1078		MOF1079		MOF1132		MOF1193	
Sample Type==========>					DUP					
Sample Date==========>			6/21/90		6/21/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units								
BROMOMETHANE	10	UG/L	U	250	U	250	U	250	U	250
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
CARBON DISULFIDE	5	UG/L	U	120	U	120	U	120	U	120
CARBON TETRACHLORIDE	5	UG/L	U	120	U	120	U	120	U	120
CARBONATE	1	UG/L	U	1	U	1	U	1	U	1
CHLORIDE	0.1	UG/L		37		41		47		40
CHLOROBENZENE	5	UG/L	U	120	U	120	U	120	U	120
CHLOROETHANE	10	UG/L	U	250	U	250	U	250	U	250
CHLOROFORM	5	UG/L	U	120	U	120	U	120	U	120
CHLOROMETHANE	10	UG/L	U	250	U	250	U	250	U	250
CHRYSENE	330	UG/L	U	10	U	10	U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	120	U	120	U	120	U	120
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	120	U	120	U	120	U	120
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
ESTER HEXANEDIOIC ACID ISOMER		UG/L					BJ	14		
ETHYLBENZENE	5	UG/L	U	120	U	120	U	120	U	120
FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORIDE	0.1	UG/L	U	0.2	U	0.2	U	0.2	U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10	U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
ISOPHORONE	330	UG/L	U	10	U	10	U	10	U	10
JP5	200	MG/L	U	200	U	200	U	200	U	200
METHYLENE CHLORIDE	5	UG/L	B	360	B	240	B	390	B	780
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-22(A2)		W9-22(A2)		W9-22(A2)		W9-22(A2)	
Sample Number==========>			MOF1078		MOF1079		MOF1132		MOF1193	
Sample Type==========>					DUP					
Sample Date==========>			6/21/90		6/21/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units								
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10	U	10
NAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
NITRATE	0.1	UG/L		0.4		0.5		0.5		0.5
NITROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
PHENANTHRENE	330	UG/L	U	10	U	10	U	10	U	10
PHENOL	330	UG/L	U	10	U	10	U	10	U	10
PYRENE	330	UG/L	U	10	U	10	U	10	U	10
STYRENE	5	UG/L	U	120	U	120	U	120	U	120
SULFATE	0.2	UG/L		160		170		170		160
TDS	10	UG/L		630		650		670		660
TETRACHLOROETHENE	5	UG/L	U	120	U	120	U	120	U	120
TOLUENE	5	UG/L	U	120	U	120	U	120	U	120
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	120	U	120	U	120	U	120
TRICHLOROETHENE	5	UG/L		2700		3200		2600		3300
UNKNOWN	10	UG/L					BJ	62	J	8
UNKNOWN ALCOHOL	10	UG/L			J	10				
VINYL ACETATE	10	UG/L	U	250	U	250	U	250	U	250
VINYL CHLORIDE	10	UG/L	U	250	U	250	U	250	U	250
XYLENES (TOTAL)	5	UG/L	U	120	U	120	U	120	U	120

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-23(A1)		W9-23(A1)		W9-23(A1)		W9-23(A1)		W9-23(A1)	
Sample Number==========>			MOF1048		MOF1049		MOF1120		MOF1121		MOF1181	
Sample Type==========>					TB				TB			
Sample Date==========>			6/8/90		6/8/90		7/19/90		7/19/90		8/10/90	
Compounds	Quantitation limits	units										
1,1,1-TRICHLOROETHANE	5	UG/L	J	16	U	5	U	62	U	5	J	21
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50	U	5	U	62	U	5	U	62
1,1,2-TRICHLOROETHANE	5	UG/L	U	50	U	5	U	62	U	5	U	62
1,1-DICHLOROETHANE	5	UG/L	U	50	U	5	J	45	U	5	J	38
1,1-DICHLOROETHENE	5	UG/L	J	38	U	5	J	27	U	5	J	35
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,2-DICHLOROETHANE	5	UG/L	U	50	U	5	U	62	U	5	U	62
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		50	U	5		250	U	5		270
1,2-DICHLOROPROPANE	5	UG/L	U	50	U	5	U	62	U	5	U	62
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50			U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50			U	50
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10
2-BUTANONE	10	UG/L	U	100	U	10	U	120	U	10	U	120
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10			U	10
2-CHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2-HEXANONE	10	UG/L	U	100	U	10	U	120	U	10	U	120
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10			U	10
2-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
2-NITROANILINE	1600	UG/L	U	50			U	50			U	50
2-NITROPHENOL	330	UG/L	U	10			U	10			U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20			U	20
3-NITROANILINE	1600	UG/L	U	50			U	50			U	50
3.7.11-TRIDECATRIENENITRILE		UG/L									BJ	10
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50			U	50			U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units	W9-23(A1) MOF1048 6/8/90		W9-23(A1) MOF1049 TB 6/8/90		W9-23(A1) MOF1120 7/19/90		W9-23(A1) MOF1121 TB 7/19/90		W9-23(A1) MOF1181 8/10/90	
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
4-CHLOROANILINE	330	UG/L	U	10			U	10			U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10			U	10
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	10	U	120	U	10	U	120
4-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
4-NITROANILINE	1600	UG/L	U	50			U	50			U	50
4-NITROPHENOL	1600	UG/L	U	50			U	50			U	50
ACENAPHTHENE	330	UG/L	U	10			U	10			U	10
ACENAPHTHYLENE	330	UG/L	U	10			U	10			U	10
ACETONE	10	UG/L	U	100	U	10	U	120	U	10	U	120
ANTHRACENE	330	UG/L	U	10			U	10			U	10
AROCLOR-1016	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1221	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1232	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1242	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1248	80	UG/L	U	0.50			U	0.50			U	0.50
AROCLOR-1254	1	UG/L	U	1.00			U	1.00			U	1.00
AROCLOR-1260	1	UG/L	U	1.00			U	1.00			U	1.00
BENZENE	5	UG/L	U	50	U	5	U	62	U	5	U	62
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10			U	10
BENZO(A)PYRENE	330	UG/L	U	10			U	10			U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10			U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10			U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10			U	10
BENZOIC ACID	1600	UG/L	U	50			U	50			U	50
BENZYL ALCOHOL	330	UG/L	U	10			U	10			U	10
BICARBONATE	1	UG/L		330				350				350
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10			U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10			U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10			U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10			U	10
BROMODICHLOROMETHANE	5	UG/L	U	50	U	5	U	62	U	5	U	62
BROMOFORM	5	UG/L	U	50	U	5	U	62	U	5	U	62

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-23(A1)		W9-23(A1)		W9-23(A1)		W9-23(A1)		W9-23(A1)	
Sample Number=>			MOF1048		MOF1049		MOF1120		MOF1121		MOF1181	
Sample Type=>					TB				TB			
Sample Date=>			6/8/90		6/8/90		7/19/90		7/19/90		8/10/90	
Compounds	Quantitation limits	units										
BROMOMETHANE	10	UG/L	U	100	U	10	U	120	U	10	U	120
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10			U	10
CARBON DISULFIDE	5	UG/L	U	50	U	5	U	62	U	5	U	62
CARBON TETRACHLORIDE	5	UG/L	U	50	U	5	U	62	U	5	U	62
CARBONATE	1	UG/L	U	1			U	1			U	1
CHLORIDE	0.1	UG/L		34				42				40
CHLOROBENZENE	5	UG/L	U	50	U	5	U	62	U	5	U	62
CHLOROETHANE	10	UG/L	U	100	U	10	U	120	U	10	U	120
CHLOROFORM	5	UG/L		220	U	5	U	62	U	5	U	62
CHLOROMETHANE	10	UG/L	U	100	U	10	U	120	U	10	U	120
CHRYSENE	330	UG/L	U	10			U	10			U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5	U	62	U	5	U	62
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10			U	10
DIBENZOFURAN	330	UG/L	U	10			U	10			U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	5	U	62	U	5	U	62
DIETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10
ETHYLBENZENE	5	UG/L	U	50	U	5	U	62	U	5	U	62
FLUORANTHENE	330	UG/L	U	10			U	10			U	10
FLUORENE	330	UG/L	U	10			U	10			U	10
FLUORIDE	0.1	UG/L		0.2			U	0.2			U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROETHANE	330	UG/L	U	10			U	10			U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10			U	10
ISOPHORONE	330	UG/L	U	10			U	10			U	10
JP5	200	MG/L	U	200			U	200			U	200
METHYLENE CHLORIDE	5	UG/L	BJ	25	BJ	4	B	450	B	5	B	150
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10			U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-23(A1)		W9-23(A1)		W9-23(A1)		W9-23(A1)		W9-23(A1)	
Sample Number			MOF1048		MOF1049		MOF1120		MOF1121		MOF1181	
Sample Type					TB				TB			
Sample Date			6/8/90		6/8/90		7/19/90		7/19/90		8/10/90	
Compounds	Quantitation limits	units										
NAPHTHALENE	330	UG/L	U	10			U	10			U	10
NITRATE	0.1	UG/L		0.9				1.2				1.1
NITROBENZENE	330	UG/L	U	10			U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50			U	50
PHENANTHRENE	330	UG/L	U	10			U	10			U	10
PHENOL	330	UG/L	U	10			U	10			U	10
PYRENE	330	UG/L	U	10			U	10			U	10
STYRENE	5	UG/L	U	50	U	5	U	62	U	5	U	62
SULFATE	0.2	UG/L		280				310				330
TDS	10	UG/L		880				1010				1000
TETRACHLOROETHENE	5	UG/L	U	50	U	5	U	62	U	5	U	62
TOLUENE	5	UG/L	U	50	U	5	U	62	U	5	U	62
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5	U	62	U	5	U	62
TRICHLOROETHENE	5	UG/L		1600	U	5		2100	U	5		2300
UNKNOWN	10	UG/L	J	30								
VINYL ACETATE	10	UG/L	U	100	U	10	U	120	U	10	U	120
VINYL CHLORIDE	10	UG/L	U	100	U	10	U	120	U	10	U	120
XYLENES (TOTAL)	5	UG/L	U	50	U	5	U	62	U	5	U	62

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units										
Well Number==========>			W9-24(A1)		W9-24(A1)		W9-24(A1)		W9-24(A1)	
Sample Number==========>			MOF1064		MOF1124		MOF1125		MOF1191	
Sample Type==========>							TB			
Sample Date==========>			6/15/90		7/20/90		7/20/90		8/15/90	
1,1,1-TRICHLOROETHANE	5	UG/L	U	12	U	25	U	5	U	10
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	12	U	25	U	5	U	10
1,1,2-TRICHLOROETHANE	5	UG/L	U	12	U	25	U	5	U	10
1,1-DICHLOROETHANE	5	UG/L		26		26	U	5		27
1,1-DICHLOROETHENE	5	UG/L	J	6	J	7	U	5	J	6
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10			U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10
1,2-DICHLOROETHANE	5	UG/L	U	12	U	25	U	5	U	10
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		480		560	U	5		340
1,2-DICHLOROPROPANE	5	UG/L	U	12	U	25	U	5	U	10
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50			U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10			U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10			U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10			U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50			U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10
2-BUTANONE	10	UG/L	U	25	U	50	U	10	U	20
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10			U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10			U	10
2-HEXANONE	10	UG/L	U	25	U	50	U	10	U	20
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10			U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10			U	10
2-NITROANILINE	1600	UG/L	U	50	U	50			U	50
2-NITROPHENOL	330	UG/L	U	10	U	10			U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20			U	20
3-NITROANILINE	1600	UG/L	U	50	U	50			U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50			U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-24(A1)		W9-24(A1)		W9-24(A1)		W9-24(A1)	
Sample Number=>			MOF1064		MOF1124		MOF1125		MOF1191	
Sample Type=>							TB			
Sample Date=>			6/15/90		7/20/90		7/20/90		8/15/90	
Compounds	Quantitation limits	units								
4-CHLOROANILINE	330	UG/L	U	10	U	10			U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10
4-METHYL-2-PENTANONE	10	UG/L	U	25	U	50	U	10	U	20
4-METHYLPHENOL	330	UG/L	U	10	U	10			U	10
4-NITROANILINE	1600	UG/L	U	50	U	50			U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50			U	50
ACENAPHTHENE	330	UG/L	U	10	U	10			U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10			U	10
ACETONE	10	UG/L	U	25	U	50	U	10	U	20
ANTHRACENE	330	UG/L	U	10	U	10			U	10
AROCLOR-1016	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1221	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1232	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1242	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1248	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1254	1	UG/L	U	1.00	U	1.00			U	1.00
AROCLOR-1260	1	UG/L	U	1.00	U	1.00			U	1.00
BENZENE	5	UG/L	U	12	U	25	U	5	U	10
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10			U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10			U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10			U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10			U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10			U	10
BENZOIC ACID	1600	UG/L	U	50	U	50			U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10			U	10
BICARBONATE	1	UG/L		510		500				500
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10			U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10			U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10			U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10			U	10
BROMODICHLOROMETHANE	5	UG/L	U	12	U	25	U	5	U	10
BROMOFORM	5	UG/L	U	12	U	25	U	5	U	10
BROMOMETHANE	10	UG/L	U	25	U	50	U	10	U	20

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-24(A1)		W9-24(A1)		W9-24(A1)		W9-24(A1)	
Sample Number==========>			MOF1064		MOF1124		MOF1125		MOF1191	
Sample Type==========>							TB			
Sample Date==========>			6/15/90		7/20/90		7/20/90		8/15/90	
Compounds	Quantitation limits	units								
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10			U	10
CARBON DISULFIDE	5	UG/L	U	12	U	25	U	5	U	10
CARBON TETRACHLORIDE	5	UG/L	U	12	U	25	U	5	U	10
CARBONATE	1	UG/L	U	1	U	1			U	1
CHLORIDE	0.1	UG/L		30		37				33
CHLOROBENZENE	5	UG/L	U	12	U	25	U	5	U	10
CHLOROETHANE	10	UG/L	U	25	U	50	U	10	U	20
CHLOROFORM	5	UG/L	U	12	U	25	U	5	U	10
CHLOROMETHANE	10	UG/L	U	25	U	50	U	10	U	20
CHRYSENE	330	UG/L	U	10	U	10			U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	12	U	25	U	5	U	10
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10			U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10			U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10			U	10
DIBENZOFURAN	330	UG/L	U	10	U	10			U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	12	U	25	U	5	U	10
DIETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10
ETHYLBENZENE	5	UG/L	U	12	U	25	U	5	U	10
FLUORANTHENE	330	UG/L	U	10	U	10			U	10
FLUORENE	330	UG/L	U	10	U	10			U	10
FLUORIDE	0.1	UG/L		0.2	U	0.2			U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10			U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10			U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10			U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10			U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10			U	10
ISOPHORONE	330	UG/L	U	10	U	10			U	10
JP5	200	MG/L	U	200	U	200			U	200
METHYLENE CHLORIDE	5	UG/L	B	21	B	100	BJ	4	B	27
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10			U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10			U	10
NAPHTHALENE	330	UG/L	U	10	U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-24(A1)		W9-24(A1)		W9-24(A1)		W9-24(A1)	
Sample Number==========>			MOF1064		MOF1124		MOF1125		MOF1191	
Sample Type==========>							TB			
Sample Date==========>			6/15/90		7/20/90		7/20/90		8/15/90	
Compounds	Quantitation limits	units								
NITRATE	0.1	UG/L	U	0.1	U	0.1			U	0.1
NITROBENZENE	330	UG/L	U	10	U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50			U	50
PHENANTHRENE	330	UG/L	U	10	U	10			U	10
PHENOL	330	UG/L	U	10	U	10			U	10
PYRENE	330	UG/L	U	10	U	10			U	10
STYRENE	5	UG/L	U	12	U	25	U	5	U	10
SULFATE	0.2	UG/L		180		170				170
TDS	10	UG/L		840		910				840
TETRACHLOROETHENE	5	UG/L	U	12	U	25	U	5	U	10
TOLUENE	5	UG/L	U	12	U	25	U	5	U	10
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	12	U	25	U	5	U	10
TRICHLOROETHENE	5	UG/L	U	12	U	25	U	5	U	10
UNKNOWN	10	UG/L	J	8	J	64			J	32
VINYL ACETATE	10	UG/L	U	25	U	50	U	10	U	20
VINYL CHLORIDE	10	UG/L	J	10	U	50	U	10	J	16
XYLENES (TOTAL)	5	UG/L	U	12	U	25	U	5	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-25(A2)		W9-25(A2)		W9-25(A2)		W9-25(A2)	
Sample Number==========>			MOF1069		MOF1133		MOF1134		MOF1197	
Sample Type==========>							TB			
Sample Date==========>			6/19/90		7/24/90		7/24/90		8/17/90	
Compounds	Quantitation limits	units								
1,1,1-TRICHLOROETHANE	5	UG/L	J	24	J	29	U	5	J	46
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50	U	50	U	5	U	84
1,1,2-TRICHLOROETHANE	5	UG/L	U	50	U	50	U	5	U	84
1,1-DICHLOROETHANE	5	UG/L	J	20	J	22	U	5	J	30
1,1-DICHLOROETHENE	5	UG/L	J	30	J	34	U	5	J	47
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10			U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10
1,2-DICHLOROETHANE	5	UG/L	U	50	U	50	U	5	U	84
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	50	J	21	U	5	J	28
1,2-DICHLOROPROPANE	5	UG/L	U	50	U	50	U	5	U	84
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50			U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10			U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10			U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10			U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50			U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10
2-BUTANONE	10	UG/L	U	100	U	100	U	10	U	170
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10			U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10			U	10
2-HEXANONE	10	UG/L	U	100	U	100	U	10	U	170
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10			U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10			U	10
2-NITROANILINE	1600	UG/L	U	50	U	50			U	50
2-NITROPHENOL	330	UG/L	U	10	U	10			U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20			U	20
3-NITROANILINE	1600	UG/L	U	50	U	50			U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50			U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-25(A2)		W9-25(A2)		W9-25(A2)		W9-25(A2)	
Sample Number==========>			MOF1069		MOF1133		MOF1134		MOF1197	
Sample Type==========>							TB			
Sample Date==========>			6/19/90		7/24/90		7/24/90		8/17/90	
Compounds	Quantitation limits	units								
4-CHLOROANILINE	330	UG/L	U	10	U	10			U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	100	U	10	U	170
4-METHYLPHENOL	330	UG/L	U	10	U	10			U	10
4-NITROANILINE	1600	UG/L	U	50	U	50			U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50			U	50
ACENAPHTHENE	330	UG/L	U	10	U	10			U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10			U	10
ACETONE	10	UG/L	U	100	U	100	U	10	U	170
ANTHRACENE	330	UG/L	U	10	U	10			U	10
AROCLOR-1016	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1221	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1232	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1242	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1248	80	UG/L	U	0.50	U	0.50			U	0.50
AROCLOR-1254	1	UG/L	U	1.00	U	1.00			U	1.00
AROCLOR-1260	1	UG/L	U	1.00	U	1.00			U	1.00
BENZENE	5	UG/L	U	50	U	50	U	5	U	84
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10			U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10			U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10			U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10			U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10			U	10
BENZOIC ACID	1600	UG/L	U	50	U	50			U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10			U	10
BICARBONATE	1	UG/L		300		300				270
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10			U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10			U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10			U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10			U	10
BROMODICHLOROMETHANE	5	UG/L	U	50	U	50	U	5	U	84
BROMOFORM	5	UG/L	J	20	U	50	U	5	U	84
BROMOMETHANE	10	UG/L	U	100	U	100	U	10	U	170

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-25(A2)		W9-25(A2)		W9-25(A2)		W9-25(A2)	
Sample Number==========>			MOF1069		MOF1133		MOF1134		MOF1197	
Sample Type==========>							TB			
Sample Date==========>			6/19/90		7/24/90		7/24/90		8/17/90	
Compounds	Quantitation limits	units								
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10			U	10
CARBON DISULFIDE	5	UG/L	U	50	U	50	U	5	U	84
CARBON TETRACHLORIDE	5	UG/L	U	50	U	50	U	5	U	84
CARBONATE	1	UG/L	U	1	U	1			U	1
CHLORIDE	0.1	UG/L		40		53				47
CHLOROBENZENE	5	UG/L	U	50	U	50	U	5	U	84
CHLOROETHANE	10	UG/L	U	100	U	100	U	10	U	170
CHLOROFORM	5	UG/L	U	50	U	50	U	5	U	84
CHLOROMETHANE	10	UG/L	U	100	U	100	U	10	U	170
CHRYSENE	330	UG/L	U	10	U	10			U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	50	U	5	U	84
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10			U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10			U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10			U	10
DIBENZOFURAN	330	UG/L	U	10	U	10			U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	50	U	5	U	84
DIETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10
ETHYLBENZENE	5	UG/L	U	50	U	50	U	5	U	84
FLUORANTHENE	330	UG/L	U	10	U	10			U	10
FLUORENE	330	UG/L	U	10	U	10			U	10
FLUORIDE	0.1	UG/L	U	0.2	U	0.2			U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10			U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10			U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10			U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10			U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10			U	10
ISOPHORONE	330	UG/L	U	10	U	10			U	10
JP5	200	MG/L	U	200	U	200			U	200
METHYLENE CHLORIDE	5	UG/L	BJ	45	B	84	B	7	B	230
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10			U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10			U	10
NAPHTHALENE	330	UG/L	U	10	U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-25(A2)		W9-25(A2)		W9-25(A2)		W9-25(A2)	
Sample Number==========>			MOF1069		MOF1133		MOF1134		MOF1197	
Sample Type==========>							TB			
Sample Date==========>			6/19/90		7/24/90		7/24/90		8/17/90	
Compounds	Quantitation limits	units								
NITRATE	0.1	UG/L		2.5		3.2				2.8
NITROBENZENE	330	UG/L	U	10	U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50			U	50
PHENANTHRENE	330	UG/L	U	10	U	10			U	10
PHENOL	330	UG/L	U	10	U	10			U	10
PYRENE	330	UG/L	U	10	U	10			U	10
STYRENE	5	UG/L	U	50	U	50	U	5	U	84
SULFATE	0.2	UG/L		270		290				290
TDS	10	UG/L		960		1030				920
TETRACHLOROETHENE	5	UG/L	U	50	U	50	U	5	U	84
TOLUENE	5	UG/L	U	50	U	50	U	5	U	84
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	50	U	5	U	84
TRICHLOROETHENE	5	UG/L		1300		1800	U	5		2000
UNKNOWN	10	UG/L	J	10					J	8
UNKNOWN HEXANEDIOIC ACID		UG/L							BJ	8
VINYL ACETATE	10	UG/L	U	100	U	100	U	10	U	170
VINYL CHLORIDE	10	UG/L	U	100	U	100	U	10	U	170
XYLENES (TOTAL)	5	UG/L	U	50	U	50	U	5	U	84

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units																						
Well Number==========>			W9-26(A1)				W9-26(A1)				W9-26(A1)				W9-26(A1)				W9-26(A1)				W9-26(A1)	
Sample Number==========>			MOF1081				MOF1146				MOF1147				MOF1201				MOF1202				MOF1203	
Sample Type==========>											TB								FB				TB	
Sample Date==========>			6/22/90				7/27/90				7/27/90				8/20/90				8/20/90				8/20/90	
1,1,1-TRICHLOROETHANE	5	UG/L	U	50			U	5			U	5			U	42			J	1			U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50			U	5			U	5			U	42			U	5			U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	50			U	5			U	5			U	42			U	5			U	5
1,1-DICHLOROETHANE	5	UG/L	U	50				9			U	5			J	16			U	5			U	5
1,1-DICHLOROETHENE	5	UG/L	U	50				25			U	5			J	9			U	5			U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10							U	10			U	10				
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10							U	10			U	10				
1,2-DICHLOROETHANE	5	UG/L	U	50			U	5			U	5			U	42			U	5			U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		1200			E	1500			U	5				1200			U	5			U	5
1,2-DICHLOROPROPANE	5	UG/L	U	50			U	5			U	5			U	42			U	5			U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10							U	10			U	10				
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10							U	10			U	10				
2,2-DIMETHYL-HEXANE		UG/L	J	100																				
2,3-DIMETHYL-HEXANE		UG/L	J	80																				
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50							U	50			U	50				
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10							U	10			U	10				
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10							U	10			U	10				
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10							U	10			U	10				
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50							U	50			U	50				
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10							U	10			U	10				
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10							U	10			U	10				
2-BUTANONE	10	UG/L	U	100			U	10			U	10			U	83			U	10			U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10							U	10			U	10				
2-CHLOROPHENOL	330	UG/L	U	10			U	10							U	10			U	10				
2-HEXANONE	10	UG/L	U	100			U	10			U	10			U	83			U	10			U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10							U	10			U	10				
2-METHYLPHENOL	330	UG/L	U	10			U	10							U	10			U	10				
2-NITROANILINE	1600	UG/L	U	50			U	50							U	50			U	50				
2-NITROPHENOL	330	UG/L	U	10			U	10							U	10			U	10				
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20							U	20			U	20				
3-ETHYL-2-METHYL-PENTANE		UG/L	J	80																				
3-NITROANILINE	1600	UG/L	U	50			U	50							U	50			U	50				

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)	
Sample Number=>			MOF1081		MOF1146		MOF1147		MOF1201		MOF1202		MOF1203	
Sample Type=>							TB				FB		TB	
Sample Date=>			6/22/90		7/27/90		7/27/90		8/20/90		8/20/90		8/20/90	
Compounds	Quantitation limits	units												
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10	U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
4-CHLOROANILINE	330	UG/L	U	10	U	10			U	10	U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10	U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	10	U	10	U	83	U	10	U	10
4-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
4-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50		
4-NITROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
ACENAPHTHENE	330	UG/L	U	10	U	10			U	10	U	10		
ACENAPHTHYLENE	330	UG/L	U	10	U	10			U	10	U	10		
ACETONE	10	UG/L	U	100		20	U	10		140	U	10	U	10
ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10		
AROCLOR-1016	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1221	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1232	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1242	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1248	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1254	1	UG/L	U	1.00	U	1.00			U	1.00	U	1.00		
AROCLOR-1260	1	UG/L	U	1.00	U	1.00			U	1.00	U	1.00		
BENZENE	5	UG/L	U	50		6	U	5	U	42	U	5	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(A)PYRENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZOIC ACID	1600	UG/L	U	50	U	50			U	50	U	50		
BENZYL ALCOHOL	330	UG/L	U	10	U	10			U	10	U	10		
BICARBONATE	1	UG/L		580		460				470		3		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10			U	10	U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10			U	10	U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10			U	10	U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)	
Sample Number==========>			MOF1081		MOF1146		MOF1147		MOF1201		MOF1202		MOF1203	
Sample Type==========>							TB				FB		TB	
Sample Date==========>			6/22/90		7/27/90		7/27/90		8/20/90		8/20/90		8/20/90	
Compounds	Quantitation limits	units												
BROMODICHLOROMETHANE	5	UG/L	U	50	U	5	U	5	J	23	U	5	U	5
BROMOFORM	5	UG/L	U	50	U	5	U	5	J	11	U	5	U	5
BROMOMETHANE	10	UG/L	U	100	U	10	U	10	U	83	U	10	U	10
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
CARBON DISULFIDE	5	UG/L	U	50	U	5	U	5	U	42	U	5	U	5
CARBON TETRACHLORIDE	5	UG/L	U	50	U	5	U	5	U	42	U	5	U	5
CARBONATE	1	UG/L	U	1	U	1			U	1	U	1		
CHLORIDE	0.1	UG/L		38		32				38	U	0.1		
CHLOROBENZENE	5	UG/L	U	50	U	5	U	5	U	42	U	5	U	5
CHLOROETHANE	10	UG/L	U	100	U	10	U	10	U	83	U	10	U	10
CHLOROFORM	5	UG/L	U	50	U	5	U	5	J	13	U	5	U	5
CHLOROMETHANE	10	UG/L	U	100	U	10	U	10	U	83	U	10	U	10
CHRYSENE	330	UG/L	U	10	U	10			U	10	U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5	U	5	U	42	U	5	U	5
CYCLOHEXANE, 1,1,3-TRIMETHYL		UG/L			J	11								
CYCLOPENTANE, 1,1,3-TRIMETHY		UG/L			J	24								
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10		
DIBENZOFURAN	330	UG/L	U	10	U	10			U	10	U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	5	U	5	J	25	U	5	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
DIHYDRO DIMETHYL 1H INDENE ISO		UG/L							J	10				
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
ETHANE, 1,2-DICHLORO-1,1,2-T		UG/L			J	8.4								
ETHYLBENZENE	5	UG/L	U	50	U	5	U	5	U	42	U	5	U	5
FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10		
FLUORENE	330	UG/L	U	10	U	10			U	10	U	10		
FLUORIDE	0.1	UG/L		0.3		0.2			U	0.1	U	0.2		
HEXACHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10			U	10	U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10			U	10	U	10		
HEXACHLOROETHANE	330	UG/L	U	10	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)	
Sample Number=>			MOF1081		MOF1146		MOF1147		MOF1201		MOF1202		MOF1203	
Sample Type=>							TB				FB		TB	
Sample Date=>			6/22/90		7/27/90		7/27/90		8/20/90		8/20/90		8/20/90	
Compounds	Quantitation limits	units												
HEXANE, 2,2,5-TRIMETHYL-		UG/L			J	16								
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10			U	10	U	10		
ISOPHORONE	330	UG/L	U	10	U	10			U	10	U	10		
JP5	200	MG/L		240		290				260	U	200		
METHYLENE CHLORIDE	5	UG/L	B	60	U	5	U	5	B	89	B	6	B	15
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10			U	10	U	10		
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10			U	10	U	10		
NAPHTHALENE	330	UG/L	U	10	U	10			U	10	U	10		
NITRATE	0.1	UG/L	U	0.1	U	0.1			U	0.1	U	0.1		
NITROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
PENTANE, 2,4-DIMETHYL-		UG/L			J	24								
PHENANTHRENE	330	UG/L	U	10	U	10			U	10	U	10		
PHENOL	330	UG/L	U	10	U	10			U	10	U	10		
PYRENE	330	UG/L	U	10	U	10			U	10	U	10		
STYRENE	5	UG/L	U	50	U	5	U	5	U	42	U	5	U	5
SULFATE	0.2	UG/L		74		110				120	U	0.2		
TDS	10	UG/L		770		840				930	U	10		
TETRACHLOROETHENE	5	UG/L	U	50	J	4	U	5	U	42	U	5	U	5
TOLUENE	5	UG/L	U	50	U	5	U	5	U	42	U	5	J	1
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5	U	5	U	42	U	5	U	5
TRICHLOROETHENE	5	UG/L	U	50		13	U	5	U	42	U	5	U	5
TRIMETHYL BENZENE ISOMER		UG/L	J	48										
UNKNOWN	10	UG/L	J	10	J	360			J	67				
UNKNOWN	10	UG/L	J	10	J	360			J	67				
UNKNOWN ALCOHOL	10	UG/L									BJ	44		
UNKNOWN ALKENE		UG/L	J	34										
UNKNOWN HYDROCARBON		UG/L	J	10										
UNKOWN HYDROCARBON		UG/L							J	83				
VINYL ACETATE	10	UG/L	U	100	U	10	U	10	U	83	U	10	U	10
VINYL CHLORIDE	10	UG/L	J	30		36	U	10	U	83	U	10	U	10
XYLENES (TOTAL)	5	UG/L	U	50	U	5	U	5	U	42	U	5	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-28(A2)		W9-28(A2)		W9-28(A2)		W9-28(A2)	
Sample Number			MOF1047		MOF1106		MOF1176		MOF1177	
Sample Type										
Sample Date			6/8/90		7/13/90		8/9/90		8/9/90	
Compounds	Quantitation limits	units								
1,1,1-TRICHLOROETHANE	5	UG/L	U	1000	U	500	U	620	U	500
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	1000	U	500	U	620	U	500
1,1,2-TRICHLOROETHANE	5	UG/L	U	1000	U	500	U	620	U	500
1,1-DICHLOROETHANE	5	UG/L	U	1000	U	500	U	620	U	500
1,1-DICHLOROETHENE	5	UG/L	U	1000	J	140	U	620	U	500
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	1000	U	500	U	620	U	500
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	1000	J	300	U	620	U	500
1,2-DICHLOROPROPANE	5	UG/L	U	1000	U	500	U	620	U	500
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10
2-BUTANONE	10	UG/L		6200	U	1000	U	1200	U	1000
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2-CYCLOHEXEN-1-ONE		UG/L					BJ	8.0		
2-HEXANONE	10	UG/L	U	2000	U	1000	U	1200	U	1000
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20	U	20
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-28(A2)		W9-28(A2)		W9-28(A2)		W9-28(A2)	
Sample Number=>			MOF1047		MOF1106		MOF1176		MOF1177	
Sample Type=>										
Sample Date=>			6/8/90		7/13/90		8/9/90		8/9/90	
Compounds	Quantitation limits	units								
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	2000	U	1000	U	1200	U	1000
4-METHYLPHENOL	330	UG/L	U	10	J	4		10	J	6
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10	U	10
ACETONE	10	UG/L	U	2000	U	1000	U	1200	U	1000
ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
AROCLOR-1016	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U	0.50	U	0.50	U	0.50	U	0.50
AROCLOR-1254	1	UG/L	U	1.00	U	1.00	U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U	1.00	U	1.00	U	1.00	U	1.00
BENZENE	5	UG/L	U	1000	U	500	U	620	U	500
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50	U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10	U	10
BICARBONATE	1	UG/L		280		280		280		290
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	J	6	U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	1000	U	500	U	620	U	500
BROMOFORM	5	UG/L	U	1000	U	500	U	620	U	500

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-28(A2)		W9-28(A2)		W9-28(A2)		W9-28(A2)	
Sample Number==========>			MOF1047		MOF1106		MOF1176		MOF1177	
Sample Type==========>										
Sample Date==========>			6/8/90		7/13/90		8/9/90		8/9/90	
Compounds	Quantitation limits	units								
BROMOMETHANE	10	UG/L	U	2000	U	1000	U	1200	U	1000
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
CARBON DISULFIDE	5	UG/L	U	1000	U	500	U	620	U	500
CARBON TETRACHLORIDE	5	UG/L	U	1000	U	500	U	620	U	500
CARBONATE	1	UG/L	U	1	U	1	U	1	U	1
CHLORIDE	0.1	UG/L		40		44		42		41
CHLOROBENZENE	5	UG/L	U	1000	U	500	U	620	U	500
CHLOROETHANE	10	UG/L	U	2000	U	1000	U	1200	U	1000
CHLOROFORM	5	UG/L	U	1000	U	500	U	620	U	500
CHLOROMETHANE	10	UG/L	U	2000	U	1000	U	1200	U	1000
CHRYSENE	330	UG/L	U	10	U	10	U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	1000	U	500	U	620	U	500
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	1000	U	500	U	620	U	500
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
ETHYLBENZENE	5	UG/L	U	1000	U	500	U	620	U	500
FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORIDE	0.1	UG/L	U	0.2		0.1	U	0.2	U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10	U	10
HEXANEDIOIC ACID ISOMER		UG/L					BJ	22	BJ	14
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
ISOPHORONE	330	UG/L	U	10	U	10	U	10	U	10
JP5	200	MG/L	U	200	U	200	U	200	U	200
METHYLENE CHLORIDE	5	UG/L	B	1200	B	930	B	890	B	720
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units								
Well Number==========>			W9-28(A2)		W9-28(A2)		W9-28(A2)		W9-28(A2)	
Sample Number==========>			MOF1047		MOF1106		MOF1176		MOF1177	
Sample Type==========>										
Sample Date==========>			6/8/90		7/13/90		8/9/90		8/9/90	
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10	U	10
NAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
NITRATE	0.1	UG/L		2.2		2.2		2.3		2.2
NITROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
PHENANTHRENE	330	UG/L	U	10	U	10	U	10	U	10
PHENOL	330	UG/L	U	10	J	2	J	2	U	10
PYRENE	330	UG/L	U	10	U	10	U	10	U	10
STYRENE	5	UG/L	U	1000	U	500	U	620	U	500
SULFATE	0.2	UG/L		280		290		280		290
TDS	10	UG/L		910		960		890		850
TETRACHLOROETHENE	5	UG/L	J	420	J	380	J	220	J	200
TOLUENE	5	UG/L	U	1000	U	500	U	620	U	500
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	1000	U	500	U	620	U	500
TRICHLOROETHENE	5	UG/L		22000		19000	B	15000	B	15000
UNKNOWN	10	UG/L					BJ	28	BJ	18
VINYL ACETATE	10	UG/L	U	2000	U	1000	U	1200	U	1000
VINYL CHLORIDE	10	UG/L	U	2000	U	1000	U	1200	U	1000
XYLENES (TOTAL)	5	UG/L	U	1000	U	500	U	620	U	500

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-29(A1)		W9-29(A1)		W9-29(A1)		W9-29(A1)		W9-29(A1)	
Sample Number=>			MOF1030		MOF1031		MOF1100		MOF1149		MOF1150	
Sample Type=>					TB						TB	
Sample Date=>			6/4/90		6/4/90		7/12/90		8/1/90		8/1/90	
Compounds	Quantitation limits	units										
1,1,1-TRICHLOROETHANE	5	UG/L	U	50	U	5	U	62	J	14	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50	U	5	U	62	U	50	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	50	U	5	U	62	U	50	U	5
1,1-DICHLOROETHANE	5	UG/L	U	50	U	5	J	27	J	26	U	5
1,1-DICHLOROETHENE	5	UG/L	U	50	U	5	J	32	J	34	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
1,2-DICHLOROETHANE	5	UG/L	U	50	U	5	U	62	U	50	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		370	U	5		510		440	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	50	U	5	U	62	U	50	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50	U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10	U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10	U	10		
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10	U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50	U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10	U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10	U	10		
2-BUTANONE	10	UG/L	U	100	U	10	BJ	32	BJ	68	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10	U	10		
2-CHLOROPHENOL	330	UG/L	U	10			U	10	U	10		
2-HEXANONE	10	UG/L	U	100	U	10	U	120	U	100	U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10	U	10		
2-METHYLPHENOL	330	UG/L	U	10			U	10	U	10		
2-NITROANILINE	1600	UG/L	U	50			U	50	U	50		
2-NITROPHENOL	330	UG/L	U	10			U	10	U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20	U	20		
3-NITROANILINE	1600	UG/L	U	50			U	50	U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50			U	50	U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-29(A1)		W9-29(A1)		W9-29(A1)		W9-29(A1)		W9-29(A1)	
Sample Number=>			MOF1030		MOF1031		MOF1100		MOF1149		MOF1150	
Sample Type=>					TB						TB	
Sample Date=>			6/4/90		6/4/90		7/12/90		8/1/90		8/1/90	
Compounds	Quantitation limits	units										
4-CHLOROANILINE	330	UG/L	U	10			U	10	U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	10	U	120	U	100	U	10
4-METHYLPHENOL	330	UG/L	U	10			U	10	U	10		
4-NITROANILINE	1600	UG/L	U	50			U	50	U	50		
4-NITROPHENOL	1600	UG/L	U	50			U	50	U	50		
ACENAPHTHENE	330	UG/L	U	10			U	10	U	10		
ACENAPHTHYLENE	330	UG/L	U	10			U	10	U	10		
ACETONE	10	UG/L	U	100	U	10	U	120	U	100	BJ	2
ANTHRACENE	330	UG/L	U	10			U	10	U	10		
AROCLOR-1016	80	UG/L					U	0.50	U	0.50		
AROCLOR-1221	80	UG/L					U	0.50	U	0.50		
AROCLOR-1232	80	UG/L					U	0.50	U	0.50		
AROCLOR-1242	80	UG/L					U	0.50	U	0.50		
AROCLOR-1248	80	UG/L					U	0.50	U	0.50		
AROCLOR-1254	1	UG/L					U	1.00	U	1.00		
AROCLOR-1260	1	UG/L					U	1.00	U	1.00		
BENZENE	5	UG/L	U	50	U	5	U	62	U	50	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10	U	10		
BENZO(A)PYRENE	330	UG/L	U	10			U	10	U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10	U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10	U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10	U	10		
BENZOIC ACID	1600	UG/L	U	50			U	50	U	50		
BENZYL ALCOHOL	330	UG/L	U	10			U	10	U	10		
BICARBONATE	1	UG/L		360				350		360		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10	U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10	U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10	U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10	U	10		
BROMODICHLOROMETHANE	5	UG/L	U	50	U	5	U	62	U	50	U	5
BROMOFORM	5	UG/L	U	50	U	5	U	62	U	50	U	5
BROMOMETHANE	10	UG/L	U	100	U	10	U	120	U	100	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-29(A1)		W9-29(A1)		W9-29(A1)		W9-29(A1)		W9-29(A1)	
Sample Number==========>			MOF1030		MOF1031		MOF1100		MOF1149		MOF1150	
Sample Type==========>					TB						TB	
Sample Date==========>			6/4/90		6/4/90		7/12/90		8/1/90		8/1/90	
Compounds	Quantitation limits	units										
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
CARBON DISULFIDE	5	UG/L	U	50	U	5	U	62	U	50	U	5
CARBON TETRACHLORIDE	5	UG/L	U	50	U	5	U	62	U	50	U	5
CARBONATE	1	UG/L	U	1			U	1	U	1		
CHLORIDE	0.1	UG/L		40				38		41		
CHLOROBENZENE	5	UG/L	U	50	U	5	U	62	U	50	U	5
CHLOROETHANE	10	UG/L	U	100	U	10	U	120	U	100	U	10
CHLOROFORM	5	UG/L	U	50	U	5	U	62	U	50	U	5
CHLOROMETHANE	10	UG/L	U	100	U	10	U	120	U	100	U	10
CHRYSENE	330	UG/L	U	10			U	10	U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5	U	62	U	50	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10	U	10		
DIBENZOFURAN	330	UG/L	U	10			U	10	U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	5	U	62	U	50	U	5
DIETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
ESTER HEXANEDIOIC ACID ISOMER		UG/L							BJ	12		
ETHYLBENZENE	5	UG/L	U	50	U	5	U	62	U	50	U	5
FLUORANTHENE	330	UG/L	U	10			U	10	U	10		
FLUORENE	330	UG/L	U	10			U	10	U	10		
FLUORIDE	0.1	UG/L		0.2				0.1	U	0.2		
HEXACHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10	U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10	U	10		
HEXACHLOROETHANE	330	UG/L	U	10			U	10	U	10		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10	U	10		
ISOPHORONE	330	UG/L	U	10			U	10	U	10		
JP5	200	MG/L	U	200			U	200	U	200		
METHYLENE CHLORIDE	5	UG/L	B	81	BJ	3		80	B	68	B	8
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10	U	10		
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-29(A1)		W9-29(A1)		W9-29(A1)		W9-29(A1)		W9-29(A1)	
Sample Number==========>			MOF1030		MOF1031		MOF1100		MOF1149		MOF1150	
Sample Type==========>					TB						TB	
Sample Date==========>			6/4/90		6/4/90		7/12/90		8/1/90		8/1/90	
Compounds	Quantitation limits	units										
NAPHTHALENE	330	UG/L	U	10			U	10	U	10		
NITRATE	0.1	UG/L		1.0				1.0		1.1		
NITROBENZENE	330	UG/L	U	10			U	10	U	10		
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50	U	50		
PHENANTHRENE	330	UG/L	U	10			U	10	U	10		
PHENOL	330	UG/L	U	10			U	10	U	10		
PYRENE	330	UG/L	U	10			U	10	U	10		
STYRENE	5	UG/L	U	50	U	5	U	62	U	50	U	5
SULFATE	0.2	UG/L		510				510		510		
TDS	10	UG/L		1360				1400		1460		
TETRACHLOROETHENE	5	UG/L	U	50	U	5	U	62	U	50	U	5
TOLUENE	5	UG/L	U	50	U	5	U	62	U	50	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	5	U	62	U	50	U	5
TRICHLOROETHENE	5	UG/L		1700	U	5		1600		1900	U	5
UNKNOWN	10	UG/L	J	16			J	8.0	BJ	100		
UNKNOWN ALCOHOL	10	UG/L							J	14		
UNKNOWN AMIDE		UG/L							BJ	12		
VINYL ACETATE	10	UG/L	U	100	U	10	U	120	U	100	U	10
VINYL CHLORIDE	10	UG/L	U	100	U	10	U	120	U	100	U	10
XYLENES (TOTAL)	5	UG/L	U	50	U	5	U	62	U	50	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units										
Well Number==========>			W9-30(A1)		W9-30(A1)		W9-30(A1)		W9-30(A1)			
Sample Number==========>			MOF1032		MOF1098		MOF1099		MOF1156			
Sample Type==========>							DUP					
Sample Date==========>			6/4/90		7/11/90		7/11/90		8/2/90			
1,1,1-TRICHLOROETHANE	5	UG/L	U	50	U	33	U	33	U	50		
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50	U	33	U	33	U	50		
1,1,2-TRICHLOROETHANE	5	UG/L	U	50	U	33	U	33	U	50		
1,1-DICHLOROETHANE	5	UG/L		76		66		73		64		
1,1-DICHLOROETHENE	5	UG/L		50		46		58	J	47		
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10		
1,2-DICHLOROETHANE	5	UG/L	U	50	U	33	U	33	U	50		
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		1000		1100		1100		1100		
1,2-DICHLOROPROPANE	5	UG/L	U	50	U	33	U	33	U	50		
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10		
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10		
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10		
2-BUTANONE	10	UG/L	U	100	BJ	26	BJ	29	U	100		
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10		
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10		
2-HEXANONE	10	UG/L	U	100	U	67	U	67	U	100		
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10		
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10		
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50		
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10	U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20	U	20		
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50	U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-30(A1)		W9-30(A1)		W9-30(A1)		W9-30(A1)	
Sample Number==========>			MOF1032		MOF1098		MOF1099		MOF1156	
Sample Type==========>							DUP			
Sample Date==========>			6/4/90		7/11/90		7/11/90		8/2/90	
Compounds	Quantitation limits	units								
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	67	U	67	U	100
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10	U	10
ACETONE	10	UG/L	U	100	U	67		69	BJ	52
ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
AROCLOR-1016	80	UG/L			U	0.50	U	0.50	U	0.50
AROCLOR-1221	80	UG/L			U	0.50	U	0.50	U	0.50
AROCLOR-1232	80	UG/L			U	0.50	U	0.50	U	0.50
AROCLOR-1242	80	UG/L			U	0.50	U	0.50	U	0.50
AROCLOR-1248	80	UG/L			U	0.50	U	0.50	U	0.50
AROCLOR-1254	1	UG/L			U	1.00	U	1.00	U	1.00
AROCLOR-1260	1	UG/L			U	1.00	U	1.00	U	1.00
BENZENE	5	UG/L	U	50	U	33	U	33	U	50
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50	U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10	U	10
BICARBONATE	1	UG/L		380		380		380		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	50	U	33	U	33	U	50
BROMOFORM	5	UG/L	U	50	U	33	U	33	U	50
BROMOMETHANE	10	UG/L	U	100	U	67	U	67	U	100

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-30(A1)		W9-30(A1)		W9-30(A1)		W9-30(A1)	
Sample Number==========>			MOF1032		MOF1098		MOF1099		MOF1156	
Sample Type==========>							DUP			
Sample Date==========>			6/4/90		7/11/90		7/11/90		8/2/90	
Compounds	Quantitation limits	units								
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
CARBON DISULFIDE	5	UG/L	U	50	U	33	U	33	U	50
CARBON TETRACHLORIDE	5	UG/L	U	50	U	33	U	33	U	50
CARBONATE	1	UG/L	U	1	U	1	U	1		
CHLORIDE	0.1	UG/L		42		46		42		
CHLOROBENZENE	5	UG/L	U	50	U	33	U	33	U	50
CHLOROETHANE	10	UG/L	U	100	U	67	U	67	U	100
CHLOROFORM	5	UG/L	U	50	U	33	U	33	U	50
CHLOROMETHANE	10	UG/L	U	100	U	67	U	67	U	100
CHRYSENE	330	UG/L	U	10	U	10	U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	33	U	33	U	50
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	33	U	33	U	50
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
ETHYLBENZENE	5	UG/L	U	50	U	33	U	33	U	50
FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORIDE	0.1	UG/L	U	0.2		0.2		0.2		
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10	U	10
HEXANEDIOIC ACID,BIS(2-ETHYL-		UG/L							BJ	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
ISOPHORONE	330	UG/L	U	10	U	10	U	10	U	10
JP5	200	MG/L	U	200	U	200	U	200	U	200
METHYLENE CHLORIDE	5	UG/L	B	74	BJ	23	BJ	27	BJ	41
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10	U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-30(A1)		W9-30(A1)		W9-30(A1)		W9-30(A1)	
Sample Number==========>			MOF1032		MOF1098		MOF1099		MOF1156	
Sample Type==========>							DUP			
Sample Date==========>			6/4/90		7/11/90		7/11/90		8/2/90	
Compounds	Quantitation limits	units								
NAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
NITRATE	0.1	UG/L	U	0.1	U	0.1	U	0.1		
NITROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
PHENANTHRENE	330	UG/L	U	10	U	10	U	10	U	10
PHENOL	330	UG/L	U	10	U	10	U	10	U	10
PYRENE	330	UG/L	U	10	U	10	U	10	U	10
STYRENE	5	UG/L	U	50	U	33	U	33	U	50
SULFATE	0.2	UG/L		540		520		540		
TDS	10	UG/L		1480		1450		1470		
TETRACHLOROETHENE	5	UG/L	U	50	U	33	U	33	U	50
TOLUENE	5	UG/L	U	50	U	33	U	33	U	50
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	33	U	33	U	50
TRICHLOROETHENE	5	UG/L		410		340		370		280
UNKNOWN	10	UG/L							BJ	24
UNKNOWN ALCOHOL	10	UG/L					J	12		
VINYL ACETATE	10	UG/L	U	100	U	67	U	67	U	100
VINYL CHLORIDE	10	UG/L	U	100	U	67	U	67	U	100
XYLENES (TOTAL)	5	UG/L	U	50	U	33	U	33	U	50

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units										
Well Number=>			W9-31(A1)		W9-31(A1)		W9-31(A1)		W9-31(A1)			
Sample Number=>			MOF1062		MOF1123		MOF1182		MOF1183			
Sample Type=>									TB			
Sample Date=>			6/14/90		7/19/90		8/10/90		8/10/90			
1,1,1-TRICHLOROETHANE	5	UG/L	U	50	U	62	U	62	U	5		
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50	U	62	U	62	U	5		
1,1,2-TRICHLOROETHANE	5	UG/L	U	50	U	62	U	62	U	5		
1,1-DICHLOROETHANE	5	UG/L	J	49	J	41	U	30	U	5		
1,1-DICHLOROETHENE	5	UG/L		120		110	U	92	U	5		
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10				
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10				
1,2-DICHLOROETHANE	5	UG/L	U	50	U	62	U	62	U	5		
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		750		860	U	870	U	5		
1,2-DICHLOROPROPANE	5	UG/L	U	50	U	62	U	62	U	5		
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10				
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10				
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50				
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10				
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10				
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10				
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50				
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10				
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10				
2-BUTANONE	10	UG/L	U	100	U	120	U	120	U	10		
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10				
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10				
2-HEXANONE	10	UG/L	U	100	U	120	U	120	U	10		
2-METHYLCYCLOPENTANOL		UG/L					BJ	10				
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10				
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10				
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50				
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10				
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20				
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50				
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50				
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10				

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-31(A1)		W9-31(A1)		W9-31(A1)		W9-31(A1)	
Sample Number==========>			MOF1062		MOF1123		MOF1182		MOF1183	
Sample Type==========>									TB	
Sample Date==========>			6/14/90		7/19/90		8/10/90		8/10/90	
Compounds	Quantitation limits	units								
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10		
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	120	U	120	U	10
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10		
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50		
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50		
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10		
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10		
ACETONE	10	UG/L	U	100	U	120	U	120	U	10
ANTHRACENE	330	UG/L	U	10	U	10	U	10		
AROCLOR-1016	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1221	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1232	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1242	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1248	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1254	1	UG/L	U	1.0	U	1.00	U	1.00		
AROCLOR-1260	1	UG/L	U	1.0	U	1.00	U	1.00		
BENZENE	5	UG/L	U	50	U	62	U	62	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10		
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10		
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50		
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10		
BICARBONATE	1	UG/L				320		320		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10	U	10		
BROMODICHLOROMETHANE	5	UG/L	U	50	U	62	U	62	U	5
BROMOFORM	5	UG/L	U	50	U	62	U	62	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-31(A1)		W9-31(A1)		W9-31(A1)		W9-31(A1)	
Sample Number			MOF1062		MOF1123		MOF1182		MOF1183	
Sample Type									TB	
Sample Date			6/14/90		7/19/90		8/10/90		8/10/90	
Compounds	Quantitation limits	units								
BROMOMETHANE	10	UG/L	U	100	U	120	U	120	U	10
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
CARBON DISULFIDE	5	UG/L	U	50	U	62	U	62	U	5
CARBON TETRACHLORIDE	5	UG/L	U	50	U	62	U	62	U	5
CARBONATE	1	UG/L			U	1	U	1		
CHLORIDE	0.1	UG/L				49		49		
CHLOROBENZENE	5	UG/L	U	50	U	62	U	62	U	5
CHLOROETHANE	10	UG/L	U	100	U	120	U	120	U	10
CHLOROFORM	5	UG/L	U	50	U	62	U	62	U	5
CHLOROMETHANE	10	UG/L	U	100	U	120	U	120	U	10
CHRYSENE	330	UG/L	U	10	U	10	U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	62	U	62	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10		
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	62	U	62	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
ETHYLBENZENE	5	UG/L	U	50	U	62	U	62	U	5
FLUORANTHENE	330	UG/L	U	10	U	10	U	10		
FLUORENE	330	UG/L	U	10	U	10	U	10		
FLUORIDE	0.1	UG/L			U	0.2	U	0.2		
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10		
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10		
HEXANEDIOIC ACID, BIS(2-ETHYL		UG/L					J	8.0		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10		
ISOPHORONE	330	UG/L	U	10	U	10	U	10		
JP5	200	MG/L	U	200	U	200	U	200		
METHYLENE CHLORIDE	5	UG/L	B	64	B	95	B	83	B	15
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-31(A1)		W9-31(A1)		W9-31(A1)		W9-31(A1)	
Sample Number==========>			MOF1062		MOF1123		MOF1182		MOF1183	
Sample Type==========>									TB	
Sample Date==========>			6/14/90		7/19/90		8/10/90		8/10/90	
Compounds	Quantitation limits	units								
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10		
NAPHTHALENE	330	UG/L	U	10	U	10	U	10		
NITRATE	0.1	UG/L			U	0.1	U	0.1		
NITROBENZENE	330	UG/L	U	10	U	10	U	10		
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50		
PHENANTHRENE	330	UG/L	U	10	U	10	U	10		
PHENOL	330	UG/L	U	10	U	10	U	10		
PYRENE	330	UG/L	U	10	U	10	U	10		
STYRENE	5	UG/L	U	50	U	62	U	62	U	5
SULFATE	0.2	UG/L				350		350		
TDS	10	UG/L				1000		980		
TETRACHLOROETHENE	5	UG/L	U	50	U	62	U	62	U	5
TOLUENE	5	UG/L	U	50	U	62	U	62	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	62	U	62	U	5
TRICHLOROETHENE	5	UG/L		1700		1900	U	1400	U	5
UNKNOWN	10	UG/L	J	18						
UNKNOWN ALCOHOL	10	UG/L			J	14				
VINYL ACETATE	10	UG/L	U	100	U	120	U	120	U	10
VINYL CHLORIDE	10	UG/L	U	100	U	120	U	120	U	10
XYLENES (TOTAL)	5	UG/L	U	50	U	62	U	62	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)	
Sample Number==========>			MOF1057		MOF1058		MOF1101		MOF1102		MOF1178		MOF1179	
Sample Type==========>									TB				TB	
Sample Date==========>			6/13/90		6/13/90		7/12/90		7/12/90		8/9/90		8/9/90	
Compounds	Quantitation limits	units												
1,1,1-TRICHLOROETHANE	5	UG/L	U	250	U	160	J	54	U	5	U	250	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
1,1-DICHLOROETHANE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
1,1-DICHLOROETHENE	5	UG/L	J	92	J	53	J	150	U	5	J	130	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
1,2-DICHLOROETHANE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		420		360		650	U	5		500	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10		
2-BUTANONE	10	UG/L	U	500	U	310	BJ	270	U	10	U	500	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10		
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2-CYCLOHEXEN-1-ONE		UG/L									BJ	8.0		
2-HEXANONE	10	UG/L	U	500	U	310	U	500	U	10	U	500	U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10		
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50		
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20			U	20		
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)	
Sample Number			MOF1057		MOF1058		MOF1101		MOF1102		MOF1178		MOF1179	
Sample Type									TB				TB	
Sample Date			6/13/90		6/13/90		7/12/90		7/12/90		8/9/90		8/9/90	
Compounds	Quantitation limits	units												
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10			U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	500	U	310	U	500	U	10	U	500	U	10
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10		
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50		
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10			U	10		
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10			U	10		
ACETONE	10	UG/L	U	500	U	310	U	500	U	10	U	500	BJ	1
ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10		
AROCLOR-1016	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1221	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1232	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1242	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1248	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50		
AROCLOR-1254	1	UG/L	U	1.00	U	1.00	U	1.00			U	1.00		
AROCLOR-1260	1	UG/L	U	1.00	U	1.00	U	1.00			U	1.00		
BENZENE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10		
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50			U	50		
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10			U	10		
BICARBONATE	1	UG/L		320		320		320				340		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10			U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
BROMODICHLOROMETHANE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
BROMOFORM	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)	
Sample Number=>			MOF1057		MOF1058		MOF1101		MOF1102		MOF1178		MOF1179	
Sample Type=>									TB				TB	
Sample Date=>			6/13/90		6/13/90		7/12/90		7/12/90		8/9/90		8/9/90	
Compounds	Quantitation limits	units												
BROMOMETHANE	10	UG/L	U	500	U	310	U	500	U	10	U	500	U	10
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
CARBON DISULFIDE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
CARBON TETRACHLORIDE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
CARBONATE	1	UG/L	U	1.0	U	1.0	U	1			U	1		
CHLORIDE	0.1	UG/L		44		43		41				40		
CHLOROBENZENE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
CHLOROETHANE	10	UG/L	U	500	U	310	U	500	U	10	U	500	U	10
CHLOROFORM	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
CHLOROMETHANE	10	UG/L	U	500	U	310	U	500	U	10	U	500	U	10
CHRYSENE	330	UG/L	U	10	U	10	U	10			U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10		
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10			U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10		
ETHYLBENZENE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10		
FLUORENE	330	UG/L	U	10	U	10	U	10			U	10		
FLUORIDE	0.1	UG/L	U	0.20	U	0.20		0.1			U	0.2		
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10			U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10			U	10		
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10			U	10		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10			U	10		
ISOPHORONE	330	UG/L	U	10	U	10	U	10			U	10		
JP5	200	MG/L	U	200	U	200	U	200			U	200		
METHYLENE CHLORIDE	5	UG/L	B	670	B	290		760	B	14	B	270	B	17
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10			U	10		
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10			U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)	
Sample Number==========>			MOF1057		MOF1058		MOF1101		MOF1102		MOF1178		MOF1179	
Sample Type==========>									TB				TB	
Sample Date==========>			6/13/90		6/13/90		7/12/90		7/12/90		8/9/90		8/9/90	
Compounds	Quantitation limits	units												
NAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10		
NITRATE	0.1	UG/L		2.0		2.1		1.9				2.0		
NITROBENZENE	330	UG/L	U	10	U	10	U	10			U	10		
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50		
PHENANTHRENE	330	UG/L	U	10	U	10	U	10			U	10		
PHENOL	330	UG/L	U	10	U	10	U	10			U	10		
PYRENE	330	UG/L	U	10	U	10	U	10			U	10		
STYRENE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
SULFATE	0.2	UG/L		330		340		330				330		
TDS	10	UG/L		1090		1100		1050				1000		
TETRACHLOROETHENE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
TOLUENE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	160	U	250	U	5	U	250	U	5
TRICHLOROETHENE	5	UG/L		5800		4100		8000	U	5	B	8800	U	5
UNKNOWN	10	UG/L									J	10		
VINYL ACETATE	10	UG/L	U	500	U	310	U	500	U	10	U	500	U	10
VINYL CHLORIDE	10	UG/L	U	500	U	310	U	500	U	10	U	500	U	10
XYLENES (TOTAL)	5	UG/L	U		U	250	U	250	U	5	U	250	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-34(A2)		W9-34(A2)		W9-34(A2)		W9-34(A2)		W9-34(A2)		W9-34(A2)	
Sample Number			MOF1072		MOF1073		MOF1116		MOF1117		MOF1118		MOF1180	
Sample Type					TB				TB		FB			
Sample Date			6/20/90		6/20/90		7/18/90		7/18/90		7/18/90		8/9/90	
Compounds	Quantitation limits	units												
1,1,1-TRICHLOROETHANE	5	UG/L	J	24	U	5	J	20	U	5	U	5	U	62
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
1,1,2-TRICHLOROETHANE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
1,1-DICHLOROETHANE	5	UG/L	J	31	U	5	J	25	U	5	U	5	U	62
1,1-DICHLOROETHENE	5	UG/L	J	46	U	5	J	33	U	5	U	5	J	46
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10			U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	62	U	5	J	36	U	5	U	5	U	62
1,2-DICHLOROPROPANE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10	U	10
2,3-DIHYDRO-1H-INDEN-1-OL		UG/L					J	12						
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50			U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10			U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10			U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10			U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50			U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10	U	10
2-BUTANONE	10	UG/L	U	120	U	10	U	200	U	10	U	10	U	120
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10			U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10			U	10			U	10	U	10
2-HEXANONE	10	UG/L	U	120	U	10	U	200	U	10	U	10	U	120
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10			U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10			U	10			U	10	U	10
2-NITROANILINE	1600	UG/L	U	50			U	50			U	50	U	50
2-NITROPHENOL	330	UG/L	U	10			U	10			U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20			U	20	U	20
3,4-EPOXY-3-ETHYL-2-BUTANONE		UG/L									J	20		
3-ETHYL-1-OCTENE		UG/L					J	26						
3-NITROANILINE	1600	UG/L	U	50			U	50			U	50	U	50

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units																
Well Number==========>			W9-34(A2)			W9-34(A2)			W9-34(A2)			W9-34(A2)			W9-34(A2)			W9-34(A2)	
Sample Number==========>			MOF1072			MOF1073			MOF1116			MOF1117			MOF1118			MOF1180	
Sample Type==========>						TB						TB			FB				
Sample Date==========>			6/20/90			6/20/90			7/18/90			7/18/90			7/18/90			8/9/90	
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50					U	50					U	50		U	50
4-(ACETYLOXY)-2-BUTANONE		UG/L													J	26			
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10					U	10					U	10		U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10					U	10					U	10		U	10
4-CHLOROANILINE	330	UG/L	U	10					U	10					U	10		U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10					U	10					U	10		U	10
4-METHYL-2-PENTANONE	10	UG/L	U	120		U	10		U	200		U	10		U	10		U	120
4-METHYLPHENOL	330	UG/L	U	10					U	10					U	10		U	10
4-NITROANILINE	1600	UG/L	U	50					U	50					U	50		U	50
4-NITROPHENOL	1600	UG/L	U	50					U	50					U	50		U	50
ACENAPHTHENE	330	UG/L	U	10					U	10					U	10		U	10
ACENAPHTHYLENE	330	UG/L	U	10					U	10					U	10		U	10
ACETONE	10	UG/L	U	120		U	10		U	200		U	10		U	10		U	120
ANTHRACENE	330	UG/L	U	10					U	10					U	10		U	10
AROCLOR-1016	80	UG/L	U	0.50					U	0.50					U	0.50		U	0.50
AROCLOR-1221	80	UG/L	U	0.50					U	0.50					U	0.50		U	0.50
AROCLOR-1232	80	UG/L	U	0.50					U	0.50					U	0.50		U	0.50
AROCLOR-1242	80	UG/L	U	0.50					U	0.50					U	0.50		U	0.50
AROCLOR-1248	80	UG/L	U	0.50					U	0.50					U	0.50		U	0.50
AROCLOR-1254	1	UG/L	U	1.00					U	1.00					U	1.00		U	1.00
AROCLOR-1260	1	UG/L	U	1.00					U	1.00					U	1.00		U	1.00
BENZENE	5	UG/L	U	62		U	5		U	100		U	5		U	5		U	62
BENZO(A)ANTHRACENE	330	UG/L	U	10					U	10					U	10		U	10
BENZO(A)PYRENE	330	UG/L	U	10					U	10					U	10		U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10					U	10					U	10		U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10					U	10					U	10		U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10					U	10					U	10		U	10
BENZOIC ACID	1600	UG/L	U	50					U	50					U	50		U	50
BENZYL ALCOHOL	330	UG/L	U	10					U	10					U	10		U	10
BICARBONATE	1	UG/L		300						300					U	1			270
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10					U	10					U	10		U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10					U	10					U	10		U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10					U	10					U	10		U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-34(A2)		W9-34(A2)		W9-34(A2)		W9-34(A2)		W9-34(A2)		W9-34(A2)	
Sample Number			MOF1072		MOF1073		MOF1116		MOF1117		MOF1118		MOF1180	
Sample Type					TB				TB		FB			
Sample Date			6/20/90		6/20/90		7/18/90		7/18/90		7/18/90		8/9/90	
Compounds	Quantitation limits	units												
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10			U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
BROMOFORM	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
BROMOMETHANE	10	UG/L	U	120	U	10	U	200	U	10	U	10	U	120
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10			U	10	U	10
CARBON DISULFIDE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
CARBON TETRACHLORIDE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
CARBONATE	1	UG/L	U	1			U	1			U	1	U	1
CHLORIDE	0.1	UG/L		37				26			U	0.1		43
CHLOROBENZENE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
CHLOROETHANE	10	UG/L	U	120	U	10	U	200	U	10	U	10	U	120
CHLOROFORM	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
CHLOROMETHANE	10	UG/L	U	120	U	10	U	200	U	10	U	10	U	120
CHRYSENE	330	UG/L	U	10			U	10			U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10			U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10			U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10			U	10	U	10
DIBENZOFURAN	330	UG/L	U	10			U	10			U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
DIETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10	U	10
DIHYDROTRIMETHYLNAPHTHALENE		UG/L					J	8.0						
DIMETHYLOXETANE ISOMER		UG/L					J	36						
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10	U	10
ETHYLBENZENE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
FLUORANTHENE	330	UG/L	U	10			U	10			U	10	U	10
FLUORENE	330	UG/L	U	10			U	10			U	10	U	10
FLUORIDE	0.1	UG/L	U	0.2			U	0.2			U	0.2	U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10			U	10			U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10			U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10			U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10			U	10			U	10	U	10
HEXANEDIOIC ACID ISOMER		UG/L											BJ	24

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units	W9-34(A2) MOF1072		W9-34(A2) MOF1073 TB		W9-34(A2) MOF1116		W9-34(A2) MOF1117 TB		W9-34(A2) MOF1118 FB		W9-34(A2) MOF1180	
Sample Date			6/20/90		6/20/90		7/18/90		7/18/90		7/18/90		8/9/90	
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10			U	10	U	10
ISOPHORONE	330	UG/L	U	10			U	10			U	10	U	10
JP5	200	MG/L	U	200			U	200			U	200	U	200
METHYLENE CHLORIDE	5	UG/L	B	210	BJ	4	B	990	BJ	3	BJ	4	B	160
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10			U	10	U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10			U	10	U	10
NAPHTHALENE	330	UG/L	U	10			U	10			U	10	U	10
NITRATE	0.1	UG/L		2.0				1.9			U	0.1		2.1
NITROBENZENE	330	UG/L	U	10			U	10			U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50			U	50	U	50
PHENANTHRENE	330	UG/L	U	10			U	10			U	10	U	10
PHENOL	330	UG/L	U	10			U	10			U	10	J	3
PYRENE	330	UG/L	U	10			U	10			U	10	U	10
STYRENE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
SULFATE	0.2	UG/L		260				240			U	0.2		250
TDS	10	UG/L		860				800			U	10		840
TETRACHLOROETHENE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
TETRAMETHYLTRICYCLOHEXANE IS		UG/L					J	28						
TOLUENE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62
TRANS-1-ETHYL-2-METHYL-CYCLO		UG/L					J	20						
TRANS-2,4-DIMETHYL-OXETANE		UG/L					J	14						
TRICHLOROETHENE	5	UG/L		2100	U	5		2100	U	5	U	5	B	2100
TRIMETHYLBENZENE ISOMER		UG/L					J	210						
UNKNOWN	10	UG/L											BJ	16
UNKNOWN KETONE		UG/L					J	38						
VINYL ACETATE	10	UG/L	U	120	U	10	U	200	U	10	U	10	U	120
VINYL CHLORIDE	10	UG/L	U	120	U	10	U	200	U	10	U	10	U	120
XYLENES (TOTAL)	5	UG/L	U	62	U	5	U	100	U	5	U	5	U	62

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-35(A1)		W9-35(A1)		W9-35(A1)		W9-35(A1)		W9-35(A1)	
Sample Number			MOF1042		MOF1043		MOF1045		MOF1105		MOF1170	
Sample Type							TB					
Sample Date			6/7/90		8/7/90		6/7/90		7/13/90		8/7/90	
Compounds	Quantitation limits	units										
1,1,1-TRICHLOROETHANE	5	UG/L	U	250	U	250	U	5	U	250	U	250
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	250	U	250	U	5	U	250	U	250
1,1,2-TRICHLOROETHANE	5	UG/L	U	250	U	250	U	5	U	250	U	250
1,1-DICHLOROETHANE	5	UG/L	U	56	J	59	U	5	U	250	U	250
1,1-DICHLOROETHENE	5	UG/L	J	94	J	120	U	5	J	65	J	96
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	250	U	250	U	5	U	250	U	250
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		490		570	U	5		500		570
1,2-DICHLOROPROPANE	5	UG/L	U	250	U	250	U	5	U	250	U	250
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10			U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10			U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10	U	10
2-BUTANONE	10	UG/L	U	500	U	500	U	10	U	500	U	500
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10			U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10			U	10	U	10
2-HEXANONE	10	UG/L	U	500	U	500	U	10	U	500	U	500
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10			U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10
2-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50
2-NITROPHENOL	330	UG/L	U	10	U	10			U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20			U	20	U	20
3-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50			U	50	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10	U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-35(A1)		W9-35(A1)		W9-35(A1)		W9-35(A1)		W9-35(A1)	
Sample Number=>			MOF1042		MOF1043		MOF1045		MOF1105		MOF1170	
Sample Type=>							TB					
Sample Date=>			6/7/90		8/7/90		6/7/90		7/13/90		8/7/90	
Compounds	Quantitation limits	units										
4-CHLOROANILINE	330	UG/L	U	10	U	10			U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	500	U	500	U	10	U	500	U	500
4-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10
4-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50
ACENAPHTHENE	330	UG/L	U	10	U	10			U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10			U	10	U	10
ACETONE	10	UG/L	U	500	U	500	U	10	U	500	U	500
ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10
AROCLOR-1016	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50
AROCLOR-1254	1	UG/L	U	1.00	U	1.00			U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U	1.00	U	1.00			U	1.00	U	1.00
BENZENE	5	UG/L	U	250	U	250	U	5	U	250	U	250
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10			U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10			U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10
BENZOIC ACID	1600	UG/L	U	50	U	50			U	50	U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10			U	10	U	10
BICARBONATE	1	UG/L		380		380				370		340
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10			U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10			U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10			U	10	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10			U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	250	U	250	U	5	U	250	U	250
BROMOFORM	5	UG/L	U	250	U	250	U	5	U	250	U	250
BROMOMETHANE	10	UG/L	U	500	U	500	U	10	U	500	U	500

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-35(A1)		W9-35(A1)		W9-35(A1)		W9-35(A1)		W9-35(A1)	
Sample Number			MOF1042		MOF1043		MOF1045		MOF1105		MOF1170	
Sample Type							TB					
Sample Date			6/7/90		8/7/90		6/7/90		7/13/90		8/7/90	
Compounds	Quantitation limits	units										
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10
CARBON DISULFIDE	5	UG/L	U	250	U	250	U	5	U	250	U	250
CARBON TETRACHLORIDE	5	UG/L	U	250	U	250	U	5	U	250	U	250
CARBONATE	1	UG/L	U	1	U	1			U	1	U	1
CHLORIDE	0.1	UG/L		35		35				40		44
CHLOROBENZENE	5	UG/L	U	250	U	250	U	5	U	250	U	250
CHLOROETHANE	10	UG/L	U	500	U	500	U	10	U	500	U	500
CHLOROFORM	5	UG/L	U	250	U	250	U	5	U	250	U	250
CHLOROMETHANE	10	UG/L	U	500	U	500	U	10	U	500	U	500
CHRYSENE	330	UG/L	U	10	U	10			U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	250	U	5	U	250	U	250
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10
DIBENZOFURAN	330	UG/L	U	10	U	10			U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	250	U	250	U	5	U	250	U	250
DIETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10
DIOCTYL ESTER HEXANEDIOIC ACID		UG/L									BJ	10
ETHYLBENZENE	5	UG/L	U	250	U	250	U	5	U	250	U	250
FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10
FLUORENE	330	UG/L	U	10	U	10			U	10	U	10
FLUORIDE	0.1	UG/L	U	0.2	U	0.2				0.2	U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10			U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10			U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10			U	10	U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10			U	10	U	10
ISOPHORONE	330	UG/L	U	10	U	10			U	10	U	10
JP5	200	MG/L	U	200	U	200			U	200	U	200
METHYLENE CHLORIDE	5	UG/L	BJ	230	BJ	210	B	5	B	320	B	580
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10			U	10	U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10			U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-35(A1)		W9-35(A1)		W9-35(A1)		W9-35(A1)		W9-35(A1)	
Sample Number=>			MOF1042		MOF1043		MOF1045		MOF1105		MOF1170	
Sample Type=>							TB					
Sample Date=>			6/7/90		8/7/90		6/7/90		7/13/90		8/7/90	
Compounds	Quantitation limits	units										
NAPHTHALENE	330	UG/L	U	10	U	10			U	10	U	10
NITRATE	0.1	UG/L		1.4		0.7				1.4		1.4
NITROBENZENE	330	UG/L	U	10	U	10			U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50
PHENANTHRENE	330	UG/L	U	10	U	10			U	10	U	10
PHENOL	330	UG/L	U	10	U	10			U	10	U	10
PYRENE	330	UG/L	U	10	U	10			U	10	U	10
STYRENE	5	UG/L	U	250	U	250	U	5	U	250	U	250
SULFATE	0.2	UG/L		390		380				400		390
TDS	10	UG/L		1190		1180				1160		1250
TETRACHLOROETHENE	5	UG/L	J	130	J	170	U	5	J	130	J	170
TOLUENE	5	UG/L	U	250	U	250	U	5	U	250	U	250
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	250	U	5	U	250	U	250
TRICHLOROETHENE	5	UG/L		6000		7600	U	5		5600		7000
UNKNOWN	10	UG/L	BJ	8.0	BJ	8.0					BJ	16
VINYL ACETATE	10	UG/L	U	500	U	500	U	10	U	500	U	500
VINYL CHLORIDE	10	UG/L	U	500	U	500	U	10	U	500	U	500
XYLENES (TOTAL)	5	UG/L	U	250	U	250	U	5	U	250	U	250

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-36(A2)		W9-36(A2)		W9-36(A2)		W9-36(A2)	
Sample Number==========>			MOF1053		MOF1122		MOF1174		MOF1175	
Sample Type==========>							FB			
Sample Date==========>			6/12/90		7/19/90		8/8/90		8/8/90	
Compounds	Quantitation limits	units								
1,1,1-TRICHLOROETHANE	5	UG/L	U	250	U	120	U	5	U	120
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	250	U	120	U	5	U	120
1,1,2-TRICHLOROETHANE	5	UG/L	U	250	U	120	U	5	U	120
1,1-DICHLOROETHANE	5	UG/L	J	73	U	120	U	5	U	120
1,1-DICHLOROETHENE	5	UG/L	J	98	J	53	U	5	J	76
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	250	U	120	U	5	U	120
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	250		500	U	5		570
1,2-DICHLOROPROPANE	5	UG/L	U	250	U	120	U	5	U	120
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10	U	10
2-BUTANONE	10	UG/L	U	500	U	250	U	10	U	250
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2-CYCLOHEXEN-1-ONE		UG/L					BJ	8.0	BJ	10
2-HEXANONE	10	UG/L	U	500	U	250	U	10	U	250
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20	U	20
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number			W9-36(A2)		W9-36(A2)		W9-36(A2)		W9-36(A2)	
Sample Number			MOF1053		MOF1122		MOF1174		MOF1175	
Sample Type							FB			
Sample Date			6/12/90		7/19/90		8/8/90		8/8/90	
Compounds	Quantitation limits	units								
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	500	U	250	U	10	U	250
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10	U	10
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10	U	10
ACETONE	10	UG/L	U	500	U	250	U	10	U	250
ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
AROCLOR-1016	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U	0.5	U	0.50	U	0.50	U	0.50
AROCLOR-1254	1	UG/L	U	1.0	U	1.00	U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U	1.0	U	1.00	U	1.00	U	1.00
BENZENE	5	UG/L	U	250	U	120	U	5	U	120
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50	U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10	U	10
BICARBONATE	1	UG/L		340		340		12		320
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	250	U	120	U	5	U	120
BROMOFORM	5	UG/L	U	250	U	120	U	5	U	120

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-36(A2)		W9-36(A2)		W9-36(A2)		W9-36(A2)	
Sample Number==========>			MOF1053		MOF1122		MOF1174		MOF1175	
Sample Type==========>							FB			
Sample Date==========>			6/12/90		7/19/90		8/8/90		8/8/90	
Compounds	Quantitation limits	units								
BROMOMETHANE	10	UG/L	U	500	U	250	U	10	U	250
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
CARBON DISULFIDE	5	UG/L	U	250	U	120	U	5	U	120
CARBON TETRACHLORIDE	5	UG/L	U	250	U	120	U	5	U	120
CARBONATE	1	UG/L	U	1	U	1	U	1	U	1
CHLORIDE	0.1	UG/L		39		42	U	0.1		38
CHLOROBENZENE	5	UG/L	U	250	U	120	U	5	U	120
CHLOROETHANE	10	UG/L	U	500	U	250	U	10	U	250
CHLOROFORM	5	UG/L	U	250	U	120	U	5	J	37
CHLOROMETHANE	10	UG/L	U	500	U	250	U	10	U	250
CHRYSENE	330	UG/L	U	10	U	10	U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	120	U	5	U	120
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10	U	10
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	250	U	120	U	5	U	120
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10	U	10
ETHYLBENZENE	5	UG/L	U	250	U	120	U	5	U	120
FLUORANTHENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORENE	330	UG/L	U	10	U	10	U	10	U	10
FLUORIDE	0.1	UG/L	U	0.1	U	0.2	U	0.2	U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10	U	10
HEXANEDIOIC ACID ISOMER		UG/L					BJ	34	BJ	20
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10	U	10
ISOPHORONE	330	UG/L	U	10	U	10	U	10	U	10
JP5	200	MG/L	U	200	U	200	U	200	U	200
METHYLENE CHLORIDE	5	UG/L	B	370	B	980	BJ	4	BJ	43
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-36(A2)		W9-36(A2)		W9-36(A2)		W9-36(A2)	
Sample Number==========>			MOF1053		MOF1122		MOF1174		MOF1175	
Sample Type==========>							FB			
Sample Date==========>			6/12/90		7/19/90		8/8/90		8/8/90	
Compounds	Quantitation limits	units								
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10	U	10
NAPHTHALENE	330	UG/L	U	10	U	10	U	10	U	10
NITRATE	0.1	UG/L		1.0		1.3	U	0.1		1.3
NITROBENZENE	330	UG/L	U	10	U	10	U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50	U	50
PHENANTHRENE	330	UG/L	U	10	U	10	U	10	U	10
PHENOL	330	UG/L	U	10	U	10	U	10	U	10
PYRENE	330	UG/L	U	10	U	10	U	10	U	10
STYRENE	5	UG/L	U	250	U	120	U	5	U	120
SULFATE	0.2	UG/L		360		340	U	0.2		350
TDS	10	UG/L		1100		1050	U	10		1060
TETRACHLOROETHENE	5	UG/L	U	250	U	120	U	5	U	120
TOLUENE	5	UG/L	U	250	U	120	U	5	U	120
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	120	U	5	U	120
TRICHLOROETHENE	5	UG/L		5300		4400	U	5		4200
UNKNOWN	10	UG/L			BJ	12	BJ	8.0	BJ	44
VINYL ACETATE	10	UG/L	U	500	U	250	U	10	U	250
VINYL CHLORIDE	10	UG/L	U	500	U	250	U	10	U	250
XYLENES (TOTAL)	5	UG/L	U	250	U	120	U	5	U	120

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units						
Well Number			W9-37(A1)		W9-37(A1)		W9-37(A1)	
Sample Number			MOF1035		MOF1090		MOF1151	
Sample Type								
Sample Date			6/5/90		7/9/90		8/1/90	
1,1,1-TRICHLOROETHANE	5	UG/L	U	48	J	48	J	38
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	120	U	120	U	120
1,1,2-TRICHLOROETHANE	5	UG/L	U	120	U	120	U	120
1,1-DICHLOROETHANE	5	UG/L	J	58	J	48	J	40
1,1-DICHLOROETHENE	5	UG/L	J	62	J	79	J	52
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	120	U	120	U	120
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		500		580		460
1,2-DICHLOROPROPANE	5	UG/L	U	120	U	120	U	120
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10
2-BUTANONE	10	UG/L	U	250	BJ	100	BJ	150
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10
2-HEXANONE	10	UG/L	U	250	U	250	U	250
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10

Well Number=====>			W9-37(A1)			W9-37(A1)			W9-37(A1)	
Sample Number=====>			MOF1035			MOF1090			MOF1151	
Sample Type=====>										
Sample Date=====>			6/5/90			7/9/90			8/1/90	
Compounds	Quantitation limits	units								
4-CHLOROANILINE	330	UG/L	U	10		U	10		U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10		U	10		U	10
4-METHYL-2-PENTANONE	10	UG/L	U	250		U	250		U	250
4-METHYLPHENOL	330	UG/L	U	10		U	10		U	10
4-NITROANILINE	1600	UG/L	U	50		U	50		U	50
4-NITROPHENOL	1600	UG/L	U	50		U	50		U	50
ACENAPHTHENE	330	UG/L	U	10		U	10		U	10
ACENAPHTHYLENE	330	UG/L	U	10		U	10		U	10
ACETONE	10	UG/L	U	250		U	250		U	250
ANTHRACENE	330	UG/L	U	10		U	10		U	10
AROCLOR-1016	80	UG/L	U	.5		U	0.50		U	0.50
AROCLOR-1221	80	UG/L	U	.5		U	0.50		U	0.50
AROCLOR-1232	80	UG/L	U	.5		U	0.50		U	0.50
AROCLOR-1242	80	UG/L	U	.5		U	0.50		U	0.50
AROCLOR-1248	80	UG/L	U	.5		U	0.50		U	0.50
AROCLOR-1254	1	UG/L	U	1		U	1.00		U	1.00
AROCLOR-1260	1	UG/L	U	1		U	1.00		U	1.00
BENZENE	5	UG/L	U	120		U	120		U	120
BENZO(A)ANTHRACENE	330	UG/L	U	10		U	10		U	10
BENZO(A)PYRENE	330	UG/L	U	10		U	10		U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10		U	10		U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10		U	10		U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10		U	10		U	10
BENZOIC ACID	1600	UG/L	U	50		U	50		U	50
BENZYL ALCOHOL	330	UG/L	U	10		U	10		U	10
BICARBONATE	1	UG/L					390			400
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10		U	10		U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10		U	10		U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10		U	10		U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10		U	10		U	10
BROMODICHLOROMETHANE	5	UG/L	U	120		U	120		U	120
BROMOFORM	5	UG/L	U	120		U	120		U	120
BROMOMETHANE	10	UG/L	U	250		U	250		U	250

Well Number==========>			W9-37(A1)		W9-37(A1)		W9-37(A1)	
Sample Number==========>			MOF1035		MOF1090		MOF1151	
Sample Type==========>								
Sample Date==========>			6/5/90		7/9/90		8/1/90	
Compounds	Quantitation limits	units						
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10
CARBON DISULFIDE	5	UG/L	U	120	U	120	U	120
CARBON TETRACHLORIDE	5	UG/L	U	120	U	120	U	120
CARBONATE	1	UG/L			U	1	U	1
CHLORIDE	0.1	UG/L				38		31
CHLOROBENZENE	5	UG/L	U	120	U	120	U	120
CHLOROETHANE	10	UG/L	U	250	U	250	U	250
CHLOROFORM	5	UG/L	U	120	U	120	U	120
CHLOROMETHANE	10	UG/L	U	250	U	250	U	250
CHRYSENE	330	UG/L	U	10	U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	120	U	120	U	120
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	120	U	120	U	120
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10
ESTER HEXANEDIOIC ACID ISOMER		UG/L					BJ	14
ETHYLBENZENE	5	UG/L	U	120	U	120	U	120
FLUORANTHENE	330	UG/L	U	10	U	10	U	10
FLUORENE	330	UG/L	U	10	U	10	U	10
FLUORIDE	0.1	UG/L				0.1	U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10
ISOPHORONE	330	UG/L	U	10	U	10	U	10
JP5	200	MG/L	U	200	U	200	U	200
METHYLENE CHLORIDE	5	UG/L	BJ	68	BJ	50	B	210
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10

Well Number==========>			W9-37(A1)		W9-37(A1)		W9-37(A1)	
Sample Number==========>			MOF1035		MOF1090		MOF1151	
Sample Type==========>								
Sample Date==========>			6/5/90		7/9/90		8/1/90	
Compounds	Quantitation limits	units						
NAPHTHALENE	330	UG/L	U	10	U	10	U	10
NITRATE	0.1	UG/L				2.1		2.2
NITROBENZENE	330	UG/L	U	10	U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50
PHENANTHRENE	330	UG/L	U	10	U	10	U	10
PHENOL	330	UG/L	U	10	U	10	U	10
PYRENE	330	UG/L	U	10	U	10	U	10
STYRENE	5	UG/L	U	120	U	120	U	120
SULFATE	0.2	UG/L				460		470
TDS	10	UG/L				1500		1460
TETRACHLOROETHENE	5	UG/L	U	120	U	120	U	120
TOLUENE	5	UG/L	U	120	U	120	U	120
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	120	U	120	U	120
TRICHLOROETHENE	5	UG/L		3500		3500		3000
UNKNOWN	10	UG/L					BJ	54
UNKNOWN AMIDE		UG/L					BJ	10
UNKNOWN HYDROCARBON		UG/L	BJ	32				
VINYL ACETATE	10	UG/L	U	250	U	250	U	250
VINYL CHLORIDE	10	UG/L	U	250	U	250	U	250
XYLENES (TOTAL)	5	UG/L	U	120	U	120	U	120

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units										
Well Number==========>			W9-38(A1)			W9-38(A1)			W9-38(A1)			W9-38(A1)	
Sample Number==========>			MOF1038			MOF1039			MOF1087			MOF1155	
Sample Type==========>						TB							
Sample Date==========>			6/6/90			6/6/90			7/9/90			8/2/90	
1,1,1-TRICHLOROETHANE	5	UG/L	J	92		U	5		J	80		J	65
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	250		U	5		U	250		U	210
1,1,2-TRICHLOROETHANE	5	UG/L	U	250		U	5		U	250		U	210
1,1-DICHLOROETHANE	5	UG/L	J	95		U	5		J	98		J	98
1,1-DICHLOROETHENE	5	UG/L	J	120		U	5		J	99		J	90
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10					U	10		U	10
1,2-DICHLOROBENZENE	330	UG/L	J	4					J	4		J	4
1,2-DICHLOROETHANE	5	UG/L	U	250		U	5		U	250		U	210
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		540		U	5			640			750
1,2-DICHLOROPROPANE	5	UG/L	U	250		U	5		U	250		U	210
1,3-DICHLOROBENZENE	330	UG/L	U	10					U	10		U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10					U	10		U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50					U	50		U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10					U	10		U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10					U	10		U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10					U	10		U	10
2,4-DINITROPHENOL	1600	UG/L	U	50					U	50		U	50
2,4-DINITROTOLUENE	330	UG/L	U	10					U	10		U	10
2,6-DINITROTOLUENE	330	UG/L	U	10					U	10		U	10
2-BUTANONE	10	UG/L	U	500		U	10		BJ	250		U	420
2-CHLORONAPHTHALENE	330	UG/L	U	10					U	10		U	10
2-CHLOROPHENOL	330	UG/L	U	10					U	10		U	10
2-HEXANONE	10	UG/L	U	500		U	10		U	500		U	420
2-METHYLNAPHTHALENE	330	UG/L	U	10					U	10		U	10
2-METHYLPHENOL	330	UG/L	U	10					U	10		U	10
2-NITROANILINE	1600	UG/L	U	50					U	50		U	50
2-NITROPHENOL	330	UG/L	U	10					U	10		U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20					U	20		U	20
3-NITROANILINE	1600	UG/L	U	50					U	50		U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50					U	50		U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10					U	10		U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10					U	10		U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-38(A1)		W9-38(A1)		W9-38(A1)		W9-38(A1)	
Sample Number==========>			MOF1038		MOF1039		MOF1087		MOF1155	
Sample Type==========>					TB					
Sample Date==========>			6/6/90		6/6/90		7/9/90		8/2/90	
Compounds	Quantitation limits	units								
4-CHLOROANILINE	330	UG/L	U	10			U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	500	U	10	U	500	U	420
4-METHYLPHENOL	330	UG/L	U	10			U	10	U	10
4-NITROANILINE	1600	UG/L	U	50			U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50			U	50	U	50
ACENAPHTHENE	330	UG/L	U	10			U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10			U	10	U	10
ACETONE	10	UG/L	U	500	U	10	U	500	BJ	360
ANTHRACENE	330	UG/L	U	10			U	10	U	10
AROCLOR-1016	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U	0.50			U	0.50	U	0.50
AROCLOR-1254	1	UG/L	U	1.00			U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U	1.00			U	1.00	U	1.00
BENZENE	5	UG/L	U	250	U	5	U	250	U	210
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10			U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10	U	10
BENZOIC ACID	1600	UG/L	U	50			U	50	U	50
BENZYL ALCOHOL	330	UG/L	U	10			U	10	U	10
BICARBONATE	1	UG/L		390				390		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	250	U	5	U	250	U	210
BROMOFORM	5	UG/L	U	250	U	5	U	250	U	210
BROMOMETHANE	10	UG/L	U	500	U	10	U	500	U	420

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-38(A1)		W9-38(A1)		W9-38(A1)		W9-38(A1)	
Sample Number==========>			MOF1038		MOF1039		MOF1087		MOF1155	
Sample Type==========>					TB					
Sample Date==========>			6/6/90		6/6/90		7/9/90		8/2/90	
Compounds	Quantitation limits	units								
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10	U	10
CARBON DISULFIDE	5	UG/L	U	250	U	5	U	250	U	210
CARBON TETRACHLORIDE	5	UG/L	U	250	U	5	U	250	U	210
CARBONATE	1	UG/L	U	1			U	1		
CHLORIDE	0.1	UG/L		39				39		
CHLOROBENZENE	5	UG/L	U	250	U	5	U	250	U	210
CHLOROETHANE	10	UG/L	U	500	U	10	U	500	U	420
CHLOROFORM	5	UG/L	U	250	U	5	U	250	U	210
CHLOROMETHANE	10	UG/L	U	500	U	10	U	500	U	420
CHRYSENE	330	UG/L	U	10			U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	5	U	250	U	210
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10	U	10
DIBENZOFURAN	330	UG/L	U	10			U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	250	U	5	U	250	U	210
DIETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10
ETHYLBENZENE	5	UG/L	U	250	U	5	U	250	U	210
FLUORANTHENE	330	UG/L	U	10			U	10	U	10
FLUORENE	330	UG/L	U	10			U	10	U	10
FLUORIDE	0.1	UG/L	U	0.2				0.1		
HEXACHLOROBENZENE	330	UG/L	U	10			U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10			U	10	U	10
HEXANEDIOIC ACID,MONO(2-ETH-		UG/L							BJ	12
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10	U	10
ISOPHORONE	330	UG/L	U	10			U	10	U	10
JP5	200	MG/L	U	200			U	200	U	200
METHYLENE CHLORIDE	5	UG/L	B	280	BJ	2	BJ	95	BJ	160
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10	U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=====>			W9-38(A1)		W9-38(A1)		W9-38(A1)		W9-38(A1)	
Sample Number=====>			MOF1038		MOF1039		MOF1087		MOF1155	
Sample Type=====>					TB					
Sample Date=====>			6/6/90		6/6/90		7/9/90		8/2/90	
Compounds	Quantitation limits	units								
NAPHTHALENE	330	UG/L	U	10			U	10	U	10
NITRATE	0.1	UG/L		3.0				3.0		
NITROBENZENE	330	UG/L	U	10			U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50	U	50
PHENANTHRENE	330	UG/L	U	10			U	10	U	10
PHENOL	330	UG/L	U	10			U	10	U	10
PYRENE	330	UG/L	U	10			U	10	U	10
STYRENE	5	UG/L	U	250	U	5	U	250	U	210
SULFATE	0.2	UG/L		360				360		
TDS	10	UG/L		1100				1260		
TETRACHLOROETHENE	5	UG/L	U	250	U	5	U	250	U	210
TOLUENE	5	UG/L	U	250	U	5	U	250	U	210
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	250	U	5	U	250	U	210
TRICHLOROETHENE	5	UG/L		6600	U	5		5400		5600
UNKNOWN	10	UG/L	BJ	30					BJ	10
VINYL ACETATE	10	UG/L	U	500	U	10	U	500	U	420
VINYL CHLORIDE	10	UG/L	U	500	U	10	U	500	U	420
XYLENES (TOTAL)	5	UG/L	U	250	U	5	U	250	U	210

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-39(B2)		W9-39(B2)		W9-39(B2)		W9-39(B2)		W9-39(B2)	
Sample Number==========>			MOF1068		MOF1071		MOF1135		MOF1198		MOF1199	
Sample Type==========>					TB						TB	
Sample Date==========>			6/19/90		6/19/90		7/24/90		8/17/90		8/17/90	
Compounds	Quantitation limits	units										
1,1,1-TRICHLOROETHANE	5	UG/L	U	5	U	5	U	5	J	1	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5
1,1-DICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5
1,1-DICHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
1,2-DICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	5	U	5	U	5	U	5	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	5	U	5	U	5	U	5	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50	U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10	U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10	U	10		
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10	U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50	U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10	U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10	U	10		
2-BUTANONE	10	UG/L	U	10	U	10	U	10	U	10	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10	U	10		
2-CHLOROPHENOL	330	UG/L	U	10			U	10	U	10		
2-HEXANONE	10	UG/L	U	10	U	10	U	10	U	10	U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10	U	10		
2-METHYLPHENOL	330	UG/L	U	10			U	10	U	10		
2-NITROANILINE	1600	UG/L	U	50			U	50	U	50		
2-NITROPHENOL	330	UG/L	U	10			U	10	U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20	U	20		
3-NITROANILINE	1600	UG/L	U	50			U	50	U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50			U	50	U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-39(B2)		W9-39(B2)		W9-39(B2)		W9-39(B2)		W9-39(B2)	
Sample Number==========>			MOF1068		MOF1071		MOF1135		MOF1198		MOF1199	
Sample Type==========>					TB						TB	
Sample Date==========>			6/19/90		6/19/90		7/24/90		8/17/90		8/17/90	
Compounds	Quantitation limits	units										
4-CHLOROANILINE	330	UG/L	U	10			U	10	U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10	U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	10	U	10	U	10	U	10	U	10
4-METHYLPHENOL	330	UG/L	U	10			U	10	U	10		
4-NITROANILINE	1600	UG/L	U	50			U	50	U	50		
4-NITROPHENOL	1600	UG/L	U	50			U	50	U	50		
ACENAPHTHENE	330	UG/L	U	10			U	10	U	10		
ACENAPHTHYLENE	330	UG/L	U	10			U	10	U	10		
ACETONE	10	UG/L	U	10	U	10	U	10	U	10	U	10
ANTHRACENE	330	UG/L	U	10			U	10	U	10		
AROCLOR-1016	80	UG/L	U	0.50			U	0.50	U	0.50		
AROCLOR-1221	80	UG/L	U	0.50			U	0.50	U	0.50		
AROCLOR-1232	80	UG/L	U	0.50			U	0.50	U	0.50		
AROCLOR-1242	80	UG/L	U	0.50			U	0.50	U	0.50		
AROCLOR-1248	80	UG/L	U	0.50			U	0.50	U	0.50		
AROCLOR-1254	1	UG/L	U	1.00			U	1.00	U	1.00		
AROCLOR-1260	1	UG/L	U	1.00			U	1.00	U	1.00		
BENZENE	5	UG/L	U	5	U	5	U	5	U	5	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10	U	10		
BENZO(A)PYRENE	330	UG/L	U	10			U	10	U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10	U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10	U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10	U	10		
BENZOIC ACID	1600	UG/L	U	50			U	50	U	50		
BENZYL ALCOHOL	330	UG/L	U	10			U	10	U	10		
BICARBONATE	1	UG/L		230				230		210		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10	U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10	U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10	U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10	U	10		
BROMODICHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5
BROMOFORM	5	UG/L	U	5	U	5	U	5	U	5	U	5
BROMOMETHANE	10	UG/L	U	10	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-39(B2)		W9-39(B2)		W9-39(B2)		W9-39(B2)		W9-39(B2)	
Sample Number=>			MOF1068		MOF1071		MOF1135		MOF1198		MOF1199	
Sample Type=>					TB						TB	
Sample Date=>			6/19/90		6/19/90		7/24/90		8/17/90		8/17/90	
Compounds	Quantitation limits	units										
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
CARBON DISULFIDE	5	UG/L	U	5	U	5	U	5	U	5	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5	U	5	U	5	U	5	U	5
CARBONATE	1	UG/L	U	1			U	1	U	1		
CHLORIDE	0.1	UG/L		14				21		17		
CHLOROBENZENE	5	UG/L	U	5	U	5	U	5	U	5	U	5
CHLOROETHANE	10	UG/L	U	10	U	10	U	10	U	10	U	10
CHLOROFORM	5	UG/L	U	5	U	5	U	5	U	5	U	5
CHLOROMETHANE	10	UG/L	U	10	U	10	U	10	U	10	U	10
CHRYSENE	330	UG/L	U	10			U	10	U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10	U	10		
DIBENZOFURAN	330	UG/L	U	10			U	10	U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5
DIETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10	U	10		
ETHYLBENZENE	5	UG/L	U	5	U	5	U	5	U	5	U	5
FLUORANTHENE	330	UG/L	U	10			U	10	U	10		
FLUORENE	330	UG/L	U	10			U	10	U	10		
FLUORIDE	0.1	UG/L		0.2			U	0.2	U	0.2		
HEXACHLOROBENZENE	330	UG/L	U	10			U	10	U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10	U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10	U	10		
HEXACHLOROETHANE	330	UG/L	U	10			U	10	U	10		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10	U	10		
ISOPHORONE	330	UG/L	U	10			U	10	U	10		
JP5	200	MG/L	U	200			U	200	U	200		
METHYLENE CHLORIDE	5	UG/L	BJ	2	BJ	3	B	15	B	17	B	25
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10	U	10		
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10	U	10		
NAPHTHALENE	330	UG/L	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-39(B2)		W9-39(B2)		W9-39(B2)		W9-39(B2)		W9-39(B2)	
Sample Number==========>			MOF1068		MOF1071		MOF1135		MOF1198		MOF1199	
Sample Type==========>					TB						TB	
Sample Date==========>			6/19/90		6/19/90		7/24/90		8/17/90		8/17/90	
Compounds	Quantitation limits	units										
NITRATE	0.1	UG/L	U	0.1			U	0.1	U	0.1		
NITROBENZENE	330	UG/L	U	10			U	10	U	10		
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50	U	50		
PHENANTHRENE	330	UG/L	U	10			U	10	U	10		
PHENOL	330	UG/L	U	10			U	10	U	10		
PYRENE	330	UG/L	U	10			U	10	U	10		
STYRENE	5	UG/L	U	5	U	5	U	5	U	5	U	5
SULFATE	0.2	UG/L		18				18		18		
TDS	10	UG/L		300				300		290		
TETRACHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5	U	5
TOLUENE	5	UG/L	U	5	U	5	U	5	U	5	J	1
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5	U	5
TRICHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5	U	5
UNKNOWN	10	UG/L	J	10								
VINYL ACETATE	10	UG/L	U	10	U	10	U	10	U	10	U	10
VINYL CHLORIDE	10	UG/L	U	10	U	10	U	10	U	10	U	10
XYLENES (TOTAL)	5	UG/L	U	5	U	5	U	5	U	5	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-40(B2)	W9-40(B2)	W9-40(B2)	W9-40(B2)	W9-40(B2)	W9-40(B2)
Sample Number==========>			MOF1013	MOF1056	MOF1119	MOF1163	MOF1164	MOF1165
Sample Type==========>			TB				DUP	TB
Sample Date==========>			5/3/90	6/13/90	7/18/90	8/6/90	8/6/90	8/6/90
Compounds	Quantitation limits	units						
1,1,1-TRICHLOROETHANE	5	UG/L	U 5	U 5	U 5	U 5	U 5	U 5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U 5	U 5	U 5	U 5	U 5	U 5
1,1,2-TRICHLOROETHANE	5	UG/L	U 5	U 5	U 5	U 5	U 5	U 5
1,1-DICHLOROETHANE	5	UG/L	U 5	U 5	U 5	U 5	U 5	U 5
1,1-DICHLOROETHENE	5	UG/L	U 5	U 5	U 5	U 5	U 5	U 5
1,2,4-TRICHLOROBENZENE	330	UG/L		U 10	U 10	U 10	U 10	
1,2-DICHLOROBENZENE	330	UG/L		U 10	U 10	U 10	U 10	
1,2-DICHLOROETHANE	5	UG/L	U 5	U 5	U 5	U 5	U 5	U 5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U 5	U 5	U 5	U 5	U 5	U 5
1,2-DICHLOROPROPANE	5	UG/L	U 5	U 5	U 5	U 5	U 5	U 5
1,3-DICHLOROBENZENE	330	UG/L		U 10	U 10	U 10	U 10	
1,4-DICHLOROBENZENE	330	UG/L		U 10	U 10	U 10	U 10	
2,4,5-TRICHLOROPHENOL	1600	UG/L		U 50	U 50	U 50	U 50	
2,4,6-TRICHLOROPHENOL	330	UG/L		U 10	U 10	U 10	U 10	
2,4-DICHLOROPHENOL	330	UG/L		U 10	U 10	U 10	U 10	
2,4-DIMETHYLPHENOL	330	UG/L		U 10	U 10	U 10	U 10	
2,4-DINITROPHENOL	1600	UG/L		U 50	U 50	U 50	U 50	
2,4-DINITROTOLUENE	330	UG/L		U 10	U 10	U 10	U 10	
2,6-DINITROTOLUENE	330	UG/L		U 10	U 10	U 10	U 10	
2-BUTANONE	10	UG/L	U 10	U 10	U 10	U 10	U 10	U 10
2-CHLORONAPHTHALENE	330	UG/L		U 10	U 10	U 10	U 10	
2-CHLOROPHENOL	330	UG/L		U 10	U 10	U 10	U 10	
2-HEXANONE	10	UG/L	U 10	U 10	U 10	U 10	U 10	U 10
2-METHYLNAPHTHALENE	330	UG/L		U 10	U 10	U 10	U 10	
2-METHYLPHENOL	330	UG/L		U 10	U 10	U 10	U 10	
2-NITROANILINE	1600	UG/L		U 50	U 50	U 50	U 50	
2-NITROPHENOL	330	UG/L		U 10	U 10	U 10	U 10	
3,3'-DICHLOROBENZIDINE	660	UG/L		U 20	U 20	U 20	U 20	
3,4-EPOXY-3-ETHYL-2-BUTANONE		UG/L			J 26			
3-NITROANILINE	1600	UG/L		U 50	U 50	U 50	U 50	
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L		U 50	U 50	U 50	U 50	
4-(ACETYLOXY)-2-BUTANONE		UG/L			J 38			

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)	
Sample Number=>			MOF1013		MOF1056		MOF1119		MOF1163		MOF1164		MOF1165	
Sample Type=>			TB								DUP		TB	
Sample Date=>			5/3/90		6/13/90		7/18/90		8/6/90		8/6/90		8/6/90	
Compounds	Quantitation limits	units												
4-BROMOPHENYL-PHENYL ETHER	330	UG/L			U	10	U	10	U	10	U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L			U	10	U	10	U	10	U	10		
4-CHLOROANILINE	330	UG/L			U	10	U	10	U	10	U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L			U	10	U	10	U	10	U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
4-METHYLPHENOL	330	UG/L			U	10	U	10	U	10	U	10		
4-NITROANILINE	1600	UG/L			U	50	U	50	U	50	U	50		
4-NITROPHENOL	1600	UG/L			U	50	U	50	U	50	U	50		
ACENAPHTHENE	330	UG/L			U	10	U	10	U	10	U	10		
ACENAPHTHYLENE	330	UG/L			U	10	U	10	U	10	U	10		
ACETONE	10	UG/L	BJ	3	U	10	U	10	U	10	U	10	U	10
ANTHRACENE	330	UG/L			U	10	U	10	U	10	U	10		
AROCLOR-1016	80	UG/L			U	0.5	U	0.50	U	0.50	U	0.50		
AROCLOR-1221	80	UG/L			U	0.5	U	0.50	U	0.50	U	0.50		
AROCLOR-1232	80	UG/L			U	0.5	U	0.50	U	0.50	U	0.50		
AROCLOR-1242	80	UG/L			U	0.5	U	0.50	U	0.50	U	0.50		
AROCLOR-1248	80	UG/L			U	0.5	U	0.50	U	0.50	U	0.50		
AROCLOR-1254	1	UG/L			U	1.0	U	1.00	U	1.00	U	1.00		
AROCLOR-1260	1	UG/L			U	1.0	U	1.00	U	1.00	U	1.00		
BENZENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
BENZO(A)ANTHRACENE	330	UG/L			U	10	U	10	U	10	U	10		
BENZO(A)PYRENE	330	UG/L			U	10	U	10	U	10	U	10		
BENZO(B)FLUORANTHENE	330	UG/L			U	10	U	10	U	10	U	10		
BENZO(G,H,I)PERYLENE	330	UG/L			U	10	U	10	U	10	U	10		
BENZO(K)FLUORANTHENE	330	UG/L			U	10	U	10	U	10	U	10		
BENZOIC ACID	1600	UG/L			U	50	U	50	U	50	U	50		
BENZYL ALCOHOL	330	UG/L			U	10	U	10	U	10	U	10		
BICARBONATE	1	UG/L				230		230		230		230		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L			U	10	U	10	U	10	U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L			U	10			U	10	U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L			U	10	U	10	U	10	U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L			U	10	U	10	J	4	U	10		
BROMODICHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)	
Sample Number=>			MOF1013		MOF1056		MOF1119		MOF1163		MOF1164		MOF1165	
Sample Type=>			TB								DUP		TB	
Sample Date=>			5/3/90		6/13/90		7/18/90		8/6/90		8/6/90		8/6/90	
Compounds	Quantitation limits	units												
BROMOFORM	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
BROMOMETHANE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
BUTYLBENZYLPHTHALATE	330	UG/L			U	10	U	10	U	10	U	10		
CARBON DISULFIDE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
CARBONATE	1	UG/L			U	1	U	1	U	1	U	1		
CHLORIDE	0.1	UG/L				14		13		17		20		
CHLOROBENZENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
CHLOROETHANE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
CHLOROFORM	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
CHLOROMETHANE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
CHRYSENE	330	UG/L			U	10	U	10	U	10	U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
DI-N-BUTYLPHTHALATE	330	UG/L			U	10	U	10	U	10	U	10		
DI-N-OCTYLPHTHALATE	330	UG/L			U	10	U	10	U	10	U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L			U	10	U	10	U	10	U	10		
DIBENZOFURAN	330	UG/L			U	10	U	10	U	10	U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
DIETHYLPHTHALATE	330	UG/L			U	10	U	10	U	10	U	10		
DIMETHYLPHTHALATE	330	UG/L			U	10	U	10	U	10	U	10		
DIOCTYL ESTER HEXANEDIOIC ACID		UG/L							BJ	8.0				
ETHYLBENZENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
FLUORANTHENE	330	UG/L			U	10	U	10	U	10	U	10		
FLUORENE	330	UG/L			U	10	U	10	U	10	U	10		
FLUORIDE	0.1	UG/L			U	0.2	U	0.2	U	0.2	U	0.2		
HEXACHLOROBENZENE	330	UG/L			U	10	U	10	U	10	U	10		
HEXACHLOROBUTADIENE	330	UG/L			U	10	U	10	U	10	U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L			U	10	U	10	U	10	U	10		
HEXACHLOROETHANE	330	UG/L			U	10	U	10	U	10	U	10		
INDENO(1,2,3-CD)PYRENE	330	UG/L			U	10	U	10	U	10	U	10		
ISOPHORONE	330	UG/L			U	10	U	10	U	10	U	10		
JP5	200	MG/L			U	200	U	200	U	200	U	200		
METHYLENE CHLORIDE	5	UG/L	BJ	2	BJ	4	BJ	3	BJ	4	BJ	3	B	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)	
Sample Number==========>			MOF1013		MOF1056		MOF1119		MOF1163		MOF1164		MOF1165	
Sample Type==========>			TB								DUP		TB	
Sample Date==========>			5/3/90		6/13/90		7/18/90		8/6/90		8/6/90		8/6/90	
Compounds	Quantitation limits	units												
MONO(2-ETHYLHEXYL)ESTER HEXA-		UG/L									BJ	14		
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L			U	10	U	10	U	10	U	10		
N-NITROSODIPHENYLAMINE	330	UG/L			U	10	U	10	U	10	U	10		
NAPHTHALENE	330	UG/L			U	10	U	10	U	10	U	10		
NITRATE	0.1	UG/L			U	0.1	U	0.1	U	0.1	U	0.1		
NITROBENZENE	330	UG/L			U	10	U	10	U	10	U	10		
PENTACHLOROPHENOL	1600	UG/L			U	50	U	50	U	50	U	50		
PHENANTHRENE	330	UG/L			U	10	U	10	U	10	U	10		
PHENOL	330	UG/L			U	10	U	10	U	10	U	10		
PYRENE	330	UG/L			U	10	U	10	U	10	U	10		
STYRENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
SULFATE	0.2	UG/L				9.2		10		10		10		
TDS	10	UG/L				310		300		290		290		
TETRACHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
TOLUENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
TRICHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5
UNKNOWN	10	UG/L							BJ	20	BJ	18		
UNKNOWN ALCOHOL	10	UG/L			J	8.0								
VINYL ACETATE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
VINYL CHLORIDE	10	UG/L	U	10	U	10	U	10	U	10	U	10	U	10
XYLENES (TOTAL)	5	UG/L	U	5	U	5	U	5	U	5	U	5	U	5

Well Number==========> W9-40(B2)
Sample Number==========> MOF1166
Sample Type==========> TB
Sample Date==========> 8/6/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5
1,1-DICHLOROETHANE	5	UG/L	U	5
1,1-DICHLOROETHENE	5	UG/L	U	5
1,2-DICHLOROETHANE	5	UG/L	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	5
2-BUTANONE	10	UG/L	U	10
2-HEXANONE	10	UG/L	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	10
ACETONE	10	UG/L	U	10
BENZENE	5	UG/L	U	5
BROMODICHLOROMETHANE	5	UG/L	U	5
BROMOFORM	5	UG/L	U	5
BROMOMETHANE	10	UG/L	U	10
CARBON DISULFIDE	5	UG/L	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5
CHLOROBENZENE	5	UG/L	U	5
CHLOROETHANE	10	UG/L	U	10
CHLOROFORM	5	UG/L	U	5
CHLOROMETHANE	10	UG/L	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5
DIBROMOCHLOROMETHANE	5	UG/L	U	5
ETHYLBENZENE	5	UG/L	U	5
METHYLENE CHLORIDE	5	UG/L	B	10
STYRENE	5	UG/L	U	5
TETRACHLOROETHENE	5	UG/L	U	5
TOLUENE	5	UG/L	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5
TRICHLOROETHENE	5	UG/L	U	5
VINYL ACETATE	10	UG/L	U	10

Well Number==========> W9-40(B2)
Sample Number==========> MOF1166
Sample Type==========> TB
Sample Date==========> 8/6/90

Compounds	Quantitation limits	units		
VINYL CHLORIDE	10	UG/L	U	10
XYLENES (TOTAL)	5	UG/L	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)	
Sample Number==========>			MOF1040		MOF1088		MOF1089		MOF1152		MOF1153		MOF1154	
Sample Type==========>							TB				DUP		TB	
Sample Date==========>			6/6/90		7/9/90		7/9/90		8/2/90		8/2/90		8/2/90	
Compounds	Quantitation limits	units												
1,1,1-TRICHLOROETHANE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
1,1-DICHLOROETHANE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
1,1-DICHLOROETHENE	5	UG/L	J	97	J	200	U	5	J	220	J	200	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
1,2-DICHLOROETHANE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	J	190		1200	U	5		1100		1100	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10	U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10			U	10	U	10		
2-BUTANONE	10	UG/L	U	830	U	1000	BJ	1	U	1000	U	1000	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10			U	10	U	10		
2-CHLOROPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2-HEXANONE	10	UG/L	U	830	U	1000	U	10	U	1000	U	1000	U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10			U	10	U	10		
2-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
2-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50		
2-NITROPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20			U	20	U	20		
3-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10	U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)	
Sample Number=>			MOF1040		MOF1088		MOF1089		MOF1152		MOF1153		MOF1154	
Sample Type=>							TB				DUP		TB	
Sample Date=>			6/6/90		7/9/90		7/9/90		8/2/90		8/2/90		8/2/90	
Compounds	Quantitation limits	units												
4-CHLOROANILINE	330	UG/L	U	10	U	10			U	10	U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10			U	10	U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	830	U	1000	U	10	U	1000	U	1000	U	10
4-METHYLPHENOL	330	UG/L	U	10	U	10			U	10	U	10		
4-NITROANILINE	1600	UG/L	U	50	U	50			U	50	U	50		
4-NITROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
ACENAPHTHENE	330	UG/L	U	10	U	10			U	10	U	10		
ACENAPHTHYLENE	330	UG/L	U	10	U	10			U	10	U	10		
ACETONE	10	UG/L	U	830	U	1000	J	7	U	1000	U	1000	U	10
ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10		
AROCLOR-1016	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1221	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1232	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1242	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1248	80	UG/L	U	0.50	U	0.50			U	0.50	U	0.50		
AROCLOR-1254	1	UG/L	U	1.00	U	1.00			U	1.00	U	1.00		
AROCLOR-1260	1	UG/L	U	1.00	U	1.00			U	1.00	U	1.00		
BENZENE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(A)PYRENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10		
BENZOIC ACID	1600	UG/L	U	50	U	50			U	50	U	50		
BENZYL ALCOHOL	330	UG/L	U	10	U	10			U	10	U	10		
BICARBONATE	1	UG/L		320		320								
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10			U	10	U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10			U	10	U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10			U	10	U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
BROMODICHLOROMETHANE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
BROMOFORM	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
BROMOMETHANE	10	UG/L	U	830	U	1000	U	10	U	1000	U	1000	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)	
Sample Number=>			MOF1040		MOF1088		MOF1089		MOF1152		MOF1153		MOF1154	
Sample Type=>							TB				DUP		TB	
Sample Date=>			6/6/90		7/9/90		7/9/90		8/2/90		8/2/90		8/2/90	
Compounds	Quantitation limits	units												
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
CARBON DISULFIDE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
CARBON TETRACHLORIDE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
CARBONATE	1	UG/L	U	1	U	1								
CHLORIDE	0.1	UG/L		43		44								
CHLOROBENZENE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
CHLOROETHANE	10	UG/L	U	830	U	1000	U	10	U	1000	U	1000	U	10
CHLOROFORM	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
CHLOROMETHANE	10	UG/L	U	830	U	1000	U	10	U	1000	U	1000	U	10
CHRYSENE	330	UG/L	U	10	U	10			U	10	U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10			U	10	U	10		
DIBENZOFURAN	330	UG/L	U	10	U	10			U	10	U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10			U	10	U	10		
ETHYLBENZENE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
FLUORANTHENE	330	UG/L	U	10	U	10			U	10	U	10		
FLUORENE	330	UG/L	U	10	U	10			U	10	U	10		
FLUORIDE	0.1	UG/L	U	0.2		0.1								
HEXACHLOROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10			U	10	U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10			U	10	U	10		
HEXACHLOROETHANE	330	UG/L	U	10	U	10			U	10	U	10		
HEXANEDIOIC ACID,BIS(2-ETHYL-		UG/L							BJ	18	BJ	16		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10			U	10	U	10		
ISOPHORONE	330	UG/L	U	10	U	10			U	10	U	10		
JP5	200	MG/L	U	200	U	200			U	200	U	200		
METHYLENE CHLORIDE	5	UG/L	B	700	BJ	150	B	8	BJ	250	BJ	250	B	7
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10			U	10	U	10		
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10			U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units																
Well Number=>			W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)	
Sample Number=>			MOF1040		MOF1088		MOF1089		MOF1152		MOF1153		MOF1154	
Sample Type=>							TB				DUP		TB	
Sample Date=>			6/6/90		7/9/90		7/9/90		8/2/90		8/2/90		8/2/90	
NAPHTHALENE	330	UG/L	U	10	U	10			U	10	U	10		
NITRATE	0.1	UG/L		1.9		1.8								
NITROBENZENE	330	UG/L	U	10	U	10			U	10	U	10		
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50			U	50	U	50		
PHENANTHRENE	330	UG/L	U	10	U	10			U	10	U	10		
PHENOL	330	UG/L	U	10	U	10			U	10	U	10		
PYRENE	330	UG/L	U	10	U	10			U	10	U	10		
STYRENE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
SULFATE	0.2	UG/L		280		280								
TDS	10	UG/L		990		1040								
TETRACHLOROETHENE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
TOLUENE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5
TRICHLOROETHENE	5	UG/L		9800		12000	U	5		12000		11000	U	5
TRIMETHYL BENZENE ISOMER		UG/L			J	12								
UNKNOWN	10	UG/L	BJ	60					BJ	24	BJ	42		
VINYL ACETATE	10	UG/L	U	830	U	1000	U	10	U	1000	U	1000	U	10
VINYL CHLORIDE	10	UG/L	U	830	U	1000	U	10	U	1000	U	1000	U	10
XYLENES (TOTAL)	5	UG/L	U	420	U	500	U	5	U	500	U	500	U	5

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Compounds	Quantitation limits	units																
Well Number==========>			W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)	
Sample Number==========>			MOF1026		MOF1027		MOF1028		MOF1029		MOF1095		MOF1148	
Sample Type==========>					DUP		TB		TB					
Sample Date==========>			6/1/90		6/1/90		6/1/90		6/1/90		7/10/90		8/1/90	
1,1,1-TRICHLOROETHANE	5	UG/L	U	50	U	62	U	5	U	5	J	14	J	11
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
1,1,2-TRICHLOROETHANE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
1,1-DICHLOROETHANE	5	UG/L	U	50	U	62	U	5	U	5	J	29	J	26
1,1-DICHLOROETHENE	5	UG/L	U	50	U	62	U	5	U	5	J	36	J	34
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10					U	10	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10					U	10	U	10
1,2-DICHLOROETHANE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		460		440	U	5	U	5		500		450
1,2-DICHLOROPROPANE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10					U	10	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10					U	10	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50					U	50	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10					U	10	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10					U	10	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10					U	10	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50					U	50	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10					U	10	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10					U	10	U	10
2-BUTANONE	10	UG/L	U	100	U	120	U	10	U	10	U	100	BJ	69
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10					U	10	U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10					U	10	U	10
2-HEXANONE	10	UG/L	U	100	U	120	U	10	U	10	U	100	U	100
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10					U	10	U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10					U	10	U	10
2-NITROANILINE	1600	UG/L	U	50	U	50					U	50	U	50
2-NITROPHENOL	330	UG/L	U	10	U	10					U	10	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20					U	20	U	20
3-NITROANILINE	1600	UG/L	U	50	U	50					U	50	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50					U	50	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10					U	10	U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10					U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)	
Sample Number=>			MOF1026		MOF1027		MOF1028		MOF1029		MOF1095		MOF1148	
Sample Type=>					DUP		TB		TB					
Sample Date=>			6/1/90		6/1/90		6/1/90		6/1/90		7/10/90		8/1/90	
Compounds	Quantitation limits	units												
4-CHLOROANILINE	330	UG/L	U	10	U	10					U	10	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10					U	10	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	100	U	120	U	10	U	10	U	100	U	100
4-METHYLPHENOL	330	UG/L	U	10	U	10					U	10	U	10
4-NITROANILINE	1600	UG/L	U	50	U	50					U	50	U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50					U	50	U	50
ACENAPHTHENE	330	UG/L	U	10	U	10					U	10	U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10					U	10	U	10
ACETONE	10	UG/L	U	100	U	120	U	10	U	10	U	100	U	100
ANTHRACENE	330	UG/L	U	10	U	10					U	10	U	10
AROCLOR-1016	80	UG/L	U	0.5	U	0.5					U	0.50	U	0.50
AROCLOR-1221	80	UG/L	U	0.5	U	0.5					U	0.50	U	0.50
AROCLOR-1232	80	UG/L	U	0.5	U	0.5					U	0.50	U	0.50
AROCLOR-1242	80	UG/L	U	0.5	U	0.5					U	0.50	U	0.50
AROCLOR-1248	80	UG/L	U	0.5	U	0.5					U	0.50	U	0.50
AROCLOR-1254	1	UG/L	U	1.0	U	1.0					U	1.00	U	1.00
AROCLOR-1260	1	UG/L	U	1.0	U	1.0					U	1.00	U	1.00
BENZENE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10					U	10	U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10					U	10	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10					U	10	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10					U	10	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10					U	10	U	10
BENZOIC ACID	1600	UG/L	U	50	U	50					U	50	U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10					U	10	U	10
BICARBONATE	1	UG/L		340		340						340		350
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10					U	10	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10					U	10	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10					U	10	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10					U	10	U	10
BROMODICHLOROMETHANE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
BROMOFORM	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
BROMOMETHANE	10	UG/L	U	100	U	120	U	10	U	10	U	100	U	100

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)	
Sample Number=>			MOF1026		MOF1027		MOF1028		MOF1029		MOF1095		MOF1148	
Sample Type=>					DUP		TB		TB					
Sample Date=>			6/1/90		6/1/90		6/1/90		6/1/90		7/10/90		8/1/90	
Compounds	Quantitation limits	units												
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10					U	10	U	10
CARBON DISULFIDE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
CARBON TETRACHLORIDE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
CARBONATE	1	UG/L	U	1	U	1					U	1	U	1
CHLORIDE	0.1	UG/L		39		37						40		41
CHLOROBENZENE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
CHLOROETHANE	10	UG/L	U	100	U	120	U	10	U	10	U	100	U	100
CHLOROFORM	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
CHLOROMETHANE	10	UG/L	U	100	U	120	U	10	U	10	U	100	U	100
CHRYSENE	330	UG/L	U	10	U	10					U	10	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10					U	10	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10					U	10	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10					U	10	U	10
DIBENZOFURAN	330	UG/L	U	10	U	10					U	10	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
DIETHYLPHTHALATE	330	UG/L	U	10	U	10					U	10	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10					U	10	U	10
ETHYLBENZENE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
FLUORANTHENE	330	UG/L	U	10	U	10					U	10	U	10
FLUORENE	330	UG/L	U	10	U	10					U	10	U	10
FLUORIDE	0.1	UG/L		NA		NA						0.1	U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10					U	10	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10					U	10	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10					U	10	U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10					U	10	U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10					U	10	U	10
ISOPHORONE	330	UG/L	U	10	U	10					U	10	U	10
JP5	200	MG/L	U	200	U	200					U	200	U	200
METHYLENE CHLORIDE	5	UG/L	BJ	25	BJ	56	U	5	U	5	BJ	49	B	76
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10					U	10	U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10					U	10	U	10
NAPHTHALENE	330	UG/L	U	10	U	10					U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)	
Sample Number==========>			MOF1026		MOF1027		MOF1028		MOF1029		MOF1095		MOF1148	
Sample Type==========>					DUP		TB		TB					
Sample Date==========>			6/1/90		6/1/90		6/1/90		6/1/90		7/10/90		8/1/90	
Compounds	Quantitation limits	units												
NITRATE	0.1	UG/L		0.5		0.5						0.5		0.7
NITROBENZENE	330	UG/L	U	10	U	10					U	10	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50					U	50	U	50
PHENANTHRENE	330	UG/L	U	10	U	10					U	10	U	10
PHENOL	330	UG/L	U	10	U	10					U	10	U	10
PYRENE	330	UG/L	U	10	U	10					U	10	U	10
STYRENE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
SULFATE	0.2	UG/L		520		520						500		500
TDS	10	UG/L		1210		1310						1370		1340
TETRACHLOROETHENE	5	UG/L	J	30	J	24	U	5	U	5	J	20	J	21
TOLUENE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50
TRICHLOROETHENE	5	UG/L		1400		1300	U	5	U	5		1500		1300
UNKNOWN	10	UG/L	J	12	J	18.0							J	18
VINYL ACETATE	10	UG/L	U	100	U	120	U	10	U	10	U	100	U	100
VINYL CHLORIDE	10	UG/L	U	100	U	120	U	10	U	10	U	100	U	100
XYLENES (TOTAL)	5	UG/L	U	50	U	62	U	5	U	5	U	50	U	50

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-43(A2)		W9-43(A2)		W9-43(A2)		W9-43(A2)	
Sample Number==========>			MOF1063		MOF1110		MOF1185		MOF1186	
Sample Type==========>									TB	
Sample Date==========>			6/14/90		7/16/90		8/14/90		8/14/90	
Compounds	Quantitation limits	units								
1,1,1-TRICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,1,2-TRICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,1-DICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,1-DICHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
1,2-DICHLOROETHANE	5	UG/L	U	5	U	5	U	5	U	5
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	5	U	5	U	5	U	5
1,2-DICHLOROPROPANE	5	UG/L	U	5	U	5	U	5	U	5
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50		
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10		
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10		
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10		
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50		
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10		
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10		
2-BUTANONE	10	UG/L	U	10	U	10	U	10	U	10
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10		
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10		
2-HEXANONE	10	UG/L	U	10	U	10	U	10	U	10
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10		
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10		
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50		
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10		
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20		
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50		
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50		
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10		
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-43(A2)		W9-43(A2)		W9-43(A2)		W9-43(A2)	
Sample Number==========>			MOF1063		MOF1110		MOF1185		MOF1186	
Sample Type==========>									TB	
Sample Date==========>			6/14/90		7/16/90		8/14/90		8/14/90	
Compounds	Quantitation limits	units								
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10		
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10		
4-METHYL-2-PENTANONE	10	UG/L	U	10	U	10	U	10	U	10
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10		
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50		
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50		
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10		
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10		
ACETONE	10	UG/L	U	10	U	10	U	10	U	10
ANTHRACENE	330	UG/L	U	10	U	10	U	10		
AROCLOR-1016	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1221	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1232	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1242	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1248	80	UG/L	U	0.5	U	0.50	U	0.50		
AROCLOR-1254	1	UG/L	U	1.0	U	1.00	U	1.00		
AROCLOR-1260	1	UG/L	U	1.0	U	1.00	U	1.00		
BENZENE	5	UG/L	U	5	U	5	U	5	U	5
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10		
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10		
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10		
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10		
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10		
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50		
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10		
BICARBONATE	1	UG/L				330		320		
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10		
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10		
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10		
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	J	9	U	10		
BROMODICHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5
BROMOFORM	5	UG/L	U	5	U	5	U	5	U	5
BROMOMETHANE	10	UG/L	U	10	U	10	U	10	U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-43(A2)		W9-43(A2)		W9-43(A2)		W9-43(A2)	
Sample Number=>			MOF1063		MOF1110		MOF1185		MOF1186	
Sample Type=>									TB	
Sample Date=>			6/14/90		7/16/90		8/14/90		8/14/90	
Compounds	Quantitation limits	units								
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
CARBON DISULFIDE	5	UG/L	U	5	U	5	U	5	U	5
CARBON TETRACHLORIDE	5	UG/L	U	5	U	5	U	5	U	5
CARBONATE	1	UG/L			U	1	U	1		
CHLORIDE	0.1	UG/L				21		36		
CHLOROBENZENE	5	UG/L	U	5	U	5	U	5	U	5
CHLOROETHANE	10	UG/L	U	10	U	10	U	10	U	10
CHLOROFORM	5	UG/L	U	5	U	5	U	5	U	5
CHLOROMETHANE	10	UG/L	U	10	U	10	U	10	U	10
CHRYSENE	330	UG/L	U	10	U	10	U	10		
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10		
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10		
DIBROMOCHLOROMETHANE	5	UG/L	U	5	U	5	U	5	U	5
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10		
ETHYLBENZENE	5	UG/L	U	5	U	5	U	5	U	5
FLUORANTHENE	330	UG/L	U	10	U	10	U	10		
FLUORENE	330	UG/L	U	10	U	10	U	10		
FLUORIDE	0.1	UG/L			U	0.2	U	0.2		
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10		
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10		
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10		
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10		
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10		
ISOPHORONE	330	UG/L	U	10	U	10	U	10		
JP5	200	MG/L	U	200	U	200	U	200		
METHYLENE CHLORIDE	5	UG/L	BJ	4	B	6	B	10	B	13
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10		
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10		
NAPHTHALENE	330	UG/L	U	10	U	10	U	10		

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number==========>			W9-43(A2)		W9-43(A2)		W9-43(A2)		W9-43(A2)	
Sample Number==========>			MOF1063		MOF1110		MOF1185		MOF1186	
Sample Type==========>									TB	
Sample Date==========>			6/14/90		7/16/90		8/14/90		8/14/90	
Compounds	Quantitation limits	units								
NITRATE	0.1	UG/L			U	0.1	U	0.1		
NITROBENZENE	330	UG/L	U	10	U	10	U	10		
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50		
PHENANTHRENE	330	UG/L	U	10	U	10	U	10		
PHENOL	330	UG/L	U	10	U	10	U	10		
PYRENE	330	UG/L	U	10	U	10	U	10		
STYRENE	5	UG/L	U	5	U	5	U	5	U	5
SULFATE	0.2	UG/L				130		120		
TDS	10	UG/L				650		680		
TETRACHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5
TOLUENE	5	UG/L	U	5	U	5	U	5	U	5
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	5	U	5	U	5	U	5
TRICHLOROETHENE	5	UG/L	U	5	U	5	U	5	U	5
UNKNOWN	10	UG/L	J	20						
UNKNOWN HEXANEDIOIC ACID		UG/L					BJ	10		
VINYL ACETATE	10	UG/L	U	10	U	10	U	10	U	10
VINYL CHLORIDE	10	UG/L	U	10	U	10	U	10	U	10
XYLENES (TOTAL)	5	UG/L	U	5	U	5	U	5	U	5

Well Number==========> W9-75(AX)
Sample Number==========> MOF1058
Sample Type==========>
Sample Date==========> 6/13/90

Compounds	Quantitation limits	units		
1,1,1-TRICHLOROETHANE	5	UG/L	U	160
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	160
1,1,2-TRICHLOROETHANE	5	UG/L	U	160
1,1-DICHLOROETHANE	5	UG/L	U	160
1,1-DICHLOROETHENE	5	UG/L	J	53
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10
1,2-DICHLOROETHANE	5	UG/L	U	160
1,2-DICHLOROETHENE (TOTAL)	5	UG/L		360
1,2-DICHLOROPROPANE	5	UG/L	U	160
1,3-DICHLOROBENZENE	330	UG/L	U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10
2,4-DINITROPHENOL	1600	UG/L	U	50
2,4-DINITROTOLUENE	330	UG/L	U	10
2,6-DINITROTOLUENE	330	UG/L	U	10
2-BUTANONE	10	UG/L	U	310
2-CHLORONAPHTHALENE	330	UG/L	U	10
2-CHLOROPHENOL	330	UG/L	U	10
2-HEXANONE	10	UG/L	U	310
2-METHYLNAPHTHALENE	330	UG/L	U	10
2-METHYLPHENOL	330	UG/L	U	10
2-NITROANILINE	1600	UG/L	U	50
2-NITROPHENOL	330	UG/L	U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20
3-NITROANILINE	1600	UG/L	U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10

Well Number==========> W9-75(AX)
Sample Number==========> MOF1058
Sample Type==========>
Sample Date==========> 6/13/90

Compounds	Quantitation limits	units		
4-CHLOROANILINE	330	UG/L	U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10
4-METHYL-2-PENTANONE	10	UG/L	U	310
4-METHYLPHENOL	330	UG/L	U	10
4-NITROANILINE	1600	UG/L	U	50
4-NITROPHENOL	1600	UG/L	U	50
ACENAPHTHENE	330	UG/L	U	10
ACENAPHTHYLENE	330	UG/L	U	10
ACETONE	10	UG/L	U	310
ANTHRACENE	330	UG/L	U	10
AROCLOR-1016	80	UG/L	U	0.50
AROCLOR-1221	80	UG/L	U	0.50
AROCLOR-1232	80	UG/L	U	0.50
AROCLOR-1242	80	UG/L	U	0.50
AROCLOR-1248	80	UG/L	U	0.50
AROCLOR-1254	1	UG/L	U	1.00
AROCLOR-1260	1	UG/L	U	1.00
BENZENE	5	UG/L	U	160
BENZO(A)ANTHRACENE	330	UG/L	U	10
BENZO(A)PYRENE	330	UG/L	U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10
BENZOIC ACID	1600	UG/L	U	50
BENZYL ALCOHOL	330	UG/L	U	10
BICARBONATE	1	UG/L		320
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10
BROMODICHLOROMETHANE	5	UG/L	U	160
BROMOFORM	5	UG/L	U	160
BROMOMETHANE	10	UG/L	U	310

Well Number==========> W9-75(AX)
Sample Number==========> MOF1058
Sample Type==========>
Sample Date==========> 6/13/90

Compounds	Quantitation limits	units		
BUTYLBENZYLPHTHALATE	330	UG/L	U	10
CARBON DISULFIDE	5	UG/L	U	160
CARBON TETRACHLORIDE	5	UG/L	U	160
CARBONATE	1	UG/L	U	1.0
CHLORIDE	0.1	UG/L		43
CHLOROBENZENE	5	UG/L	U	160
CHLOROETHANE	10	UG/L	U	310
CHLOROFORM	5	UG/L	U	160
CHLOROMETHANE	10	UG/L	U	310
CHRYSENE	330	UG/L	U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	160
DI-N-BUTYLPHTHALATE	330	UG/L	U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10
DIBENZOFURAN	330	UG/L	U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	160
DIETHYLPHTHALATE	330	UG/L	U	10
DIMETHYLPHTHALATE	330	UG/L	U	10
ETHYLBENZENE	5	UG/L	U	160
FLUORANTHENE	330	UG/L	U	10
FLUORENE	330	UG/L	U	10
FLUORIDE	0.1	UG/L	U	0.20
HEXACHLOROBENZENE	330	UG/L	U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10
HEXACHLOROETHANE	330	UG/L	U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10
ISOPHORONE	330	UG/L	U	10
JP5	200	MG/L	U	200
METHYLENE CHLORIDE	5	UG/L	B	290
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10
NAPHTHALENE	330	UG/L	U	10

Well Number==========> W9-75(AX)
Sample Number==========> MOF1058
Sample Type==========>
Sample Date==========> 6/13/90

Compounds	Quantitation limits	units		
NITRATE	0.1	UG/L		2.1
NITROBENZENE	330	UG/L	U	10
PENTACHLOROPHENOL	1600	UG/L	U	50
PHENANTHRENE	330	UG/L	U	10
PHENOL	330	UG/L	U	10
PYRENE	330	UG/L	U	10
STYRENE	5	UG/L	U	160
SULFATE	0.2	UG/L		340
TDS	10	UG/L		1100
TETRACHLOROETHENE	5	UG/L	U	160
TOLUENE	5	UG/L	U	160
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	160
TRICHLOROETHENE	5	UG/L		4100
VINYL ACETATE	10	UG/L	U	310
VINYL CHLORIDE	10	UG/L	U	310
XYLENES (TOTAL)	5	UG/L	U	250

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-8(A2)		W9-8(A2)		W9-8(A2)		W9-8(A2)		W9-8(A2)	
Sample Number=>			MOF1054		MOF1055		MOF1114		MOF1115		MOF1162	
Sample Type=>					TB				TB			
Sample Date=>			6/13/90		6/13/90		7/17/90		7/17/90		8/6/90	
Compounds	Quantitation limits	units										
1,1,1-TRICHLOROETHANE	5	UG/L	U	120	U	5	U	120	U	5	U	250
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	120	U	5	U	120	U	5	U	250
1,1,2-TRICHLOROETHANE	5	UG/L	U	120	U	5	U	120	U	5	U	250
1,1-DICHLOROETHANE	5	UG/L	J	48	U	5	J	39	U	5	J	74
1,1-DICHLOROETHENE	5	UG/L	J	84	U	5	J	59	U	5	J	140
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,2-DICHLOROETHANE	5	UG/L	U	120	U	5	U	120	U	5	U	250
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	120	U	5	U	120	U	5	J	160
1,2-DICHLOROPROPANE	5	UG/L	U	120	U	5	U	120	U	5	U	250
1,3-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10			U	10			U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50			U	50			U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10			U	10			U	10
2,4-DINITROPHENOL	1600	UG/L	U	50			U	50			U	50
2,4-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10
2,6-DINITROTOLUENE	330	UG/L	U	10			U	10			U	10
2-BUTANONE	10	UG/L	U	250	U	10	U	250	U	10	U	500
2-CHLORONAPHTHALENE	330	UG/L	U	10			U	10			U	10
2-CHLOROPHENOL	330	UG/L	U	10			U	10			U	10
2-HEXANONE	10	UG/L	U	250	U	10	U	250	U	10	U	500
2-METHYLNAPHTHALENE	330	UG/L	U	10			U	10			U	10
2-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
2-NITROANILINE	1600	UG/L	U	50			U	50			U	50
2-NITROPHENOL	330	UG/L	U	10			U	10			U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20			U	20			U	20
3-NITROANILINE	1600	UG/L	U	50			U	50			U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50			U	50			U	50
4-(ACETYLOXY)-2-BUTANONE		UG/L					J	40				
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-8(A2)		W9-8(A2)		W9-8(A2)		W9-8(A2)		W9-8(A2)	
Sample Number=>			MOF1054		MOF1055		MOF1114		MOF1115		MOF1162	
Sample Type=>					TB				TB			
Sample Date=>			6/13/90		6/13/90		7/17/90		7/17/90		8/6/90	
Compounds	Quantitation limits	units										
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
4-CHLOROANILINE	330	UG/L	U	10			U	10			U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10			U	10			U	10
4-METHYL-2-PENTANONE	10	UG/L	U	250	U	10	U	250	U	10	U	500
4-METHYLPHENOL	330	UG/L	U	10			U	10			U	10
4-NITROANILINE	1600	UG/L	U	50			U	50			U	50
4-NITROPHENOL	1600	UG/L	U	50			U	50			U	50
ACENAPHTHENE	330	UG/L	U	10			U	10			U	10
ACENAPHTHYLENE	330	UG/L	U	10			U	10			U	10
ACETONE	10	UG/L	U	250	U	10	U	250	U	10	U	500
ANTHRACENE	330	UG/L	U	10			U	10			U	10
AROCLOR-1016	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1221	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1232	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1242	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1248	80	UG/L	U	0.5			U	0.50			U	0.50
AROCLOR-1254	1	UG/L	U	1.0			U	1.00			U	1.00
AROCLOR-1260	1	UG/L	U	1.0			U	1.00			U	1.00
BENZENE	5	UG/L	U	120	U	5	U	120	U	5	U	250
BENZO(A)ANTHRACENE	330	UG/L	U	10			U	10			U	10
BENZO(A)PYRENE	330	UG/L	U	10			U	10			U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10			U	10			U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10			U	10			U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10			U	10			U	10
BENZOIC ACID	1600	UG/L	U	50			U	50			U	50
BENZYL ALCOHOL	330	UG/L	U	10			U	10			U	10
BICARBONATE	1	UG/L		280				300				290
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10			U	10			U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10			U	10			U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10			U	10			U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10			U	10			U	10
BROMODICHLOROMETHANE	5	UG/L	U	120	U	5	U	120	U	5	U	250
BROMOFORM	5	UG/L	U	120	U	5	U	120	U	5	U	250

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-8(A2)		W9-8(A2)		W9-8(A2)		W9-8(A2)		W9-8(A2)	
Sample Number=>			MOF1054		MOF1055		MOF1114		MOF1115		MOF1162	
Sample Type=>					TB				TB			
Sample Date=>			6/13/90		6/13/90		7/17/90		7/17/90		8/6/90	
Compounds	Quantitation limits	units										
BROMOMETHANE	10	UG/L	U	250	U	10	U	250	U	10	U	500
BUTYLBENZYLPHTHALATE	330	UG/L	U	10			U	10			U	10
CARBON DISULFIDE	5	UG/L	U	120	U	5	U	120	U	5	U	250
CARBON TETRACHLORIDE	5	UG/L	U	120	U	5	U	120	U	5	U	250
CARBONATE	1	UG/L	U	1			U	1			U	1
CHLORIDE	0.1	UG/L		42				24				41
CHLOROBENZENE	5	UG/L	U	120	U	5	U	120	U	5	U	250
CHLOROETHANE	10	UG/L	U	250	U	10	U	250	U	10	U	500
CHLOROFORM	5	UG/L	U	120	U	5	U	120	U	5	U	250
CHLOROMETHANE	10	UG/L	U	250	U	10	U	250	U	10	U	500
CHRYSENE	330	UG/L	U	10			U	10			U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	120	U	5	U	120	U	5	U	250
DI-N-BUTYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10			U	10			U	10
DIBENZOFURAN	330	UG/L	U	10			U	10			U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	120	U	5	U	120	U	5	U	250
DIETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10
DIMETHYLPHTHALATE	330	UG/L	U	10			U	10			U	10
ETHYLBENZENE	5	UG/L	U	120	U	5	U	120	U	5	U	250
FLUORANTHENE	330	UG/L	U	10			U	10			U	10
FLUORENE	330	UG/L	U	10			U	10			U	10
FLUORIDE	0.1	UG/L	U	0.2			U	0.2			U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10			U	10			U	10
HEXACHLOROETHANE	330	UG/L	U	10			U	10			U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10			U	10			U	10
ISOPHORONE	330	UG/L	U	10			U	10			U	10
JP5	200	MG/L	U	200			U	200			U	200
METHYLENE CHLORIDE	5	UG/L	B	260	B	9	B	140	B	6	B	320
MONO(2-ETHYLHEXYL)ESTER HEXA-		UG/L									J	10
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10			U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-8(A2)		W9-8(A2)		W9-8(A2)		W9-8(A2)		W9-8(A2)	
Sample Number=>			MOF1054		MOF1055		MOF1114		MOF1115		MOF1162	
Sample Type=>					TB				TB			
Sample Date=>			6/13/90		6/13/90		7/17/90		7/17/90		8/6/90	
Compounds	Quantitation limits	units										
N-NITROSODIPHENYLAMINE	330	UG/L	U	10			U	10			U	10
NAPHTHALENE	330	UG/L	U	10			U	10			U	10
NITRATE	0.1	UG/L		0.1			U	0.1				0.2
NITROBENZENE	330	UG/L	U	10			U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50			U	50			U	50
PHENANTHRENE	330	UG/L	U	10			U	10			U	10
PHENOL	330	UG/L	U	10			U	10			U	10
PYRENE	330	UG/L	U	10			U	10			U	10
STYRENE	5	UG/L	U	120	U	5	U	120	U	5	U	250
SULFATE	0.2	UG/L		230				240				240
TDS	10	UG/L		750				770				820
TETRACHLOROETHENE	5	UG/L	U	120	U	5	U	120	U	5	U	250
TOLUENE	5	UG/L	U	120	U	5	U	120	U	5	U	250
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	120	U	5	U	120	U	5	U	250
TRICHLOROETHENE	5	UG/L		4400	U	5		4200	U	5		7900
UNKNOWN	10	UG/L	J	8.0							BJ	18
VINYL ACETATE	10	UG/L	U	250	U	10	U	250	U	10	U	500
VINYL CHLORIDE	10	UG/L	U	250	U	10	U	250	U	10	U	500
XYLENES (TOTAL)	5	UG/L	U	120	U	5	U	120	U	5	U	250

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-9(A2)		W9-9(A2)		W9-9(A2)		W9-9(A2)		W9-9(A2)	
Sample Number=>			MOF1070		MOF1128		MOF1129		MOF1130		MOF1194	
Sample Type=>							DUP		TB			
Sample Date=>			6/19/90		7/23/90		7/23/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units										
1,1,1-TRICHLOROETHANE	5	UG/L	U	100	U	120	U	120	U	5	J	36
1,1,2,2-TETRACHLOROETHANE	5	UG/L	U	100	U	120	U	120	U	5	U	120
1,1,2-TRICHLOROETHANE	5	UG/L	U	100	U	120	U	120	U	5	U	120
1,1-DICHLOROETHANE	5	UG/L	J	24	J	34	J	52	U	5	J	38
1,1-DICHLOROETHENE	5	UG/L	J	37	J	42	J	76	U	5	J	78
1,2,4-TRICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
1,2-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
1,2-DICHLOROETHANE	5	UG/L	U	100	U	120	U	120	U	5	U	120
1,2-DICHLOROETHENE (TOTAL)	5	UG/L	U	100	U	120	U	120	U	5	J	59
1,2-DICHLOROPROPANE	5	UG/L	U	100	U	120	U	120	U	5	U	120
1,3-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
1,4-DICHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
2,4,5-TRICHLOROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
2,4,6-TRICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2,4-DICHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2,4-DIMETHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2,4-DINITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
2,4-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10
2,6-DINITROTOLUENE	330	UG/L	U	10	U	10	U	10			U	10
2-BUTANONE	10	UG/L	U	200	U	250	U	250	U	10	U	250
2-CHLORONAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10
2-CHLOROPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2-HEXANONE	10	UG/L	U	200	U	250	U	250	U	10	U	250
2-METHYLNAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10
2-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10
2-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50
2-NITROPHENOL	330	UG/L	U	10	U	10	U	10			U	10
3,3'-DICHLOROBENZIDINE	660	UG/L	U	20	U	20	U	20			U	20
3-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50
4,6-DINITRO-2-METHYLPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
4-BROMOPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10
4-CHLORO-3-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-9(A2)		W9-9(A2)		W9-9(A2)		W9-9(A2)		W9-9(A2)	
Sample Number=>			MOF1070		MOF1128		MOF1129		MOF1130		MOF1194	
Sample Type=>							DUP		TB			
Sample Date=>			6/19/90		7/23/90		7/23/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units										
4-CHLOROANILINE	330	UG/L	U	10	U	10	U	10			U	10
4-CHLOROPHENYL-PHENYL ETHER	330	UG/L	U	10	U	10	U	10			U	10
4-METHYL-2-PENTANONE	10	UG/L	U	200	U	250	U	250	U	10	U	250
4-METHYLPHENOL	330	UG/L	U	10	U	10	U	10			U	10
4-NITROANILINE	1600	UG/L	U	50	U	50	U	50			U	50
4-NITROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
ACENAPHTHENE	330	UG/L	U	10	U	10	U	10			U	10
ACENAPHTHYLENE	330	UG/L	U	10	U	10	U	10			U	10
ACETONE	10	UG/L	U	200	U	250	U	250	U	10	U	250
ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10
AROCLOR-1016	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50
AROCLOR-1221	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50
AROCLOR-1232	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50
AROCLOR-1242	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50
AROCLOR-1248	80	UG/L	U	0.50	U	0.50	U	0.50			U	0.50
AROCLOR-1254	1	UG/L	U	1.00	U	1.00	U	1.00			U	1.00
AROCLOR-1260	1	UG/L	U	1.00	U	1.00	U	1.00			U	1.00
BENZENE	5	UG/L	U	100	U	120	U	120	U	5	U	120
BENZO(A)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10
BENZO(A)PYRENE	330	UG/L	U	10	U	10	U	10			U	10
BENZO(B)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10
BENZO(G,H,I)PERYLENE	330	UG/L	U	10	U	10	U	10			U	10
BENZO(K)FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10
BENZOIC ACID	1600	UG/L	U	50	U	50	U	50			U	50
BENZYL ALCOHOL	330	UG/L	U	10	U	10	U	10			U	10
BICARBONATE	1	UG/L		300		290		290				290
BIS(2-CHLOROETHOXY)METHANE	330	UG/L	U	10	U	10	U	10			U	10
BIS(2-CHLOROETHYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10
BIS(2-CHLOROISOPROPYL)ETHER	330	UG/L	U	10	U	10	U	10			U	10
BIS(2-ETHYLHEXYL)PHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
BROMODICHLOROMETHANE	5	UG/L	U	100	U	120	U	120	U	5	U	120
BROMOFORM	5	UG/L	U	100	U	120	U	120	U	5	U	120
BROMOMETHANE	10	UG/L	U	200	U	250	U	250	U	10	U	250

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-9(A2)		W9-9(A2)		W9-9(A2)		W9-9(A2)		W9-9(A2)	
Sample Number=>			MOF1070		MOF1128		MOF1129		MOF1130		MOF1194	
Sample Type=>							DUP		TB			
Sample Date=>			6/19/90		7/23/90		7/23/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units										
BUTYLBENZYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
CARBON DISULFIDE	5	UG/L	U	100	U	120	U	120	U	5	U	120
CARBON TETRACHLORIDE	5	UG/L	U	100	U	120	U	120	U	5	U	120
CARBONATE	1	UG/L	U	1	U	1	U	1			U	1
CHLORIDE	0.1	UG/L		38		45		42				39
CHLOROBENZENE	5	UG/L	U	100	U	120	U	120	U	5	U	120
CHLOROETHANE	10	UG/L	U	200	U	250	U	250	U	10	U	250
CHLOROFORM	5	UG/L	U	100	U	120	U	120	U	5	U	120
CHLOROMETHANE	10	UG/L	U	200	U	250	U	250	U	10	U	250
CHRYSENE	330	UG/L	U	10	U	10	U	10			U	10
CIS-1,3-DICHLOROPROPENE	5	UG/L	U	100	U	120	U	120	U	5	U	120
DI-N-BUTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
DI-N-OCTYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
DIBENZ(A,H)ANTHRACENE	330	UG/L	U	10	U	10	U	10			U	10
DIBENZOFURAN	330	UG/L	U	10	U	10	U	10			U	10
DIBROMOCHLOROMETHANE	5	UG/L	U	100	U	120	U	120	U	5	U	120
DIETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
DIMETHYLPHTHALATE	330	UG/L	U	10	U	10	U	10			U	10
ETHYLBENZENE	5	UG/L	U	100	U	120	U	120	U	5	U	120
FLUORANTHENE	330	UG/L	U	10	U	10	U	10			U	10
FLUORENE	330	UG/L	U	10	U	10	U	10			U	10
FLUORIDE	0.1	UG/L	U	0.2	U	0.2	U	0.2			U	0.2
HEXACHLOROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
HEXACHLOROBUTADIENE	330	UG/L	U	10	U	10	U	10			U	10
HEXACHLOROCYCLOPENTADIENE	330	UG/L	U	10	U	10	U	10			U	10
HEXACHLOROETHANE	330	UG/L	U	10	U	10	U	10			U	10
INDENO(1,2,3-CD)PYRENE	330	UG/L	U	10	U	10	U	10			U	10
ISOPHORONE	330	UG/L	U	10	U	10	U	10			U	10
JP5	200	MG/L	U	200	U	200		2570			U	200
METHYLENE CHLORIDE	5	UG/L	BJ	70	BJ	110	B	620	B	15	B	210
N-NITROSO-DI-N-PROPYLAMINE	330	UG/L	U	10	U	10	U	10			U	10
N-NITROSODIPHENYLAMINE	330	UG/L	U	10	U	10	U	10			U	10
NAPHTHALENE	330	UG/L	U	10	U	10	U	10			U	10

2.3 Site 9 - Results Of Water Sample Analyses (Organic)

Well Number=>			W9-9(A2)		W9-9(A2)		W9-9(A2)		W9-9(A2)		W9-9(A2)	
Sample Number=>			MOF1070		MOF1128		MOF1129		MOF1130		MOF1194	
Sample Type=>							DUP		TB			
Sample Date=>			6/19/90		7/23/90		7/23/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units										
NITRATE	0.1	UG/L		2.5		2.6		2.6				2.5
NITROBENZENE	330	UG/L	U	10	U	10	U	10			U	10
PENTACHLOROPHENOL	1600	UG/L	U	50	U	50	U	50			U	50
PHENANTHRENE	330	UG/L	U	10	U	10	U	10			U	10
PHENOL	330	UG/L	U	10	U	10	U	10			U	10
PYRENE	330	UG/L	U	10	U	10	U	10			U	10
STYRENE	5	UG/L	U	100	U	120	U	120	U	5	U	120
SULFATE	0.2	UG/L		250		270		270				260
TDS	10	UG/L		980		930		960				920
TETRACHLOROETHENE	5	UG/L	U	100	U	120	U	120	U	5	U	120
TOLUENE	5	UG/L	U	100	U	120	U	120	U	5	U	120
TRANS-1,3-DICHLOROPROPENE	5	UG/L	U	100	U	120	U	120	U	5	U	120
TRICHLOROETHENE	5	UG/L		2500		2800		4600	U	5		3300
UNKNOWN	10	UG/L	J	12	J	8.0						
UNKNOWN HEXANEDIOIC ACID		UG/L									BJ	10
VINYL ACETATE	10	UG/L	U	200	U	250	U	250	U	10	U	250
VINYL CHLORIDE	10	UG/L	U	200	U	250	U	250	U	10	U	250

Inorganic Data

FOOTNOTES FOR DATA TABLES

a	No entry indicates none detected; see complete data tables for sample detection limits. Concentrations are reported as specified in the heading unless otherwise indicated under Quantitation Limits.
d	One or more unknown compounds were detected; see complete data tables for retention times and concentrations.
J	Indicates an estimated value. For organics, equivalent to "J" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87, indicating the mass spectral data meets the identification criteria but the result is less than the sample quantitation limit and greater than zero. For inorganics, equivalent to "B" qualifier defined in EPA CLP SOW for Inorganic Analyses, Rev. 7/88, indicating the reported value is less than the Quantitation Limit and greater than or equal to the Instrument Detection Limit.
B	Equivalent to "B" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. The analyte is found in the associated blank and indicates possible/probable blank contamination.
A	Equivalent to "A" qualifier defined in EPA CLP SOW for Organic Analyses, Rev. 7/87. Indicates that a TIC is a suspected aldol-condensation product which is the result of interaction between reagents required for sample preparation and compounds present in the sample matrix.
Unknown at 9.07	Indicates the retention time for unknown TIC.
TIC	Tentatively Identified Compound. Concentration is estimated assuming a 1:1 response. TICs are not target compounds and are reported only if detected in the sample.
NA	Not analyzed.
TRIP BLANK	A trip blank is an HPLC/ASTM Type 2 grade water sample. This sample is carried into the field by samplers along with actual samples, shipped to the laboratory, and analyzed exactly like all other samples. Trip blanks were analyzed for volatile organic compounds only.
DUP	A duplicate sample is collected in parallel with its original sample. The procedure for obtaining the duplicate is identical to its original. The same container type, preservative, and sampling technique are used.
SPLIT	A split sample is obtained at the identical time and place of the original. When collecting the split, the sample is divided equally between the sample containers of the original and its split sample.
EQUIPMENT RINSE	After decontamination has been performed on sampling equipment and before the equipment is used, a reagent grade water rinsate is collected from the piece of equipment.
FIELD BLANK	A field blank is HPLC/ASTM - Type 2 grade water; the blank is transferred from its original container to a sample container at the sample location to expose the water to ambient contaminants that would be measured during lab analysis.

Quantitation Limits are as specified in the Remedial Investigation Work Plan, Naval Air Station, Moffett Field, California, Volume II: Sampling and Analysis Plan, March, 1988.

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			FP9-1		FP9-1		FP9-1	
Sample Number==========>			MOF1066		MOF1127		MOF1184	
Sample Type==========>								
Sample Date==========>			6/15/90		7/20/90		8/10/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	44.9	J	160	J	29.1
ANTIMONY	60	UG/L	U	24.0	U	15.8	J	12.9
ARSENIC	10	UG/L		27.3		29.2		28.7
BARIUM	200	UG/L		231		235		212
BERYLLIUM	5	UG/L	U	1.0	J	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		135000		126000		120000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2.0	U	3.0	U	3.0
IRON	100	UG/L		752		1880		1450
LEAD	3	UG/L		3.6		4.4		3.7
MAGNESIUM	5000	UG/L		55300		55100		52300
MANGANESE	15	UG/L		911		882		846
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	10	J	11.2
POTASSIUM	5000	UG/L	J	670	J	929	J	1230
SELENIUM	5	UG/L	U	2.0	U	3.0	J	1.7
SILVER	10	UG/L	U	3.0	J	3.4	J	2.3
SODIUM	5000	UG/L		46300		46300		43500
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	5.2	J	4.9	J	6.7
ZINC	20	UG/L	J	8.0		35.1	J	19.3

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			FP9-2		FP9-2		FP9-2	
Sample Number==========>			MOF1074		MOF1131		MOF1195	
Sample Type==========>								
Sample Date==========>			6/20/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	38.3	J	44.0		587
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	12.0
ARSENIC	10	UG/L	J	3.1	J	5.7	J	7.3
BARIUM	200	UG/L	J	59.4	J	76.8	J	67.5
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	2.0
CALCIUM	5000	UG/L		151000		150000		151000
CHROMIUM	10	UG/L	U	4.0	U	4.0	J	4.5
COBALT	50	UG/L	U	5.0	U	5.0	U	4.0
COPPER	25	UG/L	J	3.1	U	2.0	U	3.0
IRON	100	UG/L		401		274		1510
LEAD	3	UG/L	J	1.6		5.4	J	2.6
MAGNESIUM	5000	UG/L		56500		65400		64500
MANGANESE	15	UG/L		206		321		330
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	J	15.9
POTASSIUM	5000	UG/L	J	1340	J	1960	J	2810
SELENIUM	5	UG/L	U	2.0	U	2.0	U	1.0
SILVER	10	UG/L	J	6.1	J	3.4	J	4.8
SODIUM	5000	UG/L		38700		43900		42100
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	7.4	J	6.4	J	12.6
ZINC	20	UG/L		22.0		108	J	6.0

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Compounds	Quantitation limits	units										
Well Number			W9-10(A1)			W9-10(A1)			W9-10(A1)			W9-10(A1)	
Sample Number			MOF1077			MOF1136			MOF1137			MOF1189	
Sample Type									FB				
Sample Date			6/21/90			7/25/90			7/25/90			8/15/90	
ALUMINUM	200	UG/L	J	47.1		J	39.1		J	34.2		B	33.6
ANTIMONY	60	UG/L	J	25.0		U	24.0		U	24.0		B	19.5
ARSENIC	10	UG/L	U	1.0		U	1.0		U	1.0		U	1.0
BARIUM	200	UG/L	J	43.2		J	42.4		J	6.5		B	36.0
BERYLLIUM	5	UG/L	U	1.0		U	1.0		U	1.0		U	2.0
CADMIUM	5	UG/L	U	3.0		U	3.0		U	3.0		U	2.0
CALCIUM	5000	UG/L		135000			139000		J	167			131000
CHROMIUM	10	UG/L	U	4.0		U	4.0		U	4.0		U	4.0
COBALT	50	UG/L	U	5.0		J	6.9		J	7.9		U	4.0
COPPER	25	UG/L	J	5.1		J	11.5		J	3.4		U	3.0
IRON	100	UG/L		158			333		J	56.4			233
LEAD	3	UG/L	U	1.0		U	1.0		U	1.0		B	1.4
MAGNESIUM	5000	UG/L		51300			53800		J	71.6			51000
MANGANESE	15	UG/L		340			322		U	1.0			298
MERCURY	0.2	UG/L	U	0.10		U	0.10		U	0.10		U	0.10
NICKEL	40	UG/L	J	14.4		U	11.0		U	11.0		U	10
POTASSIUM	5000	UG/L	J	1790		J	1710		U	390		B	1900
SELENIUM	5	UG/L	U	2.0		U	2.0			7.7		U	1.0
SILVER	10	UG/L	J	6.8		J	4.2		U	3.0		B	3.2
SODIUM	5000	UG/L		36000			39100		J	269			36400
THALLIUM	10	UG/L	U	2.0		U	2.0		U	2.0		U	2.0
VANADIUM	50	UG/L	J	10.5		J	6.4		U	2.0		B	7.7
ZINC	20	UG/L	J	14.9			26.1			33.2		B	19.7

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Compounds	Quantitation limits	units										
Well Number=>			W9-11(B2)		W9-11(B2)		W9-11(B2)		W9-11(B2)	
Sample Number=>			MOF1065		MOF1126		MOF1187		MOF1188	
Sample Type=>							FB			
Sample Date=>			6/15/90		7/20/90		8/14/90		8/14/90	
ALUMINUM	200	UG/L	J	66.1	J	53.1	B	47.0	B	30.0
ANTIMONY	60	UG/L	U	24.0	U	12.0	U	12.0	U	12.0
ARSENIC	10	UG/L	J	7.1	J	9.9	U	1.0		10.4
BARIUM	200	UG/L	J	62.4	J	61.1	U	3.0	B	58.1
BERYLLIUM	5	UG/L	U	1.0	U	2.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	2.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		26200		25200	B	443		24600
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	4.0	U	4.0	U	4.0
COPPER	25	UG/L	J	4.3	U	3.0	U	3.0	U	3.0
IRON	100	UG/L		228		150	B	66.1	B	34.6
LEAD	3	UG/L		4.5	J	2.6	B	2.9		4.9
MAGNESIUM	5000	UG/L		12500		12500	B	113		12400
MANGANESE	15	UG/L		97.0		85.7	B	2.6		83.0
MERCURY	0.2	UG/L	U	0.10	J	0.11	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	10	U	10	U	10
POTASSIUM	5000	UG/L	U	390	U	290	B	510	B	1130
SELENIUM	5	UG/L	J	2.3	U	3.0	U	1.0	U	1.0
SILVER	10	UG/L	U	3.0	U	2.0	B	2.8	B	2.6
SODIUM	5000	UG/L		53800		64500	B	902		56600
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	U	2.0	U	2.0	B	3.4	B	3.3
ZINC	20	UG/L		29.3		35.3	B	14.5	B	8.6

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number			W9-12(B2)		W9-12(B2)		W9-12(B2)		W9-12(B2)	
Sample Number			MOF1036		MOF1037		MOF1096		MOF1159	
Sample Type			FB							
Sample Date			6/5/90		6/5/90		7/11/90		8/3/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	56.7	J	48.2	J	59.0	J	119
ANTIMONY	60	UG/L	U	24	U	24	U	24.0	J	18.8
ARSENIC	10	UG/L	U	1		14.7		18.3		21.8
BARIUM	200	UG/L	U	5	J	68.1	J	75.8	J	53.8
BERYLLIUM	5	UG/L	U	1	U	1	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3	U	3	U	3.0	U	2.0
CALCIUM	5000	UG/L	J	189		26000		26000		26400
CHROMIUM	10	UG/L	U	4	U	4	U	4.0	U	4.0
COBALT	50	UG/L	U	5	U	5	U	5.0	U	4.0
COPPER	25	UG/L	J	6	JJ	2.2	J	3.0	U	3.0
IRON	100	UG/L		247		322	J	63.7		174
LEAD	3	UG/L		3.8	J	1.3	U	2.0	J	2.1
MAGNESIUM	5000	UG/L	J	60.6		13700		13500		14600
MANGANESE	15	UG/L	J	3.1		98.9		98.4		99.2
MERCURY	0.2	UG/L	U	.1	U	.1	U	0.10	U	0.10
NICKEL	40	UG/L	U	11	U	11	U	11.0	U	10
POTASSIUM	5000	UG/L	U	390	J	1430	J	1780	J	1150
SELENIUM	5	UG/L	U	2	U	2	U	2.0	U	3.0
SILVER	10	UG/L	U	3	J	8.8	J	5.2	J	2.3
SODIUM	5000	UG/L	J	352		55700		49600		76500
THALLIUM	10	UG/L	U	2	U	2	U	2.0	U	2.0
VANADIUM	50	UG/L	U	2	J	3.3	J	13.2	J	4.8
ZINC	20	UG/L	J	16.1	J	15.6	J	13.2		22.3

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number			W9-16(A1)		W9-16(A1)		W9-16(A1)	
Sample Number			MOF1050		MOF1107		MOF1167	
Sample Type								
Sample Date			6/12/90		7/16/90		8/7/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	43.5	J	68.3	J	39.3
ANTIMONY	60	UG/L	U	24.0	U	20.8	U	12.0
ARSENIC	10	UG/L	U	1.0	U	0.90	U	0.80
BARIUM	200	UG/L	J	101	J	105	J	89.6
BERYLLIUM	5	UG/L	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		119000		123000		115000
CHROMIUM	10	UG/L	J	4.7	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	J	2.3	J	4.5	J	9.9
IRON	100	UG/L		520		352		574
LEAD	3	UG/L	U	2.0		3.3		4.4
MAGNESIUM	5000	UG/L		425000		43800		43500
MANGANESE	15	UG/L		172		176		163
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	10	J	19.0
POTASSIUM	5000	UG/L	J	436	J	1060	J	1790
SELENIUM	5	UG/L	U	2.0	U	2.0	J	1.8
SILVER	10	UG/L	U	3.0	J	4.2	J	3.6
SODIUM	5000	UG/L		38900		41000		40500
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	4.2	J	6.0	J	8.3
ZINC	20	UG/L	J	18.2		26.0	J	17.2

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Compounds	Quantitation limits	units								
Well Number=>			W9-17(A2)		W9-17(A2)		W9-17(A2)		W9-17(A2)	
Sample Number=>			MOF1033		MOF1094		MOF1157		MOF1158	
Sample Type=>									FB	
Sample Date=>			6/5/90		7/10/90		8/3/90		8/3/90	
ALUMINUM	200	UG/L	J	45.9	J	39.1	J	115	J	45.5
ANTIMONY	60	UG/L	U	24.0	U	24.0	J	37.1	U	12.0
ARSENIC	10	UG/L	J	1.2	U	2.0	U	0.80	J	1.4
BARIUM	200	UG/L	J	22.7	J	23.3	J	25.4	J	4.2
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		166000		171000		172000	J	277
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2.0	U	2.0	J	11.6	J	3.7
IRON	100	UG/L		245	J	62.0		191		139
LEAD	3	UG/L	U	1.0	U	2.0	J	0.80	J	1.6
MAGNESIUM	5000	UG/L		54100		54700		58800	J	90.7
MANGANESE	15	UG/L		49.6		50.1		59.7	U	1.0
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	10	U	10
POTASSIUM	5000	UG/L	J	1420	J	1250	J	1840	J	590
SELENIUM	5	UG/L	J	4.4	J	3.2	J	3.7	U	3.0
SILVER	10	UG/L	J	3.6	J	5.1	J	4.1	J	4.3
SODIUM	5000	UG/L		32200		29900		33000	J	444
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	9.4	J	9.0	J	13.9	J	5.9
ZINC	20	UG/L	J	19.8	J	15.7		48.0	J	15.0

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-18(A1)		W9-18(A1)		W9-18(A1)		W9-18(A1)	
Sample Number==========>			MOF1041		MOF1091		MOF1092		MOF1168	
Sample Type==========>					FB					
Sample Date==========>			6/6/90		7/10/90		7/10/90		8/7/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	77.1	J	18.0	J	41.6	J	43.8
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	24.0	U	12.0
ARSENIC	10	UG/L	U	1.0	U	2.0	U	2.0		1.2
BARIUM	200	UG/L			U	5.0	J	17.2	J	15.4
BERYLLIUM	5	UG/L			U	1.0	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	3.0	U	2.0
CALCIUM	5000	UG/L		141000	J	96.6		141000		136000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L			U	5.0	U	5.0	U	4.0
COJALT	50	UG/L	U	5.0						
COPPER	25	UG/L	J	2.3	J	3.6	U	2.0	J	17.4
IRON	100	UG/L		270	J	56.4	J	59.0	J	16.0
JARIUM	200	UG/L	J	16.0						
JERYLLIUM	5	UG/L	U	1.0						
LEAD	3	UG/L	U	1.0	U	2.0	U	2.0		6.1
MAGNESIUM	5000	UG/L		56900	J	71.6		50300		50000
MANGANESE	15	UG/L		282	U	1.0		217		119
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	11.0	U	10
POTASSIUM	5000	UG/L	J	4900	U	390	J	3070	J	3920
SELENIUM	5	UG/L	U	2.0	U	2.0	U	2.0	U	1.0
SILVER	10	UG/L	J	5.0	U	3.0	J	3.3	J	5.9
SODIUM	5000	UG/L		38100	J	645		41200		39300
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	10.2	U	2.0	J	7.6	J	12.1
ZINC	20	UG/L		26.9	J	19.8		30.9	J	5.0

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number=====>			W9-19(A1)		W9-19(A1)		W9-19(A1)		W9-19(A1)	
Sample Number=====>			MOF1052		MOF1111		MOF1112		MOF1161	
Sample Type=====>							DUP			
Sample Date=====>			6/12/90		7/17/90		7/17/90		8/3/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	44.8	J	75.4	J	63.2	J	106
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	14.6	J	19.5
ARSENIC	10	UG/L	J	2.1	J	2.5	J	1.5	J	2.5
BARIUM	200	UG/L	J	97.3	J	123	J	118	J	113
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		110000		112000		112000		113000
CHROMIUM	10	UG/L	U	4.0	J	4.7	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2.0	U	2.0	J	5.7	U	3.0
IRON	100	UG/L		250		390		260		577
LEAD	3	UG/L	U	2.0	J	2.1	U	0.70	J	1.8
MAGNESIUM	5000	UG/L		35300		37700		35900		38700
MANGANESE	15	UG/L		225		255		240		239
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	10	U	10
POTASSIUM	5000	UG/L	U	390	J	1090	J	1120	J	1400
SELENIUM	5	UG/L	J	3.2	U	2.0	J	2.7	J	3.2
SILVER	10	UG/L	U	3.0	J	4.2	J	5.3	J	3.2
SODIUM	5000	UG/L		40700		46700		41900		44200
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	4.0	J	4.8	J	6.5	J	6.7
ZINC	20	UG/L	J	11.3		26.9	J	14.7	J	16.0

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number			W9-20(A2)		W9-20(A2)		W9-20(A2)	
Sample Number			MOF1044		MOF1103		MOF1173	
Sample Type								
Sample Date			6/7/90		7/13/90		8/8/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	54.6	J	38.2	J	47.7
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	12.0
ARSENIC	10	UG/L	J	1.1	U	1.0	J	1.7
BARIUM	200	UG/L	J	31.4	J	42.4	J	38.3
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	2.0
CALCIUM	5000	UG/L		138000		140000		137000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	4.0
COPPER	25	UG/L	J	18.2	U	2.0	U	3.0
IRON	100	UG/L		404		160	U	6.0
LEAD	3	UG/L	J	1.2	U	2.0		3.2
MAGNESIUM	5000	UG/L		43800		45500		44900
MANGANESE	15	UG/L		58.0		27.7		30.0
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11	U	11.0	J	12.3
POTASSIUM	5000	UG/L	J	1500	J	1460	J	1740
SELENIUM	5	UG/L	U	2.0	U	2.0	U	1.0
SILVER	10	UG/L	J	3.9	J	4.9	J	4.9
SODIUM	5000	UG/L		31600		32500		31800
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	7.8	J	9.7	J	11.5
ZINC	20	UG/L		52.2	J	12.1	J	6.8

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-21(A2)		W9-21(A2)		W9-21(A2)		W9-21(A2)	
Sample Number==========>			MOF1059		MOF1060		MOF1109		MOF1171	
Sample Type==========>					FB					
Sample Date==========>			6/14/90		6/14/90		7/16/90		8/7/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	58.5	J	112	J	53.1	J	90.6
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	14.7	J	21.1
ARSENIC	10	UG/L	U	1.0	U	1.0	J	1.4	J	1.4
BARIUM	200	UG/L	J	58.1	U	5.0	J	66.0	J	51.1
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		116000	J	212		122000		112000
CHROMIUM	10	UG/L	U	4.0	J	8.4	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2.0	J	7.2	J	14.0	J	5.8
IRON	100	UG/L		573		380	J	85.4		118
LEAD	3	UG/L	U	1.0	J	1.0	J	1.0		4.5
MAGNESIUM	5000	UG/L		42100	J	40.1		44300		43300
MANGANESE	15	UG/L		119	J	2.0		115		107
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	10	J	12.6
POTASSIUM	5000	UG/L	J	629	U	390	J	1340	J	1670
SELENIUM	5	UG/L	U	2.0	U	2.0	U	2.0	U	1.0
SILVER	10	UG/L	J	6.9	U	3.0	J	4.2	U	2.0
SODIUM	5000	UG/L		32400	J	266		33300		32100
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	7.0	U	2.0	J	9.2	J	9.3
ZINC	20	UG/L		23.3		31.7		21.0		20.7

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-22(A2)		W9-22(A2)		W9-22(A2)		W9-22(A2)	
Sample Number==========>			MOF1078		MOF1079		MOF1132		MOF1193	
Sample Type==========>					DUP					
Sample Date==========>			6/21/90		6/21/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	30.9	J	44.2	J	42.3	J	65.4
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	24.0	U	12.0
ARSENIC	10	UG/L	U	1.0	U	1.0	U	1.0	U	1.0
BARIUM	200	UG/L	J	69.9	J	76.4	J	60.9	J	63.5
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	3.0	U	2.0
CALCIUM	5000	UG/L		98000		103000		97900		102000
CHROMIUM	10	UG/L	U	4.0	U	4.0	J	4.7	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	5.0	U	4.0
COPPER	25	UG/L		107	J	4.9	U	2.0	J	3.2
IRON	100	UG/L		432		319	J	84.8		169
LEAD	3	UG/L	J	1.4	U	1.0	J	2.0		3.6
MAGNESIUM	5000	UG/L		32600		34200		33200		34200
MANGANESE	15	UG/L		203		271		65.6		103
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	11.0	U	10
POTASSIUM	5000	UG/L	J	762	J	1270	J	730	J	1650
SELENIUM	5	UG/L	U	2.0	U	2.0	U	2.0	U	1.0
SILVER	10	UG/L	J	6.6	J	5.1	U	3.0	J	5.0
SODIUM	5000	UG/L		33900		34400		34700		36000
THALLIUM	10	UG/L	J	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	5.7	J	8.0	J	6.7	J	10.9
ZINC	20	UG/L		31.0		24.0		38.3	J	19.3

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number			W9-23(A1)		W9-23(A1)		W9-23(A1)	
Sample Number			MOF1048		MOF1120		MOF1181	
Sample Type								
Sample Date			6/8/90		7/19/90		8/10/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	67.2	J	39.5	J	74.8
ANTIMONY	60	UG/L	U	24	U	12.0	J	19.1
ARSENIC	10	UG/L	U	1	U	0.90	U	1.0
BARIUM	200	UG/L	J	64.4	J	88.5	J	79.0
BERYLLIUM	5	UG/L	U	1	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3	U	2.0	U	2.0
CALCIUM	5000	UG/L		138000		156000		144000
CHROMIUM	10	UG/L	U	4	U	4.0	U	4.0
COBALT	50	UG/L	U	5	U	4.0	U	4.0
COPPER	25	UG/L	U	2	U	3.0	U	3.0
IRON	100	UG/L		228	J	61.5	J	50.0
LEAD	3	UG/L	J	1.4	J	1.9	J	1.3
MAGNESIUM	5000	UG/L		50100		59500		54600
MANGANESE	15	UG/L		68.6		75.2		70.1
MERCURY	0.2	UG/L	U	.1	U	0.10	U	0.10
NICKEL	40	UG/L	U	11	U	10	U	10
POTASSIUM	5000	UG/L	J	1630	J	829	J	1740
SELENIUM	5	UG/L		6.1		8.8		14.8
SILVER	10	UG/L	J	6.6	J	2.1	J	4.0
SODIUM	5000	UG/L		30700		36000		32700
THALLIUM	10	UG/L	U	2	U	2.0	U	2.0
VANADIUM	50	UG/L	J	11.3	J	8.8	J	11.8
ZINC	20	UG/L		53.6		24.9	J	4.4

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-24(A1)		W9-24(A1)		W9-24(A1)	
Sample Number==========>			MOF1064		MOF1124		MOF1191	
Sample Type==========>								
Sample Date==========>			6/15/90		7/20/90		8/15/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	49.4	J	41.2	B	27.8
ANTIMONY	60	UG/L	U	24.0	U	12.0	U	12.0
ARSENIC	10	UG/L	U	1.0	J	1.1	B	1.3
BARIUM	200	UG/L	J	158	J	134	B	142
BERYLLIUM	5	UG/L	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		118000		120000		115000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2.0	U	3.0	U	3.0
IRON	100	UG/L		564		851		624
LEAD	3	UG/L	J	2.3	J	2.7	B	1.1
MAGNESIUM	5000	UG/L		62000		68500		64100
MANGANESE	15	UG/L		1770		1510		1350
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	10	U	10
POTASSIUM	5000	UG/L	J	694	J	1090	B	1410
SELENIUM	5	UG/L	U	2.0	U	3.0	U	1.0
SILVER	10	UG/L	J	3.5	J	3.8	U	2.0
SODIUM	5000	UG/L		46800		52400		46400
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	4.6	J	6.6	B	7.3
ZINC	20	UG/L		21.9		37.6	B	13.9

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number			W9-25(A2)		W9-25(A2)		W9-25(A2)	
Sample Number			MOF1069		MOF1133		MOF1197	
Sample Type								
Sample Date			6/19/90		7/24/90		8/17/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	51.1	J	65.5	J	70.1
ANTIMONY	60	UG/L	U	24.0	J	37.1	U	12.0
ARSENIC	10	UG/L	J	4.1	J	0.80	U	1.0
BARIUM	200	UG/L	J	50.2	J	51.1	J	40.8
BERYLLIUM	5	UG/L	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		131000		132000		133000
CHROMIUM	10	UG/L	J	4.4	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	J	4.2	J	4.3	U	3.0
IRON	100	UG/L		274	J	26.4	J	73.4
LEAD	3	UG/L		3.1		6.9	J	2.3
MAGNESIUM	5000	UG/L		47100		50000		50600
MANGANESE	15	UG/L		557		423		503
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	10	U	10
POTASSIUM	5000	UG/L	J	532	J	1970	J	1970
SELENIUM	5	UG/L		22.6		23.4		35.0
SILVER	10	UG/L	J	3.0	J	4.1	J	5.4
SODIUM	5000	UG/L		34900		35600		35200
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	6.6	J	10.4	J	9.5
ZINC	20	UG/L		29.1	J	7.0		24.8

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Compounds	Quantitation limits	units										
Well Number=>			W9-26(A1)		W9-26(A1)		W9-26(A1)		W9-26(A1)			
Sample Number=>			MOF1081		MOF1146		MOF1201		MOF1202			
Sample Type=>									FB			
Sample Date=>			6/22/90		7/27/90		8/20/90		8/20/90			
ALUMINUM	200	UG/L	J	41.0	J	83.4	J	83.3	J	62.5		
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	12.0	U	12.0		
ARSENIC	10	UG/L	J	2.6	J	2.0	J	1.7	U	1.0		
BARIUM	200	UG/L		227		257		277	U	3.0		
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	2.0	U	2.0		
CADMIUM	5	UG/L	U	3.0	U	3.0	U	2.0	U	2.0		
CALCIUM	5000	UG/L		113000		119000		124000	J	304		
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0	U	4.0		
COBALT	50	UG/L	U	5.0	U	5.0	U	4.0	U	4.0		
COPPER	25	UG/L	U	2.0	U	2.0	U	3.0	J	7.4		
IRON	100	UG/L		929		700		921	J	69.6		
LEAD	3	UG/L	J	1.8	U	1.0	J	2.2		9.9		
MAGNESIUM	5000	UG/L		62200		63400		64200	J	75.1		
MANGANESE	15	UG/L		1520		1670		1720	J	3.2		
MERCURY	0.2	UG/L	U	0.10	J	0.10	J	0.10	U	0.10		
NICKEL	40	UG/L	U	11.0	U	11.0	J	10.5	U	10		
POTASSIUM	5000	UG/L	J	690	J	829	U	290	U	290		
SELENIUM	5	UG/L	U	2.0	U	2.0	J	1.3	U	1.0		
SILVER	10	UG/L	J	4.1	J	4.8	J	2.1	U	2.0		
SODIUM	5000	UG/L		40300		42400		42900	J	647		
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0		
VANADIUM	50	UG/L	J	13.7	J	9.0	J	7.0	J	2.6		
ZINC	20	UG/L	J	8.6		64.9	J	14.0		27.8		

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-28(A2)		W9-28(A2)		W9-28(A2)		W9-28(A2)	
Sample Number==========>			MOF1047		MOF1106		MOF1176		MOF1177	
Sample Type==========>										
Sample Date==========>			6/8/90		7/13/90		8/9/90		8/9/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	142	J	39.6	J	43.2	J	39.6
ANTIMONY	60	UG/L	U	24	U	24.0	J	19.1	U	12.0
ARSENIC	10	UG/L	U	1	U	1.0	J	5.4	U	1.0
BARIUM	200	UG/L	J	42.3	J	47.5	J	43.7	J	40.6
BERYLLIUM	5	UG/L	U	1	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		135000		150000		141000		130000
CHROMIUM	10	UG/L	U	4	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2	U	2.0	U	3.0	U	3.0
IRON	100	UG/L		438		180		306	J	92.7
LEAD	3	UG/L	J	4.2		9.2		13.3	J	1.0
MAGNESIUM	5000	UG/L		42700		50200		46400		42700
MANGANESE	15	UG/L		180		78.6		244		192
MERCURY	0.2	UG/L	U	.1	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11	U	11.0	J	10.3	J	11.4
POTASSIUM	5000	UG/L	J	1600	J	1230	J	1830	J	1720
SELENIUM	5	UG/L	U	2	U	2.0	U	1.0	U	1.0
SILVER	10	UG/L	J	6.7	J	3.7	J	4.2	J	4.5
SODIUM	5000	UG/L		31200		35200		33100		30500
THALLIUM	10	UG/L	U	2	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	9.8	J	10.7	J	12.2	J	12.6
ZINC	20	UG/L	J	19.3	J	14.0	J	19.4	J	16.9

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-29(A1)		W9-29(A1)		W9-29(A1)	
Sample Number==========>			MOF1030		MOF1100		MOF1149	
Sample Type==========>								
Sample Date==========>			6/4/90		7/12/90		8/1/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	50.8	J	73.7	J	57.9
ANTIMONY	60	UG/L	U	24.0	U	21.8	J	23.0
ARSENIC	10	UG/L	U	1.0	U	0.90	J	2.0
BARIUM	200	UG/L	J	18.4	J	31.0	J	27.4
BERYLLIUM	5	UG/L	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		129000		209000		202000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	J	3.3	U	3.0	U	3.0
IRON	100	UG/L		252		180		184
LEAD	3	UG/L	U	1.0	J	1.0	J	0.90
MAGNESIUM	5000	UG/L		44600		71600		73500
MANGANESE	15	UG/L		369		585		583
MERCURY	0.2	UG/L	J	0.11	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	J	14.2	U	10
POTASSIUM	5000	UG/L	J	637	J	1070	J	1870
SELENIUM	5	UG/L	J	4.2	J	3.2	J	4.8
SILVER	10	UG/L	J	6.7	J	8.1	J	6.6
SODIUM	5000	UG/L		20800		33400		33300
THALLIUM	10	UG/L	U	2.0	J	2.3	U	2.0
VANADIUM	50	UG/L	J	7.1	J	10.3	J	14.9
ZINC	20	UG/L		376		26.5	J	11.4

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number			W9-30(A1)		W9-30(A1)		W9-30(A1)		W9-30(A1)	
Sample Number			MOF1032		MOF1098		MOF1099		MOF1156	
Sample Type							DUP			
Sample Date			6/4/90		7/11/90		7/11/90		8/2/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	47.2		78.7		29.5	J	64.7
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	24.0	J	23.6
ARSENIC	10	UG/L	U	1.0	U	2.0	U	2.0	U	0.80
BARIUM	200	UG/L	J	25.8	J	25.0	J	24.6	J	26.9
BERYLLIUM	5	UG/L	J	1.2	U	1.0	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	3.0	U	2.0
CALCIUM	5000	UG/L		209000		205000		202000		212000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	5.0	U	4.0
COPPER	25	UG/L	U	2.0	U	2.0	U	2.0	U	3.0
IRON	100	UG/L		1440		1690		1620		1480
LEAD	3	UG/L	U	1.0	U	2.0	U	2.0	J	2.2
MAGNESIUM	5000	UG/L		73000		70000		68400		77900
MANGANESE	15	UG/L		473		439		426		447
MERCURY	0.2	UG/L	J	0.18	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	11.0	U	10
POTASSIUM	5000	UG/L	J	1310	J	1180	J	1070	J	2340
SELENIUM	5	UG/L	U	2.0	U	2.0	U	2.0	U	3.0
SILVER	10	UG/L	J	7.0	J	6.0	J	5.6	J	6.7
SODIUM	5000	UG/L		34500		32000		31600		35900
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	8.1	J	7.5	J	6.9	J	13.6
ZINC	20	UG/L	J	13.7	J	12.8	J	7.7	J	12.9

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-31(A1)		W9-31(A1)		W9-31(A1)	
Sample Number==========>			MOF1062		MOF1123		MOF1182	
Sample Type==========>								
Sample Date==========>			6/14/90		7/19/90		8/10/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	31.1	J	38.4	J	33.7
ANTIMONY	60	UG/L	U	24	U	12.0	J	17.8
ARSENIC	10	UG/L	J	1	J	1.7	J	1.5
BARIUM	200	UG/L	J	23.9	J	29.5	J	31.2
BERYLLIUM	5	UG/L	U	1	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3	U	2.0	U	2.0
CALCIUM	5000	UG/L		151000		158000		149000
CHROMIUM	10	UG/L	U	4	U	4.0	U	4.0
COBALT	50	UG/L	U	5	U	4.0	U	4.0
COPPER	25	UG/L	U	2	U	3.0	U	3.0
IRON	100	UG/L		474		604		469
LEAD	3	UG/L	U	1	J	0.90		3.7
MAGNESIUM	5000	UG/L		49800		55500		52700
MANGANESE	15	UG/L		247		262		219
MERCURY	0.2	UG/L	U	.1	U	0.10	J	0.10
NICKEL	40	UG/L	U	11	U	10	U	10
POTASSIUM	5000	UG/L	J	1260	J	1510	J	2130
SELENIUM	5	UG/L	U	2	U	3.0	J	1.9
SILVER	10	UG/L	U	3	U	3.0	J	2.7
SODIUM	5000	UG/L		40500		44000		41100
THALLIUM	10	UG/L	U	2	U	2.0	U	2.0
VANADIUM	50	UG/L	J	2.7	J	3.9	J	8.2
ZINC	20	UG/L	J	14.1		20.7	J	5.5

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number			W9-33(A2)		W9-33(A2)		W9-33(A2)		W9-33(A2)	
Sample Number			MOF1057		MOF1058		MOF1101		MOF1178	
Sample Type										
Sample Date			6/13/90		6/13/90		7/12/90		8/9/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	51.6	J	92.1	J	63.0	J	35.3
ANTIMONY	60	UG/L	U	24.0	U	24.0	J	33.6	U	12.0
ARSENIC	10	UG/L	J	1.0	J	1.1	J	7.6	U	1.0
BARIUM	200	UG/L	J	25.0	J	27.0	J	29.0	J	21.5
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L		5.7	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		149000		158000		162000		151000
CHROMIUM	10	UG/L	J	5.1	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	J	5.0	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2.0	U	2.0	U	3.0	U	3.0
IRON	100	UG/L		158		502		114	J	29.2
LEAD	3	UG/L		17.9		3.6	J	1.9		19.1
MAGNESIUM	5000	UG/L		48400		51700		52400		52300
MANGANESE	15	UG/L		61.5		67.4		75.5		64.3
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	10	U	10
POTASSIUM	5000	UG/L	J	403	U	390	J	1030	J	1460
SELENIUM	5	UG/L	U	2.0	U	2.0		5.4	J	1.6
SILVER	10	UG/L	J	4.2	J	3.4	J	5.6	J	3.4
SODIUM	5000	UG/L		29800		31900		31600		30700
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	6.3	J	7.9	J	9.5	J	10.9
ZINC	20	UG/L		34.6		30.8		21.9	J	7.5

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number			W9-34(A2)		W9-34(A2)		W9-34(A2)		W9-34(A2)	
Sample Number			MOF1072		MOF1116		MOF1118		MOF1180	
Sample Type							FB			
Sample Date			6/20/90		7/18/90		7/18/90		8/9/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	42.6	J	50.5	J	92.2	J	62.4
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	24.0	U	12.0
ARSENIC	10	UG/L	J	2.8	U	1.0	U	1.0	U	1.0
BARIUM	200	UG/L	J	61.4	J	39.8	J	5.7	J	39.2
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	3.0	U	2.0
CALCIUM	5000	UG/L		152000		132000	J	434		131000
CHROMIUM	10	UG/L	U	4.0	U	4.0	J	4.7	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	5.0	U	4.0
COPPER	25	UG/L	J	17.8	U	2.0	U	2.0	J	12.1
IRON	100	UG/L		483		203		211		262
LEAD	3	UG/L	U	1.0	U	2.0	U	2.0	J	1.3
MAGNESIUM	5000	UG/L		56600		45800	J	144		45300
MANGANESE	15	UG/L		208		107	J	1.7		93.6
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	11.0	U	10
POTASSIUM	5000	UG/L	J	1320	J	879	U	390	J	1790
SELENIUM	5	UG/L	U	2.0		24.2	U	2.0		28.4
SILVER	10	UG/L	J	5.6	U	3.0	U	3.0	J	3.0
SODIUM	5000	UG/L		38900		37000	J	921		37500
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	6.8	J	5.6	U	2.0	J	9.9
ZINC	20	UG/L		32.8	J	14.2		38.5		37.6

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number			W9-35(A1)		W9-35(A1)		W9-35(A1)		W9-35(A1)	
Sample Number			MOF1042		MOF1043		MOF1105		MOF1170	
Sample Type										
Sample Date			6/7/90		8/7/90		7/13/90		8/7/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	68.4	J	69.7	J	59.3	J	27.8
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	24.0	U	12.0
ARSENIC	10	UG/L	U	1.0	U	1.0	U	1.0	J	1.0
BARIUM	200	UG/L	J	26.8	J	26.5	J	36.5	J	29.3
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	3.0	U	2.0
CALCIUM	5000	UG/L		164000		161000		170000		160000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	5.0	U	4.0
COPPER	25	UG/L	J	6.9	J	22.8	U	2.0	U	3.0
IRON	100	UG/L		904		372		238		148
LEAD	3	UG/L	U	1.0	U	1.0	J	2.9	J	2.1
MAGNESIUM	5000	UG/L		60100		58800		64700		60300
MANGANESE	15	UG/L		138		125		108		85.5
MERCURY	0.2	UG/L	U	0.10	J	0.11	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	11.0	J	14.7
POTASSIUM	5000	UG/L	J	1650	J	1660	J	1310	J	1740
SELENIUM	5	UG/L	J	4.4	J	4.4	J	2.4		7.0
SILVER	10	UG/L	J	6.3	J	4.6	J	3.2	U	2.0
SODIUM	5000	UG/L		36200		35300		38600		36700
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	9.1	J	9.2	J	9.0	J	11.3
ZINC	20	UG/L		30.8	J	16.1		22.1	J	6.5

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-36(A2)		W9-36(A2)		W9-36(A2)		W9-36(A2)	
Sample Number==========>			MOF1053		MOF1122		MOF1174		MOF1175	
Sample Type==========>							FB			
Sample Date==========>			6/12/90		7/19/90		8/8/90		8/8/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	36.1	J	60.6	J	28.6	J	26.7
ANTIMONY	60	UG/L	U	24.0	U	12.0	U	12.0	U	12.0
ARSENIC	10	UG/L	U	1.0	J	1.0	U	0.80	J	0.80
BARIUM	200	UG/L	J	37.2	J	40.4	U	3.0	J	35.1
BERYLLIUM	5	UG/L	U	1.0	U	2.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	2.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		158000		169000	J	461		151000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	4.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2.0	U	3.0	U	3.0	U	3.0
IRON	100	UG/L		128	J	85.5	J	94.8	J	52.0
LEAD	3	UG/L	J	2.3	J	1.4	J	2.0		11.1
MAGNESIUM	5000	UG/L		51800		58700	J	113		52500
MANGANESE	15	UG/L		168		148	J	2.6		80.6
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	10	U	10	U	10
POTASSIUM	5000	UG/L	J	1050	J	1140	J	369	J	1950
SELENIUM	5	UG/L	U	2.0	U	3.0	U	1.0	J	2.3
SILVER	10	UG/L	J	3.9	I	2.0	J	2.8	J	3.9
SODIUM	5000	UG/L		33200		37200	J	441		32000
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L		7.3	J	5.1	J	3.4	J	9.1
ZINC	20	UG/L	J	15.3	J	17.7	J	12.8	J	8.9

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-37(A1)		W9-37(A1)		W9-37(A1)	
Sample Number==========>			MOF1035		MOF1090		MOF1151	
Sample Type==========>								
Sample Date==========>			6/5/90		7/9/90		8/1/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L		56.5	J	63.0	J	45.6
ANTIMONY	60	UG/L	U	24	U	24.0	J	23.2
ARSENIC	10	UG/L	U	1	U	2.0	U	0.80
BARIUM	200	UG/L	J	20	J	23.8	J	24.6
BERYLLIUM	5	UG/L	U	1	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3	U	3.0	U	2.0
CALCIUM	5000	UG/L		192000		191000		184000
CHROMIUM	10	UG/L	U	4	U	4.0	U	4.0
COBALT	50	UG/L	U	5	U	5.0	U	4.0
COPPER	25	UG/L	U	2	J	3.7	U	3.0
IRON	100	UG/L		256		112		101
LEAD	3	UG/L	J	2.3	U	2.0	J	2.4
MAGNESIUM	5000	UG/L		73200		69400		71400
MANGANESE	15	UG/L		88.7		90.1		77.2
MERCURY	0.2	UG/L	J	.12	U	0.10	U	0.10
NICKEL	40	UG/L	U	11	U	11.0	U	10
POTASSIUM	5000	UG/L	J	1460	J	1890	J	2010
SELENIUM	5	UG/L		5.5	J	4.4		6.4
SILVER	10	UG/L	U	3	J	7.7	J	5.1
SODIUM	5000	UG/L		36800		34000		36200
THALLIUM	10	UG/L	U	2	U	2.0	U	2.0
VANADIUM	50	UG/L	J	9.3	J	17.2	J	14.6
ZINC	20	UG/L	J	11.1		56.7	J	17.1

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number=>			W9-38(A1)		W9-38(A1)		W9-38(A1)	
Sample Number=>			MOF1038		MOF1087		MOF1155	
Sample Type=>								
Sample Date=>			6/6/90		7/9/90		8/2/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	52.7	J	63.2	J	43.1
ANTIMONY	60	UG/L	U	24.0	U	24.0	J	26.0
ARSENIC	10	UG/L	U	1.0	U	2.0	J	1.3
BARIUM	200	UG/L	J	31.9	J	33.2	J	32.2
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	2.0
CALCIUM	5000	UG/L		165000		166000		167000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	4.0
COPPER	25	UG/L	J	9.6	U	2.0	U	3.0
IRON	100	UG/L		510	J	54.3		144
LEAD	3	UG/L	U	1.0	U	2.0	J	1.7
MAGNESIUM	5000	UG/L		65300		65400		69200
MANGANESE	15	UG/L		37.0		22.8		16.6
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	J	21.1	U	11.0	U	10
POTASSIUM	5000	UG/L	J	1020	J	1380	J	1600
SELENIUM	5	UG/L	J	4.5	J	4.4		5.1
SILVER	10	UG/L	J	3.5	J	5.5	J	5.0
SODIUM	5000	UG/L		32800		31400		33200
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	8.8	J	16.4	J	11.9
ZINC	20	UG/L		22.4		24.8	J	12.4

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Compounds	Quantitation limits	units						
Well Number==========>			W9-39(B2)		W9-39(B2)		W9-39(B2)	
Sample Number==========>			MOF1068		MOF1135		MOF1198	
Sample Type==========>								
Sample Date==========>			6/19/90		7/24/90		8/17/90	
ALUMINUM	200	UG/L	J	27.8	J	44.9	J	48.7
ANTIMONY	60	UG/L	U	24.0	J	20.2	U	12.0
ARSENIC	10	UG/L		13.4		10.2		11.0
BARIUM	200	UG/L	J	105	J	110	J	112
BERYLLIUM	5	UG/L	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		36200		36600		37900
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2.0	U	3.0	U	3.0
IRON	100	UG/L		137	J	85.7		115
LEAD	3	UG/L		3.0	J	0.90	J	1.7
MAGNESIUM	5000	UG/L		16400		18000		18500
MANGANESE	15	UG/L		101		110		113
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	10	U	10
POTASSIUM	5000	UG/L	U	390	J	1130	J	1040
SELENIUM	5	UG/L	J	2.6	U	3.0	U	1.0
SILVER	10	UG/L	U	3.0	J	3.3	U	2.0
SODIUM	5000	UG/L		36600		38800		39700
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	U	2.0	J	5.2	J	4.6
ZINC	20	UG/L	J	9.4	J	12.4	J	19.6

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number=>			W9-40(B2)		W9-40(B2)		W9-40(B2)		W9-40(B2)	
Sample Number=>			MOF1056		MOF1119		MOF1163		MOF1164	
Sample Type=>									DUP	
Sample Date=>			6/13/90		7/18/90		8/6/90		8/6/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	55.6	J	52.5	J	41.0	J	23.6
ANTIMONY	60	UG/L	U	24.0	U	24.0	J	14.4	J	19.9
ARSENIC	10	UG/L		21.2		29.4		33.8		29.0
BARIUM	200	UG/L	J	102	J	94.8	J	98.5	J	94.9
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		34600		35200		34000		32900
CHROMIUM	10	UG/L	J	6.9	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	J	4.8	U	2.0	J	5.3	U	3.0
IRON	100	UG/L	J	92.9		215		182		113
LEAD	3	UG/L	J	2.5		5.5	J	1.8		4.8
MAGNESIUM	5000	UG/L		13100		13900		13600		13300
MANGANESE	15	UG/L		108		129		125		121
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	10	U	10
POTASSIUM	5000	UG/L	U	390	U	390	J	910	J	944
SELENIUM	5	UG/L	U	2.0	U	2.0	U	3.0	U	3.0
SILVER	10	UG/L	U	3.0	U	3.0	J	2.4	J	2.4
SODIUM	5000	UG/L		44700		46600		45500		44100
THALLIUM	10	UG/L	U	20.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	U	2.0	U	2.0	J	3.9	J	4.0
ZINC	20	UG/L		20.8		33.0		42.9	J	7.9

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Compounds	Quantitation limits	units								
Well Number==========>			W9-41(A2)		W9-41(A2)		W9-41(A2)		W9-41(A2)	
Sample Number==========>			MOF1040		MOF1088		MOF1152		MOF1153	
Sample Type==========>									DUP	
Sample Date==========>			6/6/90		7/9/90		8/2/90		8/2/90	
ALUMINUM	200	UG/L	J	61.2	J	53.2	J	80.3	J	61.9
ANTIMONY	60	UG/L	U	24.0	U	24.0	J	18.1	J	12.1
ARSENIC	10	UG/L	U	1.0	U	2.0	U	0.80	U	0.80
BARIUM	200	UG/L			J	27.8	J	29.1	J	30.0
BERYLLIUM	5	UG/L			U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		138000		141000		148000		146000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L			U	5.0	U	4.0	U	4.0
COJALT	50	UG/L	U	5.0						
COPPER	25	UG/L	J	4.4	J	21.5	J	11.6	J	5.4
IRON	100	UG/L		502		141		431		432
JARIUM	200	UG/L	J	24.4						
JERYLLIUM	5	UG/L	U	1.0						
LEAD	3	UG/L	U	1.0	U	1.0	J	0.60	J	2.0
MAGNESIUM	5000	UG/L		45600		46400		51400		50000
MANGANESE	15	UG/L		31.4		32.6		31.0		17.9
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	J	12.8	U	11.0	U	10	U	10
POTASSIUM	5000	UG/L	J	1390	J	1830	J	2010	J	1970
SELENIUM	5	UG/L	U	2.0	U	2.0	U	3.0	U	3.0
SILVER	10	UG/L	J	4.4	J	7.7	J	5.7	J	6.3
SODIUM	5000	UG/L		29800		28600		31900		30800
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	9.6	J	16.3	J	12.3	J	15.4
ZINC	20	UG/L	J	16.1	J	19.3		78.7	J	15.2

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-42(A2)		W9-42(A2)		W9-42(A2)		W9-42(A2)	
Sample Number==========>			MOF1026		MOF1027		MOF1095		MOF1148	
Sample Type==========>					DUP					
Sample Date==========>			6/1/90		6/1/90		7/10/90		8/1/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	46.1	J	66.7	J	34.4	J	40.5
ANTIMONY	60	UG/L	U	24	U	24	U	24.0	J	27.6
ARSENIC	10	UG/L	U	1	U	1	U	2.0	U	0.80
BARIUM	200	UG/L	J	17.9	J	18.8	J	22.9	J	27.3
BERYLLIUM	5	UG/L	U	1	U	1	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3	U	3	U	3.0	U	2.0
CALCIUM	5000	UG/L		194000		193000		195000		195000
CHROMIUM	10	UG/L	U	4	U	4	U	4.0	U	4.0
COBALT	50	UG/L	U	5	U	5	U	5.0	U	4.0
COPPER	25	UG/L	J	3.6	U	2	U	2.0	U	3.0
IRON	100	UG/L		741		447		521		783
LEAD	3	UG/L	J	1.2	J	2.1	U	2.0	J	1.0
MAGNESIUM	5000	UG/L		63800		63400		62500		66700
MANGANESE	15	UG/L		245		205		175		202
MERCURY	0.2	UG/L	J	.1	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11	U	11	U	11.0	U	10
POTASSIUM	5000	UG/L	J	1820	J	1710	J	1250	J	2020
SELENIUM	5	UG/L	U	2	U	2	U	2.0	U	3.0
SILVER	10	UG/L	J	4.7	J	4.7	J	5.2	J	5.8
SODIUM	5000	UG/L		34400		34000		31300		34900
THALLIUM	10	UG/L	U	2	U	2	U	2.0	U	2.0
VANADIUM	50	UG/L	J	9.7	J	9.1	J	8.2	J	11.5
ZINC	20	UG/L	J	18.9		94.8	J	18.6	J	8.7

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-43(A2)		W9-43(A2)		W9-43(A2)	
Sample Number==========>			MOF1063		MOF1110		MOF1185	
Sample Type==========>								
Sample Date==========>			6/14/90		7/16/90		8/14/90	
Compounds	Quantitation limits	units						
ALUMINUM	200	UG/L	J	60.5	J	67.0	B	157
ANTIMONY	60	UG/L	U	24	U	12.0	B	13.7
ARSENIC	10	UG/L	U	1	J	2.5	B	2.5
BARIUM	200	UG/L	J	103	J	114	B	104
BERYLLIUM	5	UG/L	U	1	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3	U	2.0	U	2.0
CALCIUM	5000	UG/L		99000		101000		96400
CHROMIUM	10	UG/L	U	4	U	4.0	U	4.0
COBALT	50	UG/L	U	5	U	4.0	U	4.0
COPPER	25	UG/L	J	10.2	J	5.7	U	3.0
IRON	100	UG/L		752		283		261
LEAD	3	UG/L	J	1.6	U	0.70	B	1.6
MAGNESIUM	5000	UG/L		32400		32900		33400
MANGANESE	15	UG/L		271		252		230
MERCURY	0.2	UG/L	U	.1	U	0.10	U	0.10
NICKEL	40	UG/L	U	11	U	10	B	10.3
POTASSIUM	5000	UG/L	J	726	J	964	B	1670
SELENIUM	5	UG/L	U	2	U	30.0	U	1.0
SILVER	10	UG/L	U	3	J	4.2	B	2.6
SODIUM	5000	UG/L		30500		30400		29200
THALLIUM	10	UG/L	U	2	U	2.0	U	2.0
VANADIUM	50	UG/L	J	4.3	J	4.4	B	5.6
ZINC	20	UG/L		48.7	J	13.6	B	10.2

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Compounds	Quantitation limits	units						
Well Number=====>			W9-8(A2)		W9-8(A2)		W9-8(A2)	
Sample Number=====>			MOF1054		MOF1114		MOF1162	
Sample Type=====>								
Sample Date=====>			6/13/90		7/17/90		8/6/90	
ALUMINUM	200	UG/L	J	40.8	J	57.1	J	49.7
ANTIMONY	60	UG/L	U	24.0	U	19.4	J	22.1
ARSENIC	10	UG/L	U	1.0	U	0.90	U	0.80
BARIUM	200	UG/L	J	40.0	J	50.3	J	47.8
BERYLLIUM	5	UG/L	U	1.0	U	2.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	2.0	U	2.0
CALCIUM	5000	UG/L		121000		126000		122000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	4.0	U	4.0
COPPER	25	UG/L	U	2.0	U	3.0	U	3.0
IRON	100	UG/L		156		111	J	39.1
LEAD	3	UG/L	U	2.0	J	1.1	J	1.5
MAGNESIUM	5000	UG/L		37000		39000		39600
MANGANESE	15	UG/L		117		145		70.4
MERCURY	0.2	UG/L	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	10	U	10
POTASSIUM	5000	UG/L	J	710	J	1340	J	2040
SELENIUM	5	UG/L	U	2.0	U	2.0	U	3.0
SILVER	10	UG/L	J	3.4	J	5.2	J	5.9
SODIUM	5000	UG/L		33700		34400		33900
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	5.2	J	8.1	J	13.3
ZINC	20	UG/L		33.7	J	14.4	J	12.2

2.3 Site 9 - Results Of Water Sample Analyses (Inorganics)

Well Number==========>			W9-9(A2)		W9-9(A2)		W9-9(A2)		W9-9(A2)	
Sample Number==========>			MOF1070		MOF1128		MOF1129		MOF1194	
Sample Type==========>							DUP			
Sample Date==========>			6/19/90		7/23/90		7/23/90		8/16/90	
Compounds	Quantitation limits	units								
ALUMINUM	200	UG/L	J	29.1	J	58.4	J	41.1	J	65.7
ANTIMONY	60	UG/L	U	24.0	U	24.0	U	24.0	U	12.0
ARSENIC	10	UG/L	U	1.0	U	1.0	U	1.0	U	1.0
BARIUM	200	UG/L	J	25.4	J	30.0	J	27.7	J	30.2
BERYLLIUM	5	UG/L	U	1.0	U	1.0	U	1.0	U	2.0
CADMIUM	5	UG/L	U	3.0	U	3.0	U	3.0	U	2.0
CALCIUM	5000	UG/L		131000		134000		136000		136000
CHROMIUM	10	UG/L	U	4.0	U	4.0	U	4.0	U	4.0
COBALT	50	UG/L	U	5.0	U	5.0	U	5.0	U	4.0
COPPER	25	UG/L	U	2.0	U	2.0	U	2.0	J	17.2
IRON	100	UG/L		135		125	J	29.6	J	93.7
LEAD	3	UG/L	J	2.3		4.0	J	2.2	J	2.6
MAGNESIUM	5000	UG/L		43300		47200		47500		47200
MANGANESE	15	UG/L		18.6		18.7		20.4		19.3
MERCURY	0.2	UG/L	J	0.10	U	0.10	U	0.10	U	0.10
NICKEL	40	UG/L	U	11.0	U	11.0	U	11.0	U	10
POTASSIUM	5000	UG/L	J	548	J	813	J	813	J	1070
SELENIUM	5	UG/L		24.5		19.4		18.6	U	10
SILVER	10	UG/L	J	3.1	J	3.0	U	3.0	J	4.0
SODIUM	5000	UG/L		33900		36000		36500		36300
THALLIUM	10	UG/L	U	2.0	U	2.0	U	2.0	U	2.0
VANADIUM	50	UG/L	J	6.8	J	6.9	J	7.6	J	10.7
ZINC	20	UG/L	J	13.6		44.3		35.4		29.5

APPENDIX C

POTENTIOMETRIC SURFACE CONTOUR MAPS

APPENDIX C
POTENTIOMETRIC SURFACE CONTOUR MAPS

Figures C-1 through C-3 present the site-wide potentiometric surface contours for NAS Moffett Field. Figures C-4 through C-9 present the detailed potentiometric contours by aquifer type of the east, west, and northern portions of the Station.

LEGEND

—8.0— POTENTIOMETRIC SURFACE CONTOUR, DASHED WHERE INFERRED

G.W. FLOW — INDICATES GENERALIZED DIRECTION OF GROUND WATER MOVEMENT

SCALE

0 875 1750 FEET

FIGURE C-1

POTENTIOMETRIC SURFACE CONTOUR MAP
A1 AQUIFER AUGUST 1990

NAVAL AIR STATION
MOFFETT FIELD, CALIFORNIA

INTERNATIONAL TECHNOLOGY CORPORATION

STARTING DATE: 11/9/90	DATE LAST REV.:	DRAFT. CHCK. BY: J. HUBBARD	INITIATOR: J. WILLE
DRAWN BY: D. HIGGS	DRAWN BY:	ENGR. CHCK BY:G. PLAMONDON	PROJ. MGR.: K. BRADLEY

DRAWING NO.#409729-B-C13
PROJ. NO.: 409729

\IMAGES\ 40972913



LEGEND

—8.0— POTENTIOMETRIC SURFACE CONTOUR, DASHED WHERE INFERRED

G.W. FLOW INDICATES GENERALIZED DIRECTION OF GROUND WATER MOVEMENT

SCALE

0 875 1750 FEET

FIGURE C-2

POTENTIOMETRIC SURFACE CONTOUR MAP
A2 AQUIFER AUGUST 1990

NAVAL AIR STATION
MOFFETT FIELD, CALIFORNIA

INTERNATIONAL TECHNOLOGY CORPORATION

STARTING DATE: 11/9/90	DATE LAST REV.:	DRAFT. CHCK. BY: J. HUBBARD	INITIATOR: J. WILLE
DRAWN BY: D. HIGGS	DRAWN BY:	ENGR. CHCK BY:G. PLAMONDON	PROJ. MGR.: K. BRADLEY

DRAWING NO.409729-B-C12
PROJ. NO.: 409729

\IMAGES\40972912



LEGEND

—8.0— POTENTIOMETRIC SURFACE CONTOUR, DASHED WHERE INFERRED

G.W. FLOW INDICATES GENERALIZED DIRECTION OF GROUND WATER MOVEMENT

SCALE

0 875 1750 FEET

FIGURE C–3

POTENTIOMETRIC SURFACE CONTOUR MAP
B2 AQUIFER AUGUST 1990

NAVAL AIR STATION
MOFFETT FIELD, CALIFORNIA

INTERNATIONAL TECHNOLOGY CORPORATION

STARTING DATE: 11/9/90	DATE LAST REV.:	DRAFT. CHCK. BY: J. HUBBARD	INITIATOR: J. WILLE
DRAWN BY: D. HIGGS	DRAWN BY:	ENGR. CHCK BY:G. PLAMONDON	PROJ. MGR.: K. BRADLEY
			DRAWING NO.:409729–B–C11
			PROJ. NO.: 409729

\IMAGES\40972911



NOTES:
1. ONLY GROUNDWATER WELLS MONITORING THE A-AQUIFIER ARE SHOWN ON THIS MAP.
2. GROUNDWATER ELEVATION FOR W1-8(A1) APPEARS ANOMALOUS TO SURROUNDING DATA AND HAS NOT BEEN USED IN CONTOURING.

FIGURE C-4

POTENTIOMETRIC SURFACE CONTOUR MAP
A-AQUIFER, SITES 1 & 2
AUGUST 1990

NAVAL AIR STATION
MOFFETT FIELD, CALIFORNIA

INTERNATIONAL TECHNOLOGY CORPORATION

STARTING DATE: 10/22/90	DRAFT. CHCK. BY: J. HUBBARD	INITIATOR: S. BARTLING	DRAWING NO.: 409729-B-C09
DRAWN BY: S. CARDWELL	ENGR. CHCK BY: G. PLAMONDON	PROJ. MGR.: K. BRADLEY	PROJ. NO.: 409729
	DATE LAST REV.:		
	DRAWN BY:		

409729-9



LEGEND

MONITORING WELL
SITE
WELL I.D.
W1-6(A1) — AQUIFER DESIGNATION
-2.87 — WATER LEVEL ELEVATION (FEET-MSL)

• GROUND WATER MONITORING WELL (IT,ESA)

—2— POTENTIOMETRIC SURFACE CONTOUR, DASHED WHERE INFERRED

G.W. FLOW INDICATES GENERALIZED DIRECTION OF GROUND WATER MOVEMENT

SCALE

0 600 1200 FEET

FIGURE C-5

POTENTIOMETRIC SURFACE CONTOUR MAP
A1-AQUIFER EAST
AUGUST 1990

NAVAL AIR STATION
MOFFETT FIELD, CALIFORNIA

INTERNATIONAL TECHNOLOGY CORPORATION

DRAFT. CHCK. BY: J. HUBBARD	INITIATOR: J. WILLE	DRAWING NO.:409729-B-C07	
ENGR. CHCK BY:G. PLAMONDON	PROJ. MGR.: K. BRADLEY	PROJ. NO.: 409729	
STARTING DATE: 10/22/90	DATE LAST REV.:		
DRAWN BY: S. CARDWELL	DRAWN BY:		

409729-7



LEGEND

MONITORING WELL
SITE
WELL I.D.
W1-6(A2) — AQUIFER DESIGNATION
-2.87 — WATER LEVEL ELEVATION (FEET-MSL)

GROUND WATER MONITORING WELL (IT,ESA)

-4 — POTENTIOMETRIC SURFACE CONTOUR, DASHED WHERE INFERRED

G.W. FLOW — INDICATES GENERALIZED DIRECTION OF GROUND WATER MOVEMENT

ND — NO DATA

SCALE

0 600 1200 FEET

FIGURE C-6

POTENTIOMETRIC SURFACE CONTOUR MAP
A2-AQUIFER EAST
AUGUST 1990

NAVAL AIR STATION
MOFFETT FIELD, CALIFORNIA

INTERNATIONAL TECHNOLOGY CORPORATION

STARTING DATE: 10/22/90	DATE LAST REV.:	DRAFT. CHCK. BY: J. HUBBARD	INITIATOR: J. WILLE
DRAWN BY: S. CARDWELL	DRAWN BY:	ENGR. CHCK BY:G. PLAMONDON	PROJ. MGR.: K. BRADLEY
			DRAWING NO.:409729-B-C08
			PROJ. NO.: 409729

409729-8



LEGEND

- MONITORING WELL
- SITE
- WELL I.D.
- W1-6(A1) — AQUIFER DESIGNATION
- -2.87 — WATER LEVEL ELEVATION (FEET-MSL)

GROUNDWATER MONITORING WELL (IT,ESA)

—10— POTENTIOMETRIC SURFACE CONTOUR, DASHED WHERE INFERRED

G.W. FLOW — INDICATES GENERALIZED DIRECTION OF GROUND WATER MOVEMENT

SCALE

0 600 1200 FEET

FIGURE C-7

POTENTIOMETRIC SURFACE CONTOUR MAP
A1-AQUIFER WEST
AUGUST 1990

NAVAL AIR STATION
MOFFETT FIELD, CALIFORNIA

INTERNATIONAL TECHNOLOGY CORPORATION

STARTING DATE: 10/22/90	DATE LAST REV.:	DRAFT. CHCK. BY: J. HUBBARD	INITIATOR: D. WILLEN	DRAWING NO.: 409729-B-C10
DRAWN BY: S. CARDWELL	DRAWN BY:	ENGR. CHCK BY: G. PLAMONDON	PROJ. MGR.: K. BRADLEY	PROJ. NO.: 409729

40972910



LEGEND

W1-6(A2) — MONITORING WELL
— SITE
— WELL I.D.
— AQUIFER DESIGNATION
-2.87 — WATER LEVEL ELEVATION (FEET-MSL)

GROUNDWATER MONITORING WELL (IT,ESA)

— 6 — POTENTIOMETRIC SURFACE CONTOUR, DASHED WHERE INFERRED

G.W. FLOW — INDICATES GENERALIZED DIRECTION OF GROUND WATER MOVEMENT

SCALE

0 600 1200 FEET

FIGURE C-8

POTENTIOMETRIC SURFACE CONTOUR MAP
A2-AQUIFER WEST
AUGUST 1990

NAVAL AIR STATION
MOFFETT FIELD, CALIFORNIA

INTERNATIONAL TECHNOLOGY CORPORATION

STARTING DATE: 10/22/90	DATE LAST REV.:	DRAFT. CHCK. BY: J. HUBBARD	INITIATOR: D. WILLEN
DRAWN BY: S. CARDWELL	DRAWN BY:	ENGR. CHCK BY: G. PLAMONDON	PROJ. MGR.: K. BRADLEY
			DRAWING NO.: 409729-B-C06
			PROJ. NO.: 409729

409729-6



LEGEND

- MONITORING WELL
- SITE
- WELL I.D.
- W1-6(B2) — AQUIFER DESIGNATION
- -2.87 — WATER LEVEL ELEVATION (FEET-MSL)

GROUNDWATER MONITORING WELL (IT,ESA)

-8.0- POTENTIOMETRIC SURFACE CONTOUR, DASHED WHERE INFERRED

G.W. FLOW — INDICATES GENERALIZED DIRECTION OF GROUND WATER MOVEMENT

SCALE

0 600 1200 FEET

FIGURE C-9

POTENTIOMETRIC SURFACE CONTOUR MAP B2-AQUIFER WEST AUGUST 1990

NAVAL AIR STATION MOFFETT FIELD, CALIFORNIA

INTERNATIONAL TECHNOLOGY CORPORATION

STARTING DATE: 10/22/90	DATE LAST REV.:	DRAFT. CHCK. BY: J. HUBBARD	INITIATOR: D. WILLEN
DRAWN BY: S. CARDWELL	DRAWN BY:	ENGR. CHCK BY: G. PLAMONDON	PROJ. MGR.: K. BRADLEY
			DRAWING NO.: 409729-B-C05
			PROJ. NO.: 409729

409729-5

APPENDIX D

HYDROGRAPHS

APPENDIX D
HYDROGRAPHS

The following hydrographs are depicted by site and subaquifer. The wells chosen for each graph represent wells in proximity to each other and thus should portray similar trends.


GRAPH D-1:
Hydrograph of Site 01,
A-Aquifer Wells
Ground Water Elevation (ft MSL)
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
LEGEND
W01-01(A1)
W01-02(A1)
W01-04(A1)
W01-05(A1)
23 AUG 88
7 SEP 88
18 OCT 88
23 NOV 88
7 DEC 88
3 JAN 89
2 FEB 89
6 MAR 89
4 APR 89
3 MAY 89
1 JUN 89
5 JUL 89
1 AUG 89
5 SEP 89
26 OCT 89
26 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-2:
Hydrograph of Site 01,
A-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
LEGEND
W01-06(A1)
W01-07(A2)
W01-08(A1)
W01-12(A1)
Note: Data point for W1-08, 29 AUG 90 (0.15), inconsistent with historic data - not plotted.
23 AUG 88
7 SEP 88
18 OCT 88
23 NOV 88
7 DEC 88
3 JAN 89
2 FEB 89
6 MAR 89
4 APR 89
3 MAY 89
1 JUN 89
6 JUL 89
1 AUG 89
5 SEP 89
26 OCT 89
26 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-3:
Hydrograph of Site 01,
Leachate Wells
Ground Water Elevation (ft MSL)
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
LEGEND
W01-03(F)
W01-09(F)
W01-10(F)
W01-11(F)
W01-13(F)
23 AUG 88
7 SEP 88
18 OCT 88
23 NOV 88
7 DEC 88
3 JAN 89
2 FEB 89
6 MAR 89
4 APR 89
3 MAY 89
1 JUN 89
5 JUL 89
1 AUG 89
5 SEP 89
26 OCT 89
26 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-4:
Hydrograph of Site 02,
A-Aquifer Wells
LEGEND
W02-05(A1)
W02-06(A1)
W02-07(A2)
W02-09(A1)
Ground Water Elevation (ft MSL)
2
1
0
-1
-2
-3
-4
-5
-6
-7
-8
8 AUG 88
7 SEP 88
6 OCT 88
18 NOV 88
12 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
3 APR 89
1 MAY 89
1 JUN 89
5 JUL 89
1 AUG 89
5 SEP 89
26 OCT 89
22 FEB 90
26 MAY 90
29 AUG 90


GRAPH D-5:
Hydrograph of Site 02,
Leachate Wells
LEGEND
W02-08(F)
W02-10(F)
W02-11(F)
Ground Water Elevation (ft MSL)
2
1
0
-1
-2
-3
-4
-5
-6
-7
-8
23 AUG 88
7 SEP 88
18 OCT 88
23 NOV 88
7 DEC 88
3 JAN 89
2 FEB 89
6 MAR 89
4 APR 89
3 MAY 89
1 JUN 89
5 JUL 89
1 AUG 89
5 SEP 89
25 OCT 89
26 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-6:
Hydrograph of Site 03,
A1-Aquifer Wells
Ground Water Elevation (ft MSL)
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
-6.0
-7.0
-8.0
LEGEND
W03-02(A1)
W03-03(A1)
W03-23(A1)
19 OCT 88
3 NOV 88
1 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
3 APR 89
1 MAY 89
1 JUN 89
6 JUL 89
1 AUG 89
6 SEP 89
25 OCT 89
23 MAR 90
26 MAY 90
29 AUG 90


GRAPH D-7:
Hydrograph of Site 03,
A1-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
-6.0
-7.0
-8.0
LEGEND
W03-01(A1)
W03-08(A1)
W03-11(A1)


GRAPH D-8:
Hydrograph of Site 03,
A2-Aquifer Wells
LEGEND
W03-12(A2)
W03-13(A2)
W03-22(A2)
Ground Water Elevation (ft MSL)
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
-6.0
-7.0
-8.0


GRAPH D-9:
Hydrograph of Site 03,
B-Aquifer Wells
Ground Water Elevation (ft MSL)
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
-6.0
-7.0
-8.0
19 OCT 88
3 NOV 88
1 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
3 APR 89
1 MAY 89
1 JUN 89
5 JUL 89
1 AUG 89
5 SEP 89
26 OCT 89
23 MAR 90
26 MAY 90
29 AUG 90
LEGEND
W03-04(B2)
W03-07(B2)
W03-09(B2)
W03-14(B2)
W03-15(B3)


GRAPH D-10:
Hydrograph of Site 04,
A-Aquifer Wells
Ground Water Elevation (ft MSL)
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
-6.0
-7.0
-8.0
LEGEND
W04-02(A1)
W04-03(A1)
W04-04(A1)
W04-06(A2)


GRAPH D-11:
Hydrograph of Site 04,
B-Aquifer Wells
Ground Water Elevation (ft MSL)
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
LEGEND
W04-09(B2)
30 NOV 88
6 DEC 88
5 JAN 89
2 FEB 89
2 MAR 89
5 APR 89
2 MAY 89
2 JUN 89
7 JUL 89
3 AUG 89
5 SEP 90
26 OCT 90
22 FEB 90
25 MAY 90
29 AUG 90


GRAPH D-12:
Hydrograph of Site 04,
C-Aquifer Wells
Ground Water Elevation (ft MSL)
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
30 NOV 88
6 DEC 88
5 JAN 89
2 FEB 89
2 MAR 89
5 APR 89
2 MAY 89
2 JUN 89
7 JUL 89
3 AUG 89
5 SEP 90
26 OCT 90
22 FEB 90
25 MAY 90
29 AUG 90
LEGEND
W04-08(C)


GRAPH D-13:
Hydrograph of Site 05,
A1-Aquifer Wells
LEGEND
W05-06(A1)
W05-10(A1)
W05-14(A1)
W05-15(A1)
Ground Water Elevation (ft MSL)
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
3 NOV 88
5 DEC 88
4 JAN 89
1 FEB 89
2 MAR 89
3 APR 89
2 MAY 89
2 JUN 89
6 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
22 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-14:
Hydrograph of Site 05,
A1-Aquifer Wells (continued)
LEGEND
W05-09(A1)
W05-16(A1)
W05-17(A1)
W05-18(A1)
Ground Water Elevation (ft MSL)
13.0
12.0
11.0
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
3 NOV 88
5 DEC 88
4 JAN 89
1 FEB 89
2 MAR 89
3 APR 89
2 MAY 89
2 JUN 89
6 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
22 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-15:
Hydrograph of Site 05,
A2-Aquifer Wells
Ground Water Elevation (ft MSL)
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
LEGEND
W05-04(A2)
W05-07(A2)
W05-19(A2)
W05-08(A2)
3 NOV 88
6 DEC 88
4 JAN 89
1 FEB 89
2 MAR 89
3 APR 89
2 MAY 89
2 JUN 89
6 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
22 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-16:
Hydrograph of Site 05,
C-Aquifer Wells
Ground Water Elevation (ft MSL)
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
LEGEND
W05-05(C)
Note: Data point for 26 OCT 89 (0.00), inconsistent with historic data - not plotted.
3 NOV 88
5 DEC 88
4 JAN 89
1 FEB 89
2 MAR 89
3 APR 89
2 MAY 89
2 JUN 89
6 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
22 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-17:
Hydrograph of Site 06,
A-Aquifer Wells
Ground Water Elevation (ft MSL)
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
LEGEND
W06-02(A2)
W06-03(A1)
Note: Data point for W6-02, 6 SEP 89 (-3.42), inconsistent with historic data - not plotted.
26 OCT 88
18 NOV 88
5 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
1 MAY 89
1 JUN 89
6 JUL 89
1 AUG 89
6 SEP 89
26 OCT 89
26 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-18:
Hydrograph of Site 07
A1-Aquifer Wells
LEGEND
W07-01(A1)
W07-13(A1)
W07-19(A1)
W07-21(A1)
Ground Water Elevation (ft MSL)
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
26 OCT 88
7 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
2 MAY 89
2 JUN 89
18 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
26 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-19:
Hydrograph of Site 07,
A2-Aquifer Wells
Note: Data point for W7-20, 24 MAY 90 (0.00), inconsistent with historic data - not plotted.
LEGEND
W07-04(A2)
W07-08(A2)
W07-15(A2)
W07-18(A2)
W07-20(A2)
Ground Water Elevation (ft MSL)
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
26 OCT 88
7 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
2 MAY 89
2 JUN 89
18 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
26 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-20:
Hydrograph of Site 07,
C-Aquifer Wells
Ground Water Elevation (ft MSL)
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
6.0
5.0
4.0
7 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
2 MAY 89
2 JUN 89
18 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
26 FEB 90
24 MAY 90
29 AUG 90
LEGEND
W07-16(C)


GRAPH D-21:
Hydrograph of Site 08,
A1-Aquifer Wells
Ground Water Elevation (ft MSL)
6.0
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
LEGEND
W08-04(A1)
W08-08(A1)
17 NOV 88
1 DEC88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
4 MAY 89
1 JUN 89
6 JUL 89
3 AUG 89
5 SEP 89
27 OCT 89
22 FEB 90
25 MAY 90
29 AUG 90


GRAPH D-22:
Hydrograph of Site 08,
A2-Aquifer Wells
Ground Water Elevation (ft MSL)
6.0
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
LEGEND
W08-05(A2)
W08-06(A2)
W08-10(A2)
W08-12(A2)
17 NOV 88
1 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
4 MAY 89
1 JUN 89
6 JUL 89
3 AUG 89
6 SEP 89
27 OCT 89
22 FEB 90
25 MAY 90
29 AUG 90


GRAPH D-23:
Hydrograph of Site 08,
A2-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
6.0
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
LEGEND
W08-01(A2)
W08-02(A2)
W08-11(A2)
17 NOV 88
1 DEC88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
4 MAY 89
1 JUN 89
6 JUL 89
3 AUG 89
5 SEP 89
27 OCT 89
22 FEB 90
26 MAY 90
29 AUG 90


GRAPH D-24:
Hydrograph of Site 08
C-Aquifer Wells
Ground Water Elevation (ft MSL)
18.0
17.0
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
LEGEND
W08-03(C)
17 NOV 88
1 DEC88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
4 MAY 89
1 JUN 89
6 JUL 89
3 AUG 89
5 SEP 89
27 OCT 89
22 FEB 90
26 MAY 90
29 AUG 90


GRAPH D-25:
Hydrograph of Site 09,
A1-Aquifer Wells
Ground Water Elevation (ft MSL)
17.0
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
LEGEND
W09-18(A1)
W09-29(A1)
W09-30(A1)
W09-37(A1)
86 OCT 22


GRAPH D-26:
Hydrograph of Site 09,
A1-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
18.0
17.0
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
LEGEND
W09-16(A1)
W09-19(A1)
W09-38(A1)
29 AUG 86


GRAPH D-27:
Hydrograph of Site 09,
A1-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
6.0
LEGEND
W09-23(A1)
W09-35(A1)
29 AUG 92


GRAPH D-28:
Hydrograph of Site 09,
A1-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
6.0
LEGEND
W09-01(A1)
W09-02(A1)
W09-06(A1)
19 SEP 88
24 OCT 88
18 NOV 88
1 DEC 88
4 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
1 MAY 89
1 JUN 89
7 JUL 89
2 AUG 89
5 SEP 89
26 OCT 89
22 FEB 90
25 MAY 90
29 AUG 90


GRAPH D-29:
Hydrograph of Site 09,
A1-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
LEGEND
W09-10(A1)
W09-24(A1)
W09-26(A1)
26 OCT 92


GRAPH D-30:
Hydrograph of Site 09,
A2-Aquifer Wells
Ground Water Elevation (ft MSL)
18.0
17.0
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
LEGEND
W09-14(A2)
W09-17(A2)
W09-42(A2)
19 SEP 88
3 OCT 88
18 NOV 88
1 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
1 MAY 89
1 JUN 89
7 JUL 89
2 AUG 89
5 SEP 89
26 OCT 89
22 FEB 90
26 MAY 90
29 AUG 90


GRAPH D-31:
Hydrograph of Site 09,
A2-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
17.0
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
LEGEND
W09-08(A2)
W09-36(A2)
W09-41(A2)


GRAPH D-32:
Hydrograph of Site 09,
A2-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
6.0
5.0
4.0
LEGEND
W09-20(A2)
W09-21(A2)
W09-28(A2)
W09-31(A2)
29 JUN 92


GRAPH D-33:
Hydrograph of Site 09,
A2-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
6.0
LEGEND
W09-07(A2)
W09-09(A2)
W09-13(A2)
W09-33(A2)
W09-34(A2)
19 SEP 88
3 OCT 88
18 NOV 88
1 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
1 MAY 89
1 JUN 89
7 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
22 FEB 90
26 MAY 90
29 AUG 90


GRAPH D-34:
Hydrograph of Site 09,
A2-Aquifer Wells (continued)
Ground Water Elevation (ft MSL)
12.0
11.0
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
LEGEND
W09-22(A2)
W09-25(A2)
W09-27(A2)
W09-43(A2)
19 SEP 88
3 OCT 88
18 NOV 88
1 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
1 MAY 89
1 JUN 89
7 JUL 89
2 AUG 89
5 SEP 89
26 OCT 89
22 FEB 90
26 MAY 90
29 AUG 90


GRAPH D-35:
Hydrograph of Site 09,
B-Aquifer Wells
LEGEND
W09-04(B2)
W09-05(B3)
W09-15(B2)
W09-11(B2)
W09-12(B2)
W09-39(B2)
W09-40(B2)
Ground Water Elevation (ft MSL)
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
6.0
5.0
4.0
19 SEP 88
3 OCT 88
18 NOV 88
1 DEC 88
4 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
1 MAY 89
1 JUN 89
7 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
22 FEB 90
26 MAY 90
29 AUG 90


GRAPH D-36:
Hydrograph of Site 09,
C-Aquifer Wells
Ground Water Elevation (ft MSL)
20.0
19.0
18.0
17.0
16.0
15.0
14.0
13.0
12.0
11.0
10.0
19 SEP 88
3 OCT 88
18 NOV 88
1 DEC 88
4 JAN 89
1 FEB 89
1 MAR 89
4 APR 89
1 MAY 89
1 JUN 89
7 JUL 89
2 AUG 89
5 SEP 89
26 OCT 89
22 FEB 90
25 MAY 90
29 AUG 90
LEGEND
W09-03(C)


GRAPH D-37:
Hydrograph of Site 10,
A-Aquifer Wells
Ground Water Elevation (ft MSL)
12.0
11.0
10.0
9.0
8.0
7.0
6.0
5.0
4.0
3.0
2.0
LEGEND
W10-02(A1)
W10-04(A2)
W10-05(A1)
29 SEP 88
16 NOV 88
8 DEC 88
4 JAN 89
2 FEB 89
2 MAR 89
5 APR 89
3 MAY 89
2 JUN 89
18 JUL 89
3 AUG 89
6 SEP 89
26 OCT 89
23 FEB 90
24 MAY 90
29 AUG 90


GRAPH D-38:
Hydrograph of Site 10,
B-Aquifer Wells
Ground Water Elevation (ft MSL)
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
6.0
5.0
29 SEP 88
16 NOV 88
8 DEC 88
4 JAN 89
2 FEB 89
2 MAR 89
5 APR 89
3 MAY 89
2 JUN 89
10 JUL 89
3 AUG 89
6 SEP 89
26 OCT 89
23 FEB 90
24 MAY 90
29 AUG 90
LEGEND
W10-03(B2)


GRAPH D-39:
Hydrograph of Site 10,
C-Aquifer Wells
Ground Water Elevation (ft MSL)
17.0
16.0
15.0
14.0
13.0
12.0
11.0
10.0
9.0
8.0
7.0
16 NOV 88
4 DEC 88
4 JAN 89
2 FEB 89
2 MAR 89
6 APR 89
3 MAY 89
2 JUN 89
18 JUL 89
3 AUG 89
6 SEP 89
26 OCT 89
23 FEB 90
24 MAY 90
29 AUG 90
LEGEND
W10-06(C)


GRAPH D-40:
Hydrograph of Site 11,
A-Aquifer Wells
Ground Water Elevation (ft MSL)
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
-6.0
-7.0
-8.0
LEGEND
W11-01(A1)
W11-02(A1)
19 OCT 88
8 NOV 88
2 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
3 APR 89
1 MAY 89
1 JUN 89
6 JUL 89
1 AUG 89
6 SEP 89
26 OCT 89
22 FEB 90
25 MAY 90
29 AUG 90


GRAPH D-41:
Hydrograph of Site 12,
A-Aquifer Wells
Ground Water Elevation (ft MSL)
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
-5.0
31 OCT 88
9 NOV 88
1 DEC 88
3 JAN 89
1 FEB 89
1 MAR 89
3 APR 89
1 MAY 89
1 JUN 89
6 JUL 89
3 AUG 89
6 SEP 89
26 OCT 89
22 FEB 90
26 MAY 90
29 AUG 90
LEGEND
W12-01(A2)
W12-02(A2)
W12-03(A1)


GRAPH D-42:
Hydrograph of Site 14,
A1-Aquifer Wells
Ground Water Elevation (ft MSL)
27.0
26.0
25.0
24.0
23.0
22.0
21.0
20.0
19.0
18.0
17.0
LEGEND
W14-02(A1)
W14-03(A1)
W14-04(A1)
22 SEP 88
6 OCT 88
14 NOV 88
1 DEC 88
3 JAN 89
1 FEB 89
2 MAR 89
4 APR 89
2 MAY 89
1 JUN 89
6 JUL 89
2 AUG 89
5 SEP 89
27 OCT 89
26 FEB 90
25 MAY 90
29 AUG 90


GRAPH D-43:
Hydrograph of Site 14,
A2-Aquifer Wells
Ground Water Elevation (ft MSL)
27.0
26.0
25.0
24.0
23.0
22.0
21.0
20.0
19.0
18.0
17.0
LEGEND
W14-01(A2)
W14-05(A2)
W14-06(A2)
22 SEP 88
6 OCT 88
14 NOV 88
1 DEC 88
3 JAN 89
1 FEB 89
2 MAR 89
4 APR 89
2 MAY 89
1 JUN 89
6 JUL 89
2 AUG 89
5 SEP 89
27 OCT 89
26 FEB 90
26 MAY 90
29 AUG 90


GRAPH D-44:
Hydrograph of Site 19,
A-Aquifer Wells
Ground Water Elevation (ft MSL)
6.0
5.0
4.0
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
LEGEND
W19-01(A2)
W19-02(A2)
W19-04(A2)
W19-03(A2)
27 SEP 88
18 NOV 88
7 DEC 88
3 JAN 89
1 FEB 89
2 MAR 89
4 APR 89
2 MAY 89
2 JUN 89
18 JUL 89
2 AUG 89
6 SEP 89
26 OCT 89
23 FEB 90
24 MAY 90
29 AUG 90

APPENDIX E

WATER LEVEL MEASUREMENTS

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 01

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W01-01(A1)	TOC	2.75	2.60	-3.41	08/29/90	
W01-02(A1)	TOC	4.46	4.30	-3.41	08/29/90	
W01-03(F)	TOC	16.55	16.80	-2.90	08/29/90	
W01-04(A1)	TOC	2.33	2.00	-2.83	08/29/90	
W01-05(A1)	TOM	4.71	2.40	-2.86	08/29/90	
W01-06(A1)	TOM	.76	1.20	-3.64	08/29/90	
W01-07(A2)	TOM	1.57	.40	-3.32	08/29/90	
W01-08(A1)	TOM	4.31	1.60	.15	08/29/90	
W01-09(F)	TOM	19.92	17.10	-.75	08/29/90	
W01-10(F)	TOM	6.92	7.30	.67	08/29/90	
W01-11(F)	TOM	16.15	13.10	-2.79	08/29/90	
W01-12(A1)	TOM	2.30	-3.00	-3.17	08/29/90	
W01-13(F)	TOM	7.46	4.70	-2.86	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 02

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W02-03(A1)	TOC	.30	.20	-4.61	08/29/90	
W02-05(A1)	TOM	2.20	-.70	-5.81	08/29/90	
W02-06(A1)	TOM	2.62	-.30	-6.27	08/29/90	
W02-07(A2)	TOM	3.35	.60	-5.73	08/29/90	
W02-08(F)	TOM	5.87	3.10	-5.95	08/29/90	
W02-09(A1)	TOM	4.32	1.30	-5.94	08/29/90	
W02-10(F)	TOM	3.73	1.10	-5.96	08/29/90	
W02-11(F)	TOM	10.00	7.10	-5.76	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 03

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measurement Date	Remarks
W03-01(A1)	TOC	2.80	3.15	-2.95	08/29/90	
W03-02(A1)	TOC	-1.83	-2.00	-4.44	08/29/90	
W03-03(A1)	TOC	-.60	-.39	-4.41	08/29/90	
W03-04(B2)	TOC	-.66	-.51	-2.85	08/29/90	
W03-06(A1)	TOC	.26	.40	-4.10	08/29/90	
W03-07(B2)	TOC	.22	2.30	-2.85	08/29/90	
W03-08(A1)	TOC	.65	.53	-3.97	08/29/90	
W03-09(B2)	TOC	.70	2.60	-2.75	08/29/90	
W03-11(A1)	TOC	-.17	2.20	-3.30	08/29/90	
W03-12(A2)	TOM	-2.22	-2.00	-5.44	08/29/90	
W03-13(A2)	TOM	-1.21	-1.06	-3.87	08/29/90	
W03-14(B2)	TOM	2.89	3.32	-2.62	08/29/90	
W03-15(B3)	TOM	-.49	-.13	-2.68	08/29/90	
W03-16(C)	TOM	.79	.04	-----	08/29/90	Flowing
W03-22(A2)	TOM	2.00	2.44	-2.70	08/29/90	
W03-23(A1)	TOM	.37	.75	-4.73	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 04

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W04-02(A1)	TOC	4.12	4.43	-2.28	08/29/90	
W04-03(A1)	TOC	5.35	5.48	-1.79	08/29/90	
W04-04(A1)	TOC	5.39	5.47	-1.67	08/29/90	
W04-06(A2)	TOC	5.19	5.19	-1.60	08/29/90	
W04-07(C)	TOM	4.97	4.34	-----	08/29/90	Flowing
W04-08(C)	TOM	6.74	4.11	5.92	08/29/90	
W04-09(B2)	TOM	2.85	3.19	-1.33	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 05

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W05-04(A2)	TOM	6.15	6.55	-.68	08/29/90	
W05-05(C)	TOM	6.16	6.68	6.16	08/29/90	
W05-06(A1)	TOM	9.00	9.66	1.13	08/29/90	
W05-07(A2)	TOM	13.27	13.69	3.60	08/29/90	
W05-09(A1)	TOM	13.25	13.93	6.53	08/29/90	
W05-10(A1)	TOM	13.20	13.47	2.95	08/29/90	
W05-14(A1)	TOM	7.25	7.64	.12	08/29/90	
W05-15(A1)	TOM	9.67	10.28	.70	08/29/90	
W05-16(A1)	TOM	11.68	12.05	4.68	08/29/90	
W05-17(A1)	TOM	12.14	12.55	4.67	08/29/90	
W05-18(A1)	TOM	11.77	12.13	5.22	08/29/90	
W05-19(A2)	TOM	12.11	12.47	5.03	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 06

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W06-02(A2)	TOC	5.53	6.19	-.43	08/29/90	
W06-03(A1)	TOC	5.51	6.10	-.43	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 07

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W07-01(A1)	TOC	11.20	11.31	5.25	08/29/90	
W07-04(A2)	TOC	10.08	10.31	1.33	08/29/90	
W07-08(A2)	TOC	9.59	9.90	.22	08/29/90	
W07-13(A1)	TOC	11.28	11.31	3.63	08/29/90	
W07-15(A2)	TOC	8.10	8.30	2.61	08/29/90	
W07-16(C)	TOM	10.39	11.15	8.37	08/29/90	
W07-18(A2)	TOM	10.79	11.19	5.22	08/29/90	
W07-19(A1)	TOM	8.95	9.40	.76	08/29/90	
W07-20(A2)	TOM	10.20	10.51	2.06	08/29/90	
W07-21(A1)	TOM	7.38	7.86	1.83	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 08

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W08-01(A2)	TOC	8.03	8.16	-1.09	08/29/90	
W08-02(A2)	TOM	7.24	7.79	-1.31	08/29/90	
W08-03(C)	TOM	13.50	7.90	-----	08/29/90	Flowing
W08-04(A1)	TOM	7.47	7.91	-.98	08/29/90	
W08-05(A2)	TOM	6.03	6.55	-1.56	08/29/90	
W08-06(A2)	TOM	7.42	7.86	-1.23	08/29/90	
W08-08(A1)	TOM	5.61	3.39	-3.05	08/29/90	
W08-10(A2)	TOM	5.30	6.82	-2.13	08/29/90	
W08-11(A2)	TOM	6.57	7.87	-1.70	08/29/90	
W08-12(A2)	TOM	6.56	7.65	-2.17	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 09

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W09-01(A1)	TOC	18.72	18.86	9.39	08/29/90	
W09-02(A1)	TOC	19.44	19.63	10.56	08/29/90	
W09-03(C)	TOM	19.70	20.00	14.93	08/29/90	
W09-04(B2)	TOM	13.34	13.86	6.20	08/29/90	
W09-05(B3)	TOM	13.32	13.72	6.74	08/29/90	
W09-06(A1)	TOM	18.23	18.50	9.30	08/29/90	
W09-07(A2)	TOM	19.22	19.66	10.57	08/29/90	
W09-08(A2)	TOM	20.55	21.45	11.40	08/29/90	
W09-09(A2)	TOM	18.00	18.80	9.41	08/29/90	
W09-10(A1)	TOM	12.33	13.44	5.35	08/29/90	
W09-11(B2)	TOM	13.48	14.48	4.56	08/29/90	
W09-12(B2)	TOM	20.30	21.18	16.03	08/29/90	
W09-13(A2)	TOM	19.32	19.60	10.61	08/29/90	
W09-14(A2)	TOM	20.53	20.90	13.12	08/29/90	
W09-15(B2)	TOM	18.34	18.77	11.72	08/29/90	
W09-16(A1)	TOM	22.84	24.10	14.43	08/29/90	
W09-17(A2)	TOM	19.73	20.92	13.16	08/29/90	
W09-18(A1)	TOM	18.41	19.47	12.05	08/29/90	
W09-19(A1)	TOM	22.62	23.86	13.63	08/29/90	
W09-20(A2)	TOM	16.86	18.03	10.81	08/29/90	
W09-21(A2)	TOM	16.14	17.32	11.13	08/29/90	
W09-22(A2)	TOM	15.63	16.60	7.90	08/29/90	
W09-23(A1)	TOM	16.01	17.28	11.79	08/29/90	
W09-24(A1)	TOM	13.51	14.57	4.61	08/29/90	
W09-25(A2)	TOM	15.68	16.74	7.94	08/29/90	
W09-26(A1)	TOM	13.75	14.82	5.74	08/29/90	
W09-27(A2)	TOM	16.39	16.79	6.85	08/29/90	
W09-28(A2)	TOM	16.48	17.58	9.05	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 09

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W09-29(A1)	TOM	16.96	18.15	12.19	08/29/90	
W09-30(A1)	TOM	20.22	21.32	13.49	08/29/90	
W09-31(A1)	TOM	16.58	17.71	8.24	08/29/90	
W09-33(A2)	TOM	18.75	19.71	11.32	08/29/90	
W09-34(A2)	TOM	18.87	19.96	10.57	08/29/90	
W09-35(A1)	TOM	17.05	18.16	10.54	08/29/90	
W09-36(A2)	TOM	20.51	21.66	11.74	08/29/90	
W09-37(A1)	TOM	20.88	22.02	13.67	08/29/90	
W09-38(A1)	TOM	23.01	24.12	14.62	08/29/90	
W09-39(B2)	TOM	15.71	16.63	7.79	08/29/90	
W09-40(B2)	TOM	20.51	21.51	12.64	08/29/90	
W09-41(A2)	TOM	22.98	23.87	14.80	08/29/90	
W09-42(A2)	TOM	16.98	18.18	12.42	08/29/90	
W09-43(A2)	TOM	16.18	17.15	5.44	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 09

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
FP9-1	TOM	16.54	17.14	8.68	08/29/90	
FP9-2	TOM	17.81	18.80	9.26	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.
FP : Free Product Well

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 10

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W10-02(A1)	TOC	15.55	15.50	9.01	08/29/90	
W10-03(B2)	TOC	15.58	15.55	9.23	08/29/90	
W10-05(A1)	TOM	9.05	9.72	2.92	08/29/90	
W10-06(C)	TOM	18.06	18.85	11.92	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 11

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W11-01(A1)	TOM	4.13	1.44	-5.72	08/29/90	
W11-02(A1)	TOM	4.86	1.67	-4.79	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 12

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W12-01(A2)	TOM	8.31	8.88	-.01	08/29/90	
W12-02(A2)	TOM	8.54	8.99	-.75	08/29/90	
W12-03(A1)	TOM	5.42	5.79	-.98	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 14

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W14-01(A2)	TOM	29.94	30.33	20.48	08/29/90	
W14-02(A1)	TOM	29.85	30.51	20.02	08/29/90	
W14-03(A1)	TOM	31.37	31.65	20.68	08/29/90	
W14-04(A1)	TOM	29.09	29.54	19.75	08/29/90	
W14-05(A2)	TOM	31.25	31.62	21.02	08/29/90	
W14-06(A2)	TOM	29.19	29.63	20.38	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

NAS Moffett Field
Quarterly Water Level Measurements
Sorted by Site,Date,Well
Site 19

Report date: 10/19/90

WELL	Pt. of Ref.	Elevation Reference Point (ft. MSL)	Elevation Ground Level (ft. MSL)	Elevation Water Level (ft. MSL)	Measure-ment Date	Remarks
W19-01(A2)	TOM	9.26	9.78	.18	08/29/90	
W19-02(A2)	TOM	10.02	10.31	.50	08/29/90	
W19-03(A2)	TOM	7.68	8.18	-.28	08/29/90	
W19-04(A2)	TOM	7.77	8.25	-.83	08/29/90	

FOOTNOTE:

TOC : Measurement taken from Top of Well Casing.
TOM : Measurement taken from Top of Steel Well Monument.
CBX : Measurement taken from Top of Christy Box installation cover.

APPENDIX F

SUMMARY OF MAJOR/SIGNIFICANT MEETINGS

MAJOR/SIGNIFICANT PROJECT MEETINGS

Meetings with regulatory agencies and others have been conducted on an as-needed basis. Meetings that have been held since July 1, 1990 are as follows:

- Date: July 19, 1990
- Topic: Briefing for MEW
- Location: NAS Moffett Field, California
- Attendees: Raytheon, Cooley, HLA, Intel, WESTDIV, NAS Moffett Field, IT, PRC, J.M. Montgomery, Schlumberger, Candels, Canonie
- Meeting Summary: Reviewed progress of Navy activities for MEW company representatives.

- Date: July 20, 1990
- Topic: Project Planning Meeting
- Location: Camp Dresser McKee, San Francisco, California
- Attendees: EPA, DHS, WESTDIV, NAS Moffett Field, IT, PRC, J.M. Montgomery, CDM., Santa Clara County, SCVWD
- Meeting Summary: Discussed monthly status and plans for upcoming activities.

- Date: August 20, 1990
- Topic: Community Relations "Open House"
- Location: NAS Moffett Field, California
- Attendees: EPA, CRWQCB, DHS, WESTDIV, NAS Moffett Field, Energy Systems, IT, PRC, J.M. Montgomery, and general public.
- Meeting Summary: The general public was provided an opportunity to discuss NAS Moffett Field's investigation and cleanup activities with representatives of the Navy, consultants, and regulatory agencies.

MAJOR/SIGNIFICANT PROJECT MEETINGS (Continued)

- Date: August 21, 1990
- Topic: Technical Review Committee Meeting
- Location: NAS Moffett Field, California
- Attendees: Technical Review Committee Members
- Meeting Summary: IT discussed Phase I RI Results, PRC presented the status of tank removal activities, and J. M. Montgomery discussed plans for investigations at Inferred Sources 8 and 9.

- Date: August 21, 1990
- Topic: Project Planning Meeting
- Location: NAS Moffett Field, California
- Attendees: EPA, CRWQCB, DHS, WESTDIV, NAS Moffett Field, Energy Systems, IT, CDM, PRC, J.M. Montgomery
- Meeting Summary: Project status and upcoming activities were discussed, in particular the scoping of Operable Units.

- Date: September 20, 1990
- Topic: Project Planning Meeting
- Location: DHS Office, Berkeley, California
- Attendees: EPA, CRWQCB, DHS, WESTDIV, NAS Moffett Field, IT, CDM, PRC, J. M. Montgomery, SCVWD
- Meeting Summary: Discussed monthly status and plans for upcoming activities.