



DEPARTMENT OF THE NAVY
NAVAL TRAINING CENTER
SAN DIEGO, CALIFORNIA 92133

cc: det 'Out'
AR_N00247_000104
NTC SAN DIEGO
SSIC NO. 5090.3.A

IN REPLY TO...

5090
010/0822

13 SEP 1991

Mr. John Menatti
County of San Diego
Environmental Health Services
Hazardous Materials Management Division
P. O. Box 85261
San Diego, CA 92138-5261

Dear Mr. Menatti:

This letter is to provide you with updated Unauthorized Release Reports for two underground storage tank sites located at the Naval Training Center (NTC).

Release #T1542/H80021-004 is located at the Naval Exchange Gas Station, building 344. Since our last report of 31 May 1991, field work for a Site Investigation/Site Assessment has been completed. The work was performed by contract under cognizance of the Southwest Division, Naval Facilities Engineering Command (SWNAVFACENGCOM) Installation Restoration program. A recently completed draft report is under review by the Navy and will be submitted to your agency shortly for further review.

Release #T1542/H80021-003 occurred at building 227 at the Naval Training Center. A Site Assessment is being performed by contract under cognizance of SWNAVFACENGCOM. A draft site assessment report was received by the Navy recently and is currently under review. Upon completion, the report will be forwarded to your agency for review.

The NTC point of contact is Ms. Martha Gandy, Environmental Engineer, at 524-1022.

J. C. VESELENAK
Lieutenant Commander, U. S. Navy
Staff Civil Engineer
By direction of
the Commander

Copy to:

→ EFD SW (Code 18)