

5090  
Ser 1813EG/00824  
24 SEP 1991

From: Commander, Western Division, Naval Facilities Engineering Command  
To: Distribution

Subj: SUITABILITY STUDY OF FLOATING PRODUCT REMOVAL FOR NAVAL  
STATION, TREASURE ISLAND

Encl: (1) Final Field Work Plan Vol. 1 dtd 19 Sep 91  
(2) Final Health and Safety Plan Vol. 2 dtd 20 Sep 91

1. Enclosures (1) and (2) are the Final Field Work Plan and Health and Safety Plan for the Suitability Study of Floating Product Removal at the Naval Station, Treasure Island. Please note that the Health and Safety Plan has been made into a separate document as Volume 2.

2. Thank you for your guidance and involvement in this Study. For further information please contact Mr. Ernesto M. Galang, Code 1813EG at Commercial (415) 244-2560.

Original signed by:

GILBERT A. RIVERA  
Head, Installation Restoration Section

Distribution:

California Department of Health Services (Attn: Romy Fuentes) (w/2 copies of encls)  
California Regional Water Quality Control Board (Attn: Lester Feldman)  
NAVSTA Treasure Island (Attn: Jim Sullivan)  
COMNAVBASE San Francisco (Attn: Randy Friedman)

Blind copy to:

1813, 1813EG, Admin Record (w/3 copies of encls)  
WRITER: E. Galang, 1813EG, 2560  
TYPIST: M. Marshall, 24 Sep 91, Floating #00824  
FILE: Treasure Is/NAVSTA

45  
N/R 6

ENCLOSURE 1

FINAL  
FIELD WORK PLAN  
SUITABILITY STUDY OF FLOATING PRODUCT REMOVAL  
VOLUME 1

DATED 19 SEPTEMBER 1991

THIS RECORD IS ENTERED IN THE DATABASE AND FILED AS  
RECORD NO. N60028\_000006

ENCLOSURE 2

HEALTH AND SAFETY PLAN  
SUITABILITY STUDY OF FLOATING PRODUCT REMOVAL  
VOLUME 2

DATED 20 SEPTEMBER 1991

THIS RECORD IS ENTERED IN THE DATABASE AND FILED AS  
RECORD NO. N60028\_000007