

Memorandum

To: Scot Sokolowski, NAVFAC MIDLANT
From: David Brayack, Tetra Tech
Date: December 30, 2021
Re: Annual LUC Inspection and Operation Summary Report: Sites 1, 2, 3, and 4 – NWIRP Bethpage
Revision 1
Contract/CTO Number: N6247016D9008/WE13

1.0 Introduction

The purpose of this Technical Memorandum is to document the 2021 Annual Land Use Control (LUC) Inspections performed on 3 June 2021 at the former Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage Sites 1, 2, 3, and 4. A submittal inspection was conducted with New York State Department of Environmental Conservation and Department of Health personnel on August 24, 2021.

The Navy performs annual inspections at NWIRP Bethpage to ensure the LUCs designed to minimize risk exposure pathways are being maintained as intended as part of the site remedies. The inspections document current conditions and ensure that LUCs have been implemented and are functioning properly. The following report presents a general site background for each site; details of implemented land use controls as required by the 1995 Operable Unit (OU) – 1 Record of Decision (ROD) for Sites 1, 2, and 3, the 2003 OU 2 ROD for site groundwater, the 2015 OU 3 ROD for Site 4 Former Underground Storage Tanks, and the 2018 OU 4 ROD for Site 1, and summarizes the annual site inspections. Appendix A provides the inspection checklists and site inspection photo log. Appendix B provides the site inspection interview summary and photo log. Appendix C provides the well inventory table documenting the condition of the monitoring wells at the facility.

2.0 Facility Background

The former NWIRP Bethpage is located in Nassau County on Long Island, New York (Figure 1). The facility was located adjacent to the Grumman facility, and was operated by Grumman and later Northrop Grumman (NG) from 1942 to the mid-1990s. The plant's primary mission was the research prototyping, testing, design engineering, fabrication, and primary assembly of military aircraft. In 1996, operations ended at the facility. At that time, the NWIRP was approximately 109.5 acres in size. In 2002, 4.5 acres of the property were transferred to Nassau County. In February 2008, the Navy transferred an additional 96 acres of the

remaining 105-acre main parcel to Nassau County. The remaining 9-acre parcel is leased to Nassau County for economic redevelopment but is being retained by the Navy for environmental investigations and remediation for Sites 1, 2, 3, and 4. Upon successful remediation of the 9-acre parcel, ownership of the parcel will be transferred to Nassau County. The transfer and lease documents provide land use controls and notifications of areas in which residual contamination is present (Tetra Tech, 2015).

3.0 Site 1 – Former Drum Marshalling Area

3.1 Overview

Starting in 1969, hazardous waste management practices for NG facilities on Long Island included marshalling of drummed wastes on NWIRP property. Site 1 originally consisted of three former drum marshalling areas located in the center of the site that were used to store drums containing waste materials from operations at Plant 3 and potentially other sources at the facility. Storage first took place on a cinder-covered surface over the cesspool field east of Plant 3. The waste drums reportedly contained chlorinated and non-chlorinated solvents, and liquid wastes containing cadmium and chromium. Transformers and polychlorinated biphenyl (PCB)-filled autoclaves were also stored at the site. In 1978, the collection and marshalling point was moved a few yards south of the original unpaved site to an area on a 100- by 100-foot concrete pad. This pad did not have a cover or spill containment. In 1982, drummed waste storage was transferred a second time to the Drum Marshalling Area, located in the Salvage Storage Area (Site 3). The Drum Marshalling Area consisted of a concrete pad with spill containment; and in 1983 a cover was added. Approximately 200 to 300 drums were stored at each area at any one time. Reportedly, all drums of waste marshalled at the Former Drum Marshalling Areas were taken off-property by a private contractor for treatment or disposal. There are no reports of leaks or spills of drum contents (NAVFAC, 1995).

Under the OU 1 ROD (NAVFAC, 1995), an air sparge (AS)/soil vapor extraction (SVE) system was installed to address volatile organic compound (VOC) contamination in soil and shallow groundwater at Site 1. This system operated from 1998 to 2002. In 2010, an SVE containment system was installed to control VOC impacted vapors at the property in order to accelerate cleanup of VOCs in Site 1 soils. This containment system continues to operate. Additional SVE wells are projected to be installed in the near future. The OU 2 ROD (NAVFAC, 2003) also addresses the offsite VOC-contaminated groundwater with the GM-38 area groundwater treatment system. In addition, well head treatment is used to achieve applicable drinking water standards at Bethpage Water District (BWD), South Farmingdale Water District (SFWD), and New York American Water (NYAW). Figures showing the NWIRP on property monitoring wells (Figure C-1), the off property monitoring wells and location of the GM-38 Area system (Figure C-2), and the locations of well head treatment (Figure C-3) are provided in Appendix C.

The OU 4 ROD (NAVFAC, 2018) addresses PCBs in site soil, VOCs in site soil vapor, and metals and PCBs in the groundwater at Site 1. Under the OU 4 ROD, Site 1 Alternative S-6A, a soil excavation was

completed at the site. Excavation activities began in April 2019 and were completed July 2020. Covering approximately 5.5 acres, the majority of Site 1 is bounded by fencing. Site restoration, which included paving and additional vegetation, was completed in Spring 2021. Upon successful remediation, Site 1 will be transferred to Nassau County. Future land use has not been established for this site but will most likely be commercial or industrial use (Tetra Tech, 2015).

3.2 Land Use Controls – Requirements and Implementation

Land use controls at Site 1, as identified in the OU1, OU2, and OU4 RODs, consist of engineering controls, administrative controls, and active remediation systems. Engineering controls consist of interim perimeter and interior fencing to restrict exposure to contaminated site soils until the site is remediated. As described earlier, OU 4 construction activities were completed in July 2020 and site restoration was completed in Spring 2021. Administrative controls consist of a restriction in the Deed of Transfer to Nassau County, New York. This deed restriction states that Nassau County cannot excavate or otherwise disturb subsurface soils at designated AOC locations without submitting a written request to New York State Department of Environmental Conservation (NYSDEC) for review and approval.

Operation and maintenance monitoring for GM-38 area groundwater treatment system, Site 1 SVE containment system, and NYAW are conducted on a monthly basis by the Navy. These systems are currently operated by Koman Government Solutions (KGS). The monthly reports are also distributed to NYSDEC. Operation and maintenance monitoring for BWD and SFWD are conducted by the respective water districts and the Nassau County Department of Health.

3.3 2021 Inspection Activities and Results

A site inspection was conducted on 3 June 2021 by Tetra Tech. The weather was overcast and there was no recent significant rainfall event. Vincent Varricchio of Tetra Tech (NWIRP Bethpage Facility Manager) conducted the inspection. The inspection checklist and photo log for Site 1 is included in Appendix A. Inspection notations are shown on Figure 3. Notes on the supplemental August 2021 inspection are provided in Appendix B.

Remedial elements in place include:

- Construction activities completed as directed in the OU 4 ROD Alternative S-6A
- Fence line SVE containment system to address offsite VOC mitigation
- The GM-38 groundwater treatment system and well head treatment at the following: SFWD Plant 1, SFWD Plant 3, BWD Plant 5, BWD Plant 6, and NYAW-SNR (Seaman's Neck Road)
- Restrictions with property transfer to prohibit disturbing site soils and extraction of groundwater without NYSDEC review (Currently being managed by Navy)
- Groundwater monitoring and plume migration evaluation

Other observations are as follows:

- Soil excavation and site restoration completed
- Conex and treatment system building is locked when not in use
- There is no evidence of groundwater use, except for monitoring purposes
- Extraction wells are covered and locked
- Notes regarding the monitoring well conditions are provided in the monitoring well inventory

3.4 Conclusions and Recommendations

All remedial elements are operating properly, and Remedial Action Objectives are being met. Continued monthly inspections by the facility manager are also recommended. In addition, it is recommended that monthly monitoring for the systems at the GM-38 area groundwater treatment system, NYAW, and the Site 1 SVE containment system continue.

4.0 **Site 2 – Recharge Basins**

4.1 Overview

Site 2 consists of three recharge basins that were reported to have been used primarily for discharge of storm water and single-pass non-contact cooling water for air conditioning units that was derived from onsite production wells. Originally, these basins also received rinse waters from NG's operations. Former sludge drying beds were also located at Site 2 and reportedly used to dewater sludge from the Plant 2 industrial waste treatment facility prior to being disposed offsite. The sludge drying beds have been filled in and most of the area covered by an asphalt parking lot associated with FedEx.

Site 2 is a relatively flat area located in the northeast corner of the NWIRP property and north of Site 1. A FEDEX hub terminal currently occupies the northwest-western portion of the site. The recharge basins currently receive storm water. The storm water is received from roof drains and catch basins located on NWIRP property and former NG property to the north. Site 2 is presented on Figure 2.

Under the OU 1 ROD (Naval Facilities Engineering Command (NAVFAC), 1995), PCB-contaminated soil at Site 2 was excavated and disposed off-site and a permeable cover was installed throughout Site 2 to act as a barrier to residual contamination. Approval by the NYSDEC was obtained by Steel Equities prior to the construction of the FedEx hub terminal at Site 2.

4.2 Land Use Controls – Requirements and Implementation

Land use controls at Site 2, as identified in the ROD, consist of engineering controls and administrative controls. Engineering controls consist of a permeable soil cover to limit worker exposure. Administrative controls consist of a restriction in the Deed of Transfer to Nassau County, New York. This deed restriction states that Nassau County cannot excavate or otherwise disturb subsurface soils at designated AOC

locations without submitting a written request to NYSDEC for review and approval. Approval by the NYSDEC was obtained by Steel Equities prior to the construction of the FedEx hub terminal at Site 2.

4.3 2021 Inspection Activities and Results

A site inspection was conducted on 3 June 2021 by Tetra Tech. The weather was overcast and there was no recent significant rainfall event. Vincent Varricchio of Tetra Tech (NWIRP Bethpage Facility Manager) conducted the inspection. The inspection checklist and photo log for Site 2 is included in Appendix A. Inspection notations are shown in Figure 3. Notes on the supplemental August 2021 inspection are provided in Appendix B.

Remedial elements in place include:

- Asphalt and permeable soil cover to limit worker exposure
- Restrictions with property transfer to prohibit disturbing site soils and extraction of groundwater without NYSDEC review.

Other observations are as follows:

- There is no evidence of groundwater use, except for monitoring purposes
- FedEx Hub Terminal is fully operational
- A laydown area utilized by Steel Equities was also observed to be present in the northern portion of the site between the FEDEX facility and the northern recharge basin
- Minor erosion on sides of retention basin similar to previous observations
- Minor amounts of debris noted in bottom of basins
- Notes regarding the monitoring well conditions are provided in the monitoring well inventory

4.4 Conclusions and Recommendations

All remedial elements are operating properly, and the Remedial Action Objectives are being met. Notification to NYSDEC is required prior to disturbance of site soils. Steel Equities provided notification of the planned construction of the FEDEX hub terminal to NYSDEC in a letter dated October 26, 2018. Copies of the notification letter and NYSDEC response letter were provided in the 2018 LUC Report. During the June 2021 LUC inspection, the portion of the FEDEX hub terminal on Site 2 is completed and fully operational. Soil erosion was noted on the sides of the retention basins. There is no immediate impact to the site due to the erosion of the sides of the retention basin, however the erosion should continue to be monitored during future site inspections. A minor amount of debris was observed in the bottom of the basins. Continued regular inspections by the facility manager are recommended.

5.0 Site 3 – Salvage Storage Area

5.1 Overview

Beginning in the 1950s, Site 3 - NWIRP Bethpage Salvage Storage Area was used for storage of fixtures, tools, and metallic wastes, such as aluminum and titanium scraps. Cutting oils dripped from some of the metal causing superficial contamination. This area was reportedly covered with coal ash cinders. This activity took place between the early 1950s and 1969. Circa 1960, the Salvage Storage Area was reduced in size to accommodate parking. In addition to salvage storage, a 100- by 100-foot area within this site was used for the marshalling of drummed wastes beginning in 1982. The Drum Marshalling Area consisted of a concrete pad with spill containment; and in 1983 a cover was added. Approximately 200 to 300 drums were stored at each area at any one time. Reportedly, all drums of waste which were stored at these areas were taken off-property by a private contractor for treatment or disposal (NAVFAC, 1995).

Site 3 is located north of Plant 3 and west of Site 2. The site covers approximately 9 acres and is relatively flat. A FEDEX hub terminal has been constructed on the entirety of the site. The terminal consists of a large warehouse with several paved parking lots and smaller landscaped areas. The majority of the facility is enclosed by permanent fencing and sound walls.

Under the OU1 ROD (NAVFAC, 1995), remedial activities completed at Site 3 included excavation of contaminated soils and the installation of a soil cover. At the time of the inspection, Site 3 consisted of a newly constructed FEDEX hub terminal with a large warehouse, asphalt-paved parking areas and either fences or sound walls prohibiting access to most of the site (see Figure 2). Approval by the NYSDEC was obtained by Steel Equities prior to the construction of the FedEx hub terminal at Site 3.

5.2 Land Use Controls – Requirements and Implementation

Land use controls at Site 3, as identified in the ROD, consist of engineering controls and administrative controls. Engineering controls consist of an asphalt/soil cover to limit worker exposure. Administrative controls consist of a restriction in the Deed of Transfer to Nassau County, New York. This deed restriction states that Nassau County cannot excavate or otherwise disturb subsurface soils at designated AOC locations without submitting a written request to NYSDEC for review and approval. Approval by the NYSDEC was obtained by Steel Equities prior to the commencement of construction activities at Site 3.

5.3 2021 Inspection Activities and Results

A site inspection was conducted on 3 June 2021 by Tetra Tech. The weather was overcast and there was no recent significant rainfall event. Vincent Varricchio of Tetra Tech (NWIRP Bethpage Facility Manager) conducted the inspection. The inspection checklist and photo log for Site 3 is included in Appendix A. Inspection notations are shown on Figure 3. Notes on the supplemental August 2021 inspection are provided in Appendix B.

Remedial elements in place include:

- Asphalt and soil cover to limit worker exposure
- Deed restriction with property transfer to prohibit disturbing site soils
- Restrictions with property transfer to prohibit disturbing site soils and extraction of groundwater without NYSDEC review

Other observations are as follows:

- Asphalt and soil cover is intact
- There is no evidence of groundwater use, except for monitoring purposes
- FedEx Hub Terminal is fully operational
- Notes regarding the monitoring well conditions are provided in the monitoring well inventory

5.4 Conclusions and Recommendations

All remedial elements are operating properly, and the Remedial Action Objectives are being met. Notification to NYSDEC is required prior to disturbance of site soils. Steel Equities provided notification of the planned construction of the FEDEX hub terminal to NYSDEC in a letter dated October 26, 2018. Copies of the notification letter and NYSDEC response letter were provided in the 2018 LUC Report. Continued monthly inspections by the facility manager are recommended.

6.0 **Site 4 – AOC 22 (Former UST Area)**

6.1 Overview

Site 4 area was initially referred to as AOC 22 and consists of former underground storage tanks (USTs). The USTs reportedly contained Nos. 4 and 6 Fuel Oils and were removed sometime between 1980 and 1984. Investigations have identified petroleum-contaminated soil and semi-solid petroleum product above and below the water table.

Site 4 is located south of the Plant 3 building and north of Building 03-35 (see Figure 2). The site covers approximately 0.14 acres and is relatively flat with a gentle slope to the south. The site consists of a paved area and open grassy field.

Construction of the in-situ steam injection, AS/SVE, and bio-sparging remediation system was completed in 2020. Steam injection occurred at the site from April 9, 2019 to May 7, 2020. Operation of the bio-sparging portion of the remedy was started on July 26, 2021 and is expected to continue for 10 years. This remedial technology, along with LUCs, was the selected remedy under the OU 3 ROD (NAVFAC, 2018).

6.2 Land Use Controls – Requirements and Implementation

Land use controls at Site 4, as identified in the ROD, consist of administrative controls. Administrative controls consist of a restriction in the Deed of Transfer to Nassau County, New York. This deed restriction

states that Nassau County cannot excavate or otherwise disturb subsurface soils at designated AOC locations without submitting a written request to NYSDEC for review and approval. A remediation system consisting of an AS/SVE system, steam injection with free product recovery, and biosparging is installed on-site.

6.3 2021 Inspection Activities and Results

A site inspection was conducted on 3 June 2021 by Tetra Tech. The weather was overcast and there was no recent significant rainfall event. Vincent Varricchio of Tetra Tech (NWIRP Bethpage Facility Manager) conducted the inspection. The inspection checklist and photo log for Site 4 is included in Appendix A. Inspection notations are shown on Figure 3. Notes on the supplemental August 2021 inspection are provided in Appendix B.

The OU 3 remedial system was not operating at the time of the inspection. Remedial elements in place include:

- A remediation system consisting of an AS/SVE system, steam injection with free product recovery, and biosparging
- Lease documents with property transfer to prohibit disturbing site soils and extraction of groundwater
- Restrictions with property transfer to prohibit disturbing site soils and extraction of groundwater without NYSDEC review

Other observations are as follows:

- Remedial system was not operating
- An 8,400-gallon frac tank used to containerize SVE condensate was observed adjacent to the warehouse building in the parking lot to the south
- There is no evidence of groundwater use, except for monitoring purposes
- Notes regarding the monitoring well conditions are provided in the monitoring well inventory

6.4 Conclusions and Recommendations

The steam injection of the remedy was completed in 2020. Due to the absence of any significant quantity of recoverable free product, steam injection was ended and the remedy moved into the biosparge phase. Continued monthly inspections of the site by the Navy Facility Manager are recommended.

6.0 **References**

Tetra Tech, 2015. Remedial Investigation Addendum – Soil, Groundwater, and Soil-Vapor, Site 1 – Former Drum Marshalling Area, Naval Weapons Industrial Reserve Plant Bethpage, New York. November.

NAVFAC, 1995. Operable Unit 1 Record of Decision Naval Weapons Industrial Reserve Plant, Bethpage, New York, Sites 1, 2, 3. May.

NAVFAC, 2003. Operable Unit 2 Record of Decision Naval Weapons Industrial Reserve Plant, Bethpage, New York, Sites 1, 2, 3. April.

NAVFAC, 2015. Operable Unit 3 Record of Decision Naval Weapons Industrial Reserve Plant, Bethpage, New York, Site 4 – Former Underground Storage Tanks. October.

NAVFAC, 2018. Operable Unit 4 Record of Decision Naval Weapons Industrial Reserve Plant, Bethpage, New York, Site 1 – Former Drum Marshalling Area. August.

This page intentionally left blank

APPENDIX A

**LUC INSPECTION CHECKLIST
AND PHOTOGRAPH LOG**

This page intentionally left blank

NWIRP Bethpage – Land Use Control Site Inspection Checklist			Remarks
Site Name: Site 1, NWIRP Bethpage			See accompanying photos and figures.
Date/Time: June 3, 2021; 0730			
Inspector: Vincent Varricchio			
Signature:			
Remedial Elements in place: LUCs for soil and groundwater; SVE system to address offsite VOC migration; asphalt.			SVE system is operating. Fencing around majority of perimeter of the site. No fence in southeast corner of site. New asphalt installed on western and southern portions of Site in Spring 2021.
	YES	NO	
Are institutional controls and LUCs properly implemented and fully enforced?	X		No evidence of groundwater use, except for monitoring.
<i>(If no, note on map and explain in Remarks)</i>			
For active remediation systems, are the following components in good condition and operating properly:	X		SVE system is operating (operated by KGS). Extraction wells are covered and locked.
<i>(If no, explain in Remarks)</i>			
Pumps and Electrical:	X		
Extraction system pipelines, valves, valve boxes, and appurtenances:	X		
Treatment technologies:	X		
Discharge structures and appurtenances:	X		
Recovery wells:	X		
Do any observations indicate that RAO's are not being met?		X	
<i>(If yes, note on map and explain in Remarks), note on map and explain in</i>			
Has land use on- or offsite changed?		X	Soil excavation and site restoration completed. New asphalt installed on western and southern portions of Site and additional screening trees installed within eastern boundary of site in Spring 2021.
<i>(If yes, explain in Remarks)</i>			
Are monitoring wells functioning, locked and in good condition?			Monitoring well conditions are noted in the well inventory.
<i>(If no, explain in Remarks)</i>			
Is the site free of identifiable concerns, such as dumping of chemicals or debris, or unanticipated activity?	X		No debris or unanticipated activity noted, although perimeter fencing is not contiguous around site.
<i>(If no, explain in Remarks)</i>			
Are there any previously undocumented features/conditions at the site (ie new wetlands, grading, paving, grade changes, roads, etc.)?		X	Site has been fully restored following soil excavation activities. Restoration included, but is not limited to, a berm, tree plantings, topsoil and hydroseeding. US Government signs added along 11 th St property boundary in June 2021.
<i>(If yes, note on map and explain in Remarks)</i>			

NWIRP Bethpage - Land Use Control Site Inspection Checklist			Remarks
Site Name: Site 2, NWIRP Bethpage			See accompanying photos and figures.
Date/Time: June 3, 2021; 0745			
Inspector: Vincent Varricchio			
Signature:			
Remedial Elements in place: LUCs for soil and groundwater; soil cover to limit surface exposure			FedEx facility completed in 2019 occupies northwest-west portion of site. Facility consists of warehouse, asphalt parking areas and is surrounded by perimeter fencing/sound walls. A flat gravel area between the FedEx facility and north basin is observed to be used by Steel Equities as a laydown/equipment storage area.
	YES	NO	
Are institutional controls and LUCs properly implemented and fully enforced?	X		No evidence of groundwater use.
<i>(If no, note on map and explain in Remarks)</i>			
For active remediation systems, are the following components in good condition and operating properly:			No remedial system.
<i>(If no, explain in Remarks)</i>			
Pumps and Electrical:			
Extraction system pipelines, valves, valve boxes, and appurtenances:			
Treatment technologies:			
Discharge structures and appurtenances:			
Recovery wells:			
Do any observations indicate that RAO's are not being met?		X	
<i>(If yes, note on map and explain in Remarks)</i>			
Has land use on- or offsite changed?		X	FedeEx facility is active and was documented during the previous inspections.
<i>(If yes, explain in Remarks)</i>			
Are monitoring wells functioning, locked and in good condition?			Monitoring well conditions are noted in the well inventory.
<i>(If no, explain in Remarks)</i>			
Is the site free of identifiable concerns, such as dumping of chemicals or debris, or unanticipated activity?	X		Minor erosion was noted on sides of retention basins similar to previous inspections. Minor amounts of debris can be seen in bottom of basins.
<i>(If no, explain in Remarks)</i>			
Are there any previously undocumented features/conditions at the site (ie new wetlands, grading, paving, grade changes, roads, etc.)?		X	FedeEx facility is active and has been documented during the previous inspections.
<i>(If yes, note on map and explain in Remarks)</i>			

NWIRP Bethpage - Land Use Control Site Inspection Checklist			Remarks
Site Name: Site 3, NWIRP Bethpage			See accompanying photos and figures.
Date/Time: June 3, 2021; 0800			
Inspector: Vincent Varricchio			
Signature:			
Remedial Elements in place: LUCs for soil and groundwater; pavement cover to limit surface exposure			FedEx facility completed in 2019 consists of warehouse, asphalt parking areas and is surrounded by perimeter fencing/sound walls.
	YES	NO	
Are institutional controls and LUCs properly implemented and fully enforced?	X		No evidence of groundwater use.
<i>(If no, note on map and explain in Remarks)</i>			
For active remediation systems, are the following components in good condition and operating properly:			No active remedial system.
<i>(If no, explain in Remarks)</i>			
Pumps and Electrical:			
Extraction system pipelines, valves, valve boxes, and appurtenances:			
Treatment technology:			
Discharge structures and appurtenances:			
Recovery wells:			
Do any observations indicate that RAO's are not being met?		X	
<i>(If yes, note on map and explain in Remarks)</i>			
Has land use on- or offsite changed?		X	FedeEx facility is active and has been documented during previous inspections.
<i>(If yes, explain in Remarks)</i>			
Are monitoring wells functioning, locked and in good condition?			Monitoring well conditions are noted in the well inventory.
<i>(If no, explain in Remarks)</i>			
Is the site free of identifiable concerns, such as dumping of chemicals or debris, or unanticipated activity?	X		
<i>(If no, explain in Remarks)</i>			
Are there any previously undocumented features/conditions at the site (ie new wetlands, grading, paving, grade changes, roads, etc.)?		X	FedeEx facility is active and has been documented during previous inspections.
<i>(If yes, note on map and explain in Remarks)</i>			

NWIRP Bethpage – Land Use Control Site Inspection Checklist			Remarks
Site Name: Site 4, NWIRP Bethpage			See accompanying photos
Date/Time: June 3, 2021; 0830			
Inspector: Vincent Varricchio			
Signature:			
Remedial Elements in place: LUCs for soil and groundwater			AS/SVE remediation system is operational. Steam injection with free product recovery, and biosparging remediation system is located on-site, but is not operational at this time. Perimeter fencing with vision screen and signage intact.
	YES	NO	
Are institutional controls and LUCs properly implemented and fully enforced?	X		No evidence of groundwater use.
<i>(If no, note on map and explain in Remarks)</i>			
For active remediation systems, are the following components in good condition and operating properly:	X		All components of the remediation system are in good condition and operating properly.
<i>(If no, explain in Remarks)</i>			
Pumps and Electrical:	x		
Extraction system pipelines, valves, valve boxes, and appurtenances:	x		
Treatment technologies:	x		
Discharge structures and appurtenances:	x		
Recovery wells:	x		
Do any observations indicate that RAO's are not being met?		X	
<i>(If yes, note on map and explain in Remarks), note on map and explain in</i>			
Has land use on- or offsite changed?		X	
<i>(If yes, explain in Remarks)</i>			
Are monitoring wells functioning, locked and in good condition?			Monitoring well conditions are noted in the well inventory.
<i>(If no, explain in Remarks)</i>			
Is the site free of identifiable concerns, such as dumping of chemicals or debris, or unanticipated activity?	X		
<i>(If no, explain in Remarks)</i>			
Are there any previously undocumented features/conditions at the site (ie new wetlands, grading, paving, grade changes, roads, etc.)?		X	
<i>(If yes, note on map and explain in Remarks)</i>			

Photo Documentation – June 3, 2021

Site 1:

Photo 1A – Northwest corner of Site 1 looking east-southeast at new paving



Photo 1B – Site 1 eastern boundary looking north towards SVE wells and new tree plantings



Photo 1C – Northwest corner of Site 1 looking east-southeast within fenced in area of Site 1 at berm, tree plantings and hydroseeding



Photo 1D – Site 1 eastern boundary on 11th St looking south at stockade fence and tree plantings. US Government signs were added in June 2021 following inspection.



Site 2:

Photo 2A – Northwest portion of Site 2 looking southwest from Aerospace Blvd at FEDEX facility entrance



Photo 2B – Southwest corner of Site 2 looking northeast at FEDEX facility sound walls



Photo 2C –Center of Site 2 looking east between the north and south basins at sluice gate



Photo 2D –Center of Site 2 looking north at Steel Equities laydown/storage area between the FEDEX hub terminal and north basin



Site 3:

Photo 3A – Northwest corner of Site 3 looking southeast at FEDEX hub terminal



Photo 3B – Southwest corner of Site 3 looking east-northeast at FEDEX hub terminal sound walls and southern parking area



Photo 3C – Southeast corner of Site 3 facing northwest showing the FEDEX hub terminal sound walls and southern parking area



Site 4:

Photo 4A – Southeast corner of Site 4 facing northwest




Photo 4B – Northwest corner of Site 4 facing southeast looking at Navy trailer, warehouse and fenced in area




This page intentionally left blank

FIGURES

This page intentionally left blank



Former Northrop Grumman Facility **Former NWIRP Bethpage Facility**




**GENERAL LOCATION MAP
NWIRP BETHPAGE, NEW YORK**

FILE	SCALE AS NOTED
FIGURE NO. 1	REV DATE




P:\GIS_files\Bethpage\MapDocs\2013\RI_add\BP_longisland-new_8x11.mxd 040214 MMC


ATLANTIC OCEAN



2018 NYGIS Clearinghouse Aerial Imagery

Legend

-  SVE System
-  Fence Line
-  Site Boundary




Source: Esri, Dig DS, USDA, USG



**SITES 1, 2, 3, AND 4
LAYOUT MAP
NWIRP BETHPAGE, NEW YORK**




FILE	SCALE AS NOTED
FIGURE NO. 2	REV DATE


NOR:\iis230fs\1\local\Projects\GIS_files\Bethpage\MAP_DOCS\MXD\2021_LUC\Figure_2.mxd MMC



2016 NYGIS Clearinghouse Aerial Imagery

Legend

-  SVE System
-  Fence Line
-  Site Boundary



Source: Esri, Dig DS, USDA, USG



SITES 1, 2, 3, AND 4 LUC INSPECTION NOTATIONS NWIRP BETHPAGE, NEW YORK

FILE	SCALE AS NOTED
FIGURE NO. 3	REV DATE

NOR:\iis230fs\1\local\Projects\GIS_files\Bethpage\MAP_DOCS\MXD\2021_LUC\Figure_3.mxd MMC

This page intentionally left blank

APPENDIX B

SITE INTERVIEWS AND PHOTOGRAPHIC LOG

This page intentionally left blank

2021 Land Use Control (LUC) Inspection Interview Questions NWIRP Bethpage

This interview was conducted on August 24, 2021 with Jason Pelton and Don Hessler, NYSDEC Project Managers and James Sullivan, NYSDOH Project Manager. Following the interview, Tetra Tech personnel (Dave Brayack, Vin Varricchio & Ernie Wu) accompanied Jason, Don and James to visit each site in person. Photo documentation is attached as an addendum. This interview summarizes the site conditions January 1, 2021 through August 24, 2021.

Site 1 – Former Drum Marshalling Area

Have there been any significant changes in the last year?

Jason, Don and James concurred that there were no significant changes on site.

What activities have taken place during the last year?

Jason, Don and James concurred that trees were planted along the eastern site boundary to provide a visual screen to nearby residents.

Have there been any issues on site?

Jason noted that he had received a call from a nearby resident stating that some of the newly planted trees were dying.

Note: during the site visit, approximately 15 trees were observed to be dying.

Site 2 – Recharge Basins

Have there been any significant changes in the last year?

Jason, Don and James concurred that there were no significant changes on site in the last year.

What activities have taken place during the last year?

Jason, Don and James concurred that no notable activities had taken place during the last year.

Have there been any issues on site?

Jason, Don and James concurred that there were no notable issues on site during the last year.

Note: during the site visit, excessive erosion was noted on the southwest corner of the northeastern basin.

Site 3 – Former Salvage Storage Area

Have there been any significant changes in the last year?

Jason, Don and James concurred that there were no significant changes on site in the last year.

What activities have taken place during the last year?

Jason, Don and James concurred that no notable activities had taken place during the last year.

Have there been any issues on site?

Jason, Don and James concurred that there were no notable issues on site during the last year.

Site 4 – Former UST Area

Have there been any significant changes in the last year?

Jason, Don and James concurred that there were no significant changes on site in the last year.

What activities have taken place during the last year?

Jason, Don and James concurred that no notable activities had taken place during the last year.

Have there been any issues on site?

Jason, Don and James concurred that there were no notable issues on site during the last year.

Note: during the site visit, approximately 25 drums were observed on site. These drums contained soil and groundwater that were produced during recent monitoring well installation on site. They were properly staged and labeled.

OU-2 – Groundwater

Have there been any significant changes in the last year?

Jason, Don and James concurred that there were no significant changes on site, and they had no knowledge of on or off-site groundwater use.

What activities have taken place during the last year?

Jason, Don and James concurred that the Navy is conducting on-going investigation and monitoring activities of off-site groundwater. They also had no knowledge of any new public supply wells being installed.

Have there been any issues on site?

Jason, Don and James concurred that there were no notable issues on site during the last year.

Note: an Advanced Oxidation Process (AOP) system was installed at the GM-38 groundwater treatment facility and was visited.

Photo Documentation – August 24, 2021

Site 1:

Eastern boundary of Site 1 looking southeast at distressed trees



Eastern boundary of Site 1 looking southeast at distressed trees



Southeast corner of Site 1 looking northwest within fenced in area of Site 1



Site 2:

View looking north at area of erosion on the northeast recharge basin



View looking west at area of erosion



View looking south at southeastern recharge basin



Site 4:

Northwest corner of Site 4 facing southeast looking at warehouse and fenced in area



OU 2 Groundwater:

View of newly installed AOP system at GM-38 groundwater treatment facility



APPENDIX C

WELL INVENTORY DOCUMENTATION

This page intentionally left blank




GROUNDWATER FLOW

Legend


- On Property Monitoring Well
- 9 Acre Parcel
- Site Boundary
- 1997 NWIRP Bethpage Property
- 1962 Northrop Grumman Property (Bethpage Community Park)
- OU3 Interim Remedial Measure Treatment System

ESRI Aerial Imagery 2/17/2019




**ON PROPERTY MONITORING WELLS
NWIRP BETHPAGE
BETHPAGE, NEW YORK**

		Naval Facilities Engineering Systems Command	
DRAWN BY	DATE	CTO	
MC	12/18/20	112G08005-WE-13	
CHECKED BY	DATE	FIGURE NUMBER	
VV	12/18/20	C-1	



Legend

- ★ Public Water Supply Well with VOC Treatment
- ⊕ Public Water Supply Well without VOC Treatment
- Remediation Well
- ▭ Plant 5- Recharge Basins
- ▭ 1962 Northrop Grumman Property
- ▭ Hooker Ruco Superfund Site
- ▭ 1997 NWIRP Bethpage Property
- ▭ 1997 Northrop Grumman Property
- ▭ Bethpage Community Park OU3 Plume



2016 NYGIS Clearinghouse Aerial Imagery



**PUBLIC WATER SUPPLY WELLS
WITH VOC TREATMENT
NWIRP BETHPAGE
BETHPAGE, NEW YORK**

FILE	112G08005-WE18	SCALE	AS NOTED
FIGURE NO.	C-3	REV	DATE
			9/28/2021

9/28/2021 NOR P:\GIS_files\Bethpage\MAP DOCS\MXD\2019_INV\BP_well_treatment_022519.mxd MMC

This page intentionally left blank

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
BPGMMW15D	9/13/2021	210625.108	1127034.199	332-342	GOOD	
BPGMMW15D2	9/13/2021	210611.89	1127076.9	536-556	GOOD	
BPGMMW15S	9/13/2021	210594.128	1127057.049	63-67	GOOD	
BPGMMW17D	9/22/2021	211382.161	1122827.429	278-298	GOOD	
BPGMMW17I	9/22/2021	211391.428	1122830.969	100-120	GOOD	Could not thread new bolt through manhole cover
BPGMMW21D	9/22/2021	209428	1125462	278-288	GOOD	Could not thread bolts through manhole cover
BPGMMW21D2	9/22/2021	209438	1125464		GOOD	
BPGMMW21I	9/22/2021	209438	1125464	130-140	GOOD	
BPGMMW39DA	9/23/2021	209882	1124170	262-282	FAIR	Below grade, bolts stripped, and manhole chipped
BPGMMW39DB	9/23/2021	209884	1124173	410-420	FAIR	Below grade, bolts stripped, and needs fill
BPGMMW73D2	9/23/2021	209851.283	1124674.455	532-552	GOOD	Likely to get lost, below grade 2-3 in
BPGMMW74D	9/23/2021	209744.899	1126035.206	94-114	GOOD	
BPGMMW74D2	9/23/2021	209746.16	1126020.47	295-305	FAIR	
BPGMMW74D3	9/23/2021	209747.443	1126004.41878	542-562	GOOD	
BPGMMW74I	9/23/2021	209744.899	1126035.206	94-114	GOOD	
BPGMMW75D2	9/22/2021	208,507.00	1,124,246.00	505-525	GOOD	
BPGMMW78D	9/22/2021				GOOD	
BPGMMW78D2	9/22/2021				GOOD	
BPGMMW78I	9/22/2021	209362	1123624	90-100	GOOD	
BPGMMW78S	9/22/2021	209359	1123618	60-70	GOOD	
BPGMMW79D	9/22/2021	208856	1127534	280-290	GOOD	
BPGMMW79I	9/22/2021	208857	1127550	170-180	GOOD	
BPHNMW24IR	9/23/2021	214,063.74	1,123,251.03	148-158	GOOD	
BPHNMW24S	9/23/2021	214,054.46	1,123,265.87	48.6-58.6	GOOD	No lock on well plug. Slip cap installed on well.

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
BPHNMW27I	9/23/2021	214,405.60	1,124,952.18	100-110	POOR	Well is missing the security casing lid. Also no locks on well. No concrete pad. Well installed as stickup.
BPHNMW27S	9/23/2021	214,421.96	1,124,934.89	44-54	POOR	Cannot close security casing lid due to height of pvc well casing. No concrete pad observed. No locks on well. Well installed as stickup.
BPHNMW29D	9/22/2021	213933.694	1124704.902	210-220	FAIR	Cracked well pad, missing one bolt, missing rubber gasket.
BPHNMW29I	9/22/2021	213928.573	1124685.862	120-130	FAIR	One missing bolt, one broken bolt, one stripped bolt, broken rubber gasket.
BPHNMW40I	9/22/2021	212473	1125986	108-118	FAIR	Bolts stripped
BPHNMW40S	9/22/2021	212474.1604	1126042.8203	49-59	GOOD	
BPHNMW42I	9/22/2021	213879.1202	1126065.7364	100-110	FAIR	
BPHNMW42S	9/22/2021	213792	1126065	50-60	GOOD	Bolts stripped
BPOW 1-1	9/22/2021	202008.734	1132151.643	196-241	GOOD	Could use new bolts
BPOW 1-2	9/22/2021	202009.697	1132173.169	310-335	GOOD	Could use new bolts
BPOW 1-3	9/22/2021	202010.024	1132189.152	374-419	GOOD	Could use new bolts
BPOW 1-4	9/22/2021	203327.989	1132135.673	340-400	FAIR	Needs 4-5 ft of fill
BPOW 1-5	9/22/2021	203315.538	1132141.261	600-650	GOOD	
BPOW 1-6	9/22/2021	203299.025	1132142.003	700-750	GOOD	
BPOW 1-8	9/14/2021			600-640	GOOD	
BPOW 2-1	9/21/2021	199726.122	1127424.086	356-396	GOOD	Threaded part of bolt broken off inside manhole cover.
BPOW 2-2	9/21/2021	199726.254	1127412.832	455-495	GOOD	
BPOW 2-3	9/21/2021	199725.231	1127377.781	564-594	GOOD	
BPOW 3-1	9/21/2021	198628.43	1124804.492	426-516	GOOD	
BPOW 3-2	9/21/2021	198664.297	1124757.479	612-647	GOOD	
BPOW 3-3	9/21/2021	199565.166	1125394.146	580-620	GOOD	

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
BPOW 3-4	9/21/2021	199566.193	1125377.086	640-690	GOOD	
BPOW 3-5	9/22/2021			740-760	GOOD	
BPOW 4-1R	9/21/2021	200281.26	1123067.51	652-692	GOOD	
BPOW 4-2R	9/21/2021	200691.91	1123200.04	725-765	GOOD	
BPOW 5-1	9/22/2021	198399.79	1127145.842	480-510	GOOD	
BPOW 5-2	9/22/2021	198410.857	1127152.768	540-580	FAIR	One bolt broken off in threaded ear of flush-mount.
BPOW 5-3	9/22/2021	198389.891	1127156.801	620-660	FAIR	Bolts present. The threaded ears on flush-mount are stripped and bolts will not tighten.
BPOW 5-4	9/14/2021	196471.55	1125307.44	545-570	GOOD	
BPOW 5-5	9/21/2021	197285.18896	1126291.2685	515-540	GOOD	
BPOW 5-6	9/21/2021	197327.15	1126285.56	585-610	GOOD	
BPOW 5-7	9/22/2021	197274.15	1128702.39	525-550	GOOD	
BPOW 6-1	9/22/2021	193228.16	1126796.92	550-575	FAIR	Bolts present. Threaded ears on flush-mount are stripped. Bolts will not tighten.
BPOW 6-2	9/22/2021	193253.75	1126785.34	755-780	GOOD	
BPOW 6-3	9/22/2021	194106.07	1127582.36	750-775	GOOD	
BPOW 6-4	9/22/2021	194127	1127580.66	545-570	FAIR	Bolts are present but the threaded ears on flush-mount base are stripped. Bolts won't tighten.
BPOW 6-5	9/22/2021	194045.49	1128178.28	525-550	GOOD	
BPOW 6-6	9/22/2021	194044.59	1128163.72	770-795	GOOD	
BPOW 1-7	9/14/2021	201889.306192	1130750.23056		GOOD	
BPS1FWMW01	9/23/2021	213,962.95	1,124,963.13	48.5-63.5	GOOD	Well installed as stickup.
BPS1FWMW02	9/23/2021	213,967.37	1,124,866.32	52-67	GOOD	Well installed as stickup.
BPS1FWMW03	9/23/2021	213,978.52	1,124,733.42	52-67	GOOD	Well installed as stickup.
BPS1-TT-MW301D	9/22/2021	214562.648	1124880.908	210-220	GOOD	

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
BPS1-TT-MW301I	9/22/2021	214566.279	1124906.201	130-140	FAIR	Cracked well pad, broken rubber gasket, labelled "I" under manhole cover
BPS1-TT-MW301S	9/22/2021	214560.42	1124865.194	51-61	FAIR	Missing rubber gasket.
BPS1-TT-MW302D	9/22/2021	213814.24	1124230.805	203-213	GOOD	
BPS1-TT-MW3021I	9/22/2021	213812.87	1124251.046	110-120	POOR	Cracked well cover, missing all bolts, missing rubber gasket.
BPS1-TT-MW302S	9/22/2021	213812.671	1124261.772	41-51	GOOD	
BPS1-TT-MW303D	9/23/2021	213,779.29	1,124,550.69	208-218	GOOD	
BPS1-TT-MW3031I	9/22/2021	213778.636	1124572.255	95-105	GOOD	Missing rubber gasket.
BPS1-TT-MW303I2	9/22/2021	213779.054	1124562.054	146-156	FAIR	Missing two bolts.
BPS1-TT-MW303S	9/22/2021	213778.188	1124583.496	46-56	FAIR	Cracked well pad, water inside well casing
BPS1-TT-MW304D	9/22/2021	213692.271	1124994.753	180-190	GOOD	
BPS1-TT-MW304I2	9/22/2021	213705.436	1124989.868	140-150	FAIR	
BPS1-TT-MW305D	9/22/2021	213405.975	1123949.183	286-296	POOR	Cracked well pad, missing one bolt, two bolts stripped, missing rubber gasket.
BPS1-TT-MW305I	9/22/2021	213408.557	1123939.487	190-200	FAIR	Cracked well pad, missing rubber gasket.
BPS1-TT-MW305S	9/22/2021	213411.021	1123930.127	40-50	FAIR	Cracked well pad, missing rubber gasket.
BPS1-TT-MW306D	9/22/2021	213380.799	1124409.899	284-294	GOOD	Stick-up well
BPS1-TT-MW306I	9/22/2021	213382.124	1124399.458	189-199	GOOD	Stick-up well.
BPS1-TT-MW306S	9/22/2021	213383.55	1124387.814	50-60	GOOD	Stick-up well.
BPS1-TT-MW307D	9/13/2021	213357.307	1124926.918	276-286	FAIR	Poor well pad (sunk and cracked)
BPS1-TT-MW307I	9/13/2021	213353.775	1124914.838	188-198	FAIR	Poor well pad (sunk and cracked)
BPS1-TT-MW307S	9/13/2021	213350.824	1124901.871	40.5-50.5	FAIR	No manhole cover, poor well pad, no bolts
BPS1-TT-MW308D	9/23/2021	214965.9	1124935.6	250-260	FAIR	Bolts stripped.
BPS1-TT-MW308I	9/23/2021	214972.2	1124923.7	156-166	FAIR	All bolts broken/missing.
BPS1-TT-MW308S	9/23/2021	214977.9	1124910.2	54-64	FAIR	Three bolts broken.
BPS1-TT-MW309D	9/23/2021	215208.441	1125028.421	252-262	GOOD	All bolts missing, broken rubber gasket.
BPS1-TT-MW309I	9/22/2021	215209.932	1125016.144	160-170	GOOD	

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
BPS1-TT-MW309S	9/22/2021	215212.06	1124997.916	53-63	GOOD	
BPS1-TT-MW310S	9/23/2021	215489.753	1124093.163	57.5-67.5	FAIR	All bolts stripped.
BPS1-TT-MW311I	9/23/2021	215422.011	1124599.099	160-170	FAIR	Missing one bolt.
BPS1-TT-MW311S	9/23/2021	215423.402	1124594.444	55-65	FAIR	Needs fill.
BPS1-TT-MW312I	9/23/2021	215327.647	1125165.865	160-170	GOOD	Stick-up well.
BPS1-TT-MW312S	9/23/2021	215322.312	1125165.285	53-63	GOOD	Stick-up well.
BPS1-TT-MW313S	9/23/2021	215,126.40	1,125,591.27	53-63	GOOD	Well installed as stickup.
BPS1-TT-MW314I	9/23/2021	214,566.40	1,125,557.47	144-154	GOOD	Well installed as stickup.
BPS1-TT-MW314S	9/23/2021	214,555.48	1,125,571.01	55-65	GOOD	Well installed as stickup.
BPTTAOC22MW03	9/22/2021	214146.208333	1123683.95833	45.5-65.5	FAIR	Missing one bolt, missing rubber gasket.
BPTTAOC22MW04	9/22/2021	214026.062685	1123644.93391	46-66	FAIR	Missing two bolts, missing rubber gasket.
BPTTAOC22MW05	9/22/2021	214173	1123702	47-67	POOR	Abandoned well, missing rubber gasket, missing all two bolts.
BPTTAOC22MW06	9/22/2021	213898.349824	1123746.01449	52-62	FAIR	Both bolts stripped, missing one bolt, missing rubber gasket.
BPTTAOC22MW07	9/22/2021	213883.666163	1123660.8565	52-62	FAIR	Missing one bolt.
BPTTAOC22MW08	9/22/2021	213932.291179	1123576.0651	52-62	FAIR	Missing three bolts, missing rubber gasket.
BPTTAOC22MW09	9/21/2021	214007.819715	1123539.30462	52-62	FAIR	New bolts could not be threaded through manhole cover
BPTTAOC22MW10	9/22/2021	213950.533507	1123833.5788	49-59	FAIR	Missing all three bolts.
BPTTAOC22MW11	9/22/2021	214145.28085	1123547.94787	53-63	FAIR	Missing three bolts, missing rubber gasket.
BP-TT-MW178I	9/21/2021			290-310	FAIR	Needs fill.
BP-TT-MW178I1	9/21/2021			420-440	FAIR	Needs fill
BP-TT-MW178S	9/21/2021			190-210	FAIR	Needs fill.
BP-TT-MW179D	9/15/2021			212-232	GOOD	
BP-TT-MW179D1	9/16/2021			305-325	GOOD	
BP-TT-MW179D2	9/15/2021			400-420	GOOD	
BP-TT-MW180D	9/15/2021			220-240	GOOD	

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
BP-TT-MW180D1	9/15/2021			580-600	GOOD	
BP-TT-MW180D2	9/15/2021			710-730	GOOD	
BP-TT-MW181S	9/14/2021			210-230	GOOD	
BP-TT-MW201D	9/19/2021	214069.5	1123138.5	335-350	GOOD	
BP-TT-MW201D1	9/19/2021	214055.8	1123155.3	480-500	FAIR	All three bolts snapped
BP-TT-MW202D	9/19/2021	215062	1122983.6	335-350	FAIR	Snapped bolt
BP-TT-MW202D1	9/19/2021	215078.6	1122982.4	425-440	FAIR	Snapped bolt
BP-TT-MW202I	9/19/2021	215088.1	1122994.8	140-150	GOOD	New
BP-TT-MW202S	9/19/2021	215099.9	1122993.3	54-64	FAIR	Snapped bolt
BP-TT-MW203D	9/23/2021	215513	1123748	275-290	FAIR	Cracked well pad, missing rubber gasket.
BP-TT-MW203D1	9/23/2021	215510.7	1123763.1	335-350	FAIR	Cracked well pad.
BP-TT-MW203D2	9/23/2021	215507.2	1123778	435-450	FAIR	Cracked well pad.
BP-TT-MW203I	9/23/2021	215525.6	1123810	136-146	GOOD	
BP-TT-MW204I	9/22/2021	214590.42848	1123023.60859	142-152	GOOD	
BP-TT-MW204S	9/22/2021	214592.181952	1123034.79783	50-60	GOOD	
EAUA-MW-01S	9/22/2021				GOOD	
EAUA-MW-02S	9/22/2021				GOOD	
EAUA-MW-03S	9/22/2021				GOOD	
EAUA-MW-04S	9/22/2021				GOOD	
GM-17SR	9/22/2021	211377.743056	1122835.51042		GOOD	Bolts stripped
GM38D	9/22/2021	206354	1128945	320-340	POOR	Burried under sod and possible collapsing pad
GM38D2	9/22/2021	206338	1128953	475-495	POOR	Burried under sod and possible collapsing pad
GM38-IW1-MW1	9/22/2021	205682.3	1129723	130-150	GOOD	Overgrown foilage
GM38-RW1-MW1	9/13/2021	206068.116	1129607.668	395-435	FAIR	Missing seal
GM38-RW1-MW2	9/13/2021	206077.6	1129746.4	395-435	FAIR	No bolts (missing two), inadequate well pad

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
GM38-RW1-MW3	9/13/2021	206502.7	1130071.3	395-435	GOOD	
GM38-RW2-MW1	9/13/2021	206433	1129248.1	470-510	POOR	Missing two bolts, missing tubing, undercut well pad, broken well cover
GM38-RW2-MW2	9/22/2021	206384.7	1129179.1	470-510	GOOD	
GM38-RW2-MW3	9/22/2021	206388.3	1129262.3	470-510	GOOD	
GM38-RW3-MW1	9/13/2021	206560.3	1128455	475-495	FAIR	Missing one bolt, no seal
GM38-RW3-MW2	9/13/2021	206545	1128454.5	330-350	FAIR	Missing one bolt, bad stabilizer, missing tubing
GM38-RW3-MW3	9/13/2021	206763.9	1128986.6	320-340	FAIR	Missing two bolts
GM38-RW3-MW4	9/13/2021	206759.7	1128970.5	475-495	FAIR	Missing two bolts, bad fill/stabilizer
GM38-TP-1	9/22/2021	206472.6	1129712	450-470	GOOD	
RE103D1	9/20/2021	206694.59	1125111.764	625-640	FAIR	All bolts stripped, missing rubber gasket, needs fill
RE103D2	9/20/2021	206692.993	1125160.339	653-673	FAIR	All bolts stripped
RE103D3	9/20/2021	206693.459	1125144.905	715-730	FAIR	All bolts stripped, needs fill
RE104D1	9/21/2021	207037.186215	1127745.67815	350-370	GOOD	Missing two bolts, missing rubber gasket.
RE104D2	9/21/2021	207000.03614	1127708.99093	710-730	FAIR	Both bolts stripped, missing rubber gasket.
RE104D3	9/21/2021	206993.50182	1127695.55436	760-780	FAIR	Both bolts stripped, missing rubber gasket
RE105D1	9/17/2021	205,072.87	1,126,664.43	530-550	GOOD	
RE105D1	9/17/2021	205,072.87	1,126,664.43	530-550	GOOD	
RE105D2	9/17/2021	205,064.02	1,126,652.42	730-750	GOOD	
RE105D2	9/17/2021	205,064.02	1,126,652.42	730-750	GOOD	
RE106D1	9/22/2021	209375.211689	1122871.78883	440-460	GOOD	
RE106D2	9/22/2021	209390.528269	1122872.74612	480-490	GOOD	
RE106D3	9/22/2021	209335.962952	1122868.91698	510-530	GOOD	
RE107D1	9/22/2021	208546.42	1123823.36	505-525	GOOD	
RE107D2	9/22/2021	208558.7	1123830.8	560-580	GOOD	
RE107D3	9/22/2021	208495.32	1123759.78	645-665	GOOD	

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
RE108D1	9/17/2021	207,665.03	1,125,499.54	530-550	GOOD	
RE108D2	9/17/2021	207,663.29	1,125,484.08	630-650	GOOD	
RE109D1	9/22/2021	208538.659716	1126654.17272	515-535	GOOD	
RE109D2	9/22/2021	208580.6727	1126656.46753	550-570	FAIR	Missing rubber gasket.
RE109D3	9/22/2021				GOOD	
RE114D1	9/21/2021	201728.64	1124289.94	535-550	GOOD	
RE114D2	9/21/2021	201710.25	1124365.4	610-630	GOOD	
RE114D3	9/21/2021	201719.48	1124277.84	700-720	GOOD	
RE115D1	9/15/2021	201004.250202	1125721.2869	640-655	GOOD	
RE115D2	9/15/2021	201012.40385	1125747.40209	730-750	GOOD	
RE116D1	9/14/2021	202312.88	1128388.54	570-590	GOOD	
RE117D1	9/14/2021	196462.44	1125318.92	730-755	GOOD	
RE117D2	9/14/2021	196455.23	1125332.7	780-805	GOOD	
RE118D1	9/21/2021	197298.81	1126290.8	765-790	GOOD	
RE119D1	9/22/2021	197245.89	1128694.84	715-740	GOOD	
RE120D1	9/17/2021	204618.12	1125061.88	630-650	GOOD	
RE120D2	9/17/2021	204576.78	1125060.08	690-710	GOOD	
RE120D3	9/17/2021	204590.37	1125060.7	740-760	GOOD	
RE121D1	9/22/2021	203062.13	1126707.85	550-570	GOOD	
RE121D2	9/22/2021	203003.36	1126663.5	730-750	GOOD	
RE122D1	9/20/2021	207818.19	1124982.01	520-540	GOOD	
RE122D2	9/20/2021	207788.843682	1124978.90771	590-610	GOOD	
RE122D3	9/20/2021	207774.52	1124980.63	715-735	GOOD	
RE123D1	9/18/2021	209894.44	1124871.2	480-500	FAIR	Below grade, needs fill
RE123D2	9/18/2021	209887.34	1124886.22	635-655	GOOD	Could use fill
RE123D3	9/18/2021	209912.23	1124860.24	815-835	GOOD	Stripped bolt, Could use fill
RE124D1	9/21/2021	202702.46	1122969.8	660-680	GOOD	

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
RE124D2	9/21/2021	202685.97	1122972.34	730-750	GOOD	
RE125D1	9/17/2021	204730.49	1124477.58	320-340	GOOD	
RE125D2	9/17/2021	204725.38	1124490.61	580-600	GOOD	
RE125D3	9/17/2021	204720.38	1124512.93	670-690	GOOD	Rope connector
RE126D1	9/20/2021	208553.86	1125643	500-520	FAIR	All bolts stripped.
RE126D2	9/20/2021	208584.28	1125643.78	555-575	GOOD	
RE126D3	9/20/2021	208568.11	1125643.6	640-660	FAIR	Concrete pad has cracks, all bolts stripped.
RE127D1	9/22/2021	199120.06	1131245.1	660-680	GOOD	
RE127D2	9/22/2021	199105.31	1131245.65	755-775	GOOD	
RE128D1	9/21/2021	200556.421231	1129214.87395	660-680	FAIR	Could not thread bolts through manhole cover
RE128D2	9/21/2021	200537.7	1129203.48	735-755	FAIR	Bolts would not thread into manhole cover
RE129D1	9/22/2021	196086.63	1124099.54	690-710	GOOD	
RE129D2	9/22/2021	196073.15	1124074.2	805-825	GOOD	
RE130D1	9/22/2021	197584.95509	1122360.2922	555-575	GOOD	
RE130D2	9/22/2021	197605.107397	1122370.72401	640-660	GOOD	
RE131D1	9/15/2021	204367.45	1123114.27	430-450	FAIR	Snapped bolt, minor cracking
RE131D2	9/15/2021	204359.42	1123099.42	565-590	GOOD	Minor cracking
RE131D3	9/15/2021	204350.99	1123115.19	660-680	FAIR	Minor cracking of well pad
RE132D1	9/14/2021	203063.35272	1125662.70266	220-240	GOOD	No datalogger
RE132D2	9/14/2021	203115.870081	1125692.65057	330-350	FAIR	One bolt snapped, needs fill
RE132D3	9/14/2021	203115.935552	1125709.72609	500-520	GOOD	
RE132D4	9/14/2021	203116.164447	1125724.39636	560-580	GOOD	
RE132D5	9/14/2021	203081.756345	1125716.59683	610-630	GOOD	
RE132D6	9/14/2021	203031.834656	1125662.73591	685-705	GOOD	
RE132D7	9/14/2021	203046.411837	1125661.82581	743-758	GOOD	
RE133D1	9/21/2021	193975.82	1126227.64	560-580	GOOD	

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

**Well Inventory Data
2021 Well Inventory Report
NWIRP Bethpage, New York**

Well ID	Date	Northing	Easting	Screen Interval	Well Condition*	Notes
RE133D2	9/21/2021	193991.82	1126227.06	780-800	GOOD	
RE134D1	9/15/2021	206193.848977	1123302.32141	325-345	FAIR	Snapped bolt
RE134D2	9/15/2021	206191.681194	1123304.48919	510-530	GOOD	
RE134D3	9/15/2021	206167.835578	1123295.81806	600-620	GOOD	
RE134D4	9/15/2021	206154.828879	1123280.64358	665-685	GOOD	Snapped bolt
RE135D1	9/15/2021	204601.68	1120806.68	410-430	GOOD	
RE135D2	9/15/2021	204569.37	1120786.64	545-565	GOOD	
RE135D3	9/15/2021	204567.99	1120801.87	640-660	GOOD	
RE137	9/22/2021	204415.52776	1125691.57156		GOOD	No bolts. Well has manhole cover. No lock present on well cover. Slip fit well cover installed.
RE139D1	9/15/2021	198615.87	1124858.07	650-670	GOOD	
RE139D2	9/15/2021	198600.08	1124864.9	740-760	GOOD	
TT101D	9/21/2021	203545.488	1125462.038	325-345	FAIR	Needs fill/ missing rubber gasket.
TT101D1	9/21/2021	203545.086	1125484.11	570-590	FAIR	Missing one bolt
TT101D2	9/21/2021	203545.377	1125454.308	740-760	GOOD	
TT102D	9/22/2021	195341.937	1127148.911	560-600	GOOD	No flush-mount manhole or bolts at this well. Well installed as stickup.
TT102D2	9/22/2021	195346.266	1127132.843	740-770	GOOD	No lock on well plug. Slip cap installed on well.

*All wells in Fair/Poor condition will be repaired and/or addressed prior to the next Annual Well Inventory to the extent practicable

Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:17	Personnel: Wyatt Bostick
Well ID: BPGMMW74I	Well Location: 209744.899 1126035.206
Well Status: Other	Screen Interval: 94-114
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:13	Personnel: Wyatt Bostick
Well ID: BPGMMW74D	Well Location: 209744.899 1126035.206
Well Status: Other	Screen Interval: 94-114
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:06	Personnel: Wyatt Bostick
Well ID: BPGMMW74D2	Well Location: 209746.16 1126020.47
Well Status: Other	Screen Interval: 295-305
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 09:58	Personnel: Wyatt Bostick
Well ID: BPGMMW74D3	Well Location: 209747.443 1126004.41878
Well Status: Other	Screen Interval: 542-562
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 16:19	Personnel: Wyatt Bostick
Well ID: BP-TT-MW179D2	Well Location:
Well Status: Other	Screen Interval: 400-420
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 16:22	Personnel: Wyatt Bostick
Well ID: BP-TT-MW179D	Well Location:
Well Status: Other	Screen Interval: 212-232
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 16:22	Personnel: Wyatt Bostick
Well ID: BPOW 1-8	Well Location:
Well Status: Other	Screen Interval: 600-640
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 15:56	Personnel: Wyatt Bostick
Well ID: BPOW1-7	Well Location: 201889.306192 1130750.23056
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 16:05	Personnel: Wyatt Bostick
Well ID: BP-TT-MW181S	Well Location:
Well Status: Other	Screen Interval: 210-230
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 20, 2021 14:27	Personnel: Noah Sprouse
Well ID: RE126D2	Well Location: 208584.28 1125643.78
Well Status: Other	Screen Interval: 555-575
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 20, 2021 14:21	Personnel: Noah Sprouse
Well ID: RE126D3	Well Location: 208568.11 1125643.6
Well Status: Other	Screen Interval: 640-660
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Concrete pad has cracks, all bolts stripped.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 20, 2021 14:12	Personnel: Noah Sprouse
Well ID: RE126D1	Well Location: 208553.86 1125643
Well Status: Other	Screen Interval: 500-520
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) All bolts stripped.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 20, 2021 08:24	Personnel: Noah Sprouse
Well ID: RE103D1	Well Location: 206694.59 1125111.764
Well Status: Other	Screen Interval: 625-640
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) All bolts stripped, missing rubber gasket, needs fill	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 19, 2021 15:07	Personnel: Noah Sprouse
Well ID: BP-TT-MW201D1	Well Location: 214055.8 1123155.3
Well Status: Other	Screen Interval: 480-500
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) All three bolts snapped. Use this one (has both pictures).	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 19, 2021 15:03	Personnel: Noah Sprouse
Well ID: BP-TT-MW201D	Well Location: 214069.5 1123138.5
Well Status: Other	Screen Interval: 335-350
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Use this one (has both pictures).	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 12:05	Personnel: Noah Sprouse
Well ID: RE120D3	Well Location: 204590.37 1125060.7
Well Status: Other	Screen Interval: 740-760
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 11:59	Personnel: Noah Sprouse
Well ID: RE120D1	Well Location: 204618.12 1125061.88
Well Status: Other	Screen Interval: 630-650
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 08:13	Personnel: Noah Sprouse
Well ID: RE125D2	Well Location: 204725.38 1124490.61
Well Status: Unknown	Screen Interval: 580-600
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 08:11	Personnel: Wyatt Bostick
Well ID: RE125D3	Well Location: 204720.38 1124512.93
Well Status: Other	Screen Interval: 670-690
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Rope connector	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 08:07	Personnel: Noah Sprouse
Well ID: RE125D1	Well Location: 204730.49 1124477.58
Well Status: Other	Screen Interval: 320-340
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 16, 2021 13:56	Personnel: Noah Sprouse
Well ID: BP-TT-MW179D1	Well Location:
Well Status: Other	Screen Interval: 305-325
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 11:57	Personnel: Wyatt Bostick
Well ID: RE131D2	Well Location: 204359.42 1123099.42
Well Status: Other	Screen Interval: 565-590
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Minor cracking	

PHOTO LOG:



Client: Navy CLEA	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 11:50	Personnel: Wyatt Bostick
Well ID: RE131D1	Well Location: 204367.45 1123114.27
Well Status: Other	Screen Interval: 430-450
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Snapped bolt, minor cracking	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 11:17	Personnel: Wyatt Bostick
Well ID: RE134D1	Well Location: 206193.848977 1123302.32141
Well Status: Other	Screen Interval: 325-345
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Snapped bolt	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 11:14	Personnel: Wyatt Bostick
Well ID: RE134D2	Well Location: 206191.681194 1123304.48919
Well Status: Other	Screen Interval: 510-530
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 11:11	Personnel: Wyatt Bostick
Well ID: RE134D3	Well Location: 206167.835578 1123295.81806
Well Status: Other	Screen Interval: 600-620
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 11:07	Personnel: Wyatt Bostick
Well ID: RE134D4	Well Location: 206154.828879 1123280.64358
Well Status: Other	Screen Interval: 665-685
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Snapped bolt	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 10:47	Personnel: Wyatt Bostick
Well ID: RE135D1	Well Location: 204601.68 1120806.68
Well Status: Other	Screen Interval: 410-430
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 11:55	Personnel: Noah Sprouse
Well ID: TT101D1	Well Location: 203545.086 1125484.11
Well Status: Other	Screen Interval: 570-590
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing one bolt	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 10:42	Personnel: Wyatt Bostick
Well ID: RE135D3	Well Location: 204567.99 1120801.87
Well Status: Other	Screen Interval: 640-660
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 10:38	Personnel: Wyatt Bostick
Well ID: RE135D2	Well Location: 204569.37 1120786.64
Well Status: Other	Screen Interval: 545-565
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 10:16	Personnel: Wyatt Bostick
Well ID: RE131D3	Well Location: 204350.99 1123115.19
Well Status: Other	Screen Interval: 660-680
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Minor cracking of well pad	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 13:35	Personnel: Wyatt Bostick
Well ID: RE132D3	Well Location: 203115.935552 1125709.72609
Well Status: Other	Screen Interval: 500-520
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 13:28	Personnel: Wyatt Bostick
Well ID: RE132D5	Well Location: 203081.756345 1125716.59683
Well Status: Other	Screen Interval: 610-630
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 13:11	Personnel: Wyatt Bostick
Well ID: RE132D6	Well Location: 203031.834656 1125662.73591
Well Status: Other	Screen Interval: 685-705
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 12:40	Personnel: Wyatt Bostick
Well ID: RE116D1	Well Location: 202312.88 1128388.54
Well Status: Other	Screen Interval: 570-590
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 12:21	Personnel: Wyatt Bostick
Well ID: RE132D2	Well Location: 203115.870081 1125692.65057
Well Status: Other	Screen Interval: 330-350
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) One bolt snapped, needs fill	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 12:16	Personnel: Wyatt Bostick
Well ID: RE132D4	Well Location: 203116.164447 1125724.39636
Well Status: Other	Screen Interval: 560-580
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 12:11	Personnel: Wyatt Bostick
Well ID: RE132D7	Well Location: 203046.411837 1125661.82581
Well Status: Other	Screen Interval: 743-758
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 12:02	Personnel: Wyatt Bostick
Well ID: RE132D1	Well Location: 203063.35272 1125662.70266
Well Status: Other	Screen Interval: 220-240
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) No datalogger	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 16:51	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW307S	Well Location: 213350.824 1124901.871
Well Status: Other	Screen Interval: 40.5-50.5
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	NO
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) No manhole cover, poor well pad, no bolts	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 16:47	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW307I	Well Location: 213353.775 1124914.838
Well Status: Other	Screen Interval: 188-198
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Poor well pad (sunk and cracked)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 16:44	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW307D	Well Location: 213357.307 1124926.918
Well Status: Other	Screen Interval: 276-286
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Poor well pad (sunk and cracked)	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 15:09	Personnel: Noah Sprouse
Well ID: GM38-RW1-MW3	Well Location: 206502.7 1130071.3
Well Status: Other	Screen Interval: 395-435
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 14:42	Personnel: Noah Sprouse
Well ID: GM38-RW1-MW2	Well Location: 206077.6 1129746.4
Well Status: Other	Screen Interval: 395-435
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) No bolts (missing two), inadequate well pad	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 14:20	Personnel: Noah Sprouse
Well ID: GM38-RW1-MW1	Well Location: 206068.116 1129607.668
Well Status: Other	Screen Interval: 395-435
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing seal	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 13:38	Personnel: Noah Sprouse
Well ID: GM38-RW2-MW1	Well Location: 206433 1129248.1
Well Status: Other	Screen Interval: 470-510
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	NO
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	POOR
Notes (Explain if answered No to any of the above) Missing two bolts, missing tubing, undercut well pad, broken well cover	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 13:28	Personnel: Noah Sprouse
Well ID: GM38-RW3-MW3	Well Location: 206763.9 1128986.6
Well Status: Other	Screen Interval: 320-340
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing two bolts	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 13:25	Personnel: Noah Sprouse
Well ID: GM38-RW3-MW4	Well Location: 206759.7 1128970.5
Well Status: Other	Screen Interval: 475-495
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing two bolts, bad fill/stabilizer	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 13:10	Personnel: Noah Sprouse
Well ID: GM38-RW3-MW2	Well Location: 206545 1128454.5
Well Status: Other	Screen Interval: 330-350
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	NO
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing one bolt, bad stabilizer, missing tubing	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 13:05	Personnel: Noah Sprouse
Well ID: GM38-RW3-MW1	Well Location: 206560.3 1128455
Well Status: Other	Screen Interval: 475-495
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing one bolt, no seal	

PHOTO LOG:


Client: Navy CLE	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 12:05	Personnel: Noah Sprouse
Well ID: TT101D	Well Location: 203545.488 1125462.038
Well Status: Other	Screen Interval: 325-345
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Needs fill/ missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 12:08	Personnel: Noah Sprouse
Well ID: RE120D2	Well Location: 204576.78 1125060.08
Well Status: Other	Screen Interval: 690-710
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:58	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW309D	Well Location: 215208.441 1125028.421
Well Status: Other	Screen Interval: 252-262
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) All bolts missing, broken rubber gasket.	

PHOTO LOG:




Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:48	Personnel: Wyatt Bostick
Well ID: BPGMMW73D2	Well Location: 209851.283 1124674.455
Well Status: Other	Screen Interval: 532-552
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Likely to get lost, below grade 2-3 in	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:43	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW310S	Well Location: 215489.753 1124093.163
Well Status: Other	Screen Interval: 57.5-67.5
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) All bolts stripped.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:36	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW311I	Well Location: 215422.011 1124599.099
Well Status: Other	Screen Interval: 160-170
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing one bolt.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:33	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW311S	Well Location: 215423.402 1124594.444
Well Status: Other	Screen Interval: 55-65
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Needs fill.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:25	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW308S	Well Location: 214977.9 1124910.2
Well Status: Other	Screen Interval: 54-64
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Three bolts broken.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:04	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW308I	Well Location: 214972.2 1124923.7
Well Status: Other	Screen Interval: 156-166
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) All bolts broken/missing.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 10:02	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW308D	Well Location: 214965.9 1124935.6
Well Status: Unknown	Screen Interval: 250-260
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Bolts stripped.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 09:01	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW312I	Well Location: 215327.647 1125165.865
Well Status: Other	Screen Interval: 160-170
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Stick-up well.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:59	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW312S	Well Location: 215322.312 1125165.285
Well Status: Other	Screen Interval: 53-63
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Stick-up well.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:50	Personnel: Vince Shickora
Well ID: BPS1-TT-MW314S	Well Location: 214,555.48 1,125,571.01
Well Status: Other	Screen Interval: 55-65
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Well installed as stickup.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:47	Personnel: Vince Shickora
Well ID: BPS1-TT-MW314I	Well Location: 214,566.40 1,125,557.47
Well Status: Other	Screen Interval: 144-154
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Well installed as stickup.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:18	Personnel: Noah Sprouse
Well ID: BP-TT-MW203I	Well Location: 215525.6 1123810
Well Status: Other	Screen Interval: 136-146
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:27	Personnel: Wyatt Bostick
Well ID: BPGMMW39DA	Well Location: 209882 1124170
Well Status: Other	Screen Interval: 262-282
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	NO
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Below grade, bolts stripped, and manhole chipped	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:21	Personnel: Wyatt Bostick
Well ID: BPGMMW39DB	Well Location: 209884 1124173
Well Status: Other	Screen Interval: 410-420
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Below grade, bolts stripped, and needs fill	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:23	Personnel: Vince Shickora
Well ID: BPS1-TT-MW313S	Well Location: 215,126.40 1,125,591.27
Well Status: Other	Screen Interval: 53-63
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Well installed as stickup.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:12	Personnel: Noah Sprouse
Well ID: BP-TT-MW203D	Well Location: 215513 1123748
Well Status: Other	Screen Interval: 275-290
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Cracked well pad, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:06	Personnel: Vince Shickora
Well ID: BPHNMW27S	Well Location: 214,421.96 1,124,934.89
Well Status: Other	Screen Interval: 44-54
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	NO
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	POOR
Notes (Explain if answered No to any of the above) Cannot close security casing lid due to height of pvc well casing. No concrete pad observed. No locks on well. Well installed as stickup.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:07	Personnel: Noah Sprouse
Well ID: BP-TT-MW203D1	Well Location: 215510.7 1123763.1
Well Status: Other	Screen Interval: 335-350
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Cracked well pad.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:02	Personnel: Noah Sprouse
Well ID: BP-TT-MW203D2	Well Location: 215507.2 1123778
Well Status: Other	Screen Interval: 435-450
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Cracked well pad.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 08:02	Personnel: Vince Shickora
Well ID: BPHNMW271	Well Location: 214,405.60 1,124,952.18
Well Status: Other	Screen Interval: 100-110
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	NO
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	POOR
Notes (Explain if answered No to any of the above) Well is missing the security casing lid. Also no locks on well. No concrete pad. Well installed as stickup.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 07:52	Personnel: Vince Shickora
Well ID: BPS1FWMW02	Well Location: 213,967.37 1,124,866.32
Well Status: Other	Screen Interval: 52-67
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Well installed as stickup.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 07:47	Personnel: Vince Shickora
Well ID: BPS1FWMW01	Well Location: 213,962.95 1,124,963.13
Well Status: Other	Screen Interval: 48.5-63.5
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Well installed as stickup.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 07:43	Personnel: Vince Shickora
Well ID: BPS1FWMW03	Well Location: 213,978.52 1,124,733.42
Well Status: Other	Screen Interval: 52-67
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Well installed as stickup.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 07:07	Personnel: Vince Shickora
Well ID: BPS1-TT-MW303D	Well Location: 213,779.29 1,124,550.69
Well Status: Other	Screen Interval: 208-218
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 06:50	Personnel: Vince Shickora
Well ID: BPHNMW24IR	Well Location: 214,063.74 1,123,251.03
Well Status: Other	Screen Interval: 148-158
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 23, 2021 06:44	Personnel: Vince Shickora
Well ID: BPHNMW24S	Well Location: 214,054.46 1,123,265.87
Well Status: Other	Screen Interval: 48.6-58.6
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) No lock on well plug. Slip cap installed on well.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 17:36	Personnel: Noah Sprouse
Well ID: BPTTAOC22MW04	Well Location: 214026.062685 1123644.93391
Well Status: Other	Screen Interval: 46-66
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing two bolts, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 17:33	Personnel: Noah Sprouse
Well ID: BPTTAOC22MW08	Well Location: 213932.291179 1123576.0651
Well Status: Other	Screen Interval: 52-62
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing three bolts, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 17:13	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW309S	Well Location: 215212.06 1124997.916
Well Status: Other	Screen Interval: 53-63
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 17:10	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW309I	Well Location: 215209.932 1125016.144
Well Status: Other	Screen Interval: 160-170
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 16:54	Personnel: Wyatt Bostick
Well ID: BPHNMW42S	Well Location: 213792 1126065
Well Status: Other	Screen Interval: 50-60
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Bolts stripped	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 16:48	Personnel: Wyatt Bostick
Well ID: BPHNMW42I	Well Location: 213879.1202 1126065.7364
Well Status: Other	Screen Interval: 100-110
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 16:32	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW301D	Well Location: 214562.648 1124880.908
Well Status: Other	Screen Interval: 210-220
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 16:27	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW301I	Well Location: 214566.279 1124906.201
Well Status: Other	Screen Interval: 130-140
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Cracked well pad, broken rubber gasket, labelled "I" under manhole cover	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 16:23	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW301S	Well Location: 214560.42 1124865.194
Well Status: Other	Screen Interval: 51-61
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 16:22	Personnel: Wyatt Bostick
Well ID: BPHNMW40S	Well Location: 212474.1604 1126042.8203
Well Status: Other	Screen Interval: 49-59
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 16:20	Personnel: Vince Shickora
Well ID: BPGMMW75D2	Well Location: 208,507.00 1,124,246.00
Well Status: Other	Screen Interval: 505-525
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 16:17	Personnel: Wyatt Bostick
Well ID: BPHNMW40I	Well Location: 212473 1125986
Well Status: Other	Screen Interval: 108-118
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Bolts stripped	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 15:48	Personnel: Noah Sprouse
Well ID: BPHNMW29I	Well Location: 213928.573 1124685.862
Well Status: Other	Screen Interval: 120-130
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) One missing bolt, one broken bolt, one stripped bolt, broken rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 15:46	Personnel: Noah Sprouse
Well ID: BPHNMW29D	Well Location: 213933.694 1124704.902
Well Status: Other	Screen Interval: 210-220
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Cracked well pad, missing one bolt, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 15:33	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW303I2	Well Location: 213779.054 1124562.054
Well Status: Other	Screen Interval: 146-156
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing two bolts.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 15:30	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW303S	Well Location: 213778.188 1124583.496
Well Status: Other	Screen Interval: 46-56
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Cracked well pad, water inside well casing	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 15:26	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW303I1	Well Location: 213778.636 1124572.255
Well Status: Other	Screen Interval: 95-105
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Missing rubber gasket.	

PHOTO LOG:




Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 15:04	Personnel: Wyatt Bostick
Well ID: GM38D	Well Location: 206354 1128945
Well Status: Other	Screen Interval: 320-340
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	POOR
Notes (Explain if answered No to any of the above) Buried under sod and possible collapsing pad	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:57	Personnel: Wyatt Bostick
Well ID: GM38D2	Well Location: 206338 1128953
Well Status: Other	Screen Interval: 475-495
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	POOR
Notes (Explain if answered No to any of the above) Burried under sod and possible collapsing pad	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:39	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW306S	Well Location: 213383.55 1124387.814
Well Status: Other	Screen Interval: 50-60
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Stick-up well.	

PHOTO LOG:




Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:41	Personnel: Wyatt Bostick
Well ID: GM38-RW2-MW3	Well Location: 206388.3 1129262.3
Well Status: Other	Screen Interval: 470-510
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:





Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:37	Personnel: Wyatt Bostick
Well ID: GM38-RW2-MW2	Well Location: 206384.7 1129179.1
Well Status: Other	Screen Interval: 470-510
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:37	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW306I	Well Location: 213382.124 1124399.458
Well Status: Other	Screen Interval: 189-199
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Stick-up well.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:36	Personnel: Beau Benfield
Well ID: BPGMMW21D	Well Location: 209428 1125462
Well Status: Other	Screen Interval: 278-288
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Could not thread bolts through manhole cover	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:34	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW306D	Well Location: 213380.799 1124409.899
Well Status: Other	Screen Interval: 284-294
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Stick-up well	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:33	Personnel: Beau Benfield
Well ID: BPGMMW21I	Well Location: 209438 1125464
Well Status: Other	Screen Interval: 130-140
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:28	Personnel: Beau Benfield
Well ID: BPGMMW21D2	Well Location: 209438 1125464
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:26	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW304I2	Well Location: 213705.436 1124989.868
Well Status: Other	Screen Interval: 140-150
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:23	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW304D	Well Location: 213692.271 1124994.753
Well Status: Other	Screen Interval: 180-190
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:19	Personnel: Wyatt Bostick
Well ID: GM38-TP-1	Well Location: 206472.6 1129712
Well Status: Other	Screen Interval: 450-470
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:18	Personnel: Beau Benfield
Well ID: BPGMMW79I	Well Location: 208857 1127550
Well Status: Other	Screen Interval: 170-180
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:16	Personnel: Beau Benfield
Well ID: BPGMMW79D	Well Location: 208856 1127534
Well Status: Other	Screen Interval: 280-290
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:11	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW305D	Well Location: 213405.975 1123949.183
Well Status: Other	Screen Interval: 286-296
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	POOR
Notes (Explain if answered No to any of the above) Cracked well pad, missing one bolt, two bolts stripped, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:08	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW305I	Well Location: 213408.557 1123939.487
Well Status: Other	Screen Interval: 190-200
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Cracked well pad, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 14:05	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW305S	Well Location: 213411.021 1123930.127
Well Status: Other	Screen Interval: 40-50
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Cracked well pad, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:59	Personnel: Wyatt Bostick
Well ID: GM38-IW1-MW1	Well Location: 205682.3 1129723
Well Status: Other	Screen Interval: 130-150
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	NO
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Overgrown foilage	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpag
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:58	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW30211	Well Location: 213812.87 1124251.046
Well Status: Other	Screen Interval: 110-120
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	NO
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	POOR
Notes (Explain if answered No to any of the above) Cracked well cover, missing all bolts, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:56	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW302S	Well Location: 213812.671 1124261.772
Well Status: Other	Screen Interval: 41-51
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:53	Personnel: Noah Sprouse
Well ID: BPS1-TT-MW302D	Well Location: 213814.24 1124230.805
Well Status: Other	Screen Interval: 203-213
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:49	Personnel: Beau Benfield
Well ID: RE107D2	Well Location: 208558.7 1123830.8
Well Status: Other	Screen Interval: 560-580
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:45	Personnel: Beau Benfield
Well ID: RE107D1	Well Location: 208546.42 1123823.36
Well Status: Other	Screen Interval: 505-525
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:41	Personnel: Beau Benfield
Well ID: RE107D3	Well Location: 208495.32 1123759.78
Well Status: Other	Screen Interval: 645-665
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:42	Personnel: Noah Sprouse
Well ID: BPTTAOC22MW03	Well Location: 214146.208333 1123683.95833
Well Status: Other	Screen Interval: 45.5-65.5
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing one bolt, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:39	Personnel: Noah Sprouse
Well ID: BPTTAOC22MW05	Well Location: 214173 1123702
Well Status: Abandoned	Screen Interval: 47-67
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	POOR
Notes (Explain if answered No to any of the above) Abandoned well, missing rubber gasket, missing all two bolts.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:35	Personnel: Noah Sprouse
Well ID: BPTTAOC22MW11	Well Location: 214145.28085 1123547.94787
Well Status: Other	Screen Interval: 53-63
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing three bolts, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:32	Personnel: Beau Benfield
Well ID: RE106D2	Well Location: 209390.528269 1122872.74612
Well Status: Other	Screen Interval: 480-490
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:29	Personnel: Beau Benfield
Well ID: RE106D1	Well Location: 209375.211689 1122871.78883
Well Status: Other	Screen Interval: 440-460
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:27	Personnel: Will Yeung
Well ID: BPTTAOC22MW10	Well Location: 213950.533507 1123833.5788
Well Status: Other	Screen Interval: 49-59
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing all three bolts.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:25	Personnel: Beau Benfield
Well ID: RE106D3	Well Location: 209335.962952 1122868.91698
Well Status: Other	Screen Interval: 510-530
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:23	Personnel: Noah Sprouse
Well ID: BPTTAOC22MW06	Well Location: 213898.349824 1123746.01449
Well Status: Other	Screen Interval: 52-62
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Both bolts stripped, missing one bolt, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:18	Personnel: Noah Sprouse
Well ID: BPTTAOC22MW07	Well Location: 213883.666163 1123660.8565
Well Status: Other	Screen Interval: 52-62
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing one bolt.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:07	Personnel: Vince Shickora
Well ID: RE137	Well Location: 204415.52776 1125691.57156
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) No bolts. Well has manhole cover. No lock present on well cover. Slip fit well cover installed.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:05	Personnel: Noah Sprouse
Well ID: BP-TT-MW204I	Well Location: 214590.42848 1123023.60859
Well Status: Other	Screen Interval: 142-152
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:52	Personnel: Noah Sprouse
Well ID: BP-TT-MW204S	Well Location: 214592.181952 1123034.79783
Well Status: Other	Screen Interval: 50-60
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:46	Personnel: Vince Shickora
Well ID: BPOW 3-5 (also known as RE139D2).	Well Location:
Well Status: In Use (Confirmed)	Screen Interval: 740-760
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:27	Personnel: Vince Shickora
Well ID: RE130D2	Well Location: 197605.107397 1122370.72401
Well Status: Other	Screen Interval: 640-660
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:18	Personnel: Vince Shickora
Well ID: RE130D1	Well Location: 197584.95509 1122360.2922
Well Status: Other	Screen Interval: 555-575
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:18	Personnel: Wyatt Bostick
Well ID: BPOW 1-4	Well Location: 203327.989 1132135.673
Well Status: Other	Screen Interval: 340-400
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Needs 4-5 ft of fill	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:15	Personnel: Wyatt Bostick
Well ID: BPOW 1-5	Well Location: 203315.538 1132141.261
Well Status: Other	Screen Interval: 600-650
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:12	Personnel: Wyatt Bostick
Well ID: BPOW 1-6	Well Location: 203299.025 1132142.003
Well Status: Other	Screen Interval: 700-750
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 11:58	Personnel: Vince Shickora
Well ID: RE129D2	Well Location: 196073.15 1124074.2
Well Status: Other	Screen Interval: 805-825
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 11:47	Personnel: Vince Shickora
Well ID: RE129D1	Well Location: 196086.63 1124099.54
Well Status: Other	Screen Interval: 690-710
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 11:43	Personnel: Wyatt Bostick
Well ID: BPOW 1-1	Well Location: 202008.734 1132151.643
Well Status: Other	Screen Interval: 196-241
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Could use new bolts	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 11:39	Personnel: Wyatt Bostick
Well ID: BPOW 1-2	Well Location: 202009.697 1132173.169
Well Status: Other	Screen Interval: 310-335
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Could use new bolts	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 11:34	Personnel: Wyatt Bostick
Well ID: BPOW 1-3	Well Location: 202010.024 1132189.152
Well Status: Other	Screen Interval: 374-419
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Could use new bolts	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 11:33	Personnel: Noah Sprouse
Well ID: RE109D1	Well Location: 208538.659716 1126654.17272
Well Status: Other	Screen Interval: 515-535
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 11:29	Personnel: Vince Shickora
Well ID: BPOW 5-2	Well Location: 198410.857 1127152.768
Well Status: Other	Screen Interval: 540-580
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) One bolt broken off in threaded ear of flush-mount.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 11:26	Personnel: Vince Shickora
Well ID: BPOW 5-1	Well Location: 198399.79 1127145.842
Well Status: Other	Screen Interval: 480-510
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 11:16	Personnel: Vince Shickora
Well ID: BPOW 5-3	Well Location: 198389.891 1127156.801
Well Status: Other	Screen Interval: 620-660
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above)	
Bolts present. The threaded ears on flush-mount are stripped and bolts will not tighten.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:56	Personnel: Noah Sprouse
Well ID: RE109D2	Well Location: 208580.6727 1126656.46753
Well Status: Other	Screen Interval: 550-570
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:55	Personnel: Vince Shickora
Well ID: RE127D1	Well Location: 199120.06 1131245.1
Well Status: Other	Screen Interval: 660-680
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:50	Personnel: Vince Shickora
Well ID: RE127D2	Well Location: 199105.31 1131245.65
Well Status: Other	Screen Interval: 755-775
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:52	Personnel: Beau Benfield
Well ID: BPGMMW78I	Well Location: 209362 1123624
Well Status: Other	Screen Interval: 90-100
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:51	Personnel: Beau Benfield
Well ID: BPGMMW78S	Well Location: 209359 1123618
Well Status: Other	Screen Interval: 60-70
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:49	Personnel: Beau Benfield
Well ID: BPGMMW78D2	Well Location:
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:48	Personnel: Beau Benfield
Well ID: BPGMMW78D	Well Location:
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:44	Personnel: Noah Sprouse
Well ID: RE109D3	Well Location:
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:33	Personnel: Vince Shickora
Well ID: BPOW 5-7	Well Location: 197274.15 1128702.39
Well Status: Other	Screen Interval: 525-550
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:28	Personnel: Vince Shickora
Well ID: RE119D1	Well Location: 197245.89 1128694.84
Well Status: Other	Screen Interval: 715-740
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:17	Personnel: Beau Benfield
Well ID: GM-17SR	Well Location: 211377.743056 1122835.51042
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Bolts stripped	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:14	Personnel: Beau Benfield
Well ID: BPGMMW171	Well Location: 211391.428 1122830.969
Well Status: Other	Screen Interval: 100-120
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Could not thread new bolt through manhole cover	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:12	Personnel: Beau Benfield
Well ID: BPGMMW17D	Well Location: 211382.161 1122827.429
Well Status: Other	Screen Interval: 278-298
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:09	Personnel: Vince Shickora
Well ID: TT102D2	Well Location: 195346.266 1127132.843
Well Status: Other	Screen Interval: 740-770
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) No lock on well plug. Slip cap installed on well.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 10:01	Personnel: Vince Shickora
Well ID: TT102D	Well Location: 195341.937 1127148.911
Well Status: Other	Screen Interval: 560-600
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	NO
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) No flush-mount manhole or bolts at this well. Well installed as stickup.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 09:44	Personnel: Beau Benfield
Well ID: RE121D1	Well Location: 203062.13 1126707.85
Well Status: Other	Screen Interval: 550-570
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 09:36	Personnel: Vince Shickora
Well ID: BPOW 6-3	Well Location: 194106.07 1127582.36
Well Status: Other	Screen Interval: 750-775
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 09:38	Personnel: Beau Benfield
Well ID: RE121D2	Well Location: 203003.36 1126663.5
Well Status: Other	Screen Interval: 730-750
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 09:30	Personnel: Vince Shickora
Well ID: BPOW 6-4	Well Location: 194127 1127580.66
Well Status: Other	Screen Interval: 545-570
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above)	
Bolts are present but the threaded ears on flush-mount base are stripped. Bolts won't tighten.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 09:12	Personnel: Vince Shickora
Well ID: BPOW 6-5	Well Location: 194045.49 1128178.28
Well Status: Other	Screen Interval: 525-550
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 09:08	Personnel: Vince Shickora
Well ID: BPOW 6-6	Well Location: 194044.59 1128163.72
Well Status: Other	Screen Interval: 770-795
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	NO
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 08:45	Personnel: Vince Shickora
Well ID: BPOW 6-1	Well Location: 193228.16 1126796.92
Well Status: Other	Screen Interval: 550-575
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Bolts present. Threaded ears on flush-mount are stripped. Bolts will not tighten.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 08:38	Personnel: Vince Shickora
Well ID: BPOW 6-2	Well Location: 193253.75 1126785.34
Well Status: Other	Screen Interval: 755-780
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 17:25	Personnel: Noah Sprouse
Well ID: BP-TT-MW178I	Well Location:
Well Status: Other	Screen Interval: 290-310
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Needs fill.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 17:23	Personnel: Noah Sprouse
Well ID: BP-TT-MW178S	Well Location:
Well Status: Other	Screen Interval: 190-210
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Needs fill.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 17:19	Personnel: Noah Sprouse
Well ID: BP-TT-MW17811	Well Location:
Well Status: Other	Screen Interval: 420-440
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Needs fill	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 14:59	Personnel: Noah Sprouse
Well ID: RE104D3	Well Location: 206993.50182 1127695.55436
Well Status: Other	Screen Interval: 760-780
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Both bolts stripped, missing rubber gasket	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 14:56	Personnel: Noah Sprouse
Well ID: RE104D1	Well Location: 207037.186215 1127745.67815
Well Status: Other	Screen Interval: 350-370
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Missing two bolts, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 14:51	Personnel: Noah Sprouse
Well ID: RE104D2	Well Location: 207000.03614 1127708.99093
Well Status: Other	Screen Interval: 710-730
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Both bolts stripped, missing rubber gasket.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 13:20	Personnel: Beau Benfield
Well ID: RE124D1	Well Location: 202702.46 1122969.8
Well Status: Other	Screen Interval: 660-680
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 13:10	Personnel: Beau Benfield
Well ID: RE124D2	Well Location: 202685.97 1122972.34
Well Status: Other	Screen Interval: 730-750
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 12:58	Personnel: Beau Benfield
Well ID: RE114D1	Well Location: 201728.64 1124289.94
Well Status: Other	Screen Interval: 535-550
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 12:57	Personnel: Beau Benfield
Well ID: RE114D2	Well Location: 201710.25 1124365.4
Well Status: Other	Screen Interval: 610-630
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 12:55	Personnel: Beau Benfield
Well ID: RE114D3	Well Location: 201719.48 1124277.84
Well Status: Other	Screen Interval: 700-720
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 12:48	Personnel: Beau Benfield
Well ID: BPOW 4-2R	Well Location: 200691.91 1123200.04
Well Status: Other	Screen Interval: 725-765
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 12:39	Personnel: Beau Benfield
Well ID: BPOW 4-1R	Well Location: 200281.26 1123067.51
Well Status: Other	Screen Interval: 652-692
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 12:12	Personnel: Noah Sprouse
Well ID: TT101D2	Well Location: 203545.377 1125454.308
Well Status: Other	Screen Interval: 740-760
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 11:09	Personnel: Beau Benfield
Well ID: RE128D1	Well Location: 200556.421231 1129214.87395
Well Status: Other	Screen Interval: 660-680
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Could not thread bolts through manhole cover	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 11:01	Personnel: Beau Benfield
Well ID: RE128D2	Well Location: 200537.7 1129203.48
Well Status: Other	Screen Interval: 735-755
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Bolts would not thread into manhole cover	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 10:41	Personnel: Beau Benfield
Well ID: BPOW 2-3	Well Location: 199725.231 1127377.781
Well Status: Other	Screen Interval: 564-594
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 10:33	Personnel: Beau Benfield
Well ID: BPOW 2-2	Well Location: 199726.254 1127412.832
Well Status: Other	Screen Interval: 455-495
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 10:31	Personnel: Beau Benfield
Well ID: BPOW 2-1	Well Location: 199726.122 1127424.086
Well Status: Other	Screen Interval: 356-396
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Threaded part of bolt broken off inside manhole cover.	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 10:13	Personnel: Beau Benfield
Well ID: BPOW 3-3	Well Location: 199565.166 1125394.146
Well Status: Other	Screen Interval: 580-620
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 10:05	Personnel: Beau Benfield
Well ID: BPOW 3-4	Well Location: 199566.193 1125377.086
Well Status: Other	Screen Interval: 640-690
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 09:46	Personnel: Beau Benfield
Well ID: BPOW 3-2	Well Location: 198664.297 1124757.479
Well Status: Other	Screen Interval: 612-647
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 09:32	Personnel: Beau Benfield
Well ID: BPOW 3-1	Well Location: 198628.43 1124804.492
Well Status: Other	Screen Interval: 426-516
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 09:13	Personnel: Beau Benfield
Well ID: BPOW 5-6	Well Location: 197327.15 1126285.56
Well Status: Other	Screen Interval: 585-610
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 09:10	Personnel: Beau Benfield
Well ID: BPOW 5-5	Well Location: 197285.18896 1126291.26851
Well Status: Other	Screen Interval: 515-540
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 09:00	Personnel: Beau Benfield
Well ID: RE118D1	Well Location: 197298.81 1126290.8
Well Status: Other	Screen Interval: 765-790
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 08:48	Personnel: Beau Benfield
Well ID: RE133D1	Well Location: 193975.82 1126227.64
Well Status: Other	Screen Interval: 560-580
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 08:46	Personnel: Beau Benfield
Well ID: RE133D2	Well Location: 193991.82 1126227.06
Well Status: Other	Screen Interval: 780-800
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 21, 2021 07:34	Personnel: Beau Benfield
Well ID: BPTTAOC22MW09	Well Location: 214007.819715 1123539.30462
Well Status: Other	Screen Interval: 52-62
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) New bolts could not be threaded through manhole cover	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 20, 2021 11:31	Personnel: Wyatt Bostick
Well ID: RE122D1	Well Location: 207818.19 1124982.01
Well Status: Other	Screen Interval: 520-540
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 20, 2021 11:28	Personnel: Wyatt Bostick
Well ID: RE122D2	Well Location: 207788.843682 1124978.90771
Well Status: Other	Screen Interval: 590-610
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 20, 2021 11:25	Personnel: Wyatt Bostick
Well ID: RE122D3	Well Location: 207774.52 1124980.63
Well Status: Other	Screen Interval: 715-735
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:




Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 20, 2021 08:25	Personnel: Wyatt Bostick
Well ID: RE103D3	Well Location: 206693.459 1125144.905
Well Status: Other	Screen Interval: 715-730
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) All bolts stripped, needs fill	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 20, 2021 08:22	Personnel: Wyatt Bostick
Well ID: RE103D2	Well Location: 206692.993 1125160.339
Well Status: Other	Screen Interval: 653-673
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) All bolts stripped	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 19, 2021 13:00	Personnel: Wyatt Bostick
Well ID: BP-TT-MW202D1	Well Location: 215078.6 1122982.4
Well Status: Other	Screen Interval: 425-440
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Snapped bolt	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 19, 2021 12:30	Personnel: Wyatt Bostick
Well ID: BP-TT-MW202D	Well Location: 215062 1122983.6
Well Status: Other	Screen Interval: 335-350
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Snapped bolt	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 19, 2021 12:21	Personnel: Wyatt Bostick
Well ID: BP-TT-MW202I	Well Location: 215088.1 1122994.8
Well Status: Other	Screen Interval: 140-150
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) New	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 19, 2021 12:08	Personnel: Wyatt Bostick
Well ID: BP-TT-MW202S	Well Location: 215099.9 1122993.3
Well Status: Other	Screen Interval: 54-64
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Snapped bolt	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 18, 2021 17:33	Personnel: Wyatt Bostick
Well ID: RE123D2	Well Location: 209887.34 1124886.22
Well Status: Other	Screen Interval: 635-655
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Could use fill	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 18, 2021 17:28	Personnel: Wyatt Bostick
Well ID: RE123D1	Well Location: 209894.44 1124871.2
Well Status: Other	Screen Interval: 480-500
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	NO
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	FAIR
Notes (Explain if answered No to any of the above) Below grade, needs fill	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 18, 2021 17:24	Personnel: Wyatt Bostick
Well ID: RE123D3	Well Location: 209912.23 1124860.24
Well Status: Other	Screen Interval: 815-835
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	NO
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above) Stripped bolt, Could use fill	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 11:05	Personnel:
Well ID: RE108D2	Well Location: 207,663.29 1,125,484.08
Well Status: Other	Screen Interval: 630-650
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 11:02	Personnel:
Well ID: RE108D1	Well Location: 207,665.03 1,125,499.54
Well Status: Other	Screen Interval: 530-550
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 08:22	Personnel: Vince Shickora
Well ID: RE105D2	Well Location: 205,064.02 1,126,652.42
Well Status: In Use (Confirmed)	Screen Interval: 730-750
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:




Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 08:21	Personnel: Vince Shickora
Well ID: RE105D2	Well Location: 205,064.02 1,126,652.42
Well Status: Other	Screen Interval: 730-750
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:

Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 08:15	Personnel: Vince Shickora
Well ID: RE105D1	Well Location: 205,072.87 1,126,664.43
Well Status: Other	Screen Interval: 530-550
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:




Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 17, 2021 08:18	Personnel:
Well ID: RE105D1	Well Location: 205,072.87 1,126,664.43
Well Status: In Use (Confirmed)	Screen Interval: 530-550
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:

Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 15:03	Personnel:
Well ID: RE115D1	Well Location: 201004.250202 1125721.2869
Well Status: Other	Screen Interval: 640-655
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 15:00	Personnel:
Well ID: RE115D2	Well Location: 201012.40385 1125747.40209
Well Status: Other	Screen Interval: 730-750
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 14:47	Personnel: Vince Shickora
Well ID: BP-TT-MW180D1	Well Location:
Well Status: Other	Screen Interval: 580-600
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 14:15	Personnel: Vince Shickora
Well ID: BP-TT-MW180D	Well Location:
Well Status: Other	Screen Interval: 220-240
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 14:11	Personnel: Vince Shickora
Well ID: BP-TT-MW180D2	Well Location:
Well Status: Other	Screen Interval: 710-730
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 08:28	Personnel: Vince Shickora
Well ID: RE139D1	Well Location: 198615.87 1124858.07
Well Status: Other	Screen Interval: 650-670
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:



Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 15, 2021 08:24	Personnel: Vince Shickora
Well ID: RE139D2	Well Location: 198600.08 1124864.9
Well Status: Other	Screen Interval: 740-760
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 13:55	Personnel: Vince Shickora
Well ID: RE117D2	Well Location: 196455.23 1125332.7
Well Status: Other	Screen Interval: 780-805
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 13:52	Personnel: Vince Shickora
Well ID: RE117D1	Well Location: 196462.44 1125318.92
Well Status: Other	Screen Interval: 730-755
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 14, 2021 13:46	Personnel: Vince Shickora
Well ID: BPOW 5-4	Well Location: 196471.55 1125307.44
Well Status: Other	Screen Interval: 545-570
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 16:03	Personnel: Vince Shickora
Well ID: BPGMMW15S	Well Location: 210594.128 1127057.049
Well Status: Other	Screen Interval: 63-67
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 16:08	Personnel: Vince Shickora
Well ID: BPGMMW15D2	Well Location: 210611.89 1127076.9
Well Status: Other	Screen Interval: 536-556
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 13, 2021 16:11	Personnel: Vince Shickora
Well ID: BPGMMW15D	Well Location: 210625.108 1127034.199
Well Status: Other	Screen Interval: 332-342
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:48	Personnel: Wyatt Bostick
Well ID: EAUA-MW-04S	Well Location:
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:55	Personnel: Wyatt Bostick
Well ID: EAUA-MW-03S	Well Location:
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 12:59	Personnel: Wyatt Bostick
Well ID: EAUA-MW-02S	Well Location:
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:


Client: Navy CLEAN	Facility: NWIRP Bethpage
Project Number: 112G08005-WE13	Location: Bethpage, New York
Date: September 22, 2021 13:03	Personnel: Wyatt Bostick
Well ID: EAUA-MW-01S	Well Location:
Well Status: Other	Screen Interval:
WELL INVENTORY CONDITION	
Concrete pad in acceptable condition i.e. no cracks?	YES
Manhole cover present and in working condition?	YES
All bolts on manhole present and not stripped?	YES
Well plug present, locked and in good working condition?	YES
OVERALL CONDITION:	GOOD
Notes (Explain if answered No to any of the above)	

PHOTO LOG:
