



**Notice of Navy and the City of Chesapeake's Invitation to discuss the ongoing  
PFAS Investigation and Response at  
Naval Auxiliary Landing Field Fentress  
Chesapeake, Virginia**

A public meeting, at which Navy and the City of Chesapeake representatives will report on the status of the ongoing PFAS Investigation and Response will be held at **4:00 p.m. to 7:00 p.m., October 25, 2018** at the following location:

Butts Road Intermediate School  
1571 Mount Pleasant Road  
Chesapeake, VA 23322

The Navy prepared an Engineers Estimate/Cost Analysis (EE/CA) report to evaluate alternatives to address perfluorooctanoic acid (PFOA) and/or perfluorooctane sulfonate (PFOS) above the United States Environmental Protection Agency's Lifetime Health Advisory level in drinking water on-base and at off-base properties. Based on evaluation of the effectiveness, implementability, and the cost of the alternatives, the Connection to City Water is the recommended alternative in the Draft Final EE/CA, which is now available for public comment prior to finalization.

The Draft Final EE/CA may be viewed online at [www.cnic.navy.mil/FentressInfo](http://www.cnic.navy.mil/FentressInfo) or at the Chesapeake Central Library (298 Cedar Road, Chesapeake, VA 23322, 757-410-7100) from October 8, 2018 through November 7, 2018 during normal business hours

The public is invited to provide written comments on the Draft Final EE/CA Report for NALF Fentress. Written comments will be accepted until November 7, 2018 at the following address:

Naval Air Station Oceana  
Attn: Angela Jones  
9742 Maryland Avenue, Bldg N-26; Room 3208  
Virginia Beach, Virginia 23511  
Phone: (757) 341-0485  
E-mail: [angela.jones1@navy.mil](mailto:angela.jones1@navy.mil)