

Public Hearing

VIRGINIA

The Navy, Virginia Department of Environmental Quality (VDEQ), and Environmental Protection Agency (USEPA), invite public comment on the Draft Final Engineering Evaluation/Cost Analysis (EE/CA) Report for Naval Auxiliary Landing Field (NALF) Fentress, in Chesapeake, Virginia.

The EE/CA evaluates alternatives to address current exposure potential to drinking water on-base and at off-base properties with PFOS and/or PFOA above the EPA lifetime health advisory level. Alternatives are intended to protect current human health receptors from ingestion of perfluorooctanoic acid (PFOA) and/or perfluorooctane sulfonate (PFOS) at levels above USEPA's Lifetime Health Advisory (L-HA) in groundwater used as drinking water.

The EE/CA examined five alternatives based on effectiveness, implementability, and cost:

- 1) No Further Action
- 2) Point of Entry Treatment – Consideration of three treatment technologies, including:
 - 2a) Granular Activated Carbon (GAC) Treatment
 - 2b) Ion Exchange (IX) Treatment
 - 2c) Reverse Osmosis (RO) Treatment
- 3) Connection to City Water

Based on evaluation of the effectiveness, implementability, and the cost of the alternatives, the Connection to City Water alternative was recommended as the preferred alternative in the Draft Final EE/CA, which is now available for public comment prior to finalization.

The Draft Final EE/CA may be viewed online at www.cnic.navy.mil/FentressInfo or at the following location from October 8, 2018 through November 7, 2018 during normal business hours:

Chesapeake Central Library
298 Cedar Road
Chesapeake, VA 23322
(757) 410-7100

A public meeting, at which Navy representatives will report on the status of the selected alternative will be held at 4:00 p.m., October 25, 2018 at the Butts Road Intermediate School (1571 Mount Pleasant Rd, Chesapeake, VA 23322)

The public is invited to provide written comments on the Draft Final EE/CA Report for NALF Fentress. Written comments will be accepted until November 7, 2018 at the following address:

Naval Air Station Oceana
Attn: Angela Jones
9742 Maryland Avenue, Bldg N-26; Room 3208
Virginia Beach, Virginia 23511
Phone: (757) 341-0485
E-mail: angela.jones1@navy.mil

6 Sunday, October 7, 2018

Public Hearing

CHESAPEAKE, VIRGINIA

The Navy, Virginia Department of Environmental Quality (VDEQ), and Environmental Protection Agency (USEPA), invite public comment on the Draft Final Engineering Evaluation/Cost Analysis (EE/CA) Report for Naval Auxiliary Landing Field (NALF)

Public Hearing

Fentress, in Chesapeake, Virginia.

The EE/CA evaluates alternatives to address current exposure potential to drinking water on-base and at off-base properties with PFOS and/or PFOA above the EPA lifetime health advisory level. Alternatives are intended to protect current human health receptors from ingestion of perfluorooctanoic acid (PFOA) and/or perfluorooctane sulfonate (PFOS) at levels above USEPA's Lifetime Health Advisory (L-HA) in

Public Hearing

groundwater used as drinking water.

The EE/CA examined five alternatives based on effectiveness, implementability, and cost:

- 1) No Further Action
- 2) Point of Entry Treatment – Consideration of three treatment technologies, including:
 - 2a) Granular Activated Carbon (GAC) Treatment
 - 2b) Ion Exchange (IX) Treatment
 - 2c) Reverse Osmosis (RO) Treatment
- 3) Connection to City Water

Based on evaluation of the effectiveness, implementability, and the cost of the alternatives, the Connection to City Water alternative was recommended as the preferred alternative in the Draft Final EE/CA, which is now available for public comment prior to finalization.

The Draft Final EE/CA may be viewed online at www.cnrc.navy.mil/FentressInfo or at the following location from October 8, 2018 through November 7, 2018 during normal business hours:

Chesapeake Central Library
298 Cedar Road
Chesapeake, VA 23322
(757) 410-7100

A public meeting, at which Navy representatives will report on the status of the selected alternative will be held at 4:00 p.m., October 25, 2018 at the Butts Road Intermediate School (1571 Mount Pleasant Rd, Chesapeake, VA 23322)

The public is invited to provide written comments on the Draft Final EE/CA Report for NALF Fentress. Written comments will be accepted until November 7, 2018 at the following address:

Naval Air Station Oceana
Attn: Angela Jones
9742 Maryland Avenue, Bldg N-26; Room 3208
Virginia Beach, Virginia 23511
Phone: (757) 341-0485
E-mail: angela.jones1@navy.mil



Your source
for art, culture
and
entertainment!

Fridays
in The Pilot



drive Your #1 Local Source
for New and Used
Vehicles

SATURDAYS IN THE VIRGINIAN-PILOT



Chesapeake
VIRGINIA

**Notice of Navy and the
City of Chesapeake's
invitation to discuss the
ongoing PFAS
Investigation and
Response at
Naval Auxillary Landing
Field Fentress
Chesapeake, Virginia**

A public meeting, at which Navy and the City of Chesapeake representatives will report on the status of the ongoing PFAS Investigation and Response will be held at 4:00 p.m. to 7:00 p.m., October 25, 2018 at the following location:

Butts Road Intermediate School
1571 Mount Pleasant Road
Chesapeake, VA 23322

The Navy prepared an Engineers Estimate/Cost Analysis (EE/CA) report to evaluate alternatives to address perfluorooctanoic acid (PFOA) and/or perfluorooctane sulfonate (PFOS) above the United States Environmental Protection Agency's Lifetime Health Advisory level in drinking water on-base and at off-base properties. Based on evaluation of the effectiveness, implementability, and the cost of the alternatives, the Connection to City Water is the recommended alternative in the Draft Final EE/CA, which is now available for public comment prior to finalization.

The Draft Final EE/CA may be viewed online at www.cnic.navy.mil/FentressInfo or at the Chesapeake Central Library (298 Cedar Road, Chesapeake, VA 23322, 757-410-7100) from October 8, 2018 through November 7, 2018 during normal business hours.

The public is invited to provide written comments on the Draft Final EE/CA Report for NALF Fentress. Written comments will be accepted until November 7, 2018 at the following address:

Naval Air Station Oceana
Attn: Angela Jones
9742 Maryland Avenue, Bldg N-26;
Room 3208
Virginia Beach, Virginia 23511
Phone: (757) 341-0485
E-mail: angela.jones1@navy.mil

8 Wednesday, October 24, 2018

THE VIRGINIAN-PILOT



Chesapeake
VIRGINIA

**Notice of Navy and the City of Chesapeake's
Invitation to discuss the ongoing PFAS Investigation and
Response at
Naval Auxillary Landing Field Fentress
Chesapeake, Virginia**

A public meeting, at which Navy and the City of Chesapeake representatives will report on the status of the ongoing PFAS investigation and Response will be held at 4:00 p.m. to 7:00 p.m., **October 25, 2018** at the following location:

Butts Road Intermediate School
1571 Mount Pleasant Road
Chesapeake, VA 23322

The Navy prepared an Engineers Estimate/Cost Analysis (EE/CA) report to evaluate alternatives to address perfluorooctanoic acid (PFOA) and/or perfluorooctane sulfonate (PFOS) above the United States Environmental Protection Agency's Lifetime Health Advisory level in drinking water on-base and at off-base properties. Based on evaluation of the effectiveness, implementability, and the cost of the alternatives, the Connection to City Water is the recommended alternative in the Draft Final EE/CA, which is now available for public comment prior to finalization.

The Draft Final EE/CA may be viewed online at www.cnlic.navy.mil/FentressInfo or at the Chesapeake Central Library (298 Cedar Road, Chesapeake, VA 23322, 757-410-7100) from October 8, 2018 through November 7, 2018 during normal business hours.

The public is invited to provide written comments on the Draft Final EE/CA Report for NALF Fentress. Written comments will be accepted until November 7, 2018 at the following address:

Naval Air Station Oceana
Attn: Angela Jones
9742 Maryland Avenue, Bldg N-26, Room 3208
Virginia Beach, Virginia 23511
Phone: (757) 341-0485
E-mail: angela.jones1@navy.mil