Navy_CLEAN_PFAS_FOIA_request_covers.indd

NAVFAC
Naval Facilities Engineering Command

Groundwater Sample Results, Level 4 Laboratory Report, Electronic Data Deliverable, Data Validation Report, and the Sample Location Report, SDG B833226

Naval Air Station Cecil Field
Jacksonville, Florida

July 2019

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

N60200_009758
NAS CECIL FIELD, FL
SSIC 5000-33c

LABORATORY DATA PACKAGE B833226 NAS CECIL FIELD FL

03/13/2018

MAXXAM ANALYTICAL LABORATORIES

Approved for public release: distribution unlimited.

Prepared for: Earth Toxics Inc

Project: JM10 CECIL

Analytical Data Package
(Level IV)

Analysis: PFOS and PFOA in water (Method 537 mod.)

Maxxam Job #: B833226

Maxxam Analytics International
6740 Campobello Rd.
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com



Table of Contents

Maxxam Analytics International
6740 Campobello Rd.
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com

Table of Contents

Certification Page

1. Project Narrative

2. Sample Management Records

    2.1 Sample Custody

3. Analytical Results

    3.1 Summary Report

    3.2 Sample Chromatograms

4. QA/QC Data

5. Initial Calibration

6. Continuing Calibration

Last Page

I hereby certify that to the best of my knowledge all analytical data presented in this report:

- Has been checked for completeness.
- Is accurate, legible and error free.
- Has been conducted in accordance with approved SOP's and that all deviations are clearly listed in the Case Narrative.
- This report has been generated in .pdf format.

Review Performed By:

Project Manager

Maxxam
A Bureau Veritas Group Company

Stephanie Pollen
2018.03.13 10:16:56 -04'00'

Maxxam Analytics International
6740 Campobello Rd.
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com

Glossary of Terms

- ***Detection Limit (DL)*** this can also be called ***Method Detection Limit (MDL***): The lowest concentration or amount of the target analyte that can be identified, measured, and reported with confidence that the analyte concentration is not a false positive value. (Clarification): The smallest analyte concentration that can be demonstrated to be different from zero or a blank concentration at the 99% level of confidence. At the DL, the false positive rate (Type I error) is 1%.

- ***Limit of Detection (LOD*)**: An estimate of the minimum amount of a substance that an analytical process can reliably detect. An LOD is analyte- and matrix-specific and may be laboratory-dependent. (Clarification): The smallest amount or concentration of a substance that must be present in a sample in order to be detected at a high level of confidence (99%). At the LOD, the false negative rate (Type II error) is 1%.

- ***Limits of Quantitation (LOQ)*** this can also be called ***Reporting Detection Limit (RDL)***: The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence. (Clarification): The lowest concentration that produces a quantitative result within specified limits of precision and bias. For DoD projects, the LOQ shall be set at or above the concentration of the lowest initial calibration standard.

- ***Acceptance Criteria*** are values used by the laboratory to determine that a process is in control.

- ***Accuracy*** is the degree of agreement of a measured value with the true or expected value.

- ***Calibration Standards*** are a set of solutions containing the analytes of interest at a specified concentration.

- ***Calibration Verification Standard*** consists of a calibration standard solution of intermediate concentration (mid-point initial calibration level) used to access whether the initial calibration is still valid

- ***Certified Reference Material*** is a stable homogenous material that is certified by repetitive analysis from a supplier who is certified to generate said materials.

- ***Internal Standard*** a deuterated or ^{13}C-labelled analyte that is added to a sample extract prior to instrumental analysis to compensate for injection variability.

- ***Isomer*** is a member of a group of compounds that differ from each other only in the locations of a specific number of common substituent atoms or groups of atoms on the parent compound.

- ***Method Blank*** is a laboratory control sample using reagents that are known to be free of contamination.

- ***Precision*** is the degree of agreement between the data generated from repetitive measurements under specific conditions.

- ***Quality Assurance*** is a system of activities whose purpose is to provide the producer or user of a product with the assurance that the product meets a defined standard of quality.

- ***Quality Control*** is the overall system of activities whose purpose is to control the quality of a product so that it meets the needs of the end user.

- ***RSD*** is the relative standard deviation.

- ***Blank Spike*** is a laboratory control sample that has been fortified with native analytes of interest.

- ***Window Defining Mixture*** is a solution containing only the earliest and latest eluting congeners within each homologous group of target analytes on a specified GC column.

- ***RPD*** or Relative Percent Difference. A measure used to compare duplicate sample analysis.

- ***EMPC/NDR –*** Peak detected does not meet ratio criteria and has resulted in a higher detection limit.



1.0 Project Narrative

Maxxam Analytics International
6740 Campobello Rd.
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com

Maxxam Job: B833226 - Analysis

Sample Analysis

Samples were initially pre-screened and estimated concentrations were obtained so that appropriate sample volumes could be extracted on QC batches 5410178 (2018/02/23-24) and 5412188 (2018/02/27). Due to high concentrations, the following sample was analyzed for Perfluorohexanesulfonate (PFHxS) and Perfluorooctanesulfonate (PFOS) using reduced sample extraction volumes. Detection limits were adjusted accordingly.

Reduced sample volumes were also extracted for the following samples:

GBV350 *CEF-S3-TW01-0218*
GBV354 *CEF-S3-TW02-0209*

This was due to the discolored and turbid appearances of the sample matrices, which would likely have resulted in clogging of the solid phase extraction (SPE) cartridges if the full sample volumes had been extracted. Detection limits were adjusted accordingly.

Data Qualifiers

U – Analyte was not detected and is reported as less than the LOD or as defined by the customer. The LOD has been adjusted for any dilution or concentration of the sample.

J – The reported result is an estimated value (e.g., matrix interference was observed, or the analyte was detected at a concentration outside the calibration range).

Sin Chii Chia, B.Sc.
schia@maxxam.ca
Office 905 817 5700

PROJECT NARRATIVE

Maxxam Analytics
Client Project #: JM10 CECIL

Client: Earth Toxics Inc
Client Project: JM10 CECIL

I. SAMPLE RECEIPT/ANALYSIS

a) Sample Listing

Maxxam ID	Client Sample ID	Date Sampled	Date Received	Date Prepped	Date Run	Initial Calibration
PFOS and PFOA in water by SPE/LCMS						
GBV345	EB-CEF-MFS-020818-17	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV346	EB-CEF-MFS-020818-18	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV347	EB-CEF-MFS-020818-19	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV348	FB-CEF-MFS-020818-12	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV349	CEF-1820-TW02-0218	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV350	CEF-S3-TW01-0218	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27
GBV351	FB-CEF-S3-020918-13	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27
GBV352	CEF-MFS-TW01-0218	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27
GBV353	CEF-MFS-TW02-0218	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27
GBV354	CEF-S3-TW02-0209	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27

Run Date is defined as the date of injection of the last calibration standard (12 hours or less) prior to the samples analyzed within that run sequence. Therefore the time of calibration injection that defines the run date is always within 12 hours of the time of sample injection.

b) Shipping Problems: none encountered

c) Documentation Problems: none encountered

II. SAMPLE PREP:

No problems encountered

III. SAMPLE ANALYSIS:

See also comments within the appropriate Certificate of Analysis

a) Hold Times: all within recommended hold times

b) Instrument Calibration: all within control limits

c) Quality Control: All applicable QC meets control criteria, except where otherwise noted.

d) All analytes requiring manual intergration(s) are noted on the sample chromatograms

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for other than the conditions detailed above.

In addition, I certify, that to the best of my knowledge and belief, the data as reported are true and accurate. Release of the data contained in this data package has been authorized by the cognizant laboratory official or his/her designee, as verified by this signature.

Steph Fallon

Project Manager- Site Assessment and Remediation/ Ultra Trace

2018/03/13
Date



2. Sample Management Records

Maxxam Analytics International
6740 Campobello Rd
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com



2.1 Sample Custody

Maxxam Analytics International
6740 Campobello Rd
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com

Tetra Tech, Inc. **AIR** CHAIN OF CUSTODY | NUMBER No. 3187 | PAGE 1 OF 1

PROJECT NO:	FACILITY:	PROJECT MANAGER	PHONE NUMBER	LABORATORY NAME AND CONTACT:
3m10	Cecil	Megan Ved		S. Pollen / Maxxam
SAMPLERS (SIGNATURE)		FIELD OPERATIONS LEADER	PHONE NUMBER	ADDRESS
		Dave Siefken	904.334.7260	6740 Campobello Rd
		CARRIER/WAYBILL NUMBER		CITY, STATE
		Fed Ex 8115-9773-0063		Mississauga, Ontario, LA

STANDARD TAT ☒ RUSH TAT ☐ ☐ 24 hr. ☐ 48 hr. ☐ 72 hr. ☐ 7 day ☐ 14 day

CONTAINER TYPE PLASTIC (P) or GLASS (G): P

PRESERVATIVE USED: —

DATE YEAR 2018	TIME	SAMPLE ID	LOCATION ID	TOP DEPTH (FT)	BOTTOM DEPTH (FT)	MATRIX (GW, SO, SW, SD, QC, ETC.)	COLLECTION METHOD GRAB (G) COMP (C)	No. OF CONTAINERS	TYPE OF ANALYSIS: PFAS	COMMENTS
2/8	0920	EB-CEF-MFS-020818-17				QC		2	X	Cool 4°C
2/8	0925	EB-CEF-MFS-020818-18						2	X	
2/8	0930	EB-CEF-MFS-020818-19						2	X	
2/8	0940	FB-CEF-MFS-020818-12						2	X	
2/8	1630	CEF-1820-TW02-0218				GW		2	X	
2/9	1125	CEF-S3-TW01-0218				GW		2	X	
2/9	1200	FB-CEF-S3-020918-13				QC		2	X	
2/9	1105	CEF-MFS-TW01-0218				GW		2	X	
2/9	1538	CEF-MFS-TW02-0218				GW		2	X	
2/9	1350	CEF-S3-TW02-0209				GW		2	X	

13-Feb-18 14:10
Gemarie Balatico
B833226
TSP ENV-1389

1. RELINQUISHED BY	DATE	TIME	1. RECEIVED BY	DATE	TIME
	2-12-18	1600	Tanvir Gill TANVIR175FD44	2018/02/13	14:10
2. RELINQUISHED BY	DATE	TIME	2. RECEIVED BY	DATE	TIME
3. RELINQUISHED BY	DATE	TIME	3. RECEIVED BY	DATE	TIME

COMMENTS: 4.3/5.1/3.3 custody seal intact

DISTRIBUTION: WHITE (ACCOMPANIES SAMPLE) YELLOW (FIELD COPY) PINK (FILE COPY) 4/02R FORM NO. TtNUS-001

MCH 4/7036



3. Analytical Results

Maxxam Analytics International
6740 Campobello Rd
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com



3.1 Summary Report

Maxxam Analytics International
6740 Campobello Rd
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com

Maxxam
A Bureau Veritas Group Company

Your Project #: JM10 CECIL
Your C.O.C. #: 3187

Attention: Rick Carr

Earth Toxics Inc
PO Box 3382
Logan, UT
USA 84321

Report Date: 2018/02/28
Report #: R5024901
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B833226
Received: 2018/02/13, 14:10

Sample Matrix: Water
Samples Received: 10

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Reference
PFOS and PFOA in water by SPE/LCMS (1)	5	2018/02/22	2018/02/24	CAM SOP-00894	EPA 537 m
PFOS and PFOA in water by SPE/LCMS (1)	5	2018/02/23	2018/02/27	CAM SOP-00894	EPA 537 m

Remarks:

Maxxam Analytics' laboratories are accredited to ISO/IEC 17025:2005 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Maxxam are based upon recognized Provincial, Federal or US method compendia such as CCME, MDDELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Maxxam's profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Maxxam in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected.

Maxxam Analytics' liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Maxxam has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Maxxam, unless otherwise agreed in writing.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.
Results relate to samples tested.
This Certificate shall not be reproduced except in full, without the written approval of the laboratory.
Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.
* RPDs calculated using raw data. The rounding (lt in the apparent difference.
(1) Per- and polyfluoroalkyl substances (PFAS) id n the certificate of analysis represent the extracted internal standard.

Encryption Key Steph Pollen

Please direct all questions regarding this Certific Project Manager.
Stephanie Pollen, Project Manager
Email: SPollen@maxxam.ca
Phone# (905) 817-5700

==========

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Total Cover Pages : 1

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV345	GBV346	GBV347				
Sampling Date		2018/02/08 09:20	2018/02/08 09:25	2018/02/08 09:30				
COC Number		3187	3187	3187				
	UNITS	EB-CEF-MFS-020818-17	EB-CEF-MFS-020818-18	EB-CEF-MFS-020818-19	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters								
EtFOSAA	ng/L	10 U	10 U	10 U	3.3	10	20	5410178
MeFOSAA	ng/L	10 U	10 U	10 U	2.9	10	20	5410178
Perfluorobutane Sulfonate (PFBS)	ng/L	15 U	15 U	15 U	5.4	15	20	5410178
Perfluoroheptanoic Acid (PFHpA)	ng/L	15 U	15 U	15 U	7.4	15	20	5410178
Perfluorohexanoic Acid (PFHxA)	ng/L	10 U	10 U	10 U	3.5	10	20	5410178
Perfluorohexane Sulfonate (PFHxS)	ng/L	15 U	15 U	15 U	5.6	15	20	5410178
Perfluorononanoic Acid (PFNA)	ng/L	18 U	18 U	18 U	8.7	18	20	5410178
Perfluorotetradecanoic Acid	ng/L	10 U	10 U	10 U	2.7	10	20	5410178
Perfluorotridecanoic Acid	ng/L	10 U	10 U	10 U	3.8	10	20	5410178
Perfluoroundecanoic Acid (PFUnA)	ng/L	10 U	10 U	10 U	2.5	10	20	5410178
Perfluorodecanoic Acid (PFDA)	ng/L	15 U	15 U	15 U	6.1	15	20	5410178
Perfluorododecanoic Acid (PFDoA)	ng/L	10 U	10 U	10 U	5.0	10	20	5410178
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	10 U	10 U	10 U	3.3	10	20	5410178
Perfluorooctane Sulfonate (PFOS)	ng/L	15 U	21	15 U	6.0	15	20	5410178
Surrogate Recovery (%)								
13C2-Perfluorodecanoic acid	%	99	87	91				5410178
13C2-Perfluorododecanoic acid	%	87	79	76				5410178
13C2-Perfluorohexanoic acid	%	105	95	97				5410178
13C2-perfluorotetradecanoic acid	%	87	74	76				5410178
13C2-Perfluoroundecanoic acid	%	94	89	82				5410178
13C4-Perfluorobutanoic acid	%	107	89	88				5410178
13C4-Perfluoroheptanoic acid	%	107	91	95				5410178
13C4-Perfluorooctanesulfonate	%	108	91	83				5410178
13C4-Perfluorooctanoic acid	%	114	97	92				5410178
13C5-Perfluorononanoic acid	%	113	94	88				5410178
18O2-Perfluorohexanesulfonate	%	103	95	96				5410178
D3-MeFOSAA	%	90	80	74				5410178
D5-EtFOSAA	%	91	78	71				5410178

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca
Maxxam Analytics

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV348				GBV349				
Sampling Date		2018/02/08 09:40				2018/02/08 16:30				
COC Number		3187				3187				
	UNITS	FB-CEF-MFS-020818-12	DL	LOD	LOQ	CEF-1820-TW02-0218	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters										
EtFOSAA	ng/L	10 U	3.3	10	20	10 U	3.3	10	20	5410178
MeFOSAA	ng/L	10 U	2.9	10	20	10 U	2.9	10	20	5410178
Perfluorobutane Sulfonate (PFBS)	ng/L	15 U	5.4	15	20	31	5.4	15	20	5410178
Perfluoroheptanoic Acid (PFHpA)	ng/L	15 U	7.4	15	20	80	7.4	15	20	5410178
Perfluorohexanoic Acid (PFHxA)	ng/L	10 U	3.5	10	20	190	3.5	10	20	5410178
Perfluorohexane Sulfonate (PFHxS)	ng/L	15 U	5.6	15	20	1200 (1)	56	150	200	5410178
Perfluorononanoic Acid (PFNA)	ng/L	18 U	8.7	18	20	20 J	8.7	18	20	5410178
Perfluorotetradecanoic Acid	ng/L	10 U	2.7	10	20	10 U	2.7	10	20	5410178
Perfluorotridecanoic Acid	ng/L	10 U	3.8	10	20	10 U	3.8	10	20	5410178
Perfluoroundecanoic Acid (PFUnA)	ng/L	10 U	2.5	10	20	10 U	2.5	10	20	5410178
Perfluorodecanoic Acid (PFDA)	ng/L	15 U	6.1	15	20	15 U	6.1	15	20	5410178
Perfluorododecanoic Acid (PFDoA)	ng/L	10 U	5.0	10	20	10 U	5.0	10	20	5410178
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	10 U	3.3	10	20	67	3.3	10	20	5410178
Perfluorooctane Sulfonate (PFOS)	ng/L	15 U	6.0	15	20	2400 (1)	60	150	200	5410178
Surrogate Recovery (%)										
13C2-Perfluorodecanoic acid	%	85				83				5410178
13C2-Perfluorododecanoic acid	%	76				84				5410178
13C2-Perfluorohexanoic acid	%	91				84				5410178
13C2-perfluorotetradecanoic acid	%	69				83				5410178
13C2-Perfluoroundecanoic acid	%	84				79				5410178
13C4-Perfluorobutanoic acid	%	84				81				5410178
13C4-Perfluoroheptanoic acid	%	89				85				5410178
13C4-Perfluorooctanesulfonate	%	87				73				5410178
13C4-Perfluorooctanoic acid	%	93				89				5410178
13C5-Perfluorononanoic acid	%	89				89				5410178
18O2-Perfluorohexanesulfonate	%	89				83				5410178
D3-MeFOSAA	%	76				83				5410178
D5-EtFOSAA	%	76				81				5410178

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable
(1) Due to high concentration of the target analyte, a reduced sample volume was extracted and analyzed. Detection limit was adjusted accordingly (10x).

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV350				GBV351				
Sampling Date		2018/02/09 11:25				2018/02/09 12:00				
COC Number		3187				3187				
	UNITS	CEF-S3-TW01-0218	DL	LOD	LOQ	FB-CEF-S3-020918-13	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters										
EtFOSAA	ng/L	100 U	33	100	200	10 U	3.3	10	20	5412188
MeFOSAA	ng/L	100 U	29	100	200	10 U	2.9	10	20	5412188
Perfluorobutane Sulfonate (PFBS)	ng/L	150 U	54	150	200	15 U	5.4	15	20	5412188
Perfluoroheptanoic Acid (PFHpA)	ng/L	150 U	74	150	200	15 U	7.4	15	20	5412188
Perfluorohexanoic Acid (PFHxA)	ng/L	100 U	35	100	200	10 U	3.5	10	20	5412188
Perfluorohexane Sulfonate (PFHxS)	ng/L	150 U	56	150	200	15 U	5.6	15	20	5412188
Perfluorononanoic Acid (PFNA)	ng/L	180 U	87	180	200	18 U	8.7	18	20	5412188
Perfluorotetradecanoic Acid	ng/L	100 U	27	100	200	10 U	2.7	10	20	5412188
Perfluorotridecanoic Acid	ng/L	100 U	38	100	200	10 U	3.8	10	20	5412188
Perfluoroundecanoic Acid (PFUnA)	ng/L	100 U	25	100	200	10 U	2.5	10	20	5412188
Perfluorodecanoic Acid (PFDA)	ng/L	150 U	61	150	200	15 U	6.1	15	20	5412188
Perfluorododecanoic Acid (PFDoA)	ng/L	100 U	50	100	200	10 U	5.0	10	20	5412188
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	100 U	33	100	200	10 U	3.3	10	20	5412188
Perfluorooctane Sulfonate (PFOS)	ng/L	150 U	60	150	200	15 U	6.0	15	20	5412188
Surrogate Recovery (%)										
13C2-Perfluorodecanoic acid	%	96				111				5412188
13C2-Perfluorododecanoic acid	%	98				98				5412188
13C2-Perfluorohexanoic acid	%	106				116				5412188
13C2-perfluorotetradecanoic acid	%	74				97				5412188
13C2-Perfluoroundecanoic acid	%	91				106				5412188
13C4-Perfluorobutanoic acid	%	112				108				5412188
13C4-Perfluoroheptanoic acid	%	105				112				5412188
13C4-Perfluorooctanesulfonate	%	108				119				5412188
13C4-Perfluorooctanoic acid	%	106				111				5412188
13C5-Perfluorononanoic acid	%	106				116				5412188
18O2-Perfluorohexanesulfonate	%	104				110				5412188
D3-MeFOSAA	%	92				94				5412188
D5-EtFOSAA	%	89				89				5412188

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV352	GBV353				
Sampling Date		2018/02/09 11:05	2018/02/09 15:38				
COC Number		3187	3187				
	UNITS	CEF-MFS-TW01-0218	CEF-MFS-TW02-0218	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters							
EtFOSAA	ng/L	10 U	10 U	3.3	10	20	5412188
MeFOSAA	ng/L	10 U	10 U	2.9	10	20	5412188
Perfluorobutane Sulfonate (PFBS)	ng/L	11 J	15 U	5.4	15	20	5412188
Perfluoroheptanoic Acid (PFHpA)	ng/L	330	52	7.4	15	20	5412188
Perfluorohexanoic Acid (PFHxA)	ng/L	310	64	3.5	10	20	5412188
Perfluorohexane Sulfonate (PFHxS)	ng/L	710	8.1 J	5.6	15	20	5412188
Perfluorononanoic Acid (PFNA)	ng/L	63	18 U	8.7	18	20	5412188
Perfluorotetradecanoic Acid	ng/L	10 U	10 U	2.7	10	20	5412188
Perfluorotridecanoic Acid	ng/L	10 U	10 U	3.8	10	20	5412188
Perfluoroundecanoic Acid (PFUnA)	ng/L	10 U	2.9 J	2.5	10	20	5412188
Perfluorodecanoic Acid (PFDA)	ng/L	7.0 J	15 U	6.1	15	20	5412188
Perfluorododecanoic Acid (PFDoA)	ng/L	10 U	10 U	5.0	10	20	5412188
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	210	14 J	3.3	10	20	5412188
Perfluorooctane Sulfonate (PFOS)	ng/L	810	24	6.0	15	20	5412188
Surrogate Recovery (%)							
13C2-Perfluorodecanoic acid	%	98	103				5412188
13C2-Perfluorododecanoic acid	%	98	95				5412188
13C2-Perfluorohexanoic acid	%	107	112				5412188
13C2-perfluorotetradecanoic acid	%	84	85				5412188
13C2-Perfluoroundecanoic acid	%	101	106				5412188
13C4-Perfluorobutanoic acid	%	105	105				5412188
13C4-Perfluoroheptanoic acid	%	103	111				5412188
13C4-Perfluorooctanesulfonate	%	112	111				5412188
13C4-Perfluorooctanoic acid	%	106	109				5412188
13C5-Perfluorononanoic acid	%	105	109				5412188
18O2-Perfluorohexanesulfonate	%	104	116				5412188
D3-MeFOSAA	%	96	92				5412188
D5-EtFOSAA	%	93	92				5412188

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca
Maxxam Analytics

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV354				
Sampling Date		2018/02/09 13:50				
COC Number		3187				
	UNITS	CEF-S3-TW02-0209	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters						
EtFOSAA	ng/L	100 U	33	100	200	5412188
MeFOSAA	ng/L	100 U	29	100	200	5412188
Perfluorobutane Sulfonate (PFBS)	ng/L	150 U	54	150	200	5412188
Perfluoroheptanoic Acid (PFHpA)	ng/L	150 U	74	150	200	5412188
Perfluorohexanoic Acid (PFHxA)	ng/L	100 U	35	100	200	5412188
Perfluorohexane Sulfonate (PFHxS)	ng/L	150 U	56	150	200	5412188
Perfluorononanoic Acid (PFNA)	ng/L	180 U	87	180	200	5412188
Perfluorotetradecanoic Acid	ng/L	100 U	27	100	200	5412188
Perfluorotridecanoic Acid	ng/L	100 U	38	100	200	5412188
Perfluoroundecanoic Acid (PFUnA)	ng/L	100 U	25	100	200	5412188
Perfluorodecanoic Acid (PFDA)	ng/L	150 U	61	150	200	5412188
Perfluorododecanoic Acid (PFDoA)	ng/L	100 U	50	100	200	5412188
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	100 U	33	100	200	5412188
Perfluorooctane Sulfonate (PFOS)	ng/L	150 U	60	150	200	5412188
Surrogate Recovery (%)						
13C2-Perfluorodecanoic acid	%	90				5412188
13C2-Perfluorododecanoic acid	%	86				5412188
13C2-Perfluorohexanoic acid	%	115				5412188
13C2-perfluorotetradecanoic acid	%	68				5412188
13C2-Perfluoroundecanoic acid	%	95				5412188
13C4-Perfluorobutanoic acid	%	106				5412188
13C4-Perfluoroheptanoic acid	%	107				5412188
13C4-Perfluorooctanesulfonate	%	106				5412188
13C4-Perfluorooctanoic acid	%	99				5412188
13C5-Perfluorononanoic acid	%	102				5412188
18O2-Perfluorohexanesulfonate	%	101				5412188
D3-MeFOSAA	%	89				5412188
D5-EtFOSAA	%	86				5412188

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

TEST SUMMARY

Maxxam ID: GBV345 **Collected:** 2018/02/08
Sample ID: EB-CEF-MFS-020818-17 **Shipped:**
Matrix: Water **Received:** 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5410178	2018/02/22	2018/02/24	Kenneth Chu

Maxxam ID: GBV346 **Collected:** 2018/02/08
Sample ID: EB-CEF-MFS-020818-18 **Shipped:**
Matrix: Water **Received:** 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5410178	2018/02/22	2018/02/24	Kenneth Chu

Maxxam ID: GBV347 **Collected:** 2018/02/08
Sample ID: EB-CEF-MFS-020818-19 **Shipped:**
Matrix: Water **Received:** 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5410178	2018/02/22	2018/02/24	Kenneth Chu

Maxxam ID: GBV348 **Collected:** 2018/02/08
Sample ID: FB-CEF-MFS-020818-12 **Shipped:**
Matrix: Water **Received:** 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5410178	2018/02/22	2018/02/24	Kenneth Chu

Maxxam ID: GBV349 **Collected:** 2018/02/08
Sample ID: CEF-1820-TW02-0218 **Shipped:**
Matrix: Water **Received:** 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5410178	2018/02/22	2018/02/24	Kenneth Chu

Maxxam ID: GBV350 **Collected:** 2018/02/09
Sample ID: CEF-S3-TW01-0218 **Shipped:**
Matrix: Water **Received:** 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5412188	2018/02/23	2018/02/27	Kenneth Chu

Maxxam ID: GBV351 **Collected:** 2018/02/09
Sample ID: FB-CEF-S3-020918-13 **Shipped:**
Matrix: Water **Received:** 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5412188	2018/02/23	2018/02/27	Kenneth Chu

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

TEST SUMMARY

Maxxam ID: GBV352
Sample ID: CEF-MFS-TW01-0218
Matrix: Water

Collected: 2018/02/09
Shipped:
Received: 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5412188	2018/02/23	2018/02/27	Kenneth Chu

Maxxam ID: GBV353
Sample ID: CEF-MFS-TW02-0218
Matrix: Water

Collected: 2018/02/09
Shipped:
Received: 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5412188	2018/02/23	2018/02/27	Kenneth Chu

Maxxam ID: GBV354
Sample ID: CEF-S3-TW02-0209
Matrix: Water

Collected: 2018/02/09
Shipped:
Received: 2018/02/13

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PFOS and PFOA in water by SPE/LCMS	LCMS	5412188	2018/02/23	2018/02/27	Kenneth Chu

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	4.2°C

Results reported in ng/L as per client request.

Sample GBV350 [CEF-S3-TW01-0218] : Due to sample matrix, a reduced sample volume was extracted. Detection limits were adjusted accordingly.

Sample GBV354 [CEF-S3-TW02-0209] : Due to sample matrix, a reduced sample volume was extracted. Detection limits were adjusted accordingly.

Results relate only to the items tested.

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
5410178	KC1	Spiked Blank	13C2-Perfluorodecanoic acid	2018/02/24		112	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/24		93	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/24		107	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/24		96	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/24		97	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/24		104	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/24		101	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/24		113	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/24		109	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/24		110	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/24		98	%	50 - 150
			D3-MeFOSAA	2018/02/24		89	%	50 - 150
			D5-EtFOSAA	2018/02/24		90	%	50 - 150
			EtFOSAA	2018/02/24		98	%	73 - 128
			MeFOSAA	2018/02/24		98	%	77 - 127
			Perfluorobutane Sulfonate (PFBS)	2018/02/24		115	%	65 - 135
			Perfluoroheptanoic Acid (PFHpA)	2018/02/24		105	%	73 - 129
			Perfluorohexanoic Acid (PFHxA)	2018/02/24		102	%	74 - 129
			Perfluorohexane Sulfonate (PFHxS)	2018/02/24		114	%	67 - 132
			Perfluorononanoic Acid (PFNA)	2018/02/24		103	%	72 - 131
			Perfluorotetradecanoic Acid	2018/02/24		102	%	70 - 134
			Perfluorotridecanoic Acid	2018/02/24		103	%	67 - 143
			Perfluoroundecanoic Acid (PFUnA)	2018/02/24		101	%	71 - 133
			Perfluorodecanoic Acid (PFDA)	2018/02/24		97	%	71 - 133
			Perfluorododecanoic Acid (PFDoA)	2018/02/24		104	%	71 - 131
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/24		101	%	71 - 130
			Perfluorooctane Sulfonate (PFOS)	2018/02/24		93	%	72 - 131
5410178	KC1	Spiked Blank DUP	13C2-Perfluorodecanoic acid	2018/02/24		91	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/24		90	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/24		98	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/24		89	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/24		91	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/24		94	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/24		95	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/24		95	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/24		100	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/24		101	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/24		93	%	50 - 150
			D3-MeFOSAA	2018/02/24		87	%	50 - 150
			D5-EtFOSAA	2018/02/24		87	%	50 - 150
			EtFOSAA	2018/02/24		97	%	73 - 128
			MeFOSAA	2018/02/24		99	%	77 - 127
			Perfluorobutane Sulfonate (PFBS)	2018/02/24		111	%	65 - 135
			Perfluoroheptanoic Acid (PFHpA)	2018/02/24		102	%	73 - 129
			Perfluorohexanoic Acid (PFHxA)	2018/02/24		101	%	74 - 129
			Perfluorohexane Sulfonate (PFHxS)	2018/02/24		102	%	67 - 132
			Perfluorononanoic Acid (PFNA)	2018/02/24		101	%	72 - 131
			Perfluorotetradecanoic Acid	2018/02/24		98	%	70 - 134
			Perfluorotridecanoic Acid	2018/02/24		98	%	67 - 143
			Perfluoroundecanoic Acid (PFUnA)	2018/02/24		102	%	71 - 133
			Perfluorodecanoic Acid (PFDA)	2018/02/24		106	%	71 - 133
			Perfluorododecanoic Acid (PFDoA)	2018/02/24		99	%	71 - 131
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/24		96	%	71 - 130
			Perfluorooctane Sulfonate (PFOS)	2018/02/24		95	%	72 - 131
5410178	KC1	RPD	EtFOSAA	2018/02/24	0.72		%	30

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			MeFOSAA	2018/02/24	1.3		%	30
			Perfluorobutane Sulfonate (PFBS)	2018/02/24	3.8		%	30
			Perfluoroheptanoic Acid (PFHpA)	2018/02/24	3.5		%	30
			Perfluorohexanoic Acid (PFHxA)	2018/02/24	0.74		%	30
			Perfluorohexane Sulfonate (PFHxS)	2018/02/24	11		%	30
			Perfluorononanoic Acid (PFNA)	2018/02/24	2.8		%	30
			Perfluorotetradecanoic Acid	2018/02/24	3.6		%	30
			Perfluorotridecanoic Acid	2018/02/24	4.7		%	30
			Perfluoroundecanoic Acid (PFUnA)	2018/02/24	1.3		%	30
			Perfluorodecanoic Acid (PFDA)	2018/02/24	9.2		%	30
			Perfluorododecanoic Acid (PFDoA)	2018/02/24	5.4		%	30
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/24	5.5		%	30
			Perfluorooctane Sulfonate (PFOS)	2018/02/24	2.4		%	30
5410178	KC1	Method Blank	13C2-Perfluorodecanoic acid	2018/02/24		98	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/24		92	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/24		103	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/24		85	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/24		93	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/24		99	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/24		96	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/24		101	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/24		97	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/24		104	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/24		101	%	50 - 150
			D3-MeFOSAA	2018/02/24		86	%	50 - 150
			D5-EtFOSAA	2018/02/24		81	%	50 - 150
			EtFOSAA	2018/02/24	10 U, LOD=10		ng/L	
			MeFOSAA	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorobutane Sulfonate (PFBS)	2018/02/24	15 U, LOD=15		ng/L	
			Perfluoroheptanoic Acid (PFHpA)	2018/02/24	15 U, LOD=15		ng/L	
			Perfluorohexanoic Acid (PFHxA)	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorohexane Sulfonate (PFHxS)	2018/02/24	15 U, LOD=15		ng/L	
			Perfluorononanoic Acid (PFNA)	2018/02/24	18 U, LOD=18		ng/L	
			Perfluorotetradecanoic Acid	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorotridecanoic Acid	2018/02/24	10 U, LOD=10		ng/L	
			Perfluoroundecanoic Acid (PFUnA)	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorodecanoic Acid (PFDA)	2018/02/24	15 U, LOD=15		ng/L	
			Perfluorododecanoic Acid (PFDoA)	2018/02/24	10 U, LOD=10		ng/L	
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorooctane Sulfonate (PFOS)	2018/02/24	15 U, LOD=15		ng/L	
5412188	KC1	Spiked Blank	13C2-Perfluorodecanoic acid	2018/02/27		105	%	50 - 150

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			13C2-Perfluorododecanoic acid	2018/02/27		102	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/27		110	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/27		91	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/27		108	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/27		101	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/27		105	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/27		109	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/27		104	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/27		109	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/27		102	%	50 - 150
			D3-MeFOSAA	2018/02/27		92	%	50 - 150
			D5-EtFOSAA	2018/02/27		89	%	50 - 150
			EtFOSAA	2018/02/27		95	%	73 - 128
			MeFOSAA	2018/02/27		94	%	77 - 127
			Perfluorobutane Sulfonate (PFBS)	2018/02/27		102	%	65 - 135
			Perfluoroheptanoic Acid (PFHpA)	2018/02/27		95	%	73 - 129
			Perfluorohexanoic Acid (PFHxA)	2018/02/27		93	%	74 - 129
			Perfluorohexane Sulfonate (PFHxS)	2018/02/27		106	%	67 - 132
			Perfluorononanoic Acid (PFNA)	2018/02/27		93	%	72 - 131
			Perfluorotetradecanoic Acid	2018/02/27		101	%	70 - 134
			Perfluorotridecanoic Acid	2018/02/27		103	%	67 - 143
			Perfluoroundecanoic Acid (PFUnA)	2018/02/27		97	%	71 - 133
			Perfluorodecanoic Acid (PFDA)	2018/02/27		105	%	71 - 133
			Perfluorododecanoic Acid (PFDoA)	2018/02/27		94	%	71 - 131
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/27		101	%	71 - 130
			Perfluorooctane Sulfonate (PFOS)	2018/02/27		86	%	72 - 131
5412188	KC1	Spiked Blank DUP	13C2-Perfluorodecanoic acid	2018/02/27		108	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/27		105	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/27		115	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/27		95	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/27		113	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/27		115	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/27		112	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/27		114	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/27		107	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/27		110	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/27		111	%	50 - 150
			D3-MeFOSAA	2018/02/27		95	%	50 - 150
			D5-EtFOSAA	2018/02/27		92	%	50 - 150
			EtFOSAA	2018/02/27		94	%	73 - 128
			MeFOSAA	2018/02/27		91	%	77 - 127
			Perfluorobutane Sulfonate (PFBS)	2018/02/27		110	%	65 - 135
			Perfluoroheptanoic Acid (PFHpA)	2018/02/27		88	%	73 - 129
			Perfluorohexanoic Acid (PFHxA)	2018/02/27		91	%	74 - 129
			Perfluorohexane Sulfonate (PFHxS)	2018/02/27		100	%	67 - 132
			Perfluorononanoic Acid (PFNA)	2018/02/27		92	%	72 - 131
			Perfluorotetradecanoic Acid	2018/02/27		98	%	70 - 134
			Perfluorotridecanoic Acid	2018/02/27		102	%	67 - 143
			Perfluoroundecanoic Acid (PFUnA)	2018/02/27		94	%	71 - 133
			Perfluorodecanoic Acid (PFDA)	2018/02/27		98	%	71 - 133
			Perfluorododecanoic Acid (PFDoA)	2018/02/27		97	%	71 - 131
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/27		100	%	71 - 130
			Perfluorooctane Sulfonate (PFOS)	2018/02/27		89	%	72 - 131
5412188	KC1	RPD	EtFOSAA	2018/02/27	1.1		%	30
			MeFOSAA	2018/02/27	2.8		%	30

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			Perfluorobutane Sulfonate (PFBS)	2018/02/27	7.4		%	30
			Perfluoroheptanoic Acid (PFHpA)	2018/02/27	7.8		%	30
			Perfluorohexanoic Acid (PFHxA)	2018/02/27	1.6		%	30
			Perfluorohexane Sulfonate (PFHxS)	2018/02/27	6.2		%	30
			Perfluorononanoic Acid (PFNA)	2018/02/27	0.95		%	30
			Perfluorotetradecanoic Acid	2018/02/27	3.0		%	30
			Perfluorotridecanoic Acid	2018/02/27	0.53		%	30
			Perfluoroundecanoic Acid (PFUnA)	2018/02/27	3.1		%	30
			Perfluorodecanoic Acid (PFDA)	2018/02/27	6.3		%	30
			Perfluorododecanoic Acid (PFDoA)	2018/02/27	2.8		%	30
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/27	0.64		%	30
			Perfluorooctane Sulfonate (PFOS)	2018/02/27	2.6		%	30
5412188	KC1	Method Blank	13C2-Perfluorodecanoic acid	2018/02/27		108	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/27		104	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/27		110	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/27		98	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/27		108	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/27		106	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/27		107	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/27		97	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/27		104	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/27		106	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/27		108	%	50 - 150
			D3-MeFOSAA	2018/02/27		89	%	50 - 150
			D5-EtFOSAA	2018/02/27		93	%	50 - 150
			EtFOSAA	2018/02/27	10 U, LOD=10		ng/L	
			MeFOSAA	2018/02/27	10 U, LOD=10		ng/L	
			Perfluorobutane Sulfonate (PFBS)	2018/02/27	15 U, LOD=15		ng/L	
			Perfluoroheptanoic Acid (PFHpA)	2018/02/27	15 U, LOD=15		ng/L	
			Perfluorohexanoic Acid (PFHxA)	2018/02/27	10 U, LOD=10		ng/L	
			Perfluorohexane Sulfonate (PFHxS)	2018/02/27	15 U, LOD=15		ng/L	
			Perfluorononanoic Acid (PFNA)	2018/02/27	18 U, LOD=18		ng/L	
			Perfluorotetradecanoic Acid	2018/02/27	10 U, LOD=10		ng/L	
			Perfluorotridecanoic Acid	2018/02/27	10 U, LOD=10		ng/L	
			Perfluoroundecanoic Acid (PFUnA)	2018/02/27	10 U, LOD=10		ng/L	
			Perfluorodecanoic Acid (PFDA)	2018/02/27	15 U, LOD=15		ng/L	
			Perfluorododecanoic Acid (PFDoA)	2018/02/27	10 U, LOD=10		ng/L	
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/27	10 U, LOD=10		ng/L	

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			Perfluorooctane Sulfonate (PFOS)	2018/02/27	15 U, LOD=15		ng/L	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Adam Robinson, Supervisor, LC/MS/MS

Sin Chii Chia, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

METHOD 537 Modified

DETERMINATION OF SELECTED PERFLUORINATED ALKYL ACIDS IN DRINKING WATER BY SOLID PHASE EXTRACTION AND LIQUID CHROMATOGRAPHY/TANDEM MASS SPECTROMETRY (LC/MS/MS)

Maxxam Analytics International
6740 Campobello Rd
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com



3.2 Sample Chromatograms


Maxxam Analytics International
6740 Campobello Rd
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:GBV345-01**	**Instrument**	LCMS04
Data File	WS#5410178_14.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-B4
Acq. Date	2018/02/23 5:38:43 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6650	1.44	1 µg/L		
MPFHxS	1509	1.68	1 µg/L		
MPFHpA	8477	1.70	1 µg/L		
MPFOA	8885	1.88	1 µg/L		
MPFOS	1855	1.97	1 µg/L		
MPFNA	8630	2.02	1 µg/L		
MPFDA	6589	2.14	1 µg/L		
MPFUnA	7984	2.23	1 µg/L		
MPFDoA	9417	2.32	1 µg/L		
MPFTeDA	9795	2.47	1 µg/L		
13C6-PFHxA IS	21332	1.44	1 µg/L		
13C9-PFDA IS	27416	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	6650	1.44	-	105.38 µg/L	-
18O2-PFHxS	1509	1.68	-	102.56 µg/L	-
13C4-PFHpA	8477	1.70	-	107.28 µg/L	-
13C4-PFOA	8885	1.88	-	113.57 µg/L	-
13C4-PFOS	1855	1.97	-	108.26 µg/L	-
13C5-PFNA	8630	2.02	-	113.46 µg/L	-
13C2-PFDA	6550	2.14	-	99.13 µg/L	-
13C2-PFUnA	7984	2.23	-	93.52 µg/L	-
13C2-PFDoA	9417	2.32	-	87.01 µg/L	-
13C2-PFTeDA	9980	2.47	-	87.39 µg/L	-
13C6-PFHxA	21332	1.44	-	2.27 µg/L	-
13C9-PFDA	27416	2.13	-	2.42 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample






13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.445)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.702)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.881)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.025)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.323)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.400)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 105.38 µg/L
Area ratio: 0.31174
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 102.56 µg/L
Area ratio: 0.07074
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 107.28 µg/L
Area ratio: 0.39738
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 113.57 µg/L
Area ratio: 0.41651
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 108.26 µg/L
Area ratio: 0.08696
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 113.46 µg/L
Area ratio: 0.40456
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 99.13 µg/L
Area ratio: 0.23891
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 93.52 µg/L
Area ratio: 0.29122
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 87.01 µg/L
Area ratio: 0.34349
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 87.39 µg/L
Area ratio: 0.36402
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.27 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.42 µg/L
Area ratio: 0
Sample type: Sample


Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:GBV346-01**	**Instrument**	LCMS04
Data File	WS#5410178_15.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-B5
Acq. Date	2018/02/23 5:43:39 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6958	1.44	1 µg/L		
MPFHxS	1612	1.68	1 µg/L		
MPFHpA	8345	1.70	1 µg/L		
MPFOA	8813	1.88	1 µg/L		
MPFOS	1804	1.97	1 µg/L		
MPFNA	8327	2.02	1 µg/L		
MPFDA	6329	2.14	1 µg/L		
MPFUnA	8308	2.23	1 µg/L		
MPFDoA	9308	2.32	1 µg/L		
MPFTeDA	9154	2.46	1 µg/L		
13C6-PFHxA IS	24667	1.44	1 µg/L		
13C9-PFDA IS	29817	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1	474	1.96	-	0.02 µg/L	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	6958	1.44	-	95.35 µg/L	-
18O2-PFHxS	1612	1.68	-	94.74 µg/L	-
13C4-PFHpA	8345	1.70	-	91.33 µg/L	-
13C4-PFOA	8813	1.88	-	97.42 µg/L	-
13C4-PFOS	1804	1.97	-	91.05 µg/L	-
13C5-PFNA	8296	2.02	-	94.32 µg/L	-
13C2-PFDA	6244	2.14	-	86.89 µg/L	-
13C2-PFUnA	8308	2.23	-	89.48 µg/L	-
13C2-PFDoA	9308	2.32	-	79.08 µg/L	-
13C2-PFTeDA	9235	2.46	-	74.35 µg/L	-
13C6-PFHxA	24667	1.44	-	2.62 µg/L	-
13C9-PFDA	29817	2.13	-	2.64 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.445)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.702)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.881)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.02 µg/L
Area ratio: 0.26275
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.025)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.323)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.400)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 95.35 µg/L
Area ratio: 0.28208
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 94.74 µg/L
Area ratio: 0.06535
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 91.33 µg/L
Area ratio: 0.33831
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 97.42 µg/L
Area ratio: 0.35728
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 91.05 µg/L
Area ratio: 0.07313
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 94.32 µg/L
Area ratio: 0.33632
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 86.89 µg/L
Area ratio: 0.20941
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 89.48 µg/L
Area ratio: 0.27863
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 79.08 µg/L
Area ratio: 0.31217
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.467)
Calc. conc. 74.35 µg/L
Area ratio: 0.30972
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.62 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.64 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:GBV347-01**	**Instrument**	LCMS04
Data File	WS#5410178_16.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-B6
Acq. Date	2018/02/23 5:48:35 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7362	1.44	1 µg/L		
MPFHxS	1699	1.68	1 µg/L		
MPFHpA	9045	1.70	1 µg/L		
MPFOA	8656	1.88	1 µg/L		
MPFOS	1717	1.97	1 µg/L		
MPFNA	8091	2.02	1 µg/L		
MPFDA	7192	2.14	1 µg/L		
MPFUnA	8319	2.23	1 µg/L		
MPFDoA	9793	2.32	1 µg/L		
MPFTeDA	10212	2.47	1 µg/L		
13C6-PFHxA IS	25740	1.44	1 µg/L		
13C9-PFDA IS	32643	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	7362	1.44	-	96.68 µg/L	-
18O2-PFHxS	1699	1.68	-	95.70 µg/L	-
13C4-PFHpA	9045	1.70	-	94.86 µg/L	-
13C4-PFOA	8656	1.88	-	91.69 µg/L	-
13C4-PFOS	1717	1.97	-	83.04 µg/L	-
13C5-PFNA	8059	2.02	-	87.81 µg/L	-
13C2-PFDA	7137	2.14	-	90.72 µg/L	-
13C2-PFUnA	8319	2.23	-	81.84 µg/L	-
13C2-PFDoA	9793	2.32	-	76.00 µg/L	-
13C2-PFTeDA	10390	2.47	-	76.41 µg/L	-
13C6-PFHxA	25740	1.44	-	2.74 µg/L	-
13C9-PFDA	32643	2.13	-	2.89 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.445)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.702)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.881)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.025)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.323)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.400)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 96.68 µg/L
Area ratio: 0.28601
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 95.70 µg/L
Area ratio: 0.06601
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 94.86 µg/L
Area ratio: 0.35140
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 91.69 µg/L
Area ratio: 0.33629
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 83.04 µg/L
Area ratio: 0.06671
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 87.81 µg/L
Area ratio: 0.31309
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 90.72 µg/L
Area ratio: 0.21864
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 81.84 µg/L
Area ratio: 0.25485
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 76.00 µg/L
Area ratio: 0.30000
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 76.41 µg/L
Area ratio: 0.31829
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.74 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.89 µg/L
Area ratio: 0
Sample type: Sample


Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:GBV348-01**	**Instrument**	LCMS04
Data File	WS#5410178_17.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-B7
Acq. Date	2018/02/23 5:53:31 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6703	1.44	1 µg/L		
MPFHxS	1536	1.68	1 µg/L		
MPFHpA	8224	1.70	1 µg/L		
MPFOA	8477	1.88	1 µg/L		
MPFOS	1743	1.97	1 µg/L		
MPFNA	7967	2.02	1 µg/L		
MPFDA	6186	2.14	1 µg/L		
MPFUnA	7831	2.23	1 µg/L		
MPFDoA	9052	2.32	1 µg/L		
MPFTeDA	8556	2.47	1 µg/L		
13C6-PFHxA IS	24967	1.44	1 µg/L		
13C9-PFDA IS	30015	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	6703	1.44	-	90.75 µg/L	-
18O2-PFHxS	1536	1.68	-	89.19 µg/L	-
13C4-PFHpA	8224	1.70	-	88.92 µg/L	-
13C4-PFOA	8477	1.88	-	92.58 µg/L	-
13C4-PFOS	1743	1.97	-	86.91 µg/L	-
13C5-PFNA	7966	2.02	-	89.48 µg/L	-
13C2-PFDA	6139	2.14	-	84.87 µg/L	-
13C2-PFUnA	7831	2.23	-	83.79 µg/L	-
13C2-PFDoA	9052	2.32	-	76.40 µg/L	-
13C2-PFTeDA	8634	2.47	-	69.06 µg/L	-
13C6-PFHxA	24967	1.44	-	2.66 µg/L	-
13C9-PFDA	30015	2.13	-	2.65 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.445)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.702)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.881)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.025)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.323)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.400)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 90.75 µg/L
Area ratio: 0.26847
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 89.19 µg/L
Area ratio: 0.06152
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 88.92 µg/L
Area ratio: 0.32939
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 92.58 µg/L
Area ratio: 0.33953
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 86.91 µg/L
Area ratio: 0.06981
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 89.48 µg/L
Area ratio: 0.31906
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 84.87 µg/L
Area ratio: 0.20453
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 83.79 µg/L
Area ratio: 0.26090
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 76.40 µg/L
Area ratio: 0.30158
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 69.06 µg/L
Area ratio: 0.28766
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.66 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.65 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:GBV349-01:10x**	**Instrument**	LCMS04
Data File	WS#5410178_18.d	**Operator**	
Sample Type	Sample	**Dilution**	0.24
Acq. Method	PFC_Water_Low.m	**Position**	P1-B8
Acq. Date	2018/02/23 5:58:27 PM	**Injection Volume**	Per Method
Sample Annotation	Reported for PFHxS and PFOS only.		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6614	1.44	1 µg/L		
MPFHxS	1493	1.68	1 µg/L		
MPFHpA	8043	1.70	1 µg/L		
MPFOA	8637	1.88	1 µg/L		
MPFOS	1523	1.97	1 µg/L		
MPFNA	8448	2.02	1 µg/L		
MPFDA	6330	2.14	1 µg/L		
MPFUnA	7792	2.23	1 µg/L		
MPFDoA	10680	2.32	1 µg/L		
MPFTeDA	11136	2.46	1 µg/L		
13C6-PFHxA IS	26150	1.44	1 µg/L		
13C9-PFDA IS	32520	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1	2041	1.45	-	0.21 µg/L	-
PFHxS 1	3493	1.68	-	1.25 µg/L	-
PFHpA 1	1084	1.70	-	0.14 µg/L	-
PFOA 1	1225	1.88	-	0.12 µg/L	-
PFOS 1	5951	1.96	-	2.45 µg/L	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	6614	1.44	-	85.50 µg/L	-
18O2-PFHxS	1493	1.68	-	82.77 µg/L	-
13C4-PFHpA	8043	1.70	-	83.03 µg/L	-
13C4-PFOA	8637	1.88	-	90.06 µg/L	-
13C4-PFOS	1523	1.97	-	72.50 µg/L	-
13C5-PFNA	8449	2.02	-	90.61 µg/L	-
13C2-PFDA	6275	2.14	-	80.07 µg/L	-
13C2-PFUnA	7792	2.23	-	76.95 µg/L	-
13C2-PFDoA	10680	2.32	-	83.19 µg/L	-
13C2-PFTeDA	11234	2.46	-	82.93 µg/L	-
13C6-PFHxA	26150	1.44	-	27.81 µg/L	-
13C9-PFDA	32520	2.13	-	28.75 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 0.21 µg/L
Area ratio: 0.30859
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 1.25 µg/L
Area ratio: 2.33958
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 0.14 µg/L
Area ratio: 0.13478
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 0.12 µg/L
Area ratio: 0.14183
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 2.45 µg/L
Area ratio: 3.90742
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.025)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.323)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.400)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 85.50 µg/L
Area ratio: 0.25293
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 82.77 µg/L
Area ratio: 0.05709
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 83.03 µg/L
Area ratio: 0.30757
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 90.06 µg/L
Area ratio: 0.33029
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 72.50 µg/L
Area ratio: 0.05824
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 90.61 µg/L
Area ratio: 0.32310
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 80.07 µg/L
Area ratio: 0.19296
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 76.95 µg/L
Area ratio: 0.23961
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 83.19 µg/L
Area ratio: 0.32841
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.467)
Calc. conc. 82.93 µg/L
Area ratio: 0.34545
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 27.81 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 28.75 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:GBV349-01**	**Instrument**	LCMS04
Data File	WS#5410178_19.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-B9
Acq. Date	2018/02/23 6:03:23 PM	**Injection Volume**	Per Method
Sample Annotation	Reported for all except PFHxS and PFOS.		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6314	1.44	1 µg/L		
MPFHxS	1486	1.68	1 µg/L		
MPFHpA	7931	1.70	1 µg/L		
MPFOA	8294	1.88	1 µg/L		
MPFOS	1674	1.97	1 µg/L		
MPFNA	7998	2.02	1 µg/L		
MPFDA	6153	2.14	1 µg/L		
MPFUnA	7448	2.23	1 µg/L		
MPFDoA	10020	2.32	1 µg/L		
MPFTeDA	10223	2.46	1 µg/L		
13C6-PFHxA IS	25290	1.44	1 µg/L		
13C9-PFDA IS	30125	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	722	1.09	-	0.03 µg/L	-
PFHxA 1	19484	1.45	-	0.19 µg/L	-
PFHxS 1	30192	1.68	-	1.04 µg/L	-
PFHpA 1	10198	1.70	-	0.08 µg/L	-
PFOA 1	9945	1.88	-	0.07 µg/L	-
PFOS 1	55456	1.97	-	2.03 µg/L	-
PFNA 1	2120	2.03	-	0.02 µg/L	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	6314	1.44	-	84.39 µg/L	-
18O2-PFHxS	1486	1.68	-	85.19 µg/L	-
13C4-PFHpA	7931	1.70	-	84.66 µg/L	-
13C4-PFOA	8294	1.88	-	89.42 µg/L	-
13C4-PFOS	1674	1.97	-	82.40 µg/L	-
13C5-PFNA	7999	2.02	-	88.70 µg/L	-
13C2-PFDA	6040	2.14	-	83.19 µg/L	-
13C2-PFUnA	7448	2.23	-	79.40 µg/L	-
13C2-PFDoA	10020	2.32	-	84.26 µg/L	-
13C2-PFTeDA	10362	2.46	-	82.58 µg/L	-
13C6-PFHxA	25290	1.44	-	2.69 µg/L	-
13C9-PFDA	30125	2.13	-	2.66 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.03 µg/L
Area ratio: 0.48587
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 0.19 µg/L
Area ratio: 3.08584
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 1.04 µg/L
Area ratio: 20.31763
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 0.08 µg/L
Area ratio: 1.28584
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 0.07 µg/L
Area ratio: 1.19906
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.968 (1.957)
Calc. conc. 2.03 µg/L
Area ratio: 33.12784
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 0.02 µg/L
Area ratio: 0.26507
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.323)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.400)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 84.39 µg/L
Area ratio: 0.24966
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 85.19 µg/L
Area ratio: 0.05876
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 84.66 µg/L
Area ratio: 0.31360
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 89.42 µg/L
Area ratio: 0.32796
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 82.40 µg/L
Area ratio: 0.06619
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 88.70 µg/L
Area ratio: 0.31629
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 83.19 µg/L
Area ratio: 0.20050
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 79.40 µg/L
Area ratio: 0.24724
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 84.26 µg/L
Area ratio: 0.33261
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.467)
Calc. conc. 82.58 µg/L
Area ratio: 0.34397
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.69 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.66 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**5410178:GBV345-01**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_14.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-B4
Acq. Date	2018/02/24 3:39:48 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1308	1.31	1 µg/L		
D5-EtFOSAA IS	1135	1.33	1 µg/L		
13C9-PFDA IS	21398	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1338	1.31	-	90.42 µg/L	-
D5-EtFOSAA	1142	1.33	-	90.63 µg/L	-
13C9-PFDA	20951	0.90	-	2.50 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.310)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.334)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 90.42 µg/L
Area ratio: 0.06253
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	90.63 µg/L
Area ratio:	0.05337
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	2.50 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**5410178:GBV346-01**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_15.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-B5
Acq. Date	2018/02/24 3:42:13 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1298	1.31	1 µg/L		
D5-EtFOSAA IS	1083	1.33	1 µg/L		
13C9-PFDA IS	23716	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1316	1.31	-	80.24 µg/L	-
D5-EtFOSAA	1085	1.33	-	77.69 µg/L	-
13C9-PFDA	23739	0.90	-	2.84 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.310)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.334)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 80.24 µg/L
Area ratio: 0.05549
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	77.69 µg/L
Area ratio:	0.04575
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	2.84 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**5410178:GBV347-01**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_16.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-B6
Acq. Date	2018/02/24 3:44:39 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1282	1.31	1 µg/L		
D5-EtFOSAA IS	1055	1.33	1 µg/L		
13C9-PFDA IS	25302	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1298	1.31	-	74.18 µg/L	-
D5-EtFOSAA	1060	1.33	-	71.14 µg/L	-
13C9-PFDA	25287	0.90	-	3.02 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.310)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.334)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 74.18 µg/L
Area ratio: 0.05130
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	71.14 µg/L
Area ratio:	0.04189
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	3.02 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**5410178:GBV348-01**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_17.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-B7
Acq. Date	2018/02/24 3:47:04 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1261	1.31	1 µg/L		
D5-EtFOSAA IS	1066	1.33	1 µg/L		
13C9-PFDA IS	24025	0.91	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1261	1.31	-	75.90 µg/L	-
D5-EtFOSAA	1075	1.33	-	75.98 µg/L	-
13C9-PFDA	23633	0.91	-	2.82 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.910 (0.900)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.310)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.334)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 75.90 µg/L
Area ratio: 0.05249
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	75.98 µg/L
Area ratio:	0.04475
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.910 (0.900)
Calc. conc.	2.82 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**5410178:GBV349-01:10x**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_18.d	**Operator**	
Sample Type	Sample	**Dilution**	0.24
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-B8
Acq. Date	2018/02/24 3:49:29 AM	**Injection Volume**	Per Method
Sample Annotation	Not used.		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1448	1.31	1 µg/L		
D5-EtFOSAA IS	1189	1.33	1 µg/L		
13C9-PFDA IS	25288	0.88	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1451	1.31	-	82.97 µg/L	-
D5-EtFOSAA	1203	1.33	-	80.78 µg/L	-
13C9-PFDA	25292	0.88	-	30.22 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.881 (0.900)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.310)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.334)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 82.97 µg/L
Area ratio: 0.05738
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	80.78 µg/L
Area ratio:	0.04757
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.881 (0.900)
Calc. conc.	30.22 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**5410178:GBV349-01**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_19.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-B9
Acq. Date	2018/02/24 3:51:54 AM	**Injection Volume**	Per Method
Sample Annotation	Reported for all.		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1353	1.31	1 µg/L		
D5-EtFOSAA IS	1127	1.33	1 µg/L		
13C9-PFDA IS	23821	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1366	1.31	-	82.92 µg/L	-
D5-EtFOSAA	1141	1.33	-	81.34 µg/L	-
13C9-PFDA	23778	0.90	-	2.84 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.310)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.334)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 82.92 µg/L
Area ratio: 0.05734
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	81.34 µg/L
Area ratio:	0.04790
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	2.84 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**5412188:GBV350-01:10x**	**Instrument**	LCMS04
Data File	WS#5412188_B_14.d	**Operator**	
Sample Type	Sample	**Dilution**	0.24
Acq. Method	PFC_Water_Low.m	**Position**	P1-D3
Acq. Date	2018/02/27 2:16:56 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8736	1.43	1 µg/L		
MPFHxS	1793	1.67	1 µg/L		
MPFHpA	10037	1.69	1 µg/L		
MPFOA	10466	1.87	1 µg/L		
MPFOS	2167	1.97	1 µg/L		
MPFNA	10123	2.01	1 µg/L		
MPFDA	8885	2.14	1 µg/L		
MPFUnA	9706	2.23	1 µg/L		
MPFDoA	13172	2.31	1 µg/L		
MPFTeDA	10843	2.46	1 µg/L		
13C6-PFHxA IS	33310	1.43	1 µg/L		
13C9-PFDA IS	41490	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	8736	1.43	-	105.51 µg/L	-
18O2-PFHxS	1793	1.67	-	103.65 µg/L	-
13C4-PFHpA	10037	1.69	-	104.66 µg/L	-
13C4-PFOA	10466	1.87	-	105.80 µg/L	-
13C4-PFOS	2167	1.97	-	108.20 µg/L	-
13C5-PFNA	10124	2.01	-	105.66 µg/L	-
13C2-PFDA	8778	2.14	-	96.06 µg/L	-
13C2-PFUnA	9706	2.23	-	91.34 µg/L	-
13C2-PFDoA	13172	2.31	-	97.84 µg/L	-
13C2-PFTeDA	10903	2.46	-	73.67 µg/L	-
13C6-PFHxA	33310	1.43	-	25.52 µg/L	-
13C9-PFDA	41490	2.13	-	26.72 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.434)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.691)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.869)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.014)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.311)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.389)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 105.51 µg/L
Area ratio: 0.26226
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 103.65 µg/L
Area ratio: 0.05383
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 104.66 µg/L
Area ratio: 0.30132
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 105.80 µg/L
Area ratio: 0.31420
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 108.20 µg/L
Area ratio: 0.06506
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 105.66 µg/L
Area ratio: 0.30393
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 96.06 µg/L
Area ratio: 0.21157
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 91.34 µg/L
Area ratio: 0.23394
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 97.84 µg/L
Area ratio: 0.31747
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 73.67 µg/L
Area ratio: 0.26279
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 25.52 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 26.72 µg/L
Area ratio: 0
Sample type: Sample


Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**5412188:GBV351-01**	**Instrument**	LCMS04
Data File	WS#5412188_B_16.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-D4
Acq. Date	2018/02/27 2:26:48 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	10061	1.43	1 µg/L		
MPFHxS	1984	1.67	1 µg/L		
MPFHpA	11200	1.69	1 µg/L		
MPFOA	11480	1.87	1 µg/L		
MPFOS	2489	1.97	1 µg/L		
MPFNA	11597	2.01	1 µg/L		
MPFDA	9970	2.14	1 µg/L		
MPFUnA	10820	2.23	1 µg/L		
MPFDoA	12676	2.31	1 µg/L		
MPFTeDA	13680	2.46	1 µg/L		
13C6-PFHxA IS	34821	1.43	1 µg/L		
13C9-PFDA IS	39875	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	10061	1.43	-	116.24 µg/L	-
18O2-PFHxS	1984	1.67	-	109.72 µg/L	-
13C4-PFHpA	11200	1.69	-	111.72 µg/L	-
13C4-PFOA	11480	1.87	-	111.01 µg/L	-
13C4-PFOS	2489	1.97	-	118.88 µg/L	-
13C5-PFNA	11596	2.01	-	115.77 µg/L	-
13C2-PFDA	9770	2.14	-	111.25 µg/L	-
13C2-PFUnA	10820	2.23	-	105.94 µg/L	-
13C2-PFDoA	12676	2.31	-	97.97 µg/L	-
13C2-PFTeDA	13759	2.46	-	96.73 µg/L	-
13C6-PFHxA	34821	1.43	-	2.67 µg/L	-
13C9-PFDA	39875	2.13	-	2.57 µg/L	-







MPFHxA Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.434)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.691)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.869)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.014)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	0.000 (2.311)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	0.000 (2.389)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	0.000 (2.456)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	116.24 µg/L
Area ratio:	0.28893
Sample type:	Sample







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	109.72 µg/L
Area ratio:	0.05698
Sample type:	Sample







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	111.72 µg/L
Area ratio:	0.32164
Sample type:	Sample







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	111.01 µg/L
Area ratio:	0.32969
Sample type:	Sample







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	118.88 µg/L
Area ratio:	0.07148
Sample type:	Sample







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	115.77 µg/L
Area ratio:	0.33302
Sample type:	Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 111.25 µg/L
Area ratio: 0.24502
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 105.94 µg/L
Area ratio: 0.27135
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 97.97 µg/L
Area ratio: 0.31789
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 96.73 µg/L
Area ratio: 0.34505
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.67 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.57 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**5412188:GBV352-01:10x**	**Instrument**	LCMS04
Data File	WS#5412188_B_17.d	**Operator**	
Sample Type	Sample	**Dilution**	0.24
Acq. Method	PFC_Water_Low.m	**Position**	P1-D5
Acq. Date	2018/02/27 2:31:44 PM	**Injection Volume**	Per Method
Sample Annotation	Not used		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8952	1.43	1 µg/L		
MPFHxS	1686	1.67	1 µg/L		
MPFHpA	9771	1.69	1 µg/L		
MPFOA	10841	1.87	1 µg/L		
MPFOS	2100	1.97	1 µg/L		
MPFNA	9912	2.01	1 µg/L		
MPFDA	8571	2.14	1 µg/L		
MPFUnA	9709	2.23	1 µg/L		
MPFDoA	11972	2.31	1 µg/L		
MPFTeDA	13535	2.46	1 µg/L		
13C6-PFHxA IS	33872	1.43	1 µg/L		
13C9-PFDA IS	39496	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1	5920	1.43	-	0.36 µg/L	-
PFHxS 1	2744	1.67	-	0.84 µg/L	-
PFHpA 1	7318	1.69	-	0.39 µg/L	-
PFOA 1	5156	1.87	-	0.22 µg/L	-
PFOS 1	3541	1.96	-	1.01 µg/L	-
PFNA 1	1170	2.01	-	0.06 µg/L	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	8952	1.43	-	106.32 µg/L	-
18O2-PFHxS	1686	1.67	-	95.85 µg/L	-
13C4-PFHpA	9771	1.69	-	100.19 µg/L	-
13C4-PFOA	10841	1.87	-	107.77 µg/L	-
13C4-PFOS	2100	1.97	-	103.11 µg/L	-
13C5-PFNA	9913	2.01	-	101.74 µg/L	-
13C2-PFDA	8450	2.14	-	97.14 µg/L	-
13C2-PFUnA	9709	2.23	-	95.98 µg/L	-
13C2-PFDoA	11972	2.31	-	93.41 µg/L	-
13C2-PFTeDA	13704	2.46	-	97.27 µg/L	-
13C6-PFHxA	33872	1.43	-	25.95 µg/L	-
13C9-PFDA	39496	2.13	-	25.44 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 0.36 µg/L
Area ratio: 0.66130
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.84 µg/L
Area ratio: 1.62752
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 0.39 µg/L
Area ratio: 0.74895
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 0.22 µg/L
Area ratio: 0.47560
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 1.01 µg/L
Area ratio: 1.68619
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 0.06 µg/L
Area ratio: 0.11804
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	0.000 (2.311)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	0.000 (2.389)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	0.000 (2.456)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	106.32 µg/L
Area ratio:	0.26429
Sample type:	Sample







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	95.85 µg/L
Area ratio:	0.04978
Sample type:	Sample







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	100.19 µg/L
Area ratio:	0.28847
Sample type:	Sample







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	107.77 µg/L
Area ratio:	0.32006
Sample type:	Sample







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	103.11 µg/L
Area ratio:	0.06200
Sample type:	Sample







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	101.74 µg/L
Area ratio:	0.29266
Sample type:	Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 97.14 µg/L
Area ratio: 0.21395
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 95.98 µg/L
Area ratio: 0.24582
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 93.41 µg/L
Area ratio: 0.30312
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 97.27 µg/L
Area ratio: 0.34697
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 25.95 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 25.44 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**5412188:GBV352-01**	**Instrument**	LCMS04
Data File	WS#5412188_B_18.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-D6
Acq. Date	2018/02/27 2:36:40 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7311	1.43	1 µg/L		
MPFHxS	1482	1.67	1 µg/L		
MPFHpA	8196	1.69	1 µg/L		
MPFOA	8643	1.87	1 µg/L		
MPFOS	1856	1.97	1 µg/L		
MPFNA	8326	2.01	1 µg/L		
MPFDA	7388	2.14	1 µg/L		
MPFUnA	8643	2.23	1 µg/L		
MPFDoA	10590	2.31	1 µg/L		
MPFTeDA	9882	2.46	1 µg/L		
13C6-PFHxA IS	27565	1.43	1 µg/L		
13C9-PFDA IS	33315	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	431	1.09	-	0.01 µg/L	-
PFHxA 1	39002	1.43	-	0.31 µg/L	-
PFHxS 1	19456	1.67	-	0.71 µg/L	-
PFHpA 1	50747	1.69	-	0.33 µg/L	-
PFOA 1	34561	1.87	-	0.21 µg/L	-
PFOS 1	26045	1.96	-	0.81 µg/L	-
PFNA 1	9460	2.01	-	0.06 µg/L	-
PFDA 1	1473	2.14	-	0.01 µg/L	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	7311	1.43	-	106.70 µg/L	-
18O2-PFHxS	1482	1.67	-	103.53 µg/L	-
13C4-PFHpA	8196	1.69	-	103.27 µg/L	-
13C4-PFOA	8643	1.87	-	105.58 µg/L	-
13C4-PFOS	1856	1.97	-	111.98 µg/L	-
13C5-PFNA	8327	2.01	-	105.02 µg/L	-
13C2-PFDA	7202	2.14	-	98.15 µg/L	-
13C2-PFUnA	8643	2.23	-	101.29 µg/L	-
13C2-PFDoA	10590	2.31	-	97.96 µg/L	-
13C2-PFTeDA	10010	2.46	-	84.23 µg/L	-
13C6-PFHxA	27565	1.43	-	2.11 µg/L	-
13C9-PFDA	33315	2.13	-	2.15 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.01 µg/L
Area ratio: 0.29082
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 0.31 µg/L
Area ratio: 5.33470
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.71 µg/L
Area ratio: 13.12821
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 0.33 µg/L
Area ratio: 6.19168
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 0.21 µg/L
Area ratio: 3.99873
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.81 µg/L
Area ratio: 14.03287
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 0.06 µg/L
Area ratio: 1.13620
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.01 µg/L
Area ratio: 0.19938
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	0.000 (2.311)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	0.000 (2.389)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	0.000 (2.456)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	106.70 µg/L
Area ratio:	0.26523
Sample type:	Sample







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	103.53 µg/L
Area ratio:	0.05376
Sample type:	Sample







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	103.27 µg/L
Area ratio:	0.29733
Sample type:	Sample







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	105.58 µg/L
Area ratio:	0.31355
Sample type:	Sample







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	111.98 µg/L
Area ratio:	0.06733
Sample type:	Sample







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	105.02 µg/L
Area ratio:	0.30209
Sample type:	Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 98.15 µg/L
Area ratio: 0.21618
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 101.29 µg/L
Area ratio: 0.25943
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 97.96 µg/L
Area ratio: 0.31787
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 84.23 µg/L
Area ratio: 0.30047
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.11 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.15 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**5412188:GBV353-01**	**Instrument**	LCMS04
Data File	WS#5412188_B_20.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-D7
Acq. Date	2018/02/27 2:46:32 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7841	1.43	1 µg/L		
MPFHxS	1706	1.67	1 µg/L		
MPFHpA	9024	1.69	1 µg/L		
MPFOA	9155	1.87	1 µg/L		
MPFOS	1876	1.97	1 µg/L		
MPFNA	8858	2.01	1 µg/L		
MPFDA	7718	2.14	1 µg/L		
MPFUnA	9031	2.23	1 µg/L		
MPFDoA	10321	2.31	1 µg/L		
MPFTeDA	9902	2.46	1 µg/L		
13C6-PFHxA IS	28213	1.43	1 µg/L		
13C9-PFDA IS	33355	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1	9017	1.43	-	0.06 µg/L	-
PFHxS 1	374	1.67	-	0.01 µg/L	-
PFHpA 1	9095	1.69	-	0.05 µg/L	-
PFOA 1	2987	1.87	-	0.01 µg/L	-
PFOS 1	656	1.97	-	0.02 µg/L	-
PFNA 1	918	2.01	-	0.01 µg/L	-
PFDA 1	1188	2.14	-	0.00 µg/L	-
PFUnA 1	776	2.23	-	0.00 µg/L	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	7841	1.43	-	111.81 µg/L	-
18O2-PFHxS	1706	1.67	-	116.44 µg/L	-
13C4-PFHpA	9024	1.69	-	111.09 µg/L	-
13C4-PFOA	9155	1.87	-	109.26 µg/L	-
13C4-PFOS	1876	1.97	-	110.59 µg/L	-
13C5-PFNA	8858	2.01	-	109.15 µg/L	-
13C2-PFDA	7566	2.14	-	102.99 µg/L	-
13C2-PFUnA	9031	2.23	-	105.71 µg/L	-
13C2-PFDoA	10321	2.31	-	95.36 µg/L	-
13C2-PFTeDA	10060	2.46	-	84.55 µg/L	-
13C6-PFHxA	28213	1.43	-	2.16 µg/L	-
13C9-PFDA	33355	2.13	-	2.15 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 0.06 µg/L
Area ratio: 1.14998
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.01 µg/L
Area ratio: 0.21923
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 0.05 µg/L
Area ratio: 1.00787
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 0.01 µg/L
Area ratio: 0.32627
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.968 (1.957)
Calc. conc. 0.02 µg/L
Area ratio: 0.34968
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 0.01 µg/L
Area ratio: 0.10364
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.00 µg/L
Area ratio: 0.15393
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.00 µg/L
Area ratio: 0.08593
Sample type: Sample







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	0.000 (2.311)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	0.000 (2.389)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	0.000 (2.456)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	111.81 µg/L
Area ratio:	0.27792
Sample type:	Sample







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	116.44 µg/L
Area ratio:	0.06047
Sample type:	Sample







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	111.09 µg/L
Area ratio:	0.31985
Sample type:	Sample







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	109.26 µg/L
Area ratio:	0.32450
Sample type:	Sample







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	110.59 µg/L
Area ratio:	0.06649
Sample type:	Sample







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	109.15 µg/L
Area ratio:	0.31397
Sample type:	Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 102.99 µg/L
Area ratio: 0.22683
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 105.71 µg/L
Area ratio: 0.27075
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 95.36 µg/L
Area ratio: 0.30943
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 84.55 µg/L
Area ratio: 0.30160
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.16 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.15 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**5412188:GBV354-01:10x**	**Instrument**	LCMS04
Data File	WS#5412188_B_21.d	**Operator**	
Sample Type	Sample	**Dilution**	0.24
Acq. Method	PFC_Water_Low.m	**Position**	P1-D8
Acq. Date	2018/02/27 2:51:28 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8592	1.43	1 µg/L		
MPFHxS	1586	1.67	1 µg/L		
MPFHpA	9292	1.69	1 µg/L		
MPFOA	8886	1.87	1 µg/L		
MPFOS	1918	1.97	1 µg/L		
MPFNA	8836	2.01	1 µg/L		
MPFDA	7330	2.14	1 µg/L		
MPFUnA	8856	2.23	1 µg/L		
MPFDoA	10133	2.31	1 µg/L		
MPFTeDA	8692	2.46	1 µg/L		
13C6-PFHxA IS	30186	1.43	1 µg/L		
13C9-PFDA IS	36409	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	8592	1.43	-	114.51 µg/L	-
18O2-PFHxS	1586	1.67	-	101.18 µg/L	-
13C4-PFHpA	9292	1.69	-	106.92 µg/L	-
13C4-PFOA	8886	1.87	-	99.12 µg/L	-
13C4-PFOS	1918	1.97	-	105.68 µg/L	-
13C5-PFNA	8835	2.01	-	101.75 µg/L	-
13C2-PFDA	7219	2.14	-	90.02 µg/L	-
13C2-PFUnA	8856	2.23	-	94.97 µg/L	-
13C2-PFDoA	10133	2.31	-	85.77 µg/L	-
13C2-PFTeDA	8881	2.46	-	68.38 µg/L	-
13C6-PFHxA	30186	1.43	-	23.12 µg/L	-
13C9-PFDA	36409	2.13	-	23.45 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.434)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.691)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.869)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.014)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.311)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.389)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 114.51 µg/L
Area ratio: 0.28464
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 101.18 µg/L
Area ratio: 0.05254
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 106.92 µg/L
Area ratio: 0.30782
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 99.12 µg/L
Area ratio: 0.29437
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 105.68 µg/L
Area ratio: 0.06354
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 101.75 µg/L
Area ratio: 0.29269
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 90.02 µg/L
Area ratio: 0.19828
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 94.97 µg/L
Area ratio: 0.24324
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 85.77 µg/L
Area ratio: 0.27831
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 68.38 µg/L
Area ratio: 0.24392
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 23.12 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 23.45 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**5412188:GBV350-01:10x**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_14.d	**Operator**	
Sample Type	Sample	**Dilution**	0.24
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-D3
Acq. Date	2018/02/27 5:08:27 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1492	1.31	1 µg/L		
D5-EtFOSAA IS	1246	1.32	1 µg/L		
13C9-PFDA IS	27037	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1508	1.31	-	91.70 µg/L	-
D5-EtFOSAA	1253	1.32	-	89.48 µg/L	-
13C9-PFDA	26493	0.89	-	25.01 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 91.70 µg/L
Area ratio: 0.05578
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	89.48 µg/L
Area ratio:	0.04634
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	25.01 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**5412188:GBV351-01**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_16.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-D4
Acq. Date	2018/02/27 5:13:17 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1543	1.31	1 µg/L		
D5-EtFOSAA IS	1273	1.33	1 µg/L		
13C9-PFDA IS	27818	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1594	1.31	-	94.21 µg/L	-
D5-EtFOSAA	1280	1.33	-	88.84 µg/L	-
13C9-PFDA	27020	0.90	-	2.55 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 94.21 µg/L
Area ratio: 0.05730
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.323)
Calc. conc.	88.84 µg/L
Area ratio:	0.04601
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.890)
Calc. conc.	2.55 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**5412188:GBV352-01:10x**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_17.d	**Operator**	
Sample Type	Sample	**Dilution**	0.24
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-D5
Acq. Date	2018/02/27 5:15:42 AM	**Injection Volume**	Per Method
Sample Annotation	Not used		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1471	1.31	1 µg/L		
D5-EtFOSAA IS	1312	1.33	1 µg/L		
13C9-PFDA IS	26015	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1515	1.31	-	95.75 µg/L	-
D5-EtFOSAA	1322	1.33	-	98.12 µg/L	-
13C9-PFDA	25493	0.89	-	24.06 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 95.75 µg/L
Area ratio: 0.05824
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.323)
Calc. conc.	98.12 µg/L
Area ratio:	0.05082
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	24.06 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**5412188:GBV352-01**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_18.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-D6
Acq. Date	2018/02/27 5:18:07 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1264	1.31	1 µg/L		
D5-EtFOSAA IS	1050	1.33	1 µg/L		
13C9-PFDA IS	22038	0.88	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1286	1.31	-	95.94 µg/L	-
D5-EtFOSAA	1060	1.33	-	92.87 µg/L	-
13C9-PFDA	21738	0.88	-	2.05 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.881 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 95.94 µg/L
Area ratio: 0.05835
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.323)
Calc. conc.	92.87 µg/L
Area ratio:	0.04810
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.881 (0.890)
Calc. conc.	2.05 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**5412188:GBV353-01**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_20.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-D7
Acq. Date	2018/02/27 5:22:58 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1249	1.31	1 µg/L		
D5-EtFOSAA IS	1048	1.33	1 µg/L		
13C9-PFDA IS	22339	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1245	1.31	-	91.63 µg/L	-
D5-EtFOSAA	1068	1.33	-	92.31 µg/L	-
13C9-PFDA	21903	0.89	-	2.07 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 91.63 µg/L
Area ratio: 0.05573
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.323)
Calc. conc.	92.31 µg/L
Area ratio:	0.04781
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	2.07 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**5412188:GBV354-01:10x**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_21.d	**Operator**	
Sample Type	Sample	**Dilution**	0.24
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-D8
Acq. Date	2018/02/27 5:25:23 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1264	1.31	1 µg/L		
D5-EtFOSAA IS	1064	1.33	1 µg/L		
13C9-PFDA IS	24019	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1303	1.31	-	89.19 µg/L	-
D5-EtFOSAA	1064	1.33	-	85.53 µg/L	-
13C9-PFDA	23598	0.89	-	22.27 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 89.19 µg/L
Area ratio: 0.05425
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.323)
Calc. conc.	85.53 µg/L
Area ratio:	0.04430
Sample type:	Sample





13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	22.27 µg/L
Area ratio:	0
Sample type:	Sample



4. QA/QC Data


Maxxam Analytics International
6740 Campobello Rd
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com


Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5410178_08.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-A8
Acq. Date	2018/02/23 5:09:08 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6352	1.44	1 µg/L		
MPFHxS	1394	1.68	1 µg/L		
MPFHpA	7679	1.70	1 µg/L		
MPFOA	8016	1.88	1 µg/L		
MPFOS	1848	1.97	1 µg/L		
MPFNA	7785	2.02	1 µg/L		
MPFDA	6208	2.14	1 µg/L		
MPFUnA	8019	2.23	1 µg/L		
MPFDoA	10712	2.32	1 µg/L		
MPFTeDA	11169	2.47	1 µg/L		
13C6-PFHxA IS	23454	1.44	1 µg/L		
13C9-PFDA IS	29125	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	6352	1.44	-	91.55 µg/L	-
18O2-PFHxS	1394	1.68	-	86.17 µg/L	-
13C4-PFHpA	7679	1.70	-	88.39 µg/L	-
13C4-PFOA	8016	1.88	-	93.19 µg/L	-
13C4-PFOS	1848	1.97	-	98.09 µg/L	-
13C5-PFNA	7783	2.02	-	93.06 µg/L	-
13C2-PFDA	6146	2.14	-	87.56 µg/L	-
13C2-PFUnA	8019	2.23	-	88.42 µg/L	-
13C2-PFDoA	10712	2.32	-	93.17 µg/L	-
13C2-PFTeDA	11472	2.47	-	94.56 µg/L	-
13C6-PFHxA	23454	1.44	-	2.49 µg/L	-
13C9-PFDA	29125	2.13	-	2.58 µg/L	-







MPFHxA Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.445)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.702)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.881)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.025)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.323)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.400)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 91.55 µg/L
Area ratio: 0.27083
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 86.17 µg/L
Area ratio: 0.05944
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 88.39 µg/L
Area ratio: 0.32741
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 93.19 µg/L
Area ratio: 0.34178
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 98.09 µg/L
Area ratio: 0.07879
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 93.06 µg/L
Area ratio: 0.33184
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 87.56 µg/L
Area ratio: 0.21102
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 88.42 µg/L
Area ratio: 0.27533
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 93.17 µg/L
Area ratio: 0.36779
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 94.56 µg/L
Area ratio: 0.39389
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.49 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.58 µg/L
Area ratio: 0
Sample type: Sample


Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5410178_20.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-A8
Acq. Date	2018/02/23 6:08:19 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6643	1.44	1 µg/L		
MPFHxS	1518	1.68	1 µg/L		
MPFHpA	8123	1.70	1 µg/L		
MPFOA	8410	1.88	1 µg/L		
MPFOS	1689	1.97	1 µg/L		
MPFNA	7576	2.02	1 µg/L		
MPFDA	6503	2.14	1 µg/L		
MPFUnA	7978	2.23	1 µg/L		
MPFDoA	10475	2.32	1 µg/L		
MPFTeDA	10676	2.47	1 µg/L		
13C6-PFHxA IS	23749	1.44	1 µg/L		
13C9-PFDA IS	29605	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	6643	1.44	-	94.55 µg/L	-
18O2-PFHxS	1518	1.68	-	92.67 µg/L	-
13C4-PFHpA	8123	1.70	-	92.33 µg/L	-
13C4-PFOA	8410	1.88	-	96.56 µg/L	-
13C4-PFOS	1689	1.97	-	88.54 µg/L	-
13C5-PFNA	7576	2.02	-	89.46 µg/L	-
13C2-PFDA	6438	2.14	-	90.23 µg/L	-
13C2-PFUnA	7978	2.23	-	86.54 µg/L	-
13C2-PFDoA	10475	2.32	-	89.63 µg/L	-
13C2-PFTeDA	10892	2.47	-	88.32 µg/L	-
13C6-PFHxA	23749	1.44	-	2.53 µg/L	-
13C9-PFDA	29605	2.13	-	2.62 µg/L	-







MPFHxA Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.445)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.702)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.881)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.025)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.323)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.400)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 94.55 µg/L
Area ratio: 0.27972
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 92.67 µg/L
Area ratio: 0.06392
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 92.33 µg/L
Area ratio: 0.34204
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 96.56 µg/L
Area ratio: 0.35412
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 88.54 µg/L
Area ratio: 0.07112
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 89.46 µg/L
Area ratio: 0.31900
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 90.23 µg/L
Area ratio: 0.21746
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 86.54 µg/L
Area ratio: 0.26948
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 89.63 µg/L
Area ratio: 0.35383
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 88.32 µg/L
Area ratio: 0.36791
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.53 µg/L
Area ratio: 0
Sample type: Sample





13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.62 µg/L
Area ratio: 0
Sample type: Sample

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:BLANK**	**Instrument**	LCMS04
Data File	WS#5410178_11.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-B1
Acq. Date	2018/02/23 5:23:55 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7064	1.44	1 µg/L		
MPFHxS	1620	1.68	1 µg/L		
MPFHpA	8272	1.70	1 µg/L		
MPFOA	8265	1.88	1 µg/L		
MPFOS	1879	1.97	1 µg/L		
MPFNA	8607	2.02	1 µg/L		
MPFDA	6728	2.14	1 µg/L		
MPFUnA	8186	2.23	1 µg/L		
MPFDoA	10366	2.32	1 µg/L		
MPFTeDA	9886	2.46	1 µg/L		
13C6-PFHxA IS	23209	1.44	1 µg/L		
13C9-PFDA IS	28413	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	7064	1.44	-	102.88 µg/L	-
18O2-PFHxS	1620	1.68	-	101.20 µg/L	-
13C4-PFHpA	8272	1.70	-	96.22 µg/L	-
13C4-PFOA	8265	1.88	-	97.10 µg/L	-
13C4-PFOS	1879	1.97	-	100.79 µg/L	-
13C5-PFNA	8607	2.02	-	104.00 µg/L	-
13C2-PFDA	6687	2.14	-	97.66 µg/L	-
13C2-PFUnA	8186	2.23	-	92.53 µg/L	-
13C2-PFDoA	10366	2.32	-	92.42 µg/L	-
13C2-PFTeDA	10060	2.46	-	85.00 µg/L	-
13C6-PFHxA	23209	1.44	-	2.47 µg/L	-
13C9-PFDA	28413	2.13	-	2.51 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.445)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.702)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.881)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.025)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.323)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.400)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 102.88 µg/L
Area ratio: 0.30436
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 101.20 µg/L
Area ratio: 0.06980
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 96.22 µg/L
Area ratio: 0.35641
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 97.10 µg/L
Area ratio: 0.35611
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 100.79 µg/L
Area ratio: 0.08096
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 104.00 µg/L
Area ratio: 0.37085
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 97.66 µg/L
Area ratio: 0.23535
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 92.53 µg/L
Area ratio: 0.28811
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 92.42 µg/L
Area ratio: 0.36483
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.467)
Calc. conc. 85.00 µg/L
Area ratio: 0.35406
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.47 µg/L
Area ratio: 0
Sample type: Sample





13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.51 µg/L
Area ratio: 0
Sample type: Sample

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:SPIKE**	**Instrument**	LCMS04
Data File	WS#5410178_12.d	**Operator**	
Sample Type	QC	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-B2
Acq. Date	2018/02/23 5:28:51 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6710	1.44	1 µg/L		
MPFHxS	1435	1.68	1 µg/L		
MPFHpA	7919	1.70	1 µg/L		
MPFOA	8433	1.88	1 µg/L		
MPFOS	1918	1.97	1 µg/L		
MPFNA	8272	2.02	1 µg/L		
MPFDA	6939	2.14	1 µg/L		
MPFUnA	7762	2.23	1 µg/L		
MPFDoA	9354	2.32	1 µg/L		
MPFTeDA	10080	2.47	1 µg/L		
13C6-PFHxA IS	21178	1.44	1 µg/L		
13C9-PFDA IS	25614	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	15998	1.09	20.80	0.57 µg/L	115.08
PFHxA 1	57536	1.45	20.80	0.51 µg/L	102.03
PFHxS 1	15924	1.67	20.80	0.57 µg/L	114.01
PFHpA 1	72216	1.70	20.80	0.53 µg/L	105.39
PFOA 1	80887	1.88	20.80	0.51 µg/L	101.42
PFOS 1	14393	1.96	20.80	0.46 µg/L	93.12
PFNA 1	73458	2.03	20.80	0.52 µg/L	103.57
PFDA 1	72807	2.14	20.80	0.48 µg/L	96.81
PFUnA 1	72767	2.23	20.80	0.50 µg/L	100.70
PFDoA 1	87463	2.32	20.80	0.52 µg/L	104.65
PFTrDA 1	97258	2.40	20.80	0.51 µg/L	103.00
PFTeDA 1	80727	2.46	20.80	0.51 µg/L	101.77
13C2-PFHxA	6710	1.44	100.00	107.10 µg/L	107.10
18O2-PFHxS	1435	1.68	100.00	98.24 µg/L	98.24
13C4-PFHpA	7919	1.70	100.00	100.94 µg/L	100.94
13C4-PFOA	8433	1.88	100.00	108.57 µg/L	108.57
13C4-PFOS	1918	1.97	100.00	112.75 µg/L	112.75
13C5-PFNA	8272	2.02	100.00	109.54 µg/L	109.54
13C2-PFDA	6898	2.14	100.00	111.75 µg/L	111.75
13C2-PFUnA	7762	2.23	100.00	97.32 µg/L	97.32
13C2-PFDoA	9354	2.32	100.00	92.51 µg/L	92.51
13C2-PFTeDA	10191	2.47	100.00	95.52 µg/L	95.52
13C6-PFHxA	21178	1.44	100.00	2.25 µg/L	93.86
13C9-PFDA	25614	2.13	100.00	2.26 µg/L	94.36







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	QC







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: QC







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: QC







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: QC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: QC







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: QC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: QC







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: QC







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: QC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.57 µg/L
Area ratio: 11.14843
Sample type: QC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 0.51 µg/L
Area ratio: 8.57466
Sample type: QC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.57 µg/L
Area ratio: 11.09686
Sample type: QC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 0.53 µg/L
Area ratio: 9.11933
Sample type: QC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 0.51 µg/L
Area ratio: 9.59172
Sample type: QC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.46 µg/L
Area ratio: 7.50417
Sample type: QC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 0.52 µg/L
Area ratio: 8.88032
Sample type: QC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.48 µg/L
Area ratio: 10.49243
Sample type: QC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.50 µg/L
Area ratio: 9.37477
Sample type: QC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 0.52 µg/L
Area ratio: 9.35033
Sample type: QC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 0.51 µg/L
Area ratio: 9.64861
Sample type: QC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 0.51 µg/L
Area ratio: 8.00863
Sample type: QC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 107.10 µg/L
Area ratio: 0.31684
Sample type: QC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 98.24 µg/L
Area ratio: 0.06776
Sample type: QC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 100.94 µg/L
Area ratio: 0.37393
Sample type: QC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 108.57 µg/L
Area ratio: 0.39820
Sample type: QC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 112.75 µg/L
Area ratio: 0.09057
Sample type: QC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 109.54 µg/L
Area ratio: 0.39059
Sample type: QC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 111.75 µg/L
Area ratio: 0.26931
Sample type: QC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 97.32 µg/L
Area ratio: 0.30304
Sample type: QC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 92.51 µg/L
Area ratio: 0.36519
Sample type: QC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 95.52 µg/L
Area ratio: 0.39787
Sample type: QC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.25 µg/L
Area ratio: 0
Sample type: QC






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.26 µg/L
Area ratio: 0
Sample type: QC


Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:SPIKE:D1**	**Instrument**	LCMS04
Data File	WS#5410178_13.d	**Operator**	
Sample Type	QC	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-B3
Acq. Date	2018/02/23 5:33:47 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6744	1.44	1 µg/L		
MPFHxS	1503	1.68	1 µg/L		
MPFHpA	8233	1.70	1 µg/L		
MPFOA	8600	1.88	1 µg/L		
MPFOS	1784	1.97	1 µg/L		
MPFNA	8482	2.02	1 µg/L		
MPFDA	6316	2.14	1 µg/L		
MPFUnA	8006	2.23	1 µg/L		
MPFDoA	10032	2.32	1 µg/L		
MPFTeDA	10409	2.47	1 µg/L		
13C6-PFHxA IS	23363	1.44	1 µg/L		
13C9-PFDA IS	28328	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	16116	1.09	20.80	0.55 µg/L	110.73
PFHxA 1	57397	1.45	20.80	0.51 µg/L	101.27
PFHxS 1	14955	1.67	20.80	0.51 µg/L	102.35
PFHpA 1	72464	1.70	20.80	0.51 µg/L	101.77
PFOA 1	78004	1.88	20.80	0.48 µg/L	95.95
PFOS 1	13721	1.96	20.80	0.48 µg/L	95.42
PFNA 1	73202	2.03	20.80	0.50 µg/L	100.68
PFDA 1	72684	2.14	20.80	0.53 µg/L	106.12
PFUnA 1	76026	2.23	20.80	0.51 µg/L	101.99
PFDoA 1	88845	2.32	20.80	0.50 µg/L	99.17
PFTrDA 1	95803	2.40	20.80	0.49 µg/L	98.28
PFTeDA 1	80438	2.47	20.80	0.49 µg/L	98.22
13C2-PFHxA	6744	1.44	100.00	97.58 µg/L	97.58
18O2-PFHxS	1503	1.68	100.00	93.27 µg/L	93.27
13C4-PFHpA	8233	1.70	100.00	95.13 µg/L	95.13
13C4-PFOA	8600	1.88	100.00	100.37 µg/L	100.37
13C4-PFOS	1784	1.97	100.00	95.06 µg/L	95.06
13C5-PFNA	8437	2.02	100.00	101.28 µg/L	101.28
13C2-PFDA	6236	2.14	100.00	91.34 µg/L	91.34
13C2-PFUnA	8006	2.23	100.00	90.76 µg/L	90.76
13C2-PFDoA	10032	2.32	100.00	89.71 µg/L	89.71
13C2-PFTeDA	10492	2.47	100.00	88.91 µg/L	88.91
13C6-PFHxA	23363	1.44	100.00	2.49 µg/L	103.54
13C9-PFDA	28328	2.13	100.00	2.50 µg/L	104.36







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	QC







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: QC







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: QC







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: QC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: QC







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: QC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: QC







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: QC







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: QC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.55 µg/L
Area ratio: 10.72255
Sample type: QC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 0.51 µg/L
Area ratio: 8.51082
Sample type: QC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.51 µg/L
Area ratio: 9.95010
Sample type: QC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 0.51 µg/L
Area ratio: 8.80165
Sample type: QC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 0.48 µg/L
Area ratio: 9.07023
Sample type: QC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.48 µg/L
Area ratio: 7.69114
Sample type: QC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 0.50 µg/L
Area ratio: 8.63028
Sample type: QC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.53 µg/L
Area ratio: 11.50792
Sample type: QC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.51 µg/L
Area ratio: 9.49613
Sample type: QC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 0.50 µg/L
Area ratio: 8.85616
Sample type: QC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 0.49 µg/L
Area ratio: 9.20386
Sample type: QC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.467 (2.456)
Calc. conc. 0.49 µg/L
Area ratio: 7.72774
Sample type: QC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 97.58 µg/L
Area ratio: 0.28866
Sample type: QC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 93.27 µg/L
Area ratio: 0.06433
Sample type: QC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 95.13 µg/L
Area ratio: 0.35239
Sample type: QC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 100.37 µg/L
Area ratio: 0.36810
Sample type: QC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 95.06 µg/L
Area ratio: 0.07636
Sample type: QC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 101.28 µg/L
Area ratio: 0.36113
Sample type: QC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 91.34 µg/L
Area ratio: 0.22014
Sample type: QC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 90.76 µg/L
Area ratio: 0.28262
Sample type: QC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 89.71 µg/L
Area ratio: 0.35414
Sample type: QC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 88.91 µg/L
Area ratio: 0.37038
Sample type: QC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 2.49 µg/L
Area ratio: 0
Sample type: QC






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.50 µg/L
Area ratio: 0
Sample type: QC


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_08.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A8
Acq. Date	2018/02/24 3:25:20 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1364	1.31	1 µg/L		
D5-EtFOSAA IS	1213	1.33	1 µg/L		
13C9-PFDA IS	22547	0.91	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1378	1.31	-	88.38 µg/L	-
D5-EtFOSAA	1221	1.33	-	91.96 µg/L	-
13C9-PFDA	22186	0.91	-	2.65 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.910 (0.900)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.310)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.334)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 88.38 µg/L
Area ratio: 0.06112
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	91.96 µg/L
Area ratio:	0.05415
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.910 (0.900)
Calc. conc.	2.65 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_20.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A8
Acq. Date	2018/02/24 3:54:19 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1573	1.31	1 µg/L		
D5-EtFOSAA IS	1327	1.33	1 µg/L		
13C9-PFDA IS	23702	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1573	1.31	-	95.97 µg/L	-
D5-EtFOSAA	1326	1.33	-	95.00 µg/L	-
13C9-PFDA	23328	0.90	-	2.79 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.310)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.334)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 95.97 µg/L
Area ratio: 0.06637
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	95.00 µg/L
Area ratio:	0.05594
Sample type:	Sample





13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	2.79 µg/L
Area ratio:	0
Sample type:	Sample

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**5410178:BLANK**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_11.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-B1
Acq. Date	2018/02/24 3:32:35 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1278	1.31	1 µg/L		
D5-EtFOSAA IS	1032	1.33	1 µg/L		
13C9-PFDA IS	21843	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1295	1.31	-	85.73 µg/L	-
D5-EtFOSAA	1044	1.33	-	81.16 µg/L	-
13C9-PFDA	21974	0.90	-	2.63 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.310)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.334)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 85.73 µg/L
Area ratio: 0.05929
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	81.16 µg/L
Area ratio:	0.04780
Sample type:	Sample





13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	2.63 µg/L
Area ratio:	0
Sample type:	Sample

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**5410178:SPIKE**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_12.d	**Operator**	
Sample Type	QC	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-B2
Acq. Date	2018/02/24 3:34:59 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1227	1.31	1 µg/L		
D5-EtFOSAA IS	1038	1.33	1 µg/L		
13C9-PFDA IS	19805	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	9090	1.31	20.80	0.49 µg/L	97.81
EtFOSAA 1	9023	1.33	20.80	0.49 µg/L	97.99
D3-MeFOSAA	1224	1.31	100.00	89.37 µg/L	89.37
D5-EtFOSAA	1044	1.33	100.00	89.52 µg/L	89.52
13C9-PFDA	19800	0.90	100.00	2.37 µg/L	98.59







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: QC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: QC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 0.49 µg/L
Area ratio: 7.40831
Sample type: QC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 0.49 µg/L
Area ratio: 8.69268
Sample type: QC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 89.37 µg/L
Area ratio: 0.06180
Sample type: QC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	89.52 µg/L
Area ratio:	0.05271
Sample type:	QC






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	2.37 µg/L
Area ratio:	0
Sample type:	QC


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics

Sample Name	**5410178:SPIKE:D1**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_13.d	**Operator**	
Sample Type	QC	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-B3
Acq. Date	2018/02/24 3:37:23 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1317	1.31	1 µg/L		
D5-EtFOSAA IS	1127	1.33	1 µg/L		
13C9-PFDA IS	22136	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	9890	1.31	20.80	0.49 µg/L	99.14
EtFOSAA 1	9726	1.33	20.80	0.49 µg/L	97.29
D3-MeFOSAA	1332	1.31	100.00	87.01 µg/L	87.01
D5-EtFOSAA	1132	1.33	100.00	86.84 µg/L	86.84
13C9-PFDA	22217	0.90	100.00	2.65 µg/L	110.62







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: QC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: QC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 0.49 µg/L
Area ratio: 7.50949
Sample type: QC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 0.49 µg/L
Area ratio: 8.62999
Sample type: QC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 87.01 µg/L
Area ratio: 0.06017
Sample type: QC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	86.84 µg/L
Area ratio:	0.05114
Sample type:	QC






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	2.65 µg/L
Area ratio:	0
Sample type:	QC


Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5412188_B_08.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-C7
Acq. Date	2018/02/27 1:36:43 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8768	1.43	1 µg/L		
MPFHxS	1638	1.67	1 µg/L		
MPFHpA	9350	1.69	1 µg/L		
MPFOA	9995	1.87	1 µg/L		
MPFOS	2120	1.97	1 µg/L		
MPFNA	9866	2.01	1 µg/L		
MPFDA	8885	2.14	1 µg/L		
MPFUnA	10017	2.23	1 µg/L		
MPFDoA	12487	2.31	1 µg/L		
MPFTeDA	14401	2.46	1 µg/L		
13C6-PFHxA IS	31445	1.43	1 µg/L		
13C9-PFDA IS	37273	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	8768	1.43	-	112.18 µg/L	-
18O2-PFHxS	1638	1.67	-	100.31 µg/L	-
13C4-PFHpA	9350	1.69	-	103.28 µg/L	-
13C4-PFOA	9995	1.87	-	107.03 µg/L	-
13C4-PFOS	2120	1.97	-	112.13 µg/L	-
13C5-PFNA	9866	2.01	-	109.08 µg/L	-
13C2-PFDA	8721	2.14	-	106.23 µg/L	-
13C2-PFUnA	10017	2.23	-	104.93 µg/L	-
13C2-PFDoA	12487	2.31	-	103.24 µg/L	-
13C2-PFTeDA	14488	2.46	-	108.96 µg/L	-
13C6-PFHxA	31445	1.43	-	2.41 µg/L	-
13C9-PFDA	37273	2.13	-	2.40 µg/L	-







MPFHxA Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.434)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.691)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.869)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.014)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	0.000 (2.311)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	0.000 (2.389)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	0.000 (2.456)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	112.18 µg/L
Area ratio:	0.27884
Sample type:	Sample







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	100.31 µg/L
Area ratio:	0.05209
Sample type:	Sample







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	103.28 µg/L
Area ratio:	0.29734
Sample type:	Sample







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	107.03 µg/L
Area ratio:	0.31786
Sample type:	Sample







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	112.13 µg/L
Area ratio:	0.06742
Sample type:	Sample







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	109.08 µg/L
Area ratio:	0.31375
Sample type:	Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 106.23 µg/L
Area ratio: 0.23398
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 104.93 µg/L
Area ratio: 0.26875
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 103.24 µg/L
Area ratio: 0.33501
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 108.96 µg/L
Area ratio: 0.38870
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.41 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.40 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5412188_B_15.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-C7
Acq. Date	2018/02/27 2:21:53 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8473	1.43	1 µg/L		
MPFHxS	1760	1.67	1 µg/L		
MPFHpA	10251	1.69	1 µg/L		
MPFOA	9880	1.87	1 µg/L		
MPFOS	1991	1.97	1 µg/L		
MPFNA	9764	2.01	1 µg/L		
MPFDA	8873	2.14	1 µg/L		
MPFUnA	10287	2.23	1 µg/L		
MPFDoA	12993	2.31	1 µg/L		
MPFTeDA	14421	2.46	1 µg/L		
13C6-PFHxA IS	33232	1.43	1 µg/L		
13C9-PFDA IS	38020	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	8473	1.43	-	102.57 µg/L	-
18O2-PFHxS	1760	1.67	-	101.99 µg/L	-
13C4-PFHpA	10251	1.69	-	107.14 µg/L	-
13C4-PFOA	9880	1.87	-	100.11 µg/L	-
13C4-PFOS	1991	1.97	-	99.64 µg/L	-
13C5-PFNA	9765	2.01	-	102.15 µg/L	-
13C2-PFDA	8785	2.14	-	104.91 µg/L	-
13C2-PFUnA	10287	2.23	-	105.64 µg/L	-
13C2-PFDoA	12993	2.31	-	105.32 µg/L	-
13C2-PFTeDA	14588	2.46	-	107.56 µg/L	-
13C6-PFHxA	33232	1.43	-	2.55 µg/L	-
13C9-PFDA	38020	2.13	-	2.45 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.434)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.691)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.869)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.014)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.311)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.389)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 102.57 µg/L
Area ratio: 0.25497
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 101.99 µg/L
Area ratio: 0.05296
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 107.14 µg/L
Area ratio: 0.30847
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 100.11 µg/L
Area ratio: 0.29730
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 99.64 µg/L
Area ratio: 0.05991
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 102.15 µg/L
Area ratio: 0.29384
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 104.91 µg/L
Area ratio: 0.23106
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 105.64 µg/L
Area ratio: 0.27057
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 105.32 µg/L
Area ratio: 0.34174
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 107.56 µg/L
Area ratio: 0.38369
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.55 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.45 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5412188_B_19.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-C7
Acq. Date	2018/02/27 2:41:36 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8218	1.43	1 µg/L		
MPFHxS	1893	1.67	1 µg/L		
MPFHpA	9852	1.69	1 µg/L		
MPFOA	10464	1.87	1 µg/L		
MPFOS	2012	1.97	1 µg/L		
MPFNA	9558	2.01	1 µg/L		
MPFDA	8642	2.14	1 µg/L		
MPFUnA	10746	2.22	1 µg/L		
MPFDoA	13195	2.31	1 µg/L		
MPFTeDA	14266	2.46	1 µg/L		
13C6-PFHxA IS	31125	1.43	1 µg/L		
13C9-PFDA IS	38015	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	8218	1.43	-	106.22 µg/L	-
18O2-PFHxS	1893	1.67	-	117.12 µg/L	-
13C4-PFHpA	9852	1.69	-	109.94 µg/L	-
13C4-PFOA	10464	1.87	-	113.20 µg/L	-
13C4-PFOS	2012	1.97	-	107.51 µg/L	-
13C5-PFNA	9558	2.01	-	106.76 µg/L	-
13C2-PFDA	8489	2.14	-	101.39 µg/L	-
13C2-PFUnA	10746	2.22	-	110.37 µg/L	-
13C2-PFDoA	13195	2.31	-	106.97 µg/L	-
13C2-PFTeDA	14549	2.46	-	107.29 µg/L	-
13C6-PFHxA	31125	1.43	-	2.38 µg/L	-
13C9-PFDA	38015	2.13	-	2.45 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.223 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.434)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.691)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.869)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.014)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	0.000 (2.311)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	0.000 (2.389)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	0.000 (2.456)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	106.22 µg/L
Area ratio:	0.26403
Sample type:	Sample







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	117.12 µg/L
Area ratio:	0.06082
Sample type:	Sample







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	109.94 µg/L
Area ratio:	0.31653
Sample type:	Sample







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	113.20 µg/L
Area ratio:	0.33619
Sample type:	Sample







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	107.51 µg/L
Area ratio:	0.06464
Sample type:	Sample







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	106.76 µg/L
Area ratio:	0.30708
Sample type:	Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 101.39 µg/L
Area ratio: 0.22331
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.223 (2.234)
Calc. conc. 110.37 µg/L
Area ratio: 0.28268
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 106.97 µg/L
Area ratio: 0.34710
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 107.29 µg/L
Area ratio: 0.38272
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.38 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.45 µg/L
Area ratio: 0
Sample type: Sample


Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5412188_B_22.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-C7
Acq. Date	2018/02/27 2:56:24 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8393	1.43	1 µg/L		
MPFHxS	1887	1.67	1 µg/L		
MPFHpA	10008	1.69	1 µg/L		
MPFOA	10428	1.87	1 µg/L		
MPFOS	2325	1.97	1 µg/L		
MPFNA	9789	2.01	1 µg/L		
MPFDA	8838	2.14	1 µg/L		
MPFUnA	10500	2.23	1 µg/L		
MPFDoA	13679	2.31	1 µg/L		
MPFTeDA	14098	2.46	1 µg/L		
13C6-PFHxA IS	32635	1.43	1 µg/L		
13C9-PFDA IS	39107	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	8393	1.43	-	103.46 µg/L	-
18O2-PFHxS	1887	1.67	-	111.35 µg/L	-
13C4-PFHpA	10008	1.69	-	106.51 µg/L	-
13C4-PFOA	10428	1.87	-	107.59 µg/L	-
13C4-PFOS	2325	1.97	-	118.49 µg/L	-
13C5-PFNA	9791	2.01	-	104.30 µg/L	-
13C2-PFDA	8667	2.14	-	100.63 µg/L	-
13C2-PFUnA	10500	2.23	-	104.83 µg/L	-
13C2-PFDoA	13679	2.31	-	107.80 µg/L	-
13C2-PFTeDA	14188	2.46	-	101.70 µg/L	-
13C6-PFHxA	32635	1.43	-	2.50 µg/L	-
13C9-PFDA	39107	2.13	-	2.52 µg/L	-







MPFHxA Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.434)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.691)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.869)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.014)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	0.000 (2.311)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	0.000 (2.389)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	0.000 (2.456)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	103.46 µg/L
Area ratio:	0.25718
Sample type:	Sample







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	111.35 µg/L
Area ratio:	0.05782
Sample type:	Sample







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	106.51 µg/L
Area ratio:	0.30666
Sample type:	Sample







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	107.59 µg/L
Area ratio:	0.31953
Sample type:	Sample







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	118.49 µg/L
Area ratio:	0.07124
Sample type:	Sample







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	104.30 µg/L
Area ratio:	0.30002
Sample type:	Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 100.63 µg/L
Area ratio: 0.22162
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 104.83 µg/L
Area ratio: 0.26849
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 107.80 µg/L
Area ratio: 0.34978
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 101.70 µg/L
Area ratio: 0.36280
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.50 µg/L
Area ratio: 0
Sample type: Sample





13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.52 µg/L
Area ratio: 0
Sample type: Sample


Quantitation Results


Agilent Technologies

Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics		
Sample Name	**5412188:BLANK**	**Instrument**	LCMS04
Data File	WS#5412188_B_11.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-C9
Acq. Date	2018/02/27 2:02:09 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8434	1.43	1 µg/L		
MPFHxS	1739	1.67	1 µg/L		
MPFHpA	9524	1.69	1 µg/L		
MPFOA	9550	1.87	1 µg/L		
MPFOS	1796	1.97	1 µg/L		
MPFNA	9414	2.01	1 µg/L		
MPFDA	8373	2.14	1 µg/L		
MPFUnA	9648	2.23	1 µg/L		
MPFDoA	11796	2.31	1 µg/L		
MPFTeDA	12070	2.46	1 µg/L		
13C6-PFHxA IS	30908	1.43	1 µg/L		
13C9-PFDA IS	34891	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1			-	ND	-
PFHxS 1			-	ND	-
PFHpA 1			-	ND	-
PFOA 1			-	ND	-
PFOS 1			-	ND	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	8434	1.43	-	109.78 µg/L	-
18O2-PFHxS	1739	1.67	-	108.35 µg/L	-
13C4-PFHpA	9524	1.69	-	107.03 µg/L	-
13C4-PFOA	9550	1.87	-	104.04 µg/L	-
13C4-PFOS	1796	1.97	-	96.64 µg/L	-
13C5-PFNA	9413	2.01	-	105.88 µg/L	-
13C2-PFDA	8284	2.14	-	107.80 µg/L	-
13C2-PFUnA	9648	2.23	-	107.96 µg/L	-
13C2-PFDoA	11796	2.31	-	104.19 µg/L	-
13C2-PFTeDA	12194	2.46	-	97.97 µg/L	-
13C6-PFHxA	30908	1.43	-	2.37 µg/L	-
13C9-PFDA	34891	2.13	-	2.25 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 0.000 (1.434)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 0.000 (1.668)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 0.000 (1.691)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 0.000 (1.869)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 0.000 (1.957)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.014)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 0.000 (2.311)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 0.000 (2.389)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 0.000 (2.456)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 109.78 µg/L
Area ratio: 0.27287
Sample type: Sample







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 108.35 µg/L
Area ratio: 0.05626
Sample type: Sample







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 107.03 µg/L
Area ratio: 0.30814
Sample type: Sample







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 104.04 µg/L
Area ratio: 0.30898
Sample type: Sample







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 96.64 µg/L
Area ratio: 0.05811
Sample type: Sample







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 105.88 µg/L
Area ratio: 0.30455
Sample type: Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 107.80 µg/L
Area ratio: 0.23743
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 107.96 µg/L
Area ratio: 0.27652
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 104.19 µg/L
Area ratio: 0.33808
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 97.97 µg/L
Area ratio: 0.34949
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.37 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.25 µg/L
Area ratio: 0
Sample type: Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**5412188:SPIKE**	**Instrument**	LCMS04
Data File	WS#5412188_B_12.d	**Operator**	
Sample Type	QC	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-D1
Acq. Date	2018/02/27 2:07:04 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8181	1.43	1 µg/L		
MPFHxS	1595	1.67	1 µg/L		
MPFHpA	9035	1.69	1 µg/L		
MPFOA	9314	1.87	1 µg/L		
MPFOS	1959	1.97	1 µg/L		
MPFNA	9386	2.01	1 µg/L		
MPFDA	7917	2.14	1 µg/L		
MPFUnA	9444	2.23	1 µg/L		
MPFDoA	11345	2.31	1 µg/L		
MPFTeDA	10999	2.46	1 µg/L		
13C6-PFHxA IS	30023	1.43	1 µg/L		
13C9-PFDA IS	34110	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	15294	1.09	20.80	0.51 µg/L	102.03
PFHxA 1	65290	1.43	20.80	0.46 µg/L	92.75
PFHxS 1	15800	1.67	20.80	0.53 µg/L	106.49
PFHpA 1	81434	1.69	20.80	0.48 µg/L	95.56
PFOA 1	88436	1.87	20.80	0.50 µg/L	100.78
PFOS 1	14641	1.96	20.80	0.43 µg/L	86.47
PFNA 1	77696	2.01	20.80	0.46 µg/L	92.73
PFDA 1	82992	2.14	20.80	0.52 µg/L	104.95
PFUnA 1	86446	2.23	20.80	0.49 µg/L	97.64
PFDoA 1	98602	2.31	20.80	0.47 µg/L	94.53
PFTrDA 1	106926	2.39	20.80	0.51 µg/L	103.05
PFTeDA 1	87393	2.46	20.80	0.50 µg/L	100.90
13C2-PFHxA	8181	1.43	100.00	109.62 µg/L	109.62
18O2-PFHxS	1595	1.67	100.00	102.30 µg/L	102.30
13C4-PFHpA	9035	1.69	100.00	104.52 µg/L	104.52
13C4-PFOA	9314	1.87	100.00	104.46 µg/L	104.46
13C4-PFOS	1959	1.97	100.00	108.52 µg/L	108.52
13C5-PFNA	9385	2.01	100.00	108.67 µg/L	108.67
13C2-PFDA	7852	2.14	100.00	104.52 µg/L	104.52
13C2-PFUnA	9444	2.23	100.00	108.10 µg/L	108.10
13C2-PFDoA	11345	2.31	100.00	102.50 µg/L	102.50
13C2-PFTeDA	11093	2.46	100.00	91.17 µg/L	91.17
13C6-PFHxA	30023	1.43	100.00	2.30 µg/L	95.82
13C9-PFDA	34110	2.13	100.00	2.20 µg/L	91.53







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	QC







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: QC







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: QC







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: QC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: QC







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: QC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: QC







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: QC







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: QC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.51 µg/L
Area ratio: 9.58871
Sample type: QC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 0.46 µg/L
Area ratio: 7.98069
Sample type: QC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.53 µg/L
Area ratio: 9.90596
Sample type: QC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 0.48 µg/L
Area ratio: 9.01317
Sample type: QC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 0.50 µg/L
Area ratio: 9.49495
Sample type: QC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.43 µg/L
Area ratio: 7.47371
Sample type: QC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 0.46 µg/L
Area ratio: 8.27786
Sample type: QC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.52 µg/L
Area ratio: 10.48276
Sample type: QC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.49 µg/L
Area ratio: 9.15354
Sample type: QC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 0.47 µg/L
Area ratio: 8.69123
Sample type: QC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.389 (2.389)
Calc. conc. 0.51 µg/L
Area ratio: 9.72143
Sample type: QC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 0.50 µg/L
Area ratio: 7.94554
Sample type: QC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 109.62 µg/L
Area ratio: 0.27249
Sample type: QC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 102.30 µg/L
Area ratio: 0.05313
Sample type: QC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 104.52 µg/L
Area ratio: 0.30094
Sample type: QC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 104.46 µg/L
Area ratio: 0.31023
Sample type: QC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 108.52 µg/L
Area ratio: 0.06525
Sample type: QC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 108.67 µg/L
Area ratio: 0.31259
Sample type: QC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 104.52 µg/L
Area ratio: 0.23020
Sample type: QC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 108.10 µg/L
Area ratio: 0.27687
Sample type: QC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 102.50 µg/L
Area ratio: 0.33260
Sample type: QC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 91.17 µg/L
Area ratio: 0.32521
Sample type: QC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.30 µg/L
Area ratio: 0
Sample type: QC






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.20 µg/L
Area ratio: 0
Sample type: QC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**5412188:SPIKE:D1**	**Instrument**	LCMS04
Data File	WS#5412188_B_13.d	**Operator**	
Sample Type	QC	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-D2
Acq. Date	2018/02/27 2:12:00 PM	**Injection Volume**	Per Method
Sample Annotation	Reinjected to confirm analyte recovery		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	10691	1.43	1 µg/L		
MPFHxS	2044	1.67	1 µg/L		
MPFHpA	12246	1.69	1 µg/L		
MPFOA	12588	1.87	1 µg/L		
MPFOS	2440	1.97	1 µg/L		
MPFNA	12361	2.01	1 µg/L		
MPFDA	10906	2.14	1 µg/L		
MPFUnA	12381	2.23	1 µg/L		
MPFDoA	14813	2.31	1 µg/L		
MPFTeDA	9883	2.46	1 µg/L		
13C6-PFHxA IS	38181	1.43	1 µg/L		
13C9-PFDA IS	44883	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	21005	1.09	20.80	0.55 µg/L	109.42
PFHxA 1	84801	1.43	20.80	0.46 µg/L	92.18
PFHxS 1	20518	1.67	20.80	0.54 µg/L	107.92
PFHpA 1	107568	1.69	20.80	0.46 µg/L	93.12
PFOA 1	113245	1.87	20.80	0.48 µg/L	95.45
PFOS 1	20133	1.96	20.80	0.48 µg/L	95.38
PFNA 1	102784	2.01	20.80	0.47 µg/L	93.15
PFDA 1	108025	2.14	20.80	0.49 µg/L	99.13
PFUnA 1	114737	2.23	20.80	0.49 µg/L	98.85
PFDoA 1	131211	2.31	20.80	0.48 µg/L	96.35
PFTrDA 1	139114	2.39	20.80	0.75 µg/L	149.44
PFTeDA 1	114523	2.46	20.80	0.74 µg/L	147.38
13C2-PFHxA	10691	1.43	100.00	112.65 µg/L	112.65
18O2-PFHxS	2044	1.67	100.00	103.09 µg/L	103.09
13C4-PFHpA	12246	1.69	100.00	111.40 µg/L	111.40
13C4-PFOA	12588	1.87	100.00	111.01 µg/L	111.01
13C4-PFOS	2440	1.97	100.00	106.28 µg/L	106.28
13C5-PFNA	12361	2.01	100.00	112.55 µg/L	112.55
13C2-PFDA	10740	2.14	100.00	108.65 µg/L	108.65
13C2-PFUnA	12381	2.23	100.00	107.70 µg/L	107.70
13C2-PFDoA	14813	2.31	100.00	101.71 µg/L	101.71
13C2-PFTeDA	10116	2.46	100.00	63.18 µg/L	63.18
13C6-PFHxA	38181	1.43	100.00	2.92 µg/L	121.86
13C9-PFDA	44883	2.13	100.00	2.89 µg/L	120.44







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	QC







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: QC







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: QC







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: QC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: QC







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: QC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: QC







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: QC







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: QC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.55 µg/L
Area ratio: 10.27642
Sample type: QC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 0.46 µg/L
Area ratio: 7.93200
Sample type: QC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.54 µg/L
Area ratio: 10.03816
Sample type: QC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 0.46 µg/L
Area ratio: 8.78393
Sample type: QC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 0.48 µg/L
Area ratio: 8.99627
Sample type: QC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.48 µg/L
Area ratio: 8.25123
Sample type: QC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 0.47 µg/L
Area ratio: 8.31518
Sample type: QC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.49 µg/L
Area ratio: 9.90510
Sample type: QC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.49 µg/L
Area ratio: 9.26718
Sample type: QC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 0.48 µg/L
Area ratio: 8.85783
Sample type: QC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.389 (2.389)
Calc. conc. 0.75 µg/L
Area ratio: 14.07609
Sample type: QC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 0.74 µg/L
Area ratio: 11.58788
Sample type: QC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 112.65 µg/L
Area ratio: 0.28001
Sample type: QC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 103.09 µg/L
Area ratio: 0.05353
Sample type: QC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 111.40 µg/L
Area ratio: 0.32074
Sample type: QC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 111.01 µg/L
Area ratio: 0.32969
Sample type: QC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 106.28 µg/L
Area ratio: 0.06391
Sample type: QC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 112.55 µg/L
Area ratio: 0.32375
Sample type: QC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 108.65 µg/L
Area ratio: 0.23929
Sample type: QC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 107.70 µg/L
Area ratio: 0.27585
Sample type: QC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 101.71 µg/L
Area ratio: 0.33004
Sample type: QC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 63.18 µg/L
Area ratio: 0.22539
Sample type: QC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.92 µg/L
Area ratio: 0
Sample type: QC






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.89 µg/L
Area ratio: 0
Sample type: QC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**5412188:SPIKE:D1**	**Instrument**	LCMS04
Data File	WS#5412188_B_25.d	**Operator**	
Sample Type	QC	**Dilution**	0.024
Acq. Method	PFC_Water_Low.m	**Position**	P1-D2
Acq. Date	2018/02/27 4:00:27 PM	**Injection Volume**	Per Method
Sample Annotation	Reinjection, reported		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	10835	1.43	1 µg/L		
MPFHxS	2200	1.67	1 µg/L		
MPFHpA	12261	1.69	1 µg/L		
MPFOA	12083	1.87	1 µg/L		
MPFOS	2615	1.97	1 µg/L		
MPFNA	12080	2.01	1 µg/L		
MPFDA	10197	2.14	1 µg/L		
MPFUnA	12094	2.23	1 µg/L		
MPFDoA	14298	2.31	1 µg/L		
MPFTeDA	13959	2.46	1 µg/L		
13C6-PFHxA IS	38026	1.43	1 µg/L		
13C9-PFDA IS	41792	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	22700	1.09	20.80	0.55 µg/L	109.86
PFHxA 1	85107	1.43	20.80	0.46 µg/L	91.28
PFHxS 1	20483	1.67	20.80	0.50 µg/L	100.04
PFHpA 1	102226	1.69	20.80	0.44 µg/L	88.38
PFOA 1	114001	1.87	20.80	0.50 µg/L	100.14
PFOS 1	20060	1.96	20.80	0.44 µg/L	88.73
PFNA 1	99054	2.01	20.80	0.46 µg/L	91.86
PFDA 1	100435	2.14	20.80	0.49 µg/L	98.57
PFUnA 1	107299	2.23	20.80	0.47 µg/L	94.63
PFDoA 1	127754	2.31	20.80	0.49 µg/L	97.19
PFTrDA 1	134988	2.39	20.80	0.51 µg/L	102.51
PFTeDA 1	107629	2.46	20.80	0.49 µg/L	97.90
13C2-PFHxA	10835	1.43	100.00	114.63 µg/L	114.63
18O2-PFHxS	2200	1.67	100.00	111.41 µg/L	111.41
13C4-PFHpA	12261	1.69	100.00	111.99 µg/L	111.99
13C4-PFOA	12083	1.87	100.00	106.99 µg/L	106.99
13C4-PFOS	2615	1.97	100.00	114.37 µg/L	114.37
13C5-PFNA	12080	2.01	100.00	110.44 µg/L	110.44
13C2-PFDA	9931	2.14	100.00	107.89 µg/L	107.89
13C2-PFUnA	12094	2.23	100.00	112.99 µg/L	112.99
13C2-PFDoA	14298	2.31	100.00	105.43 µg/L	105.43
13C2-PFTeDA	14227	2.46	100.00	95.43 µg/L	95.43
13C6-PFHxA	38026	1.43	100.00	2.91 µg/L	121.37
13C9-PFDA	41792	2.13	100.00	2.69 µg/L	112.15







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	QC







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: QC







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: QC







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: QC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: QC







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: QC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: QC







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: QC







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: QC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.55 µg/L
Area ratio: 10.31818
Sample type: QC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 0.46 µg/L
Area ratio: 7.85482
Sample type: QC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.50 µg/L
Area ratio: 9.31045
Sample type: QC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 0.44 µg/L
Area ratio: 8.33749
Sample type: QC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 0.50 µg/L
Area ratio: 9.43483
Sample type: QC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.44 µg/L
Area ratio: 7.67113
Sample type: QC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 0.46 µg/L
Area ratio: 8.19983
Sample type: QC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.49 µg/L
Area ratio: 9.84947
Sample type: QC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.47 µg/L
Area ratio: 8.87209
Sample type: QC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 0.49 µg/L
Area ratio: 8.93510
Sample type: QC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.389 (2.389)
Calc. conc. 0.51 µg/L
Area ratio: 9.67032
Sample type: QC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 0.49 µg/L
Area ratio: 7.71037
Sample type: QC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 114.63 µg/L
Area ratio: 0.28494
Sample type: QC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 111.41 µg/L
Area ratio: 0.05786
Sample type: QC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 111.99 µg/L
Area ratio: 0.32244
Sample type: QC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 106.99 µg/L
Area ratio: 0.31776
Sample type: QC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 114.37 µg/L
Area ratio: 0.06877
Sample type: QC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 110.44 µg/L
Area ratio: 0.31768
Sample type: QC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 107.89 µg/L
Area ratio: 0.23763
Sample type: QC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 112.99 µg/L
Area ratio: 0.28939
Sample type: QC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 105.43 µg/L
Area ratio: 0.34212
Sample type: QC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 95.43 µg/L
Area ratio: 0.34042
Sample type: QC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 2.91 µg/L
Area ratio: 0
Sample type: QC






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 2.69 µg/L
Area ratio: 0
Sample type: QC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_08.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C7
Acq. Date	2018/02/27 4:54:03 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1645	1.31	1 µg/L		
D5-EtFOSAA IS	1357	1.32	1 µg/L		
13C9-PFDA IS	26496	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1679	1.31	-	104.18 µg/L	-
D5-EtFOSAA	1363	1.32	-	99.33 µg/L	-
13C9-PFDA	25745	0.89	-	2.43 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 104.18 µg/L
Area ratio: 0.06337
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	99.33 µg/L
Area ratio:	0.05144
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	2.43 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_15.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C7
Acq. Date	2018/02/27 5:10:53 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1632	1.31	1 µg/L		
D5-EtFOSAA IS	1421	1.32	1 µg/L		
13C9-PFDA IS	26197	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1678	1.31	-	105.31 µg/L	-
D5-EtFOSAA	1426	1.32	-	105.10 µg/L	-
13C9-PFDA	25638	0.89	-	2.42 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 105.31 µg/L
Area ratio: 0.06405
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	105.10 µg/L
Area ratio:	0.05443
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	2.42 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_19.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C7
Acq. Date	2018/02/27 5:20:33 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1545	1.31	1 µg/L		
D5-EtFOSAA IS	1341	1.33	1 µg/L		
13C9-PFDA IS	25541	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1570	1.31	-	101.06 µg/L	-
D5-EtFOSAA	1364	1.33	-	103.11 µg/L	-
13C9-PFDA	25044	0.89	-	2.36 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 101.06 µg/L
Area ratio: 0.06147
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.323)
Calc. conc.	103.11 µg/L
Area ratio:	0.05340
Sample type:	Sample






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	2.36 µg/L
Area ratio:	0
Sample type:	Sample


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**IB**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_22.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C7
Acq. Date	2018/02/27 5:27:48 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1607	1.31	1 µg/L		
D5-EtFOSAA IS	1403	1.33	1 µg/L		
13C9-PFDA IS	25961	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1665	1.31	-	105.44 µg/L	-
D5-EtFOSAA	1417	1.33	-	105.39 µg/L	-
13C9-PFDA	25397	0.89	-	2.40 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 105.44 µg/L
Area ratio: 0.06413
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.323)
Calc. conc.	105.39 µg/L
Area ratio:	0.05458
Sample type:	Sample





13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	2.40 µg/L
Area ratio:	0
Sample type:	Sample

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**5412188:BLANK**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_11.d	**Operator**	
Sample Type	Sample	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C9
Acq. Date	2018/02/27 5:01:17 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1354	1.30	1 µg/L		
D5-EtFOSAA IS	1204	1.32	1 µg/L		
13C9-PFDA IS	25416	0.88	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1			-	ND	-
EtFOSAA 1			-	ND	-
D3-MeFOSAA	1376	1.30	-	89.01 µg/L	-
D5-EtFOSAA	1219	1.32	-	92.61 µg/L	-
13C9-PFDA	25419	0.88	-	2.40 µg/L	-







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.299 (1.308)
Concentration: 1 µg/L
Sample type: Sample







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.881 (0.890)
Concentration: 1 µg/L
Sample type: Sample







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 0.000 (1.300)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 0.000 (1.325)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.299 (1.308)
Calc. conc. 89.01 µg/L
Area ratio: 0.05414
Sample type: Sample





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	92.61 µg/L
Area ratio:	0.04796
Sample type:	Sample





13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.881 (0.890)
Calc. conc.	2.40 µg/L
Area ratio:	0
Sample type:	Sample

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**5412188:SPIKE**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_12.d	**Operator**	
Sample Type	QC	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-D1
Acq. Date	2018/02/27 5:03:41 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1301	1.31	1 µg/L		
D5-EtFOSAA IS	1105	1.32	1 µg/L		
13C9-PFDA IS	24238	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	9606	1.30	20.80	0.47 µg/L	93.98
EtFOSAA 1	9622	1.32	20.80	0.47 µg/L	94.74
D3-MeFOSAA	1359	1.31	100.00	92.18 µg/L	92.18
D5-EtFOSAA	1120	1.32	100.00	89.22 µg/L	89.22
13C9-PFDA	23793	0.89	100.00	2.25 µg/L	93.58







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: QC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: QC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 0.47 µg/L
Area ratio: 7.38355
Sample type: QC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 0.47 µg/L
Area ratio: 8.70769
Sample type: QC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 92.18 µg/L
Area ratio: 0.05607
Sample type: QC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	89.22 µg/L
Area ratio:	0.04621
Sample type:	QC






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	2.25 µg/L
Area ratio:	0
Sample type:	QC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**5412188:SPIKE:D1**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_13.d	**Operator**	
Sample Type	QC	**Dilution**	0.024
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-D2
Acq. Date	2018/02/27 5:06:04 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1710	1.31	1 µg/L		
D5-EtFOSAA IS	1394	1.33	1 µg/L		
13C9-PFDA IS	29386	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	12284	1.30	20.80	0.46 µg/L	91.42
EtFOSAA 1	12010	1.32	20.80	0.47 µg/L	93.73
D3-MeFOSAA	1698	1.31	100.00	95.00 µg/L	95.00
D5-EtFOSAA	1396	1.33	100.00	91.73 µg/L	91.73
13C9-PFDA	28594	0.90	100.00	2.70 µg/L	112.46







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: QC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.890)
Concentration: 1 µg/L
Sample type: QC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 0.46 µg/L
Area ratio: 7.18363
Sample type: QC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 0.47 µg/L
Area ratio: 8.61549
Sample type: QC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 95.00 µg/L
Area ratio: 0.05778
Sample type: QC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.323)
Calc. conc.	91.73 µg/L
Area ratio:	0.04751
Sample type:	QC





13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.890)
Calc. conc.	2.70 µg/L
Area ratio:	0
Sample type:	QC

DoD Projects - Internal Data Validation Checklist

Run date: 2018/02/23

Worksheet # (s): 5410178

Analysis: PFOSALCM-W

	Primary review by the analyst - 1st 100 % analysis review	1st 100% review yes	no	n/a	*2nd 100% review
1	Sample analyses meet hold time criteria	✓			✓
2	Analysis set-up meets method criteria	✓			✓
3	Tuning and correct calibration used - criteria meets method criteria	✓			✓
4	SQC/Control Charts updated, analysis in statistical/method control	✓			✓
5	Internal area counts checked (if applicable)	✓			✓
6	LCS, SRM are within acceptance criteria	✓			✓
7	Surrogate Recovery(s) is within acceptance criteria	✓			✓
8	Method Blank meets acceptance criteria	✓			✓
9	Matrix Spike recovery(s) meets acceptance criteria			✓	✓
10	Duplicate precision meets acceptance criteria	✓			✓
11	QC is documented on the run logs	✓			✓
12	Runs checked for carryover	✓			✓
13	Prep log / worksheet(s) are present, signed / dated by a prep / instrument analysts	✓			✓
14	Initial weights, splits, impringer volumes (where applicable) are documented	✓			✓
15	Standards and reagents traceable to Certificates of Analysis	✓			✓
16	Samples above calibration range diluted and reanalyzed	✓			✓
17	Dilution factors (where justified) have been checked for correctness and entered	✓			✓
18	Analytical observations/anomalies documented in LIMS			✓	✓
19	Random calculation checked and in correct units	✓			✓
20	If corrective actions were applied they are documented, initialed & dated			✓	✓
21	Manual integration – before & after data with a reason included, initialed & dated			✓	✓
22	Transferred data is validated in LIMS for correctness	✓			✓
23	Data package assembled (where required)	✓			✓

Reviewed by: KC Date: 2018/02/27

Comments:

	Secondary Supervisor/Qualified Data Review Staff - 2nd 100% verification review	yes	no	n/a
1	Repeats documented and referenced			✓
2	Method and sample deviations noted, anomalies described (if applicable)			✓
3	Data and QC validated in LIMS	✓		
4	Random calculation checked	✓		
5	Benchsheet (s) signed and dated	✓		
6	Data Package (if required) checked for completeness	✓		

Reviewed by: [signature] Date: 2018/02/27

Comments:

*Note: 2nd 100% verification review documented by secondary qualified data review
Primary and Secondary Internal Data Review Check must be performed by a different person

Worksheet Data Validation Checklist - Extractable Organics

Worksheet # 5410178 Testcode: PFOSALCM_W

Sample Preparation		yes	no	n/a
1	Samples extracted within hold time	✓		
2	Client sample ID verified against Lab ID (waters & oils)			✓
3	Parameter list and Client comments reviewed, (Spiking solutions matched to parameter list)	✓		
4	Height of sediment or if sample was decanted, recorded on worksheet	✓		
5	Method required QC processed with samples, maximum batch size = 20 client samples.	✓		
6	Sample, duplicate, matrix spike appear similar, initial sample as well as final extract	✓		
7	Sample weight or initial volume and extract final volume, aliquot factor clearly recorded.	✓		
8	If performed any additional dilution clearly recorded	✓		
9	Matrix spike / Duplicate performed on IOL samples if present			✓
10	Spiking solutions valid (haven't expired), ID and volume used clearly identified on worksheet	✓		
11	Spiking process witnessed and signed off	✓		
12	Extraction type recorded (N3A2B = neutral, 3 x acidic, 2 x basic)			✓
13	Sample prep deviations documented within CompliantPro as a Policy Deviation			✓
14	Job Remarks reviewed on 2nd page of worksheet.	✓		
15	Worksheet and reagent tracking record completed and authorized.	✓		

Reviewed by: [signature] Date: 2018/2/22

Comments:

Worksheet Approval		yes	no	n/a
1	Verified the position of the vials in autosampler against sequence list; signed off sequence list			
2	Calibration and CCV standards valid (haven't expired)			
3	Initial calibration curve and DFTPP tune (if applicable) acceptable			
4	Continuing and Final CCV and DFTPP tune (if applicable) acceptable			
5	System performance check acceptable (if applicable)			
6	Internal standard responses acceptable			
7	Method blank meets acceptance criteria			
8	Lab Control Samples recoveries meets acceptance criteria			
9	Duplicate RPD meets acceptance criteria			
10	Matrix spike recoveries meets acceptance criteria			
11	Surrogate recoveries meets acceptance criteria			
12	Appropriate control charts updated			
13	Samples above calibration range diluted and reanalyzed			
14	Dilutions clearly documented on tracking record, inst file and verified during data upload			
15	Samples following high level samples checked for carryover.			
16	Mass spectra ion ratios acceptable for positive results, hardcopy in file.			
17	Analytical observations / anomalies documented			
18	DQW comments entered in LIMS, hardcopy in file			
19	Sample Prep section (above) reviewed and verified.			
20	WS Approval performed in LIMS			

See attached BRLFCD-00002 FC 2018/02/22

FC 2018/02/22

Reviewed by: Date:

Comments:

Worksheet Validation		yes	no	n/a
1	Calibration, QC and sample results reviewed and determined acceptable			
2	Manual integrations verified			
3	Random calculation checked			
4	Data and QC validated in LIMS			
5	Comments reviewed for appropriateness			
6	Reworks / relogs documented in file			
7	Worksheet signed and dated,			
8	Worksheet approved and validated within LIMS			

Reviewed by: Date:

Comments:

WS# : 5410178

Page #: 1/2

Report Name : Worksheet - (Liquids and Solids)

Assignment Date : Thursday, February 22, 2018

Assigned to : Shahbaz Ahmad

Test Code : PFOSALCM-W

Instrument Id:

Test Description : PFOS and PFOA in water by LC-MS/MS

Sediment gm ml ml SAD 2018/2/22

Job Number	Sample Number	D	Sample ID	F	% Moisture	Wt or Vol	Final Vol	DF or AF	# Cont	Expiry Date	Test DeadLine	Criteria	Extract Date	
	SPIKE	0	PFC-W		0	125	3						2018/02/22	29.1
	SPIKE	1	PFC-W		0	125	3						2018/02/22	29.2
	BLANK				0	125	3						2018/02/22	31.3
B833226	*GBV345-01R		EB-CEF-MFS-0208*		<0.1	125	3	1X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	31.0
B833226	*GBV346-01R		EB-CEF-MFS-0208*		<0.1	125	3	1X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	31.4
B833226	*GBV347-01R		EB-CEF-MFS-0208*		<0.1	125	3	1X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	30.5
B833226	*GBV348-01R		FB-CEF-MFS-0208*		0	125	3	1X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	31.3
B833226	*GBV349-01R		CEF-1820-TW02-0*		<0.1	125	3	1X/10X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	30.3

SAD 2018/2/22

Remarks:

Samples extracted by: Shahbaz Ahmad SAD 2018/2/22

Instrumentation performed by: KC Date: 2018/02/23

Calculations performed by: KC Date: 2018/02/26

Validated by: AA Date: 2018/02/27

Job No.	Rep / Client Name	Contact	Client Tier	National
	Remarks			
GB833226	SP8 Earth Toxics Inc	Rick Carr	Tier 5 (Enviro.)	AECOM

NREG. PFOSALCM-W Level IV Package and TetraTech EDD required f/c ZAL. 2018/02/20 Project #: JM10 CECIL

Job	Sample	Lab Comments
	SPIKE	
	SPIKE	
	BLANK	
B833226	GBV345-01R	
B833226	GBV346-01R	
B833226	GBV347-01R	
B833226	GBV348-01R	
B833226	GBV349-01R	

Standard	Vol. of Methanol	Spiked Amount	
S1	2825	25	SK-7377 2/3
S2	2800	50	
S3	2700	150	
S4	2813	37.5	I-5297 2/3
S5	2775	75	
S6	2725	125	
ICV	2788	62.5	I-5299 3/3
EB	2850	—	

Worksheet Reagent Tracking Record

Worksheet # 5410178

Surrogate/Spike solutions	√	Solution ID #	Conc.	Blk-Spk Volume (µL) Solid	Blk-Spk Volume (µL) Liquid	MS Volume (µL) Solid	MS Volume (µL) Liquid	Samples Volume (µL) Solid	Samples Volume (µL) Liquid
DGT Spike			100 ug/mL	60	30	60	30	NA	NA
Diquat Dibromide			50 ug/mL	NA	350	NA	350	NA	NA
Explosives Spiking solution A			20 ug/mL	250	100	250	100	NA	NA
Explosives Spiking solution B			20/80 ug/mL	250	100	250	100	NA	NA
Formaldehyde Spike			100 ug/mL	25	25	25	25	NA	NA
Glyphosate Spike			25 ug/mL	500	20	500	20	NA	NA
Nonylphenol Ethoxylate Spike			100 ug/mL	100	100	100	100	NA	NA
Nonylphenol Spike			10 ug/mL	100	100	100	100	NA	NA
Paraquat Cl Tetrahydrate			20 ug/mL	NA	125	NA	125	NA	NA
Perchlorate Standard Spike			10 ng/mL	NA	100	NA	100	NA	NA
Perchlorate Standard Spike			500 ng/mL	40	NA	40	NA	NA	NA
Perchlorate O-18 Internal Standard			0.10 ng/uL	20	20	20	20	20	20
Morpholine Second Source Working Std			2500 ug/L	NA	80	NA	80	NA	NA
Morpholine-D8 Internal Standard			10 ug/mL	NA	50	NA	50	NA	50
Steril Second Source Spiking Solution			NA	20	NA	20	NA	NA	NA
Sterilants Comp. IS Working Solution			3 ug/mL	50	NA	50	NA	50	NA
Comp. PFC Working Solution A	✓	I-5299 3/3 DM3	1ug/mL	75	21 (62.5)	75	21 (62.5)	NA	NA
PFC Internal Standard Solution	✓	SI-6801 3/4 DM3	50/125 ng/mL	200	100 (150)	200	100 (150)	200	100/(150)
PFC Injection IS	✓	SI 6770 1/2	400 ng/mL	20	20	20	20	20	20
ICV		I-5299 3/3							

Solvent/Reagent	√	Lot No.	Date Opened	Solvent/Reagent	√	Lot No.	Date Opened/ Prepared
DCM				50% NaOH			
Ottawa Sand				o-Phosphoric Acid			
Methanol	✓	SHBJ8485	2018/2/22	Borax			
2-Propanol (IPA)				Calcium Chloride			
Acetonitrile				EDTA			
Sodium Sulfate				Phosphate Buffer			
70:30 Methanol: Water				Sodium Thiosulphate			
60:40 Water: Methanol	✓	PRLE	108-371	DNPH			
DCM:Ethyl Ether (75:25)				FMOC			
Hexane:IPA (98:2)				5M Acetate Buffer			
2% Formic Acid	✓	PRLE	108-370	0.2% NH_4OH	✓	PRLE	108-365
0.2% Formic Acid				Leachate Fluid			
0.05M KOH				Reagent Water	✓	57297	2018/2/21
0.05M HCl							

*Spiked by: SAP

Spike Date: 2018/2/22

Spike Syringe/Pipette ID#: M41011F

Int. Std Syringe/Pipette ID#: G243906

*Spiking Witnessed by: DM3

Final pH:

Equipment & ID	√	Equipment	ID#	√	Equipment	Lot #
Pipettor		SPE Cartridge			QC Balance ID	
		Filter			Thermometer ID &Temp	
Dispenser		Centrifuge				
		Sonicator				

Bottle Tracking

Bottle# 18801

Cap# 18-778

Systems plus Lot# 18-01-31

Comments:

* - SPIKING OF SAMPLES MUST BE WITNESSED AT ALL TIMES.

Worksheet: 5410178

Dilution and Column Cleanup Worksheet

Maxxam Analytics

Job Number	Sample ID	Sample: Initial Final Volume	Dilution Required	Sample added mL	Solvent Added mL	Int Stan Added uL	New Effective Final Volume	INITIAL DATE	Column Clean Up
B833226	GBY349-01	1X	10X	12.5	—	150	12.5	[illegible] 2018/12/22	—
				[illegible] 2018/12/22					

Worksheet Number: **5410178**

PFOS and PFOA in water by SPE/LCMS - Water

ug/L

Parameter Name	Units	SPIKE	SPIKE Dup1	BLANK	B833226 GBV345	B833226 GBV346	B833226 GBV347
6:2 Fluorotelomer sulfonate	ug/L	104.57947	101.17622	0	N/A*******	N/A*******	N/A*******
8:2 Fluorotelomer sulfonate	ug/L	112.21436	105.47088	0	N/A*******	N/A*******	N/A*******
N-ethylperfluorooctane sulfonamide	ug/L	93.85059	97.33535	0	N/A*******	N/A*******	N/A*******
EtFOSAA	ug/L	97.83049	97.13051	0	0	0	0
N-ethylperfluorooctane sulfonamidoe	ug/L	103.62933	97.71617	0	N/A*******	N/A*******	N/A*******
N-methylperfluorooctane sulfonamide	ug/L	96.44646	94.62339	0	N/A*******	N/A*******	N/A*******
MeFOSAA	ug/L	97.65427	98.97928	0	0	0	0
N-methylperfluorooctanesulfonamidol	ug/L	91.06951	96.32557	0	N/A*******	N/A*******	N/A*******
Perfluorobutanoic acid	ug/L	108.41214	106.23146	0	N/A*******	N/A*******	N/A*******
Perfluorobutane Sulfonate (PFBS)	ug/L	114.89115	110.55300	0	0	0	0
Perfluorodecane Sulfonate	ug/L	89.83545	94.41773	0	N/A*******	N/A*******	N/A*******
Perfluoroheptanoic Acid (PFHpA)	ug/L	105.22248	101.60261	0	0	0	0
Perfluoroheptane sulfonate	ug/L	104.63532	103.18603	0	N/A*******	N/A*******	N/A*******
Perfluorohexanoic Acid (PFHxA)	ug/L	101.86286	101.10933	0	0	0	0
Perfluorohexane Sulfonate (PFHxS)	ug/L	113.82603	102.18863	0	0	0	0
Perfluorononanoic Acid (PFNA)	ug/L	103.40302	100.51643	0	0	0	0
Perfluorooctane Sulfonamide (PFOSA)	ug/L	99.29490	100.67477	0	N/A*******	N/A*******	N/A*******
Perfluoropentanoic Acid (PFPeA)	ug/L	102.88732	102.99295	0	N/A*******	N/A*******	N/A*******
Perfluorotetradecanoic Acid	ug/L	101.60932	98.06120	0	0	0	0
Perfluorotridecanoic Acid	ug/L	102.84016	98.12275	0	0	0	0
Perfluoroundecanoic Acid (PFUnA)	ug/L	100.54371	101.82974	0	0	0	0
Perfluorodecanoic Acid (PFDA)	ug/L	96.65524	105.94541	0	0	0	0
Perfluorododecanoic Acid (PFDoA)	ug/L	104.48336	99.01245	0	0	0	0
Perfluoro-n-Octanoic Acid (PFOA)	ug/L	101.25898	95.79924	0	0	0	0
Perfluorooctane Sulfonate (PFOS)	ug/L	92.97346	95.26326	0	0	0.02144820	0
13C2-6:2 Fluorotelomer sulfonate	ug/L	109.903851	97.8040593	101.577855	N/A*******	N/A*******	N/A*******
13C2-8:2 Fluorotelomer sulfonate	ug/L	97.5136187	98.0955143	102.162548	N/A*******	N/A*******	N/A*******
13C2-perfluorotetradecanoic acid	ug/L	95.5150982	88.9149930	84.9989419	87.3894649	74.3542136	76.4113922
13C4-Perfluorobutanoic acid	ug/L	104.427663	94.0791785	99.1686284	107.033099	88.5247353	88.0325539
D3-MeFOSAA	ug/L	89.3689947	87.0132480	85.7309792	90.4197354	80.2407075	74.1822741
D5-EtFOSAA	ug/L	89.5158472	86.8403480	81.1638215	90.6290015	77.6895437	71.1418719
N-methyl-d3-perfluorooctane sulfona	ug/L	94.4913764	81.0531707	91.0627958	N/A*******	N/A*******	N/A*******
N-ethyl-d5-perfluorooctane sulfonam	ug/L	85.6581253	86.9008929	81.3518913	N/A*******	N/A*******	N/A*******
13C2-Perfluorodecanoic acid	ug/L	111.745166	91.3425546	97.6556089	99.1334382	86.8924234	90.7211595
13C2-Perfluorododecanoic acid	ug/L	92.5110675	89.7109265	92.4204003	87.0126131	79.0799091	75.9975202
13C2-Perfluorohexanoic acid	ug/L	107.101155	97.5765668	102.884711	105.377199	95.3508725	96.6816050
13C2-Perfluoroundecanoic acid	ug/L	97.3210856	90.7633221	92.5263351	93.5248775	89.4835601	81.8449279
13C4-Perfluoroheptanoic acid	ug/L	100.943460	95.1310517	96.2159094	107.276204	91.3277585	94.8621187
13C5-Perfluorononanoic acid	ug/L	109.541443	101.277347	104.003571	113.457209	94.3203245	87.8062621
13C4-Perfluorooctanoic acid	ug/L	108.574604	100.369310	97.0996193	113.568255	97.4178486	91.6937645
13C4-Perfluorooctanesulfonate	ug/L	112.746449	95.0616739	100.788171	108.255895	91.0456951	83.0426059
13C5-Perfluoropentanoic acid	ug/L	108.350085	97.9500199	104.718098	N/A*******	N/A*******	N/A*******
13C8-Perfluorooctane Sulfonamide	ug/L	95.0670807	83.2339234	91.2798153	N/A*******	N/A*******	N/A*******
18O2-Perfluorohexanesulfonate	ug/L	98.2362389	93.2685320	101.196002	102.556321	94.7443833	95.6950791


RC 2018/02/27

Worksheet Number: **5410178**

PFOS and PFOA in water by SPE/LCMS - Water

ug/L

Parameter Name	B833226 GBV348	DL	B833226 GBV349	DL	RDL	MDL	IDL
6:2 Fluorotelomer sulfonate	N/A*******	0.02	N/A*******	0.02	0.02	0.0066	0
8:2 Fluorotelomer sulfonate	N/A*******	0.02	N/A*******	0.02	0.02	0.0066	0
N-ethylperfluorooctane sulfonamide	N/A*******	0.02	N/A*******	0.02	0.02	0.01	0
EtFOSAA	0	0.02	0	0.02	0.02	0.0033	0
N-ethylperfluorooctane sulfonamidoe	N/A*******	0.02	N/A*******	0.02	0.02	0.0079	0
N-methylperfluorooctane sulfonamide	N/A*******	0.02	N/A*******	0.02	0.02	0.013	0
MeFOSAA	0	0.02	0	0.02	0.02	0.0029	0
N-methylperfluorooctanesulfonamidol	N/A*******	0.02	N/A*******	0.02	0.02	0.012	0
Perfluorobutanoic acid	N/A*******	0.02	N/A*******	0.02	0.02	0.0055	0
Perfluorobutane Sulfonate (PFBS)	0	0.02	0.03139091	0.02	0.02	0.0054	0
Perfluorodecane Sulfonate	N/A*******	0.02	N/A*******	0.02	0.02	0.006	0
Perfluoroheptanoic Acid (PFHpA)	0	0.02	0.07981266	0.02	0.02	0.0074	0
Perfluoroheptane sulfonate	N/A*******	0.02	N/A*******	0.02	0.02	0.008	0
Perfluorohexanoic Acid (PFHxA)	0	0.02	0.18538337	0.02	0.02	0.0035	0
Perfluorohexane Sulfonate (PFHxS)	0	0.02	1.24784359	0.20	0.02	0.0056	0
Perfluorononanoic Acid (PFNA)	0	0.02	0.01972712	0.02	0.02	0.0087	0
Perfluorooctane Sulfonamide (PFOSA)	N/A*******	0.02	N/A*******	0.02	0.02	0.0034	0
Perfluoropentanoic Acid (PFPeA)	N/A*******	0.02	N/A*******	0.02	0.02	0.0075	0
Perfluorotetradecanoic Acid	0	0.02	0	0.02	0.02	0.0027	0
Perfluorotridecanoic Acid	0	0.02	0	0.02	0.02	0.0038	0
Perfluoroundecanoic Acid (PFUnA)	0	0.02	0	0.02	0.02	0.0025	0
Perfluorodecanoic Acid (PFDA)	0	0.02	0	0.02	0.02	0.0061	0
Perfluorododecanoic Acid (PFDoA)	0	0.02	0	0.02	0.02	0.005	0
Perfluoro-n-Octanoic Acid (PFOA)	0	0.02	0.06696004	0.02	0.02	0.0033	0
Perfluorooctane Sulfonate (PFOS)	0	0.02	2.44624865	0.20	0.02	0.006	0
13C2-6:2 Fluorotelomer sulfonate	N/A*******		N/A*******				
13C2-8:2 Fluorotelomer sulfonate	N/A*******		N/A*******				
13C2-perfluorotetradecanoic acid	69.0567804		82.5751103				
13C4-Perfluorobutanoic acid	84.3258610		80.8948204				
D3-MeFOSAA	75.8982901		82.9222374				
D5-EtFOSAA	75.9835083		81.3392062				
N-methyl-d3-perfluorooctane sulfona	N/A*******		N/A*******				
N-ethyl-d5-perfluorooctane sulfonam	N/A*******		N/A*******				
13C2-Perfluorodecanoic acid	84.8676636		83.1941605				
13C2-Perfluorododecanoic acid	76.3976376		84.2586309				
13C2-Perfluorohexanoic acid	90.7526758		84.3941472				
13C2-Perfluoroundecanoic acid	83.7894978		79.4005158				
13C4-Perfluoroheptanoic acid	88.9220635		84.6587618				
13C5-Perfluorononanoic acid	89.4801735		88.7032933				
13C4-Perfluorooctanoic acid	92.5778136		89.4223954				
13C4-Perfluorooctanesulfonate	86.9100985		72.5049115				
13C5-Perfluoropentanoic acid	N/A*******		N/A*******				
13C8-Perfluorooctane Sulfonamide	N/A*******		N/A*******				
18O2-Perfluorohexanesulfonate	89.1927643		82.7737982				



PFDA Spike


$y = 0.524675x - 0.072681$


$10.4924 = 0.524675x - 0.072681$

$x = \frac{10.4924 + 0.072681}{0.524675} = 20.1364$

concentration = $20.1364 \times 0.024 = 0.4833$ µg/L

KC 2018/02/27


- MRM (298.9 -> 79.9) WS#5410178_05.d PFBS 1 STD 4
Counts
x10 3
RT=1.087 min.
Area=8138
Name=PFBS 1
h
a
b
h= 13.5 cm
a= 1.9 cm
b= 2.3 cm
b/a = 2.3/1.9 = 1.2
KC 2018/02/27
Acquisition Time (min)


- MRM (313.0 -> 268.9) WS#5410178_05.d PFHxA 1 STD 4
Counts
x10 4
RT=1.445 min.
Area=30538
Name=PFHxA 1
h
a
b
h= 13.5 cm
a= 1.9 cm
b= 1.5 cm
b/a = 1.5/1.9 = 0.8
KC 2018/02/27
Acquisition Time (min)

Report Name: Worksheet - Parameter Lists

Report Date: 2018/02/22

Test Code: **PFOSALCM-W**

Worksheet Number: **5410178**

Sample Number	Parameter Code	Parameter	
GBV345-01	ETFOSAA	EtFOSAA	*
GBV346-01	MEFOSAA	MeFOSAA	*
GBV347-01	PFBS	Perfluorobutane Sulfonate (PFBS)	
GBV348-01	PFHPA	Perfluoroheptanoic Acid (PFHpA)	
GBV349-01	PFHXA	Perfluorohexanoic Acid (PFHxA)	
	PFHXS	Perfluorohexane Sulfonate (PFHxS)	
	PFNA	Perfluorononanoic Acid (PFNA)	
	PFTEDA	Perfluorotetradecanoic Acid	
	PFTRDA	Perfluorotridecanoic Acid	
	PFUNA	Perfluoroundecanoic Acid (PFUnA)	
	PFDA	Perfluorodecanoic Acid (PFDA)	
	PFDOA	Perfluorododecanoic Acid (PFDoA)	
	PFOA	Perfluoro-n-Octanoic Acid (PFOA)	
	PFOS	Perfluorooctane Sulfonate (PFOS)	

SAD
2018/2/12

* - This parameter is usually off, but will be reported for this group of samples!

WorkSheet 5410178 Instrument Sequences

1.	5410178:SPIKE	SPIKE
2.	5410178:SPIKE:D1	SPIKE :D1
3.	5410178:BLANK	BLANK
4.	5410178:GBV345-01	EB-CEF-MFS-020818-17
5.	5410178:GBV346-01	EB-CEF-MFS-020818-18
6.	5410178:GBV347-01	EB-CEF-MFS-020818-19
7.	5410178:GBV348-01	FB-CEF-MFS-020818-12
8.	5410178:GBV349-01	CEF-1820-TW02-0218



Worklist Report

Agilent Technologies

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFC_180223_Low.wkl

Maxine Anthylis

Operator Name: ---
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\Data\PFC\20180223\WS#5410178
Pre-Worklist Script: ---
Post-Worklist Script: SCP_InstrumentStandby(){MH_Acq_Scripts.exe}
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: Column #199
MP A1: Solution# 280 (FSRE18)
MP B1: Methanol lot# SHBJ5451, Sigma

RC
2018/02/23

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
1	Solvent	P1-A1	PFC_Water_Low.m	WS#5410178_01.d	Sample		As Method	-
2	STD 1	P1-A2	PFC_Water_Low.m	WS#5410178_02.d	Calibration	STD 1	As Method	-
3	STD 2	P1-A3	PFC_Water_Low.m	WS#5410178_03.d	Calibration	STD 2	As Method	-
4	STD 3	P1-A4	PFC_Water_Low.m	WS#5410178_04.d	Calibration	STD 3	As Method	-
5	STD 4	P1-A5	PFC_Water_Low.m	WS#5410178_05.d	Calibration	STD 4	As Method	-
6	STD 5	P1-A6	PFC_Water_Low.m	WS#5410178_06.d	Calibration	STD 5	As Method	-
7	STD 6	P1-A7	PFC_Water_Low.m	WS#5410178_07.d	Calibration	STD 6	As Method	-

219 of 681

Worklist Report

Agilent Technologies

Maxxam Analytics

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
8	IB	P1-A8	PFC_Water_Low.m	WS#5410178_08.d	Sample		As Method	-
9	ICV	P1-A9	PFC_Water_Low.m	WS#5410178_09.d	QC	ICV	As Method	-
10	ISC	P1-A2	PFC_Water_Low.m	WS#5410178_10.d	ConCal	STD 1	As Method	-
11	5410178:BLANK	P1-B1	PFC_Water_Low.m	WS#5410178_11.d	Sample		As Method	-
12	5410178:SPIKE	P1-B2	PFC_Water_Low.m	WS#5410178_12.d	QC	ICV	As Method	-
13	5410178:SPIKE:D1	P1-B3	PFC_Water_Low.m	WS#5410178_13.d	QC	ICV	As Method	-
14	5410178:GBV345-01	P1-B4	PFC_Water_Low.m	WS#5410178_14.d	Sample		As Method	-
15	5410178:GBV346-01	P1-B5	PFC_Water_Low.m	WS#5410178_15.d	Sample		As Method	-
16	5410178:GBV347-01	P1-B6	PFC_Water_Low.m	WS#5410178_16.d	Sample		As Method	-
17	5410178:GBV348-01	P1-B7	PFC_Water_Low.m	WS#5410178_17.d	Sample		As Method	-
18	5410178:GBV349-01:10x	P1-B8	PFC_Water_Low.m	WS#5410178_18.d	Sample		As Method	-
19	5410178:GBV349-01	P1-B9	PFC_Water_Low.m	WS#5410178_19.d	Sample		As Method	-
20	IB	P1-A8	PFC_Water_Low.m	WS#5410178_20.d	Sample		As Method	-
21	CCV	P1-A5	PFC_Water_Low.m	WS#5410178_21.d	ConCal	STD 4	As Method	-

Worklist Report

Agilent Technologies

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFC_180223_Low_FOSAA.wkl

MaxCam Analytics

Operator Name: ---
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\Data\PFC\20180223\WS#5410178_FOSAA
Pre-Worklist Script: ---
Post-Worklist Script: SCP_InstrumentStandby(){MH_Acq_Scripts.exe}
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: Column #199
MP A1: Solution# 280 (FSRE18)
MP B1: Solution# 290 (FSRE18)

KC 2018/02/23

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
1	Solvent	P1-A1	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_01.d	Sample		As Method	-
2	STD 1	P1-A2	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_02.d	Calibration	STD 1	As Method	-
3	STD 2	P1-A3	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_03.d	Calibration	STD 2	As Method	-
4	STD 3	P1-A4	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_04.d	Calibration	STD 3	As Method	-
5	STD 4	P1-A5	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_05.d	Calibration	STD 4	As Method	-
6	STD 5	P1-A6	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_06.d	Calibration	STD 5	As Method	-
7	STD 6	P1-A7	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_07.d	Calibration	STD 6	As Method	-
8	IB	P1-A8	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_08.d	Sample		As Method	-

221 of 681

Worklist Report

Agilent Technologies

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
9	ICV	P1-A9	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_09.d	QC	ICV	As Method	-
10	ISC	P1-A2	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_10.d	ConCal	STD 1	As Method	-
11	5410178:BLANK	P1-B1	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_11.d	Sample		As Method	-
12	5410178:SPIKE	P1-B2	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_12.d	QC	ICV	As Method	-
13	5410178:SPIKE:D1	P1-B3	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_13.d	QC	ICV	As Method	-
14	5410178:GBV345-01	P1-B4	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_14.d	Sample		As Method	-
15	5410178:GBV346-01	P1-B5	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_15.d	Sample		As Method	-
16	5410178:GBV347-01	P1-B6	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_16.d	Sample		As Method	-
17	5410178:GBV348-01	P1-B7	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_17.d	Sample		As Method	-
18	5410178:GBV349-01:10x	P1-B8	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_18.d	Sample		As Method	-
19	5410178:GBV349-01	P1-B9	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_19.d	Sample		As Method	-
20	IB	P1-A8	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_20.d	Sample		As Method	-
21	CCV	P1-A5	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_21.d	ConCal	STD 4	As Method	-

Maxxam Analytics

FINAL INJECTION SEQUENCE

Sample					
Name	Comment	Acq. Date-Time	Acq. Method File	Data File	Pos.
STD 1	-	2018/02/23 4:39 PM	PFC_Water_Low.m	WS#5410178_02.d	P1-A2
STD 2	-	2018/02/23 4:44 PM	PFC_Water_Low.m	WS#5410178_03.d	P1-A3
STD 3	-	2018/02/23 4:49 PM	PFC_Water_Low.m	WS#5410178_04.d	P1-A4
STD 4	-	2018/02/23 4:54 PM	PFC_Water_Low.m	WS#5410178_05.d	P1-A5
STD 5	-	2018/02/23 4:59 PM	PFC_Water_Low.m	WS#5410178_06.d	P1-A6
STD 6	-	2018/02/23 5:04 PM	PFC_Water_Low.m	WS#5410178_07.d	P1-A7
IB	-	2018/02/23 5:09 PM	PFC_Water_Low.m	WS#5410178_08.d	P1-A8
ICV	-	2018/02/23 5:14 PM	PFC_Water_Low.m	WS#5410178_09.d	P1-A9
ISC	-	2018/02/23 5:19 PM	PFC_Water_Low.m	WS#5410178_10.d	P1-A2
5410178:BLANK	-	2018/02/23 5:23 PM	PFC_Water_Low.m	WS#5410178_11.d	P1-B1
5410178:SPIKE	-	2018/02/23 5:28 PM	PFC_Water_Low.m	WS#5410178_12.d	P1-B2
5410178:SPIKE:D1	-	2018/02/23 5:33 PM	PFC_Water_Low.m	WS#5410178_13.d	P1-B3
5410178:GBV345-01	-	2018/02/23 5:38 PM	PFC_Water_Low.m	WS#5410178_14.d	P1-B4
5410178:GBV346-01	-	2018/02/23 5:43 PM	PFC_Water_Low.m	WS#5410178_15.d	P1-B5
5410178:GBV347-01	-	2018/02/23 5:48 PM	PFC_Water_Low.m	WS#5410178_16.d	P1-B6
5410178:GBV348-01	-	2018/02/23 5:53 PM	PFC_Water_Low.m	WS#5410178_17.d	P1-B7
5410178:GBV349-01:10x	Reported for PFHxS and PFOS only.	2018/02/23 5:58 PM	PFC_Water_Low.m	WS#5410178_18.d	P1-B8
5410178:GBV349-01	Reported for all except PFHxS and PFOS.	2018/02/23 6:03 PM	PFC_Water_Low.m	WS#5410178_19.d	P1-B9
IB	-	2018/02/23 6:08 PM	PFC_Water_Low.m	WS#5410178_20.d	P1-A8
CCV	-	2018/02/23 6:13 PM	PFC_Water_Low.m	WS#5410178_21.d	P1-A5

FINAL INJECTION SEQUENCE

Sample					
Name	Comment	Acq. Date-Time	Acq. Method File	Data File	Pos.
STD 1	-	2018/02/24 3:10 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_02.d	P1-A2
STD 2	-	2018/02/24 3:13 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_03.d	P1-A3
STD 3	-	2018/02/24 3:15 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_04.d	P1-A4
STD 4	-	2018/02/24 3:18 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_05.d	P1-A5
STD 5	-	2018/02/24 3:20 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_06.d	P1-A6
STD 6	-	2018/02/24 3:22 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_07.d	P1-A7
IB	-	2018/02/24 3:25 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_08.d	P1-A8
ICV	-	2018/02/24 3:27 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_09.d	P1-A9
ISC	-	2018/02/24 3:30 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_10.d	P1-A2
5410178:BLANK	-	2018/02/24 3:32 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_11.d	P1-B1
5410178:SPIKE	-	2018/02/24 3:34 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_12.d	P1-B2
5410178:SPIKE:D1	-	2018/02/24 3:37 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_13.d	P1-B3
5410178:GBV345-01	-	2018/02/24 3:39 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_14.d	P1-B4
5410178:GBV346-01	-	2018/02/24 3:42 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_15.d	P1-B5
5410178:GBV347-01	-	2018/02/24 3:44 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_16.d	P1-B6
5410178:GBV348-01	-	2018/02/24 3:47 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_17.d	P1-B7
5410178:GBV349-01:10x	Not used.	2018/02/24 3:49 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_18.d	P1-B8
5410178:GBV349-01	Reported for all.	2018/02/24 3:51 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_19.d	P1-B9
IB	-	2018/02/24 3:54 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_20.d	P1-A8
CCV	-	2018/02/24 3:56 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_21.d	P1-A5

DoD Projects - Internal Data Validation Checklist

Run date: 2018 10 2 27

Worksheet # (s): 541288

Analysis: PFOS SALEM-W

	Primary review by the analyst - 1st 100 % analysis review	1st 100% review yes	no	n/a	*2nd 100% review
1	Sample analyses meet hold time criteria	✓			✓
2	Analysis set-up meets method criteria	✓			✓
3	Tuning and correct calibration used - criteria meets method criteria	✓			✓
4	SQC/Control Charts updated, analysis in statistical/method control	✓			✓
5	Internal area counts checked (if applicable)	✓			✓
6	LCS, SRM are within acceptance criteria	✓			✓
7	Surrogate Recovery(s) is within acceptance criteria	✓			✓
8	Method Blank meets acceptance criteria	✓			✓
9	Matrix Spike recovery(s) meets acceptance criteria			✓	✓
10	Duplicate precision meets acceptance criteria	✓			✓
11	QC is documented on the run logs	✓			✓
12	Runs checked for carryover	✓			✓
13	Prep log / worksheet(s) are present, signed / dated by a prep / instrument analysts	✓			✓
14	Initial weights, splits, impringer volumes (where applicable) are documented	✓			✓
15	Standards and reagents traceable to Certificates of Analysis	✓			✓
16	Samples above calibration range diluted and reanalyzed	✓			✓
17	Dilution factors (where justified) have been checked for correctness and entered	✓			✓
18	Analytical observations/anomalies documented in LIMS			✓	✓
19	Random calculation checked and in correct units	✓			✓
20	If corrective actions were applied they are documented, initialed & dated			✓	✓
21	Manual integration – before & after data with a reason included, initialed & dated			✓	✓
22	Transferred data is validated in LIMS for correctness	✓			✓
23	Data package assembled (where required)	✓			✓

Reviewed by: AK Date: 2018 10 2 27

Comments:

	Secondary Supervisor/Qualified Data Review Staff - 2nd 100% verification review	yes	no	n/a
1	Repeats documented and referenced			✓
2	Method and sample deviations noted, anomalies described (if applicable)			✓
3	Data and QC validated in LIMS	✓		
4	Random calculation checked	✓		
5	Benchsheet (s) signed and dated	✓		
6	Data Package (if required) checked for completeness	✓		

Reviewed by: SM Date: 20 18 10 2 27

Comments:

Note: 2nd 100% verification review documented by secondary qualified data review
Primary and Secondary Internal Data Review Check must be performed by a different person

Worksheet Data Validation Checklist - Extractable Organics

Worksheet # 5412188 Testcode: PFOSALCM-W

Sample Preparation		yes	no	n/a
1	Samples extracted within hold time	✓		
2	Client sample ID verified against Lab ID (waters & oils)			✓
3	Parameter list and Client comments reviewed, (Spiking solutions matched to parameter list)	✓		
4	Height of sediment or if sample was decanted, recorded on worksheet	✓		
5	Method required QC processed with samples, maximum batch size = 20 client samples.	✓		
6	Sample, duplicate, matrix spike appear similar, initial sample as well as final extract	✓		
7	Sample weight or initial volume and extract final volume, aliquot factor clearly recorded.	✓		
8	If performed any additional dilution clearly recorded	✓		
9	Matrix spike / Duplicate performed on IOL samples if present			✓
10	Spiking solutions valid (haven't expired), ID and volume used clearly identified on worksheet	✓		
11	Spiking process witnessed and signed off	✓		
12	Extraction type recorded (N3A2B = neutral, 3 x acidic, 2 x basic)			✓
13	Sample prep deviations documented within CompliantPro as a Policy Deviation			✓
14	Job Remarks reviewed on 2nd page of worksheet.	✓		
15	Worksheet and reagent tracking record completed and authorized.	✓		

Reviewed by: SAM Date: 2018/12/23

Comments:

Worksheet Approval		yes	no	n/a
1	Verified the position of the vials in autosampler against sequence list; signed off sequence list			
2	Calibration and CCV standards valid (haven't expired)			
3	Initial calibration curve and DFTPP tune (if applicable) acceptable			
4	Continuing and Final CCV and DFTPP tune (if applicable) acceptable			
5	System performance check acceptable (if applicable)			
6	Internal standard responses acceptable			
7	Method blank meets acceptance criteria			
8	Lab Control Samples recoveries meets acceptance criteria			
9	Duplicate RPD meets acceptance criteria			
10	Matrix spike recoveries meets acceptance criteria			
11	Surrogate recoveries meets acceptance criteria			
12	Appropriate control charts updated			
13	Samples above calibration range diluted and reanalyzed			
14	Dilutions clearly documented on tracking record, inst file and verified during data upload			
15	Samples following high level samples checked for carryover.			
16	Mass spectra ion ratios acceptable for positive results, hardcopy in file.			
17	Analytical observations / anomalies documented			
18	DQW comments entered in LIMS, hardcopy in file			
19	Sample Prep section (above) reviewed and verified.			
20	WS Approval performed in LIMS			

Reviewed by: Date:

Comments:

Worksheet Validation		yes	no	n/a
1	Calibration, QC and sample results reviewed and determined acceptable			
2	Manual integrations verified			
3	Random calculation checked			
4	Data and QC validated in LIMS			
5	Comments reviewed for appropriateness			
6	Reworks / relogs documented in file			
7	Worksheet signed and dated,			
8	Worksheet approved and validated within LIMS			

Reviewed by: Date:

Comments:

WS# : 5412188

Page #: 1/2

Report Name : Worksheet - (Liquids and Solids)

Assignment Date : Friday, February 23, 2018

Assigned to : Shahbaz Ahmad

Test Code : PFOSALCM-W

Instrument Id:

Test Description : PFOS and PFOA in water by LC-MS/MS

sediment um ml ml SHD 2018/2/23

Job Number	Sample Number	D	Sample ID	F	% Moisture	Wt or Vol	Final Vol	DF or AF	# Cont	Expiry Date	Test DeadLine	Criteria	Extract Date
B,3	SPIKE	0	PFOS		0	125	3	1X					2018/02/23
8.5	SPIKE	1	PFOS		0	125	3	1X					2018/02/23
B,11	BLANK				0	125	3	1X		SHD 2018/2/23			2018/02/23
B,7	B833226	*GBV350-01R	CEF-S3-TW01-0218		60.1	12.5	3	1X/10X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23
B,9	B833226	*GBV351-01R	FB-CEF-S3-020918*		60.1	125	3	1X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23
B,11	B833226	*GBV352-01R	CEF-MFS-TW01-0*		60.1	125	3	1X/10X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23
B,13	B833226	*GBV353-01R	CEF-MFS-TW02-0*		60.1	125	3	1X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23
B,15	B833226	*GBV354-01R	CEF-S3-TW02-0209		60.1	12.5	3	10X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23

SHD 2018/2/23

Remarks: Samples GBV 350-01 and GBV354-01 were dark and only 10X dilution was performed in extraction spike duplicate sample was extracted due to unavailability of extra samples.

Samples extracted by: Shahbaz Ahmad SHD 2018/2/23

Instrumentation performed by: KE Date: 2018/02/26 SHD 2018/02/27

Calculations performed by: AZ Date: 2018/02/27

Validated by: SM Date: 2018/02/27

Job No.	Rep / Remarks	Client Name	Contact	Client Tier	National
GB833226	SP8	Earth Toxics Inc	Rick Carr	Tier 5 (Enviro.)	AECOM

NREG. PFOSALCM-W Level IV Package and TetraTech EDD required f/c ZAL. 2018/02/20 Project #: JM10 CECIL

Job	Sample	Lab Comments
	SPIKE	
	SPIKE	
	BLANK	
B833226	GBV350-01R	
B833226	GBV351-01R	
B833226	GBV352-01R	
B833226	GBV353-01R	
B833226	GBV354-01R	

S1 2825 25
S2 2800 60
S3 2700 150
} SK 7577 2/3

S4 2813 37.5
S5 2775 75
S6 2725 125
} I-5297 3/3

ICV 2788 62.5 — I-5299 3/3

IB 2850 —

2018/2/23

Sp. ke code changed to PFC — 228 of 681
2018/02/27

Worksheet Reagent Tracking Record

Worksheet # 5412188

Surrogate/Spike solutions	√	Solution ID #	Conc.	Blk-Spk Volume (µL) Solid	Blk-Spk Liquid	MS Solid	MS Liquid	Samples Solid	Samples Liquid
DGT Spike			100 ug/mL	60	30	60	30	NA	NA
Diquat Dibromide			50 ug/mL	NA	350	NA	350	NA	NA
Explosives Spiking solution A			20 ug/mL	250	100	250	100	NA	NA
Explosives Spiking solution B			20/80 ug/mL	250	100	250	100	NA	NA
Formaldehyde Spike			100 ug/mL	25	25	25	25	NA	NA
Glyphosate Spike			25 ug/mL	500	20	500	20	NA	NA
Nonylphenol Ethoxylate Spike			100 ug/mL	100	100	100	100	NA	NA
Nonylphenol Spike			10 ug/mL	100	100	100	100	NA	NA
Paraquat Cl Tetrahydrate			20 ug/mL	NA	125	NA	125	NA	NA
Perchlorate Standard Spike			10 ng/mL	NA	100	NA	100	NA	NA
Perchlorate Standard Spike			500 ng/mL	40	NA	40	NA	NA	NA
Perchlorate O-18 Internal Standard			0.10 ng/uL	20	20	20	20	20	20
Morpholine Second Source Working Std			2500 ug/L	NA	80	NA	80	NA	NA
Morpholine-D8 Internal Standard			10 ug/mL	NA	50	NA	50	NA	50
Steril Second Source Spiking Solution			NA	20	NA	20	NA	NA	NA
Sterilants Comp. IS Working Solution			3 ug/mL	50	NA	50	NA	50	NA
Comp. PFC Working Solution A	✓	I-5299 3/3	1ug/mL	75	21 62.5	75	21 62.5	NA	NA
PFC Internal Standard Solution	✓	ST 6801 4/4	50/125 ng/mL	200	100 150	200	100 150	200	100/150
PFC Injection IS	✓	ST 6770 2/2	400 ng/mL	20	20	20	20	20	20
ICV	✓	I-5299 3/3							

Solvent/Reagent	√	Lot No.	Date Opened	Solvent/Reagent	√	Lot No.	Date Opened/ Prepared
DCM				50% NaOH			
Ottawa Sand				o-Phosphoric Acid			
Methanol	✓	SHBJ 8485	2018/2/23	Borax			
2-Propanol (IPA)				Calcium Chloride			
Acetonitrile				EDTA			
Sodium Sulfate				Phosphate Buffer			
70:30 Methanol: Water				Sodium Thiosulphate			
60:40 Water: Methanol	✓	PRLRE	108-380	DNPH			
DCM:Ethyl Ether (75:25)				FMOC			
Hexane:IPA (98:2)				5M Acetate Buffer			
2% Formic Acid	✓	PRLRE	108-377	0.2% NH_4OH	✓	PRLRE	108-382
0.2% Formic Acid				Leachate Fluid			
0.05M KOH				Reagent Water	✓	57297	2018/2/23
0.05M HCl							

*Spiked by: SAP

Spike Date: 2018/2/23

Spike Syringe/Pipette ID#: #32773P

Int. Std Syringe/Pipette ID#: MM1011P

*Spiking Witnessed by: LR

Final pH:

Equipment & ID	√	Equipment	ID#	√	Equipment	Lot #
Pipettor		SPE Cartridge	0039372647A		QC Balance ID	
		Filter			Thermometer ID &Temp	
Dispenser		Centrifuge				
		Sonicator				

Bottle Tracking

Bottle#

Cap#

Systems plus Lot#

Comments:

* - SPIKING OF QC's & SAMPLES MUST BE WITNESSED AT ALL TIMES.

Worksheet: 5412188

Dilution and Column Cleanup Worksheet

Job Number	Sample ID	Sample: Initial Final Volume	Dilution Required	Sample added mL	Solvent Added mL	Int Stan Added uL	New Effective Final Volume	INITIAL DATE	Column Clean Up
B833226	GBV350-01	1 X	10X	12.5	SAP 2018/12/23 ~~150~~ N/A	150	12.5	SAP 2018/12/23	—
B833226	GBV352-01	1 X	10X	12.5	—	150	12.5	SAP 2018/12/23	—
B833226	GBV354-01	1 X	10X	12.5	—	150	12.5	SAP 2018/12/23	—
				~~SAP~~ 2018/12/23					

Worksheet Number: **5412188**

PFOS and PFOA in water by SPE/LCMS - Water

ug/L

Parameter Name	Units	SPIKE	SPIKE Dup1	BLANK	DL	B833226 GBV350	DL
6:2 Fluorotelomer sulfonate	ug/L	104.42496	98.60025	0	0.02	N/A*******	0.2
8:2 Fluorotelomer sulfonate	ug/L	104.55991	96.72520	0	0.02	N/A*******	0.2
N-ethylperfluorooctane sulfonamide	ug/L	86.23102	76.99686	0	0.02	N/A*******	0.2
EtFOSAA	ug/L	94.58628	93.57752	0	0.02	0	0.2
N-ethylperfluorooctane sulfonamidoe	ug/L	78.90311	87.64001	0	0.02	N/A*******	0.2
N-methylperfluorooctane sulfonamide	ug/L	78.41770	76.23924	0	0.02	N/A*******	0.2
MeFOSAA	ug/L	93.83276	91.27196	0	0.02	0	0.2
N-methylperfluorooctanesulfonamidol	ug/L	93.67721	80.21754	0	0.02	N/A*******	0.2
Perfluorobutanoic acid	ug/L	104.86545	94.98298	0	0.02	N/A*******	0.2
Perfluorobutane Sulfonate (PFBS)	ug/L	101.87054	109.68866	0	0.02	0	0.2
Perfluorodecane Sulfonate	ug/L	98.56268	101.94063	0	0.02	N/A*******	0.2
Perfluoroheptanoic Acid (PFHpA)	ug/L	95.40503	88.23637	0	0.02	0	0.2
Perfluoroheptane sulfonate	ug/L	99.36673	93.71539	0	0.02	N/A*******	0.2
Perfluorohexanoic Acid (PFHxA)	ug/L	92.59954	91.13050	0	0.02	0	0.2
Perfluorohexane Sulfonate (PFHxS)	ug/L	106.31779	99.88149	0	0.02	0	0.2
Perfluorononanoic Acid (PFNA)	ug/L	92.58521	91.71154	0	0.02	0	0.2
Perfluorooctane Sulfonamide (PFOSA)	ug/L	89.00341	87.72336	0	0.02	N/A*******	0.2
Perfluoropentanoic Acid (PFPeA)	ug/L	101.90009	96.84511	0	0.02	N/A*******	0.2
Perfluorotetradecanoic Acid	ug/L	100.73808	97.74157	0	0.02	0	0.2
Perfluorotridecanoic Acid	ug/L	102.88718	102.34364	0	0.02	0	0.2
Perfluoroundecanoic Acid (PFUnA)	ug/L	97.48155	94.47361	0	0.02	0	0.2
Perfluorodecanoic Acid (PFDA)	ug/L	104.78334	98.41671	0	0.02	0	0.2
Perfluorododecanoic Acid (PFDoA)	ug/L	94.38316	97.03922	0	0.02	0	0.2
Perfluoro-n-Octanoic Acid (PFOA)	ug/L	100.61661	99.97571	0	0.02	0	0.2
Perfluorooctane Sulfonate (PFOS)	ug/L	86.33191	88.58954	0	0.02	0	0.2
13C2-6:2 Fluorotelomer sulfonate	ug/L	96.7343888	89.9581069	109.081884		N/A*******	
13C2-8:2 Fluorotelomer sulfonate	ug/L	101.528722	122.920056	97.5023268		N/A*******	
13C2-perfluorotetradecanoic acid	ug/L	91.1667241	95.4309467	97.9719675		73.6667709	
13C4-Perfluorobutanoic acid	ug/L	100.930694	114.889585	106.207496		111.858682	
D3-MeFOSAA	ug/L	92.1832673	95.0006623	89.0103797		91.7006179	
D5-EtFOSAA	ug/L	89.2208805	91.7255253	92.6065633		89.4824432	
N-methyl-d3-perfluorooctane sulfona	ug/L	89.7546055	112.683497	84.8994768		N/A*******	
N-ethyl-d5-perfluorooctane sulfonam	ug/L	98.3369429	99.4095278	89.6619800		N/A*******	
13C2-Perfluorodecanoic acid	ug/L	104.517896	107.892663	107.800000		96.0603643	
13C2-Perfluorododecanoic acid	ug/L	102.499831	105.434442	104.188963		97.8382456	
13C2-Perfluorohexanoic acid	ug/L	109.623931	114.630803	109.778112		105.509376	
13C2-Perfluoroundecanoic acid	ug/L	108.098489	112.985360	107.961583		91.3360484	
13C4-Perfluoroheptanoic acid	ug/L	104.523638	111.991663	107.025910		104.657351	
13C5-Perfluorononanoic acid	ug/L	108.672907	110.440251	105.876177		105.661945	
13C4-Perfluorooctanoic acid	ug/L	104.457997	106.992584	104.038004		105.795122	
13C4-Perfluorooctanesulfonate	ug/L	108.519978	114.372180	96.6417485		108.196603	
13C5-Perfluoropentanoic acid	ug/L	107.359276	117.889238	108.831232		N/A*******	
13C8-Perfluorooctane Sulfonamide	ug/L	101.786167	107.427616	106.813468		N/A*******	
18O2-Perfluorohexanesulfonate	ug/L	102.303617	111.410578	108.346046		103.654950	

22/8/02/27

Worksheet Number: **5412188**

PFOS and PFOA in water by SPE/LCMS - Water

ug/L


Parameter Name	B833226 GBV351	B833226 GBV352	B833226 GBV353	DL	B833226 GBV354	DL	RDL
6:2 Fluorotelomer sulfonate	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
8:2 Fluorotelomer sulfonate	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
N-ethylperfluorooctane sulfonamide	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
EtFOSAA	0	0	0	0.02	0	0.2	0.02
N-ethylperfluorooctane sulfonamidoe	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
N-methylperfluorooctane sulfonamide	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
MeFOSAA	0	0	0	0.02	0	0.2	0.02
N-methylperfluorooctanesulfonamidol	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluorobutanoic acid	N/A*******	N/A*******	0.03323401	0.02	N/A*******	0.2	0.02
Perfluorobutane Sulfonate (PFBS)	0	0.01109841	0	0.02	0	0.2	0.02
Perfluorodecane Sulfonate	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluoroheptanoic Acid (PFHpA)	0	0.32735107	0.05236113	0.02	0	0.2	0.02
Perfluoroheptane sulfonate	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluorohexanoic Acid (PFHxA)	0	0.30858314	0.06437103	0.02	0	0.2	0.02
Perfluorohexane Sulfonate (PFHxS)	0	0.70572253	0.00810832	0.02	0	0.2	0.02
Perfluorononanoic Acid (PFNA)	0	0.06309670	0.00528806	0.02	0	0.2	0.02
Perfluorooctane Sulfonamide (PFOSA)	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluoropentanoic Acid (PFPeA)	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluorotetradecanoic Acid	0	0	0	0.02	0	0.2	0.02
Perfluorotridecanoic Acid	0	0	0	0.02	0	0.2	0.02
Perfluoroundecanoic Acid (PFUnA)	0	0	0.00286868	0.02	0	0.2	0.02
Perfluorodecanoic Acid (PFDA)	0	0.00701185	0.00472718	0.02	0	0.2	0.02
Perfluorododecanoic Acid (PFDoA)	0	0	0	0.02	0	0.2	0.02
Perfluoro-n-Octanoic Acid (PFOA)	0	0.21016601	0.01444529	0.02	0	0.2	0.02
Perfluorooctane Sulfonate (PFOS)	0	0.80670736	0.02431257	0.02	0	0.2	0.02
13C2-6:2 Fluorotelomer sulfonate	N/A*******	N/A*******	N/A*******		N/A*******		
13C2-8:2 Fluorotelomer sulfonate	N/A*******	N/A*******	N/A*******		N/A*******		
13C2-perfluorotetradecanoic acid	96.7286732	84.2293241	84.5485360		68.3789102		
13C4-Perfluorobutanoic acid	107.655314	104.647773	105.498932		105.853225		
D3-MeFOSAA	94.2088789	95.9396680	91.6294426		89.1905650		
D5-EtFOSAA	88.8442510	92.8707494	92.3108581		85.5326582		
N-methyl-d3-perfluorooctane sulfona	N/A*******	N/A*******	N/A*******		N/A*******		
N-ethyl-d5-perfluorooctane sulfonam	N/A*******	N/A*******	N/A*******		N/A*******		
13C2-Perfluorodecanoic acid	111.246397	98.1534088	102.990574		90.0244296		
13C2-Perfluorododecanoic acid	97.9674725	97.9617448	95.3588933		85.7688646		
13C2-Perfluorohexanoic acid	116.239297	106.701826	111.808610		114.509565		
13C2-Perfluoroundecanoic acid	105.942918	101.290814	105.711020		94.9673289		
13C4-Perfluoroheptanoic acid	111.716477	103.272431	111.093913		106.916339		
13C5-Perfluorononanoic acid	115.773207	105.019915	109.150946		101.751796		
13C4-Perfluorooctanoic acid	111.009512	105.576209	109.261869		99.1197706		
13C4-Perfluorooctanesulfonate	118.881152	111.982285	110.589250		105.675031		
13C5-Perfluoropentanoic acid	N/A*******	N/A*******	N/A*******		N/A*******		
13C8-Perfluorooctane Sulfonamide	N/A*******	N/A*******	N/A*******		N/A*******		
18O2-Perfluorohexanesulfonate	109.719752	103.531998	116.443204		101.177048		

Worksheet Number: **5412188**

PFOS and PFOA in water by SPE/LCMS - Water

ug/L

Parameter Name	MDL	IDL					
6:2 Fluorotelomer sulfonate	0.0066	0					
8:2 Fluorotelomer sulfonate	0.0066	0					
N-ethylperfluorooctane sulfonamide	0.01	0					
EtFOSAA	0.0033	0					
N-ethylperfluorooctane sulfonamidoe	0.0079	0					
N-methylperfluorooctane sulfonamide	0.013	0					
MeFOSAA	0.0029	0					
N-methylperfluorooctanesulfonamidol	0.012	0					
Perfluorobutanoic acid	0.0055	0					
Perfluorobutane Sulfonate (PFBS)	0.0054	0					
Perfluorodecane Sulfonate	0.006	0					
Perfluoroheptanoic Acid (PFHpA)	0.0074	0					
Perfluoroheptane sulfonate	0.008	0					
Perfluorohexanoic Acid (PFHxA)	0.0035	0					
Perfluorohexane Sulfonate (PFHxS)	0.0056	0					
Perfluorononanoic Acid (PFNA)	0.0087	0					
Perfluorooctane Sulfonamide (PFOSA)	0.0034	0					
Perfluoropentanoic Acid (PFPeA)	0.0075	0					
Perfluorotetradecanoic Acid	0.0027	0					
Perfluorotridecanoic Acid	0.0038	0					
Perfluoroundecanoic Acid (PFUnA)	0.0025	0					
Perfluorodecanoic Acid (PFDA)	0.0061	0					
Perfluorododecanoic Acid (PFDoA)	0.005	0					
Perfluoro-n-Octanoic Acid (PFOA)	0.0033	0					
Perfluorooctane Sulfonate (PFOS)	0.006	0					
13C2-6:2 Fluorotelomer sulfonate							
13C2-8:2 Fluorotelomer sulfonate							
13C2-perfluorotetradecanoic acid							
13C4-Perfluorobutanoic acid							
D3-MeFOSAA							
D5-EtFOSAA							
N-methyl-d3-perfluorooctane sulfona							
N-ethyl-d5-perfluorooctane sulfonam							
13C2-Perfluorodecanoic acid							
13C2-Perfluorododecanoic acid							
13C2-Perfluorohexanoic acid							
13C2-Perfluoroundecanoic acid							
13C4-Perfluoroheptanoic acid							
13C5-Perfluorononanoic acid							
13C4-Perfluorooctanoic acid							
13C4-Perfluorooctanesulfonate							
13C5-Perfluoropentanoic acid							
13C8-Perfluorooctane Sulfonamide							
18O2-Perfluorohexanesulfonate							



Manual calculation for Spike:


$10.4828 = 0.477460 x + 0.059883$

$x = 21.829927 \times 0.024$

$= 0.5239 \mu g/L$

$\frac{0.5239}{0.5} \times 100 = 104.8\%$

2018/02/27




H = 13.5 cm

a = 3.2 cm

b = 2.9 cm

$\frac{b}{a}$ = 0.9

2018/02/27



H= 13.5 cm

a= 3.3 cm

b= 2.7 cm

$\frac{b}{a} = 0.82$

2018/02/27

Report Name: Worksheet - Parameter Lists

Report Date: 2018/02/23

Test Code: **PFOSALCM-W**

Worksheet Number: **5412188**

Sample Number	Parameter Code	Parameter	
GBV350-01	ETFOSAA	EtFOSAA	*
GBV351-01	MEFOSAA	MeFOSAA	*
GBV352-01	PFBS	Perfluorobutane Sulfonate (PFBS)	
GBV353-01	PFHPA	Perfluoroheptanoic Acid (PFHpA)	
GBV354-01	PFHXA	Perfluorohexanoic Acid (PFHxA)	
	PFHXS	Perfluorohexane Sulfonate (PFHxS)	
	PFNA	Perfluorononanoic Acid (PFNA)	
	PFTEDA	Perfluorotetradecanoic Acid	
	PFTRDA	Perfluorotridecanoic Acid	
	PFUNA	Perfluoroundecanoic Acid (PFUnA)	
	PFDA	Perfluorodecanoic Acid (PFDA)	
	PFDOA	Perfluorododecanoic Acid (PFDoA)	
	PFOA	Perfluoro-n-Octanoic Acid (PFOA)	
	PFOS	Perfluorooctane Sulfonate (PFOS)	


RAD 2018/2/23

* - This parameter is usually off, but will be reported for this group of samples!

Folder 20180226 2018/02/27

WorkSheet 5412188 Instrument Sequences

1.	5412188:SPIKE	SPIKE
2.	5412188:SPIKE:D1	SPIKE :D1
3.	5412188:BLANK	BLANK
4.	5412188:GBV350-01	CEF-S3-TW01-0218
5.	5412188:GBV351-01	FB-CEF-S3-020918-13
6.	5412188:GBV352-01	CEF-MFS-TW01-0218
7.	5412188:GBV353-01	CEF-MFS-TW02-0218
8.	5412188:GBV354-01	CEF-S3-TW02-0209



Worklist Report

Agilent Technologies

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFC_180226_Low.wkl

Maxxam Analytics

Operator Name: ---
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\Data\PFC\20180226\WS#5412188
Pre-Worklist Script: ---
Post-Worklist Script: SCP_InstrumentStandby(){MH_Acq_Scripts.exe}
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: Column #199
MP A1: Solution# 280 (FSRE18)
MP B1: Methanol lot# SHBJ5451, Sigma

RC 20180226

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
1	Solvent	P1-A1	PFC_Water_Low.m	WS#5412188_01.d	Sample		As Method	-
2	STD 1	P1-C1	PFC_Water_Low.m	WS#5412188_02.d	Calibration	STD 1	As Method	-
3	STD 2	P1-C2	PFC_Water_Low.m	WS#5412188_03.d	Calibration	STD 2	As Method	-
4	STD 3	P1-C3	PFC_Water_Low.m	WS#5412188_04.d	Calibration	STD 3	As Method	-
5	STD 4	P1-C4	PFC_Water_Low.m	WS#5412188_05.d	Calibration	STD 4	As Method	-
6	STD 5	P1-C5	PFC_Water_Low.m	WS#5412188_06.d	Calibration	STD 5	As Method	-
7	STD 6	P1-C6	PFC_Water_Low.m	WS#5412188_07.d	Calibration	STD 6	As Method	-

2018/02/26

239 of 681

Worklist Report

Agilent Technologies

Maxxam Analytics

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
8	IB	P1-C7	PFC_Water_Low.m	WS#5412188_08.d	Sample		As Method	-
9	ICV	P1-C8	PFC_Water_Low.m	WS#5412188_09.d	QC	ICV	As Method	-
10	ISC	P1-C1	PFC_Water_Low.m	WS#5412188_10.d	ConCal	STD 1	As Method	-
11	5412188:BLANK	P1-C9	PFC_Water_Low.m	WS#5412188_11.d	Sample		As Method	-
12	5412188:SPIKE	P1-D1	PFC_Water_Low.m	WS#5412188_12.d	QC	ICV	As Method	-
13	5412188:SPIKE:D1	P1-D2	PFC_Water_Low.m	WS#5412188_13.d	QC	ICV	As Method	-
14	5412188:GBV350-01:10x	P1-D3	PFC_Water_Low.m	WS#5412188_14.d	Sample		As Method	-
15	IB	P1-C7	PFC_Water_Low.m	WS#5412188_15.d	Sample		As Method	-
16	5412188:GBV351-01	P1-D4	PFC_Water_Low.m	WS#5412188_16.d	Sample		As Method	-
17	5412188:GBV352-01:10x	P1-D5	PFC_Water_Low.m	WS#5412188_17.d	Sample		As Method	-
18	5412188:GBV352-01	P1-D6	PFC_Water_Low.m	WS#5412188_18.d	Sample		As Method	-
19	IB	P1-C7	PFC_Water_Low.m	WS#5412188_19.d	Sample		As Method	-
20	5412188:GBV353-01	P1-D7	PFC_Water_Low.m	WS#5412188_20.d	Sample		As Method	-
21	5412188:GBV354-01:10x	P1-D8	PFC_Water_Low.m	WS#5412188_21.d	Sample		As Method	-
22	IB	P1-C7	PFC_Water_Low.m	WS#5412188_22.d	Sample		As Method	-
23	CCV	P1-C4	PFC_Water_Low.m	WS#5412188_23.d	ConCal	STD 4	As Method	-

Worklist Report

Agilent Technologies

Maxxam Analytics

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFC_180226_Low_FOSAA.wkl

Operator Name: ---
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\Data\PFC\20180226\WS#5412188_FOSAA
Pre-Worklist Script: ---
Post-Worklist Script: SCP_InstrumentStandby(){MH_Acq_Scripts.exe}
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: Column #199
MP A1: Solution# 280 (FSRE18)
MP B2: Solution# 290 (FSRE18)

KC 2018/02/26

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
1	Solvent	P1-A1	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_01.d	Sample		As Method	-
2	STD 1	P1-C1	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_02.d	Calibration	STD 1	As Method	-
3	STD 2	P1-C2	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_03.d	Calibration	STD 2	As Method	-
4	STD 3	P1-C3	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_04.d	Calibration	STD 3	As Method	-
5	STD 4	P1-C4	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_05.d	Calibration	STD 4	As Method	-
6	STD 5	P1-C5	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_06.d	Calibration	STD 5	As Method	-
7	STD 6	P1-C6	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_07.d	Calibration	STD 6	As Method	-
8	IB	P1-C7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_08.d	Sample		As Method	-

2018/02/26

241 of 681

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
9	ICV	P1-C8	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_09.d	QC	ICV	As Method	-
10	ISC	P1-C1	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_10.d	ConCal	STD 1	As Method	-
11	5412188:BLANK	P1-C9	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_11.d	Sample		As Method	-
12	5412188:SPIKE	P1-D1	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_12.d	QC	ICV	As Method	-
13	5412188:SPIKE:D1	P1-D2	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_13.d	QC	ICV	As Method	-
14	5412188:GBV350-01:10x	P1-D3	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_14.d	Sample		As Method	-
15	IB	P1-C7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_15.d	Sample		As Method	-
16	5412188:GBV351-01	P1-D4	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_16.d	Sample		As Method	-
17	5412188:GBV352-01:10x	P1-D5	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_17.d	Sample		As Method	-
18	5412188:GBV352-01	P1-D6	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_18.d	Sample		As Method	-
19	IB	P1-C7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_19.d	Sample		As Method	-
20	5412188:GBV353-01	P1-D7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_20.d	Sample		As Method	-
21	5412188:GBV354-01:10x	P1-D8	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_21.d	Sample		As Method	-
22	IB	P1-C7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_22.d	Sample		As Method	-
23	CCV	P1-C4	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_23.d	ConCal	STD 4	As Method	-

FINAL INJECTION SEQUENCE

Sample					
Name	Comment	Acq. Date-Time	Acq. Method File	Data File	Pos.
STD 1	-	2018/02/27 1:07 PM	PFC_Water_Low.m	WS#5412188_B_02.d	P1-C1
STD 2	-	2018/02/27 1:12 PM	PFC_Water_Low.m	WS#5412188_B_03.d	P1-C2
STD 3	-	2018/02/27 1:17 PM	PFC_Water_Low.m	WS#5412188_B_04.d	P1-C3
STD 4	-	2018/02/27 1:21 PM	PFC_Water_Low.m	WS#5412188_B_05.d	P1-C4
STD 5	-	2018/02/27 1:26 PM	PFC_Water_Low.m	WS#5412188_B_06.d	P1-C5
STD 6	-	2018/02/27 1:31 PM	PFC_Water_Low.m	WS#5412188_B_07.d	P1-C6
IB	-	2018/02/27 1:36 PM	PFC_Water_Low.m	WS#5412188_B_08.d	P1-C7
ICV	-	2018/02/27 1:41 PM	PFC_Water_Low.m	WS#5412188_B_09.d	P1-C8
ISC	-	2018/02/27 1:57 PM	PFC_Water_Low.m	WS#5412188_B_10.d	P1-C1
5412188:BLANK	-	2018/02/27 2:02 PM	PFC_Water_Low.m	WS#5412188_B_11.d	P1-C9
5412188:SPIKE	-	2018/02/27 2:07 PM	PFC_Water_Low.m	WS#5412188_B_12.d	P1-D1
5412188:SPIKE:D1	Reinjected to confirm analyte recovery	2018/02/27 2:12 PM	PFC_Water_Low.m	WS#5412188_B_13.d	P1-D2
5412188:GBV350-01:10x	-	2018/02/27 2:16 PM	PFC_Water_Low.m	WS#5412188_B_14.d	P1-D3
IB	-	2018/02/27 2:21 PM	PFC_Water_Low.m	WS#5412188_B_15.d	P1-C7
5412188:GBV351-01	-	2018/02/27 2:26 PM	PFC_Water_Low.m	WS#5412188_B_16.d	P1-D4
5412188:GBV352-01:10x	Not used	2018/02/27 2:31 PM	PFC_Water_Low.m	WS#5412188_B_17.d	P1-D5
5412188:GBV352-01	-	2018/02/27 2:36 PM	PFC_Water_Low.m	WS#5412188_B_18.d	P1-D6
IB	-	2018/02/27 2:41 PM	PFC_Water_Low.m	WS#5412188_B_19.d	P1-C7
5412188:GBV353-01	-	2018/02/27 2:46 PM	PFC_Water_Low.m	WS#5412188_B_20.d	P1-D7
5412188:GBV354-01:10x	-	2018/02/27 2:51 PM	PFC_Water_Low.m	WS#5412188_B_21.d	P1-D8
IB	-	2018/02/27 2:56 PM	PFC_Water_Low.m	WS#5412188_B_22.d	P1-C7
CCV	-	2018/02/27 3:01 PM	PFC_Water_Low.m	WS#5412188_B_23.d	P1-C4
ISC	-	2018/02/27 3:52 PM	PFC_Water_Low.m	WS#5412188_B_24.d	P1-C1
5412188:SPIKE:D1	Reinjection, reported	2018/02/27 4:00 PM	PFC_Water_Low.m	WS#5412188_B_25.d	P1-D2
CCV	-	2018/02/27 4:05 PM	PFC_Water_Low.m	WS#5412188_B_26.d	P1-C4

FINAL INJECTION SEQUENCE

Sample					
Name	Comment	Acq. Date-Time	Acq. Method File	Data File	Pos.
STD 1	-	2018/02/27 4:39 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_02.d	P1-C1
STD 2	-	2018/02/27 4:41 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_03.d	P1-C2
STD 3	-	2018/02/27 4:44 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_04.d	P1-C3
STD 4	-	2018/02/27 4:46 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_05.d	P1-C4
STD 5	-	2018/02/27 4:49 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_06.d	P1-C5
STD 6	-	2018/02/27 4:51 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_07.d	P1-C6
IB	-	2018/02/27 4:54 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_08.d	P1-C7
ICV	-	2018/02/27 4:56 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_09.d	P1-C8
ISC	-	2018/02/27 4:58 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_10.d	P1-C1
5412188:BLANK	-	2018/02/27 5:01 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_11.d	P1-C9
5412188:SPIKE	-	2018/02/27 5:03 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_12.d	P1-D1
5412188:SPIKE:D1	-	2018/02/27 5:06 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_13.d	P1-D2
5412188:GBV350-01:10x	-	2018/02/27 5:08 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_14.d	P1-D3
IB	-	2018/02/27 5:10 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_15.d	P1-C7
5412188:GBV351-01	-	2018/02/27 5:13 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_16.d	P1-D4
5412188:GBV352-01:10x	Not used	2018/02/27 5:15 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_17.d	P1-D5
5412188:GBV352-01	-	2018/02/27 5:18 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_18.d	P1-D6
IB	-	2018/02/27 5:20 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_19.d	P1-C7
5412188:GBV353-01	-	2018/02/27 5:22 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_20.d	P1-D7
5412188:GBV354-01:10x	-	2018/02/27 5:25 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_21.d	P1-D8
IB	-	2018/02/27 5:27 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_22.d	P1-C7
CCV	-	2018/02/27 5:30 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_23.d	P1-C4

INJECTION INTERNAL STANDARD PEAK AREAS

Sample Name	Analyte	13C6-PFHxA	13C9-PFDA
	Mass labeled IS	STD 4	STD 4
	IS Area	22133	25329
		IS Peak Area	IS Peak Area
STD 1		23118	27510
STD 2		21245	25642
STD 3		23984	29535
STD 4		22133	25329
STD 5		23050	28850
STD 6		21853	25997
IB		23454	29125
ICV		25768	30429
ISC		23606	29016
5410178:BLANK		23209	28413
5410178:SPIKE		21178	25614
5410178:SPIKE:D1		23363	28328
5410178:GBV345-01		21332	27416
5410178:GBV346-01		24667	29817
5410178:GBV347-01		25740	32643
5410178:GBV348-01		24967	30015
5410178:GBV349-01:10x		26150	32520
5410178:GBV349-01		25290	30125
IB		23749	29605
CCV		22063	27791

INJECTION INTERNAL STANDARD PEAK AREAS

Sample Name	Analyte	13C9-PFDA
	Mass labeled IS	STD 4
	IS Area	19426
		IS Peak Area
STD 1		19378
STD 2		18764
STD 3		21971
STD 4		19426
STD 5		21460
STD 6		19504
IB		22186
ICV		22698
ISC		21463
5410178:BLANK		21974
5410178:SPIKE		19800
5410178:SPIKE:D1		22217
5410178:GBV345-01		20951
5410178:GBV346-01		23739
5410178:GBV347-01		25287
5410178:GBV348-01		23633
5410178:GBV349-01:10x		25292
5410178:GBV349-01		23778
IB		23328
CCV		20901

INJECTION INTERNAL STANDARD PEAK AREAS

Sample Name	Analyte	13C6-PFHxA	13C6-PFHxA	13C9-PFDA	13C9-PFDA
	Mass labeled IS	STD 4	ISC/CCV	STD 4	ISC/CCV
	IS Area	31264	37375	38264	42905
		IS Peak Area	IS Peak Area	IS Peak Area	IS Peak Area
STD 1		35446		41836	
STD 2		29796		35683	
STD 3		31917		38219	
STD 4		31264		38264	
STD 5		30279		35645	
STD 6		29288		33940	
IB		31445		37273	
ICV		28962		35009	
ISC		36178		42855	
5412188:BLANK		30908		34891	
5412188:SPIKE		30023		34110	
5412188:SPIKE:D1		38181		44883	
5412188:GBV350-01:10x		33310		41490	
IB		33232		38020	
5412188:GBV351-01		34821		39875	
5412188:GBV352-01:10x		33872		39496	
5412188:GBV352-01		27565		33315	
IB		31125		38015	
5412188:GBV353-01		28213		33355	
5412188:GBV354-01:10x		30186		36409	
IB		32635		39107	
CCV		33127		37914	
ISC			37375		42905
5412188:SPIKE:D1			38026		41792
CCV			33996		38214

INJECTION INTERNAL STANDARD PEAK AREAS

Sample Name	Analyte	13C9-PFDA
	Mass labeled IS	STD 4
	IS Area	25442
		IS Peak Area
STD 1		27647
STD 2		25053
STD 3		26021
STD 4		25442
STD 5		24594
STD 6		23798
IB		25745
ICV		24262
ISC		27998
5412188:BLANK		25419
5412188:SPIKE		23793
5412188:SPIKE:D1		28594
5412188:GBV350-01:10x		26493
IB		25638
5412188:GBV351-01		27020
5412188:GBV352-01:10x		25493
5412188:GBV352-01		21738
IB		25044
5412188:GBV353-01		21903
5412188:GBV354-01:10x		23598
IB		25397
CCV		24937

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

Product Number:	**34860**
Batch Number:	**SHBJ5451**
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	27 SEP 2017
Expiration Date:	SEP 2022

CH_3OH

Rec'd: 2
2017/11/20
4 x 4 L
LC grade

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	< 0.01
UV Absorbance 240nm	≤ 0.10	0.02
UV Absorbance 235nm	≤ 0.10	0.03
UV Absorbance 230nm	≤ 0.20	0.05
UV Absorbance 220nm	≤ 0.30	0.11
UV Absorbance 210nm	≤ 0.60	0.28
UV Absorbance 205nm	≤ 1.00	0.65
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	0.1 ppb
Purity (GC)	≥ 99.90 %	100.00 %
Color Test	≤ 10 APHA	< 10 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	0.0001 %
Expiration Date Period 1800 Days	----------	----------

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Number: **34860**
Batch Number: **SHBJ5451**

Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGMA-ALDRICH

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Rec'd: 2017/12/28
By: QM
HPLC-M.L.
8 x 4L

Product Name:
Methanol - for HPLC, ≥99.9%

CH_3OH

Product Number:	34860
Batch Number:	SHBJ0339
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	30 OCT 2017
Expiration Date:	OCT 2022

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	< 0.01
UV Absorbance 240nm	≤ 0.10	0.03
UV Absorbance 235nm	≤ 0.10	0.04
UV Absorbance 230nm	≤ 0.20	0.07
UV Absorbance 220nm	≤ 0.30	0.14
UV Absorbance 210nm	≤ 0.60	0.33
UV Absorbance 205nm	≤ 1.00	0.68
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	< 0.1 ppb
Purity (GC)	≥ 99.90 %	100.00 %
Color Test	≤ 10 APHA	< 5 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	< 0.0001 %
Expiration Date Period 1800 Days		

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

LOV 2018/02/16
8 x 4L

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

CH_3OH

Product Number:	**34860**
Batch Number:	**SHBJ8485**
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	23 JAN 2018
Expiration Date:	DEC 2022

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	0.01
UV Absorbance 240nm	≤ 0.10	0.03
UV Absorbance 235nm	≤ 0.10	0.04
UV Absorbance 230nm	≤ 0.20	0.06
UV Absorbance 220nm	≤ 0.30	0.14
UV Absorbance 210nm	≤ 0.60	0.31
UV Absorbance 205nm	≤ 1.00	0.62
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	< 0.1 ppb
Purity (GC)	≥ 99.90 %	100.00 %
Color Test	≤ 10 APHA	< 5 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	< 0.0001 %
Expiration Date Period 1800 Days	----------	----------

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.


SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Number: 34860
Batch Number: SHBJ8485



Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Fisher Scientific

1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Certificate of Analysis

Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2008 standard by SAI Global Certificate Number CERT - 0090918

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (USP/FCC/NF/EP/BP/JP grades) are sold for use in food, drug, or medical device manufacturing. Fisher does not claim regulatory coverage under 21 CFR nor maintain DMF's with the FDA. The following are the actual analytical results obtained:

Catalog Number	S23	Quality Test / Release Date 7/20/2017	
Lot Number	176085		
Description	SAND, OTTAWA		
Country of Origin	United States	* Suggested Retest Date	Jul-2022

Result name	Units	Specifications	Test Value
APPEARANCE		REPORT	Colorless to yellow brown beads
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
MESH SIZE	PASS/FAIL	= PASS TEST	PASS TEST



Teresa Bailey-Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as a extension of this catalog number listed above. If there are any questions with this certificate, please call Chemical Services at (800) 227-8701.
*Based on suggested storage condition.

Linda . 2017/09/21

Received 2017/09/21(1x 3kg):lya
Received 2017/09/21 1 bottle- CYN Preprocessing
Received 2017/09/28 8 bottles- CYN Preprocessing
Received 2017/10/16 3 bottles- CYN Preprocessing
Received 2017/11/02 1 bottle - Lakhvir Preprocessing

REAGENT PREPARATION FORM

Reagent # 287 Replaced Reagent # 280 Analyst: GSZ

Reagent Name: 0.3% NH4OH in MeOH Preparation date: 2018/01/12 Expiry date: Daily

Final Volume: 250mL Oven No. : — Temp. : — Final Conc.: 0.3 : 99.7 v/v

Balance ID: — Pipette/Syringe/Cylinder ID: N31477F Storage: —

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
NH4OH	0.75 mL	2017/08/15	2017/12/22	Fisher	166631	2020/01/31
MeOH	249.25mL	2018/01/09	2018/01/12	Sigma	SHBJ5451	2022/09/30
			GSZ 2018/01/12			

NOTES: 250mL Class A Vol. Cylinder (3026)

Reagent # 288 Replaced Reagent # 279 Analyst: SSV

Reagent Name: 0.2% NH4OH in MeOH Preparation date: 2018/01/12 Expiry date: Daily

Final Volume: 250mL Oven No. : — Temp. : — Final Conc.: 0.2 : 99.8 v/v

Balance ID: — Pipette/Syringe/Cylinder ID: N31477F Storage: —

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
NH4OH	0.5mL	2017/08/15	2017/12/22	Fisher	166631	2020/01/31
MeOH	249.5mL	2018/01/09	2018/01/12	Sigma	SHBJ 5451	2022/09/30
			SSV 2018/01/12			

NOTES: 250 mL class A vol. cylinder # 3026

1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax


Certificate of Analysis

Fisher Scientific Quality System has been found to conform to Quality Management System standard ISO9001:2008 standard by SAI Global Certificate Number CERT - 0000618

This is to certify that tests of the lot number listed herein listed and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (USP/FCC/NF/EP/BP grades) are sold for use in food, drug, or medical device manufacturing. Fisher does not derive regulatory coverage under 21 CFR nor maintain DMFs with the FDA. The following are the actual analytical results obtained.

Catalog Number	A669	Quality Test / Release Date	1/17/2017
Lot Number	166631	Expiration Date	Jan/20
Description	AMMONIUM HYDROXIDE, CERTIFIED A.C.S. PLUS		
Country of Origin	United States		
Chemical Origin	Inorganic-non animal		
B&E/T&E Comment	This product does not contain and is not manufactured with raw material ingredients derived from any animal products, including countries where Bovine Spongiform Encephalopathy (BSE) is known to exist.		
Chemical Comment	This product is free from genetically modified substances and is gluten free.		

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Colorless and free from suspended matter
ALUMINUM	ppm	<= 0.3	0.012
ARSENIC AND ANTIMONY	ppm	<= 0.05	<0.050
ASSAY	w/w %	Inclusive Between 28.0 - 30.0	29.5
BORON (B)	ppm	<= 0.1	0.001
CALCIUM (Ca)	ppm	<= 0.3	0.008
CARBON DIOXIDE	%	<= 0.002	0.0020
CHLORIDE	ppm	<= 0.5	<0.50
CHROMIUM (Cr)	ppm	<= 0.2	0.001
COPPER (Cu)	ppm	<= 0.1	0.001
GOLD (Au)	ppm	<= 0.3	0.001
HEAVY METALS (as Pb)	ppm	<= 0.5	<0.5
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
IRON (Fe)	ppm	<= 0.1	0.001
LEAD (Pb)	ppm	<= 0.2	0.001
MAGNESIUM (Mg)	ppm	<= 0.3	0.044
MANGANESE (Mn)	ppm	<= 0.2	0.001
NICKEL (Ni)	ppm	<= 0.1	0.001
NITRATE (NO3)	ppm	<= 2	<2.0
PHOSPHATE (PO4)	ppm	<= 0.4	<0.40
POTASSIUM (K)	ppm	<= 0.3	0.002
RESIDUE AFTER IGNITION	ppm	<= 3	3.00
SODIUM (Na)	ppm	= Report	0.015
SUBSTANCES REDUCING KMNO4	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	ppm	<= 2	<2.0
TIN (Sn)	ppm	<= 0.3	0.001
TITANIUM (Ti)	ppm	<= 0.3	0.001
ZINC (Zn)	ppm	<= 0.3	0.003



CERTIFIED BY



Quality Assurance Specialist - Certificate of Analysis BPF

Note: The date listed is valid for all package sizes of the lot of this product, expressed as a extension of this catalog number listed above. If there are any questions with this certificate, please call Chemical Services at (800) 227-4701.
*Based on suggested storage condition.

Date Received: 2017.08.15 - 1 bottle -HPLC

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

CH_3OH

Product Number:	34860
Batch Number:	SHBJ5451
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004695
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	27 SEP 2017
Expiration Date:	SEP 2022

Rec'd: 2
2017/11/20
4 x 4 L
LC pump

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	< 0.01
UV Absorbance 240nm	≤ 0.10	0.02
UV Absorbance 235nm	≤ 0.10	0.03
UV Absorbance 230nm	≤ 0.20	0.05
UV Absorbance 220nm	≤ 0.30	0.11
UV Absorbance 210nm	≤ 0.60	0.28
UV Absorbance 205nm	≤ 1.00	0.65
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	0.1 ppb
Purity (GC)	≥ 99.90 %	100.00 %
Color Test	≤ 10 APHA	< 10 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	0.0001 %
Expiration Date Period 1800 Days		

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Number: 34886
Batch Number: SHBJ5451

Michael Gredy, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Date Received: 2017/11/10 4x4L
Date Received: 2017/11/27 4x4L
Date Received: 2017/12/01 4x4L
Date Received: 2017/12/04 4x4L
Date Received: 2017/12/07 4x4L
Date Received: 2017/12/09 4x4L
Date Received: 2017/12/12 4x4L
Date Received: 2017/12/16 4x4L
Date Received: 2017/12/17 4x4L
Date Received: 2017/12/19 4x4L
Date Received: 2018/01/04 4x4L
Date Received: 2018/01/06 4x4L
Date Received: 2018/01/09 4x4L
Date Received: 2018/01/19 4x4L
Date Received: 2018/02/07 4x4L

REAGENT PREPARATION FORM

Reagent # 327 Replaced Reagent # 287 Analyst: LR

Reagent Name: 0.3% NH4OH in MeOH Preparation date: 2018/01/30 Expiry date: Daily

Final Volume: 100 ml Oven No. : — Temp. : — Final Conc.: 0.3-99.7 v/v

Balance ID: — Pipette/Syringe/Cylinder ID: J4343461 Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
NH4OH	0.3 ml	2018/01/09	2018/01/25	Fisher	172996	2020/08/31
MeOH	99.7 ml	2018/01/19	2018/01/30	Sigma	SHBJ5451	2022/09/30
				2018/01/30 LR		

NOTES: Cylinder # 6394

Reagent # 328 Replaced Reagent # 323 Analyst: DMB

Reagent Name: 0.2% NH4OH in MeOH Preparation date: 2018/01/30 Expiry date: Daily

Final Volume: 1L Oven No. : — Temp. : — Final Conc.: 0.2: 99.8 v/v

Balance ID: — Pipette/Syringe/Cylinder ID: N3M77F Storage: —

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
NH4OH	2ml	2018/01/09	2018/01/25	Fisher	172996	2020/08/31
MeOH	998mL	2018/01/19	2018/01/30	Sigma	SHBJ5451	2022/09/30
	2018/01/30					

NOTES: 1L cylinder # 5553

DO NOT WRITE BENEATH ANY INSERTS OR PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL ENTRIES, CORRECTIONS AND INSERTS. INCLUDE ALL RELEVANT TRACEABLE REFERENCES ON ALL INSERTS

Fisher Scientific
1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Certificate of Analysis

Fisher Scientific Quality System has been found to conform to Quality Management System Standard ISO/IEC 9001:2008 standard by SAI Global Certification Number QMS 11000116

This is to certify that units of this lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (ASTM, CAP/ACMG, Optima, or product) are sold for use without, and is not all Certain manufacturing Fisher does not claim acceptable coverage under 21 CFR Part 820/ISO 13485 with this lot. The Scientific and clinical analytical results obtained

Catalog Number	A669	Quality Test / Release Date	6/24/2017
Lot Number	172396	Expiration Date	Aug/2020
Description	AMMONIUM HYDROXIDE, CERTIFIED A.C.S. PLUS		
Country of Origin	United States		
Chemical Origin	Inorganic-non animal		

BSE/TSE Comment	This product does not contain and is not manufactured with raw material ingredients derived from any animal products, including countries where Bovine Spongiform Encephalopathy (BSE) is known to exist.
Chemical Comment	This product is free from genetically modified substances and is gluten free.

Test Name	Units	Specifications	Test Value
APPEARANCE		REPORT	COLORLESS AND FREE FROM SUSPENDED MATTER
ALUMINUM	ppm	-= 5.3	0.002
ARSENIC AND ANTIMONY	ppm	-= 5.05	<0.050
ASSAY	w/w %	Inclusive Between 28.0 - 30.0	29.2
BORON (B)	ppm	-= 5.1	0.001
CALCIUM (Ca)	ppm	-= 5.3	0.008
CARBON DIOXIDE	%	-= 5.052	<0.0021
CHLORIDE	ppm	-= 5.5	<0.50
CHROMIUM (Cr)	ppm	-= 5.2	0.001
COPPER (Cu)	ppm	-= 5.1	0.001
GOLD (Au)	ppm	-= 5.3	0.001
HEAVY METALS (as Pb)	ppm	-= 5.5	<0.5
IRON (Fe)	ppm	-= 5.1	0.001
LEAD (Pb)	ppm	-= 5.2	0.001
MAGNESIUM (Mg)	ppm	-= 5.3	0.001
MANGANESE (Mn)	ppm	-= 5.2	0.001
NICKEL (Ni)	ppm	-= 5.1	0.001
NITRATE (NO3)	ppm	-= 2	<2.0
PHOSPHATE (PO4)	ppm	-= 5.4	<5.40
POTASSIUM (K)	ppm	-= 5.3	0.002
RESIDUE AFTER IGNITION	ppm	-= 3	<3.00
SODIUM (Na)	ppm	= Report	0.005
SUBSTANCES REDUCING KMNO4	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	ppm	-= 2	<2.0
TIN (Sn)	ppm	-= 5.3	0.001
TITANIUM (Ti)	ppm	-= 5.3	0.001
ZINC (Zn)	ppm	-= 5.3	0.003

Quality Assurance Specialist - Certificate of Analysis EPF

Note: The data listed is valid for all package sizes of this lot of this product, unless noted as a subdivision of this catalog number listed above. If there are any questions with this certificate, please see Chemical Services at (800) 926-6161 Revised lot supported always considered

Date Received: 2017/12/28-RAZ-P2B
Date Received: 2018/01/09-lov-HPLC 1X500ml

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

CH_3OH

Product Number:	**34860**
Batch Number:	**SHBJ5451**
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	27 SEP 2017
Expiration Date:	SEP 2022

Rec'd: 9
2017/11/20
4 x 4 L
LC samp

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	< 0.01
UV Absorbance 240nm	≤ 0.10	0.02
UV Absorbance 235nm	≤ 0.10	0.03
UV Absorbance 230nm	≤ 0.20	0.05
UV Absorbance 220nm	≤ 0.30	0.11
UV Absorbance 210nm	≤ 0.60	0.28
UV Absorbance 205nm	≤ 1.00	0.65
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	0.1 ppb
Purity (GC)	≥ 99.90 %	**100.00 %**
Color Test	≤ 10 APHA	< 10 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	**0.0001 %**
Expiration Date Period 1800 Days	----------	----------

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Number: 34860
Batch Number: SHBJ5451

Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Date Received: 2017/11/10 4x4L
Date Received: 2017/11/27 4x4L
Date Received: 2017/12/01 4x4L
Date Received: 2017/12/04 4x4L
Date Received: 2017/12/07 4x4L
Date Received: 2017/12/09 4x4L
Date Received: 2017/12/12 4x4L
Date Received: 2017/12/16 4x4L
Date Received: 2017/12/17 4x4L
Date Received: 2017/12/19 4x4L
Date Received: 2018/01/04 4x4L
Date Received: 2018/01/06 4x4L
Date Received: 2018/01/09 4x4L
Date Received: 2018/01/19 4x4L

REAGENT PREPARATION FORM

Reagent # 331 Replaced Reagent # 327 Analyst: GSZ

Reagent Name: 0.3% NH_4OH in MeOH Preparation date: 2018/01/31 Expiry date: Daily

Final Volume: 100ml Oven No. : — Temp. : — Final Conc.: 0.3 : 99.7 v/v

Balance ID: — Pipette/Syringe/Cylinder ID: V434346 Storage: —

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
NH_4OH	0.3 ml	2018/01/09	2018/01/25	Fisher	172996	2020/08/31
MeOH	99.7 ml	2018/01/19	2018/01/30	Sigma	SHBJ5451	2022/09/30
			GSZ, 2018/01/31			

NOTES: 100ml Class A Vol. Cylinder (6394)

Reagent # 332 Replaced Reagent # 325 Analyst: SSV

Reagent Name: FMOC Preparation date: 2018/01/31 Expiry date: Daily

Final Volume: ~~25ml~~ 50ml Oven No. : SSV 2018/01/31 Temp. : Final Conc.:

Balance ID: FC-1 Pipette/Syringe/Cylinder ID: 0603 Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
FMOC	0.0752g	2017/04/06	2018/01/09	Aldrich	WXBC3138V	2022/04/06
ACN	50ml	2017/09/20	2018/01/09	Fisher	172966	2022/05/31
			SSV 2018/01/31			

NOTES:

DO NOT WRITE BENEATH ANY INSERTS OR PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL ENTRIES, CORRECTIONS AND INSERTS. INCLUDE ALL RELEVANT TRACEABLE REFERENCES ON ALL INSERTS.
ONLY CLASS A GLASSWARE IS USED FOR THE PREPARATION OF REAGENTS WHEN APPLICABLE.

Fisher Scientific
1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Certificate of Analysis

Fisher Scientific Quality System has been found to conform to Quality Management System Standard ISO/IEC 9001:2008 standards by SAI Global Certification Number QMS - 004018

This is to certify that units of the lot number below were tested and found to comply with the specifications of this grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (specifically CLIA waived kits) are sold for use in clinical, waived, or medical tests manufactured by Fisher does not assume responsibility for usage under CLIA or medical laws within the U.S.A. This warranty and the stated analytical results contained

Catalog Number	A669	Quality Test / Release Date	6/24/2017
Lot Number	172396	Expiration Date	Aug/2020
Description	AMMONIUM HYDROXIDE, CERTIFIED A.C.S. PLUS		
Country of Origin	United States		
Chemical Origin	Inorganic-non animal		
BSE/TSE Comment	This product does not contain and is not manufactured with raw material ingredients derived from any animal products, including countries where Bovine Spongiform Encephalopathy (BSE) is known to exist.		
Chemical Comment	This product is free from genetically modified substances and is gluten free.		

Test Name	Units	Specifications	Test Value
APPEARANCE		REPORT	COLORLESS AND FREE FROM SUSPENDED MATTER
ALUMINUM	ppm	-= 5.3	0.002
ARSENIC AND ANTIMONY	ppm	-= 5.05	-0.050
ASSAY	w/w %	Inclusive Between 28.0 - 30.0	29.2
BORON (B)	ppm	-= 5.1	0.001
CALCIUM (Ca)	ppm	-= 5.3	0.003
CARBON DIOXIDE	%	-= 5.002	-0.0123
CHLORIDE	ppm	-= 5.5	-5.53
CHROMIUM (Cr)	ppm	-= 5.2	0.001
COPPER (Cu)	ppm	-= 5.1	0.001
GOLD (Au)	ppm	-= 5.3	0.001
HEAVY METALS (as Pb)	ppm	-= 5.5	-0.5
IRON (Fe)	ppm	-= 5.1	0.001
LEAD (Pb)	ppm	-= 5.2	0.001
MAGNESIUM (Mg)	ppm	-= 5.3	0.001
MANGANESE (Mn)	ppm	-= 5.2	0.001
NICKEL (Ni)	ppm	-= 5.1	0.001
NITRATE (NO3)	ppm	-= 2	-2.0
PHOSPHATE (PO4)	ppm	-= 5.4	-0.40
POTASSIUM (K)	ppm	-= 5.3	0.002
RESIDUE AFTER IGNITION	ppm	-= 3	-3.00
SODIUM (Na)	ppm	= Report	0.005
SUBSTANCES REDUCING KMNO4	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	ppm	-= 2	-2.0
TIN (Sn)	ppm	-= 5.3	0.001
TITANIUM (Ti)	ppm	-= 5.3	0.001
ZINC (Zn)	ppm	-= 5.3	0.003

Quality Assurance Specialist - Certificate of Analysis EPF

Note: The data listed is valid for all package sizes of this lot of this product, unless noted on a subsequent line of the catalog number listed above. If there are any questions with this certificate, please call Customer Service at (800) 926-4161.
Toward 4th supported always confident

Date Received: 2017/12/28-RAZ-P2B
Date Received: 2018/01/09-lov-HPLC 1X500ml

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

CH_3OH

Product Number:	34860
Batch Number:	SHBJ5451
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	27 SEP 2017
Expiration Date:	SEP 2022

Rec'd: 9
2017/11/20
4 x 4 L
LC pump

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	< 0.01
UV Absorbance 240nm	≤ 0.10	0.02
UV Absorbance 235nm	≤ 0.10	0.03
UV Absorbance 230nm	≤ 0.20	0.05
UV Absorbance 220nm	≤ 0.30	0.11
UV Absorbance 210nm	≤ 0.60	0.28
UV Absorbance 205nm	≤ 1.00	0.65
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	0.1 ppb
Purity (GC)	≥ 99.90 %	100.00 %
Color Test	≤ 10 APHA	< 10 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	0.0001 %
Expiration Date Period 1300 Days		

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1

SIGMA-ALDRICH

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Number: 34860
Batch Number: SHBJ5451

Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Date Received: 2017/11/10 4x4L
Date Received: 2017/11/27 4x4L
Date Received: 2017/12/01 4x4L
Date Received: 2017/12/04 4x4L
Date Received: 2017/12/07 4x4L
Date Received: 2017/12/09 4x4L
Date Received: 2017/12/12 4x4L
Date Received: 2017/12/16 4x4L
Date Received: 2017/12/17 4x4L
Date Received: 2017/12/19 4x4L
Date Received: 2018/01/04 4x4L
Date Received: 2018/01/06 4x4L
Date Received: 2018/01/09 4x4L
Date Received: 2018/01/19 4x4L

REAGENT PREPARATION FORM

Reagent # 355 Replaced Reagent # 350 Analyst: 652

Reagent Name: 0.3% NH4OH in MeOH Preparation date: 2018/02/12 Expiry date: Daily

Final Volume: 250ml Oven No. : — Temp. : — Final Conc.: 0.3 : 99.7 v/v

Balance ID: — Pipette/Syringe/Cylinder ID: J434346 Storage: —

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
NH4OH	0.75 mL	2018/01/09	2018/01/25	Fisher	172996	2020/07/31
MeOH	249.25 mL	2018/02/07	2018/02/09	Sigma	SHBJ5495	2022/09/30
		652, 2018/02/12				

NOTES: 250ml Class A Vol. Cylinder (3026)

Reagent # 356 Replaced Reagent # _____ Analyst: JB

Reagent Name: FMOC Preparation date: 2018/02/12 Expiry date: Daily

Final Volume: _____ Oven No. : _____ Temp. : _____ Final Conc.: _____

Balance ID: _____ Pipette/Syringe/Cylinder ID: _____ Storage: _____

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE

NOTES:

DO NOT WRITE BENEATH ANY INSERTS OR PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL ENTRIES, CORRECTIONS AND INSERTS. INCLUDE ALL RELEVANT TRACEABLE REFERENCES ON ALL INSERTS.
ONLY CLASS A GLASSWARE IS USED FOR THE PREPARATION OF REAGENTS WHEN APPLICABLE.

Fisher Scientific
1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Certificate of Analysis

Catalog Number	A669	Quality Test / Release Date	8/24/2017
Lot Number	172386	Expiration Date	Aug/2020
Description	AMMONIUM HYDROXIDE, CERTIFIED A.C.S. PLUS		
Country of Origin	United States		
Chemical Origin	Inorganic-non animal		
BSE/TSE Comment	This product does not contain and is not manufactured with raw material ingredients derived from any animal products, including countries where Bovine Spongiform Encephalopathy (BSE) is known to exist.		
Chemical Comment	This product is free from genetically modified substances and is gluten free.		

Test Name	Units	Specifications	Test Value
APPEARANCE		REPORT	COLORLESS AND FREE FROM SUSPENDED MATTER
ALUMINUM	ppm	<= 5.3	0.002
ARSENIC AND ANTIMONY	ppm	<= 5.05	<0.050
ASSAY	wt/ %	Inclusive Between 28.0 - 30.0	29.2
BORON (B)	ppm	<= 5.1	0.001
CALCIUM (Ca)	ppm	<= 5.3	0.008
CARBON DIOXIDE	%	<= 5.052	<0.0020
CHLORIDE	ppm	<= 5.5	<0.50
CHROMIUM (Cr)	ppm	<= 5.2	0.001
COPPER (Cu)	ppm	<= 5.1	0.001
GOLD (Au)	ppm	<= 5.3	0.001
HEAVY METALS (as Pb)	ppm	<= 5.5	<0.5
IRON (Fe)	ppm	<= 5.1	0.001
LEAD (Pb)	ppm	<= 5.2	0.001
MAGNESIUM (Mg)	ppm	<= 5.3	0.001
MANGANESE (Mn)	ppm	<= 5.2	0.001
NICKEL (Ni)	ppm	<= 5.1	0.001
NITRATE (NO3)	ppm	<= 2	<2.0
PHOSPHATE (PO4)	ppm	<= 5.4	<0.40
POTASSIUM (K)	ppm	<= 5.3	0.002
RESIDUE AFTER IGNITION	ppm	<= 3	<3.00
SODIUM (Na)	ppm	= Report	0.005
SUBSTANCES REDUCING KMNO4	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	ppm	<= 2	<2.0
TIN (Sn)	ppm	<= 5.3	0.001
TITANIUM (Ti)	ppm	<= 5.3	0.001
ZINC (Zn)	ppm	<= 5.3	0.003

Quality Assurance Specialist - Certificate of Analysis EPF

Note: The data listed is valid for all package sizes of this lot of this product, unless noted in a subversion of this catalog number listed above. If there are any questions with this certificate, please call Customer Service at (800)766-7000. Trained QA supported always on-duty.

Date Received: 2017/12/28-RAZ-P2B
Date Received: 2018/01/09-lov-HPLC 1X500ml

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

Product Number:	**34860**
Batch Number:	**SHBJ5451**
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	27 SEP 2017
Expiration Date:	SEP 2022

CH_3OH

Rec'd: 2017/11/20
4 x 4 L
LC pump

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	< 0.01
UV Absorbance 240nm	≤ 0.10	0.02
UV Absorbance 235nm	≤ 0.10	0.03
UV Absorbance 230nm	≤ 0.20	0.05
UV Absorbance 220nm	≤ 0.30	0.11
UV Absorbance 210nm	≤ 0.60	0.28
UV Absorbance 205nm	≤ 1.00	0.65
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	0.1 ppb
Purity (GC)	≥ 99.90 %	100.00 %
Color Test	≤ 10 APHA	< 10 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	0.0001 %
Expiration Date Period 1800 Days		

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Number: 34860
Batch Number: SHBJ5451

Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Date Received: 2017/11/10 4x4L
Date Received: 2017/11/27 4x4L
Date Received: 2017/12/01 4x4L
Date Received: 2017/12/04 4x4L
Date Received: 2017/12/07 4x4L
Date Received: 2017/12/09 4x4L
Date Received: 2017/12/12 4x4L
Date Received: 2017/12/16 4x4L
Date Received: 2017/12/17 4x4L
Date Received: 2017/12/19 4x4L
Date Received: 2018/01/04 4x4L
Date Received: 2018/01/06 4x4L
Date Received: 2018/01/09 4x4L
Date Received: 2018/01/19 4x4L
Date Received: 2018/02/07 4x4L

REAGENT PREPARATION FORM

Reagent # 365 Replaced Reagent # 363 Analyst: SSV

Reagent Name: 0.2% NH_4OH Preparation date: 2018/02/16 Expiry date: Daily

Final Volume: 1L Oven No. : — Temp. : — Final Conc.: 0.2% 99.8 v/v

Balance ID: — Pipette/Syringe/Cylinder ID: I47987G Storage: —

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
NH_4OH	2mL	2018/01/09	2018/01/25	Fisher	172996	2020/08/31
meoh	998mL	2018/01/31	2018/02/16	sigma	SHBJ7527	2022/11/30
				SSV		
			2018/02/16			

NOTES: 1L cylinder # 5553

Reagent # 366 Replaced Reagent # 362 Analyst: LR

Reagent Name: DNPH Soln Preparation date: 2018/02/16 Expiry date: Daily

Final Volume: 10ml Oven No. : — Temp. : — Final Conc.: See Below

Balance ID: FC-1 Pipette/Syringe/Cylinder ID: K55191G Storage: —

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
DNPH	0.0501g	2016/07/15	2016/07/15	Spectrum	ZEK0212	2022/08/31
ACN	10ml	2017/09/20	2018/01/09	Fisher	172966	2022/05/31
				LR		
			2018/02/16			

NOTES:

DO NOT WRITE BENEATH ANY INSERTS OR PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL ENTRIES, CORRECTIONS AND INSERTS. INCLUDE ALL RELEVANT TRACEABLE REFERENCES ON ALL INSERTS.
ONLY CLASS A GLASSWARE IS USED FOR THE PREPARATION OF REAGENTS WHEN APPLICABLE.

Fisher Scientific
1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Certificate of Analysis

Fisher Scientific Supply Systems has been found to conform to Quality Management System Standard ISO/IEC/EN 9001:2008 accredited by SAI Global Certification Number QMS 13 - 000518

We hereby certify that units of this lot number have been tested and found to comply with the specifications of this grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products, including in vitro diagnostic products, are sold for research use only, and not for use in diagnostic procedures, drug, or medical device manufacturing. Please direct any claims regarding coverage under 21 CFR non-exempt LIMS with the FDA. The following are the actual analytical results obtained.

Catalog Number	A669	Quality Test / Release Date	6/24/2017
Lot Number	172996	Expiration Date	Aug/2020
Description	AMMONIUM HYDROXIDE, CERTIFIED A.C.S. PLUS		
Country of Origin	United States		
Chemical Origin	Inorganic-non animal		

BSE/TSE Comment	This product does not contain and is not manufactured with raw material ingredients derived from any animal products, including countries where Bovine Spongiform Encephalopathy (BSE) is known to exist.
Chemical Comment	This product is free from genetically modified substances and is gluten free.

Test Name	Units	Specifications	Test Value
APPEARANCE		REPORT	COLORLESS AND FREE FROM SUSPENDED MATTER
ALUMINUM	ppm	-<= 5.3	0.002
ARSENIC AND ANTIMONY	ppm	-<= 5.05	-0.050
ASSAY	Wt/ %	Inclusive Between 28.0 - 30.0	29.2
BORON (B)	ppm	-<= 5.1	0.001
CALCIUM (Ca)	ppm	-<= 5.3	0.008
CARBON DIOXIDE	%	-<= 0.052	-0.0020
CHLORIDE	ppm	-<= 5.5	-0.50
CHROMIUM (Cr)	ppm	-<= 5.2	0.001
COPPER (Cu)	ppm	-<= 5.1	0.001
GOLD (Au)	ppm	-<= 5.3	0.001
HEAVY METALS (as Pb)	ppm	-<= 5.5	-0.5
IRON (Fe)	ppm	-<= 5.1	0.001
LEAD (Pb)	ppm	-<= 5.2	0.001
MAGNESIUM (Mg)	ppm	-<= 5.3	0.001
MANGANESE (Mn)	ppm	-<= 5.2	0.001
NICKEL (Ni)	ppm	-<= 5.1	0.001
NITRATE (NO3)	ppm	-<= 2	-2.0
PHOSPHATE (PO4)	ppm	-<= 5.4	-5.40
POTASSIUM (K)	ppm	-<= 5.3	0.002
RESIDUE AFTER IGNITION	ppm	-<= 3	-3.00
SODIUM (Na)	ppm	= Report	0.005
SUBSTANCES REDUCING KMNO4	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	ppm	-<= 2	-2.0
TIN (Sn)	ppm	-<= 5.3	0.001
TITANIUM (Ti)	ppm	-<= 5.3	0.001
ZINC (Zn)	ppm	-<= 5.3	0.003

Quality Assurance Specialist - Certificate of Analysis IRPF

Note: The date listed is valid for all package sizes of this lot of this product, unless noted as a extension of the existing number listed above. If there are any questions with this certificate, please call Chemical Services at (800) 227-6701
*Stored at suggested storage conditions

Date Received: 2017/12/28-RAZ-P2B
Date Received: 2018/01/09-lov-HPLC 1X500ml

SIGMA-ALDRICH

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

Product Number:	34860
Batch Number:	SHBJ7527
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	18 DEC 2017
Expiration Date:	NOV 2022

CH_3OH

HPLC
3860465
2018 10 1 21
E. G

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	0.01
UV Absorbance 240nm	≤ 0.10	0.03
UV Absorbance 235nm	≤ 0.10	0.05
UV Absorbance 230nm	≤ 0.20	0.07
UV Absorbance 220nm	≤ 0.30	0.14
UV Absorbance 210nm	≤ 0.60	0.33
UV Absorbance 205nm	≤ 1.00	0.64
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	< 0.1 ppb
Purity (GC)	≥ 99.90 %	99.94 %
Color Test	≤ 10 APHA	< 5 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	0.0001 %
Expiration Date Period 1800 Days		

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

REAGENT PREPARATION FORM

Reagent # 369 Replaced Reagent # 268 Analyst: DM3

Reagent Name: 0.2% NH4OH Preparation date: 2018/04/20 Expiry date: daily

Final Volume: 1L Oven No. : – Temp. : – Final Conc.: 0.2 : 99.8 v/v

Balance ID: – Pipette/Syringe/Cylinder ID: J43434G Storage: –

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
NH4OH	2mL	2018/01/09	2018/01/25	Fisher	172996	2020/07/31
MeOH	998mL	2018/02/07	2018/02/20	Sigma	SHBJ5451	2022/04/30
		2018/04/20 DM3				

NOTES: 1L cylinder # 5553

Reagent # 370 Replaced Reagent # 358 Analyst: DM3 2018/04/20

Reagent Name: 2% Formic Acid Preparation date: 2018/04/20 Expiry date: ~~2.98 v/v~~ daily DM3 2018/04/20 DM3 2018/04/20

Final Volume: 1L Oven No. : – Temp. : – Final Conc.: 2.98 v/v

Balance ID: – Pipette/Syringe/Cylinder ID: K551916 Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
Formic Acid	20mL	2018/08/15	2018/11/07	Sigma	SHBJ1624	2018/05/31
LCMS H2O	980mL	2018/03/31	2018/02/20	Fisher	57292	2018/10/31
		2018/04/20	DM3			

NOTES: 1L cylinder # 5553

DO NOT WHITE-OUT ANY INSERTS OR PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL ENTRIES, CORRECTIONS AND INSERTS. INCLUDE ALL RELEVANT TRACEABLE REFERENCES ON ALL INSERTS.
ONLY CLASS A GLASSWARE IS USED FOR THE PREPARATION OF REAGENTS WHEN APPLICABLE.

SIGMA-ALDRICH


sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Formic acid - reagent grade, ≥95%

Product Number:	F0507
Batch Number:	SHBJ1624
Brand:	SIGALD
CAS Number:	64-18-6
MDL Number:	MFCD00003207
Formula:	CH2O2
Formula Weight:	46.03 g/mol
Quality Release Date:	24 MAY 2017
Expiration Date:	MAY 2018



Test	Specification	Result
Appearance (Turbidity)	Clear	Clear
Appearance (Color)	Colorless to Very Faint Yellow	Very Faint Yellow
Appearance (Form)	Liquid	Liquid
Proton NMR Spectrum	Conforms to Structure	Conforms
Solvent Content	≤ 1.0 %	< 0.5 %
Acetic Acid by NMR		
Water (by Karl Fischer)	2.0 - 2.5 %	2.1 %
Titration with NaOH	≥ 95.0 %	97.2 %
Expiration Date Period	----------	----------
1 Year		

Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Date Received:2017/08/11-SSB-1 bottle-P2A
Date Received:2017/08/25 -SSB-1 bottle-P2A
Date Received:2017/08/29-SSB-1 bottle-P2A
Date Received:2017/12/07-SSB-1 bottle-P2A

Certificate of Analysis

MilliporeSigma

Date of Release: 10/27/2017

Name: Water
OmniSolv® For LC/MS

Item No: WX0001-1, WX0001-6, WX0001-901

Lot / Batch No: 57297

Country of Origin: USA

Characteristic	Requirement		Results	Units
	Min.	Max.		
Expiration date			31-OCT-2018	
Evaporation residue		1	< 0.5	ppm
Filtered through 0.2 µm filter			Passes test	
Fluorescence as quinine at 254 nm		1	< 1	ppb
Fluorescence as quinine at 365 nm		1	< 1	ppb
Gradient at 210 nm		2	0.22	mAU
Gradient at 254 nm		0.5	0.09	mAU
LC/MS Purity (4-nitrophenol)		50	<50	ppb
LC/MS Purity (reserpine)		50	<50	ppb
Meets criteria for LC/MS			Conforms	
UV Abs. at 205 nm		0.01	< 0.001	AU
UV Abs. at 210 nm		0.01	< 0.001	AU
UV Abs. at 220 nm		0.01	< 0.001	AU
UV Abs. at 230 nm		0.01	< 0.001	AU
UV Abs. at 240 nm		0.01	< 0.001	AU
UV Abs. at 250 nm		0.009	< 0.001	AU
UV Abs. at 270 nm		0.005	< 0.001	AU
UV Abs. at 400–280 nm		0.005	< 0.001	AU
UV Cut-off		190	< 190	nm

Dr. Oliver Schramel
Quality Control Manager
This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany
290 Concord Road
Billerica, MA 01821
U.S.A.
The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

Date Received: 2017/12/01 1 x 4L LCMS
Date Received: 2017/12/04 4 x 4L LCMS
Date Received: 2017/12/06 4 x 4L LCMS
Date Received: 2017/12/07 4 x 4L LCMS
Date Received: 2017/12/10 4 x 4L LCMS
Date Received: 2017/12/19 4 x 4L LCMS
Date Received: 2017.12.28 - 8 x 4L - HPLC
Date Received: 2017.12.29 - 8 x 4L - HPLC
Date Received: 2018.01.04 - 8 x 4L - HPLC
Date Received: 2018.01.19 - 8 x 4L - HPLC
Date Received: 2018.01.31 - 8 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC
Date Received: 2018/02/12 4 x 4L LCMS KC
Date Received: 2018.02.14 - 4 x 4L - HPLC

REAGENT PREPARATION FORM

Reagent # 371 Replaced Reagent # 361 Analyst: SAD

Reagent Name: H_2O:MeOH 60:40 Preparation date: 2018/02/20 Expiry date: 2018/04/20

Final Volume: 1L Oven No. : — Temp. : — Final Conc.: 60:40

Balance ID: — Pipette/Syringe/Cylinder ID: 5550 Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
MeOH	400ml	2018/02/04	2018/2/20	Sigma	SHBJ5451	2022/04/20
H_2O	600ml	2018/01/31	2018/2/20	Omni	57297	2018/10/31
			SAD			
			2018/2/20			

NOTES:

Reagent # 372 Replaced Reagent # 356 Analyst: SAD

Reagent Name: FMOC Preparation date: 2018/2/21 Expiry date: Daily

Final Volume: 50 ml Oven No. : — Temp. : — Final Conc.: —

Balance ID: FC-1 Pipette/Syringe/Cylinder ID: — Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
FMOC	0.0750g	2017/04/06	2018/2/09	Aldrich	MKBC3138V	2022/04/06
ACN	50ml	2018/2/12	2018/2/12	Fisher	176083	2021/9/31
		SAD	2018/2/21			

NOTES:

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

Product Number:	**34860**
Batch Number:	**SHBJ5451**
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	27 SEP 2017
Expiration Date:	SEP 2022

CH_3OH

Ruel : 7
2017/11/20
4 x 4 L
LC pump

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	< 0.01
UV Absorbance 240nm	≤ 0.10	0.02
UV Absorbance 235nm	≤ 0.10	0.03
UV Absorbance 230nm	≤ 0.20	0.05
UV Absorbance 220nm	≤ 0.30	0.11
UV Absorbance 210nm	≤ 0.60	0.28
UV Absorbance 205nm	≤ 1.00	0.65
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	0.1 ppb
Purity (GC)	≥ 99.90 %	100.00 %
Color Test	≤ 10 APHA	< 10 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	0.0001 %
Expiration Date Period 1800 Days		

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: ourtechserv@sial.com

Certificate of Analysis

Product Number: 34860
Batch Number: SHBJ5451

Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Date Received: 2017/11/10 4x4L
Date Received: 2017/11/27 4x4L
Date Received: 2017/12/01 4x4L
Date Received: 2017/12/04 4x4L
Date Received: 2017/12/07 4x4L
Date Received: 2017/12/09 4x4L
Date Received: 2017/12/12 4x4L
Date Received: 2017/12/16 4x4L
Date Received: 2017/12/17 4x4L
Date Received: 2017/12/19 4x4L
Date Received: 2018/01/04 4x4L
Date Received: 2018/01/06 4x4L
Date Received: 2018/01/09 4x4L
Date Received: 2018/01/19 4x4L
Date Received: 2018/02/07 4x4L

Certificate of Analysis

MilliporeSigma

Date of Release: 10/27/2017

Name: Water
OmniSolv®, For LC/MS

Item No: WX0001-1, WX0001-6, WX0001-901

Lot / Batch No: 57297

Country of Origin: USA

Characteristic	Requirement		Results	Units
	Min.	Max.		
Expiration date			31-OCT-2019	
Evaporation residue		1	< 0.5	ppm
Filtered through 0.2 µm filter			Passes test	
Fluorescence as quinine at 254 nm		1	< 1	ppb
Fluorescence as quinine at 365 nm		1	< 1	ppb
Gradient at 210 nm		2	0.22	mAU
Gradient at 254 nm		0.5	0.09	mAU
LC/MS Purity (p-nitrophenol)		50	<50	ppb
LC/MS Purity (reserpine)		50	<50	ppb
Metals, suitable for LC/MS			Complies	
UV Abs. at 200 nm		0.01	< 0.001	AU
UV Abs. at 210 nm		0.01	< 0.001	AU
UV Abs. at 220 nm		0.01	< 0.001	AU
UV Abs. at 230 nm		0.01	< 0.001	AU
UV Abs. at 240 nm		0.01	< 0.001	AU
UV Abs. at 250 nm		0.003	< 0.001	AU
UV Abs. at 270 nm		0.005	< 0.001	AU
UV Abs. at 400-280 nm		0.005	< 0.001	AU
UV Cut-off		190	<190	nm

Dr. Oliver Schramel
Quality Control Manager
This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany
290 Concord Road
Billerica, MA 01821
U.S.A.
The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

Date Received: 2017/12/01 1 x 4L LCMS
Date Received: 2017/12/04 4 x 4L LCMS
Date Received: 2017/12/06 4 x 4L LCMS
Date Received: 2017/12/07 4 x 4L LCMS
Date Received: 2017/12/10 4 x 4L LCMS
Date Received: 2017/12/19 4 x 4L LCMS
Date Received: 2017.12.28 - 8 x 4L - HPLC
Date Received: 2017.12.29 - 8 x 4L - HPLC
Date Received: 2018.01.04 - 8 x 4L - HPLC
Date Received: 2018.01.19 - 8 x 4L - HPLC
Date Received: 2018.01.31 - 8 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC
Date Received: 2018/02/12 4 x 4L LCMS KC
Date Received: 2018.02.14 - 4 x 4L - HPLC

REAGENT PREPARATION FORM

Reagent # 377 Replaced Reagent # 370 Analyst: SSV

Reagent Name: 2% formic acid Preparation date: 2018/02/22 Expiry date: 2018/04/22

Final Volume: 1L Oven No. : — Temp. : — Final Conc.: 2:98 V/V

Balance ID: — Pipette/Syringe/Cylinder ID: K551916 Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
formic acid	20mL	2017/08/25	2017/12/07	Sigma	SHBJ1624	2018/05/31
LCMS H_2O	980mL	2018/02/14	2018/02/21	OMNI	57297	2018/10/31
			2018/02/22 SSV			

NOTES: 1L Cylinder # 5553

Reagent # 378 Replaced Reagent # 282 Analyst: JD3

Reagent Name: Solution B (DP) Preparation date: 2018/02/22 Expiry date: 2019/02/22

Final Volume: 800ml Oven No. : — Temp. : — Final Conc.: —

Balance ID: — Pipette/Syringe/Cylinder ID: G243900G #20028W Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
DiH_2O	800 ml	—	—	InHouse	—	—
50% NaOH	160 ml	2017/10/25	2017/10/30	VWE	17F125004	2022/06/30
		JD3	2018/02/22			

NOTES:

DO NOT WRITE BENEATH ANY INSERTS OR PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL ENTRIES, CORRECTIONS AND INSERTS. INCLUDE ALL RELEVANT TRACEABLE REFERENCES ON ALL INSERTS.
ONLY CLASS A GLASSWARE IS USED FOR THE PREPARATION OF REAGENTS WHEN APPLICABLE.

SIGMA-ALDRICH


sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Formic acid - reagent grade, ≥95%

Product Number:	F0507
Batch Number:	SHBJ1624
Brand:	SIGALD
CAS Number:	64-18-6
MDL Number:	MFCD00003297
Formula:	CH2O2
Formula Weight:	46.03 g/mol
Quality Release Date:	24 MAY 2017
Expiration Date:	MAY 2018



Test	Specification	Result
Appearance (Turbidity)	Clear	Clear
Appearance (Color)	Colorless to Very Faint Yellow	Very Faint Yellow
Appearance (Form)	Liquid	Liquid
Proton NMR Spectrum	Conforms to Structure	Conforms
Solvent Content Acetic Acid by NMR	≤ 1.0 %	< 0.1 %
Water (by Karl Fischer)	2.0 - 2.5 %	2.1 %
Titration with NaOH	≥ 95.0 %	97.2 %
Expiration Date Period 1 Year	----------	----------

Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Date Received:2017/08/11-SSB-1 bottle-P2A
Date Received:2017/08/25 -SSB-1 bottle-P2A
Date Received:2017/08/29-SSB-1 bottle-P2A
Date Received:2017/12/07-SSB-1 bottle-P2A

Certificate of Analysis

MilliPORE SIGMA

Date of Release: 10/2/2017

Name: Water
OmniSolv®: For LC/MS

Item No: WX0001-1, WX0001-6, WX0001-901

Lot / Batch No: 57237

Country of Origin: USA

Characteristic	Requirement		Results	Units
	Min.	Max.		
Expiration date			31-OCT-2019	
Evaporation residue		1	< 0.5	ppm
Filtered through 0.2 µm filter			Passes test	
Fluorescence as quinine at 254 nm		1	< 1	ppb
Fluorescence as quinine at 365 nm		1	< 1	ppb
Gradient at 210 nm		2	0.02	mAU
Gradient at 254 nm		0.5	0.00	mAU
LC/MS Purity (p-Dichlorobenzol)		50	<50	ppb
LC/MS Purity (reserpine)		50	<50	ppb
Metals, suitable for LC/MS			Conforms	
UV Abs. at 200 nm		0.01	< 0.001	AU
UV Abs. at 210 nm		0.01	< 0.001	AU
UV Abs. at 220 nm		0.01	< 0.001	AU
UV Abs. at 230 nm		0.01	< 0.001	AU
UV Abs. at 240 nm		0.01	< 0.001	AU
UV Abs. at 250 nm		0.005	< 0.001	AU
UV Abs. at 270 nm		0.005	< 0.001	AU
UV Abs. at 400–210 nm		0.005	< 0.001	AU
UV Cut-off		190	< 190	nm

Dr. Oliver Schrimpe
Quality Control Manager
This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany
290 Concord Road
Billerica, MA 01821
U.S.A.
The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

Date Received: 2017/12/01 1 x 4L LCMS
Date Received: 2017/12/04 4 x 4L LCMS
Date Received: 2017/12/06 4 x 4L LCMS
Date Received: 2017/12/07 4 x 4L LCMS
Date Received: 2017/12/10 4 x 4L LCMS
Date Received: 2017/12/19 4 x 4L LCMS
Date Received: 2017.12.28 - 8 x 4L - HPLC
Date Received: 2017.12.29 - 8 x 4L - HPLC
Date Received: 2018.01.04 - 8 x 4L - HPLC
Date Received: 2018.01.19 - 8 x 4L - HPLC
Date Received: 2018.01.31 - 8 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC
Date Received: 2018/02/12 4 x 4L LCMS KC
Date Received: 2018.02.14 - 4 x 4L - HPLC

REAGENT PREPARATION FORM

Reagent # 379 Replaced Reagent # 283 Analyst: JD3

Reagent Name: Solution C (PP) Preparation date: 2018/02/22 Expiry date: 2019/02/22 JD3 2018/02/22

Final Volume: 1L Oven No. : — Temp. : — Final Conc.: 70:30 (V/V)

Balance ID: — Pipette/Syringe/Cylinder ID: #20028W Storage: shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
MeOH	700ml	2018/02/16	2018/02/22	Sigma	SHBJ8485	2022/12/30
6N HCl	300ml	PRLRE 104		398		
		JD3	2018/02/22			

NOTES:

Reagent # 380 Replaced Reagent # 371 Analyst: JD3

Reagent Name: 60:40 (H_2O:MeOH) Preparation date: 2018/02/22 Expiry date: 2018/02/22

Final Volume: 1L Oven No. : — Temp. : — Final Conc.: 60:40 (V/V)

Balance ID: — Pipette/Syringe/Cylinder ID: #5553 Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
MeOH	400ml	2018/02/16	2018/02/22	Sigma	SHBJ8485	2022/12/30
H_2O	600ml	2018/02/14	2018/02/21	Omni	ST2917	2018/10/31
		JD3	2018/02/22			

NOTES:

DO NOT WRITE BENEATH ANY INSERTS OR PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL ENTRIES, CORRECTIONS AND INSERTS. INCLUDE ALL RELEVANT TRACEABLE REFERENCES ON ALL INSERTS.
ONLY CLASS A GLASSWARE IS USED FOR THE PREPARATION OF REAGENTS WHEN APPLICABLE.

LOV 2018/02/16
8 x 4L

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

Product Number:	**34860**
Batch Number:	**SHBJ8486**
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	23 JAN 2018
Expiration Date:	DEC 2022

CH_3OH

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	0.01
UV Absorbance 240nm	≤ 0.10	0.03
UV Absorbance 235nm	≤ 0.10	0.04
UV Absorbance 230nm	≤ 0.20	0.06
UV Absorbance 220nm	≤ 0.30	0.14
UV Absorbance 210nm	≤ 0.60	0.31
UV Absorbance 205nm	≤ 1.00	0.62
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 365nm	≤ 1.0 ppb	< 0.1 ppb
Purity (GC)	≥ 99.90 %	100.00 %
Color Test	≤ 10 APHA	< 5 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	< 0.0001 %
Expiration Date Period 1800 Days		

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Number: 34860
Batch Number: SHBJ8485

Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1

Certificate of Analysis

MilliporeSigma

Date of Release: 10/27/2017

Name: Water
OmniSolv®, For LC/MS

Item No: WX0001-1, WX0001-6, WX0001-901

Lot / Batch No: 57297

Country of Origin: USA

Characteristic	Requirement		Results	Units
	Min.	Max.		
Expiration date			31-OCT-2019	
Evaporation residue		1	< 0.5	ppm
Filtered through 0.2 µm filter			Passes test	
Fluorescence as quinine at 334 nm		1	< 1	ppb
Fluorescence as quinine at 365 nm		1	< 1	ppb
Gradient at 210 nm		2	0.22	mAU
Gradient at 254 nm		0.5	0.09	mAU
LC/MS Purity (2-Butoxyethanol)		50	<50	ppb
LC/MS Purity (reserpine)		50	<50	ppb
Matrix, suitable for LC/MS			Conforms	
UV Abs. at 205 nm		0.01	< 0.001	AU
UV Abs. at 210 nm		0.01	< 0.001	AU
UV Abs. at 220 nm		0.01	< 0.001	AU
UV Abs. at 230 nm		0.01	< 0.001	AU
UV Abs. at 240 nm		0.01	< 0.001	AU
UV Abs. at 250 nm		0.009	< 0.001	AU
UV Abs. at 270 nm		0.005	< 0.001	AU
UV Abs. at 400–410 nm		0.005	< 0.001	AU
UV Cut-off		190	< 190	nm

Dr. Oliver Schrüfer
Quality Control Manager
This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany
290 Concord Road
Billerica, MA 01821
U.S.A.
The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

Date Received: 2017/12/01 1 x 4L LCMS
Date Received: 2017/12/04 4 x 4L LCMS
Date Received: 2017/12/06 4 x 4L LCMS
Date Received: 2017/12/07 4 x 4L LCMS
Date Received: 2017/12/10 4 x 4L LCMS
Date Received: 2017/12/19 4 x 4L LCMS
Date Received: 2017.12.28 - 8 x 4L - HPLC
Date Received: 2017.12.29 - 8 x 4L - HPLC
Date Received: 2018.01.04 - 8 x 4L - HPLC
Date Received: 2018.01.19 - 8 x 4L - HPLC
Date Received: 2018.01.31 - 8 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC
Date Received: 2018/02/12 4 x 4L LCMS KC
Date Received: 2018.02.14 - 4 x 4L - HPLC

REAGENT PREPARATION FORM

Reagent # 381 Replaced Reagent # PRLRE 104 - 96 Analyst: GSZ

Reagent Name: SALINIZING SOLUTION Preparation date: 2018/02/22 Expiry date: 2019/02/22

Final Volume: 1L Oven No. : — Temp. : — Final Conc.: 9:1 v/v (Toluene : DCDMS)

Balance ID: — Pipette/Syringe/Cylinder ID: 1L Vol. Cylinder ~~Class A (3026)~~ Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
DICHLORODIMETHYLSILANE	100mL	2017/10/30	2018/02/22	Aldrich	BCBH8051V	2022/10/30
TOLUENE	900mL	2018/02/22	2018/02/22	Caledon	102536 ~~102356~~ GSZ 2018/02/22	2019/02/22
			GSZ, 2018/02/22			

NOTES:

Reagent # 382 Replaced Reagent # 375 Analyst: LR

Reagent Name: 0.2% NH4OH Preparation date: 2018/02/23 Expiry date: Daily

Final Volume: 1L Oven No. : — Temp. : — Final Conc.: 0.2 : 99.8 v/v

Balance ID: — Pipette/Syringe/Cylinder ID: K39732F Storage: Shelf

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
MeOH	998mL	2018/02/16	2018/02/22	Signma	SHB38485	2022/12/30
NH4OH	2mL	2018/01/09	2018/01/25	Fisher	172996	2020/08/31
				2018/02/23 LR		

NOTES: 1L volumetric Cylinder # 5553

DO NOT WRITE BENEATH ANY INSERTS OR PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL ENTRIES, CORRECTIONS AND INSERTS. INCLUDE ALL RELEVANT TRACEABLE REFERENCES ON ALL INSERTS.
ONLY CLASS A GLASSWARE IS USED FOR THE PREPARATION OF REAGENTS WHEN APPLICABLE.

LOV 2018/02/16
8 x 4L

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:
Methanol - for HPLC, ≥99.9%

Product Number:	**34860**
Batch Number:	**SHBJ8486**
Brand:	SIGALD
CAS Number:	67-56-1
MDL Number:	MFCD00004595
Formula:	CH4O
Formula Weight:	32.04 g/mol
Quality Release Date:	23 JAN 2018
Expiration Date:	DEC 2022

CH_3OH

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
UV Absorbance 400nm	≤ 0.01	< 0.01
UV Absorbance 280nm	≤ 0.01	< 0.01
UV Absorbance 260nm	≤ 0.04	0.01
UV Absorbance 240nm	≤ 0.10	0.03
UV Absorbance 235nm	≤ 0.10	0.04
UV Absorbance 230nm	≤ 0.20	0.06
UV Absorbance 220nm	≤ 0.30	0.14
UV Absorbance 210nm	≤ 0.60	0.31
UV Absorbance 205nm	≤ 1.00	0.62
Fluorescence 254nm	≤ 1.0 ppb	< 0.1 ppb
Fluorescence 366nm	≤ 1.0 ppb	< 0.1 ppb
Purity (GC)	≥ 99.90 %	100.00 %
Color Test	≤ 10 APHA	< 5 APHA
Water (by Karl Fischer)	≤ 0.03 %	< 0.01 %
Residue on Evaporation	≤ 0.0005 %	< 0.0001 %
Expiration Date Period 1800 Days		

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA
Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Number: 34860
Batch Number: SHBJ8486

Michael Grady, Manager
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1

Fisher Scientific
1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Certificate of Analysis

Fisher Scientific Quality Systems have been found in conformance to Quality Management Systems Standard ISO/IEC 9001 standards by SAI Global Certification Number QEAR - 1000018

This is to certify that units of this lot number have been tested and found to comply with the specifications of the grade listed. Certain data have been verified by Fisher Scientific. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (specifically those labeled "For R&D Use Only") are sold for use in product, drug, or medical device manufacturing. Fisher does not make representations concerning whether such use is permissible or authorized under 21 CFR or other applicable laws, or with the FDA. The following are the actual analytical results obtained.

Catalog Number	A669	Quality Test / Release Date	6/24/2017
Lot Number	173996	Expiration Date	Aug/2020
Description	AMMONIUM HYDROXIDE, CERTIFIED A.C.S. PLUS		
Country of Origin	United States		
Chemical Origin	Inorganic-non animal		

BSE/TSE Comment	This product does not contain and is not manufactured with raw material ingredients derived from any animal products, including countries where Bovine Spongiform Encephalopathy (BSE) is known to exist.
Chemical Comment	This product is free from genetically modified substances and is gluten free.

Result Name	Units	Specification	Test Value
APPEARANCE		REPORT	COLORLESS AND FREE FROM SUSPENDED MATTER
ALUMINUM	ppm	-= 5.3	0.002
ARSENIC AND ANTIMONY	ppm	-= 5.05	<0.050
ASSAY	Wt%	Inclusive Between 25.0 - 30.0	29.2
BORON (B)	ppm	-= 5.1	0.001
CALCIUM (Ca)	ppm	-= 5.3	0.003
CARBON DIOXIDE	%	-= 5.052	<0.0126
CHLORIDE	ppm	-= 5.5	<0.50
CHROMIUM (Cr)	ppm	-= 5.2	0.001
COPPER (Cu)	ppm	-= 5.1	0.001
GOLD (Au)	ppm	-= 5.3	0.001
HEAVY METALS (as Pb)	ppm	-= 5.5	<0.5
IRON (Fe)	ppm	-= 5.1	0.001
LEAD (Pb)	ppm	-= 5.2	0.001
MAGNESIUM (Mg)	ppm	-= 5.3	0.001
MANGANESE (Mn)	ppm	-= 5.2	0.001
NICKEL (Ni)	ppm	-= 5.1	0.001
NITRATE (NO3)	ppm	-= 2	<2.0
PHOSPHATE (PO4)	ppm	-= 5.4	<0.40
POTASSIUM (K)	ppm	-= 5.3	0.002
RESIDUE AFTER IGNITION	ppm	-= 5	<3.00
SODIUM (Na)	ppm	= Report	0.005
SUBSTANCES REDUCING KMNO4	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	ppm	-= 2	<2.0
TIN (Sn)	ppm	-= 5.3	0.001
TITANIUM (Ti)	ppm	-= 5.3	0.001
ZINC (Zn)	ppm	-= 5.3	0.003

Quality Assurance Specialist - Certificate of Analysis SPF

Note: The data listed is valid for 60 package sizes of this lot of this product, unless otherwise noted in a conformance of the catalog number listed above. If there are any questions with this certificate, please call Technical Services at (800) 227-4701.
*Tested for suggested storage condition

Date Received: 2017/12/28-RAZ-P2B
Date Received: 2018/01/09-lov-HPLC 1X500ml

REAGENT PREPARATION FORM

SOLUTION # 280 REAGENT NAME: 20 mM Ammonium acetate

ANALYST: KCl DATE PREPARED: 2018/02/06 EXPIRY DATE: 2018/04/06

STORAGE: RT BALANCE ID: MS204S PIPET/SYRINGE ID: -

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
Ammonium acetate	6.1658g	2017/08/03	2017/09/18	Sigma	BCBT4732	2019/01/30
Water	4L	2017/12/06	2018/02/06	Millipore	57297	2018/10/31
		KC 2018/02/06				

NOTES:

SOLUTION # 281 REAGENT NAME: 20 mM Ammonium Acetate

ANALYST: [illegible] DATE PREPARED: 2018/02/09 EXPIRY DATE: 2018/04/10

STORAGE: RT BALANCE ID: AB02 PIPET/SYRINGE ID:

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
Ammonium Acetate	3.0804g	2017/08/03	2017/09/18	Sigma	BCBT4732	2019/01/30
LCMS Water	2L	2017/12/28	2018/02/09	(Omni Solv) EMD Millipore	57297	2018/10/31
	[illegible] 2018/02/09					

NOTES:

ONLY CLASS A GLASSWARE IS USED FOR THE PREPARATION OF REAGENTS WHEN APPLICABLE.
RT = Room Temperature

SIGMA-ALDRICH

3050 Spruce Street, Saint Louis, MO 63103 USA
Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Product Name:	**AMMONIUM ACETATE** reagent grade, >= 98 %
Product Number:	A7262
Batch Number:	BCBT4732
Brand:	Sigma-Aldrich
CAS Number:	631-61-8
Formula:	$CH_3CO_2NH_4$
Formula Weight:	77.08
Storage Temperature:	2-8 C
Quality Release Date:	16 JAN 2017
Recommended Retest Date:	JAN 2019

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	WHITE	WHITE
APPEARANCE (FORM)	MOIST CRYSTALS	MOIST CRYSTALS
TITRATION	≥ 98 %	99.6 %
TITRATION (METHOD)	TITRATION WITH NAOH	TITRATION WITH NAOH
SOLUBILITY (COLOR)	COLORLESS	COLORLESS
SOLUBILITY (TURBIDITY)	CLEAR	CLEAR
SOLUBILITY (METHOD)	1 G/ML, H2O	1 G/ML, H2O

Claudia Geitner

Dr. Claudia Geitner
Manager Quality Control
Buchs, Switzerland

Rec'd: 3
20 JAN 2017
1 X 500 g
LC group
Storage: FD

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Certificate of Analysis

MilliPORE SIGMA

Date of Release: 10/27/2017

Name: Water
Chromasolv, For LC/MS

Item No: WX0001-1, WX0001-3, WX0001-901

Lot / Batch No: 57297

Country of Origin: USA

Characteristic	Requirement		Results	Units
	Min.	Max.		
Expiration date			SI-OCT-2019	
Evaporation residue		1	< 0.5	ppm
Filtered through 0.2 µm filter			Passes test	
Fluorescence as quinine at 254 nm		1	< 1	ppb
Fluorescence as quinine at 365 nm		1	< 1	ppb
Gradient at 210 nm		2	0.88	mAU
Gradient at 254 nm		0.5	0.09	mAU
LC/MS Purity (n-nitrosamines)		50	<50	ppb
LC/MS Purity (ketones)		50	<50	ppb
Metals, suitable for LC/MS			Conforms	
UV Abs. at 205 nm		0.01	< 0.001	AU
UV Abs. at 210 nm		0.01	< 0.001	AU
UV Abs. at 220 nm		0.01	< 0.001	AU
UV Abs. at 230 nm		0.01	< 0.001	AU
UV Abs. at 240 nm		0.01	< 0.001	AU
UV Abs. at 250 nm		0.005	< 0.001	AU
UV Abs. at 270 nm		0.005	< 0.001	AU
UV Abs. at 400-200 nm		0.005	< 0.001	AU
UV Cut-off		190	<190	nm

Dr. Oliver Schrumpf
Quality Control Manager
This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany
290 Concord Road
Billerica, MA 01821
U.S.A.
The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

Date Received: 2017/12/01 1 x 4L LCMS
Date Received: 2017/12/04 4 x 4L LCMS
Date Received: 2017/12/06 4 x 4L LCMS
Date Received: 2017/12/07 4 x 4L LCMS
Date Received: 2017/12/10 4 x 4L LCMS
Date Received: 2017/12/19 4 x 4L LCMS
Date Received: 2017.12.28 - 8 x 4L - HPLC
Date Received: 2017.12.29 - 8 x 4L - HPLC
Date Received: 2018.01.04 - 8 x 4L - HPLC
Date Received: 2018.01.19 - 8 x 4L - HPLC
Date Received: 2018.01.31 - 8 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC
Date Received: 2018.02.07 - 4 x 4L - HPLC

Maxxam

CAM FCD-00595/1
FSRE: 18 PG: 145

REAGENT PREPARATION FORM

SOLUTION # 290 REAGENT NAME: 50:50 MeOH : ACN

ANALYST: RE DATE PREPARED: 2018/02/23 EXPIRY DATE: 2018/04/23

STORAGE: RT BALANCE ID: - PIPET/SYRINGE ID: -

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
Methanol	500 mL	2018/01/09	2018/01/30	Fisher	171027	2022/05/31
Acetonitrile	500 mL	2018/02/14	2018/02/15	Fisher	197305	2022/12/31
		RE 2018/02/23				

NOTES:

SOLUTION # 291 REAGENT NAME: 50:50 - MeOH:H_2O

ANALYST: LKH DATE PREPARED: 2018/02/26 EXPIRY DATE: 2018/04/26

STORAGE: BALANCE ID: - PIPET/SYRINGE ID: -

CHEMICAL NAME	VOLUME/ WEIGHT	DATE RECEIVED	DATE OPENED	SUPPLIER	LOT NUMBER	EXPIRY DATE
Methanol	100mL	2018/01/15	2018/02/21	Fisher	173206TF	2022/09/30
RODI water	100 mL	-	-	in-house	-	-
				LKH		
				2018/02/26		

NOTES:

ONLY CLASS A GLASSWARE IS USED FOR THE PREPARATION OF REAGENTS WHEN APPLICABLE.
RT = Room Temperature

Fisher Scientific

1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Certificate of Analysis

Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2008 standard by SAI Global Certificate Number CERT - 0000918

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (USP/FCC/NF/EP/BP/JP grades) are sold for use in food, drug, or medical device manufacturing. Fisher does not claim regulatory coverage under 21 CFR nor maintain DMF's with the FDA. The following are the actual analytical results obtained:

Catalog Number	A454	Quality Test / Release Date	5/16/2017
Lot Number	171027		
Description	METHANOL, OPTIMA, A.C.S.		
Country of Origin	Trinidad	* Suggested Retest Date	May-2022
Chemical Origin	Organic - synthetic		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		

Recd: 2017/08/21
4x4L

Result name	Units	Specifications	Test Value
APPEARANCE		REPORT	CLEAR, COLORLESS LIQUID
ASSAY	%	>= 99.8	99.9
CARBONYL COMPOUNDS	%	<= 0.001	0.0006
COLOR	APHA	<= 5	5
EVAPORATION RESIDUE	ppm	<= 1	0.4
FLUORESCENCE BACKGROUND	ppb	<= 1	<1
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
LC GRADIENT SUITABILITY	PASS/FAIL	= PASS TEST	PASS TEST
OPTICAL ABS AT 205 NM	ABSORBANCE UNITS	<= 1.00	0.83
OPTICAL ABS AT 220 NM	ABSORBANCE UNITS	<= 0.23	0.23
OPTICAL ABS AT 230 NM	ABSORBANCE UNITS	<= 0.11	0.10
OPTICAL ABS AT 254 NM	ABSORBANCE UNITS	<= 0.01	0.010
REFRACTIVE INDEX @ 25 DEG C		Inclusive Between 1.3260 - 1.3300	1.3264
SOLUBILITY IN WATER	PASS/FAIL	= PASS TEST	PASS TEST
SUBSTANCES DARKENED BY H2SO4	PASS/FAIL	= PASS TEST	PASS TEST
SUBSTANCES REDUCING KMNO4	PASS/FAIL	= PASS TEST	PASS TEST
TITRATABLE ACID	mEq/g	<= 0.0003	0.00020
TITRATABLE BASE	mEq/g	<= 0.0002	0.00003
WATER (H2O)	%	<= 0.07	0.01



Teresa Bailey-Wopke

Quality Assurance Specialist - Certificate of Analysis BPF

Note: The data listed is valid for all package sizes of this lot of this product, expressed as a extension of the catalog number listed above. If there are any questions with this certificate, please call Cleveland Services at (800) 227-9701.
*Based on suggested storage condition.

Date Received: 2017.09.01- 4 bottles - P2A
Date Received:2017/10/17-4 x 4L - LC
Date Received: 2017/10/19-JT- 2 bottles-P1
Date Received: 2017/11/23-PBE-1x4L
Date Received: 2018/01/09-ML-4x4L
Date Received: 2018.01.10 - 4 x 4L - HPLC Main Lab

ThermoFisher
SCIENTIFIC

1 Reagent Lane
Fair Lawn, NJ 07410
201 796.7100 tel
201 796.1329 fax

Certificate of Analysis

Thermo Fisher Scientific Quality System has been found in compliance to Quality Management System Standard ISO 9001:2008 when audited by SAI Global Certification Services CERT - 0050218

This is to certify that all the information below were tested and found to comply with the specifications of the goods listed. Certain data may have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, conditions or implied terms (including the implied warranties of merchantability and fitness for a particular purpose). Certain products (UltraPure, OmniPur, Ampuled, Sure/Seal, Acroseal, Redi-Dri, Redi-Sol, Redi-Mix, Redi-Mag, Redi-Buf, Redi-Met, Redi-Pak, Pre-Mixed Solutions, Pre-Weighed Solutions, Pre-Dissolved Solutions, Pre-Measured Solutions, Pre-Poured Plates, Pre-Made Media, Pre-Made Buffers, Pre-Made Reagents, Pre-Made Stains, Pre-Made Indicators, Pre-Made Dyes, Pre-Made Fixatives, Pre-Made Mounting Media, Pre-Made Embedding Media, Pre-Made Cryoprotectants, Pre-Made Antifreeze, Pre-Made Coolants, Pre-Made Lubricants, Pre-Made Cutting Fluids, Pre-Made Grinding Fluids, Pre-Made Polishing Fluids, Pre-Made Etching Fluids, Pre-Made Developing Fluids, Pre-Made Fixing Fluids, Pre-Made Clearing Fluids, Pre-Made Dehydrating Fluids, Pre-Made Infiltrating Fluids, Pre-Made Embedding Fluids, Pre-Made Sectioning Fluids, Pre-Made Staining Fluids, Pre-Made Mounting Fluids, Pre-Made Coverslipping Fluids, Pre-Made Labeling Fluids, Pre-Made Archiving Fluids, Pre-Made Disposal Fluids, Pre-Made Waste Fluids, Pre-Made Recycling Fluids, Pre-Made Reclamation Fluids, Pre-Made Remediation Fluids, Pre-Made Containment Fluids, Pre-Made Spill Control Fluids, Pre-Made Emergency Response Fluids, Pre-Made Safety Fluids, Pre-Made Training Fluids, Pre-Made Documentation Fluids, Pre-Made Record Keeping Fluids, Pre-Made Reporting Fluids, Pre-Made Auditing Fluids, Pre-Made Inspection Fluids, Pre-Made Maintenance Fluids, Pre-Made Calibration Fluids, Pre-Made Verification Fluids, Pre-Made Validation Fluids, Pre-Made Qualification Fluids, Pre-Made Certification Fluids, Pre-Made Accreditation Fluids, Pre-Made Compliance Fluids, Pre-Made Regulatory Fluids, Pre-Made Standard Fluids, Pre-Made Specification Fluids, Pre-Made Quality Fluids, Pre-Made Assurance Fluids, Pre-Made Control Fluids, Pre-Made Improvement Fluids, Pre-Made Corrective Fluids, Pre-Made Preventive Fluids, Pre-Made Action Fluids, Pre-Made Plan Fluids, Pre-Made Do Fluids, Pre-Made Check Fluids, Pre-Made Act Fluids, Pre-Made Cycle Fluids, Pre-Made Loop Fluids, Pre-Made Feedback Fluids, Pre-Made Input Fluids, Pre-Made Output Fluids, Pre-Made Process Fluids, Pre-Made System Fluids, Pre-Made Control Fluids, Pre-Made Monitoring Fluids, Pre-Made Measurement Fluids, Pre-Made Analysis Fluids, Pre-Made Interpretation Fluids, Pre-Made Reporting Fluids, Pre-Made Documentation Fluids, Pre-Made Record Keeping

Certificate of Analysis

Date of Release: 10/27/2017

Name: Water
OmniSolv®, For LC/MS

Item No: WX0001...1, WX0001...6, WX0001...901

Lot / Batch No: 57297

Country of Origin: USA

Characteristic	Requirement		Results	Units
	Min.	Max.		
#Expiration date			31-OCT-2019	
Evaporative residue		1	< 0.5	ppm
Filtered through 0.2 µm filter			Passes test	
Fluorescence as quinine at 254 nm		1	< 1	ppb
Fluorescence as quinine at 365 nm		1	< 1	ppb
Gradient at 210 nm		2	0.22	mAU
Gradient at 254 nm		0.5	0.09	mAU
LC/MS Purity (p-nitrophenol)		50	<50	ppb
LC/MS Purity (reserpine)		50	<50	ppb
Metals, suitable for LC/MS			Conforms	
UV Abs. at 200 nm		0.01	< 0.001	AU
UV Abs. at 210 nm		0.01	< 0.001	AU
UV Abs. at 220 nm		0.01	< 0.001	AU
UV Abs. at 230 nm		0.01	< 0.001	AU
UV Abs. at 240 nm		0.01	< 0.001	AU
UV Abs. at 250 nm		0.005	< 0.001	AU
UV Abs. at 270 nm		0.005	< 0.001	AU
UV Abs. at 400–250 nm		0.005	< 0.001	AU
UV Cut-off		190	<190	nm

Dr. Oliver Schrunk

Quality Control Manager
This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany
290 Concord Road
Billerica, MA 01821
U.S.A.
The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

Date Received: 2017/12/01 1 x 4L LCMS
Date Received: 2017/12/06 4 x 4L LCMS

PRLST 142 PG. 172

PREPARATION OF STANDARDS OF INTERMEDIARY CONCENTRATION

Solution No.: I-5297 Date: 2018/01/30 Expiry Date: 2019/01/30 Discard Date: —

Replaces Solution No.: I-5244 Replaced by Solution: _____ Chemist: LaV

Compound(s)/Solution Name: Comp: PFC working soln A

Number of Parent Solution(s): See attached sheet

Concentration of Parent Solution(s): See attached sheet (mg, ug)/mL

Aliquot of Parent Solution(s): See attached Sheet mL / uL

Pippette/Syringe ID N31477F (1ml)

Dilution Solvent: 0.3% NH4OH in MeOH Dilution Volume: 25 mL

Final Concentration(s): 1.0 (mg, ug)/mL

Solution derivatized (as methyl ester): — As Other (specify): —

Solution Contains Surrogate Compounds: — For mix refer to table on page: —

Solution used for: PFC Volumetric Flask: 25 ml Class A 5640
(identify by serial number or other unique ID)

Solvent Supplier: See PRLRE108-327 Lot No.: See PRLRE108-327

Date Opened: See PRLRE108-327

Storage Location: F2-11 One time Use, Not Stored: —

Ampule Supplier: Wellington Date Opened: —

Mix Name: —

Catalogue No.: — Ampule expiry Date: See attached sheet

Lot No.: See attached Sheet

Date Received: See attached Sheet

Notes/Comments:

I-5297 (PRLST 142 Pg. 172)

Compound Name	ID#	Conc. (ug/mL)	Vol.. of Stock standard (uL)	Final Conc. (ug/mL)	Exp. date
PFBA	S4269-1	50	500	1	2022/05/29
L-PFBS	S4269-2	44.2	565	1	2022/09/21
PFPeA	S4269-3	50	500	1	2022/06/14
PFHxA	S4269-4	50	500	1	2022/09/27
br-PFHxSk	S4269-5	45.5	549	1	2022/01/04
PFHpA	S4269-6	50	500	1	2021/12/02
L-PFHpS	S4269-7	47.6	525	1	2022/09/01
PFOA	S4269-8	50	500	1	2022/02/17
brPFOSK	S4269-9	46.4	540	1	2022/01/12
PFNA	S4269-10	50	500	1	2022/07/20
PFDA	S4269-11	50	500	1	2022/05/29
L-PFDS	S4269-12	48.2	518	1	2022/02/17
PFUdA	S4269-13	50	500	1	2022/09/21
PFDoA	S4269-14	50	500	1	2022/05/29
PFTrDA	S4269-15	50	500	1	2022/05/02
PFTeDA	S4269-16	50	500	1	2022/09/21
PFOSA (FOSA-I)	S4269-17	50	500	1	2022/09/01
N-MeFOSA-M	S4269-18	50	500	1	2022/07/05
N-EtFOSA-M	S4269-19	50	500	1	2022/07/05
N-MeFOSE-M	S4269-20	50	500	1	2022/04/24
N-EtFOSE-M	S4269-21	50	500	1	2022/04/24
N-MeFOSAA	S4269-22	50	500	1	2022/01/11
N-EtFOSAA	S4269-23	50	500	1	2022/01/11
6:2FTS	S4269-24	47.4	528	1	2022/04/20
8:2FTS	S4269-25	47.9	522	1	2021/12/12

No writting on bottom Page

La, 2018/01/30

PRLST 133 PG 150

PREPARATION OF CONCENTRATED STOCK STANDARDS

Solution No.: S-4269 Date: 2018/01/03 Expiry Date: See Below Discard Date: _____

Replaces Solution: _____ Replaced by Solution: _____ Chemist: Lav

S-4269 (PRLST133 p. 150)

Solution ID#	Compound Name	Lot#	Received date	Exp. date	Replaces Solution	Replaced by Solution	Conc. (ug/mL)	Solvent	Storage
S4269-1	PFBA	PFBA0517	2017/11/30	2022/05/29	S4240-1		50	MeOH	FZ-11
S4269-2	L-PFBS	LPFBS0917	2017/11/30	2022/09/21	S4240-2		44.2	MeOH	FZ-11
S4269-3	PFPeA	PFPeA0617	2017/11/30	2022/06/14	S4240-3		50	MeOH	FZ-11
S4269-4	PFHxA	PFHxA0917	2017/11/30	2022/09/27	S4240-4		50	MeOH	FZ-11
S4269-5	br-PFHxSk	brPFHxSK0117	2017/11/30	2022/01/04	S4240-5		45.5	MeOH	FZ-11
S4269-6	PFHpA	PFHpA1216	2017/11/30	2021/12/02	S4240-6		50	MeOH	FZ-11
S4269-7	L-PFHpS	LPFHpS0817	2017/11/30	2022/09/01	S4240-7		47.6	MeOH	FZ-11
S4269-8	PFOA	PFOA0217	2017/09/26	2022/02/17	S4240-8		50	MeOH	FZ-11
S4269-9	brPFOSK	brPFOSK0117	2017/11/30	2022/01/12	S4240-9		46.4	MeOH	FZ-11
S4269-10	PFNA	PFNA0717	2017/11/30	2022/07/20	S4240-10		50	MeOH	FZ-11
S4269-11	PFDA	PFDA0517	2017/11/30	2022/05/29	S4240-11		50	MeOH	FZ-11
S4269-12	L-PFDS	LPFDS0217	2017/11/30	2022/02/17	S4240-12		48.2	MeOH	FZ-11
S4269-13	PFUdA	PFUdA0917	2017/11/30	2022/09/21	S4240-13		50	MeOH	FZ-11
S4269-14	PFDoA	PFDoA0517	2017/11/30	2022/05/29	S4240-14		50	MeOH	FZ-11
S4269-15	PFTrDA	PFTrDA0517	2017/11/30	2022/05/02	S4240-15		50	MeOH	FZ-11
S4269-16	PFTeDA	PFTeDA0917	2017/11/30	2022/09/21	S4240-16		50	MeOH	FZ-11
S4269-17	PFOSA (FOSA-I)	FOSA08171	2017/11/30	2022/09/01	S4240-17		50	IPA	FD-59
S4269-18	N-MeFOSA-M	NMeFOSA0717M	2017/11/30	2022/07/05	S4240-18		50	MeOH	FZ-11
S4269-19	N-EtFOSA-M	NEtFOSA0717M	2017/11/30	2022/07/05	S4240-19		50	MeOH	FZ-11
S4269-20	N-MeFOSE-M	NMeFOSE0417M	2017/11/30	2022/04/24	S4240-20		50	MeOH	FZ-11
S4269-21	N-EtFOSE-M	NEtFOSE0417M	2017/11/30	2022/04/24	S4240-21		50	MeOH	FZ-11
S4269-22	N-MeFOSAA	NMeFOSAA0117	2017/11/30	2022/01/11	S4240-22		50	MeOH	FD-59
S4269-23	N-EtFOSAA	NEtFOSAA0117	2017/11/30	2022/01/11	S4240-23		50	MeOH	FD-59
S4269-24	6:2FTS	62FTS0417	2017/11/30	2022/04/20	S4240-24		47.4	MeOH	FD-59
S4269-25	8:2FTS	82FTS1216	2017/11/30	2021/12/12	S4240-25		47.9	MeOH	FD-59
Date Opened (All compounds): 2018/01/03			Supplier (All compounds) : Wellington				Chemist: Lav		

No writting on bottom Page

Lav, 2018/01/03

_____
(specify model and serial no.)

Solvent Used: _____

Solvent Supplier: _____ Lot No(s).: _____

Date Opened: _____


Storage Location / Conditions: _____

Notes/Comments _____

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFBA	**LOT NUMBER:**	PFBA0517
COMPOUND:	Perfluoro-n-butanoic acid		
STRUCTURE:		**CAS #:**	375-22-4



MOLECULAR FORMULA:	$C_4HF_7O_2$	**MOLECULAR WEIGHT:**	214.04
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/yyyy)	05/29/2017		
EXPIRY DATE: (mm/yyyy)	05/29/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

697 2017/11/22
Z. Angulo

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE


Certified By: _____ Date: 05/30/2017 (mm/dd/yyyy)
B.G. Ohlsen, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	L-PFBS	**LOT NUMBER:**	LPFBS0917
COMPOUND:	Potassium perfluoro-1-butanesulfonate		
STRUCTURE:		**CAS #:**	29420-49-3



MOLECULAR FORMULA:	$C_4F_9SO_3K$	**MOLECULAR WEIGHT:**	338.19
CONCENTRATION:	50.0 ± 2.5 µg/ml (K salt) 44.2 ± 2.2 µg/ml (PFBS anion)	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	09/21/2017		
EXPIRY DATE:	09/21/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

692 2017/11/30
2 mongolia

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE


Certified By: _____ Date: 09/22/2017
B.G Chalm, General Manager

Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFPeA	LOT NUMBER:	PFPeA0617
COMPOUND:	Perfluoro-n-pentanoic acid		
STRUCTURE:		CAS #:	2706-90-3



MOLECULAR FORMULA:	$C_5HF_9O_2$	MOLECULAR WEIGHT:	264.05
CONCENTRATION:	50 ± 2.5 µg/ml	SOLVENT(S):	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	06/14/2017		
EXPIRY DATE:	06/14/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

1 ampoule
2017/06/30 GSZ

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.3% of Perfluoro-n-heptenoic acid (PFHpA) and ~ 0.2% of $C_7H_2F_{12}O_2$ (hydrido - derivative) as measured by ^{19}F NMR

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 06/16/2017
D.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFHxA	**LOT NUMBER:**	PFHxA0617
COMPOUND:	Perfluoro-n-hexanoic acid		
STRUCTURE:		**CAS #:**	307-24-4



MOLECULAR FORMULA:	$C_6HF_{11}O_2$	**MOLECULAR WEIGHT:**	314.05
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	09/27/2017		
EXPIRY DATE: (mm/dd/yyyy)	09/27/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

SS 2017/11/30
2 empties

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 1.0% of branched isomers.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 11/01/2017
B.G Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

br-PFHxSK

Potassium Perfluorohexanesulfonate
Solution/Mixture of Linear and
Branched Isomers

PRODUCT CODE:	br-PFHxSK
LOT NUMBER:	brPFHxSK0117
CONCENTRATION:	50.0 ± 2.5 µg/ml (total potassium salt)
	45.5 ± 2.3 µg/ml (total PFHxS anion)
SOLVENT(S):	Methanol
DATE PREPARED:	01/03/2017
LAST TESTED:	01/04/2017
EXPIRY DATE:	01/04/2022
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place

DESCRIPTION:

The chemical purity has been determined to be ≥98% perfluorohexanesulfonate linear and branched isomers. The full name, structure and percent composition for each of the identified isomeric components are given in Table A.

DOCUMENTATION/ DATA ATTACHED:

Table A: Isomeric Components and Percent Composition by ^{19}F-NMR
Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (SIR)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

652 2017/01/30
Z. ampoules

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.5% of perfluoro-1-pentanesulfonate and ~ 0.2% of perfluoro-1-octanesulfonate.
- CAS#: 3871-99-6 (for linear isomer; potassium salt).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@wellabs.com


WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE: PFHpA
COMPOUND: Perfluoro-n-heptanoic acid

LOT NUMBER: PFHpA1216

STRUCTURE:



CAS #: 375-85-9

Received from
2016-12-16
2 x 1.2 mL
FZ-11

MOLECULAR FORMULA:	$C_7HF_{13}O_2$	**MOLECULAR WEIGHT:**	364.06
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	12/02/2016		
EXPIRY DATE:	12/02/2021		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Griffith Date: 12/12/2016


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received 2016/12/23 1 x 1.2mL MMN FZ-11
Received 2016/12/29 1 x 1.2mL MMN FZ-11
Received 2017/05/25 2 x 1.2mL MMN FZ-11
Received 2017/05/29 2 x 1.2mL MMN FZ-11
Date Received: 2017/06/02-DMZ-1.2ml-FD
Date Received: 2017/08/09 1X1.2ml HPLC
Received 2016/12/23 1 x 1.2mL MMN FZ-11
Received 2016/12/29 1 x 1.2mL MMN FZ-11
Received 2017/05/25 2 x 1.2mL MMN FZ-11
Received 2017/05/29 2 x 1.2mL MMN FZ-11
Date Received: 2017/06/02-DMZ-1.2ml-FD
Date Received: 2017/08/09 1X1.2ml HPLC
Date Received: 2017/08/30 1X1.2ml HPLC
Date received 2017/09/26 1x2 ampules HPLC
DATE RECEIVED 2017/09/12 2 ampules HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	L-PFHpS	**LOT NUMBER:**	LPFHpS0817
COMPOUND:	Sodium perfluoro-1-heptanesulfonate		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_7F_{15}SO_3Na$	**MOLECULAR WEIGHT:**	472.10
CONCENTRATION:	50.0 ± 2.5 µg/ml (Na salt) 47.6 ± 2.4 µg/ml (PFHpS anion)	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	09/01/2017		
EXPIRY DATE: (mm/dd/yyyy)	09/01/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

1x2 ampules
GSZ 2017/09/26

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.2% of L-PFHxS ($C_6F_{13}SO_3Na$) and ~ 0.1% of L-PFOS ($C_8F_{17}SO_3Na$).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 09/07/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017/11/30 1x2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFOA	**LOT NUMBER:**	PFOA0217
COMPOUND:	Perfluoro-n-octanoic acid		
STRUCTURE:		**CAS #:**	335-67-1



MOLECULAR FORMULA:	$C_8HF_{15}O_2$	**MOLECULAR WEIGHT:**	414.07
CONCENTRATION:	50 ± 2.5 µg/mL	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	02/17/2017		
EXPIRY DATE:	02/17/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2. LC/MS/MS Data (Selected MRM Transitions)

Received: 2017/06/02
DMZ, 1.2mL x 1
Fridge

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Chittim Date: 02/22/2017

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2435 • Fax: 519-822-2849 • info@well-labs.com

date recieved:2017/05/29 1.2x1 - HPLC
date recieved:2017/05/29 1.2x1 - HPLC
Date Received:2017/06/02-1.2 x 1-HPLC
date recieved:2017/08/09 1.2x1 - HPLC
date recieved:2017/08/30 1.2x1 - HPLC
date received 2017/09/26 1x4 ampules HPLC
date received 2017/09/12 2 ampules HPLC
date received 2017/09/26 2 ampules HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

br-PFOSK

Potassium Perfluorooctanesulfonate Solution/Mixture of Linear and Branched Isomers

PRODUCT CODE:	br-PFOSK
LOT NUMBER:	brPFOSK0117
CONCENTRATION:	50 ± 2.5 µg/ml (total potassium salt)
	46.4 ± 2.3 µg/ml (total PFOS anion)
SOLVENT(S):	Methanol
DATE PREPARED:	01/03/2017
LAST TESTED:	01/12/2017
EXPIRY DATE:	01/12/2022
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place

DESCRIPTION:

The chemical purity has been determined to be ≥98% perfluorooctanesulfonate linear and branched isomers. The full name, structure and percent composition for each of the isomeric components are given in Table A.

DOCUMENTATION/ DATA ATTACHED:

Table A: Isomeric Components and Percent Composition by ^{19}F-NMR
Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (SIR)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

Received: 6/7/06/02
DM2, 1.2 mL x 1
Fridge

ADDITIONAL INFORMATION:

- See page 2 for further details.
- A 5-point calibration curve was generated using linear PFOS (potassium salt) and mass-labelled PFOS as an internal standard to enable quantitation of br-PFOSK using isotopic dilution.
- CAS#: 2795-39-3 (for linear isomer, potassium salt).

FOR LABORATORY USE ONLY. NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


date recieved:2017/05/29 1.2x1- HPLC
date received: 2017/08/09 1 ampule HPLC
date received: 2017/08/30 1 ampule HPLC
date eceived: 2017/09/26 1.2x1ampule HPLC
date received 2017/09/12 2 ampules
Date Received: 2017.11.30 - 2 ampoules -HPLC

Ampoule: 2 mL
Date received: 2017.11.12

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFNA	**LOT NUMBER:**	PFNA0717
COMPOUND:	Perfluoro-n-nonanoic acid		
STRUCTURE:		**CAS #:**	375-95-1



MOLECULAR FORMULA:	$C_9HF_{17}O_2$	**MOLECULAR WEIGHT:**	464.08
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	07/20/2017		
EXPIRY DATE:	07/20/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.1% of perfluoro-n-octanoic acid (PFOA), < 0.1% of perfluoro-n-heptanoic acid (PFHpA), and < 0.1% of perfluoro-n-undecanoic acid (PFUdA).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 07/24/2017
B.G Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2496 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFDA	**LOT NUMBER:**	PFDA0517
COMPOUND:	Perfluoro-n-decanoic acid		
STRUCTURE:		**CAS #:**	335-76-2



MOLECULAR FORMULA:	$C_{10}HF_{19}O_2$	**MOLECULAR WEIGHT:**	514.08
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	05/26/2017		
EXPIRY DATE: (mm/dd/yyyy)	05/26/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

1 ampoule
2017/06/20 GS2

DOCUMENTATION/DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.2% of perfluoro-n-nonanoic acid (PFNA).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 06/30/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	L-PFDS	**LOT NUMBER:**	LPFDS0217
COMPOUND:	Sodium perfluoro-1-decanesulfonate		
STRUCTURE:		**CAS #:**	2806-15-7
MOLECULAR FORMULA:	$C_{10}F_{21}SO_3Na$	**MOLECULAR WEIGHT:**	622.13
CONCENTRATION:	50.0 ± 2.5 µg/ml (Na salt) 48.2 ± 2.4 µg/ml (PFDS anion)	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	02/17/2017		
EXPIRY DATE:	02/17/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1. LC/MS Data (TIC and Mass Spectrum)
Figure 2. LC/MS/MS Data (Selected MRM Transitions)

Date received
2017/05/10
11 2 Ampules
HPLC
SS V

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.9% of sodium perfluoro-1-dodecanesulfonate (L-PFDoS).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Chittim Date: 02/22/2017


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received 2017/05/25 2 x 1.2mL MMN FZ-11
Received 2017/05/29 2 x 1.2mL MMN FZ-11
Date REceived: 2017/06/02-DMZ-1.2ml-FD
date received: 2017/08/30 1 ampule HPLC
DATE RECEIVED: 2017/09/26 1X2 AMPULES HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	PFUdA	**LOT NUMBER:**	PFUdA0917
COMPOUND:	Perfluoro-n-undecanoic acid		
STRUCTURE:		**CAS #:**	2058-94-8



MOLECULAR FORMULA:	$C_{11}HF_{21}O_2$	**MOLECULAR WEIGHT:**	564.09
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	09/21/2017		
EXPIRY DATE: (mm/dd/yyyy)	09/21/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

GSE 3417/NJ/80
2-AMP 0/1/17

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 09/22/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Ampoule 2 TRac
Date Received: 2017.11.30

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	PFDoA	LOT NUMBER:	PFDoA05c7
COMPOUND:	Perfluoro-n-dodecanoic acid		
STRUCTURE:		CAS #:	307-55-1



MOLECULAR FORMULA:	$C_{12}HF_{23}O_2$	MOLECULAR WEIGHT:	514.10
CONCENTRATION:	50 ± 2.5 µg/ml	SOLVENT(S):	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	05/29/2017		
EXPIRY DATE:	05/29/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 05/30/2017
B.S. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


Date Received: 2017.11.30 - 2 ampoules - HPLC

Date Received: 2017.08.30 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFTrDA	**LOT NUMBER:**	PFTrDA0517
COMPOUND:	Perfluoro-n-tridecanoic acid		
STRUCTURE:		**CAS #:**	72629-94-8



MOLECULAR FORMULA:	$C_{13}HF_{25}O_2$	**MOLECULAR WEIGHT:**	664.11
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	05/02/2017		
EXPIRY DATE: (mm/dd/yyyy)	05/02/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

HPLC ①
2017/08/09

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.1% of PFUdA ($C_{11}HF_{21}O_2$), ~ 0.4% of PFDoA ($C_{12}HF_{23}O_2$), and ~ 0.1% of PFTeDA ($C_{14}HF_{27}O_2$).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 05/04/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received 2017/05/29 1 x 1.2mL HPLC
Received 2017/08/09 1 x 1.2mL HPLC
Received 2017/08/30 1 x 1.2mL HPLC
Received 2017/09/26 1 x 2 ampules HPLC
Received 2017/09/12 2 ampules HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	PFTeDA	LOT NUMBER:	PFTeDA0917
COMPOUND:	Perfluoro-n-tetradecanoic acid		
STRUCTURE:		CAS #:	376-06-7



MOLECULAR FORMULA:	$C_{14}HF_{27}O_2$	MOLECULAR WEIGHT:	714.11
CONCENTRATION:	50 ± 2.5 µg/ml	SOLVENT(S):	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	09/21/2017		
EXPIRY DATE:	09/21/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

642 sent in 1/30
2 ampoules

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 equiv. eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.2% of PFDoA ($C_{12}HF_{23}O_2$) and ~ 0.2% of PFPeDA ($C_{15}HF_{29}O_2$).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE


Certified By: _____ Date: 09/21/2017
S.G. Chelim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	FOSA-I	**LOT NUMBER:**	FOSA08171
COMPOUND:	Perfluoro-1-octanesulfonamide		
STRUCTURE:		**CAS #:**	754-91-6



MOLECULAR FORMULA:	$C_8H_2F_{17}NO_2S$	**MOLECULAR WEIGHT:**	499.14
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Isopropanol
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	09/01/2017		
EXPIRY DATE: (mm/dd/yyyy)	09/01/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

bkr 2017/11/30
2 originals

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 09/14/2017 (mm/dd/yyyy)
S.C. Chitra, Quality Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Copyright, Revised [illegible]
Reproduction, Revised 2013-03-22

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	N-MeFOSA-M	**LOT NUMBER:**	NMeFOSA0717M
COMPOUND:	N-methylperfluoro-1-octanesulfonamide		
STRUCTURE:		**CAS #:**	31506-32-8



MOLECULAR FORMULA:	$C_9H_4F_{17}NO_2S$	**MOLECULAR WEIGHT:**	513.17
CONCENTRATION:	50 ± 2.5 µg/mL	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	07/05/2017		
EXPIRY DATE:	07/05/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

1 ampoule
2017/08/30 667

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 07/10/2017
S.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Format #1, Issued 2004-12-10
Supersedes, Revised 2012-03-06


NMeFOSA0717M (1 of 3)
REV2

Date received: 2017/11/30 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	N-EtFOSA-M	**LOT NUMBER:**	NEtFOSA0717M
COMPOUND:	N-ethylperfluoro-1-octanesulfonamide		
STRUCTURE:		**CAS #:**	4151-50-2



MOLECULAR FORMULA:	$C_{10}H_6F_{17}NO_2S$	**MOLECULAR WEIGHT:**	527.20
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	07/05/2017		
EXPIRY DATE:	07/05/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

1 ampoule
2017/08/30 64%

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 07/18/2017
B.C. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.11.30 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	N-MeFOSE-M	**LOT NUMBER:**	NMeFOSE0417M
COMPOUND:	2-(N-methylperfluoro-1-octanesulfonamido)-ethanol		
STRUCTURE:		**CAS #:**	24448-09-7



MOLECULAR FORMULA:	$C_{11}H_8F_{17}NO_3S$	**MOLECULAR WEIGHT:**	557.22
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	04/24/2017 (HRGC/LRMS)		
	04/21/2017 (LC/MS)		
EXPIRY DATE:	04/24/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: HRGC/LRMS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (TIC and Mass Spectrum)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

Received: 2017/06/02
DM2 1:2 mL X 1
[illegible]

ADDITIONAL INFORMATION:

- See page 2 for further details.
- In order to see the molecular ion (adduct free), the LC mobile phase should be free of ammonium acetate buffer.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 06/05/2017
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

date recieved: 2017/05/29 1x1.2 HPLC
date recieved: 2017/06/02 1x1.2 HPLC
date recieved: 2017/08/09 1x1.2 HPLC
date recieved: 2017/08/30 1x1.2 HPLC
date received: 2017/09/26 1x1.2 HPLC
Date Received: 2017.08.09 - 1 ampoule - HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC


WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: N-EtFOSE-M
COMPOUND: 2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol
LOT NUMBER: NEtFOSE04175

STRUCTURE:

CAS #: 1691-99-2



MOLECULAR FORMULA: $C_{12}H_{10}F_{17}NO_3S$
MOLECULAR WEIGHT: 571.25
CONCENTRATION: 50 ± 2.5 µg/mL
SOLVENT(S): Methanol
CHEMICAL PURITY: >98%
LAST TESTED: 04/24/2017 (HRGC/LRMS)
04/21/2017 (LC/MS)
EXPIRY DATE: 04/24/2022
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: HRGC/LRMS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (TIC and Mass Spectrum)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

Received: 2017/06/02
DMZ, 1.2 mL x 1
Fridge

ADDITIONAL INFORMATION:

- See page 2 for further details.
- In order to see the molecular ion (adduct free), the LC mobile phase should be free of ammonium acetate buffer

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 04/26/2017
B.G. Cebbis, General Manager


Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

date recieved:2017/05/29 1x1.2 HPLC
date recieved:2017/08/09 1x1.2 HPLC
date recieved:2017/08/30 1x1.2 HPLC
date received:2017/08/09 1x1.2 HPLC
date received: 2017/09/26 1x1.2 HPLC
Date received: 2017.08.09 - 1 ampoule - HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	N-MeFOSAA	**LOT NUMBER:**	NMeFOSAA0117
COMPOUND:	N-methylperfluoro-1-octanesulfonamidoacetic acid		
STRUCTURE:		**CAS #:**	2355-31-9



MOLECULAR FORMULA:	$C_{11}H_9F_{17}NO_4S$	**MOLECULAR WEIGHT:**	571.21
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	01/11/2017		
EXPIRY DATE: (mm/dd/yyyy)	01/11/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

178 LC(1) 2016.8.15

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent the conversion of the acetic acid molety to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Chittim **Date:** 01/12/2017 (mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • Info@well-labs.com


Received date 2017/05/25 1 x 1.2mL HPLC
Received date 2017/08/09 1 x 1.2mL HPLC
Received date 2017/08/30 1 x 1.2mL HPLC
RECEIVED DATE: 2017/09/26 1X1.2 mL HPLC
received date 2017-09-12 2 ampules HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

Ampoule: 2 mL
Date received: 2017/09/12

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	N-EtFOSAA	**LOT NUMBER:**	NEtFOSAA0117
COMPOUND:	N-ethylperfluoro-1-octanesulfonamidoacetic acid		
STRUCTURE:		**CAS #:**	2991-50-6



MOLECULAR FORMULA:	$C_{12}H_8F_{17}NO_4S$	**MOLECULAR WEIGHT:**	585.23
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	01/11/2017		
EXPIRY DATE:	01/11/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent the conversion of the acetic acid moiety to the methyl ester.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: B.Q. Chittim Date: 01/12/2017


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received : 20170525HPLC,
RECEIVED:2017/09/26 HPLC
Date Received: 2017.08.09 - 1 ampoule - HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	6:2FTS	**LOT NUMBER:**	62FTS0417
COMPOUND:	Sodium 1H,1H,2H,2H-perfluorooctane sulfonate		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_8H_4F_{13}SO_3Na$	**MOLECULAR WEIGHT:**	450.15
CONCENTRATION:	50.0 ± 2.5 µg/ml (Na salt)	**SOLVENT(S):**	Methanol
	47.4 ± 2.4 µg/ml (6:2FTS anion)		
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	04/20/2017		
EXPIRY DATE: (mm/dd/yyyy)	04/20/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 04/24/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


Date Recieved: 2017/05/25 1x1.2 HPLC
Date Recieved: 2017/08/09 1x1.2 HPLC
Date Recieved: 2017/08/30 1x1.2 HPLC
Date Recieved: 2017/09/26 1x1.2 HPLC
Date Recieved: 2017/11/30 1x1.2 HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: 8:2FTS **LOT NUMBER:** 82FTS1218
COMPOUND: Sodium 1H,1H,2H,2H-perfluorodecane sulfonate

STRUCTURE: **CAS #:** Not available



MOLECULAR FORMULA: $C_8H_4F_{13}SO_3Na$ **MOLECULAR WEIGHT:** 550.16
CONCENTRATION: 50.0 ± 2.5 µg/ml (Na salt) **SOLVENT(S):** Methanol
47.9 ± 2.4 µg/ml (8:2FTS anion)
CHEMICAL PURITY: >98%
LAST TESTED: 12/12/2016
EXPIRY DATE: 12/12/2021
RECOMMENDED STORAGE: Refrigerate ampoule

Date received
2017/03/10
2 Ampoules
HPLC
SSV

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Chittim Date: 12/21/2016

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form# 27, Issued 2004-11-18
Revised 2015-09-24

Received 2017/05/25 2 x 1.2mL MMN FD-59
Received 2017/05/29 2 x 1.2mL MMN FD-59
Received 2017/08/09 2 x 1.2mL MMN FD-59
Received 2017/08/30 2 x 1.2mL MMN FD-59
Received 2017/09/26 2 x 1.2nL HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

PREPARATION OF STANDARDS OF INTERMEDIARY CONCENTRATION

Solution No.: I-5299 Date: 2018/01/31 Expiry Date: 2019/01/31 Discard Date: ____

Replaces Solution No.: I-5239 Replaced by Solution: ____ Chemist: GSZ

Compound(s)/Solution Name: PFC SECOND SOURCE SPIKING SOLUTION A

Number of Parent Solution(s): See attached sheet

Concentration of Parent Solution(s): See attached sheet (mg, ug)/mL

Aliquot of Parent Solution(s): See attached sheet mL / uL

Pippette/Syringe ID J434346 (1mL)

Dilution Solvent: 0.3% NH4OH in MeOH Dilution Volume: 25 mL

Final Concentration(s): 1.C (mg, ug)/mL

Solution derivatized (as methyl ester): - As Other (specify): -

Solution Contains Surrogate Compounds: - For mix refer to table on page: -

Solution used for: PFC Volumetric Flask: 25ml Class A (5640)
(identify by serial number or other unique ID)

Solvent Supplier: See PRLRE 108-331 Lot No.: See PRLRE 108-331

Date Opened: See PRLRE 108-331

Storage Location: F211 One time Use, Not Stored: -

Ampule Supplier: Wellington Date Opened: See attached sheet

Mix Name: -

Catalogue No.: - Ampule expiry Date: See attached sheet

Lot No.: See attached sheet

Date Received: See attached sheet

Notes/Comments:

I-5299 (PRLST 140-174)

Compound Name	ID#	Conc. (ug/mL)	Vol.. of Stock standard (uL)	Final Conc. (ug/mL)	Exp. date
PFBA	S4261-1	50	500	1	2022/05/29
L-PFBS	S4261-2	44.2	565	1	2022/09/21
PFPeA	S4261-3	50	500	1	2022/06/14
PFHxA	S4261-4	50	500	1	2022/09/27
br-PFHxSk	S4261-5	45.5	549	1	2022/01/04
PFHpA	S4261-6	50	500	1	2021/12/02
L-PFHpS	S4261-7	47.6	525	1	2022/09/01
PFOA	S4261-8	50	500	1	2022/02/17
brPFOSK	S4261-9	46.4	540	1	2022/01/12
PFNA	S4261-10	50	500	1	2022/07/20
PFDA	S4261-11	50	500	1	2022/05/29
L-PFDS	S4261-12	48.2	518	1	2022/02/17
PFUdA	S4261-13	50	500	1	2022/09/21
PFDoA	S4261-14	50	500	1	2022/05/29
PFTrDA	S4261-15	50	500	1	2022/05/02
PFTeDA	S4261-16	50	500	1	2022/09/21
PFOSA (FOSA-I)	S4261-17	50	500	1	2022/09/01
N-MeFOSA-M	S4261-18	50	500	1	2022/07/05
N-EtFOSA-M	S4261-19	50	500	1	2022/07/05
N-MeFOSE-M	S4261-20	50	500	1	2022/04/24
N-EtFOSE-M	S4261-21	50	500	1	2022/04/24
N-MeFOSAA	S4261-22	50	500	1	2022/01/11
N-EtFOSAA	S4261-23	50	500	1	2022/01/11
6:2FTS	S4261-24	47.4	528	1	2022/04/20
8:2FTS	S4261-25	47.9	522	1	2021/12/12

No writing on bottom page.

GSZ, 2018/01/31

PRLST 133 PG 145

PREPARATION OF CONCENTRATED STOCK STANDARDS

Solution No.: S-4261 Date: 2017/12/15 Expiry Date: See Below Discard Date: _____

Replaces Solution: _____ Replaced by Solution: _____ Chemist: GSZ

S-4261 (PRLST 133 p. 145)

Solution ID#	Compound Name	Lot#	Received date	Exp. date	Replaces Solution	Replaced by Solution	Conc. (ug/mL)	Solvent	Storage
S4261-1	PFBA	PFBA0517	2017/11/30	2022/05/29	S4240-1		50	MeOH	FZ-11
S4261-2	L-PFBS	LPFBS0917	2017/11/30	2022/09/21	S4240-2		44.2	MeOH	FZ-11
S4261-3	PFPeA	PFPeA0617	2017/11/30	2022/06/14	S4240-3		50	MeOH	FZ-11
S4261-4	PFHxA	PFHxA0917	2017/11/30	2022/09/27	S4240-4		50	MeOH	FZ-11
S4261-5	br-PFHxSk	brPFHxSK0117	2017/11/30	2022/01/04	S4240-5		45.5	MeOH	FZ-11
S4261-6	PFHpA	PFHpA1216	2017/11/30	2021/12/02	S4240-6		50	MeOH	FZ-11
S4261-7	L-PFHpS	LPFHpS0817	2017/11/30	2022/09/01	S4240-7		47.6	MeOH	FZ-11
S4261-8	PFOA	PFOA0217	2017/09/26	2022/02/17	S4240-8		50	MeOH	FZ-11
S4261-9	brPFOSK	brPFOSK0117	2017/11/30	2022/01/12	S4240-9		46.4	MeOH	FZ-11
S4261-10	PFNA	PFNA0717	2017/11/30	2022/07/20	S4240-10		50	MeOH	FZ-11
S4261-11	PFDA	PFDA0517	2017/11/30	2022/05/29	S4240-11		50	MeOH	FZ-11
S4261-12	L-PFDS	LPFDS0217	2017/11/30	2022/02/17	S4240-12		48.2	MeOH	FZ-11
S4261-13	PFUdA	PFUdA0917	2017/11/30	2022/09/21	S4240-13		50	MeOH	FZ-11
S4261-14	PFDoA	PFDoA0517	2017/11/30	2022/05/29	S4240-14		50	MeOH	FZ-11
S4261-15	PFTrDA	PFTrDA0517	2017/11/30	2022/05/02	S4240-15		50	MeOH	FZ-11
S4261-16	PFTeDA	PFTeDA0917	2017/11/30	2022/09/21	S4240-16		50	MeOH	FZ-11
S4261-17	PFOSA (FOSA-I)	FOSA08171	2017/11/30	2022/09/01	S4240-17		50	IPA	FD-59
S4261-18	N-MeFOSA-M	NMeFOSA0717M	2017/11/30	2022/07/05	S4240-18		50	MeOH	FZ-11
S4261-19	N-EtFOSA-M	NEtFOSA0717M	2017/11/30	2022/07/05	S4240-19		50	MeOH	FZ-11
S4261-20	N-MeFOSE-M	NMeFOSE0417M	2017/11/30	2022/04/24	S4240-20		50	MeOH	FZ-11
S4261-21	N-EtFOSE-M	NEtFOSE0417M	2017/11/30	2022/04/24	S4240-21		50	MeOH	FZ-11
S4261-22	N-MeFOSAA	NMeFOSAA0117	2017/11/30	2022/01/11	S4240-22		50	MeOH	FD-59
S4261-23	N-EtFOSAA	NEtFOSAA0117	2017/11/30	2022/01/11	S4240-23		50	MeOH	FD-59
S4261-24	6:2FTS	62FTS0417	2017/11/30	2022/04/20	S4240-24		47.4	MeOH	FD-59
S4261-25	8:2FTS	82FTS1216	2017/11/30	2021/12/12	S4240-25		47.9	MeOH	FD-59
Date Opened (All compounds): 2017/12/15			Supplier (All compounds) : Wellington				Chemist: GSZ		

No writing on bottom page.

GSZ, 2017/12/15

Solvent Used: _____

Solvent Supplier: _____ Lot No(s).: _____

Date Opened: _____

Storage Location / Conditions: GSZ, 2017/12/15


Notes/Comments

DO NOT WRITE BENEATH ANY INSERTS ON THIS PAGE. DO NOT PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL INSERTS. LOGBOOK, PAGE AND APPROPRIATE SOLUTION NUMBER REFERENCES MUST BE WRITTEN ON ALL INSERTS.

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFBA	**LOT NUMBER:**	PFBA0517
COMPOUND:	Perfluoro-n-butanoic acid		
STRUCTURE:		**CAS #:**	375-22-4



MOLECULAR FORMULA:	$C_4HF_7O_2$	**MOLECULAR WEIGHT:**	214.04
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	05/29/2017		
EXPIRY DATE:	05/29/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

697 2017/11/30
Z. Arriquita

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE


Certified By: _____ Date: 05/30/2017
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	L-PFBS	**LOT NUMBER:**	LPFBS2017
COMPOUND:	Potassium perfluoro-1-butanesulfonate		
STRUCTURE:		**CAS #:**	29420-49-3



MOLECULAR FORMULA:	$C_4F_9SO_3K$	**MOLECULAR WEIGHT:**	338.19
CONCENTRATION:	50.0 ± 2.5 µg/ml (K salt) 44.2 ± 2.2 µg/ml (PFBS anion)	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	09/21/2017		
EXPIRY DATE:	09/21/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

692 2017/11/30
2 originals

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 09/22/2017
B.G Chalm, General Manager


Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Revision: Issued 2004-11-15
Revision C: Revised 2011-10-06

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFPeA	**LOT NUMBER:**	PFPeA0617
COMPOUND:	Perfluoro-n-pentanoic acid		
STRUCTURE:		**CAS #:**	2706-90-3



MOLECULAR FORMULA:	$C_5HF_9O_2$	**MOLECULAR WEIGHT:**	264.05
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	06/14/2017		
EXPIRY DATE:	06/14/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

1 ampoule
2017/06/30 692

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.3% of Perfluoro-n-heptanoic acid (PFHpA) and ~ 0.2% of $C_5H_2F_8O_2$ (hydride - derivative) as measured by ^{19}F NMR

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 06/16/2017
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFHxA	**LOT NUMBER:**	PFHxA0917
COMPOUND:	Perfluoro-n-hexanoic acid		
STRUCTURE:		**CAS #:**	307-24-4



MOLECULAR FORMULA:	$C_6HF_{11}O_2$	**MOLECULAR WEIGHT:**	314.05
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	09/27/2017		
EXPIRY DATE: (mm/dd/yyyy)	09/27/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

657 - 2017/21/32
2 ampules

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 1.0% of branched isomers.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 11/01/2017 (mm/dd/yyyy)
B.G Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-3849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

br-PFHxSK

Potassium Perfluorohexanesulfonate
Solution/Mixture of Linear and
Branched Isomers

PRODUCT CODE:	br-PFHxSK
LOT NUMBER:	brPFHxSK0117
CONCENTRATION:	50.0 ± 2.5 µg/ml (total potassium salt)
	45.5 ± 2.3 µg/ml (total PFHxS anion)
SOLVENT(S):	Methanol
DATE PREPARED:	01/03/2017
LAST TESTED:	01/04/2017
EXPIRY DATE:	01/04/2022
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place

DESCRIPTION:

The chemical purity has been determined to be ≥98% perfluorohexanesulfonate linear and branched isomers. The full name, structure and percent composition for each of the identified isomeric components are given in Table A.

DOCUMENTATION/ DATA ATTACHED:

Table A: Isomeric Components and Percent Composition by ^{19}F-NMR
Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (S/R)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

652 2017/01/30
Z. Mingelis

ADDITIONAL INFORMATION:


- See page 2 for further details.
- Contains ~ 0.5% of perfluoro-1-pentanesulfonate and ~ 0.2% of perfluoro-1-octanesulfonate.
- CAS#: 3871-99-6 (for linear isomer; potassium salt).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFHpA	**LOT NUMBER:**	PFHpA1216
COMPOUND:	Perfluoro-n-heptanoic acid		
STRUCTURE:		**CAS #:**	375-85-9

Received 2016-12-16 2x1.2 mL FZ-11

MOLECULAR FORMULA:	$C_7HF_{13}O_2$	**MOLECULAR WEIGHT:**	364.08
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	12/02/2016		
EXPIRY DATE:	12/02/2021		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: B.Q. Chellm Date: 12/12/2016


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received 2016/12/23 1 x 1.2mL MMN FZ-11
Received 2016/12/29 1 x 1.2mL MMN FZ-11
Received 2017/05/25 2 x 1.2mL MMN FZ-11
Received 2017/05/29 2 x 1.2mL MMN FZ-11
Date Received: 2017/06/02-DMZ-1.2ml-FD
Date Received: 2017/08/09 1X1.2ml HPLC
Received 2016/12/23 1 x 1.2mL MMN FZ-11
Received 2016/12/29 1 x 1.2mL MMN FZ-11
Received 2017/05/25 2 x 1.2mL MMN FZ-11
Received 2017/05/29 2 x 1.2mL MMN FZ-11
Date Received: 2017/06/02-DMZ-1.2ml-FD
Date Received: 2017/08/09 1X1.2ml HPLC
Date Received: 2017/08/30 1X1.2ml HPLC
Date received 2017/09/26 1x2 ampules HPLC
DATE RECEIVED 2017/09/12 2 ampules HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	L-PFHpS	**LOT NUMBER:**	LPFHpS0817
COMPOUND:	Sodium perfluoro-1-heptanesulfonate		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_7F_{15}SO_3Na$	**MOLECULAR WEIGHT:**	472.10
CONCENTRATION:	50.0 ± 2.5 µg/ml (Na salt) 47.6 ± 2.4 µg/ml (PFHpS anion)	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	09/01/2017		
EXPIRY DATE: (mm/dd/yyyy)	09/01/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

1 x 2 ampules
GSZ 2017/09/26

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.2% of L-PFHxS ($C_6F_{13}SO_3Na$) and ~ 0.1% of L-PFOS ($C_8F_{17}SO_3Na$).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 09/07/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017/11/30 1x2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFOA	**LOT NUMBER:**	PFOA0217
COMPOUND:	Perfluoro-n-octanoic acid		
STRUCTURE:		**CAS #:**	335-67-1



MOLECULAR FORMULA:	$C_8HF_{15}O_2$	**MOLECULAR WEIGHT:**	414.07
CONCENTRATION:	50 ± 2.5 µg/mL	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	02/17/2017		
EXPIRY DATE:	02/17/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2. LC/MS/MS Data (Selected MRM Transitions)

Received: 2017/06/02
DMS, 1.2mL x 1
Fridge

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Griffin Date: 02/22/2017

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2435 • Fax: 519-822-2849 • info@well-labs.com

date recieved:2017/05/29 1.2x1 - HPLC
date recieved:2017/05/29 1.2x1 - HPLC
Date Received:2017/06/02-1.2 x 1-HPLC
date recieved:2017/08/09 1.2x1 - HPLC
date recieved:2017/08/30 1.2x1 - HPLC
date received 2017/09/26 1x4 ampules HPLC
date received 2017/09/12 2 ampules HPLC
date received 2017/09/26 2 ampules HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

br-PFOSK

Potassium Perfluorooctanesulfonate
Solution/Mixture of Linear and
Branched Isomers

PRODUCT CODE:	br-PFOSK
LOT NUMBER:	brPFOSK011?
CONCENTRATION:	50 ± 2.5 µg/ml (total potassium salt)
	46.4 ± 2.3 µg/ml (total PFOS anion)
SOLVENT(S):	Methanol
DATE PREPARED:	01/08/2017
LAST TESTED:	01/12/2017
EXPIRY DATE:	01/12/2022
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place

DESCRIPTION:

The chemical purity has been determined to be ≥98% perfluorooctanesulfonate linear and branched isomers. The full name, structure and percent composition for each of the isomeric components are given in Table A.

DOCUMENTATION/ DATA ATTACHED:

Table A: Isomeric Components and Percent Composition by ^{19}F-NMR
Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (SIR)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

Received: 2017/06/02
DM2, 1.2 mL x 1
Fridge

ADDITIONAL INFORMATION:

- See page 2 for further details.
- A 5-point calibration curve was generated using linear PFOS (potassium salt) and mass-labelled PFOS as an internal standard to enable quantitation of br-PFOSK using isotopic dilution.
- CAS#: 2795-39-3 (for linear isomer, potassium salt).

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


date recieved:2017/05/29 1.2x1- HPLC
date received: 2017/08/09 1 ampule HPLC
date received: 2017/08/30 1 ampule HPLC
date eceived: 2017/09/26 1.2x1ampule HPLC
date received 2017/09/12 2 ampules
Date Received: 2017.11.30 - 2 ampoules -HPLC

Ampoule: 2 mL
Date received: 2017/11/30

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFNA	LOT NUMBER:	PFNA0717
COMPOUND:	Perfluoro-n-nonanoic acid		
STRUCTURE:		CAS #:	375-95-1



MOLECULAR FORMULA:	$C_9HF_{17}O_2$	MOLECULAR WEIGHT:	464.08
CONCENTRATION:	50 ± 2.5 µg/ml	SOLVENT(S):	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	07/20/2017		
EXPIRY DATE:	07/20/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.1% of perfluoro-n-octanoic acid (PFOA), < 0.1% of perfluoro-n-heptanoic acid (PFHpA), and < 0.1% of perfluoro-n-undecanoic acid (PFUdA).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 07/24/2017
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES


CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: PFDA
COMPOUND: Perfluoro-n-decanoic acid

LOT NUMBER: PFDA0517

STRUCTURE:

CAS #: 335-76-2



MOLECULAR FORMULA: $C_{10}HF_{19}O_2$
CONCENTRATION: 50 ± 2.5 µg/ml

MOLECULAR WEIGHT: 514.08
SOLVENT(S): Methanol
Water (<1%)

CHEMICAL PURITY: >98%
LAST TESTED: (mm/dd/yyyy) 05/29/2017
EXPIRY DATE: (mm/dd/yyyy) 05/29/2022
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

1 ampoule
2017/06/30 GAZ

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.2% of perfluoro-n-nonanoic acid (PFNA).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE


Certified By: _____ Date: 6/30/2017 (mm/dd/yyyy)
S.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	L-PFDS	**LOT NUMBER:**	LPFDS0217
COMPOUND:	Sodium perfluoro-1-decanesulfonate		
STRUCTURE:		**CAS #:**	2806-15-7
MOLECULAR FORMULA:	$C_{10}F_{21}SO_3Na$	**MOLECULAR WEIGHT:**	622.13
CONCENTRATION:	50.0 ± 2.5 µg/ml (Na salt) 48.2 ± 2.4 µg/ml (PFDS anion)	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	02/17/2017		
EXPIRY DATE:	02/17/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1. LC/MS Data (TIC and Mass Spectrum)
Figure 2. LC/MS/MS Data (Selected MRM Transitions)

Date received
2017/05/10
11 2 Ampules
HPLC
SSV

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.9% of sodium perfluoro-1-dodecanesulfonate (L-PFDoS).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Chittim Date: 02/28/2017


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received 2017/05/25 2 x 1.2mL MMN FZ-11
Received 2017/05/29 2 x 1.2mL MMN FZ-11
Date REceived: 2017/06/02-DMZ-1.2ml-FD
date received: 2017/08/30 1 ampule HPLC
DATE RECEIVED: 2017/09/26 1X2 AMPULES HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	PFUdA	**LOT NUMBER:**	PFUdA0917
COMPOUND:	Perfluoro-n-undecanoic acid		
STRUCTURE:		**CAS #:**	2058-94-8



MOLECULAR FORMULA:	$C_{11}HF_{21}O_2$	**MOLECULAR WEIGHT:**	564.09
CONCENTRATION:	50 ± 2.5 ng/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: mm/dd/yyyy	09/21/2017		
EXPIRY DATE: mm/dd/yyyy	09/21/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

GSE 3417/R130
2 AMPOULES

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY. NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 09/22/2017 mm/dd/yyyy
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Ampoule Q. TRAC
Date Received: 2017/08/30

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFDoA	**LOT NUMBER:**	PFDoA05017
COMPOUND:	Perfluoro-n-dodecanoic acid		
STRUCTURE:		**CAS #:**	307-55-1



MOLECULAR FORMULA:	$C_{12}HF_{23}O_2$	**MOLECULAR WEIGHT:**	614.10
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	05/26/2017		
EXPIRY DATE:	05/29/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION: DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 05/30/2017
R.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form 23, issued 2006-11-16
Published, Revised 2017-03-09


Date Received: 2017.11.30 - 2 ampoules - HPLC

Date Received: 2017.08.30 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	PFTrDA	**LOT NUMBER:**	PFTrDA0517
COMPOUND:	Perfluoro-n-tridecanoic acid		
STRUCTURE:		**CAS #:**	72629-94-8



MOLECULAR FORMULA:	$C_{13}HF_{25}O_2$	**MOLECULAR WEIGHT:**	664.11
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	05/02/2017		
EXPIRY DATE: (mm/dd/yyyy)	05/02/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

HPLC ☐
2017/08/09

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.1% of PFUdA ($C_{11}HF_{21}O_2$), ~ 0.4% of PFDoA ($C_{12}HF_{23}O_2$), and ~ 0.1% of PFTeDA ($C_{14}HF_{27}O_2$).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 05/04/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received 2017/05/29 1 x 1.2mL HPLC
Received 2017/08/09 1 x 1.2mL HPLC
Received 2017/08/30 1 x 1.2mL HPLC
Received 2017/09/26 1 x 2 ampules HPLC
Received 2017/09/12 2 ampules HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	PFTeDA	**LOT NUMBER:**	PFTeDA0917
COMPOUND:	Perfluoro-n-tetradecanoic acid		
STRUCTURE:		**CAS #:**	376-06-7



MOLECULAR FORMULA:	$C_{14}HF_{27}O_2$	**MOLECULAR WEIGHT:**	714.11
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	09/21/2017		
EXPIRY DATE:	09/21/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

652 2017/11/30
2. ampules

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the perfluoroalkyl acid to the methyl ester.
- Contains ~ 0.2% of PFDoA ($C_{12}HF_{23}O_2$) and ~ 0.2% of PFPeDA ($C_{15}HF_{29}O_2$).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE


Certified By: _____ **Date:** 09/21/2017
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	FOSA-I	**LOT NUMBER:**	FOSA08171
COMPOUND:	Perfluoro-1-octanesulfonamide		
STRUCTURE:		**CAS #:**	754-91-6



MOLECULAR FORMULA:	$C_8H_2F_{17}NO_2S$	**MOLECULAR WEIGHT:**	499.14
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Isopropanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	09/01/2017		
EXPIRY DATE:	09/01/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

652 2017/11/30
2 ampoules

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE


Certified By: _____ Date: 09/14/2017
S.C. Chitem, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	N-MeFOSA-M	**LOT NUMBER:**	NMeFOSA0717M
COMPOUND:	N-methylperfluoro-1-octanesulfonamide		
STRUCTURE:		**CAS #:**	31506-32-8



MOLECULAR FORMULA:	$C_9H_4F_{17}NO_2S$	**MOLECULAR WEIGHT:**	513.17
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	07/05/2017		
EXPIRY DATE:	07/05/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

1 ampoule
2017/08/30 GFZ

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 07/10/2017
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Page 1 of 4 (2017-10-10)
Standard Format (2017-03-06)


MMS CERTIFICATE (1 of 4)
REV2

Date received: 2017/11/30 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	N-EtFOSA-M	LOT NUMBER:	NEtFOSA07?17M
COMPOUND:	N-ethylperfluoro-1-octanesulfonamide		
STRUCTURE:		CAS #:	4151-50-2



MOLECULAR FORMULA:	$C_{10}H_6F_{17}NO_2S$	MOLECULAR WEIGHT:	527.20
CONCENTRATION:	50 ± 2.5 µg/ml	SOLVENT(S):	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	07/05/2017		
EXPIRY DATE:	07/05/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

1 ampoule
2017/08/30 GZ

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 07/15/2017
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.11.30 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	N-MeFOSE-M	**LOT NUMBER:**	NMeFOSE0417M
COMPOUND:	2-(N-methylperfluoro-1-octanesulfonamido)-ethanol		
STRUCTURE:		**CAS #:**	24448-09-7



MOLECULAR FORMULA:	$C_{11}H_8F_{17}NO_3S$	**MOLECULAR WEIGHT:**	557.22
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%		
LAST TESTED:	04/24/2017 (HRGC/LRMS)		
	04/21/2017 (LC/MS)		
EXPIRY DATE:	04/24/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: HRGC/LRMS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (TIC and Mass Spectrum)
Figure 3. LC/MS/MS Data (Selected MRM Transitions)

received: 2017/06/02
DMSO: 1.2 mL X 1
[illegible]

ADDITIONAL INFORMATION:

- See page 2 for further details.
- In order to see the molecular ion (adduct free), the LC mobile phase should be free of ammonium acetate buffer.

FOR LABORATORY USE ONLY. NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 06/05/2017
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

date recieved: 2017/05/29 1x1.2 HPLC
date recieved: 2017/06/02 1x1.2 HPLC
date recieved: 2017/08/09 1x1.2 HPLC
date recieved: 2017/08/30 1x1.2 HPLC
date received: 2017/09/26 1x1.2 HPLC
Date Received: 2017.08.09 - 1 ampoule - HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC


WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: N-EtFOSE-M
COMPOUND: 2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol
LOT NUMBER: NEtFOSE041705

STRUCTURE:

CAS #: 1691-99-2



MOLECULAR FORMULA: $C_{10}H_6F_{17}NO_3S$
CONCENTRATION: 50 ± 2.5 µg/mL
CHEMICAL PURITY: >98%
LAST TESTED: 04/24/2017 (HRGC/LRMS)
04/21/2017 (LC/MS)
EXPIRY DATE: 04/04/2022
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

MOLECULAR WEIGHT: 571.25
SOLVENT(S): Methanol

DOCUMENTATION/ DATA ATTACHED:

Figure 1: HRGC/LRMS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (TIC and Mass Spectrum)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

Received: 2017/06/02
QMS, 1.2 mL x 1
Fridge.

ADDITIONAL INFORMATION:

- See page 2 for further details.
- In order to see the molecular ion (adduct free), the LC mobile phase should be free of ammonium acetate buffer

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 04/26/2017
B.G. Chittim, Operations Manager

Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


date recieved:2017/05/29 1x1.2 HPLC
date recieved:2017/08/09 1x1.2 HPLC
date recieved:2017/08/30 1x1.2 HPLC
date received:2017/08/09 1x1.2 HPLC
date received: 2017/09/26 1x1.2 HPLC
Date received: 2017.08.09 - 1 ampoule - HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE: N-MeFOSAA
LOT NUMBER: NMeFOSAA0117
COMPOUND: N-methylperfluoro-1-octanesulfonamidoacetic acid

STRUCTURE:
CAS #: 2355-31-9



MOLECULAR FORMULA:	$C_{11}H_9F_{17}NO_4S$	**MOLECULAR WEIGHT:**	571.21
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	01/11/2017		
EXPIRY DATE: (mm/dd/yyyy)	01/11/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

1 PLC (1) 20.76.8 bs

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent the conversion of the acetic acid molety to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Chittim **Date:** 01/12/2017 (mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


Received date 2017/05/25 1 x 1.2mL HPLC
Received date 2017/08/09 1 x 1.2mL HPLC
Received date 2017/08/30 1 x 1.2mL HPLC
RECEIVED DATE: 2017/09/26 1X1.2 mL HPLC
received date 2017-09-12 2 ampules HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

Ampoule: 2 TBD
Date received: 20170912

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	N-EtFOSAA	**LOT NUMBER:**	NEtFOSAA0117
COMPOUND:	N-ethylperfluoro-1-octanesulfonamidoacetic acid		
STRUCTURE:		**CAS #:**	2991-50-6



MOLECULAR FORMULA:	$C_{12}H_8F_{17}NO_4S$	**MOLECULAR WEIGHT:**	585.23
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%		
LAST TESTED:	01/11/2017		
EXPIRY DATE:	01/11/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent the conversion of the acetic acid moiety to the methyl ester.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Chittim **Date:** 01/12/2017


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received : 20170525HPLC,
RECEIVED:2017/09/26 HPLC
Date Received: 2017.08.09 - 1 ampoule - HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	6:2FTS	**LOT NUMBER:**	62FTS0417
COMPOUND:	Sodium 1H,1H,2H,2H-perfluorooctane sulfonate		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_8H_4F_{13}SO_3Na$	**MOLECULAR WEIGHT:**	450.15
CONCENTRATION:	50.0 ± 2.5 µg/ml (Na salt)	**SOLVENT(S):**	Methanol
	47.4 ± 2.4 µg/ml (6:2FTS anion)		
CHEMICAL PURITY:	>98%		
LAST TESTED: (mm/dd/yyyy)	04/20/2017		
EXPIRY DATE: (mm/dd/yyyy)	04/20/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 04/24/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


Date Recieved: 2017/05/25 1x1.2 HPLC
Date Recieved: 2017/08/09 1x1.2 HPLC
Date Recieved: 2017/08/30 1x1.2 HPLC
Date Recieved: 2017/09/26 1x1.2 HPLC
Date Recieved: 2017/11/30 1x1.2 HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: 8:2FTS **LOT NUMBER:** 82FTS1216
COMPOUND: Sodium 1H,1H,2H,2H-perfluorodecane sulfonate

STRUCTURE: **CAS #:** Not available



MOLECULAR FORMULA: $C_8H_3F_{13}SO_3Na$ **MOLECULAR WEIGHT:** 550.16
CONCENTRATION: 50.0 ± 2.5 µg/ml (Na salt) **SOLVENT(S):** Methanol
47.9 ± 2.4 µg/ml (8:2FTS anion)
CHEMICAL PURITY: >98%
LAST TESTED: 12/12/2016
EXPIRY DATE: 12/12/2021
RECOMMENDED STORAGE: Refrigerate ampoule

Date received
2017/03/10
2 Ampoules
HPLC
SSV

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: B.G. Chittim Date: 12/21/2016

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received 2017/05/25 2 x 1.2mL MMN FD-59
Received 2017/05/29 2 x 1.2mL MMN FD-59
Received 2017/08/09 2 x 1.2mL MMN FD-59
Received 2017/08/30 2 x 1.2mL MMN FD-59
Received 2017/09/26 2 x 1.2nL HPLC
Date Received: 2017.11.30 - 2 ampoules - HPLC

144 PG 98

PREPARATION OF SURROGATE / INTERNAL STANDARD SPIKING SOLUTION

Solution No.: SI-6770 Prep'n Date: 2018/01/12 Expiry Date: 2018/06/20 Discard Date:
Replaces Solution No.: SI-6716 Replaced by Solution: Chemist: GSZ
Sol'n. Name: FNA. F.S.
Solution Used As: Internal Std: ✓ Surrogate Spike:
Spike Volume: 20 (uL) or mL (for I.S. uL per mL) For Instrument/Analysis: LCMS/MS
Solvent(s): 0.3% NH4OH in MeOH Supplier(s): Su PRLRE 108-287 Lot No(s).: Su PRLRE 108-287
Date Solvent Opened: Su PRLRE 108-287
Volumetric Flask Used: 100mL Class A (5640) Syringe ID: Pipette M4101IF
Storage Location and Conditions: FZ11
Ampule supplier; Mix Name; Catalogue No.; Lot No.; Date Rec'd.; Date Opened, Ampule Expiry Date:

Compound	Parent Solution No.	Parent Solution Conc'n. (ug/mL)	Aliquot Volume (mL (uL))	Dilution Volume (mL)	Final Conc'n. ng/mL (ug/mL)	Absolute Amount Spiked (ug / ng)
13 C9 PFDA	S-4194	50	200	100	100	—
13 C6 PFHxA	S-4195	50	200	100	100	—

GSZ 2018/01/12

Notes:

DPG 2018/01/16

Solution No.: SI-6771 Prep'n Date: 2018/01/16 Expiry Date: 2018/03/05 Discard Date: —
Replaces Solution No.: SI-6703 Replaced by Solution: — Chemist: DPG
Sol'n. Name: 2,3 Dibromopropionic Acid Surrogate
Solution Used As: Internal Std: — Surrogate Spike: ✓
Spike Volume: 40 (ul) or mL (for I.S. uL per mL) For Instrument/Analysis: GC-ECD
Solvent(s): MTBE Supplier(s): Fisher Lot No(s).: 161432
Date Solvent Opened: 2017/05/15
Volumetric Flask Used: 5630 [0ml] class A Syringe ID: 579089-2
Storage Location and Conditions: FD-135 [1°C to 6°C]
Ampule supplier; Mix Name; Catalogue No.; Lot No.; Date Rec'd.; Date Opened, Ampule Expiry Date:

Compound	Parent Solution No.	Parent Solution Conc'n. (ug/mL)	Aliquot Volume (mL (uL))	Dilution Volume (mL)	Final Conc'n. (ug/mL)	Absolute Amount Spiked (ug / ng)
2,3 Dibromopropionic Acid	T-5091	1000	100	10	10	—

DPG 2018/01/16

Notes:

DO NOT WRITE BENEATH ANY INSERTS ON THIS PAGE. DO NOT PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS LOGBOOK. PAGE AND APPROPRIATE SOLUTION

PRLST 133 PG 108

PREPARATION OF CONCENTRATED STOCK STANDARDS

Solution No.: S-4194 Date: 2017/09/18 Expiry Date: 2018/06/20 Discard Date: _____

Replaces Solution: S-4142 Replaced by Solution: _____ Chemist: GSZ

Compound: $^{13}C_9$ PFDA Purity: _____

Date Received: 2017/06/09 Expiry Date: 2018/06/20 Lot No.: SCID-014

Supplier: CIL

Date Opened: 2017/09/18

Final Gross Weight: – g/mg Dilution Volume: – mL

Tare Weight* : – g/mg Volumetric Flask: –

Net Weight: – g/mg **Concentration:** 50 (ug/mL) mg/mL

Adjusted Net Weight** : – mg Solvent(s): MeOH

Balance Used: –
(specify model and serial no.)

Solvent Used: –

Solvent Supplier: – Lot No(s).: –

Date Opened: –

Storage Location / Conditions: FZ 11

Notes/Comments
Received as solution in ampule.

Solution No.: S-4195 Date: 2017/09/18 Expiry Date: 2020/09/30 Discard Date: _____

Replaces Solution: S-4143 Replaced by Solution: _____ Chemist: GSZ

Compound: $^{13}C_6$ PFHxA Purity: _____

Date Received: 2017/06/09 Expiry Date: 2020/09/30 Lot No.: SDAA-004

Supplier: CIL

Date Opened: 2017/09/18

Final Gross Weight: – g/mg Dilution Volume: – mL

Tare Weight* : – g/mg Volumetric Flask: –

Net Weight: – g/mg **Concentration:** 50 ug/mL

Adjusted Net Weight** : – mg Solvent(s): MeOH

Balance Used: –
(specify model and serial no.)

Solvent Used: –

Solvent Supplier: – Lot No(s).: –

Date Opened: –

Storage Location / Conditions: FZ 11

Notes/Comments
Received as solution in ampule.

Cambridge Isotope Laboratories, Inc.

Certificate of Analysis

Quality Standards:
ISO Guide 34 • ISO/IEC 17025 • ISO 13485 • cGMP

Product Name: (Isotopic Label & Declaration Specification)	PERFLUORODECANOIC ACID (13C9, 99%) 50 UG/ML IN METHANOL
Lot Number:	SCID-014
Catalog Number:	CLM-8172-S

Product Information

Chemical Purity Specification:	≥ 98%
Labeled CAS Number:	NA
Unlabeled CAS Number:	335-76-2
MW*:	523.02
Chemical Formula:	CF3(*CF2)8*CO2H
Storage:	Store at room temperature away from light and moisture.
Stability:	See storage and expiration date.

Certification

Cambridge Isotope Laboratories, Inc. guarantees that this material meets or exceeds the specifications stated. Absolute identity as well as chemical and isotopic purities are assured by the use of unambiguous synthetic routes and multiple chemical analyses wherever possible. Results are representative of QC testing at time of release from Quality Control unless otherwise stated.

Volumetric measurements were made with Class A glassware. Gravimetry is traceable to the NIST through calibrated balances and certified, calibrated, standard weights. The calibrations are traceable to the NIST under Test No. 822/270236-04. The calibrations also meet specifications outlined in ISO 9001, ISO/IEC 17025, ANSI/NCSL Z540-1-1994, NCR Document 10CFR50 Appendix B, and applicable subdocuments.

This COA references the bulk catalog number before packaging. The COA also applies to the CIL finished good catalog number. Some possible packaging sizes and their corresponding suffix are -1.2, -1, -0.5, -1.0, or -0.1.

* *For isotopically labeled compounds. MW listed is for the fully enriched product.*

Approved by: T. J. Eckersley

Timothy J. Eckersley, Ph.D., Quality Review

Quality Control Tests and Results

QC Release Date	06/20/2008
Expiration Date	06/20/2018
Concentration Based on Gravimetry	50.0 µg/mL
Chemical Purity of Neat Material(s)	>98%
LC/MS for Concentration	46.2 ± 6.4 µg/mL (k=2)

Received June 20 in 01/15 1x 1.2mL RT

50 Frontage Road, Andover, MA 01810-5413 USA • 1 800 322 1174 (North America) • 1 978 749 8000 (International) • isotope.com

Date Received:2016.8.17 - 1 x 1.2mL - HPLC
Date Received: 2016.09.14 -HPLC - 1 x 1.2ml
Date Received: 2016/11/22 1x 1.2ml MMN HPLC
Date Received:2017.02.15 - 1 x 1mL - HPLC (MMN)
Date received: 2017/06/09 - 1x1.2ml - HPLC

Cambridge Isotope Laboratories, Inc.

Certificate of Analysis

Quality Standards:
ISO Guide 34 • ISO/IEC 17025 • ISO 13485 • cGMP

Product Name: (Isotopic Label & Enrichment Specification)	PERFLUOROHEXANOIC ACID, SODIUM SALT (13C6, 99%) 50 UG/ML IN METHANOL
Lot Number:	SDAA-004
Catalog Number:	CLM-8340-S

Product Information

Chemical Purity Specification:	≥ 98%
MW*: *For isotopically labeled compounds, MW Formula is for the fully enriched product.	320.00
Labeled CAS Number:	NA
Unlabeled CAS Number:	307-24-4
Chemical Formula:	*CF3(*CF2)4*COOH
Storage:	Store at room temperature away from light and moisture.
Stability:	See storage and expiration date.

Received from 2016/08/30 1x1.2ml RT

Certification

Cambridge Isotope Laboratories, Inc. guarantees that this material meets or exceeds the specifications stated. Absolute identity as well as chemical and isotopic purities are assured by the use of unambiguous synthetic routes and multiple chemical analyses whenever possible. Results are representative of QC testing at time of release from Quality Control unless otherwise stated.

Volumetric measurements were made with Class A glassware. Gravimetry is traceable to the NIST through calibrated balances and certified, calibrated, standard weights. The calibrations are traceable to the NIST under Test No. 822/270236-04. The calibrations also meet specifications outlined in ISO 9001, ISO/IEC 17025, ANSI/NCSL Z540-1-1994, NCR Document 10CFR50 Appendix B, and applicable subdocuments.

This COA references the bulk catalog number before packaging. The COA also applies to the CIL finished good catalog number. Some possible packaging sizes and their corresponding suffix are -1.2, -1, -0.5, -10, or -0.1.

Approved by: T. J. Eckersley

Timothy J. Eckersley, Ph.D., Quality Review

Quality Control Tests and Results

QC Release Date	9/30/2010
Expiration Date	9/30/2020
Concentration Based on Gravimetry	50.4 µg/mL
Chemical Purity of Neat Material(s)	99.2%
LC/MS for Concentration	47.1 ± 2.6 µg/mL (k=2)

50 Frontage Road, Andover, MA 01810-5413 | Tel: +1 800 322 1174 (North America) or +1 978 749 8000 | www.isotope.com

Date Received: 2016/08/17 1x 1.2ml MMN HPLC
Date Received: 2016/09/14 1x 1.2ml MMN HPLC
Date Received: 2016/11/22 1x 1.2ml MMN HPLC
Date Received: 2017.02.15 - 1 x 1mL - HPLC (MMN)
Date Received: 2017.06.09 - 1 x 1.2ml - HPLC

144 PG 114

PREPARATION OF SURROGATE / INTERNAL STANDARD SPIKING SOLUTION

Solution No.: SI-6801 Prep'n Date: 2018/02/12 Expiry Date: 2021/09/30 Discard Date: _____
Replaces Solution No.: SI-6763 Replaced by Solution: _____ Chemist: GSZ
Sol'n. Name: PFC INTERNAL STD SPIKING SOLUTION
Solution Used As: Internal Std: ✓ Surrogate Spike: _____
Spike Volume: — uL or mL (for I.S. uL per mL) For Instrument/Analysis: LCMS/MS
Solvent(s): 0.3% NH4OH in MeOH Supplier(s): See PRLRE 108-355 Lot No(s).: See PRLRE 108-355
Date Solvent Opened: See PRLRE 108-355
Volumetric Flask Used: 200 mL Class A (5640) Syringe ID: Hamilton MA1011F/J434346
Storage Location and Conditions: FZ-11
Ampule supplier; Mix Name; Catalogue No.; Lot No.; Date Rec'd.; Date Opened, Ampule Expiry Date: See attached sheet

SI-6801 (PRLST 144 p. 114)

Compound Name	ID#	Conc. (ug/mL)	Vol.. of Stock standard (uL)	Dilution volume (mL)	Final Conc. (ng/mL)	Exp. date
MPFBA	S4290-1	50	200	200	50	2022/04/12
M5PFPeA	S4290-2	50	200	200	50	2022/07/20
MPFHxA	S4290-3	50	200	200	50	2022/10/27
MPFHxS	S4290-4	50	200	200	50	2022/02/17
M4PFHpA	S4290-5	50	200	200	50	2022/05/03
MPFOA	S4290-6	50	200	200	50	2022/10/17
MPFOS	S4290-7	50	200	200	50	2022/10/17
MPFNA	S4290-8	50	200	200	50	2021/09/30
MPFDA	S4290-9	50	200	200	50	2022/07/13
MPFUdA	S4290-10	50	200	200	50	2021/11/22
MPFDoA	S4290-11	50	200	200	50	2022/05/23
M2PFTeDA	S4290-12	50	200	200	50	2022/11/30
MPFOSA	S4290-13	50	200	200	50	2022/10/11
D3-N-MeFOSAA	S4290-14	50	200	200	50	2022/05/19
D5-N-EtFOSAA	S4290-15	50	200	200	50	2021/11/22
D-N-MeFOSA-M	S4290-16	50	500	200	125	2022/04/20
D-N-EtFOSA-M	S4290-17	50	500	200	125	2022/10/11
D7-N-MeFOSE-M	S4290-18	50	500	200	125	2022/10/13
D9-N-EtFOSE-M	S4290-19	50	500	200	125	2022/10/13
M2-6:2FTS	S4290-20	50	500	200	125	2022/02/17
M2-8:2FTS	S4290-21	50	500	200	125	2022/07/05

No writing on bottom gauge.

GSZ, 2018/02/12

Notes:

DO NOT WRITE BENEATH ANY INSERTS ON THIS PAGE. DO NOT PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL INSERTS. LOGBOOK, PAGE AND APPROPRIATE SOLUTION NUMBER REFERENCES MUST BE WRITTEN ON ALL INSERTS.

PRLST 133 PG 163

PREPARATION OF CONCENTRATED STOCK STANDARDS

Solution No.: S-4290 Date: 2018/02/12 Expiry Date: See Below Discard Date: _____

Replaces Solution: _____ Replaced by Solution: _____ Chemist: GSZ

S-4290 (PRLST 133 pg. 163)

Solution ID#	Compound Name	Lot#	Received date	Exp. date	Replaces Solution	Replaced by Solution	Conc (ug/mL)	Solvent	Storage
S4290-1	MPFBA	MPFBA0417	2017/12/06	2022/04/12	S4250-1		50	MeOH	FZ-11
S4290-2	M5PFPeA	M5PFPeA0717	2017/12/06	2022/07/20	S4250-2		50	MeOH	FZ-11
S4290-3	MPFHxA	MPFHxA1017	2017/12/06	2022/10/27	S4255-1		50	MeOH	FZ11
S4290-4	MPFHxS	MPFHxS0217	2017/12/06	2022/02/17	S4250-3		50	MeOH	FZ-11
S4290-5	M4PFHpA	M4PFHpA0517	2017/12/06	2022/05/03	S4250-4		50	MeOH	FZ-11
S4290-6	MPFOA	MPFOA1017	2017/12/06	2022/10/17	S4250-5		50	MeOH	FZ-11
S4290-7	MPFOS	MPFOS1017	2017/12/06	2022/10/17	S4250-6		50	MeOH	FZ-11
S4290-8	MPFNA	MPFNA0916	2017/12/06	2021/09/30	S4250-7		50	MeOH	FZ-11
S4290-9	MPFDA	MPFDA0717	2017/12/06	2022/07/13	S4250-8		50	MeOH	FZ-11
S4290-10	MPFUdA	MPFUdA1116	2017/12/06	2021/11/22	S4242-1		50	MeOH	FZ11
S4290-11	MPFDoA	MPFDoA0517	2017/12/06	2022/05/23	S4250-9		50	MeOH	FZ-11
S4290-12	M2PFTeDA	M2PFTeDA1117	2017/12/06	2022/11/30	S4250-10		50	MeOH	FZ-11
S4290-13	MPFOSA	M8FOSA1017I	2017/12/06	2022/10/11	S4250-11		50	IPA	FD-59
S4290-14	D3-N-MeFOSAA	d3NMeFOSAA0517	2017/10/25	2022/05/19	S4260-1		50	MeOH	FD59
S4290-15	D5-N-EtFOSAA	d5NEtFOSAA1116 *	2017/10/25	2021/11/22	S4260-2		50	MeOH	FD59
S4290-16	D-N-MeFOSA-M	dNMeFOSA0417M	2017/12/06	2022/04/20	S4255-2		50	MeOH	FZ11
S4290-17	D-N-EtFOSA-M	dNEtFOSA1017M	2017/12/06	2022/10/11	S4255-3		50	MeOH	FZ11
S4290-18	D7-N-MeFOSE-M	d7NMeFOSE1017M	2017/12/06	2022/10/13	S4255-4		50	MeOH	FZ11
S4290-19	D9-N-EtFOSE-M	d9NEtFOSE1017M	2017/12/06	2022/10/13	S4255-5		50	MeOH	FZ11
S4290-20	M2-6:2FTS	M262FTS0217	2017/12/06	2022/02/17	S4255-6		50	MeOH	FD59
S4290-21	M2-8:2FTS	M282FTS0717	2017/12/06	2022/07/05	S4255-7		50	MeOH	FD59
Date opened (All compounds): 2018/02/12			Supplier: Wellington			Chemist: GSZ			

No writing on bottom page. * d5NEtFOSAA1116 GSZ 2018/02/16 GSZ, 2018/02/12

Solution No.: _____ Date: _____ Expiry Date: _____ Discard Date: _____

Replaces Solution: _____ Replaced by Solution: _____ Chemist: _____

Compound: _____ Purity: _____

Date Received: _____ Expiry Date: _____ Lot No.: _____

Supplier: _____

Date Opened: _____

Final Gross Weight: _____ g/mg Dilution Volume: _____ mL

Tare Weight* : _____ g/mg Volumetric Flask: _____

Net Weight: _____ g/mg **Concentration:** _____ ug/mL

Adjusted Net Weight** : _____ mg Solvent(s): _____

Balance Used: _____

(specify model and serial no.)

Solvent Used: _____

Solvent Supplier: _____ Lot No(s).: _____

Date Opened: _____

Storage Location / Conditions: _____


Notes/Comments

OK 10 2018/02/13

DO NOT WRITE BENEATH ANY INSERTS ON THIS PAGE. DO NOT PLACE ANY INSERTS ON TOP OF ANY RAW DATA ENTERED ON THIS PAGE. INITIAL AND DATE ALL INSERTS. LOGBOOK, PAGE AND APPROPRIATE SOLUTION NUMBER REFERENCES MUST BE WRITTEN ON ALL INSERTS.

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	MPFBA	**LOT NUMBER:**	MPFBA0417
COMPOUND:	Perfluoro-n-[1,2,3,4-$^{13}C_4$]butanoic acid		
STRUCTURE:		**CAS #:**	Not available
MOLECULAR FORMULA:	$^{13}C_4HF_7O_2$	**MOLECULAR WEIGHT:**	218.01
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C (1,2,3,4-$^{13}C_4$)
LAST TESTED: (mm/dd/yyyy)	04/12/2017		
EXPIRY DATE: (mm/dd/yyyy)	04/12/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

1 ampoule
2014/10/25 65%

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 04/20/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.09.07 - 1 ampoule - HPLC
Date Received: 2017.12.06 - 1 ampoule – HPLC


Date Received: 2018.01.16 - 1 ampoule - HPLC

Date received: 2017/09/07 (New Ampoule)

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	M5PFPeA	LOT NUMBER:	MSPFPeA0717
COMPOUND:	Perfluoro-n-[1,2,3,4,5-$^{13}C_5$]pentanoic acid		
STRUCTURE:		CAS #:	Not available



MOLECULAR FORMULA:	$^{13}C_5HF_9O_2$	MOLECULAR WEIGHT:	269.01
CONCENTRATION:	50 ± 2.5 µg/ml	SOLVENT(S):	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	ISOTOPIC PURITY:	≥99% ^{13}C ($^{13}C_5$)
LAST TESTED:	07/26/2017		
EXPIRY DATE:	07/26/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of perfluoro-n-pentanoic acid.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 07/26/2017
B.D. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.10.25 - 1 ampoule - HPLC
Date Received: 2017.12.06 - 1 ampoule – HPLC
Date Received: 2018.01.16 - 1 ampoule -HPLC


WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: MPFHxA
COMPOUND: Perfluoro-n-[1,2-$^{13}C_2$]hexanoic acid

LOT NUMBER: MPFHxA1017

STRUCTURE:



CAS #: Not available

2018/01/16
1 ampoule
2.6

MOLECULAR FORMULA:	$^{13}C_2{}^{12}C_6HF_{11}O_2$	**MOLECULAR WEIGHT:**	316.04
CONCENTRATION:	50 ± 2.5 µg/mL	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C ($1,2\text{-}^{13}C_2$)
LAST TESTED:	10/27/2017		
EXPIRY DATE:	10/27/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of perfluoro-n-hexanoic acid and < 0.3% of perfluoro-n-octanoic acid.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 10/30/2017
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.12.06 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	MPFHxS	**LOT NUMBER:**	MPFHxS0217
COMPOUND:	Sodium perfluoro-1-hexane[$^{18}O_2$]sulfonate		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_6F_{13}S^{18}O_2{}^{16}ONa$	**MOLECULAR WEIGHT:**	425.10
CONCENTRATION:	50.0 ± 2.5 µg/mL (Na salt) 47.3 ± 2.4 µg/mL (MPFHxS anion)	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	>94% ($^{18}O_2$)
LAST TESTED:	02/17/2017		
EXPIRY DATE:	02/17/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

F2
1 ampule
HPLC
2017/05/02
JPS

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- The response factor for MPFHxS ($C_6F_{13}S^{18}O_2{}^{16}O^-$) has been observed to be up to 10% lower than for PFHxS ($C_6F_{13}S^{16}O_3^-$) when both compounds are injected together. This difference may vary between instruments.
- Contains ~ 1.0% of sodium perfluoro-1-octane[$^{18}O_2$]sulfonate ($^{18}O_2$-PFOS).
- Due to the isotopic purity of the starting material ($^{18}O_2$ >94%), MPFHxS contains ~ 0.3% of PFHxS. This value agrees with the theoretical percent relative abundance that is expected based on the stated isotopic purity.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: _____ B.O. Chittim **Date:** 03/02/2017

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


Copyright, Wellington Laboratories Inc.
Proprietary, Revised 2016-03-18

Date received 2017/09/07 1 ampoule HPLC
Date received 2017/10/25 1 ampoule HPLC
Date Received: 2017.10.25 - 1 ampoule - HPLC
Date Received: 2017.12.06 - 1 ampoule - HPLC
Date Received: 2018.01.16 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	M4PFHpA	**LOT NUMBER:**	M4PFHpA0517
COMPOUND:	Perfluoro-n-[1,2,3,4-$^{13}C_4$]heptanoic acid		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$^{13}C_4{}^{12}C_3HF_{13}O_2$	**MOLECULAR WEIGHT:**	368.03
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C (1,2,3,4-$^{13}C_4$)
LAST TESTED:	05/03/2017		
EXPIRY DATE:	05/03/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

1 ampoule
2017/10/26 652-

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY. NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 05/11/2017
B.G. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.09.07 - 1 ampoule - HPLC
Date Received: 2017.12.06 - 1 ampoule - HPLC
Date Received: 2018.01.16 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	MPFOA	**LOT NUMBER:**	MPFOA1017
COMPOUND:	Perfluoro-n-[1,2,3,4-$^{13}C_4$]octanoic acid		
STRUCTURE:		**CAS #:**	Not available



2018/01/16
1 ampoule
EG

MOLECULAR FORMULA:	$^{13}C_4{}^{12}C_4HF_{15}O_2$	**MOLECULAR WEIGHT:**	418.04
CONCENTRATION:	50 ± 2.5 µg/mL	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C (1,2,3,4-$^{13}C_4$)
LAST TESTED:	10/17/2017		
EXPIRY DATE:	10/17/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains ~ 0.1% of native perfluoro-n-octanoic acid (PFOA).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 10/18/2017
B.D. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form:CA, Report: MPFOA-1017
Revision 4, Revised 2017-03-30


MPFOA1017 (1,2,3,4-13C4) 4 of 4

Date Received: 2017.12.06 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	MPFOS	LOT NUMBER:	MPFOS1017
COMPOUND:	Sodium perfluoro-1-[1,2,3,4-$^{13}C_4$]octanesulfonate		
STRUCTURE:		CAS #:	Not available



MOLECULAR FORMULA:	$^{13}C_4{}^{12}C_4F_{17}SO_3Na$	MOLECULAR WEIGHT:	526.08
CONCENTRATION:	50.0 ± 2.5 ug/ml (Na salt) 47.8 ± 2.4 ug/ml (MPFOS anion)	SOLVENT(S):	Methanol
CHEMICAL PURITY:	>98%	ISOTOPIC PURITY:	≥99% ^{13}C ($1,2,3,4\text{-}^{13}C_4$)
LAST TESTED:	10/17/2017		
EXPIRY DATE:	10/17/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

Pamgeeta
2017/10/25 652

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.4% Sodium perfluoro-1-[1,2,3-$^{13}C_3$]heptanesulfonate.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 10/18/2017
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


Date Received: 2017.12.06 - 1 ampoule - HPLC

Date Received: 2018.01.16 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	MPFNA	**LOT NUMBER:**	MPFNA0916
COMPOUND:	Perfluoro-n-[1,2,3,4,5-$^{13}C_5$]nonanoic acid		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$^{13}C_5{}^{12}C_4HF_{17}O_2$	**MOLECULAR WEIGHT:**	469.04
CONCENTRATION:	50 ± 2.5 pg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C (1,2,3,4,5-$^{13}C_5$)
LAST TESTED:	09/30/2016		
EXPIRY DATE:	09/30/2021		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

Received mm
2016-12-12
1x1.2 mL
F2-11

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 10/11/2016
B.G. Chittim

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received date: 2017/02/22 2x1.2 mL MZ
Received date: 2017/05/02 1x1.2 mL ssv
Received date: 2017/05/31 2x1.2 mL ssv
Received date: 2017/09/07 2x1.2 mL TRW
Received date: 2017/10/25 2x1.2 mL
Date Received: 2017.12.06 - 1 ampoule - HPLC


WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE: MPFDA
COMPOUND: Perfluoro-n-[1,2-$^{13}C_2$]decanoic acid

LOT NUMBER: MPFDA071717

STRUCTURE:



CAS #: Not available

2.0 mL/D1 / 1G
1 x ampoule
2.6

MOLECULAR FORMULA:	$^{13}C_2{}^{12}C_8HF_{17}O_2$	**MOLECULAR WEIGHT:**	516.07
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C ($1,2\text{-}^{13}C_2$)
LAST TESTED: (mm/dd/yyyy)	07/13/2017		
EXPIRY DATE: (mm/dd/yyyy)	07/13/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of $^{13}C_2$-PFNA.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 07/14/2017 (mm/dd/yyyy)
B.C. Chittim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr, Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.12.06 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	MPFUdA	LOT NUMBER:	MPFUdA1116
COMPOUND:	Perfluoro-n-[1,2-$^{13}C_2$]undecanoic acid		
STRUCTURE:		CAS #:	Not available



MOLECULAR FORMULA:	$^{13}C_2{}^{12}C_9HF_{21}O_2$	MOLECULAR WEIGHT:	566.08
CONCENTRATION:	50 ± 2.5 pg/ml	SOLVENT(S):	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	ISOTOPIC PURITY:	≥99% ^{13}C
LAST TESTED:	11/22/2016		($1,2\text{-}^{13}C_2$)
EXPIRY DATE:	11/22/2021		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

Received 2017/12/22.
2 x 1.2 mL (TZ-1)

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Presence of $1\text{-}^{13}C_1$-PFUdA (~1%; see Figure 2), $2\text{-}^{13}C_1$-PFUdA (~1%), and PFUdA (~0.2%; see Figure 2) are due to the isotopic purity of the ^{13}C-precursor.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE


Certified By: B.G. Chittim Date: 12/07/2016

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received 2017/05/02 2x1.2 mL HPLC
Date Received: 2017.05.02 - 1 x 1.2ml - HPLC
Date Received: 2017.06.29 - 1 x 1.2ml - HPLC
Date Received: 2017.09/07 - 1 x 1.2ml - HPLC
Date Received: 2017.02/22 - 1 x 1.2ml - HPLC
Date Received: 2017.12.06 - 1 ampoule - HPLC
Date Received: 2018.01.16 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	MPFDoA	LOT NUMBER:	MPFDoA0517
COMPOUND:	Perfluoro-n-[1,2-$^{13}C_2$]dodecanoic acid		
STRUCTURE:		CAS #:	Not available
MOLECULAR FORMULA:	$^{13}C_2{}^{12}C_{10}HF_{23}O_2$	MOLECULAR WEIGHT:	616.08
CONCENTRATION:	50 ± 2.5 µg/ml	SOLVENT(S):	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	ISOTOPIC PURITY:	≥99% ^{13}C (1,2-$^{13}C_2$)
LAST TESTED:	05/23/2017		
EXPIRY DATE:	05/23/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

transfer
2017/09/25, 052

ADDITIONAL INFORMATION:

- See page 2 for further details
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 05/26/2017
S.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.09.07 - 1 ampoule - HPLC
Date Received: 2017.12.06 - 1 ampoule - HPLC
Date Received: 2018.01.16 - 1 ampoule - HPLC


WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: M2PFTeDA
COMPOUND: Perfluoro-n-[1,2-$^{13}C_2$]tetradecanoic acid

LOT NUMBER: M2PFTeDA1117

STRUCTURE:



CAS #: Not available

2018/01/16
1 - 50uL
2.6

MOLECULAR FORMULA:	$^{13}C_2{}^{12}C_{12}HF_{27}O_2$	**MOLECULAR WEIGHT:**	716.10
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C ($1,2\text{-}^{13}C_2$)
LAST TESTED:	11/30/2017		
EXPIRY DATE:	11/30/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 12/01/2017
B.Q. Chittim, Technical Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Issued 01 Issued 2004-11-30
Reviewed & Revised 2017-12-06

Date Received: 2017.12.06 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	M8FOSA-I	**LOT NUMBER:**	M8FOSA1017I
COMPOUND:	Perfluoro-1-[$^{13}C_8$]octanesulfonamide		
STRUCTURE:		**CAS #:**	Not available

20180116
1 ampoule
4.6

MOLECULAR FORMULA:	$^{13}C_8H_2F_{17}NO_2S$	**MOLECULAR WEIGHT:**	507.09
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Isopropanol
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C ($^{13}C_8$)
LAST TESTED:	10/11/2017		
EXPIRY DATE:	10/11/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 1.1% of perfluoro-1-[$^{13}C_8$]octanesulfonamide and ~ 0.01% of perfluoro-1-[$^{13}C_7$]heptanesulfonamide.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 10/20/2017
S.O. Childs, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form 07 Issued 2004-11-19
Revised 4, Revised 2017-03-06


Date Received: 2017.12.06 - 1 ampoule - HPLC

Ampoule: 1 Tube
Date received: 2017/10/25

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	d3-N-MeFOSAA	**LOT NUMBER:**	d3NMeFOSAA0517
COMPOUND:	N-methyl-d3-perfluoro-1-octanesulfonamidoacetic acid		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_{11}D_3H_3F_{17}NO_4S$	**MOLECULAR WEIGHT:**	574.23
CONCENTRATION:	50 ± 2.5 µg/mL	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥98% $^2H_3$
LAST TESTED:	05/19/2017		
EXPIRY DATE:	05/19/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent the conversion of the acetic acid moiety to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ Date: 05/31/2017
R. G. Critten, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.10.25 - 1 ampoules - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	d5-N-EtFOSAA	**LOT NUMBER:**	d5NEtFOSAA1116
COMPOUND:	N-ethyl-d5-perfluoro-1-octanesulfonamidoacetic acid		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_{10}D_5H_2F_{17}NO_4S$	**MOLECULAR WEIGHT:**	590.29
CONCENTRATION:	50 ± 2.5 pg/ml	**SOLVENT(S):**	Methanol Water (<1%)
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥98% $^2H_5$
LAST TESTED: (mm/dd/yyyy)	11/22/2016		
EXPIRY DATE: (mm/dd/yyyy)	11/22/2021		
RECOMMENDED STORAGE:	Refrigerate ampoule		

received /mm/dd/yy
17 1.2 ml
FD-59

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent the conversion of the acetic acid moiety to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ B.G. Chittim Date: 12/01/2016 (mm/dd/yyyy)


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M6 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017/10/25 2x1.2 ml

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	d-N-MeFOSA-M	**LOT NUMBER:**	dNMeFOSA0417M
COMPOUND:	N-methyl-d_3-perfluoro-1-octanesulfonamide		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_9D_3HF_{17}NO_2S$	**MOLECULAR WEIGHT:**	516.19
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥98% $^2H_3$
LAST TESTED:	04/20/2017		
EXPIRY DATE:	04/20/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

Fz
2 ampoule
HPLC
2017/06/29
DPS

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY; NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 04/24/2017
S.G. Collins, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Received date 2017/07/21 2 x 1.2mL HPLC
Received date 2017/08/09 1 x 1.2mL HPLC
Received date 2017/09/07 1 x 1.2mL HPLC
RECEIVED: 2017/09/27 1X2 AMPULES HPLC
Date Received: 2017.10.25 - 1 ampoule - HPLC
RECEIVED: 2017/11/07 1 x 1.2ml HPLC
RECEIVED: 2017/11/07 1 x 1.2ml HPLC
Date Received: 2017.12.06 - 1 ampoule - HPLC

WELLINGTON LABORATORIES


CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: d-N-EtFOSA-M
COMPOUND: N-ethyl-d_5-perfluoro-1-octanesulfonamide

LOT NUMBER: dNEtFOSA1017M

STRUCTURE:

CAS #: Not available



MOLECULAR FORMULA:	$C_{10}D_5HF_{17}NO_2S$	**MOLECULAR WEIGHT:**	532.23
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥98% $^2H_5$
LAST TESTED: (mm/dd/yyyy)	10/11/2017		
EXPIRY DATE: (mm/dd/yyyy)	10/11/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

Date received
2017/12/06
2 Ampules

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE


Certified By: _____ **Date:** 11/06/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	d7-N-MeFOSE-M	**LOT NUMBER:**	d7NMeFOSE1617M
COMPOUND:	2-(N-methyl-d3-perfluoro-1-octanesulfonamido)ethan-d4-ol		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_{11}D_7HF_{17}NO_3S$	**MOLECULAR WEIGHT:**	564.27
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥98% $^2H_7$
LAST TESTED: (mm/dd/yyyy)	10/13/2017 (HRGC/LRMS) 10/12/2017 (LC/MS)		
EXPIRY DATE: (mm/dd/yyyy)	10/13/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

1 Ampoule
HPLC
2017/11/07

DOCUMENTATION/ DATA ATTACHED:

Figure 1: HRGC/LRMS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (TIC and Mass Spectrum)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- In order to see the molecular ion (adduct free), the LC mobile phase should be free of ammonium acetate buffer.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 11/03/2017 (mm/dd/yyyy)
B.C. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Created 07, Revised 2014-11-14
Updated by KE, Revised 2017-03-08


d7NMeFOSE1617M (1 of 4)
rev 0

Date Received: 2017.12.06 - 1 ampoule - HPLC
Date Received: 2018.01.16 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:	d9-N-EtFOSE-M	**LOT NUMBER:**	d9NEtFOSE1017M
COMPOUND:	2-(N-ethyl-d5-perfluoro-1-octanesulfonamido)ethan-d4-ol		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$C_{12}D_9HF_{17}NO_3S$	**MOLECULAR WEIGHT:**	580.31
CONCENTRATION:	50 ± 2.5 µg/ml	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥98% $^{2}H_5$
LAST TESTED:	10/13/2017 (HRGC/LRMS)		
	10/12/2017 (LC/MS)		
EXPIRY DATE:	10/13/2022		
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place		

1 Ampoule
HPLC
Jan 11/18

DOCUMENTATION/ DATA ATTACHED:

Figure 1: HRGC/LRMS Data (TIC and Mass Spectrum)
Figure 2: LC/MS Data (TIC and Mass Spectrum)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- In order to see the molecular ion (adduct free), the LC mobile phase should be free of ammonium acetate buffer.
- Contains ~ 1.2% of N-ethyl-d5-perfluoro-1-octanesulfonamide.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 10/18/2017
S.G. Gaglim, General Manager


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Received: 2017.12.06 - 1 ampoule - HPLC
Date Received: 2018.01.16 - 1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	M2-6:2FTS	**LOT NUMBER:**	M262FTS0217
COMPOUND:	Sodium 1H,1H,2H,2H-perfluoro-[1,2-$^{13}C_2$]octane sulfonate		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$^{13}C_2{}^{12}C_6H_4F_{13}SO_3Na$	**MOLECULAR WEIGHT:**	452.13
CONCENTRATION:	50.0 ± 2.5 µg/mL (Na salt) 47.5 ± 2.4 µg/mL (M2-6:2FTS anion)	**SOLVENT(S):**	Methanol
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C ($1,2\text{-}^{13}C_2$)
LAST TESTED:	02/17/2017		
EXPIRY DATE:	02/17/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

HPLC 2017/05/01 2x1.2 mL

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- The native 6:2FTS contains 4.22% of ^{34}S (due to natural isotopic abundance) therefore both native 6:2FTS and M2-6:2FTS will produce signals in the m/z 429 to m/z 409 channel during SRM analysis. We recommend using the m/z 429 to m/z 81 transition to monitor for M2-6:2FTS during quantitative analysis as it will be free of any native contribution (see Figure 2).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 02/24/2017
B.G. Chittim


Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2435 • Fax: 519-822-2849 • info@well-labs.com

Date Recieved:2017/05/02 2x1.2ml HPLC
Date Recieved:2017/06/29 2x1.2ml HPLC
Received date 2017/07/21 2 x 1.2mL HPLC
Received date 2017/09/07 1 x 1.2mL HPLC
Received date:2017/09/27 1x2 ampules HPLC
Received date:2017/10/25 1x2 ampules HPLC
Received date:2017/11/07 1x2 ampules HPLC
Date Received: 2017.11.07 - 1 ampule - HPLC
Date Received: 2017.12.06 - 2 ampoule - HPLC
Date Received: 2018.01.16 -1 ampoule - HPLC

WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:	M2-8:2FTS	**LOT NUMBER:**	M282FTS0717
COMPOUND:	Sodium 1H,1H,2H,2H-perfluoro-[1,2-$^{13}C_2$]decane sulfonate		
STRUCTURE:		**CAS #:**	Not available



MOLECULAR FORMULA:	$^{13}C_2{}^{12}C_6H_4F_{17}SO_3Na$	**MOLECULAR WEIGHT:**	552.15
CONCENTRATION:	50.0 ± 2.5 µg/ml (Na salt)	**SOLVENT(S):**	Methanol
	47.9 ± 2.4 µg/ml (M2-8:2FTS anion)		
CHEMICAL PURITY:	>98%	**ISOTOPIC PURITY:**	≥99% ^{13}C
LAST TESTED: (mm/dd/yyyy)	07/05/2017		($1,2\text{-}^{13}C_2$)
EXPIRY DATE: (mm/dd/yyyy)	07/05/2022		
RECOMMENDED STORAGE:	Refrigerate ampoule		

2 ampules x 1.2 mL
HPLC
2017/07/21
FDS

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- The native 8:2FTS contains 4.22% of ^{34}S (due to natural isotopic abundance) therefore both native 8:2FTS and M2-8:2FTS will produce signals in the m/z 529 to m/z 509 channel during SRM analysis. We recommend using the m/z 529 to m/z 81 transition to monitor for M2-8:2FTS during quantitative analysis as it will be free of any native contribution (see Figure 2).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____ **Date:** 07/07/2017 (mm/dd/yyyy)
B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Date Recieved: 2017/07/21 2x1.2ml HPLC
Date Recieved: 2017/09/07 1x1.2ml HPLC
Received date: 2017/09/27 1x2 ampules HPLC
Received date: 2017/10/25 1x2 ampules HPLC
Date Received: 2017.11.07 - 1 ampule - HPLC
Date Received: 2018.01.16 -1 ampoule- HPLC
Date Received: 2017.12.06 - 2 ampoules - HPLC

PREPARATION OF SPIKING STANDARD SOLUTION

Solution No.: SK-7377 Prep'n Date: 2018/01/30 Expiry Date: 2019/01/30 Discard Date: —

Replaces Solution No.: SK-7277 Replaced by Solution: _____ Chemist: LaV

Solution Name: Comp. PFC working Sol'n C Solvent(s): 0.3% NH4OH in MeOH

Solvent Supplier(s): Aldrich Solvent Lot No(s): See PRLRE108-327

Date Opened: See PRLRE108-327

Volumetric Flask Used: 25 mL Class A (5640) Volume: 25 mL **Spike Volume:** — uL / mL*

Syringe ID: Pipette K39876F

Storage Location and Conditions: F2-11

For extended mix of compounds, refer to table on: —

Compound	Parent Solution No.	Parent Solution Conc'n. (ug/mL)	Aliquot Volume (uL / mL)*	Final Conc'n. (ug/mL)	Absolute Amount Spiked (ug / ng)*
Comp. PFC working Sol'n A	I-5297	1	2.5	100 ng/ml	—
				2018/01/30	

Notes:

Solution No.: SK-7378 Prep'n Date: 2018/01/30 Expiry Date: 2018/04/07 Discard Date: 2018/04/08

Replaces Solution No.: SK-7088 Replaced by Solution: — Chemist: K

Solution Name: Glyphosate Solvent(s): LC-MS Grade Water

Solvent Supplier(s): EMD Millipore Corp. Solvent Lot No(s): 57297

Date Opened: 2018/01/29

Volumetric Flask Used: Class A (#5640) Volume: 50 mL **Spike Volume:** — uL / mL*

Syringe ID: G434346

Storage Location and Conditions: FD-59

For extended mix of compounds, refer to table on: —

Compound	Parent Solution No.	Parent Solution Conc'n. (ug/mL)	Aliquot Volume (uL / mL)*	Final Conc'n. (ug/mL)	Absolute Amount Spiked (ug / ng)*
N-(Phosphonomethyl) glycine	S4212	3264 µg/ml	0.383	25 µg/ml	—
			K	2018/01/30	

Notes: Second source (for spiking and ICV)

K 2018/01/30

* = Specify Units

Do not write beneath any inserts or place any inserts on top of any raw data entered on this page. Initial and date all entries, corrections and inserts. Include ALL relevant traceable references on ALL inserts.

TUNE CHECK

Instrument: Agilent 6470 LC/MS/MS

Instrument Serial Number: SG1611G001

Maxxam Instrument Identification: LCMS04

Mass Calibration Performed: July 7, 2017

Tune Check Performed: July 10 & 11, 2017

Mass Assignment Reference Table ____ Page 2

Analyte Precursor Ion Verification ____ Page 4

Analyte Product Ion Verification ____ Page 31

Extracted and Injection Internal Standard Precursor Ion Verification ____ Page 59

Extracted and Injection Internal Standard Product Ion Verification ____ Page 83

Reviewed by:

Adam Robinson, Supervisor – Liquid Chromatography

July 12 /2017
Date

Maxxam
A Bureau Veritas Group Company

Maxxam Analytics

Mass Assignments – Analytes, Extracted Internal Standards and Injection Internal Standards


Compound	Abbreviation	Precursor Ion (m/z)	Precursor Ion Formula	Quant Ion (m/z)	Quantitation Ion Formula	Confirmation Ion (m/z)	Confirmation Ion Formula
Native Analytes							
Perfluorobutanoic acid	PFBA	212.9	$[CF_3(CF_2)_2CO_2]^-$	169.0	$[CF_3(CF_2)_2]^-$	[1] N/A	N/A
Perfluorobutanesulfonate	PFBS	298.9	$[CF_3(CF_2)_3SO_3]^-$	79.9	$[SO_3]^-$	98.9	$[FSO_3]^-$
Perfluoropentanoic acid	PFPeA	262.9	$[CF_3(CF_2)_3CO_2]^-$	218.9	$[CF_3(CF_2)_3]^-$	[1] N/A	N/A
Perfluorohexanoic acid	PFHxA	313.0	$[CF_3(CF_2)_4CO_2]^-$	269.0	$[CF_3(CF_2)_4]^-$	119.0	$[CF_3(CF_2)]^-$
Perfluorohexanesulfonate	PFHxS	398.9	$[CF_3(CF_2)_5SO_3]^-$	79.9	$[SO_3]^-$	98.9	$[FSO_3]^-$
Perfluoroheptanoic acid	PFHpA	363.0	$[CF_3(CF_2)_5CO_2]^-$	319.0	$[CF_3(CF_2)_5]^-$	169.2	$[CF_3(CF_2)_2]^-$
Perfluoroheptanesulfonate	PFHpS	448.9	$[CF_3(CF_2)_6SO_3]^-$	79.9	$[SO_3]^-$	99.0	$[FSO_3]^-$
Perfluorooctanoic acid	PFOA	413.1	$[CF_3(CF_2)_6CO_2]^-$	369.0	$[CF_3(CF_2)_6]^-$	169.0	$[CF_3(CF_2)_2]^-$
Perfluorooctanesulfonate	PFOS	498.8	$[CF_3(CF_2)_7SO_3]^-$	79.9	$[SO_3]^-$	98.9	$[FSO_3]^-$
Perfluorononanoic acid	PFNA	462.9	$[CF_3(CF_2)_7CO_2]^-$	419.0	$[CF_3(CF_2)_7]^-$	219.1	$[CF_3(CF_2)_3]^-$
Perfluorodecanoic acid	PFDA	513.0	$[CF_3(CF_2)_8CO_2]^-$	469.1	$[CF_3(CF_2)_8]^-$	218.9	$[CF_3(CF_2)_3]^-$
Perfluorodecanesulfonate	PFDS	598.9	$[CF_3(CF_2)_9SO_3]$-	79.9	$[SO_3]^-$	98.8	$[FSO_3]^-$
Perfluoroundecanoic acid	PFUnA	562.9	$[CF_3(CF_2)_9CO_2]^-$	519.0	$[CF_3(CF_2)_9]^-$	269.2	$[CF_3(CF_2)_4]^-$
Perfluorododecanoic acid	PFDoA	612.9	$[CF_3(CF_2)_{10}CO_2]^-$	569.0	$[CF_3(CF_2)_{10}]^-$	319.0	$[CF_3(CF_2)_5]^-$
Perfluorotridecanoic acid	PFTrDA	663.0	$[CF_3(CF_2)_{11}CO_2]^-$	619.0	$[CF_3(CF_2)_{11}]^-$	318.9	$[CF_3(CF_2)_5]^-$
Perfluorotetradecanoic acid	PFTeDA	713.0	$[CF_3(CF_2)_{12}CO_2]^-$	669.0	$[CF_3(CF_2)_{12}]^-$	319.2	$[CF_3(CF_2)_5]^-$
Perfluorooctane sulfonamide	PFOSA	497.9	$[CF_3(CF_2)_7SO_2NH]^-$	78.0	$[SO_2N]^-$	478.0	$[(CF_2)_8SO_2N]^-$
N-methylperfluorooctane sulfonamide	MeFOSA	511.9	$[CF_3(CF_2)_7SO_2N(CH_3)]^-$	169.0	$[CF_3(CF_2)_2]^-$	219.0	$[CF_3(CF_2)_3]^-$
N-ethylperfluorooctane sulfonamide	EtFOSA	526.0	$[CF_3(CF_2)_7SO_2N(C_2H_5)]^-$	169.0	$[CF_3(CF_2)_2]^-$	219.0	$[CF_3(CF_2)_3]^-$
N-methylperfluorooctane sulfonamidoethanol	MeFOSE	616.0	$[CF_3(CF_2)_7SO_2N(CH_3)C_2H_4OH{\cdot}CH_3CO_2]^-$	59.0	$[CH_3CO_2]^-$	[1] N/A	N/A
N-ethylperfluorooctane sulfonamidoethanol	EtFOSE	630.0	$[CF_3(CF_2)_7SO_2N(C_2H_5)C_2H_4OH{\cdot}CH_3CO_2]^-$	59.0	$[CH_3CO_2]^-$	[1] N/A	N/A
N-methylperfluorooctanesufonamidoacetic acid	MeFOSAA	570.1	$[CF_3(CF_2)_7SO_2N(CH_3)CH_2CO_2]^-$	419.1	$[CF_3(CF_2)_7]^-$	483.0	$[CF_3(CF_2)_7SO_2]^-$
N-ethylperfluorooctanesufonamidoacetic acid	EtFOSAA	584.1	$[CF_3(CF_2)_7SO_2N(CH_2CH_3)CH_2CO_2]^-$	419.1	$[CF_3(CF_2)_7]^-$	483.0	$[CF_3(CF_2)_7SO_2]^-$
6:2 Fluorotelomersulfonate	6:2FTS	427.0	$[CF_3(CF_2)_5CH_2CH_2SO_3]^-$	407.0	$[CF_3(CF_2)_4CFCHCH_2SO_3]^-$	80.9	$[SO_2OH]^-$
8:2 Fluorotelomersulfonate	8:2FTS	526.9	$[CF_3(CF_2)_7CH_2CH_2SO_3]^-$	507.0	$[CF_3(CF_2)_6CFCHCH_2SO_3]^-$	80.9	$[SO_2OH]^-$
Mass-labeled Extracted Internal Standards							
$^{13}C_4$-Perfluorobutanoic acid	MPFBA	216.9	$[^{13}CF_3(^{13}CF_2)_2{}^{13}CO_2]^-$	172.0	$[^{13}CF_3(^{13}CF_2)_2]^-$	N/A	N/A

388 of 681

Compound	Abbreviation	Precursor Ion (m/z)	Precursor Ion Formula	Quant Ion (m/z)	Quantitation Ion Formula	Confirmation Ion (m/z)	Confirmation Ion Formula
$^{13}C_5$-Perfluoropentanoic acid	MPFPeA	267.9	$[^{13}CF_3(^{13}CF_2)_3{}^{13}CO_2]^-$	223.0	$[^{13}CF_3(^{13}CF_2)_3]^-$	N/A	N/A
$^{13}C_2$-Perfluorohexanoic acid	MPFHxA	314.9	$[CF_3(CF_2)_3(^{13}CF_2){}^{13}CO_2]^-$	270.0	$[CF_3(CF_2)_3{}^{13}CF_2]^-$	N/A	N/A
$^{18}O_2$-Perfluorohexanesulfonate	MPFHxS	402.9	$[CF_3(CF_2)_5S(^{18}O)_2O]^-$	84.0	$[S(^{18}O)_2O]^-$	N/A	N/A
$^{13}C_4$-Perfluoroheptanoic acid	MPFHpA	366.9	$[CF_3CF_2(^{13}CF_2)_3{}^{13}CO_2]^-$	322.0	$[CF_3CF_2(^{13}CF_2)_4]^-$	N/A	N/A
$^{13}C_4$-Perfluorooctanoic acid	MPFOA	416.9	$[CF_3(CF_2)_3(^{13}CF_2)_3{}^{13}CO_2]^-$	372.0	$[CF_3(CF_2)_3(^{13}CF_2)_3]^-$	N/A	N/A
$^{13}C_4$-Perfluorooctanesulfonate	MPFOS	502.9	$[CF_3(CF_2)_3(^{13}CF_2)_4SO_3]^-$	79.9	$[SO_3]^-$	N/A	N/A
$^{13}C_5$-Perfluorononanoic acid	MPFNA	467.9	$[CF_3(CF_2)_3(^{13}CF_2)_4{}^{13}CO_2]^-$	423.0	$[CF_3(CF_2)_3(^{13}CF_2)_4]^-$	N/A	N/A
$^{13}C_2$-Perfluorodecanoic acid	MPFDA	514.9	$[CF_3(CF_2)_7(^{13}CF_2){}^{13}CO_2]^-$	470.0	$[CF_3(CF_2)_7{}^{13}CF_2]^-$	N/A	N/A
$^{13}C_2$-Perfluoroundecanoic acid	MPFUnA	564.9	$[CF_3(CF_2)_8(^{13}CF_2){}^{13}CO_2]^-$	520.0	$[CF_3(CF_2)_8{}^{13}CF_2]^-$	N/A	N/A
$^{13}C_2$-Perfluorododecanoic acid	MPFDoA	614.9	$[CF_3(CF_2)_9(^{13}CF_2){}^{13}CO_2]^-$	570.0	$[CF_3(CF_2)_9{}^{13}CF_2]^-$	N/A	N/A
$^{13}C_2$-Perfluorotetradecanoic acid	MPFTeDA	714.9	$[CF_3(CF_2)_{12}(^{13}CF_2){}^{13}CO_2]^-$	669.9	$[CF_3(CF_2)_{12}]^-$	N/A	N/A
$^{13}C_8$-Perfluorooctane sulfonamide	MPFOSA	505.8	$[^{13}CF_3(^{13}CF_2)_7SO_2NH]^-$	77.9	$[SO_2N]^-$	N/A	N/A
N-methyl-d_3-perfluorooctanesulfonamide	D_3-MeFOSA	514.9	$[CF_3(CF_2)_7SO_2N(CD_3)]^-$	168.9	$[CF_3(CF_2)_2]^-$	N/A	N/A
N-ethyl-d_5-perfluorooctanesulfonamide	D_5-EtFOSA	531.0	$[CF_3(CF_2)_7SO_2N(C_2D_5)]^-$	168.9	$[CF_3(CF_2)_2]^-$	N/A	N/A
N-methyl-d_3-perfluorooctanesulfonamidoethanol-d_4	D_7-MeFOSE	623.1	$[CF_3(CF_2)_7SO_2N(CD_3)CD_2CD_2OH \cdot CH_3CO_2]^-$	59.0	$[CH_3CO_2]^-$	N/A	N/A
N-ethyl-d_5-perfluorooctanesulfonamidoethanol-d_4	D_9-EtFOSE	639.1	$[CF_3(CF_2)_7SO_2N(CD_2CD_3)CD_2CD_2OH \cdot CH_3CO_2]^-$	59.0	$[CH_3CO_2]^-$	N/A	N/A
N-methyl-d_3-perfluorooctanesulfonamidoacetic acid	D_3-MeFOSAA	573.1	$[CF_3(CF_2)_7SO_2N(CD_3)CH_2CO_2]^-$	419.1	$[CF_3(CF_2)_7]^-$	N/A	N/A
N-ethyl-d_5-perfluorooctanesulfonamidoacetic acid	D_5-EtFOSAA	589.2	$[CF_3(CF_2)_7SO_2N(CD_2CD_3)CH_2CO_2]^-$	419.0	$[CF_3(CF_2)_7]^-$	N/A	N/A
$^{13}C_2$-Fluorotelomersulfonate (6:2)	M2-6:2FTS	429.0	$[CF_3(CF_2)_5(^{13}CH_2)_2SO_3]^-$	80.9	$[SO_2OH]^-$	N/A	N/A
$^{13}C_2$-Fluorotelomersulfonate (8:2)	M2-8:2FTS	528.9	$[CF_3(CF_2)_7(^{13}CH_2)_2SO_3]^-$	80.9	$[SO_2OH]^-$	N/A	N/A
Injection Internal Standards							
$^{13}C_6$-Perfluorohexanoic acid	$^{13}C_6$-PFHxA	318.9	$[^{13}CF_3(^{13}CF_2)_4{}^{13}CO_2]^-$	274.0	$[^{13}CF_3(^{13}CF_2)_4]^-$	N/A	N/A
$^{13}C_9$-Perfluorodecanoic acid	$^{13}C_9$-PFDA	521.9	$[CF_3(^{13}CF_2)_8{}^{13}CO_2]^-$	477.1	$[CF_3(^{13}CF_2)_8]^-$	N/A	N/A


Analyte Precursor Ion Verification

Sample Name	PFBA -Q1	**Position**	P1-A1	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFBA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 4:37:04 PM




MaxXam Analytics

Sample Name	PFBS -Q1	**Position**	P1-A2	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFBS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 4:42:36 PM




SGS AXYS Analytics

Sample Name	PFPeA -Q1	**Position**	P1-A3	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFPeA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 4:48:06 PM




MaxXam Analytics

Sample Name	PFHxA -Q1	**Position**	P1-A4	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFHxA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 4:53:36 PM



Maxxam Analytics


Sample Name	PFHxS -Q1	**Position**	P1-A5	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFHxS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 4:59:06 PM




Maxxam Analytics

Sample Name	PFHpA-Q1	**Position**	P1-A6	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFHpA-Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:04:36 PM

MaxXam Analytics




Sample Name	PFHpS-Q1	**Position**	P1-A7	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFHpS-Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:10:06 PM




Maxxam Analytics

Sample Name	PFOA -Q1	**Position**	P1-A8	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFOA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:15:38 PM




Maxxam Analytics

Sample Name	PFOS -Q1	**Position**	P1-A9	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFOS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:21:10 PM




MaxXam Analytics

Sample Name	PFNA -Q1	**Position**	P1-B1	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFNA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:26:42 PM



Jaakam Analytics


Sample Name	PFDA -Q1	**Position**	P1-B2	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFDA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:32:12 PM




MaxXam Analytics

Sample Name	PFDS -Q1	**Position**	P1-B3	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFDS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:37:42 PM

Maxxam Analytics




Sample Name	PFUnA -Q1	**Position**	P1-B4	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFUnA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:43:12 PM




Jaxam Analytics

Sample Name	PFDoA -Q1	**Position**	P1-B5	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFDoA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:48:42 PM




Jaxam Analytics

Sample Name	PFTrDA -Q1	**Position**	P1-B6	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFTrDA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:54:12 PM




Jaakam Analytics

Sample Name	PFTeDA -Q1	**Position**	P1-B7	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFTeDA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 5:59:42 PM




Eurofins Lancaster Laboratories Environmental, LLC, 2425 New Holland Pike, Lancaster, PA 17601 : (717) 656-2300 Fax: (717) 656-2681

Sample Name	PFOSA -Q1	**Position**	P1-B8	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFOSA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 6:05:13 PM



SaiKam Analytics


Sample Name	MeFOSA -Q1	**Position**	P1-B9	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MeFOSA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 6:10:45 PM



MaxXam Analytics


Sample Name	EtFOSA -Q1	**Position**	P1-C1	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	EtFOSA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 6:16:16 PM

Maxxam Analytics




Sample Name	MeFOSE -Q1	**Position**	P1-C2	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MeFOSE -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 6:21:46 PM

Maxxam Analytics




Sample Name	EtFOSE -Q1	**Position**	P1-C3	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	EtFOSE -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 6:27:16 PM




Maxxam Analytics

Sample Name	MeFOSAA -Q1	**Position**	P1-C4	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MeFOSAA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 6:32:46 PM




Maxxam Analytics

Sample Name	EtFOSAA -Q1	**Position**	P1-C5	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	EtFOSAA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 6:38:16 PM




Sample Name	6:2FTS -Q1	**Position**	P1-C6	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	62FTS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 6:43:46 PM

Maxxam Analytics



Sample Name	8:2FTS -Q1	**Position**	P1-C7	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	82FTS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/10 6:49:16 PM



Maxxam Analytics

Worklist Report

Agilent Technologies

Maxxam Analytics

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFAS_MASSVER_170710.wkl

Operator Name: M_G
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\data\Mass Verification\20170710
Pre-Worklist Script: ---
Post-Worklist Script: ---
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: ---
Plate Barcode: None

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Inj Vol (µl)	Sample Group
1	PFBA -Q1	P1-A1	PFC_MassVerification-Q1.m	PFBA -Q1.d	Sample	As Method	PFAS-Q1
2	PFBS -Q1	P1-A2	PFC_MassVerification-Q1.m	PFBS -Q1.d	Sample	As Method	PFAS-Q1
3	PFPeA -Q1	P1-A3	PFC_MassVerification-Q1.m	PFPeA -Q1.d	Sample	As Method	PFAS-Q1
4	PFHxA -Q1	P1-A4	PFC_MassVerification-Q1.m	PFHxA -Q1.d	Sample	As Method	PFAS-Q1
5	PFHxS -Q1	P1-A5	PFC_MassVerification-Q1.m	PFHxS -Q1.d	Sample	As Method	PFAS-Q1
6	PFHpA-Q1	P1-A6	PFC_MassVerification-Q1.m	PFHpA-Q1.d	Sample	As Method	PFAS-Q1
7	PFHpS-Q1	P1-A7	PFC_MassVerification-Q1.m	PFHpS-Q1.d	Sample	As Method	PFAS-Q1
8	PFOA -Q1	P1-A8	PFC_MassVerification-Q1.m	PFOA -Q1.d	Sample	As Method	PFAS-Q1
9	PFOS -Q1	P1-A9	PFC_MassVerification-Q1.m	PFOS -Q1.d	Sample	As Method	PFAS-Q1

440 of 681

Worklist Report


Agilent Technologies

	Sample Name	Sample Position	Method	Data File	Sample Type	Inj Vol (µl)	Sample Group
10	PFNA -Q1	P1-B1	PFC_MassVerification-Q1.m	PFNA -Q1.d	Sample	As Method	PFAS-Q1
11	PFDA -Q1	P1-B2	PFC_MassVerification-Q1.m	PFDA -Q1.d	Sample	As Method	PFAS-Q1
12	PFDS -Q1	P1-B3	PFC_MassVerification-Q1.m	PFDS -Q1.d	Sample	As Method	PFAS-Q1
13	PFUnA -Q1	P1-B4	PFC_MassVerification-Q1.m	PFUnA -Q1.d	Sample	As Method	PFAS-Q1
14	PFDoA -Q1	P1-B5	PFC_MassVerification-Q1.m	PFDoA -Q1.d	Sample	As Method	PFAS-Q1
15	PFTrDA -Q1	P1-B6	PFC_MassVerification-Q1.m	PFTrDA -Q1.d	Sample	As Method	PFAS-Q1
16	PFTeDA -Q1	P1-B7	PFC_MassVerification-Q1.m	PFTeDA -Q1.d	Sample	As Method	PFAS-Q1
17	PFOSA -Q1	P1-B8	PFC_MassVerification-Q1.m	PFOSA -Q1.d	Sample	As Method	PFAS-Q1
18	MeFOSA -Q1	P1-B9	PFC_MassVerification-Q1.m	MeFOSA -Q1.d	Sample	As Method	PFAS-Q1
19	EtFOSA -Q1	P1-C1	PFC_MassVerification-Q1.m	EtFOSA -Q1.d	Sample	As Method	PFAS-Q1
20	MeFOSE -Q1	P1-C2	PFC_MassVerification-Q1.m	MeFOSE -Q1.d	Sample	As Method	PFAS-Q1
21	EtFOSE -Q1	P1-C3	PFC_MassVerification-Q1.m	EtFOSE -Q1.d	Sample	As Method	PFAS-Q1
22	MeFOSAA -Q1	P1-C4	PFC_MassVerification-Q1.m	MeFOSAA -Q1.d	Sample	As Method	PFAS-Q1
23	EtFOSAA -Q1	P1-C5	PFC_MassVerification-Q1.m	EtFOSAA -Q1.d	Sample	As Method	PFAS-Q1
24	6:2FTS -Q1	P1-C6	PFC_MassVerification-Q1.m	62FTS -Q1.d	Sample	As Method	PFAS-Q1
25	8:2FTS -Q1	P1-C7	PFC_MassVerification-Q1.m	82FTS -Q1.d	Sample	As Method	PFAS-Q1

Maxxam Analytics


Analyte Product Ion Verification

Sample Name	PFBA -Q3	**Position**	P1-A1	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFBA -Q3.d
ACQ Method	PFC_MassVerification-PFBA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 6:54:46 PM




SaanAm Analytics

Sample Name	PFBS -Q3	**Position**	P1-A2	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFBS -Q3.d
ACQ Method	PFC_MassVerification-PFBS-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:00:16 PM




Maxxam Analytics

Sample Name	PFPeA -Q3	**Position**	P1-A3	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFPeA -Q3.d
ACQ Method	PFC_MassVerification-PFPeA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:05:46 PM




Sample Name	PFHxA -Q3	**Position**	P1-A4	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFHxA -Q3.d
ACQ Method	PFC_MassVerification-PFHxA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:11:16 PM




SaxKam Analytics

Sample Name	PFHxS -Q3	**Position**	P1-A5	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFHxS -Q3.d
ACQ Method	PFC_MassVerification-PFHxS-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:16:46 PM




SaxKam Analytics

Sample Name	PFHpA-Q3	**Position**	P1-A6	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFHpA-Q3.d
ACQ Method	PFC_MassVerification-PFHpA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:22:16 PM




Sample Name	PFHpS-Q3	**Position**	P1-A7	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFHpS-Q3.d
ACQ Method	PFC_MassVerification-PFHpS-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:27:47 PM




SaxAm Analytics

Sample Name	PFOA -Q3	**Position**	P1-A8	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFOA -Q3.d
CQ Method	PFC_MassVerification-PFOA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:33:19 PM




Saxcam Analytics

Sample Name	PFOS -Q3	**Position**	P1-A9	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFOS -Q3.d
CQ Method	PFC_MassVerification-PFOS-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:38:51 PM




Maxxam Analytics

Sample Name	PFNA -Q3	**Position**	P1-B1	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFNA -Q3.d
CQ Method	PFC_MassVerification-PFNA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:44:22 PM




Sample Name	PFDA -Q3	**Position**	P1-B2	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFDA -Q3.d
ACQ Method	PFC_MassVerification-PFDA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:49:52 PM




Jaxam Analytics

Sample Name	PFDS -Q3	**Position**	P1-B3	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFDS -Q3.d
ACQ Method	PFC_MassVerification-PFDS-Q3.m	**Comment**		**Acquired Time**	2017/07/10 7:55:22 PM




Alaskan Analytics

Sample Name	PFUnA -Q3	**Position**	P1-B4	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFUnA -Q3.d
ACQ Method	PFC_MassVerification-PFUnA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:00:52 PM




Maxxam Analytics

Sample Name	PFDoA -Q3	**Position**	P1-B5	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFDoA -Q3.d
ACQ Method	PFC_MassVerification-PFDoA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:06:23 PM



Eurofins Eaton Analytics


Sample Name	PFTrDA -Q3	**Position**	P1-B6	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFTrDA -Q3.d
ACQ Method	PFC_MassVerification-PFTrDA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:11:53 PM




Maxxam Analytics

Sample Name	PFTeDA -Q3	**Position**	P1-B7	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFTeDA -Q3.d
ACQ Method	PFC_MassVerification-PFTeDA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:17:23 PM

SAIC Axiam Analytics




Sample Name	PFOSA -Q3	**Position**	P1-B8	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	PFOSA -Q3.d
CQ Method	PFC_MassVerification-PFOSA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:22:55 PM




Maxxam Analytics

Sample Name	MeFOSA -Q3	**Position**	P1-B9	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MeFOSA -Q3.d
ACQ Method	PFC_MassVerification-MeFOSA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:28:25 PM




Maxxam Analytics

Sample Name	EtFOSA -Q3	**Position**	P1-C1	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	EtFOSA -Q3.d
CQ Method	PFC_MassVerification-EtFOSA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:33:57 PM




Maxxam Analytics

Sample Name	MeFOSE -Q3	**Position**	P1-C2	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MeFOSE -Q3.d
ACQ Method	PFC_MassVerification-MeFOSE-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:39:26 PM




Maxxam Analytics

Sample Name	EtFOSE -Q3	**Position**	P1-C3	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	EtFOSE -Q3.d
ACQ Method	PFC_MassVerification-EtFOSE-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:44:57 PM




SAIAM Analytics

Sample Name	MeFOSAA -Q3	**Position**	P1-C4	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MeFOSAA -Q3.d
ACQ Method	PFC_MassVerification-MeFOSAA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:50:27 PM




SaxAm Analytics

Sample Name	EtFOSAA -Q3	**Position**	P1-C5	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	EtFOSAA -Q3.d
ACQ Method	PFC_MassVerification-EtFOSAA-Q3.m	**Comment**		**Acquired Time**	2017/07/10 8:55:57 PM




Maxxam Analytics

Sample Name	6:2FTS -Q3	**Position**	P1-C6	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	62FTS -Q3.d
ACQ Method	PFC_MassVerification-6-2FTS-Q3.m	**Comment**		**Acquired Time**	2017/07/10 9:01:27 PM



SGS AXYS Analytics

Sample Name	8:2FTS -Q3	**Position**	P1-C7	**Instrument Name**	LCMS04
User Name	M_G	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	82FTS -Q3.d
ACQ Method	PFC_MassVerification-8-2FTS-Q3.m	**Comment**		**Acquired Time**	2017/07/10 9:06:57 PM



Maxxam Analytics

Worklist Report

Agilent Technologies

Maxxam Analytics

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFAS_MASSVER_170710_Q3.wkl

Operator Name: M_G
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\data\Mass Verification\20170710_Q3
Pre-Worklist Script: ---
Post-Worklist Script: ---
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: ---

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Inj Vol (µl)	Sample Group
1	PFBA -Q3	P1-A1	PFC_MassVerification-PFBA-Q3.m	PFBA -Q3.d	Sample	As Method	PFAS-Q3
2	PFBS -Q3	P1-A2	PFC_MassVerification-PFBS-Q3.m	PFBS -Q3.d	Sample	As Method	PFAS-Q3
3	PFPeA -Q3	P1-A3	PFC_MassVerification-PFPeA-Q3.m	PFPeA -Q3.d	Sample	As Method	PFAS-Q3
4	PFHxA -Q3	P1-A4	PFC_MassVerification-PFHxA-Q3.m	PFHxA -Q3.d	Sample	As Method	PFAS-Q3
5	PFHxS -Q3	P1-A5	PFC_MassVerification-PFHxS-Q3.m	PFHxS -Q3.d	Sample	As Method	PFAS-Q3
6	PFHpA-Q3	P1-A6	PFC_MassVerification-PFHpA-Q3.m	PFHpA-Q3.d	Sample	As Method	PFAS-Q3
7	PFHpS-Q3	P1-A7	PFC_MassVerification-PFHpS-Q3.m	PFHpS-Q3.d	Sample	As Method	PFAS-Q3
8	PFOA -Q3	P1-A8	PFC_MassVerification-PFOA-Q3.m	PFOA -Q3.d	Sample	As Method	PFAS-Q3
9	PFOS -Q3	P1-A9	PFC_MassVerification-PFOS-Q3.m	PFOS -Q3.d	Sample	As Method	PFAS-Q3


439 of 681

	Sample Name	Sample Position	Method	Data File	Sample Type	Inj Vol (µl)	Sample Group
10	PFNA -Q3	P1-B1	PFC_MassVerification-PFNA-Q3.m	PFNA -Q3.d	Sample	As Method	PFAS-Q3
11	PFDA -Q3	P1-B2	PFC_MassVerification-PFDA-Q3.m	PFDA -Q3.d	Sample	As Method	PFAS-Q3
12	PFDS -Q3	P1-B3	PFC_MassVerification-PFDS-Q3.m	PFDS -Q3.d	Sample	As Method	PFAS-Q3
13	PFUnA -Q3	P1-B4	PFC_MassVerification-PFUnA-Q3.m	PFUnA -Q3.d	Sample	As Method	PFAS-Q3
14	PFDoA -Q3	P1-B5	PFC_MassVerification-PFDoA-Q3.m	PFDoA -Q3.d	Sample	As Method	PFAS-Q3
15	PFTrDA -Q3	P1-B6	PFC_MassVerification-PFTrDA-Q3.m	PFTrDA -Q3.d	Sample	As Method	PFAS-Q3
16	PFTeDA -Q3	P1-B7	PFC_MassVerification-PFTeDA-Q3.m	PFTeDA -Q3.d	Sample	As Method	PFAS-Q3
17	PFOSA -Q3	P1-B8	PFC_MassVerification-PFOSA-Q3.m	PFOSA -Q3.d	Sample	As Method	PFAS-Q3
18	MeFOSA -Q3	P1-B9	PFC_MassVerification-MeFOSA-Q3.m	MeFOSA -Q3.d	Sample	As Method	PFAS-Q3
19	EtFOSA -Q3	P1-C1	PFC_MassVerification-EtFOSA-Q3.m	EtFOSA -Q3.d	Sample	As Method	PFAS-Q3
20	MeFOSE -Q3	P1-C2	PFC_MassVerification-MeFOSE-Q3.m	MeFOSE -Q3.d	Sample	As Method	PFAS-Q3
21	EtFOSE -Q3	P1-C3	PFC_MassVerification-EtFOSE-Q3.m	EtFOSE -Q3.d	Sample	As Method	PFAS-Q3
22	MeFOSAA -Q3	P1-C4	PFC_MassVerification-MeFOSAA-Q3.m	MeFOSAA -Q3.d	Sample	As Method	PFAS-Q3
23	EtFOSAA -Q3	P1-C5	PFC_MassVerification-EtFOSAA-Q3.m	EtFOSAA -Q3.d	Sample	As Method	PFAS-Q3
24	6:2FTS -Q3	P1-C6	PFC_MassVerification-6-2FTS-Q3.m	62FTS -Q3.d	Sample	As Method	PFAS-Q3
25	8:2FTS -Q3	P1-C7	PFC_MassVerification-8-2FTS-Q3.m	82FTS -Q3.d	Sample	As Method	PFAS-Q3

Maxxam Analytics

Extracted and Injection Internal Standard Precursor Ion Verification


Sample Name	MPFBA	**Position**	P2-A1	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFBA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:00:45 PM




SanKam Analytics

Sample Name	MPFPeA	**Position**	P2-A2	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFPeA -Q1.d
Acq Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:06:18 PM

Alpha Analytics




Sample Name	MPFHxA	**Position**	P2-A3	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFHxA -Q1.d
AcQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:11:48 PM




Maxxam Analytics

Sample Name	MPFHxS	**Position**	P2-A4	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFHxS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:17:18 PM




SAIC Axcam Analytics

Sample Name	MPFHpA	**Position**	P2-A5	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFHpA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:22:48 PM




MaxXam Analytics

Sample Name	MPFOA	**Position**	P2-A6	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFOA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:28:18 PM




SanAm Analytics

Sample Name	MPFOS	**Position**	P2-A7	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFOS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:33:49 PM




Maxxam Analytics

Sample Name	MPFNA	**Position**	P2-A8	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFNA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:39:21 PM




Alaxam Analytics

Sample Name	MPFDA	**Position**	P2-A9	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFDA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:44:52 PM




Alaskan Analytics

Sample Name	MPFUnA	**Position**	P2-B1	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFUnA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:50:23 PM




Eurofins Lancaster Laboratories Environmental, LLC, 2425 New Holland Pike, Lancaster, PA 17601 Phone: 717-656-2300 Fax: 717-656-2681

Sample Name	MPFDoA	**Position**	P2-B2	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFDoA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 1:55:53 PM




Alcami Analytics

Sample Name	MPFTeDA	**Position**	P2-B3	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFTeDA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:01:23 PM




Alaxam Analytics

Sample Name	MPFOSA	**Position**	P2-B4	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFOSA -Q1.d
Acq Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:06:53 PM




SanAm Analytics

Sample Name	D3-MeFOSA	**Position**	P2-B5	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D3-MeFOSA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:12:24 PM




MaxXam Analytics

Sample Name	D5-EtFOSA	**Position**	P2-B6	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D5-EtFOSA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:17:53 PM




Maxam Analytics

Sample Name	D7-MeFOSE	**Position**	P2-B7	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D7-MeFOSE -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:23:24 PM




SGS AXYS Analytics

Sample Name	D9-EtFOSE	**Position**	P2-B8	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D9-EtFOSE -Q1.d
AcQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:28:56 PM




SafeAm Analytics

Sample Name	D3-MeFOSAA	**Position**	P2-B9	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D3-MeFOSAA -Q1.d
AcQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:34:28 PM




SGS AXYS Analytical

Sample Name	D5-EtFOSAA	**Position**	P2-C1	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D5-EtFOSAA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:39:59 PM




SGS AXAM Analytics

Sample Name	M2-6:2FTS	**Position**	P2-C2	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	M2-62FTS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:45:29 PM




SGS AXYS Analytics

Sample Name	M2-8:2FTS	**Position**	P2-C3	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	M2-82FTS -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:50:59 PM




MaxAm Analytics

Sample Name	13C6-PFHxA	**Position**	P2-C4	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	13C6-PFHxA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 2:56:30 PM



Alaska Analytics


Sample Name	13C9-PFDA	**Position**	P2-C5	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	13C9-PFDA -Q1.d
ACQ Method	PFC_MassVerification-Q1.m	**Comment**		**Acquired Time**	2017/07/11 3:01:59 PM



Saxam Analytics


Extracted and Injection Internal Standard Product Ion Verification

Sample Name	MPFBA -Q3	**Position**	P2-A1	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFBA -Q3.d
ACQ Method	PFC_MassVerification-MPFBA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 3:07:29 PM




Eurofins Eaton Analytics

Sample Name	MPFPeA -Q3	**Position**	P2-A2	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFPeA -Q3.d
ACQ Method	PFC_MassVerification-MPFPeA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 3:12:59 PM




Maxxam Analytics

Sample Name	MPFHxS -Q3	**Position**	P2-A4	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFHxS -Q3.d
ACQ Method	PFC_MassVerification-MPFHxS-Q3.m	**Comment**		**Acquired Time**	2017/07/11 3:24:00 PM




SaxAm Analytics

Sample Name	MPFHpA -Q3	**Position**	P2-A5	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFHpA -Q3.d
ACQ Method	PFC_MassVerification-MPFHpA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 3:29:30 PM




SaxAm Analytics

Sample Name	MPFOA -Q3	**Position**	P2-A6	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFOA -Q3.d
ACQ Method	PFC_MassVerification-MPFOA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 3:35:00 PM




SAExam Analytics

Sample Name	MPFOS -Q3	**Position**	P2-A7	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFOS -Q3.d
ACQ Method	PFC_MassVerification-MPFOS-Q3.m	**Comment**		**Acquired Time**	2017/07/11 3:40:32 PM




SGS AXYS Analytics

Sample Name	MPFNA -Q3	**Position**	P2-A8	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFNA -Q3.d
ACQ Method	PFC_MassVerification-MPFNA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 3:46:04 PM




SaTeam Analytics

Sample Name	MPFDA -Q3	**Position**	P2-A9	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFDA -Q3.d
ACQ Method	PFC_MassVerification-MPFDA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 3:51:36 PM




SaraKam Analytics

Sample Name	MPFUnA -Q3	**Position**	P2-B1	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFUnA -Q3.d
ACQ Method	PFC_MassVerification-MPFUnA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 3:57:07 PM




SaiKam Analytics

Sample Name	MPFDoA -Q3	**Position**	P2-B2	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFDoA -Q3.d
ACQ Method	PFC_MassVerification-MPFDoA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:02:38 PM




Saram Analytics

Sample Name	MPFTeDA -Q3	**Position**	P2-B3	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFTeDA -Q3.d
ACQ Method	PFC_MassVerification-MPFTeDA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:08:08 PM




SaTeam Analytics

Sample Name	MPFOSA -Q3	**Position**	P2-B4	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	MPFOSA -Q3.d
ACQ Method	PFC_MassVerification-MPFOSA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:13:38 PM




MaxAm Analytics

Sample Name	D3-MeFOSA -Q3	**Position**	P2-B5	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D3-MeFOSA -Q3.d
ACQ Method	PFC_MassVerification-D3-MeFOSA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:19:08 PM




SaTeam Analytics

Sample Name	D5-EtFOSA -Q3	**Position**	P2-B6	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D5-EtFOSA - Q3.d
ACQ Method	PFC_MassVerification-D5-EtFOSA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:24:38 PM




SGS AXYS Analytics

Sample Name	D7-MeFOSE -Q3	**Position**	P2-B7	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D7-MeFOSE -Q3.d
ACQ Method	PFC_MassVerification-D7-MeFOSE-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:30:08 PM




Alaska Analytics

Sample Name	D9-EtFOSE -Q3	**Position**	P2-B8	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D9-EtFOSE -Q3.d
ACQ Method	PFC_MassVerification-D9-EtFOSE-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:35:38 PM




Alaxam Analytics

Sample Name	D3-MeFOSAA -Q3	**Position**	P2-B9	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D3-MeFOSAA -Q3.d
ACQ Method	PFC_MassVerification-D3-MeFOSAA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:41:10 PM




SGS AXYS Analytics

Sample Name	D5-EtFOSAA -Q3	**Position**	P2-C1	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	D5-EtFOSAA -Q3.d
ACQ Method	PFC_MassVerification-D5-EtFOSAA-Q3.m	**Comment**		**Acquired Time**	2017/07/12 8:41:07 AM




Alaxam Analytics

Sample Name	M2-6:2FTS -Q3	**Position**	P2-C2	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	M2-62FTS -Q3.d
ACQ Method	PFC_MassVerification-M26-2FTS-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:52:12 PM




Alaskan Analytics

Sample Name	M2-8:2FTS -Q3	**Position**	P2-C3	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	M2-82FTS -Q3.d
ACQ Method	PFC_MassVerification-M2-8-2FTS-Q3.m	**Comment**		**Acquired Time**	2017/07/11 4:57:42 PM




SaxKam Analytics

Sample Name	13C6-PFHxA -Q3	**Position**	P2-C4	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	13C6-PFHxA -Q3.d
ACQ Method	PFC_MassVerification-13C6-PFHxA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 5:03:12 PM



Sample Name	13C9-PFDA -Q3	**Position**	P2-C5	**Instrument Name**	LCMS04
User Name	AD	**Inj Vol**	10	**InjPosition**	
Sample Type	Sample	**IRM Calibration Status**	Not Applicable	**Data Filename**	13C9-PFDA -Q3.d
ACQ Method	PFC_MassVerification-13C9-PFDA-Q3.m	**Comment**		**Acquired Time**	2017/07/11 5:08:42 PM

Maxxam Analytics



Worklist Report

Agilent Technologies

Maxxam Analytics

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFAS_MASSVER_IS_170711.wkl

Operator Name: AD
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\data\Mass Verification\20170711_IS
Pre-Worklist Script: ---
Post-Worklist Script: ---
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: ---

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Inj Vol (µl)	Sample Group
1	MPFBA	P2-A1	PFC_MassVerification-Q1.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFBA -Q1.d	Sample	As Method	PFAS-Q1
2	MPFPeA	P2-A2	PFC_MassVerification-Q1.m	MPFPeA -Q1.d	Sample	As Method	PFAS-Q1
3	MPFHxA	P2-A3	PFC_MassVerification-Q1.m	MPFHxA -Q1.d	Sample	As Method	PFAS-Q1
4	MPFHxS	P2-A4	PFC_MassVerification-Q1.m	MPFHxS -Q1.d	Sample	As Method	PFAS-Q1
5	MPFHpA	P2-A5	PFC_MassVerification-Q1.m	MPFHpA -Q1.d	Sample	As Method	PFAS-Q1
6	MPFOA	P2-A6	PFC_MassVerification-Q1.m	MPFOA -Q1.d	Sample	As Method	PFAS-Q1
7	MPFOS	P2-A7	PFC_MassVerification-Q1.m	MPFOS -Q1.d	Sample	As Method	PFAS-Q1
8	MPFNA	P2-A8	PFC_MassVerification-Q1.m	MPFNA -Q1.d	Sample	As Method	PFAS-Q1

487 of 681

Maxxam Analytics

	Sample Name	Sample Position	Method	Data File	Sample Type	Inj Vol (µl)	Sample Group
9	MPFDA	P2-A9	PFC_MassVerification-Q1.m	MPFDA -Q1.d	Sample	As Method	PFAS-Q1
10	MPFUnA	P2-B1	PFC_MassVerification-Q1.m	MPFUnA -Q1.d	Sample	As Method	PFAS-Q1
11	MPFDoA	P2-B2	PFC_MassVerification-Q1.m	MPFDoA -Q1.d	Sample	As Method	PFAS-Q1
12	MPFTeDA	P2-B3	PFC_MassVerification-Q1.m	MPFTeDA -Q1.d	Sample	As Method	PFAS-Q1
13	MPFOSA	P2-B4	PFC_MassVerification-Q1.m	MPFOSA -Q1.d	Sample	As Method	PFAS-Q1
14	D3-MeFOSA	P2-B5	PFC_MassVerification-Q1.m	D3-MeFOSA -Q1.d	Sample	As Method	PFAS-Q1
15	D5-EtFOSA	P2-B6	PFC_MassVerification-Q1.m	D5-EtFOSA -Q1.d	Sample	As Method	PFAS-Q1
16	D7-MeFOSE	P2-B7	PFC_MassVerification-Q1.m	D7-MeFOSE -Q1.d	Sample	As Method	PFAS-Q1
17	D9-EtFOSE	P2-B8	PFC_MassVerification-Q1.m	D9-EtFOSE -Q1.d	Sample	As Method	PFAS-Q1
18	D3-MeFOSAA	P2-B9	PFC_MassVerification-Q1.m	D3-MeFOSAA -Q1.d	Sample	As Method	PFAS-Q1
19	D5-EtFOSAA	P2-C1	PFC_MassVerification-Q1.m	D5-EtFOSAA -Q1.d	Sample	As Method	PFAS-Q1
20	M2-6:2FTS	P2-C2	PFC_MassVerification-Q1.m	M2-62FTS -Q1.d	Sample	As Method	PFAS-Q1
21	M2-8:2FTS	P2-C3	PFC_MassVerification-Q1.m	M2-82FTS -Q1.d	Sample	As Method	PFAS-Q1
22	13C6-PFHxA	P2-C4	PFC_MassVerification-Q1.m	13C6-PFHxA -Q1.d	Sample	As Method	PFAS-Q1
23	13C9-PFDA	P2-C5	PFC_MassVerification-Q1.m	13C9-PFDA -Q1.d	Sample	As Method	PFAS-Q1
24	MPFBA -Q3	P2-A1	PFC_MassVerification-MPFBA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFBA -Q3.d	Sample	As Method	PFAS-Q3
25	MPFPeA -Q3	P2-A2	PFC_MassVerification-MPFPeA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFPeA -Q3.d	Sample	As Method	PFAS-Q3
26	MPFHxA -Q3	P2-A3	PFC_MassVerification-MPFHxA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFHxA -Q3.d	Sample	As Method	PFAS-Q3
27	MPFHxS -Q3	P2-A4	PFC_MassVerification-MPFHxS-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFHxS -Q3.d	Sample	As Method	PFAS-Q3
28	MPFHpA -Q3	P2-A5	PFC_MassVerification-MPFHpA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFHpA -Q3.d	Sample	As Method	PFAS-Q3

488 of 681

Maxxam Analytics

	Sample Name	Sample Position	Method	Data File	Sample Type	Inj Vol (µl)	Sample Group
29	MPFOA -Q3	P2-A6	PFC_MassVerification-MPFOA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFOA -Q3.d	Sample	As Method	PFAS-Q3
30	MPFOS -Q3	P2-A7	PFC_MassVerification-MPFOS-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFOS -Q3.d	Sample	As Method	PFAS-Q3
31	MPFNA -Q3	P2-A8	PFC_MassVerification-MPFNA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFNA -Q3.d	Sample	As Method	PFAS-Q3
32	MPFDA -Q3	P2-A9	PFC_MassVerification-MPFDA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFDA -Q3.d	Sample	As Method	PFAS-Q3
33	MPFUnA -Q3	P2-B1	PFC_MassVerification-MPFUnA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFUnA -Q3.d	Sample	As Method	PFAS-Q3
34	MPFDoA -Q3	P2-B2	PFC_MassVerification-MPFDoA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFDoA -Q3.d	Sample	As Method	PFAS-Q3
35	MPFTeDA -Q3	P2-B3	PFC_MassVerification-MPFTeDA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFTeDA -Q3.d	Sample	As Method	PFAS-Q3
36	MPFOSA -Q3	P2-B4	PFC_MassVerification-MPFOSA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\MPFOSA -Q3.d	Sample	As Method	PFAS-Q3
37	D3-MeFOSA -Q3	P2-B5	PFC_MassVerification-D3-MeFOSA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\D3-MeFOSA -Q3.d	Sample	As Method	PFAS-Q3
38	D5-EtFOSA -Q3	P2-B6	PFC_MassVerification-D5-EtFOSA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\D5-EtFOSA -Q3.d	Sample	As Method	PFAS-Q3
39	D7-MeFOSE -Q3	P2-B7	PFC_MassVerification-D7-MeFOSE-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\D7-MeFOSE -Q3.d	Sample	As Method	PFAS-Q3
40	D9-EtFOSE -Q3	P2-B8	PFC_MassVerification-D9-EtFOSE-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\D9-EtFOSE -Q3.d	Sample	As Method	PFAS-Q3
41	D3-MeFOSAA -Q3	P2-B9	PFC_MassVerification-D3-MeFOSAA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\D3-MeFOSAA -Q3.d	Sample	As Method	PFAS-Q3

489 of 681

Maxxam Analytics

	Sample Name	Sample Position	Method	Data File	Sample Type	Inj Vol (µl)	Sample Group
42	D5-EtFOSA -Q3	P2-C1	PFC_MassVerification-D5-EtFOSA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\D5-EtFOSA -Q3.d	Sample	As Method	PFAS-Q3
43	M2-6:2FTS -Q3	P2-C2	PFC_MassVerification-M26-2FTS-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\M2-62FTS -Q3.d	Sample	As Method	PFAS-Q3
44	M2-8:2FTS -Q3	P2-C3	PFC_MassVerification-M2-8-2FTS-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\M2-82FTS -Q3.d	Sample	As Method	PFAS-Q3
45	13C6-PFHxA -Q3	P2-C4	PFC_MassVerification-13C6-PFHxA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\13C6-PFHxA -Q3.d	Sample	As Method	PFAS-Q3
46	13C9-PFDA -Q3	P2-C5	PFC_MassVerification-13C9-PFDA-Q3.m	D:\MassHunter\Data\Mass Verification\20170711_IS\13C9-PFDA -Q3.d	Sample	As Method	PFAS-Q3
47	SCP_InstrumentStandby() {MH_Acq_Scripts.exe}						



5. Initial Calibration


Maxxam Analytics International
6740 Campobello Rd
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com


Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**STD 1**	**Instrument**	LCMS04
Data File	WS#5410178_02.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A2
Acq. Date	2018/02/23 4:39:32 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6945	1.44	1 µg/L		
MPFHxS	1672	1.68	1 µg/L		
MPFHpA	8498	1.70	1 µg/L		
MPFOA	8140	1.88	1 µg/L		
MPFOS	1807	1.97	1 µg/L		
MPFNA	7968	2.02	1 µg/L		
MPFDA	6269	2.14	1 µg/L		
MPFUnA	8648	2.23	1 µg/L		
MPFDoA	11097	2.32	1 µg/L		
MPFTeDA	10493	2.46	1 µg/L		
13C6-PFHxA IS	23118	1.44	1 µg/L		
13C9-PFDA IS	27510	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	485	1.09	0.83	0.89 µg/L	107.52
PFHxA 1	2229	1.45	0.83	0.93 µg/L	111.49
PFHxS 1	490	1.67	0.83	0.87 µg/L	105.14
PFHpA 1	2296	1.70	0.83	0.91 µg/L	110.18
PFOA 1	2837	1.88	0.83	0.93 µg/L	112.63
PFOS 1	528	1.96	0.83	0.97 µg/L	116.72
PFNA 1	2364	2.03	0.83	0.90 µg/L	108.19
PFDA 1	2591	2.14	0.83	0.93 µg/L	111.60
PFUnA 1	2643	2.23	0.83	0.92 µg/L	111.30
PFDoA 1	3316	2.32	0.83	0.89 µg/L	107.31
PFTrDA 1	3748	2.40	0.83	0.89 µg/L	107.61
PFTeDA 1	3065	2.47	0.83	0.86 µg/L	103.88
13C2-PFHxA	6945	1.44	100.00	101.55 µg/L	101.55
18O2-PFHxS	1672	1.68	100.00	104.86 µg/L	104.86
13C4-PFHpA	8498	1.70	100.00	99.23 µg/L	99.23
13C4-PFOA	8140	1.88	100.00	96.01 µg/L	96.01
13C4-PFOS	1807	1.97	100.00	97.31 µg/L	97.31
13C5-PFNA	7968	2.02	100.00	96.66 µg/L	96.66
13C2-PFDA	6200	2.14	100.00	93.52 µg/L	93.52
13C2-PFUnA	8648	2.23	100.00	100.96 µg/L	100.96
13C2-PFDoA	11097	2.32	100.00	102.19 µg/L	102.19
13C2-PFTeDA	10642	2.46	100.00	92.87 µg/L	92.87
13C6-PFHxA	23118	1.44	100.00	102.46 µg/L	102.46
13C9-PFDA	27510	2.13	100.00	101.35 µg/L	101.35







MPFHxA Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.467)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.89 µg/L
Area ratio: 0.29007
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 0.93 µg/L
Area ratio: 0.32095
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.87 µg/L
Area ratio: 0.29306
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 0.91 µg/L
Area ratio: 0.27018
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 0.93 µg/L
Area ratio: 0.34853
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.97 µg/L
Area ratio: 0.29220
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 0.90 µg/L
Area ratio: 0.29669
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.93 µg/L
Area ratio: 0.41330
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.92 µg/L
Area ratio: 0.30562
Sample type: Calibration







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 0.89 µg/L
Area ratio: 0.29882
Sample type: Calibration







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 0.89 µg/L
Area ratio: 0.35719
Sample type: Calibration







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.467 (2.456)
Calc. conc. 0.86 µg/L
Area ratio: 0.29210
Sample type: Calibration







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 101.55 µg/L
Area ratio: 0.30042
Sample type: Calibration







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 104.86 µg/L
Area ratio: 0.07232
Sample type: Calibration







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 99.23 µg/L
Area ratio: 0.36759
Sample type: Calibration







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 96.01 µg/L
Area ratio: 0.35211
Sample type: Calibration







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 97.31 µg/L
Area ratio: 0.07816
Sample type: Calibration







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 96.66 µg/L
Area ratio: 0.34467
Sample type: Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 93.52 µg/L
Area ratio: 0.22537
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 100.96 µg/L
Area ratio: 0.31436
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 102.19 µg/L
Area ratio: 0.40338
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.467)
Calc. conc. 92.87 µg/L
Area ratio: 0.38684
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 102.46 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 101.35 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**STD 2**	**Instrument**	LCMS04
Data File	WS#5410178_03.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A3
Acq. Date	2018/02/23 4:44:28 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6747	1.44	1 µg/L		
MPFHxS	1485	1.68	1 µg/L		
MPFHpA	8670	1.70	1 µg/L		
MPFOA	8755	1.88	1 µg/L		
MPFOS	1887	1.97	1 µg/L		
MPFNA	8245	2.02	1 µg/L		
MPFDA	6772	2.14	1 µg/L		
MPFUnA	8337	2.23	1 µg/L		
MPFDoA	10551	2.32	1 µg/L		
MPFTeDA	11362	2.47	1 µg/L		
13C6-PFHxA IS	21245	1.44	1 µg/L		
13C9-PFDA IS	25642	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	1042	1.09	1.70	1.77 µg/L	103.88
PFHxA 1	4087	1.45	1.70	1.63 µg/L	95.63
PFHxS 1	1070	1.67	1.70	1.78 µg/L	104.49
PFHpA 1	5158	1.70	1.70	1.69 µg/L	99.14
PFOA 1	6161	1.88	1.70	1.71 µg/L	100.56
PFOS 1	1058	1.96	1.70	1.65 µg/L	97.28
PFNA 1	5173	2.03	1.70	1.69 µg/L	99.61
PFDA 1	5140	2.14	1.70	1.59 µg/L	93.24
PFUnA 1	5480	2.23	1.70	1.70 µg/L	100.01
PFDoA 1	6958	2.32	1.70	1.72 µg/L	101.32
PFTrDA 1	8044	2.40	1.70	1.67 µg/L	98.13
PFTeDA 1	6688	2.47	1.70	1.64 µg/L	96.62
13C2-PFHxA	6747	1.44	100.00	107.35 µg/L	107.35
18O2-PFHxS	1485	1.68	100.00	101.34 µg/L	101.34
13C4-PFHpA	8670	1.70	100.00	110.17 µg/L	110.17
13C4-PFOA	8755	1.88	100.00	112.36 µg/L	112.36
13C4-PFOS	1887	1.97	100.00	110.57 µg/L	110.57
13C5-PFNA	8245	2.02	100.00	108.84 µg/L	108.84
13C2-PFDA	6715	2.14	100.00	108.66 µg/L	108.66
13C2-PFUnA	8337	2.23	100.00	104.42 µg/L	104.42
13C2-PFDoA	10551	2.32	100.00	104.24 µg/L	104.24
13C2-PFTeDA	11517	2.47	100.00	107.83 µg/L	107.83
13C6-PFHxA	21245	1.44	100.00	94.16 µg/L	94.16
13C9-PFDA	25642	2.13	100.00	94.47 µg/L	94.47







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 1.77 µg/L
Area ratio: 0.70168
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 1.63 µg/L
Area ratio: 0.60575
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 1.78 µg/L
Area ratio: 0.72054
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 1.69 µg/L
Area ratio: 0.59493
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 1.71 µg/L
Area ratio: 0.70371
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 1.65 µg/L
Area ratio: 0.56068
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 1.69 µg/L
Area ratio: 0.62741
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 1.59 µg/L
Area ratio: 0.75901
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 1.70 µg/L
Area ratio: 0.65731
Sample type: Calibration







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 1.72 µg/L
Area ratio: 0.65946
Sample type: Calibration







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 1.67 µg/L
Area ratio: 0.70797
Sample type: Calibration







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.467 (2.456)
Calc. conc. 1.64 µg/L
Area ratio: 0.58863
Sample type: Calibration







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 107.35 µg/L
Area ratio: 0.31758
Sample type: Calibration







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 101.34 µg/L
Area ratio: 0.06990
Sample type: Calibration







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 110.17 µg/L
Area ratio: 0.40810
Sample type: Calibration







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 112.36 µg/L
Area ratio: 0.41210
Sample type: Calibration







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 110.57 µg/L
Area ratio: 0.08882
Sample type: Calibration







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 108.84 µg/L
Area ratio: 0.38809
Sample type: Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 108.66 µg/L
Area ratio: 0.26188
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 104.42 µg/L
Area ratio: 0.32513
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 104.24 µg/L
Area ratio: 0.41147
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 107.83 µg/L
Area ratio: 0.44915
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 94.16 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 94.47 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**STD 3**	**Instrument**	LCMS04
Data File	WS#5410178_04.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A4
Acq. Date	2018/02/23 4:49:24 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6761	1.44	1 µg/L		
MPFHxS	1652	1.68	1 µg/L		
MPFHpA	8438	1.70	1 µg/L		
MPFOA	8885	1.88	1 µg/L		
MPFOS	1872	1.97	1 µg/L		
MPFNA	8337	2.02	1 µg/L		
MPFDA	7032	2.14	1 µg/L		
MPFUnA	8882	2.23	1 µg/L		
MPFDoA	11107	2.32	1 µg/L		
MPFTeDA	11123	2.47	1 µg/L		
13C6-PFHxA IS	23984	1.44	1 µg/L		
13C9-PFDA IS	29535	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	3317	1.09	5.00	4.54 µg/L	90.76
PFHxA 1	13016	1.45	5.00	4.87 µg/L	97.40
PFHxS 1	3482	1.67	5.00	4.71 µg/L	94.18
PFHpA 1	16518	1.70	5.00	4.92 µg/L	98.40
PFOA 1	17457	1.88	5.00	4.46 µg/L	89.20
PFOS 1	3377	1.96	5.00	4.83 µg/L	96.52
PFNA 1	16356	2.03	5.00	4.90 µg/L	98.06
PFDA 1	17010	2.14	5.00	4.75 µg/L	94.98
PFUnA 1	18088	2.23	5.00	4.75 µg/L	94.90
PFDoA 1	22806	2.32	5.00	4.94 µg/L	98.74
PFTrDA 1	24430	2.40	5.00	4.96 µg/L	99.15
PFTeDA 1	21695	2.46	5.00	5.23 µg/L	104.52
13C2-PFHxA	6761	1.44	100.00	95.29 µg/L	95.29
18O2-PFHxS	1652	1.68	100.00	99.86 µg/L	99.86
13C4-PFHpA	8438	1.70	100.00	94.98 µg/L	94.98
13C4-PFOA	8885	1.88	100.00	101.01 µg/L	101.01
13C4-PFOS	1872	1.97	100.00	97.17 µg/L	97.17
13C5-PFNA	8336	2.02	100.00	97.47 µg/L	97.47
13C2-PFDA	6953	2.14	100.00	97.68 µg/L	97.68
13C2-PFUnA	8882	2.23	100.00	96.58 µg/L	96.58
13C2-PFDoA	11107	2.32	100.00	95.27 µg/L	95.27
13C2-PFTeDA	11283	2.47	100.00	91.71 µg/L	91.71
13C6-PFHxA	23984	1.44	100.00	106.29 µg/L	106.29
13C9-PFDA	29535	2.13	100.00	108.81 µg/L	108.81







MPFHxA Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 4.54 µg/L
Area ratio: 2.00787
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 4.87 µg/L
Area ratio: 1.92516
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 4.71 µg/L
Area ratio: 2.10775
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 4.92 µg/L
Area ratio: 1.95757
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 4.46 µg/L
Area ratio: 1.96477
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 4.83 µg/L
Area ratio: 1.80395
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 4.90 µg/L
Area ratio: 1.96186
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 4.75 µg/L
Area ratio: 2.41894
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 4.75 µg/L
Area ratio: 2.03648
Sample type: Calibration







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 4.94 µg/L
Area ratio: 2.05330
Sample type: Calibration







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 4.96 µg/L
Area ratio: 2.19635
Sample type: Calibration







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 5.23 µg/L
Area ratio: 1.95046
Sample type: Calibration







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 95.29 µg/L
Area ratio: 0.28190
Sample type: Calibration







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 99.86 µg/L
Area ratio: 0.06888
Sample type: Calibration







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 94.98 µg/L
Area ratio: 0.35182
Sample type: Calibration







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 101.01 µg/L
Area ratio: 0.37046
Sample type: Calibration







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 97.17 µg/L
Area ratio: 0.07805
Sample type: Calibration







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 97.47 µg/L
Area ratio: 0.34757
Sample type: Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 97.68 µg/L
Area ratio: 0.23542
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 96.58 µg/L
Area ratio: 0.30073
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 95.27 µg/L
Area ratio: 0.37606
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 91.71 µg/L
Area ratio: 0.38202
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 106.29 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 108.81 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**STD 4**	**Instrument**	LCMS04
Data File	WS#5410178_05.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A5
Acq. Date	2018/02/23 4:54:20 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6459	1.44	1 µg/L		
MPFHxS	1456	1.67	1 µg/L		
MPFHpA	8379	1.70	1 µg/L		
MPFOA	7736	1.88	1 µg/L		
MPFOS	1780	1.97	1 µg/L		
MPFNA	7888	2.02	1 µg/L		
MPFDA	6313	2.14	1 µg/L		
MPFUnA	8586	2.23	1 µg/L		
MPFDoA	10221	2.32	1 µg/L		
MPFTeDA	11007	2.47	1 µg/L		
13C6-PFHxA IS	22133	1.44	1 µg/L		
13C9-PFDA IS	25329	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	8138	1.09	12.50	12.14 µg/L	97.11
PFHxA 1	30538	1.45	12.50	11.76 µg/L	94.10
PFHxS 1	8004	1.67	12.50	11.88 µg/L	95.00
PFHpA 1	38018	1.70	12.50	11.04 µg/L	88.35
PFOA 1	41178	1.88	12.50	11.78 µg/L	94.28
PFOS 1	7484	1.96	12.50	10.95 µg/L	87.61
PFNA 1	37369	2.03	12.50	11.58 µg/L	92.63
PFDA 1	39112	2.14	12.50	11.95 µg/L	95.57
PFUnA 1	41609	2.23	12.50	10.95 µg/L	87.59
PFDoA 1	49731	2.32	12.50	11.42 µg/L	91.39
PFTrDA 1	58458	2.40	12.50	11.84 µg/L	94.72
PFTeDA 1	49421	2.46	12.50	11.91 µg/L	95.27
13C2-PFHxA	6459	1.44	100.00	98.65 µg/L	98.65
18O2-PFHxS	1456	1.67	100.00	95.37 µg/L	95.37
13C4-PFHpA	8379	1.70	100.00	102.20 µg/L	102.20
13C4-PFOA	7736	1.88	100.00	95.30 µg/L	95.30
13C4-PFOS	1780	1.97	100.00	100.12 µg/L	100.12
13C5-PFNA	7889	2.02	100.00	99.96 µg/L	99.96
13C2-PFDA	6247	2.14	100.00	102.34 µg/L	102.34
13C2-PFUnA	8586	2.23	100.00	108.86 µg/L	108.86
13C2-PFDoA	10221	2.32	100.00	102.22 µg/L	102.22
13C2-PFTeDA	11140	2.47	100.00	105.58 µg/L	105.58
13C6-PFHxA	22133	1.44	100.00	98.09 µg/L	98.09
13C9-PFDA	25329	2.13	100.00	93.31 µg/L	93.31







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 12.14 µg/L
Area ratio: 5.58929
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 11.76 µg/L
Area ratio: 4.72798
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 11.88 µg/L
Area ratio: 5.49725
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 11.04 µg/L
Area ratio: 4.53730
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 11.78 µg/L
Area ratio: 5.32291
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 10.95 µg/L
Area ratio: 4.20449
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 11.58 µg/L
Area ratio: 4.73745
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 11.95 µg/L
Area ratio: 6.19547
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 10.95 µg/L
Area ratio: 4.84614
Sample type: Calibration







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 11.42 µg/L
Area ratio: 4.86557
Sample type: Calibration







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 11.84 µg/L
Area ratio: 5.31098
Sample type: Calibration







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 11.91 µg/L
Area ratio: 4.48996
Sample type: Calibration







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 98.65 µg/L
Area ratio: 0.29183
Sample type: Calibration







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 95.37 µg/L
Area ratio: 0.06578
Sample type: Calibration







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 102.20 µg/L
Area ratio: 0.37857
Sample type: Calibration







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 95.30 µg/L
Area ratio: 0.34952
Sample type: Calibration







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 100.12 µg/L
Area ratio: 0.08042
Sample type: Calibration







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 99.96 µg/L
Area ratio: 0.35644
Sample type: Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 102.34 µg/L
Area ratio: 0.24663
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 108.86 µg/L
Area ratio: 0.33898
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 102.22 µg/L
Area ratio: 0.40353
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 105.58 µg/L
Area ratio: 0.43981
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 98.09 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 93.31 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**STD 5**	**Instrument**	LCMS04
Data File	WS#5410178_06.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A6
Acq. Date	2018/02/23 4:59:16 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6545	1.44	1 µg/L		
MPFHxS	1538	1.68	1 µg/L		
MPFHpA	8150	1.70	1 µg/L		
MPFOA	8154	1.88	1 µg/L		
MPFOS	1829	1.97	1 µg/L		
MPFNA	7924	2.02	1 µg/L		
MPFDA	6338	2.14	1 µg/L		
MPFUnA	7804	2.23	1 µg/L		
MPFDoA	10884	2.32	1 µg/L		
MPFTeDA	11610	2.47	1 µg/L		
13C6-PFHxA IS	23050	1.44	1 µg/L		
13C9-PFDA IS	28850	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	17495	1.09	25.00	24.42 µg/L	97.67
PFHxA 1	65090	1.45	25.00	24.59 µg/L	98.36
PFHxS 1	17672	1.67	25.00	24.55 µg/L	98.18
PFHpA 1	85776	1.70	25.00	25.26 µg/L	101.03
PFOA 1	94176	1.88	25.00	25.37 µg/L	101.46
PFOS 1	16848	1.96	25.00	23.73 µg/L	94.90
PFNA 1	80139	2.03	25.00	24.51 µg/L	98.03
PFDA 1	88140	2.14	25.00	26.64 µg/L	106.57
PFUnA 1	92104	2.23	25.00	26.31 µg/L	105.22
PFDoA 1	113209	2.32	25.00	24.19 µg/L	96.77
PFTrDA 1	126816	2.40	25.00	24.24 µg/L	96.96
PFTeDA 1	106507	2.47	25.00	24.23 µg/L	96.94
13C2-PFHxA	6545	1.44	100.00	95.98 µg/L	95.98
18O2-PFHxS	1538	1.68	100.00	96.74 µg/L	96.74
13C4-PFHpA	8150	1.70	100.00	95.45 µg/L	95.45
13C4-PFOA	8154	1.88	100.00	96.46 µg/L	96.46
13C4-PFOS	1829	1.97	100.00	98.78 µg/L	98.78
13C5-PFNA	7924	2.02	100.00	96.41 µg/L	96.41
13C2-PFDA	6251	2.14	100.00	89.91 µg/L	89.91
13C2-PFUnA	7804	2.23	100.00	86.87 µg/L	86.87
13C2-PFDoA	10884	2.32	100.00	95.57 µg/L	95.57
13C2-PFTeDA	11700	2.47	100.00	97.36 µg/L	97.36
13C6-PFHxA	23050	1.44	100.00	102.15 µg/L	102.15
13C9-PFDA	28850	2.13	100.00	106.29 µg/L	106.29







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 24.42 µg/L
Area ratio: 11.37516
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 24.59 µg/L
Area ratio: 9.94500
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 24.55 µg/L
Area ratio: 11.49025
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 25.26 µg/L
Area ratio: 10.52466
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 25.37 µg/L
Area ratio: 11.54967
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 23.73 µg/L
Area ratio: 9.21159
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 24.51 µg/L
Area ratio: 10.11345
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 26.64 µg/L
Area ratio: 13.90660
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 26.31 µg/L
Area ratio: 11.80215
Sample type: Calibration







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 24.19 µg/L
Area ratio: 10.40141
Sample type: Calibration







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 24.24 µg/L
Area ratio: 10.92300
Sample type: Calibration







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.467 (2.456)
Calc. conc. 24.23 µg/L
Area ratio: 9.17373
Sample type: Calibration







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 95.98 µg/L
Area ratio: 0.28395
Sample type: Calibration







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 96.74 µg/L
Area ratio: 0.06672
Sample type: Calibration







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 95.45 µg/L
Area ratio: 0.35358
Sample type: Calibration







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 96.46 µg/L
Area ratio: 0.35375
Sample type: Calibration







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 98.78 µg/L
Area ratio: 0.07935
Sample type: Calibration







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 96.41 µg/L
Area ratio: 0.34377
Sample type: Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 89.91 µg/L
Area ratio: 0.21667
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 86.87 µg/L
Area ratio: 0.27050
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 95.57 µg/L
Area ratio: 0.37726
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 97.36 µg/L
Area ratio: 0.40555
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 102.15 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 106.29 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**STD 6**	**Instrument**	LCMS04
Data File	WS#5410178_07.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A7
Acq. Date	2018/02/23 5:04:12 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6541	1.44	1 µg/L		
MPFHxS	1535	1.68	1 µg/L		
MPFHpA	7931	1.70	1 µg/L		
MPFOA	7923	1.88	1 µg/L		
MPFOS	1686	1.97	1 µg/L		
MPFNA	7843	2.02	1 µg/L		
MPFDA	6778	2.14	1 µg/L		
MPFUnA	8282	2.23	1 µg/L		
MPFDoA	10316	2.32	1 µg/L		
MPFTeDA	11201	2.46	1 µg/L		
13C6-PFHxA IS	21853	1.44	1 µg/L		
13C9-PFDA IS	25997	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	30887	1.09	41.70	42.98 µg/L	103.07
PFHxA 1	113899	1.45	41.70	42.96 µg/L	103.01
PFHxS 1	31001	1.67	41.70	42.95 µg/L	103.00
PFHpA 1	142442	1.70	41.70	42.91 µg/L	102.90
PFOA 1	153654	1.88	41.70	42.47 µg/L	101.86
PFOS 1	29328	1.96	41.70	44.61 µg/L	106.97
PFNA 1	140109	2.03	41.70	43.15 µg/L	103.48
PFDA 1	144884	2.14	41.70	40.88 µg/L	98.03
PFUnA 1	157019	2.23	41.70	42.11 µg/L	100.98
PFDoA 1	193950	2.32	41.70	43.56 µg/L	104.47
PFTrDA 1	218095	2.40	41.70	43.13 µg/L	103.43
PFTeDA 1	182013	2.46	41.70	42.86 µg/L	102.77
13C2-PFHxA	6541	1.44	100.00	101.18 µg/L	101.18
18O2-PFHxS	1535	1.68	100.00	101.84 µg/L	101.84
13C4-PFHpA	7931	1.70	100.00	97.97 µg/L	97.97
13C4-PFOA	7923	1.88	100.00	98.86 µg/L	98.86
13C4-PFOS	1686	1.97	100.00	96.05 µg/L	96.05
13C5-PFNA	7843	2.02	100.00	100.65 µg/L	100.65
13C2-PFDA	6760	2.14	100.00	107.90 µg/L	107.90
13C2-PFUnA	8282	2.23	100.00	102.31 µg/L	102.31
13C2-PFDoA	10316	2.32	100.00	100.52 µg/L	100.52
13C2-PFTeDA	11333	2.46	100.00	104.65 µg/L	104.65
13C6-PFHxA	21853	1.44	100.00	96.85 µg/L	96.85
13C9-PFDA	25997	2.13	100.00	95.77 µg/L	95.77







MPFHxA Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.467)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 42.98 µg/L
Area ratio: 20.12182
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 42.96 µg/L
Area ratio: 17.41309
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 42.95 µg/L
Area ratio: 20.19609
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 42.91 µg/L
Area ratio: 17.96016
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 42.47 µg/L
Area ratio: 19.39341
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 44.61 µg/L
Area ratio: 17.39502
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 43.15 µg/L
Area ratio: 17.86421
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 40.88 µg/L
Area ratio: 21.37563
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 42.11 µg/L
Area ratio: 18.95907
Sample type: Calibration







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 43.56 µg/L
Area ratio: 18.80089
Sample type: Calibration







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 43.13 µg/L
Area ratio: 19.47103
Sample type: Calibration







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 42.86 µg/L
Area ratio: 16.24971
Sample type: Calibration







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 101.18 µg/L
Area ratio: 0.29932
Sample type: Calibration







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 101.84 µg/L
Area ratio: 0.07024
Sample type: Calibration







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 97.97 µg/L
Area ratio: 0.36292
Sample type: Calibration







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 98.86 µg/L
Area ratio: 0.36256
Sample type: Calibration







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 96.05 µg/L
Area ratio: 0.07715
Sample type: Calibration







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 100.65 µg/L
Area ratio: 0.35890
Sample type: Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 107.90 µg/L
Area ratio: 0.26003
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 102.31 µg/L
Area ratio: 0.31858
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 100.52 µg/L
Area ratio: 0.39682
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.467)
Calc. conc. 104.65 µg/L
Area ratio: 0.43593
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 96.85 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 95.77 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**STD 1**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_02.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A2
Acq. Date	2018/02/24 3:10:51 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1307	1.31	1 µg/L		
D5-EtFOSAA IS	1119	1.33	1 µg/L		
13C9-PFDA IS	19721	0.91	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	358	1.31	0.83	0.88 µg/L	106.02
EtFOSAA 1	360	1.33	0.83	0.91 µg/L	109.39
D3-MeFOSAA	1316	1.31	100.00	96.50 µg/L	96.50
D5-EtFOSAA	1141	1.33	100.00	98.25 µg/L	98.25
13C9-PFDA	19378	0.91	100.00	96.49 µg/L	96.49







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.910 (0.900)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 0.88 µg/L
Area ratio: 0.27391
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 0.91 µg/L
Area ratio: 0.32172
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 96.50 µg/L
Area ratio: 0.06673
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	98.25 µg/L
Area ratio:	0.05786
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.910 (0.900)
Calc. conc.	96.49 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**STD 2**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_03.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A3
Acq. Date	2018/02/24 3:13:16 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1382	1.31	1 µg/L		
D5-EtFOSAA IS	1159	1.33	1 µg/L		
13C9-PFDA IS	19111	0.91	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	799	1.31	1.70	1.71 µg/L	100.59
EtFOSAA 1	753	1.33	1.70	1.67 µg/L	98.29
D3-MeFOSAA	1378	1.31	100.00	104.27 µg/L	104.27
D5-EtFOSAA	1157	1.33	100.00	102.81 µg/L	102.81
13C9-PFDA	18764	0.91	100.00	93.43 µg/L	93.43







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.910 (0.900)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 1.71 µg/L
Area ratio: 0.57815
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 1.67 µg/L
Area ratio: 0.64970
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 104.27 µg/L
Area ratio: 0.07211
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	102.81 µg/L
Area ratio:	0.06054
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.910 (0.900)
Calc. conc.	93.43 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**STD 3**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_04.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A4
Acq. Date	2018/02/24 3:15:41 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1449	1.31	1 µg/L		
D5-EtFOSAA IS	1264	1.33	1 µg/L		
13C9-PFDA IS	22360	0.91	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	2599	1.31	5.00	5.03 µg/L	100.52
EtFOSAA 1	2575	1.33	5.00	4.90 µg/L	97.97
D3-MeFOSAA	1454	1.31	100.00	94.03 µg/L	94.03
D5-EtFOSAA	1266	1.33	100.00	96.15 µg/L	96.15
13C9-PFDA	21971	0.91	100.00	109.40 µg/L	109.40







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.910 (0.900)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 5.03 µg/L
Area ratio: 1.79365
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 4.90 µg/L
Area ratio: 2.03718
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 94.03 µg/L
Area ratio: 0.06503
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	96.15 µg/L
Area ratio:	0.05662
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.910 (0.900)
Calc. conc.	109.40 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**STD 4**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_05.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A5
Acq. Date	2018/02/24 3:18:06 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1406	1.31	1 µg/L		
D5-EtFOSAA IS	1172	1.33	1 µg/L		
13C9-PFDA IS	19773	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	5708	1.31	12.50	11.21 µg/L	89.67
EtFOSAA 1	5621	1.33	12.50	11.32 µg/L	90.53
D3-MeFOSAA	1421	1.31	100.00	103.92 µg/L	103.92
D5-EtFOSAA	1173	1.33	100.00	100.74 µg/L	100.74
13C9-PFDA	19426	0.90	100.00	96.72 µg/L	96.72







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 11.21 µg/L
Area ratio: 4.05974
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 11.32 µg/L
Area ratio: 4.79608
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 103.92 µg/L
Area ratio: 0.07187
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	100.74 µg/L
Area ratio:	0.05932
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	96.72 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics

Sample Name	**STD 5**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_06.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A6
Acq. Date	2018/02/24 3:20:31 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1426	1.31	1 µg/L		
D5-EtFOSAA IS	1186	1.33	1 µg/L		
13C9-PFDA IS	21482	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	13098	1.31	25.00	25.19 µg/L	100.77
EtFOSAA 1	12933	1.33	25.00	25.53 µg/L	102.11
D3-MeFOSAA	1433	1.31	100.00	96.46 µg/L	96.46
D5-EtFOSAA	1197	1.33	100.00	94.62 µg/L	94.62
13C9-PFDA	21460	0.90	100.00	106.85 µg/L	106.85







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 25.19 µg/L
Area ratio: 9.18513
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 25.53 µg/L
Area ratio: 10.90472
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 96.46 µg/L
Area ratio: 0.06671
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	94.62 µg/L
Area ratio:	0.05572
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	106.85 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics

Sample Name	**STD 6**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_07.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A7
Acq. Date	2018/02/24 3:22:56 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1422	1.31	1 µg/L		
D5-EtFOSAA IS	1239	1.33	1 µg/L		
13C9-PFDA IS	19837	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	22193	1.31	41.70	42.71 µg/L	102.43
EtFOSAA 1	22502	1.33	41.70	42.41 µg/L	101.70
D3-MeFOSAA	1438	1.31	100.00	104.82 µg/L	104.82
D5-EtFOSAA	1255	1.33	100.00	107.43 µg/L	107.43
13C9-PFDA	19504	0.90	100.00	97.11 µg/L	97.11







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 42.71 µg/L
Area ratio: 15.60689
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 42.41 µg/L
Area ratio: 18.16142
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 104.82 µg/L
Area ratio: 0.07249
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	107.43 µg/L
Area ratio:	0.06327
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	97.11 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**STD 1**	**Instrument**	LCMS04
Data File	WS#5412188_B_02.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C1
Acq. Date	2018/02/27 1:07:08 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8076	1.43	1 µg/L		
MPFHxS	1771	1.67	1 µg/L		
MPFHpA	9659	1.69	1 µg/L		
MPFOA	10078	1.87	1 µg/L		
MPFOS	2088	1.97	1 µg/L		
MPFNA	9949	2.01	1 µg/L		
MPFDA	8913	2.14	1 µg/L		
MPFUnA	9961	2.23	1 µg/L		
MPFDoA	12840	2.31	1 µg/L		
MPFTeDA	13422	2.46	1 µg/L		
13C6-PFHxA IS	35446	1.43	1 µg/L		
13C9-PFDA IS	41836	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	769	1.09	0.83	0.78 µg/L	94.29
PFHxA 1	3245	1.43	0.83	0.86 µg/L	103.96
PFHxS 1	681	1.67	0.83	0.71 µg/L	85.55
PFHpA 1	3853	1.69	0.83	0.84 µg/L	100.69
PFOA 1	3976	1.87	0.83	0.75 µg/L	90.78
PFOS 1	603	1.96	0.83	0.87 µg/L	104.57
PFNA 1	3631	2.01	0.83	0.83 µg/L	99.99
PFDA 1	3863	2.14	0.83	0.78 µg/L	94.26
PFUnA 1	4147	2.23	0.83	0.86 µg/L	103.03
PFDoA 1	4902	2.31	0.83	0.81 µg/L	97.42
PFTrDA 1	5678	2.39	0.83	0.83 µg/L	100.36
PFTeDA 1	4685	2.46	0.83	0.82 µg/L	99.05
13C2-PFHxA	8076	1.43	100.00	91.66 µg/L	91.66
18O2-PFHxS	1771	1.67	100.00	96.21 µg/L	96.21
13C4-PFHpA	9659	1.69	100.00	94.65 µg/L	94.65
13C4-PFOA	10078	1.87	100.00	95.73 µg/L	95.73
13C4-PFOS	2088	1.97	100.00	97.97 µg/L	97.97
13C5-PFNA	9950	2.01	100.00	97.59 µg/L	97.59
13C2-PFDA	8789	2.14	100.00	95.39 µg/L	95.39
13C2-PFUnA	9961	2.23	100.00	92.96 µg/L	92.96
13C2-PFDoA	12840	2.31	100.00	94.58 µg/L	94.58
13C2-PFTeDA	13624	2.46	100.00	91.29 µg/L	91.29
13C6-PFHxA	35446	1.43	100.00	113.13 µg/L	113.13
13C9-PFDA	41836	2.13	100.00	112.27 µg/L	112.27







MPFHxA Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.78 µg/L
Area ratio: 0.43422
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 0.86 µg/L
Area ratio: 0.40181
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.71 µg/L
Area ratio: 0.38453
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 0.84 µg/L
Area ratio: 0.39890
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 0.75 µg/L
Area ratio: 0.39452
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.87 µg/L
Area ratio: 0.28879
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 0.83 µg/L
Area ratio: 0.36496
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.78 µg/L
Area ratio: 0.43341
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.86 µg/L
Area ratio: 0.41632
Sample type: Calibration







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	2.311 (2.311)
Calc. conc.	0.81 µg/L
Area ratio:	0.38178
Sample type:	Calibration







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	2.389 (2.389)
Calc. conc.	0.83 µg/L
Area ratio:	0.42304
Sample type:	Calibration







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	2.456 (2.456)
Calc. conc.	0.82 µg/L
Area ratio:	0.34905
Sample type:	Calibration







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	91.66 µg/L
Area ratio:	0.22784
Sample type:	Calibration







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	96.21 µg/L
Area ratio:	0.04996
Sample type:	Calibration







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	94.65 µg/L
Area ratio:	0.27250
Sample type:	Calibration







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	95.73 µg/L
Area ratio:	0.28432
Sample type:	Calibration







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	97.97 µg/L
Area ratio:	0.05891
Sample type:	Calibration







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	97.59 µg/L
Area ratio:	0.28071
Sample type:	Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 95.39 µg/L
Area ratio: 0.21008
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 92.96 µg/L
Area ratio: 0.23810
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 94.58 µg/L
Area ratio: 0.30691
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 91.29 µg/L
Area ratio: 0.32565
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 113.13 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 112.27 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**STD 2**	**Instrument**	LCMS04
Data File	WS#5412188_B_03.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C2
Acq. Date	2018/02/27 1:12:04 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7368	1.43	1 µg/L		
MPFHxS	1475	1.67	1 µg/L		
MPFHpA	8773	1.69	1 µg/L		
MPFOA	8652	1.87	1 µg/L		
MPFOS	1814	1.97	1 µg/L		
MPFNA	8428	2.01	1 µg/L		
MPFDA	7914	2.14	1 µg/L		
MPFUnA	9146	2.23	1 µg/L		
MPFDoA	10878	2.31	1 µg/L		
MPFTeDA	12001	2.46	1 µg/L		
13C6-PFHxA IS	29796	1.43	1 µg/L		
13C9-PFDA IS	35683	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	1125	1.08	1.70	1.52 µg/L	89.18
PFHxA 1	5122	1.43	1.70	1.58 µg/L	92.72
PFHxS 1	1203	1.67	1.70	1.68 µg/L	98.86
PFHpA 1	6674	1.69	1.70	1.64 µg/L	96.21
PFOA 1	7554	1.87	1.70	1.82 µg/L	106.83
PFOS 1	1204	1.96	1.70	1.76 µg/L	103.60
PFNA 1	6500	2.01	1.70	1.78 µg/L	104.57
PFDA 1	6596	2.14	1.70	1.62 µg/L	95.31
PFUnA 1	6874	2.23	1.70	1.60 µg/L	94.21
PFDoA 1	8613	2.31	1.70	1.74 µg/L	102.29
PFTrDA 1	9540	2.39	1.70	1.66 µg/L	97.47
PFTeDA 1	8172	2.46	1.70	1.70 µg/L	100.19
13C2-PFHxA	7368	1.43	100.00	99.48 µg/L	99.48
18O2-PFHxS	1475	1.67	100.00	95.33 µg/L	95.33
13C4-PFHpA	8773	1.69	100.00	102.27 µg/L	102.27
13C4-PFOA	8652	1.87	100.00	97.77 µg/L	97.77
13C4-PFOS	1814	1.97	100.00	101.25 µg/L	101.25
13C5-PFNA	8429	2.01	100.00	98.35 µg/L	98.35
13C2-PFDA	7789	2.14	100.00	99.11 µg/L	99.11
13C2-PFUnA	9146	2.23	100.00	100.07 µg/L	100.07
13C2-PFDoA	10878	2.31	100.00	93.95 µg/L	93.95
13C2-PFTeDA	12267	2.46	100.00	96.37 µg/L	96.37
13C6-PFHxA	29796	1.43	100.00	95.10 µg/L	95.10
13C9-PFDA	35683	2.13	100.00	95.76 µg/L	95.76







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.075 (1.087)
Calc. conc. 1.52 µg/L
Area ratio: 0.76271
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 1.58 µg/L
Area ratio: 0.69517
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 1.68 µg/L
Area ratio: 0.81559
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 1.64 µg/L
Area ratio: 0.76074
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 1.82 µg/L
Area ratio: 0.87309
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 1.76 µg/L
Area ratio: 0.66373
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 1.78 µg/L
Area ratio: 0.77124
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 1.62 µg/L
Area ratio: 0.83346
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 1.60 µg/L
Area ratio: 0.75159
Sample type: Calibration







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 1.74 µg/L
Area ratio: 0.79178
Sample type: Calibration







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.389 (2.389)
Calc. conc. 1.66 µg/L
Area ratio: 0.79493
Sample type: Calibration







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 1.70 µg/L
Area ratio: 0.68094
Sample type: Calibration







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 99.48 µg/L
Area ratio: 0.24728
Sample type: Calibration







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 95.33 µg/L
Area ratio: 0.04950
Sample type: Calibration







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 102.27 µg/L
Area ratio: 0.29444
Sample type: Calibration







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 97.77 µg/L
Area ratio: 0.29037
Sample type: Calibration







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 101.25 µg/L
Area ratio: 0.06088
Sample type: Calibration







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 98.35 µg/L
Area ratio: 0.28289
Sample type: Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 99.11 µg/L
Area ratio: 0.21828
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 100.07 µg/L
Area ratio: 0.25631
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 93.95 µg/L
Area ratio: 0.30485
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 96.37 µg/L
Area ratio: 0.34378
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 95.10 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 95.76 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**STD 3**	**Instrument**	LCMS04
Data File	WS#5412188_B_04.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C3
Acq. Date	2018/02/27 1:17:00 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7665	1.43	1 µg/L		
MPFHxS	1655	1.67	1 µg/L		
MPFHpA	9429	1.69	1 µg/L		
MPFOA	9215	1.87	1 µg/L		
MPFOS	1953	1.97	1 µg/L		
MPFNA	9122	2.01	1 µg/L		
MPFDA	7809	2.14	1 µg/L		
MPFUnA	9814	2.23	1 µg/L		
MPFDoA	12480	2.31	1 µg/L		
MPFTeDA	13259	2.46	1 µg/L		
13C6-PFHxA IS	31917	1.43	1 µg/L		
13C9-PFDA IS	38219	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	4042	1.09	5.00	5.27 µg/L	105.33
PFHxA 1	17235	1.43	5.00	5.35 µg/L	107.07
PFHxS 1	4132	1.67	5.00	5.47 µg/L	109.32
PFHpA 1	22441	1.69	5.00	5.21 µg/L	104.29
PFOA 1	22992	1.87	5.00	5.42 µg/L	108.36
PFOS 1	3916	1.96	5.00	4.96 µg/L	99.14
PFNA 1	20382	2.01	5.00	5.19 µg/L	103.82
PFDA 1	21934	2.14	5.00	5.76 µg/L	115.15
PFUnA 1	23349	2.23	5.00	5.23 µg/L	104.51
PFDoA 1	28482	2.31	5.00	5.12 µg/L	102.42
PFTrDA 1	32849	2.39	5.00	5.38 µg/L	107.70
PFTeDA 1	27108	2.46	5.00	5.32 µg/L	106.45
13C2-PFHxA	7665	1.43	100.00	96.61 µg/L	96.61
18O2-PFHxS	1655	1.67	100.00	99.85 µg/L	99.85
13C4-PFHpA	9429	1.69	100.00	102.61 µg/L	102.61
13C4-PFOA	9215	1.87	100.00	97.21 µg/L	97.21
13C4-PFOS	1953	1.97	100.00	101.77 µg/L	101.77
13C5-PFNA	9121	2.01	100.00	99.35 µg/L	99.35
13C2-PFDA	7722	2.14	100.00	91.74 µg/L	91.74
13C2-PFUnA	9814	2.23	100.00	100.26 µg/L	100.26
13C2-PFDoA	12480	2.31	100.00	100.63 µg/L	100.63
13C2-PFTeDA	13370	2.46	100.00	98.07 µg/L	98.07
13C6-PFHxA	31917	1.43	100.00	101.87 µg/L	101.87
13C9-PFDA	38219	2.13	100.00	102.56 µg/L	102.56







MPFHxA Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 5.27 µg/L
Area ratio: 2.44230
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 5.35 µg/L
Area ratio: 2.24853
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 5.47 µg/L
Area ratio: 2.49668
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 5.21 µg/L
Area ratio: 2.38000
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 5.42 µg/L
Area ratio: 2.49506
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 4.96 µg/L
Area ratio: 2.00512
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 5.19 µg/L
Area ratio: 2.23438
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 5.76 µg/L
Area ratio: 2.80881
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 5.23 µg/L
Area ratio: 2.37915
Sample type: Calibration







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	2.311 (2.311)
Calc. conc.	5.12 µg/L
Area ratio:	2.28221
Sample type:	Calibration







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	2.389 (2.389)
Calc. conc.	5.38 µg/L
Area ratio:	2.47749
Sample type:	Calibration







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	2.456 (2.456)
Calc. conc.	5.32 µg/L
Area ratio:	2.04450
Sample type:	Calibration







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	96.61 µg/L
Area ratio:	0.24015
Sample type:	Calibration







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	99.85 µg/L
Area ratio:	0.05185
Sample type:	Calibration







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	102.61 µg/L
Area ratio:	0.29542
Sample type:	Calibration







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	97.21 µg/L
Area ratio:	0.28872
Sample type:	Calibration







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	101.77 µg/L
Area ratio:	0.06119
Sample type:	Calibration







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	99.35 µg/L
Area ratio:	0.28577
Sample type:	Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 91.74 µg/L
Area ratio: 0.20205
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 100.26 µg/L
Area ratio: 0.25678
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 100.63 µg/L
Area ratio: 0.32654
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 98.07 µg/L
Area ratio: 0.34983
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 101.87 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 102.56 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**STD 4**	**Instrument**	LCMS04
Data File	WS#5412188_B_05.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C4
Acq. Date	2018/02/27 1:21:56 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8793	1.43	1 µg/L		
MPFHxS	1595	1.67	1 µg/L		
MPFHpA	9629	1.69	1 µg/L		
MPFOA	10261	1.87	1 µg/L		
MPFOS	2098	1.97	1 µg/L		
MPFNA	9810	2.01	1 µg/L		
MPFDA	9295	2.14	1 µg/L		
MPFUnA	10376	2.23	1 µg/L		
MPFDoA	13314	2.31	1 µg/L		
MPFTeDA	14886	2.46	1 µg/L		
13C6-PFHxA IS	31264	1.43	1 µg/L		
13C9-PFDA IS	38264	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	10227	1.09	12.50	14.13 µg/L	113.04
PFHxA 1	43010	1.43	12.50	11.78 µg/L	94.24
PFHxS 1	9773	1.67	12.50	13.64 µg/L	109.13
PFHpA 1	53864	1.69	12.50	12.32 µg/L	98.55
PFOA 1	56679	1.87	12.50	12.14 µg/L	97.15
PFOS 1	9967	1.96	12.50	11.50 µg/L	91.99
PFNA 1	49111	2.01	12.50	11.66 µg/L	93.25
PFDA 1	53630	2.14	12.50	11.96 µg/L	95.67
PFUnA 1	58249	2.23	12.50	12.43 µg/L	99.42
PFDoA 1	71560	2.31	12.50	12.14 µg/L	97.10
PFTrDA 1	78922	2.39	12.50	11.64 µg/L	93.14
PFTeDA 1	69591	2.46	12.50	12.31 µg/L	98.44
13C2-PFHxA	8793	1.43	100.00	113.15 µg/L	113.15
18O2-PFHxS	1595	1.67	100.00	98.24 µg/L	98.24
13C4-PFHpA	9629	1.69	100.00	106.97 µg/L	106.97
13C4-PFOA	10261	1.87	100.00	110.51 µg/L	110.51
13C4-PFOS	2098	1.97	100.00	111.61 µg/L	111.61
13C5-PFNA	9811	2.01	100.00	109.10 µg/L	109.10
13C2-PFDA	9108	2.14	100.00	108.07 µg/L	108.07
13C2-PFUnA	10376	2.23	100.00	105.87 µg/L	105.87
13C2-PFDoA	13314	2.31	100.00	107.23 µg/L	107.23
13C2-PFTeDA	15112	2.46	100.00	110.71 µg/L	110.71
13C6-PFHxA	31264	1.43	100.00	99.78 µg/L	99.78
13C9-PFDA	38264	2.13	100.00	102.68 µg/L	102.68







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 14.13 µg/L
Area ratio: 6.41191
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 11.78 µg/L
Area ratio: 4.89139
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 13.64 µg/L
Area ratio: 6.12727
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 12.32 µg/L
Area ratio: 5.59393
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 12.14 µg/L
Area ratio: 5.52373
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 11.50 µg/L
Area ratio: 4.75071
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 11.66 µg/L
Area ratio: 5.00622
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 11.96 µg/L
Area ratio: 5.76977
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 12.43 µg/L
Area ratio: 5.61382
Sample type: Calibration







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	2.311 (2.311)
Calc. conc.	12.14 µg/L
Area ratio:	5.37479
Sample type:	Calibration







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	2.389 (2.389)
Calc. conc.	11.64 µg/L
Area ratio:	5.30176
Sample type:	Calibration







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	2.456 (2.456)
Calc. conc.	12.31 µg/L
Area ratio:	4.67493
Sample type:	Calibration







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	113.15 µg/L
Area ratio:	0.28125
Sample type:	Calibration







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	98.24 µg/L
Area ratio:	0.05102
Sample type:	Calibration







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	106.97 µg/L
Area ratio:	0.30799
Sample type:	Calibration







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	110.51 µg/L
Area ratio:	0.32820
Sample type:	Calibration







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	111.61 µg/L
Area ratio:	0.06711
Sample type:	Calibration







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	109.10 µg/L
Area ratio:	0.31381
Sample type:	Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 108.07 µg/L
Area ratio: 0.23803
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 105.87 µg/L
Area ratio: 0.27117
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 107.23 µg/L
Area ratio: 0.34795
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 110.71 µg/L
Area ratio: 0.39494
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 99.78 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 102.68 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**STD 5**	**Instrument**	LCMS04
Data File	WS#5412188_B_06.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C5
Acq. Date	2018/02/27 1:26:52 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7446	1.43	1 µg/L		
MPFHxS	1575	1.67	1 µg/L		
MPFHpA	8523	1.69	1 µg/L		
MPFOA	9404	1.87	1 µg/L		
MPFOS	1767	1.97	1 µg/L		
MPFNA	8914	2.01	1 µg/L		
MPFDA	8194	2.14	1 µg/L		
MPFUnA	9268	2.23	1 µg/L		
MPFDoA	11594	2.31	1 µg/L		
MPFTeDA	12590	2.46	1 µg/L		
13C6-PFHxA IS	30279	1.43	1 µg/L		
13C9-PFDA IS	35645	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	18716	1.09	25.00	26.35 µg/L	105.38
PFHxA 1	78659	1.43	25.00	25.57 µg/L	102.29
PFHxS 1	17883	1.67	25.00	25.41 µg/L	101.64
PFHpA 1	97076	1.69	25.00	25.13 µg/L	100.52
PFOA 1	98798	1.87	25.00	23.21 µg/L	92.83
PFOS 1	17681	1.96	25.00	24.02 µg/L	96.08
PFNA 1	88434	2.01	25.00	23.12 µg/L	92.48
PFDA 1	97888	2.14	25.00	24.90 µg/L	99.58
PFUnA 1	101812	2.23	25.00	24.39 µg/L	97.55
PFDoA 1	128788	2.31	25.00	25.15 µg/L	100.59
PFTrDA 1	145384	2.39	25.00	25.48 µg/L	101.92
PFTeDA 1	116270	2.46	25.00	24.41 µg/L	97.64
13C2-PFHxA	7446	1.43	100.00	98.93 µg/L	98.93
18O2-PFHxS	1575	1.67	100.00	100.17 µg/L	100.17
13C4-PFHpA	8523	1.69	100.00	97.77 µg/L	97.77
13C4-PFOA	9404	1.87	100.00	104.58 µg/L	104.58
13C4-PFOS	1767	1.97	100.00	97.06 µg/L	97.06
13C5-PFNA	8915	2.01	100.00	102.36 µg/L	102.36
13C2-PFDA	7987	2.14	100.00	101.74 µg/L	101.74
13C2-PFUnA	9268	2.23	100.00	101.52 µg/L	101.52
13C2-PFDoA	11594	2.31	100.00	100.24 µg/L	100.24
13C2-PFTeDA	12748	2.46	100.00	100.26 µg/L	100.26
13C6-PFHxA	30279	1.43	100.00	96.64 µg/L	96.64
13C9-PFDA	35645	2.13	100.00	95.65 µg/L	95.65







MPFHxA Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 26.35 µg/L
Area ratio: 11.88317
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 25.57 µg/L
Area ratio: 10.56393
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 25.41 µg/L
Area ratio: 11.35429
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 25.13 µg/L
Area ratio: 11.38989
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 23.21 µg/L
Area ratio: 10.50595
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 24.02 µg/L
Area ratio: 10.00623
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 23.12 µg/L
Area ratio: 9.92080
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 24.90 µg/L
Area ratio: 11.94630
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 24.39 µg/L
Area ratio: 10.98533
Sample type: Calibration







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	2.311 (2.311)
Calc. conc.	25.15 µg/L
Area ratio:	11.10816
Sample type:	Calibration







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	2.389 (2.389)
Calc. conc.	25.48 µg/L
Area ratio:	11.54758
Sample type:	Calibration







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	2.456 (2.456)
Calc. conc.	24.41 µg/L
Area ratio:	9.23511
Sample type:	Calibration







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	98.93 µg/L
Area ratio:	0.24591
Sample type:	Calibration







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	100.17 µg/L
Area ratio:	0.05202
Sample type:	Calibration







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	97.77 µg/L
Area ratio:	0.28148
Sample type:	Calibration







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	104.58 µg/L
Area ratio:	0.31058
Sample type:	Calibration







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	97.06 µg/L
Area ratio:	0.05836
Sample type:	Calibration







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	102.36 µg/L
Area ratio:	0.29443
Sample type:	Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 101.74 µg/L
Area ratio: 0.22407
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 101.52 µg/L
Area ratio: 0.26001
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 100.24 µg/L
Area ratio: 0.32526
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 100.26 µg/L
Area ratio: 0.35764
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 96.64 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 95.65 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**STD 6**	**Instrument**	LCMS04
Data File	WS#5412188_B_07.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C6
Acq. Date	2018/02/27 1:31:47 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7292	1.43	1 µg/L		
MPFHxS	1676	1.67	1 µg/L		
MPFHpA	8073	1.69	1 µg/L		
MPFOA	8193	1.87	1 µg/L		
MPFOS	1591	1.97	1 µg/L		
MPFNA	7857	2.01	1 µg/L		
MPFDA	7771	2.14	1 µg/L		
MPFUnA	8634	2.23	1 µg/L		
MPFDoA	11384	2.31	1 µg/L		
MPFTeDA	12326	2.46	1 µg/L		
13C6-PFHxA IS	29288	1.43	1 µg/L		
13C9-PFDA IS	33940	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	29181	1.09	41.70	38.69 µg/L	92.78
PFHxA 1	125050	1.43	41.70	41.58 µg/L	99.72
PFHxS 1	29756	1.67	41.70	39.82 µg/L	95.50
PFHpA 1	152095	1.69	41.70	41.60 µg/L	99.75
PFOA 1	160551	1.87	41.70	43.39 µg/L	104.06
PFOS 1	29013	1.96	41.70	43.63 µg/L	104.62
PFNA 1	148789	2.01	41.70	44.15 µg/L	105.88
PFDA 1	155246	2.14	41.70	41.72 µg/L	100.04
PFUnA 1	164051	2.23	41.70	42.23 µg/L	101.28
PFDoA 1	209885	2.31	41.70	41.78 µg/L	100.18
PFTrDA 1	231192	2.39	41.70	41.45 µg/L	99.41
PFTeDA 1	190672	2.46	41.70	40.96 µg/L	98.22
13C2-PFHxA	7292	1.43	100.00	100.16 µg/L	100.16
18O2-PFHxS	1676	1.67	100.00	110.20 µg/L	110.20
13C4-PFHpA	8073	1.69	100.00	95.74 µg/L	95.74
13C4-PFOA	8193	1.87	100.00	94.19 µg/L	94.19
13C4-PFOS	1591	1.97	100.00	90.35 µg/L	90.35
13C5-PFNA	7857	2.01	100.00	93.26 µg/L	93.26
13C2-PFDA	7771	2.14	100.00	103.96 µg/L	103.96
13C2-PFUnA	8634	2.23	100.00	99.32 µg/L	99.32
13C2-PFDoA	11384	2.31	100.00	103.37 µg/L	103.37
13C2-PFTeDA	12507	2.46	100.00	103.30 µg/L	103.30
13C6-PFHxA	29288	1.43	100.00	93.48 µg/L	93.48
13C9-PFDA	33940	2.13	100.00	91.08 µg/L	91.08







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	Calibration







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: Calibration







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: Calibration







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: Calibration







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Calibration







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: Calibration







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Calibration







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: Calibration







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: Calibration







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Calibration







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 38.69 µg/L
Area ratio: 17.41110
Sample type: Calibration







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 41.58 µg/L
Area ratio: 17.14893
Sample type: Calibration







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 39.82 µg/L
Area ratio: 17.75418
Sample type: Calibration







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 41.60 µg/L
Area ratio: 18.83996
Sample type: Calibration







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 43.39 µg/L
Area ratio: 19.59612
Sample type: Calibration







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 43.63 µg/L
Area ratio: 18.23570
Sample type: Calibration







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 44.15 µg/L
Area ratio: 18.93713
Sample type: Calibration







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 41.72 µg/L
Area ratio: 19.97761
Sample type: Calibration







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 42.23 µg/L
Area ratio: 19.00058
Sample type: Calibration







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	2.311 (2.311)
Calc. conc.	41.78 µg/L
Area ratio:	18.43684
Sample type:	Calibration







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	2.389 (2.389)
Calc. conc.	41.45 µg/L
Area ratio:	18.75645
Sample type:	Calibration







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	2.456 (2.456)
Calc. conc.	40.96 µg/L
Area ratio:	15.46909
Sample type:	Calibration







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	100.16 µg/L
Area ratio:	0.24898
Sample type:	Calibration







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	110.20 µg/L
Area ratio:	0.05722
Sample type:	Calibration







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	95.74 µg/L
Area ratio:	0.27564
Sample type:	Calibration







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	94.19 µg/L
Area ratio:	0.27974
Sample type:	Calibration







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	90.35 µg/L
Area ratio:	0.05432
Sample type:	Calibration







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	93.26 µg/L
Area ratio:	0.26827
Sample type:	Calibration







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 103.96 µg/L
Area ratio: 0.22896
Sample type: Calibration







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 99.32 µg/L
Area ratio: 0.25439
Sample type: Calibration







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 103.37 µg/L
Area ratio: 0.33542
Sample type: Calibration







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 103.30 µg/L
Area ratio: 0.36850
Sample type: Calibration





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 93.48 µg/L
Area ratio: 0
Sample type: Calibration






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 91.08 µg/L
Area ratio: 0
Sample type: Calibration


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**STD 1**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_02.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C1
Acq. Date	2018/02/27 4:39:34 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1628	1.30	1 µg/L		
D5-EtFOSAA IS	1380	1.32	1 µg/L		
13C9-PFDA IS	28124	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	587	1.30	0.83	0.81 µg/L	97.32
EtFOSAA 1	574	1.32	0.83	0.80 µg/L	96.97
D3-MeFOSAA	1628	1.30	100.00	95.17 µg/L	95.17
D5-EtFOSAA	1399	1.32	100.00	96.05 µg/L	96.05
13C9-PFDA	27647	0.89	100.00	108.74 µg/L	108.74







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.299 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 0.81 µg/L
Area ratio: 0.36057
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 0.80 µg/L
Area ratio: 0.41594
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.299 (1.308)
Calc. conc. 95.17 µg/L
Area ratio: 0.05789
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	96.05 µg/L
Area ratio:	0.04974
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	108.74 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**STD 2**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_03.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C2
Acq. Date	2018/02/27 4:41:57 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1478	1.30	1 µg/L		
D5-EtFOSAA IS	1289	1.32	1 µg/L		
13C9-PFDA IS	25773	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	1047	1.30	1.70	1.74 µg/L	102.11
EtFOSAA 1	1053	1.32	1.70	1.72 µg/L	101.11
D3-MeFOSAA	1506	1.30	100.00	96.07 µg/L	96.07
D5-EtFOSAA	1300	1.32	100.00	97.39 µg/L	97.39
13C9-PFDA	25053	0.89	100.00	98.53 µg/L	98.53







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.299 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 1.74 µg/L
Area ratio: 0.70839
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 1.72 µg/L
Area ratio: 0.81691
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.299 (1.308)
Calc. conc. 96.07 µg/L
Area ratio: 0.05843
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	97.39 µg/L
Area ratio:	0.05044
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	98.53 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**STD 3**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_04.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C3
Acq. Date	2018/02/27 4:44:22 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1614	1.31	1 µg/L		
D5-EtFOSAA IS	1391	1.32	1 µg/L		
13C9-PFDA IS	26607	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	3256	1.30	5.00	5.23 µg/L	104.58
EtFOSAA 1	3227	1.32	5.00	5.14 µg/L	102.90
D3-MeFOSAA	1642	1.31	100.00	101.46 µg/L	101.46
D5-EtFOSAA	1404	1.32	100.00	101.89 µg/L	101.89
13C9-PFDA	26021	0.89	100.00	102.34 µg/L	102.34







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 5.23 µg/L
Area ratio: 2.01735
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 5.14 µg/L
Area ratio: 2.31991
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 101.46 µg/L
Area ratio: 0.06171
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	101.89 µg/L
Area ratio:	0.05277
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	102.34 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**STD 4**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_05.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C4
Acq. Date	2018/02/27 4:46:47 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1714	1.31	1 µg/L		
D5-EtFOSAA IS	1414	1.32	1 µg/L		
13C9-PFDA IS	26024	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	7771	1.30	12.50	11.94 µg/L	95.55
EtFOSAA 1	7645	1.32	12.50	12.18 µg/L	97.45
D3-MeFOSAA	1724	1.31	100.00	108.92 µg/L	108.92
D5-EtFOSAA	1425	1.32	100.00	105.73 µg/L	105.73
13C9-PFDA	25442	0.89	100.00	100.06 µg/L	100.06







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 11.94 µg/L
Area ratio: 4.53384
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 12.18 µg/L
Area ratio: 5.40665
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 108.92 µg/L
Area ratio: 0.06625
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	105.73 µg/L
Area ratio:	0.05476
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	100.06 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**STD 5**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_06.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C5
Acq. Date	2018/02/27 4:49:12 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1530	1.31	1 µg/L		
D5-EtFOSAA IS	1250	1.32	1 µg/L		
13C9-PFDA IS	25143	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	14312	1.30	25.00	24.81 µg/L	99.23
EtFOSAA 1	14182	1.32	25.00	25.72 µg/L	102.87
D3-MeFOSAA	1545	1.31	100.00	101.03 µg/L	101.03
D5-EtFOSAA	1265	1.32	100.00	97.14 µg/L	97.14
13C9-PFDA	24594	0.89	100.00	96.73 µg/L	96.73







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 24.81 µg/L
Area ratio: 9.35425
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 25.72 µg/L
Area ratio: 11.34560
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 101.03 µg/L
Area ratio: 0.06145
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	97.14 µg/L
Area ratio:	0.05031
Sample type:	Calibration






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	96.73 µg/L
Area ratio:	0
Sample type:	Calibration


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**STD 6**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_07.d	**Operator**	
Sample Type	Cal	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C6
Acq. Date	2018/02/27 4:51:38 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1433	1.31	1 µg/L		
D5-EtFOSAA IS	1275	1.32	1 µg/L		
13C9-PFDA IS	24353	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	22748	1.30	41.70	42.21 µg/L	101.21
EtFOSAA 1	23104	1.32	41.70	41.16 µg/L	98.71
D3-MeFOSAA	1442	1.31	100.00	97.35 µg/L	97.35
D5-EtFOSAA	1284	1.32	100.00	101.80 µg/L	101.80
13C9-PFDA	23798	0.89	100.00	93.60 µg/L	93.60







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: Calibration







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: Calibration







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: Calibration







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 42.21 µg/L
Area ratio: 15.87439
Sample type: Calibration







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 41.16 µg/L
Area ratio: 18.12078
Sample type: Calibration







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 97.35 µg/L
Area ratio: 0.05921
Sample type: Calibration





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	101.80 µg/L
Area ratio:	0.05272
Sample type:	Calibration





13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	93.60 µg/L
Area ratio:	0
Sample type:	Calibration

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**ICV**	**Instrument**	LCMS04
Data File	WS#5410178_09.d	**Operator**	
Sample Type	QC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A9
Acq. Date	2018/02/23 5:14:04 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6803	1.43	1 µg/L		
MPFHxS	1503	1.67	1 µg/L		
MPFHpA	8017	1.70	1 µg/L		
MPFOA	8444	1.88	1 µg/L		
MPFOS	1701	1.97	1 µg/L		
MPFNA	8462	2.02	1 µg/L		
MPFDA	6675	2.14	1 µg/L		
MPFUnA	8383	2.23	1 µg/L		
MPFDoA	10884	2.32	1 µg/L		
MPFTeDA	11575	2.47	1 µg/L		
13C6-PFHxA IS	25768	1.44	1 µg/L		
13C9-PFDA IS	30429	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	14490	1.09	20.80	20.74 µg/L	99.69
PFHxA 1	53348	1.45	20.80	19.42 µg/L	93.36
PFHxS 1	13739	1.67	20.80	19.58 µg/L	94.13
PFHpA 1	66090	1.70	20.80	19.84 µg/L	95.40
PFOA 1	79154	1.88	20.80	20.62 µg/L	99.14
PFOS 1	13627	1.96	20.80	20.66 µg/L	99.34
PFNA 1	67433	2.03	20.80	19.35 µg/L	93.03
PFDA 1	70358	2.14	20.80	20.23 µg/L	97.25
PFUnA 1	77503	2.23	20.80	20.66 µg/L	99.33
PFDoA 1	93466	2.32	20.80	20.01 µg/L	96.19
PFTrDA 1	108420	2.40	20.80	20.80 µg/L	100.01
PFTeDA 1	90301	2.47	20.80	20.62 µg/L	99.15
13C2-PFHxA	6803	1.43	100.00	89.24 µg/L	89.24
18O2-PFHxS	1503	1.67	100.00	84.56 µg/L	84.56
13C4-PFHpA	8017	1.70	100.00	83.99 µg/L	83.99
13C4-PFOA	8444	1.88	100.00	89.35 µg/L	89.35
13C4-PFOS	1701	1.97	100.00	82.18 µg/L	82.18
13C5-PFNA	8462	2.02	100.00	92.10 µg/L	92.10
13C2-PFDA	6619	2.14	100.00	90.26 µg/L	90.26
13C2-PFUnA	8383	2.23	100.00	88.48 µg/L	88.48
13C2-PFDoA	10884	2.32	100.00	90.61 µg/L	90.61
13C2-PFTeDA	11813	2.47	100.00	93.20 µg/L	93.20
13C6-PFHxA	25768	1.44	100.00	114.20 µg/L	114.20
13C9-PFDA	30429	2.13	100.00	112.10 µg/L	112.10







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.445)
Concentration:	1 µg/L
Sample type:	QC







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: QC







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: QC







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: QC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: QC







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: QC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: QC







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: QC







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: QC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 20.74 µg/L
Area ratio: 9.64072
Sample type: QC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 19.42 µg/L
Area ratio: 7.84183
Sample type: QC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 19.58 µg/L
Area ratio: 9.14105
Sample type: QC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 19.84 µg/L
Area ratio: 8.24373
Sample type: QC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 20.62 µg/L
Area ratio: 9.37399
Sample type: QC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 20.66 µg/L
Area ratio: 8.01117
Sample type: QC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 19.35 µg/L
Area ratio: 7.96892
Sample type: QC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 20.23 µg/L
Area ratio: 10.54052
Sample type: QC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 20.66 µg/L
Area ratio: 9.24526
Sample type: QC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 20.01 µg/L
Area ratio: 8.58747
Sample type: QC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 20.80 µg/L
Area ratio: 9.36674
Sample type: QC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.467 (2.456)
Calc. conc. 20.62 µg/L
Area ratio: 7.80138
Sample type: QC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.445)
Calc. conc. 89.24 µg/L
Area ratio: 0.26401
Sample type: QC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 84.56 µg/L
Area ratio: 0.05833
Sample type: QC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 83.99 µg/L
Area ratio: 0.31112
Sample type: QC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 89.35 µg/L
Area ratio: 0.32769
Sample type: QC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 82.18 µg/L
Area ratio: 0.06601
Sample type: QC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 92.10 µg/L
Area ratio: 0.32839
Sample type: QC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 90.26 µg/L
Area ratio: 0.21752
Sample type: QC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 88.48 µg/L
Area ratio: 0.27549
Sample type: QC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 90.61 µg/L
Area ratio: 0.35769
Sample type: QC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 93.20 µg/L
Area ratio: 0.38822
Sample type: QC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 114.20 µg/L
Area ratio: 0
Sample type: QC





13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 112.10 µg/L
Area ratio: 0
Sample type: QC

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**ICV**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_09.d	**Operator**	
Sample Type	QC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A9
Acq. Date	2018/02/24 3:27:45 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1492	1.31	1 µg/L		
D5-EtFOSAA IS	1279	1.33	1 µg/L		
13C9-PFDA IS	22619	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	11265	1.31	20.80	20.73 µg/L	99.67
EtFOSAA 1	11197	1.33	20.80	20.53 µg/L	98.68
D3-MeFOSAA	1502	1.31	100.00	96.02 µg/L	96.02
D5-EtFOSAA	1283	1.33	100.00	96.32 µg/L	96.32
13C9-PFDA	22698	0.90	100.00	113.02 µg/L	113.02







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: QC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: QC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 20.73 µg/L
Area ratio: 7.55027
Sample type: QC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 20.53 µg/L
Area ratio: 8.75450
Sample type: QC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 96.02 µg/L
Area ratio: 0.06640
Sample type: QC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	96.32 µg/L
Area ratio:	0.05672
Sample type:	QC





13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.900 (0.900)
Calc. conc.	113.02 µg/L
Area ratio:	0
Sample type:	QC

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**ICV**	**Instrument**	LCMS04
Data File	WS#5412188_B_09.d	**Operator**	
Sample Type	QC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C8
Acq. Date	2018/02/27 1:41:40 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7968	1.43	1 µg/L		
MPFHxS	1690	1.67	1 µg/L		
MPFHpA	8896	1.69	1 µg/L		
MPFOA	8910	1.87	1 µg/L		
MPFOS	1985	1.97	1 µg/L		
MPFNA	9070	2.01	1 µg/L		
MPFDA	8380	2.14	1 µg/L		
MPFUnA	9550	2.23	1 µg/L		
MPFDoA	12008	2.31	1 µg/L		
MPFTeDA	13403	2.46	1 µg/L		
13C6-PFHxA IS	28962	1.43	1 µg/L		
13C9-PFDA IS	35009	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	15344	1.09	20.80	20.09 µg/L	96.57
PFHxA 1	65605	1.43	20.80	19.91 µg/L	95.70
PFHxS 1	15620	1.67	20.80	20.66 µg/L	99.31
PFHpA 1	82360	1.69	20.80	20.42 µg/L	98.16
PFOA 1	88984	1.87	20.80	22.05 µg/L	106.03
PFOS 1	14903	1.96	20.80	18.07 µg/L	86.86
PFNA 1	78299	2.01	20.80	20.12 µg/L	96.71
PFDA 1	86032	2.14	20.80	21.38 µg/L	102.77
PFUnA 1	88547	2.23	20.80	20.57 µg/L	98.91
PFDoA 1	110877	2.31	20.80	20.89 µg/L	100.45
PFTrDA 1	127853	2.39	20.80	21.03 µg/L	101.11
PFTeDA 1	103766	2.46	20.80	20.45 µg/L	98.30
13C2-PFHxA	7968	1.43	100.00	110.68 µg/L	110.68
18O2-PFHxS	1690	1.67	100.00	112.37 µg/L	112.37
13C4-PFHpA	8896	1.69	100.00	106.69 µg/L	106.69
13C4-PFOA	8910	1.87	100.00	103.59 µg/L	103.59
13C4-PFOS	1985	1.97	100.00	113.99 µg/L	113.99
13C5-PFNA	9070	2.01	100.00	108.87 µg/L	108.87
13C2-PFDA	8359	2.14	100.00	108.41 µg/L	108.41
13C2-PFUnA	9550	2.23	100.00	106.50 µg/L	106.50
13C2-PFDoA	12008	2.31	100.00	105.70 µg/L	105.70
13C2-PFTeDA	13622	2.46	100.00	109.08 µg/L	109.08
13C6-PFHxA	28962	1.43	100.00	92.44 µg/L	92.44
13C9-PFDA	35009	2.13	100.00	93.95 µg/L	93.95







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	QC







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: QC







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: QC







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: QC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: QC







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: QC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: QC







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: QC







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: QC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: QC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 20.09 µg/L
Area ratio: 9.07929
Sample type: QC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 19.91 µg/L
Area ratio: 8.23356
Sample type: QC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 20.66 µg/L
Area ratio: 9.24260
Sample type: QC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 20.42 µg/L
Area ratio: 9.25809
Sample type: QC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 22.05 µg/L
Area ratio: 9.98698
Sample type: QC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 18.07 µg/L
Area ratio: 7.50781
Sample type: QC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 20.12 µg/L
Area ratio: 8.63275
Sample type: QC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 21.38 µg/L
Area ratio: 10.26635
Sample type: QC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 20.57 µg/L
Area ratio: 9.27194
Sample type: QC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 20.89 µg/L
Area ratio: 9.23359
Sample type: QC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.389 (2.389)
Calc. conc. 21.03 µg/L
Area ratio: 9.53913
Sample type: QC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 20.45 µg/L
Area ratio: 7.74200
Sample type: QC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 110.68 µg/L
Area ratio: 0.27512
Sample type: QC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 112.37 µg/L
Area ratio: 0.05835
Sample type: QC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 106.69 µg/L
Area ratio: 0.30716
Sample type: QC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 103.59 µg/L
Area ratio: 0.30764
Sample type: QC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 113.99 µg/L
Area ratio: 0.06854
Sample type: QC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 108.87 µg/L
Area ratio: 0.31317
Sample type: QC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 108.41 µg/L
Area ratio: 0.23877
Sample type: QC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 106.50 µg/L
Area ratio: 0.27279
Sample type: QC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 105.70 µg/L
Area ratio: 0.34300
Sample type: QC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 109.08 µg/L
Area ratio: 0.38910
Sample type: QC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 92.44 µg/L
Area ratio: 0
Sample type: QC





13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 93.95 µg/L
Area ratio: 0
Sample type: QC

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_EToxics

Sample Name	**ICV**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_09.d	**Operator**	
Sample Type	QC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C8
Acq. Date	2018/02/27 4:56:29 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1669	1.31	1 µg/L		
D5-EtFOSAA IS	1323	1.32	1 µg/L		
13C9-PFDA IS	24764	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	12173	1.30	20.80	19.31 µg/L	92.83
EtFOSAA 1	12549	1.32	20.80	21.48 µg/L	103.26
D3-MeFOSAA	1664	1.31	100.00	110.47 µg/L	110.47
D5-EtFOSAA	1340	1.32	100.00	104.48 µg/L	104.48
13C9-PFDA	24262	0.89	100.00	95.42 µg/L	95.42







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: QC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: QC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 19.31 µg/L
Area ratio: 7.29359
Sample type: QC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 21.48 µg/L
Area ratio: 9.48526
Sample type: QC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 110.47 µg/L
Area ratio: 0.06719
Sample type: QC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	104.48 µg/L
Area ratio:	0.05411
Sample type:	QC






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	95.42 µg/L
Area ratio:	0
Sample type:	QC

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFBS 1
Internal Standard: MPFHxS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.89	485	0.3495	62	107.5
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.77	1042	0.4128	83	103.9
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.54	3317	0.4016	253	90.8
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	12.14	8138	0.4471	753	97.1
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.42	17495	0.4550	464	97.7
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.98	30887	0.4825	168	103.1

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFHxA 1
Internal Standard: MPFHxA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.93	2229	0.3867	96	111.5
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.63	4087	0.3563	159	95.6
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.87	13016	0.3850	823	97.4
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.76	30538	0.3782	1525	94.1
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.59	65090	0.3978	3455	98.4
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.96	113899	0.4176	5634	103.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFHxS 1
Internal Standard: MPFHxS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.87	490	0.3531	546	105.1
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.78	1070	0.4238	316	104.5
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.71	3482	0.4215	2890	94.2
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.88	8004	0.4398	3946	95.0
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.55	17672	0.4596	19392	98.2
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.95	31001	0.4843	42555	103.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFHpA 1
Internal Standard: MPFHpA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.91	2296	0.3255	22	110.2
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.69	5158	0.3500	55	99.1
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.92	16518	0.3915	149	98.4
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.04	38018	0.3630	333	88.4
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	25.26	85776	0.4210	497	101.0
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.91	142442	0.4307	449	102.9

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFOA 1
Internal Standard: MPFOA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.93	2837	0.4199	85	112.6
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.71	6161	0.4139	119	100.6
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.46	17457	0.3930	341	89.2
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.78	41178	0.4258	1176	94.3
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	25.37	94176	0.4620	1892	101.5
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.47	153654	0.4651	3485	101.9

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFOS 1
Internal Standard: MPFOS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.97	528	0.3520	161	116.7
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.65	1058	0.3298	220	97.3
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.83	3377	0.3608	267	96.5
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	10.95	7484	0.3364	242	87.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	23.73	16848	0.3685	165	94.9
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	44.61	29328	0.4171	183	107.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFNA 1
Internal Standard: MPFNA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.90	2364	0.3575	34	108.2
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.69	5173	0.3691	82	99.6
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.90	16356	0.3924	391	98.1
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.58	37369	0.3790	745	92.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.51	80139	0.4045	928	98.0
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	43.15	140109	0.4284	2500	103.5

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFDA 1
Internal Standard: MPFDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.93	2591	0.4980	28	111.6
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.59	5140	0.4465	60	93.2
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.75	17010	0.4838	133	95.0
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.95	39112	0.4956	253	95.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	26.64	88140	0.5563	781	106.6
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	40.88	144884	0.5126	1300	98.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFUnA 1
Internal Standard: MPFUnA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.92	2643	0.3682	21	111.3
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.70	5480	0.3867	39	100.0
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.75	18088	0.4073	149	94.9
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	10.95	41609	0.3877	230	87.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	26.31	92104	0.4721	275	105.2
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.11	157019	0.4547	356	101.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFDoA 1
Internal Standard: MPFDoA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.89	3316	0.3600	29	107.3
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.72	6958	0.3879	171	101.3
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.94	22806	0.4107	610	98.7
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.42	49731	0.3892	1552	91.4
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.19	113209	0.4161	2020	96.8
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	43.56	193950	0.4509	3186	104.5

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFTrDA 1
Internal Standard: MPFTeDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.89	3748	0.4304	24	107.6
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.67	8044	0.4165	43	98.1
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.96	24430	0.4393	89	99.1
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.84	58458	0.4249	238	94.7
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.24	126816	0.4369	202	97.0
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	43.13	218095	0.4669	216	103.4

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFTeDA 1
Internal Standard: MPFTeDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.86	3065	0.3519	14	103.9
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.64	6688	0.3463	32	96.6
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	5.23	21695	0.3901	141	104.5
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.91	49421	0.3592	209	95.3
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.23	106507	0.3669	264	96.9
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.86	182013	0.3897	341	102.8

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: 13C2-PFHxA
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	101.55	6945	0.0030	594	101.5
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	107.35	6747	0.0032	516	107.4
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	95.29	6761	0.0028	356	95.3
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	98.65	6459	0.0029	329	98.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	95.98	6545	0.0028	265	96.0
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	101.18	6541	0.0030	1070	101.2

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: 18O2-PFHxS
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	104.86	1672	0.0007	167	104.9
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	101.34	1485	0.0007	295	101.3
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	99.86	1652	0.0007	341	99.9
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	95.37	1456	0.0007	177	95.4
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	96.74	1538	0.0007	409	96.7
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	101.84	1535	0.0007	360	101.8

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: 13C4-PFHpA
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	99.23	8498	0.0037	335	99.2
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	110.17	8670	0.0041	326	110.2
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	94.98	8438	0.0035	409	95.0
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	102.20	8379	0.0038	406	102.2
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	95.45	8150	0.0035	241	95.5
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	97.97	7931	0.0036	507	98.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: 13C4-PFOA
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	96.01	8140	0.0035	230	96.0
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	112.36	8755	0.0041	290	112.4
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	101.01	8885	0.0037	308	101.0
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	95.30	7736	0.0035	290	95.3
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	96.46	8154	0.0035	303	96.5
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	98.86	7923	0.0036	194	98.9

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: 13C4-PFOS
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	97.31	1807	0.0008	713	97.3
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	110.57	1887	0.0009	304	110.6
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	97.17	1872	0.0008	277	97.2
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	100.12	1780	0.0008	237	100.1
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	98.78	1829	0.0008	160	98.8
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	96.05	1686	0.0008	188	96.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: 13C5-PFNA
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	96.66	7968	0.0034	450	96.7
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	108.84	8245	0.0039	206	108.8
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	97.47	8336	0.0035	777	97.5
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	99.96	7889	0.0036	466	100.0
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	96.41	7924	0.0034	259	96.4
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	100.65	7843	0.0036	403	100.7

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: 13C2-PFDA
Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	93.52	6200	0.0023	316	93.5
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	108.66	6715	0.0026	265	108.7
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	97.68	6953	0.0024	341	97.7
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	102.34	6247	0.0025	226	102.3
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	89.91	6251	0.0022	234	89.9
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	107.90	6760	0.0026	544	107.9

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: 13C2-PFUnA
Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	100.96	8648	0.0031	280	101.0
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	104.42	8337	0.0033	340	104.4
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	96.58	8882	0.0030	220	96.6
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	108.86	8586	0.0034	365	108.9
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	86.87	7804	0.0027	344	86.9
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	102.31	8282	0.0032	295	102.3

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: 13C2-PFDoA
Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	102.19	11097	0.0040	226	102.2
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	104.24	10551	0.0041	302	104.2
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	95.27	11107	0.0038	549	95.3
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	102.22	10221	0.0040	230	102.2
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	95.57	10884	0.0038	485	95.6
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	100.52	10316	0.0040	427	100.5

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04

Analyte: 13C2-PFTeDA
Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	100.00	92.87	10642	0.0039	417	92.9
STD 2	STD 2	x	2018/02/23 4:44:28 PM	100.00	107.83	11517	0.0045	472	107.8
STD 3	STD 3	x	2018/02/23 4:49:24 PM	100.00	91.71	11283	0.0038	382	91.7
STD 4	STD 4	x	2018/02/23 4:54:20 PM	100.00	105.58	11140	0.0044	502	105.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	100.00	97.36	11700	0.0041	387	97.4
STD 6	STD 6	x	2018/02/23 5:04:12 PM	100.00	104.65	11333	0.0044	461	104.7

By Compound Report

Agilent Technologies


Batch Path T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 10:52:53 AM

Instrument: LCMS04


Analyte: MeFOSAA 1

Internal Standard: D3-MeFOSAA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/24 3:10:51 AM	0.83	0.88	358	0.3300	20	106.0
STD 2	STD 2	x	2018/02/24 3:13:16 AM	1.70	1.71	799	0.3401	33	100.6
STD 3	STD 3	x	2018/02/24 3:15:41 AM	5.00	5.03	2599	0.3587	94	100.5
STD 4	STD 4	x	2018/02/24 3:18:06 AM	12.50	11.21	5708	0.3248	278	89.7
STD 5	STD 5	x	2018/02/24 3:20:31 AM	25.00	25.19	13098	0.3674	547	100.8
STD 6	STD 6	x	2018/02/24 3:22:56 AM	41.70	42.71	22193	0.3743	422	102.4

Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics.batch.bin
Last Calib Update	2018/02/27 10:52:53 AM
Instrument:	LCMS04
Analyte:	EtFOSAA 1
Internal Standard:	D5-EtFOSAA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/24 3:10:51 AM	0.83	0.91	360	0.3876	42	109.4
STD 2	STD 2	x	2018/02/24 3:13:16 AM	1.70	1.67	753	0.3822	82	98.3
STD 3	STD 3	x	2018/02/24 3:15:41 AM	5.00	4.90	2575	0.4074	490	98.0
STD 4	STD 4	x	2018/02/24 3:18:06 AM	12.50	11.32	5621	0.3837	875	90.5
STD 5	STD 5	x	2018/02/24 3:20:31 AM	25.00	25.53	12933	0.4362	1311	102.1
STD 6	STD 6	x	2018/02/24 3:22:56 AM	41.70	42.41	22502	0.4355	2283	101.7

Agilent Technologies


Batch Path T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 10:52:53 AM

Instrument: LCMS04

Analyte: D3-MeFOSAA

Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/24 3:10:51 AM	100.00	96.50	1316	0.0007	142	96.5
STD 2	STD 2	x	2018/02/24 3:13:16 AM	100.00	104.27	1378	0.0007	105	104.3
STD 3	STD 3	x	2018/02/24 3:15:41 AM	100.00	94.03	1454	0.0007	138	94.0
STD 4	STD 4	x	2018/02/24 3:18:06 AM	100.00	103.92	1421	0.0007	193	103.9
STD 5	STD 5	x	2018/02/24 3:20:31 AM	100.00	96.46	1433	0.0007	149	96.5
STD 6	STD 6	x	2018/02/24 3:22:56 AM	100.00	104.82	1438	0.0007	145	104.8

Agilent Technologies


Batch Path T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 10:52:53 AM

Instrument: LCMS04

Analyte: D5-EtFOSAA


Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/24 3:10:51 AM	100.00	98.25	1141	0.0006	222	98.2
STD 2	STD 2	x	2018/02/24 3:13:16 AM	100.00	102.81	1157	0.0006	253	102.8
STD 3	STD 3	x	2018/02/24 3:15:41 AM	100.00	96.15	1266	0.0006	399	96.1
STD 4	STD 4	x	2018/02/24 3:18:06 AM	100.00	100.74	1173	0.0006	208	100.7
STD 5	STD 5	x	2018/02/24 3:20:31 AM	100.00	94.62	1197	0.0006	266	94.6
STD 6	STD 6	x	2018/02/24 3:22:56 AM	100.00	107.43	1255	0.0006	339	107.4

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFBS 1
Internal Standard: MPFHxS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.78	769	0.5232	93	94.3
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.52	1125	0.4487	129	89.2
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.27	4042	0.4885	150	105.3
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	14.13	10227	0.5130	802	113.0
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	26.35	18716	0.4753	139	105.4
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	38.69	29181	0.4175	124	92.8

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFHxA 1
Internal Standard: MPFHxA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.86	3245	0.4841	184	104.0
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.58	5122	0.4089	171	92.7
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.35	17235	0.4497	2704	107.1
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.78	43010	0.3913	3441	94.2
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.57	78659	0.4226	5928	102.3
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.58	125050	0.4112	11256	99.7

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFHxS 1
Internal Standard: MPFHxS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.71	681	0.4633	102	85.5
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.68	1203	0.4798	162	98.9
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.47	4132	0.4993	235	109.3
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	13.64	9773	0.4902	1233	109.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.41	17883	0.4542	1237	101.6
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	39.82	29756	0.4258	636	95.5

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFHpA 1
Internal Standard: MPFHpA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.84	3853	0.4806	39	100.7
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.64	6674	0.4475	80	96.2
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.21	22441	0.4760	240	104.3
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.32	53864	0.4475	232	98.5
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.13	97076	0.4556	322	100.5
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.60	152095	0.4518	289	99.8

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFOA 1
Internal Standard: MPFOA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.75	3976	0.4753	40	90.8
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.82	7554	0.5136	83	106.8
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.42	22992	0.4990	217	108.4
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.14	56679	0.4419	541	97.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	23.21	98798	0.4202	1124	92.8
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	43.39	160551	0.4699	1484	104.1

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFOS 1
Internal Standard: MPFOS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.87	603	0.3479	127	104.6
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.76	1204	0.3904	110	103.6
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	4.96	3916	0.4010	207	99.1
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.50	9967	0.3801	124	92.0
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	24.02	17681	0.4002	164	96.1
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	43.63	29013	0.4373	218	104.6

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFNA 1
Internal Standard: MPFNA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.83	3631	0.4397	69	100.0
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.78	6500	0.4537	153	104.6
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.19	20382	0.4469	756	103.8
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.66	49111	0.4005	708	93.3
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	23.12	88434	0.3968	2448	92.5
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	44.15	148789	0.4541	2808	105.9

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFDA 1
Internal Standard: MPFDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.78	3863	0.5222	37	94.3
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.62	6596	0.4903	77	95.3
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.76	21934	0.5618	236	115.1
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.96	53630	0.4616	581	95.7
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	24.90	97888	0.4779	1007	99.6
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.72	155246	0.4791	1459	100.0

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFUnA 1
Internal Standard: MPFUnA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.86	4147	0.5016	37	103.0
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.60	6874	0.4421	56	94.2
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.23	23349	0.4758	120	104.5
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.43	58249	0.4491	145	99.4
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	24.39	101812	0.4394	161	97.5
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	42.23	164051	0.4556	177	101.3

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFDoA 1
Internal Standard: MPFDoA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.81	4902	0.4600	111	97.4
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.74	8613	0.4658	254	102.3
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.12	28482	0.4564	666	102.4
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.14	71560	0.4300	1607	97.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.15	128788	0.4443	1415	100.6
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.78	209885	0.4421	2799	100.2

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFTrDA 1
Internal Standard: MPFTeDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.83	5678	0.5097	39	100.4
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.66	9540	0.4676	58	97.5
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.38	32849	0.4955	143	107.7
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.64	78922	0.4241	172	93.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.48	145384	0.4619	288	101.9
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.45	231192	0.4498	266	99.4

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFTeDA 1
Internal Standard: MPFTeDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.82	4685	0.4205	13	99.1
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.70	8172	0.4006	31	100.2
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.32	27108	0.4089	105	106.5
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.31	69591	0.3740	237	98.4
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	24.41	116270	0.3694	208	97.6
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	40.96	190672	0.3710	239	98.2

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: 13C2-PFHxA
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	91.66	8076	0.0023	253	91.7
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	99.48	7368	0.0025	234	99.5
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	96.61	7665	0.0024	165	96.6
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	113.15	8793	0.0028	481	113.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	98.93	7446	0.0025	231	98.9
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	100.16	7292	0.0025	286	100.2

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: 18O2-PFHxS
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	96.21	1771	0.0005	155	96.2
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	95.33	1475	0.0005	210	95.3
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	99.85	1655	0.0005	147	99.9
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	98.24	1595	0.0005	179	98.2
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	100.17	1575	0.0005	134	100.2
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	110.20	1676	0.0006	233	110.2

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: 13C4-PFHpA
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	94.65	9659	0.0027	306	94.6
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	102.27	8773	0.0029	441	102.3
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	102.61	9429	0.0030	222	102.6
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	106.97	9629	0.0031	248	107.0
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	97.77	8523	0.0028	329	97.8
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	95.74	8073	0.0028	211	95.7

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: 13C4-PFOA
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	95.73	10078	0.0028	222	95.7
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	97.77	8652	0.0029	231	97.8
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	97.21	9215	0.0029	250	97.2
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	110.51	10261	0.0033	242	110.5
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	104.58	9404	0.0031	249	104.6
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	94.19	8193	0.0028	205	94.2

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: 13C4-PFOS
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	97.97	2088	0.0006	279	98.0
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	101.25	1814	0.0006	284	101.3
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	101.77	1953	0.0006	114	101.8
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	111.61	2098	0.0007	195	111.6
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	97.06	1767	0.0006	185	97.1
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	90.35	1591	0.0005	67	90.3

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: 13C5-PFNA
Internal Standard: 13C6-PFHxA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	97.59	9950	0.0028	246	97.6
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	98.35	8429	0.0028	228	98.3
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	99.35	9121	0.0029	157	99.3
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	109.10	9811	0.0031	258	109.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	102.36	8915	0.0029	269	102.4
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	93.26	7857	0.0027	259	93.3

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: 13C2-PFDA
Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	95.39	8789	0.0021	336	95.4
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	99.11	7789	0.0022	203	99.1
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	91.74	7722	0.0020	339	91.7
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	108.07	9108	0.0024	168	108.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	101.74	7987	0.0022	127	101.7
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	103.96	7771	0.0023	524	104.0

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: 13C2-PFUnA
Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	92.96	9961	0.0024	135	93.0
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	100.07	9146	0.0026	171	100.1
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	100.26	9814	0.0026	141	100.3
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	105.87	10376	0.0027	147	105.9
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	101.52	9268	0.0026	116	101.5
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	99.32	8634	0.0025	109	99.3

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: 13C2-PFDoA
Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	94.58	12840	0.0031	270	94.6
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	93.95	10878	0.0030	185	93.9
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	100.63	12480	0.0033	355	100.6
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	107.23	13314	0.0035	204	107.2
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	100.24	11594	0.0033	335	100.2
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	103.37	11384	0.0034	276	103.4

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04

Analyte: 13C2-PFTeDA
Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	100.00	91.29	13624	0.0033	454	91.3
STD 2	STD 2	x	2018/02/27 1:12:04 PM	100.00	96.37	12267	0.0034	560	96.4
STD 3	STD 3	x	2018/02/27 1:17:00 PM	100.00	98.07	13370	0.0035	393	98.1
STD 4	STD 4	x	2018/02/27 1:21:56 PM	100.00	110.71	15112	0.0039	422	110.7
STD 5	STD 5	x	2018/02/27 1:26:52 PM	100.00	100.26	12748	0.0036	330	100.3
STD 6	STD 6	x	2018/02/27 1:31:47 PM	100.00	103.30	12507	0.0037	348	103.3

By Compound Report

Agilent Technologies


Batch Path T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 3:14:24 PM

Instrument: LCMS04


Analyte: MeFOSAA 1

Internal Standard: D3-MeFOSAA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 4:39:34 AM	0.83	0.81	587	0.4344	35	97.3
STD 2	STD 2	x	2018/02/27 4:41:57 AM	1.70	1.74	1047	0.4167	44	102.1
STD 3	STD 3	x	2018/02/27 4:44:22 AM	5.00	5.23	3256	0.4035	89	104.6
STD 4	STD 4	x	2018/02/27 4:46:47 AM	12.50	11.94	7771	0.3627	251	95.6
STD 5	STD 5	x	2018/02/27 4:49:12 AM	25.00	24.81	14312	0.3742	302	99.2
STD 6	STD 6	x	2018/02/27 4:51:38 AM	41.70	42.21	22748	0.3807	274	101.2

Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_EToxics.batch.bin
Last Calib Update	2018/02/27 3:14:24 PM
Instrument:	LCMS04
Analyte:	EtFOSAA 1
Internal Standard:	D5-EtFOSAA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 4:39:34 AM	0.83	0.80	574	0.5011	46	97.0
STD 2	STD 2	x	2018/02/27 4:41:57 AM	1.70	1.72	1053	0.4805	151	101.1
STD 3	STD 3	x	2018/02/27 4:44:22 AM	5.00	5.14	3227	0.4640	336	102.9
STD 4	STD 4	x	2018/02/27 4:46:47 AM	12.50	12.18	7645	0.4325	1017	97.4
STD 5	STD 5	x	2018/02/27 4:49:12 AM	25.00	25.72	14182	0.4538	1502	102.9
STD 6	STD 6	x	2018/02/27 4:51:38 AM	41.70	41.16	23104	0.4346	1714	98.7


Batch Path T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 3:14:24 PM

Instrument: LCMS04

Analyte: D3-MeFOSAA

Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 4:39:34 AM	100.00	95.17	1628	0.0006	152	95.2
STD 2	STD 2	x	2018/02/27 4:41:57 AM	100.00	96.07	1506	0.0006	132	96.1
STD 3	STD 3	x	2018/02/27 4:44:22 AM	100.00	101.46	1642	0.0006	213	101.5
STD 4	STD 4	x	2018/02/27 4:46:47 AM	100.00	108.92	1724	0.0007	169	108.9
STD 5	STD 5	x	2018/02/27 4:49:12 AM	100.00	101.03	1545	0.0006	232	101.0
STD 6	STD 6	x	2018/02/27 4:51:38 AM	100.00	97.35	1442	0.0006	186	97.4

Agilent Technologies


Batch Path T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 3:14:24 PM

Instrument: LCMS04

Analyte: D5-EtFOSAA

Internal Standard: 13C9-PFDA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 4:39:34 AM	100.00	96.05	1399	0.0005	158	96.0
STD 2	STD 2	x	2018/02/27 4:41:57 AM	100.00	97.39	1300	0.0005	133	97.4
STD 3	STD 3	x	2018/02/27 4:44:22 AM	100.00	101.89	1404	0.0005	133	101.9
STD 4	STD 4	x	2018/02/27 4:46:47 AM	100.00	105.73	1425	0.0005	147	105.7
STD 5	STD 5	x	2018/02/27 4:49:12 AM	100.00	97.14	1265	0.0005	114	97.1
STD 6	STD 6	x	2018/02/27 4:51:38 AM	100.00	101.80	1284	0.0005	154	101.8



6. Continuing Calibration


Maxxam Analytics International
6740 Campobello Rd
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5410178_10.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A2
Acq. Date	2018/02/23 5:19:00 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6771	1.44	1 µg/L		
MPFHxS	1471	1.68	1 µg/L		
MPFHpA	8755	1.70	1 µg/L		
MPFOA	9106	1.88	1 µg/L		
MPFOS	1742	1.97	1 µg/L		
MPFNA	8143	2.02	1 µg/L		
MPFDA	6788	2.14	1 µg/L		
MPFUnA	8886	2.23	1 µg/L		
MPFDoA	11328	2.32	1 µg/L		
MPFTeDA	12030	2.47	1 µg/L		
13C6-PFHxA IS	23606	1.44	1 µg/L		
13C9-PFDA IS	29016	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	520	1.09	0.83	1.03 µg/L	123.74
PFHxA 1	2179	1.45	0.83	0.93 µg/L	111.75
PFHxS 1	515	1.68	0.83	0.99 µg/L	119.67
PFHpA 1	2509	1.70	0.83	0.95 µg/L	114.87
PFOA 1	2688	1.88	0.83	0.82 µg/L	98.62
PFOS 1	420	1.96	0.83	0.84 µg/L	101.02
PFNA 1	2669	2.03	0.83	0.97 µg/L	117.20
PFDA 1	2555	2.14	0.83	0.86 µg/L	103.12
PFUnA 1	2825	2.23	0.83	0.95 µg/L	114.57
PFDoA 1	3622	2.32	0.83	0.94 µg/L	113.12
PFTrDA 1	4004	2.40	0.83	0.84 µg/L	101.12
PFTeDA 1	3416	2.46	0.83	0.84 µg/L	101.29
13C2-PFHxA	6771	1.44	100.00	96.96 µg/L	96.96
18O2-PFHxS	1471	1.68	100.00	90.34 µg/L	90.34
13C4-PFHpA	8755	1.70	100.00	100.12 µg/L	100.12
13C4-PFOA	9106	1.88	100.00	105.18 µg/L	105.18
13C4-PFOS	1742	1.97	100.00	91.87 µg/L	91.87
13C5-PFNA	8142	2.02	100.00	96.73 µg/L	96.73
13C2-PFDA	6755	2.14	100.00	96.60 µg/L	96.60
13C2-PFUnA	8886	2.23	100.00	98.35 µg/L	98.35
13C2-PFDoA	11328	2.32	100.00	98.90 µg/L	98.90
13C2-PFTeDA	12137	2.47	100.00	100.42 µg/L	100.42
13C6-PFHxA	23606	1.44	100.00	104.62 µg/L	104.62
13C9-PFDA	29016	2.13	100.00	106.90 µg/L	106.90







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	CC







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: CC







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: CC







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: CC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: CC







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: CC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: CC







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: CC







MPFTeDA Internal Standard
RT (Exp. RT): 2.467 (2.467)
Concentration: 1 µg/L
Sample type: CC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 1.03 µg/L
Area ratio: 0.35350
Sample type: CC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 0.93 µg/L
Area ratio: 0.32181
Sample type: CC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 0.99 µg/L
Area ratio: 0.35010
Sample type: CC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 0.95 µg/L
Area ratio: 0.28658
Sample type: CC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 0.82 µg/L
Area ratio: 0.29519
Sample type: CC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.84 µg/L
Area ratio: 0.24110
Sample type: CC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 0.97 µg/L
Area ratio: 0.32777
Sample type: CC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.86 µg/L
Area ratio: 0.37640
Sample type: CC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.95 µg/L
Area ratio: 0.31792
Sample type: CC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 0.94 µg/L
Area ratio: 0.31974
Sample type: CC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.400 (2.400)
Calc. conc. 0.84 µg/L
Area ratio: 0.33283
Sample type: CC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 0.84 µg/L
Area ratio: 0.28396
Sample type: CC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 96.96 µg/L
Area ratio: 0.28683
Sample type: CC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 90.34 µg/L
Area ratio: 0.06231
Sample type: CC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 100.12 µg/L
Area ratio: 0.37088
Sample type: CC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 105.18 µg/L
Area ratio: 0.38575
Sample type: CC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 91.87 µg/L
Area ratio: 0.07379
Sample type: CC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 96.73 µg/L
Area ratio: 0.34491
Sample type: CC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 96.60 µg/L
Area ratio: 0.23280
Sample type: CC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 98.35 µg/L
Area ratio: 0.30624
Sample type: CC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 98.90 µg/L
Area ratio: 0.39041
Sample type: CC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.467 (2.467)
Calc. conc. 100.42 µg/L
Area ratio: 0.41829
Sample type: CC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 104.62 µg/L
Area ratio: 0
Sample type: CC






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 106.90 µg/L
Area ratio: 0
Sample type: CC


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5410178_21.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A5
Acq. Date	2018/02/23 6:13:15 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6418	1.44	1 µg/L		
MPFHxS	1649	1.68	1 µg/L		
MPFHpA	8295	1.70	1 µg/L		
MPFOA	8311	1.88	1 µg/L		
MPFOS	1811	1.97	1 µg/L		
MPFNA	8207	2.02	1 µg/L		
MPFDA	6579	2.14	1 µg/L		
MPFUnA	8359	2.23	1 µg/L		
MPFDoA	10341	2.32	1 µg/L		
MPFTeDA	11208	2.46	1 µg/L		
13C6-PFHxA IS	22063	1.43	1 µg/L		
13C9-PFDA IS	27791	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	8076	1.09	12.50	10.67 µg/L	85.36
PFHxA 1	29783	1.43	12.50	11.55 µg/L	92.38
PFHxS 1	7777	1.67	12.50	10.22 µg/L	81.79
PFHpA 1	37428	1.70	12.50	10.98 µg/L	87.87
PFOA 1	41920	1.88	12.50	11.18 µg/L	89.41
PFOS 1	7659	1.96	12.50	11.01 µg/L	88.11
PFNA 1	37061	2.03	12.50	11.05 µg/L	88.36
PFDA 1	39773	2.14	12.50	11.66 µg/L	93.29
PFUnA 1	42649	2.23	12.50	11.51 µg/L	92.11
PFDoA 1	53921	2.32	12.50	12.23 µg/L	97.82
PFTrDA 1	59889	2.39	12.50	11.91 µg/L	95.29
PFTeDA 1	50652	2.46	12.50	11.99 µg/L	95.89
13C2-PFHxA	6418	1.44	100.00	98.33 µg/L	98.33
18O2-PFHxS	1649	1.68	100.00	108.36 µg/L	108.36
13C4-PFHpA	8295	1.70	100.00	101.49 µg/L	101.49
13C4-PFOA	8311	1.88	100.00	102.71 µg/L	102.71
13C4-PFOS	1811	1.97	100.00	102.19 µg/L	102.19
13C5-PFNA	8132	2.02	100.00	103.37 µg/L	103.37
13C2-PFDA	6498	2.14	100.00	97.02 µg/L	97.02
13C2-PFUnA	8359	2.23	100.00	96.60 µg/L	96.60
13C2-PFDoA	10341	2.32	100.00	94.26 µg/L	94.26
13C2-PFTeDA	11359	2.46	100.00	98.12 µg/L	98.12
13C6-PFHxA	22063	1.43	100.00	97.78 µg/L	97.78
13C9-PFDA	27791	2.13	100.00	102.38 µg/L	102.38







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	CC







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: CC







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: CC







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: CC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: CC







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: CC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: CC







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: CC







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.467)
Concentration: 1 µg/L
Sample type: CC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.445)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 10.67 µg/L
Area ratio: 4.89751
Sample type: CC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.445)
Calc. conc. 11.55 µg/L
Area ratio: 4.64054
Sample type: CC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 10.22 µg/L
Area ratio: 4.71619
Sample type: CC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 10.98 µg/L
Area ratio: 4.51212
Sample type: CC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 11.18 µg/L
Area ratio: 5.04392
Sample type: CC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 11.01 µg/L
Area ratio: 4.22916
Sample type: CC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 11.05 µg/L
Area ratio: 4.51578
Sample type: CC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 11.66 µg/L
Area ratio: 6.04545
Sample type: CC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 11.51 µg/L
Area ratio: 5.10217
Sample type: CC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.323 (2.323)
Calc. conc. 12.23 µg/L
Area ratio: 5.21429
Sample type: CC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.389 (2.400)
Calc. conc. 11.91 µg/L
Area ratio: 5.34342
Sample type: CC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 11.99 µg/L
Area ratio: 4.51927
Sample type: CC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 98.33 µg/L
Area ratio: 0.29089
Sample type: CC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 108.36 µg/L
Area ratio: 0.07474
Sample type: CC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 101.49 µg/L
Area ratio: 0.37597
Sample type: CC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 102.71 µg/L
Area ratio: 0.37669
Sample type: CC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 102.19 µg/L
Area ratio: 0.08208
Sample type: CC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.025 (2.025)
Calc. conc. 103.37 µg/L
Area ratio: 0.36858
Sample type: CC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 97.02 µg/L
Area ratio: 0.23382
Sample type: CC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 96.60 µg/L
Area ratio: 0.30078
Sample type: CC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 94.26 µg/L
Area ratio: 0.37210
Sample type: CC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.467)
Calc. conc. 98.12 µg/L
Area ratio: 0.40873
Sample type: CC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.445)
Calc. conc. 97.78 µg/L
Area ratio: 0
Sample type: CC





13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 102.38 µg/L
Area ratio: 0
Sample type: CC

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_10.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A2
Acq. Date	2018/02/24 3:30:09 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1613	1.31	1 µg/L		
D5-EtFOSAA IS	1375	1.33	1 µg/L		
13C9-PFDA IS	21831	0.91	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	436	1.31	0.83	0.87 µg/L	104.83
EtFOSAA 1	450	1.33	0.83	0.92 µg/L	110.95
D3-MeFOSAA	1621	1.31	100.00	107.37 µg/L	107.37
D5-EtFOSAA	1391	1.33	100.00	108.20 µg/L	108.20
13C9-PFDA	21463	0.91	100.00	106.87 µg/L	106.87







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: CC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.910 (0.900)
Concentration: 1 µg/L
Sample type: CC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 0.87 µg/L
Area ratio: 0.27030
Sample type: CC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 0.92 µg/L
Area ratio: 0.32727
Sample type: CC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 107.37 µg/L
Area ratio: 0.07425
Sample type: CC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	108.20 µg/L
Area ratio:	0.06372
Sample type:	CC






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.910 (0.900)
Calc. conc.	106.87 µg/L
Area ratio:	0
Sample type:	CC


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_21.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A5
Acq. Date	2018/02/24 3:56:44 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1624	1.31	1 µg/L		
D5-EtFOSAA IS	1374	1.33	1 µg/L		
13C9-PFDA IS	21263	0.91	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	6678	1.31	12.50	11.35 µg/L	90.81
EtFOSAA 1	6532	1.33	12.50	11.22 µg/L	89.75
D3-MeFOSAA	1648	1.31	100.00	112.08 µg/L	112.08
D5-EtFOSAA	1386	1.33	100.00	110.69 µg/L	110.69
13C9-PFDA	20901	0.91	100.00	104.07 µg/L	104.07







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: CC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.910 (0.900)
Concentration: 1 µg/L
Sample type: CC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 11.35 µg/L
Area ratio: 4.11207
Sample type: CC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 11.22 µg/L
Area ratio: 4.75400
Sample type: CC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 112.08 µg/L
Area ratio: 0.07751
Sample type: CC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.333)
Calc. conc.	110.69 µg/L
Area ratio:	0.06518
Sample type:	CC






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.910 (0.900)
Calc. conc.	104.07 µg/L
Area ratio:	0
Sample type:	CC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5412188_B_10.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C1
Acq. Date	2018/02/27 1:57:12 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8929	1.43	1 µg/L		
MPFHxS	1908	1.67	1 µg/L		
MPFHpA	10151	1.69	1 µg/L		
MPFOA	10194	1.87	1 µg/L		
MPFOS	2093	1.97	1 µg/L		
MPFNA	10139	2.01	1 µg/L		
MPFDA	8777	2.14	1 µg/L		
MPFUnA	9933	2.23	1 µg/L		
MPFDoA	13128	2.31	1 µg/L		
MPFTeDA	14025	2.46	1 µg/L		
13C6-PFHxA IS	36178	1.43	1 µg/L		
13C9-PFDA IS	42855	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	789	1.09	0.83	0.74 µg/L	88.72
PFHxA 1	3280	1.43	0.83	0.78 µg/L	93.86
PFHxS 1	767	1.67	0.83	0.75 µg/L	90.29
PFHpA 1	4087	1.69	0.83	0.84 µg/L	101.68
PFOA 1	4474	1.87	0.83	0.85 µg/L	102.65
PFOS 1	652	1.96	0.83	0.92 µg/L	111.10
PFNA 1	3981	2.01	0.83	0.89 µg/L	107.77
PFDA 1	4170	2.14	0.83	0.87 µg/L	104.78
PFUnA 1	4746	2.23	0.83	0.99 µg/L	119.52
PFDoA 1	5922	2.31	0.83	0.97 µg/L	116.37
PFTrDA 1	6418	2.39	0.83	0.91 µg/L	109.59
PFTeDA 1	5423	2.46	0.83	0.92 µg/L	111.08
13C2-PFHxA	8929	1.43	100.00	99.29 µg/L	99.29
18O2-PFHxS	1908	1.67	100.00	101.56 µg/L	101.56
13C4-PFHpA	10151	1.69	100.00	97.46 µg/L	97.46
13C4-PFOA	10194	1.87	100.00	94.88 µg/L	94.88
13C4-PFOS	2093	1.97	100.00	96.22 µg/L	96.22
13C5-PFNA	10139	2.01	100.00	97.43 µg/L	97.43
13C2-PFDA	8666	2.14	100.00	91.81 µg/L	91.81
13C2-PFUnA	9933	2.23	100.00	90.49 µg/L	90.49
13C2-PFDoA	13128	2.31	100.00	94.41 µg/L	94.41
13C2-PFTeDA	14249	2.46	100.00	93.21 µg/L	93.21
13C6-PFHxA	36178	1.43	100.00	115.47 µg/L	115.47
13C9-PFDA	42855	2.13	100.00	115.00 µg/L	115.00







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	CC







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: CC







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: CC







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: CC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: CC







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: CC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: CC







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: CC







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: CC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 0.74 µg/L
Area ratio: 0.41352
Sample type: CC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 0.78 µg/L
Area ratio: 0.36734
Sample type: CC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.75 µg/L
Area ratio: 0.40199
Sample type: CC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 0.84 µg/L
Area ratio: 0.40262
Sample type: CC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 0.85 µg/L
Area ratio: 0.43889
Sample type: CC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 0.92 µg/L
Area ratio: 0.31151
Sample type: CC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 0.89 µg/L
Area ratio: 0.39264
Sample type: CC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.87 µg/L
Area ratio: 0.47511
Sample type: CC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 0.99 µg/L
Area ratio: 0.47780
Sample type: CC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 0.97 µg/L
Area ratio: 0.45110
Sample type: CC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.389 (2.389)
Calc. conc. 0.91 µg/L
Area ratio: 0.45761
Sample type: CC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 0.92 µg/L
Area ratio: 0.38667
Sample type: CC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 99.29 µg/L
Area ratio: 0.24681
Sample type: CC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 101.56 µg/L
Area ratio: 0.05274
Sample type: CC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 97.46 µg/L
Area ratio: 0.28058
Sample type: CC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 94.88 µg/L
Area ratio: 0.28177
Sample type: CC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 96.22 µg/L
Area ratio: 0.05785
Sample type: CC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 97.43 µg/L
Area ratio: 0.28025
Sample type: CC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 91.81 µg/L
Area ratio: 0.20222
Sample type: CC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 90.49 µg/L
Area ratio: 0.23178
Sample type: CC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 94.41 µg/L
Area ratio: 0.30634
Sample type: CC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 93.21 µg/L
Area ratio: 0.33249
Sample type: CC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 115.47 µg/L
Area ratio: 0
Sample type: CC






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 115.00 µg/L
Area ratio: 0
Sample type: CC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5412188_B_23.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C4
Acq. Date	2018/02/27 3:01:20 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8700	1.43	1 µg/L		
MPFHxS	1760	1.67	1 µg/L		
MPFHpA	10180	1.69	1 µg/L		
MPFOA	9786	1.87	1 µg/L		
MPFOS	2086	1.97	1 µg/L		
MPFNA	9585	2.01	1 µg/L		
MPFDA	8718	2.14	1 µg/L		
MPFUnA	10179	2.23	1 µg/L		
MPFDoA	13248	2.31	1 µg/L		
MPFTeDA	14843	2.46	1 µg/L		
13C6-PFHxA IS	33127	1.43	1 µg/L		
13C9-PFDA IS	37914	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	10312	1.09	12.50	12.90 µg/L	103.16
PFHxA 1	41531	1.43	12.50	11.49 µg/L	91.95
PFHxS 1	10412	1.67	12.50	13.17 µg/L	105.32
PFHpA 1	51169	1.69	12.50	11.06 µg/L	88.51
PFOA 1	58936	1.87	12.50	13.25 µg/L	106.01
PFOS 1	9603	1.96	12.50	11.15 µg/L	89.18
PFNA 1	48828	2.01	12.50	11.86 µg/L	94.90
PFDA 1	53163	2.14	12.50	12.65 µg/L	101.17
PFUnA 1	57221	2.23	12.50	12.44 µg/L	99.56
PFDoA 1	70130	2.31	12.50	11.95 µg/L	95.63
PFTrDA 1	77616	2.39	12.50	11.48 µg/L	91.85
PFTeDA 1	68059	2.46	12.50	12.07 µg/L	96.54
13C2-PFHxA	8700	1.43	100.00	105.66 µg/L	105.66
18O2-PFHxS	1760	1.67	100.00	102.31 µg/L	102.31
13C4-PFHpA	10180	1.69	100.00	106.73 µg/L	106.73
13C4-PFOA	9786	1.87	100.00	99.47 µg/L	99.47
13C4-PFOS	2086	1.97	100.00	104.73 µg/L	104.73
13C5-PFNA	9584	2.01	100.00	100.58 µg/L	100.58
13C2-PFDA	8601	2.14	100.00	103.00 µg/L	103.00
13C2-PFUnA	10179	2.23	100.00	104.82 µg/L	104.82
13C2-PFDoA	13248	2.31	100.00	107.68 µg/L	107.68
13C2-PFTeDA	15168	2.46	100.00	112.15 µg/L	112.15
13C6-PFHxA	33127	1.43	100.00	105.73 µg/L	105.73
13C9-PFDA	37914	2.13	100.00	101.74 µg/L	101.74







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	CC







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: CC







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: CC







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: CC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: CC







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: CC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: CC







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: CC







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: CC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 12.90 µg/L
Area ratio: 5.85909
Sample type: CC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 11.49 µg/L
Area ratio: 4.77368
Sample type: CC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 13.17 µg/L
Area ratio: 5.91591
Sample type: CC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 11.06 µg/L
Area ratio: 5.02642
Sample type: CC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 13.25 µg/L
Area ratio: 6.02248
Sample type: CC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 11.15 µg/L
Area ratio: 4.60355
Sample type: CC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 11.86 µg/L
Area ratio: 5.09421
Sample type: CC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 12.65 µg/L
Area ratio: 6.09807
Sample type: CC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 12.44 µg/L
Area ratio: 5.62148
Sample type: CC







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	2.311 (2.311)
Calc. conc.	11.95 µg/L
Area ratio:	5.29363
Sample type:	CC







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	2.389 (2.389)
Calc. conc.	11.48 µg/L
Area ratio:	5.22913
Sample type:	CC







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	2.456 (2.456)
Calc. conc.	12.07 µg/L
Area ratio:	4.58526
Sample type:	CC







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.434 (1.434)
Calc. conc.	105.66 µg/L
Area ratio:	0.26263
Sample type:	CC







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.668 (1.668)
Calc. conc.	102.31 µg/L
Area ratio:	0.05313
Sample type:	CC







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.691 (1.691)
Calc. conc.	106.73 µg/L
Area ratio:	0.30730
Sample type:	CC







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.869 (1.869)
Calc. conc.	99.47 µg/L
Area ratio:	0.29541
Sample type:	CC







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	104.73 µg/L
Area ratio:	0.06297
Sample type:	CC







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.014 (2.014)
Calc. conc.	100.58 µg/L
Area ratio:	0.28931
Sample type:	CC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 103.00 µg/L
Area ratio: 0.22686
Sample type: CC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 104.82 µg/L
Area ratio: 0.26848
Sample type: CC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 107.68 µg/L
Area ratio: 0.34942
Sample type: CC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 112.15 µg/L
Area ratio: 0.40006
Sample type: CC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 105.73 µg/L
Area ratio: 0
Sample type: CC






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 101.74 µg/L
Area ratio: 0
Sample type: CC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5412188_B_24.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C1
Acq. Date	2018/02/27 3:52:41 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8254	1.43	1 µg/L		
MPFHxS	1864	1.67	1 µg/L		
MPFHpA	9834	1.69	1 µg/L		
MPFOA	10189	1.87	1 µg/L		
MPFOS	2173	1.97	1 µg/L		
MPFNA	9608	2.01	1 µg/L		
MPFDA	8465	2.14	1 µg/L		
MPFUnA	9742	2.23	1 µg/L		
MPFDoA	12830	2.31	1 µg/L		
MPFTeDA	13995	2.46	1 µg/L		
13C6-PFHxA IS	37375	1.43	1 µg/L		
13C9-PFDA IS	42905	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	691	1.08	0.83	0.64 µg/L	77.21
PFHxA 1	3077	1.43	0.83	0.79 µg/L	95.46
PFHxS 1	830	1.67	0.83	0.85 µg/L	102.03
PFHpA 1	3615	1.69	0.83	0.77 µg/L	92.35
PFOA 1	4858	1.87	0.83	0.94 µg/L	112.79
PFOS 1	818	1.96	0.83	1.08 µg/L	129.73
PFNA 1	4057	2.01	0.83	0.96 µg/L	116.09
PFDA 1	4125	2.14	0.83	0.90 µg/L	107.85
PFUnA 1	4267	2.22	0.83	0.90 µg/L	108.85
PFDoA 1	5428	2.31	0.83	0.90 µg/L	108.71
PFTrDA 1	5941	2.39	0.83	0.84 µg/L	100.75
PFTeDA 1	4744	2.46	0.83	0.80 µg/L	95.83
13C2-PFHxA	8254	1.43	100.00	88.85 µg/L	88.85
18O2-PFHxS	1864	1.67	100.00	96.04 µg/L	96.04
13C4-PFHpA	9834	1.69	100.00	91.39 µg/L	91.39
13C4-PFOA	10189	1.87	100.00	91.79 µg/L	91.79
13C4-PFOS	2173	1.97	100.00	96.70 µg/L	96.70
13C5-PFNA	9609	2.01	100.00	89.38 µg/L	89.38
13C2-PFDA	8338	2.14	100.00	88.24 µg/L	88.24
13C2-PFUnA	9742	2.23	100.00	88.65 µg/L	88.65
13C2-PFDoA	12830	2.31	100.00	92.16 µg/L	92.16
13C2-PFTeDA	14172	2.46	100.00	92.60 µg/L	92.60
13C6-PFHxA	37375	1.43	100.00	119.29 µg/L	119.29
13C9-PFDA	42905	2.13	100.00	115.14 µg/L	115.14







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	CC







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: CC







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: CC







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: CC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: CC







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: CC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: CC







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: CC







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: CC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.075 (1.087)
Calc. conc. 0.64 µg/L
Area ratio: 0.37071
Sample type: CC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 0.79 µg/L
Area ratio: 0.37279
Sample type: CC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 0.85 µg/L
Area ratio: 0.44528
Sample type: CC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 0.77 µg/L
Area ratio: 0.36760
Sample type: CC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 0.94 µg/L
Area ratio: 0.47679
Sample type: CC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 1.08 µg/L
Area ratio: 0.37644
Sample type: CC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 0.96 µg/L
Area ratio: 0.42225
Sample type: CC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 0.90 µg/L
Area ratio: 0.48730
Sample type: CC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.223 (2.234)
Calc. conc. 0.90 µg/L
Area ratio: 0.43800
Sample type: CC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 0.90 µg/L
Area ratio: 0.42307
Sample type: CC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.389 (2.389)
Calc. conc. 0.84 µg/L
Area ratio: 0.42451
Sample type: CC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 0.80 µg/L
Area ratio: 0.33898
Sample type: CC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 88.85 µg/L
Area ratio: 0.22084
Sample type: CC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 96.04 µg/L
Area ratio: 0.04987
Sample type: CC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 91.39 µg/L
Area ratio: 0.26312
Sample type: CC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 91.79 µg/L
Area ratio: 0.27262
Sample type: CC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 96.70 µg/L
Area ratio: 0.05814
Sample type: CC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 89.38 µg/L
Area ratio: 0.25710
Sample type: CC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 88.24 µg/L
Area ratio: 0.19434
Sample type: CC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 88.65 µg/L
Area ratio: 0.22706
Sample type: CC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 92.16 µg/L
Area ratio: 0.29903
Sample type: CC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 92.60 µg/L
Area ratio: 0.33031
Sample type: CC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 119.29 µg/L
Area ratio: 0
Sample type: CC






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 115.14 µg/L
Area ratio: 0
Sample type: CC


Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5412188_B_26.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C4
Acq. Date	2018/02/27 4:05:42 PM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8942	1.43	1 µg/L		
MPFHxS	1636	1.67	1 µg/L		
MPFHpA	10206	1.69	1 µg/L		
MPFOA	9905	1.87	1 µg/L		
MPFOS	2269	1.97	1 µg/L		
MPFNA	10486	2.01	1 µg/L		
MPFDA	8884	2.14	1 µg/L		
MPFUnA	10456	2.23	1 µg/L		
MPFDoA	13296	2.31	1 µg/L		
MPFTeDA	14837	2.46	1 µg/L		
13C6-PFHxA IS	33996	1.43	1 µg/L		
13C9-PFDA IS	38214	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	10354	1.09	12.50	13.94 µg/L	111.55
PFHxA 1	42197	1.43	12.50	11.36 µg/L	90.88
PFHxS 1	10319	1.67	12.50	14.05 µg/L	112.37
PFHpA 1	52411	1.69	12.50	11.30 µg/L	90.44
PFOA 1	58092	1.87	12.50	12.90 µg/L	103.21
PFOS 1	9998	1.96	12.50	10.68 µg/L	85.42
PFNA 1	50160	2.01	12.50	11.14 µg/L	89.10
PFDA 1	54548	2.14	12.50	12.73 µg/L	101.87
PFUnA 1	57154	2.23	12.50	12.10 µg/L	96.79
PFDoA 1	69935	2.31	12.50	11.88 µg/L	95.02
PFTrDA 1	77938	2.39	12.50	11.53 µg/L	92.27
PFTeDA 1	67793	2.46	12.50	12.02 µg/L	96.20
13C2-PFHxA	8942	1.43	100.00	105.82 µg/L	105.82
18O2-PFHxS	1636	1.67	100.00	92.67 µg/L	92.67
13C4-PFHpA	10206	1.69	100.00	104.27 µg/L	104.27
13C4-PFOA	9905	1.87	100.00	98.10 µg/L	98.10
13C4-PFOS	2269	1.97	100.00	111.00 µg/L	111.00
13C5-PFNA	10487	2.01	100.00	107.24 µg/L	107.24
13C2-PFDA	8752	2.14	100.00	103.99 µg/L	103.99
13C2-PFUnA	10456	2.23	100.00	106.83 µg/L	106.83
13C2-PFDoA	13296	2.31	100.00	107.23 µg/L	107.23
13C2-PFTeDA	14945	2.46	100.00	109.63 µg/L	109.63
13C6-PFHxA	33996	1.43	100.00	108.50 µg/L	108.50
13C9-PFDA	38214	2.13	100.00	102.55 µg/L	102.55







MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	CC







MPFHxS Internal Standard
RT (Exp. RT): 1.668 (1.668)
Concentration: 1 µg/L
Sample type: CC







MPFHpA Internal Standard
RT (Exp. RT): 1.691 (1.691)
Concentration: 1 µg/L
Sample type: CC







MPFOA Internal Standard
RT (Exp. RT): 1.869 (1.869)
Concentration: 1 µg/L
Sample type: CC







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: CC







MPFNA Internal Standard
RT (Exp. RT): 2.014 (2.014)
Concentration: 1 µg/L
Sample type: CC







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: CC







MPFDoA Internal Standard
RT (Exp. RT): 2.311 (2.311)
Concentration: 1 µg/L
Sample type: CC







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.455)
Concentration: 1 µg/L
Sample type: CC







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.434 (1.434)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: CC







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 1.087 (1.087)
Calc. conc. 13.94 µg/L
Area ratio: 6.32885
Sample type: CC







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 11.36 µg/L
Area ratio: 4.71897
Sample type: CC







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 14.05 µg/L
Area ratio: 6.30746
Sample type: CC







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 11.30 µg/L
Area ratio: 5.13531
Sample type: CC







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 12.90 µg/L
Area ratio: 5.86492
Sample type: CC







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 10.68 µg/L
Area ratio: 4.40635
Sample type: CC







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 11.14 µg/L
Area ratio: 4.78352
Sample type: CC







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 12.73 µg/L
Area ratio: 6.14003
Sample type: CC







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 12.10 µg/L
Area ratio: 5.46614
Sample type: CC







PFDoA 1 613.0 -> 568.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 11.88 µg/L
Area ratio: 5.25985
Sample type: CC







PFTrDA 1 663.0 -> 618.9
RT (Exp. RT): 2.389 (2.389)
Calc. conc. 11.53 µg/L
Area ratio: 5.25295
Sample type: CC







PFTeDA 1 712.9 -> 668.9
RT (Exp. RT): 2.456 (2.456)
Calc. conc. 12.02 µg/L
Area ratio: 4.56919
Sample type: CC







13C2-PFHxA 315.0 -> 269.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 105.82 µg/L
Area ratio: 0.26303
Sample type: CC







18O2-PFHxS 403.0 -> 83.9
RT (Exp. RT): 1.668 (1.668)
Calc. conc. 92.67 µg/L
Area ratio: 0.04812
Sample type: CC







13C4-PFHpA 367.0 -> 321.9
RT (Exp. RT): 1.691 (1.691)
Calc. conc. 104.27 µg/L
Area ratio: 0.30021
Sample type: CC







13C4-PFOA 417.0 -> 371.9
RT (Exp. RT): 1.869 (1.869)
Calc. conc. 98.10 µg/L
Area ratio: 0.29136
Sample type: CC







13C4-PFOS 502.9 -> 79.9
RT (Exp. RT): 1.968 (1.968)
Calc. conc. 111.00 µg/L
Area ratio: 0.06674
Sample type: CC







13C5-PFNA 468.0 -> 422.9
RT (Exp. RT): 2.014 (2.014)
Calc. conc. 107.24 µg/L
Area ratio: 0.30848
Sample type: CC







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 103.99 µg/L
Area ratio: 0.22903
Sample type: CC







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 106.83 µg/L
Area ratio: 0.27362
Sample type: CC







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.311 (2.311)
Calc. conc. 107.23 µg/L
Area ratio: 0.34794
Sample type: CC







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.455)
Calc. conc. 109.63 µg/L
Area ratio: 0.39109
Sample type: CC





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.434 (1.434)
Calc. conc. 108.50 µg/L
Area ratio: 0
Sample type: CC





13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 102.55 µg/L
Area ratio: 0
Sample type: CC

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_10.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C1
Acq. Date	2018/02/27 4:58:53 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1568	1.30	1 µg/L		
D5-EtFOSAA IS	1373	1.32	1 µg/L		
13C9-PFDA IS	28516	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	597	1.30	0.83	0.86 µg/L	103.80
EtFOSAA 1	589	1.32	0.83	0.83 µg/L	100.55
D3-MeFOSAA	1605	1.30	100.00	92.54 µg/L	92.54
D5-EtFOSAA	1393	1.32	100.00	94.32 µg/L	94.32
13C9-PFDA	27998	0.89	100.00	110.12 µg/L	110.12







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.299 (1.308)
Concentration: 1 µg/L
Sample type: CC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: CC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 0.86 µg/L
Area ratio: 0.38074
Sample type: CC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 0.83 µg/L
Area ratio: 0.42899
Sample type: CC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.299 (1.308)
Calc. conc. 92.54 µg/L
Area ratio: 0.05628
Sample type: CC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.323 (1.323)
Calc. conc.	94.32 µg/L
Area ratio:	0.04885
Sample type:	CC






13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	110.12 µg/L
Area ratio:	0
Sample type:	CC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_EToxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_23.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C4
Acq. Date	2018/02/27 5:30:12 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1594	1.31	1 µg/L		
D5-EtFOSAA IS	1385	1.33	1 µg/L		
13C9-PFDA IS	25487	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	7416	1.30	12.50	12.26 µg/L	98.08
EtFOSAA 1	7374	1.32	12.50	11.99 µg/L	95.94
D3-MeFOSAA	1613	1.31	100.00	104.05 µg/L	104.05
D5-EtFOSAA	1400	1.33	100.00	106.06 µg/L	106.06
13C9-PFDA	24937	0.89	100.00	98.08 µg/L	98.08







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: CC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: CC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 12.26 µg/L
Area ratio: 4.65245
Sample type: CC







EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 11.99 µg/L
Area ratio: 5.32419
Sample type: CC







D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 104.05 µg/L
Area ratio: 0.06329
Sample type: CC





D5-EtFOSAA	589.0 -> 418.9
RT (Exp. RT):	1.333 (1.323)
Calc. conc.	106.06 µg/L
Area ratio:	0.05493
Sample type:	CC





13C9-PFDA	522.0 -> 476.9
RT (Exp. RT):	0.890 (0.890)
Calc. conc.	98.08 µg/L
Area ratio:	0
Sample type:	CC



This is the last page of the report and is intentionally left blank

Maxxam Analytics International
6740 Campobello Rd.
Mississauga, Ontario, Canada
L5N 2L8
1-800-668-0639
www.maxxamanalytics.com

"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic acid","99","%","","-99","NA","","SUR","99","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic acid","87","%","","-99","NA","","SUR","87","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic acid","105","%","","-99","NA","","SUR","105","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic acid","87","%","","-99","NA","","SUR","87","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic acid","94","%","","-99","NA","","SUR","94","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic acid","107","%","","-99","NA","","SUR","107","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic acid","107","%","","-99","NA","","SUR","107","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","1763-23-1_13","13C4-Perfluorooctanesulfonate","108","%","","-99","NA","","SUR","108","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic acid","114","%","","-99","NA","","SUR","114","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","13C4PFNA","13C5-Perfluorononanoic acid","113","%","","-99","NA","","SUR","113","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","18O2PFHXS","18O2-Perfluorohexanesulfonate","103","%","","-99","NA","","SUR","103","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","D3-MEFOSAA","N-METHYL-D3-PERFLUOROOCTANESULFONAMIDOACETIC ACID","90","%","","-99","NA","","SUR","90","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","D5-ETFOSAA","D5-ETFOSAA","91","%","","-99","NA","","SUR","91","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","2991-50-6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","2355-31-9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","375-73-5","Perfluorobutanesulfonic acid","5.4","ng/L","U","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","335-76-2","Perfluorodecanoic acid","6.1","ng/L","U","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","307-55-1","Perfluorododecanoic acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","375-85-9","Perfluoroheptanoic acid","7.4","ng/L","U","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","355-46-4","Perfluorohexanesulfonic acid","5.6","ng/L","U","5.6","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","307-24-4","Perfluorohexanoic acid","3.5","ng/L","U","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","335-67-1","Perfluorooctanoic acid","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","375-95-1","Perfluorononanoic acid","8.7","ng/L","U","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","1763-23-1","Perfluorooctanesulfonic acid","6.0","ng/L","U","6.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","376-06-7","Perfluorotetradecanoic acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"

"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","72629-94-8","Perfluorotridecanoic acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-17","E537","IN","GBV345","MAXXAM","2058-94-8","Perfluoroundecanoic acid","2.5","ng/L","U","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic acid","87","%","","-99","NA","","SUR","87","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic acid","79","%","","-99","NA","","SUR","79","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic acid","95","%","","-99","NA","","SUR","95","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic acid","74","%","","-99","NA","","SUR","74","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic acid","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic acid","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic acid","91","%","","-99","NA","","SUR","91","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","1763-23-1_13","13C4-Perfluorooctanesulfonate","91","%","","-99","NA","","SUR","91","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic acid","97","%","","-99","NA","","SUR","97","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","13C4PFNA","13C5-Perfluorononanoic acid","94","%","","-99","NA","","SUR","94","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","18O2PFHXS","18O2-Perfluorohexanesulfonate","95","%","","-99","NA","","SUR","95","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","D3-MEFOSAA","N-METHYL-D3-PERFLUOROOCTANESULFONAMIDOACETIC ACID","80","%","","-99","NA","","SUR","80","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","D5-ETFOSAA","D5-ETFOSAA","78","%","","-99","NA","","SUR","78","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","2991-50-6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","2355-31-9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","375-73-5","Perfluorobutanesulfonic acid","5.4","ng/L","U","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","335-76-2","Perfluorodecanoic acid","6.1","ng/L","U","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","307-55-1","Perfluorododecanoic acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","375-85-9","Perfluoroheptanoic acid","7.4","ng/L","U","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","355-46-4","Perfluorohexanesulfonic acid","5.6","ng/L","U","5.6","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","307-24-4","Perfluorohexanoic acid","3.5","ng/L","U","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","335-67-1","Perfluorooctanoic acid","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","375-95-1","Perfluorononanoic acid","8.7","ng/L","U","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","1763-23-1","Perfluorooctanesulfonic acid","21","ng/L","","6.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","376-06-7","Perfluorotetradecanoic

acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-18","E537","IN","GBV346","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","2.5","ng/L","U","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","91","%","","-99","NA","","SUR","91","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic
acid","76","%","","-99","NA","","SUR","76","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic
acid","97","%","","-99","NA","","SUR","97","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic
acid","76","%","","-99","NA","","SUR","76","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic
acid","82","%","","-99","NA","","SUR","82","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic
acid","88","%","","-99","NA","","SUR","88","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic
acid","95","%","","-99","NA","","SUR","95","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","83","%","","-99","NA","","SUR","83","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic
acid","92","%","","-99","NA","","SUR","92","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","13C4PFNA","13C5-Perfluorononanoic
acid","88","%","","-99","NA","","SUR","88","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","96","%","","-99","NA","","SUR","96","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","D3-MEFOSAA","N-METHYL-D3-
PERFLUOROOCTANESULFONAMIDOACETIC
ACID","74","%","","-99","NA","","SUR","74","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","71","%","","-99","NA","","SUR","71","","-99","NA","YES","-99","","1","1","-99","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","2991-50-
6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","2355-31-
9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","5.4","ng/L","U","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","335-76-2","Perfluorodecanoic
acid","6.1","ng/L","U","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","307-55-1","Perfluorododecanoic
acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","375-85-9","Perfluoroheptanoic
acid","7.4","ng/L","U","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","5.6","ng/L","U","5.6","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","307-24-4","Perfluorohexanoic
acid","3.5","ng/L","U","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","335-67-1","Perfluorooctanoic
acid","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","375-95-1","Perfluorononanoic
acid","8.7","ng/L","U","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","6.0","ng/L","U","6.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"

"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","376-06-7","Perfluorotetradecanoic acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","72629-94-8","Perfluorotridecanoic acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"EB-CEF-MFS-020818-19","E537","IN","GBV347","MAXXAM","2058-94-8","Perfluoroundecanoic acid","2.5","ng/L","U","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic acid","85","%","","-99","NA","","SUR","85","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic acid","76","%","","-99","NA","","SUR","76","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic acid","91","%","","-99","NA","","SUR","91","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic acid","69","%","","-99","NA","","SUR","69","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic acid","84","%","","-99","NA","","SUR","84","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic acid","84","%","","-99","NA","","SUR","84","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic acid","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","1763-23-1_13","13C4-Perfluorooctanesulfonate","87","%","","-99","NA","","SUR","87","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic acid","93","%","","-99","NA","","SUR","93","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","13C4PFNA","13C5-Perfluorononanoic acid","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","18O2PFHXS","18O2-Perfluorohexanesulfonate","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","D3-MEFOSAA","N-METHYL-D3-PERFLUOROOCTANESULFONAMIDOACETIC ACID","76","%","","-99","NA","","SUR","76","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","D5-ETFOSAA","D5-ETFOSAA","76","%","","-99","NA","","SUR","76","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","2991-50-6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","2355-31-9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","375-73-5","Perfluorobutanesulfonic acid","5.4","ng/L","U","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","335-76-2","Perfluorodecanoic acid","6.1","ng/L","U","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","307-55-1","Perfluorododecanoic acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","375-85-9","Perfluoroheptanoic acid","7.4","ng/L","U","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","355-46-4","Perfluorohexanesulfonic acid","5.6","ng/L","U","5.6","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","307-24-4","Perfluorohexanoic acid","3.5","ng/L","U","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","335-67-1","Perfluorooctanoic acid","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","375-95-1","Perfluorononanoic acid","8.7","ng/L","U","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","1763-23-1","Perfluorooctanesulfonic

acid","6.0","ng/L","U","6.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-MFS-020818-12","E537","IN","GBV348","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","2.5","ng/L","U","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","83","%","","-99","NA","","SUR","83","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic
acid","84","%","","-99","NA","","SUR","84","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic
acid","84","%","","-99","NA","","SUR","84","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic
acid","83","%","","-99","NA","","SUR","83","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic
acid","79","%","","-99","NA","","SUR","79","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic
acid","81","%","","-99","NA","","SUR","81","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic
acid","85","%","","-99","NA","","SUR","85","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","73","%","","-99","NA","","SUR","73","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic
acid","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","13C4PFNA","13C5-Perfluorononanoic
acid","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","83","%","","-99","NA","","SUR","83","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","D3-MEFOSAA","N-METHYL-D3-
PERFLUOROOCTANESULFONAMIDOACETIC
ACID","83","%","","-99","NA","","SUR","83","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","81","%","","-99","NA","","SUR","81","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","2991-50-
6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","2355-31-
9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","31","ng/L","","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","335-76-2","Perfluorodecanoic
acid","6.1","ng/L","U","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","307-55-1","Perfluorododecanoic
acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","375-85-9","Perfluoroheptanoic
acid","80","ng/L","","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","1200","ng/L","","56","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","Due to high
concentration of the target analyte, a reduced sample volume was extracted and analyzed. Detection limit was adjusted
accordingly (10x)."
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","307-24-4","Perfluorohexanoic
acid","190","ng/L","","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","335-67-1","Perfluorooctanoic
acid","67","ng/L","","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"

"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","375-95-1","Perfluorononanoic acid","20","ng/L","J","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","1763-23-1","Perfluorooctanesulfonic acid","2400","ng/L","","60","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","Due to high concentration of the target analyte, a reduced sample volume was extracted and analyzed. Detection limit was adjusted accordingly (10x)."
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","376-06-7","Perfluorotetradecanoic acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","72629-94-8","Perfluorotridecanoic acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-1820-TW02-0218","E537","IN","GBV349","MAXXAM","2058-94-8","Perfluoroundecanoic acid","2.5","ng/L","U","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic acid","96","%","","-99","NA","","SUR","96","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic acid","98","%","","-99","NA","","SUR","98","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic acid","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic acid","74","%","","-99","NA","","SUR","74","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic acid","91","%","","-99","NA","","SUR","91","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic acid","112","%","","-99","NA","","SUR","112","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic acid","105","%","","-99","NA","","SUR","105","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","1763-23-1_13","13C4-Perfluorooctanesulfonate","108","%","","-99","NA","","SUR","108","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic acid","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","13C4PFNA","13C5-Perfluorononanoic acid","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","18O2PFHXS","18O2-Perfluorohexanesulfonate","104","%","","-99","NA","","SUR","104","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","D3-MEFOSAA","N-METHYL-D3-PERFLUOROOCTANESULFONAMIDOACETIC ACID","92","%","","-99","NA","","SUR","92","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","D5-ETFOSAA","D5-ETFOSAA","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","2991-50-6","EtFOSAA","33","ng/L","U","33","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","2355-31-9","MeFOSAA","29","ng/L","U","29","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","375-73-5","Perfluorobutanesulfonic acid","54","ng/L","U","54","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","335-76-2","Perfluorodecanoic acid","61","ng/L","U","61","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","307-55-1","Perfluorododecanoic acid","50","ng/L","U","50","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","375-85-9","Perfluoroheptanoic acid","74","ng/L","U","74","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","355-46-4","Perfluorohexanesulfonic

acid","56","ng/L","U","56","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","307-24-4","Perfluorohexanoic
acid","35","ng/L","U","35","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","335-67-1","Perfluorooctanoic
acid","33","ng/L","U","33","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","375-95-1","Perfluorononanoic
acid","87","ng/L","U","87","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","60","ng/L","U","60","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","27","ng/L","U","27","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","38","ng/L","U","38","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW01-0218","E537","DL1","GBV350","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","25","ng/L","U","25","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","111","%","","-99","NA","","SUR","111","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic
acid","98","%","","-99","NA","","SUR","98","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic
acid","116","%","","-99","NA","","SUR","116","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic
acid","97","%","","-99","NA","","SUR","97","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic
acid","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic
acid","108","%","","-99","NA","","SUR","108","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic
acid","112","%","","-99","NA","","SUR","112","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","119","%","","-99","NA","","SUR","119","","-99","NA","YES","-99","","1","1","-99","TES
T"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic
acid","111","%","","-99","NA","","SUR","111","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","13C4PFNA","13C5-Perfluorononanoic
acid","116","%","","-99","NA","","SUR","116","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","110","%","","-99","NA","","SUR","110","","-99","NA","YES","-99","","1","1","-99","TES
T"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","D3-MEFOSAA","N-METHYL-D3-
PERFLUOROOCTANESULFONAMIDOACETIC
ACID","94","%","","-99","NA","","SUR","94","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","2991-50-
6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","2355-31-
9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","5.4","ng/L","U","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","335-76-2","Perfluorodecanoic
acid","6.1","ng/L","U","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","307-55-1","Perfluorododecanoic
acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"

"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","375-85-9","Perfluoroheptanoic
acid","7.4","ng/L","U","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","5.6","ng/L","U","5.6","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","307-24-4","Perfluorohexanoic
acid","3.5","ng/L","U","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","335-67-1","Perfluorooctanoic
acid","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","375-95-1","Perfluorononanoic
acid","8.7","ng/L","U","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","6.0","ng/L","U","6.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"FB-CEF-S3-020918-13","E537","IN","GBV351","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","2.5","ng/L","U","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","98","%","","-99","NA","","SUR","98","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic
acid","98","%","","-99","NA","","SUR","98","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic
acid","107","%","","-99","NA","","SUR","107","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic
acid","84","%","","-99","NA","","SUR","84","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic
acid","101","%","","-99","NA","","SUR","101","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic
acid","105","%","","-99","NA","","SUR","105","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic
acid","103","%","","-99","NA","","SUR","103","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","112","%","","-99","NA","","SUR","112","","-99","NA","YES","-99","","1","1","-99","TES
T"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic
acid","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","13C4PFNA","13C5-Perfluorononanoic
acid","105","%","","-99","NA","","SUR","105","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","104","%","","-99","NA","","SUR","104","","-99","NA","YES","-99","","1","1","-99","TES
T"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","D3-MEFOSAA","N-METHYL-D3-
PERFLUOROOCTANESULFONAMIDOACETIC
ACID","96","%","","-99","NA","","SUR","96","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","93","%","","-99","NA","","SUR","93","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","2991-50-
6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","2355-31-
9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","11","ng/L","J","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","335-76-2","Perfluorodecanoic

acid","7.0","ng/L","J","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","307-55-1","Perfluorododecanoic
acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","375-85-9","Perfluoroheptanoic
acid","330","ng/L","","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","710","ng/L","","5.6","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","307-24-4","Perfluorohexanoic
acid","310","ng/L","","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","335-67-1","Perfluorooctanoic
acid","210","ng/L","","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","375-95-1","Perfluorononanoic
acid","63","ng/L","","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","810","ng/L","","6.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW01-0218","E537","IN","GBV352","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","2.5","ng/L","U","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","103","%","","-99","NA","","SUR","103","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic
acid","95","%","","-99","NA","","SUR","95","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic
acid","112","%","","-99","NA","","SUR","112","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic
acid","85","%","","-99","NA","","SUR","85","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic
acid","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic
acid","105","%","","-99","NA","","SUR","105","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic
acid","111","%","","-99","NA","","SUR","111","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","111","%","","-99","NA","","SUR","111","","-99","NA","YES","-99","","1","1","-99","TES
T"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic
acid","109","%","","-99","NA","","SUR","109","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","13C4PFNA","13C5-Perfluorononanoic
acid","109","%","","-99","NA","","SUR","109","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","116","%","","-99","NA","","SUR","116","","-99","NA","YES","-99","","1","1","-99","TES
T"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","D3-MEFOSAA","N-METHYL-D3-
PERFLUOROOCTANESULFONAMIDOACETIC
ACID","92","%","","-99","NA","","SUR","92","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","92","%","","-99","NA","","SUR","92","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","2991-50-
6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","2355-31-
9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"

"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","375-73-5","Perfluorobutanesulfonic acid","5.4","ng/L","U","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","335-76-2","Perfluorodecanoic acid","6.1","ng/L","U","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","307-55-1","Perfluorododecanoic acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","375-85-9","Perfluoroheptanoic acid","52","ng/L","","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","355-46-4","Perfluorohexanesulfonic acid","8.1","ng/L","J","5.6","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","307-24-4","Perfluorohexanoic acid","64","ng/L","","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","335-67-1","Perfluorooctanoic acid","14","ng/L","J","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","375-95-1","Perfluorononanoic acid","8.7","ng/L","U","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","1763-23-1","Perfluorooctanesulfonic acid","24","ng/L","","6.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","376-06-7","Perfluorotetradecanoic acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","72629-94-8","Perfluorotridecanoic acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-MFS-TW02-0218","E537","IN","GBV353","MAXXAM","2058-94-8","Perfluoroundecanoic acid","2.9","ng/L","J","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic acid","90","%","","-99","NA","","SUR","90","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic acid","86","%","","-99","NA","","SUR","86","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic acid","115","%","","-99","NA","","SUR","115","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic acid","68","%","","-99","NA","","SUR","68","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic acid","95","%","","-99","NA","","SUR","95","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic acid","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic acid","107","%","","-99","NA","","SUR","107","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","1763-23-1_13","13C4-Perfluorooctanesulfonate","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic acid","99","%","","-99","NA","","SUR","99","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","13C4PFNA","13C5-Perfluorononanoic acid","102","%","","-99","NA","","SUR","102","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","18O2PFHXS","18O2-Perfluorohexanesulfonate","101","%","","-99","NA","","SUR","101","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","D3-MEFOSAA","N-METHYL-D3-PERFLUOROOCTANESULFONAMIDOACETIC ACID","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","D5-ETFOSAA","D5-ETFOSAA","86","%","","-99","NA","","SUR","86","","-99","NA","YES","-99","","1","1","-99","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","2991-50-

6","EtFOSAA","33","ng/L","U","33","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","2355-31-
9","MeFOSAA","29","ng/L","U","29","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","54","ng/L","U","54","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","335-76-2","Perfluorodecanoic
acid","61","ng/L","U","61","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","307-55-1","Perfluorododecanoic
acid","50","ng/L","U","50","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","375-85-9","Perfluoroheptanoic
acid","74","ng/L","U","74","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","56","ng/L","U","56","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","307-24-4","Perfluorohexanoic
acid","35","ng/L","U","35","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","335-67-1","Perfluorooctanoic
acid","33","ng/L","U","33","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","375-95-1","Perfluorononanoic
acid","87","ng/L","U","87","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","60","ng/L","U","60","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","27","ng/L","U","27","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","38","ng/L","U","38","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"CEF-S3-TW02-0209","E537","DL1","GBV354","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","25","ng/L","U","25","MDL","","NM","","","200","PQL","YES","-99","","1","1","200","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","112","%","","-99","NA","","SUR","112","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","13C2PFDOA","13C2-
Perfluorododecanoic acid","93","%","","-99","NA","","SUR","93","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","13C2PFHXA","13C2-
Perfluorohexanoic acid","107","%","","-99","NA","","SUR","107","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","13C2PFTDA","13C2-
Perfluorotetradecanoic
acid","96","%","","-99","NA","","SUR","96","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","13C2PFUA","13C2-
Perfluoroundecanoic acid","97","%","","-99","NA","","SUR","97","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic
acid","104","%","","-99","NA","","SUR","104","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","13C4PFHPA","13C4-
Perfluoroheptanoic
acid","101","%","","-99","NA","","SUR","101","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","113","%","","-99","NA","","SUR","113","","-99","NA","YES","-99","","1","1","-99","TES
T"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","335-67-1_13C","13C4-
Perfluorooctanoic acid","109","%","","-99","NA","","SUR","109","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","13C4PFNA","13C5-Perfluorononanoic
acid","110","%","","-99","NA","","SUR","110","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","98","%","","-99","NA","","SUR","98","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","D3-MEFOSAA","N-METHYL-D3-
PERFLUOROOCTANESULFONAMIDOACETIC

ACID","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","90","%","","-99","NA","","SUR","90","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","2991-50-
6","EtFOSAA","98","ng/L","","3.3","MDL","","PDSPK","98","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","2355-31-
9","MeFOSAA","98","ng/L","","2.9","MDL","","PDSPK","98","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","115","ng/L","","5.4","MDL","","PDSPK","115","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","335-76-2","Perfluorodecanoic
acid","97","ng/L","","6.1","MDL","","PDSPK","97","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","307-55-1","Perfluorododecanoic
acid","104","ng/L","","5.0","MDL","","PDSPK","104","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","375-85-9","Perfluoroheptanoic
acid","105","ng/L","","7.4","MDL","","PDSPK","105","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","114","ng/L","","5.6","MDL","","PDSPK","114","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","307-24-4","Perfluorohexanoic
acid","102","ng/L","","3.5","MDL","","PDSPK","102","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","335-67-1","Perfluorooctanoic
acid","101","ng/L","","3.3","MDL","","PDSPK","101","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","375-95-1","Perfluorononanoic
acid","103","ng/L","","8.7","MDL","","PDSPK","103","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","93","ng/L","","6.0","MDL","","PDSPK","93","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","102","ng/L","","2.7","MDL","","PDSPK","102","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","103","ng/L","","3.8","MDL","","PDSPK","103","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Spiked Blank","E537","IN","5410178:Spiked Blank","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","101","ng/L","","2.5","MDL","","PDSPK","101","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","91","%","","-99","NA","","SUR","91","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic
acid","90","%","","-99","NA","","SUR","90","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic
acid","98","%","","-99","NA","","SUR","98","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic
acid","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic
acid","91","%","","-99","NA","","SUR","91","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic
acid","94","%","","-99","NA","","SUR","94","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic
acid","95","%","","-99","NA","","SUR","95","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","95","%","","-99","NA","","SUR","95","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic
acid","100","%","","-99","NA","","SUR","100","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","13C4PFNA","13C5-Perfluorononanoic
acid","101","%","","-99","NA","","SUR","101","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","93","%","","-99","NA","","SUR","93","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","D3-MEFOSAA","N-METHYL-D3-

PERFLUOROOCTANESULFONAMIDOACETIC
ACID","87","%","","-99","NA","","SUR","87","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","87","%","","-99","NA","","SUR","87","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","2991-50-
6","EtFOSAA","97","ng/L","","3.3","MDL","","PDSPK","97","0.72","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","2355-31-
9","MeFOSAA","99","ng/L","","2.9","MDL","","PDSPK","99","1.3","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","111","ng/L","","5.4","MDL","","PDSPK","111","3.8","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","335-76-2","Perfluorodecanoic
acid","106","ng/L","","6.1","MDL","","PDSPK","106","9.2","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","307-55-1","Perfluorododecanoic
acid","99","ng/L","","5.0","MDL","","PDSPK","99","5.4","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","375-85-9","Perfluoroheptanoic
acid","102","ng/L","","7.4","MDL","","PDSPK","102","3.5","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","102","ng/L","","5.6","MDL","","PDSPK","102","11","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","307-24-4","Perfluorohexanoic
acid","101","ng/L","","3.5","MDL","","PDSPK","101","0.74","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","335-67-1","Perfluorooctanoic
acid","96","ng/L","","3.3","MDL","","PDSPK","96","5.5","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","375-95-1","Perfluorononanoic
acid","101","ng/L","","8.7","MDL","","PDSPK","101","2.8","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","95","ng/L","","6.0","MDL","","PDSPK","95","2.4","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","98","ng/L","","2.7","MDL","","PDSPK","98","3.6","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","98","ng/L","","3.8","MDL","","PDSPK","98","4.7","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:LCSD","E537","IN","5410178:LCSD","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","102","ng/L","","2.5","MDL","","PDSPK","102","1.3","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","105","%","","-99","NA","","SUR","105","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","13C2PFDOA","13C2-
Perfluorododecanoic
acid","102","%","","-99","NA","","SUR","102","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","13C2PFHXA","13C2-
Perfluorohexanoic acid","110","%","","-99","NA","","SUR","110","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","13C2PFTDA","13C2-
Perfluorotetradecanoic
acid","91","%","","-99","NA","","SUR","91","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","13C2PFUA","13C2-
Perfluoroundecanoic
acid","108","%","","-99","NA","","SUR","108","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic
acid","101","%","","-99","NA","","SUR","101","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","13C4PFHPA","13C4-
Perfluoroheptanoic
acid","105","%","","-99","NA","","SUR","105","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","109","%","","-99","NA","","SUR","109","","-99","NA","YES","-99","","1","1","-99","TES
T"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","335-67-1_13C","13C4-

Perfluorooctanoic acid","104","%","","-99","NA","","SUR","104","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","13C4PFNA","13C5-Perfluorononanoic
acid","109","%","","-99","NA","","SUR","109","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","102","%","","-99","NA","","SUR","102","","-99","NA","YES","-99","","1","1","-99","TES
T"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","D3-MEFOSAA","N-METHYL-D3-
PERFLUOROOCTANESULFONAMIDOACETIC
ACID","92","%","","-99","NA","","SUR","92","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","2991-50-
6","EtFOSAA","95","ng/L","","3.3","MDL","","PDSPK","95","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","2355-31-
9","MeFOSAA","94","ng/L","","2.9","MDL","","PDSPK","94","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","102","ng/L","","5.4","MDL","","PDSPK","102","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","335-76-2","Perfluorodecanoic
acid","105","ng/L","","6.1","MDL","","PDSPK","105","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","307-55-1","Perfluorododecanoic
acid","94","ng/L","","5.0","MDL","","PDSPK","94","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","375-85-9","Perfluoroheptanoic
acid","95","ng/L","","7.4","MDL","","PDSPK","95","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","106","ng/L","","5.6","MDL","","PDSPK","106","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","307-24-4","Perfluorohexanoic
acid","93","ng/L","","3.5","MDL","","PDSPK","93","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","335-67-1","Perfluorooctanoic
acid","101","ng/L","","3.3","MDL","","PDSPK","101","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","375-95-1","Perfluorononanoic
acid","93","ng/L","","8.7","MDL","","PDSPK","93","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","86","ng/L","","6.0","MDL","","PDSPK","86","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","101","ng/L","","2.7","MDL","","PDSPK","101","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","103","ng/L","","3.8","MDL","","PDSPK","103","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Spiked Blank","E537","IN","5412188:Spiked Blank","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","97","ng/L","","2.5","MDL","","PDSPK","97","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","108","%","","-99","NA","","SUR","108","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic
acid","105","%","","-99","NA","","SUR","105","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic
acid","115","%","","-99","NA","","SUR","115","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic
acid","95","%","","-99","NA","","SUR","95","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic
acid","113","%","","-99","NA","","SUR","113","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","375-22-4-13C","13C4-Perflurobutanoic
acid","115","%","","-99","NA","","SUR","115","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","13C4PFHPA","13C4-Perfluoroheptanoic
acid","112","%","","-99","NA","","SUR","112","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","1763-23-1_13","13C4-

Perfluorooctanesulfonate","114","%","","-99","NA","","SUR","114","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","335-67-1_13C","13C4-Perfluorooctanoic acid","107","%","","-99","NA","","SUR","107","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","13C4PFNA","13C5-Perfluorononanoic acid","110","%","","-99","NA","","SUR","110","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","18O2PFHXS","18O2-Perfluorohexanesulfonate","111","%","","-99","NA","","SUR","111","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","D3-MEFOSAA","N-METHYL-D3-PERFLUOROOCTANESULFONAMIDOACETIC ACID","95","%","","-99","NA","","SUR","95","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","D5-ETFOSAA","D5-ETFOSAA","92","%","","-99","NA","","SUR","92","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","2991-50-6","EtFOSAA","94","ng/L","","3.3","MDL","","PDSPK","94","1.1","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","2355-31-9","MeFOSAA","91","ng/L","","2.9","MDL","","PDSPK","91","2.8","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","375-73-5","Perfluorobutanesulfonic acid","110","ng/L","","5.4","MDL","","PDSPK","110","7.4","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","335-76-2","Perfluorodecanoic acid","98","ng/L","","6.1","MDL","","PDSPK","98","6.3","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","307-55-1","Perfluorododecanoic acid","97","ng/L","","5.0","MDL","","PDSPK","97","2.8","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","375-85-9","Perfluoroheptanoic acid","88","ng/L","","7.4","MDL","","PDSPK","88","7.8","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","355-46-4","Perfluorohexanesulfonic acid","100","ng/L","","5.6","MDL","","PDSPK","100","6.2","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","307-24-4","Perfluorohexanoic acid","91","ng/L","","3.5","MDL","","PDSPK","91","1.6","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","335-67-1","Perfluorooctanoic acid","100","ng/L","","3.3","MDL","","PDSPK","100","0.64","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","375-95-1","Perfluorononanoic acid","92","ng/L","","8.7","MDL","","PDSPK","92","0.95","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","1763-23-1","Perfluorooctanesulfonic acid","89","ng/L","","6.0","MDL","","PDSPK","89","2.6","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","376-06-7","Perfluorotetradecanoic acid","98","ng/L","","2.7","MDL","","PDSPK","98","3.0","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","72629-94-8","Perfluorotridecanoic acid","102","ng/L","","3.8","MDL","","PDSPK","102","0.53","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:LCSD","E537","IN","5412188:LCSD","MAXXAM","2058-94-8","Perfluoroundecanoic acid","94","ng/L","","2.5","MDL","","PDSPK","94","3.1","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic acid","98","%","","-99","NA","","SUR","98","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","13C2PFDOA","13C2-Perfluorododecanoic acid","92","%","","-99","NA","","SUR","92","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","13C2PFHXA","13C2-Perfluorohexanoic acid","103","%","","-99","NA","","SUR","103","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","13C2PFTDA","13C2-Perfluorotetradecanoic acid","85","%","","-99","NA","","SUR","85","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","13C2PFUA","13C2-Perfluoroundecanoic acid","93","%","","-99","NA","","SUR","93","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","375-22-4-13C","13C4-

Perflurobutanoic acid","99","%","","-99","NA","","SUR","99","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","13C4PFHPA","13C4-
Perfluoroheptanoic acid","96","%","","-99","NA","","SUR","96","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","101","%","","-99","NA","","SUR","101","","-99","NA","YES","-99","","1","1","-99","TES
T"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","335-67-1_13C","13C4-
Perfluorooctanoic acid","97","%","","-99","NA","","SUR","97","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","13C4PFNA","13C5-
Perfluorononanoic acid","104","%","","-99","NA","","SUR","104","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","101","%","","-99","NA","","SUR","101","","-99","NA","YES","-99","","1","1","-99","TES
T"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","D3-MEFOSAA","N-METHYL-D3-
PERFLUOROOCTANESULFONAMIDOACETIC
ACID","86","%","","-99","NA","","SUR","86","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","81","%","","-99","NA","","SUR","81","","-99","NA","YES","-99","","1","1","-99","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","2991-50-
6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","2355-31-
9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","5.4","ng/L","U","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","335-76-2","Perfluorodecanoic
acid","6.1","ng/L","U","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","307-55-1","Perfluorododecanoic
acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","375-85-9","Perfluoroheptanoic
acid","7.4","ng/L","U","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","5.6","ng/L","U","5.6","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","307-24-4","Perfluorohexanoic
acid","3.5","ng/L","U","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","335-67-1","Perfluorooctanoic
acid","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","375-95-1","Perfluorononanoic
acid","8.7","ng/L","U","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","6.0","ng/L","U","6.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5410178:Method Blank","E537","IN","5410178:Method Blank","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","2.5","ng/L","U","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","13C2PFDA","13C2-Perfluorodecanoic
acid","108","%","","-99","NA","","SUR","108","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","13C2PFDOA","13C2-
Perfluorododecanoic
acid","104","%","","-99","NA","","SUR","104","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","13C2PFHXA","13C2-
Perfluorohexanoic acid","110","%","","-99","NA","","SUR","110","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","13C2PFTDA","13C2-

Perfluorotetradecanoic
acid","98","%","","-99","NA","","SUR","98","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","13C2PFUA","13C2-
Perfluoroundecanoic
acid","108","%","","-99","NA","","SUR","108","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","375-22-4-13C","13C4-
Perflurobutanoic acid","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","13C4PFHPA","13C4-
Perfluoroheptanoic
acid","107","%","","-99","NA","","SUR","107","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","1763-23-1_13","13C4-
Perfluorooctanesulfonate","97","%","","-99","NA","","SUR","97","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","335-67-1_13C","13C4-
Perfluorooctanoic acid","104","%","","-99","NA","","SUR","104","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","13C4PFNA","13C5-
Perfluorononanoic acid","106","%","","-99","NA","","SUR","106","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","18O2PFHXS","18O2-
Perfluorohexanesulfonate","108","%","","-99","NA","","SUR","108","","-99","NA","YES","-99","","1","1","-99","TES
T"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","D3-MEFOSAA","N-METHYL-D3-
PERFLUOROOCTANESULFONAMIDOACETIC
ACID","89","%","","-99","NA","","SUR","89","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","D5-ETFOSAA","D5-
ETFOSAA","93","%","","-99","NA","","SUR","93","","-99","NA","YES","-99","","1","1","-99","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","2991-50-
6","EtFOSAA","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","2355-31-
9","MeFOSAA","2.9","ng/L","U","2.9","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","375-73-5","Perfluorobutanesulfonic
acid","5.4","ng/L","U","5.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","335-76-2","Perfluorodecanoic
acid","6.1","ng/L","U","6.1","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","307-55-1","Perfluorododecanoic
acid","5.0","ng/L","U","5.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","375-85-9","Perfluoroheptanoic
acid","7.4","ng/L","U","7.4","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","355-46-4","Perfluorohexanesulfonic
acid","5.6","ng/L","U","5.6","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","307-24-4","Perfluorohexanoic
acid","3.5","ng/L","U","3.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","335-67-1","Perfluorooctanoic
acid","3.3","ng/L","U","3.3","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","375-95-1","Perfluorononanoic
acid","8.7","ng/L","U","8.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","1763-23-1","Perfluorooctanesulfonic
acid","6.0","ng/L","U","6.0","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","376-06-7","Perfluorotetradecanoic
acid","2.7","ng/L","U","2.7","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","72629-94-8","Perfluorotridecanoic
acid","3.8","ng/L","U","3.8","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"5412188:Method Blank","E537","IN","5412188:Method Blank","MAXXAM","2058-94-8","Perfluoroundecanoic
acid","2.5","ng/L","U","2.5","MDL","","NM","","","20","PQL","YES","-99","","1","1","20","TEST"
"JM10 CECIL","JM10 CECIL","EB-CEF-MFS-020818-17","02/08/2018
09:20","W","GBV345","NM","3187","4.191","E537","E537","IN","02/22/2018 09:57","02/24/2018

03:39","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5410178","5410178","1","02232018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","EB-CEF-MFS-020818-18","02/08/2018
09:25","W","GBV346","NM","3187","4.191","E537","E537","IN","02/22/2018 09:57","02/24/2018
03:42","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5410178","5410178","1","02232018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","EB-CEF-MFS-020818-19","02/08/2018
09:30","W","GBV347","NM","3187","4.191","E537","E537","IN","02/22/2018 09:57","02/24/2018
03:44","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5410178","5410178","1","02232018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","FB-CEF-MFS-020818-12","02/08/2018
09:40","W","GBV348","NM","3187","4.191","E537","E537","IN","02/22/2018 09:57","02/24/2018
03:47","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5410178","5410178","1","02232018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","CEF-1820-TW02-0218","02/08/2018
16:30","W","GBV349","NM","3187","4.191","E537","E537","IN","02/22/2018 09:57","02/24/2018
03:49","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5410178","5410178","1","02232018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","CEF-S3-TW01-0218","02/09/2018
11:25","W","GBV350","NM","3187","4.191","E537","E537","DL1","02/23/2018 10:07","02/27/2018
14:16","MAXXAM","COA","NA","NA","10","NA","NA","00/00/0000
00:00","-99","5412188","5412188","1","02272018","B833226","02/13/2018 14:10","03/02/2018 09:43","Due to
sample matrix, a reduced sample volume was extracted. Detection limits were adjusted accordingly."
"JM10 CECIL","JM10 CECIL","FB-CEF-S3-020918-13","02/09/2018
12:00","W","GBV351","NM","3187","4.191","E537","E537","IN","02/23/2018 10:07","02/27/2018
14:26","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5412188","5412188","1","02272018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","CEF-MFS-TW01-0218","02/09/2018
11:05","W","GBV352","NM","3187","4.191","E537","E537","IN","02/23/2018 10:07","02/27/2018
14:31","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5412188","5412188","1","02272018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","CEF-MFS-TW02-0218","02/09/2018
15:38","W","GBV353","NM","3187","4.191","E537","E537","IN","02/23/2018 10:07","02/27/2018
14:46","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5412188","5412188","1","02272018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","CEF-S3-TW02-0209","02/09/2018
13:50","W","GBV354","NM","3187","4.191","E537","E537","DL1","02/23/2018 10:07","02/27/2018
14:51","MAXXAM","COA","NA","NA","10","NA","NA","00/00/0000
00:00","-99","5412188","5412188","1","02272018","B833226","02/13/2018 14:10","03/02/2018 09:43","Due to
sample matrix, a reduced sample volume was extracted. Detection limits were adjusted accordingly."
"JM10 CECIL","JM10 CECIL","5410178:Spiked Blank","00/00/0000 00:00","WQ","5410178:Spiked
Blank","LCS","3187","4.191","E537","E537","IN","02/22/2018 23:59","02/24/2018
03:34","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5410178","5410178","1","02232018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","5410178:LCSD","00/00/0000
00:00","WQ","5410178:LCSD","LCSD","3187","4.191","E537","E537","IN","02/22/2018 09:58","02/24/2018
03:37","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5410178","5410178","1","02232018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","5412188:Spiked Blank","00/00/0000 00:00","WQ","5412188:Spiked
Blank","LCS","3187","4.191","E537","E537","IN","02/23/2018 23:59","02/27/2018
14:07","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5412188","5412188","1","02272018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","5412188:LCSD","00/00/0000
00:00","WQ","5412188:LCSD","LCSD","3187","4.191","E537","E537","IN","02/23/2018 12:57","02/27/2018

14:12","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5412188","5412188","1","02272018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","5410178:Method Blank","00/00/0000 00:00","WQ","5410178:Method
Blank","MB","3187","4.191","E537","E537","IN","02/22/2018 23:59","02/24/2018
03:32","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5410178","5410178","1","02232018","B833226","02/13/2018 14:10","03/02/2018 09:43",""
"JM10 CECIL","JM10 CECIL","5412188:Method Blank","00/00/0000 00:00","WQ","5412188:Method
Blank","MB","3187","4.191","E537","E537","IN","02/23/2018 10:07","02/27/2018
14:02","MAXXAM","COA","NA","NA","1","NA","NA","00/00/0000
00:00","-99","5412188","5412188","1","02272018","B833226","02/13/2018 14:10","03/02/2018 09:43",""

TETRA TECH

INTERNAL CORRESPONDENCE

TO: **M. VED** **DATE:** **APRIL 24, 2018**

FROM: **MICHELLE L. WOEBER** **COPIES:** **DV FILE**

SUBJECT: **ORGANIC DATA VALIDATION – POLYFLUOROALKYL SUBSTANCES (PFAS)**
NAVAL AIR STATION (NAS), CECIL FIELD
SAMPLE DELIVERY GROUP (SDG) B833226

SAMPLES: 10/Aqueous/PFAS

CEF-1820-TW02-0218	CEF-MFS-TW01-0218	CEF-MFS-TW02-0218
CEF-S3-TW01-0218	CEF-S3-TW02-0209	EB-CEF-MFS-020818-17
EB-CEF-MFS-020818-18	EB-CEF-MFS-020818-19	FB-CEF-MFS-020818-12
FB-CEF-S3-020918-13		

Overview

The sample set for NAS Cecil Field, SDG B833226 consisted of five (5) aqueous environmental samples, three (3) equipment blanks, and two (2) Field Reagent Blanks (FRBs). All ten (10) samples were analyzed for polyfluoroalkyl substances (PFAS). No field duplicate sample pair was included in this SDG.

The samples were collected by Tetra Tech, Inc. on February 8-9, 2018 and analyzed by Maxxam Analytics. All analyses were conducted in accordance with EPA 537 Modified analytical and reporting protocols. The data contained in this SDG was validated with regard to the following parameters:

* • Data completeness
* • Hold times/Sample Preservation
* • Mass Calibration
* • LC/MS/MS System Tuning and Performance
* • Mass Spectral Acquisition Rate
* • Instrument Sensitivity Check
* • Ion Transition Check
* • Initial/Continuing Calibrations
* • Laboratory Method Blank Results
• Field Reagent Blank and Equipment Blank Results
* • Extraction Internal Standard Recoveries
* • Injection Internal Standard Recoveries
* • Laboratory Control Sample Recoveries
* • Matrix Spike/Matrix Spike Sample Duplicate Results
* • Compound Identification
* • Compound Quantitation
* • Detection Limits

The symbol (*) indicates that all quality control criteria were met for this parameter. Qualified analytical results are presented in Appendix A, results as reported by the laboratory are presented in Appendix B, and documentation supporting these findings is presented in Appendix C.

PFAS

The following contaminant was detected in the equipment blank, EB-CEF-MFS-020818-18, at the following concentration:

Compound	Concentration	Action Level
Perfluorooctane sulfonic acid (PFOS)	21 ng/L	> LOQ

The detected result at a similar concentration for PFOS in the associated sample, CEF-MFS-TW02-0218, was qualified as non-detected, (U).

Additional Comments

Samples CEF-S3-TW01-0218 and CEF-S3-TW02-0209 were diluted prior to analysis. The reporting limits were adjusted accordingly.

A reduced volume was used to reanalyze sample CEF-1820-TW02-0218 for perfluorohexanesulfonic acid and perfluorooctane sulfonic acid due to concentrations of these compounds. The results from the reduced volume analysis was reported by the laboratory.

Detected results reported below the Limit of Quantitation (LOQ) but above the Method Detection Limit (MDL) were qualified as estimated, (J). Non-detected results were reported to the MDL in the database.

Executive Summary

Laboratory Performance Issues: None.

Other Factors Affecting Data Quality: Three samples required dilutions. One equipment blank contained a contaminant greater than the LOQ. Detected results below the LOQ were estimated.

The data for these analyses were reviewed with reference to the "National Functional Guidelines for Organic Superfund Methods Data Review" (January 2017), EPA Method 537 Modified, and the Department of Defense (DoD) document entitled "Quality Systems Manual (QSM) for Environmental Laboratories" (2017). The text of this report has been formulated to address only those areas affecting data quality.

Michelle L. Woeber

Tetra Tech, Inc.
Michelle L. Woeber
Chemist/Data Validator

Joseph A. Samchuck

Tetra Tech, Inc.
Joseph A. Samchuck
Data Validation Manager

Attachments:
Appendix A - Qualified Analytical Results
Appendix B – Results as Reported by the Laboratory
Appendix C – Support Documentation

Data Qualifier Definitions

The following definitions provide brief explanations of the validation qualifiers assigned to results in the data review process.

U	The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted method detection limit for sample and method.
J	The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the reporting limit).
J+	The result is an estimated quantity, but the result may be biased high.
J-	The result is an estimated quantity, but the result may be biased low.
UJ	The analyte was analyzed for, but was not detected. The reported detection limit is approximate and may be inaccurate or imprecise.
R	The sample result (detected) is unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
UR	The sample result (nondetected) is unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.

APPENDIX A

QUALIFIED ANALYTICAL RESULTS

Qualifier Codes:

A = Lab Blank Contamination
B = Field Blank Contamination
C = Calibration Noncompliance (i.e., % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
C01 = GC/MS Tuning Noncompliance
D = MS/MSD Recovery Noncompliance
E = LCS/LCSD Recovery Noncompliance
F = Lab Duplicate Imprecision
G = Field Duplicate Imprecision
H = Holding Time Exceedance
I = ICP Serial Dilution Noncompliance
J = ICP PDS Recovery Noncompliance; MSA's r < 0.995
K = ICP Interference - includes ICS % R Noncompliance
L = Instrument Calibration Range Exceedance
M = Sample Preservation Noncompliance
N = Internal Standard Noncompliance
N01 = Internal Standard Recovery Noncompliance Dioxins
N02 = Recovery Standard Noncompliance Dioxins
N03 = Clean-up Standard Noncompliance Dioxins
O = Poor Instrument Performance (i.e., base-time drifting)
P = Uncertainty near detection limit (< 2 x IDL for inorganics and <CRQL for organics)
Q = Other problems (can encompass a number of issues; i.e.chromatography,interferences, etc.)
R = Surrogates Recovery Noncompliance
S = Pesticide/PCB Resolution
T = % Breakdown Noncompliance for DDT and Endrin
U = RPD between columns/detectors >40% for positive results determined via GC/HPLC
V = Non-linear calibrations; correlation coefficient r < 0.995
W = EMPC result
X = Signal to noise response drop
Y = Percent solids <30%
Z = Uncertainty at 2 standard deviations is greater than sample activity
Z1 = Tentatively Identified Compound considered presumptively present
Z2 = Tentatively Identified Compound column bleed
Z3 = Tentatively Identified Compound aldol condensate
Z4 = Sample activity is less than the at uncertainty at 3 standard deviations and greater than the MDC
Z5 = Sample activity is less than the at uncertainty at 3 standard deviations and less than the MDC

PROJ_NO: 08005-JM10	NSAMPLE	CEF-1820-TW02-0218			CEF-MFS-TW01-0218			CEF-MFS-TW02-0218			CEF-S3-TW01-0218		
SDG: B833226	LAB_ID	GBV349			GBV352			GBV353			GBV350		
FRACTION: PFAS	SAMP_DATE	2/8/2018			2/9/2018			2/9/2018			2/9/2018		
MEDIA: WATER	QC_TYPE	NM			NM			NM			NM		
	UNITS	NG/L			NG/L			NG/L			NG/L		
	PCT_SOLIDS	0.0			0.0			0.0			0.0		
	DUP_OF												
PARAMETER		RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD
N-ETHYL PERFLUOROOCTANE SULFONAMIDOACETIC ACID		3.3	U		3.3	U		3.3	U		33	U	
N-METHYL PERFLUOROOCTANE SULFONAMIDOACETIC ACID		2.9	U		2.9	U		2.9	U		29	U	
PENTADECAFLUOROOCTANOIC ACID		67			210			14	J	P	33	U	
PERFLUOROBUTANESULFONIC ACID		31			11	J	P	5.4	U		54	U	
PERFLUORODECANOIC ACID		6.1	U		7	J	P	6.1	U		61	U	
PERFLUORODODECANOIC ACID		5	U		5	U		5	U		50	U	
PERFLUOROHEPTANOIC ACID		80			330			52			74	U	
PERFLUOROHEXANESULFONIC ACID		1200			710			8.1	J	P	56	U	
PERFLUOROHEXANOIC ACID		190			310			64			35	U	
PERFLUORONONANOIC ACID		20	J	P	63		P	8.7	U		87	U	
PERFLUOROOCTANE SULFONIC ACID		2400			810			24	U	B	60	U	
PERFLUOROTETRADECANOIC ACID		2.7	U		2.7	U		2.7	U		27	U	
PERFLUOROTRIDECANOIC ACID		3.8	U		3.8	U		3.8	U		38	U	
PERFLUOROUNDECANOIC ACID		2.5	U		2.5	U		2.9	J	P	25	U	

PROJ_NO: 08005-JM10	NSAMPLE	CEF-S3-TW02-0209			EB-CEF-MFS-020818-17			EB-CEF-MFS-020818-18			EB-CEF-MFS-020818-19		
SDG: B833226	LAB_ID	GBV354			GBV345			GBV346			GBV347		
FRACTION: PFAS	SAMP_DATE	2/9/2018			2/8/2018			2/8/2018			2/8/2018		
MEDIA: WATER	QC_TYPE	NM			NM			NM			NM		
	UNITS	NG/L			NG/L			NG/L			NG/L		
	PCT_SOLIDS	0.0			0.0			0.0			0.0		
	DUP_OF												
PARAMETER		RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD
N-ETHYL PERFLUOROOCTANE SULFONAMIDOACETIC ACID		33	U		3.3	U		3.3	U		3.3	U	
N-METHYL PERFLUOROOCTANE SULFONAMIDOACETIC ACID		29	U		2.9	U		2.9	U		2.9	U	
PENTADECAFLUOROOCTANOIC ACID		33	U		3.3	U		3.3	U		3.3	U	
PERFLUOROBUTANESULFONIC ACID		54	U		5.4	U		5.4	U		5.4	U	
PERFLUORODECANOIC ACID		61	U		6.1	U		6.1	U		6.1	U	
PERFLUORODODECANOIC ACID		50	U		5	U		5	U		5	U	
PERFLUOROHEPTANOIC ACID		74	U		7.4	U		7.4	U		7.4	U	
PERFLUOROHEXANESULFONIC ACID		56	U		5.6	U		5.6	U		5.6	U	
PERFLUOROHEXANOIC ACID		35	U		3.5	U		3.5	U		3.5	U	
PERFLUORONONANOIC ACID		87	U		8.7	U		8.7	U		8.7	U	
PERFLUOROOCTANE SULFONIC ACID		60	U		6	U		21			6	U	
PERFLUOROTETRADECANOIC ACID		27	U		2.7	U		2.7	U		2.7	U	
PERFLUOROTRIDECANOIC ACID		38	U		3.8	U		3.8	U		3.8	U	
PERFLUOROUNDECANOIC ACID		25	U		2.5	U		2.5	U		2.5	U	

PROJ_NO: 08005-JM10	NSAMPLE	FB-CEF-MFS-020818-12			FB-CEF-S3-020918-13		
SDG: B833226	LAB_ID	GBV348			GBV351		
FRACTION: PFAS	SAMP_DATE	2/8/2018			2/9/2018		
MEDIA: WATER	QC_TYPE	NM			NM		
	UNITS	NG/L			NG/L		
	PCT_SOLIDS	0.0			0.0		
	DUP_OF						
PARAMETER		RESULT	VQL	QLCD	RESULT	VQL	QLCD
N-ETHYL PERFLUOROOCTANE SULFONAMIDOACETIC ACID		3.3	U		3.3	U	
N-METHYL PERFLUOROOCTANE SULFONAMIDOACETIC ACID		2.9	U		2.9	U	
PENTADECAFLUOROOCTANOIC ACID		3.3	U		3.3	U	
PERFLUOROBUTANESULFONIC ACID		5.4	U		5.4	U	
PERFLUORODECANOIC ACID		6.1	U		6.1	U	
PERFLUORODODECANOIC ACID		5	U		5	U	
PERFLUOROHEPTANOIC ACID		7.4	U		7.4	U	
PERFLUOROHEXANESULFONIC ACID		5.6	U		5.6	U	
PERFLUOROHEXANOIC ACID		3.5	U		3.5	U	
PERFLUORONONANOIC ACID		8.7	U		8.7	U	
PERFLUOROOCTANE SULFONIC ACID		6	U		6	U	
PERFLUOROTETRADECANOIC ACID		2.7	U		2.7	U	
PERFLUOROTRIDECANOIC ACID		3.8	U		3.8	U	
PERFLUOROUNDECANOIC ACID		2.5	U		2.5	U	

APPENDIX B

RESULTS AS REPORTED BY THE LABORATORY

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV345	GBV346	GBV347				
Sampling Date		2018/02/08 09:20	2018/02/08 09:25	2018/02/08 09:30				
COC Number		3187	3187	3187				
	UNITS	EB-CEF-MFS-020818-17	EB-CEF-MFS-020818-18	EB-CEF-MFS-020818-19	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters								
EtFOSAA	ng/L	10 U	10 U	10 U	3.3	10	20	5410178
MeFOSAA	ng/L	10 U	10 U	10 U	2.9	10	20	5410178
Perfluorobutane Sulfonate (PFBS)	ng/L	15 U	15 U	15 U	5.4	15	20	5410178
Perfluoroheptanoic Acid (PFHpA)	ng/L	15 U	15 U	15 U	7.4	15	20	5410178
Perfluorohexanoic Acid (PFHxA)	ng/L	10 U	10 U	10 U	3.5	10	20	5410178
Perfluorohexane Sulfonate (PFHxS)	ng/L	15 U	15 U	15 U	5.6	15	20	5410178
Perfluorononanoic Acid (PFNA)	ng/L	18 U	18 U	18 U	8.7	18	20	5410178
Perfluorotetradecanoic Acid	ng/L	10 U	10 U	10 U	2.7	10	20	5410178
Perfluorotridecanoic Acid	ng/L	10 U	10 U	10 U	3.8	10	20	5410178
Perfluoroundecanoic Acid (PFUnA)	ng/L	10 U	10 U	10 U	2.5	10	20	5410178
Perfluorodecanoic Acid (PFDA)	ng/L	15 U	15 U	15 U	6.1	15	20	5410178
Perfluorododecanoic Acid (PFDoA)	ng/L	10 U	10 U	10 U	5.0	10	20	5410178
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	10 U	10 U	10 U	3.3	10	20	5410178
Perfluorooctane Sulfonate (PFOS)	ng/L	15 U	21	15 U	6.0	15	20	5410178
Surrogate Recovery (%)								
13C2-Perfluorodecanoic acid	%	99	87	91				5410178
13C2-Perfluorododecanoic acid	%	87	79	76				5410178
13C2-Perfluorohexanoic acid	%	105	95	97				5410178
13C2-perfluorotetradecanoic acid	%	87	74	76				5410178
13C2-Perfluoroundecanoic acid	%	94	89	82				5410178
13C4-Perfluorobutanoic acid	%	107	89	88				5410178
13C4-Perfluoroheptanoic acid	%	107	91	95				5410178
13C4-Perfluorooctanesulfonate	%	108	91	83				5410178
13C4-Perfluorooctanoic acid	%	114	97	92				5410178
13C5-Perfluorononanoic acid	%	113	94	88				5410178
18O2-Perfluorohexanesulfonate	%	103	95	96				5410178
D3-MeFOSAA	%	90	80	74				5410178
D5-EtFOSAA	%	91	78	71				5410178

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca
Maxxam Analytics

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV348				GBV349				
Sampling Date		2018/02/08 09:40				2018/02/08 16:30				
COC Number		3187				3187				
	UNITS	FB-CEF-MFS-020818-12	DL	LOD	LOQ	CEF-1820-TW02-0218	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters										
EtFOSAA	ng/L	10 U	3.3	10	20	10 U	3.3	10	20	5410178
MeFOSAA	ng/L	10 U	2.9	10	20	10 U	2.9	10	20	5410178
Perfluorobutane Sulfonate (PFBS)	ng/L	15 U	5.4	15	20	31	5.4	15	20	5410178
Perfluoroheptanoic Acid (PFHpA)	ng/L	15 U	7.4	15	20	80	7.4	15	20	5410178
Perfluorohexanoic Acid (PFHxA)	ng/L	10 U	3.5	10	20	190	3.5	10	20	5410178
Perfluorohexane Sulfonate (PFHxS)	ng/L	15 U	5.6	15	20	1200 (1)	56	150	200	5410178
Perfluorononanoic Acid (PFNA)	ng/L	18 U	8.7	18	20	20 J	8.7	18	20	5410178
Perfluorotetradecanoic Acid	ng/L	10 U	2.7	10	20	10 U	2.7	10	20	5410178
Perfluorotridecanoic Acid	ng/L	10 U	3.8	10	20	10 U	3.8	10	20	5410178
Perfluoroundecanoic Acid (PFUnA)	ng/L	10 U	2.5	10	20	10 U	2.5	10	20	5410178
Perfluorodecanoic Acid (PFDA)	ng/L	15 U	6.1	15	20	15 U	6.1	15	20	5410178
Perfluorododecanoic Acid (PFDoA)	ng/L	10 U	5.0	10	20	10 U	5.0	10	20	5410178
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	10 U	3.3	10	20	67	3.3	10	20	5410178
Perfluorooctane Sulfonate (PFOS)	ng/L	15 U	6.0	15	20	2400 (1)	60	150	200	5410178
Surrogate Recovery (%)										
13C2-Perfluorodecanoic acid	%	85				83				5410178
13C2-Perfluorododecanoic acid	%	76				84				5410178
13C2-Perfluorohexanoic acid	%	91				84				5410178
13C2-perfluorotetradecanoic acid	%	69				83				5410178
13C2-Perfluoroundecanoic acid	%	84				79				5410178
13C4-Perfluorobutanoic acid	%	84				81				5410178
13C4-Perfluoroheptanoic acid	%	89				85				5410178
13C4-Perfluorooctanesulfonate	%	87				73				5410178
13C4-Perfluorooctanoic acid	%	93				89				5410178
13C5-Perfluorononanoic acid	%	89				89				5410178
18O2-Perfluorohexanesulfonate	%	89				83				5410178
D3-MeFOSAA	%	76				83				5410178
D5-EtFOSAA	%	76				81				5410178

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable
(1) Due to high concentration of the target analyte, a reduced sample volume was extracted and analyzed. Detection limit was adjusted accordingly (10x).

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV350				GBV351				
Sampling Date		2018/02/09 11:25				2018/02/09 12:00				
COC Number		3187				3187				
	UNITS	CEF-S3-TW01-0218	DL	LOD	LOQ	FB-CEF-S3-020918-13	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters										
EtFOSAA	ng/L	100 U	33	100	200	10 U	3.3	10	20	5412188
MeFOSAA	ng/L	100 U	29	100	200	10 U	2.9	10	20	5412188
Perfluorobutane Sulfonate (PFBS)	ng/L	150 U	54	150	200	15 U	5.4	15	20	5412188
Perfluoroheptanoic Acid (PFHpA)	ng/L	150 U	74	150	200	15 U	7.4	15	20	5412188
Perfluorohexanoic Acid (PFHxA)	ng/L	100 U	35	100	200	10 U	3.5	10	20	5412188
Perfluorohexane Sulfonate (PFHxS)	ng/L	150 U	56	150	200	15 U	5.6	15	20	5412188
Perfluorononanoic Acid (PFNA)	ng/L	180 U	87	180	200	18 U	8.7	18	20	5412188
Perfluorotetradecanoic Acid	ng/L	100 U	27	100	200	10 U	2.7	10	20	5412188
Perfluorotridecanoic Acid	ng/L	100 U	38	100	200	10 U	3.8	10	20	5412188
Perfluoroundecanoic Acid (PFUnA)	ng/L	100 U	25	100	200	10 U	2.5	10	20	5412188
Perfluorodecanoic Acid (PFDA)	ng/L	150 U	61	150	200	15 U	6.1	15	20	5412188
Perfluorododecanoic Acid (PFDoA)	ng/L	100 U	50	100	200	10 U	5.0	10	20	5412188
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	100 U	33	100	200	10 U	3.3	10	20	5412188
Perfluorooctane Sulfonate (PFOS)	ng/L	150 U	60	150	200	15 U	6.0	15	20	5412188
Surrogate Recovery (%)										
13C2-Perfluorodecanoic acid	%	96				111				5412188
13C2-Perfluorododecanoic acid	%	98				98				5412188
13C2-Perfluorohexanoic acid	%	106				116				5412188
13C2-perfluorotetradecanoic acid	%	74				97				5412188
13C2-Perfluoroundecanoic acid	%	91				106				5412188
13C4-Perfluorobutanoic acid	%	112				108				5412188
13C4-Perfluoroheptanoic acid	%	105				112				5412188
13C4-Perfluorooctanesulfonate	%	108				119				5412188
13C4-Perfluorooctanoic acid	%	106				111				5412188
13C5-Perfluorononanoic acid	%	106				116				5412188
18O2-Perfluorohexanesulfonate	%	104				110				5412188
D3-MeFOSAA	%	92				94				5412188
D5-EtFOSAA	%	89				89				5412188

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B833226
Report Date: 2018/02/28

Earth Toxics Inc
Client Project #: JM10 CECIL

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV352	GBV353				
Sampling Date		2018/02/09 11:05	2018/02/09 15:38				
COC Number		3187	3187				
	UNITS	CEF-MFS-TW01-0218	CEF-MFS-TW02-0218	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters							
EtFOSAA	ng/L	10 U	10 U	3.3	10	20	5412188
MeFOSAA	ng/L	10 U	10 U	2.9	10	20	5412188
Perfluorobutane Sulfonate (PFBS)	ng/L	11 J	15 U	5.4	15	20	5412188
Perfluoroheptanoic Acid (PFHpA)	ng/L	330	52	7.4	15	20	5412188
Perfluorohexanoic Acid (PFHxA)	ng/L	310	64	3.5	10	20	5412188
Perfluorohexane Sulfonate (PFHxS)	ng/L	710	8.1 J	5.6	15	20	5412188
Perfluorononanoic Acid (PFNA)	ng/L	63	18 U	8.7	18	20	5412188
Perfluorotetradecanoic Acid	ng/L	10 U	10 U	2.7	10	20	5412188
Perfluorotridecanoic Acid	ng/L	10 U	10 U	3.8	10	20	5412188
Perfluoroundecanoic Acid (PFUnA)	ng/L	10 U	2.9 J	2.5	10	20	5412188
Perfluorodecanoic Acid (PFDA)	ng/L	7.0 J	15 U	6.1	15	20	5412188
Perfluorododecanoic Acid (PFDoA)	ng/L	10 U	10 U	5.0	10	20	5412188
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	210	14 J	3.3	10	20	5412188
Perfluorooctane Sulfonate (PFOS)	ng/L	810	24	6.0	15	20	5412188
Surrogate Recovery (%)							
13C2-Perfluorodecanoic acid	%	98	103				5412188
13C2-Perfluorododecanoic acid	%	98	95				5412188
13C2-Perfluorohexanoic acid	%	107	112				5412188
13C2-perfluorotetradecanoic acid	%	84	85				5412188
13C2-Perfluoroundecanoic acid	%	101	106				5412188
13C4-Perfluorobutanoic acid	%	105	105				5412188
13C4-Perfluoroheptanoic acid	%	103	111				5412188
13C4-Perfluorooctanesulfonate	%	112	111				5412188
13C4-Perfluorooctanoic acid	%	106	109				5412188
13C5-Perfluorononanoic acid	%	105	109				5412188
18O2-Perfluorohexanesulfonate	%	104	116				5412188
D3-MeFOSAA	%	96	92				5412188
D5-EtFOSAA	%	93	92				5412188

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

RESULTS OF ANALYSES OF WATER

Maxxam ID		GBV354				
Sampling Date		2018/02/09 13:50				
COC Number		3187				
	UNITS	CEF-S3-TW02-0209	DL	LOD	LOQ	QC Batch
Miscellaneous Parameters						
EtFOSAA	ng/L	100 U	33	100	200	5412188
MeFOSAA	ng/L	100 U	29	100	200	5412188
Perfluorobutane Sulfonate (PFBS)	ng/L	150 U	54	150	200	5412188
Perfluoroheptanoic Acid (PFHpA)	ng/L	150 U	74	150	200	5412188
Perfluorohexanoic Acid (PFHxA)	ng/L	100 U	35	100	200	5412188
Perfluorohexane Sulfonate (PFHxS)	ng/L	150 U	56	150	200	5412188
Perfluorononanoic Acid (PFNA)	ng/L	180 U	87	180	200	5412188
Perfluorotetradecanoic Acid	ng/L	100 U	27	100	200	5412188
Perfluorotridecanoic Acid	ng/L	100 U	38	100	200	5412188
Perfluoroundecanoic Acid (PFUnA)	ng/L	100 U	25	100	200	5412188
Perfluorodecanoic Acid (PFDA)	ng/L	150 U	61	150	200	5412188
Perfluorododecanoic Acid (PFDoA)	ng/L	100 U	50	100	200	5412188
Perfluoro-n-Octanoic Acid (PFOA)	ng/L	100 U	33	100	200	5412188
Perfluorooctane Sulfonate (PFOS)	ng/L	150 U	60	150	200	5412188
Surrogate Recovery (%)						
13C2-Perfluorodecanoic acid	%	90				5412188
13C2-Perfluorododecanoic acid	%	86				5412188
13C2-Perfluorohexanoic acid	%	115				5412188
13C2-perfluorotetradecanoic acid	%	68				5412188
13C2-Perfluoroundecanoic acid	%	95				5412188
13C4-Perfluorobutanoic acid	%	106				5412188
13C4-Perfluoroheptanoic acid	%	107				5412188
13C4-Perfluorooctanesulfonate	%	106				5412188
13C4-Perfluorooctanoic acid	%	99				5412188
13C5-Perfluorononanoic acid	%	102				5412188
18O2-Perfluorohexanesulfonate	%	101				5412188
D3-MeFOSAA	%	89				5412188
D5-EtFOSAA	%	86				5412188

DL = Detection Limit
LOD = Limit of Detection
LOQ = Limit of Quantitation
QC Batch = Quality Control Batch
N/A = Not Applicable

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

APPENDIX C

SUPPORT DOCUMENTATION

NAS CECIL FIELD
SDG B833226

SAMPLE IDENTIFICATION	CEF-1820-TW02-0218 (GBV349)		
COMPOUND	PERFLUOROOCTANE SULFONIC ACID		
EXTRACTION	3ml/12.5ml		
INTERNAL STANDARD CONCENTRATION	1		

CONCENTRATION USING CALIBRATION CURVE

AREA*(IS CONCENTRATION/IS AREA)

5951*(1/1523) = 3.907419567

CALIBRATION CURVE y = 0.391941 * x - 0.087518 p. 595 of data package

3.90741956664478 = 0.391941 * x - 0.087518

x = 10.19270137


PFDA RESULT CONC = X/EXTRACTION	2.45	µg/L
DILUTION FACTOR	1	
FINAL RESULT	2.45	µg/L
	2446	ng/L


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**5410178:GBV349-01:10x**	**Instrument**	LCMS04
Data File	WS#5410178_18.d	**Operator**	
Sample Type	Sample	**Dilution**	0.24
Acq. Method	PFC_Water_Low.m	**Position**	P1-B8
Acq. Date	2018/02/23 5:58:27 PM	**Injection Volume**	Per Method
Sample Annotation	Reported for PFHxS and PFOS only.		


ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6614	1.44	1 µg/L		
MPFHxS	1493	1.68	1 µg/L		
MPFHpA	8043	1.70	1 µg/L		
MPFOA	8637	1.88	1 µg/L		
MPFOS	1523	1.97	1 µg/L		
MPFNA	8448	2.02	1 µg/L		
MPFDA	6330	2.14	1 µg/L		
MPFUnA	7792	2.23	1 µg/L		
MPFDoA	10680	2.32	1 µg/L		
MPFTeDA	11136	2.46	1 µg/L		
13C6-PFHxA IS	26150	1.44	1 µg/L		
13C9-PFDA IS	32520	2.13	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1			-	ND	-
PFHxA 1	2041	1.45	-	0.21 µg/L	-
PFHxS 1	3493	1.68	-	1.25 µg/L	-
PFHpA 1	1084	1.70	-	0.14 µg/L	-
PFOA 1	1225	1.88	-	0.12 µg/L	-
PFOS 1	5951	1.96	-	2.45 µg/L	-
PFNA 1			-	ND	-
PFDA 1			-	ND	-
PFUnA 1			-	ND	-
PFDoA 1			-	ND	-
PFTrDA 1			-	ND	-
PFTeDA 1			-	ND	-
13C2-PFHxA	6614	1.44	-	85.50 µg/L	-
18O2-PFHxS	1493	1.68	-	82.77 µg/L	-
13C4-PFHpA	8043	1.70	-	83.03 µg/L	-
13C4-PFOA	8637	1.88	-	90.06 µg/L	-
13C4-PFOS	1523	1.97	-	72.50 µg/L	-
13C5-PFNA	8449	2.02	-	90.61 µg/L	-
13C2-PFDA	6275	2.14	-	80.07 µg/L	-
13C2-PFUnA	7792	2.23	-	76.95 µg/L	-
13C2-PFDoA	10680	2.32	-	83.19 µg/L	-
13C2-PFTeDA	11234	2.46	-	82.93 µg/L	-
13C6-PFHxA	26150	1.44	-	27.81 µg/L	-
13C9-PFDA	32520	2.13	-	28.75 µg/L	-







MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	Sample







MPFHxS Internal Standard
RT (Exp. RT): 1.679 (1.668)
Concentration: 1 µg/L
Sample type: Sample







MPFHpA Internal Standard
RT (Exp. RT): 1.702 (1.702)
Concentration: 1 µg/L
Sample type: Sample







MPFOA Internal Standard
RT (Exp. RT): 1.881 (1.881)
Concentration: 1 µg/L
Sample type: Sample







MPFOS Internal Standard
RT (Exp. RT): 1.968 (1.968)
Concentration: 1 µg/L
Sample type: Sample







MPFNA Internal Standard
RT (Exp. RT): 2.025 (2.025)
Concentration: 1 µg/L
Sample type: Sample







MPFDA Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







MPFUnA Internal Standard
RT (Exp. RT): 2.234 (2.234)
Concentration: 1 µg/L
Sample type: Sample







MPFDoA Internal Standard
RT (Exp. RT): 2.322 (2.322)
Concentration: 1 µg/L
Sample type: Sample







MPFTeDA Internal Standard
RT (Exp. RT): 2.455 (2.467)
Concentration: 1 µg/L
Sample type: Sample







13C6-PFHxA IS Internal Standard
RT (Exp. RT): 1.445 (1.445)
Concentration: 1 µg/L
Sample type: Sample







13C9-PFDA IS Internal Standard
RT (Exp. RT): 2.135 (2.135)
Concentration: 1 µg/L
Sample type: Sample







PFBS 1 298.9 -> 79.9
RT (Exp. RT): 0.000 (1.087)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFHxA 1 313.0 -> 268.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 0.21 µg/L
Area ratio: 0.30859
Sample type: Sample







PFHxS 1 398.9 -> 79.9
RT (Exp. RT): 1.679 (1.668)
Calc. conc. 1.25 µg/L
Area ratio: 2.33958
Sample type: Sample







PFHpA 1 363.0 -> 318.9
RT (Exp. RT): 1.702 (1.702)
Calc. conc. 0.14 µg/L
Area ratio: 0.13478
Sample type: Sample







PFOA 1 413.0 -> 368.9
RT (Exp. RT): 1.881 (1.881)
Calc. conc. 0.12 µg/L
Area ratio: 0.14183
Sample type: Sample







PFOS 1 498.9 -> 79.9
RT (Exp. RT): 1.957 (1.957)
Calc. conc. 2.45 µg/L
Area ratio: 3.90742
Sample type: Sample







PFNA 1 463.0 -> 418.9
RT (Exp. RT): 0.000 (2.025)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDA 1 513.0 -> 468.9
RT (Exp. RT): 0.000 (2.135)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFUnA 1 563.0 -> 518.9
RT (Exp. RT): 0.000 (2.234)
Calc. conc. N.D.
Area ratio: 0
Sample type: Sample







PFDoA 1	613.0 -> 568.9
RT (Exp. RT):	0.000 (2.323)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTrDA 1	663.0 -> 618.9
RT (Exp. RT):	0.000 (2.400)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







PFTeDA 1	712.9 -> 668.9
RT (Exp. RT):	0.000 (2.456)
Calc. conc.	N.D.
Area ratio:	0
Sample type:	Sample







13C2-PFHxA	315.0 -> 269.9
RT (Exp. RT):	1.445 (1.445)
Calc. conc.	85.50 µg/L
Area ratio:	0.25293
Sample type:	Sample







18O2-PFHxS	403.0 -> 83.9
RT (Exp. RT):	1.679 (1.668)
Calc. conc.	82.77 µg/L
Area ratio:	0.05709
Sample type:	Sample







13C4-PFHpA	367.0 -> 321.9
RT (Exp. RT):	1.702 (1.702)
Calc. conc.	83.03 µg/L
Area ratio:	0.30757
Sample type:	Sample







13C4-PFOA	417.0 -> 371.9
RT (Exp. RT):	1.881 (1.881)
Calc. conc.	90.06 µg/L
Area ratio:	0.33029
Sample type:	Sample







13C4-PFOS	502.9 -> 79.9
RT (Exp. RT):	1.968 (1.968)
Calc. conc.	72.50 µg/L
Area ratio:	0.05824
Sample type:	Sample







13C5-PFNA	468.0 -> 422.9
RT (Exp. RT):	2.025 (2.025)
Calc. conc.	90.61 µg/L
Area ratio:	0.32310
Sample type:	Sample







13C2-PFDA 515.0 -> 469.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 80.07 µg/L
Area ratio: 0.19296
Sample type: Sample







13C2-PFUnA 565.0 -> 519.9
RT (Exp. RT): 2.234 (2.234)
Calc. conc. 76.95 µg/L
Area ratio: 0.23961
Sample type: Sample







13C2-PFDoA 615.0 -> 569.9
RT (Exp. RT): 2.322 (2.322)
Calc. conc. 83.19 µg/L
Area ratio: 0.32841
Sample type: Sample







13C2-PFTeDA 715.0 -> 669.9
RT (Exp. RT): 2.455 (2.467)
Calc. conc. 82.93 µg/L
Area ratio: 0.34545
Sample type: Sample





13C6-PFHxA 319.0 -> 273.9
RT (Exp. RT): 1.445 (1.445)
Calc. conc. 27.81 µg/L
Area ratio: 0
Sample type: Sample






13C9-PFDA 522.0 -> 476.9
RT (Exp. RT): 2.135 (2.135)
Calc. conc. 28.75 µg/L
Area ratio: 0
Sample type: Sample

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04

Analyte: PFOS 1
Internal Standard: MPFOS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.97	528	0.3520	161	116.7
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.65	1058	0.3298	220	97.3
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.83	3377	0.3608	267	96.5
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	10.95	7484	0.3364	242	87.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	23.73	16848	0.3685	165	94.9
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	44.61	29328	0.4171	183	107.0

Tetra Tech, Inc. **AIR** CHAIN OF CUSTODY | NUMBER No. 3187 PAGE 1 OF 1

PROJECT NO: 3m10 FACILITY: Cecil

SAMPLERS (SIGNATURE)

PROJECT MANAGER: Megan Yeck
FIELD OPERATIONS LEADER: David Siefken
CARRIER/WAYBILL NUMBER: Fed Ex 8115-9773-0063

PHONE NUMBER
PHONE NUMBER: 904.334.7260

LABORATORY NAME AND CONTACT: S. Pollen / Maxxam
ADDRESS: 6740 Campobello Rd
CITY, STATE: Mississauga, Ontario, L4

STANDARD TAT ☒
RUSH TAT ☐
☐ 24 hr. ☐ 48 hr. ☐ 72 hr. ☐ 7 day ☐ 14 day

CONTAINER TYPE PLASTIC (P) or GLASS (G): P
PRESERVATIVE USED: —

DATE (YEAR 2018)	TIME	SAMPLE ID	LOCATION ID	TOP DEPTH (FT)	BOTTOM DEPTH (FT)	MATRIX (GW, SO, SW, SD, QC, ETC.)	COLLECTION METHOD GRAB (G) COMP (C)	No. OF CONTAINERS	TYPE OF ANALYSIS: PFAS	COMMENTS
2/8	0920	EB-CEF-MFS-020818-17				QC		2	X	Cool 4°C
2/8	0925	EB-CEF-MFS-020818-18						2	X	
2/8	0930	EB-CEF-MFS-020818-19						2	X	
2/8	0940	FB-CEF-MFS-020818-12						2	X	
2/8	1630	CEF-1820-TW02-0218				GW		2	X	
2/9	1125	CEF-S3-TW01-0218				GW		2	X	
2/9	1200	FB-CEF-S3-020918-13				QC		2	X	
2/9	1105	CEF-MFS-TW01-0218				GW		2	X	
2/9	1538	CEF-MFS-TW02-0218				GW		2	X	
2/9	1350	CEF-S3-TW02-0209				GW		2	X	

13-Feb-18 14:10
Gemarie Balatico
B833226
TSP ENV-1389

	DATE	TIME		DATE	TIME
1. RELINQUISHED BY	2-12-18	1600	1. RECEIVED BY Tamara Brad TORONTO ON L4	2018/04/13	14:10
2. RELINQUISHED BY	DATE	TIME	2. RECEIVED BY	DATE	TIME
3. RELINQUISHED BY	DATE	TIME	3. RECEIVED BY	DATE	TIME

COMMENTS: 4.3/5.1/3.3

DISTRIBUTION: WHITE (ACCOMPANIES SAMPLE) YELLOW (FIELD COPY) PINK (FILE COPY) custody seal intact

4/02R
FORM NO: TtNUS-001

HW 4/7036

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	4.2°C

Results reported in ng/L as per client request.

Sample GBV350 [CEF-S3-TW01-0218] : Due to sample matrix, a reduced sample volume was extracted. Detection limits were adjusted accordingly.

Sample GBV354 [CEF-S3-TW02-0209] : Due to sample matrix, a reduced sample volume was extracted. Detection limits were adjusted accordingly.

Results relate only to the items tested.

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job: B833226 - Analysis

Sample Analysis

Samples were initially pre-screened and estimated concentrations were obtained so that appropriate sample volumes could be extracted on QC batches 5410178 (2018/02/23-24) and 5412188 (2018/02/27). Due to high concentrations, the following sample was analyzed for Perfluorohexanesulfonate (PFHxS) and Perfluorooctanesulfonate (PFOS) using reduced sample extraction volumes. Detection limits were adjusted accordingly.

Reduced sample volumes were also extracted for the following samples:

GBV350 *CEF-S3-TW01-0218*
GBV354 *CEF-S3-TW02-0209*

This was due to the discolored and turbid appearances of the sample matrices, which would likely have resulted in clogging of the solid phase extraction (SPE) cartridges if the full sample volumes had been extracted. Detection limits were adjusted accordingly.

Data Qualifiers

U – Analyte was not detected and is reported as less than the LOD or as defined by the customer. The LOD has been adjusted for any dilution or concentration of the sample.

J – The reported result is an estimated value (e.g., matrix interference was observed, or the analyte was detected at a concentration outside the calibration range).

Sin Chii Chia, B.Sc.
schia@maxxam.ca
Office 905 817 5700

PROJECT NARRATIVE

Maxxam Analytics
Client Project #: JM10 CECIL

Client: Earth Toxics Inc
Client Project: JM10 CECIL

I. SAMPLE RECEIPT/ANALYSIS

a) Sample Listing

Maxxam ID	Client Sample ID	Date Sampled	Date Received	Date Prepped	Date Run	Initial Calibration
PFOS and PFOA in water by SPE/LCMS						
GBV345	EB-CEF-MFS-020818-17	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV346	EB-CEF-MFS-020818-18	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV347	EB-CEF-MFS-020818-19	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV348	FB-CEF-MFS-020818-12	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV349	CEF-1820-TW02-0218	2018/02/08	2018/02/13	2018/02/22	2018/02/24	2018/02/23-24
GBV350	CEF-S3-TW01-0218	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27
GBV351	FB-CEF-S3-020918-13	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27
GBV352	CEF-MFS-TW01-0218	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27
GBV353	CEF-MFS-TW02-0218	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27
GBV354	CEF-S3-TW02-0209	2018/02/09	2018/02/13	2018/02/23	2018/02/27	2018/02/27

Run Date is defined as the date of injection of the last calibration standard (12 hours or less) prior to the samples analyzed within that run sequence. Therefore the time of calibration injection that defines the run date is always within 12 hours of the time of sample injection.

b) Shipping Problems: none encountered

c) Documentation Problems: none encountered

II. SAMPLE PREP:

No problems encountered

III. SAMPLE ANALYSIS:

See also comments within the appropriate Certificate of Analysis

a) Hold Times: all within recommended hold times

b) Instrument Calibration: all within control limits

c) Quality Control: All applicable QC meets control criteria, except where otherwise noted.

d) All analytes requiring manual intergration(s) are noted on the sample chromatograms

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for other than the conditions detailed above.

In addition, I certify, that to the best of my knowledge and belief, the data as reported are true and accurate. Release of the data contained in this data package has been authorized by the cognizant laboratory official or his/her designee, as verified by this signature.

Project Manager-Site Assessment and Remediation/ Ultra Trace

2018/03/13
Date

Glossary of Terms

- ***Detection Limit (DL)*** this can also be called ***Method Detection Limit (MDL***): The lowest concentration or amount of the target analyte that can be identified, measured, and reported with confidence that the analyte concentration is not a false positive value. (Clarification): The smallest analyte concentration that can be demonstrated to be different from zero or a blank concentration at the 99% level of confidence. At the DL, the false positive rate (Type I error) is 1%.

- ***Limit of Detection (LOD*)**: An estimate of the minimum amount of a substance that an analytical process can reliably detect. An LOD is analyte- and matrix-specific and may be laboratory-dependent. (Clarification): The smallest amount or concentration of a substance that must be present in a sample in order to be detected at a high level of confidence (99%). At the LOD, the false negative rate (Type II error) is 1%.

- ***Limits of Quantitation (LOQ)*** this can also be called ***Reporting Detection Limit (RDL)***: The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence. (Clarification): The lowest concentration that produces a quantitative result within specified limits of precision and bias. For DoD projects, the LOQ shall be set at or above the concentration of the lowest initial calibration standard.

- ***Acceptance Criteria*** are values used by the laboratory to determine that a process is in control.

- ***Accuracy*** is the degree of agreement of a measured value with the true or expected value.

- ***Calibration Standards*** are a set of solutions containing the analytes of interest at a specified concentration.

- ***Calibration Verification Standard*** consists of a calibration standard solution of intermediate concentration (mid-point initial calibration level) used to access whether the initial calibration is still valid

- ***Certified Reference Material*** is a stable homogenous material that is certified by repetitive analysis from a supplier who is certified to generate said materials.

- ***Internal Standard*** a deuterated or ^{13}C-labelled analyte that is added to a sample extract prior to instrumental analysis to compensate for injection variability.

- ***Isomer*** is a member of a group of compounds that differ from each other only in the locations of a specific number of common substituent atoms or groups of atoms on the parent compound.

- ***Method Blank*** is a laboratory control sample using reagents that are known to be free of contamination.

- ***Precision*** is the degree of agreement between the data generated from repetitive measurements under specific conditions.

- ***Quality Assurance*** is a system of activities whose purpose is to provide the producer or user of a product with the assurance that the product meets a defined standard of quality.

- ***Quality Control*** is the overall system of activities whose purpose is to control the quality of a product so that it meets the needs of the end user.

- ***RSD*** is the relative standard deviation.

- ***Blank Spike*** is a laboratory control sample that has been fortified with native analytes of interest.

- ***Window Defining Mixture*** is a solution containing only the earliest and latest eluting congeners within each homologous group of target analytes on a specified GC column.

- ***RPD*** or Relative Percent Difference. A measure used to compare duplicate sample analysis.

- ***EMPC/NDR –*** Peak detected does not meet ratio criteria and has resulted in a higher detection limit.

INJECTION INTERNAL STANDARD PEAK AREAS

Sample Name	Analyte	13C6-PFHxA	13C9-PFDA
	Mass labeled IS	STD 4	STD 4
	IS Area	22133	25329
		IS Peak Area	IS Peak Area
STD 1		23118	27510
STD 2		21245	25642
STD 3		23984	29535
STD 4		22133	25329
STD 5		23050	28850
STD 6		21853	25997
IB		23454	29125
ICV		25768	30429
ISC		23606	29016
5410178:BLANK		23209	28413
5410178:SPIKE		21178	25614
5410178:SPIKE:D1		23363	28328
5410178:GBV345-01		21332	27416
5410178:GBV346-01		24667	29817
5410178:GBV347-01		25740	32643
5410178:GBV348-01		24967	30015
5410178:GBV349-01:10x		26150	32520
5410178:GBV349-01		25290	30125
IB		23749	29605
CCV		22063	27791

INJECTION INTERNAL STANDARD PEAK AREAS

Sample Name	Analyte	13C9-PFDA
	Mass labeled IS	STD 4
	IS Area	19426
		IS Peak Area
STD 1		19378
STD 2		18764
STD 3		21971
STD 4		19426
STD 5		21460
STD 6		19504
IB		22186
ICV		22698
ISC		21463
5410178:BLANK		21974
5410178:SPIKE		19800
5410178:SPIKE:D1		22217
5410178:GBV345-01		20951
5410178:GBV346-01		23739
5410178:GBV347-01		25287
5410178:GBV348-01		23633
5410178:GBV349-01:10x		25292
5410178:GBV349-01		23778
IB		23328
CCV		20901

INJECTION INTERNAL STANDARD PEAK AREAS

Sample Name	Analyte	13C6-PFHxA	13C6-PFHxA	13C9-PFDA	13C9-PFDA
	Mass labeled IS	STD 4	ISC/CCV	STD 4	ISC/CCV
	IS Area	31264	37375	38264	42905
		IS Peak Area	IS Peak Area	IS Peak Area	IS Peak Area
STD 1		35446		41836	
STD 2		29796		35683	
STD 3		31917		38219	
STD 4		31264		38264	
STD 5		30279		35645	
STD 6		29288		33940	
IB		31445		37273	
ICV		28962		35009	
ISC		36178		42855	
5412188:BLANK		30908		34891	
5412188:SPIKE		30023		34110	
5412188:SPIKE:D1		38181		44883	
5412188:GBV350-01:10x		33310		41490	
IB		33232		38020	
5412188:GBV351-01		34821		39875	
5412188:GBV352-01:10x		33872		39496	
5412188:GBV352-01		27565		33315	
IB		31125		38015	
5412188:GBV353-01		28213		33355	
5412188:GBV354-01:10x		30186		36409	
IB		32635		39107	
CCV		33127		37914	
ISC			37375		42905
5412188:SPIKE:D1			38026		41792
CCV			33996		38214

INJECTION INTERNAL STANDARD PEAK AREAS

Sample Name	Analyte	13C9-PFDA
	Mass labeled IS	STD 4
	IS Area	25442
		IS Peak Area
STD 1		27647
STD 2		25053
STD 3		26021
STD 4		25442
STD 5		24594
STD 6		23798
IB		25745
ICV		24262
ISC		27998
5412188:BLANK		25419
5412188:SPIKE		23793
5412188:SPIKE:D1		28594
5412188:GBV350-01:10x		26493
IB		25638
5412188:GBV351-01		27020
5412188:GBV352-01:10x		25493
5412188:GBV352-01		21738
IB		25044
5412188:GBV353-01		21903
5412188:GBV354-01:10x		23598
IB		25397
CCV		24937

QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
5410178	KC1	Spiked Blank	13C2-Perfluorodecanoic acid	2018/02/24		112	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/24		93	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/24		107	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/24		96	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/24		97	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/24		104	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/24		101	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/24		113	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/24		109	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/24		110	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/24		98	%	50 - 150
			D3-MeFOSAA	2018/02/24		89	%	50 - 150
			D5-EtFOSAA	2018/02/24		90	%	50 - 150
			EtFOSAA	2018/02/24		98	%	73 - 128
			MeFOSAA	2018/02/24		98	%	77 - 127
			Perfluorobutane Sulfonate (PFBS)	2018/02/24		115	%	65 - 135
			Perfluoroheptanoic Acid (PFHpA)	2018/02/24		105	%	73 - 129
			Perfluorohexanoic Acid (PFHxA)	2018/02/24		102	%	74 - 129
			Perfluorohexane Sulfonate (PFHxS)	2018/02/24		114	%	67 - 132
			Perfluorononanoic Acid (PFNA)	2018/02/24		103	%	72 - 131
			Perfluorotetradecanoic Acid	2018/02/24		102	%	70 - 134
			Perfluorotridecanoic Acid	2018/02/24		103	%	67 - 143
			Perfluoroundecanoic Acid (PFUnA)	2018/02/24		101	%	71 - 133
			Perfluorodecanoic Acid (PFDA)	2018/02/24		97	%	71 - 133
			Perfluorododecanoic Acid (PFDoA)	2018/02/24		104	%	71 - 131
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/24		101	%	71 - 130
			Perfluorooctane Sulfonate (PFOS)	2018/02/24		93	%	72 - 131
5410178	KC1	Spiked Blank DUP	13C2-Perfluorodecanoic acid	2018/02/24		91	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/24		90	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/24		98	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/24		89	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/24		91	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/24		94	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/24		95	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/24		95	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/24		100	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/24		101	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/24		93	%	50 - 150
			D3-MeFOSAA	2018/02/24		87	%	50 - 150
			D5-EtFOSAA	2018/02/24		87	%	50 - 150
			EtFOSAA	2018/02/24		97	%	73 - 128
			MeFOSAA	2018/02/24		99	%	77 - 127
			Perfluorobutane Sulfonate (PFBS)	2018/02/24		111	%	65 - 135
			Perfluoroheptanoic Acid (PFHpA)	2018/02/24		102	%	73 - 129
			Perfluorohexanoic Acid (PFHxA)	2018/02/24		101	%	74 - 129
			Perfluorohexane Sulfonate (PFHxS)	2018/02/24		102	%	67 - 132
			Perfluorononanoic Acid (PFNA)	2018/02/24		101	%	72 - 131
			Perfluorotetradecanoic Acid	2018/02/24		98	%	70 - 134
			Perfluorotridecanoic Acid	2018/02/24		98	%	67 - 143
			Perfluoroundecanoic Acid (PFUnA)	2018/02/24		102	%	71 - 133
			Perfluorodecanoic Acid (PFDA)	2018/02/24		106	%	71 - 133
			Perfluorododecanoic Acid (PFDoA)	2018/02/24		99	%	71 - 131
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/24		96	%	71 - 130
			Perfluorooctane Sulfonate (PFOS)	2018/02/24		95	%	72 - 131
5410178	KC1	RPD	EtFOSAA	2018/02/24	0.72		%	30

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			MeFOSAA	2018/02/24	1.3		%	30
			Perfluorobutane Sulfonate (PFBS)	2018/02/24	3.8		%	30
			Perfluoroheptanoic Acid (PFHpA)	2018/02/24	3.5		%	30
			Perfluorohexanoic Acid (PFHxA)	2018/02/24	0.74		%	30
			Perfluorohexane Sulfonate (PFHxS)	2018/02/24	11		%	30
			Perfluorononanoic Acid (PFNA)	2018/02/24	2.8		%	30
			Perfluorotetradecanoic Acid	2018/02/24	3.6		%	30
			Perfluorotridecanoic Acid	2018/02/24	4.7		%	30
			Perfluoroundecanoic Acid (PFUnA)	2018/02/24	1.3		%	30
			Perfluorodecanoic Acid (PFDA)	2018/02/24	9.2		%	30
			Perfluorododecanoic Acid (PFDoA)	2018/02/24	5.4		%	30
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/24	5.5		%	30
			Perfluorooctane Sulfonate (PFOS)	2018/02/24	2.4		%	30
5410178	KC1	Method Blank	13C2-Perfluorodecanoic acid	2018/02/24		98	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/24		92	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/24		103	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/24		85	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/24		93	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/24		99	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/24		96	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/24		101	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/24		97	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/24		104	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/24		101	%	50 - 150
			D3-MeFOSAA	2018/02/24		86	%	50 - 150
			D5-EtFOSAA	2018/02/24		81	%	50 - 150
			EtFOSAA	2018/02/24	10 U, LOD=10		ng/L	
			MeFOSAA	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorobutane Sulfonate (PFBS)	2018/02/24	15 U, LOD=15		ng/L	
			Perfluoroheptanoic Acid (PFHpA)	2018/02/24	15 U, LOD=15		ng/L	
			Perfluorohexanoic Acid (PFHxA)	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorohexane Sulfonate (PFHxS)	2018/02/24	15 U, LOD=15		ng/L	
			Perfluorononanoic Acid (PFNA)	2018/02/24	18 U, LOD=18		ng/L	
			Perfluorotetradecanoic Acid	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorotridecanoic Acid	2018/02/24	10 U, LOD=10		ng/L	
			Perfluoroundecanoic Acid (PFUnA)	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorodecanoic Acid (PFDA)	2018/02/24	15 U, LOD=15		ng/L	
			Perfluorododecanoic Acid (PFDoA)	2018/02/24	10 U, LOD=10		ng/L	
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/24	10 U, LOD=10		ng/L	
			Perfluorooctane Sulfonate (PFOS)	2018/02/24	15 U, LOD=15		ng/L	
5412188	KC1	Spiked Blank	13C2-Perfluorodecanoic acid	2018/02/27		105	%	50 - 150

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			13C2-Perfluorododecanoic acid	2018/02/27		102	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/27		110	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/27		91	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/27		108	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/27		101	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/27		105	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/27		109	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/27		104	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/27		109	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/27		102	%	50 - 150
			D3-MeFOSAA	2018/02/27		92	%	50 - 150
			D5-EtFOSAA	2018/02/27		89	%	50 - 150
			EtFOSAA	2018/02/27		95	%	73 - 128
			MeFOSAA	2018/02/27		94	%	77 - 127
			Perfluorobutane Sulfonate (PFBS)	2018/02/27		102	%	65 - 135
			Perfluoroheptanoic Acid (PFHpA)	2018/02/27		95	%	73 - 129
			Perfluorohexanoic Acid (PFHxA)	2018/02/27		93	%	74 - 129
			Perfluorohexane Sulfonate (PFHxS)	2018/02/27		106	%	67 - 132
			Perfluorononanoic Acid (PFNA)	2018/02/27		93	%	72 - 131
			Perfluorotetradecanoic Acid	2018/02/27		101	%	70 - 134
			Perfluorotridecanoic Acid	2018/02/27		103	%	67 - 143
			Perfluoroundecanoic Acid (PFUnA)	2018/02/27		97	%	71 - 133
			Perfluorodecanoic Acid (PFDA)	2018/02/27		105	%	71 - 133
			Perfluorododecanoic Acid (PFDoA)	2018/02/27		94	%	71 - 131
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/27		101	%	71 - 130
			Perfluorooctane Sulfonate (PFOS)	2018/02/27		86	%	72 - 131
5412188	KC1	Spiked Blank DUP	13C2-Perfluorodecanoic acid	2018/02/27		108	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/27		105	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/27		115	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/27		95	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/27		113	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/27		115	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/27		112	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/27		114	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/27		107	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/27		110	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/27		111	%	50 - 150
			D3-MeFOSAA	2018/02/27		95	%	50 - 150
			D5-EtFOSAA	2018/02/27		92	%	50 - 150
			EtFOSAA	2018/02/27		94	%	73 - 128
			MeFOSAA	2018/02/27		91	%	77 - 127
			Perfluorobutane Sulfonate (PFBS)	2018/02/27		110	%	65 - 135
			Perfluoroheptanoic Acid (PFHpA)	2018/02/27		88	%	73 - 129
			Perfluorohexanoic Acid (PFHxA)	2018/02/27		91	%	74 - 129
			Perfluorohexane Sulfonate (PFHxS)	2018/02/27		100	%	67 - 132
			Perfluorononanoic Acid (PFNA)	2018/02/27		92	%	72 - 131
			Perfluorotetradecanoic Acid	2018/02/27		98	%	70 - 134
			Perfluorotridecanoic Acid	2018/02/27		102	%	67 - 143
			Perfluoroundecanoic Acid (PFUnA)	2018/02/27		94	%	71 - 133
			Perfluorodecanoic Acid (PFDA)	2018/02/27		98	%	71 - 133
			Perfluorododecanoic Acid (PFDoA)	2018/02/27		97	%	71 - 131
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/27		100	%	71 - 130
			Perfluorooctane Sulfonate (PFOS)	2018/02/27		89	%	72 - 131
5412188	KC1	RPD	EtFOSAA	2018/02/27	1.1		%	30
			MeFOSAA	2018/02/27	2.8		%	30

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			Perfluorobutane Sulfonate (PFBS)	2018/02/27	7.4		%	30
			Perfluoroheptanoic Acid (PFHpA)	2018/02/27	7.8		%	30
			Perfluorohexanoic Acid (PFHxA)	2018/02/27	1.6		%	30
			Perfluorohexane Sulfonate (PFHxS)	2018/02/27	6.2		%	30
			Perfluorononanoic Acid (PFNA)	2018/02/27	0.95		%	30
			Perfluorotetradecanoic Acid	2018/02/27	3.0		%	30
			Perfluorotridecanoic Acid	2018/02/27	0.53		%	30
			Perfluoroundecanoic Acid (PFUnA)	2018/02/27	3.1		%	30
			Perfluorodecanoic Acid (PFDA)	2018/02/27	6.3		%	30
			Perfluorododecanoic Acid (PFDoA)	2018/02/27	2.8		%	30
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/27	0.64		%	30
			Perfluorooctane Sulfonate (PFOS)	2018/02/27	2.6		%	30
5412188	KC1	Method Blank	13C2-Perfluorodecanoic acid	2018/02/27		108	%	50 - 150
			13C2-Perfluorododecanoic acid	2018/02/27		104	%	50 - 150
			13C2-Perfluorohexanoic acid	2018/02/27		110	%	50 - 150
			13C2-perfluorotetradecanoic acid	2018/02/27		98	%	50 - 150
			13C2-Perfluoroundecanoic acid	2018/02/27		108	%	50 - 150
			13C4-Perfluorobutanoic acid	2018/02/27		106	%	50 - 150
			13C4-Perfluoroheptanoic acid	2018/02/27		107	%	50 - 150
			13C4-Perfluorooctanesulfonate	2018/02/27		97	%	50 - 150
			13C4-Perfluorooctanoic acid	2018/02/27		104	%	50 - 150
			13C5-Perfluorononanoic acid	2018/02/27		106	%	50 - 150
			18O2-Perfluorohexanesulfonate	2018/02/27		108	%	50 - 150
			D3-MeFOSAA	2018/02/27		89	%	50 - 150
			D5-EtFOSAA	2018/02/27		93	%	50 - 150
			EtFOSAA	2018/02/27	10 U, LOD=10		ng/L	
			MeFOSAA	2018/02/27	10 U, LOD=10		ng/L	
			Perfluorobutane Sulfonate (PFBS)	2018/02/27	15 U, LOD=15		ng/L	
			Perfluoroheptanoic Acid (PFHpA)	2018/02/27	15 U, LOD=15		ng/L	
			Perfluorohexanoic Acid (PFHxA)	2018/02/27	10 U, LOD=10		ng/L	
			Perfluorohexane Sulfonate (PFHxS)	2018/02/27	15 U, LOD=15		ng/L	
			Perfluorononanoic Acid (PFNA)	2018/02/27	18 U, LOD=18		ng/L	
			Perfluorotetradecanoic Acid	2018/02/27	10 U, LOD=10		ng/L	
			Perfluorotridecanoic Acid	2018/02/27	10 U, LOD=10		ng/L	
			Perfluoroundecanoic Acid (PFUnA)	2018/02/27	10 U, LOD=10		ng/L	
			Perfluorodecanoic Acid (PFDA)	2018/02/27	15 U, LOD=15		ng/L	
			Perfluorododecanoic Acid (PFDoA)	2018/02/27	10 U, LOD=10		ng/L	
			Perfluoro-n-Octanoic Acid (PFOA)	2018/02/27	10 U, LOD=10		ng/L	

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			Perfluorooctane Sulfonate (PFOS)	2018/02/27	15 U, LOD=15		ng/L	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

TUNE CHECK

Instrument: Agilent 6470 LC/MS/MS

Instrument Serial Number: SG1611G001

Maxxam Instrument Identification: LCMS04

Mass Calibration Performed: July 7, 2017

Tune Check Performed: July 10 & 11, 2017

Mass Assignment Reference Table ____ Page 2

Analyte Precursor Ion Verification ____ Page 4

Analyte Product Ion Verification ____ Page 31

Extracted and Injection Internal Standard Precursor Ion Verification ____ Page 59

Extracted and Injection Internal Standard Product Ion Verification ____ Page 83

Reviewed by:

Adam Robinson, Supervisor – Liquid Chromatography

July 12/2017
Date

Mass Assignments – Analytes, Extracted Internal Standards and Injection Internal Standards

Compound	Abbreviation	Precursor Ion (m/z)	Precursor Ion Formula	Quant Ion (m/z)	Quantitation Ion Formula	Confirmation Ion (m/z)	Confirmation Ion Formula
Native Analytes							
Perfluorobutanoic acid	PFBA	212.9	$[CF_3(CF_2)_2CO_2]^-$	169.0	$[CF_3(CF_2)_2]^-$	[1] N/A	N/A
Perfluorobutanesulfonate	PFBS	298.9	$[CF_3(CF_2)_3SO_3]^-$	79.9	$[SO_3]^-$	98.9	$[FSO_3]^-$
Perfluoropentanoic acid	PFPeA	262.9	$[CF_3(CF_2)_3CO_2]^-$	218.9	$[CF_3(CF_2)_3]^-$	[1] N/A	N/A
Perfluorohexanoic acid	PFHxA	313.0	$[CF_3(CF_2)_4CO_2]^-$	269.0	$[CF_3(CF_2)_4]^-$	119.0	$[CF_3(CF_2)]^-$
Perfluorohexanesulfonate	PFHxS	398.9	$[CF_3(CF_2)_5SO_3]^-$	79.9	$[SO_3]^-$	98.9	$[FSO_3]^-$
Perfluoroheptanoic acid	PFHpA	363.0	$[CF_3(CF_2)_5CO_2]^-$	319.0	$[CF_3(CF_2)_5]^-$	169.2	$[CF_3(CF_2)_2]^-$
Perfluoroheptanesulfonate	PFHpS	448.9	$[CF_3(CF_2)_6SO_3]^-$	79.9	$[SO_3]^-$	99.0	$[FSO_3]^-$
Perfluorooctanoic acid	PFOA	413.1	$[CF_3(CF_2)_6CO_2]^-$	369.0	$[CF_3(CF_2)_6]^-$	169.0	$[CF_3(CF_2)_2]^-$
Perfluorooctanesulfonate	PFOS	498.8	$[CF_3(CF_2)_7SO_3]^-$	79.9	$[SO_3]^-$	98.9	$[FSO_3]^-$
Perfluorononanoic acid	PFNA	462.9	$[CF_3(CF_2)_7CO_2]^-$	419.0	$[CF_3(CF_2)_7]^-$	219.1	$[CF_3(CF_2)_3]^-$
Perfluorodecanoic acid	PFDA	513.0	$[CF_3(CF_2)_8CO_2]^-$	469.1	$[CF_3(CF_2)_8]^-$	218.9	$[CF_3(CF_2)_3]^-$
Perfluorodecanesulfonate	PFDS	598.9	$[CF_3(CF_2)_9SO_3]$-	79.9	$[SO_3]^-$	98.8	$[FSO_3]^-$
Perfluoroundecanoic acid	PFUnA	562.9	$[CF_3(CF_2)_9CO_2]^-$	519.0	$[CF_3(CF_2)_9]^-$	269.2	$[CF_3(CF_2)_4]^-$
Perfluorododecanoic acid	PFDoA	612.9	$[CF_3(CF_2)_{10}CO_2]^-$	569.0	$[CF_3(CF_2)_{10}]^-$	319.0	$[CF_3(CF_2)_5]^-$
Perfluorotridecanoic acid	PFTrDA	663.0	$[CF_3(CF_2)_{11}CO_2]^-$	619.0	$[CF_3(CF_2)_{11}]^-$	318.9	$[CF_3(CF_2)_5]^-$
Perfluorotetradecanoic acid	PFTeDA	713.0	$[CF_3(CF_2)_{12}CO_2]^-$	669.0	$[CF_3(CF_2)_{12}]^-$	319.2	$[CF_3(CF_2)_5]^-$
Perfluorooctane sulfonamide	PFOSA	497.9	$[CF_3(CF_2)_7SO_2NH]^-$	78.0	$[SO_2N]^-$	478.0	$[(CF_2)_8SO_2N]^-$
N-methylperfluorooctane sulfonamide	MeFOSA	511.9	$[CF_3(CF_2)_7SO_2N(CH_3)]^-$	169.0	$[CF_3(CF_2)_2]^-$	219.0	$[CF_3(CF_2)_3]^-$
N-ethylperfluorooctane sulfonamide	EtFOSA	526.0	$[CF_3(CF_2)_7SO_2N(C_2H_5)]^-$	169.0	$[CF_3(CF_2)_2]^-$	219.0	$[CF_3(CF_2)_3]^-$
N-methylperfluorooctane sulfonamidoethanol	MeFOSE	616.0	$[CF_3(CF_2)_7SO_2N(CH_3)C_2H_4OH{\cdot}CH_3CO_2]^-$	59.0	$[CH_3CO_2]^-$	[1] N/A	N/A
N-ethylperfluorooctane sulfonamidoethanol	EtFOSE	630.0	$[CF_3(CF_2)_7SO_2N(C_2H_5)C_2H_4OH{\cdot}CH_3CO_2]^-$	59.0	$[CH_3CO_2]^-$	[1] N/A	N/A
N-methylperfluorooctanesufonamidoacetic acid	MeFOSAA	570.1	$[CF_3(CF_2)_7SO_2N(CH_3)CH_2CO_2]^-$	419.1	$[CF_3(CF_2)_7]^-$	483.0	$[CF_3(CF_2)_7SO_2]^-$
N-ethylperfluorooctanesufonamidoacetic acid	EtFOSAA	584.1	$[CF_3(CF_2)_7SO_2N(CH_2CH_3)CH_2CO_2]^-$	419.1	$[CF_3(CF_2)_7]^-$	483.0	$[CF_3(CF_2)_7SO_2]^-$
6:2 Fluorotelomersulfonate	6:2FTS	427.0	$[CF_3(CF_2)_5CH_2CH_2SO_3]^-$	407.0	$[CF_3(CF_2)_4CFCHCH_2SO_3]^-$	80.9	$[SO_2OH]^-$
8:2 Fluorotelomersulfonate	8:2FTS	526.9	$[CF_3(CF_2)_7CH_2CH_2SO_3]^-$	507.0	$[CF_3(CF_2)_6CFCHCH_2SO_3]^-$	80.9	$[SO_2OH]^-$
Mass-labeled Extracted Internal Standards							
$^{13}C_4$-Perfluorobutanoic acid	MPFBA	216.9	$[^{13}CF_3(^{13}CF_2)_2{}^{13}CO_2]^-$	172.0	$[^{13}CF_3(^{13}CF_2)_2]^-$	N/A	N/A

Compound	Abbreviation	Precursor Ion (m/z)	Precursor Ion Formula	Quant Ion (m/z)	Quantitation Ion Formula	Confirmation Ion (m/z)	Confirmation Ion Formula
$^{13}C_5$-Perfluoropentanoic acid	MPFPeA	267.9	$[^{13}CF_3(^{13}CF_2)_3{}^{13}CO_2]^-$	223.0	$[^{13}CF_3(^{13}CF_2)_3]^-$	N/A	N/A
$^{13}C_2$-Perfluorohexanoic acid	MPFHxA	314.9	$[CF_3(CF_2)_3(^{13}CF_2){}^{13}CO_2]^-$	270.0	$[CF_3(CF_2)_3{}^{13}CF_2]^-$	N/A	N/A
$^{18}O_2$-Perfluorohexanesulfonate	MPFHxS	402.9	$[CF_3(CF_2)_5S(^{18}O)_2O]^-$	84.0	$[S(^{18}O)_2O]^-$	N/A	N/A
$^{13}C_4$-Perfluoroheptanoic acid	MPFHpA	366.9	$[CF_3CF_2(^{13}CF_2)_3{}^{13}CO_2]^-$	322.0	$[CF_3CF_2(^{13}CF_2)_4]^-$	N/A	N/A
$^{13}C_4$-Perfluorooctanoic acid	MPFOA	416.9	$[CF_3(CF_2)_3(^{13}CF_2)_3{}^{13}CO_2]^-$	372.0	$[CF_3(CF_2)_3(^{13}CF_2)_3]^-$	N/A	N/A
$^{13}C_4$-Perfluorooctanesulfonate	MPFOS	502.9	$[CF_3(CF_2)_3(^{13}CF_2)_4SO_3]^-$	79.9	$[SO_3]^-$	N/A	N/A
$^{13}C_5$-Perfluorononanoic acid	MPFNA	467.9	$[CF_3(CF_2)_3(^{13}CF_2)_4{}^{13}CO_2]^-$	423.0	$[CF_3(CF_2)_3(^{13}CF_2)_4]^-$	N/A	N/A
$^{13}C_2$-Perfluorodecanoic acid	MPFDA	514.9	$[CF_3(CF_2)_7(^{13}CF_2){}^{13}CO_2]^-$	470.0	$[CF_3(CF_2)_7{}^{13}CF_2]^-$	N/A	N/A
$^{13}C_2$-Perfluoroundecanoic acid	MPFUnA	564.9	$[CF_3(CF_2)_8(^{13}CF_2){}^{13}CO_2]^-$	520.0	$[CF_3(CF_2)_8{}^{13}CF_2]^-$	N/A	N/A
$^{13}C_2$-Perfluorododecanoic acid	MPFDoA	614.9	$[CF_3(CF_2)_9(^{13}CF_2){}^{13}CO_2]^-$	570.0	$[CF_3(CF_2)_9{}^{13}CF_2]^-$	N/A	N/A
$^{13}C_2$-Perfluorotetradecanoic acid	MPFTeDA	714.9	$[CF_3(CF_2)_{12}(^{13}CF_2){}^{13}CO_2]^-$	669.9	$[CF_3(CF_2)_{12}]^-$	N/A	N/A
$^{13}C_8$-Perfluorooctane sulfonamide	MPFOSA	505.8	$[^{13}CF_3(^{13}CF_2)_7SO_2NH]^-$	77.9	$[SO_2N]^-$	N/A	N/A
N-methyl-d_3-perfluorooctanesulfonamide	D_3-MeFOSA	514.9	$[CF_3(CF_2)_7SO_2N(CD_3)]^-$	168.9	$[CF_3(CF_2)_2]^-$	N/A	N/A
N-ethyl-d_5-perfluorooctanesulfonamide	D_5-EtFOSA	531.0	$[CF_3(CF_2)_7SO_2N(C_2D_5)]^-$	168.9	$[CF_3(CF_2)_2]^-$	N/A	N/A
N-methyl-d_3-perfluorooctanesulfonamidoethanol-d_4	D_7-MeFOSE	623.1	$[CF_3(CF_2)_7SO_2N(CD_3)CD_2CD_2OH \cdot CH_3CO_2]^-$	59.0	$[CH_3CO_2]^-$	N/A	N/A
N-ethyl-d_5-perfluorooctanesulfonamidoethanol-d_4	D_9-EtFOSE	639.1	$[CF_3(CF_2)_7SO_2N(CD_2CD_3)CD_2CD_2OH \cdot CH_3CO_2]^-$	59.0	$[CH_3CO_2]^-$	N/A	N/A
N-methyl-d_3-perfluorooctanesulfonamidoacetic acid	D_3-MeFOSAA	573.1	$[CF_3(CF_2)_7SO_2N(CD_3)CH_2CO_2]^-$	419.1	$[CF_3(CF_2)_7]^-$	N/A	N/A
N-ethyl-d_5-perfluorooctanesulfonamidoacetic acid	D_5-EtFOSAA	589.2	$[CF_3(CF_2)_7SO_2N(CD_2CD_3)CH_2CO_2]^-$	419.0	$[CF_3(CF_2)_7]^-$	N/A	N/A
$^{13}C_2$-Fluorotelomersulfonate (6:2)	M2-6:2FTS	429.0	$[CF_3(CF_2)_5(^{13}CH_2)_2SO_3]^-$	80.9	$[SO_2OH]^-$	N/A	N/A
$^{13}C_2$-Fluorotelomersulfonate (8:2)	M2-8:2FTS	528.9	$[CF_3(CF_2)_7(^{13}CH_2)_2SO_3]^-$	80.9	$[SO_2OH]^-$	N/A	N/A
Injection Internal Standards							
$^{13}C_6$-Perfluorohexanoic acid	$^{13}C_6$-PFHxA	318.9	$[^{13}CF_3(^{13}CF_2)_4{}^{13}CO_2]^-$	274.0	$[^{13}CF_3(^{13}CF_2)_4]^-$	N/A	N/A
$^{13}C_9$-Perfluorodecanoic acid	$^{13}C_9$-PFDA	521.9	$[CF_3(^{13}CF_2)_8{}^{13}CO_2]^-$	477.1	$[CF_3(^{13}CF_2)_8]^-$	N/A	N/A

DoD Projects - Internal Data Validation Checklist

Run date: 2018/02/23

Worksheet # (s): 5410178

Analysis: PFOSALCM-W

	Primary review by the analyst - 1st 100 % analysis review	1st 100% review yes	no	n/a	*2nd 100% review
1	Sample analyses meet hold time criteria	✓			✓
2	Analysis set-up meets method criteria	✓			✓
3	Tuning and correct calibration used - criteria meets method criteria	✓			✓
4	SQC/Control Charts updated, analysis in statistical/method control	✓			✓
5	Internal area counts checked (if applicable)	✓			✓
6	LCS, SRM are within acceptance criteria	✓			✓
7	Surrogate Recovery(s) is within acceptance criteria	✓			✓
8	Method Blank meets acceptance criteria	✓			✓
9	Matrix Spike recovery(s) meets acceptance criteria			✓	✓
10	Duplicate precision meets acceptance criteria	✓			✓
11	QC is documented on the run logs	✓			✓
12	Runs checked for carryover	✓			✓
13	Prep log / worksheet(s) are present, signed / dated by a prep / instrument analysts	✓			✓
14	Initial weights, splits, impringer volumes (where applicable) are documented	✓			✓
15	Standards and reagents traceable to Certificates of Analysis	✓			✓
16	Samples above calibration range diluted and reanalyzed	✓			✓
17	Dilution factors (where justified) have been checked for correctness and entered	✓			✓
18	Analytical observations/anomalies documented in LIMS			✓	✓
19	Random calculation checked and in correct units	✓			✓
20	If corrective actions were applied they are documented, initialed & dated			✓	✓
21	Manual integration – before & after data with a reason included, initialed & dated			✓	✓
22	Transferred data is validated in LIMS for correctness	✓			✓
23	Data package assembled (where required)	✓			✓

Reviewed by: KC Date: 2018/02/27

Comments:

	Secondary Supervisor/Qualified Data Review Staff - 2nd 100% verification review	yes	no	n/a
1	Repeats documented and referenced			✓
2	Method and sample deviations noted, anomalies described (if applicable)			✓
3	Data and QC validated in LIMS	✓		
4	Random calculation checked	✓		
5	Benchsheet (s) signed and dated	✓		
6	Data Package (if required) checked for completeness	✓		

Reviewed by: [signature] Date: 2018/02/27

Comments:

*Note: 2nd 100% verification review documented by secondary qualified data review
Primary and Secondary Internal Data Review Check must be performed by a different person

Worksheet Data Validation Checklist - Extractable Organics

Worksheet # 5410178 Testcode: PFOSALCM_W

Sample Preparation

		yes	no	n/a
1	Samples extracted within hold time	✓		
2	Client sample ID verified against Lab ID (waters & oils)			
3	Parameter list and Client comments reviewed, (Spiking solutions matched to parameter list)			✓
4	Height of sediment or if sample was decanted, recorded on worksheet	✓		
5	Method required QC processed with samples, maximum batch size = 20 client samples.	✓		
6	Sample, duplicate, matrix spike appear similar, initial sample as well as final extract	✓		
7	Sample weight or initial volume and extract final volume, aliquot factor clearly recorded.	✓		
8	If performed any additional dilution clearly recorded	✓		
9	Matrix spike / Duplicate performed on IOL samples if present			✓
10	Spiking solutions valid (haven't expired), ID and volume used clearly identified on worksheet	✓		
11	Spiking process witnessed and signed off	✓		
12	Extraction type recorded (N3A2B = neutral, 3 x acidic, 2 x basic)			✓
13	Sample prep deviations documented within CompliantPro as a Policy Deviation			✓
14	Job Remarks reviewed on 2nd page of worksheet.	✓		
15	Worksheet and reagent tracking record completed and authorized.	✓		

Reviewed by: [signature] Date: 2018/2/22

Comments:

Worksheet Approval

		yes	no	n/a
1	Verified the position of the vials in autosampler against sequence list; signed off sequence list			
2	Calibration and CCV standards valid (haven't expired)			
3	Initial calibration curve and DFTPP tune (if applicable) acceptable			
4	Continuing and Final CCV and DFTPP tune (if applicable) acceptable			
5	System performance check acceptable (if applicable)			
6	Internal standard responses acceptable			
7	Method blank meets acceptance criteria			
8	Lab Control Samples recoveries meets acceptance criteria			
9	Duplicate RPD meets acceptance criteria			
10	Matrix spike recoveries meets acceptance criteria			
11	Surrogate recoveries meets acceptance criteria			
12	Appropriate control charts updated			
13	Samples above calibration range diluted and reanalyzed			
14	Dilutions clearly documented on tracking record, inst file and verified during data upload			
15	Samples following high level samples checked for carryover.			
16	Mass spectra ion ratios acceptable for positive results, hardcopy in file.			
17	Analytical observations / anomalies documented			
18	DQW comments entered in LIMS, hardcopy in file			
19	Sample Prep section (above) reviewed and verified.			
20	WS Approval performed in LIMS			

FC 2018/02/22

See attached BRLFCD-00002 FC 2018/02/22

Reviewed by: Date:

Comments:

Worksheet Validation

		yes	no	n/a
1	Calibration, QC and sample results reviewed and determined acceptable			
2	Manual integrations verified			
3	Random calculation checked			
4	Data and QC validated in LIMS			
5	Comments reviewed for appropriateness			
6	Reworks / relogs documented in file			
7	Worksheet signed and dated,			
8	Worksheet approved and validated within LIMS			

Reviewed by: Date:

Comments:

WS# : 5410178

Page #: 1/2

Report Name : Worksheet - (Liquids and Solids)

Assignment Date : Thursday, February 22, 2018

Assigned to : Shahbaz Ahmad

Test Code : PFOSALCM-W

Instrument Id:

Test Description : PFOS and PFOA in water by LC-MS/MS

Sediment cm ml ml SAD 2018/2/22

Job Number	Sample Number	D	Sample ID	F	% Moisture	Wt or Vol	Final Vol	DF or AF	# Cont	Expiry Date	Test DeadLine	Criteria	Extract Date	
	SPIKE	0	PFC-W		0	125	3						2018/02/22	29.1
	SPIKE	1	PFC-W		0	125	3						2018/02/22	29.2
	BLANK				0	125	3						2018/02/22	31.3
B833226	*GBV345-01R		EB-CEF-MFS-0208*		<0.1	125	3	1X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	31.0
B833226	*GBV346-01R		EB-CEF-MFS-0208*		<0.1	125	3	1X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	31.4
B833226	*GBV347-01R		EB-CEF-MFS-0208*		<0.1	125	3	1X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	30.5
B833226	*GBV348-01R		FB-CEF-MFS-0208*		0	125	3	1X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	31.3
B833226	*GBV349-01R		CEF-1820-TW02-0*		<0.1	125	3	1X/10X	2	2018/02/22	2018/02/27 23:00	DOD	2018/02/22	30.3

SAD 2018/2/22

Remarks:

Samples extracted by: Shahbaz Ahmad SAD 2018/2/22

Instrumentation performed by: KC Date: 2018/02/23

Calculations performed by: KC Date: 2018/02/26

Validated by: AA Date: 2018/02/27

Job No.	Rep / Remarks	Client Name	Contact	Client Tier	National
GB833226	SP8	Earth Toxics Inc	Rick Carr	Tier 5 (Enviro.)	AECOM

NREG. PFOSALCM-W Level IV Package and TetraTech EDD required f/c ZAL. 2018/02/20 Project #: JM10 CECIL

Job	Sample	Lab Comments
	SPIKE	
	SPIKE	
	BLANK	
B833226	GBV345-01R	
B833226	GBV346-01R	
B833226	GBV347-01R	
B833226	GBV348-01R	
B833226	GBV349-01R	

Standard	Vol. of Methanol	Spiked Amount	
S1	2825	25	SK-7377 2/3
S2	2800	50	
S3	2700	150	
S4	2813	37.5	I-5297 2/3
S5	2775	75	
S6	2725	125	
ICV	2788	62.5	— I-5299 3/3
EB	2850	—	

Worksheet Reagent Tracking Record Worksheet # 5410178

Surrogate/Spike solutions	√	Solution ID #	Conc.	Volume (µL) Blk-Spk Solid	Blk-Spk Liquid	MS Solid	MS Liquid	Samples Solid	Samples Liquid
DGT Spike			100 ug/mL	60	30	60	30	NA	NA
Diquat Dibromide			50 ug/mL	NA	350	NA	350	NA	NA
Explosives Spiking solution A			20 ug/mL	250	100	250	100	NA	NA
Explosives Spiking solution B			20/80 ug/mL	250	100	250	100	NA	NA
Formaldehyde Spike			100 ug/mL	25	25	25	25	NA	NA
Glyphosate Spike			25 ug/mL	500	20	500	20	NA	NA
Nonylphenol Ethoxylate Spike			100 ug/mL	100	100	100	100	NA	NA
Nonylphenol Spike			10 ug/mL	100	100	100	100	NA	NA
Paraquat Cl Tetrahydrate			20 ug/mL	NA	125	NA	125	NA	NA
Perchlorate Standard Spike			10 ng/mL	NA	100	NA	100	NA	NA
Perchlorate Standard Spike			500 ng/mL	40	NA	40	NA	NA	NA
Perchlorate O-18 Internal Standard			0.10 ng/uL	20	20	20	20	20	20
Morpholine Second Source Working Std			2500 ug/L	NA	80	NA	80	NA	NA
Morpholine-D8 Internal Standard			10 ug/mL	NA	50	NA	50	NA	50
Steril Second Source Spiking Solution			NA	20	NA	20	NA	NA	NA
Sterilants Comp. IS Working Solution			3 ug/mL	50	NA	50	NA	50	NA
Comp. PFC Working Solution A	✓	I-5299 3/3 DM3	1ug/mL	75	21 (62.5)	75	21 62.5	NA	NA
PFC Internal Standard Solution	✓	SI-6801 3/4 DM3	50/125 ng/mL	200	100 (150)	200	100 150	200	100/(150)
PFC Injection IS	✓	SI 6770 1/2	400 ng/mL	20	20	20	20	20	20
ICV	✓	I-5299 3/3							

Solvent/Reagent	√	Lot No.	Date Opened	Solvent/Reagent	√	Lot No.	Date Opened/ Prepared
DCM				50% NaOH			
Ottawa Sand				o-Phosphoric Acid			
Methanol	✓	SHBJB485	2018/2/22	Borax			
2-Propanol (IPA)				Calcium Chloride			
Acetonitrile				EDTA			
Sodium Sulfate				Phosphate Buffer			
70:30 Methanol: Water				Sodium Thiosulphate			
60:40 Water: Methanol	✓	PRLRE	108-371	DNPH			
DCM:Ethyl Ether (75:25)				FMOC			
Hexane:IPA (98:2)				5M Acetate Buffer			
2% Formic Acid	✓	PRLRE	108-370	0.2% NH_4OH	✓	PRLRE	108-365
0.2% Formic Acid				Leachate Fluid			
0.05M KOH				Reagent Water	✓	57297	2018/2/21
0.05M HCl							

*Spiked by: SAP

Spike Date: 2018/2/22

Spike Syringe/Pipette ID#: M410111

Int. Std Syringe/Pipette ID#: G243906

*Spiking Witnessed by: DM3

Final pH:

Equipment & ID	√	Equipment	ID#	√	Equipment	Lot #
Pipettor		SPE Cartridge			QC Balance ID	
		Filter			Thermometer ID &Temp	
Dispenser		Centrifuge				
		Sonicator				

Bottle Tracking

Bottle# 18801

Cap# 18-778

Systems plus Lot# 18-01-31

Comments:

* - SPIKING OF QC & SAMPLES MUST BE WITNESSED AT ALL TIMES.

Worksheet: 5410178

Dilution and Column Cleanup Worksheet

Maxxam Analytics

Job Number	Sample ID	Sample: Initial Final Volume	Dilution Required	Sample added mL	Solvent Added mL	Int Stan Added uL	New Effective Final Volume	INITIAL DATE	Column Clean Up
B833226	GBY349-01	1X	10X	12.5	—	150	12.5	2018/12/22	—

2018/12/22

Worksheet Number: **5410178**

PFOS and PFOA in water by SPE/LCMS - Water

ug/L

Parameter Name	Units	SPIKE	SPIKE Dup1	BLANK	B833226 GBV345	B833226 GBV346	B833226 GBV347
6:2 Fluorotelomer sulfonate	ug/L	104.57947	101.17622	0	N/A*******	N/A*******	N/A*******
8:2 Fluorotelomer sulfonate	ug/L	112.21436	105.47088	0	N/A*******	N/A*******	N/A*******
N-ethylperfluorooctane sulfonamide	ug/L	93.85059	97.33535	0	N/A*******	N/A*******	N/A*******
EtFOSAA	ug/L	97.83049	97.13051	0	0	0	0
N-ethylperfluorooctane sulfonamidoe	ug/L	103.62933	97.71617	0	N/A*******	N/A*******	N/A*******
N-methylperfluorooctane sulfonamide	ug/L	96.44646	94.62339	0	N/A*******	N/A*******	N/A*******
MeFOSAA	ug/L	97.65427	98.97928	0	0	0	0
N-methylperfluorooctanesulfonamidol	ug/L	91.06951	96.32557	0	N/A*******	N/A*******	N/A*******
Perfluorobutanoic acid	ug/L	108.41214	106.23146	0	N/A*******	N/A*******	N/A*******
Perfluorobutane Sulfonate (PFBS)	ug/L	114.89115	110.55300	0	0	0	0
Perfluorodecane Sulfonate	ug/L	89.83545	94.41773	0	N/A*******	N/A*******	N/A*******
Perfluoroheptanoic Acid (PFHpA)	ug/L	105.22248	101.60261	0	0	0	0
Perfluoroheptane sulfonate	ug/L	104.63532	103.18603	0	N/A*******	N/A*******	N/A*******
Perfluorohexanoic Acid (PFHxA)	ug/L	101.86286	101.10933	0	0	0	0
Perfluorohexane Sulfonate (PFHxS)	ug/L	113.82603	102.18863	0	0	0	0
Perfluorononanoic Acid (PFNA)	ug/L	103.40302	100.51643	0	0	0	0
Perfluorooctane Sulfonamide (PFOSA)	ug/L	99.29490	100.67477	0	N/A*******	N/A*******	N/A*******
Perfluoropentanoic Acid (PFPeA)	ug/L	102.88732	102.99295	0	N/A*******	N/A*******	N/A*******
Perfluorotetradecanoic Acid	ug/L	101.60932	98.06120	0	0	0	0
Perfluorotridecanoic Acid	ug/L	102.84016	98.12275	0	0	0	0
Perfluoroundecanoic Acid (PFUnA)	ug/L	100.54371	101.82974	0	0	0	0
Perfluorodecanoic Acid (PFDA)	ug/L	96.65524	105.94541	0	0	0	0
Perfluorododecanoic Acid (PFDoA)	ug/L	104.48336	99.01245	0	0	0	0
Perfluoro-n-Octanoic Acid (PFOA)	ug/L	101.25898	95.79924	0	0	0	0
Perfluorooctane Sulfonate (PFOS)	ug/L	92.97346	95.26326	0	0	0.02144820	0
13C2-6:2 Fluorotelomer sulfonate	ug/L	109.903851	97.8040593	101.577855	N/A*******	N/A*******	N/A*******
13C2-8:2 Fluorotelomer sulfonate	ug/L	97.5136187	98.0955143	102.162548	N/A*******	N/A*******	N/A*******
13C2-perfluorotetradecanoic acid	ug/L	95.5150982	88.9149930	84.9989419	87.3894649	74.3542136	76.4113922
13C4-Perfluorobutanoic acid	ug/L	104.427663	94.0791785	99.1686284	107.033099	88.5247353	88.0325539
D3-MeFOSAA	ug/L	89.3689947	87.0132480	85.7309792	90.4197354	80.2407075	74.1822741
D5-EtFOSAA	ug/L	89.5158472	86.8403480	81.1638215	90.6290015	77.6895437	71.1418719
N-methyl-d3-perfluorooctane sulfona	ug/L	94.4913764	81.0531707	91.0627958	N/A*******	N/A*******	N/A*******
N-ethyl-d5-perfluorooctane sulfonam	ug/L	85.6581253	86.9008929	81.3518913	N/A*******	N/A*******	N/A*******
13C2-Perfluorodecanoic acid	ug/L	111.745166	91.3425546	97.6556089	99.1334382	86.8924234	90.7211595
13C2-Perfluorododecanoic acid	ug/L	92.5110675	89.7109265	92.4204003	87.0126131	79.0799091	75.9975202
13C2-Perfluorohexanoic acid	ug/L	107.101155	97.5765668	102.884711	105.377199	95.3508725	96.6816050
13C2-Perfluoroundecanoic acid	ug/L	97.3210856	90.7633221	92.5263351	93.5248775	89.4835601	81.8449279
13C4-Perfluoroheptanoic acid	ug/L	100.943460	95.1310517	96.2159094	107.276204	91.3277585	94.8621187
13C5-Perfluorononanoic acid	ug/L	109.541443	101.277347	104.003571	113.457209	94.3203245	87.8062621
13C4-Perfluorooctanoic acid	ug/L	108.574604	100.369310	97.0996193	113.568255	97.4178486	91.6937645
13C4-Perfluorooctanesulfonate	ug/L	112.746449	95.0616739	100.788171	108.255895	91.0456951	83.0426059
13C5-Perfluoropentanoic acid	ug/L	108.350085	97.9500199	104.718098	N/A*******	N/A*******	N/A*******
13C8-Perfluorooctane Sulfonamide	ug/L	95.0670807	83.2339234	91.2798153	N/A*******	N/A*******	N/A*******
18O2-Perfluorohexanesulfonate	ug/L	98.2362389	93.2685320	101.196002	102.556321	94.7443833	95.6950791


RC 2018/02/27

Worksheet Number: **5410178**

PFOS and PFOA in water by SPE/LCMS - Water

ug/L

Parameter Name	B833226 GBV348	DL	B833226 GBV349	DL	RDL	MDL	IDL
6:2 Fluorotelomer sulfonate	N/A*******	0.02	N/A*******	0.02	0.02	0.0066	0
8:2 Fluorotelomer sulfonate	N/A*******	0.02	N/A*******	0.02	0.02	0.0066	0
N-ethylperfluorooctane sulfonamide	N/A*******	0.02	N/A*******	0.02	0.02	0.01	0
EtFOSAA	0	0.02	0	0.02	0.02	0.0033	0
N-ethylperfluorooctane sulfonamidoe	N/A*******	0.02	N/A*******	0.02	0.02	0.0079	0
N-methylperfluorooctane sulfonamide	N/A*******	0.02	N/A*******	0.02	0.02	0.013	0
MeFOSAA	0	0.02	0	0.02	0.02	0.0029	0
N-methylperfluorooctanesulfonamidol	N/A*******	0.02	N/A*******	0.02	0.02	0.012	0
Perfluorobutanoic acid	N/A*******	0.02	N/A*******	0.02	0.02	0.0055	0
Perfluorobutane Sulfonate (PFBS)	0	0.02	0.03139091	0.02	0.02	0.0054	0
Perfluorodecane Sulfonate	N/A*******	0.02	N/A*******	0.02	0.02	0.006	0
Perfluoroheptanoic Acid (PFHpA)	0	0.02	0.07981266	0.02	0.02	0.0074	0
Perfluoroheptane sulfonate	N/A*******	0.02	N/A*******	0.02	0.02	0.008	0
Perfluorohexanoic Acid (PFHxA)	0	0.02	0.18538337	0.02	0.02	0.0035	0
Perfluorohexane Sulfonate (PFHxS)	0	0.02	1.24784359	0.20	0.02	0.0056	0
Perfluorononanoic Acid (PFNA)	0	0.02	0.01972712	0.02	0.02	0.0087	0
Perfluorooctane Sulfonamide (PFOSA)	N/A*******	0.02	N/A*******	0.02	0.02	0.0034	0
Perfluoropentanoic Acid (PFPeA)	N/A*******	0.02	N/A*******	0.02	0.02	0.0075	0
Perfluorotetradecanoic Acid	0	0.02	0	0.02	0.02	0.0027	0
Perfluorotridecanoic Acid	0	0.02	0	0.02	0.02	0.0038	0
Perfluoroundecanoic Acid (PFUnA)	0	0.02	0	0.02	0.02	0.0025	0
Perfluorodecanoic Acid (PFDA)	0	0.02	0	0.02	0.02	0.0061	0
Perfluorododecanoic Acid (PFDoA)	0	0.02	0	0.02	0.02	0.005	0
Perfluoro-n-Octanoic Acid (PFOA)	0	0.02	0.06696004	0.02	0.02	0.0033	0
Perfluorooctane Sulfonate (PFOS)	0	0.02	2.44624865	0.20	0.02	0.006	0
13C2-6:2 Fluorotelomer sulfonate	N/A*******		N/A*******				
13C2-8:2 Fluorotelomer sulfonate	N/A*******		N/A*******				
13C2-perfluorotetradecanoic acid	69.0567804		82.5751103				
13C4-Perfluorobutanoic acid	84.3258610		80.8948204				
D3-MeFOSAA	75.8982901		82.9222374				
D5-EtFOSAA	75.9835083		81.3392062				
N-methyl-d3-perfluorooctane sulfona	N/A*******		N/A*******				
N-ethyl-d5-perfluorooctane sulfonam	N/A*******		N/A*******				
13C2-Perfluorodecanoic acid	84.8676636		83.1941605				
13C2-Perfluorododecanoic acid	76.3976376		84.2586309				
13C2-Perfluorohexanoic acid	90.7526758		84.3941472				
13C2-Perfluoroundecanoic acid	83.7894978		79.4005158				
13C4-Perfluoroheptanoic acid	88.9220635		84.6587618				
13C5-Perfluorononanoic acid	89.4801735		88.7032933				
13C4-Perfluorooctanoic acid	92.5778136		89.4223954				
13C4-Perfluorooctanesulfonate	86.9100985		72.5049115				
13C5-Perfluoropentanoic acid	N/A*******		N/A*******				
13C8-Perfluorooctane Sulfonamide	N/A*******		N/A*******				
18O2-Perfluorohexanesulfonate	89.1927643		82.7737982				



PFDA Spike


$y = 0.524675x - 0.072681$

$10.4924 = 0.524675x - 0.072681$

$x = \frac{10.4924 + 0.072681}{0.524675} = 20.1364$

concentration = $20.1364 \times 0.024 = 0.4833$ µg/L

KC 2018/02/27




h = 13.5 cm

a = 1.9 cm

b = 2.3 cm

$\frac{b}{a} = \frac{2.3}{1.9} = 1.2$

KC 2018/02/27


- MRM (313.0 -> 268.9) WS#5410178_05.d PFHxA 1 STD 4
Counts
x10 4
RT=1.445 min.
Area=30538
Name=PFHxA 1
h
a
b
h= 13.5 cm
a= 1.9 cm
b= 1.5 cm
b/a = 1.5/1.9 = 0.8
KC 2018/02/27
Acquisition Time (min)

Report Name: Worksheet - Parameter Lists

Report Date: 2018/02/22

Test Code: **PFOSALCM-W**

Worksheet Number: **5410178**

Sample Number	Parameter Code	Parameter	
GBV345-01	ETFOSAA	EtFOSAA	*
GBV346-01	MEFOSAA	MeFOSAA	*
GBV347-01	PFBS	Perfluorobutane Sulfonate (PFBS)	
GBV348-01	PFHPA	Perfluoroheptanoic Acid (PFHpA)	
GBV349-01	PFHXA	Perfluorohexanoic Acid (PFHxA)	
	PFHXS	Perfluorohexane Sulfonate (PFHxS)	
	PFNA	Perfluorononanoic Acid (PFNA)	
	PFTEDA	Perfluorotetradecanoic Acid	
	PFTRDA	Perfluorotridecanoic Acid	
	PFUNA	Perfluoroundecanoic Acid (PFUnA)	
	PFDA	Perfluorodecanoic Acid (PFDA)	
	PFDOA	Perfluorododecanoic Acid (PFDoA)	
	PFOA	Perfluoro-n-Octanoic Acid (PFOA)	
	PFOS	Perfluorooctane Sulfonate (PFOS)	

SAD
2018/2/12

* - This parameter is usually off, but will be reported for this group of samples!

WorkSheet 5410178 Instrument Sequences

1.	5410178:SPIKE	SPIKE
2.	5410178:SPIKE:D1	SPIKE :D1
3.	5410178:BLANK	BLANK
4.	5410178:GBV345-01	EB-CEF-MFS-020818-17
5.	5410178:GBV346-01	EB-CEF-MFS-020818-18
6.	5410178:GBV347-01	EB-CEF-MFS-020818-19
7.	5410178:GBV348-01	FB-CEF-MFS-020818-12
8.	5410178:GBV349-01	CEF-1820-TW02-0218



Worklist Report

Agilent Technologies

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFC_180223_Low.wkl

MaxEnt Analytics

Operator Name: ---
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\Data\PFC\20180223\WS#5410178
Pre-Worklist Script: ---
Post-Worklist Script: SCP_InstrumentStandby(){MH_Acq_Scripts.exe}
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: Column #199
MP A1: Solution# 280 (FSRE18)
MP B1: Methanol lot# SHBJ5451, Sigma

pc
2018/02/23

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
1	Solvent	P1-A1	PFC_Water_Low.m	WS#5410178_01.d	Sample		As Method	-
2	STD 1	P1-A2	PFC_Water_Low.m	WS#5410178_02.d	Calibration	STD 1	As Method	-
3	STD 2	P1-A3	PFC_Water_Low.m	WS#5410178_03.d	Calibration	STD 2	As Method	-
4	STD 3	P1-A4	PFC_Water_Low.m	WS#5410178_04.d	Calibration	STD 3	As Method	-
5	STD 4	P1-A5	PFC_Water_Low.m	WS#5410178_05.d	Calibration	STD 4	As Method	-
6	STD 5	P1-A6	PFC_Water_Low.m	WS#5410178_06.d	Calibration	STD 5	As Method	-
7	STD 6	P1-A7	PFC_Water_Low.m	WS#5410178_07.d	Calibration	STD 6	As Method	-

219 of 681

Worklist Report

Agilent Technologies

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
8	IB	P1-A8	PFC_Water_Low.m	WS#5410178_08.d	Sample		As Method	-
9	ICV	P1-A9	PFC_Water_Low.m	WS#5410178_09.d	QC	ICV	As Method	-
10	ISC	P1-A2	PFC_Water_Low.m	WS#5410178_10.d	ConCal	STD 1	As Method	-
11	5410178:BLANK	P1-B1	PFC_Water_Low.m	WS#5410178_11.d	Sample		As Method	-
12	5410178:SPIKE	P1-B2	PFC_Water_Low.m	WS#5410178_12.d	QC	ICV	As Method	-
13	5410178:SPIKE:D1	P1-B3	PFC_Water_Low.m	WS#5410178_13.d	QC	ICV	As Method	-
14	5410178:GBV345-01	P1-B4	PFC_Water_Low.m	WS#5410178_14.d	Sample		As Method	-
15	5410178:GBV346-01	P1-B5	PFC_Water_Low.m	WS#5410178_15.d	Sample		As Method	-
16	5410178:GBV347-01	P1-B6	PFC_Water_Low.m	WS#5410178_16.d	Sample		As Method	-
17	5410178:GBV348-01	P1-B7	PFC_Water_Low.m	WS#5410178_17.d	Sample		As Method	-
18	5410178:GBV349-01:10x	P1-B8	PFC_Water_Low.m	WS#5410178_18.d	Sample		As Method	-
19	5410178:GBV349-01	P1-B9	PFC_Water_Low.m	WS#5410178_19.d	Sample		As Method	-
20	IB	P1-A8	PFC_Water_Low.m	WS#5410178_20.d	Sample		As Method	-
21	CCV	P1-A5	PFC_Water_Low.m	WS#5410178_21.d	ConCal	STD 4	As Method	-

Maxxam Analytics

Worklist Report

Agilent Technologies

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFC_180223_Low_FOSAA.wkl

MaxxamAnalytics

Operator Name: ---
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\Data\PFC\20180223\WS#5410178_FOSAA
Pre-Worklist Script: ---
Post-Worklist Script: SCP_InstrumentStandby(){MH_Acq_Scripts.exe}
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: Column #199
MP A1: Solution# 280 (FSRE18)
MP B1: Solution# 290 (FSRE18)

KC 2018/02/23

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
1	Solvent	P1-A1	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_01.d	Sample		As Method	-
2	STD 1	P1-A2	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_02.d	Calibration	STD 1	As Method	-
3	STD 2	P1-A3	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_03.d	Calibration	STD 2	As Method	-
4	STD 3	P1-A4	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_04.d	Calibration	STD 3	As Method	-
5	STD 4	P1-A5	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_05.d	Calibration	STD 4	As Method	-
6	STD 5	P1-A6	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_06.d	Calibration	STD 5	As Method	-
7	STD 6	P1-A7	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_07.d	Calibration	STD 6	As Method	-
8	IB	P1-A8	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_08.d	Sample		As Method	-

221 of 681

Worklist Report

Agilent Technologies

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
9	ICV	P1-A9	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_09.d	QC	ICV	As Method	-
10	ISC	P1-A2	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_10.d	ConCal	STD 1	As Method	-
11	5410178:BLANK	P1-B1	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_11.d	Sample		As Method	-
12	5410178:SPIKE	P1-B2	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_12.d	QC	ICV	As Method	-
13	5410178:SPIKE:D1	P1-B3	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_13.d	QC	ICV	As Method	-
14	5410178:GBV345-01	P1-B4	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_14.d	Sample		As Method	-
15	5410178:GBV346-01	P1-B5	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_15.d	Sample		As Method	-
16	5410178:GBV347-01	P1-B6	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_16.d	Sample		As Method	-
17	5410178:GBV348-01	P1-B7	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_17.d	Sample		As Method	-
18	5410178:GBV349-01:10x	P1-B8	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_18.d	Sample		As Method	-
19	5410178:GBV349-01	P1-B9	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_19.d	Sample		As Method	-
20	IB	P1-A8	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_20.d	Sample		As Method	-
21	CCV	P1-A5	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_21.d	ConCal	STD 4	As Method	-

Maxxam Analytics

FINAL INJECTION SEQUENCE


Sample					
Name	Comment	Acq. Date-Time	Acq. Method File	Data File	Pos.
STD 1	-	2018/02/23 4:39 PM	PFC_Water_Low.m	WS#5410178_02.d	P1-A2
STD 2	-	2018/02/23 4:44 PM	PFC_Water_Low.m	WS#5410178_03.d	P1-A3
STD 3	-	2018/02/23 4:49 PM	PFC_Water_Low.m	WS#5410178_04.d	P1-A4
STD 4	-	2018/02/23 4:54 PM	PFC_Water_Low.m	WS#5410178_05.d	P1-A5
STD 5	-	2018/02/23 4:59 PM	PFC_Water_Low.m	WS#5410178_06.d	P1-A6
STD 6	-	2018/02/23 5:04 PM	PFC_Water_Low.m	WS#5410178_07.d	P1-A7
IB	-	2018/02/23 5:09 PM	PFC_Water_Low.m	WS#5410178_08.d	P1-A8
ICV	-	2018/02/23 5:14 PM	PFC_Water_Low.m	WS#5410178_09.d	P1-A9
ISC	-	2018/02/23 5:19 PM	PFC_Water_Low.m	WS#5410178_10.d	P1-A2
5410178:BLANK	-	2018/02/23 5:23 PM	PFC_Water_Low.m	WS#5410178_11.d	P1-B1
5410178:SPIKE	-	2018/02/23 5:28 PM	PFC_Water_Low.m	WS#5410178_12.d	P1-B2
5410178:SPIKE:D1	-	2018/02/23 5:33 PM	PFC_Water_Low.m	WS#5410178_13.d	P1-B3
5410178:GBV345-01	-	2018/02/23 5:38 PM	PFC_Water_Low.m	WS#5410178_14.d	P1-B4
5410178:GBV346-01	-	2018/02/23 5:43 PM	PFC_Water_Low.m	WS#5410178_15.d	P1-B5
5410178:GBV347-01	-	2018/02/23 5:48 PM	PFC_Water_Low.m	WS#5410178_16.d	P1-B6
5410178:GBV348-01	-	2018/02/23 5:53 PM	PFC_Water_Low.m	WS#5410178_17.d	P1-B7
5410178:GBV349-01:10x	Reported for PFHxS and PFOS only.	2018/02/23 5:58 PM	PFC_Water_Low.m	WS#5410178_18.d	P1-B8
5410178:GBV349-01	Reported for all except PFHxS and PFOS.	2018/02/23 6:03 PM	PFC_Water_Low.m	WS#5410178_19.d	P1-B9
IB	-	2018/02/23 6:08 PM	PFC_Water_Low.m	WS#5410178_20.d	P1-A8
CCV	-	2018/02/23 6:13 PM	PFC_Water_Low.m	WS#5410178_21.d	P1-A5

FINAL INJECTION SEQUENCE

Sample					
Name	Comment	Acq. Date-Time	Acq. Method File	Data File	Pos.
STD 1	-	2018/02/24 3:10 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_02.d	P1-A2
STD 2	-	2018/02/24 3:13 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_03.d	P1-A3
STD 3	-	2018/02/24 3:15 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_04.d	P1-A4
STD 4	-	2018/02/24 3:18 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_05.d	P1-A5
STD 5	-	2018/02/24 3:20 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_06.d	P1-A6
STD 6	-	2018/02/24 3:22 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_07.d	P1-A7
IB	-	2018/02/24 3:25 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_08.d	P1-A8
ICV	-	2018/02/24 3:27 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_09.d	P1-A9
ISC	-	2018/02/24 3:30 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_10.d	P1-A2
5410178:BLANK	-	2018/02/24 3:32 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_11.d	P1-B1
5410178:SPIKE	-	2018/02/24 3:34 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_12.d	P1-B2
5410178:SPIKE:D1	-	2018/02/24 3:37 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_13.d	P1-B3
5410178:GBV345-01	-	2018/02/24 3:39 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_14.d	P1-B4
5410178:GBV346-01	-	2018/02/24 3:42 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_15.d	P1-B5
5410178:GBV347-01	-	2018/02/24 3:44 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_16.d	P1-B6
5410178:GBV348-01	-	2018/02/24 3:47 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_17.d	P1-B7
5410178:GBV349-01:10x	Not used.	2018/02/24 3:49 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_18.d	P1-B8
5410178:GBV349-01	Reported for all.	2018/02/24 3:51 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_19.d	P1-B9
IB	-	2018/02/24 3:54 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_20.d	P1-A8
CCV	-	2018/02/24 3:56 AM	PFC_Water_Low_FOSAA.m	WS#5410178_FOSAA_21.d	P1-A5

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFBS 1
Internal Standard: MPFHxS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.89	485	0.3495	62	107.5
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.77	1042	0.4128	83	103.9
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.54	3317	0.4016	253	90.8
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	12.14	8138	0.4471	753	97.1
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.42	17495	0.4550	464	97.7
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.98	30887	0.4825	168	103.1

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFHxA 1
Internal Standard: MPFHxA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.93	2229	0.3867	96	111.5
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.63	4087	0.3563	159	95.6
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.87	13016	0.3850	823	97.4
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.76	30538	0.3782	1525	94.1
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.59	65090	0.3978	3455	98.4
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.96	113899	0.4176	5634	103.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFHxS 1
Internal Standard: MPFHxS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.87	490	0.3531	546	105.1
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.78	1070	0.4238	316	104.5
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.71	3482	0.4215	2890	94.2
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.88	8004	0.4398	3946	95.0
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.55	17672	0.4596	19392	98.2
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.95	31001	0.4843	42555	103.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFHpA 1
Internal Standard: MPFHpA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.91	2296	0.3255	22	110.2
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.69	5158	0.3500	55	99.1
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.92	16518	0.3915	149	98.4
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.04	38018	0.3630	333	88.4
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	25.26	85776	0.4210	497	101.0
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.91	142442	0.4307	449	102.9

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFOA 1
Internal Standard: MPFOA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.93	2837	0.4199	85	112.6
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.71	6161	0.4139	119	100.6
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.46	17457	0.3930	341	89.2
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.78	41178	0.4258	1176	94.3
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	25.37	94176	0.4620	1892	101.5
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.47	153654	0.4651	3485	101.9

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFOS 1
Internal Standard: MPFOS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.97	528	0.3520	161	116.7
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.65	1058	0.3298	220	97.3
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.83	3377	0.3608	267	96.5
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	10.95	7484	0.3364	242	87.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	23.73	16848	0.3685	165	94.9
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	44.61	29328	0.4171	183	107.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFNA 1
Internal Standard: MPFNA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.90	2364	0.3575	34	108.2
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.69	5173	0.3691	82	99.6
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.90	16356	0.3924	391	98.1
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.58	37369	0.3790	745	92.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.51	80139	0.4045	928	98.0
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	43.15	140109	0.4284	2500	103.5

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFDA 1
Internal Standard: MPFDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.93	2591	0.4980	28	111.6
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.59	5140	0.4465	60	93.2
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.75	17010	0.4838	133	95.0
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.95	39112	0.4956	253	95.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	26.64	88140	0.5563	781	106.6
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	40.88	144884	0.5126	1300	98.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFUnA 1
Internal Standard: MPFUnA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.92	2643	0.3682	21	111.3
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.70	5480	0.3867	39	100.0
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.75	18088	0.4073	149	94.9
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	10.95	41609	0.3877	230	87.6
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	26.31	92104	0.4721	275	105.2
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.11	157019	0.4547	356	101.0

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFDoA 1
Internal Standard: MPFDoA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.89	3316	0.3600	29	107.3
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.72	6958	0.3879	171	101.3
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.94	22806	0.4107	610	98.7
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.42	49731	0.3892	1552	91.4
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.19	113209	0.4161	2020	96.8
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	43.56	193950	0.4509	3186	104.5

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04


Analyte: PFTrDA 1
Internal Standard: MPFTeDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.89	3748	0.4304	24	107.6
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.67	8044	0.4165	43	98.1
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	4.96	24430	0.4393	89	99.1
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.84	58458	0.4249	238	94.7
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.24	126816	0.4369	202	97.0
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	43.13	218095	0.4669	216	103.4

Batch Path T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics.batch.bin
Last Calib Update 2018/02/27 2:51:08 PM
Instrument: LCMS04

Analyte: PFTeDA 1
Internal Standard: MPFTeDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/23 4:39:32 PM	0.83	0.86	3065	0.3519	14	103.9
STD 2	STD 2	x	2018/02/23 4:44:28 PM	1.70	1.64	6688	0.3463	32	96.6
STD 3	STD 3	x	2018/02/23 4:49:24 PM	5.00	5.23	21695	0.3901	141	104.5
STD 4	STD 4	x	2018/02/23 4:54:20 PM	12.50	11.91	49421	0.3592	209	95.3
STD 5	STD 5	x	2018/02/23 4:59:16 PM	25.00	24.23	106507	0.3669	264	96.9
STD 6	STD 6	x	2018/02/23 5:04:12 PM	41.70	42.86	182013	0.3897	341	102.8

By Compound Report

Agilent Technologies


Batch Path T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 10:52:53 AM

Instrument: LCMS04

Analyte: MeFOSAA 1

Internal Standard: D3-MeFOSAA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/24 3:10:51 AM	0.83	0.88	358	0.3300	20	106.0
STD 2	STD 2	x	2018/02/24 3:13:16 AM	1.70	1.71	799	0.3401	33	100.6
STD 3	STD 3	x	2018/02/24 3:15:41 AM	5.00	5.03	2599	0.3587	94	100.5
STD 4	STD 4	x	2018/02/24 3:18:06 AM	12.50	11.21	5708	0.3248	278	89.7
STD 5	STD 5	x	2018/02/24 3:20:31 AM	25.00	25.19	13098	0.3674	547	100.8
STD 6	STD 6	x	2018/02/24 3:22:56 AM	41.70	42.71	22193	0.3743	422	102.4


Batch Path T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 10:52:53 AM

Instrument: LCMS04

Analyte: EtFOSAA 1

Internal Standard: D5-EtFOSAA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/24 3:10:51 AM	0.83	0.91	360	0.3876	42	109.4
STD 2	STD 2	x	2018/02/24 3:13:16 AM	1.70	1.67	753	0.3822	82	98.3
STD 3	STD 3	x	2018/02/24 3:15:41 AM	5.00	4.90	2575	0.4074	490	98.0
STD 4	STD 4	x	2018/02/24 3:18:06 AM	12.50	11.32	5621	0.3837	875	90.5
STD 5	STD 5	x	2018/02/24 3:20:31 AM	25.00	25.53	12933	0.4362	1311	102.1
STD 6	STD 6	x	2018/02/24 3:22:56 AM	41.70	42.41	22502	0.4355	2283	101.7

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**ICV**	**Instrument**	LCMS04
Data File	WS#5410178_09.d	**Operator**	
Sample Type	QC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A9
Acq. Date	2018/02/23 5:14:04 PM	**Injection Volume**	Per Method
Sample Annotation	-		

ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6803	1.43	1 µg/L		
MPFHxS	1503	1.67	1 µg/L		
MPFHpA	8017	1.70	1 µg/L		
MPFOA	8444	1.88	1 µg/L		
MPFOS	1701	1.97	1 µg/L		
MPFNA	8462	2.02	1 µg/L		
MPFDA	6675	2.14	1 µg/L		
MPFUnA	8383	2.23	1 µg/L		
MPFDoA	10884	2.32	1 µg/L		
MPFTeDA	11575	2.47	1 µg/L		
13C6-PFHxA IS	25768	1.44	1 µg/L		
13C9-PFDA IS	30429	2.13	1 µg/L		

Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	14490	1.09	20.80	20.74 µg/L	99.69
PFHxA 1	53348	1.45	20.80	19.42 µg/L	93.36
PFHxS 1	13739	1.67	20.80	19.58 µg/L	94.13
PFHpA 1	66090	1.70	20.80	19.84 µg/L	95.40
PFOA 1	79154	1.88	20.80	20.62 µg/L	99.14
PFOS 1	13627	1.96	20.80	20.66 µg/L	99.34
PFNA 1	67433	2.03	20.80	19.35 µg/L	93.03
PFDA 1	70358	2.14	20.80	20.23 µg/L	97.25
PFUnA 1	77503	2.23	20.80	20.66 µg/L	99.33
PFDoA 1	93466	2.32	20.80	20.01 µg/L	96.19
PFTrDA 1	108420	2.40	20.80	20.80 µg/L	100.01
PFTeDA 1	90301	2.47	20.80	20.62 µg/L	99.15
13C2-PFHxA	6803	1.43	100.00	89.24 µg/L	89.24
18O2-PFHxS	1503	1.67	100.00	84.56 µg/L	84.56
13C4-PFHpA	8017	1.70	100.00	83.99 µg/L	83.99
13C4-PFOA	8444	1.88	100.00	89.35 µg/L	89.35
13C4-PFOS	1701	1.97	100.00	82.18 µg/L	82.18
13C5-PFNA	8462	2.02	100.00	92.10 µg/L	92.10
13C2-PFDA	6619	2.14	100.00	90.26 µg/L	90.26
13C2-PFUnA	8383	2.23	100.00	88.48 µg/L	88.48
13C2-PFDoA	10884	2.32	100.00	90.61 µg/L	90.61
13C2-PFTeDA	11813	2.47	100.00	93.20 µg/L	93.20
13C6-PFHxA	25768	1.44	100.00	114.20 µg/L	114.20
13C9-PFDA	30429	2.13	100.00	112.10 µg/L	112.10





MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.445)
Concentration:	1 µg/L
Sample type:	QC

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**ICV**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_09.d	**Operator**	
Sample Type	QC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A9
Acq. Date	2018/02/24 3:27:45 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1492	1.31	1 µg/L		
D5-EtFOSAA IS	1279	1.33	1 µg/L		
13C9-PFDA IS	22619	0.90	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	11265	1.31	20.80	20.73 µg/L	99.67
EtFOSAA 1	11197	1.33	20.80	20.53 µg/L	98.68
D3-MeFOSAA	1502	1.31	100.00	96.02 µg/L	96.02
D5-EtFOSAA	1283	1.33	100.00	96.32 µg/L	96.32
13C9-PFDA	22698	0.90	100.00	113.02 µg/L	113.02







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: QC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.900 (0.900)
Concentration: 1 µg/L
Sample type: QC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 20.73 µg/L
Area ratio: 7.55027
Sample type: QC





EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 20.53 µg/L
Area ratio: 8.75450
Sample type: QC






D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 96.02 µg/L
Area ratio: 0.06640
Sample type: QC


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5410178_10.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A2
Acq. Date	2018/02/23 5:19:00 PM	**Injection Volume**	Per Method
Sample Annotation	-		

ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6771	1.44	1 µg/L		
MPFHxS	1471	1.68	1 µg/L		
MPFHpA	8755	1.70	1 µg/L		
MPFOA	9106	1.88	1 µg/L		
MPFOS	1742	1.97	1 µg/L		
MPFNA	8143	2.02	1 µg/L		
MPFDA	6788	2.14	1 µg/L		
MPFUnA	8886	2.23	1 µg/L		
MPFDoA	11328	2.32	1 µg/L		
MPFTeDA	12030	2.47	1 µg/L		
13C6-PFHxA IS	23606	1.44	1 µg/L		
13C9-PFDA IS	29016	2.13	1 µg/L		

Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	520	1.09	0.83	1.03 µg/L	123.74
PFHxA 1	2179	1.45	0.83	0.93 µg/L	111.75
PFHxS 1	515	1.68	0.83	0.99 µg/L	119.67
PFHpA 1	2509	1.70	0.83	0.95 µg/L	114.87
PFOA 1	2688	1.88	0.83	0.82 µg/L	98.62
PFOS 1	420	1.96	0.83	0.84 µg/L	101.02
PFNA 1	2669	2.03	0.83	0.97 µg/L	117.20
PFDA 1	2555	2.14	0.83	0.86 µg/L	103.12
PFUnA 1	2825	2.23	0.83	0.95 µg/L	114.57
PFDoA 1	3622	2.32	0.83	0.94 µg/L	113.12
PFTrDA 1	4004	2.40	0.83	0.84 µg/L	101.12
PFTeDA 1	3416	2.46	0.83	0.84 µg/L	101.29
13C2-PFHxA	6771	1.44	100.00	96.96 µg/L	96.96
18O2-PFHxS	1471	1.68	100.00	90.34 µg/L	90.34
13C4-PFHpA	8755	1.70	100.00	100.12 µg/L	100.12
13C4-PFOA	9106	1.88	100.00	105.18 µg/L	105.18
13C4-PFOS	1742	1.97	100.00	91.87 µg/L	91.87
13C5-PFNA	8142	2.02	100.00	96.73 µg/L	96.73
13C2-PFDA	6755	2.14	100.00	96.60 µg/L	96.60
13C2-PFUnA	8886	2.23	100.00	98.35 µg/L	98.35
13C2-PFDoA	11328	2.32	100.00	98.90 µg/L	98.90
13C2-PFTeDA	12137	2.47	100.00	100.42 µg/L	100.42
13C6-PFHxA	23606	1.44	100.00	104.62 µg/L	104.62
13C9-PFDA	29016	2.13	100.00	106.90 µg/L	106.90






MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	CC


Batch Path	T:\lcms4\PFC\20180223\WS#5410178\QuantResults\PFC_Water_Low_180223_WS#5410178_EToxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5410178_21.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-A5
Acq. Date	2018/02/23 6:13:15 PM	**Injection Volume**	Per Method
Sample Annotation	-		

ISTD Compounds	Response	RT	Target conc.		
MPFHxA	6418	1.44	1 µg/L		
MPFHxS	1649	1.68	1 µg/L		
MPFHpA	8295	1.70	1 µg/L		
MPFOA	8311	1.88	1 µg/L		
MPFOS	1811	1.97	1 µg/L		
MPFNA	8207	2.02	1 µg/L		
MPFDA	6579	2.14	1 µg/L		
MPFUnA	8359	2.23	1 µg/L		
MPFDoA	10341	2.32	1 µg/L		
MPFTeDA	11208	2.46	1 µg/L		
13C6-PFHxA IS	22063	1.43	1 µg/L		
13C9-PFDA IS	27791	2.13	1 µg/L		

Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	8076	1.09	12.50	10.67 µg/L	85.36
PFHxA 1	29783	1.43	12.50	11.55 µg/L	92.38
PFHxS 1	7777	1.67	12.50	10.22 µg/L	81.79
PFHpA 1	37428	1.70	12.50	10.98 µg/L	87.87
PFOA 1	41920	1.88	12.50	11.18 µg/L	89.41
PFOS 1	7659	1.96	12.50	11.01 µg/L	88.11
PFNA 1	37061	2.03	12.50	11.05 µg/L	88.36
PFDA 1	39773	2.14	12.50	11.66 µg/L	93.29
PFUnA 1	42649	2.23	12.50	11.51 µg/L	92.11
PFDoA 1	53921	2.32	12.50	12.23 µg/L	97.82
PFTrDA 1	59889	2.39	12.50	11.91 µg/L	95.29
PFTeDA 1	50652	2.46	12.50	11.99 µg/L	95.89
13C2-PFHxA	6418	1.44	100.00	98.33 µg/L	98.33
18O2-PFHxS	1649	1.68	100.00	108.36 µg/L	108.36
13C4-PFHpA	8295	1.70	100.00	101.49 µg/L	101.49
13C4-PFOA	8311	1.88	100.00	102.71 µg/L	102.71
13C4-PFOS	1811	1.97	100.00	102.19 µg/L	102.19
13C5-PFNA	8132	2.02	100.00	103.37 µg/L	103.37
13C2-PFDA	6498	2.14	100.00	97.02 µg/L	97.02
13C2-PFUnA	8359	2.23	100.00	96.60 µg/L	96.60
13C2-PFDoA	10341	2.32	100.00	94.26 µg/L	94.26
13C2-PFTeDA	11359	2.46	100.00	98.12 µg/L	98.12
13C6-PFHxA	22063	1.43	100.00	97.78 µg/L	97.78
13C9-PFDA	27791	2.13	100.00	102.38 µg/L	102.38





MPFHxA	Internal Standard
RT (Exp. RT):	1.445 (1.445)
Concentration:	1 µg/L
Sample type:	CC

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_10.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A2
Acq. Date	2018/02/24 3:30:09 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1613	1.31	1 µg/L		
D5-EtFOSAA IS	1375	1.33	1 µg/L		
13C9-PFDA IS	21831	0.91	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	436	1.31	0.83	0.87 µg/L	104.83
EtFOSAA 1	450	1.33	0.83	0.92 µg/L	110.95
D3-MeFOSAA	1621	1.31	100.00	107.37 µg/L	107.37
D5-EtFOSAA	1391	1.33	100.00	108.20 µg/L	108.20
13C9-PFDA	21463	0.91	100.00	106.87 µg/L	106.87







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: CC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.910 (0.900)
Concentration: 1 µg/L
Sample type: CC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 0.87 µg/L
Area ratio: 0.27030
Sample type: CC





EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 0.92 µg/L
Area ratio: 0.32727
Sample type: CC






D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 107.37 µg/L
Area ratio: 0.07425
Sample type: CC


Batch Path	T:\lcms4\PFC\20180223\WS#5410178_FOSAA\QuantResults\PFC_Water_Low_180223_WS#5410178_FOSAA_ETOxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5410178_FOSAA_21.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-A5
Acq. Date	2018/02/24 3:56:44 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1624	1.31	1 µg/L		
D5-EtFOSAA IS	1374	1.33	1 µg/L		
13C9-PFDA IS	21263	0.91	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	6678	1.31	12.50	11.35 µg/L	90.81
EtFOSAA 1	6532	1.33	12.50	11.22 µg/L	89.75
D3-MeFOSAA	1648	1.31	100.00	112.08 µg/L	112.08
D5-EtFOSAA	1386	1.33	100.00	110.69 µg/L	110.69
13C9-PFDA	20901	0.91	100.00	104.07 µg/L	104.07







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: CC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.333)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.910 (0.900)
Concentration: 1 µg/L
Sample type: CC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.310 (1.310)
Calc. conc. 11.35 µg/L
Area ratio: 4.11207
Sample type: CC





EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.334 (1.334)
Calc. conc. 11.22 µg/L
Area ratio: 4.75400
Sample type: CC





D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 112.08 µg/L
Area ratio: 0.07751
Sample type: CC

DoD Projects - Internal Data Validation Checklist

Run date: 2018 10 27

Worksheet # (s): 541788

Analysis: PFOSAECM-W

	Primary review by the analyst - 1st 100 % analysis review	1st 100% review yes	no	n/a	*2nd 100% review
1	Sample analyses meet hold time criteria	✓			✓
2	Analysis set-up meets method criteria	✓			✓
3	Tuning and correct calibration used - criteria meets method criteria	✓			✓
4	SQC/Control Charts updated, analysis in statistical/method control	✓			✓
5	Internal area counts checked (if applicable)	✓			✓
6	LCS, SRM are within acceptance criteria	✓			✓
7	Surrogate Recovery(s) is within acceptance criteria	✓			✓
8	Method Blank meets acceptance criteria	✓			✓
9	Matrix Spike recovery(s) meets acceptance criteria			✓	✓
10	Duplicate precision meets acceptance criteria	✓			✓
11	QC is documented on the run logs	✓			✓
12	Runs checked for carryover	✓			✓
13	Prep log / worksheet(s) are present, signed / dated by a prep / instrument analysts	✓			✓
14	Initial weights, splits, impringer volumes (where applicable) are documented	✓			✓
15	Standards and reagents traceable to Certificates of Analysis	✓			✓
16	Samples above calibration range diluted and reanalyzed	✓			✓
17	Dilution factors (where justified) have been checked for correctness and entered	✓			✓
18	Analytical observations/anomalies documented in LIMS			✓	✓
19	Random calculation checked and in correct units	✓			✓
20	If corrective actions were applied they are documented, initialed & dated			✓	✓
21	Manual integration – before & after data with a reason included, initialed & dated			✓	✓
22	Transferred data is validated in LIMS for correctness	✓			✓
23	Data package assembled (where required)	✓			✓

Reviewed by: AK Date: 2018 10 27

Comments:

	Secondary Supervisor/Qualified Data Review Staff - 2nd 100% verification review	yes	no	n/a
1	Repeats documented and referenced			✓
2	Method and sample deviations noted, anomalies described (if applicable)			✓
3	Data and QC validated in LIMS	✓		
4	Random calculation checked	✓		
5	Benchsheet (s) signed and dated	✓		
6	Data Package (if required) checked for completeness	✓		

Reviewed by: SM Date: 20 18 10 27

Comments:

*Note: 2nd 100% verification review documented by secondary qualified data review
Primary and Secondary Internal Data Review Check must be performed by a different person

Worksheet Data Validation Checklist - Extractable Organics

Worksheet # 5412188 Testcode: PFOSALCM-W

Sample Preparation		yes	no	n/a
1	Samples extracted within hold time	✓		
2	Client sample ID verified against Lab ID (waters & oils)			✓
3	Parameter list and Client comments reviewed, (Spiking solutions matched to parameter list)	✓		
4	Height of sediment or if sample was decanted, recorded on worksheet	✓		
5	Method required QC processed with samples, maximum batch size = 20 client samples.	✓		
6	Sample, duplicate, matrix spike appear similar, initial sample as well as final extract	✓		
7	Sample weight or initial volume and extract final volume, aliquot factor clearly recorded.	✓		
8	If performed any additional dilution clearly recorded	✓		
9	Matrix spike / Duplicate performed on IOL samples if present			✓
10	Spiking solutions valid (haven't expired), ID and volume used clearly identified on worksheet	✓		
11	Spiking process witnessed and signed off	✓		
12	Extraction type recorded (N3A2B = neutral, 3 x acidic, 2 x basic)			=
13	Sample prep deviations documented within CompliantPro as a Policy Deviation			=
14	Job Remarks reviewed on 2nd page of worksheet.	=		
15	Worksheet and reagent tracking record completed and authorized.	✓		

Reviewed by: SAM Date: 2018/12/23

Comments:

Worksheet Approval		yes	no	n/a
1	Verified the position of the vials in autosampler against sequence list; signed off sequence list			
2	Calibration and CCV standards valid (haven't expired)			
3	Initial calibration curve and DFTPP tune (if applicable) acceptable			
4	Continuing and Final CCV and DFTPP tune (if applicable) acceptable			
5	System performance check acceptable (if applicable)			
6	Internal standard responses acceptable			
7	Method blank meets acceptance criteria			
8	Lab Control Samples recoveries meets acceptance criteria			
9	Duplicate RPD meets acceptance criteria			
10	Matrix spike recoveries meets acceptance criteria			
11	Surrogate recoveries meets acceptance criteria			
12	Appropriate control charts updated			
13	Samples above calibration range diluted and reanalyzed			
14	Dilutions clearly documented on tracking record, inst file and verified during data upload			
15	Samples following high level samples checked for carryover.			
16	Mass spectra ion ratios acceptable for positive results, hardcopy in file.			
17	Analytical observations / anomalies documented			
18	DQW comments entered in LIMS, hardcopy in file			
19	Sample Prep section (above) reviewed and verified.			
20	WS Approval performed in LIMS			

Reviewed by: Date:

Comments:

Worksheet Validation		yes	no	n/a
1	Calibration, QC and sample results reviewed and determined acceptable			
2	Manual integrations verified			
3	Random calculation checked			
4	Data and QC validated in LIMS			
5	Comments reviewed for appropriateness			
6	Reworks / relogs documented in file			
7	Worksheet signed and dated,			
8	Worksheet approved and validated within LIMS			

Reviewed by: Date:

Comments:

WS# : 5412188

Page #: 1/2

Report Name : Worksheet - (Liquids and Solids)

Assignment Date : Friday, February 23, 2018

Assigned to : Shahbaz Ahmad

Test Code : PFOSALCM-W

Instrument Id:

Test Description : PFOS and PFOA in water by LC-MS/MS

sediment gm ml SHD 2018/2/23

Job Number	Sample Number	D	Sample ID	F	% Moisture	Wt or Vol	Final Vol	DF or AF	# Cont	Expiry Date	Test DeadLine	Criteria	Extract Date
B,3	SPIKE	0	PFOS		0	125	3	1X					2018/02/23
8.5	SPIKE	1	PFOS		0	125	3	1X					2018/02/23
B,11	BLANK				0	125	3	1X		SHD 2018/2/23			2018/02/23
B,7	B833226	*GBV350-01R	CEF-S3-TW01-0218		60.1	12.5	3	1X/10X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23
B,9	B833226	*GBV351-01R	FB-CEF-S3-020918*		60.1	125	3	1X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23
B,11	B833226	*GBV352-01R	CEF-MFS-TW01-0*		60.1	125	3	1X/10X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23
B,13	B833226	*GBV353-01R	CEF-MFS-TW02-0*		60.1	125	3	1X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23
B,15	B833226	*GBV354-01R	CEF-S3-TW02-0209		60.1	12.5	3	10X	2	2018/02/23	2018/02/27 23:00	DOD	2018/02/23

SHD 2018/2/23

Remarks: Samples GBV 350-01 and GBV354-01 were dark and only 10X dilution was performed in extraction spike duplicate sample was extracted due to unavailability of extra samples.

Samples extracted by: Shahbaz Ahmad SHD 2018/2/23

Instrumentation performed by: KC Date: 2018/02/26 SHD 2018/02/27

Calculations performed by: KC Date: 2018/02/27

Validated by: SM Date: 2018/02/27

Job No.	Rep / Remarks	Client Name	Contact	Client Tier	National
GB833226	SP8	Earth Toxics Inc	Rick Carr	Tier 5 (Enviro.)	AECOM

NREG. PFOSALCM-W Level IV Package and TetraTech EDD required f/c ZAL. 2018/02/20 Project #: JM10 CECIL

Job	Sample	Lab Comments
	SPIKE	
	SPIKE	
	BLANK	
B833226	GBV350-01R	
B833226	GBV351-01R	
B833226	GBV352-01R	
B833226	GBV353-01R	
B833226	GBV354-01R	

S1	2825	25	SK 7577 2/3
S2	2800	50	
S3	2700	150	
S4	2813	37.5	I-5497 3/3
S5	2775	75	
S6	2725	125	
ICV	2788	62.5	I-5299 3/3
ICB	2850	—	

2018/2/23

2018/02/26 2018/02/27

Sp. ke code changed to PFC — SZN 20180227

Worksheet Reagent Tracking Record Worksheet # 5412188

Surrogate/Spike solutions	√	Solution ID #	Conc.	Blk-Spk Volume (µL)		MS Volume (µL)		Samples Volume (µL)	
				Solid	Liquid	Solid	Liquid	Solid	Liquid
DGT Spike			100 ug/mL	60	30	60	30	NA	NA
Diquat Dibromide			50 ug/mL	NA	350	NA	350	NA	NA
Explosives Spiking solution A			20 ug/mL	250	100	250	100	NA	NA
Explosives Spiking solution B			20/80 ug/mL	250	100	250	100	NA	NA
Formaldehyde Spike			100 ug/mL	25	25	25	25	NA	NA
Glyphosate Spike			25 ug/mL	500	20	500	20	NA	NA
Nonylphenol Ethoxylate Spike			100 ug/mL	100	100	100	100	NA	NA
Nonylphenol Spike			10 ug/mL	100	100	100	100	NA	NA
Paraquat Cl Tetrahydrate			20 ug/mL	NA	125	NA	125	NA	NA
Perchlorate Standard Spike			10 ng/mL	NA	100	NA	100	NA	NA
Perchlorate Standard Spike			500 ng/mL	40	NA	40	NA	NA	NA
Perchlorate O-18 Internal Standard			0.10 ng/uL	20	20	20	20	20	20
Morpholine Second Source Working Std			2500 ug/L	NA	80	NA	80	NA	NA
Morpholine-D8 Internal Standard			10 ug/mL	NA	50	NA	50	NA	50
Steril Second Source Spiking Solution			NA	20	NA	20	NA	NA	NA
Sterilants Comp. IS Working Solution			3 ug/mL	50	NA	50	NA	50	NA
Comp. PFC Working Solution A	✓	I-5299 3/3	1ug/mL	75	21 62.5	75	21 62.5	NA	NA
PFC Internal Standard Solution	—	ST 6801 4/4 LR	50/125 ng/mL	200	100 150	200	100 150	200	100/150
PFC Injection IS	—	ST 6770 2/2-26	400 ng/mL	20	20	20	20	20	20
ICV	✓	I-5299 3/3							

Solvent/Reagent	√	Lot No.	Date Opened	Solvent/Reagent	√	Lot No.	Date Opened/ Prepared
DCM				50% NaOH			
Ottawa Sand				o-Phosphoric Acid			
Methanol	✓	SHBT 6485	2018/2/23	Borax			
2-Propanol (IPA)				Calcium Chloride			
Acetonitrile				EDTA			
Sodium Sulfate				Phosphate Buffer			
70:30 Methanol: Water				Sodium Thiosulphate			
60:40 Water: Methanol	✓	PRLRE	108-380	DNPH			
DCM:Ethyl Ether (75:25)				FMOC			
Hexane:IPA (98:2)				5M Acetate Buffer			
2% Formic Acid	✓	PRLRE	108-377	0.2% NH_4OH	✓	PRLRE	108-382
0.2% Formic Acid				Leachate Fluid			
0.05M KOH				Reagent Water	✓	57297	2018/2/23
0.05M HCl							

*Spiked by: SAP
Spike Date: 2018/2/23
Spike Syringe/Pipette ID#: H32773E
Int. Std Syringe/Pipette ID#: MM10111E
*Spiking Witnessed by: LR
Final pH:

Equipment & ID	√	Equipment	ID#	√	Equipment	Lot #	Bottle Tracking
Pipettor		SPE Cartridge	0039372471A		QC Balance ID		Bottle#
		Filter			Thermometer ID &Temp		Cap#
Dispenser		Centrifuge					Systems plus Lot#
		Sonicator					

Comments:

* - SPIKING OF QC's & SAMPLES MUST BE WITNESSED AT ALL TIMES.

Worksheet: 5412188

Dilution and Column Cleanup Worksheet

Maxxam Analytics

Job Number	Sample ID	Sample: Initial Final Volume	Dilution Required	Sample added mL	Solvent Added mL	Int Stan Added uL	New Effective Final Volume	INITIAL DATE	Column Clean Up
B833226	GBV350-01	1 X	10X	12.5	SAP 2018/12/13 ~~150~~ N/A	180	12.5	SAP 2018/12/13	—
B833226	GBV352-01	1 X	10X	12.5	—	180	12.5	SAP 2018/12/13	—
B833226	GBV354-01	1 X	10X	12.5	—	150	12.5	SAP 2018/12/13	—
				~~SAP~~ 2018/12/13					

Worksheet Number: **5412188**

PFOS and PFOA in water by SPE/LCMS - Water

ug/L

Parameter Name	Units	SPIKE	SPIKE Dup1	BLANK	DL	B833226 GBV350	DL
6:2 Fluorotelomer sulfonate	ug/L	104.42496	98.60025	0	0.02	N/A*******	0.2
8:2 Fluorotelomer sulfonate	ug/L	104.55991	96.72520	0	0.02	N/A*******	0.2
N-ethylperfluorooctane sulfonamide	ug/L	86.23102	76.99686	0	0.02	N/A*******	0.2
EtFOSAA	ug/L	94.58628	93.57752	0	0.02	0	0.2
N-ethylperfluorooctane sulfonamidoe	ug/L	78.90311	87.64001	0	0.02	N/A*******	0.2
N-methylperfluorooctane sulfonamide	ug/L	78.41770	76.23924	0	0.02	N/A*******	0.2
MeFOSAA	ug/L	93.83276	91.27196	0	0.02	0	0.2
N-methylperfluorooctanesulfonamidol	ug/L	93.67721	80.21754	0	0.02	N/A*******	0.2
Perfluorobutanoic acid	ug/L	104.86545	94.98298	0	0.02	N/A*******	0.2
Perfluorobutane Sulfonate (PFBS)	ug/L	101.87054	109.68866	0	0.02	0	0.2
Perfluorodecane Sulfonate	ug/L	98.56268	101.94063	0	0.02	N/A*******	0.2
Perfluoroheptanoic Acid (PFHpA)	ug/L	95.40503	88.23637	0	0.02	0	0.2
Perfluoroheptane sulfonate	ug/L	99.36673	93.71539	0	0.02	N/A*******	0.2
Perfluorohexanoic Acid (PFHxA)	ug/L	92.59954	91.13050	0	0.02	0	0.2
Perfluorohexane Sulfonate (PFHxS)	ug/L	106.31779	99.88149	0	0.02	0	0.2
Perfluorononanoic Acid (PFNA)	ug/L	92.58521	91.71154	0	0.02	0	0.2
Perfluorooctane Sulfonamide (PFOSA)	ug/L	89.00341	87.72336	0	0.02	N/A*******	0.2
Perfluoropentanoic Acid (PFPeA)	ug/L	101.90009	96.84511	0	0.02	N/A*******	0.2
Perfluorotetradecanoic Acid	ug/L	100.73808	97.74157	0	0.02	0	0.2
Perfluorotridecanoic Acid	ug/L	102.88718	102.34364	0	0.02	0	0.2
Perfluoroundecanoic Acid (PFUnA)	ug/L	97.48155	94.47361	0	0.02	0	0.2
Perfluorodecanoic Acid (PFDA)	ug/L	104.78334	98.41671	0	0.02	0	0.2
Perfluorododecanoic Acid (PFDoA)	ug/L	94.38316	97.03922	0	0.02	0	0.2
Perfluoro-n-Octanoic Acid (PFOA)	ug/L	100.61661	99.97571	0	0.02	0	0.2
Perfluorooctane Sulfonate (PFOS)	ug/L	86.33191	88.58954	0	0.02	0	0.2
13C2-6:2 Fluorotelomer sulfonate	ug/L	96.7343888	89.9581069	109.081884		N/A*******	
13C2-8:2 Fluorotelomer sulfonate	ug/L	101.528722	122.920056	97.5023268		N/A*******	
13C2-perfluorotetradecanoic acid	ug/L	91.1667241	95.4309467	97.9719675		73.6667709	
13C4-Perfluorobutanoic acid	ug/L	100.930694	114.889585	106.207496		111.858682	
D3-MeFOSAA	ug/L	92.1832673	95.0006623	89.0103797		91.7006179	
D5-EtFOSAA	ug/L	89.2208805	91.7255253	92.6065633		89.4824432	
N-methyl-d3-perfluorooctane sulfona	ug/L	89.7546055	112.683497	84.8994768		N/A*******	
N-ethyl-d5-perfluorooctane sulfonam	ug/L	98.3369429	99.4095278	89.6619800		N/A*******	
13C2-Perfluorodecanoic acid	ug/L	104.517896	107.892663	107.800000		96.0603643	
13C2-Perfluorododecanoic acid	ug/L	102.499831	105.434442	104.188963		97.8382456	
13C2-Perfluorohexanoic acid	ug/L	109.623931	114.630803	109.778112		105.509376	
13C2-Perfluoroundecanoic acid	ug/L	108.098489	112.985360	107.961583		91.3360484	
13C4-Perfluoroheptanoic acid	ug/L	104.523638	111.991663	107.025910		104.657351	
13C5-Perfluorononanoic acid	ug/L	108.672907	110.440251	105.876177		105.661945	
13C4-Perfluorooctanoic acid	ug/L	104.457997	106.992584	104.038004		105.795122	
13C4-Perfluorooctanesulfonate	ug/L	108.519978	114.372180	96.6417485		108.196603	
13C5-Perfluoropentanoic acid	ug/L	107.359276	117.889238	108.831232		N/A*******	
13C8-Perfluorooctane Sulfonamide	ug/L	101.786167	107.427616	106.813468		N/A*******	
18O2-Perfluorohexanesulfonate	ug/L	102.303617	111.410578	108.346046		103.654950	

2018/02/27

PFOS and PFOA in water by SPE/LCMS - Water

ug/L


Parameter Name	B833226 GBV351	B833226 GBV352	B833226 GBV353	DL	B833226 GBV354	DL	RDL
6:2 Fluorotelomer sulfonate	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
8:2 Fluorotelomer sulfonate	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
N-ethylperfluorooctane sulfonamide	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
EtFOSAA	0	0	0	0.02	0	0.2	0.02
N-ethylperfluorooctane sulfonamidoe	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
N-methylperfluorooctane sulfonamide	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
MeFOSAA	0	0	0	0.02	0	0.2	0.02
N-methylperfluorooctanesulfonamidol	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluorobutanoic acid	N/A*******	N/A*******	0.03323401	0.02	N/A*******	0.2	0.02
Perfluorobutane Sulfonate (PFBS)	0	0.01109841	0	0.02	0	0.2	0.02
Perfluorodecane Sulfonate	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluoroheptanoic Acid (PFHpA)	0	0.32735107	0.05236113	0.02	0	0.2	0.02
Perfluoroheptane sulfonate	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluorohexanoic Acid (PFHxA)	0	0.30858314	0.06437103	0.02	0	0.2	0.02
Perfluorohexane Sulfonate (PFHxS)	0	0.70572253	0.00810832	0.02	0	0.2	0.02
Perfluorononanoic Acid (PFNA)	0	0.06309670	0.00528806	0.02	0	0.2	0.02
Perfluorooctane Sulfonamide (PFOSA)	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluoropentanoic Acid (PFPeA)	N/A*******	N/A*******	N/A*******	0.02	N/A*******	0.2	0.02
Perfluorotetradecanoic Acid	0	0	0	0.02	0	0.2	0.02
Perfluorotridecanoic Acid	0	0	0	0.02	0	0.2	0.02
Perfluoroundecanoic Acid (PFUnA)	0	0	0.00286868	0.02	0	0.2	0.02
Perfluorodecanoic Acid (PFDA)	0	0.00701185	0.00472718	0.02	0	0.2	0.02
Perfluorododecanoic Acid (PFDoA)	0	0	0	0.02	0	0.2	0.02
Perfluoro-n-Octanoic Acid (PFOA)	0	0.21016601	0.01444529	0.02	0	0.2	0.02
Perfluorooctane Sulfonate (PFOS)	0	0.80670736	0.02431257	0.02	0	0.2	0.02
13C2-6:2 Fluorotelomer sulfonate	N/A*******	N/A*******	N/A*******		N/A*******		
13C2-8:2 Fluorotelomer sulfonate	N/A*******	N/A*******	N/A*******		N/A*******		
13C2-perfluorotetradecanoic acid	96.7286732	84.2293241	84.5485360		68.3789102		
13C4-Perfluorobutanoic acid	107.655314	104.647773	105.498932		105.853225		
D3-MeFOSAA	94.2088789	95.9396680	91.6294426		89.1905650		
D5-EtFOSAA	88.8442510	92.8707494	92.3108581		85.5326582		
N-methyl-d3-perfluorooctane sulfona	N/A*******	N/A*******	N/A*******		N/A*******		
N-ethyl-d5-perfluorooctane sulfonam	N/A*******	N/A*******	N/A*******		N/A*******		
13C2-Perfluorodecanoic acid	111.246397	98.1534088	102.990574		90.0244296		
13C2-Perfluorododecanoic acid	97.9674725	97.9617448	95.3588933		85.7688646		
13C2-Perfluorohexanoic acid	116.239297	106.701826	111.808610		114.509565		
13C2-Perfluoroundecanoic acid	105.942918	101.290814	105.711020		94.9673289		
13C4-Perfluoroheptanoic acid	111.716477	103.272431	111.093913		106.916339		
13C5-Perfluorononanoic acid	115.773207	105.019915	109.150946		101.751796		
13C4-Perfluorooctanoic acid	111.009512	105.576209	109.261869		99.1197706		
13C4-Perfluorooctanesulfonate	118.881152	111.982285	110.589250		105.675031		
13C5-Perfluoropentanoic acid	N/A*******	N/A*******	N/A*******		N/A*******		
13C8-Perfluorooctane Sulfonamide	N/A*******	N/A*******	N/A*******		N/A*******		
18O2-Perfluorohexanesulfonate	109.719752	103.531998	116.443204		101.177048		

Worksheet Number: **5412188**

PFOS and PFOA in water by SPE/LCMS - Water

ug/L

Parameter Name	MDL	IDL					
6:2 Fluorotelomer sulfonate	0.0066	0					
8:2 Fluorotelomer sulfonate	0.0066	0					
N-ethylperfluorooctane sulfonamide	0.01	0					
EtFOSAA	0.0033	0					
N-ethylperfluorooctane sulfonamidoe	0.0079	0					
N-methylperfluorooctane sulfonamide	0.013	0					
MeFOSAA	0.0029	0					
N-methylperfluorooctanesulfonamidol	0.012	0					
Perfluorobutanoic acid	0.0055	0					
Perfluorobutane Sulfonate (PFBS)	0.0054	0					
Perfluorodecane Sulfonate	0.006	0					
Perfluoroheptanoic Acid (PFHpA)	0.0074	0					
Perfluoroheptane sulfonate	0.008	0					
Perfluorohexanoic Acid (PFHxA)	0.0035	0					
Perfluorohexane Sulfonate (PFHxS)	0.0056	0					
Perfluorononanoic Acid (PFNA)	0.0087	0					
Perfluorooctane Sulfonamide (PFOSA)	0.0034	0					
Perfluoropentanoic Acid (PFPeA)	0.0075	0					
Perfluorotetradecanoic Acid	0.0027	0					
Perfluorotridecanoic Acid	0.0038	0					
Perfluoroundecanoic Acid (PFUnA)	0.0025	0					
Perfluorodecanoic Acid (PFDA)	0.0061	0					
Perfluorododecanoic Acid (PFDoA)	0.005	0					
Perfluoro-n-Octanoic Acid (PFOA)	0.0033	0					
Perfluorooctane Sulfonate (PFOS)	0.006	0					
13C2-6:2 Fluorotelomer sulfonate							
13C2-8:2 Fluorotelomer sulfonate							
13C2-perfluorotetradecanoic acid							
13C4-Perfluorobutanoic acid							
D3-MeFOSAA							
D5-EtFOSAA							
N-methyl-d3-perfluorooctane sulfona							
N-ethyl-d5-perfluorooctane sulfonam							
13C2-Perfluorodecanoic acid							
13C2-Perfluorododecanoic acid							
13C2-Perfluorohexanoic acid							
13C2-Perfluoroundecanoic acid							
13C4-Perfluoroheptanoic acid							
13C5-Perfluorononanoic acid							
13C4-Perfluorooctanoic acid							
13C4-Perfluorooctanesulfonate							
13C5-Perfluoropentanoic acid							
13C8-Perfluorooctane Sulfonamide							
18O2-Perfluorohexanesulfonate							



Manual calculation for Spike:


$10.4828 = 0.477460 \times + 0.059883$

$x = 21.829927 \times 0.024$

$= 0.5239\ \mu g/L$

$\frac{0.5239}{0.5} \times 100 = 104.8\ \%$

21/8/02/27




H = 13.5 cm

a = 3.2 cm

b = 2.9 cm

$\frac{b}{a}$ = 0.9

2018/02/27



H= 13.5 cm

a= 3.3 cm

b= 2.7 cm

$\frac{b}{a} = 0.82$

2018/02/27

Report Name: Worksheet - Parameter Lists

Report Date: 2018/02/23

Test Code: **PFOSALCM-W**

Worksheet Number: **5412188**

Sample Number	Parameter Code	Parameter	
GBV350-01	ETFOSAA	EtFOSAA	*
GBV351-01	MEFOSAA	MeFOSAA	*
GBV352-01	PFBS	Perfluorobutane Sulfonate (PFBS)	
GBV353-01	PFHPA	Perfluoroheptanoic Acid (PFHpA)	
GBV354-01	PFHXA	Perfluorohexanoic Acid (PFHxA)	
	PFHXS	Perfluorohexane Sulfonate (PFHxS)	
	PFNA	Perfluorononanoic Acid (PFNA)	
	PFTEDA	Perfluorotetradecanoic Acid	
	PFTRDA	Perfluorotridecanoic Acid	
	PFUNA	Perfluoroundecanoic Acid (PFUnA)	
	PFDA	Perfluorodecanoic Acid (PFDA)	
	PFDOA	Perfluorododecanoic Acid (PFDoA)	
	PFOA	Perfluoro-n-Octanoic Acid (PFOA)	
	PFOS	Perfluorooctane Sulfonate (PFOS)	


RAD 2018/2/23

* - This parameter is usually off, but will be reported for this group of samples!

Folder 20180226 2018/02/27

WorkSheet 5412188 Instrument Sequences

1.	5412188:SPIKE	SPIKE
2.	5412188:SPIKE:D1	SPIKE :D1
3.	5412188:BLANK	BLANK
4.	5412188:GBV350-01	CEF-S3-TW01-0218
5.	5412188:GBV351-01	FB-CEF-S3-020918-13
6.	5412188:GBV352-01	CEF-MFS-TW01-0218
7.	5412188:GBV353-01	CEF-MFS-TW02-0218
8.	5412188:GBV354-01	CEF-S3-TW02-0209



Worklist Report

Agilent Technologies

Maxxam Analytics

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFC_180226_Low.wkl

Operator Name: ---
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\Data\PFC\20180226\WS#5412188
Pre-Worklist Script: ---
Post-Worklist Script: SCP_InstrumentStandby(){MH_Acq_Scripts.exe}
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: Column #199
MP A1: Solution# 280 (FSRE18)
MP B1: Methanol lot# SHBJ5451, Sigma

RC 20180226

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
1	Solvent	P1-A1	PFC_Water_Low.m	WS#5412188_01.d	Sample		As Method	-
2	STD 1	P1-C1	PFC_Water_Low.m	WS#5412188_02.d	Calibration	STD 1	As Method	-
3	STD 2	P1-C2	PFC_Water_Low.m	WS#5412188_03.d	Calibration	STD 2	As Method	-
4	STD 3	P1-C3	PFC_Water_Low.m	WS#5412188_04.d	Calibration	STD 3	As Method	-
5	STD 4	P1-C4	PFC_Water_Low.m	WS#5412188_05.d	Calibration	STD 4	As Method	-
6	STD 5	P1-C5	PFC_Water_Low.m	WS#5412188_06.d	Calibration	STD 5	As Method	-
7	STD 6	P1-C6	PFC_Water_Low.m	WS#5412188_07.d	Calibration	STD 6	As Method	-

2018/02/26

239 of 681

Worklist Report

Agilent Technologies

Maxxam Analytics

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
8	IB	P1-C7	PFC_Water_Low.m	WS#5412188_08.d	Sample		As Method	-
9	ICV	P1-C8	PFC_Water_Low.m	WS#5412188_09.d	QC	ICV	As Method	-
10	ISC	P1-C1	PFC_Water_Low.m	WS#5412188_10.d	ConCal	STD 1	As Method	-
11	5412188:BLANK	P1-C9	PFC_Water_Low.m	WS#5412188_11.d	Sample		As Method	-
12	5412188:SPIKE	P1-D1	PFC_Water_Low.m	WS#5412188_12.d	QC	ICV	As Method	-
13	5412188:SPIKE:D1	P1-D2	PFC_Water_Low.m	WS#5412188_13.d	QC	ICV	As Method	-
14	5412188:GBV350-01:10x	P1-D3	PFC_Water_Low.m	WS#5412188_14.d	Sample		As Method	-
15	IB	P1-C7	PFC_Water_Low.m	WS#5412188_15.d	Sample		As Method	-
16	5412188:GBV351-01	P1-D4	PFC_Water_Low.m	WS#5412188_16.d	Sample		As Method	-
17	5412188:GBV352-01:10x	P1-D5	PFC_Water_Low.m	WS#5412188_17.d	Sample		As Method	-
18	5412188:GBV352-01	P1-D6	PFC_Water_Low.m	WS#5412188_18.d	Sample		As Method	-
19	IB	P1-C7	PFC_Water_Low.m	WS#5412188_19.d	Sample		As Method	-
20	5412188:GBV353-01	P1-D7	PFC_Water_Low.m	WS#5412188_20.d	Sample		As Method	-
21	5412188:GBV354-01:10x	P1-D8	PFC_Water_Low.m	WS#5412188_21.d	Sample		As Method	-
22	IB	P1-C7	PFC_Water_Low.m	WS#5412188_22.d	Sample		As Method	-
23	CCV	P1-C4	PFC_Water_Low.m	WS#5412188_23.d	ConCal	STD 4	As Method	-

Worklist Report

Agilent Technologies

Maxxam Analytics

Instrument Name: LCMS04 **Worklist Path:** D:\MassHunter\Worklists\PFCs\PFC_180226_Low_FOSAA.wkl

Operator Name: ---
Run Type: Standard Start
Part of Method to Run: Acquisition Only
Execution of Acquisition-DA: Synchronous
Acquisition Method Path: D:\MassHunter\Acquisition Method
DA Method Path: D:\MassHunter\methods
Data File Path: D:\MassHunter\Data\PFC\20180226\WS#5412188_FOSAA
Pre-Worklist Script: ---
Post-Worklist Script: SCP_InstrumentStandby(){MH_Acq_Scripts.exe}
Acquisition Clean Up Script: ---
Overlapped Injection: Yes
Clear Sample Selection After Run: Yes
Wait Time for Ready(Min): 10
Threshold Disk Value(GB): 10
Comment: Column #199
MP A1: Solution# 280 (FSRE18)
MP B2: Solution# 290 (FSRE18)

KC 2018/02/26

Plate Barcode:

Plate	Barcode
P1	

Worklist Table

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
1	Solvent	P1-A1	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_01.d	Sample		As Method	-
2	STD 1	P1-C1	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_02.d	Calibration	STD 1	As Method	-
3	STD 2	P1-C2	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_03.d	Calibration	STD 2	As Method	-
4	STD 3	P1-C3	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_04.d	Calibration	STD 3	As Method	-
5	STD 4	P1-C4	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_05.d	Calibration	STD 4	As Method	-
6	STD 5	P1-C5	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_06.d	Calibration	STD 5	As Method	-
7	STD 6	P1-C6	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_07.d	Calibration	STD 6	As Method	-
8	IB	P1-C7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_08.d	Sample		As Method	-

2018/02/26

241 of 681

	Sample Name	Sample Position	Method	Data File	Sample Type	Level Name	Inj Vol (µl)	Comment
9	ICV	P1-C8	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_09.d	QC	ICV	As Method	-
10	ISC	P1-C1	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_10.d	ConCal	STD 1	As Method	-
11	5412188:BLANK	P1-C9	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_11.d	Sample		As Method	-
12	5412188:SPIKE	P1-D1	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_12.d	QC	ICV	As Method	-
13	5412188:SPIKE:D1	P1-D2	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_13.d	QC	ICV	As Method	-
14	5412188:GBV350-01:10x	P1-D3	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_14.d	Sample		As Method	-
15	IB	P1-C7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_15.d	Sample		As Method	-
16	5412188:GBV351-01	P1-D4	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_16.d	Sample		As Method	-
17	5412188:GBV352-01:10x	P1-D5	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_17.d	Sample		As Method	-
18	5412188:GBV352-01	P1-D6	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_18.d	Sample		As Method	-
19	IB	P1-C7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_19.d	Sample		As Method	-
20	5412188:GBV353-01	P1-D7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_20.d	Sample		As Method	-
21	5412188:GBV354-01:10x	P1-D8	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_21.d	Sample		As Method	-
22	IB	P1-C7	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_22.d	Sample		As Method	-
23	CCV	P1-C4	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_23.d	ConCal	STD 4	As Method	-

FINAL INJECTION SEQUENCE


Sample					
Name	Comment	Acq. Date-Time	Acq. Method File	Data File	Pos.
STD 1	-	2018/02/27 1:07 PM	PFC_Water_Low.m	WS#5412188_B_02.d	P1-C1
STD 2	-	2018/02/27 1:12 PM	PFC_Water_Low.m	WS#5412188_B_03.d	P1-C2
STD 3	-	2018/02/27 1:17 PM	PFC_Water_Low.m	WS#5412188_B_04.d	P1-C3
STD 4	-	2018/02/27 1:21 PM	PFC_Water_Low.m	WS#5412188_B_05.d	P1-C4
STD 5	-	2018/02/27 1:26 PM	PFC_Water_Low.m	WS#5412188_B_06.d	P1-C5
STD 6	-	2018/02/27 1:31 PM	PFC_Water_Low.m	WS#5412188_B_07.d	P1-C6
IB	-	2018/02/27 1:36 PM	PFC_Water_Low.m	WS#5412188_B_08.d	P1-C7
ICV	-	2018/02/27 1:41 PM	PFC_Water_Low.m	WS#5412188_B_09.d	P1-C8
ISC	-	2018/02/27 1:57 PM	PFC_Water_Low.m	WS#5412188_B_10.d	P1-C1
5412188:BLANK	-	2018/02/27 2:02 PM	PFC_Water_Low.m	WS#5412188_B_11.d	P1-C9
5412188:SPIKE	-	2018/02/27 2:07 PM	PFC_Water_Low.m	WS#5412188_B_12.d	P1-D1
5412188:SPIKE:D1	Reinjected to confirm analyte recovery	2018/02/27 2:12 PM	PFC_Water_Low.m	WS#5412188_B_13.d	P1-D2
5412188:GBV350-01:10x	-	2018/02/27 2:16 PM	PFC_Water_Low.m	WS#5412188_B_14.d	P1-D3
IB	-	2018/02/27 2:21 PM	PFC_Water_Low.m	WS#5412188_B_15.d	P1-C7
5412188:GBV351-01	-	2018/02/27 2:26 PM	PFC_Water_Low.m	WS#5412188_B_16.d	P1-D4
5412188:GBV352-01:10x	Not used	2018/02/27 2:31 PM	PFC_Water_Low.m	WS#5412188_B_17.d	P1-D5
5412188:GBV352-01	-	2018/02/27 2:36 PM	PFC_Water_Low.m	WS#5412188_B_18.d	P1-D6
IB	-	2018/02/27 2:41 PM	PFC_Water_Low.m	WS#5412188_B_19.d	P1-C7
5412188:GBV353-01	-	2018/02/27 2:46 PM	PFC_Water_Low.m	WS#5412188_B_20.d	P1-D7
5412188:GBV354-01:10x	-	2018/02/27 2:51 PM	PFC_Water_Low.m	WS#5412188_B_21.d	P1-D8
IB	-	2018/02/27 2:56 PM	PFC_Water_Low.m	WS#5412188_B_22.d	P1-C7
CCV	-	2018/02/27 3:01 PM	PFC_Water_Low.m	WS#5412188_B_23.d	P1-C4
ISC	-	2018/02/27 3:52 PM	PFC_Water_Low.m	WS#5412188_B_24.d	P1-C1
5412188:SPIKE:D1	Reinjection, reported	2018/02/27 4:00 PM	PFC_Water_Low.m	WS#5412188_B_25.d	P1-D2
CCV	-	2018/02/27 4:05 PM	PFC_Water_Low.m	WS#5412188_B_26.d	P1-C4

FINAL INJECTION SEQUENCE

Sample					
Name	Comment	Acq. Date-Time	Acq. Method File	Data File	Pos.
STD 1	-	2018/02/27 4:39 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_02.d	P1-C1
STD 2	-	2018/02/27 4:41 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_03.d	P1-C2
STD 3	-	2018/02/27 4:44 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_04.d	P1-C3
STD 4	-	2018/02/27 4:46 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_05.d	P1-C4
STD 5	-	2018/02/27 4:49 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_06.d	P1-C5
STD 6	-	2018/02/27 4:51 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_07.d	P1-C6
IB	-	2018/02/27 4:54 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_08.d	P1-C7
ICV	-	2018/02/27 4:56 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_09.d	P1-C8
ISC	-	2018/02/27 4:58 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_10.d	P1-C1
5412188:BLANK	-	2018/02/27 5:01 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_11.d	P1-C9
5412188:SPIKE	-	2018/02/27 5:03 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_12.d	P1-D1
5412188:SPIKE:D1	-	2018/02/27 5:06 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_13.d	P1-D2
5412188:GBV350-01:10x	-	2018/02/27 5:08 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_14.d	P1-D3
IB	-	2018/02/27 5:10 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_15.d	P1-C7
5412188:GBV351-01	-	2018/02/27 5:13 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_16.d	P1-D4
5412188:GBV352-01:10x	Not used	2018/02/27 5:15 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_17.d	P1-D5
5412188:GBV352-01	-	2018/02/27 5:18 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_18.d	P1-D6
IB	-	2018/02/27 5:20 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_19.d	P1-C7
5412188:GBV353-01	-	2018/02/27 5:22 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_20.d	P1-D7
5412188:GBV354-01:10x	-	2018/02/27 5:25 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_21.d	P1-D8
IB	-	2018/02/27 5:27 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_22.d	P1-C7
CCV	-	2018/02/27 5:30 AM	PFC_Water_Low_FOSAA.m	WS#5412188_FOSAA_23.d	P1-C4

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFBS 1
Internal Standard: MPFHxS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.78	769	0.5232	93	94.3
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.52	1125	0.4487	129	89.2
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.27	4042	0.4885	150	105.3
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	14.13	10227	0.5130	802	113.0
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	26.35	18716	0.4753	139	105.4
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	38.69	29181	0.4175	124	92.8

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFHxA 1
Internal Standard: MPFHxA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.86	3245	0.4841	184	104.0
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.58	5122	0.4089	171	92.7
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.35	17235	0.4497	2704	107.1
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.78	43010	0.3913	3441	94.2
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.57	78659	0.4226	5928	102.3
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.58	125050	0.4112	11256	99.7

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFHxS 1
Internal Standard: MPFHxS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.71	681	0.4633	102	85.5
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.68	1203	0.4798	162	98.9
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.47	4132	0.4993	235	109.3
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	13.64	9773	0.4902	1233	109.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.41	17883	0.4542	1237	101.6
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	39.82	29756	0.4258	636	95.5

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFHpA 1
Internal Standard: MPFHpA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.84	3853	0.4806	39	100.7
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.64	6674	0.4475	80	96.2
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.21	22441	0.4760	240	104.3
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.32	53864	0.4475	232	98.5
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.13	97076	0.4556	322	100.5
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.60	152095	0.4518	289	99.8

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFOA 1
Internal Standard: MPFOA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.75	3976	0.4753	40	90.8
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.82	7554	0.5136	83	106.8
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.42	22992	0.4990	217	108.4
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.14	56679	0.4419	541	97.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	23.21	98798	0.4202	1124	92.8
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	43.39	160551	0.4699	1484	104.1

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFOS 1
Internal Standard: MPFOS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.87	603	0.3479	127	104.6
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.76	1204	0.3904	110	103.6
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	4.96	3916	0.4010	207	99.1
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.50	9967	0.3801	124	92.0
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	24.02	17681	0.4002	164	96.1
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	43.63	29013	0.4373	218	104.6

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFNA 1
Internal Standard: MPFNA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.83	3631	0.4397	69	100.0
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.78	6500	0.4537	153	104.6
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.19	20382	0.4469	756	103.8
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.66	49111	0.4005	708	93.3
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	23.12	88434	0.3968	2448	92.5
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	44.15	148789	0.4541	2808	105.9

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFDA 1
Internal Standard: MPFDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.78	3863	0.5222	37	94.3
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.62	6596	0.4903	77	95.3
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.76	21934	0.5618	236	115.1
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.96	53630	0.4616	581	95.7
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	24.90	97888	0.4779	1007	99.6
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.72	155246	0.4791	1459	100.0

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFUnA 1
Internal Standard: MPFUnA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.86	4147	0.5016	37	103.0
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.60	6874	0.4421	56	94.2
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.23	23349	0.4758	120	104.5
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.43	58249	0.4491	145	99.4
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	24.39	101812	0.4394	161	97.5
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	42.23	164051	0.4556	177	101.3

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFDoA 1
Internal Standard: MPFDoA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.81	4902	0.4600	111	97.4
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.74	8613	0.4658	254	102.3
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.12	28482	0.4564	666	102.4
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.14	71560	0.4300	1607	97.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.15	128788	0.4443	1415	100.6
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.78	209885	0.4421	2799	100.2

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04


Analyte: PFTrDA 1
Internal Standard: MPFTeDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.83	5678	0.5097	39	100.4
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.66	9540	0.4676	58	97.5
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.38	32849	0.4955	143	107.7
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	11.64	78922	0.4241	172	93.1
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	25.48	145384	0.4619	288	101.9
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	41.45	231192	0.4498	266	99.4

Batch Path T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics.batch.bin
Last Calib Update 2018/02/28 8:26:12 AM
Instrument: LCMS04

Analyte: PFTeDA 1
Internal Standard: MPFTeDA



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 1:07:08 PM	0.83	0.82	4685	0.4205	13	99.1
STD 2	STD 2	x	2018/02/27 1:12:04 PM	1.70	1.70	8172	0.4006	31	100.2
STD 3	STD 3	x	2018/02/27 1:17:00 PM	5.00	5.32	27108	0.4089	105	106.5
STD 4	STD 4	x	2018/02/27 1:21:56 PM	12.50	12.31	69591	0.3740	237	98.4
STD 5	STD 5	x	2018/02/27 1:26:52 PM	25.00	24.41	116270	0.3694	208	97.6
STD 6	STD 6	x	2018/02/27 1:31:47 PM	41.70	40.96	190672	0.3710	239	98.2

By Compound Report

Agilent Technologies


Batch Path T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 3:14:24 PM

Instrument: LCMS04

Analyte: MeFOSAA 1

Internal Standard: D3-MeFOSAA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 4:39:34 AM	0.83	0.81	587	0.4344	35	97.3
STD 2	STD 2	x	2018/02/27 4:41:57 AM	1.70	1.74	1047	0.4167	44	102.1
STD 3	STD 3	x	2018/02/27 4:44:22 AM	5.00	5.23	3256	0.4035	89	104.6
STD 4	STD 4	x	2018/02/27 4:46:47 AM	12.50	11.94	7771	0.3627	251	95.6
STD 5	STD 5	x	2018/02/27 4:49:12 AM	25.00	24.81	14312	0.3742	302	99.2
STD 6	STD 6	x	2018/02/27 4:51:38 AM	41.70	42.21	22748	0.3807	274	101.2


Batch Path T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_EToxics.batch.bin

Last Calib Update 2018/02/27 3:14:24 PM

Instrument: LCMS04

Analyte: EtFOSAA 1

Internal Standard: D5-EtFOSAA IS



Sample	Level	Enabled	Acquisition Time	Exp. Conc.	Concentration	Response	RF	S/N	Accuracy
STD 1	STD 1	x	2018/02/27 4:39:34 AM	0.83	0.80	574	0.5011	46	97.0
STD 2	STD 2	x	2018/02/27 4:41:57 AM	1.70	1.72	1053	0.4805	151	101.1
STD 3	STD 3	x	2018/02/27 4:44:22 AM	5.00	5.14	3227	0.4640	336	102.9
STD 4	STD 4	x	2018/02/27 4:46:47 AM	12.50	12.18	7645	0.4325	1017	97.4
STD 5	STD 5	x	2018/02/27 4:49:12 AM	25.00	25.72	14182	0.4538	1502	102.9
STD 6	STD 6	x	2018/02/27 4:51:38 AM	41.70	41.16	23104	0.4346	1714	98.7

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**ICV**	**Instrument**	LCMS04
Data File	WS#5412188_B_09.d	**Operator**	
Sample Type	QC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C8
Acq. Date	2018/02/27 1:41:40 PM	**Injection Volume**	Per Method
Sample Annotation	-		

ISTD Compounds	Response	RT	Target conc.		
MPFHxA	7968	1.43	1 µg/L		
MPFHxS	1690	1.67	1 µg/L		
MPFHpA	8896	1.69	1 µg/L		
MPFOA	8910	1.87	1 µg/L		
MPFOS	1985	1.97	1 µg/L		
MPFNA	9070	2.01	1 µg/L		
MPFDA	8380	2.14	1 µg/L		
MPFUnA	9550	2.23	1 µg/L		
MPFDoA	12008	2.31	1 µg/L		
MPFTeDA	13403	2.46	1 µg/L		
13C6-PFHxA IS	28962	1.43	1 µg/L		
13C9-PFDA IS	35009	2.13	1 µg/L		

Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	15344	1.09	20.80	20.09 µg/L	96.57
PFHxA 1	65605	1.43	20.80	19.91 µg/L	95.70
PFHxS 1	15620	1.67	20.80	20.66 µg/L	99.31
PFHpA 1	82360	1.69	20.80	20.42 µg/L	98.16
PFOA 1	88984	1.87	20.80	22.05 µg/L	106.03
PFOS 1	14903	1.96	20.80	18.07 µg/L	86.86
PFNA 1	78299	2.01	20.80	20.12 µg/L	96.71
PFDA 1	86032	2.14	20.80	21.38 µg/L	102.77
PFUnA 1	88547	2.23	20.80	20.57 µg/L	98.91
PFDoA 1	110877	2.31	20.80	20.89 µg/L	100.45
PFTrDA 1	127853	2.39	20.80	21.03 µg/L	101.11
PFTeDA 1	103766	2.46	20.80	20.45 µg/L	98.30
13C2-PFHxA	7968	1.43	100.00	110.68 µg/L	110.68
18O2-PFHxS	1690	1.67	100.00	112.37 µg/L	112.37
13C4-PFHpA	8896	1.69	100.00	106.69 µg/L	106.69
13C4-PFOA	8910	1.87	100.00	103.59 µg/L	103.59
13C4-PFOS	1985	1.97	100.00	113.99 µg/L	113.99
13C5-PFNA	9070	2.01	100.00	108.87 µg/L	108.87
13C2-PFDA	8359	2.14	100.00	108.41 µg/L	108.41
13C2-PFUnA	9550	2.23	100.00	106.50 µg/L	106.50
13C2-PFDoA	12008	2.31	100.00	105.70 µg/L	105.70
13C2-PFTeDA	13622	2.46	100.00	109.08 µg/L	109.08
13C6-PFHxA	28962	1.43	100.00	92.44 µg/L	92.44
13C9-PFDA	35009	2.13	100.00	93.95 µg/L	93.95





MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	QC

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**ICV**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_09.d	**Operator**	
Sample Type	QC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C8
Acq. Date	2018/02/27 4:56:29 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1669	1.31	1 µg/L		
D5-EtFOSAA IS	1323	1.32	1 µg/L		
13C9-PFDA IS	24764	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	12173	1.30	20.80	19.31 µg/L	92.83
EtFOSAA 1	12549	1.32	20.80	21.48 µg/L	103.26
D3-MeFOSAA	1664	1.31	100.00	110.47 µg/L	110.47
D5-EtFOSAA	1340	1.32	100.00	104.48 µg/L	104.48
13C9-PFDA	24262	0.89	100.00	95.42 µg/L	95.42







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: QC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: QC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: QC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 19.31 µg/L
Area ratio: 7.29359
Sample type: QC





EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 21.48 µg/L
Area ratio: 9.48526
Sample type: QC






D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 110.47 µg/L
Area ratio: 0.06719
Sample type: QC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5412188_B_10.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C1
Acq. Date	2018/02/27 1:57:12 PM	**Injection Volume**	Per Method
Sample Annotation	-		

ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8929	1.43	1 µg/L		
MPFHxS	1908	1.67	1 µg/L		
MPFHpA	10151	1.69	1 µg/L		
MPFOA	10194	1.87	1 µg/L		
MPFOS	2093	1.97	1 µg/L		
MPFNA	10139	2.01	1 µg/L		
MPFDA	8777	2.14	1 µg/L		
MPFUnA	9933	2.23	1 µg/L		
MPFDoA	13128	2.31	1 µg/L		
MPFTeDA	14025	2.46	1 µg/L		
13C6-PFHxA IS	36178	1.43	1 µg/L		
13C9-PFDA IS	42855	2.13	1 µg/L		

Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	789	1.09	0.83	0.74 µg/L	88.72
PFHxA 1	3280	1.43	0.83	0.78 µg/L	93.86
PFHxS 1	767	1.67	0.83	0.75 µg/L	90.29
PFHpA 1	4087	1.69	0.83	0.84 µg/L	101.68
PFOA 1	4474	1.87	0.83	0.85 µg/L	102.65
PFOS 1	652	1.96	0.83	0.92 µg/L	111.10
PFNA 1	3981	2.01	0.83	0.89 µg/L	107.77
PFDA 1	4170	2.14	0.83	0.87 µg/L	104.78
PFUnA 1	4746	2.23	0.83	0.99 µg/L	119.52
PFDoA 1	5922	2.31	0.83	0.97 µg/L	116.37
PFTrDA 1	6418	2.39	0.83	0.91 µg/L	109.59
PFTeDA 1	5423	2.46	0.83	0.92 µg/L	111.08
13C2-PFHxA	8929	1.43	100.00	99.29 µg/L	99.29
18O2-PFHxS	1908	1.67	100.00	101.56 µg/L	101.56
13C4-PFHpA	10151	1.69	100.00	97.46 µg/L	97.46
13C4-PFOA	10194	1.87	100.00	94.88 µg/L	94.88
13C4-PFOS	2093	1.97	100.00	96.22 µg/L	96.22
13C5-PFNA	10139	2.01	100.00	97.43 µg/L	97.43
13C2-PFDA	8666	2.14	100.00	91.81 µg/L	91.81
13C2-PFUnA	9933	2.23	100.00	90.49 µg/L	90.49
13C2-PFDoA	13128	2.31	100.00	94.41 µg/L	94.41
13C2-PFTeDA	14249	2.46	100.00	93.21 µg/L	93.21
13C6-PFHxA	36178	1.43	100.00	115.47 µg/L	115.47
13C9-PFDA	42855	2.13	100.00	115.00 µg/L	115.00






MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	CC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5412188_B_23.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C4
Acq. Date	2018/02/27 3:01:20 PM	**Injection Volume**	Per Method
Sample Annotation	-		

ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8700	1.43	1 µg/L		
MPFHxS	1760	1.67	1 µg/L		
MPFHpA	10180	1.69	1 µg/L		
MPFOA	9786	1.87	1 µg/L		
MPFOS	2086	1.97	1 µg/L		
MPFNA	9585	2.01	1 µg/L		
MPFDA	8718	2.14	1 µg/L		
MPFUnA	10179	2.23	1 µg/L		
MPFDoA	13248	2.31	1 µg/L		
MPFTeDA	14843	2.46	1 µg/L		
13C6-PFHxA IS	33127	1.43	1 µg/L		
13C9-PFDA IS	37914	2.13	1 µg/L		

Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	10312	1.09	12.50	12.90 µg/L	103.16
PFHxA 1	41531	1.43	12.50	11.49 µg/L	91.95
PFHxS 1	10412	1.67	12.50	13.17 µg/L	105.32
PFHpA 1	51169	1.69	12.50	11.06 µg/L	88.51
PFOA 1	58936	1.87	12.50	13.25 µg/L	106.01
PFOS 1	9603	1.96	12.50	11.15 µg/L	89.18
PFNA 1	48828	2.01	12.50	11.86 µg/L	94.90
PFDA 1	53163	2.14	12.50	12.65 µg/L	101.17
PFUnA 1	57221	2.23	12.50	12.44 µg/L	99.56
PFDoA 1	70130	2.31	12.50	11.95 µg/L	95.63
PFTrDA 1	77616	2.39	12.50	11.48 µg/L	91.85
PFTeDA 1	68059	2.46	12.50	12.07 µg/L	96.54
13C2-PFHxA	8700	1.43	100.00	105.66 µg/L	105.66
18O2-PFHxS	1760	1.67	100.00	102.31 µg/L	102.31
13C4-PFHpA	10180	1.69	100.00	106.73 µg/L	106.73
13C4-PFOA	9786	1.87	100.00	99.47 µg/L	99.47
13C4-PFOS	2086	1.97	100.00	104.73 µg/L	104.73
13C5-PFNA	9584	2.01	100.00	100.58 µg/L	100.58
13C2-PFDA	8601	2.14	100.00	103.00 µg/L	103.00
13C2-PFUnA	10179	2.23	100.00	104.82 µg/L	104.82
13C2-PFDoA	13248	2.31	100.00	107.68 µg/L	107.68
13C2-PFTeDA	15168	2.46	100.00	112.15 µg/L	112.15
13C6-PFHxA	33127	1.43	100.00	105.73 µg/L	105.73
13C9-PFDA	37914	2.13	100.00	101.74 µg/L	101.74






MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	CC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5412188_B_24.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C1
Acq. Date	2018/02/27 3:52:41 PM	**Injection Volume**	Per Method
Sample Annotation	-		

ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8254	1.43	1 µg/L		
MPFHxS	1864	1.67	1 µg/L		
MPFHpA	9834	1.69	1 µg/L		
MPFOA	10189	1.87	1 µg/L		
MPFOS	2173	1.97	1 µg/L		
MPFNA	9608	2.01	1 µg/L		
MPFDA	8465	2.14	1 µg/L		
MPFUnA	9742	2.23	1 µg/L		
MPFDoA	12830	2.31	1 µg/L		
MPFTeDA	13995	2.46	1 µg/L		
13C6-PFHxA IS	37375	1.43	1 µg/L		
13C9-PFDA IS	42905	2.13	1 µg/L		

Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	691	1.08	0.83	0.64 µg/L	77.21
PFHxA 1	3077	1.43	0.83	0.79 µg/L	95.46
PFHxS 1	830	1.67	0.83	0.85 µg/L	102.03
PFHpA 1	3615	1.69	0.83	0.77 µg/L	92.35
PFOA 1	4858	1.87	0.83	0.94 µg/L	112.79
PFOS 1	818	1.96	0.83	1.08 µg/L	129.73
PFNA 1	4057	2.01	0.83	0.96 µg/L	116.09
PFDA 1	4125	2.14	0.83	0.90 µg/L	107.85
PFUnA 1	4267	2.22	0.83	0.90 µg/L	108.85
PFDoA 1	5428	2.31	0.83	0.90 µg/L	108.71
PFTrDA 1	5941	2.39	0.83	0.84 µg/L	100.75
PFTeDA 1	4744	2.46	0.83	0.80 µg/L	95.83
13C2-PFHxA	8254	1.43	100.00	88.85 µg/L	88.85
18O2-PFHxS	1864	1.67	100.00	96.04 µg/L	96.04
13C4-PFHpA	9834	1.69	100.00	91.39 µg/L	91.39
13C4-PFOA	10189	1.87	100.00	91.79 µg/L	91.79
13C4-PFOS	2173	1.97	100.00	96.70 µg/L	96.70
13C5-PFNA	9609	2.01	100.00	89.38 µg/L	89.38
13C2-PFDA	8338	2.14	100.00	88.24 µg/L	88.24
13C2-PFUnA	9742	2.23	100.00	88.65 µg/L	88.65
13C2-PFDoA	12830	2.31	100.00	92.16 µg/L	92.16
13C2-PFTeDA	14172	2.46	100.00	92.60 µg/L	92.60
13C6-PFHxA	37375	1.43	100.00	119.29 µg/L	119.29
13C9-PFDA	42905	2.13	100.00	115.14 µg/L	115.14






MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	CC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_B\QuantResults\PFC_Water_Low_180227_WS#5412188_B_EToxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5412188_B_26.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low.m	**Position**	P1-C4
Acq. Date	2018/02/27 4:05:42 PM	**Injection Volume**	Per Method
Sample Annotation	-		

ISTD Compounds	Response	RT	Target conc.		
MPFHxA	8942	1.43	1 µg/L		
MPFHxS	1636	1.67	1 µg/L		
MPFHpA	10206	1.69	1 µg/L		
MPFOA	9905	1.87	1 µg/L		
MPFOS	2269	1.97	1 µg/L		
MPFNA	10486	2.01	1 µg/L		
MPFDA	8884	2.14	1 µg/L		
MPFUnA	10456	2.23	1 µg/L		
MPFDoA	13296	2.31	1 µg/L		
MPFTeDA	14837	2.46	1 µg/L		
13C6-PFHxA IS	33996	1.43	1 µg/L		
13C9-PFDA IS	38214	2.13	1 µg/L		

Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
PFBS 1	10354	1.09	12.50	13.94 µg/L	111.55
PFHxA 1	42197	1.43	12.50	11.36 µg/L	90.88
PFHxS 1	10319	1.67	12.50	14.05 µg/L	112.37
PFHpA 1	52411	1.69	12.50	11.30 µg/L	90.44
PFOA 1	58092	1.87	12.50	12.90 µg/L	103.21
PFOS 1	9998	1.96	12.50	10.68 µg/L	85.42
PFNA 1	50160	2.01	12.50	11.14 µg/L	89.10
PFDA 1	54548	2.14	12.50	12.73 µg/L	101.87
PFUnA 1	57154	2.23	12.50	12.10 µg/L	96.79
PFDoA 1	69935	2.31	12.50	11.88 µg/L	95.02
PFTrDA 1	77938	2.39	12.50	11.53 µg/L	92.27
PFTeDA 1	67793	2.46	12.50	12.02 µg/L	96.20
13C2-PFHxA	8942	1.43	100.00	105.82 µg/L	105.82
18O2-PFHxS	1636	1.67	100.00	92.67 µg/L	92.67
13C4-PFHpA	10206	1.69	100.00	104.27 µg/L	104.27
13C4-PFOA	9905	1.87	100.00	98.10 µg/L	98.10
13C4-PFOS	2269	1.97	100.00	111.00 µg/L	111.00
13C5-PFNA	10487	2.01	100.00	107.24 µg/L	107.24
13C2-PFDA	8752	2.14	100.00	103.99 µg/L	103.99
13C2-PFUnA	10456	2.23	100.00	106.83 µg/L	106.83
13C2-PFDoA	13296	2.31	100.00	107.23 µg/L	107.23
13C2-PFTeDA	14945	2.46	100.00	109.63 µg/L	109.63
13C6-PFHxA	33996	1.43	100.00	108.50 µg/L	108.50
13C9-PFDA	38214	2.13	100.00	102.55 µg/L	102.55





MPFHxA	Internal Standard
RT (Exp. RT):	1.434 (1.434)
Concentration:	1 µg/L
Sample type:	CC

Quantitation Results


Agilent Technologies


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**ISC**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_10.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C1
Acq. Date	2018/02/27 4:58:53 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1568	1.30	1 µg/L		
D5-EtFOSAA IS	1373	1.32	1 µg/L		
13C9-PFDA IS	28516	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	597	1.30	0.83	0.86 µg/L	103.80
EtFOSAA 1	589	1.32	0.83	0.83 µg/L	100.55
D3-MeFOSAA	1605	1.30	100.00	92.54 µg/L	92.54
D5-EtFOSAA	1393	1.32	100.00	94.32 µg/L	94.32
13C9-PFDA	27998	0.89	100.00	110.12 µg/L	110.12







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.299 (1.308)
Concentration: 1 µg/L
Sample type: CC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.323 (1.323)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: CC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 0.86 µg/L
Area ratio: 0.38074
Sample type: CC





EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 0.83 µg/L
Area ratio: 0.42899
Sample type: CC






D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.299 (1.308)
Calc. conc. 92.54 µg/L
Area ratio: 0.05628
Sample type: CC


Batch Path	T:\lcms4\PFC\20180226\WS#5412188_FOSAA\QuantResults\PFC_Water_Low_180226_WS#5412188_FOSAA_ETOxics

Sample Name	**CCV**	**Instrument**	LCMS04
Data File	WS#5412188_FOSAA_23.d	**Operator**	
Sample Type	CC	**Dilution**	1
Acq. Method	PFC_Water_Low_FOSAA.m	**Position**	P1-C4
Acq. Date	2018/02/27 5:30:12 AM	**Injection Volume**	Per Method
Sample Annotation	-		


ISTD Compounds	Response	RT	Target conc.		
D3-MeFOSAA IS	1594	1.31	1 µg/L		
D5-EtFOSAA IS	1385	1.33	1 µg/L		
13C9-PFDA IS	25487	0.89	1 µg/L		


Compound	Response	RT	Target Conc.	Calc. Conc.	Accuracy
MeFOSAA 1	7416	1.30	12.50	12.26 µg/L	98.08
EtFOSAA 1	7374	1.32	12.50	11.99 µg/L	95.94
D3-MeFOSAA	1613	1.31	100.00	104.05 µg/L	104.05
D5-EtFOSAA	1400	1.33	100.00	106.06 µg/L	106.06
13C9-PFDA	24937	0.89	100.00	98.08 µg/L	98.08







D3-MeFOSAA IS Internal Standard
RT (Exp. RT): 1.308 (1.308)
Concentration: 1 µg/L
Sample type: CC







D5-EtFOSAA IS Internal Standard
RT (Exp. RT): 1.333 (1.323)
Concentration: 1 µg/L
Sample type: CC







13C9-PFDA IS Internal Standard
RT (Exp. RT): 0.890 (0.890)
Concentration: 1 µg/L
Sample type: CC







MeFOSAA 1 570.0 -> 418.9
RT (Exp. RT): 1.300 (1.300)
Calc. conc. 12.26 µg/L
Area ratio: 4.65245
Sample type: CC





EtFOSAA 1 584.0 -> 418.9
RT (Exp. RT): 1.325 (1.325)
Calc. conc. 11.99 µg/L
Area ratio: 5.32419
Sample type: CC





D3-MeFOSAA 573.0 -> 418.9
RT (Exp. RT): 1.308 (1.308)
Calc. conc. 104.05 µg/L
Area ratio: 0.06329
Sample type: CC

DODCMD_ID	INSTALLATION_ID	SDG	SITE_NAME	NORM_SITE_NAME	LOCATION_NAME	LOCATION_TYPE_DESC	COORD_X	COORD_Y	CONTRACT_ID
SOUTHEAST	CECIL_FIELD_NAS	B833226	BLDG 01820	UST TNK0ZD	CEF-1820-TW02	Temporary well point	378328.209	2141955.696	N6247008D1001
SOUTHEAST	CECIL_FIELD_NAS	B833226	SITE CRASH	UST 000005	CEF-S3-TW02	Temporary well point	377519.954	2149521.91	N6247008D1001
SOUTHEAST	CECIL_FIELD_NAS	B833226	SITE CRASH	UST 000005	CEF-S3-TW01	Temporary well point	377462.274	2149629.874	N6247008D1001
SOUTHEAST	CECIL_FIELD_NAS	B833226	UST 000007	UST 000007	CEF-MFS-TW02	Temporary well point	376469.759	2142424.725	N6247008D1001
SOUTHEAST	CECIL_FIELD_NAS	B833226	UST 000007	UST 000007	CEF-MFS-TW01	Temporary well point	376350.936	2142566.425	N6247008D1001
SOUTHEAST	CECIL_FIELD_NAS	B833226							N6247008D1001
SOUTHEAST	CECIL_FIELD_NAS	B833226							N6247008D1001
SOUTHEAST	CECIL_FIELD_NAS	B833226							N6247008D1001
SOUTHEAST	CECIL_FIELD_NAS	B833226							N6247008D1001
SOUTHEAST	CECIL_FIELD_NAS	B833226							N6247008D1001

DODCMD_ID	INSTALLATION_ID	SDG	SITE_NAME	DO_CTO_NUMBER	CONTR_NAME	SAMPLE_NAME	SAMPLE_MATRIX_DESC	SAMPLE_TYPE_DESC
SOUTHEAST	CECIL_FIELD_NAS	B833226	BLDG 01820	JM10	TETRA TECH NUS, INC.	CEF-1820-TW02-0218	Ground water	Normal (Regular)
SOUTHEAST	CECIL_FIELD_NAS	B833226	SITE CRASH	JM10	TETRA TECH NUS, INC.	CEF-S3-TW02-0209	Ground water	Normal (Regular)
SOUTHEAST	CECIL_FIELD_NAS	B833226	SITE CRASH	JM10	TETRA TECH NUS, INC.	CEF-S3-TW01-0218	Ground water	Normal (Regular)
SOUTHEAST	CECIL_FIELD_NAS	B833226	UST 000007	JM10	TETRA TECH NUS, INC.	CEF-MFS-TW02-0218	Ground water	Normal (Regular)
SOUTHEAST	CECIL_FIELD_NAS	B833226	UST 000007	JM10	TETRA TECH NUS, INC.	CEF-MFS-TW01-0218	Ground water	Normal (Regular)
SOUTHEAST	CECIL_FIELD_NAS	B833226		JM10	TETRA TECH NUS, INC.	FB-CEF-S3-020918-13	Water for QC samples	QC Sample
SOUTHEAST	CECIL_FIELD_NAS	B833226		JM10	TETRA TECH NUS, INC.	EB-CEF-MFS-020818-17	Water for QC samples	QC Sample
SOUTHEAST	CECIL_FIELD_NAS	B833226		JM10	TETRA TECH NUS, INC.	EB-CEF-MFS-020818-19	Water for QC samples	QC Sample
SOUTHEAST	CECIL_FIELD_NAS	B833226		JM10	TETRA TECH NUS, INC.	FB-CEF-MFS-020818-12	Water for QC samples	QC Sample
SOUTHEAST	CECIL_FIELD_NAS	B833226		JM10	TETRA TECH NUS, INC.	EB-CEF-MFS-020818-18	Water for QC samples	QC Sample

DODCMD_ID	INSTALLATION_ID	SDG	SITE_NAME	COLLECT_DATE	ANALYTICAL_METHOD	ANALYTICAL_METHOD_GRP_DESC	RES_META_ID
SOUTHEAST	CECIL_FIELD_NAS	B833226	BLDG 01820	8-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00
SOUTHEAST	CECIL_FIELD_NAS	B833226	SITE CRASH	9-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00
SOUTHEAST	CECIL_FIELD_NAS	B833226	SITE CRASH	9-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00
SOUTHEAST	CECIL_FIELD_NAS	B833226	UST 000007	9-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00
SOUTHEAST	CECIL_FIELD_NAS	B833226	UST 000007	9-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00
SOUTHEAST	CECIL_FIELD_NAS	B833226		9-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00
SOUTHEAST	CECIL_FIELD_NAS	B833226		8-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00
SOUTHEAST	CECIL_FIELD_NAS	B833226		8-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00
SOUTHEAST	CECIL_FIELD_NAS	B833226		8-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00
SOUTHEAST	CECIL_FIELD_NAS	B833226		8-Feb-18	537	Perfluoroalkyl Compounds	20190201053458.00