



**Off-base Drinking Water Sample Results,  
Level 2 Laboratory Report, Level 4 Laboratory Report,  
Electronic Data Deliverable, Data Validation Report,  
and the Sample Location Figure, SDG 1701770**

*Marine Corps Outlying Landing Field Atlantic  
MCAS Cherry Point NC*

February 2019



December 04, 2017

**Vista Work Order No. 1701770**

Ms. Tiffany Hill  
CH2M Hill  
1100 NE Circle Blvd. Suite 300  
Corvallis, OR 97330

Dear Ms. Hill,

Enclosed are the results for the sample set received at Vista Analytical Laboratory on November 22, 2017. This sample set was analyzed on a rush turn-around time, under your Project Name 'CTO-08, MCOLF Atlantic PFAS DW Investigation'.

Vista Analytical Laboratory is committed to serving you effectively. If you require additional information, please contact me at 916-673-1520 or by email at [mmaier@vista-analytical.com](mailto:mmaier@vista-analytical.com).

Thank you for choosing Vista as part of your analytical support team.

Sincerely,

*Karen J. Wapner for*

Martha Maier  
Laboratory Director



*Vista Analytical Laboratory certifies that the report herein meets all the requirements set forth by NELAP for those applicable test methods. Results relate only to the samples as received by the laboratory. This report should not be reproduced except in full without the written approval of Vista.*

**Vista Work Order No. 1701770****Case Narrative****Sample Condition on Receipt:**

Ten drinking water samples were received in good condition and within the method temperature requirements. The samples were received and stored securely in accordance with Vista standard operating procedures and EPA methodology.

**Analytical Notes:****EPA Method 537**

The samples were extracted and analyzed for PFBS, PFOA and PFOS using EPA Method 537.

**Holding Times**

The samples were extracted and analyzed within the method hold times.

**Quality Control**

The Initial Calibration and Continuing Calibration Verifications met the method acceptance criteria.

Two Laboratory Fortified Blanks (LFB) and a Laboratory Reagent Blank (LRB) were extracted and analyzed with the preparation batch. No analytes were detected in the Laboratory Reagent Blank above 1/2 the LOQ. The LFB recoveries were within the method acceptance criteria.

The surrogate recoveries for all QC and field samples were within the acceptance criteria.

## TABLE OF CONTENTS

|                         |    |
|-------------------------|----|
| Case Narrative.....     | 1  |
| Table of Contents.....  | 3  |
| Sample Inventory.....   | 4  |
| Analytical Results..... | 5  |
| Qualifiers.....         | 18 |
| Certifications.....     | 19 |
| Sample Receipt.....     | 22 |

# Sample Inventory Report

| Vista<br>Sample ID | Client<br>Sample ID | Sampled         | Received        | Components/Containers |
|--------------------|---------------------|-----------------|-----------------|-----------------------|
| 1701770-01         | CH-AT-1RW74-1117-A  | 20-Nov-17 15:17 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-02         | CH-AT-1FB74-1117-A  | 20-Nov-17 15:18 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-03         | CH-AT-1RW74-1117-B  | 20-Nov-17 15:23 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-04         | CH-AT-1FB74-1117-B  | 20-Nov-17 15:24 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-05         | CH-AT-1RW75-1117    | 21-Nov-17 09:30 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-06         | CH-AT-1FB75-1117    | 21-Nov-17 09:31 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-07         | CH-AT-1RW76-1117    | 21-Nov-17 09:44 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-08         | CH-AT-1FB76-1117    | 21-Nov-17 09:45 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-09         | CH-AT-1RW77-1117    | 21-Nov-17 10:04 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-10         | CH-AT-1FB77-1117    | 21-Nov-17 10:05 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                    |                     |                 |                 | HDPE Bottle, 250 mL   |

## **ANALYTICAL RESULTS**



| Sample ID: LFBD                                       |               |                  |                                      |              |                |                   |               |      |               |                |               |                 | EPA Method 537 |                           |             |  |
|-------------------------------------------------------|---------------|------------------|--------------------------------------|--------------|----------------|-------------------|---------------|------|---------------|----------------|---------------|-----------------|----------------|---------------------------|-------------|--|
| Name: CH2M Hill                                       |               |                  | Lab Sample: B7K0189-BS1/B7K0189-BSD1 |              |                |                   |               |      |               |                |               |                 |                | Date Extracted: 29-Nov-17 |             |  |
| Project: CTO-08, MCOLF Atlantic PFAS DW Investigation |               |                  |                                      |              |                |                   |               |      |               |                |               |                 |                |                           |             |  |
| Matrix: Drinking Water                                |               |                  |                                      |              |                |                   |               |      |               |                |               |                 |                |                           |             |  |
|                                                       |               |                  | QC Batch: B7K0189                    |              |                |                   |               |      |               |                |               |                 |                | Column: BEH C18           |             |  |
|                                                       |               |                  | Samp Size: 0.250/0.250 L             |              |                |                   |               |      |               |                |               |                 |                |                           |             |  |
| Analyte                                               | LCS<br>(ng/L) | LCS<br>Spike Amt | LCS<br>% Rec                         | LCS<br>Quals | LCSD<br>(ng/L) | LCSD<br>Spike Amt | LCSD<br>% Rec | RPD  | LCSD<br>Quals | %Rec<br>Limits | RPD<br>Limits | LCS<br>Analyzed | LCS<br>Dil     | LCSD<br>Analyzed          | LCSD<br>Dil |  |
| PFBS                                                  | 64.3          | 70.8             | 90.8                                 |              | 72.3           | 70.8              | 102           | 11.7 |               | 70-130         | 30            | 01-Dec-17 15:28 | 1              | 01-Dec-17 15:40           | 1           |  |
| PFOA                                                  | 76.5          | 80.0             | 95.6                                 |              | 81.3           | 80.0              | 102           | 6.13 |               | 70-130         | 30            | 01-Dec-17 15:28 | 1              | 01-Dec-17 15:40           | 1           |  |
| PFOS                                                  | 70.5          | 74.0             | 95.2                                 |              | 71.9           | 74.0              | 97.2          | 2.04 |               | 70-130         | 30            | 01-Dec-17 15:28 | 1              | 01-Dec-17 15:40           | 1           |  |
| Labeled Standards                                     | Type          |                  | LCS<br>% Rec                         | LCS<br>Quals |                |                   | LCSD<br>% Rec |      | LCSD<br>Quals | Limits         |               | LCS<br>Analyzed | LCS<br>Dil     | LCSD<br>Analyzed          | LCSD<br>Dil |  |
| 13C2-PFHxA                                            | SURR          |                  | 103                                  |              |                |                   | 101           |      |               | 70-130         |               | 01-Dec-17 15:28 | 1              | 01-Dec-17 15:40           | 1           |  |

| Sample ID: CH-AT-1RW74-1117-A         |  |  |  |  | EPA Method 537 |  |  |  |  |  |
|---------------------------------------|--|--|--|--|----------------|--|--|--|--|--|
| <b>Client Data</b><br>Name: CH2M Hill |  |  |  |  |                |  |  |  |  |  |

| Sample ID: CH-AT-1FB74-1117-A                                                                                                                                       |              |                             |          |                                                    |                                                                                                               |                                                                               |           |           |                 | EPA Method 537 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|----------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------|-----------|-----------------|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 20-Nov-17 15:18 |              |                             |          |                                                    | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-02<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |                                                                               |           |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |                                                                               |           |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |                                                                               |           |           |                 |                |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                          | LOD      | LOQ                                                | Qualifiers                                                                                                    | Batch                                                                         | Extracted | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                                | ND           | 0.417                       | 4.70     | 9.40                                               |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.266 L   | 01-Dec-17 16:30 | 1              |
| PFOA                                                                                                                                                                | ND           | 1.02                        | 4.70     | 9.40                                               |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.266 L   | 01-Dec-17 16:30 | 1              |
| PFOS                                                                                                                                                                | ND           | 0.978                       | 4.70     | 9.40                                               |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.266 L   | 01-Dec-17 16:30 | 1              |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                  | Limits   |                                                    | Qualifiers                                                                                                    | Batch                                                                         | Extracted | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 103                         | 70 - 130 |                                                    |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.266 L   | 01-Dec-17 16:30 | 1              |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection    |          | LCL-UCL- Lower control limit - upper control limit |                                                                                                               | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers. |           |           |                 |                |
|                                                                                                                                                                     |              | LOQ - Limit of quantitation |          | Results reported to the DL.                        |                                                                                                               | Only the linear isomer is reported for all other analytes.                    |           |           |                 |                |

| Sample ID: CH-AT-1RW74-1117-B             |  |  |  |  |  |  |  |  |  | EPA Method 537 |
|-------------------------------------------|--|--|--|--|--|--|--|--|--|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill |  |  |  |  |  |  |  |  |  |                |



| Sample ID: CH-AT-1RW75-1117                                                                                                                                         |              |                                                         |                                                                                   |      |                                                                                                               |                                                                                                                                             |           |           |                 | EPA Method 537 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------|-----------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-----------------|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 21-Nov-17 09:30 |              |                                                         |                                                                                   |      | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-05<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |                                                                                                                                             |           |           |                 |                |
|                                                                                                                                                                     |              |                                                         |                                                                                   |      |                                                                                                               |                                                                                                                                             |           |           |                 |                |
|                                                                                                                                                                     |              |                                                         |                                                                                   |      |                                                                                                               |                                                                                                                                             |           |           |                 |                |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                                                      | LOD                                                                               | LOQ  | Qualifiers                                                                                                    | Batch                                                                                                                                       | Extracted | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                                | ND           | 0.416                                                   | 4.70                                                                              | 9.40 |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 17:44 | 1              |
| PFOA                                                                                                                                                                | ND           | 1.02                                                    | 4.70                                                                              | 9.40 |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 17:44 | 1              |
| PFOS                                                                                                                                                                | ND           | 0.978                                                   | 4.70                                                                              | 9.40 |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 17:44 | 1              |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                                              | Limits                                                                            |      | Qualifiers                                                                                                    | Batch                                                                                                                                       | Extracted | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 103                                                     | 70 - 130                                                                          |      |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 17:44 | 1              |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection<br>LOQ - Limit of quantitation | LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL. |      |                                                                                                               | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers.<br>Only the linear isomer is reported for all other analytes. |           |           |                 |                |



| Sample ID: CH-AT-1RW76-1117                                                                                                                                     |              |                                                         |                                                                                   |      |                                                                                                         |                                                                                                                                             |           |           |                 | EPA Method 537 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------|-----------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-----------------|----------------|
| <b>Client Data</b><br>Name: CH2M Hill      Matrix: Drinking Water<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation      Date Collected: 21-Nov-17 09:44 |              |                                                         |                                                                                   |      | <b>Laboratory Data</b><br>Lab Sample: 1701770-07      Column: BEH C18<br>Date Received: 22-Nov-17 14:18 |                                                                                                                                             |           |           |                 |                |
| Analyte                                                                                                                                                         | Conc. (ng/L) | DL                                                      | LOD                                                                               | LOQ  | Qualifiers                                                                                              | Batch                                                                                                                                       | Extracted | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                            | ND           | 0.424                                                   | 4.79                                                                              | 9.57 |                                                                                                         | B7K0189                                                                                                                                     | 29-Nov-17 | 0.261 L   | 01-Dec-17 18:09 | 1              |
| PFOA                                                                                                                                                            | ND           | 1.03                                                    | 4.79                                                                              | 9.57 |                                                                                                         | B7K0189                                                                                                                                     | 29-Nov-17 | 0.261 L   | 01-Dec-17 18:09 | 1              |
| PFOS                                                                                                                                                            | ND           | 0.996                                                   | 4.79                                                                              | 9.57 |                                                                                                         | B7K0189                                                                                                                                     | 29-Nov-17 | 0.261 L   | 01-Dec-17 18:09 | 1              |
| Labeled Standards                                                                                                                                               | Type         | % Recovery                                              | Limits                                                                            |      | Qualifiers                                                                                              | Batch                                                                                                                                       | Extracted | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                      | SURR         | 95.6                                                    | 70 - 130                                                                          |      |                                                                                                         | B7K0189                                                                                                                                     | 29-Nov-17 | 0.261 L   | 01-Dec-17 18:09 | 1              |
| DL - Detection Limit                                                                                                                                            |              | LOD - Limit of Detection<br>LOQ - Limit of quantitation | LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL. |      |                                                                                                         | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers.<br>Only the linear isomer is reported for all other analytes. |           |           |                 |                |

| Sample ID: CH-AT-1FB76-1117               |  |  |  |  | EPA Method 537 |  |  |  |  |  |
|-------------------------------------------|--|--|--|--|----------------|--|--|--|--|--|
| <b>Client Data</b><br><br>Name: CH2M Hill |  |  |  |  |                |  |  |  |  |  |

| Sample ID: CH-AT-1RW77-1117                                                                                                                                         |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 | EPA Method 537 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|----------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------|-----------|-----------------|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 21-Nov-17 10:04 |              |                             |          |                                                    | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-09<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                          | LOD      | LOQ                                                | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                                | ND           | 0.423                       | 4.77     | 9.54                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.262 L   | 01-Dec-17 18:34 | 1              |
| PFOA                                                                                                                                                                | ND           | 1.03                        | 4.77     | 9.54                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.262 L   | 01-Dec-17 18:34 | 1              |
| PFOS                                                                                                                                                                | ND           | 0.992                       | 4.77     | 9.54                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.262 L   | 01-Dec-17 18:34 | 1              |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                  | Limits   |                                                    | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 104                         | 70 - 130 |                                                    |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.262 L   | 01-Dec-17 18:34 | 1              |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection    |          | LCL-UCL- Lower control limit - upper control limit |                                                                                                               |         | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers. |           |                 |                |
|                                                                                                                                                                     |              | LOO - Limit of quantitation |          | Results reported to the DL.                        |                                                                                                               |         | Only the linear isomer is reported for all other analytes.                    |           |                 |                |

| Sample ID: CH-AT-1FB77-1117               |  |  |  |  | EPA Method 537 |  |  |  |  |  |
|-------------------------------------------|--|--|--|--|----------------|--|--|--|--|--|
| <b>Client Data</b><br><br>Name: CH2M Hill |  |  |  |  |                |  |  |  |  |  |

## **DATA QUALIFIERS & ABBREVIATIONS**

|              |                                                                                                |
|--------------|------------------------------------------------------------------------------------------------|
| <b>B</b>     | <b>This compound was also detected in the method blank.</b>                                    |
| <b>D</b>     | <b>Dilution</b>                                                                                |
| <b>E</b>     | <b>The associated compound concentration exceeded the calibration range of the instrument.</b> |
| <b>H</b>     | <b>Recovery and/or RPD was outside laboratory acceptance limits.</b>                           |
| <b>I</b>     | <b>Chemical Interference</b>                                                                   |
| <b>J</b>     | <b>The amount detected is below the Reporting Limit/LOQ.</b>                                   |
| <b>M</b>     | <b>Estimated Maximum Possible Concentration. (CA Region 2 projects only)</b>                   |
| <b>*</b>     | <b>See Cover Letter</b>                                                                        |
| <b>Conc.</b> | <b>Concentration</b>                                                                           |
| <b>NA</b>    | <b>Not applicable</b>                                                                          |
| <b>ND</b>    | <b>Not Detected</b>                                                                            |
| <b>TEQ</b>   | <b>Toxic Equivalency</b>                                                                       |
| <b>U</b>     | <b>Not Detected (specific projects only)</b>                                                   |

**Unless otherwise noted, solid sample results are reported in dry weight. Tissue samples are reported in wet weight.**

## CERTIFICATIONS

| <b>Accrediting Authority</b>                        | <b>Certificate Number</b> |
|-----------------------------------------------------|---------------------------|
| Arkansas Department of Environmental Quality        | 17-015-0                  |
| California Department of Health – ELAP              | 2892                      |
| DoD ELAP - A2LA Accredited - ISO/IEC 17025:2005     | 3091.01                   |
| Florida Department of Health                        | E87777-18                 |
| Hawaii Department of Health                         | N/A                       |
| Louisiana Department of Environmental Quality       | 01977                     |
| Maine Department of Health                          | 2016026                   |
| Minnesota Department of Health                      | 1175673                   |
| New Hampshire Environmental Accreditation Program   | 207716                    |
| New Jersey Department of Environmental Protection   | CA003                     |
| New York Department of Health                       | 11411                     |
| Oregon Laboratory Accreditation Program             | 4042-008                  |
| Pennsylvania Department of Environmental Protection | 013                       |
| Texas Commission on Environmental Quality           | T104704189-17-8           |
| Virginia Department of General Services             | 8621                      |
| Washington Department of Ecology                    | C584                      |
| Wisconsin Department of Natural Resources           | 998036160                 |

*Current certificates and lists of licensed parameters are located in the Quality Assurance office and are available upon request.*

## NELAP Accredited Test Methods

| MATRIX: Air                                                                |        |
|----------------------------------------------------------------------------|--------|
| Description of Test                                                        | Method |
| Determination of Polychlorinated p-Dioxins & Polychlorinated Dibenzofurans | EPA 23 |

| MATRIX: Biological Tissue                                                                   |                |
|---------------------------------------------------------------------------------------------|----------------|
| Description of Test                                                                         | Method         |
| Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS              | EPA 1613B      |
| Brominated Diphenyl Ethers by HRGC/HRMS                                                     | EPA 1614A      |
| Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by GC/HRMS              | EPA 1668A/C    |
| Pesticides in Water, Soil, Sediment, Biosolids, and Tissue by HRGC/HRMS                     | EPA 1699       |
| Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS                            | EPA 537        |
| Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofurans by GC/HRMS              | EPA 8280A/B    |
| Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by GC/HRMS | EPA 8290/8290A |

| MATRIX: Drinking Water                                           |          |
|------------------------------------------------------------------|----------|
| Description of Test                                              | Method   |
| 2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD) GC/HRMS      | EPA 1613 |
| Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS | EPA 537  |

| MATRIX: Non-Potable Water                                                                   |                |
|---------------------------------------------------------------------------------------------|----------------|
| Description of Test                                                                         | Method         |
| Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS              | EPA 1613B      |
| Brominated Diphenyl Ethers by HRGC/HRMS                                                     | EPA 1614A      |
| Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by GC/HRMS              | EPA 1668A/C    |
| Pesticides in Water, Soil, Sediment, Biosolids, and Tissue by HRGC/HRMS                     | EPA 1699       |
| Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS                            | EPA 537        |
| Dioxin by GC/HRMS                                                                           | EPA 613        |
| Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofurans by GC/HRMS              | EPA 8280A/B    |
| Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by GC/HRMS | EPA 8290/8290A |

| MATRIX: Solids                                                        |           |
|-----------------------------------------------------------------------|-----------|
| Description of Test                                                   | Method    |
| Tetra-Octa Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS | EPA 1613  |
| Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope         | EPA 1613B |

|                                                                                             |                |
|---------------------------------------------------------------------------------------------|----------------|
| Dilution GC/HRMS                                                                            |                |
| Brominated Diphenyl Ethers by HRGC/HRMS                                                     | EPA 1614A      |
| Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by GC/HRMS              | EPA 1668A/C    |
| Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS                            | EPA 537        |
| Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofurans by GC/HRMS              | EPA 8280A/B    |
| Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by GC/HRMS | EPA 8290/8290A |

Coder 2 - (of 1) pages

CTO-08 679580.15.FI.FS

ID: LR - 537COC



## CHAIN OF CUSTODY

For Laboratory Use Only  
Work Order #: 1701770 Temp: 1.0 °C  
Storage ID: WR-2 Storage Secured Yes ☒ No ☐

Project ID: CTO-08, MCOLF Atlantic PFAS DW Investigation  
PO#: 10006-7-106051 Sampler: J. Towns/ A. Ewalt/ K. Smith  
(name)

TAT (check one): ☐ 21 days  
☐ 14 days ☒ 7 days Specify: \_\_\_\_\_  
Standard: ☐ Rush (surcharge may apply)

Invoice to: Name Tiffany Hill Company CH2M Address 1100 NE Circle Blvd Suite #300 City Corvallis State Oregon Ph# 541-768-3109 Fax# \_\_\_\_\_

Relinquished by (printed name and signature) Kathryn Smith Date 11/21/17 Time 12:00  
Received by (printed name and signature) Marissa Sparks Date 11/22/17 Time 1422  
Relinquished by (printed name and signature) \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_  
Received by (printed name and signature) \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

SHIP TO: Vista Analytical Laboratory  
1104 Windfield Way  
El Dorado Hills, CA 95762  
(916) 673-1520 \* Fax (916) 673-0106

ATTN: Martha Maier

Method of Shipment:  
FEDEX

Tracking No: \_\_\_\_\_

Add Analysis(es) Requested

Container(s)

Mod EPA  
Method 537

EPA Method  
537(DW only)

| Sample ID          | Date     | Time  | Location/Sample Description | Quantity | Type | Matrix | PFOA/PFOS | UCMR3 PFAS List 6 | 537 List: 14 | Full List of 26 | Other Please List | PFOA/PFOS | UCMR3 PFAS List 6 | PFAS List: 14 | Comments        |
|--------------------|----------|-------|-----------------------------|----------|------|--------|-----------|-------------------|--------------|-----------------|-------------------|-----------|-------------------|---------------|-----------------|
| CH-AT-1RW74-1117-A | 11/20/17 | 15:17 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB74-1117-A | 11/20/17 | 15:18 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1RW74-1117-B | 11/20/17 | 15:23 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB74-1117-B | 11/20/17 | 15:24 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1RW75-1117   | 11/21/17 | 09:30 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB75-1117   | 11/21/17 | 09:31 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1RW76-1117   | 11/21/17 | 09:44 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB76-1117   | 11/21/17 | 09:45 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1RW77-1117   | 11/21/17 | 10:04 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB77-1117   | 11/21/17 | 10:05 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |

Special Instructions/Comments: 7 DAY TAT  
Analysis of Drinking Water samples for PFOA/PFOS/PFBs

SEND  
DOCUMENTATION  
AND RESULTS TO:

Name: Tiffany Hill  
Company: CH2M HILL Inc.  
Address: 1100 NE Circle Blvd Suite 300  
City: Corvallis State: OR Zip: 97330  
Phone: 541-768-3109 Fax: \_\_\_\_\_  
Email: Tiffany.Hill@ch2m.com

Container Types: P = HDPE, PJ = HDPE Jar  
O = Other \_\_\_\_\_

Bottle Preservation Type: T = Thiosulfate,  
TZ = Trizma: \_\_\_\_\_

Matrix Types: AQ = Aqueous, DW = Drinking Water, EF = Effluent, PP = Pulp/Paper, SD = Sediment,  
SL = Sludge, SO = Soil, WW = Wastewater, B = Blood/Serum, O = Other: \_\_\_\_\_

## Sample Log-in Checklist

Vista Work Order #: 1701770 TAT 12 days

|                                   |                                                                                                                                                                                                                     |                         |                                                 |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------------------------------------------|
| <b>Samples Arrival:</b>           | Date/Time<br><u>11/22/17 1418</u>                                                                                                                                                                                   | Initials:<br><u>WWS</u> | Location: <u>WR-2</u><br>Shelf/Rack: <u>N/A</u> |
| <b>Logged In:</b>                 | Date/Time<br><u>11/22/17 1528</u> <u>JAB</u>                                                                                                                                                                        | Initials:<br><u>WWS</u> | Location: <u>WR-2</u><br>Shelf/Rack: <u>G-7</u> |
| <b>Delivered By:</b>              | <input checked="" type="radio"/> FedEx <input type="radio"/> UPS <input type="radio"/> On Trac <input type="radio"/> GSO <input type="radio"/> DHL <input type="radio"/> Hand Delivered <input type="radio"/> Other |                         |                                                 |
| <b>Preservation:</b>              | <input checked="" type="radio"/> Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None                                                                                        |                         |                                                 |
| Temp °C: <u>0.9</u> (uncorrected) | Time: <u>1422</u>                                                                                                                                                                                                   |                         | Thermometer ID: IR-1                            |
| Temp °C: <u>1.0</u> (corrected)   | Probe used: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>                                                                                                                                     |                         |                                                 |

|                                                                    | YES                                                                                                                                    | NO                                                            | NA |
|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|----|
| Adequate Sample Volume Received?                                   | ✓                                                                                                                                      |                                                               |    |
| Holding Time Acceptable?                                           | ✓                                                                                                                                      |                                                               |    |
| Shipping Container(s) Intact?                                      | ✓                                                                                                                                      |                                                               |    |
| Shipping Custody Seals Intact?                                     | ✓                                                                                                                                      |                                                               |    |
| Shipping Documentation Present?                                    | ✓                                                                                                                                      |                                                               |    |
| Airbill <u>1 of 2</u> Trk # <u>7708 0139 4131</u>                  | ✓                                                                                                                                      |                                                               |    |
| Sample Container Intact?                                           | ✓                                                                                                                                      |                                                               |    |
| Sample Custody Seals Intact?                                       |                                                                                                                                        |                                                               | ✓  |
| Chain of Custody / Sample Documentation Present?                   | ✓                                                                                                                                      |                                                               |    |
| COC Anomaly/Sample Acceptance Form completed?                      |                                                                                                                                        | ✓                                                             | ✓  |
| If Chlorinated or Drinking Water Samples, Acceptable Preservation? | ✓                                                                                                                                      |                                                               |    |
| Preservation Documented:                                           | <input type="radio"/> Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> <input checked="" type="radio"/> Trizma <input type="radio"/> None | <input checked="" type="radio"/> Yes <input type="radio"/> No | NA |
| Shipping Container                                                 | <input checked="" type="radio"/> Vista <input type="radio"/> Client <input checked="" type="radio"/> Retain                            | <input type="radio"/> Return <input type="radio"/> Dispose    |    |

Comments:



December 04, 2017

**Vista Work Order No. 1701770**

Ms. Tiffany Hill  
CH2M Hill  
1100 NE Circle Blvd. Suite 300  
Corvallis, OR 97330

Dear Ms. Hill,

Enclosed are the results for the sample set received at Vista Analytical Laboratory on November 22, 2017. This sample set was analyzed on a rush turn-around time, under your Project Name 'CTO-08, MCOLF Atlantic PFAS DW Investigation'.

Vista Analytical Laboratory is committed to serving you effectively. If you require additional information, please contact me at 916-673-1520 or by email at [mmaier@vista-analytical.com](mailto:mmaier@vista-analytical.com).

Thank you for choosing Vista as part of your analytical support team.

Sincerely,

*Karen J. Volpendesta*  
for

Martha Maier  
Laboratory Director



*Vista Analytical Laboratory certifies that the report herein meets all the requirements set forth by NELAP for those applicable test methods. Results relate only to the samples as received by the laboratory. This report should not be reproduced except in full without the written approval of Vista.*

**Vista Work Order No. 1701770****Case Narrative****Sample Condition on Receipt:**

Ten drinking water samples were received in good condition and within the method temperature requirements. The samples were received and stored securely in accordance with Vista standard operating procedures and EPA methodology.

**Analytical Notes:****EPA Method 537**

The samples were extracted and analyzed for PFBS, PFOA and PFOS using EPA Method 537.

**Holding Times**

The samples were extracted and analyzed within the method hold times.

**Quality Control**

The Initial Calibration and Continuing Calibration Verifications met the method acceptance criteria.

Two Laboratory Fortified Blanks (LFB) and a Laboratory Reagent Blank (LRB) were extracted and analyzed with the preparation batch. No analytes were detected in the Laboratory Reagent Blank above 1/2 the LOQ. The LFB recoveries were within the method acceptance criteria.

The surrogate recoveries for all QC and field samples were within the acceptance criteria.

## TABLE OF CONTENTS

|                                   |    |
|-----------------------------------|----|
| Case Narrative.....               | 1  |
| Table of Contents.....            | 3  |
| Sample Inventory.....             | 4  |
| Analytical Results.....           | 5  |
| Qualifiers.....                   | 18 |
| Certifications.....               | 19 |
| Sample Receipt.....               | 22 |
| Extraction Information.....       | 24 |
| Sample Data - EPA Method 537..... | 29 |
| IIS Areas and CCVs.....           | 56 |
| ICAL with ICV.....                | 79 |

# Sample Inventory Report

| Vista Sample ID | Client Sample ID   | Sampled         | Received        | Components/Containers |
|-----------------|--------------------|-----------------|-----------------|-----------------------|
| 1701770-01      | CH-AT-1RW74-1117-A | 20-Nov-17 15:17 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-02      | CH-AT-1FB74-1117-A | 20-Nov-17 15:18 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-03      | CH-AT-1RW74-1117-B | 20-Nov-17 15:23 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-04      | CH-AT-1FB74-1117-B | 20-Nov-17 15:24 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-05      | CH-AT-1RW75-1117   | 21-Nov-17 09:30 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-06      | CH-AT-1FB75-1117   | 21-Nov-17 09:31 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-07      | CH-AT-1RW76-1117   | 21-Nov-17 09:44 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-08      | CH-AT-1FB76-1117   | 21-Nov-17 09:45 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-09      | CH-AT-1RW77-1117   | 21-Nov-17 10:04 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |
| 1701770-10      | CH-AT-1FB77-1117   | 21-Nov-17 10:05 | 22-Nov-17 14:18 | HDPE Bottle, 250 mL   |
|                 |                    |                 |                 | HDPE Bottle, 250 mL   |

## **ANALYTICAL RESULTS**



| Sample ID: LFBD   |                                              |                  |              |              |                |                   |                          |      |               |                |               |                 |                 | EPA Method 537   |             |  |
|-------------------|----------------------------------------------|------------------|--------------|--------------|----------------|-------------------|--------------------------|------|---------------|----------------|---------------|-----------------|-----------------|------------------|-------------|--|
| Name:             | CH2M Hill                                    |                  |              |              | Lab Sample:    |                   | B7K0189-BS1/B7K0189-BSD1 |      |               |                |               |                 | Date Extracted: |                  | 29-Nov-17   |  |
| Project:          | CTO-08, MCOLF Atlantic PFAS DW Investigation |                  |              |              | QC Batch:      |                   | B7K0189                  |      |               |                |               |                 | Column:         |                  | BEH C18     |  |
| Matrix:           | Drinking Water                               |                  |              |              | Samp Size:     |                   | 0.250/0.250 L            |      |               |                |               |                 |                 |                  |             |  |
| Analyte           | LCS<br>(ng/L)                                | LCS<br>Spike Amt | LCS<br>% Rec | LCS<br>Quals | LCSD<br>(ng/L) | LCSD<br>Spike Amt | LCSD<br>% Rec            | RPD  | LCSD<br>Quals | %Rec<br>Limits | RPD<br>Limits | LCS<br>Analyzed | LCS<br>Dil      | LCSD<br>Analyzed | LCSD<br>Dil |  |
| PFBS              | 64.3                                         | 70.8             | 90.8         |              | 72.3           | 70.8              | 102                      | 11.7 |               | 70-130         | 30            | 01-Dec-17 15:28 | 1               | 01-Dec-17 15:40  | 1           |  |
| PFOA              | 76.5                                         | 80.0             | 95.6         |              | 81.3           | 80.0              | 102                      | 6.13 |               | 70-130         | 30            | 01-Dec-17 15:28 | 1               | 01-Dec-17 15:40  | 1           |  |
| PFOS              | 70.5                                         | 74.0             | 95.2         |              | 71.9           | 74.0              | 97.2                     | 2.04 |               | 70-130         | 30            | 01-Dec-17 15:28 | 1               | 01-Dec-17 15:40  | 1           |  |
| Labeled Standards | Type                                         |                  | LCS<br>% Rec | LCS<br>Quals |                |                   | LCSD<br>% Rec            |      | LCSD<br>Quals | Limits         |               | LCS<br>Analyzed | LCS<br>Dil      | LCSD<br>Analyzed | LCSD<br>Dil |  |
| 13C2-PFHxA        | SURR                                         |                  | 103          |              |                |                   | 101                      |      |               | 70-130         |               | 01-Dec-17 15:28 | 1               | 01-Dec-17 15:40  | 1           |  |

| Sample ID: CH-AT-1RW74-1117-A                                                                                                                                       |              |                             |                                                    |      | EPA Method 537                                                                                                |                                                                               |           |           |                 |          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|----------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------|-----------|-----------------|----------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 20-Nov-17 15:17 |              |                             |                                                    |      | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-01<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |                                                                               |           |           |                 |          |
|                                                                                                                                                                     |              |                             |                                                    |      |                                                                                                               |                                                                               |           |           |                 |          |
|                                                                                                                                                                     |              |                             |                                                    |      |                                                                                                               |                                                                               |           |           |                 |          |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                          | LOD                                                | LOQ  | Qualifiers                                                                                                    | Batch                                                                         | Extracted | Samp Size | Analyzed        | Dilution |
| PFBS                                                                                                                                                                | ND           | 0.423                       | 4.77                                               | 9.54 |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.262 L   | 01-Dec-17 16:17 | 1        |
| PFOA                                                                                                                                                                | ND           | 1.03                        | 4.77                                               | 9.54 |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.262 L   | 01-Dec-17 16:17 | 1        |
| PFOS                                                                                                                                                                | ND           | 0.993                       | 4.77                                               | 9.54 |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.262 L   | 01-Dec-17 16:17 | 1        |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                  | Limits                                             |      | Qualifiers                                                                                                    | Batch                                                                         | Extracted | Samp Size | Analyzed        | Dilution |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 97.3                        | 70 - 130                                           |      |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.262 L   | 01-Dec-17 16:17 | 1        |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection    | LCL-UCL- Lower control limit - upper control limit |      |                                                                                                               | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers. |           |           |                 |          |
|                                                                                                                                                                     |              | LOO - Limit of quantitation | Results reported to the DL.                        |      |                                                                                                               | Only the linear isomer is reported for all other analytes.                    |           |           |                 |          |

| Sample ID: CH-AT-1FB74-1117-A                                                                                                                                   |              |                                                         |          |                                                                                   |                                                                                                         |                                                                                                                                             |           |           |                 | EPA Method 537 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------|----------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-----------------|----------------|
| <b>Client Data</b><br>Name: CH2M Hill      Matrix: Drinking Water<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation      Date Collected: 20-Nov-17 15:18 |              |                                                         |          |                                                                                   | <b>Laboratory Data</b><br>Lab Sample: 1701770-02      Column: BEH C18<br>Date Received: 22-Nov-17 14:18 |                                                                                                                                             |           |           |                 |                |
| Analyte                                                                                                                                                         | Conc. (ng/L) | DL                                                      | LOD      | LOQ                                                                               | Qualifiers                                                                                              | Batch                                                                                                                                       | Extracted | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                            | ND           | 0.417                                                   | 4.70     | 9.40                                                                              |                                                                                                         | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 16:30 | 1              |
| PFOA                                                                                                                                                            | ND           | 1.02                                                    | 4.70     | 9.40                                                                              |                                                                                                         | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 16:30 | 1              |
| PFOS                                                                                                                                                            | ND           | 0.978                                                   | 4.70     | 9.40                                                                              |                                                                                                         | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 16:30 | 1              |
| Labeled Standards                                                                                                                                               | Type         | % Recovery                                              | Limits   |                                                                                   | Qualifiers                                                                                              | Batch                                                                                                                                       | Extracted | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                      | SURR         | 103                                                     | 70 - 130 |                                                                                   |                                                                                                         | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 16:30 | 1              |
| DL - Detection Limit                                                                                                                                            |              | LOD - Limit of Detection<br>LOQ - Limit of quantitation |          | LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL. |                                                                                                         | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers.<br>Only the linear isomer is reported for all other analytes. |           |           |                 |                |

| Sample ID: CH-AT-1RW74-1117-B                                                                                                                                       |              |                             |          |                                                    | EPA Method 537                                                                                                |         |                                                                               |           |                 |          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|----------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------|-----------|-----------------|----------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 20-Nov-17 15:23 |              |                             |          |                                                    | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-03<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |         |                                                                               |           |                 |          |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |          |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |          |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                          | LOD      | LOQ                                                | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution |
| PFBS                                                                                                                                                                | ND           | 0.437                       | 4.93     | 9.86                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.254 L   | 01-Dec-17 16:42 | 1        |
| PFOA                                                                                                                                                                | ND           | 1.06                        | 4.93     | 9.86                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.254 L   | 01-Dec-17 16:42 | 1        |
| PFOS                                                                                                                                                                | ND           | 1.03                        | 4.93     | 9.86                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.254 L   | 01-Dec-17 16:42 | 1        |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                  | Limits   |                                                    | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 105                         | 70 - 130 |                                                    |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.254 L   | 01-Dec-17 16:42 | 1        |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection    |          | LCL-UCL- Lower control limit - upper control limit |                                                                                                               |         | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers. |           |                 |          |
|                                                                                                                                                                     |              | LOO - Limit of quantitation |          | Results reported to the DL.                        |                                                                                                               |         | Only the linear isomer is reported for all other analytes.                    |           |                 |          |

| Sample ID: CH-AT-1FB74-1117-B                                                                                                                                       |              |                             |          |                                                    |                                                                                                               |                                                                               |           |           |                 | EPA Method 537 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|----------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------|-----------|-----------------|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 20-Nov-17 15:24 |              |                             |          |                                                    | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-04<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |                                                                               |           |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |                                                                               |           |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |                                                                               |           |           |                 |                |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                          | LOD      | LOQ                                                | Qualifiers                                                                                                    | Batch                                                                         | Extracted | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                                | ND           | 0.414                       | 4.67     | 9.34                                               |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.268 L   | 01-Dec-17 17:32 | 1              |
| PFOA                                                                                                                                                                | ND           | 1.01                        | 4.67     | 9.34                                               |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.268 L   | 01-Dec-17 17:32 | 1              |
| PFOS                                                                                                                                                                | ND           | 0.972                       | 4.67     | 9.34                                               |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.268 L   | 01-Dec-17 17:32 | 1              |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                  | Limits   |                                                    | Qualifiers                                                                                                    | Batch                                                                         | Extracted | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 98.0                        | 70 - 130 |                                                    |                                                                                                               | B7K0189                                                                       | 29-Nov-17 | 0.268 L   | 01-Dec-17 17:32 | 1              |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection    |          | LCL-UCL- Lower control limit - upper control limit |                                                                                                               | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers. |           |           |                 |                |
|                                                                                                                                                                     |              | LOQ - Limit of quantitation |          | Results reported to the DL.                        |                                                                                                               | Only the linear isomer is reported for all other analytes.                    |           |           |                 |                |

| Sample ID: CH-AT-1RW75-1117                                                                                                                                         |              |                                                         |          |                                                                                   |                                                                                                               |                                                                                                                                             |           |           |                 | EPA Method 537 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------|----------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-----------------|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 21-Nov-17 09:30 |              |                                                         |          |                                                                                   | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-05<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |                                                                                                                                             |           |           |                 |                |
|                                                                                                                                                                     |              |                                                         |          |                                                                                   |                                                                                                               |                                                                                                                                             |           |           |                 |                |
|                                                                                                                                                                     |              |                                                         |          |                                                                                   |                                                                                                               |                                                                                                                                             |           |           |                 |                |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                                                      | LOD      | LOQ                                                                               | Qualifiers                                                                                                    | Batch                                                                                                                                       | Extracted | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                                | ND           | 0.416                                                   | 4.70     | 9.40                                                                              |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 17:44 | 1              |
| PFOA                                                                                                                                                                | ND           | 1.02                                                    | 4.70     | 9.40                                                                              |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 17:44 | 1              |
| PFOS                                                                                                                                                                | ND           | 0.978                                                   | 4.70     | 9.40                                                                              |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 17:44 | 1              |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                                              | Limits   |                                                                                   | Qualifiers                                                                                                    | Batch                                                                                                                                       | Extracted | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 103                                                     | 70 - 130 |                                                                                   |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.266 L   | 01-Dec-17 17:44 | 1              |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection<br>LOQ - Limit of quantitation |          | LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL. |                                                                                                               | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers.<br>Only the linear isomer is reported for all other analytes. |           |           |                 |                |

| Sample ID: CH-AT-1FB75-1117                                                                                                                                         |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 | EPA Method 537 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|----------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------|-----------|-----------------|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 21-Nov-17 09:31 |              |                             |          |                                                    | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-06<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                          | LOD      | LOQ                                                | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                                | ND           | 0.416                       | 4.70     | 9.39                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.266 L   | 01-Dec-17 17:57 | 1              |
| PFOA                                                                                                                                                                | ND           | 1.01                        | 4.70     | 9.39                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.266 L   | 01-Dec-17 17:57 | 1              |
| PFOS                                                                                                                                                                | ND           | 0.977                       | 4.70     | 9.39                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.266 L   | 01-Dec-17 17:57 | 1              |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                  | Limits   |                                                    | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 108                         | 70 - 130 |                                                    |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.266 L   | 01-Dec-17 17:57 | 1              |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection    |          | LCL-UCL- Lower control limit - upper control limit |                                                                                                               |         | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers. |           |                 |                |
|                                                                                                                                                                     |              | LOO - Limit of quantitation |          | Results reported to the DL.                        |                                                                                                               |         | Only the linear isomer is reported for all other analytes.                    |           |                 |                |

| Sample ID: CH-AT-1RW76-1117                                                                                                                                         |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 | EPA Method 537 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|----------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------|-----------|-----------------|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 21-Nov-17 09:44 |              |                             |          |                                                    | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-07<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                          | LOD      | LOQ                                                | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                                | ND           | 0.424                       | 4.79     | 9.57                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.261 L   | 01-Dec-17 18:09 | 1              |
| PFOA                                                                                                                                                                | ND           | 1.03                        | 4.79     | 9.57                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.261 L   | 01-Dec-17 18:09 | 1              |
| PFOS                                                                                                                                                                | ND           | 0.996                       | 4.79     | 9.57                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.261 L   | 01-Dec-17 18:09 | 1              |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                  | Limits   |                                                    | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 95.6                        | 70 - 130 |                                                    |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.261 L   | 01-Dec-17 18:09 | 1              |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection    |          | LCL-UCL- Lower control limit - upper control limit |                                                                                                               |         | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers. |           |                 |                |
|                                                                                                                                                                     |              | LOO - Limit of quantitation |          | Results reported to the DL.                        |                                                                                                               |         | Only the linear isomer is reported for all other analytes.                    |           |                 |                |

| Sample ID: CH-AT-1FB76-1117                                                                                                                                         |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 | EPA Method 537 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|----------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------|-----------|-----------------|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 21-Nov-17 09:45 |              |                             |          |                                                    | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-08<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                          | LOD      | LOQ                                                | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                                | ND           | 0.411                       | 4.64     | 9.28                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.269 L   | 01-Dec-17 18:22 | 1              |
| PFOA                                                                                                                                                                | ND           | 1.00                        | 4.64     | 9.28                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.269 L   | 01-Dec-17 18:22 | 1              |
| PFOS                                                                                                                                                                | ND           | 0.965                       | 4.64     | 9.28                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.269 L   | 01-Dec-17 18:22 | 1              |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                  | Limits   |                                                    | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 98.7                        | 70 - 130 |                                                    |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.269 L   | 01-Dec-17 18:22 | 1              |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection    |          | LCL-UCL- Lower control limit - upper control limit |                                                                                                               |         | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers. |           |                 |                |
|                                                                                                                                                                     |              | LOO - Limit of quantitation |          | Results reported to the DL.                        |                                                                                                               |         | Only the linear isomer is reported for all other analytes.                    |           |                 |                |

| Sample ID: CH-AT-1RW77-1117                                                                                                                                         |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 | EPA Method 537 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|----------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------|-----------|-----------------|----------------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 21-Nov-17 10:04 |              |                             |          |                                                    | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-09<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
|                                                                                                                                                                     |              |                             |          |                                                    |                                                                                                               |         |                                                                               |           |                 |                |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                          | LOD      | LOQ                                                | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| PFBS                                                                                                                                                                | ND           | 0.423                       | 4.77     | 9.54                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.262 L   | 01-Dec-17 18:34 | 1              |
| PFOA                                                                                                                                                                | ND           | 1.03                        | 4.77     | 9.54                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.262 L   | 01-Dec-17 18:34 | 1              |
| PFOS                                                                                                                                                                | ND           | 0.992                       | 4.77     | 9.54                                               |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.262 L   | 01-Dec-17 18:34 | 1              |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                  | Limits   |                                                    | Qualifiers                                                                                                    | Batch   | Extracted                                                                     | Samp Size | Analyzed        | Dilution       |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 104                         | 70 - 130 |                                                    |                                                                                                               | B7K0189 | 29-Nov-17                                                                     | 0.262 L   | 01-Dec-17 18:34 | 1              |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection    |          | LCL-UCL- Lower control limit - upper control limit |                                                                                                               |         | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers. |           |                 |                |
|                                                                                                                                                                     |              | LOO - Limit of quantitation |          | Results reported to the DL.                        |                                                                                                               |         | Only the linear isomer is reported for all other analytes.                    |           |                 |                |

| Sample ID: CH-AT-1FB77-1117                                                                                                                                         |              |                                                         |          |                                                                                   | EPA Method 537                                                                                                |                                                                                                                                             |           |                 |                 |          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------|----------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------|-----------------|----------|
| <b>Client Data</b><br><br>Name: CH2M Hill<br>Project: CTO-08, MCOLF Atlantic PFAS DW Investigation<br><br>Matrix: Drinking Water<br>Date Collected: 21-Nov-17 10:05 |              |                                                         |          |                                                                                   | <b>Laboratory Data</b><br><br>Lab Sample: 1701770-10<br>Date Received: 22-Nov-17 14:18<br><br>Column: BEH C18 |                                                                                                                                             |           |                 |                 |          |
|                                                                                                                                                                     |              |                                                         |          |                                                                                   |                                                                                                               |                                                                                                                                             |           |                 |                 |          |
|                                                                                                                                                                     |              |                                                         |          |                                                                                   |                                                                                                               |                                                                                                                                             |           |                 |                 |          |
| Analyte                                                                                                                                                             | Conc. (ng/L) | DL                                                      | LOD      | LOQ                                                                               | Qualifiers                                                                                                    | Batch                                                                                                                                       | Extracted | Samp Size       | Analyzed        | Dilution |
| PFBS                                                                                                                                                                | ND           | 0.419                                                   | 4.73     | 9.46                                                                              |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.264 L         | 01-Dec-17 18:46 | 1        |
| PFOA                                                                                                                                                                | ND           | 1.02                                                    | 4.73     | 9.46                                                                              |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.264 L         | 01-Dec-17 18:46 | 1        |
| PFOS                                                                                                                                                                | ND           | 0.984                                                   | 4.73     | 9.46                                                                              |                                                                                                               | B7K0189                                                                                                                                     | 29-Nov-17 | 0.264 L         | 01-Dec-17 18:46 | 1        |
| Labeled Standards                                                                                                                                                   | Type         | % Recovery                                              | Limits   | Qualifiers                                                                        | Batch                                                                                                         | Extracted                                                                                                                                   | Samp Size | Analyzed        | Dilution        |          |
| 13C2-PFHxA                                                                                                                                                          | SURR         | 97.7                                                    | 70 - 130 |                                                                                   | B7K0189                                                                                                       | 29-Nov-17                                                                                                                                   | 0.264 L   | 01-Dec-17 18:46 | 1               |          |
| DL - Detection Limit                                                                                                                                                |              | LOD - Limit of Detection<br>LOQ - Limit of quantitation |          | LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL. |                                                                                                               | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers.<br>Only the linear isomer is reported for all other analytes. |           |                 |                 |          |

## **DATA QUALIFIERS & ABBREVIATIONS**

|              |                                                                                                |
|--------------|------------------------------------------------------------------------------------------------|
| <b>B</b>     | <b>This compound was also detected in the method blank.</b>                                    |
| <b>D</b>     | <b>Dilution</b>                                                                                |
| <b>E</b>     | <b>The associated compound concentration exceeded the calibration range of the instrument.</b> |
| <b>H</b>     | <b>Recovery and/or RPD was outside laboratory acceptance limits.</b>                           |
| <b>I</b>     | <b>Chemical Interference</b>                                                                   |
| <b>J</b>     | <b>The amount detected is below the Reporting Limit/LOQ.</b>                                   |
| <b>M</b>     | <b>Estimated Maximum Possible Concentration. (CA Region 2 projects only)</b>                   |
| <b>*</b>     | <b>See Cover Letter</b>                                                                        |
| <b>Conc.</b> | <b>Concentration</b>                                                                           |
| <b>NA</b>    | <b>Not applicable</b>                                                                          |
| <b>ND</b>    | <b>Not Detected</b>                                                                            |
| <b>TEQ</b>   | <b>Toxic Equivalency</b>                                                                       |
| <b>U</b>     | <b>Not Detected (specific projects only)</b>                                                   |

**Unless otherwise noted, solid sample results are reported in dry weight. Tissue samples are reported in wet weight.**

## CERTIFICATIONS

| Accrediting Authority                               | Certificate Number |
|-----------------------------------------------------|--------------------|
| Arkansas Department of Environmental Quality        | 17-015-0           |
| California Department of Health – ELAP              | 2892               |
| DoD ELAP - A2LA Accredited - ISO/IEC 17025:2005     | 3091.01            |
| Florida Department of Health                        | E87777-18          |
| Hawaii Department of Health                         | N/A                |
| Louisiana Department of Environmental Quality       | 01977              |
| Maine Department of Health                          | 2016026            |
| Minnesota Department of Health                      | 1175673            |
| New Hampshire Environmental Accreditation Program   | 207716             |
| New Jersey Department of Environmental Protection   | CA003              |
| New York Department of Health                       | 11411              |
| Oregon Laboratory Accreditation Program             | 4042-008           |
| Pennsylvania Department of Environmental Protection | 013                |
| Texas Commission on Environmental Quality           | T104704189-17-8    |
| Virginia Department of General Services             | 8621               |
| Washington Department of Ecology                    | C584               |
| Wisconsin Department of Natural Resources           | 998036160          |

*Current certificates and lists of licensed parameters are located in the Quality Assurance office and are available upon request.*

## NELAP Accredited Test Methods

| MATRIX: Air                                                                |        |
|----------------------------------------------------------------------------|--------|
| Description of Test                                                        | Method |
| Determination of Polychlorinated p-Dioxins & Polychlorinated Dibenzofurans | EPA 23 |

| MATRIX: Biological Tissue                                                                   |                |
|---------------------------------------------------------------------------------------------|----------------|
| Description of Test                                                                         | Method         |
| Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS              | EPA 1613B      |
| Brominated Diphenyl Ethers by HRGC/HRMS                                                     | EPA 1614A      |
| Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by GC/HRMS              | EPA 1668A/C    |
| Pesticides in Water, Soil, Sediment, Biosolids, and Tissue by HRGC/HRMS                     | EPA 1699       |
| Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS                            | EPA 537        |
| Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofurans by GC/HRMS              | EPA 8280A/B    |
| Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by GC/HRMS | EPA 8290/8290A |

| MATRIX: Drinking Water                                           |          |
|------------------------------------------------------------------|----------|
| Description of Test                                              | Method   |
| 2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD) GC/HRMS      | EPA 1613 |
| Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS | EPA 537  |

| MATRIX: Non-Potable Water                                                                   |                |
|---------------------------------------------------------------------------------------------|----------------|
| Description of Test                                                                         | Method         |
| Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS              | EPA 1613B      |
| Brominated Diphenyl Ethers by HRGC/HRMS                                                     | EPA 1614A      |
| Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by GC/HRMS              | EPA 1668A/C    |
| Pesticides in Water, Soil, Sediment, Biosolids, and Tissue by HRGC/HRMS                     | EPA 1699       |
| Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS                            | EPA 537        |
| Dioxin by GC/HRMS                                                                           | EPA 613        |
| Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofurans by GC/HRMS              | EPA 8280A/B    |
| Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by GC/HRMS | EPA 8290/8290A |

| MATRIX: Solids                                                        |           |
|-----------------------------------------------------------------------|-----------|
| Description of Test                                                   | Method    |
| Tetra-Octa Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS | EPA 1613  |
| Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope         | EPA 1613B |

|                                                                                             |                |
|---------------------------------------------------------------------------------------------|----------------|
| Dilution GC/HRMS                                                                            |                |
| Brominated Diphenyl Ethers by HRGC/HRMS                                                     | EPA 1614A      |
| Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by GC/HRMS              | EPA 1668A/C    |
| Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS                            | EPA 537        |
| Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofurans by GC/HRMS              | EPA 8280A/B    |
| Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by GC/HRMS | EPA 8290/8290A |

Coder 2 - (of 1) pages

CTO-08 679580.15.FI.FS

ID: LR - 537COC



## CHAIN OF CUSTODY

For Laboratory Use Only  
Work Order #: 1701770 Temp: 1.0 °C  
Storage ID: WR-2 Storage Secured Yes ☒ No ☐

Project ID: CTO-08, MCOLF Atlantic PFAS DW Investigation  
PO#: 10006-7-106051 Sampler: J. Towns/ A. Ewalt/ K. Smith  
(name)

TAT (check one): ☐ 21 days  
☐ 14 days ☒ 7 days Specify: \_\_\_\_\_  
Standard: ☐ Rush (surcharge may apply)

Invoice to: Name Tiffany Hill Company CH2M Address 1100 NE Circle Blvd Suite #300 City Corvallis State Oregon Ph# 541-768-3109 Fax# \_\_\_\_\_

Relinquished by (printed name and signature) Kathryn Smith Date 11/21/17 Time 12:00  
Received by (printed name and signature) Marissa Sparks Date 11/22/17 Time 1422  
Relinquished by (printed name and signature) \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_  
Received by (printed name and signature) \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

SHIP TO: Vista Analytical Laboratory  
1104 Windfield Way  
El Dorado Hills, CA 95762  
(916) 673-1520 \* Fax (916) 673-0106

ATTN: Martha Maier

Method of Shipment:  
FEDEX

Tracking No: \_\_\_\_\_

Add Analysis(es) Requested

Container(s)

Mod EPA  
Method 537

EPA Method  
537(DW only)

| Sample ID          | Date     | Time  | Location/Sample Description | Quantity | Type | Matrix | PFOA/PFOS | UCMR3 PFAS List 6 | 537 List: 14 | Full List of 26 | Other Please List | PFOA/PFOS | UCMR3 PFAS List 6 | PFAS List: 14 | Comments        |
|--------------------|----------|-------|-----------------------------|----------|------|--------|-----------|-------------------|--------------|-----------------|-------------------|-----------|-------------------|---------------|-----------------|
| CH-AT-1RW74-1117-A | 11/20/17 | 15:17 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB74-1117-A | 11/20/17 | 15:18 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1RW74-1117-B | 11/20/17 | 15:23 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB74-1117-B | 11/20/17 | 15:24 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1RW75-1117   | 11/21/17 | 09:30 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB75-1117   | 11/21/17 | 09:31 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1RW76-1117   | 11/21/17 | 09:44 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB76-1117   | 11/21/17 | 09:45 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1RW77-1117   | 11/21/17 | 10:04 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |
| CH-AT-1FB77-1117   | 11/21/17 | 10:05 |                             | 2        | P    | DW     |           |                   |              |                 |                   | X         |                   |               | TZ preservative |

Special Instructions/Comments: 7 DAY TAT  
Analysis of Drinking Water samples for PFOA/PFOS/PFBs

SEND  
DOCUMENTATION  
AND RESULTS TO:

Name: Tiffany Hill  
Company: CH2M HILL Inc.  
Address: 1100 NE Circle Blvd Suite 300  
City: Corvallis State: OR Zip: 97330  
Phone: 541-768-3109 Fax: \_\_\_\_\_  
Email: Tiffany.Hill@ch2m.com

Container Types: P= HDPE, PJ= HDPE Jar  
O = Other \_\_\_\_\_

Bottle Preservation Type: T = Thiosulfate,  
TZ = Trizma: \_\_\_\_\_

Matrix Types: AQ = Aqueous, DW = Drinking Water, EF = Effluent, PP = Pulp/Paper, SD = Sediment,  
SL = Sludge, SO = Soil, WW = Wastewater, B = Blood/Serum, O = Other: \_\_\_\_\_

## Sample Log-in Checklist

Vista Work Order #: 1701770 TAT 12 days

|                                   |                                                                                                                                                                                                                     |                         |                                                 |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------------------------------------------|
| <b>Samples Arrival:</b>           | Date/Time<br><u>11/22/17 1418</u>                                                                                                                                                                                   | Initials:<br><u>WWS</u> | Location: <u>WR-2</u><br>Shelf/Rack: <u>N/A</u> |
| <b>Logged In:</b>                 | Date/Time<br><u>11/22/17 1528</u> <u>JAB</u>                                                                                                                                                                        | Initials:<br><u>WWS</u> | Location: <u>WR-2</u><br>Shelf/Rack: <u>G-7</u> |
| <b>Delivered By:</b>              | <input checked="" type="radio"/> FedEx <input type="radio"/> UPS <input type="radio"/> On Trac <input type="radio"/> GSO <input type="radio"/> DHL <input type="radio"/> Hand Delivered <input type="radio"/> Other |                         |                                                 |
| <b>Preservation:</b>              | <input checked="" type="radio"/> Ice <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None                                                                                        |                         |                                                 |
| Temp °C: <u>0.9</u> (uncorrected) | Time: <u>1422</u>                                                                                                                                                                                                   |                         | Thermometer ID: IR-1                            |
| Temp °C: <u>1.0</u> (corrected)   | Probe used: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>                                                                                                                                     |                         |                                                 |

|                                                                    | YES                                           | NO            | NA            |
|--------------------------------------------------------------------|-----------------------------------------------|---------------|---------------|
| Adequate Sample Volume Received?                                   | ✓                                             |               |               |
| Holding Time Acceptable?                                           | ✓                                             |               |               |
| Shipping Container(s) Intact?                                      | ✓                                             |               |               |
| Shipping Custody Seals Intact?                                     | ✓                                             |               |               |
| Shipping Documentation Present?                                    | ✓                                             |               |               |
| Airbill <u>1 of 2</u> Trk # <u>7708 0139 4131</u>                  | ✓                                             |               |               |
| Sample Container Intact?                                           | ✓                                             |               |               |
| Sample Custody Seals Intact?                                       |                                               |               | ✓             |
| Chain of Custody / Sample Documentation Present?                   | ✓                                             |               |               |
| COC Anomaly/Sample Acceptance Form completed?                      |                                               | ✓             | ✓             |
| If Chlorinated or Drinking Water Samples, Acceptable Preservation? | ✓                                             |               |               |
| Preservation Documented:                                           | Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> | <u>Trizma</u> | None          |
| Shipping Container                                                 | <u>Vista</u>                                  | Client        | <u>Retain</u> |
|                                                                    |                                               | Return        | Dispose       |

Comments:

## **EXTRACTION INFORMATION**



Process Sheet  
Workorder: **1701770**

Prep Expiration: 2017-Dec-04  
Client: CH2M Hill

Workorder Due: **04-Dec-17 00:00**

TAT: 12

Method: **537 PFAS DW DoD Unmodified**  
Matrix: **Drinking Water**  
Client Matrix: Drinking Water

Prep Batch: B7K0189

Prep Data Entered: 12/1/17 am  
Date and Initials

Version: PFOA, PFOS, & PFBS  
DoD: **DoD QSM 5.1**

Initial Sequence: \_\_\_\_\_

| LabSampleID | Recon                               | ClientSampleID       | Date Received   | Location | Comments |
|-------------|-------------------------------------|----------------------|-----------------|----------|----------|
| 1701770-01  | <input checked="" type="checkbox"/> | CH-AT-1RW74-1117-A ✓ | 22-Nov-17 14:18 | WR-2 E-7 |          |
| 1701770-02  | <input checked="" type="checkbox"/> | CH-AT-1FB74-1117-A ✓ | 22-Nov-17 14:18 | WR-2 E-7 |          |
| 1701770-03  | <input checked="" type="checkbox"/> | CH-AT-1RW74-1117-B ✓ | 22-Nov-17 14:18 | WR-2 E-7 |          |
| 1701770-04  | <input checked="" type="checkbox"/> | CH-AT-1FB74-1117-B ✓ | 22-Nov-17 14:18 | WR-2 E-7 |          |
| 1701770-05  | <input checked="" type="checkbox"/> | CH-AT-1RW75-1117 ✓   | 22-Nov-17 14:18 | WR-2 E-7 |          |
| 1701770-06  | <input checked="" type="checkbox"/> | CH-AT-1FB75-1117 ✓   | 22-Nov-17 14:18 | WR-2 E-7 |          |
| 1701770-07  | <input checked="" type="checkbox"/> | CH-AT-1RW76-1117 ✓   | 22-Nov-17 14:18 | WR-2 E-7 |          |
| 1701770-08  | <input checked="" type="checkbox"/> | CH-AT-1FB76-1117 ✓   | 22-Nov-17 14:18 | WR-2 E-7 |          |
| 1701770-09  | <input checked="" type="checkbox"/> | CH-AT-1RW77-1117 ✓   | 22-Nov-17 14:18 | WR-2 E-7 |          |
| 1701770-10  | <input checked="" type="checkbox"/> | CH-AT-1FB77-1117 ✓   | 22-Nov-17 14:18 | WR-2 E-7 |          |

Vista PM: Martha Maier

Vial Box ID: Kenny Loggins

Sample Reconciled By: 7/2

Page 1 of 1

Spike Reconciled: KC 11/29/17

# PREPARATION BENCH SHEET

Matrix: Drinking Water

Method: 537 PFAS DW DoD Unmodified

B7K0189

Chemist: 7H

Prep Date/Time: 29-Nov-17 11:55

Prepared using: LCMS - SPE Extraction-LCMS

BalanceID: HRMS-8

| Cen                      | VISTA Sample ID  | Bottle + Sample (g) | Bottle Only (g) | Sample Amt. (L) | SS/NS CHEM/WIT DATE | SPE      | IS CHEM/WIT DATE |
|--------------------------|------------------|---------------------|-----------------|-----------------|---------------------|----------|------------------|
| <input type="checkbox"/> | B7K0189-BLK1 (A) | NA                  | NA              | (0.250) ✓       | 7H                  | 11-29-17 | 7H               |
| <input type="checkbox"/> | B7K0189-BS1      | ↓                   | ↓               | (0.250) ✓       | ↓                   | ↓        | ↓                |
| <input type="checkbox"/> | B7K0189-BSD1     | ↓                   | ↓               | (0.250) ✓       | ↓                   | ↓        | ↓                |
| <input type="checkbox"/> | 1701752-01RE1    | 272.57              | 28.44           | 0.24413         |                     |          |                  |
| <input type="checkbox"/> | 1701770-01       | 290.21              | 28.25           | 0.26196 ✓       |                     |          |                  |
| <input type="checkbox"/> | 1701770-02       | 292.82              | 26.97           | 0.26585 ✓       |                     |          |                  |
| <input type="checkbox"/> | 1701770-03       | 281.04              | 27.46           | 0.25358 ✓       |                     |          |                  |
| <input type="checkbox"/> | 1701770-04       | 295.19              | 27.58           | 0.26761 ✓       |                     |          |                  |
| <input type="checkbox"/> | 1701770-05       | 299.25              | 28.32           | 0.26593 ✓       |                     |          |                  |
| <input type="checkbox"/> | 1701770-06       | 293.49              | 27.37           | 0.26612 ✓       |                     |          |                  |
| <input type="checkbox"/> | 1701770-07       | 289.28              | 28.16           | 0.26112 ✓       |                     |          |                  |
| <input type="checkbox"/> | 1701770-08       | 296.43              | 26.95           | 0.26948 ✓       |                     |          |                  |
| <input type="checkbox"/> | 1701770-09       | 289.48              | 27.47           | 0.26201 ✓       |                     |          |                  |
| <input type="checkbox"/> | 1701770-10       | 292.23              | 27.90           | 0.26433 ✓       | ↓                   | ↓        | ↓                |

|                                                                                                       |                                                                                                                                                               |                                                   |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| SS/IS: <u>17J3101, 50µL (U1)</u><br>NS: <u>17J2601, 20µL (U2)</u><br>IS/RS: <u>17J3102, 50µL (U1)</u> | SPE Chem: <u>Strata X-33</u> <sup>500mg/bul</sup><br>Lot#: <u>517-001946</u><br>Ele SOLV: <u>MeOH</u><br>Lot#: <u>J3054406</u><br>Final Volume(s): <u>1mL</u> | Notes: (A) 1.25 grams of trizma added 7H 11-29-17 |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|

Comments: Assume 1 g = 1 mL

Cen = Centrifuged

Work Order 1701770

# PREPARATION BENCH SHEET

Matrix: Drinking Water

Method: 537 PFAS DW DoD Unmodified

B7K0189

Chemist: HC

Prep Date/Time: 29-Nov-17 11:55

Prepared using: LCMS - SPE Extraction-LCMS

|                          |                 | BalanceID: 17KMS-8  |                 |                 |                     |             |                  |
|--------------------------|-----------------|---------------------|-----------------|-----------------|---------------------|-------------|------------------|
| Cen                      | VISTA Sample ID | Bottle + Sample (g) | Bottle Only (g) | Sample Amt. (L) | SS/NS CHEM/WIT DATE | SPE         | IS CHEM/WIT DATE |
| <input type="checkbox"/> | B7K0189-BLK1    |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | B7K0189-BS1     |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | B7K0189-BSD1    |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701752-01RE1   |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701752-05RE1   | 278.77              | 28.34           | 0.25043         | HC VC 11-29-17      | HC 11-29-17 | HC HN 11-30-17   |
| <input type="checkbox"/> | 1701770-01      |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701770-02      |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701770-03      |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701770-04      |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701770-05      |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701770-06      |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701770-07      |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701770-08      |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701770-09      |                     |                 |                 |                     |             |                  |
| <input type="checkbox"/> | 1701770-10      |                     |                 |                 |                     |             |                  |

|                                                                                                       |                                                                                                                                                                         |        |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| SS/IS: <u>17J3101, 50µl (V1)</u><br>NS: <u>17I2601, 20µl (V2)</u><br>IS/RS: <u>17J3102, 50µl (V1)</u> | SPE Chem: <u>Strata X3</u> <sup>500mg</sup><br>Lot#: <u>517-001946</u> <sub>/6mL</sub><br>Ele SOLV: <u>MeOH</u><br>Lot#: <u>JB054909</u><br>Final Volume(s): <u>1mL</u> | Notes: |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|

Comments: Assume 1 g = 1 mL

Cen = Centrifuged  
Work Order 1701770

Batch: B7K0189

Matrix: Drinking Water

| LabNumber                | WetWeight<br>(Initial) | % Solids<br>(Extraction Solids) | DryWeight     | Final | Extracted       | Ext By | Spike   | SpikeAmount | ClientMatrix   | Analysis              |
|--------------------------|------------------------|---------------------------------|---------------|-------|-----------------|--------|---------|-------------|----------------|-----------------------|
| <del>1701752-01RE1</del> | <del>0.26137</del>     | <del>Am 12/1/17 NA</del>        | <del>NA</del> | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| <del>1701752-05RE1</del> | <del>0.26117</del>     | <del>Am 12/1/17</del>           |               | 1000  | 22-Nov-17 14:00 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-01               | 0.26196                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-02               | 0.26585                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-03               | 0.25358                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-04               | 0.26761                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-05               | 0.26593                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-06               | 0.26612                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-07               | 0.26112                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-08               | 0.26948                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-09               | 0.26201                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| 1701770-10               | 0.26433                | ✓                               |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             | Drinking Water | 537 PFAS DW DoD Unmoc |
| B7K0189-BLK1             | 0.25                   |                                 |               | 1000  | 29-Nov-17 11:55 | HAC    |         |             |                | QC                    |
| B7K0189-BS1              | 0.25                   |                                 |               | 1000  | 29-Nov-17 11:55 | HAC    | 1712601 | ✓ 10        |                | QC                    |
| B7K0189-BSD1             | 0.25                   |                                 |               | 1000  | 29-Nov-17 11:55 | HAC    | 1712601 | ✓ 10        |                | QC                    |

Am 12/1/17

## **SAMPLE DATA –EPA METHOD 537**

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-28.qld

Last Altered: Saturday, December 02, 2017 14:46:51 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:48:51 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_28, Date: 01-Dec-2017, Time: 16:05:18, ID: B7K0189-BLK1 LRB 0.25, Description: LRB

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc.  | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|--------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.05e4  |       | 0.2500 | 3.07    |      |              |        |       |
| 2 | 2 PFOA       | 413 > 368.7   | 3.83e1 | 9.23e3  |       | 0.2500 | 4.37    | 4.37 | 0.0415       | 0.203  |       |
| 3 | 3 PFOS       | 499 >79.9     | 2.64e0 | 1.05e4  |       | 0.2500 | 4.77    | 4.78 | 0.00722      | 0.0244 |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.07e3 | 9.23e3  | 0.429 | 0.2500 | 3.43    | 3.42 | 4.41         | 41.2   | 103.0 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 4.50e3 | 9.23e3  | 0.548 | 0.2500 | 5.00    | 5.00 | 4.87         | 35.6   | 89.0  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.23e3 | 9.23e3  | 1.000 | 0.2500 | 4.41    | 4.37 | 10.0         | 40.0   | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.05e4 | 1.05e4  | 1.000 | 0.2500 | 4.81    | 4.77 | 28.7         | 115    | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-28.qld


Last Altered: Saturday, December 02, 2017 14:46:51 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:48:51 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_28, Date: 01-Dec-2017, Time: 16:05:18, ID: B7K0189-BLK1 LRB 0.25, Description: LRB



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-25.qld

Last Altered: Saturday, December 02, 2017 12:50:40 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:39:41 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_25, Date: 01-Dec-2017, Time: 15:28:02, ID: B7K0189-BS1 LFB 0.25, Description: LFB

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    | 4.61e3 | 1.02e4  |       | 0.2500 | 3.07    | 3.06 | 13.0         | 64.3  | 90.8  |
| 2 | 2 PFOA       | 413 > 368.7   | 1.43e4 | 9.14e3  |       | 0.2500 | 4.37    | 4.37 | 15.6         | 76.5  | 95.6  |
| 3 | 3 PFOS       | 499 >79.9     | 7.41e3 | 1.02e4  |       | 0.2500 | 4.77    | 4.77 | 20.8         | 70.5  | 95.2  |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.03e3 | 9.14e3  | 0.429 | 0.2500 | 3.43    | 3.42 | 4.41         | 41.1  | 102.8 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 4.43e3 | 9.14e3  | 0.548 | 0.2500 | 5.00    | 5.00 | 4.85         | 35.4  | 88.6  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.14e3 | 9.14e3  | 1.000 | 0.2500 | 4.41    | 4.37 | 10.0         | 40.0  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.02e4 | 1.02e4  | 1.000 | 0.2500 | 4.81    | 4.77 | 28.7         | 115   | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-25.qld


Last Altered: Saturday, December 02, 2017 12:50:40 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:39:41 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_25, Date: 01-Dec-2017, Time: 15:28:02, ID: B7K0189-BS1 LFB 0.25, Description: LFB



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-26.qld

Last Altered: Saturday, December 02, 2017 14:38:23 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:38:53 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_26, Date: 01-Dec-2017, Time: 15:40:26, ID: B7K0189-BSD1 LFBD 0.25, Description: LFBD

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    | 4.84e3 | 9.52e3  |       | 0.2500 | 3.07    | 3.06 | 14.6         | 72.3  | 102.1 |
| 2 | 2 PFOA       | 413 > 368.7   | 1.43e4 | 8.59e3  |       | 0.2500 | 4.37    | 4.36 | 16.6         | 81.3  | 101.7 |
| 3 | 3 PFOS       | 499 >79.9     | 7.05e3 | 9.52e3  |       | 0.2500 | 4.77    | 4.77 | 21.3         | 71.9  | 97.2  |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 3.72e3 | 8.59e3  | 0.429 | 0.2500 | 3.43    | 3.42 | 4.34         | 40.5  | 101.2 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 5.09e3 | 8.59e3  | 0.548 | 0.2500 | 5.00    | 5.00 | 5.92         | 43.2  | 108.1 |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 8.59e3 | 8.59e3  | 1.000 | 0.2500 | 4.41    | 4.37 | 10.0         | 40.0  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 9.52e3 | 9.52e3  | 1.000 | 0.2500 | 4.81    | 4.77 | 28.7         | 115   | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-26.qld


Last Altered: Saturday, December 02, 2017 14:38:23 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:38:53 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_26, Date: 01-Dec-2017, Time: 15:40:26, ID: B7K0189-BSD1 LFBD 0.25, Description: LFBD



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-29.qld

Last Altered: Saturday, December 02, 2017 14:49:39 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:50:01 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_29, Date: 01-Dec-2017, Time: 16:17:43, ID: 1701770-01 CH-AT-1RW74-1117-A 0.25, Description: CH-AT-1RW74-1117-A

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.05e4  |       | 0.2620 | 3.07    |      |              |       |       |
| 2 | 2 PFOA       | 413 > 368.7   | 6.21e1 | 8.94e3  |       | 0.2620 | 4.37    | 4.37 | 0.0694       | 0.324 |       |
| 3 | 3 PFOS       | 499 >79.9     |        | 1.05e4  |       | 0.2620 | 4.77    |      |              |       |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 3.73e3 | 8.94e3  | 0.429 | 0.2620 | 3.43    | 3.42 | 4.17         | 37.1  | 97.3  |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 4.76e3 | 8.94e3  | 0.548 | 0.2620 | 5.00    | 5.00 | 5.33         | 37.1  | 97.3  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 8.94e3 | 8.94e3  | 1.000 | 0.2620 | 4.41    | 4.37 | 10.0         | 38.2  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.05e4 | 1.05e4  | 1.000 | 0.2620 | 4.81    | 4.77 | 28.7         | 110   | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-29.qld


Last Altered: Saturday, December 02, 2017 14:49:39 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:50:01 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_29, Date: 01-Dec-2017, Time: 16:17:43, ID: 1701770-01 CH-AT-1RW74-1117-A 0.25, Description: CH-AT-1RW74-1117-A



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-30.qld

Last Altered: Saturday, December 02, 2017 14:50:52 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:51:10 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_30, Date: 01-Dec-2017, Time: 16:30:08, ID: 1701770-02 CH-AT-1FB74-1117-A 0.25, Description: CH-AT-1FB74-1117-A

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.09e4  |       | 0.2658 | 3.07    |      |              |       |       |
| 2 | 2 PFOA       | 413 > 368.7   | 5.53e1 | 9.73e3  |       | 0.2658 | 4.36    | 4.36 | 0.0568       | 0.261 |       |
| 3 | 3 PFOS       | 499 >79.9     |        | 1.09e4  |       | 0.2658 | 4.77    |      |              |       |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.30e3 | 9.73e3  | 0.429 | 0.2658 | 3.42    | 3.42 | 4.42         | 38.8  | 103.1 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 4.66e3 | 9.73e3  | 0.548 | 0.2658 | 4.99    | 5.00 | 4.78         | 32.8  | 87.3  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.73e3 | 9.73e3  | 1.000 | 0.2658 | 4.41    | 4.36 | 10.0         | 37.6  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.09e4 | 1.09e4  | 1.000 | 0.2658 | 4.81    | 4.77 | 28.7         | 108   | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-30.qld


Last Altered: Saturday, December 02, 2017 14:50:52 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:51:10 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_30, Date: 01-Dec-2017, Time: 16:30:08, ID: 1701770-02 CH-AT-1FB74-1117-A 0.25, Description: CH-AT-1FB74-1117-A



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-31.qld

Last Altered: Saturday, December 02, 2017 14:51:55 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:52:13 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_31, Date: 01-Dec-2017, Time: 16:42:34, ID: 1701770-03 CH-AT-1RW74-1117-B 0.25, Description: CH-AT-1RW74-1117-B

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.03e4  |       | 0.2536 | 3.07    |      |              |       |       |
| 2 | 2 PFOA       | 413 > 368.7   | 4.21e1 | 9.41e3  |       | 0.2536 | 4.37    | 4.36 | 0.0447       | 0.216 |       |
| 3 | 3 PFOS       | 499 >79.9     |        | 1.03e4  |       | 0.2536 | 4.77    |      |              |       |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.25e3 | 9.41e3  | 0.429 | 0.2536 | 3.43    | 3.42 | 4.52         | 41.6  | 105.4 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 5.00e3 | 9.41e3  | 0.548 | 0.2536 | 5.00    | 5.00 | 5.32         | 38.3  | 97.1  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.41e3 | 9.41e3  | 1.000 | 0.2536 | 4.41    | 4.37 | 10.0         | 39.4  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.03e4 | 1.03e4  | 1.000 | 0.2536 | 4.81    | 4.77 | 28.7         | 113   | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-31.qld


Last Altered: Saturday, December 02, 2017 14:51:55 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:52:13 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_31, Date: 01-Dec-2017, Time: 16:42:34, ID: 1701770-03 CH-AT-1RW74-1117-B 0.25, Description: CH-AT-1RW74-1117-B



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-35.qld

Last Altered: Saturday, December 02, 2017 14:53:18 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:54:04 Pacific Standard Time

**Method:** U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

**Calibration:** U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

**Name:** 171201G1\_35, **Date:** 01-Dec-2017, **Time:** 17:32:22, **ID:** 1701770-04 CH-AT-1FB74-1117-B 0.25, **Description:** CH-AT-1FB74-1117-B

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc.  | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|--------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.03e4  |       | 0.2676 | 3.07    |      |              |        |       |
| 2 | 2 PFOA       | 413 > 368.7   | 5.18e1 | 9.68e3  |       | 0.2676 | 4.36    | 4.37 | 0.0535       | 0.244  |       |
| 3 | 3 PFOS       | 499 >79.9     | 1.03e1 | 1.03e4  |       | 0.2676 | 4.77    | 4.67 | 0.0286       | 0.0904 |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.06e3 | 9.68e3  | 0.429 | 0.2676 | 3.42    | 3.42 | 4.20         | 36.6   | 98.0  |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 5.12e3 | 9.68e3  | 0.548 | 0.2676 | 4.99    | 5.00 | 5.29         | 36.1   | 96.5  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.68e3 | 9.68e3  | 1.000 | 0.2676 | 4.41    | 4.36 | 10.0         | 37.4   | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.03e4 | 1.03e4  | 1.000 | 0.2676 | 4.81    | 4.77 | 28.7         | 107    | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-35.qld


Last Altered: Saturday, December 02, 2017 14:53:18 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:54:04 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_35, Date: 01-Dec-2017, Time: 17:32:22, ID: 1701770-04 CH-AT-1FB74-1117-B 0.25, Description: CH-AT-1FB74-1117-B



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-36.qld

Last Altered: Saturday, December 02, 2017 14:58:12 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:58:34 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_36, Date: 01-Dec-2017, Time: 17:44:49, ID: 1701770-05 CH-AT-1RW75-1117 0.25, Description: CH-AT-1RW75-1117

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc.  | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|--------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.09e4  |       | 0.2659 | 3.06    |      |              |        |       |
| 2 | 2 PFOA       | 413 > 368.7   | 6.73e1 | 9.89e3  |       | 0.2659 | 4.36    | 4.37 | 0.0680       | 0.313  |       |
| 3 | 3 PFOS       | 499 >79.9     | 3.59e0 | 1.09e4  |       | 0.2659 | 4.76    | 4.66 | 0.00948      | 0.0301 |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.38e3 | 9.89e3  | 0.429 | 0.2659 | 3.42    | 3.42 | 4.42         | 38.8   | 103.2 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 5.07e3 | 9.89e3  | 0.548 | 0.2659 | 4.99    | 5.00 | 5.12         | 35.2   | 93.5  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.89e3 | 9.89e3  | 1.000 | 0.2659 | 4.41    | 4.36 | 10.0         | 37.6   | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.09e4 | 1.09e4  | 1.000 | 0.2659 | 4.81    | 4.76 | 28.7         | 108    | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-36.qld


Last Altered: Saturday, December 02, 2017 14:58:12 Pacific Standard Time

Printed: Saturday, December 02, 2017 14:58:34 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_36, Date: 01-Dec-2017, Time: 17:44:49, ID: 1701770-05 CH-AT-1RW75-1117 0.25, Description: CH-AT-1RW75-1117



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-37.qld

Last Altered: Saturday, December 02, 2017 14:59:59 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:00:19 Pacific Standard Time

**Method:** U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

**Calibration:** U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

**Name:** 171201G1\_37, **Date:** 01-Dec-2017, **Time:** 17:57:12, **ID:** 1701770-06 CH-AT-1FB75-1117 0.25, **Description:** CH-AT-1FB75-1117

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.12e4  |       | 0.2661 | 3.06    |      |              |       |       |
| 2 | 2 PFOA       | 413 > 368.7   | 6.18e1 | 9.64e3  |       | 0.2661 | 4.36    | 4.37 | 0.0641       | 0.294 |       |
| 3 | 3 PFOS       | 499 >79.9     |        | 1.12e4  |       | 0.2661 | 4.76    |      |              |       |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.46e3 | 9.64e3  | 0.429 | 0.2661 | 3.42    | 3.42 | 4.63         | 40.6  | 108.0 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 5.24e3 | 9.64e3  | 0.548 | 0.2661 | 4.99    | 5.00 | 5.44         | 37.3  | 99.3  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.64e3 | 9.64e3  | 1.000 | 0.2661 | 4.41    | 4.36 | 10.0         | 37.6  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.12e4 | 1.12e4  | 1.000 | 0.2661 | 4.81    | 4.76 | 28.7         | 108   | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-37.qld


Last Altered: Saturday, December 02, 2017 14:59:59 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:00:19 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_37, Date: 01-Dec-2017, Time: 17:57:12, ID: 1701770-06 CH-AT-1FB75-1117 0.25, Description: CH-AT-1FB75-1117



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-38.qld

Last Altered: Saturday, December 02, 2017 15:01:03 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:01:27 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_38, Date: 01-Dec-2017, Time: 18:09:37, ID: 1701770-07 CH-AT-1RW76-1117 0.25, Description: CH-AT-1RW76-1117

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc.  | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|--------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.03e4  |       | 0.2611 | 3.06    |      |              |        |       |
| 2 | 2 PFOA       | 413 > 368.7   | 1.89e1 | 9.47e3  |       | 0.2611 | 4.36    | 4.36 | 0.0199       | 0.0933 |       |
| 3 | 3 PFOS       | 499 >79.9     |        | 1.03e4  |       | 0.2611 | 4.76    |      |              |        |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 3.88e3 | 9.47e3  | 0.429 | 0.2611 | 3.42    | 3.42 | 4.10         | 36.6   | 95.6  |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 4.94e3 | 9.47e3  | 0.548 | 0.2611 | 4.99    | 5.00 | 5.22         | 36.5   | 95.3  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.47e3 | 9.47e3  | 1.000 | 0.2611 | 4.41    | 4.36 | 10.0         | 38.3   | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.03e4 | 1.03e4  | 1.000 | 0.2611 | 4.81    | 4.76 | 28.7         | 110    | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-38.qld


Last Altered: Saturday, December 02, 2017 15:01:03 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:01:27 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_38, Date: 01-Dec-2017, Time: 18:09:37, ID: 1701770-07 CH-AT-1RW76-1117 0.25, Description: CH-AT-1RW76-1117



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-39.qld

Last Altered: Saturday, December 02, 2017 15:01:59 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:02:21 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15


Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_39, Date: 01-Dec-2017, Time: 18:22:01, ID: 1701770-08 CH-AT-1FB76-1117 0.25, Description: CH-AT-1FB76-1117

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.08e4  |       | 0.2695 | 3.06    |      |              |       |       |
| 2 | 2 PFOA       | 413 > 368.7   | 5.84e1 | 1.02e4  |       | 0.2695 | 4.36    | 4.37 | 0.0572       | 0.259 |       |
| 3 | 3 PFOS       | 499 >79.9     |        | 1.08e4  |       | 0.2695 | 4.76    |      |              |       |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.32e3 | 1.02e4  | 0.429 | 0.2695 | 3.42    | 3.42 | 4.23         | 36.6  | 98.7  |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 5.37e3 | 1.02e4  | 0.548 | 0.2695 | 4.99    | 5.00 | 5.26         | 35.6  | 96.0  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 1.02e4 | 1.02e4  | 1.000 | 0.2695 | 4.41    | 4.36 | 10.0         | 37.1  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.08e4 | 1.08e4  | 1.000 | 0.2695 | 4.81    | 4.76 | 28.7         | 107   | 100.0 |

**Method:** U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15  
**Calibration:** U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

**Name:** 171201G1\_39, **Date:** 01-Dec-2017, **Time:** 18:22:01, **ID:** 1701770-08 CH-AT-1FB76-1117 0.25, **Description:** CH-AT-1FB76-1117



Dataset:U:\G1.PRO\Results\2017\171201G1\171201G1-40.qld

Last Altered: Saturday, December 02, 2017 15:02:55 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:03:14 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_40, Date: 01-Dec-2017, Time: 18:34:26, ID: 1701770-09 CH-AT-1RW77-1117 0.25, Description: CH-AT-1RW77-1117

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    |        | 1.12e4  |       | 0.2620 | 3.07    |      |              |       |       |
| 2 | 2 PFOA       | 413 > 368.7   | 6.83e1 | 9.13e3  |       | 0.2620 | 4.36    | 4.36 | 0.0749       | 0.349 |       |
| 3 | 3 PFOS       | 499 >79.9     |        | 1.12e4  |       | 0.2620 | 4.77    |      |              |       |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.07e3 | 9.13e3  | 0.429 | 0.2620 | 3.42    | 3.42 | 4.45         | 39.7  | 103.9 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 4.41e3 | 9.13e3  | 0.548 | 0.2620 | 4.99    | 5.00 | 4.83         | 33.7  | 88.2  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.13e3 | 9.13e3  | 1.000 | 0.2620 | 4.41    | 4.36 | 10.0         | 38.2  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.12e4 | 1.12e4  | 1.000 | 0.2620 | 4.81    | 4.77 | 28.7         | 110   | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-40.qld


Last Altered: Saturday, December 02, 2017 15:02:55 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:03:14 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_40, Date: 01-Dec-2017, Time: 18:34:26, ID: 1701770-09 CH-AT-1RW77-1117 0.25, Description: CH-AT-1RW77-1117



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-41.qld

Last Altered: Saturday, December 02, 2017 15:03:56 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:04:16 Pacific Standard Time

**Method:** U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

**Calibration:** U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

**Name:** 171201G1\_41, **Date:** 01-Dec-2017, **Time:** 18:46:52, **ID:** 1701770-10 CH-AT-1FB77-1117 0.25, **Description:** CH-AT-1FB77-1117

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc.  | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|--------|-------|
| 1 | 1 PFBS       | 299 > 79.7    | 2.69e0 | 1.11e4  |       | 0.2643 | 3.06    | 3.07 | 0.00695      | 0.0326 |       |
| 2 | 2 PFOA       | 413 > 368.7   | 6.32e1 | 9.82e3  |       | 0.2643 | 4.36    | 4.37 | 0.0643       | 0.298  |       |
| 3 | 3 PFOS       | 499 >79.9     |        | 1.11e4  |       | 0.2643 | 4.76    |      |              |        |       |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.11e3 | 9.82e3  | 0.429 | 0.2643 | 3.42    | 3.42 | 4.19         | 37.0   | 97.7  |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 4.77e3 | 9.82e3  | 0.548 | 0.2643 | 4.99    | 5.00 | 4.85         | 33.5   | 88.6  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.82e3 | 9.82e3  | 1.000 | 0.2643 | 4.41    | 4.36 | 10.0         | 37.8   | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.11e4 | 1.11e4  | 1.000 | 0.2643 | 4.81    | 4.76 | 28.7         | 109    | 100.0 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-41.qld


Last Altered: Saturday, December 02, 2017 15:03:56 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:04:16 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_41, Date: 01-Dec-2017, Time: 18:46:52, ID: 1701770-10 CH-AT-1FB77-1117 0.25, Description: CH-AT-1FB77-1117



**INJECTION INTERNAL STANDARD (IIS) AREAS,  
AND  
CONTINUING CALIBRATION VERIFICATIONS CCV)**

IIS Area

Ical

Compound 6: 13C2-PFOA

| ID | Name                               | Type        | Std. Conc | RT | Area | IS Area  | Ical Area | Area %   |          |
|----|------------------------------------|-------------|-----------|----|------|----------|-----------|----------|----------|
| 1  | ST171201G1-1 PFC CS-1 537 17K3024  | 171201G1_2  | Analyte   | 10 | 4.38 | 10246.87 | 10246.87  | 10177.82 | 100.6784 |
| 2  | IPA                                | 171201G1_3  | Analyte   | 10 |      |          |           | 10177.82 | 0        |
| 3  | B7K0177-BS1 LFB 0.25               | 171201G1_4  | Analyte   | 10 | 4.36 | 10120.64 | 10120.64  | 10177.82 | 99.43814 |
| 4  | B7K0177-BSD1 LFBD 0.25             | 171201G1_5  | Analyte   | 10 | 4.36 | 9534     | 9534      | 10177.82 | 93.67427 |
| 5  | B7K0177-BLK1 LRB 0.25              | 171201G1_6  | Analyte   | 10 | 4.36 | 10364.79 | 10364.79  | 10177.82 | 101.837  |
| 6  | 1701751-01 CH-AT-1RW58-1117 0.25   | 171201G1_7  | Analyte   | 10 | 4.36 | 10695.21 | 10695.21  | 10177.82 | 105.0835 |
| 7  | 1701751-02 CH-AT-1FB58-1117 0.25   | 171201G1_8  | Analyte   | 10 | 4.37 | 10499.33 | 10499.33  | 10177.82 | 103.1589 |
| 8  | 1701751-03 CH-AT-1EB01-111717 0.25 | 171201G1_9  | Analyte   | 10 | 4.37 | 10296.32 | 10296.32  | 10177.82 | 101.1643 |
| 9  | 1701751-04 CH-AT-1RW59-1117 0.25   | 171201G1_10 | Analyte   | 10 | 4.36 | 10387.54 | 10387.54  | 10177.82 | 102.0605 |
| 10 | 1701751-05 CH-AT-1FB59-1117 0.25   | 171201G1_11 | Analyte   | 10 | 4.37 | 9595.106 | 9595.106  | 10177.82 | 94.27466 |
| 11 | IPA                                | 171201G1_12 | Analyte   | 10 |      |          |           | 10177.82 | 0        |
| 12 | 1701751-07 CH-AT-1FB60-1117 0.25   | 171201G1_13 | Analyte   | 10 | 4.36 | 10436.06 | 10436.06  | 10177.82 | 102.5373 |
| 13 | 1701751-08 CH-AT-1RW61-1117 0.25   | 171201G1_14 | Analyte   | 10 | 4.36 | 9293.446 | 9293.446  | 10177.82 | 91.31076 |
| 14 | 1701751-09 CH-AT-1FB61-1117 0.25   | 171201G1_15 | Analyte   | 10 | 4.37 | 9952.973 | 9952.973  | 10177.82 | 97.7908  |
| 15 | 1701751-10 CH-AT-1RW62-1117 0.25   | 171201G1_16 | Analyte   | 10 | 4.37 | 10240.24 | 10240.24  | 10177.82 | 100.6133 |
| 16 | 1701751-12 CH-AT-1RW63-1117 0.25   | 171201G1_17 | Analyte   | 10 | 4.37 | 9822.839 | 9822.839  | 10177.82 | 96.5122  |
| 17 | 1701751-13 CH-AT-1FB63-1117 0.25   | 171201G1_18 | Analyte   | 10 | 4.36 | 10151.89 | 10151.89  | 10177.82 | 99.74518 |
| 18 | 1701751-14 CH-AT-1RW64-1117 0.25   | 171201G1_19 | Analyte   | 10 | 4.37 | 10030.44 | 10030.44  | 10177.82 | 98.55197 |
| 19 | 1701751-15 CH-AT-1FB64-1117 0.25   | 171201G1_20 | Analyte   | 10 | 4.37 | 10311.65 | 10311.65  | 10177.82 | 101.3149 |
| 20 | 1701751-16 CH-AT-1RW46-1117 0.25   | 171201G1_21 | Analyte   | 10 | 4.36 | 9865.41  | 9865.41   | 10177.82 | 96.93047 |
| 21 | 1701751-17 CH-AT-1FB46-1117 0.25   | 171201G1_22 | Analyte   | 10 | 4.37 | 9772.003 | 9772.003  | 10177.82 | 96.01272 |
| 22 | 1701751-18 CH-AT-1RW47-1117 0.25   | 171201G1_23 | Analyte   | 10 | 4.36 | 9465.215 | 9465.215  | 10177.82 | 92.99844 |
| 23 | 1701751-19 CH-AT-1FB47-1117 0.25   | 171201G1_24 | Analyte   | 10 | 4.37 | 9588.32  | 9588.32   | 10177.82 | 94.20798 |
| 24 | B7K0189-BS1 LFB 0.25               | 171201G1_25 | Analyte   | 10 | 4.37 | 9137.972 | 9137.972  | 10177.82 | 89.78318 |
| 25 | B7K0189-BSD1 LFBD 0.25             | 171201G1_26 | Analyte   | 10 | 4.37 | 8589.176 | 8589.176  | 10177.82 | 84.39111 |
| 26 | IPA                                | 171201G1_27 | Analyte   | 10 |      |          |           | 10177.82 | 0        |
| 27 | B7K0189-BLK1 LRB 0.25              | 171201G1_28 | Analyte   | 10 | 4.37 | 9231.883 | 9231.883  | 10177.82 | 90.70589 |

GM 12/2/17

|    |                                    |             |         |    |      |          |          |          |          |
|----|------------------------------------|-------------|---------|----|------|----------|----------|----------|----------|
| 28 | 1701770-01 CH-AT-1RW74-1117-A 0.25 | 171201G1_29 | Analyte | 10 | 4.37 | 8938.361 | 8938.361 | 10177.82 | 87.82195 |
| 29 | 1701770-02 CH-AT-1FB74-1117-A 0.25 | 171201G1_30 | Analyte | 10 | 4.36 | 9731.751 | 9731.751 | 10177.82 | 95.61723 |
| 30 | 1701770-03 CH-AT-1RW74-1117-B 0.25 | 171201G1_31 | Analyte | 10 | 4.37 | 9411.892 | 9411.892 | 10177.82 | 92.47453 |
| 31 | IPA                                | 171201G1_32 | Analyte | 10 | 4.36 | 8.63     | 8.63     | 10177.82 | 0.084792 |
| 32 | ST171201G1-2 PFC CS3 17K3027       | 171201G1_33 | Analyte | 10 | 4.37 | 10647.01 | 10647.01 | 10177.82 | 104.6099 |
| 33 | IPA                                | 171201G1_34 | Analyte | 10 |      |          |          | 10177.82 | 0        |
| 34 | 1701770-04 CH-AT-1FB74-1117-B 0.25 | 171201G1_35 | Analyte | 10 | 4.36 | 9677.573 | 9677.573 | 10177.82 | 95.08492 |
| 35 | 1701770-05 CH-AT-1RW75-1117 0.25   | 171201G1_36 | Analyte | 10 | 4.36 | 9892.82  | 9892.82  | 10177.82 | 97.19978 |
| 36 | 1701770-06 CH-AT-1FB75-1117 0.25   | 171201G1_37 | Analyte | 10 | 4.36 | 9644.109 | 9644.109 | 10177.82 | 94.75612 |
| 37 | 1701770-07 CH-AT-1RW76-1117 0.25   | 171201G1_38 | Analyte | 10 | 4.36 | 9467.841 | 9467.841 | 10177.82 | 93.02424 |
| 38 | 1701770-08 CH-AT-1FB76-1117 0.25   | 171201G1_39 | Analyte | 10 | 4.36 | 10217.99 | 10217.99 | 10177.82 | 100.3946 |
| 39 | 1701770-09 CH-AT-1RW77-1117 0.25   | 171201G1_40 | Analyte | 10 | 4.36 | 9130.026 | 9130.026 | 10177.82 | 89.70511 |
| 40 | 1701770-10 CH-AT-1FB77-1117 0.25   | 171201G1_41 | Analyte | 10 | 4.36 | 9820.692 | 9820.692 | 10177.82 | 96.4911  |
| 41 | IPA                                | 171201G1_42 | Analyte | 10 |      |          |          | 10177.82 | 0        |
| 42 | ST171201G1-3 PFC CS5 537 17K3029   | 171201G1_43 | Analyte | 10 | 4.36 | 8082.667 | 8082.667 | 10177.82 | 79.41451 |

Compound 7: 13C4-PFOS

| ID | Name                               | Type        | Std. Conc | RT   | Area | IS Area  | Ical Area | Area %   |          |
|----|------------------------------------|-------------|-----------|------|------|----------|-----------|----------|----------|
| 1  | ST171201G1-1 PFC CS-1 537 17K3024  | 171201G1_2  | Analyte   | 28.7 | 4.77 | 11472.84 | 11472.84  | 10632.15 | 107.907  |
| 2  | IPA                                | 171201G1_3  | Analyte   | 28.7 |      |          |           | 10632.15 | 0        |
| 3  | B7K0177-BS1 LFB 0.25               | 171201G1_4  | Analyte   | 28.7 | 4.77 | 10492.37 | 10492.37  | 10632.15 | 98.68522 |
| 4  | B7K0177-BSD1 LFBD 0.25             | 171201G1_5  | Analyte   | 28.7 | 4.77 | 10395.72 | 10395.72  | 10632.15 | 97.77618 |
| 5  | B7K0177-BLK1 LRB 0.25              | 171201G1_6  | Analyte   | 28.7 | 4.77 | 12010.18 | 12010.18  | 10632.15 | 112.9609 |
| 6  | 1701751-01 CH-AT-1RW58-1117 0.25   | 171201G1_7  | Analyte   | 28.7 | 4.77 | 11394.02 | 11394.02  | 10632.15 | 107.1657 |
| 7  | 1701751-02 CH-AT-1FB58-1117 0.25   | 171201G1_8  | Analyte   | 28.7 | 4.77 | 11583.38 | 11583.38  | 10632.15 | 108.9467 |
| 8  | 1701751-03 CH-AT-1EB01-111717 0.25 | 171201G1_9  | Analyte   | 28.7 | 4.77 | 11628.05 | 11628.05  | 10632.15 | 109.3668 |
| 9  | 1701751-04 CH-AT-1RW59-1117 0.25   | 171201G1_10 | Analyte   | 28.7 | 4.77 | 11647.67 | 11647.67  | 10632.15 | 109.5513 |
| 10 | 1701751-05 CH-AT-1FB59-1117 0.25   | 171201G1_11 | Analyte   | 28.7 | 4.77 | 11705.86 | 11705.86  | 10632.15 | 110.0987 |
| 11 | IPA                                | 171201G1_12 | Analyte   | 28.7 |      |          |           | 10632.15 | 0        |
| 12 | 1701751-07 CH-AT-1FB60-1117 0.25   | 171201G1_13 | Analyte   | 28.7 | 4.76 | 11581.07 | 11581.07  | 10632.15 | 108.9249 |
| 13 | 1701751-08 CH-AT-1RW61-1117 0.25   | 171201G1_14 | Analyte   | 28.7 | 4.77 | 10598.01 | 10598.01  | 10632.15 | 99.67883 |
| 14 | 1701751-09 CH-AT-1FB61-1117 0.25   | 171201G1_15 | Analyte   | 28.7 | 4.77 | 10996.04 | 10996.04  | 10632.15 | 103.4225 |

|    |                                    |             |         |      |      |          |          |          |          |
|----|------------------------------------|-------------|---------|------|------|----------|----------|----------|----------|
| 15 | 1701751-10 CH-AT-1RW62-1117 0.25   | 171201G1_16 | Analyte | 28.7 | 4.77 | 11360.94 | 11360.94 | 10632.15 | 106.8545 |
| 16 | 1701751-12 CH-AT-1RW63-1117 0.25   | 171201G1_17 | Analyte | 28.7 | 4.77 | 10637.4  | 10637.4  | 10632.15 | 100.0494 |
| 17 | 1701751-13 CH-AT-1FB63-1117 0.25   | 171201G1_18 | Analyte | 28.7 | 4.77 | 11203.27 | 11203.27 | 10632.15 | 105.3716 |
| 18 | 1701751-14 CH-AT-1RW64-1117 0.25   | 171201G1_19 | Analyte | 28.7 | 4.77 | 10994.18 | 10994.18 | 10632.15 | 103.405  |
| 19 | 1701751-15 CH-AT-1FB64-1117 0.25   | 171201G1_20 | Analyte | 28.7 | 4.77 | 11156.77 | 11156.77 | 10632.15 | 104.9342 |
| 20 | 1701751-16 CH-AT-1RW46-1117 0.25   | 171201G1_21 | Analyte | 28.7 | 4.77 | 11005.35 | 11005.35 | 10632.15 | 103.5101 |
| 21 | 1701751-17 CH-AT-1FB46-1117 0.25   | 171201G1_22 | Analyte | 28.7 | 4.77 | 11666.4  | 11666.4  | 10632.15 | 109.7275 |
| 22 | 1701751-18 CH-AT-1RW47-1117 0.25   | 171201G1_23 | Analyte | 28.7 | 4.77 | 10551.03 | 10551.03 | 10632.15 | 99.23702 |
| 23 | 1701751-19 CH-AT-1FB47-1117 0.25   | 171201G1_24 | Analyte | 28.7 | 4.77 | 11340.44 | 11340.44 | 10632.15 | 106.6617 |
| 24 | B7K0189-BS1 LFB 0.25               | 171201G1_25 | Analyte | 28.7 | 4.77 | 10200.96 | 10200.96 | 10632.15 | 95.94444 |
| 25 | B7K0189-BS1 LFB 0.25               | 171201G1_26 | Analyte | 28.7 | 4.77 | 9515.736 | 9515.736 | 10632.15 | 89.4996  |
| 26 | IPA                                | 171201G1_27 | Analyte | 28.7 |      |          |          | 10632.15 | 0        |
| 27 | B7K0189-BLK1 LRB 0.25              | 171201G1_28 | Analyte | 28.7 | 4.77 | 10473.88 | 10473.88 | 10632.15 | 98.51135 |
| 28 | 1701770-01 CH-AT-1RW74-1117-A 0.25 | 171201G1_29 | Analyte | 28.7 | 4.77 | 10481.63 | 10481.63 | 10632.15 | 98.58423 |
| 29 | 1701770-02 CH-AT-1FB74-1117-A 0.25 | 171201G1_30 | Analyte | 28.7 | 4.77 | 10862.19 | 10862.19 | 10632.15 | 102.1636 |
| 30 | 1701770-03 CH-AT-1RW74-1117-B 0.25 | 171201G1_31 | Analyte | 28.7 | 4.77 | 10255.89 | 10255.89 | 10632.15 | 96.46108 |
| 31 | IPA                                | 171201G1_32 | Analyte | 28.7 |      |          |          | 10632.15 | 0        |
| 32 | ST171201G1-2 PFC CS3 17K3027       | 171201G1_33 | Analyte | 28.7 | 4.77 | 10843.78 | 10843.78 | 10632.15 | 101.9904 |
| 33 | IPA                                | 171201G1_34 | Analyte | 28.7 |      |          |          | 10632.15 | 0        |
| 34 | 1701770-04 CH-AT-1FB74-1117-B 0.25 | 171201G1_35 | Analyte | 28.7 | 4.77 | 10309.08 | 10309.08 | 10632.15 | 96.9613  |
| 35 | 1701770-05 CH-AT-1RW75-1117 0.25   | 171201G1_36 | Analyte | 28.7 | 4.76 | 10870.29 | 10870.29 | 10632.15 | 102.2397 |
| 36 | 1701770-06 CH-AT-1FB75-1117 0.25   | 171201G1_37 | Analyte | 28.7 | 4.76 | 11160.61 | 11160.61 | 10632.15 | 104.9704 |
| 37 | 1701770-07 CH-AT-1RW76-1117 0.25   | 171201G1_38 | Analyte | 28.7 | 4.76 | 10307.03 | 10307.03 | 10632.15 | 96.94208 |
| 38 | 1701770-08 CH-AT-1FB76-1117 0.25   | 171201G1_39 | Analyte | 28.7 | 4.76 | 10771.22 | 10771.22 | 10632.15 | 101.308  |
| 39 | 1701770-09 CH-AT-1RW77-1117 0.25   | 171201G1_40 | Analyte | 28.7 | 4.77 | 11219.92 | 11219.92 | 10632.15 | 105.5282 |
| 40 | 1701770-10 CH-AT-1FB77-1117 0.25   | 171201G1_41 | Analyte | 28.7 | 4.76 | 11117.21 | 11117.21 | 10632.15 | 104.5622 |
| 41 | IPA                                | 171201G1_42 | Analyte | 28.7 |      |          |          | 10632.15 | 0        |
| 42 | ST171201G1-3 PFC CS5 537 17K3029   | 171201G1_43 | Analyte | 28.7 | 4.77 | 8591.051 | 8591.051 | 10632.15 | 80.80254 |

Ccals

Compound 6: 13C2-PFOA

ST171201G1-1 PFC CS-1 537 17K3024

| ID | Name                              | Type       | Std. Conc | RT | Area | IS Area  | CCal Area | Area %   |     |
|----|-----------------------------------|------------|-----------|----|------|----------|-----------|----------|-----|
| 1  | ST171201G1-1 PFC CS-1 537 17K3024 | 171201G1_2 | Analyte   | 10 | 4.38 | 10246.87 | 10246.87  | 10246.87 | 100 |

GM 12/2/17

|                                       |             |         |    |      |          |          |          |          |   |
|---------------------------------------|-------------|---------|----|------|----------|----------|----------|----------|---|
| 2 IPA                                 | 171201G1_3  | Analyte | 10 |      |          |          |          | 10246.87 | 0 |
| 3 B7K0177-BS1 LFB 0.25                | 171201G1_4  | Analyte | 10 | 4.36 | 10120.64 | 10120.64 | 10246.87 | 98.76812 |   |
| 4 B7K0177-BSD1 LFBD 0.25              | 171201G1_5  | Analyte | 10 | 4.36 | 9534     | 9534     | 10246.87 | 93.04309 |   |
| 5 B7K0177-BLK1 LRB 0.25               | 171201G1_6  | Analyte | 10 | 4.36 | 10364.79 | 10364.79 | 10246.87 | 101.1508 |   |
| 6 1701751-01 CH-AT-1RW58-1117 0.25    | 171201G1_7  | Analyte | 10 | 4.36 | 10695.21 | 10695.21 | 10246.87 | 104.3755 |   |
| 7 1701751-02 CH-AT-1FB58-1117 0.25    | 171201G1_8  | Analyte | 10 | 4.37 | 10499.33 | 10499.33 | 10246.87 | 102.4638 |   |
| 8 1701751-03 CH-AT-1EB01-111717 0.25  | 171201G1_9  | Analyte | 10 | 4.37 | 10296.32 | 10296.32 | 10246.87 | 100.4827 |   |
| 9 1701751-04 CH-AT-1RW59-1117 0.25    | 171201G1_10 | Analyte | 10 | 4.36 | 10387.54 | 10387.54 | 10246.87 | 101.3729 |   |
| 10 1701751-05 CH-AT-1FB59-1117 0.25   | 171201G1_11 | Analyte | 10 | 4.37 | 9595.106 | 9595.106 | 10246.87 | 93.63943 |   |
| 11 IPA                                | 171201G1_12 | Analyte | 10 |      |          |          | 10246.87 | 0        |   |
| 12 1701751-07 CH-AT-1FB60-1117 0.25   | 171201G1_13 | Analyte | 10 | 4.36 | 10436.06 | 10436.06 | 10246.87 | 101.8464 |   |
| 13 1701751-08 CH-AT-1RW61-1117 0.25   | 171201G1_14 | Analyte | 10 | 4.36 | 9293.446 | 9293.446 | 10246.87 | 90.69551 |   |
| 14 1701751-09 CH-AT-1FB61-1117 0.25   | 171201G1_15 | Analyte | 10 | 4.37 | 9952.973 | 9952.973 | 10246.87 | 97.13188 |   |
| 15 1701751-10 CH-AT-1RW62-1117 0.25   | 171201G1_16 | Analyte | 10 | 4.37 | 10240.24 | 10240.24 | 10246.87 | 99.93537 |   |
| 16 1701751-12 CH-AT-1RW63-1117 0.25   | 171201G1_17 | Analyte | 10 | 4.37 | 9822.839 | 9822.839 | 10246.87 | 95.8619  |   |
| 17 1701751-13 CH-AT-1FB63-1117 0.25   | 171201G1_18 | Analyte | 10 | 4.36 | 10151.89 | 10151.89 | 10246.87 | 99.07309 |   |
| 18 1701751-14 CH-AT-1RW64-1117 0.25   | 171201G1_19 | Analyte | 10 | 4.37 | 10030.44 | 10030.44 | 10246.87 | 97.88792 |   |
| 19 1701751-15 CH-AT-1FB64-1117 0.25   | 171201G1_20 | Analyte | 10 | 4.37 | 10311.65 | 10311.65 | 10246.87 | 100.6322 |   |
| 20 1701751-16 CH-AT-1RW46-1117 0.25   | 171201G1_21 | Analyte | 10 | 4.36 | 9865.41  | 9865.41  | 10246.87 | 96.27735 |   |
| 21 1701751-17 CH-AT-1FB46-1117 0.25   | 171201G1_22 | Analyte | 10 | 4.37 | 9772.003 | 9772.003 | 10246.87 | 95.36578 |   |
| 22 1701751-18 CH-AT-1RW47-1117 0.25   | 171201G1_23 | Analyte | 10 | 4.36 | 9465.215 | 9465.215 | 10246.87 | 92.37181 |   |
| 23 1701751-19 CH-AT-1FB47-1117 0.25   | 171201G1_24 | Analyte | 10 | 4.37 | 9588.32  | 9588.32  | 10246.87 | 93.57321 |   |
| 24 B7K0189-BS1 LFB 0.25               | 171201G1_25 | Analyte | 10 | 4.37 | 9137.972 | 9137.972 | 10246.87 | 89.17822 |   |
| 25 B7K0189-BSD1 LFBD 0.25             | 171201G1_26 | Analyte | 10 | 4.37 | 8589.176 | 8589.176 | 10246.87 | 83.82248 |   |
| 26 IPA                                | 171201G1_27 | Analyte | 10 |      |          |          | 10246.87 | 0        |   |
| 27 B7K0189-BLK1 LRB 0.25              | 171201G1_28 | Analyte | 10 | 4.37 | 9231.883 | 9231.883 | 10246.87 | 90.09471 |   |
| 28 1701770-01 CH-AT-1RW74-1117-A 0.25 | 171201G1_29 | Analyte | 10 | 4.37 | 8938.361 | 8938.361 | 10246.87 | 87.2302  |   |
| 29 1701770-02 CH-AT-1FB74-1117-A 0.25 | 171201G1_30 | Analyte | 10 | 4.36 | 9731.751 | 9731.751 | 10246.87 | 94.97296 |   |
| 30 1701770-03 CH-AT-1RW74-1117-B 0.25 | 171201G1_31 | Analyte | 10 | 4.37 | 9411.892 | 9411.892 | 10246.87 | 91.85143 |   |
| 31 IPA                                | 171201G1_32 | Analyte | 10 | 4.36 | 8.63     | 8.63     | 10246.87 | 0.084221 |   |
| 32 ST171201G1-2 PFC CS3 17K3027       | 171201G1_33 | Analyte | 10 | 4.37 | 10647.01 | 10647.01 | 10246.87 | 103.9051 |   |

ST171201G1-2 PFC CS3 17K3027

| ID                                    | Name        | Type    | Std. Conc | RT   | Area     | IS Area  | CCal Area | Area %   |
|---------------------------------------|-------------|---------|-----------|------|----------|----------|-----------|----------|
| 32 ST171201G1-2 PFC CS3 17K3027       | 171201G1_33 | Analyte | 10        | 4.37 | 10647.01 | 10647.01 | 10647.01  | 100      |
| 33 IPA                                | 171201G1_34 | Analyte | 10        |      |          |          | 10647.01  | 0        |
| 34 1701770-04 CH-AT-1FB74-1117-B 0.25 | 171201G1_35 | Analyte | 10        | 4.36 | 9677.573 | 9677.573 | 10647.01  | 90.89472 |
| 35 1701770-05 CH-AT-1RW75-1117 0.25   | 171201G1_36 | Analyte | 10        | 4.36 | 9892.82  | 9892.82  | 10647.01  | 92.91639 |
| 36 1701770-06 CH-AT-1FB75-1117 0.25   | 171201G1_37 | Analyte | 10        | 4.36 | 9644.109 | 9644.109 | 10647.01  | 90.58042 |
| 37 1701770-07 CH-AT-1RW76-1117 0.25   | 171201G1_38 | Analyte | 10        | 4.36 | 9467.841 | 9467.841 | 10647.01  | 88.92486 |
| 38 1701770-08 CH-AT-1FB76-1117 0.25   | 171201G1_39 | Analyte | 10        | 4.36 | 10217.99 | 10217.99 | 10647.01  | 95.97046 |
| 39 1701770-09 CH-AT-1RW77-1117 0.25   | 171201G1_40 | Analyte | 10        | 4.36 | 9130.026 | 9130.026 | 10647.01  | 85.75199 |
| 40 1701770-10 CH-AT-1FB77-1117 0.25   | 171201G1_41 | Analyte | 10        | 4.36 | 9820.692 | 9820.692 | 10647.01  | 92.23894 |
| 41 IPA                                | 171201G1_42 | Analyte | 10        |      |          |          | 10647.01  | 0        |
| 42 ST171201G1-3 PFC CS5 537 17K3029   | 171201G1_43 | Analyte | 10        | 4.36 | 8082.667 | 8082.667 | 10647.01  | 75.91488 |

Compound 7: 13C4-PFOS

ST171201G1-1 PFC CS-1 537 17K3024

| ID                                   | Name        | Type    | Std. Conc | RT   | Area     | IS Area  | Ccal Area | Area %   |
|--------------------------------------|-------------|---------|-----------|------|----------|----------|-----------|----------|
| 1 ST171201G1-1 PFC CS-1 537 17K3024  | 171201G1_2  | Analyte | 28.7      | 4.77 | 11472.84 | 11472.84 | 11472.84  | 100      |
| 2 IPA                                | 171201G1_3  | Analyte | 28.7      |      |          |          | 11472.84  | 0        |
| 3 B7K0177-BS1 LFB 0.25               | 171201G1_4  | Analyte | 28.7      | 4.77 | 10492.37 | 10492.37 | 11472.84  | 91.45397 |
| 4 B7K0177-BS1 LFB 0.25               | 171201G1_5  | Analyte | 28.7      | 4.77 | 10395.72 | 10395.72 | 11472.84  | 90.61155 |
| 5 B7K0177-BLK1 LRB 0.25              | 171201G1_6  | Analyte | 28.7      | 4.77 | 12010.18 | 12010.18 | 11472.84  | 104.6836 |
| 6 1701751-01 CH-AT-1RW58-1117 0.25   | 171201G1_7  | Analyte | 28.7      | 4.77 | 11394.02 | 11394.02 | 11472.84  | 99.31301 |
| 7 1701751-02 CH-AT-1FB58-1117 0.25   | 171201G1_8  | Analyte | 28.7      | 4.77 | 11583.38 | 11583.38 | 11472.84  | 100.9635 |
| 8 1701751-03 CH-AT-1EB01-111717 0.25 | 171201G1_9  | Analyte | 28.7      | 4.77 | 11628.05 | 11628.05 | 11472.84  | 101.3529 |
| 9 1701751-04 CH-AT-1RW59-1117 0.25   | 171201G1_10 | Analyte | 28.7      | 4.77 | 11647.67 | 11647.67 | 11472.84  | 101.5239 |
| 10 1701751-05 CH-AT-1FB59-1117 0.25  | 171201G1_11 | Analyte | 28.7      | 4.77 | 11705.86 | 11705.86 | 11472.84  | 102.0311 |
| 11 IPA                               | 171201G1_12 | Analyte | 28.7      |      |          |          | 11472.84  | 0        |
| 12 1701751-07 CH-AT-1FB60-1117 0.25  | 171201G1_13 | Analyte | 28.7      | 4.76 | 11581.07 | 11581.07 | 11472.84  | 100.9433 |
| 13 1701751-08 CH-AT-1RW61-1117 0.25  | 171201G1_14 | Analyte | 28.7      | 4.77 | 10598.01 | 10598.01 | 11472.84  | 92.37478 |
| 14 1701751-09 CH-AT-1FB61-1117 0.25  | 171201G1_15 | Analyte | 28.7      | 4.77 | 10996.04 | 10996.04 | 11472.84  | 95.8441  |
| 15 1701751-10 CH-AT-1RW62-1117 0.25  | 171201G1_16 | Analyte | 28.7      | 4.77 | 11360.94 | 11360.94 | 11472.84  | 99.02464 |
| 16 1701751-12 CH-AT-1RW63-1117 0.25  | 171201G1_17 | Analyte | 28.7      | 4.77 | 10637.4  | 10637.4  | 11472.84  | 92.71817 |
| 17 1701751-13 CH-AT-1FB63-1117 0.25  | 171201G1_18 | Analyte | 28.7      | 4.77 | 11203.27 | 11203.27 | 11472.84  | 97.65042 |

|    |                                    |             |         |      |      |          |          |          |          |
|----|------------------------------------|-------------|---------|------|------|----------|----------|----------|----------|
| 18 | 1701751-14 CH-AT-1RW64-1117 0.25   | 171201G1_19 | Analyte | 28.7 | 4.77 | 10994.18 | 10994.18 | 11472.84 | 95.8279  |
| 19 | 1701751-15 CH-AT-1FB64-1117 0.25   | 171201G1_20 | Analyte | 28.7 | 4.77 | 11156.77 | 11156.77 | 11472.84 | 97.24508 |
| 20 | 1701751-16 CH-AT-1RW46-1117 0.25   | 171201G1_21 | Analyte | 28.7 | 4.77 | 11005.35 | 11005.35 | 11472.84 | 95.92528 |
| 21 | 1701751-17 CH-AT-1FB46-1117 0.25   | 171201G1_22 | Analyte | 28.7 | 4.77 | 11666.4  | 11666.4  | 11472.84 | 101.6871 |
| 22 | 1701751-18 CH-AT-1RW47-1117 0.25   | 171201G1_23 | Analyte | 28.7 | 4.77 | 10551.03 | 10551.03 | 11472.84 | 91.96534 |
| 23 | 1701751-19 CH-AT-1FB47-1117 0.25   | 171201G1_24 | Analyte | 28.7 | 4.77 | 11340.44 | 11340.44 | 11472.84 | 98.84598 |
| 24 | B7K0189-BS1 LFB 0.25               | 171201G1_25 | Analyte | 28.7 | 4.77 | 10200.96 | 10200.96 | 11472.84 | 88.91402 |
| 25 | B7K0189-BSD1 LFB 0.25              | 171201G1_26 | Analyte | 28.7 | 4.77 | 9515.736 | 9515.736 | 11472.84 | 82.94144 |
| 26 | IPA                                | 171201G1_27 | Analyte | 28.7 |      |          |          | 11472.84 | 0        |
| 27 | B7K0189-BLK1 LRB 0.25              | 171201G1_28 | Analyte | 28.7 | 4.77 | 10473.88 | 10473.88 | 11472.84 | 91.29284 |
| 28 | 1701770-01 CH-AT-1RW74-1117-A 0.25 | 171201G1_29 | Analyte | 28.7 | 4.77 | 10481.63 | 10481.63 | 11472.84 | 91.36038 |
| 29 | 1701770-02 CH-AT-1FB74-1117-A 0.25 | 171201G1_30 | Analyte | 28.7 | 4.77 | 10862.19 | 10862.19 | 11472.84 | 94.67747 |
| 30 | 1701770-03 CH-AT-1RW74-1117-B 0.25 | 171201G1_31 | Analyte | 28.7 | 4.77 | 10255.89 | 10255.89 | 11472.84 | 89.39281 |
| 31 | IPA                                | 171201G1_32 | Analyte | 28.7 |      |          |          | 11472.84 | 0        |
| 32 | ST171201G1-2 PFC CS3 17K3027       | 171201G1_33 | Analyte | 28.7 | 4.77 | 10843.78 | 10843.78 | 11472.84 | 94.51695 |

ST171201G1-2 PFC CS3 17K3027

| ID | Name                               | Type        | Std. Conc | RT   | Area | IS Area  | Ccal Area | Area %   |          |
|----|------------------------------------|-------------|-----------|------|------|----------|-----------|----------|----------|
| 32 | ST171201G1-2 PFC CS3 17K3027       | 171201G1_33 | Analyte   | 28.7 | 4.77 | 10843.78 | 10843.78  | 10843.78 | 100      |
| 33 | IPA                                | 171201G1_34 | Analyte   | 28.7 |      |          |           | 10843.78 | 0        |
| 34 | 1701770-04 CH-AT-1FB74-1117-B 0.25 | 171201G1_35 | Analyte   | 28.7 | 4.77 | 10309.08 | 10309.08  | 10843.78 | 95.06906 |
| 35 | 1701770-05 CH-AT-1RW75-1117 0.25   | 171201G1_36 | Analyte   | 28.7 | 4.76 | 10870.29 | 10870.29  | 10843.78 | 100.2445 |
| 36 | 1701770-06 CH-AT-1FB75-1117 0.25   | 171201G1_37 | Analyte   | 28.7 | 4.76 | 11160.61 | 11160.61  | 10843.78 | 102.9218 |
| 37 | 1701770-07 CH-AT-1RW76-1117 0.25   | 171201G1_38 | Analyte   | 28.7 | 4.76 | 10307.03 | 10307.03  | 10843.78 | 95.05021 |
| 38 | 1701770-08 CH-AT-1FB76-1117 0.25   | 171201G1_39 | Analyte   | 28.7 | 4.76 | 10771.22 | 10771.22  | 10843.78 | 99.33092 |
| 39 | 1701770-09 CH-AT-1RW77-1117 0.25   | 171201G1_40 | Analyte   | 28.7 | 4.77 | 11219.92 | 11219.92  | 10843.78 | 103.4687 |
| 40 | 1701770-10 CH-AT-1FB77-1117 0.25   | 171201G1_41 | Analyte   | 28.7 | 4.76 | 11117.21 | 11117.21  | 10843.78 | 102.5216 |
| 41 | IPA                                | 171201G1_42 | Analyte   | 28.7 |      |          |           | 10843.78 | 0        |
| 42 | ST171201G1-3 PFC CS5 537 17K3029   | 171201G1_43 | Analyte   | 28.7 | 4.77 | 8591.051 | 8591.051  | 10843.78 | 79.22564 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-2.qld

Last Altered: Saturday, December 02, 2017 04:13:41 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:42:13 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_2, Date: 01-Dec-2017, Time: 10:42:00, ID: ST171201G1-1 PFC CS-1 537 17K3024, Description: PFC CS-1 537 17K3024

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    | 6.03e2 | 1.15e4  |       | 1.0000 | 3.07    | 3.07 | 1.51         | 1.87  | 105.6 |
| 2 | 2 PFOA       | 413 > 368.7   | 1.85e3 | 1.02e4  |       | 1.0000 | 4.38    | 4.38 | 1.80         | 2.20  | 110.1 |
| 3 | 3 PFOS       | 499 > 79.9    | 8.51e2 | 1.15e4  |       | 1.0000 | 4.77    | 4.77 | 2.13         | 1.80  | 97.2  |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.51e3 | 1.02e4  | 0.429 | 1.0000 | 3.44    | 3.44 | 4.40         | 10.3  | 102.7 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 5.46e3 | 1.02e4  | 0.548 | 1.0000 | 5.01    | 5.01 | 5.32         | 9.72  | 97.2  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 1.02e4 | 1.02e4  | 1.000 | 1.0000 | 4.41    | 4.38 | 10.0         | 10.0  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.15e4 | 1.15e4  | 1.000 | 1.0000 | 4.81    | 4.77 | 28.7         | 28.7  | 100.0 |

70-130  
↓

am

12/2/17

JJA.  
12/04/2017

Dataset: Untitled

Last Altered: Saturday, December 02, 2017 15:43:40 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:51:12 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Compound name: PFBS

|    | Name        | ID                                 | Acq.Date      | Acq.Time |
|----|-------------|------------------------------------|---------------|----------|
| 1  | 171201G1_1  | IPA                                | 01-Dec-17     | 10:28:51 |
| 2  | 171201G1_2  | ST171201G1-1 PFC CS-1 537 17K3024  | 01-Dec-17     | 10:42:00 |
| 3  | 171201G1_3  | IPA                                | 01-Dec-17     | 10:54:24 |
| 4  | 171201G1_4  | B7K0177-BS1 LFB 0.25               | 01-Dec-17     | 11:06:51 |
| 5  | 171201G1_5  | B7K0177-BSD1 LFB 0.25              | 01-Dec-17     | 11:19:16 |
| 6  | 171201G1_6  | B7K0177-BLK1 LRB 0.25              | 01-Dec-17     | 11:31:42 |
| 7  | 171201G1_7  | 1701751-01 CH-AT-1RW58-1117 0.25   | 01-Dec-17     | 11:44:09 |
| 8  | 171201G1_8  | 1701751-02 CH-AT-1FB58-1117 0.25   | 01-Dec-17     | 11:56:36 |
| 9  | 171201G1_9  | 1701751-03 CH-AT-1EB01-111717 0.25 | 01-Dec-17     | 12:09:05 |
| 10 | 171201G1_10 | 1701751-04 CH-AT-1RW59-1117 0.25   | 01-Dec-17     | 12:21:30 |
| 11 | 171201G1_11 | 1701751-05 CH-AT-1FB59-1117 0.25   | 01-Dec-17     | 12:33:54 |
| 12 | 171201G1_12 | IPA                                | (A) 01-Dec-17 | 12:46:19 |
| 13 | 171201G1_13 | 1701751-07 CH-AT-1FB60-1117 0.25   | 01-Dec-17     | 12:58:45 |
| 14 | 171201G1_14 | 1701751-08 CH-AT-1RW61-1117 0.25   | 01-Dec-17     | 13:11:13 |
| 15 | 171201G1_15 | 1701751-09 CH-AT-1FB61-1117 0.25   | 01-Dec-17     | 13:23:40 |
| 16 | 171201G1_16 | 1701751-10 CH-AT-1RW62-1117 0.25   | 01-Dec-17     | 13:48:34 |
| 17 | 171201G1_17 | 1701751-12 CH-AT-1RW63-1117 0.25   | 01-Dec-17     | 14:00:59 |
| 18 | 171201G1_18 | 1701751-13 CH-AT-1FB63-1117 0.25   | 01-Dec-17     | 14:13:24 |
| 19 | 171201G1_19 | 1701751-14 CH-AT-1RW64-1117 0.25   | 01-Dec-17     | 14:25:49 |
| 20 | 171201G1_20 | 1701751-15 CH-AT-1FB64-1117 0.25   | 01-Dec-17     | 14:38:15 |
| 21 | 171201G1_21 | 1701751-16 CH-AT-1RW46-1117 0.25   | 01-Dec-17     | 14:50:41 |
| 22 | 171201G1_22 | 1701751-17 CH-AT-1FB46-1117 0.25   | 01-Dec-17     | 15:03:08 |
| 23 | 171201G1_23 | 1701751-18 CH-AT-1RW47-1117 0.25   | 01-Dec-17     | 15:15:36 |
| 24 | 171201G1_24 | 1701751-19 CH-AT-1FB47-1117 0.25   | 01-Dec-17     | 15:28:02 |
| 25 | 171201G1_25 | B7K0189-BS1 LFB 0.25               | 01-Dec-17     | 15:40:26 |
| 26 | 171201G1_26 | B7K0189-BSD1 LFB 0.25              | 01-Dec-17     | 15:52:50 |
| 27 | 171201G1_27 | IPA                                | 01-Dec-17     | 16:05:18 |
| 28 | 171201G1_28 | B7K0189-BLK1 LRB 0.25              | 01-Dec-17     | 16:17:43 |
| 29 | 171201G1_29 | 1701770-01 CH-AT-1RW74-1117-A 0.25 | 01-Dec-17     | 16:30:08 |
| 30 | 171201G1_30 | 1701770-02 CH-AT-1FB74-1117-A 0.25 | 01-Dec-17     | 16:42:34 |
| 31 | 171201G1_31 | 1701770-03 CH-AT-1RW74-1117-B 0.25 | 01-Dec-17     |          |

(A) Not Acquired

Dataset:        Untitled

Last Altered:    Saturday, December 02, 2017 15:43:40 Pacific Standard Time

Printed:        Saturday, December 02, 2017 15:51:12 Pacific Standard Time

**Compound name: PFBS**

|    | Name        | ID                                 | Acq.Date  | Acq.Time |
|----|-------------|------------------------------------|-----------|----------|
| 32 | 171201G1_32 | IPA                                | 01-Dec-17 | 16:55:01 |
| 33 | 171201G1_33 | ST171201G1-2 PFC CS3 17K3027       | 01-Dec-17 | 17:07:29 |
| 34 | 171201G1_34 | IPA                                | 01-Dec-17 | 17:19:53 |
| 35 | 171201G1_35 | 1701770-04 CH-AT-1FB74-1117-B 0.25 | 01-Dec-17 | 17:32:22 |
| 36 | 171201G1_36 | 1701770-05 CH-AT-1RW75-1117 0.25   | 01-Dec-17 | 17:44:49 |
| 37 | 171201G1_37 | 1701770-06 CH-AT-1FB75-1117 0.25   | 01-Dec-17 | 17:57:12 |
| 38 | 171201G1_38 | 1701770-07 CH-AT-1RW76-1117 0.25   | 01-Dec-17 | 18:09:37 |
| 39 | 171201G1_39 | 1701770-08 CH-AT-1FB76-1117 0.25   | 01-Dec-17 | 18:22:01 |
| 40 | 171201G1_40 | 1701770-09 CH-AT-1RW77-1117 0.25   | 01-Dec-17 | 18:34:26 |
| 41 | 171201G1_41 | 1701770-10 CH-AT-1FB77-1117 0.25   | 01-Dec-17 | 18:46:52 |
| 42 | 171201G1_42 | IPA                                | 01-Dec-17 | 18:59:18 |
| 43 | 171201G1_43 | ST171201G1-3 PFC CS5 537 17K3029   | 01-Dec-17 | 19:11:46 |
| 44 | 171201G1_44 | IPA                                | 01-Dec-17 | 19:24:11 |

# LC Calibration Standards Review Checklist

B1

| Calibration ID: | ION Ratio                           | Concentration                       | C-Cals Name                         | Sign Date                           | Correct I-Cal                       | Manual Integrations                 |                                     |
|-----------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| ST1712061-16    | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| -2              | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| -3              | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
|                 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
|                 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
|                 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
|                 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
|                 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
|                 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
|                 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |

Full Mass Cal. Date: 4/5/17

Run Log Present: ☒

# of Samples per Sequence Checked: ☒

Reviewed By: JA 12/04/2012  
Initials/Date

Comments:

DW-L3

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-2.qld

Last Altered: Saturday, December 02, 2017 04:13:41 Pacific Standard Time


Printed: Saturday, December 02, 2017 15:42:13 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15


Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_2, Date: 01-Dec-2017, Time: 10:42:00, ID: ST171201G1-1 PFC CS-1 537 17K3024, Description: PFC CS-1 537 17K3024


### PFBS




### PFOA




### PFOS




### 13C2-PFHxA



### 13C4-PFOS



### 13C2-PFOA




Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-2.qld

Last Altered: Saturday, December 02, 2017 04:13:41 Pacific Standard Time


Printed: Saturday, December 02, 2017 15:42:13 Pacific Standard Time

Name: 171201G1\_2, Date: 01-Dec-2017, Time: 10:42:00, ID: ST171201G1-1 PFC CS-1 537 17K3024, Description: PFC CS-1 537 17K3024

13C4-PFOS



13C2-PFDA



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-33.qld

Last Altered: Saturday, December 02, 2017 04:15:57 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:43:02 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_33, Date: 01-Dec-2017, Time: 17:07:29, ID: ST171201G1-2 PFC CS3 17K3027, Description: PFC CS3 17K3027

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    | 1.24e4 | 1.08e4  |       | 1.0000 | 3.07    | 3.06 | 32.7         | 40.5  | 91.6  |
| 2 | 2 PFOA       | 413 > 368.7   | 4.03e4 | 1.06e4  |       | 1.0000 | 4.37    | 4.37 | 37.9         | 46.3  | 92.7  |
| 3 | 3 PFOS       | 499 > 79.9    | 1.98e4 | 1.08e4  |       | 1.0000 | 4.77    | 4.77 | 52.5         | 44.4  | 96.1  |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 4.29e3 | 1.06e4  | 0.429 | 1.0000 | 3.43    | 3.42 | 4.03         | 9.41  | 94.1  |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 5.70e3 | 1.06e4  | 0.548 | 1.0000 | 5.00    | 5.00 | 5.35         | 9.77  | 97.7  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 1.06e4 | 1.06e4  | 1.000 | 1.0000 | 4.41    | 4.37 | 10.0         | 10.0  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 1.08e4 | 1.08e4  | 1.000 | 1.0000 | 4.81    | 4.77 | 28.7         | 28.7  | 100.0 |

70-36  
↓

AM  
12/2/17

VJA  
12/04/2017

Dataset: Untitled

Last Altered: Saturday, December 02, 2017 15:43:40 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:51:12 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Compound name: PFBS

(A) Not acquired.

|    | Name        | ID                                 | Acq.Date  | Acq.Time |
|----|-------------|------------------------------------|-----------|----------|
| 1  | 171201G1_1  | IPA                                | 01-Dec-17 | 10:28:51 |
| 2  | 171201G1_2  | ST171201G1-1 PFC CS-1 537 17K3024  | 01-Dec-17 | 10:42:00 |
| 3  | 171201G1_3  | IPA                                | 01-Dec-17 | 10:54:24 |
| 4  | 171201G1_4  | B7K0177-BS1 LFB 0.25               | 01-Dec-17 | 11:06:51 |
| 5  | 171201G1_5  | B7K0177-BSD1 LFB 0.25              | 01-Dec-17 | 11:19:16 |
| 6  | 171201G1_6  | B7K0177-BLK1 LRB 0.25              | 01-Dec-17 | 11:31:42 |
| 7  | 171201G1_7  | 1701751-01 CH-AT-1RW58-1117 0.25   | 01-Dec-17 | 11:44:09 |
| 8  | 171201G1_8  | 1701751-02 CH-AT-1FB58-1117 0.25   | 01-Dec-17 | 11:56:36 |
| 9  | 171201G1_9  | 1701751-03 CH-AT-1EB01-111717 0.25 | 01-Dec-17 | 12:09:05 |
| 10 | 171201G1_10 | 1701751-04 CH-AT-1RW59-1117 0.25   | 01-Dec-17 | 12:21:30 |
| 11 | 171201G1_11 | 1701751-05 CH-AT-1FB59-1117 0.25   | 01-Dec-17 | 12:33:54 |
| 12 | 171201G1_12 | IPA                                | (A)       |          |
| 13 | 171201G1_13 | 1701751-07 CH-AT-1FB60-1117 0.25   | 01-Dec-17 | 12:46:19 |
| 14 | 171201G1_14 | 1701751-08 CH-AT-1RW61-1117 0.25   | 01-Dec-17 | 12:58:45 |
| 15 | 171201G1_15 | 1701751-09 CH-AT-1FB61-1117 0.25   | 01-Dec-17 | 13:11:13 |
| 16 | 171201G1_16 | 1701751-10 CH-AT-1RW62-1117 0.25   | 01-Dec-17 | 13:23:40 |
| 17 | 171201G1_17 | 1701751-12 CH-AT-1RW63-1117 0.25   | 01-Dec-17 | 13:48:34 |
| 18 | 171201G1_18 | 1701751-13 CH-AT-1FB63-1117 0.25   | 01-Dec-17 | 14:00:59 |
| 19 | 171201G1_19 | 1701751-14 CH-AT-1RW64-1117 0.25   | 01-Dec-17 | 14:13:24 |
| 20 | 171201G1_20 | 1701751-15 CH-AT-1FB64-1117 0.25   | 01-Dec-17 | 14:25:49 |
| 21 | 171201G1_21 | 1701751-16 CH-AT-1RW46-1117 0.25   | 01-Dec-17 | 14:38:15 |
| 22 | 171201G1_22 | 1701751-17 CH-AT-1FB46-1117 0.25   | 01-Dec-17 | 14:50:41 |
| 23 | 171201G1_23 | 1701751-18 CH-AT-1RW47-1117 0.25   | 01-Dec-17 | 15:03:08 |
| 24 | 171201G1_24 | 1701751-19 CH-AT-1FB47-1117 0.25   | 01-Dec-17 | 15:15:36 |
| 25 | 171201G1_25 | B7K0189-BS1 LFB 0.25               | 01-Dec-17 | 15:28:02 |
| 26 | 171201G1_26 | B7K0189-BSD1 LFB 0.25              | 01-Dec-17 | 15:40:26 |
| 27 | 171201G1_27 | IPA                                | 01-Dec-17 | 15:52:50 |
| 28 | 171201G1_28 | B7K0189-BLK1 LRB 0.25              | 01-Dec-17 | 16:05:18 |
| 29 | 171201G1_29 | 1701770-01 CH-AT-1RW74-1117-A 0.25 | 01-Dec-17 | 16:17:43 |
| 30 | 171201G1_30 | 1701770-02 CH-AT-1FB74-1117-A 0.25 | 01-Dec-17 | 16:30:08 |
| 31 | 171201G1_31 | 1701770-03 CH-AT-1RW74-1117-B 0.25 | 01-Dec-17 | 16:42:34 |

Dataset:        Untitled

Last Altered:    Saturday, December 02, 2017 15:43:40 Pacific Standard Time

Printed:        Saturday, December 02, 2017 15:51:12 Pacific Standard Time

**Compound name: PFBS**

|    | Name        | ID                                 | Acq.Date  | Acq.Time |
|----|-------------|------------------------------------|-----------|----------|
| 32 | 171201G1_32 | IPA                                | 01-Dec-17 | 16:55:01 |
| 33 | 171201G1_33 | ST171201G1-2 PFC CS3 17K3027       | 01-Dec-17 | 17:07:29 |
| 34 | 171201G1_34 | IPA                                | 01-Dec-17 | 17:19:53 |
| 35 | 171201G1_35 | 1701770-04 CH-AT-1FB74-1117-B 0.25 | 01-Dec-17 | 17:32:22 |
| 36 | 171201G1_36 | 1701770-05 CH-AT-1RW75-1117 0.25   | 01-Dec-17 | 17:44:49 |
| 37 | 171201G1_37 | 1701770-06 CH-AT-1FB75-1117 0.25   | 01-Dec-17 | 17:57:12 |
| 38 | 171201G1_38 | 1701770-07 CH-AT-1RW76-1117 0.25   | 01-Dec-17 | 18:09:37 |
| 39 | 171201G1_39 | 1701770-08 CH-AT-1FB76-1117 0.25   | 01-Dec-17 | 18:22:01 |
| 40 | 171201G1_40 | 1701770-09 CH-AT-1RW77-1117 0.25   | 01-Dec-17 | 18:34:26 |
| 41 | 171201G1_41 | 1701770-10 CH-AT-1FB77-1117 0.25   | 01-Dec-17 | 18:46:52 |
| 42 | 171201G1_42 | IPA                                | 01-Dec-17 | 18:59:18 |
| 43 | 171201G1_43 | ST171201G1-3 PFC CS5 537 17K3029   | 01-Dec-17 | 19:11:46 |
| 44 | 171201G1_44 | IPA                                | 01-Dec-17 | 19:24:11 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-33.qld

Last Altered: Saturday, December 02, 2017 04:15:57 Pacific Standard Time


Printed: Saturday, December 02, 2017 15:43:02 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15


Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_33, Date: 01-Dec-2017, Time: 17:07:29, ID: ST171201G1-2 PFC CS3 17K3027, Description: PFC CS3 17K3027


### PFBS




### PFOA




### PFOS




### 13C2-PFHxA



### 13C4-PFOS



### 13C2-PFOA




Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-33.qld

Last Altered: Saturday, December 02, 2017 04:15:57 Pacific Standard Time


Printed: Saturday, December 02, 2017 15:43:02 Pacific Standard Time

Name: 171201G1\_33, Date: 01-Dec-2017, Time: 17:07:29, ID: ST171201G1-2 PFC CS3 17K3027, Description: PFC CS3 17K3027

13C4-PFOS



13C2-PFDA



Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-43.qld

Last Altered: Saturday, December 02, 2017 04:18:24 Pacific Standard Time

Printed: Saturday, December 02, 2017 15:43:09 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_43, Date: 01-Dec-2017, Time: 19:11:46, ID: ST171201G1-3 PFC CS5 537 17K3029, Description: PFC CS5 537 17K3029

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    | 2.17e4 | 8.59e3  |       | 1.0000 | 3.07    | 3.06 | 72.5         | 89.8  | 101.6 |
| 2 | 2 PFOA       | 413 > 368.7   | 6.74e4 | 8.08e3  |       | 1.0000 | 4.36    | 4.36 | 83.4         | 102   | 102.0 |
| 3 | 3 PFOS       | 499 > 79.9    | 3.42e4 | 8.59e3  |       | 1.0000 | 4.77    | 4.77 | 114          | 96.5  | 104.4 |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 3.93e3 | 8.08e3  | 0.429 | 1.0000 | 3.42    | 3.42 | 4.86         | 11.3  | 113.4 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 4.38e3 | 8.08e3  | 0.548 | 1.0000 | 4.99    | 5.00 | 5.42         | 9.90  | 99.0  |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 8.08e3 | 8.08e3  | 1.000 | 1.0000 | 4.41    | 4.36 | 10.0         | 10.0  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 8.59e3 | 8.59e3  | 1.000 | 1.0000 | 4.81    | 4.77 | 28.7         | 28.7  | 100.0 |

70-130  
↓

AM  
12/2/17

✓ JHA.  
12/04/2017

Dataset: Untitled

Last Altered: Saturday, December 02, 2017 15:43:40 Pacific Standard Time  
Printed: Saturday, December 02, 2017 15:51:12 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15  
Calibration: U:\G1.PRO\CurveDB\IC18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Compound name: PFBS

A Not required

|    | Name        | ID                                 | Acq.Date  | Acq.Time |
|----|-------------|------------------------------------|-----------|----------|
| 1  | 171201G1_1  | IPA                                | 01-Dec-17 | 10:28:51 |
| 2  | 171201G1_2  | ST171201G1-1 PFC CS-1 537 17K3024  | 01-Dec-17 | 10:42:00 |
| 3  | 171201G1_3  | IPA                                | 01-Dec-17 | 10:54:24 |
| 4  | 171201G1_4  | B7K0177-BS1 LFB 0.25               | 01-Dec-17 | 11:06:51 |
| 5  | 171201G1_5  | B7K0177-BSD1 LFBD 0.25             | 01-Dec-17 | 11:19:16 |
| 6  | 171201G1_6  | B7K0177-BLK1 LRB 0.25              | 01-Dec-17 | 11:31:42 |
| 7  | 171201G1_7  | 1701751-01 CH-AT-1RW58-1117 0.25   | 01-Dec-17 | 11:44:09 |
| 8  | 171201G1_8  | 1701751-02 CH-AT-1FB58-1117 0.25   | 01-Dec-17 | 11:56:36 |
| 9  | 171201G1_9  | 1701751-03 CH-AT-1EB01-111717 0.25 | 01-Dec-17 | 12:09:05 |
| 10 | 171201G1_10 | 1701751-04 CH-AT-1RW59-1117 0.25   | 01-Dec-17 | 12:21:30 |
| 11 | 171201G1_11 | 1701751-05 CH-AT-1FB59-1117 0.25   | 01-Dec-17 | 12:33:54 |
| 12 | 171201G1_12 | IPA                                | A         |          |
| 13 | 171201G1_13 | 1701751-07 CH-AT-1FB60-1117 0.25   | 01-Dec-17 | 12:46:19 |
| 14 | 171201G1_14 | 1701751-08 CH-AT-1RW61-1117 0.25   | 01-Dec-17 | 12:58:45 |
| 15 | 171201G1_15 | 1701751-09 CH-AT-1FB61-1117 0.25   | 01-Dec-17 | 13:11:13 |
| 16 | 171201G1_16 | 1701751-10 CH-AT-1RW62-1117 0.25   | 01-Dec-17 | 13:23:40 |
| 17 | 171201G1_17 | 1701751-12 CH-AT-1RW63-1117 0.25   | 01-Dec-17 | 13:48:34 |
| 18 | 171201G1_18 | 1701751-13 CH-AT-1FB63-1117 0.25   | 01-Dec-17 | 14:00:59 |
| 19 | 171201G1_19 | 1701751-14 CH-AT-1RW64-1117 0.25   | 01-Dec-17 | 14:13:24 |
| 20 | 171201G1_20 | 1701751-15 CH-AT-1FB64-1117 0.25   | 01-Dec-17 | 14:25:49 |
| 21 | 171201G1_21 | 1701751-16 CH-AT-1RW46-1117 0.25   | 01-Dec-17 | 14:38:15 |
| 22 | 171201G1_22 | 1701751-17 CH-AT-1FB46-1117 0.25   | 01-Dec-17 | 14:50:41 |
| 23 | 171201G1_23 | 1701751-18 CH-AT-1RW47-1117 0.25   | 01-Dec-17 | 15:03:08 |
| 24 | 171201G1_24 | 1701751-19 CH-AT-1FB47-1117 0.25   | 01-Dec-17 | 15:15:36 |
| 25 | 171201G1_25 | B7K0189-BS1 LFB 0.25               | 01-Dec-17 | 15:28:02 |
| 26 | 171201G1_26 | B7K0189-BSD1 LFBD 0.25             | 01-Dec-17 | 15:40:26 |
| 27 | 171201G1_27 | IPA                                | 01-Dec-17 | 15:52:50 |
| 28 | 171201G1_28 | B7K0189-BLK1 LRB 0.25              | 01-Dec-17 | 16:05:18 |
| 29 | 171201G1_29 | 1701770-01 CH-AT-1RW74-1117-A 0.25 | 01-Dec-17 | 16:17:43 |
| 30 | 171201G1_30 | 1701770-02 CH-AT-1FB74-1117-A 0.25 | 01-Dec-17 | 16:30:08 |
| 31 | 171201G1_31 | 1701770-03 CH-AT-1RW74-1117-B 0.25 | 01-Dec-17 | 16:42:34 |

Dataset:        Untitled

Last Altered:    Saturday, December 02, 2017 15:43:40 Pacific Standard Time

Printed:         Saturday, December 02, 2017 15:51:12 Pacific Standard Time

**Compound name: PFBS**

|    | Name        | ID                                 | Acq.Date  | Acq.Time |
|----|-------------|------------------------------------|-----------|----------|
| 32 | 171201G1_32 | IPA                                | 01-Dec-17 | 16:55:01 |
| 33 | 171201G1_33 | ST171201G1-2 PFC CS3 17K3027       | 01-Dec-17 | 17:07:29 |
| 34 | 171201G1_34 | IPA                                | 01-Dec-17 | 17:19:53 |
| 35 | 171201G1_35 | 1701770-04 CH-AT-1FB74-1117-B 0.25 | 01-Dec-17 | 17:32:22 |
| 36 | 171201G1_36 | 1701770-05 CH-AT-1RW75-1117 0.25   | 01-Dec-17 | 17:44:49 |
| 37 | 171201G1_37 | 1701770-06 CH-AT-1FB75-1117 0.25   | 01-Dec-17 | 17:57:12 |
| 38 | 171201G1_38 | 1701770-07 CH-AT-1RW76-1117 0.25   | 01-Dec-17 | 18:09:37 |
| 39 | 171201G1_39 | 1701770-08 CH-AT-1FB76-1117 0.25   | 01-Dec-17 | 18:22:01 |
| 40 | 171201G1_40 | 1701770-09 CH-AT-1RW77-1117 0.25   | 01-Dec-17 | 18:34:26 |
| 41 | 171201G1_41 | 1701770-10 CH-AT-1FB77-1117 0.25   | 01-Dec-17 | 18:46:52 |
| 42 | 171201G1_42 | IPA                                | 01-Dec-17 | 18:59:18 |
| 43 | 171201G1_43 | ST171201G1-3 PFC CS5 537 17K3029   | 01-Dec-17 | 19:11:46 |
| 44 | 171201G1_44 | IPA                                | 01-Dec-17 | 19:24:11 |

Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-43.qld

Last Altered: Saturday, December 02, 2017 04:18:24 Pacific Standard Time


Printed: Saturday, December 02, 2017 15:43:09 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15


Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171201G1\_43, Date: 01-Dec-2017, Time: 19:11:46, ID: ST171201G1-3 PFC CS5 537 17K3029, Description: PFC CS5 537 17K3029


PFBS




PFOA




PFOS




13C2-PFHxA



13C4-PFOS



13C2-PFOA




Dataset: U:\G1.PRO\Results\2017\171201G1\171201G1-43.qld

Last Altered: Saturday, December 02, 2017 04:18:24 Pacific Standard Time


Printed: Saturday, December 02, 2017 15:43:09 Pacific Standard Time

Name: 171201G1\_43, Date: 01-Dec-2017, Time: 19:11:46, ID: ST171201G1-3 PFC CS5 537 17K3029, Description: PFC CS5 537 17K3029

13C4-PFOS



13C2-PFDA



**INITIAL CALIBRATION (ICAL)**  
**INCLUDING ASSOCIATED**  
**INITIAL CALIBRATION VERIFICATION (ICV)**

Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 09:09:28 Pacific Standard Time

Printed: Friday, December 01, 2017 09:44:51 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28

Compound name: PFBS

Coefficient of Determination:  $R^2 = 0.995316$

Calibration curve:  $0.807573 * x$

Response type: Internal Std ( Ref 7 ), Area \* ( IS Conc. / IS Area )

Curve type: Linear, Origin: Force, Weighting: 1/x, Axis trans: None

*DM*  
*12/1/17* *JA*  
*12/01/2017*

|   | # Name        | Type     | Std. Conc | RT   | Area      | IS Area   | Response | Conc. | %Dev  | Conc. Flag | CoD   | CoD Flag | x=excluded |
|---|---------------|----------|-----------|------|-----------|-----------|----------|-------|-------|------------|-------|----------|------------|
| 1 | 1 171130G1_2  | Standard | 0.443     | 3.06 | 148.378   | 11909.380 | 0.358    | 0.4   | 0.1   | NO         | 0.995 | NO       | bbX        |
| 2 | 2 171130G1_3  | Standard | 0.885     | 3.06 | 254.168   | 11442.778 | 0.637    | 0.8   | -10.8 | NO         | 0.995 | NO       | bb         |
| 3 | 3 171130G1_4  | Standard | 1.770     | 3.06 | 521.902   | 11478.244 | 1.305    | 1.6   | -8.7  | NO         | 0.995 | NO       | bb         |
| 4 | 4 171130G1_5  | Standard | 4.420     | 3.07 | 1438.862  | 10553.214 | 3.913    | 4.8   | 9.6   | NO         | 0.995 | NO       | bb         |
| 5 | 5 171130G1_6  | Standard | 8.850     | 3.07 | 2910.137  | 11620.608 | 7.187    | 8.9   | 0.6   | NO         | 0.995 | NO       | bb         |
| 6 | 6 171130G1_7  | Standard | 22.100    | 3.07 | 6509.534  | 10482.663 | 17.822   | 22.1  | -0.1  | NO         | 0.995 | NO       | bd         |
| 7 | 7 171130G1_8  | Standard | 44.200    | 3.07 | 12419.074 | 10138.133 | 35.157   | 43.5  | -1.5  | NO         | 0.995 | NO       | bd         |
| 8 | 8 171130G1_9  | Standard | 66.300    | 3.07 | 19601.131 | 9629.363  | 58.421   | 72.3  | 9.1   | NO         | 0.995 | NO       | bb         |
| 9 | 9 171130G1_10 | Standard | 88.400    | 3.07 | 22636.490 | 9712.236  | 66.892   | 82.8  | -6.3  | NO         | 0.995 | NO       | bd         |

Compound name: PFOA

Coefficient of Determination:  $R^2 = 0.998609$

Calibration curve:  $0.81771 * x$

Response type: Internal Std ( Ref 6 ), Area \* ( IS Conc. / IS Area )

Curve type: Linear, Origin: Force, Weighting: 1/x, Axis trans: None

|   | # Name        | Type     | Std. Conc | RT   | Area      | IS Area   | Response | Conc. | %Dev | Conc. Flag | CoD   | CoD Flag | x=excluded |
|---|---------------|----------|-----------|------|-----------|-----------|----------|-------|------|------------|-------|----------|------------|
| 1 | 1 171130G1_2  | Standard | 0.500     | 4.36 | 543.490   | 9926.858  | 0.547    | 0.7   | 33.9 | NO         | 0.999 | NO       | bb         |
| 2 | 2 171130G1_3  | Standard | 1.000     | 4.36 | 868.204   | 10558.032 | 0.822    | 1.0   | 0.6  | NO         | 0.999 | NO       | bd         |
| 3 | 3 171130G1_4  | Standard | 2.000     | 4.37 | 1652.044  | 10699.872 | 1.544    | 1.9   | -5.6 | NO         | 0.999 | NO       | bb         |
| 4 | 4 171130G1_5  | Standard | 5.000     | 4.37 | 4369.930  | 10771.267 | 4.057    | 5.0   | -0.8 | NO         | 0.999 | NO       | bb         |
| 5 | 5 171130G1_6  | Standard | 10.000    | 4.37 | 8525.979  | 10417.228 | 8.184    | 10.0  | 0.1  | NO         | 0.999 | NO       | bb         |
| 6 | 6 171130G1_7  | Standard | 25.000    | 4.37 | 20170.291 | 9735.661  | 20.718   | 25.3  | 1.3  | NO         | 0.999 | NO       | bd         |
| 7 | 7 171130G1_8  | Standard | 50.000    | 4.37 | 40959.543 | 10479.243 | 39.086   | 47.8  | -4.4 | NO         | 0.999 | NO       | bb         |
| 8 | 8 171130G1_9  | Standard | 75.000    | 4.37 | 55501.742 | 8834.410  | 62.825   | 76.8  | 2.4  | NO         | 0.999 | NO       | bb         |
| 9 | 9 171130G1_10 | Standard | 100.000   | 4.37 | 69701.703 | 8214.188  | 84.855   | 103.8 | 3.8  | NO         | 0.999 | NO       | bbX        |

Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 09:09:28 Pacific Standard Time

Printed: Friday, December 01, 2017 09:09:46 Pacific Standard Time

**Compound name: PFOS**

Coefficient of Determination:  $R^2 = 0.997655$

Calibration curve:  $1.18337 * x$

Response type: Internal Std ( Ref 7 ), Area \* ( IS Conc. / IS Area )

Curve type: Linear, Origin: Force, Weighting: 1/x, Axis trans: None

|   | # Name        | Type     | Std. Conc | RT   | Area      | IS Area   | Response | Conc. | %Dev  | Conc. Flag | CoD   | CoD Flag | x=excluded |
|---|---------------|----------|-----------|------|-----------|-----------|----------|-------|-------|------------|-------|----------|------------|
| 1 | 1 171130G1_2  | Standard | 0.464     | 4.76 | 157.341   | 11909.380 | 0.379    | 0.3   | -30.9 | NO         | 0.998 | NO       | MMX        |
| 2 | 2 171130G1_3  | Standard | 0.925     | 4.77 | 426.020   | 11442.778 | 1.069    | 0.9   | -2.4  | NO         | 0.998 | NO       | MM         |
| 3 | 3 171130G1_4  | Standard | 1.850     | 4.77 | 827.162   | 11478.244 | 2.068    | 1.7   | -5.5  | NO         | 0.998 | NO       | MM         |
| 4 | 4 171130G1_5  | Standard | 4.625     | 4.77 | 2076.757  | 10553.214 | 5.648    | 4.8   | 3.2   | NO         | 0.998 | NO       | MM         |
| 5 | 5 171130G1_6  | Standard | 9.250     | 4.77 | 4280.277  | 11620.608 | 10.571   | 8.9   | -3.4  | NO         | 0.998 | NO       | MM         |
| 6 | 6 171130G1_7  | Standard | 23.100    | 4.77 | 10074.306 | 10482.663 | 27.582   | 23.3  | 0.9   | NO         | 0.998 | NO       | MM         |
| 7 | 7 171130G1_8  | Standard | 46.200    | 4.77 | 19838.158 | 10138.133 | 56.160   | 47.5  | 2.7   | NO         | 0.998 | NO       | MM         |
| 8 | 8 171130G1_9  | Standard | 69.300    | 4.78 | 28978.148 | 9629.363  | 86.368   | 73.0  | 5.3   | NO         | 0.998 | NO       | MM         |
| 9 | 9 171130G1_10 | Standard | 92.400    | 4.78 | 35057.734 | 9712.236  | 103.597  | 87.5  | -5.3  | NO         | 0.998 | NO       | MM         |

**Compound name: 13C2-PFHxA**

Response Factor: 0.428591

RRF SD: 0.0172725, Relative SD: 4.03006

Response type: Internal Std ( Ref 6 ), Area \* ( IS Conc. / IS Area )

Curve type: RF

|   | # Name        | Type     | Std. Conc | RT   | Area     | IS Area   | Response | Conc. | %Dev | Conc. Flag | CoD | CoD Flag | x=excluded |
|---|---------------|----------|-----------|------|----------|-----------|----------|-------|------|------------|-----|----------|------------|
| 1 | 1 171130G1_2  | Standard | 10.000    | 3.43 | 4281.697 | 9926.858  | 4.313    | 10.1  | 0.6  | NO         |     | NO       | bd         |
| 2 | 2 171130G1_3  | Standard | 10.000    | 3.43 | 4315.057 | 10558.032 | 4.087    | 9.5   | -4.6 | NO         |     | NO       | bb         |
| 3 | 3 171130G1_4  | Standard | 10.000    | 3.43 | 4559.187 | 10699.872 | 4.261    | 9.9   | -0.6 | NO         |     | NO       | bb         |
| 4 | 4 171130G1_5  | Standard | 10.000    | 3.43 | 4496.875 | 10771.267 | 4.175    | 9.7   | -2.6 | NO         |     | NO       | bd         |
| 5 | 5 171130G1_6  | Standard | 10.000    | 3.43 | 4532.288 | 10417.228 | 4.351    | 10.2  | 1.5  | NO         |     | NO       | bb         |
| 6 | 6 171130G1_7  | Standard | 10.000    | 3.43 | 4368.974 | 9735.661  | 4.488    | 10.5  | 4.7  | NO         |     | NO       | bb         |
| 7 | 7 171130G1_8  | Standard | 10.000    | 3.43 | 4267.189 | 10479.243 | 4.072    | 9.5   | -5.0 | NO         |     | NO       | bb         |
| 8 | 8 171130G1_9  | Standard | 10.000    | 3.44 | 4011.489 | 8834.410  | 4.541    | 10.6  | 5.9  | NO         |     | NO       | bb         |
| 9 | 9 171130G1_10 | Standard | 10.000    | 3.43 | 3798.677 | 8214.188  | 4.625    | 10.8  | 7.9  | NO         |     | NO       | bdX        |

Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 09:09:28 Pacific Standard Time

Printed: Friday, December 01, 2017 09:09:46 Pacific Standard Time

**Compound name: 13C2-PFDA**

Response Factor: 0.547878

RRF SD: 0.0413645, Relative SD: 7.54995

Response type: Internal Std ( Ref 6 ), Area \* ( IS Conc. / IS Area )

Curve type: RF

|   | # Name        | Type     | Std. Conc | RT   | Area     | IS Area   | Response | Conc. | %Dev | Conc. Flag | CoD | CoD Flag | x=excluded |
|---|---------------|----------|-----------|------|----------|-----------|----------|-------|------|------------|-----|----------|------------|
| 1 | 1 171130G1_2  | Standard | 10.000    | 5.00 | 6370.964 | 9926.858  | 6.418    | 11.7  | 17.1 | NO         |     | NO       | bb         |
| 2 | 2 171130G1_3  | Standard | 10.000    | 5.00 | 5724.157 | 10558.032 | 5.422    | 9.9   | -1.0 | NO         |     | NO       | bd         |
| 3 | 3 171130G1_4  | Standard | 10.000    | 5.00 | 5798.319 | 10699.872 | 5.419    | 9.9   | -1.1 | NO         |     | NO       | bb         |
| 4 | 4 171130G1_5  | Standard | 10.000    | 5.00 | 5604.895 | 10771.267 | 5.204    | 9.5   | -5.0 | NO         |     | NO       | bb         |
| 5 | 5 171130G1_6  | Standard | 10.000    | 5.00 | 5772.324 | 10417.228 | 5.541    | 10.1  | 1.1  | NO         |     | NO       | bb         |
| 6 | 6 171130G1_7  | Standard | 10.000    | 5.00 | 4955.320 | 9735.661  | 5.090    | 9.3   | -7.1 | NO         |     | NO       | bd         |
| 7 | 7 171130G1_8  | Standard | 10.000    | 5.00 | 5454.072 | 10479.243 | 5.205    | 9.5   | -5.0 | NO         |     | NO       | bb         |
| 8 | 8 171130G1_9  | Standard | 10.000    | 5.01 | 4887.635 | 8834.410  | 5.532    | 10.1  | 1.0  | NO         |     | NO       | bb         |
| 9 | 9 171130G1_10 | Standard | 10.000    | 5.01 | 4363.032 | 8214.188  | 5.312    | 9.7   | -3.1 | NO         |     | NO       | bbX        |

**Compound name: 13C2-PFOA**

Response Factor: 1

RRF SD: 0, Relative SD: 0

Response type: Internal Std ( Ref 6 ), Area \* ( IS Conc. / IS Area )

Curve type: RF

|   | # Name        | Type     | Std. Conc | RT   | Area      | IS Area   | Response | Conc. | %Dev | Conc. Flag | CoD | CoD Flag | x=excluded |
|---|---------------|----------|-----------|------|-----------|-----------|----------|-------|------|------------|-----|----------|------------|
| 1 | 1 171130G1_2  | Standard | 10.000    | 4.36 | 9926.858  | 9926.858  | 10.000   | 10.0  | 0.0  | NO         |     | NO       | bb         |
| 2 | 2 171130G1_3  | Standard | 10.000    | 4.37 | 10558.032 | 10558.032 | 10.000   | 10.0  | 0.0  | NO         |     | NO       | bb         |
| 3 | 3 171130G1_4  | Standard | 10.000    | 4.37 | 10699.872 | 10699.872 | 10.000   | 10.0  | 0.0  | NO         |     | NO       | bb         |
| 4 | 4 171130G1_5  | Standard | 10.000    | 4.37 | 10771.267 | 10771.267 | 10.000   | 10.0  | 0.0  | NO         |     | NO       | bd         |
| 5 | 5 171130G1_6  | Standard | 10.000    | 4.37 | 10417.228 | 10417.228 | 10.000   | 10.0  | 0.0  | NO         |     | NO       | bd         |
| 6 | 6 171130G1_7  | Standard | 10.000    | 4.37 | 9735.661  | 9735.661  | 10.000   | 10.0  | 0.0  | NO         |     | NO       | bd         |
| 7 | 7 171130G1_8  | Standard | 10.000    | 4.37 | 10479.243 | 10479.243 | 10.000   | 10.0  | 0.0  | NO         |     | NO       | bd         |
| 8 | 8 171130G1_9  | Standard | 10.000    | 4.37 | 8834.410  | 8834.410  | 10.000   | 10.0  | 0.0  | NO         |     | NO       | bb         |
| 9 | 9 171130G1_10 | Standard | 10.000    | 4.37 | 8214.188  | 8214.188  | 10.000   | 10.0  | 0.0  | NO         |     | NO       | bbX        |

Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 09:09:28 Pacific Standard Time

Printed: Friday, December 01, 2017 09:09:46 Pacific Standard Time

**Compound name: 13C4-PFOS**

Response Factor: 1

RRF SD: 8.3925e-017, Relative SD: 8.3925e-015

Response type: Internal Std ( Ref 7 ), Area \* ( IS Conc. / IS Area )

Curve type: RF

|   | # Name        | Type     | Std. Conc | RT   | Area      | IS Area   | Response | Conc. | %Dev | Conc. Flag | CoD | CoD Flag | x=excluded |
|---|---------------|----------|-----------|------|-----------|-----------|----------|-------|------|------------|-----|----------|------------|
| 1 | 1 171130G1_2  | Standard | 28.700    | 4.76 | 11909.380 | 11909.380 | 28.700   | 28.7  | 0.0  | NO         |     | NO       | bbX        |
| 2 | 2 171130G1_3  | Standard | 28.700    | 4.77 | 11442.778 | 11442.778 | 28.700   | 28.7  | 0.0  | NO         |     | NO       | bd         |
| 3 | 3 171130G1_4  | Standard | 28.700    | 4.77 | 11478.244 | 11478.244 | 28.700   | 28.7  | 0.0  | NO         |     | NO       | bb         |
| 4 | 4 171130G1_5  | Standard | 28.700    | 4.77 | 10553.214 | 10553.214 | 28.700   | 28.7  | 0.0  | NO         |     | NO       | bd         |
| 5 | 5 171130G1_6  | Standard | 28.700    | 4.77 | 11620.608 | 11620.608 | 28.700   | 28.7  | 0.0  | NO         |     | NO       | bb         |
| 6 | 6 171130G1_7  | Standard | 28.700    | 4.77 | 10482.663 | 10482.663 | 28.700   | 28.7  | 0.0  | NO         |     | NO       | bd         |
| 7 | 7 171130G1_8  | Standard | 28.700    | 4.77 | 10138.133 | 10138.133 | 28.700   | 28.7  | 0.0  | NO         |     | NO       | bd         |
| 8 | 8 171130G1_9  | Standard | 28.700    | 4.77 | 9629.363  | 9629.363  | 28.700   | 28.7  | 0.0  | NO         |     | NO       | bd         |
| 9 | 9 171130G1_10 | Standard | 28.700    | 4.78 | 9712.236  | 9712.236  | 28.700   | 28.7  | 0.0  | NO         |     | NO       | bd         |

Dataset: Untitled

Last Altered: Friday, December 01, 2017 09:16:30 Pacific Standard Time

Printed: Friday, December 01, 2017 09:16:48 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_12-01-17\_L3.cdb 01 Dec 2017 09:09:28

Compound name: PFBS

11 50  
on 12/1/17

|    | Name        | ID                                | Acq.Date  | Acq.Time |
|----|-------------|-----------------------------------|-----------|----------|
| 1  | 171130G1_1  | IPA                               | 30-Nov-17 | 18:18:31 |
| 2  | 171130G1_2  | ST171130G1-1 PFC CS-3 537 17K3022 | 30-Nov-17 | 18:30:58 |
| 3  | 171130G1_3  | ST171130G1-2 PFC CS-2 537 17K3023 | 30-Nov-17 | 18:43:22 |
| 4  | 171130G1_4  | ST171130G1-3 PFC CS-1 537 17K3024 | 30-Nov-17 | 18:55:46 |
| 5  | 171130G1_5  | ST171130G1-4 PFC CS0 537 17K3025  | 30-Nov-17 | 19:08:12 |
| 6  | 171130G1_6  | ST171130G1-5 PFC CS1 537 17K3026  | 30-Nov-17 | 19:20:37 |
| 7  | 171130G1_7  | ST171130G1-6 PFC CS2 537 17K3033  | 30-Nov-17 | 19:33:04 |
| 8  | 171130G1_8  | ST171130G1-7 PFC CS3 537 17K3027  | 30-Nov-17 | 19:45:30 |
| 9  | 171130G1_9  | ST171130G1-8 PFC CS4 537 17K3028  | 30-Nov-17 | 19:57:58 |
| 10 | 171130G1_10 | ST171130G1-9 PFC CS5 537 17K3029  | 30-Nov-17 | 20:10:26 |
| 11 | 171130G1_11 | IPA                               | 30-Nov-17 | 20:22:49 |
| 12 | 171130G1_12 | ICV171130G1-1 PFC ICV 537 17K3030 | 30-Nov-17 | 20:35:17 |
| 13 | 171130G1_13 | IPA                               | 30-Nov-17 | 20:47:42 |
| 14 | 171130G1_14 | B7K0172-BS1 LFB 0.25              | 30-Nov-17 | 21:00:09 |
| 15 | 171130G1_15 | B7K0172-BSD1 LFB 0.25             | 30-Nov-17 | 21:12:34 |
| 16 | 171130G1_16 | B7K0172-BLK1 LRB 0.25             | 30-Nov-17 | 21:24:59 |
| 17 | 171130G1_17 | 1701750-01 CH-AT-1RW48-1117 0.25  | 30-Nov-17 | 21:37:26 |
| 18 | 171130G1_18 | 1701750-02 CH-AT-1FB48-1117 0.25  | 30-Nov-17 | 21:49:52 |
| 19 | 171130G1_19 | 1701750-03 CH-AT-1RW49-1117 0.25  | 30-Nov-17 | 22:02:20 |
| 20 | 171130G1_20 | 1701750-04 CH-AT-1FB49-1117 0.25  | 30-Nov-17 | 22:14:47 |
| 21 | 171130G1_21 | 1701750-05 CH-AT-1RW50-1117 0.25  | 30-Nov-17 | 22:27:11 |
| 22 | 171130G1_22 | 1701750-06 CH-AT-1FB50-1117 0.25  | 30-Nov-17 | 22:39:35 |
| 23 | 171130G1_23 | 1701750-07 CH-AT-1RW51-1117 0.25  | 30-Nov-17 | 22:51:59 |
| 24 | 171130G1_24 | 1701750-08 CH-AT-1FB51-1117 0.25  | 30-Nov-17 | 23:04:25 |
| 25 | 171130G1_25 | 1701750-09 CH-AT-1RW52-1117 0.25  | 30-Nov-17 | 23:16:50 |
| 26 | 171130G1_26 | 1701750-10 CH-AT-1FB52-1117 0.25  | 30-Nov-17 | 23:29:17 |
| 27 | 171130G1_27 | 1701750-11 CH-AT-1RW53-1117 0.25  | 30-Nov-17 | 23:41:45 |
| 28 | 171130G1_28 | 1701750-12 CH-AT-1FB53-1117 0.25  | 30-Nov-17 | 23:54:12 |
| 29 | 171130G1_29 | 1701750-13 CH-AT-1RW54-1117 0.25  | 01-Dec-17 | 00:06:36 |
| 30 | 171130G1_30 | 1701750-14 CH-AT-1FB54-1117 0.25  | 01-Dec-17 | 00:19:01 |
| 31 | 171130G1_31 | 1701750-15 CH-AT-1RW55-1117 0.25  | 01-Dec-17 | 00:31:25 |

Dataset: Untitled

Last Altered: Friday, December 01, 2017 09:16:30 Pacific Standard Time

Printed: Friday, December 01, 2017 09:16:48 Pacific Standard Time

Compound name: PFBS

|    | Name        | ID                                 | Acq.Date  | Acq.Time |
|----|-------------|------------------------------------|-----------|----------|
| 32 | 171130G1_32 | 1701750-16 CH-AT-1FB55-1117 0.25   | 01-Dec-17 | 00:43:49 |
| 33 | 171130G1_33 | 1701750-17 CH-AT-1RW56-1117 0.25   | 01-Dec-17 | 00:56:15 |
| 34 | 171130G1_34 | 1701750-18 CH-AT-1FB56-1117 0.25   | 01-Dec-17 | 01:08:41 |
| 35 | 171130G1_35 | 1701750-19 CH-AT-1FB57-1117 0.25   | 01-Dec-17 | 01:21:08 |
| 36 | 171130G1_36 | 1701750-20 CH-AT-1RW57-1117 0.25   | 01-Dec-17 | 01:33:35 |
| 37 | 171130G1_37 | IPA                                | 01-Dec-17 | 01:45:59 |
| 38 | 171130G1_38 | ST171130G1-10 PFC CS3 17K3027      | 01-Dec-17 | 01:58:26 |
| 39 | 171130G1_39 | IPA                                | 01-Dec-17 | 02:10:53 |
| 40 | 171130G1_40 | B7K0177-BS1 LFB 0.25               | 01-Dec-17 | 02:23:21 |
| 41 | 171130G1_41 | B7K0177-BSD1 LFB 0.25              | 01-Dec-17 | 02:35:46 |
| 42 | 171130G1_42 | B7K0177-BLK1 LRB 0.25              | 01-Dec-17 | 02:48:11 |
| 43 | 171130G1_43 | 1701751-01 CH-AT-1RW58-1117 0.25   | 01-Dec-17 | 03:00:35 |
| 44 | 171130G1_44 | 1701751-02 CH-AT-1FB58-1117 0.25   | 01-Dec-17 | 03:13:01 |
| 45 | 171130G1_45 | 1701751-03 CH-AT-1EB01-111717 0.25 | 01-Dec-17 | 03:25:27 |
| 46 | 171130G1_46 | 1701751-04 CH-AT-1RW59-1117 0.25   | 01-Dec-17 | 03:37:53 |
| 47 | 171130G1_47 | 1701751-05 CH-AT-1FB59-1117 0.25   | 01-Dec-17 | 03:50:21 |
| 48 | 171130G1_48 | 1701751-06 CH-AT-1RW60-1117 0.25   | 01-Dec-17 | 04:02:44 |
| 49 | 171130G1_49 | 1701751-07 CH-AT-1FB60-1117 0.25   | 01-Dec-17 | 04:15:09 |
| 50 | 171130G1_50 | 1701751-08 CH-AT-1RW61-1117 0.25   | 01-Dec-17 | 04:27:33 |
| 51 | 171130G1_51 | 1701751-09 CH-AT-1FB61-1117 0.25   | 01-Dec-17 | 04:39:57 |
| 52 | 171130G1_52 | 1701751-10 CH-AT-1RW62-1117 0.25   | 01-Dec-17 | 04:52:23 |
| 53 | 171130G1_53 | 1701751-11 CH-AT-1FB62-1117 0.25   | 01-Dec-17 | 05:04:50 |
| 54 | 171130G1_54 | IPA                                | 01-Dec-17 | 05:17:17 |
| 55 | 171130G1_55 | ST171130G1-11 PFC CS5 537 17K3029  | 01-Dec-17 | 05:29:45 |
| 56 | 171130G1_56 | IPA                                | 01-Dec-17 | 05:42:09 |

Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 09:09:28 Pacific Standard Time

Printed: Friday, December 01, 2017 09:44:07 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_11-30-17\_L3.cdb 01 Dec 2017 09:09:28


Compound name: PFBS

Coefficient of Determination:  $R^2 = 0.995316$

Calibration curve:  $0.807573 * x$

Response type: Internal Std ( Ref 7 ), Area \* ( IS Conc. / IS Area )

Curve type: Linear, Origin: Force, Weighting: 1/x, Axis trans: None



Dataset:        U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered:   Friday, December 01, 2017 08:53:53 Pacific Standard Time

Printed:        Friday, December 01, 2017 09:06:38 Pacific Standard Time


Compound name: PFOA

Coefficient of Determination:  $R^2 = 0.998822$

Calibration curve:  $0.829197 * x$

Response type: Internal Std ( Ref 6 ), Area \* ( IS Conc. / IS Area )

Curve type: Linear, Origin: Force, Weighting: 1/x, Axis trans: None



Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time

Printed: Friday, December 01, 2017 09:06:38 Pacific Standard Time


Compound name: PFOS


Coefficient of Determination:  $R^2 = 0.997600$


Calibration curve:  $1.18269 * x$

Response type: Internal Std ( Ref 7 ), Area \* ( IS Conc. / IS Area )

Curve type: Linear, Origin: Force, Weighting: 1/x, Axis trans: None







Compound 6: 13C2-PFOA

| ID                                  | Name      | Type     | Std. Conc | RT   | Area     | IS Area  | Primary Flags |
|-------------------------------------|-----------|----------|-----------|------|----------|----------|---------------|
| 1 ST171130G1-1 PFC CS-3 537 17K3022 | 171130G1_ | Standard | 10        | 4.36 | 9926.858 | 9926.858 | bb            |
| 2 ST171130G1-2 PFC CS-2 537 17K3023 | 171130G1_ | Standard | 10        | 4.37 | 10558.03 | 10558.03 | bb            |
| 3 ST171130G1-3 PFC CS-1 537 17K3024 | 171130G1_ | Standard | 10        | 4.37 | 10699.87 | 10699.87 | bb            |
| 4 ST171130G1-4 PFC CS0 537 17K3025  | 171130G1_ | Standard | 10        | 4.37 | 10771.27 | 10771.27 | bd            |
| 5 ST171130G1-5 PFC CS1 537 17K3026  | 171130G1_ | Standard | 10        | 4.37 | 10417.23 | 10417.23 | bd            |
| 6 ST171130G1-6 PFC CS2 537 17K3033  | 171130G1_ | Standard | 10        | 4.37 | 9735.661 | 9735.661 | bd            |
| 7 ST171130G1-7 PFC CS3 537 17K3027  | 171130G1_ | Standard | 10        | 4.37 | 10479.24 | 10479.24 | bd            |
| 8 ST171130G1-8 PFC CS4 537 17K3028  | 171130G1_ | Standard | 10        | 4.37 | 8834.41  | 8834.41  | bb            |
| 9 ST171130G1-9 PFC CS5 537 17K3029  | 171130G1_ | Standard | 10        | 4.37 | 8214.188 | 8214.188 | bbX           |
|                                     |           |          |           |      | AVERAGE  |          | RPD           |
|                                     |           |          |           |      | 10177.82 |          | 19.75812414   |

Compound 7: 13C4-PFOS

| ID                                  | Name      | Type     | Std. Conc | RT   | Area     | IS Area  | Primary Flags |
|-------------------------------------|-----------|----------|-----------|------|----------|----------|---------------|
| 1 ST171130G1-1 PFC CS-3 537 17K3022 | 171130G1_ | Standard | 28.7      | 4.76 | 11909.38 | 11909.38 | bbX           |
| 2 ST171130G1-2 PFC CS-2 537 17K3023 | 171130G1_ | Standard | 28.7      | 4.77 | 11442.78 | 11442.78 | bd            |
| 3 ST171130G1-3 PFC CS-1 537 17K3024 | 171130G1_ | Standard | 28.7      | 4.77 | 11478.24 | 11478.24 | bb            |
| 4 ST171130G1-4 PFC CS0 537 17K3025  | 171130G1_ | Standard | 28.7      | 4.77 | 10553.21 | 10553.21 | bd            |
| 5 ST171130G1-5 PFC CS1 537 17K3026  | 171130G1_ | Standard | 28.7      | 4.77 | 11620.61 | 11620.61 | bb            |
| 6 ST171130G1-6 PFC CS2 537 17K3033  | 171130G1_ | Standard | 28.7      | 4.77 | 10482.66 | 10482.66 | bd            |
| 7 ST171130G1-7 PFC CS3 537 17K3027  | 171130G1_ | Standard | 28.7      | 4.77 | 10138.13 | 10138.13 | bd            |
| 8 ST171130G1-8 PFC CS4 537 17K3028  | 171130G1_ | Standard | 28.7      | 4.77 | 9629.363 | 9629.363 | bd            |
| 9 ST171130G1-9 PFC CS5 537 17K3029  | 171130G1_ | Standard | 28.7      | 4.78 | 9712.236 | 9712.236 | bd            |
|                                     |           |          |           |      | AVERAGE  |          | RPD           |
|                                     |           |          |           |      | 10632.15 |          | 18.74115499   |

Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time


Printed: Friday, December 01, 2017 08:58:21 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15


Calibration: 01 Dec 2017 08:53:53

Name: 171130G1\_2, Date: 30-Nov-2017, Time: 18:30:58, ID: ST171130G1-1 PFC CS-3 537 17K3022, Description: PFC CS-3 537 17K3022


# PFBS




# PFOA




# PFOS




# 13C2-PFHxA




# 13C4-PFOS




# 13C2-PFOA



# 13C4-PFOS



# 13C2-PFDA




Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time


Printed: Friday, December 01, 2017 08:58:21 Pacific Standard Time

Name: 171130G1\_3, Date: 30-Nov-2017, Time: 18:43:22, ID: ST171130G1-2 PFC CS-2 537 17K3023, Description: PFC CS-2 537 17K3023


#### PFBS




#### PFOA




#### PFOS




#### 13C2-PFHxA




#### 13C4-PFOS




#### 13C2-PFOA



#### 13C4-PFOS



#### 13C2-PFDA




Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time


Printed: Friday, December 01, 2017 08:58:21 Pacific Standard Time

Name: 171130G1\_4, Date: 30-Nov-2017, Time: 18:55:46, ID: ST171130G1-3 PFC CS-1 537 17K3024, Description: PFC CS-1 537 17K3024


PFBS




PFOA




PFOS




13C2-PFHxA




13C4-PFOS




13C2-PFOA



13C4-PFOS



13C2-PFDA




Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time


Printed: Friday, December 01, 2017 08:58:21 Pacific Standard Time

Name: 171130G1\_5, Date: 30-Nov-2017, Time: 19:08:12, ID: ST171130G1-4 PFC CS0 537 17K3025, Description: PFC CS0 537 17K3025


PFBS




PFOA




PFOS




13C2-PFHxA




13C4-PFOS




13C2-PFOA



13C4-PFOS



13C2-PFDA




Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time


Printed: Friday, December 01, 2017 08:58:21 Pacific Standard Time

Name: 171130G1\_6, Date: 30-Nov-2017, Time: 19:20:37, ID: ST171130G1-5 PFC CS1 537 17K3026, Description: PFC CS1 537 17K3026


# PFBS




# PFOA




# PFOS




# 13C2-PFHxA




# 13C4-PFOS




# 13C2-PFOA



# 13C4-PFOS



# 13C2-PFDA




Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time


Printed: Friday, December 01, 2017 08:58:21 Pacific Standard Time

Name: 171130G1\_7, Date: 30-Nov-2017, Time: 19:33:04, ID: ST171130G1-6 PFC CS2 537 17K3033, Description: PFC CS2 537 17K3033


# PFBS




# PFOA




# PFOS




# 13C2-PFHxA




# 13C4-PFOS




# 13C2-PFOA



# 13C4-PFOS



# 13C2-PFDA




Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time


Printed: Friday, December 01, 2017 08:58:21 Pacific Standard Time

Name: 171130G1\_8, Date: 30-Nov-2017, Time: 19:45:30, ID: ST171130G1-7 PFC CS3 537 17K3027, Description: PFC CS3 537 17K3027


PFBS




PFOA




PFOS




13C2-PFHxA




13C4-PFOS




13C2-PFOA



13C4-PFOS



13C2-PFDA




Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time


Printed: Friday, December 01, 2017 08:58:21 Pacific Standard Time

Name: 171130G1\_9, Date: 30-Nov-2017, Time: 19:57:58, ID: ST171130G1-8 PFC CS4 537 17K3028, Description: PFC CS4 537 17K3028


**PFBS**




**PFOA**




**PFOS**




**13C2-PFHxA**




**13C4-PFOS**




**13C2-PFOA**



**13C4-PFOS**



**13C2-PFDA**




Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-CRV.qld

Last Altered: Friday, December 01, 2017 08:53:53 Pacific Standard Time

Printed: Friday, December 01, 2017 08:58:21 Pacific Standard Time

Name: 171130G1\_10, Date: 30-Nov-2017, Time: 20:10:26, ID: ST171130G1-9 PFC CS5 537 17K3029, Description: PFC CS5 537 17K3029



Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-12.qld

Last Altered: Friday, December 01, 2017 09:17:50 Pacific Standard Time

Printed: Friday, December 01, 2017 09:18:13 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15

Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_12-01-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171130G1\_12, Date: 30-Nov-2017, Time: 20:35:17, ID: ICV171130G1-1 PFC ICV 537 17K3030, Description: PFC ICV 537 17K3030

|   | # Name       | Trace         | Area   | IS Area | RRF   | wt/vol | Pred.RT | RT   | y Axis Resp. | Conc. | %Rec  |
|---|--------------|---------------|--------|---------|-------|--------|---------|------|--------------|-------|-------|
| 1 | 1 PFBS       | 299 > 79.7    | 3.14e3 | 9.84e3  |       | 1.0000 | 3.07    | 3.07 | 9.15         | 11.3  | 113.4 |
| 2 | 2 PFOA       | 413 > 368.7   | 8.01e3 | 9.10e3  |       | 1.0000 | 4.37    | 4.37 | 8.80         | 10.8  | 107.6 |
| 3 | 3 PFOS       | 499 > 79.9    | 4.73e3 | 9.84e3  |       | 1.0000 | 4.77    | 4.77 | 13.8         | 11.7  | 116.6 |
| 4 | 4 13C2-PFHxA | 315 > 269.8   | 3.94e3 | 9.10e3  | 0.429 | 1.0000 | 3.43    | 3.43 | 4.33         | 10.1  | 101.0 |
| 5 | 5 13C2-PFDA  | 515.1 > 469.9 | 5.31e3 | 9.10e3  | 0.548 | 1.0000 | 5.00    | 5.00 | 5.83         | 10.6  | 106.5 |
| 6 | 6 13C2-PFOA  | 414.9 > 369.7 | 9.10e3 | 9.10e3  | 1.000 | 1.0000 | 4.41    | 4.37 | 10.0         | 10.0  | 100.0 |
| 7 | 7 13C4-PFOS  | 503.0 > 79.9  | 9.84e3 | 9.84e3  | 1.000 | 1.0000 | 4.81    | 4.77 | 28.7         | 28.7  | 100.0 |

70-130  
↓

am  
11/1/17

✓ JHA  
12/01/2017

Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-12.qld

Last Altered: Friday, December 01, 2017 09:17:50 Pacific Standard Time


Printed: Friday, December 01, 2017 09:18:13 Pacific Standard Time

Method: U:\G1.PRO\MethDB\PFAS\_DW\_L3\_1126.mdb 27 Nov 2017 14:32:15


Calibration: U:\G1.PRO\CurveDB\C18\_537\_Q1\_12-01-17\_L3.cdb 01 Dec 2017 09:09:28

Name: 171130G1\_12, Date: 30-Nov-2017, Time: 20:35:17, ID: ICV171130G1-1 PFC ICV 537 17K3030, Description: PFC ICV 537 17K3030


PFBS




PFOA




PFOS




13C2-PFHxA



13C4-PFOS



13C2-PFOA




Dataset: U:\G1.PRO\Results\2017\171130G1\171130G1-12.qld

Last Altered: Friday, December 01, 2017 09:17:50 Pacific Standard Time


Printed: Friday, December 01, 2017 09:18:13 Pacific Standard Time

Name: 171130G1\_12, Date: 30-Nov-2017, Time: 20:35:17, ID: ICV171130G1-1 PFC ICV 537 17K3030, Description: PFC ICV 537 17K3030

13C4-PFOS



13C2-PFDA



## Result

| Contract_ID   | DO_CTO<br>Number | Phase | Installation_ID   | Sample_Name        | CH2M_<br>Code | Analysis_<br>Group | Analytical_<br>Method | PRC_<br>Code | Lab_<br>Code | Lab_Name                          | Leachate_<br>Method | Sample_<br>Basis | Extraction_<br>Method | Result_<br>Type | Lab_QC_<br>Type | Sample_<br>Medium | QC_<br>Level | Date_Time_<br>Collected |
|---------------|------------------|-------|-------------------|--------------------|---------------|--------------------|-----------------------|--------------|--------------|-----------------------------------|---------------------|------------------|-----------------------|-----------------|-----------------|-------------------|--------------|-------------------------|
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW74-1117-A | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:17        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW74-1117-A | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:17        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW74-1117-A | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:17        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW74-1117-A | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:17        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB74-1117-A | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:18        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB74-1117-A | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:18        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB74-1117-A | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:18        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB74-1117-A | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:18        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW74-1117-B | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:23        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW74-1117-B | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:23        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW74-1117-B | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:23        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW74-1117-B | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:23        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB74-1117-B | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:24        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB74-1117-B | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:24        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB74-1117-B | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/20/2017 15:24        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW75-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:30        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW75-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:30        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW75-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:30        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW75-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:30        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB75-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:31        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB75-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:31        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB75-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:31        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB75-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:31        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW76-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:44        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW76-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:44        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW76-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:44        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW76-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:44        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB76-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:45        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB76-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:45        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB76-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:45        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB76-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 09:45        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW77-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 10:04        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW77-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 10:04        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW77-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 10:04        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1RW77-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 10:04        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB77-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 10:05        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB77-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 10:05        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB77-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 10:05        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | CH-AT-1FB77-1117   | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | REG             | W                 | 4            | 11/21/2017 10:05        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | Blank              | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BLK             | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | Blank              | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BLK             | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | Blank              | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BLK             | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | Blank              | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BLK             | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | LCS                | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BS              | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | LCS                | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BS              | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | LCS                | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BS              | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | LCS                | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BS              | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | LCS Dup            | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BS              | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | LCS Dup            | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BS              | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | LCS Dup            | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BS              | W                 | 4            | 11/29/2017 11:55        |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | LCS Dup            | NONS          | SVOA               | 537                   | ORG          | VISTA        | VISTA ANALYTICAL LABORATORY, INC. | NONE                | WET              | METHOD                | 000             | BS              | W                 | 4            | 11/29/2017 11:55        |

## Results

| Contract_ID   | DO_CTO<br>Number | Phase | Installation_ID   | Date_Received | Leachate_Date | Leachate_Time | Extraction_Date | Extraction_Time | Analysis_Date | Analysis_Time | Lab_Sample_ID | Dilution | Run_Number | Percent_Moisture | Percent_Lipid | Chem_Name                           | Analyte_ID | Analyte_Value | Original_Analyte_Value |
|---------------|------------------|-------|-------------------|---------------|---------------|---------------|-----------------|-----------------|---------------|---------------|---------------|----------|------------|------------------|---------------|-------------------------------------|------------|---------------|------------------------|
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:17:00      | 1701770-01    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.77                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:17:00      | 1701770-01    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.77                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:17:00      | 1701770-01    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.77                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:17:00      | 1701770-01    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 97.3                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:30:00      | 1701770-02    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.70                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:30:00      | 1701770-02    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.70                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:30:00      | 1701770-02    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.70                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:30:00      | 1701770-02    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 103                    |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:42:00      | 1701770-03    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.93                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:42:00      | 1701770-03    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.93                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:42:00      | 1701770-03    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.93                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:42:00      | 1701770-03    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 105                    |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:32:00      | 1701770-04    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.67                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:32:00      | 1701770-04    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.67                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:32:00      | 1701770-04    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.67                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:32:00      | 1701770-04    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 98.0                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:44:00      | 1701770-05    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.70                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:44:00      | 1701770-05    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.70                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:44:00      | 1701770-05    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.70                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:44:00      | 1701770-05    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 103                    |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:57:00      | 1701770-06    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.70                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:57:00      | 1701770-06    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.70                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:57:00      | 1701770-06    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.70                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 17:57:00      | 1701770-06    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 108                    |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:09:00      | 1701770-07    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.79                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:09:00      | 1701770-07    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.79                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:09:00      | 1701770-07    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.79                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:09:00      | 1701770-07    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 95.6                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:22:00      | 1701770-08    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.64                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:22:00      | 1701770-08    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.64                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:22:00      | 1701770-08    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.64                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:22:00      | 1701770-08    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 98.7                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:34:00      | 1701770-09    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.77                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:34:00      | 1701770-09    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.77                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:34:00      | 1701770-09    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.77                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:34:00      | 1701770-09    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 104                    |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:46:00      | 1701770-10    | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 4.73                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:46:00      | 1701770-10    | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 4.73                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:46:00      | 1701770-10    | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 4.73                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/22/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 18:46:00      | 1701770-10    | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 97.7                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:05:00      | B7K0189-BLK1  | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 5.00                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:05:00      | B7K0189-BLK1  | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 5.00                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:05:00      | B7K0189-BLK1  | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 5.00                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 16:05:00      | B7K0189-BLK1  | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 103                    |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 15:28:00      | B7K0189-BS1   | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 64.3                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 15:28:00      | B7K0189-BS1   | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 76.5                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 15:28:00      | B7K0189-BS1   | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 70.5                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 15:28:00      | B7K0189-BS1   | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 103                    |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 15:40:00      | B7K0189-BSD1  | 1        | -999       |                  |               | Perfluorobutanesulfonic acid (PFBS) | 375-73-5   |               | 72.3                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 15:40:00      | B7K0189-BSD1  | 1        | -999       |                  |               | Perfluorooctanoic acid (PFOA)       | 335-67-1   |               | 81.3                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 15:40:00      | B7K0189-BSD1  | 1        | -999       |                  |               | Perfluorooctane Sulfonate (PFOS)    | 1763-23-1  |               | 71.9                   |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | 11/29/2017    |               |               | 20171129        | 11:55:00        | 20171201      | 15:40:00      | B7K0189-BSD1  | 1        | -999       |                  |               | 13C2-PFHxA                          | 13C2-PFHxA |               | 101                    |

Results

| Contract_ID   | DO_CTO<br>Number | Phase | Installation_ID   | Result_<br>Units | Lab_<br>Qualifier | Validator_<br>Qualifier | GC_<br>Column_<br>Type | Analysis_<br>Result_<br>Type | Result_<br>Narrative | QC_<br>Control_<br>Limit_<br>Code | QC_<br>Accuracy_<br>Upper | QC_<br>Accuracy_<br>Lower | Control_L<br>Limit_<br>Date | QC_<br>Narrative | MDL | Detection_<br>Limit | QSM_<br>Version | DL    | LOD  | LOQ  | SDG     | Analysis_<br>Batch |
|---------------|------------------|-------|-------------------|------------------|-------------------|-------------------------|------------------------|------------------------------|----------------------|-----------------------------------|---------------------------|---------------------------|-----------------------------|------------------|-----|---------------------|-----------------|-------|------|------|---------|--------------------|
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.423 | 4.77 | 9.54 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.03  | 4.77 | 9.54 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.993 | 4.77 | 9.54 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.417 | 4.70 | 9.40 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.02  | 4.70 | 9.40 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.978 | 4.70 | 9.40 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.437 | 4.93 | 9.86 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.06  | 4.93 | 9.86 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.03  | 4.93 | 9.86 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.414 | 4.67 | 9.34 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.01  | 4.67 | 9.34 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.972 | 4.67 | 9.34 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.416 | 4.70 | 9.40 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.02  | 4.70 | 9.40 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.978 | 4.70 | 9.40 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.416 | 4.70 | 9.39 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.01  | 4.70 | 9.39 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.977 | 4.70 | 9.39 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.424 | 4.79 | 9.57 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.03  | 4.79 | 9.57 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.996 | 4.79 | 9.57 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.411 | 4.64 | 9.28 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.00  | 4.64 | 9.28 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.965 | 4.64 | 9.28 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.423 | 4.77 | 9.54 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.03  | 4.77 | 9.54 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.992 | 4.77 | 9.54 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.419 | 4.73 | 9.46 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.02  | 4.73 | 9.46 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.984 | 4.73 | 9.46 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     |                              |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 0.443 | 5.00 | 10.0 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.08  | 5.00 | 10.0 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             | U                 |                         | PR                     | TRG                          |                      |                                   |                           |                           |                             |                  |     |                     | 5.1             | 1.04  | 5.00 | 10.0 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     | SUR                          |                      | SLSA                              | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             |                   |                         | PR                     | TRG                          |                      | LSA                               | 130                       | 70                        |                             |                  |     |                     | 5.1             | 0.443 | 5.00 | 10.0 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             |                   |                         | PR                     | TRG                          |                      | LSA                               | 130                       | 70                        |                             |                  |     |                     | 5.1             | 1.08  | 5.00 | 10.0 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     | SUR                          |                      | LSA                               | 130                       | 70                        |                             |                  |     |                     | 5.1             | 1.04  | 5.00 | 10.0 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             |                   |                         | PR                     | TRG                          |                      | LSA                               | 130                       | 70                        |                             |                  |     |                     | 5.1             | 0.443 | 5.00 | 10.0 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             |                   |                         | PR                     | TRG                          |                      | LSA                               | 130                       | 70                        |                             |                  |     |                     | 5.1             | 1.08  | 5.00 | 10.0 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | NG_L             |                   |                         | PR                     | TRG                          |                      | LSA                               | 130                       | 70                        |                             |                  |     |                     | 5.1             | 1.04  | 5.00 | 10.0 | 1701770 | S7L0002            |
| N6247016D9000 | 0008             |       | CHERRY_POINT_MCAS | PCT_REC          |                   |                         | PR                     | SUR                          |                      | LSA                               | 130                       | 70                        |                             |                  |     |                     | 5.1             |       |      |      | 1701770 | S7L0002            |

**DATA VALIDATION SUMMARY REPORT  
MCOLF ATLANTIC, NORTH CAROLINA**

Client: CH2M HILL, Inc., Corvallis, Oregon  
SDG: 1701770  
Laboratory: Vista Analytical Laboratory, El Dorado Hills, California  
Site: MCOLF Atlantic, North Carolina  
Date: January 3, 2018

| PFCs   |                    |                      |        |
|--------|--------------------|----------------------|--------|
| EDS ID | Client Sample ID   | Laboratory Sample ID | Matrix |
| 1      | CH-AT-1RW74-1117-A | 1701770-01           | Water  |
| 2      | CH-AT-1FB74-1117-A | 1701770-02           | Water  |
| 3      | CH-AT-1RW74-1117-B | 1701770-03           | Water  |
| 4      | CH-AT-1FB74-1117-B | 1701770-04           | Water  |
| 5      | CH-AT-1RW75-1117   | 1701770-05           | Water  |
| 6      | CH-AT-1FB75-1117   | 1701770-06           | Water  |
| 7      | CH-AT-1RW76-1117   | 1701770-07           | Water  |
| 8      | CH-AT-1FB76-1117   | 1701770-08           | Water  |
| 9      | CH-AT-1RW77-1117   | 1701770-09           | Water  |
| 10     | CH-AT-1FB77-1117   | 1701770-10           | Water  |

A full data validation was performed on the analytical data for five water samples and five aqueous field blank samples collected on November 20-21, 2017 by CH2M HILL at the MCOLF Atlantic site in Atlantic, North Carolina. The samples were analyzed under the EPA Method “Determination of Selected Perfluorinated Alkyl Acids in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS)”.

Specific method references are as follows:

Analysis  
PFCs

Method References  
USEPA Method 537

The data have been validated according to the protocols and quality control (QC) requirements of the analytical method, and the U.S. Department of Defense (DoD) Quality Systems Manual (QSM), Version 5.0 (July 2013) and the USEPA National Functional Guidelines for Organic Data Review as follows:

- The USEPA “Contract Laboratories Program National Functional Guidelines for Organic Superfund Methods Data Review,” January 2017;
- and the reviewer's professional judgment.

The following data quality indicators were reviewed for this report:

## ***Organics***

- Date Completeness, Case Narrative & Custody Documentation
- Holding times
- Liquid Chromatography/Mass Spectrometry (LC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field QC blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) recoveries
- Internal standard area and retention time summary forms
- Target Compound Identification
- Compound Quantitation
- Field Duplicate sample precision

A full (Level IV) data validation was performed with this review including a recalculation of 10% of the detected results in the samples.

### **Data Usability Assessment**

There were no rejections of data.

Overall the data is acceptable for the intended purposes. There were no qualifications.

### **Perfluorinated Compounds (PFCs)**

#### **Data Completeness, Case Narrative & Custody Documentation**

- The case narrative and chain-of-custody documentation were included in the data package as required. All criteria were met.

#### **Holding Times**

- All samples were extracted within 14 days for water samples and analyzed within 28 days.

#### **LC/MS Tuning**

- All criteria were met.

### Initial Calibration

- All relative standard deviation (%RSD) and/or correlation coefficients criteria were met.

### Continuing Calibration

- All percent difference (%D) and RRF criteria were met.

### Method Blank

- The method blanks were free of contamination.

### Field QC Blank

- Field QC samples were free of contamination.

| Blank ID           | Compound  | Conc. ng/L | Qualifier | Affected Samples |
|--------------------|-----------|------------|-----------|------------------|
| CH-AT-1FB74-1117-A | None - ND | -          | -         | -                |
| CH-AT-1FB74-1117-B | None - ND | -          | -         | -                |
| CH-AT-1FB75-1117   | None - ND | -          | -         | -                |
| CH-AT-1FB76-1117   | None - ND | -          | -         | -                |
| CH-AT-1FB77-1117   | None - ND | -          | -         | -                |

### Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate %R values.

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- MS/MSD samples were not analyzed.

### Laboratory Control Samples

- The LCS samples exhibited acceptable percent recoveries (%R).

### Internal Standard (IS) Area Performance

- All internal standards met response and retention time (RT) criteria.

### Target Compound Identification

- All mass spectra and quantitation criteria were met.

### Compound Quantitation

- All criteria were met.

### Field Duplicate Sample Precision

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed: Nancy Weaver  
Nancy Weaver  
Senior Chemist

Dated: 1/5/18

| <b>Data Qualifier</b> | <b>Definition</b>                                                                                                                                                |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| U                     | The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.                                                    |
| J                     | The analyte is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.                              |
| NJ                    | The analysis has been "tentatively identified" or "presumptively" as present and the associated numerical value is the estimated concentration in the samples.   |
| UJ                    | The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.                            |
| R                     | The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the samples. |



**Sample ID: CH-AT-1RW74-1117-A**

**EPA Method 537**

| Client Data       |                                              |                 |                 | Laboratory Data |                 |           |           |                 |                 |          |
|-------------------|----------------------------------------------|-----------------|-----------------|-----------------|-----------------|-----------|-----------|-----------------|-----------------|----------|
| Name:             | CH2M Hill                                    | Matrix:         | Drinking Water  | Lab Sample:     | 1701770-01      | Column:   | BEH C18   |                 |                 |          |
| Project:          | CTO-08, MCOLF Atlantic PFAS DW Investigation | Date Collected: | 20-Nov-17 15:17 | Date Received:  | 22-Nov-17 14:18 |           |           |                 |                 |          |
| Analyte           | Conc. (ng/L)                                 | DL              | LOD             | LOQ             | Qualifiers      | Batch     | Extracted | Samp Size       | Analyzed        | Dilution |
| PFBS              | ND                                           | 0.423           | 4.77            | 9.54            |                 | B7K0189   | 29-Nov-17 | 0.262 L         | 01-Dec-17 16:17 | 1        |
| PFOA              | ND                                           | 1.03            | 4.77            | 9.54            |                 | B7K0189   | 29-Nov-17 | 0.262 L         | 01-Dec-17 16:17 | 1        |
| PFOS              | ND                                           | 0.993           | 4.77            | 9.54            |                 | B7K0189   | 29-Nov-17 | 0.262 L         | 01-Dec-17 16:17 | 1        |
| Labeled Standards | Type                                         | % Recovery      | Limits          | Qualifiers      | Batch           | Extracted | Samp Size | Analyzed        | Dilution        |          |
| 13C2-PFHxA        | SURR                                         | 97.3            | 70 - 130        |                 | B7K0189         | 29-Nov-17 | 0.262 L   | 01-Dec-17 16:17 | 1               |          |

DL - Detection Limit  
 LOD - Limit of Detection  
 LOQ - Limit of quantitation  
 LCL-UCL- Lower control limit - upper control limit  
 Results reported to the DL

When reported, PFHxS, PFOA and PFOS include both linear and branched isomers  
 Only the linear isomer is reported for all other analytes

17012118

| Sample ID: CH-AT-1FB74-1117-A                                                                                                                                                                                                                                                                                     |                                              |                 |                 |            |                 |                 |           |                   |                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------|-----------------|------------|-----------------|-----------------|-----------|-------------------|-------------------|
| Client Data                                                                                                                                                                                                                                                                                                       |                                              |                 |                 |            | Laboratory Data |                 |           |                   |                   |
| Name:                                                                                                                                                                                                                                                                                                             | CH2M Hill                                    | Matrix:         | Drinking Water  |            | Lab Sample:     | 1701770-02      | Column:   | BEH C18           |                   |
| Project:                                                                                                                                                                                                                                                                                                          | CTO-08, MCOLF Atlantic PFAS DW Investigation | Date Collected: | 20-Nov-17 15:18 |            | Date Received:  | 22-Nov-17 14:18 |           |                   |                   |
| Analyte                                                                                                                                                                                                                                                                                                           | Conc. (ng/L)                                 | DL              | LOD             | LOQ        | Qualifiers      | Batch           | Extracted | Samp Size         | Dilution          |
| PFBS                                                                                                                                                                                                                                                                                                              | ND                                           | 0.417           | 4.70            | 9.40       |                 | B7K0189         | 29-Nov-17 | 0.266 L           | 01-Dec-17 16:30 1 |
| PFOA                                                                                                                                                                                                                                                                                                              | ND                                           | 1.02            | 4.70            | 9.40       |                 | B7K0189         | 29-Nov-17 | 0.266 L           | 01-Dec-17 16:30 1 |
| PFOS                                                                                                                                                                                                                                                                                                              | ND                                           | 0.978           | 4.70            | 9.40       |                 | B7K0189         | 29-Nov-17 | 0.266 L           | 01-Dec-17 16:30 1 |
| Labeled Standards                                                                                                                                                                                                                                                                                                 | Type                                         | % Recovery      | Limits          | Qualifiers | Batch           | Extracted       | Samp Size | Dilution          |                   |
| 13C2-PFHxA                                                                                                                                                                                                                                                                                                        | SURR                                         | 103             | 70 - 130        |            | B7K0189         | 29-Nov-17       | 0.266 L   | 01-Dec-17 16:30 1 |                   |
| DL - Detection Limit<br>LOD - Limit of Detection<br>LOQ - Limit of quantitation<br>LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL.<br>When reported, PFHxS, PFOA and PFOS include both linear and branched isomers<br>Only the linear isomer is reported for all other analytes |                                              |                 |                 |            |                 |                 |           |                   |                   |

will 3/18

| Sample ID: CH-AT-1RW74-1117-B |                                              |            |          |                                                                              |                 |                |                 |                 |                 |          | EPA Method 537 |  |
|-------------------------------|----------------------------------------------|------------|----------|------------------------------------------------------------------------------|-----------------|----------------|-----------------|-----------------|-----------------|----------|----------------|--|
| Client Data                   |                                              |            |          | Laboratory Data                                                              |                 |                |                 |                 |                 |          |                |  |
| Name:                         | CH2M Hill                                    |            | Matrix:  | Drinking Water                                                               |                 | Lab Sample:    | 1701770-03      |                 | Column:         | BEH C18  |                |  |
| Project:                      | CTO-08, MCOLF Atlantic PFAS DW Investigation |            |          | Date Collected:                                                              | 20-Nov-17 15:23 | Date Received: | 22-Nov-17 14:18 |                 |                 |          |                |  |
| Analyte                       | Conc. (ng/L)                                 | DL         | LOD      | LOQ                                                                          | Qualifiers      | Batch          | Extracted       | Samp Size       | Analyzed        | Dilution |                |  |
| PFBS                          | ND                                           | 0.437      | 4.93     | 9.86                                                                         |                 | B7K0189        | 29-Nov-17       | 0.254 L         | 01-Dec-17 16:42 | 1        |                |  |
| PFOA                          | ND                                           | 1.06       | 4.93     | 9.86                                                                         |                 | B7K0189        | 29-Nov-17       | 0.254 L         | 01-Dec-17 16:42 | 1        |                |  |
| PFOS                          | ND                                           | 1.03       | 4.93     | 9.86                                                                         |                 | B7K0189        | 29-Nov-17       | 0.254 L         | 01-Dec-17 16:42 | 1        |                |  |
| Labeled Standards             | Type                                         | % Recovery | Limits   | Qualifiers                                                                   | Batch           | Extracted      | Samp Size       | Analyzed        | Dilution        |          |                |  |
| 13C2-PFHxA                    | SURR                                         | 105        | 70 - 130 |                                                                              | B7K0189         | 29-Nov-17      | 0.254 L         | 01-Dec-17 16:42 | 1               |          |                |  |
| DL - Detection Limit          |                                              |            |          | When reported, PFHxS, PFOA and PFOS include both linear and branched isomers |                 |                |                 |                 |                 |          |                |  |
| LOD - Limit of Detection      |                                              |            |          | Only the linear isomer is reported for all other analytes                    |                 |                |                 |                 |                 |          |                |  |
| LOQ - Limit of quantitation   |                                              |            |          |                                                                              |                 |                |                 |                 |                 |          |                |  |

new 131.8

| Sample ID: CH-AT-1FB74-1117-B                                                                                                                                                                                                                                                                                    |              |                                 |          |                        |                |                 |           |                                |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------|----------|------------------------|----------------|-----------------|-----------|--------------------------------|-----------------|
| Client Data                                                                                                                                                                                                                                                                                                      |              |                                 |          |                        | EPA Method 537 |                 |           |                                |                 |
| Name: CH2M Hill                                                                                                                                                                                                                                                                                                  |              | Matrix: Drinking Water          |          | Lab Sample: 1701770-04 |                | Column: BEH C18 |           | Date Received: 22-Nov-17 14:18 |                 |
| Project: CTO-08, MCOLF Atlantic PFAS DW Investigation                                                                                                                                                                                                                                                            |              | Date Collected: 20-Nov-17 15:24 |          | LOQ                    |                | Batch           |           | Extracted                      |                 |
| Analyte                                                                                                                                                                                                                                                                                                          | Conc. (ng/L) | DL                              | LOD      | LOQ                    | Qualifiers     | Batch           | Extracted | Samp Size                      | Dilution        |
| PFBS                                                                                                                                                                                                                                                                                                             | ND           | 0.414                           | 4.67     | 9.34                   |                | B7K0189         | 29-Nov-17 | 0.268 L                        | 01-Dec-17 17:32 |
| PFOA                                                                                                                                                                                                                                                                                                             | ND           | 1.01                            | 4.67     | 9.34                   |                | B7K0189         | 29-Nov-17 | 0.268 L                        | 01-Dec-17 17:32 |
| PFOS                                                                                                                                                                                                                                                                                                             | ND           | 0.972                           | 4.67     | 9.34                   |                | B7K0189         | 29-Nov-17 | 0.268 L                        | 01-Dec-17 17:32 |
| Labeled Standards                                                                                                                                                                                                                                                                                                | Type         | % Recovery                      | Limits   | Qualifiers             | Batch          | Extracted       | Samp Size | Dilution                       |                 |
| 13C2-PFHxA                                                                                                                                                                                                                                                                                                       | SURR         | 98.0                            | 70 - 130 |                        | B7K0189        | 29-Nov-17       | 0.268 L   | 01-Dec-17 17:32                | 1               |
| DL - Detection Limit<br>LOD - Limit of Detection<br>LOQ - Limit of quantitation<br>LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL<br>When reported, PFHxS, PFOA and PFOS include both linear and branched isomers<br>Only the linear isomer is reported for all other analytes |              |                                 |          |                        |                |                 |           |                                |                 |

rw1131.8

| Sample ID: CH-AT-1RW75-1117                                                                                                                                                                                                                                                                                       |                                              |                 |                 |            |                 |                 |           |                 |                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------|-----------------|------------|-----------------|-----------------|-----------|-----------------|-----------------|
| Client Data                                                                                                                                                                                                                                                                                                       |                                              |                 |                 |            | Laboratory Data |                 |           |                 |                 |
| Name:                                                                                                                                                                                                                                                                                                             | CH2M Hill                                    | Matrix:         | Drinking Water  |            | Lab Sample:     | 1701770-05      | Column:   | BEH C18         |                 |
| Project:                                                                                                                                                                                                                                                                                                          | CTO-08, MCOLF Atlantic PFAS DW Investigation | Date Collected: | 21-Nov-17 09:30 |            | Date Received:  | 22-Nov-17 14:18 |           |                 |                 |
| Analyte                                                                                                                                                                                                                                                                                                           | Conc. (ng/L)                                 | DL              | LOD             | LOQ        | Qualifiers      | Batch           | Extracted | Samp Size       | Dilution        |
| PFBS                                                                                                                                                                                                                                                                                                              | ND                                           | 0.416           | 4.70            | 9.40       |                 | B7K0189         | 29-Nov-17 | 0.266 L         | 01-Dec-17 17:44 |
| PFOA                                                                                                                                                                                                                                                                                                              | ND                                           | 1.02            | 4.70            | 9.40       |                 | B7K0189         | 29-Nov-17 | 0.266 L         | 01-Dec-17 17:44 |
| PFOS                                                                                                                                                                                                                                                                                                              | ND                                           | 0.978           | 4.70            | 9.40       |                 | B7K0189         | 29-Nov-17 | 0.266 L         | 01-Dec-17 17:44 |
| Labeled Standards                                                                                                                                                                                                                                                                                                 | Type                                         | % Recovery      | Limits          | Qualifiers | Batch           | Extracted       | Samp Size | Analyzed        | Dilution        |
| 13C2-PFHxA                                                                                                                                                                                                                                                                                                        | SURR                                         | 103             | 70 - 130        |            | B7K0189         | 29-Nov-17       | 0.266 L   | 01-Dec-17 17:44 | 1               |
| DL - Detection Limit<br>LOD - Limit of Detection<br>LOQ - Limit of quantitation<br>LCL-UCL - Lower control limit - upper control limit<br>Results reported to the DL<br>When reported, PFHxS, PFOA and PFOS include both linear and branched isomers<br>Only the linear isomer is reported for all other analytes |                                              |                 |                 |            |                 |                 |           |                 |                 |

new 131.8

| Sample ID: CH-AT-1FB75-1117                                                                                                                                                                                                                                                                                      |                                              |                 |                 |            |                 |                 |           |                 |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------|-----------------|------------|-----------------|-----------------|-----------|-----------------|-----------------|
| Client Data                                                                                                                                                                                                                                                                                                      |                                              |                 |                 |            | Laboratory Data |                 |           |                 |                 |
| Name:                                                                                                                                                                                                                                                                                                            | CH2M Hill                                    | Matrix:         | Drinking Water  |            | Lab Sample:     | 1701770-06      | Column:   | BEH C18         |                 |
| Project:                                                                                                                                                                                                                                                                                                         | CTO-08, MCOLF Atlantic PFAS DW Investigation | Date Collected: | 21-Nov-17 09:31 |            | Date Received:  | 22-Nov-17 14:18 |           |                 |                 |
| Analyte                                                                                                                                                                                                                                                                                                          | Conc. (ng/L)                                 | DL              | LOD             | LOQ        | Qualifiers      | Batch           | Extracted | Samp Size       | Dilution        |
| PFBS                                                                                                                                                                                                                                                                                                             | ND                                           | 0.416           | 4.70            | 9.39       |                 | B7K0189         | 29-Nov-17 | 0.266 L         | 01-Dec-17 17:57 |
| PFOA                                                                                                                                                                                                                                                                                                             | ND                                           | 1.01            | 4.70            | 9.39       |                 | B7K0189         | 29-Nov-17 | 0.266 L         | 01-Dec-17 17:57 |
| PFOS                                                                                                                                                                                                                                                                                                             | ND                                           | 0.977           | 4.70            | 9.39       |                 | B7K0189         | 29-Nov-17 | 0.266 L         | 01-Dec-17 17:57 |
| Labeled Standards                                                                                                                                                                                                                                                                                                | Type                                         | % Recovery      | Limits          | Qualifiers | Batch           | Extracted       | Samp Size | Dilution        |                 |
| 13C2-PFHxA                                                                                                                                                                                                                                                                                                       | SURR                                         | 108             | 70 - 130        |            | B7K0189         | 29-Nov-17       | 0.266 L   | 01-Dec-17 17:57 | 1               |
| DL - Detection Limit<br>LOD - Limit of Detection<br>LOQ - Limit of quantitation<br>LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL<br>When reported, PFHxS, PFOA and PFOS include both linear and branched isomers<br>Only the linear isomer is reported for all other analytes |                                              |                 |                 |            |                 |                 |           |                 |                 |

new 11/3/18

Sample ID: CH-AT-1RW76-1117

EPA Method 537

| Client Data       |                                              | Laboratory Data |                 |                |                 |           |           |                 |                 |          |
|-------------------|----------------------------------------------|-----------------|-----------------|----------------|-----------------|-----------|-----------|-----------------|-----------------|----------|
| Name:             | CH2M Hill                                    | Matrix:         | Drinking Water  | Lab Sample:    | 1701770-07      |           |           |                 |                 |          |
| Project:          | CTO-08, MCOLF Atlantic PFAS DW Investigation | Date Collected: | 21-Nov-17 09:44 | Date Received: | 22-Nov-17 14:18 |           |           |                 |                 |          |
|                   |                                              |                 |                 | Column:        | BEH C18         |           |           |                 |                 |          |
| Analyte           | Conc. (ng/L)                                 | DL              | LOD             | LOQ            | Qualifiers      | Batch     | Extracted | Samp Size       | Analyzed        | Dilution |
| PFBS              | ND                                           | 0.424           | 4.79            | 9.57           |                 | B7K0189   | 29-Nov-17 | 0.261 L         | 01-Dec-17 18:09 | 1        |
| PFOA              | ND                                           | 1.03            | 4.79            | 9.57           |                 | B7K0189   | 29-Nov-17 | 0.261 L         | 01-Dec-17 18:09 | 1        |
| PFOS              | ND                                           | 0.996           | 4.79            | 9.57           |                 | B7K0189   | 29-Nov-17 | 0.261 L         | 01-Dec-17 18:09 | 1        |
| Labeled Standards | Type                                         | % Recovery      | Limits          | Qualifiers     | Batch           | Extracted | Samp Size | Analyzed        | Dilution        |          |
| 13C2-PFHxA        | SURR                                         | 95.6            | 70 - 130        |                | B7K0189         | 29-Nov-17 | 0.261 L   | 01-Dec-17 18:09 | 1               |          |

DL - Detection Limit  
LOD - Limit of Detection  
LOQ - Limit of quantitation  
LCL-UCL- Lower control limit - upper control limit  
Results reported to the DL  
When reported, PFHxS, PFOA and PFOS include both linear and branched isomers  
Only the linear isomer is reported for all other analytes

rev 13/18

| Sample ID: CH-AT-IFB76-1117                                                                                                                                                                                                                                                                                      |                                              |                 |                 |            |                 |                 |           |                 |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------|-----------------|------------|-----------------|-----------------|-----------|-----------------|-----------------|
| Client Data                                                                                                                                                                                                                                                                                                      |                                              |                 |                 |            | Laboratory Data |                 |           |                 |                 |
| Name:                                                                                                                                                                                                                                                                                                            | CH2M Hill                                    | Matrix:         | Drinking Water  |            | Lab Sample:     | 1701770-08      | Column:   | BEH C18         |                 |
| Project:                                                                                                                                                                                                                                                                                                         | CTO-08, MCOLF Atlantic PFAS DW Investigation | Date Collected: | 21-Nov-17 09:45 |            | Date Received:  | 22-Nov-17 14:18 |           |                 |                 |
| Analyte                                                                                                                                                                                                                                                                                                          | Conc. (ng/L)                                 | DL              | LOD             | LOQ        | Qualifiers      | Batch           | Extracted | Samp Size       | Dilution        |
| PFBS                                                                                                                                                                                                                                                                                                             | ND                                           | 0.411           | 4.64            | 9.28       |                 | B7K0189         | 29-Nov-17 | 0.269 L         | 01-Dec-17 18:22 |
| PFOA                                                                                                                                                                                                                                                                                                             | ND                                           | 1.00            | 4.64            | 9.28       |                 | B7K0189         | 29-Nov-17 | 0.269 L         | 01-Dec-17 18:22 |
| PFOS                                                                                                                                                                                                                                                                                                             | ND                                           | 0.965           | 4.64            | 9.28       |                 | B7K0189         | 29-Nov-17 | 0.269 L         | 01-Dec-17 18:22 |
| Labeled Standards                                                                                                                                                                                                                                                                                                | Type                                         | % Recovery      | Limits          | Qualifiers | Batch           | Extracted       | Samp Size | Dilution        |                 |
| 13C2-PFHxA                                                                                                                                                                                                                                                                                                       | SURR                                         | 98.7            | 70 - 130        |            | B7K0189         | 29-Nov-17       | 0.269 L   | 01-Dec-17 18:22 | 1               |
| DL - Detection Limit<br>LOD - Limit of Detection<br>LOQ - Limit of quantitation<br>LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL<br>When reported, PFHxS, PFOA and PFOS include both linear and branched isomers<br>Only the linear isomer is reported for all other analytes |                                              |                 |                 |            |                 |                 |           |                 |                 |

20131.8

| Sample ID: CH-AT-1RW77-1117                                                                                                                                                                                                                                                                                      |                                              |                 |                 |            |                 |                 |           |                 |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------|-----------------|------------|-----------------|-----------------|-----------|-----------------|-----------------|
| Client Data                                                                                                                                                                                                                                                                                                      |                                              |                 |                 |            | Laboratory Data |                 |           |                 |                 |
| Name:                                                                                                                                                                                                                                                                                                            | CH2M Hill                                    | Matrix:         | Drinking Water  |            | Lab Sample:     | 1701770-09      | Column:   | BEH C18         |                 |
| Project:                                                                                                                                                                                                                                                                                                         | CTO-08, MCOLF Atlantic PFAS DW Investigation | Date Collected: | 21-Nov-17 10:04 |            | Date Received:  | 22-Nov-17 14:18 |           |                 |                 |
| Analyte                                                                                                                                                                                                                                                                                                          | Conc. (ng/L)                                 | DL              | LOD             | LOQ        | Qualifiers      | Batch           | Extracted | Samp Size       | Dilution        |
| PFBS                                                                                                                                                                                                                                                                                                             | ND                                           | 0.423           | 4.77            | 9.54       |                 | B7K0189         | 29-Nov-17 | 0.262 L         | 01-Dec-17 18:34 |
| PFOA                                                                                                                                                                                                                                                                                                             | ND                                           | 1.03            | 4.77            | 9.54       |                 | B7K0189         | 29-Nov-17 | 0.262 L         | 01-Dec-17 18:34 |
| PFOS                                                                                                                                                                                                                                                                                                             | ND                                           | 0.992           | 4.77            | 9.54       |                 | B7K0189         | 29-Nov-17 | 0.262 L         | 01-Dec-17 18:34 |
| Labeled Standards                                                                                                                                                                                                                                                                                                | Type                                         | % Recovery      | Limits          | Qualifiers | Batch           | Extracted       | Samp Size | Dilution        |                 |
| 13C2-PFHxA                                                                                                                                                                                                                                                                                                       | SURR                                         | 104             | 70 - 130        |            | B7K0189         | 29-Nov-17       | 0.262 L   | 01-Dec-17 18:34 | I               |
| DL - Detection Limit<br>LOD - Limit of Detection<br>LOQ - Limit of quantitation<br>LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL<br>When reported, PFHxS, PFOA and PFOS include both linear and branched isomers<br>Only the linear isomer is reported for all other analytes |                                              |                 |                 |            |                 |                 |           |                 |                 |


1131.8

| Sample ID: CH-AT-1FB77-1117                                                                                                                                                                                                                                                                                       |              |                                 |          |                        |                |                 |           |                                |                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------|----------|------------------------|----------------|-----------------|-----------|--------------------------------|-----------------|
| Client Data                                                                                                                                                                                                                                                                                                       |              |                                 |          |                        | EPA Method 537 |                 |           |                                |                 |
| Name: CH2M Hill                                                                                                                                                                                                                                                                                                   |              | Matrix: Drinking Water          |          | Lab Sample: 1701770-10 |                | Column: BEH C18 |           | Date Received: 22-Nov-17 14:18 |                 |
| Project: CTO-08, MCOLF Atlantic PFAS DW Investigation                                                                                                                                                                                                                                                             |              | Date Collected: 21-Nov-17 10:05 |          | LOQ                    |                | Batch           |           | Extracted                      |                 |
| Analyte                                                                                                                                                                                                                                                                                                           | Conc. (ng/L) | DL                              | LOD      | LOQ                    | Qualifiers     | Batch           | Extracted | Samp Size                      | Dilution        |
| PFBS                                                                                                                                                                                                                                                                                                              | ND           | 0.419                           | 4.73     | 9.46                   |                | B7K0189         | 29-Nov-17 | 0.264 L                        | 01-Dec-17 18:46 |
| PFOA                                                                                                                                                                                                                                                                                                              | ND           | 1.02                            | 4.73     | 9.46                   |                | B7K0189         | 29-Nov-17 | 0.264 L                        | 01-Dec-17 18:46 |
| PFOS                                                                                                                                                                                                                                                                                                              | ND           | 0.984                           | 4.73     | 9.46                   |                | B7K0189         | 29-Nov-17 | 0.264 L                        | 01-Dec-17 18:46 |
| Labeled Standards                                                                                                                                                                                                                                                                                                 | Type         | % Recovery                      | Limits   | Qualifiers             | Batch          | Extracted       | Samp Size | Dilution                       |                 |
| 13C2-PFHxA                                                                                                                                                                                                                                                                                                        | SURR         | 97.7                            | 70 - 130 |                        | B7K0189        | 29-Nov-17       | 0.264 L   | 01-Dec-17 18:46                | 1               |
| DL - Detection Limit<br>LOD - Limit of Detection<br>LOQ - Limit of quantitation<br>LCL-UCL- Lower control limit - upper control limit<br>Results reported to the DL<br>When reported, PFHxS, PFOA and PFOS include both linear and branched isomers.<br>Only the linear isomer is reported for all other analytes |              |                                 |          |                        |                |                 |           |                                |                 |

1701770



- Legend**
- Proposed Sample Location
  - Public Water Supply Well
  - Direction of Groundwater Flow
  - MCOLF Atlantic - 1-mile zone
  - Base Boundary
  - Site Boundary (suspected source)
  - Parcels



1 inch = 0.4 mile  
Imagery: Esri, 2016

Figure 3  
Proposed Sampling Locations  
Marine Corps Outlying Landing Field Atlantic  
Atlantic Beach, North Carolina