Navy_CLEAN_PFAS_FOIA_request_covers.indd

NAVFAC
Naval Facilities Engineering Command

Groundwater Sample Results, Level 2 Laboratory Report, Level 4 Laboratory Report, Electronic Data Deliverable, Data Validation Report, and the Sample Location Report, SDG 1409100

Norfolk Naval Base
Norfolk, Virginia

July 2019

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

ANALYTICAL SUMMARY DATA PACKAGE
SDG # 1409100

PROJECT NAME: NSN CTO-WE79
PROJECT LOCATION: NORFOLK, VA
CONTRACT #: 954774

SUBMITTAL TO:
Juliana Dean
CH2M HILL
5701 Cleveland St, Suite 200
Virginia Beach, VA 23462

SUBMITTAL BY:
Empirical Laboratories, LLC (EL)
621 Mainstream Drive, Suite 270
Nashville, TN 37228
Tel (615)345-1115
Fax (866)417-0548

LABORATORY CONTACT PERSON:
Project Manager: Sonya Gordon
Tel (615)345-1115
Fax (866)417-0548
Email: sgordon@empirlabs.com

Original Report Date: October 1, 2014
Report Revision #: N/A
Revision Date: N/A
Total # of Pages: 42

THIS DOCUMENT MEETS DoD QSM 4.2 STANDARDS

The results relate to only the samples associated with the referenced SDG and the submitted data has been produced in accordance with laboratory procedures. The Laboratory's Technical Lab Director, Mr. Rick Davis, is responsible for the final data produced and reported. His signature is listed at the end of the Case Narrative within the Analytical Data Package. If applicable to this report package, details on report revisions and the information on subcontracted analysis are listed in the package Case Narrative. This report shall not be reproduced, except in full, without the written approval of Empirical Laboratories, LLC.

L-A-B Accredited - Certificate Number L2226 - Testing

Table of Contents

#	Description	Page No.
1	Cover Page	1
2	Table of Contents	2
3	Case Narrative	3
4	Sample Receipt Information Chain of Custody Forms Sample Receipt Confirmations WorkOrder Summary Sample Delivery Group (SDG) Sheets	5
5	Subcontracted Data	13

Sample Delivery Group Case Narrative

Receipt Information:

The samples were received within the preservation guidelines for the associated methods. The information associated with sample receipt and the Sample Delivery Group (SDG) are included within section 4 of this package, which also provides information on the link between the client sample ID listed on the COC and laboratory's assigned unique sample ID or WorkOrder #. The sample is tracked through the laboratory for all analysis via the assigned WorkOrder #.

All samples that were received were analyzed and none of the samples were placed on hold without analyses. Samples were subcontracted to Accutest Laboratories for Extractable by GCMS by Method 537 MOD.

Changes to the Revision:

This is an original submittal of the final report package.

Statement of Data Authenticity:

I certify that, based upon my inquiry of those individuals immediately responsible for obtaining the information and to the best of my knowledge, the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, with the exception of the conditions detailed in this Case Narrative, as verified by my signature below. During absences, the Data Quality Manager, Technical Directors or Project Managers are authorized to sign this Statement of Data Authenticity.



Mr. Rick D. Davis
Laboratory Technical Director / VP Operations

Empirical Laboratories, LLC
Certifications/Approvals
(Revised 08/05/2014)

DoD ELAP, Certificate Number L2226
- Aqueous
- Non-aqueous
- Expires: 11/30/2015

State of Florida, Department of Health – NELAP, Lab ID: E87646
- Clean Water Act
- RCRA/CERCLA
- Expires: 06/30/2015

State of Georgia, Environmental Protection Agency – NELAP, Self Certification
- Expires: 06/30/2015

State of Illinois, Environmental Protection Agency – NELAP, Certificate No.: 003300
- Groundwater
- Solid and Hazardous Waste
- Expires: 09/13/2015

State of Kentucky Department of Environmental Protection – NELAP, Certificate No.: 77
- Aqueous
- Non-aqueous
- Expires: 06/30/2015

State of New Jersey Department of Environmental Protection – NELAP, Lab ID: TN473
- Water Pollution
- Solid and Hazardous Waste
- Expires: 06/30/2015

State of North Carolina, Department of Environment and Natural Resources - Certificate No.: 643
- Aqueous
- Non-aqueous
- Expires: 12/31/2014

State of Texas, Commission on Environmental Quality – NELAP, Certificate No.: T104704307-14-10
- Aqueous
- Non-aqueous
- Expires: 12/31/2014

State of Utah, Department of Health – NELAP, Certificate No.: TN0042014-6
- Aqueous
- Non-aqueous
- Expires: 07/31/2015

Commonwealth of Virginia, Department of General Services – VELAP, Certificate No.: 2633 – Lab ID: 460243
- Aqueous
- Non-aqueous
- Expires: 12/14/2014

State of Washington, Department of Ecology – NELAP, Lab ID: C934-14
- Groundwater
- Solid and Hazardous Waste
- Expires: 03/18/2015

Sample Receipt Information

Accutest Laboratories Southeast
Chain of Custody

ACCUTEST LABORATORIES

4405 Vineland Road, Suite C-15 Orlando, Fl 32811
TEL. 407-425-6700 • FAX: 407-425-0707
www.accutest.com

CTO WE-79

Accutest JOB # FA18247 PAGE 1 OF 1

Accutest Quote # | SKIFF#

Client / Reporting Information	Project Information	Analytical Information	Matrix Codes
Company Name CH2M Hill	Project Name: NSN Site 1 LTM	PFCs	DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe
Address 5701 Cleveland St, Suite 200	Street		
City Virginia Beach State VA Zip 23462	City State		
Project Contact Juliana Dean E-mail	Project #		
Phone# 757-671-6232	Fax #		
Sampler(s) Name(s) (Printed) Kathryn Smith	Client Purchase Order # 954774		

Accutest Sample #	Field ID / Point of Collection	COLLECTION DATE	TIME	SAMPLED BY	MATRIX	TOTAL # OF BOTTLES	CONTAINER INFORMATION: OTHER	NONE	HCl	NaOH	HNO3	H2SO4	NaOH+ZnAc	DI WATER	MeOH	PFCs	LAB USE ONLY
1	NBS01-AI-MW10A-R15	09/11/14	16:35		GW	2										2	
2	NBS01-AI-MW10AP-R15		16:40			2										2	
3	NBS01-AI-MW8A-R15		13:00			2										2	
	NBS01-AI-MW8A-R15-MS		13:00			2										2	
	NBS01-AI-MW8A-R15-SD		13:00			2										2	
	~~NBS01-FB~~																

TURNAROUND TIME (Business Days)

Approved By: / Rush Code

- ☐ 10 Days Standard
- ☐ 7 Day RUSH
- ☐ 5 Day RUSH
- ☐ 3 Day EMERGENCY
- ☐ 2 Day EMERGENCY
- ☐ 1 Day EMERGENCY
- ☐ OTHER

Emergency or Rush T/A Data Available VIA Email or Lablink

Data Deliverable Information

- ☐ COMMERCIAL "A" (RESULTS ONLY)
- ☐ COMMERCIAL "B" (RESULTS PLUS QC)
- ☐ REDT1 (EPA LEVEL 3)
- ☐ FULT1 (EPA LEVEL 4)
- ☐ EDD'S

Comments / Remarks

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler:	Date Time:	Received By:	Relinquished by :	Date Time:	Received By:
1	09/11/14 18:00	2 FX	3 FX	9-12-14	4 Connie (Alst) 09:45
Relinquished by:	Date Time:	Received By:	Relinquished by:	Date Time:	Received By:
5		6	7		8

Lab Use Only: Custody Seal in Place: Y N Temp Blank Provided: Y N Preserved where Applicable: Y N Total # of Coolers: Cooler Temperature (s) Celsius: 9.6

1409100 Summ Package

6

ACCUTEST LABORATORIES SAMPLE RECEIPT CONFIRMATION

ACCUTEST'S JOB NUMBER: FA18217 CLIENT: CH2M HILL PROJECT: NSN SITE 1 LTM

DATE/TIME RECEIVED: 9-12-14 09:15 {MM/DD/YY 24:00} NUMBER OF COOLERS RECEIVED: 1

METHOD OF DELIVERY: (FEDEX) UPS ACCUTEST COURIER GREYHOUND DELIVERY OTHER

AIRBILL NUMBERS: 7711 1544 8209

COOLER INFORMATION

- [ ] CUSTODY SEAL NOT PRESENT OR NOT INTACT
- [ ] CHAIN OF CUSTODY NOT RECEIVED (COC)
- [ ] ANALYSIS REQUESTED IS UNCLEAR OR MISSING
- [ ] SAMPLE DATES OR TIMES UNCLEAR OR MISSING
- [ ] TEMPERATURE CRITERIA NOT MET

TRIP BLANK INFORMATION

- [ ] TRIP BLANK PROVIDED
- [X] TRIP BLANK NOT PROVIDED
- [X] TRIP BLANK NOT ON COC
- [ ] TRIP BLANK INTACT
- [ ] TRIP BLANK NOT INTACT
- [ ] RECEIVED WATER TRIP BLANK
- [ ] RECEIVED SOIL TRIP BLANK

MISC. INFORMATION

NUMBER OF ENCORES ? 25-GRAM_____ 5-GRAM_____

NUMBER OF 5035 FIELD KITS ? _____

NUMBER OF LAB FILTERED METALS ? _____

TEMPERATURE INFORMATION

- [ ] IR THERM ID 1 CORR. FACTOR +0.4
- [ ] OBSERVED TEMPS: 2.2
- [ ] CORRECTED TEMPS: 2.6

SAMPLE INFORMATION

- [ ] INCORRECT NUMBER OF CONTAINERS USED
- [ ] SAMPLE RECEIVED IMPROPERLY PRESERVED
- [ ] INSUFFICIENT VOLUME FOR ANALYSIS
- [ ] DATES/TIMES ON COC DO NOT MATCH SAMPLE LABEL
- [ ] ID'S ON COC DO NOT MATCH LABEL
- [ ] VOC VIALS HAVE HEADSPACE (MACRO BUBBLES)
- [ ] BOTTLES RECEIVED BUT ANALYSIS NOT REQUESTED
- [ ] NO BOTTLES RECEIVED FOR ANALYSIS REQUESTED
- [ ] UNCLEAR FILTERING OR COMPOSITING INSTRUCTIONS
- [ ] SAMPLE CONTAINER(S) RECEIVED BROKEN
- [ ] 5035 FIELD KITS NOT RECEIVED WITHIN 48 HOURS
- [ ] BULK VOA SOIL JARS NOT RECEIVED WITHIN 48 HOURS
- [ ] % SOLIDS JAR NOT RECEIVED
- [ ] RESIDUAL CHLORINE PRESENT

{APPICABLE TO EPA 600 SERIES OR NORTH CAROLINA ORGANICS}

SUMMARY OF COMMENTS:

TECHNICIAN SIGNATURE/DATE [signature] 9-12-14 REVIEWER SIGNATURE/DATE [signature] 09-12-14

From: (757) 671-6220
Kathryn Smith

5701 Cleveland St
Suite 200
Virginia Beach, VA 23462

Origin ID: NTUA

FedEx Express

J1420140619O326

Ship Date: 10SEP14
ActWgt: 55.0 LB
CAD: 104470428/INET3550

Delivery Address Bar Code

SHIP TO: (407) 425-6700 BILL SENDER

Muna Mohammed
Accutest Laboratories
4405 VINELAND RD

ORLANDO, FL 32811

Ref # 470612.LT.FI.01
Invoice #
PO #
Dept #

THU - 11 SEP 10:30A
PRIORITY OVERNIGHT

TRK# 0201 7711 1544 8209

XH TIXA

32811
FL-US
MCO

522G1/CDB4/8AC9

After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of $100 per package, whether the result of loss, damage, delay, non-delivery,misdelivery,or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental,consequential, or special is limited to the greater of $100 or the authorized declared value. Recovery cannot exceed actual documented loss.Maximum for items of extraordinary value is $1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

1409100

Empirical Laboratories, LLC

Client: CH2M Hill, Inc.
Project: NSN CTO-WE79

Project Manager: Sonya Gordon
Project Number: CH2_NSN_WE79

Report To:
CH2M Hill, Inc.
Juliana Dean
5701 Cleveland Street, Suite 200
Virginia Beach, VA 23462
Phone: (757) 671-6232
Fax: (303) 771-0952

Invoice To:
CH2M Hill, Inc.
Accounts Payable
P.O.Box 241329
Denver, CO 80224-____
Phone :(303) 771-0952
Fax: (303) 771-0952

Due to Client: 10/10/2014 16:00 *This is the projected due date to the client, at the time of receipt, and is for report delivery via upload, and/or email, and/or shipment to meet TAT as setup by project*

Received By: Sonya Gordon
Date Received: 09/12/2014 09:45
Logged In By: Sonya Gordon
Date Logged In: 09/17/2014 17:49

Samples Received at: **2.6°C**

Custody Seals	No	Received On Ice	No
Containers Intact	No		
COC/Labels Agree	No		
Preservation Confirme	No		

Method	Test Code	Due	TAT	Expires	Comments
Accutest Laboratories (SUB)					
1409100-01 NBS01-A1-MW10A-R15 [Water] Sampled 09/11/2014 16:35 Eastern 'Client Sample'					
SUB_SPECIAL1	SUB_SPECIALTY	10/03/2014 14:00	20	03/10/2015 15:35	Select PFC
1409100-02 NBS01-A1-MW10AP-R15 [Water] Sampled 09/11/2014 16:40 Eastern 'Client Sample'					
SUB_SPECIAL1	SUB_SPECIALTY	10/03/2014 14:00	20	03/10/2015 15:40	Select PFC
1409100-03 NBS01-A1-MW8A-R15 [Water] Sampled 09/11/2014 13:00 Eastern 'Client Sample'					**MS/MSD**
SUB_SPECIAL1	SUB_SPECIALTY	10/03/2014 14:00	20	03/10/2015 12:00	Select PFC

Reviewed By

Date

Sample Receipt Confirmation

Empirical Labs

Job No: FA18247

NSN Site 1 LTM
Project No: 470612.LT.FT.01

Sample Number	Collected Date	Time	By	Received	TA	Matrix Code	Matrix Type	Client Sample ID
FA18247-1	09/11/14	16:35	KS	09/12/14	14	AQ	Ground Water	NBS01-A1-MW10A-R15
FA18247-2	09/11/14	16:40	KS	09/12/14	14	AQ	Ground Water	NBS01-A1-MW10AP-R15
FA18247-3	09/11/14	13:00	KS	09/12/14	14	AQ	Ground Water	NBS01-A1-MW8A-R15
FA18247-3D	09/11/14	13:00	KS	09/12/14	14	AQ	Water Dup/MSD	NBS01-A1-MW8A-R15
FA18247-3S	09/11/14	13:00	KS	09/12/14	14	AQ	Water Matrix Spike	NBS01-A1-MW8A-R15

Tests: LC537UCMR3

Tests are displayed after the samples to which they apply.

Sample Delivery Group Assignment Form

CLIENT: CH2M Hill, Inc.
PROJECT NAME: NSN CTO-WE79
SDG #: 1409100

QC LEVEL: Level IV
Report Due: 10/10/2014
Client Sample Count: 3

Sample Type	Sampled	Received	Lab ID	Client ID	Report Matrix	SUB_SPECIALTY
Client Sample	9/11/2014	9/12/2014	1409100-01	NBS01-A1-MW10A-R15	Water	X
Client Sample	9/11/2014	9/12/2014	1409100-02	NBS01-A1-MW10AP-R15	Water	X
Client Sample	9/11/2014	9/12/2014	1409100-03	NBS01-A1-MW8A-R15	Water	MS/MSD

SUBCONTRACT ORDER

Empirical Laboratories, LLC

1409100

SENDING LABORATORY:

Empirical Laboratories, LLC
621 Mainstream Drive, Suite 270
Nashville, TN 37228
Phone: 615.345.1115
Fax: 866.417.0548
Project Manager: Sonya Gordon

RECEIVING LABORATORY:

Accutest Laboratories (SUB)
4405 Vineland Rd
Orlando, FL 32811
Phone :(407) 425-6700
Fax: (407) 425-0707

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: NBS01-A1-MW10A-R15				
Reference No: 1409100-01 **Water**	**Sampled:09/11/2014 16:35**			
SUB_SPECIALTY	10/03/2014 14:00	03/10/2015 15:35		Select PFC
Containers Supplied:				
Sample ID: NBS01-A1-MW10AP-R15				
Reference No: 1409100-02 **Water**	**Sampled:09/11/2014 16:40**			
SUB_SPECIALTY	10/03/2014 14:00	03/10/2015 15:40		Select PFC
Containers Supplied:				
Sample ID: NBS01-A1-MW8A-R15				
Reference No: 1409100-03 **Water**	**Sampled:09/11/2014 13:00**			**MS/MSD**
SUB_SPECIALTY	10/03/2014 14:00	03/10/2015 12:00		Select PFC
Containers Supplied:				

Released By	Date	Received By	Date
Released By	Date	Received By	Date

Subcontractor Data Package

Southeast ACCUTEST LABORATORIES

09/26/14



Technical Report for

Empirical Labs

NSN Site 1 LTM

470612.LT.FT.01

Accutest Job Number: FA18247

Sampling Date: 09/11/14

Report to:

Empirical Labs
621 Mainstream Dr Suite 270
Nashville, TN 37228
sgordon@empirlabs.com

ATTN: Sonya Gordon

Total number of pages in report: **191**

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Norm Farmer
Technical Director

Client Service contact: Muna Mohammed 407-425-6700

Certifications: FL (E83510), LA (03051), KS (E-10327), IA (366), IL (200063), NC (573), NJ (FL002), SC (96038001)
DoD ELAP (L-A-B L2229), CA (04226CA), TX (T104704404), PA (68-03573), VA (460177),
AK, AR, GA, KY, MA, NV, OK, UT, WA

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Accutest Laboratories is the sole authority for authorizing edits or modifications to this document. Unauthorized modification of this report is strictly prohibited.

Sections: 1 2 3 4 5 6 7

Table of Contents

-1-

Section 1: Sample Summary **3**
Section 2: Case Narrative/Conformance Summary **4**
Section 3: Summary of Hits **5**
Section 4: Sample Results **6**
4.1: FA18247-1: NBS01-A1-MW10A-R15 7
4.2: FA18247-2: NBS01-A1-MW10AP-R15 8
4.3: FA18247-3: NBS01-A1-MW8A-R15 9
Section 5: Misc. Forms **10**
5.1: Chain of Custody 11
Section 6: GC/MS Semi-volatiles - QC Data Summaries **14**
6.1: Method Blank Summary 15
6.2: Blank Spike Summary 16
6.3: Matrix Spike/Matrix Spike Duplicate Summary 17
6.4: Internal Standard Area Summaries 18
6.5: Surrogate Recovery Summaries 21
6.6: Initial and Continuing Calibration Summaries 22
Section 7: GC/MS Semi-volatiles - Raw Data **30**
7.1: Samples 31
7.2: Method Blanks 55
7.3: Blank Spikes 62
7.4: Matrix Spike/Matrix Spike Duplicates 70
7.5: Initial and Continuing Calibarations 86
7.6: Instrument Run Logs 187
7.7: Prep Logs 191

Accutest Laboratories

Sample Summary

Empirical Labs

Job No: FA18247

NSN Site 1 LTM
Project No: 470612.LT.FT.01

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
FA18247-1	09/11/14	16:35	KS	09/12/14	AQ	Ground Water	NBS01-A1-MW10A-R15
FA18247-2	09/11/14	16:40	KS	09/12/14	AQ	Ground Water	NBS01-A1-MW10AP-R15
FA18247-3	09/11/14	13:00	KS	09/12/14	AQ	Ground Water	NBS01-A1-MW8A-R15
FA18247-3D	09/11/14	13:00	KS	09/12/14	AQ	Water Dup/MSD	NBS01-A1-MW8A-R15
FA18247-3S	09/11/14	13:00	KS	09/12/14	AQ	Water Matrix Spike	NBS01-A1-MW8A-R15

SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Empirical Labs **Job No:** FA18247

Site: NSN Site 1 LTM **Report Date:** 9/26/2014 2:24:23 PM

3 Sample(s) were collected on 09/11/2014 and were received at Accutest SE on 09/12/2014 properly preserved, at 2.6 Deg. C and intact. These Samples received an Accutest job number of FA18247. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Extractables by GCMS By Method EPA 537 MOD

Matrix: AQ **Batch ID:** OP53158

All samples were extracted within the recommended method holding time.

All samples were analyzed within the recommended method holding time.

All method blanks for this batch meet method specific criteria.

Sample(s) FA18247-3MS, FA18247-3MSD were used as the QC samples indicated.

Accutest Laboratories Southeast (ALSE) certifies that this report meets the project requirements for analytical data produced for the samples as received at ALSE and as stated on the COC. ALSE certifies that the data meets the Data Quality Objectives for precision, accuracy and completeness as specified in the ALSE Quality Manual except as noted above. This report is to be used in its entirety. ALSE is not responsible for any assumptions of data quality if partial data packages are used.

Narrative prepared by:

_____

Kim Benham, Client Services (signature on file)

Date: September 26, 2014

Manual Integration Summary

Lab Sample ID	Analysis Type	File ID	Manual Integrations
FA18247-1	MSSEMI	Q7137.D	Perfluorooctanesulfonic acid, Perfluorooctanoic acid
FA18247-2	MSSEMI	Q7138.D	Perfluorooctanesulfonic acid, Perfluorooctanoic acid
FA18247-3	MSSEMI	Q7146.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid, Perfluorooctanoic acid
OP53158-BS	MSSEMI	Q7127.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid
OP53158-MS	MSSEMI	Q7140.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid
OP53158-MSD	MSSEMI	Q7141.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid
SQ234-IC234	MSSEMI	Q6936.D	Perfluorooctanoic acid, Perfluoroundecanoic acid
SQ234-ICV234	MSSEMI	Q6945.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid, Perfluorotridecanoic acid, Perfluoroundecanoic acid
SQ242-CC234	MSSEMI	Q7145.D	Perfluorotetradecanoic acid

9 Manual Integrations were found for FA18247

Summary of Hits

Job Number: FA18247
Account: Empirical Labs
Project: NSN Site 1 LTM
Collected: 09/11/14

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	LOQ	LOD	Units	Method
FA18247-1	**NBS01-A1-MW10A-R15**					
Perfluorobutanesulfonic acid		0.0176 J	0.021	0.017	ug/l	EPA 537 MOD
FA18247-2	**NBS01-A1-MW10AP-R15**					
Perfluorobutanesulfonic acid		0.0170 J	0.021	0.017	ug/l	EPA 537 MOD
FA18247-3	**NBS01-A1-MW8A-R15**					
Perfluorooctanoic acid		0.0179 J	0.040	0.032	ug/l	EPA 537 MOD
Perfluorohexanesulfonic acid		0.0141 J	0.020	0.016	ug/l	EPA 537 MOD
Perfluorooctanesulfonic acid		0.0255	0.020	0.016	ug/l	EPA 537 MOD

Sample Results

Report of Analysis

Accutest Laboratories

Report of Analysis

Client Sample ID:	NBS01-A1-MW10A-R15		
Lab Sample ID:	FA18247-1	**Date Sampled:**	09/11/14
Matrix:	AQ - Ground Water	**Date Received:**	09/12/14
Method:	EPA 537 MOD EPA 537 MOD	**Percent Solids:**	n/a
Project:	NSN Site 1 LTM		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Q7137.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241
Run #2							

	Initial Volume	Final Volume
Run #1	120 ml	1.0 ml
Run #2		

Perfluorinated Carboxylic Acids and Sulfonates

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
PERFLUOROALKYLCARBOXYLIC ACIDS							
375-85-9	Perfluoroheptanoic acid	0.017 U	0.021	0.017	0.0083	ug/l	
335-67-1	Perfluorooctanoic acid	0.033 U	0.042	0.033	0.017	ug/l	
375-95-1	Perfluorononanoic acid	0.017 U	0.021	0.017	0.0083	ug/l	
PERFLUOROALKYLSULFONATES							
375-73-5	Perfluorobutanesulfonic acid	0.0176	0.021	0.017	0.0083	ug/l	J
355-46-4	Perfluorohexanesulfonic acid	0.017 U	0.021	0.017	0.0083	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	0.017 U	0.021	0.017	0.0083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
	13C2-PFHxA	105%		70-130%
	13C2-PFDA	117%		70-130%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	NBS01-A1-MW10AP-R15		
Lab Sample ID:	FA18247-2	**Date Sampled:**	09/11/14
Matrix:	AQ - Ground Water	**Date Received:**	09/12/14
Method:	EPA 537 MOD EPA 537 MOD	**Percent Solids:**	n/a
Project:	NSN Site 1 LTM		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Q7138.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241
Run #2							

	Initial Volume	Final Volume
Run #1	120 ml	1.0 ml
Run #2		

Perfluorinated Carboxylic Acids and Sulfonates

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
PERFLUOROALKYLCARBOXYLIC ACIDS							
375-85-9	Perfluoroheptanoic acid	0.017 U	0.021	0.017	0.0083	ug/l	
335-67-1	Perfluorooctanoic acid	0.033 U	0.042	0.033	0.017	ug/l	
375-95-1	Perfluorononanoic acid	0.017 U	0.021	0.017	0.0083	ug/l	
PERFLUOROALKYLSULFONATES							
375-73-5	Perfluorobutanesulfonic acid	0.0170	0.021	0.017	0.0083	ug/l	J
355-46-4	Perfluorohexanesulfonic acid	0.017 U	0.021	0.017	0.0083	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	0.017 U	0.021	0.017	0.0083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
	13C2-PFHxA	111%		70-130%
	13C2-PFDA	123%		70-130%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	NBS01-A1-MW8A-R15		
Lab Sample ID:	FA18247-3	**Date Sampled:**	09/11/14
Matrix:	AQ - Ground Water	**Date Received:**	09/12/14
Method:	EPA 537 MOD EPA 537 MOD	**Percent Solids:**	n/a
Project:	NSN Site 1 LTM		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Q7146.D	1	09/24/14	MRE	09/18/14	OP53158	SQ242
Run #2							

	Initial Volume	Final Volume
Run #1	125 ml	1.0 ml
Run #2		

Perfluorinated Carboxylic Acids and Sulfonates

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
PERFLUOROALKYLCARBOXYLIC ACIDS							
375-85-9	Perfluoroheptanoic acid	0.016 U	0.020	0.016	0.0080	ug/l	
335-67-1	Perfluorooctanoic acid	0.0179	0.040	0.032	0.016	ug/l	J
375-95-1	Perfluorononanoic acid	0.016 U	0.020	0.016	0.0080	ug/l	
PERFLUOROALKYLSULFONATES							
375-73-5	Perfluorobutanesulfonic acid	0.016 U	0.020	0.016	0.0080	ug/l	
355-46-4	Perfluorohexanesulfonic acid	0.0141	0.020	0.016	0.0080	ug/l	J
1763-23-1	Perfluorooctanesulfonic acid	0.0255	0.020	0.016	0.0080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
	13C2-PFHxA	86%		70-130%
	13C2-PFDA	122%		70-130%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound


Southeast ACCUTEST LABORATORIES

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



ACCUTEST LABORATORIES

Accutest Laboratories Southeast

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, Fl 32811
TEL. 407-425-6700 • FAX: 407-425-0707
www.accutest.com

CTO WE-79

Accutest JOB # FA18247 PAGE 1 OF 1

Accutest Quote # | SKIFF#

Client / Reporting Information

Company Name: CH2M Hill
Address: 5701 Cleveland St, Suite 200
City: Virginia Beach State: VA Zip: 23462
Project Contact: Juliana Dean E-mail:
Phone#: 757-671-6232
Sampler(s) Name(s) (Printed): Kathryn Smith

Project Information

Project Name: NSN Site 1 LTM
Street:
City State:
Project #:
Fax #:
Client Purchase Order # 954774

Analytical Information

PFCs

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe

Accutest Sample #	Field ID / Point of Collection	Collection: Date	Time	Sampled By:	Matrix	Total # of Bottles	Container Information	PFCs	LAB USE ONLY
1	NBS01-A1-MW10A-R15	09/11/14	16:35		GW	2		2	
2	NBS01-A1-MW10AP-R15		16:40			2		2	
3	NBS01-A1-MW8A-R15		13:00			2		2	
	NBS01-A1-MW8A-R15-MS		13:00			2		2	
	NBS01-A1-MW8A-R15-SD		13:00			2		2	
	~~NBS01-Z1~~								

TURNAROUND TIME (Business Days)

Approved By: / Rush Code

- [ ] 10 Days Standard
- [ ] 7 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY
- [ ] OTHER

Emergency or Rush T/A Data Available VIA Email or Lablink

Data Deliverable Information

- [ ] COMMERCIAL "A" (RESULTS ONLY)
- [ ] COMMERCIAL "B" (RESULTS PLUS QC)
- [ ] REDT1 (EPA LEVEL 3)
- [ ] FULT1 (EPA LEVEL 4)
- [ ] EDD'S

Comments / Remarks

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler:	Date Time:	Received By:	Relinquished by:	Date Time:	Received By:
1	09/11/14 18:00	2 FX	3 FX	9-12-14	4 Comm (AIR) 07:45
Relinquished by:	Date Time:	Received By:	Relinquished by:	Date Time:	Received By:
5		6	7		8

Lab Use Only: Custody Seal in Place: Y N Temp Blank Provided: Y N Preserved where Applicable: Y N Total # of Coolers: Cooler Temperature (s) Celsius: 2.6

5.1
5

FA18247: Chain of Custody
Page 1 of 3

ACCUTEST LABORATORIES SAMPLE RECEIPT CONFIRMATION

ACCUTEST'S JOB NUMBER: FA18247 CLIENT: CH2M HILL PROJECT: USN SITE 1 LTM

DATE/TIME RECEIVED: 9-12-14 09:15 {MM/DD/YY 24:00} NUMBER OF COOLERS RECEIVED: 1

METHOD OF DELIVERY: (FEDEX) UPS ACCUTEST COURIER GREYHOUND DELIVERY OTHER

AIRBILL NUMBERS: 7711 1514 8209

COOLER INFORMATION

- [ ] CUSTODY SEAL NOT PRESENT OR NOT INTACT
- [ ] CHAIN OF CUSTODY NOT RECEIVED (COC)
- [ ] ANALYSIS REQUESTED IS UNCLEAR OR MISSING
- [ ] SAMPLE DATES OR TIMES UNCLEAR OR MISSING
- [ ] TEMPERATURE CRITERIA NOT MET

TRIP BLANK INFORMATION

- [ ] TRIP BLANK PROVIDED
- [X] TRIP BLANK NOT PROVIDED
- [X] TRIP BLANK NOT ON COC
- [ ] TRIP BLANK INTACT
- [ ] TRIP BLANK NOT INTACT
- [ ] RECEIVED WATER TRIP BLANK
- [ ] RECEIVED SOIL TRIP BLANK

MISC. INFORMATION

NUMBER OF ENCORES ? 25-GRAM_____ 5-GRAM_____

NUMBER OF 5035 FIELD KITS ? _____

NUMBER OF LAB FILTERED METALS ? _____

TEMPERATURE INFORMATION

- [ ] IR THERM ID 1 CORR. FACTOR +0.4
- [ ] OBSERVED TEMPS: 2.2
- [ ] CORRECTED TEMPS: 2.6

SAMPLE INFORMATION

- [ ] INCORRECT NUMBER OF CONTAINERS USED
- [ ] SAMPLE RECEIVED IMPROPERLY PRESERVED
- [ ] INSUFFICIENT VOLUME FOR ANALYSIS
- [ ] DATES/TIMES ON COC DO NOT MATCH SAMPLE LABEL
- [ ] ID'S ON COC DO NOT MATCH LABEL
- [ ] VOC VIALS HAVE HEADSPACE (MACRO BUBBLES)
- [ ] BOTTLES RECEIVED BUT ANALYSIS NOT REQUESTED
- [ ] NO BOTTLES RECEIVED FOR ANALYSIS REQUESTED
- [ ] UNCLEAR FILTERING OR COMPOSITING INSTRUCTIONS
- [ ] SAMPLE CONTAINER(S) RECEIVED BROKEN
- [ ] 5035 FIELD KITS NOT RECEIVED WITHIN 48 HOURS
- [ ] BULK VOA SOIL JARS NOT RECEIVED WITHIN 48 HOURS
- [ ] % SOLIDS JAR NOT RECEIVED
- [ ] RESIDUAL CHLORINE PRESENT

{APPICABLE TO EPA 600 SERIES OR NORTH CAROLINA ORGANICS}

SUMMARY OF COMMENTS: _____

TECHNICIAN SIGNATURE/DATE 9-12-14 REVIEWER SIGNATURE/DATE 0912-14

RS 04/14

receipt confirmation 041514.xls

FA18247: Chain of Custody
Page 2 of 3

Page 1 of 1

From: (757) 671-6220
Kathryn Smith

Origin ID: NTUA

5701 Cleveland St
Suite 200
Virginia Beach, VA 23462

J14201409194326

Ship Date: 10SEP14
ActWgt: 55.0 LB
CAD: 104470428/INET3550

Delivery Address Bar Code

Ref # 470612.LT.FI.01
Invoice #
PO #
Dept #

BILL SENDER

SHIP TO: (407) 425-6700

Muna Mohammed
Accutest Laboratories
4405 VINELAND RD

ORLANDO, FL 32811

TRK# 7711 1544 8209
0201

THU - 11 SEP 10:30A
PRIORITY OVERNIGHT

32811
FL-US
MCO

XH TIXA

522HDB48A39

After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of $100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of $100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is $1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

https://www.fedex.com/shipping/html/en//PrintIFrame.html 9/10/2014

5.1 5

FA18247: Chain of Custody
Page 3 of 3

Southeast ACCUTEST LABORATORIES

GC/MS Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Internal Standard Area Summaries
- Surrogate Recovery Summaries
- Initial and Continuing Calibration Summaries

Method Blank Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP53158-MB	Q7128.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241

The QC reported here applies to the following samples: **Method:** EPA 537 MOD

FA18247-1, FA18247-2, FA18247-3

CAS No.	Compound	Result	RL	MDL	Units	Q
375-85-9	Perfluoroheptanoic acid	ND	0.020	0.0080	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.040	0.016	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.020	0.0080	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.020	0.0080	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.020	0.0080	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.020	0.0080	ug/l	

CAS No.	Surrogate Recoveries		Limits
	13C2-PFHxA	104%	70-130%
	13C2-PFDA	108%	70-130%

Blank Spike Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP53158-BS	Q7127.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241

The QC reported here applies to the following samples: **Method:** EPA 537 MOD

FA18247-1, FA18247-2, FA18247-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-85-9	Perfluoroheptanoic acid	0.16	0.143	89	70-130
335-67-1	Perfluorooctanoic acid	0.16	0.142	89	70-130
375-95-1	Perfluorononanoic acid	0.16	0.163	102	70-130
375-73-5	Perfluorobutanesulfonic acid	0.16	0.166	104	70-130
355-46-4	Perfluorohexanesulfonic acid	0.16	0.164	103	70-130
1763-23-1	Perfluorooctanesulfonic acid	0.16	0.137	86	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
	13C2-PFHxA	127%	70-130%
	13C2-PFDA	125%	70-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP53158-MS	Q7140.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241
OP53158-MSD	Q7141.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241
FA18247-3	Q7146.D	1	09/24/14	MRE	09/18/14	OP53158	SQ242

The QC reported here applies to the following samples: **Method:** EPA 537 MOD

FA18247-1, FA18247-2, FA18247-3

CAS No.	Compound	FA18247-3 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
375-85-9	Perfluoroheptanoic acid	0.020	U	0.333	0.298	89	0.333	0.278	83	7	70-130/30
335-67-1	Perfluorooctanoic acid	0.0179	J	0.333	0.330	94	0.333	0.301	85	9	70-130/30
375-95-1	Perfluorononanoic acid	0.020	U	0.333	0.378	113	0.333	0.334	100	12	70-130/30
375-73-5	Perfluorobutanesulfonic acid	0.020	U	0.333	0.300	90	0.333	0.286	86	5	70-130/30
355-46-4	Perfluorohexanesulfonic acid	0.0141	J	0.333	0.355	102	0.333	0.331	95	7	70-130/30
1763-23-1	Perfluorooctanesulfonic acid	0.0255		0.333	0.297	81	0.333	0.263	71	12	70-130/30

CAS No.	Surrogate Recoveries	MS	MSD	FA18247-3	Limits
	13C2-PFHxA	101%	94%	86%	70-130%
	13C2-PFDA	118%	115%	122%	70-130%

* = Outside of Control Limits.

Semivolatile Internal Standard Area Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Check Std:	SQ241-CC234	**Injection Date:**	09/23/14
Lab File ID:	Q7125.D	**Injection Time:**	11:39
Instrument ID:	GCMSQ	**Method:**	EPA 537 MOD

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Initial Cal [a]	38284	5.85	15045	6.39	26548	8.96
Check Std [b]	46590	5.86	18288	6.42	32187	9.18
Upper Limit [c]	57426	6.86	22568	7.42	39822	10.18
Lower Limit [d]	19142	4.86	7523	5.42	13274	8.18

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
OP53158-BS	53833	5.86	20585	6.42	33697	9.21
OP53158-MB	56204	5.86	20724	6.42	33973	9.21
ZZZZZZ	52684	5.86	19710	6.42	32372	9.20
ZZZZZZ	50733	5.85	18694	6.42	32407	9.20
ZZZZZZ	48286	5.85	17473	6.41	30557	9.18
ZZZZZZ	49358	5.85	18602	6.41	31666	9.18
ZZZZZZ	51458	5.85	18858	6.41	32597	9.20
ZZZZZZ	55636	5.85	20356	6.41	33750	9.18

IS 1 = 13C2-PFOA
IS 2 = 13C4-PFOS
IS 3 = 13C2-PFDoDA

(a) Initial Cal is: SQ234-ICC234 Q6939.D 09/12/14 13:11. Area is AVERAGE of initial cal points.
(b) Check Std Limit = -50 to +50% of initial cal area.
(c) Upper Limit = +50% of initial standard area; Retention time +1 minutes of check standard.
(d) Lower Limit = -50% of initial standard area; Retention time -1 minutes of check standard.

Semivolatile Internal Standard Area Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Check Std:	SQ241-CC234	**Injection Date:**	09/23/14
Lab File ID:	Q7135.D	**Injection Time:**	15:01
Instrument ID:	GCMSQ	**Method:**	EPA 537 MOD

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Initial Cal [a]	38284	5.85	15045	6.39	26548	8.96
Check Std [b]	49265	5.85	18466	6.41	31638	9.20
Upper Limit [c]	57426	6.85	22568	7.41	39822	10.20
Lower Limit [d]	19142	4.85	7523	5.41	13274	8.20

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
FA18247-1	56941	5.85	20637	6.41	35191	9.18
FA18247-2	51370	5.85	18632	6.41	31783	9.18
OP53158-MS	46796	5.85	17241	6.41	32286	9.18
OP53158-MSD	52148	5.83	18985	6.41	33597	9.18
SQ241-ECC234	52081	5.85	19353	6.42	34703	9.20

IS 1 = 13C2-PFOA
IS 2 = 13C4-PFOS
IS 3 = 13C2-PFDoDA

(a) Initial Cal is: SQ234-ICC234 Q6939.D 09/12/14 13:11. Area is AVERAGE of initial cal points.
(b) Check Std Limit = -50 to +50% of initial cal area.
(c) Upper Limit = +50% of initial standard area; Retention time +1 minutes of check standard.
(d) Lower Limit = -50% of initial standard area; Retention time -1 minutes of check standard.

Semivolatile Internal Standard Area Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Check Std:	SQ242-CC234	**Injection Date:**	09/24/14
Lab File ID:	Q7145.D	**Injection Time:**	10:31
Instrument ID:	GCMSQ	**Method:**	EPA 537 MOD

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Initial Cal [a]	38284	5.85	15045	6.39	26548	8.96
Check Std [b]	42714	5.87	17596	6.44	29335	9.13
Upper Limit [c]	57426	6.87	22568	7.44	39822	10.13
Lower Limit [d]	19142	4.87	7523	5.44	13274	8.13

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
FA18247-3	41843	5.86	16303	6.43	24949	9.10
SQ242-ECC234	43100	5.86	17181	6.42	24712	9.10

IS 1 = 13C2-PFOA
IS 2 = 13C4-PFOS
IS 3 = 13C2-PFDoDA

(a) Initial Cal is: SQ234-ICC234 Q6939.D 09/12/14 13:11. Area is AVERAGE of initial cal points.
(b) Check Std Limit = -50 to +50% of initial cal area.
(c) Upper Limit = +50% of initial standard area; Retention time +1 minutes of check standard.
(d) Lower Limit = -50% of initial standard area; Retention time -1 minutes of check standard.

Semivolatile Surrogate Recovery Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Method: EPA 537 MOD **Matrix:** AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2
FA18247-1	Q7137.D	105	117
FA18247-2	Q7138.D	111	123
FA18247-3	Q7146.D	86	122
OP53158-BS	Q7127.D	127	125
OP53158-MB	Q7128.D	104	108
OP53158-MS	Q7140.D	101	118
OP53158-MSD	Q7141.D	94	115

Surrogate Compounds	Recovery Limits
S1 = 13C2-PFHxA	70-130%
S2 = 13C2-PFDA	70-130%

Initial Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ234-ICC234
Lab FileID: Q6939.D

Initial Calibration ReSponse Factors - D:\MassHunter\Data\0912_PFC_SQ234\SQ234.batch.bin

Level ID : Calibration File
1 : D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2 : D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3 : D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4 : D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5 : D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6 : D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7 : D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Compound	1	2	3	4	5	6	7	AvgRF	%RSD	r^2
2) 13C2-PFDoDA	----------ISTD----------									
1) 13C2-PFDA	1.4694	1.2705	1.3641	1.3573	1.2782	1.1995	1.1677	1.3010	8.002	0.9925
8) PFDA	1.3529	1.1705	1.2774	1.2682	1.2016	1.1239	1.0824	1.2110	7.811	0.9913
9) PFDoDA	0.9528	0.9350	0.8811	0.8914	0.8903	0.8623	0.8657	0.8969	3.827	0.9994
10) PFDS	0.2240	0.2180	0.2018	0.2025	0.1985	0.1920	0.1929	0.2043	5.996	0.9989
19) PFTeDA	0.7532	0.6581	0.5739	0.5913	0.5950	0.5845	0.5932	0.6213	10.333	0.9994
20) PFTrDA	0.8594	0.8431	0.7924	0.7963	0.7967	0.7777	0.7789	0.8063	3.964	0.9999
21) PFUnDA	1.4969	1.2243	1.1198	1.0728	1.0513	1.0110	1.0658	1.1489	14.603	0.9948
4) 13C2-PFOA	----------ISTD----------									
3) 13C2-PFHxA	0.3285	0.3294	0.3113	0.3056	0.3013	0.2929	0.2943	0.3090	4.856	0.9992
6) PFBA	0.2472	0.2443	0.2374	0.2319	0.2354	0.2301	0.2321	0.2369	2.771	0.9998
11) PFHpA	0.4292	0.3812	0.3486	0.3311	0.3247	0.3126	0.3091	0.3481	12.464	0.9994
13) PFHxA	0.3782	0.3737	0.3488	0.3465	0.3428	0.3331	0.3339	0.3510	5.150	0.9992
15) PFNA	0.5906	0.5169	0.4639	0.4647	0.4599	0.4509	0.4500	0.4853	10.660	0.9996
16) PFOA	1.3992	1.1606	1.0285	1.0005	0.9828	0.9625	0.9647	1.0713	14.922	0.9959
18) PFPeA	0.1233	0.1212	0.1155	0.1139	0.1149	0.1115	0.1146	0.1164	3.645	0.9995
5) 13C4-PFOS	----------ISTD----------									
7) PFBS	0.4070	0.3735	0.3399	0.3254	0.3260	0.3064	0.3165	0.3421	10.450	0.9975
12) PFHpS	0.6380	0.6341	0.6144	0.5989	0.6054	0.5816	0.5927	0.6093	3.437	0.9993
14) PFHxS	0.6360	0.5636	0.5422	0.5072	0.5081	0.4775	0.4990	0.5334	10.027	0.9974
17) PFOS	1.3645	1.1081	1.0077	0.9890	0.9834	0.9433	0.9543	1.0500	14.167	0.9965

*(value) - Average RF below (value)

Initial Calibration Verification

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM
Sample: SQ234-ICV234
Lab FileID: Q6944.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0912_PFC_SQ234\SQ234.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q6944
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	0.000	# -100.0	0.0
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	0.000	# -100.0	0.0
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	20.367	1.8	101.8
PFBS	20.000	21.501	7.5	107.5
PFDA	20.000	21.272	6.4	106.4
PFDoDA	20.000	21.331	6.7	106.7
PFDS	20.000	21.521	7.6	107.6
PFHpA	20.000	20.021	0.1	100.1
PFHpS	20.000	0.000	0.0	0.0
PFHxA	20.000	20.765	3.8	103.8
PFHxS	20.000	21.704	8.5	108.5
PFNA	20.000	20.123	0.6	100.6
PFOA	20.000	20.065	0.3	100.3
PFOS	20.000	20.717	3.6	103.6
PFPeA	20.000	20.410	2.1	102.1
PFTeDA	20.000	22.398	12.0	112.0
PFTrDA	20.000	20.605	3.0	103.0
PFUnDA	20.000	20.271	1.4	101.4

CC Criteria: +/- 25%

Initial Calibration Verification

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM
Sample: SQ234-ICV234
Lab FileID: Q6945.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0912_PFC_SQ234\SQ234.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q6945
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	0.000	0.0	0.0
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	0.000	0.0	0.0
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	0.000	0.0	0.0
PFBS	20.000	24.861	24.3	124.3
PFDA	20.000	0.000	0.0	0.0
PFDoDA	20.000	0.000	0.0	0.0
PFDS	20.000	0.000	0.0	0.0
PFHpA	20.000	18.993	-5.0	95.0
PFHpS	20.000	0.000	0.0	0.0
PFHxA	20.000	0.000	0.0	0.0
PFHxS	20.000	23.899	19.5	119.5
PFNA	20.000	21.584	7.9	107.9
PFOA	20.000	19.090	-4.5	95.5
PFOS	20.000	20.549	2.7	102.7
PFPeA	20.000	0.000	0.0	0.0
PFTeDA	20.000	0.000	0.0	0.0
PFTrDA	20.000	0.000	0.0	0.0
PFUnDA	20.000	0.000	0.0	0.0

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ241-CC234
Lab FileID: Q7125.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0922_PFC_SQ241\sq241.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7125
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	22.249	11.2	111.2
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	20.190	1.0	101.0
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	19.393	-3.0	97.0
PFBS	20.000	18.883	-5.6	94.4
PFDA	20.000	21.949	9.7	109.7
PFDoDA	20.000	21.163	5.8	105.8
PFDS	20.000	23.630	18.2	118.2
PFHpA	20.000	20.160	0.8	100.8
PFHpS	20.000	20.524	2.6	102.6
PFHxA	20.000	19.878	-0.6	99.4
PFHxS	20.000	19.600	-2.0	98.0
PFNA	20.000	21.514	7.6	107.6
PFOA	20.000	19.892	-0.5	99.5
PFOS	20.000	20.644	3.2	103.2
PFPeA	20.000	19.819	-0.9	99.1
PFTeDA	20.000	24.273	21.4	121.4
PFTrDA	20.000	25.541	# 27.7	127.7
PFUnDA	20.000	29.363	# 46.8	146.8

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ241-CC234
Lab FileID: Q7135.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0922_PFC_SQ241\sq241.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7135
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	20.656	3.3	103.3
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	19.782	-1.1	98.9
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	18.409	-8.0	92.0
PFBS	20.000	18.918	-5.4	94.6
PFDA	20.000	19.408	-3.0	97.0
PFDoDA	20.000	22.466	12.3	112.3
PFDS	20.000	24.908	24.5	124.5
PFHpA	20.000	20.806	4.0	104.0
PFHpS	20.000	20.455	2.3	102.3
PFHxA	20.000	19.493	-2.5	97.5
PFHxS	20.000	20.003	0.0	100.0
PFNA	20.000	22.490	12.5	112.5
PFOA	20.000	20.242	1.2	101.2
PFOS	20.000	20.647	3.2	103.2
PFPeA	20.000	19.050	-4.7	95.3
PFTeDA	20.000	17.180	-14.1	85.9
PFTrDA	20.000	23.020	15.1	115.1
PFUnDA	20.000	18.844	-5.8	94.2

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ241-ECC234
Lab FileID: Q7142.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0922_PFC_SQ241\sq241.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7142
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	21.531	7.7	107.7
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	19.658	-1.7	98.3
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	18.615	-6.9	93.1
PFBS	20.000	19.148	-4.3	95.7
PFDA	20.000	20.343	1.7	101.7
PFDoDA	20.000	22.664	13.3	113.3
PFDS	20.000	23.948	19.7	119.7
PFHpA	20.000	20.470	2.4	102.4
PFHpS	20.000	20.551	2.8	102.8
PFHxA	20.000	19.304	-3.5	96.5
PFHxS	20.000	20.459	2.3	102.3
PFNA	20.000	22.638	13.2	113.2
PFOA	20.000	20.162	0.8	100.8
PFOS	20.000	20.546	2.7	102.7
PFPeA	20.000	19.217	-3.9	96.1
PFTeDA	20.000	17.980	-10.1	89.9
PFTrDA	20.000	22.802	14.0	114.0
PFUnDA	20.000	19.067	-4.7	95.3

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ242-CC234
Lab FileID: Q7145.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0924_PFC_SQ242\SQ242.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7145
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	15.737	-21.3	78.7
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	21.729	8.6	108.6
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	20.864	4.3	104.3
PFBS	20.000	20.373	1.9	101.9
PFDA	20.000	16.699	-16.5	83.5
PFDoDA	20.000	17.616	-11.9	88.1
PFDS	20.000	27.000	# 35.0	135.0
PFHpA	20.000	22.594	13.0	113.0
PFHpS	20.000	21.813	9.1	109.1
PFHxA	20.000	21.299	6.5	106.5
PFHxS	20.000	21.452	7.3	107.3
PFNA	20.000	19.899	-0.5	99.5
PFOA	20.000	20.899	4.5	104.5
PFOS	20.000	21.141	5.7	105.7
PFPeA	20.000	21.659	8.3	108.3
PFTeDA	20.000	16.216	-18.9	81.1
PFTrDA	20.000	20.976	4.9	104.9
PFUnDA	20.000	24.908	24.5	124.5

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM
Sample: SQ242-ECC234
Lab FileID: Q7148.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0924_PFC_SQ242\SQ242.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7148
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	21.332	6.7	106.7
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	21.402	7.0	107.0
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	21.521	7.6	107.6
PFBS	20.000	21.074	5.4	105.4
PFDA	20.000	18.145	-9.3	90.7
PFDoDA	20.000	22.517	12.6	112.6
PFDS	20.000	30.548	# 52.7	152.7
PFHpA	20.000	22.420	12.1	112.1
PFHpS	20.000	22.149	10.7	110.7
PFHxA	20.000	21.061	5.3	105.3
PFHxS	20.000	22.081	10.4	110.4
PFNA	20.000	21.255	6.3	106.3
PFOA	20.000	20.971	4.9	104.9
PFOS	20.000	21.204	6.0	106.0
PFPeA	20.000	21.527	7.6	107.6
PFTeDA	20.000	15.691	-21.5	78.5
PFTrDA	20.000	18.628	-6.9	93.1
PFUnDA	20.000	24.015	20.1	120.1

CC Criteria: +/- 25%

ANALYTICAL DATA PACKAGE
SDG # 1409100

PROJECT NAME: NSN CTO-WE79
PROJECT LOCATION: NORFOLK, VA
CONTRACT #: 954774

SUBMITTAL TO:
Juliana Dean
CH2M HILL
5701 Cleveland St, Suite 200
Virginia Beach, VA 23462

SUBMITTAL BY:
Empirical Laboratories, LLC (EL)
621 Mainstream Drive, Suite 270
Nashville, TN 37228
Tel (615)345-1115
Fax (866)417-0548

LABORATORY CONTACT PERSON:
Project Manager: Sonya Gordon
Tel (615)345-1115
Fax (866)417-0548
Email: sgordon@empirlabs.com

Original Report Date: October 1, 2014
Report Revision #: N/A
Revision Date: N/A
Total # of Pages: 204

THIS DOCUMENT MEETS DoD QSM 4.2 STANDARDS

The results relate to only the samples associated with the referenced SDG and the submitted data has been produced in accordance with laboratory procedures. The Laboratory's Technical Lab Director, Mr. Rick Davis, is responsible for the final data produced and reported. His signature is listed at the end of the Case Narrative within the Analytical Data Package. If applicable to this report package, details on report revisions and the information on subcontracted analysis are listed in the package Case Narrative. This report shall not be reproduced, except in full, without the written approval of Empirical Laboratories, LLC.

L-A-B Accredited - Certificate Number L2226 - Testing

Table of Contents

#	Description	Page No.
1	Cover Page	1
2	Table of Contents	2
3	Case Narrative	3
4	Sample Receipt Information Chain of Custody Forms Sample Receipt Confirmations WorkOrder Summary Sample Delivery Group (SDG) Sheets	5
5	Subcontracted Data	13

Sample Delivery Group Case Narrative

Receipt Information:

The samples were received within the preservation guidelines for the associated methods. The information associated with sample receipt and the Sample Delivery Group (SDG) are included within section 4 of this package, which also provides information on the link between the client sample ID listed on the COC and laboratory's assigned unique sample ID or WorkOrder #. The sample is tracked through the laboratory for all analysis via the assigned WorkOrder #.

All samples that were received were analyzed and none of the samples were placed on hold without analyses. Samples were subcontracted to Accutest Laboratories for Extractable by GCMS by Method 537 MOD.

Changes to the Revision:

This is an original submittal of the final report package.

Statement of Data Authenticity:

I certify that, based upon my inquiry of those individuals immediately responsible for obtaining the information and to the best of my knowledge, the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, with the exception of the conditions detailed in this Case Narrative, as verified by my signature below. During absences, the Data Quality Manager, Technical Directors or Project Managers are authorized to sign this Statement of Data Authenticity.



Mr. Rick D. Davis
Laboratory Technical Director / VP Operations

Empirical Laboratories, LLC
Certifications/Approvals
(Revised 08/05/2014)

DoD ELAP, Certificate Number L2226
- Aqueous
- Non-aqueous
- Expires: 11/30/2015

State of Florida, Department of Health – NELAP, Lab ID: E87646
- Clean Water Act
- RCRA/CERCLA
- Expires: 06/30/2015

State of Georgia, Environmental Protection Agency – NELAP, Self Certification
- Expires: 06/30/2015

State of Illinois, Environmental Protection Agency – NELAP, Certificate No.: 003300
- Groundwater
- Solid and Hazardous Waste
- Expires: 09/13/2015

State of Kentucky Department of Environmental Protection – NELAP, Certificate No.: 77
- Aqueous
- Non-aqueous
- Expires: 06/30/2015

State of New Jersey Department of Environmental Protection – NELAP, Lab ID: TN473
- Water Pollution
- Solid and Hazardous Waste
- Expires: 06/30/2015

State of North Carolina, Department of Environment and Natural Resources - Certificate No.: 643
- Aqueous
- Non-aqueous
- Expires: 12/31/2014

State of Texas, Commission on Environmental Quality – NELAP, Certificate No.: T104704307-14-10
- Aqueous
- Non-aqueous
- Expires: 12/31/2014

State of Utah, Department of Health – NELAP, Certificate No.: TN0042014-6
- Aqueous
- Non-aqueous
- Expires: 07/31/2015

Commonwealth of Virginia, Department of General Services – VELAP, Certificate No.: 2633 – Lab ID: 460243
- Aqueous
- Non-aqueous
- Expires: 12/14/2014

State of Washington, Department of Ecology – NELAP, Lab ID: C934-14
- Groundwater
- Solid and Hazardous Waste
- Expires: 03/18/2015

Sample Receipt Information

Accutest Laboratories Southeast
Chain of Custody

ACCUTEST LABORATORIES

4405 Vineland Road, Suite C-15 Orlando, Fl 32811
TEL. 407-425-6700 • FAX: 407-425-0707
www.accutest.com

CTO WE-79

Accutest JOB # FA18247 PAGE 1 OF 1

Accutest Quote # SKIFF#

Client / Reporting Information	Project Information	Analytical Information	Matrix Codes
Company Name CH2M Hill	Project Name: NSN Site 1 LTM		DW - Drinking Water
Address 5701 Cleveland St, Suite 200	Street		GW - Ground Water
City Virginia Beach State VA Zip 23462	City State		WW - Water
Project Contact Juliana Dean E-mail	Project #		SW - Surface Water
Phone# 757-671-6232	Fax #		SO - Soil
Sampler(s) Name(s) (Printed) Kathryn Smith	Client Purchase Order # 954774		SL - Sludge
			OI - Oil
			LIQ - Other Liquid
			AIR - Air
			SOL - Other Solid
			WP - Wipe

Accutest Sample #	Field ID / Point of Collection	COLLECTION DATE	TIME	SAMPLED BY:	MATRIX	TOTAL # OF BOTTLES	CONTAINER INFORMATION: OTHER	NONE	HCl	NaOH	HNO3	H2SO4	NAOH+ZNAC	DI WATER	MEOH	PFCs
1	NBS01-AI-MW10A-R15	09/11/14	16:35		GW	2										2
2	NBS01-AI-MW10AP-R15		16:40			2										2
	NBS01-AI-MW8A-R15		13:00			2										2
3	NBS01-AI-MW8A-R15-MS		13:00			2										2
	NBS01-AI-MW8A-R15-SD		13:00			2										2
	~~NBS01-FB~~															

LAB USE ONLY

TURNAROUND TIME (Business Days)

Approved By: / Rush Code

- ☐ 10 Days Standard
- ☐ 7 Day RUSH
- ☐ 5 Day RUSH
- ☐ 3 Day EMERGENCY
- ☐ 2 Day EMERGENCY
- ☐ 1 Day EMERGENCY
- ☐ OTHER

Emergency or Rush T/A Data Available VIA Email or Lablink

Data Deliverable Information

- ☐ COMMERCIAL "A" (RESULTS ONLY)
- ☐ COMMERCIAL "B" (RESULTS PLUS QC)
- ☐ REDT1 (EPA LEVEL 3)
- ☐ FULT1 (EPA LEVEL 4)
- ☐ EDD'S

Comments / Remarks

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler:	Date Time:	Received By:	Relinquished by :	Date Time:	Received By:
1	09/11/14 18:00	2 FX	3 FX	9-12-14	4 Conroe (Alsk) 09:45
Relinquished by:	Date Time:	Received By:	Relinquished by:	Date Time:	Received By:
5		6	7		8

Lab Use Only: Custody Seal in Place: Y N Temp Blank Provided: Y N Preserved where Applicable: Y N Total # of Coolers: Cooler Temperature (s) Celsius: 9.6

1409100

6

ACCUTEST LABORATORIES SAMPLE RECEIPT CONFIRMATION

ACCUTEST'S JOB NUMBER: FA18217 CLIENT: CH2M HILL PROJECT: NSN SITE 1 LTM

DATE/TIME RECEIVED: 9-12-14 09:15 {MM/DD/YY 24:00} NUMBER OF COOLERS RECEIVED: 1

METHOD OF DELIVERY: (FEDEX) UPS ACCUTEST COURIER GREYHOUND DELIVERY OTHER

AIRBILL NUMBERS: 7711 1544 8209

COOLER INFORMATION

- [ ] CUSTODY SEAL NOT PRESENT OR NOT INTACT
- [ ] CHAIN OF CUSTODY NOT RECEIVED (COC)
- [ ] ANALYSIS REQUESTED IS UNCLEAR OR MISSING
- [ ] SAMPLE DATES OR TIMES UNCLEAR OR MISSING
- [ ] TEMPERATURE CRITERIA NOT MET

TRIP BLANK INFORMATION

- [ ] TRIP BLANK PROVIDED
- [X] TRIP BLANK NOT PROVIDED
- [X] TRIP BLANK NOT ON COC
- [ ] TRIP BLANK INTACT
- [ ] TRIP BLANK NOT INTACT
- [ ] RECEIVED WATER TRIP BLANK
- [ ] RECEIVED SOIL TRIP BLANK

MISC. INFORMATION

NUMBER OF ENCORES ? 25-GRAM_____ 5-GRAM_____

NUMBER OF 5035 FIELD KITS ? _____

NUMBER OF LAB FILTERED METALS ? _____

TEMPERATURE INFORMATION

- [ ] IR THERM ID 1 CORR. FACTOR +0.4
- [ ] OBSERVED TEMPS: 2.2
- [ ] CORRECTED TEMPS: 2.6

SAMPLE INFORMATION

- [ ] INCORRECT NUMBER OF CONTAINERS USED
- [ ] SAMPLE RECEIVED IMPROPERLY PRESERVED
- [ ] INSUFFICIENT VOLUME FOR ANALYSIS
- [ ] DATES/TIMES ON COC DO NOT MATCH SAMPLE LABEL
- [ ] ID'S ON COC DO NOT MATCH LABEL
- [ ] VOC VIALS HAVE HEADSPACE (MACRO BUBBLES)
- [ ] BOTTLES RECEIVED BUT ANALYSIS NOT REQUESTED
- [ ] NO BOTTLES RECEIVED FOR ANALYSIS REQUESTED
- [ ] UNCLEAR FILTERING OR COMPOSITING INSTRUCTIONS
- [ ] SAMPLE CONTAINER(S) RECEIVED BROKEN
- [ ] 5035 FIELD KITS NOT RECEIVED WITHIN 48 HOURS
- [ ] BULK VOA SOIL JARS NOT RECEIVED WITHIN 48 HOURS
- [ ] % SOLIDS JAR NOT RECEIVED
- [ ] RESIDUAL CHLORINE PRESENT

{APPICABLE TO EPA 600 SERIES OR NORTH CAROLINA ORGANICS}

SUMMARY OF COMMENTS: _____

TECHNICIAN SIGNATURE/DATE [signature] 9-12-14 REVIEWER SIGNATURE/DATE [signature] 09-12-14

RS 04/14

1409100

From: (757) 671-6220
Kathryn Smith

5701 Cleveland St
Suite 200
Virginia Beach, VA 23462

Origin ID: NTUA

FedEx Express

J1420140619O326

Ship Date: 10SEP14
ActWgt: 55.0 LB
CAD: 104470428/INET3550

Delivery Address Bar Code

SHIP TO: (407) 425-6700 BILL SENDER

Muna Mohammed
Accutest Laboratories
4405 VINELAND RD

ORLANDO, FL 32811

Ref # 470612.LT.FI.01
Invoice #
PO #
Dept #

THU - 11 SEP 10:30A
PRIORITY OVERNIGHT

TRK# 0201 7711 1544 8209

XH TIXA

32811
FL-US
MCO

522G1/CDB4/8AC9

After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of $100 per package, whether the result of loss, damage, delay, non-delivery,misdelivery,or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental,consequential, or special is limited to the greater of $100 or the authorized declared value. Recovery cannot exceed actual documented loss.Maximum for items of extraordinary value is $1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

1409100

Empirical Laboratories, LLC

Client: CH2M Hill, Inc.
Project: NSN CTO-WE79

Project Manager: Sonya Gordon
Project Number: CH2_NSN_WE79

Report To:
CH2M Hill, Inc.
Juliana Dean
5701 Cleveland Street, Suite 200
Virginia Beach, VA 23462
Phone: (757) 671-6232
Fax: (303) 771-0952

Invoice To:
CH2M Hill, Inc.
Accounts Payable
P.O.Box 241329
Denver, CO 80224-____
Phone :(303) 771-0952
Fax: (303) 771-0952

Due to Client: 10/10/2014 16:00 *This is the projected due date to the client, at the time of receipt, and is for report delivery via upload, and/or email, and/or shipment to meet TAT as setup by project*

Received By: Sonya Gordon
Date Received: 09/12/2014 09:45
Logged In By: Sonya Gordon
Date Logged In: 09/17/2014 17:49

Samples Received at: **2.6°C**

Custody Seals	No	Received On Ice	No
Containers Intact	No		
COC/Labels Agree	No		
Preservation Confirme	No		

Method	Test Code	Due	TAT	Expires	Comments
Accutest Laboratories (SUB)					
1409100-01 NBS01-A1-MW10A-R15 [Water] Sampled 09/11/2014 16:35 Eastern 'Client Sample'					
SUB_SPECIAL1	SUB_SPECIALTY	10/03/2014 14:00	20	03/10/2015 15:35	Select PFC
1409100-02 NBS01-A1-MW10AP-R15 [Water] Sampled 09/11/2014 16:40 Eastern 'Client Sample'					
SUB_SPECIAL1	SUB_SPECIALTY	10/03/2014 14:00	20	03/10/2015 15:40	Select PFC
1409100-03 NBS01-A1-MW8A-R15 [Water] Sampled 09/11/2014 13:00 Eastern 'Client Sample'					**MS/MSD**
SUB_SPECIAL1	SUB_SPECIALTY	10/03/2014 14:00	20	03/10/2015 12:00	Select PFC

Reviewed By

Date

Sample Receipt Confirmation

Empirical Labs

Job No: FA18247

NSN Site 1 LTM
Project No: 470612.LT.FT.01

Sample Number	Collected Date	Time	By	Received	TA	Matrix Code	Matrix Type	Client Sample ID
FA18247-1	09/11/14	16:35	KS	09/12/14	14	AQ	Ground Water	NBS01-A1-MW10A-R15
FA18247-2	09/11/14	16:40	KS	09/12/14	14	AQ	Ground Water	NBS01-A1-MW10AP-R15
FA18247-3	09/11/14	13:00	KS	09/12/14	14	AQ	Ground Water	NBS01-A1-MW8A-R15
FA18247-3D	09/11/14	13:00	KS	09/12/14	14	AQ	Water Dup/MSD	NBS01-A1-MW8A-R15
FA18247-3S	09/11/14	13:00	KS	09/12/14	14	AQ	Water Matrix Spike	NBS01-A1-MW8A-R15

Tests: LC537UCMR3

Tests are displayed after the samples to which they apply.

Sample Delivery Group Assignment Form

CLIENT: CH2M Hill, Inc.
PROJECT NAME: NSN CTO-WE79
SDG #: 1409100

QC LEVEL: Level IV
Report Due: 10/10/2014
Client Sample Count: 3

Sample Type	Sampled	Received	Lab ID	Client ID	Report Matrix	SUB_SPECIALTY
Client Sample	9/11/2014	9/12/2014	1409100-01	NBS01-A1-MW10A-R15	Water	X
Client Sample	9/11/2014	9/12/2014	1409100-02	NBS01-A1-MW10AP-R15	Water	X
Client Sample	9/11/2014	9/12/2014	1409100-03	NBS01-A1-MW8A-R15	Water	MS/MSD

SUBCONTRACT ORDER

Empirical Laboratories, LLC

1409100

SENDING LABORATORY:

Empirical Laboratories, LLC
621 Mainstream Drive, Suite 270
Nashville, TN 37228
Phone: 615.345.1115
Fax: 866.417.0548
Project Manager: Sonya Gordon

RECEIVING LABORATORY:

Accutest Laboratories (SUB)
4405 Vineland Rd
Orlando, FL 32811
Phone :(407) 425-6700
Fax: (407) 425-0707

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: NBS01-A1-MW10A-R15				
Reference No: 1409100-01 **Water**	**Sampled:09/11/2014 16:35**			
SUB_SPECIALTY	10/03/2014 14:00	03/10/2015 15:35		Select PFC
Containers Supplied:				
Sample ID: NBS01-A1-MW10AP-R15				
Reference No: 1409100-02 **Water**	**Sampled:09/11/2014 16:40**			
SUB_SPECIALTY	10/03/2014 14:00	03/10/2015 15:40		Select PFC
Containers Supplied:				
Sample ID: NBS01-A1-MW8A-R15				
Reference No: 1409100-03 **Water**	**Sampled:09/11/2014 13:00**			**MS/MSD**
SUB_SPECIALTY	10/03/2014 14:00	03/10/2015 12:00		Select PFC
Containers Supplied:				

Released By	Date	Received By	Date
Released By	Date	Received By	Date

Subcontractor Data Package

Southeast ACCUTEST LABORATORIES

09/26/14



Technical Report for

Empirical Labs

NSN Site 1 LTM

470612.LT.FT.01

Accutest Job Number: FA18247

Sampling Date: 09/11/14

Report to:

Empirical Labs
621 Mainstream Dr Suite 270
Nashville, TN 37228
sgordon@empirlabs.com

ATTN: Sonya Gordon

Total number of pages in report: **191**

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Norm Farmer
Technical Director

Client Service contact: Muna Mohammed 407-425-6700

Certifications: FL (E83510), LA (03051), KS (E-10327), IA (366), IL (200063), NC (573), NJ (FL002), SC (96038001)
DoD ELAP (L-A-B L2229), CA (04226CA), TX (T104704404), PA (68-03573), VA (460177),
AK, AR, GA, KY, MA, NV, OK, UT, WA

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Accutest Laboratories is the sole authority for authorizing edits or modifications to this document. Unauthorized modification of this report is strictly prohibited.

Sections: 1 2 3 4 5 6 7

Table of Contents

-1-

Section 1: Sample Summary **3**
Section 2: Case Narrative/Conformance Summary **4**
Section 3: Summary of Hits **5**
Section 4: Sample Results **6**
4.1: FA18247-1: NBS01-A1-MW10A-R15 7
4.2: FA18247-2: NBS01-A1-MW10AP-R15 8
4.3: FA18247-3: NBS01-A1-MW8A-R15 9
Section 5: Misc. Forms **10**
5.1: Chain of Custody 11
Section 6: GC/MS Semi-volatiles - QC Data Summaries **14**
6.1: Method Blank Summary 15
6.2: Blank Spike Summary 16
6.3: Matrix Spike/Matrix Spike Duplicate Summary 17
6.4: Internal Standard Area Summaries 18
6.5: Surrogate Recovery Summaries 21
6.6: Initial and Continuing Calibration Summaries 22
Section 7: GC/MS Semi-volatiles - Raw Data **30**
7.1: Samples 31
7.2: Method Blanks 55
7.3: Blank Spikes 62
7.4: Matrix Spike/Matrix Spike Duplicates 70
7.5: Initial and Continuing Calibarations 86
7.6: Instrument Run Logs 187
7.7: Prep Logs 191

Accutest Laboratories

Sample Summary

Empirical Labs

Job No: FA18247

NSN Site 1 LTM
Project No: 470612.LT.FT.01

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
FA18247-1	09/11/14	16:35	KS	09/12/14	AQ	Ground Water	NBS01-A1-MW10A-R15
FA18247-2	09/11/14	16:40	KS	09/12/14	AQ	Ground Water	NBS01-A1-MW10AP-R15
FA18247-3	09/11/14	13:00	KS	09/12/14	AQ	Ground Water	NBS01-A1-MW8A-R15
FA18247-3D	09/11/14	13:00	KS	09/12/14	AQ	Water Dup/MSD	NBS01-A1-MW8A-R15
FA18247-3S	09/11/14	13:00	KS	09/12/14	AQ	Water Matrix Spike	NBS01-A1-MW8A-R15

SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Empirical Labs **Job No:** FA18247

Site: NSN Site 1 LTM **Report Date:** 9/26/2014 2:24:23 PM

3 Sample(s) were collected on 09/11/2014 and were received at Accutest SE on 09/12/2014 properly preserved, at 2.6 Deg. C and intact. These Samples received an Accutest job number of FA18247. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Extractables by GCMS By Method EPA 537 MOD

Matrix: AQ **Batch ID:** OP53158

All samples were extracted within the recommended method holding time.

All samples were analyzed within the recommended method holding time.

All method blanks for this batch meet method specific criteria.

Sample(s) FA18247-3MS, FA18247-3MSD were used as the QC samples indicated.

Accutest Laboratories Southeast (ALSE) certifies that this report meets the project requirements for analytical data produced for the samples as received at ALSE and as stated on the COC. ALSE certifies that the data meets the Data Quality Objectives for precision, accuracy and completeness as specified in the ALSE Quality Manual except as noted above. This report is to be used in its entirety. ALSE is not responsible for any assumptions of data quality if partial data packages are used.

Narrative prepared by:

_____

Kim Benham, Client Services (signature on file)

Date: September 26, 2014

Manual Integration Summary

Lab Sample ID	Analysis Type	File ID	Manual Integrations
FA18247-1	MSSEMI	Q7137.D	Perfluorooctanesulfonic acid, Perfluorooctanoic acid
FA18247-2	MSSEMI	Q7138.D	Perfluorooctanesulfonic acid, Perfluorooctanoic acid
FA18247-3	MSSEMI	Q7146.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid, Perfluorooctanoic acid
OP53158-BS	MSSEMI	Q7127.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid
OP53158-MS	MSSEMI	Q7140.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid
OP53158-MSD	MSSEMI	Q7141.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid
SQ234-IC234	MSSEMI	Q6936.D	Perfluorooctanoic acid, Perfluoroundecanoic acid
SQ234-ICV234	MSSEMI	Q6945.D	Perfluorohexanesulfonic acid, Perfluorooctanesulfonic acid, Perfluorotridecanoic acid, Perfluoroundecanoic acid
SQ242-CC234	MSSEMI	Q7145.D	Perfluorotetradecanoic acid

9 Manual Integrations were found for FA18247

Summary of Hits

Job Number: FA18247
Account: Empirical Labs
Project: NSN Site 1 LTM
Collected: 09/11/14

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	LOQ	LOD	Units	Method
FA18247-1	**NBS01-A1-MW10A-R15**					
Perfluorobutanesulfonic acid		0.0176 J	0.021	0.017	ug/l	EPA 537 MOD
FA18247-2	**NBS01-A1-MW10AP-R15**					
Perfluorobutanesulfonic acid		0.0170 J	0.021	0.017	ug/l	EPA 537 MOD
FA18247-3	**NBS01-A1-MW8A-R15**					
Perfluorooctanoic acid		0.0179 J	0.040	0.032	ug/l	EPA 537 MOD
Perfluorohexanesulfonic acid		0.0141 J	0.020	0.016	ug/l	EPA 537 MOD
Perfluorooctanesulfonic acid		0.0255	0.020	0.016	ug/l	EPA 537 MOD

Sample Results

Report of Analysis

Accutest Laboratories

Report of Analysis

Client Sample ID:	NBS01-A1-MW10A-R15		
Lab Sample ID:	FA18247-1	**Date Sampled:**	09/11/14
Matrix:	AQ - Ground Water	**Date Received:**	09/12/14
Method:	EPA 537 MOD EPA 537 MOD	**Percent Solids:**	n/a
Project:	NSN Site 1 LTM		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Q7137.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241
Run #2							

	Initial Volume	Final Volume
Run #1	120 ml	1.0 ml
Run #2		

Perfluorinated Carboxylic Acids and Sulfonates

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
PERFLUOROALKYLCARBOXYLIC ACIDS							
375-85-9	Perfluoroheptanoic acid	0.017 U	0.021	0.017	0.0083	ug/l	
335-67-1	Perfluorooctanoic acid	0.033 U	0.042	0.033	0.017	ug/l	
375-95-1	Perfluorononanoic acid	0.017 U	0.021	0.017	0.0083	ug/l	
PERFLUOROALKYLSULFONATES							
375-73-5	Perfluorobutanesulfonic acid	0.0176	0.021	0.017	0.0083	ug/l	J
355-46-4	Perfluorohexanesulfonic acid	0.017 U	0.021	0.017	0.0083	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	0.017 U	0.021	0.017	0.0083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
	13C2-PFHxA	105%		70-130%
	13C2-PFDA	117%		70-130%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	NBS01-A1-MW10AP-R15		
Lab Sample ID:	FA18247-2	**Date Sampled:**	09/11/14
Matrix:	AQ - Ground Water	**Date Received:**	09/12/14
Method:	EPA 537 MOD EPA 537 MOD	**Percent Solids:**	n/a
Project:	NSN Site 1 LTM		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Q7138.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241
Run #2							

	Initial Volume	Final Volume
Run #1	120 ml	1.0 ml
Run #2		

Perfluorinated Carboxylic Acids and Sulfonates

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
PERFLUOROALKYLCARBOXYLIC ACIDS							
375-85-9	Perfluoroheptanoic acid	0.017 U	0.021	0.017	0.0083	ug/l	
335-67-1	Perfluorooctanoic acid	0.033 U	0.042	0.033	0.017	ug/l	
375-95-1	Perfluorononanoic acid	0.017 U	0.021	0.017	0.0083	ug/l	
PERFLUOROALKYLSULFONATES							
375-73-5	Perfluorobutanesulfonic acid	0.0170	0.021	0.017	0.0083	ug/l	J
355-46-4	Perfluorohexanesulfonic acid	0.017 U	0.021	0.017	0.0083	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	0.017 U	0.021	0.017	0.0083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
	13C2-PFHxA	111%		70-130%
	13C2-PFDA	123%		70-130%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Client Sample ID:	NBS01-A1-MW8A-R15		
Lab Sample ID:	FA18247-3	**Date Sampled:**	09/11/14
Matrix:	AQ - Ground Water	**Date Received:**	09/12/14
Method:	EPA 537 MOD EPA 537 MOD	**Percent Solids:**	n/a
Project:	NSN Site 1 LTM		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Q7146.D	1	09/24/14	MRE	09/18/14	OP53158	SQ242
Run #2							

	Initial Volume	Final Volume
Run #1	125 ml	1.0 ml
Run #2		

Perfluorinated Carboxylic Acids and Sulfonates

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
PERFLUOROALKYLCARBOXYLIC ACIDS							
375-85-9	Perfluoroheptanoic acid	0.016 U	0.020	0.016	0.0080	ug/l	
335-67-1	Perfluorooctanoic acid	0.0179	0.040	0.032	0.016	ug/l	J
375-95-1	Perfluorononanoic acid	0.016 U	0.020	0.016	0.0080	ug/l	
PERFLUOROALKYLSULFONATES							
375-73-5	Perfluorobutanesulfonic acid	0.016 U	0.020	0.016	0.0080	ug/l	
355-46-4	Perfluorohexanesulfonic acid	0.0141	0.020	0.016	0.0080	ug/l	J
1763-23-1	Perfluorooctanesulfonic acid	0.0255	0.020	0.016	0.0080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
	13C2-PFHxA	86%		70-130%
	13C2-PFDA	122%		70-130%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound


Southeast ACCUTEST LABORATORIES

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



ACCUTEST LABORATORIES

Accutest Laboratories Southeast

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, Fl 32811
TEL. 407-425-6700 • FAX: 407-425-0707
www.accutest.com

CTO WE-79

Accutest JOB # FA18247 PAGE 1 OF 1

Accutest Quote # | SKIFF#

Client / Reporting Information

Company Name: CH2M Hill
Address: 5701 Cleveland St, Suite 200
City: Virginia Beach State: VA Zip: 23462
Project Contact: Juliana Dean E-mail:
Phone#: 757-671-6232
Sampler(s) Name(s) (Printed): Kathryn Smith

Project Information

Project Name: NSN Site 1 LTM
Street:
City State:
Project #:
Fax #:
Client Purchase Order # 954774

Analytical Information

PFCs

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe

Accutest Sample #	Field ID / Point of Collection	Collection: Date	Time	Sampled By:	Matrix	Total # of Bottles	Container Information	PFCs	LAB USE ONLY
1	NBS01-A1-MW10A-R15	09/11/14	16:35		GW	2		2	
2	NBS01-A1-MW10AP-R15		16:40			2		2	
3	NBS01-A1-MW8A-R15		13:00			2		2	
	NBS01-A1-MW8A-R15-MS		13:00			2		2	
	NBS01-A1-MW8A-R15-SD		13:00			2		2	
	~~NBS01-Z1~~								

TURNAROUND TIME (Business Days)

Approved By: / Rush Code

- [ ] 10 Days Standard
- [ ] 7 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY
- [ ] OTHER

Emergency or Rush T/A Data Available VIA Email or Lablink

Data Deliverable Information

- [ ] COMMERCIAL "A" (RESULTS ONLY)
- [ ] COMMERCIAL "B" (RESULTS PLUS QC)
- [ ] REDT1 (EPA LEVEL 3)
- [ ] FULT1 (EPA LEVEL 4)
- [ ] EDD'S

Comments / Remarks

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler:	Date Time:	Received By:	Relinquished by:	Date Time:	Received By:
1	09/11/14 18:00	2 FX	3 FX	9-12-14	4 Comm (AIR) 07:45
Relinquished by:	Date Time:	Received By:	Relinquished by:	Date Time:	Received By:
5		6	7		8

Lab Use Only: Custody Seal in Place: Y N Temp Blank Provided: Y N Preserved where Applicable: Y N Total # of Coolers: Cooler Temperature (s) Celsius: 2.6

5.1
5

FA18247: Chain of Custody
Page 1 of 3

ACCUTEST LABORATORIES SAMPLE RECEIPT CONFIRMATION

ACCUTEST'S JOB NUMBER: FA18247 CLIENT: CH2M HILL PROJECT: USN SITE 1 LTM

DATE/TIME RECEIVED: 9-12-14 09:15 {MM/DD/YY 24:00} NUMBER OF COOLERS RECEIVED: 1

METHOD OF DELIVERY: (FEDEX) UPS ACCUTEST COURIER GREYHOUND DELIVERY OTHER

AIRBILL NUMBERS: 7711 1514 8209

COOLER INFORMATION

- [ ] CUSTODY SEAL NOT PRESENT OR NOT INTACT
- [ ] CHAIN OF CUSTODY NOT RECEIVED (COC)
- [ ] ANALYSIS REQUESTED IS UNCLEAR OR MISSING
- [ ] SAMPLE DATES OR TIMES UNCLEAR OR MISSING
- [ ] TEMPERATURE CRITERIA NOT MET

TRIP BLANK INFORMATION

- [ ] TRIP BLANK PROVIDED
- [X] TRIP BLANK NOT PROVIDED
- [X] TRIP BLANK NOT ON COC
- [ ] TRIP BLANK INTACT
- [ ] TRIP BLANK NOT INTACT
- [ ] RECEIVED WATER TRIP BLANK
- [ ] RECEIVED SOIL TRIP BLANK

MISC. INFORMATION

NUMBER OF ENCORES ? 25-GRAM_____ 5-GRAM_____

NUMBER OF 5035 FIELD KITS ? _____

NUMBER OF LAB FILTERED METALS ? _____

TEMPERATURE INFORMATION

- [ ] IR THERM ID 1 CORR. FACTOR +0.4
- [ ] OBSERVED TEMPS: 2.2
- [ ] CORRECTED TEMPS: 2.6

SAMPLE INFORMATION

- [ ] INCORRECT NUMBER OF CONTAINERS USED
- [ ] SAMPLE RECEIVED IMPROPERLY PRESERVED
- [ ] INSUFFICIENT VOLUME FOR ANALYSIS
- [ ] DATES/TIMES ON COC DO NOT MATCH SAMPLE LABEL
- [ ] ID'S ON COC DO NOT MATCH LABEL
- [ ] VOC VIALS HAVE HEADSPACE (MACRO BUBBLES)
- [ ] BOTTLES RECEIVED BUT ANALYSIS NOT REQUESTED
- [ ] NO BOTTLES RECEIVED FOR ANALYSIS REQUESTED
- [ ] UNCLEAR FILTERING OR COMPOSITING INSTRUCTIONS
- [ ] SAMPLE CONTAINER(S) RECEIVED BROKEN
- [ ] 5035 FIELD KITS NOT RECEIVED WITHIN 48 HOURS
- [ ] BULK VOA SOIL JARS NOT RECEIVED WITHIN 48 HOURS
- [ ] % SOLIDS JAR NOT RECEIVED
- [ ] RESIDUAL CHLORINE PRESENT

{APPICABLE TO EPA 600 SERIES OR NORTH CAROLINA ORGANICS}

SUMMARY OF COMMENTS: _____

TECHNICIAN SIGNATURE/DATE 9-12-14 REVIEWER SIGNATURE/DATE 0912-14

RS 04/14

receipt confirmation 041514.xls

FA18247: Chain of Custody
Page 2 of 3

Page 1 of 1

From: (757) 671-6220
Kathryn Smith

Origin ID: NTUA

5701 Cleveland St
Suite 200
Virginia Beach, VA 23462

J14201409194326

Ship Date: 10SEP14
ActWgt: 55.0 LB
CAD: 104470428/INET3550

Delivery Address Bar Code

Ref # 470612.LT.FI.01
Invoice #
PO #
Dept #

BILL SENDER

SHIP TO: (407) 425-6700

Muna Mohammed
Accutest Laboratories
4405 VINELAND RD

ORLANDO, FL 32811

TRK# 7711 1544 8209
0201

THU - 11 SEP 10:30A
PRIORITY OVERNIGHT

32811
FL-US
MCO

XH TIXA

522HDB48A39

After printing this label:
1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of $100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of $100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is $1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

https://www.fedex.com/shipping/html/en//PrintIFrame.html 9/10/2014

5.1 5

FA18247: Chain of Custody
Page 3 of 3

Southeast ACCUTEST LABORATORIES

GC/MS Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Internal Standard Area Summaries
- Surrogate Recovery Summaries
- Initial and Continuing Calibration Summaries

Method Blank Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP53158-MB	Q7128.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241

The QC reported here applies to the following samples: **Method:** EPA 537 MOD

FA18247-1, FA18247-2, FA18247-3

CAS No.	Compound	Result	RL	MDL	Units	Q
375-85-9	Perfluoroheptanoic acid	ND	0.020	0.0080	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.040	0.016	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.020	0.0080	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.020	0.0080	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.020	0.0080	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.020	0.0080	ug/l	

CAS No.	Surrogate Recoveries		Limits
	13C2-PFHxA	104%	70-130%
	13C2-PFDA	108%	70-130%

Blank Spike Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP53158-BS	Q7127.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241

The QC reported here applies to the following samples: **Method:** EPA 537 MOD

FA18247-1, FA18247-2, FA18247-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-85-9	Perfluoroheptanoic acid	0.16	0.143	89	70-130
335-67-1	Perfluorooctanoic acid	0.16	0.142	89	70-130
375-95-1	Perfluorononanoic acid	0.16	0.163	102	70-130
375-73-5	Perfluorobutanesulfonic acid	0.16	0.166	104	70-130
355-46-4	Perfluorohexanesulfonic acid	0.16	0.164	103	70-130
1763-23-1	Perfluorooctanesulfonic acid	0.16	0.137	86	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
	13C2-PFHxA	127%	70-130%
	13C2-PFDA	125%	70-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP53158-MS	Q7140.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241
OP53158-MSD	Q7141.D	1	09/23/14	MRE	09/18/14	OP53158	SQ241
FA18247-3	Q7146.D	1	09/24/14	MRE	09/18/14	OP53158	SQ242

The QC reported here applies to the following samples: **Method:** EPA 537 MOD

FA18247-1, FA18247-2, FA18247-3

CAS No.	Compound	FA18247-3 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
375-85-9	Perfluoroheptanoic acid	0.020	U	0.333	0.298	89	0.333	0.278	83	7	70-130/30
335-67-1	Perfluorooctanoic acid	0.0179	J	0.333	0.330	94	0.333	0.301	85	9	70-130/30
375-95-1	Perfluorononanoic acid	0.020	U	0.333	0.378	113	0.333	0.334	100	12	70-130/30
375-73-5	Perfluorobutanesulfonic acid	0.020	U	0.333	0.300	90	0.333	0.286	86	5	70-130/30
355-46-4	Perfluorohexanesulfonic acid	0.0141	J	0.333	0.355	102	0.333	0.331	95	7	70-130/30
1763-23-1	Perfluorooctanesulfonic acid	0.0255		0.333	0.297	81	0.333	0.263	71	12	70-130/30

CAS No.	Surrogate Recoveries	MS	MSD	FA18247-3	Limits
	13C2-PFHxA	101%	94%	86%	70-130%
	13C2-PFDA	118%	115%	122%	70-130%

* = Outside of Control Limits.

Semivolatile Internal Standard Area Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Check Std:	SQ241-CC234	**Injection Date:**	09/23/14
Lab File ID:	Q7125.D	**Injection Time:**	11:39
Instrument ID:	GCMSQ	**Method:**	EPA 537 MOD

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Initial Cal [a]	38284	5.85	15045	6.39	26548	8.96
Check Std [b]	46590	5.86	18288	6.42	32187	9.18
Upper Limit [c]	57426	6.86	22568	7.42	39822	10.18
Lower Limit [d]	19142	4.86	7523	5.42	13274	8.18

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
OP53158-BS	53833	5.86	20585	6.42	33697	9.21
OP53158-MB	56204	5.86	20724	6.42	33973	9.21
ZZZZZZ	52684	5.86	19710	6.42	32372	9.20
ZZZZZZ	50733	5.85	18694	6.42	32407	9.20
ZZZZZZ	48286	5.85	17473	6.41	30557	9.18
ZZZZZZ	49358	5.85	18602	6.41	31666	9.18
ZZZZZZ	51458	5.85	18858	6.41	32597	9.20
ZZZZZZ	55636	5.85	20356	6.41	33750	9.18

IS 1 = 13C2-PFOA
IS 2 = 13C4-PFOS
IS 3 = 13C2-PFDoDA

(a) Initial Cal is: SQ234-ICC234 Q6939.D 09/12/14 13:11. Area is AVERAGE of initial cal points.
(b) Check Std Limit = -50 to +50% of initial cal area.
(c) Upper Limit = +50% of initial standard area; Retention time +1 minutes of check standard.
(d) Lower Limit = -50% of initial standard area; Retention time -1 minutes of check standard.

Semivolatile Internal Standard Area Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Check Std:	SQ241-CC234	**Injection Date:**	09/23/14
Lab File ID:	Q7135.D	**Injection Time:**	15:01
Instrument ID:	GCMSQ	**Method:**	EPA 537 MOD

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Initial Cal [a]	38284	5.85	15045	6.39	26548	8.96
Check Std [b]	49265	5.85	18466	6.41	31638	9.20
Upper Limit [c]	57426	6.85	22568	7.41	39822	10.20
Lower Limit [d]	19142	4.85	7523	5.41	13274	8.20

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
FA18247-1	56941	5.85	20637	6.41	35191	9.18
FA18247-2	51370	5.85	18632	6.41	31783	9.18
OP53158-MS	46796	5.85	17241	6.41	32286	9.18
OP53158-MSD	52148	5.83	18985	6.41	33597	9.18
SQ241-ECC234	52081	5.85	19353	6.42	34703	9.20

IS 1 = 13C2-PFOA
IS 2 = 13C4-PFOS
IS 3 = 13C2-PFDoDA

(a) Initial Cal is: SQ234-ICC234 Q6939.D 09/12/14 13:11. Area is AVERAGE of initial cal points.
(b) Check Std Limit = -50 to +50% of initial cal area.
(c) Upper Limit = +50% of initial standard area; Retention time +1 minutes of check standard.
(d) Lower Limit = -50% of initial standard area; Retention time -1 minutes of check standard.

Semivolatile Internal Standard Area Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Check Std:	SQ242-CC234	**Injection Date:**	09/24/14
Lab File ID:	Q7145.D	**Injection Time:**	10:31
Instrument ID:	GCMSQ	**Method:**	EPA 537 MOD

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Initial Cal [a]	38284	5.85	15045	6.39	26548	8.96
Check Std [b]	42714	5.87	17596	6.44	29335	9.13
Upper Limit [c]	57426	6.87	22568	7.44	39822	10.13
Lower Limit [d]	19142	4.87	7523	5.44	13274	8.13

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
FA18247-3	41843	5.86	16303	6.43	24949	9.10
SQ242-ECC234	43100	5.86	17181	6.42	24712	9.10

IS 1 = 13C2-PFOA
IS 2 = 13C4-PFOS
IS 3 = 13C2-PFDoDA

(a) Initial Cal is: SQ234-ICC234 Q6939.D 09/12/14 13:11. Area is AVERAGE of initial cal points.
(b) Check Std Limit = -50 to +50% of initial cal area.
(c) Upper Limit = +50% of initial standard area; Retention time +1 minutes of check standard.
(d) Lower Limit = -50% of initial standard area; Retention time -1 minutes of check standard.

Semivolatile Surrogate Recovery Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Method: EPA 537 MOD **Matrix:** AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2
FA18247-1	Q7137.D	105	117
FA18247-2	Q7138.D	111	123
FA18247-3	Q7146.D	86	122
OP53158-BS	Q7127.D	127	125
OP53158-MB	Q7128.D	104	108
OP53158-MS	Q7140.D	101	118
OP53158-MSD	Q7141.D	94	115

Surrogate Compounds	Recovery Limits
S1 = 13C2-PFHxA	70-130%
S2 = 13C2-PFDA	70-130%

Initial Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ234-ICC234
Lab FileID: Q6939.D

Initial Calibration ReSponse Factors - D:\MassHunter\Data\0912_PFC_SQ234\SQ234.batch.bin

Level ID : Calibration File
1 : D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2 : D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3 : D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4 : D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5 : D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6 : D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7 : D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Compound	1	2	3	4	5	6	7	AvgRF	%RSD	r^2
2) 13C2-PFDoDA	----------ISTD----------									
1) 13C2-PFDA	1.4694	1.2705	1.3641	1.3573	1.2782	1.1995	1.1677	1.3010	8.002	0.9925
8) PFDA	1.3529	1.1705	1.2774	1.2682	1.2016	1.1239	1.0824	1.2110	7.811	0.9913
9) PFDoDA	0.9528	0.9350	0.8811	0.8914	0.8903	0.8623	0.8657	0.8969	3.827	0.9994
10) PFDS	0.2240	0.2180	0.2018	0.2025	0.1985	0.1920	0.1929	0.2043	5.996	0.9989
19) PFTeDA	0.7532	0.6581	0.5739	0.5913	0.5950	0.5845	0.5932	0.6213	10.333	0.9994
20) PFTrDA	0.8594	0.8431	0.7924	0.7963	0.7967	0.7777	0.7789	0.8063	3.964	0.9999
21) PFUnDA	1.4969	1.2243	1.1198	1.0728	1.0513	1.0110	1.0658	1.1489	14.603	0.9948
4) 13C2-PFOA	----------ISTD----------									
3) 13C2-PFHxA	0.3285	0.3294	0.3113	0.3056	0.3013	0.2929	0.2943	0.3090	4.856	0.9992
6) PFBA	0.2472	0.2443	0.2374	0.2319	0.2354	0.2301	0.2321	0.2369	2.771	0.9998
11) PFHpA	0.4292	0.3812	0.3486	0.3311	0.3247	0.3126	0.3091	0.3481	12.464	0.9994
13) PFHxA	0.3782	0.3737	0.3488	0.3465	0.3428	0.3331	0.3339	0.3510	5.150	0.9992
15) PFNA	0.5906	0.5169	0.4639	0.4647	0.4599	0.4509	0.4500	0.4853	10.660	0.9996
16) PFOA	1.3992	1.1606	1.0285	1.0005	0.9828	0.9625	0.9647	1.0713	14.922	0.9959
18) PFPeA	0.1233	0.1212	0.1155	0.1139	0.1149	0.1115	0.1146	0.1164	3.645	0.9995
5) 13C4-PFOS	----------ISTD----------									
7) PFBS	0.4070	0.3735	0.3399	0.3254	0.3260	0.3064	0.3165	0.3421	10.450	0.9975
12) PFHpS	0.6380	0.6341	0.6144	0.5989	0.6054	0.5816	0.5927	0.6093	3.437	0.9993
14) PFHxS	0.6360	0.5636	0.5422	0.5072	0.5081	0.4775	0.4990	0.5334	10.027	0.9974
17) PFOS	1.3645	1.1081	1.0077	0.9890	0.9834	0.9433	0.9543	1.0500	14.167	0.9965

*(value) - Average RF below (value)

Initial Calibration Verification

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM
Sample: SQ234-ICV234
Lab FileID: Q6944.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0912_PFC_SQ234\SQ234.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q6944
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	0.000	# -100.0	0.0
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	0.000	# -100.0	0.0
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	20.367	1.8	101.8
PFBS	20.000	21.501	7.5	107.5
PFDA	20.000	21.272	6.4	106.4
PFDoDA	20.000	21.331	6.7	106.7
PFDS	20.000	21.521	7.6	107.6
PFHpA	20.000	20.021	0.1	100.1
PFHpS	20.000	0.000	0.0	0.0
PFHxA	20.000	20.765	3.8	103.8
PFHxS	20.000	21.704	8.5	108.5
PFNA	20.000	20.123	0.6	100.6
PFOA	20.000	20.065	0.3	100.3
PFOS	20.000	20.717	3.6	103.6
PFPeA	20.000	20.410	2.1	102.1
PFTeDA	20.000	22.398	12.0	112.0
PFTrDA	20.000	20.605	3.0	103.0
PFUnDA	20.000	20.271	1.4	101.4

CC Criteria: +/- 25%

Initial Calibration Verification

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM
Sample: SQ234-ICV234
Lab FileID: Q6945.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0912_PFC_SQ234\SQ234.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q6945
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	0.000	0.0	0.0
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	0.000	0.0	0.0
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	0.000	0.0	0.0
PFBS	20.000	24.861	24.3	124.3
PFDA	20.000	0.000	0.0	0.0
PFDoDA	20.000	0.000	0.0	0.0
PFDS	20.000	0.000	0.0	0.0
PFHpA	20.000	18.993	-5.0	95.0
PFHpS	20.000	0.000	0.0	0.0
PFHxA	20.000	0.000	0.0	0.0
PFHxS	20.000	23.899	19.5	119.5
PFNA	20.000	21.584	7.9	107.9
PFOA	20.000	19.090	-4.5	95.5
PFOS	20.000	20.549	2.7	102.7
PFPeA	20.000	0.000	0.0	0.0
PFTeDA	20.000	0.000	0.0	0.0
PFTrDA	20.000	0.000	0.0	0.0
PFUnDA	20.000	0.000	0.0	0.0

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ241-CC234
Lab FileID: Q7125.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0922_PFC_SQ241\sq241.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7125
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	22.249	11.2	111.2
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	20.190	1.0	101.0
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	19.393	-3.0	97.0
PFBS	20.000	18.883	-5.6	94.4
PFDA	20.000	21.949	9.7	109.7
PFDoDA	20.000	21.163	5.8	105.8
PFDS	20.000	23.630	18.2	118.2
PFHpA	20.000	20.160	0.8	100.8
PFHpS	20.000	20.524	2.6	102.6
PFHxA	20.000	19.878	-0.6	99.4
PFHxS	20.000	19.600	-2.0	98.0
PFNA	20.000	21.514	7.6	107.6
PFOA	20.000	19.892	-0.5	99.5
PFOS	20.000	20.644	3.2	103.2
PFPeA	20.000	19.819	-0.9	99.1
PFTeDA	20.000	24.273	21.4	121.4
PFTrDA	20.000	25.541	# 27.7	127.7
PFUnDA	20.000	29.363	# 46.8	146.8

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ241-CC234
Lab FileID: Q7135.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0922_PFC_SQ241\sq241.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7135
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	20.656	3.3	103.3
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	19.782	-1.1	98.9
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	18.409	-8.0	92.0
PFBS	20.000	18.918	-5.4	94.6
PFDA	20.000	19.408	-3.0	97.0
PFDoDA	20.000	22.466	12.3	112.3
PFDS	20.000	24.908	24.5	124.5
PFHpA	20.000	20.806	4.0	104.0
PFHpS	20.000	20.455	2.3	102.3
PFHxA	20.000	19.493	-2.5	97.5
PFHxS	20.000	20.003	0.0	100.0
PFNA	20.000	22.490	12.5	112.5
PFOA	20.000	20.242	1.2	101.2
PFOS	20.000	20.647	3.2	103.2
PFPeA	20.000	19.050	-4.7	95.3
PFTeDA	20.000	17.180	-14.1	85.9
PFTrDA	20.000	23.020	15.1	115.1
PFUnDA	20.000	18.844	-5.8	94.2

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ241-ECC234
Lab FileID: Q7142.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0922_PFC_SQ241\sq241.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7142
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	21.531	7.7	107.7
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	19.658	-1.7	98.3
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	18.615	-6.9	93.1
PFBS	20.000	19.148	-4.3	95.7
PFDA	20.000	20.343	1.7	101.7
PFDoDA	20.000	22.664	13.3	113.3
PFDS	20.000	23.948	19.7	119.7
PFHpA	20.000	20.470	2.4	102.4
PFHpS	20.000	20.551	2.8	102.8
PFHxA	20.000	19.304	-3.5	96.5
PFHxS	20.000	20.459	2.3	102.3
PFNA	20.000	22.638	13.2	113.2
PFOA	20.000	20.162	0.8	100.8
PFOS	20.000	20.546	2.7	102.7
PFPeA	20.000	19.217	-3.9	96.1
PFTeDA	20.000	17.980	-10.1	89.9
PFTrDA	20.000	22.802	14.0	114.0
PFUnDA	20.000	19.067	-4.7	95.3

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM

Sample: SQ242-CC234
Lab FileID: Q7145.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0924_PFC_SQ242\SQ242.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7145
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	15.737	-21.3	78.7
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	21.729	8.6	108.6
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	20.864	4.3	104.3
PFBS	20.000	20.373	1.9	101.9
PFDA	20.000	16.699	-16.5	83.5
PFDoDA	20.000	17.616	-11.9	88.1
PFDS	20.000	27.000	# 35.0	135.0
PFHpA	20.000	22.594	13.0	113.0
PFHpS	20.000	21.813	9.1	109.1
PFHxA	20.000	21.299	6.5	106.5
PFHxS	20.000	21.452	7.3	107.3
PFNA	20.000	19.899	-0.5	99.5
PFOA	20.000	20.899	4.5	104.5
PFOS	20.000	21.141	5.7	105.7
PFPeA	20.000	21.659	8.3	108.3
PFTeDA	20.000	16.216	-18.9	81.1
PFTrDA	20.000	20.976	4.9	104.9
PFUnDA	20.000	24.908	24.5	124.5

CC Criteria: +/- 25%

Continuing Calibration Summary

Job Number: FA18247
Account: ELTNN Empirical Labs
Project: NSN Site 1 LTM
Sample: SQ242-ECC234
Lab FileID: Q7148.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\0924_PFC_SQ242\SQ242.batch.bin

Level ID:Calibration File
1:D:\MassHunter\Data\0912_PFC_SQ234\Q6936.d
2:D:\MassHunter\Data\0912_PFC_SQ234\Q6937.d
3:D:\MassHunter\Data\0912_PFC_SQ234\Q6938.d
4:D:\MassHunter\Data\0912_PFC_SQ234\Q6939.d
5:D:\MassHunter\Data\0912_PFC_SQ234\Q6940.d
6:D:\MassHunter\Data\0912_PFC_SQ234\Q6941.d
7:D:\MassHunter\Data\0912_PFC_SQ234\Q6942.d

Data File: Q7148
Type : QC
Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-PFDA	20.000	21.332	6.7	106.7
13C2-PFDoDA	---	--ISTD--		
13C2-PFHxA	20.000	21.402	7.0	107.0
13C2-PFOA	---	--ISTD--		
13C4-PFOS	---	--ISTD--		
PFBA	20.000	21.521	7.6	107.6
PFBS	20.000	21.074	5.4	105.4
PFDA	20.000	18.145	-9.3	90.7
PFDoDA	20.000	22.517	12.6	112.6
PFDS	20.000	30.548	# 52.7	152.7
PFHpA	20.000	22.420	12.1	112.1
PFHpS	20.000	22.149	10.7	110.7
PFHxA	20.000	21.061	5.3	105.3
PFHxS	20.000	22.081	10.4	110.4
PFNA	20.000	21.255	6.3	106.3
PFOA	20.000	20.971	4.9	104.9
PFOS	20.000	21.204	6.0	106.0
PFPeA	20.000	21.527	7.6	107.6
PFTeDA	20.000	15.691	-21.5	78.5
PFTrDA	20.000	18.628	-6.9	93.1
PFUnDA	20.000	24.015	20.1	120.1

CC Criteria: +/- 25%

Southeast ACCUTEST LABORATORIES

GC/MS Semi-volatiles

Raw Data

Manual Integrations APPROVED (compounds with "m" flag)
Mark Erstling 09/24/14 16:06

Perfluorinated Compounds by LC/MS/MS.

Data File	:	Q7137.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 15:39
Sample Name	:	FA18247-1
Vial	:	Vial 11
Sample Info	:	OP53158,SQ241,120,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
13C2-PFOA	5.846	415.0 -> 370.0	56941	20.000	µg/L		-0.013
13C4-PFOS	6.407	503.0 -> 80.0	20637	20.000	µg/L		-0.025
13C2-PFDoDA	9.184	615.0 -> 570.0	35191	20.000	µg/L		-0.213
System Monitoring Compounds							
13C2-PFHxA	4.504	315.0 -> 270.0	17744	21.03	µg/L		-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 105.16%				
13C2-PFDA	7.332	515.0 -> 470.0	49983	23.42	µg/L		-0.100
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 117.10%				
Target Compounds							**Qvalue**
PFBS	3.778	299.0 -> 80.0	691	2.115	µg/L		99
PFHxS	5.205	399.0 -> 80.0	499	0.975	µg/L		88
PFOA	5.848	413.0 -> 369.0	4663	1.499	µg/L	# m	70
PFOS	6.172	499.0 -> 80.0	461	0.416	µg/L	m	85

(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


7.1.1
7


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7137.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 15:39
Sample Name	:	FA18247-1
Vial	:	Vial 11
Sample Info	:	OP53158,SQ241,120,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA









Perfluorinated Compounds by LC/MS/MS.


PFBS




13C2-PFHxA



PFHxA




PFHxS




Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA




PFOA




Perfluorinated Compounds by LC/MS/MS.


PFOS




13C4-PFOS



PFNA





13C2-PFDA




Perfluorinated Compounds by LC/MS/MS.


PFDA










PFDS










PFUnDA









13C2-PFDoDA









Perfluorinated Compounds by LC/MS/MS.


PFDoDA



PFTrDA



PFTeDA



Manual Integration Approval Summary

Sample Number: FA18247-1
Lab FileID: Q7137.D
Injection Time: 09/23/14 15:39
Method: EPA 537 MOD
Analyst approved: 09/24/14 14:05 Mike Eger
Supervisor approved: 09/24/14 16:06 Mark Erstling

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorooctanoic acid	335-67-1		5.85	Split peak
Perfluorooctanesulfonic acid	1763-23-1		6.17	Split peak

Manual Integrations APPROVED (compounds with "m" flag)
Mark Erstling 09/24/14 16:06

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7138.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 15:58
Sample Name	:	FA18247-2
Vial	:	Vial 12
Sample Info	:	OP53158,SQ241,120,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
13C2-PFOA	5.846	415.0 -> 370.0	51370	20.000	µg/L		-0.013
13C4-PFOS	6.407	503.0 -> 80.0	18632	20.000	µg/L		-0.025
13C2-PFDoDA	9.184	615.0 -> 570.0	31783	20.000	µg/L		-0.213
System Monitoring Compounds							
13C2-PFHxA	4.504	315.0 -> 270.0	16941	22.26	µg/L		-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 111.28%				
13C2-PFDA	7.332	515.0 -> 470.0	47520	24.65	µg/L		-0.100
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 123.26%				
Target Compounds							**Qvalue**
PFBS	3.778	299.0 -> 80.0	602	2.041	µg/L		97
PFHxA	4.508	313.0 -> 269.0	306	0.354	µg/L		91
PFHxS	5.205	399.0 -> 80.0	456	0.987	µg/L		93
PFOA	5.848	413.0 -> 369.0	4571	1.629	µg/L	# m	73
PFOS	6.172	499.0 -> 80.0	440	0.439	µg/L	m	75


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7138.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 15:58
Sample Name	:	FA18247-2
Vial	:	Vial 12
Sample Info	:	OP53158,SQ241,120,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA









Perfluorinated Compounds by LC/MS/MS.


PFBS




13C2-PFHxA



PFHxA




PFHxS




Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA




PFOA




Perfluorinated Compounds by LC/MS/MS.


PFOS




13C4-PFOS



PFNA




13C2-PFDA




Perfluorinated Compounds by LC/MS/MS.


PFDA




PFDS



PFUnDA




13C2-PFDoDA




Perfluorinated Compounds by LC/MS/MS.


PFDoDA



PFTrDA



PFTeDA



Manual Integration Approval Summary

Sample Number: FA18247-2
Lab FileID: Q7138.D
Injection Time: 09/23/14 15:58
Method: EPA 537 MOD
Analyst approved: 09/24/14 14:05 Mike Eger
Supervisor approved: 09/24/14 16:06 Mark Erstling

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorooctanoic acid	335-67-1		5.85	Split peak
Perfluorooctanesulfonic acid	1763-23-1		6.17	Split peak

Manual Integrations APPROVED (compounds with "m" flag)
Mark Erstling 09/24/14 16:07

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7146.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-24 10:56
Sample Name	:	FA18247-3
Vial	:	Vial 3
Sample Info	:	OP53158,SQ242,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ242.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
13C2-PFOA	5.858	415.0 -> 370.0	41843	20.000	µg/L		0.000
13C4-PFOS	6.432	503.0 -> 80.0	16303	20.000	µg/L		0.000
13C2-PFDoDA	9.097	615.0 -> 570.0	24949	20.000	µg/L		-0.300
System Monitoring Compounds							
13C2-PFHxA	4.516	315.0 -> 270.0	10671	17.21	µg/L		0.000
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 86.06%				
13C2-PFDA	7.332	515.0 -> 470.0	36945	24.42	µg/L		-0.100
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 122.08%				
Target Compounds							**Qvalue**
PFBA	1.776	213.0 -> 169.0	216	0.445	µg/L	m	100
PFPeA	3.649	263.0 -> 219.0	237	0.996	µg/L		100
PFHxA	4.508	313.0 -> 269.0	726	1.031	µg/L	m	96
PFHxS	5.217	399.0 -> 80.0	711	1.758	µg/L	m	94
PFHpA	5.235	363.0 -> 319.0	380	0.517	µg/L		99
PFOA	5.861	413.0 -> 369.0	5096	2.234	µg/L	# m	75
PFOS	6.422	499.0 -> 80.0	2767	3.184	µg/L	m	99
PFNA	6.504	463.0 -> 419.0	332	0.333	µg/L		100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7146.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-24 10:56
Sample Name	:	FA18247-3
Vial	:	Vial 3
Sample Info	:	OP53158,SQ242,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ242.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS









Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA





PFOA




Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA









Perfluorinated Compounds by LC/MS/MS.


PFDA




PFDS



PFUnDA





13C2-PFDoDA




Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Manual Integration Approval Summary

Sample Number: FA18247-3
Lab FileID: Q7146.D
Injection Time: 09/24/14 10:56

Method: EPA 537 MOD
Analyst approved: 09/24/14 14:07 Mike Eger
Supervisor approved: 09/24/14 16:07 Mark Erstling

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorobutanoic acid	375-22-4		1.78	Split peak
Perfluorohexanoic acid	307-24-4		4.51	Split peak
Perfluorohexanesulfonic acid	355-46-4		5.22	Split peak
Perfluorooctanoic acid	335-67-1		5.86	Split peak
Perfluorooctanesulfonic acid	1763-23-1		6.42	Split peak
13C2-PFDoDA			9.10	Poor instrument integration

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7128.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 12:41
Sample Name	:	OP53158-MB
Vial	:	Vial 4
Sample Info	:	OP53158,SQ241,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.858	415.0 -> 370.0	56204	20.000	µg/L	0.000
13C4-PFOS	6.419	503.0 -> 80.0	20724	20.000	µg/L	-0.013
13C2-PFDoDA	9.209	615.0 -> 570.0	33973	20.000	µg/L	-0.188
System Monitoring Compounds						
13C2-PFHxA	4.516	315.0 -> 270.0	17298	20.77	µg/L	0.000
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 103.86%			
13C2-PFDA	7.357	515.0 -> 470.0	44606	21.65	µg/L	-0.075
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 108.25%			
Target Compounds						**Qvalue**
PFOA	5.848	413.0 -> 369.0	695	0.225	µg/L	79


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7128.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 12:41
Sample Name	:	OP53158-MB
Vial	:	Vial 4
Sample Info	:	OP53158,SQ241,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS










Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA










Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA










Perfluorinated Compounds by LC/MS/MS.


PFDA










PFDS










PFUnDA









13C2-PFDoDA










Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Manual Integrations APPROVED (compounds with "m" flag)
Mark Erstling
09/24/14 16:06

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7127.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 12:21
Sample Name	:	OP53158-BS
Vial	:	Vial 3
Sample Info	:	OP53158,SQ241,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
13C2-PFOA	5.858	415.0 -> 370.0	53833	20.000	µg/L		0.000
13C4-PFOS	6.419	503.0 -> 80.0	20585	20.000	µg/L		-0.013
13C2-PFDoDA	9.209	615.0 -> 570.0	33697	20.000	µg/L		-0.188
System Monitoring Compounds							
13C2-PFHxA	4.516	315.0 -> 270.0	20305	25.46	µg/L		0.000
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 127.28%				
13C2-PFDA	7.357	515.0 -> 470.0	51063	24.99	µg/L		-0.075
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 124.93%				
Target Compounds							**Qvalue**
PFBS	3.778	299.0 -> 80.0	6747	20.708	µg/L		97
PFHxS	5.217	399.0 -> 80.0	10485	20.535	µg/L	m	89
PFHpA	5.222	363.0 -> 319.0	16103	17.832	µg/L		99
PFOA	5.861	413.0 -> 369.0	49969	17.807	µg/L		82
PFOS	6.422	499.0 -> 80.0	18080	17.103	µg/L	m	95
PFNA	6.491	463.0 -> 419.0	25462	20.338	µg/L		100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7127.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 12:21
Sample Name	:	OP53158-BS
Vial	:	Vial 3
Sample Info	:	OP53158,SQ241,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS









Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA





PFOA




Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA










Perfluorinated Compounds by LC/MS/MS.


PFDA










PFDS










PFUnDA









13C2-PFDoDA










Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Manual Integration Approval Summary

Sample Number: OP53158-BS
Lab FileID: Q7127.D
Injection Time: 09/23/14 12:21
Method: EPA 537 MOD
Analyst approved: 09/24/14 14:05 Mike Eger
Supervisor approved: 09/24/14 16:06 Mark Erstling

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		5.22	Split peak
Perfluorooctanesulfonic acid	1763-23-1		6.42	Split peak

Manual Integrations APPROVED (compounds with "m" flag)
Mark Erstling
09/24/14 16:06

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7140.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 16:37
Sample Name	:	OP53158-MS
Vial	:	Vial 14
Sample Info	:	OP53158,SQ241,60,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
13C2-PFOA	5.846	415.0 -> 370.0	46796	20.000	µg/L		-0.013
13C4-PFOS	6.407	503.0 -> 80.0	17241	20.000	µg/L		-0.025
13C2-PFDoDA	9.184	615.0 -> 570.0	32286	20.000	µg/L		-0.213
System Monitoring Compounds							
13C2-PFHxA	4.491	315.0 -> 270.0	14060	20.28	µg/L		-0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 101.39%				
13C2-PFDA	7.332	515.0 -> 470.0	46029	23.51	µg/L		-0.100
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 117.54%				
Target Compounds							**Qvalue**
PFBA	1.751	213.0 -> 169.0	832	1.531	µg/L		100
PFPeA	3.711	263.0 -> 219.0	315	1.184	µg/L		100
PFBS	3.753	299.0 -> 80.0	4911	17.996	µg/L		97
PFHxA	4.495	313.0 -> 269.0	437	0.555	µg/L		91
PFHxS	5.205	399.0 -> 80.0	9112	21.309	µg/L	m	88
PFHpA	5.210	363.0 -> 319.0	14044	17.894	µg/L		98
PFOA	5.836	413.0 -> 369.0	47963	19.777	µg/L		82
PFOS	6.397	499.0 -> 80.0	15759	17.836	µg/L	m	95
PFNA	6.466	463.0 -> 419.0	24617	22.684	µg/L		100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7140.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 16:37
Sample Name	:	OP53158-MS
Vial	:	Vial 14
Sample Info	:	OP53158,SQ241,60,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS









Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA





PFOA




Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA









Perfluorinated Compounds by LC/MS/MS.


PFDA




PFDS



PFUnDA





13C2-PFDoDA




Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Manual Integration Approval Summary

Sample Number: OP53158-MS
Lab FileID: Q7140.D
Injection Time: 09/23/14 16:37

Method: EPA 537 MOD
Analyst approved: 09/24/14 14:08 Mike Eger
Supervisor approved: 09/24/14 16:06 Mark Erstling

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		5.21	Split peak
Perfluorooctanesulfonic acid	1763-23-1		6.40	Split peak

Manual Integrations APPROVED (compounds with "m" flag)
Mark Erstling
09/24/14 16:06

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7141.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 16:56
Sample Name	:	OP53158-MSD
Vial	:	Vial 15
Sample Info	:	OP53158,SQ241,60,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
13C2-PFOA	5.833	415.0 -> 370.0	52148	20.000	µg/L		-0.025
13C4-PFOS	6.407	503.0 -> 80.0	18985	20.000	µg/L		-0.025
13C2-PFDoDA	9.184	615.0 -> 570.0	33597	20.000	µg/L		-0.213
System Monitoring Compounds							
13C2-PFHxA	4.491	315.0 -> 270.0	14486	18.75	µg/L		-0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 93.74%				
13C2-PFDA	7.320	515.0 -> 470.0	46665	22.90	µg/L		-0.113
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 114.51%				
Target Compounds							**Qvalue**
PFBA	1.726	213.0 -> 169.0	678	1.120	µg/L		100
PFPeA	3.711	263.0 -> 219.0	353	1.190	µg/L		100
PFBS	3.753	299.0 -> 80.0	5149	17.136	µg/L		97
PFHxA	4.495	313.0 -> 269.0	445	0.507	µg/L	#	94
PFHxS	5.205	399.0 -> 80.0	9364	19.886	µg/L	m	90
PFHpA	5.210	363.0 -> 319.0	14614	16.655	µg/L		99
PFOA	5.836	413.0 -> 369.0	49015	18.044	µg/L		83
PFOS	6.397	499.0 -> 80.0	15457	15.798	µg/L	m	95
PFNA	6.478	463.0 -> 419.0	24324	20.049	µg/L		100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7141.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 16:56
Sample Name	:	OP53158-MSD
Vial	:	Vial 15
Sample Info	:	OP53158,SQ241,60,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS










Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA










Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA










Perfluorinated Compounds by LC/MS/MS.


PFDA










PFDS










PFUnDA









13C2-PFDoDA










Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Manual Integration Approval Summary

Sample Number: OP53158-MSD
Lab FileID: Q7141.D
Injection Time: 09/23/14 16:56
Method: EPA 537 MOD
Analyst approved: 09/24/14 14:08 Mike Eger
Supervisor approved: 09/24/14 16:06 Mark Erstling

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		5.21	Split peak
Perfluorooctanesulfonic acid	1763-23-1		6.40	Split peak

Manual Integrations APPROVED (compounds with "m" flag)
Naresh Jiawan 09/15/14 10:34

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6936.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 12:14
Sample Name	:	IC234-2.5
Vial	:	Vial 4
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
13C2-PFOA	5.846	415.0 -> 370.0	36911	20.000	µg/L		0.000
13C4-PFOS	6.407	503.0 -> 80.0	14292	20.000	µg/L		0.000
13C2-PFDoDA	8.959	615.0 -> 570.0	24347	20.000	µg/L		0.037
System Monitoring Compounds							
13C2-PFHxA	4.516	315.0 -> 270.0	1516	2.77	µg/L		0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 13.86%				
13C2-PFDA	7.282	515.0 -> 470.0	4472	3.03	µg/L		-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 15.14%				
Target Compounds							**Qvalue**
PFBA	2.639	213.0 -> 169.0	1141	2.662	µg/L		100
PFPeA	3.674	263.0 -> 219.0	569	2.711	µg/L		100
PFBS	3.790	299.0 -> 80.0	727	3.214	µg/L		100
PFHxA	4.520	313.0 -> 269.0	1745	2.810	µg/L		99
PFHxS	5.217	399.0 -> 80.0	1136	3.205	µg/L		90
PFHpA	5.222	363.0 -> 319.0	1980	3.080	µg/L		98
PFHpS	5.818	449.0 -> 80.0	1140	2.691	µg/L		100
PFOA	5.848	413.0 -> 369.0	6456	3.217	µg/L	m	80
PFOS	6.397	499.0 -> 80.0	2438	3.199	µg/L		89
PFNA	6.466	463.0 -> 419.0	2725	3.110	µg/L		100
PFDA	7.289	513.0 -> 469.0	4117	2.989	µg/L		100
PFDS	8.046	599.0 -> 80.0	682	2.879	µg/L		100
PFUnDA	8.190	563.0 -> 519.0	4556	3.251	µg/L	m	100
PFDoDA	8.963	613.0 -> 569.0	2900	2.734	µg/L		100
PFTrDA	9.635	663.0 -> 619.0	2615	2.654	µg/L		100
PFTeDA	10.235	713.0 -> 669.0	2292	3.177	µg/L		100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6936.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 12:14
Sample Name	:	IC234-2.5
Vial	:	Vial 4
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










PFHxA










13C2-PFHxA









PFHxS










Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA










Perfluorinated Compounds by LC/MS/MS.


13C4-PFOS










PFOS










PFNA









PFDA










Perfluorinated Compounds by LC/MS/MS.


13C2-PFDA










PFDS










PFUnDA









13C2-PFDoDA










Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Manual Integration Approval Summary

Sample Number: SQ234-IC234
Lab FileID: Q6936.D
Injection Time: 09/12/14 12:14
Method: EPA 537 MOD
Analyst approved: 09/15/14 08:44 Mike Eger
Supervisor approved: 09/15/14 10:34 Naresh Jiawan

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorooctanoic acid	335-67-1		5.85	Poor instrument integration
Perfluoroundecanoic acid	2058-94-8		8.19	Poor instrument integration

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6937.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 12:33
Sample Name	:	IC234-5.0
Vial	:	Vial 5
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.846	415.0 -> 370.0	39360	20.000	µg/L	0.000
13C4-PFOS	6.394	503.0 -> 80.0	15233	20.000	µg/L	-0.013
13C2-PFDoDA	8.959	615.0 -> 570.0	26321	20.000	µg/L	0.037
System Monitoring Compounds						
13C2-PFHxA	4.516	315.0 -> 270.0	3242	5.56	µg/L	0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 27.79%			
13C2-PFDA	7.282	515.0 -> 470.0	8360	5.24	µg/L	-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 26.19%			
Target Compounds						**Qvalue**
PFBA	2.639	213.0 -> 169.0	2404	5.261	µg/L	100
PFPeA	3.661	263.0 -> 219.0	1193	5.329	µg/L	100
PFBS	3.778	299.0 -> 80.0	1423	5.900	µg/L	100
PFHxA	4.520	313.0 -> 269.0	3677	5.552	µg/L	99
PFHxS	5.217	399.0 -> 80.0	2146	5.681	µg/L	87
PFHpA	5.222	363.0 -> 319.0	3751	5.504	µg/L	96
PFHpS	5.806	449.0 -> 80.0	2415	5.350	µg/L	100
PFOA	5.848	413.0 -> 369.0	11420	5.369	µg/L	83
PFOS	6.397	499.0 -> 80.0	4220	5.224	µg/L	88
PFNA	6.466	463.0 -> 419.0	5086	5.458	µg/L	100
PFDA	7.276	513.0 -> 469.0	7702	5.173	µg/L	100
PFDS	8.046	599.0 -> 80.0	1434	5.601	µg/L	100
PFUnDA	8.190	563.0 -> 519.0	8056	5.344	µg/L	100
PFDoDA	8.963	613.0 -> 569.0	6152	5.366	µg/L	100
PFTrDA	9.635	663.0 -> 619.0	5548	5.218	µg/L	100
PFTeDA	10.248	713.0 -> 669.0	4331	5.553	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6937.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 12:33
Sample Name	:	IC234-5.0
Vial	:	Vial 5
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










PFHxA










13C2-PFHxA









PFHxS









Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA





PFOA




Perfluorinated Compounds by LC/MS/MS.


13C4-PFOS










PFOS










PFNA









PFDA










Perfluorinated Compounds by LC/MS/MS.


13C2-PFDA










PFDS










PFUnDA









13C2-PFDoDA










Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6938.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 12:52
Sample Name	:	IC234-10
Vial	:	Vial 6
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.846	415.0 -> 370.0	38921	20.000	µg/L	0.000
13C4-PFOS	6.394	503.0 -> 80.0	14952	20.000	µg/L	-0.013
13C2-PFDoDA	8.959	615.0 -> 570.0	26306	20.000	µg/L	0.037
System Monitoring Compounds						
13C2-PFHxA	4.516	315.0 -> 270.0	6058	10.50	µg/L	0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 52.52%			
13C2-PFDA	7.282	515.0 -> 470.0	17943	11.25	µg/L	-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 56.23%			
Target Compounds						**Qvalue**
PFBA	2.639	213.0 -> 169.0	4620	10.222	µg/L	100
PFPeA	3.661	263.0 -> 219.0	2248	10.158	µg/L	100
PFBS	3.778	299.0 -> 80.0	2541	10.738	µg/L	98
PFHxA	4.520	313.0 -> 269.0	6787	10.363	µg/L	99
PFHxS	5.217	399.0 -> 80.0	4053	10.930	µg/L	90
PFHpA	5.222	363.0 -> 319.0	6784	10.188	µg/L	98
PFHpS	5.806	449.0 -> 80.0	4593	10.367	µg/L	100
PFOA	5.848	413.0 -> 369.0	20015	9.633	µg/L	83
PFOS	6.397	499.0 -> 80.0	7534	9.614	µg/L	87
PFNA	6.466	463.0 -> 419.0	9028	9.849	µg/L	100
PFDA	7.276	513.0 -> 469.0	16802	11.290	µg/L	100
PFDS	8.046	599.0 -> 80.0	2654	10.372	µg/L	100
PFUnDA	8.177	563.0 -> 519.0	14729	9.881	µg/L	100
PFDoDA	8.963	613.0 -> 569.0	11590	10.113	µg/L	100
PFTrDA	9.635	663.0 -> 619.0	10423	9.848	µg/L	100
PFTeDA	10.248	713.0 -> 669.0	7549	9.688	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6938.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 12:52
Sample Name	:	IC234-10
Vial	:	Vial 6
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










PFHxA










13C2-PFHxA









PFHxS










Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA









7.5.3


7

Perfluorinated Compounds by LC/MS/MS.


13C4-PFOS










PFOS










PFNA









PFDA









Perfluorinated Compounds by LC/MS/MS.


13C2-PFDA




PFDS



PFUnDA





13C2-PFDoDA




Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6939.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 13:11
Sample Name	:	ICC234-20
Vial	:	Vial 7
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.846	415.0 -> 370.0	38623	20.000	µg/L	0.000
13C4-PFOS	6.394	503.0 -> 80.0	15197	20.000	µg/L	-0.013
13C2-PFDoDA	8.959	615.0 -> 570.0	26613	20.000	µg/L	0.037
System Monitoring Compounds						
13C2-PFHxA	4.516	315.0 -> 270.0	11803	20.62	µg/L	0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 103.12%			
13C2-PFDA	7.282	515.0 -> 470.0	36122	22.38	µg/L	-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 111.90%			
Target Compounds						**Qvalue**
PFBA	2.639	213.0 -> 169.0	8956	19.971	µg/L	100
PFPeA	3.661	263.0 -> 219.0	4399	20.029	µg/L	100
PFBS	3.778	299.0 -> 80.0	4946	20.561	µg/L	97
PFHxA	4.520	313.0 -> 269.0	13384	20.593	µg/L	99
PFHxS	5.217	399.0 -> 80.0	7707	20.448	µg/L	87
PFHpA	5.222	363.0 -> 319.0	12789	19.844	µg/L	97
PFHpS	5.806	449.0 -> 80.0	9101	20.212	µg/L	100
PFOA	5.848	413.0 -> 369.0	38644	19.278	µg/L	82
PFOS	6.397	499.0 -> 80.0	15030	19.380	µg/L	88
PFNA	6.466	463.0 -> 419.0	17947	19.971	µg/L	100
PFDA	7.276	513.0 -> 469.0	33751	22.418	µg/L	100
PFDS	8.046	599.0 -> 80.0	5390	20.818	µg/L	100
PFUnDA	8.190	563.0 -> 519.0	28551	19.370	µg/L	100
PFDoDA	8.963	613.0 -> 569.0	23724	20.463	µg/L	100
PFTrDA	9.635	663.0 -> 619.0	21192	19.967	µg/L	100
PFTeDA	10.248	713.0 -> 669.0	15736	19.979	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6939.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 13:11
Sample Name	:	ICC234-20
Vial	:	Vial 7
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










PFHxA










13C2-PFHxA









PFHxS









Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA





PFOA




Perfluorinated Compounds by LC/MS/MS.


13C4-PFOS










PFOS










PFNA









PFDA









Perfluorinated Compounds by LC/MS/MS.


13C2-PFDA




PFDS



PFUnDA





13C2-PFDoDA




Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6940.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 13:30
Sample Name	:	IC234-30
Vial	:	Vial 8
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.846	415.0 -> 370.0	38030	20.000	µg/L	0.000
13C4-PFOS	6.394	503.0 -> 80.0	14988	20.000	µg/L	-0.013
13C2-PFDoDA	8.959	615.0 -> 570.0	26774	20.000	µg/L	0.037
System Monitoring Compounds						
13C2-PFHxA	4.516	315.0 -> 270.0	17186	30.50	µg/L	0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 152.49%			
13C2-PFDA	7.282	515.0 -> 470.0	51332	31.61	µg/L	-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 158.07%			
Target Compounds						**Qvalue**
PFBA	2.639	213.0 -> 169.0	13428	30.411	µg/L	100
PFPeA	3.661	263.0 -> 219.0	6556	30.313	µg/L	100
PFBS	3.778	299.0 -> 80.0	7329	30.894	µg/L	97
PFHxA	4.520	313.0 -> 269.0	19556	30.558	µg/L	99
PFHxS	5.217	399.0 -> 80.0	11423	30.726	µg/L	88
PFHpA	5.222	363.0 -> 319.0	18522	29.987	µg/L	97
PFHpS	5.818	449.0 -> 80.0	13610	30.645	µg/L	100
PFOA	5.848	413.0 -> 369.0	56064	29.270	µg/L	83
PFOS	6.397	499.0 -> 80.0	22108	29.758	µg/L	88
PFNA	6.466	463.0 -> 419.0	26233	30.013	µg/L	100
PFDA	7.276	513.0 -> 469.0	48257	31.860	µg/L	100
PFDS	8.046	599.0 -> 80.0	7973	30.612	µg/L	100
PFUnDA	8.190	563.0 -> 519.0	42223	29.167	µg/L	100
PFDoDA	8.963	613.0 -> 569.0	35755	30.655	µg/L	100
PFTrDA	9.635	663.0 -> 619.0	31995	30.233	µg/L	100
PFTeDA	10.248	713.0 -> 669.0	23895	30.180	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6940.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 13:30
Sample Name	:	IC234-30
Vial	:	Vial 8
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










PFHxA










13C2-PFHxA









PFHxS










Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA









7.5.5


7

Perfluorinated Compounds by LC/MS/MS.


13C4-PFOS










PFOS










PFNA









PFDA










Perfluorinated Compounds by LC/MS/MS.


13C2-PFDA










PFDS










PFUnDA









13C2-PFDoDA










Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6941.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 13:50
Sample Name	:	IC234-40
Vial	:	Vial 9
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.846	415.0 -> 370.0	37538	20.000	µg/L	0.000
13C4-PFOS	6.394	503.0 -> 80.0	15181	20.000	µg/L	-0.013
13C2-PFDoDA	8.972	615.0 -> 570.0	27068	20.000	µg/L	0.050
System Monitoring Compounds						
13C2-PFHxA	4.516	315.0 -> 270.0	21987	39.53	µg/L	0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 197.66%			
13C2-PFDA	7.282	515.0 -> 470.0	64934	39.56	µg/L	-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 197.78%			
Target Compounds						**Qvalue**
PFBA	2.639	213.0 -> 169.0	17278	39.643	µg/L	100
PFPeA	3.674	263.0 -> 219.0	8370	39.211	µg/L	100
PFBS	3.790	299.0 -> 80.0	9302	38.713	µg/L	97
PFHxA	4.520	313.0 -> 269.0	25011	39.595	µg/L	99
PFHxS	5.217	399.0 -> 80.0	14498	38.504	µg/L	86
PFHpA	5.222	363.0 -> 319.0	23467	39.506	µg/L	97
PFHpS	5.818	449.0 -> 80.0	17659	39.257	µg/L	100
PFOA	5.848	413.0 -> 369.0	72263	39.448	µg/L	83
PFOS	6.397	499.0 -> 80.0	28639	39.100	µg/L	88
PFNA	6.466	463.0 -> 419.0	33850	39.709	µg/L	100
PFDA	7.276	513.0 -> 469.0	60841	39.732	µg/L	100
PFDS	8.058	599.0 -> 80.0	10394	39.473	µg/L	100
PFUnDA	8.190	563.0 -> 519.0	54733	38.265	µg/L	100
PFDoDA	8.963	613.0 -> 569.0	46682	39.589	µg/L	100
PFTrDA	9.635	663.0 -> 619.0	42102	39.678	µg/L	100
PFTeDA	10.248	713.0 -> 669.0	31643	39.560	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6941.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 13:50
Sample Name	:	IC234-40
Vial	:	Vial 9
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










PFHxA










13C2-PFHxA









PFHxS








7.5.6


7

Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA



PFOA





7.5.6


7

Perfluorinated Compounds by LC/MS/MS.


13C4-PFOS










PFOS










PFNA









PFDA









Perfluorinated Compounds by LC/MS/MS.


13C2-PFDA




PFDS



PFUnDA



13C2-PFDoDA





7.5.6


7

Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







7.5.6

7

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6942.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 14:11
Sample Name	:	IC234-50
Vial	:	Vial 10
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.846	415.0 -> 370.0	38604	20.000	µg/L	0.000
13C4-PFOS	6.407	503.0 -> 80.0	15474	20.000	µg/L	0.000
13C2-PFDoDA	8.959	615.0 -> 570.0	28407	20.000	µg/L	0.037
System Monitoring Compounds						
13C2-PFHxA	4.516	315.0 -> 270.0	28402	49.66	µg/L	0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 248.28%			
13C2-PFDA	7.282	515.0 -> 470.0	82929	48.14	µg/L	-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 240.68%			
Target Compounds						**Qvalue**
PFBA	2.639	213.0 -> 169.0	22399	49.972	µg/L	100
PFPeA	3.674	263.0 -> 219.0	11055	50.357	µg/L	100
PFBS	3.790	299.0 -> 80.0	12245	49.996	µg/L	98
PFHxA	4.520	313.0 -> 269.0	32225	49.608	µg/L	99
PFHxS	5.217	399.0 -> 80.0	19302	50.293	µg/L	89
PFHpA	5.222	363.0 -> 319.0	29836	50.356	µg/L	97
PFHpS	5.818	449.0 -> 80.0	22928	50.005	µg/L	100
PFOA	5.848	413.0 -> 369.0	93102	51.346	µg/L	83
PFOS	6.397	499.0 -> 80.0	36915	51.269	µg/L	88
PFNA	6.466	463.0 -> 419.0	43427	50.191	µg/L	100
PFDA	7.289	513.0 -> 469.0	76866	47.831	µg/L	100
PFDS	8.046	599.0 -> 80.0	13700	49.574	µg/L	100
PFUnDA	8.177	563.0 -> 519.0	75690	52.292	µg/L	100
PFDoDA	8.963	613.0 -> 569.0	61478	49.680	µg/L	100
PFTrDA	9.635	663.0 -> 619.0	55313	50.133	µg/L	100
PFTeDA	10.248	713.0 -> 669.0	42125	50.226	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6942.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 14:11
Sample Name	:	IC234-50
Vial	:	Vial 10
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










PFHxA










13C2-PFHxA









PFHxS








7.5.7


7

Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA



PFOA





7.5.7


7

Perfluorinated Compounds by LC/MS/MS.


13C4-PFOS










PFOS










PFNA









PFDA









Perfluorinated Compounds by LC/MS/MS.


13C2-PFDA




PFDS



PFUnDA



13C2-PFDoDA





7.5.7


7

Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6944.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 15:06
Sample Name	:	ICV234-20
Vial	:	Vial 11
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.846	415.0 -> 370.0	39866	20.000	µg/L	0.000
13C4-PFOS	6.394	503.0 -> 80.0	15056	20.000	µg/L	-0.013
13C2-PFDoDA	8.959	615.0 -> 570.0	27256	20.000	µg/L	0.037
System Monitoring Compounds						
Target Compounds						**Qvalue**
PFBA	2.639	213.0 -> 169.0	9427	20.367	µg/L	100
PFPeA	3.674	263.0 -> 219.0	4627	20.410	µg/L	100
PFBS	3.790	299.0 -> 80.0	5124	21.501	µg/L	97
PFHxA	4.520	313.0 -> 269.0	13930	20.765	µg/L	99
PFHxS	5.217	399.0 -> 80.0	8105	21.704	µg/L	87
PFHpA	5.222	363.0 -> 319.0	13313	20.021	µg/L	97
PFOA	5.848	413.0 -> 369.0	41420	20.065	µg/L	83
PFOS	6.397	499.0 -> 80.0	15858	20.717	µg/L	88
PFNA	6.466	463.0 -> 419.0	18662	20.123	µg/L	100
PFDA	7.289	513.0 -> 469.0	32799	21.272	µg/L	100
PFDS	8.046	599.0 -> 80.0	5706	21.521	µg/L	100
PFUnDA	8.190	563.0 -> 519.0	30535	20.271	µg/L	100
PFDoDA	8.963	613.0 -> 569.0	25328	21.331	µg/L	100
PFTrDA	9.635	663.0 -> 619.0	22385	20.605	µg/L	100
PFTeDA	10.248	713.0 -> 669.0	18064	22.398	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6944.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 15:06
Sample Name	:	ICV234-20
Vial	:	Vial 11
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










PFHxA










13C2-PFHxA









PFHxS









7.5.8


7

Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA








7.5.8


7

Perfluorinated Compounds by LC/MS/MS.


13C4-PFOS




PFOS



PFNA





PFDA




Perfluorinated Compounds by LC/MS/MS.


13C2-PFDA










PFDS










PFUnDA









13C2-PFDoDA










Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Manual Integrations APPROVED (compounds with "m" flag)
Naresh Jiawan 09/15/14 10:34

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6945.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 15:25
Sample Name	:	ICV234-20
Vial	:	Vial 12
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
13C2-PFOA	5.846	415.0 -> 370.0	40644	20.000	µg/L		0.000
13C4-PFOS	6.407	503.0 -> 80.0	15375	20.000	µg/L		0.000
13C2-PFDoDA	8.972	615.0 -> 570.0	28204	20.000	µg/L		0.050
System Monitoring Compounds							
Target Compounds							**Qvalue**
PFBS	3.790	299.0 -> 80.0	6050	24.861	µg/L		96
PFHxS	5.217	399.0 -> 80.0	9114	23.899	µg/L	m	89
PFHpA	5.222	363.0 -> 319.0	12910	18.993	µg/L		97
PFOA	5.848	413.0 -> 369.0	40292	19.090	µg/L		83
PFOS	6.397	499.0 -> 80.0	16071	20.549	µg/L	m	98
PFNA	6.466	463.0 -> 419.0	20371	21.584	µg/L		100
PFUnDA	8.202	563.0 -> 519.0	0	0.000	µg/L	m	1
PFTrDA	9.635	663.0 -> 619.0	0	0.000	µg/L	m	1


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q6945.d
Operator	:	NANCYF
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-12 15:25
Sample Name	:	ICV234-20
Vial	:	Vial 12
Sample Info	:	OP53043,SQ234,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ234.batch.bin
Last Calib Update	:	2014-09-15 08:10




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










PFHxA










13C2-PFHxA









PFHxS









7.5.9


7

Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA









7.5.9


7

Perfluorinated Compounds by LC/MS/MS.


13C4-PFOS










PFOS










PFNA









PFDA










Perfluorinated Compounds by LC/MS/MS.


13C2-PFDA










PFDS










PFUnDA









13C2-PFDoDA










Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







7.5.9

7

Manual Integration Approval Summary

Sample Number: SQ234-ICV234
Lab FileID: Q6945.D
Injection Time: 09/12/14 15:25
Method: EPA 537 MOD
Analyst approved: 09/15/14 08:44 Mike Eger
Supervisor approved: 09/15/14 10:34 Naresh Jiawan

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		5.22	Split peak
Perfluorooctanesulfonic acid	1763-23-1		6.40	Split peak
Perfluoroundecanoic acid	2058-94-8		8.20	Poor instrument integration
Perfluorotridecanoic acid	72629-94-8		9.63	Poor instrument integration

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7125.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 11:39
Sample Name	:	cc234-20
Vial	:	Vial 1
Sample Info	:	OP53158,SQ241,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.858	415.0 -> 370.0	46590	20.000	µg/L	0.000
13C4-PFOS	6.419	503.0 -> 80.0	18288	20.000	µg/L	-0.013
13C2-PFDoDA	9.184	615.0 -> 570.0	32187	20.000	µg/L	-0.213
System Monitoring Compounds						
13C2-PFHxA	4.529	315.0 -> 270.0	13938	20.19	µg/L	0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 100.95%			
13C2-PFDA	7.357	515.0 -> 470.0	43431	22.25	µg/L	-0.075
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 111.25%			
Target Compounds						**Qvalue**
PFBA	2.639	213.0 -> 169.0	10491	19.393	µg/L	100
PFPeA	3.674	263.0 -> 219.0	5251	19.819	µg/L	100
PFBS	3.790	299.0 -> 80.0	5466	18.883	µg/L	96
PFHxA	4.520	313.0 -> 269.0	15584	19.878	µg/L	99
PFHxS	5.217	399.0 -> 80.0	8891	19.600	µg/L	86
PFHpA	5.235	363.0 -> 319.0	15660	20.160	µg/L	99
PFHpS	5.831	449.0 -> 80.0	11122	20.524	µg/L	100
PFOA	5.861	413.0 -> 369.0	48012	19.892	µg/L	81
PFOS	6.422	499.0 -> 80.0	19199	20.644	µg/L	89
PFNA	6.491	463.0 -> 419.0	23277	21.514	µg/L	100
PFDA	7.351	513.0 -> 469.0	39966	21.949	µg/L	100
PFDS	8.196	599.0 -> 80.0	7399	23.630	µg/L	100
PFUnDA	8.340	563.0 -> 519.0	51075	29.363	µg/L	100
PFDoDA	9.176	613.0 -> 569.0	29673	21.163	µg/L	100
PFTrDA	9.923	663.0 -> 619.0	32628	25.541	µg/L	100
PFTeDA	10.611	713.0 -> 669.0	23114	24.273	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7125.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 11:39
Sample Name	:	cc234-20
Vial	:	Vial 1
Sample Info	:	OP53158,SQ241,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS









Perfluorinated Compounds by LC/MS/MS.


PFHpA




PFHpS



13C2-PFOA





PFOA




Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA









Perfluorinated Compounds by LC/MS/MS.


PFDA




PFDS



PFUnDA





13C2-PFDoDA




Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7135.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 15:01
Sample Name	:	CC234-20
Vial	:	Vial 2
Sample Info	:	OP53158,SQ241,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.846	415.0 -> 370.0	49265	20.000	µg/L	-0.013
13C4-PFOS	6.407	503.0 -> 80.0	18466	20.000	µg/L	-0.025
13C2-PFDoDA	9.197	615.0 -> 570.0	31638	20.000	µg/L	-0.200
System Monitoring Compounds						
13C2-PFHxA	4.504	315.0 -> 270.0	14440	19.78	µg/L	-0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 98.91%			
13C2-PFDA	7.345	515.0 -> 470.0	39635	20.66	µg/L	-0.088
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 103.28%			
Target Compounds						**Qvalue**
PFBA	2.627	213.0 -> 169.0	10530	18.409	µg/L	100
PFPeA	3.661	263.0 -> 219.0	5337	19.050	µg/L	100
PFBS	3.778	299.0 -> 80.0	5529	18.918	µg/L	98
PFHxA	4.508	313.0 -> 269.0	16160	19.493	µg/L	99
PFHxS	5.205	399.0 -> 80.0	9161	20.003	µg/L	87
PFHpA	5.222	363.0 -> 319.0	17061	20.806	µg/L	99
PFHpS	5.818	449.0 -> 80.0	11192	20.455	µg/L	100
PFOA	5.848	413.0 -> 369.0	51610	20.242	µg/L	82
PFOS	6.410	499.0 -> 80.0	19388	20.647	µg/L	88
PFNA	6.478	463.0 -> 419.0	25701	22.490	µg/L	100
PFDA	7.339	513.0 -> 469.0	34737	19.408	µg/L	100
PFDS	8.196	599.0 -> 80.0	7666	24.908	µg/L	100
PFUnDA	8.352	563.0 -> 519.0	33064	18.844	µg/L	100
PFDoDA	9.201	613.0 -> 569.0	30964	22.466	µg/L	100
PFTrDA	9.935	663.0 -> 619.0	28969	23.020	µg/L	100
PFTeDA	10.611	713.0 -> 669.0	16090	17.180	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7135.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 15:01
Sample Name	:	CC234-20
Vial	:	Vial 2
Sample Info	:	OP53158,SQ241,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS










Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA










Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA










Perfluorinated Compounds by LC/MS/MS.


PFDA










PFDS










PFUnDA









13C2-PFDoDA










Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7142.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 17:15
Sample Name	:	ECC234-20
Vial	:	Vial 2
Sample Info	:	OP53158,SQ241,60,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.846	415.0 -> 370.0	52081	20.000	µg/L	-0.013
13C4-PFOS	6.419	503.0 -> 80.0	19353	20.000	µg/L	-0.013
13C2-PFDoDA	9.197	615.0 -> 570.0	34703	20.000	µg/L	-0.200
System Monitoring Compounds						
13C2-PFHxA	4.516	315.0 -> 270.0	15169	19.66	µg/L	0.000
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 98.29%			
13C2-PFDA	7.345	515.0 -> 470.0	45317	21.53	µg/L	-0.088
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 107.66%			
Target Compounds						**Qvalue**
PFBA	2.627	213.0 -> 169.0	11257	18.615	µg/L	100
PFPeA	3.661	263.0 -> 219.0	5692	19.217	µg/L	100
PFBS	3.778	299.0 -> 80.0	5865	19.148	µg/L	97
PFHxA	4.508	313.0 -> 269.0	16918	19.304	µg/L	99
PFHxS	5.217	399.0 -> 80.0	9821	20.459	µg/L	88
PFHpA	5.222	363.0 -> 319.0	17760	20.470	µg/L	100
PFHpS	5.818	449.0 -> 80.0	11785	20.551	µg/L	100
PFOA	5.848	413.0 -> 369.0	54358	20.162	µg/L	83
PFOS	6.410	499.0 -> 80.0	20226	20.546	µg/L	88
PFNA	6.478	463.0 -> 419.0	27343	22.638	µg/L	100
PFDA	7.339	513.0 -> 469.0	39937	20.343	µg/L	100
PFDS	8.196	599.0 -> 80.0	8085	23.948	µg/L	100
PFUnDA	8.352	563.0 -> 519.0	36675	19.067	µg/L	100
PFDoDA	9.188	613.0 -> 569.0	34263	22.664	µg/L	100
PFTrDA	9.935	663.0 -> 619.0	31481	22.802	µg/L	100
PFTeDA	10.598	713.0 -> 669.0	18470	17.980	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7142.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-23 17:15
Sample Name	:	ECC234-20
Vial	:	Vial 2
Sample Info	:	OP53158,SQ241,60,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	sq241.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS










Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA









7.5.12


7

Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA









Perfluorinated Compounds by LC/MS/MS.


PFDA




PFDS



PFUnDA





13C2-PFDoDA




Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Manual Integrations APPROVED (compounds with "m" flag)
Mark Erstling
09/24/14 16:07

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7145.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-24 10:31
Sample Name	:	CC234-20
Vial	:	Vial 2
Sample Info	:	OP53158,SQ242,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ242.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
13C2-PFOA	5.871	415.0 -> 370.0	42714	20.000	µg/L		0.012
13C4-PFOS	6.444	503.0 -> 80.0	17596	20.000	µg/L		0.013
13C2-PFDoDA	9.134	615.0 -> 570.0	29335	20.000	µg/L		-0.263
System Monitoring Compounds							
13C2-PFHxA	4.541	315.0 -> 270.0	13752	21.73	µg/L		0.025
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 108.65%				
13C2-PFDA	7.357	515.0 -> 470.0	27996	15.74	µg/L		-0.075
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 78.68%				
Target Compounds							**Qvalue**
PFBA	2.652	213.0 -> 169.0	10347	20.864	µg/L		100
PFPeA	3.686	263.0 -> 219.0	5261	21.659	µg/L		100
PFBS	3.803	299.0 -> 80.0	5674	20.373	µg/L		97
PFHxA	4.533	313.0 -> 269.0	15309	21.299	µg/L		99
PFHxS	5.230	399.0 -> 80.0	9363	21.452	µg/L		86
PFHpA	5.247	363.0 -> 319.0	15987	22.594	µg/L		99
PFHpS	5.843	449.0 -> 80.0	11373	21.813	µg/L		100
PFOA	5.873	413.0 -> 369.0	46108	20.899	µg/L		82
PFOS	6.435	499.0 -> 80.0	18891	21.141	µg/L		88
PFNA	6.504	463.0 -> 419.0	19777	19.899	µg/L		100
PFDA	7.364	513.0 -> 469.0	27711	16.699	µg/L		100
PFDS	8.183	599.0 -> 80.0	7705	27.000	µg/L		100
PFUnDA	8.327	563.0 -> 519.0	39924	24.908	µg/L		100
PFDoDA	9.126	613.0 -> 569.0	22512	17.616	µg/L		100
PFTrDA	9.835	663.0 -> 619.0	24518	20.976	µg/L		100
PFTeDA	10.485	713.0 -> 669.0	14082	16.216	µg/L	m	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7145.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-24 10:31
Sample Name	:	CC234-20
Vial	:	Vial 2
Sample Info	:	OP53158,SQ242,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ242.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS










Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA










Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA









Perfluorinated Compounds by LC/MS/MS.


PFDA




PFDS



PFUnDA





13C2-PFDoDA




Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







Manual Integration Approval Summary

Sample Number: SQ242-CC234
Lab FileID: Q7145.D
Injection Time: 09/24/14 10:31
Method: EPA 537 MOD
Analyst approved: 09/24/14 14:07 Mike Eger
Supervisor approved: 09/24/14 16:07 Mark Erstling

Parameter	CAS	Sig#	R.T. (min.)	Reason
13C2-PFDoDA			9.13	Poor instrument integration
Perfluorotetradecanoic acid	376-06-7		10.48	Split peak

Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7148.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-24 11:34
Sample Name	:	ECC234-20
Vial	:	Vial 2
Sample Info	:	OP53158,SQ242,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ242.batch.bin
Last Calib Update	:	2014-09-16 09:05

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
13C2-PFOA	5.858	415.0 -> 370.0	43100	20.000	µg/L	0.000
13C4-PFOS	6.419	503.0 -> 80.0	17181	20.000	µg/L	-0.013
13C2-PFDoDA	9.097	615.0 -> 570.0	24712	20.000	µg/L	-0.300
System Monitoring Compounds						
13C2-PFHxA	4.529	315.0 -> 270.0	13668	21.40	µg/L	0.013
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 107.01%			
13C2-PFDA	7.320	515.0 -> 470.0	31971	21.33	µg/L	-0.113
Spiked Amount: 20.000	Range: 14 - 26		Recovery = 106.66%			
Target Compounds						**Qvalue**
PFBA	2.639	213.0 -> 169.0	10770	21.521	µg/L	100
PFPeA	3.674	263.0 -> 219.0	5276	21.527	µg/L	100
PFBS	3.790	299.0 -> 80.0	5731	21.074	µg/L	98
PFHxA	4.520	313.0 -> 269.0	15275	21.061	µg/L	99
PFHxS	5.217	399.0 -> 80.0	9409	22.081	µg/L	88
PFHpA	5.235	363.0 -> 319.0	16015	22.420	µg/L	99
PFHpS	5.831	449.0 -> 80.0	11276	22.149	µg/L	100
PFOA	5.861	413.0 -> 369.0	46677	20.971	µg/L	82
PFOS	6.422	499.0 -> 80.0	18498	21.204	µg/L	89
PFNA	6.491	463.0 -> 419.0	21281	21.255	µg/L	100
PFDA	7.326	513.0 -> 469.0	25367	18.145	µg/L	100
PFDS	8.146	599.0 -> 80.0	7344	30.548	µg/L	100
PFUnDA	8.290	563.0 -> 519.0	32500	24.015	µg/L	100
PFDoDA	9.101	613.0 -> 569.0	24241	22.517	µg/L	100
PFTrDA	9.797	663.0 -> 619.0	18381	18.628	µg/L	100
PFTeDA	10.435	713.0 -> 669.0	11480	15.691	µg/L	100


(#) = Qualifier Out of Range; (m) = Manual Integration; (+) = Area Summed


Perfluorinated Compounds by LC/MS/MS.


Data File	:	Q7148.d
Operator	:	mikee
Acq Method Name	:	dMRM_PFOA_PFOS.m
Acquisition date	:	2014-09-24 11:34
Sample Name	:	ECC234-20
Vial	:	Vial 2
Sample Info	:	OP53158,SQ242,125,,,1,,water
Quant Method	:	PFC_0912_SQ234.quantmethod.xml
Quant Batch Name	:	SQ242.batch.bin
Last Calib Update	:	2014-09-16 09:05




PFBA









PFPeA










Perfluorinated Compounds by LC/MS/MS.


PFBS










13C2-PFHxA










PFHxA









PFHxS










Perfluorinated Compounds by LC/MS/MS.


PFHpA










PFHpS










13C2-PFOA









PFOA










Perfluorinated Compounds by LC/MS/MS.


PFOS










13C4-PFOS










PFNA









13C2-PFDA









Perfluorinated Compounds by LC/MS/MS.


PFDA




PFDS



PFUnDA



13C2-PFDoDA





7.5.14


7

Perfluorinated Compounds by LC/MS/MS.


PFDoDA










PFTrDA









PFTeDA







ACCUTEST LABORATORIES SE

DATE:	9/12/14
COLUMN TYPE:	Poroshell EC-C18
AMOUNT INJECTED:	7.5 ul
INSTRUMENT:	LCMS1-Q
HEAD PRESSURE:	414

LCMS1-Q ANALYSIS LOG

METHODS:	PFOA-PFOS
ACQ. METHOD:	CHARM-PFOA-PFOS
PROC. METHOD:	PFC_9-12-14234
CALIB. DATE:	9/12/14
RUN BATCH: SQ	234

ANALYST:	
SOLVENT A LOT #:	95/5 063121/039724
SOLVENT B LOT #:	054761
WATER LOT #:	063121
ISTD Lot #:	LC 460

DATA FILE	ALS #	SAMPLE ID	SAMPLE METHOD	OP BATCH	DF	SCON	ION RATIO	MANUAL INTS RATIONALE, PK #	COMMENTS
Q 69 32	1	CCB	PFC						—
Q 33	1	CCB							—
Q 34	2	STD check		LC475	2nd/500				—
Q 35	3	Spike check		LC474	LW/500				—
Q 36	4	IC 234-2.5		LC475	25/500			PDB	—
Q 37	5	-5.0			50/500				—
Q 38	6	-10.0			100/500				—
Q 39	7	ICC 234-20.0			200/500				—
Q 40	8	IC 234-30			300/500				—
Q 41	9	-40			400/500				—
Q 42	10	-50			1				MASS DNR
Q 43	4	ICV 234-~~20~~ 25		~~7047~~	~~5~~/500				
Q 44	11	ICV 234-20		LC474	40/500			SP	MASS
Q 45	12	ICV 234-20		7047	5/500				MASS
Q 46	1	CCB		—	—				
Q 47	13	OP53043-MB		53043	1				BDL
Q 48	14	-BS							✓
Q 49	15	FA11748-22							BDL
Q 50	16	FA17902-1							BDL
Q 57	17	FA17921-1							✓

Manual Integration Rationale SOP QA029: **MP** Missed Peak, **OP** Overlapping Peak, **SP** Split Peak, **PDB** Poorly Defined Baseline, **BR** Baseline Ripple, **PII** Poor Instrument Integration
All strikeouts must be initialed and dated. If correction was not due to a transcription error, then list the reason for correction.

LCMS1_Q_log.xls NF rev. 10/12

58 of 100

Analyst's Signature:

ACCUTEST LABORATORIES SE

DATE:	9/12/14
COLUMN TYPE:	Poroshell 120 C18
AMOUNT INJECTED:	7.5 ul
INSTRUMENT:	LCMS1-Q
HEAD PRESSURE:	4M

LCMS1-Q ANALYSIS LOG

METHODS:	PFOA . PFOS
ACQ. METHOD:	dMRM - PFOA.PFOS
PROC. METHOD:	PFC-9/2-SQ234
CALIB. DATE:	9/12/14
RUN BATCH: SQ	234

ANALYST:	MLE
SOLVENT A LOT #:	95/5 063121 / 034724
SOLVENT B LOT #:	054761
WATER LOT #:	063121
ISTD Lot #:	LC460

DATA FILE	ALS #	SAMPLE ID	SAMPLE METHOD	OP BATCH	DF	SCON	ION RATIO	MANUAL INTS RATIONALE, PK #	COMMENTS
Q 69 52	18	FA17921.2	PFC	53043	1			SP	—
Q 53	19	FA17922-1						SP	—
Q 54	20	op53043-MS							✓
Q 55	21	L -MSD							✓
Q 56	22	FA17922-2						SP	✓
Q 57	7	CC234-20		LC475	200/500				PASS
Q 58	1	CCB		—	—				
Q 59	23	FA17827-1		53043	20/500			SP	—
Q 60	24	L -1			5/500			SP	—
Q 61	7	ECC234-20		LC475	200/500				PASS
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									

Manual Integration Rationale SOP QA029: **MP** Missed Peak, **OP** Overlapping Peak, **SP** Split Peak, **PDB** Poorly Defined Baseline, **BR** Baseline Ripple, **PII** Poor Instrument Integration
All strikeouts must be initialed and dated. If correction was not due to a transcription error, then list the reason for correction.

LCMS1_Q_log.xls NF rev. 10/12

Analyst's Signature: MLEger

ACCUTEST LABORATORIES SE

DATE:	09-23-14
COLUMN TYPE:	Poroshell EC C18
AMOUNT INJECTED:	7.5 ul
INSTRUMENT:	LCMS1-Q
HEAD PRESSURE:	3446

LCMS1-Q ANALYSIS LOG

METHODS:	PFOA-PFOS
ACQ. METHOD:	AMAM -PFOA-PFOS
PROC. METHOD:	PFC 9in SA 234
CALIB. DATE:	09-12-14
RUN BATCH: SQ	241

ANALYST:	MAE NMS
SOLVENT A LOT #:	975 071546/025724
SOLVENT B LOT #:	VB 1052
WATER LOT #:	071546
ISTD Lot #:	LC460

DATA FILE	ALS #	SAMPLE ID	SAMPLE METHOD	OP BATCH	DF	SCON	ION RATIO	MANUAL INTS RATIONALE, PK #	COMMENTS
Q 0923-23	1	Std test	PFC	LC475	200/500				✓
Q 24	1	Std test	"	"	"				✓
Q 25	1	CC 234-20		LC475	200/500				Pass PFTrDA, PFTuDA ✓
Q 26	2	ccb			—				ND ✓
Q NMS 092414 27	3	OP53158-bs		OP53158	1x				✓
Q 28	4	-mb							ND
Q 29	5	FA16133-10							✓
Q 30	6	-11							✓
Q 31	7	-12							✓
Q 32	8	-13			"				✓
Q 33	9	-14			TO: 500 10x				✓
Q 34	10	-15		"	1x				✓
Q 35	2	CC 234-20		LC475	200/500				Pass
Q 36	1	ccb			—				ND ✓
Q 37	11	FA16147-1		OP53158	1x				✓
Q 38	12	-2							✓
Q 39	13	-3							✓ RR SSL
Q 40	14	OP53158-ms							✓
Q 41	15	-msd			"				✓
Q 42	2	CCC 234-20		LC475	200/500				Pass

Manual Integration Rationale SOP QA029: **MP** Missed Peak, **OP** Overlapping Peak, **SP** Split Peak, **PDB** Poorly Defined Baseline, **BR** Baseline Ripple, **PII** Poor Instrument Integration
All strikeouts must be initialed and dated. If correction was not due to a transcription error, then list the reason for correction.

LCMS1_Q_log.xls NF rev. 10/12

Analyst's Signature: [signature]

ACCUTEST LABORATORIES SE

DATE:	9/24/14
COLUMN TYPE:	Poroshell EC C18
AMOUNT INJECTED:	7.5 ul
INSTRUMENT:	LCMS1-Q
HEAD PRESSURE:	365

LCMS1-Q ANALYSIS LOG

METHODS:	PFOA_PFOS
ACQ. METHOD:	dmrm_PFOA_PFOS
PROC. METHOD:	PFC_912_SQ242
CALIB. DATE:	9/12/14
RUN BATCH: SQ	242

ANALYST:	MS / MPS
SOLVENT A LOT #:	95/5 081054L/025774
SOLVENT B LOT #:	081052
WATER LOT #:	071546
ISTD Lot #:	20 460

DATA FILE	ALS #	SAMPLE ID	SAMPLE METHOD	OP BATCH	DF	SCON	ION RATIO	MANUAL INTS RATIONALE, PK #	COMMENTS
Q 7143	1	ccb	PFC	—	—				
Q 44	1	ccb		—	—				
Q 45	2	cc234-20		LC475	200/500				PASS PFOS↑
Q 46	3	FA18247-3		OP53158	1x			SM	✓
Q 47	4	LC478 ISTD		LC478	1				✓
Q 48	2	cc234-20		LC475	200/500				PASS PFOS↑
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									
Q									

LC 09/24/14

Manual Integration Rationale SOP QA029: **MP** Missed Peak, **OP** Overlapping Peak, **SP** Split Peak, **PDB** Poorly Defined Baseline, **BR** Baseline Ripple, **PII** Poor Instrument Integration
All strikeouts must be initialed and dated. If correction was not due to a transcription error, then list the reason for correction.

LCMS1_Q_log.xls NF rev. 10/12

Analyst's Signature:

ACCUTEST LABORATORIES SE

SPE LIQUID SAMPLE PREP REPORT

Date/Time Started: 09/18/14 1000 {mm/dd/yy 24:00}

Date/Time Finished: 09/18/14 1430 {mm/dd/yy 24:00}

Prep Method: ~~3535A~~ or Method (circle)

Analytical Method: ~~8330~~ LC537 MB 09/18/14

Batch#: OP53158

Ext. By: MB Vialed By: MB

Sample ID	Bottle Number	Amount Extracted (ml)	Initial pH	Adjusted pH	Surrogate Amount	Spike Amount	Final Volume (ml)	Comments
OP 53158 MB	X	125	6	N/A	20ul		1.0ml	
OP53158 BS	X	125				80ul		
FA18133-10	1	120						
-11	1	120						
-12	1	125						
-13	1	125						
-14	1	120						
-15	1	120						
FA18247-1	1	120						
-2	1	120						
-3	1	125						
				MB				09/18/14
FA18247-3 MS	3	60	6	N/A	20ul	80ul	1.0ml	
-3 MSD	3	60	"	"	"	"	"	
DUP								

Comments:

Surr. ID: LC473A Conc: 1ppm Exp. Date: 03/10/15 Inj. By: MB Ver. By MB

Spk.1 ID: LC474 Conc: 250ppb Exp. Date: 03/12/15 Inj. By: MB Ver. By MB

Spk.2 ID: / Conc: / Exp. Date: / Inj. By: / Ver. By /

CH2CL2 Lot #: / Hexane Lot #: / Na2SO4 Lot#: /

Acetonitrile Lot #: / Methanol Lot # 054761 Water Lot# OP52648

Syringe Filter Lot#: / SPE Lot # ~~S30~~ S300-190 MB 09/18/14 Reagent #: /

Relinquished By: Date: 09/18/14

Accepted By: Date: 9/18/14

NF rev. 09/14/12 extwater_spe 091412.xls

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_N	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	4I15007-BLK1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	13:51:00	4I15007-BLK1	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BLK1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	13:51:00	4I15007-BLK1	1	1			2,4,6-Tribromophenol	118-79-6	87.7	87.7	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BLK1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	13:51:00	4I15007-BLK1	1	1			2-Fluorobiphenyl	321-60-8	63.8	63.8	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BLK1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	13:51:00	4I15007-BLK1	1	1			Terphenyl-d14	1718-51-0	82.7	82.7	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BS1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	14:18:00	4I15007-BS1	1	1			1,4-Dioxane	123-91-1	30.3	30.3	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.125	0.250	0.500	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BS1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	14:18:00	4I15007-BS1	1	1			2,4,6-Tribromophenol	118-79-6	90.9	90.9	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BS1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	14:18:00	4I15007-BS1	1	1			2-Fluorobiphenyl	321-60-8	73.6	73.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BS1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	14:18:00	4I15007-BS1	1	1			Terphenyl-d14	1718-51-0	86.9	86.9	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BSD1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	14:46:00	4I15007-BSD1	1	1			1,4-Dioxane	123-91-1	28.9	28.9	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.125	0.250	0.500	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BSD1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	14:46:00	4I15007-BSD1	1	1			2,4,6-Tribromophenol	118-79-6	91.6	91.6	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BSD1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	14:46:00	4I15007-BSD1	1	1			2-Fluorobiphenyl	321-60-8	72.6	72.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15007-BSD1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/15/2014 11:32	09/15/2014			20140915	11:32:00	20140916	14:46:00	4I15007-BSD1	1	1			Terphenyl-d14	1718-51-0	87.4	87.4	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Bromofluorobenzene	460-00-4	88.2	88.2	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Dibromofluoromethane	1868-53-7	98.5	98.5	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Toluene-d8	2037-26-5	100	100	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			1,1,1-Trichloroethane	71-55-6	94.0	94.0	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			1,1-Dichloroethene	75-35-4	89.8	89.8	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			1,2-Dichloroethane	107-06-2	89.8	89.8	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	99.4	99.4	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Benzene	71-43-2	90.8	90.8	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Bromofluorobenzene	460-00-4	93.8	93.8	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	87.3	87.3	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Dibromofluoromethane	1868-53-7	98.1	98.1	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Ethylbenzene	100-41-4	94.1	94.1	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			m- and p-Xylene	m&pXylene	94.5	94.5	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			o-Xylene	95-47-6	94.4	94.4	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Tetrachloroethene	127-18-4	89.6	89.6	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Toluene	108-88-3	93.1	93.1	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	89.6	89.6	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Trichloroethene	79-01-6	89.0	89.0	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Vinyl chloride	75-01-4	115	115	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	105	105	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			Bromofluorobenzene	460-00-4	93.3	93.3	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			Dibromofluoromethane	1868-53-7	103	103	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			Toluene-d8	2037-26-5	96.8	96.8	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:47	09/16/2014			20140916	09:47:00	20140916	09:47:00	4I16008-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			1,1,1-Trichloroethane	71-55-6	88.7	88.7	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			1,1-Dichloroethene	75-35-4	95.7	95.7	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			1,2-Dichloroethane	107-06-2	93.4	93.4	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	94.8	94.8	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			Benzene	71-43-2	89.5	89.5	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			Bromofluorobenzene	460-00-4	95.0	95.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	98.1	98.1	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			Dibromofluoromethane	1868-53-7	98.9	98.9	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			Ethylbenzene	100-41-4	91.9	91.9	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			m- and p-Xylene	m&pXylene	93.5	93.5	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			o-Xylene	95-47-6	93.5	93.5	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			Tetrachloroethene	127-18-4	84.8	84.8	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			Toluene	108-88-3	96.4	96.4	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			Toluene-d8	2037-26-5	103	103	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	99.0	99.0	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			Trichloroethene	79-01-6	88.0	88.0	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I16008-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:56	09/16/2014			20140916	07:56:00	20140916	07:56:00	4I16008-BS1	1	1			Vinyl chloride	75-01-4	101	101	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	101	101	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Bromofluorobenzene	460-00-4	97.0	97.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Dibromofluoromethane	1868-53-7	101	101	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Toluene-d8	2037-26-5	95.9	95.9	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			1,1,1-Trichloroethane	71-55-6	98.7	98.7	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			1,1-Dichloroethene	75-35-4	106	106	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			1,2-Dichloroethane	107-06-2	96.0	96.0	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	100	100	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Benzene	71-43-2	89.1	89.1	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Bromofluorobenzene	460-00-4	98.7	98.7	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	93.1	93.1	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Dibromofluoromethane	1868-53-7	102	102	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Ethylbenzene	100-41-4	96.2	96.2	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			m- and p-Xylene	m&pXylene	91.3	91.3	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			o-Xylene	95-47-6	93.8	93.8	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Tetrachloroethene	127-18-4	102	102	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Toluene	108-88-3	95.4	95.4	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Toluene-d8	2037-26-5	99.7	99.7	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	92.8	92.8	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Trichloroethene	79-01-6	93.7	93.7	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Vinyl chloride	75-01-4	106	106	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			1,1,1-Trichloroethane	71-55-6	104	104	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			1,1-Dichloroethene	75-35-4	88.6	88.6	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			1,2-Dichloroethane	107-06-2	103	103	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			1,2-Dichloroethane-d4	17060-07-0	97.5	97.5	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Benzene	71-43-2	89.4	89.4	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Bromofluorobenzene	460-00-4	98.6	98.6	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			cis-1,2-Dichloroethene	156-59-2	89.8	89.8	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Dibromofluoromethane	1868-53-7	99.6	99.6	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Ethylbenzene	100-41-4	92.3	92.3	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			m- and p-Xylene	m&pXylene	90.5	90.5	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			o-Xylene	95-47-6	101	101	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Tetrachloroethene	127-18-4	95.7	95.7	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Toluene	108-88-3	96.8	96.8	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			trans-1,2-Dichloroethene	156-60-5	89.5	89.5	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Trichloroethene	79-01-6	94.6	94.6	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Vinyl chloride	75-01-4	116	116	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			cis-1,2-Dichloroethene	156-59-2	12.9	12.9	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			Vinyl chloride	75-01-4	11.8	11.8	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			cis-1,2-Dichloroethene	156-59-2	2.73	2.73	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			trans-1,2-Dichloroethene	156-60-5	0.280	0.280	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			Vinyl chloride	75-01-4	2.52	2.52	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_N	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_I	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140915	11:32:00	20140916	15:41:00	1409048-02	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:45	09/10/2014			20140918	10:00:00	20140923	13:19:00	FA18133-11	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.0108	0.0108	UG_L	J	J	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:45	09/10/2014			20140918	10:00:00	20140923	13:19:00	FA18133-11	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.0283	0.0283	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:45	09/10/2014			20140918	10:00:00	20140923	13:19:00	FA18133-11	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.063	0.063	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:45	09/10/2014			20140918	10:00:00	20140923	13:19:00	FA18133-11	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:45	09/10/2014			20140918	10:00:00	20140923	13:19:00	FA18133-11	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.111	0.111	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:45	09/10/2014			20140918	10:00:00	20140923	13:19:00	FA18133-11	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.0261	0.0261	UG_L	J	J	PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	11:32:00	20140916	15:13:00	1409048-01	1	1			1,4-Dioxane	123-91-1	0.263	0.263	UG_L	U	U	MS	TRG									4.1	0.132	0.263	0.526	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140915	11:32:00	20140916	20:12:00	1409048-13	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			1,2-Dichloroethane-d4	17060-07-0	97.2	97.2	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			1,2-Dichloroethane-d4	17060-07-0	97.8	97.8	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			1,2-Dichloroethane-d4	17060-07-0	99.1	99.1	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			1,2-Dichloroethane-d4	17060-07-0	100	100	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			1,2-Dichloroethane-d4	17060-07-0	94.8	94.8	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 14:55	09/10/2014			20140916	14:18:00	20140916	14:18:00	1409048-07	1	1			1,2-Dichloroethane-d4	17060-07-0	101	101	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			1,2-Dichloroethane-d4	17060-07-0	96.4	96.4	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			1,2-Dichloroethane-d4	17060-07-0	99.4	99.4	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			1,2-Dichloroethane-d4	17060-07-0	97.2	97.2	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			1,2-Dichloroethane-d4	17060-07-0	105	105	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			1,2-Dichloroethane-d4	17060-07-0	96.4	96.4	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			1,2-Dichloroethane-d4	17060-07-0	96.4	96.4	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140915	11:32:00	20140916	15:41:00	1409048-02	1	1			2,4,6-Tribromophenol	118-79-6	84.8	84.8	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	11:32:00	20140916	15:13:00	1409048-01	1	1			2,4,6-Tribromophenol	118-79-6	86.6	86.6	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0526	0.211	0.421	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:25	09/10/2014			20140915	11:32:00	20140916	17:30:00	1409048-06	1	1			2,4,6-Tribromophenol	118-79-6	83.1	83.1	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140915	11:32:00	20140916	17:02:00	1409048-05	1	1			2,4,6-Tribromophenol	118-79-6	83.0	83.0	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140915	11:32:00	20140916	16:08:00	1409048-03	1	1			2,4,6-Tribromophenol	118-79-6	85.2	85.2	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0472	0.189	0.377	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140915	11:32:00	20140916	18:51:00	1409048-09	1	1			2,4,6-Tribromophenol	118-79-6	94.8	94.8	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140915	11:32:00	20140916	19:18:00	1409048-10	1	1			2,4,6-Tribromophenol	118-79-6	91.2	91.2	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140915	11:32:00	20140916	16:35:00	1409048-04	1	1			2,4,6-Tribromophenol	118-79-6	84.9	84.9	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140915	11:32:00	20140916	18:24:00	1409048-08	1	1			2,4,6-Tribromophenol	118-79-6	88.6	88.6	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0472	0.189	0.377	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 14:55	09/10/2014			20140915	11:32:00	20140916	17:57:00	1409048-07	1	1			2,4,6-Tribromophenol	118-79-6	79.7	79.7	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140915	11:32:00	20140916	19:45:00	1409048-12	1	1			2,4,6-Tribromophenol	118-79-6	93.6	93.6	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140915	11:32:00	20140916	20:12:00	1409048-13	1	1			2,4,6-Tribromophenol	118-79-6	91.1	91.1	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140915	11:32:00	20140916	15:41:00	1409048-02	1	1			2-Fluorobiphenyl	321-60-8	63.0	63.0	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	11:32:00	20140916	15:13:00	1409048-01	1	1			2-Fluorobiphenyl	321-60-8	66.6	66.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0526	0.105	0.211	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:25	09/10/2014			20140915	11:32:00	20140916	17:30:00	1409048-06	1	1			2-Fluorobiphenyl	321-60-8	54.1	54.1	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140915	11:32:00	20140916	17:02:00	1409048-05	1	1			2-Fluorobiphenyl	321-60-8	56.3	56.3	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140915	11:32:00	20140916	16:08:00	1409048-03	1	1			2-Fluorobiphenyl	321-60-8	64.4	64.4	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0472	0.0943	0.189	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140915	11:32:00	20140916	18:51:00	1409048-09	1	1			2-Fluorobiphenyl	321-60-8	70.8	70.8	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140915	11:32:00	20140916	19:18:00	1409048-10	1	1			2-Fluorobiphenyl	321-60-8	65.3	65.3	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140915	11:32:00	20140916	16:35:00	1409048-04	1	1			2-Fluorobiphenyl	321-60-8	60.8	60.8	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140915	11:32:00	20140916	18:24:00	1409048-08	1	1			2-Fluorobiphenyl	321-60-8	63.3	63.3	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0472	0.0943	0.189	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 14:55	09/10/2014			20140915	11:32:00	20140916	17:57:00	1409048-07	1	1			2-Fluorobiphenyl	321-60-8	55.9	55.9	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140915	11:32:00	20140916	19:45:00	1409048-12	1	1			2-Fluorobiphenyl	321-60-8	70.0	70.0	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140915	11:32:00	20140916	20:12:00	1409048-13	1	1			2-Fluorobiphenyl	321-60-8	69.8	69.8	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			Bromofluorobenzene	460-00-4	90.8	90.8	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			Bromofluorobenzene	460-00-4	93.6	93.6	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			Bromofluorobenzene	460-00-4	89.9	89.9	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			Bromofluorobenzene	460-00-4	87.2	87.2	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			Bromofluorobenzene	460-00-4	88.5	88.5	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			Bromofluorobenzene	460-00-4	90.0	90.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 14:55	09/10/2014			20140916	14:18:00	20140916	14:18:00	1409048-07	1	1			Bromofluorobenzene	460-00-4	91.9	91.9	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			Bromofluorobenzene	460-00-4	88.1	88.1	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			Bromofluorobenzene	460-00-4	94.0	94.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			Bromofluorobenzene	460-00-4	88.4	88.4	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			Bromofluorobenzene	460-00-4	91.0	91.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			Bromofluorobenzene	460-00-4	87.5	87.5	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			Bromofluorobenzene	460-00-4	92.5	92.5	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			cis-1,2-Dichloroethene	156-59-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:25	09/10/2014			20140918	10:00:00	20140923	13:00:00	FA18133-10	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			Trichloroethene	79-01-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			Vinyl chloride	75-01-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:25	09/10/2014			20140918	10:00:00	20140923	13:00:00	FA18133-10	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			cis-1,2-Dichloroethene	156-59-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			Trichloroethene	79-01-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			Vinyl chloride	75-01-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			cis-1,2-Dichloroethene	156-59-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			Trichloroethene	79-01-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			Vinyl chloride	75-01-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			Dibromofluoromethane	1868-53-7	96.3	96.3	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			Dibromofluoromethane	1868-53-7	98.9	98.9	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			Dibromofluoromethane	1868-53-7	98.2	98.2	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			Dibromofluoromethane	1868-53-7	104	104	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			Dibromofluoromethane	1868-53-7	98.4	98.4	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			Dibromofluoromethane	1868-53-7	99.0	99.0	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 14:55	09/10/2014			20140916	14:18:00	20140916	14:18:00	1409048-07	1	1			Dibromofluoromethane	1868-53-7	103	103	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			Dibromofluoromethane	1868-53-7	99.0	99.0	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			Dibromofluoromethane	1868-53-7	104	104	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			Dibromofluoromethane	1868-53-7	101	101	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			Dibromofluoromethane	1868-53-7	110	110	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			Dibromofluoromethane	1868-53-7	100	100	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			Dibromofluoromethane	1868-53-7	100	100	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			1,2-Dichloroethane	107-06-2	0.261	0.261	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			Benzene	71-43-2	0.305	0.305	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			cis-1,2-Dichloroethene	156-59-2	13.6	13.6	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			trans-1,2-Dichloroethene	156-60-5	0.771	0.771	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			Vinyl chloride	75-01-4	23.1	23.1	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			Toluene	108-88-3	0.310	0.310	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140915	11:32:00	20140916	15:41:00	1409048-02	1	1			Terphenyl-d14	1718-51-0	81.1	81.1	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	11:32:00	20140916	15:13:00	1409048-01	1	1			Terphenyl-d14	1718-51-0	80.3	80.3	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0526	0.105	0.211	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:25	09/10/2014			20140915	11:32:00	20140916	17:30:00	1409048-06	1	1			Terphenyl-d14	1718-51-0	76.0	76.0	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140915	11:32:00	20140916	17:02:00	1409048-05	1	1			Terphenyl-d14	1718-51-0	74.2	74.2	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140915	11:32:00	20140916	16:08:00	1409048-03	1	1			Terphenyl-d14	1718-51-0	76.2	76.2	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0472	0.0943	0.189	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140915	11:32:00	20140916	18:51:00	1409048-09	1	1			Terphenyl-d14	1718-51-0	79.1	79.1	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140915	11:32:00	20140916	19:18:00	1409048-10	1	1			Terphenyl-d14	1718-51-0	81.0	81.0	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140915	11:32:00	20140916	16:35:00	1409048-04	1	1			Terphenyl-d14	1718-51-0	76.3	76.3	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140915	11:32:00	20140916	18:24:00	1409048-08	1	1			Terphenyl-d14	1718-51-0	80.7	80.7	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0472	0.0943	0.189	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 14:55	09/10/2014			20140915	11:32:00	20140916	17:57:00	1409048-07	1	1			Terphenyl-d14	1718-51-0	74.5	74.5	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140915	11:32:00	20140916	19:45:00	1409048-12	1	1			Terphenyl-d14	1718-51-0	81.1	81.1	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140915	11:32:00	20140916	20:12:00	1409048-13	1	1			Terphenyl-d14	1718-51-0	86.1	86.1	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			cis-1,2-Dichloroethene	156-59-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409069	4I26202		

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_N	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_(	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			Trichloroethene	79-01-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			Vinyl chloride	75-01-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	NU	NU	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			cis-1,2-Dichloroethene	156-59-2	0.584	0.584	UG_L	DJ	DJ	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			Trichloroethene	79-01-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			Vinyl chloride	75-01-4	1.00	1.00	UG_L	NU	NU	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:45	09/10/2014			20140916	12:50:00	20140916	12:50:00	1409048-02	1	1			Toluene-d8	2037-26-5	95.8	95.8	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 12:25	09/10/2014			20140915	18:37:00	20140915	18:37:00	1409048-01	1	1			Toluene-d8	2037-26-5	96.1	96.1	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I25905		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			Toluene-d8	2037-26-5	103	103	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			Toluene-d8	2037-26-5	96.2	96.2	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			Toluene-d8	2037-26-5	97.7	97.7	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			Toluene-d8	2037-26-5	96.2	96.2	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 14:55	09/10/2014			20140916	14:18:00	20140916	14:18:00	1409048-07	1	1			Toluene-d8	2037-26-5	97.0	97.0	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			Toluene-d8	2037-26-5	98.5	98.5	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 16:00	09/10/2014			20140916	11:26:00	20140916	11:26:00	1409048-13	1	1			Toluene-d8	2037-26-5	99.6	99.6	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB090914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 10:00	09/10/2014			20140916	10:43:00	20140916	10:43:00	1409048-11	1	1			Toluene-d8	2037-26-5	101	101	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/09/2014 13:25	09/10/2014			20140918	18:03:00	20140918	18:03:00	1409048-06	2	1			Toluene-d8	2037-26-5	93.1	93.1	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140916	18:17:00	20140916	18:17:00	1409048-05	2	1			Toluene-d8	2037-26-5	95.4	95.4	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	1	1			Toluene-d8	2037-26-5	101	101	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			cis-1,2-Dichloroethene	156-59-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			trans-1,2-Dichloroethene	156-60-5	0.551	0.551	UG_L	DJ	DJ	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			Trichloroethene	79-01-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			Vinyl chloride	75-01-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:25	09/10/2014			20140918	10:00:00	20140923	13:00:00	FA18133-10	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	101	101	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			Bromofluorobenzene	460-00-4	103	103	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			Dibromofluoromethane	1868-53-7	104	104	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			Toluene-d8	2037-26-5	104	104	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 12:29	09/15/2014			20140915	12:29:00	20140915	12:29:00	4I15013-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			1,1,1-Trichloroethane	71-55-6	102	102	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			1,1-Dichloroethene	75-35-4	80.3	80.3	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			1,2-Dichloroethane	107-06-2	92.6	92.6	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	97.5	97.5	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			Benzene	71-43-2	99.4	99.4	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			Bromofluorobenzene	460-00-4	104	104	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	91.7	91.7	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			Dibromofluoromethane	1868-53-7	94.5	94.5	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			Ethylbenzene	100-41-4	103	103	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			m- and p-Xylene	m&pXylene	102	102	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			o-Xylene	95-47-6	101	101	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			Tetrachloroethene	127-18-4	117	117	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			Toluene	108-88-3	107	107	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			Toluene-d8	2037-26-5	105	105	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	86.1	86.1	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			Trichloroethene	79-01-6	102	102	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I15013-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 10:34	09/15/2014			20140915	10:34:00	20140915	10:34:00	4I15013-BS1	1	1			Vinyl chloride	75-01-4	103	103	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BLK2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	16:05:00	4I16007-BLK2	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BLK2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	16:05:00	4I16007-BLK2	1	1			2,4,6-Tribromophenol	118-79-6	74.3	74.3	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BLK2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	16:05:00	4I16007-BLK2	1	1			2-Fluorobiphenyl	321-60-8	65.2	65.2	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BLK2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	16:05:00	4I16007-BLK2	1	1			Terphenyl-d14	1718-51-0	78.0	78.0	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	16:34:00	4I16007-BS2	1	1			1,4-Dioxane	123-91-1	26.2	26.2	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.125	0.250	0.500	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	16:34:00	4I16007-BS2	1	1			2,4,6-Tribromophenol	118-79-6	81.1	81.1	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	16:34:00	4I16007-BS2	1	1			2-Fluorobiphenyl	321-60-8	72.8	72.8	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	16:34:00	4I16007-BS2	1	1			Terphenyl-d14	1718-51-0	78.7	78.7	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	17:07:00	4I16007-BSD2	1	1			1,4-Dioxane	123-91-1	26.8	26.8	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.125	0.250	0.500	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	17:07:00	4I16007-BSD2	1	1			2,4,6-Tribromophenol	118-79-6	84.2	84.2	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	17:07:00	4I16007-BSD2	1	1			2-Fluorobiphenyl	321-60-8	77.4	77.4	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16007-BSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/16/2014 11:42	09/16/2014			20140916	11:42:00	20140917	17:07:00	4I16007-BSD2	1	1			Terphenyl-d14	1718-51-0	80.8	80.8	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Bromofluorobenzene	460-00-4	106	106	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Dibromofluoromethane	1868-53-7	112	112	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			1,1,1-Trichloroethane	71-55-6	113	113	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			1,1-Dichloroethene	75-35-4	93.6	93.6	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			1,2-Dichloroethane	107-06-2	98.7	98.7	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Benzene	71-43-2	100	100	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Bromofluorobenzene	460-00-4	105	105	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	103	103	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Dibromofluoromethane	1868-53-7	104	104	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Ethylbenzene	100-41-4	103	103	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			m- and p-Xylene	m&pXylene	107	107	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			o-Xylene	95-47-6	101	101	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Tetrachloroethene	127-18-4	117	117	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Toluene	108-88-3	107	107	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Toluene-d8	2037-26-5	104	104	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	104	104	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Trichloroethene	79-01-6	105	105	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Vinyl chloride	75-01-4	124	124	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:25	09/10/2014			20140918	10:00:00	20140923	13:00:00	FA18133-10	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:25	09/10/2014			20140918	10:00:00	20140923	13:00:00	FA18133-10	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:25	09/10/2014			20140918	10:00:00	20140923	13:00:00	FA18133-10	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.033	0.033	UG_L	U	U	PR	TRG									4.1	0.017	0.033	0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	11:19:00	20140918	19:00:00	1409069-05	1	1			1,4-Dioxane	123-91-1	0.255	0.255	UG_L	U	U	MS	TRG									4.1	0.128	0.255	0.510	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140917	11:38:00	20140917	17:36:00	1409059-01	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			1,2-Dichloroethane-d4	17060-07-0	105	105	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			1,2-Dichloroethane-d4	17060-07-0	105	105	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			1,2-Dichloroethane-d4	17060-07-0	101	101	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			1,2-Dichloroethane-d4	17060-07-0	104	104	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140916	11:25:00	20140916	11:25:00	1409059-05	2	1			1,2-Dichloroethane-d4	17060-07-0	106	106	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	18:04:00	1409059-03	1	1			2,4,6-Tribromophenol	118-79-6	86.5	86.5	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140917	11:38:00	20140917	19:30:00	1409059-04	1	1			2,4,6-Tribromophenol	118-79-6	79.6	79.6	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140917	11:38:00	20140917	20:27:00	1409059-06	1	1			2,4,6-Tribromophenol	118-79-6	84.8	84.8	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140917	11:38:00	20140917	19:52:00	1409059-05	1	1			2,4,6-Tribromophenol	118-79-6	85.8	85.8	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140917	11:38:00	20140917	17:36:00	1409059-01	1	1			2,4,6-Tribromophenol	118-79-6	88.6	88.6	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	18:04:00	1409059-03	1	1			2-Fluorobiphenyl	321-60-8	71.8	71.8	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140917	11:38:00	20140917	19:30:00	1409059-04	1	1			2-Fluorobiphenyl	321-60-8	65.8	65.8	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140917	11:38:00	20140917	20:27:00	1409059-06	1	1			2-Fluorobiphenyl	321-60-8	68.6	68.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140917	11:38:00	20140917	19:52:00	1409059-05	1	1			2-Fluorobiphenyl	321-60-8	69.0	69.0	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140917	11:38:00	20140917	17:36:00	1409059-01	1	1			2-Fluorobiphenyl	321-60-8	74.3	74.3	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			Bromofluorobenzene	460-00-4	103	103	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			Bromofluorobenzene	460-00-4	105	105	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			Bromofluorobenzene	460-00-4	105	105	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			Bromofluorobenzene	460-00-4	104	104	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			Bromofluorobenzene	460-00-4	104	104	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140916	11:25:00	20140916	11:25:00	1409059-05	2	1			Bromofluorobenzene	460-00-4	105	105	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			Dibromofluoromethane	1868-53-7	106	106	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			Dibromofluoromethane	1868-53-7	113	113	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			Dibromofluoromethane	1868-53-7	115	115	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_N	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			1,1,1-Trichloroethane	71-55-6	117	117	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			1,1-Dichloroethene	75-35-4	90.9	90.9	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			1,2-Dichloroethane	107-06-2	106	106	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			1,2-Dichloroethane-d4	17060-07-0	95.6	95.6	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			Benzene	71-43-2	95.8	95.8	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			Bromofluorobenzene	460-00-4	109	109	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			cis-1,2-Dichloroethene	156-59-2	96.8	96.8	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			Dibromofluoromethane	1868-53-7	103	103	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			Ethylbenzene	100-41-4	100	100	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			m- and p-Xylene	m&pXylene	105	105	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			o-Xylene	95-47-6	102	102	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			Tetrachloroethene	127-18-4	108	108	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			Toluene	108-88-3	102	102	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			Toluene-d8	2037-26-5	99.8	99.8	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			trans-1,2-Dichloroethene	156-60-5	93.7	93.7	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			Trichloroethene	79-01-6	112	112	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140915	20:43:00	20140915	20:43:00	NBS01-A-MW15	1	1			Vinyl chloride	75-01-4	124	124	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	18:33:00	NBS01-A-MW15	1	1			1,4-Dioxane	123-91-1	23.0	23.0	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.120	0.240	0.481	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	18:33:00	NBS01-A-MW15	1	1			2,4,6-Tribromophenol	118-79-6	88.6	88.6	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	18:33:00	NBS01-A-MW15	1	1			2-Fluorobiphenyl	321-60-8	77.1	77.1	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	MS	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	18:33:00	NBS01-A-MW15	1	1			Terphenyl-d14	1718-51-0	81.8	81.8	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			1,1,1-Trichloroethane	71-55-6	113	113	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			1,1-Dichloroethene	75-35-4	90.4	90.4	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			1,2-Dichloroethane	107-06-2	105	105	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			1,2-Dichloroethane-d4	17060-07-0	98.3	98.3	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			Benzene	71-43-2	93.8	93.8	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			Bromofluorobenzene	460-00-4	107	107	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			cis-1,2-Dichloroethene	156-59-2	94.7	94.7	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			Dibromofluoromethane	1868-53-7	106	106	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			Ethylbenzene	100-41-4	95.4	95.4	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			m- and p-Xylene	m&pXylene	98.6	98.6	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			o-Xylene	95-47-6	97.7	97.7	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			Tetrachloroethene	127-18-4	94.0	94.0	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			Toluene	108-88-3	86.6	86.6	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			Toluene-d8	2037-26-5	90.3	90.3	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			trans-1,2-Dichloroethene	156-60-5	93.4	93.4	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			Trichloroethene	79-01-6	102	102	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140915	21:10:00	20140915	21:10:00	NBS01-A-MW15	1	1			Vinyl chloride	75-01-4	123	123	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	19:01:00	NBS01-A-MW15	1	1			1,4-Dioxane	123-91-1	24.7	24.7	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.123	0.245	0.490	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	19:01:00	NBS01-A-MW15	1	1			2,4,6-Tribromophenol	118-79-6	89.5	89.5	PCT_REC			MS	SURR		LSA	125	40	20080107				4.1	0.0490	0.196	0.392	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	19:01:00	NBS01-A-MW15	1	1			2-Fluorobiphenyl	321-60-8	78.7	78.7	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0490	0.0980	0.196	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15-MSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	MSD	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	19:01:00	NBS01-A-MW15	1	1			Terphenyl-d14	1718-51-0	82.7	82.7	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0490	0.0980	0.196	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			Dibromofluoromethane	1868-53-7	107	107	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			Dibromofluoromethane	1868-53-7	105	105	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140916	11:25:00	20140916	11:25:00	1409059-05	2	1			Dibromofluoromethane	1868-53-7	113	113	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			cis-1,2-Dichloroethene	156-59-2	1.50	1.50	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			trans-1,2-Dichloroethene	156-60-5	7.59	7.59	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			Vinyl chloride	75-01-4	84.9	84.9	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			1,2-Dichloroethane	107-06-2	3.12	3.12	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			Benzene	71-43-2	0.881	0.881	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			cis-1,2-Dichloroethene	156-59-2	94.1	94.1	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			trans-1,2-Dichloroethene	156-60-5	0.883	0.883	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			Trichloroethene	79-01-6	0.255	0.255	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140916	13:17:00	20140916	13:17:00	1409048-03	1	1			Vinyl chloride	75-01-4	49.7	49.7	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			Toluene	108-88-3	0.345	0.345	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			cis-1,2-Dichloroethene	156-59-2	12.2	12.2	UG_L	D	D	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			Trichloroethene	79-01-6	1.74	1.74	UG_L	DJ	DJ	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140916	16:07:00	20140916	16:07:00	1409048-09	2	1			Vinyl chloride	75-01-4	7.63	7.63	UG_L	D	D	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	18:04:00	1409059-03	1	1			Terphenyl-d14	1718-51-0	80.6	80.6	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140917	11:38:00	20140917	19:30:00	1409059-04	1	1			Terphenyl-d14	1718-51-0	75.9	75.9	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140917	11:38:00	20140917	20:27:00	1409059-06	1	1			Terphenyl-d14	1718-51-0	77.5	77.5	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140917	11:38:00	20140917	19:52:00	1409059-05	1	1			Terphenyl-d14	1718-51-0	80.4	80.4	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140917	11:38:00	20140917	17:36:00	1409059-01	1	1			Terphenyl-d14	1718-51-0	87.4	87.4	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			cis-1,2-Dichloroethene	156-59-2	0.861	0.861	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140916	16:35:00	20140916	16:35:00	1409048-10	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			Toluene-d8	2037-26-5	103	103	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			Toluene-d8	2037-26-5	101	101	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 17:00	09/11/2014			20140915	13:23:00	20140915	13:23:00	1409059-01	1	1			Toluene-d8	2037-26-5	106	106	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091014	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 08:00	09/11/2014			20140915	12:56:00	20140915	12:56:00	1409059-02	1	1			Toluene-d8	2037-26-5	106	106	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140916	11:25:00	20140916	11:25:00	1409059-05	2	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409059	4I26001		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	96.9	96.9	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			Bromofluorobenzene	460-00-4	91.6	91.6	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			Dibromofluoromethane	1868-53-7	98.9	98.9	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			Toluene-d8	2037-26-5	99.5	99.5	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/12/2014 11:05	09/12/2014			20140912	11:05:00	20140912	11:05:00	4I12006-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			1,1,1-Trichloroethane	71-55-6	91.3	91.3	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			1,1-Dichloroethene	75-35-4	87.2	87.2	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			1,2-Dichloroethane	107-06-2	91.7	91.7	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	95.5	95.5	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			Benzene	71-43-2	90.7	90.7	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			Bromofluorobenzene	460-00-4	96.0	96.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	87.6	87.6	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			Dibromofluoromethane	1868-53-7	96.1	96.1	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			Ethylbenzene	100-41-4	96.7	96.7	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			m- and p-Xylene	m&pXylene	95.7	95.7	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			o-Xylene	95-47-6	95.9	95.9	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			Tetrachloroethene	127-18-4	87.0	87.0	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			Toluene	108-88-3	94.5	94.5	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	89.2	89.2	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			Trichloroethene	79-01-6	89.5	89.5	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I12006-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/12/2014 08:41	09/12/2014			20140912	08:41:00	20140912	08:41:00	4I12006-BS1	1	1			Vinyl chloride	75-01-4	105	105	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Bromofluorobenzene	460-00-4	88.2	88.2	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Dibromofluoromethane	1868-53-7	98.5	98.5	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Toluene-d8	2037-26-5	100	100	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/15/2014 15:22	09/15/2014			20140915	15:22:00	20140915	15:22:00	4I15014-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			1,1,1-Trichloroethane	71-55-6	94.0	94.0	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_M	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			1,1-Dichloroethene	75-35-4	89.8	89.8	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			1,2-Dichloroethane	107-06-2	89.8	89.8	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	99.4	99.4	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Benzene	71-43-2	90.8	90.8	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Bromofluorobenzene	460-00-4	93.8	93.8	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	87.3	87.3	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Dibromofluoromethane	1868-53-7	98.1	98.1	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Ethylbenzene	100-41-4	94.1	94.1	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			m- and p-Xylene	m&pXylene	94.5	94.5	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			o-Xylene	95-47-6	94.4	94.4	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Tetrachloroethene	127-18-4	89.6	89.6	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Toluene	108-88-3	93.1	93.1	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	89.6	89.6	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Trichloroethene	79-01-6	89.0	89.0	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	4I15014-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/15/2014 11:11	09/15/2014			20140915	11:11:00	20140915	11:11:00	4I15014-BS1	1	1			Vinyl chloride	75-01-4	115	115	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			1,2-Dichloroethane-d4	17060-07-0	98.0	98.0	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			1,2-Dichloroethane-d4	17060-07-0	99.3	99.3	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			1,2-Dichloroethane-d4	17060-07-0	93.1	93.1	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			1,2-Dichloroethane-d4	17060-07-0	98.1	98.1	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			1,2-Dichloroethane-d4	17060-07-0	98.9	98.9	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			1,2-Dichloroethane-d4	17060-07-0	94.7	94.7	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			1,2-Dichloroethane-d4	17060-07-0	98.1	98.1	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			Bromofluorobenzene	460-00-4	90.6	90.6	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			Bromofluorobenzene	460-00-4	91.1	91.1	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			Bromofluorobenzene	460-00-4	89.6	89.6	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			Bromofluorobenzene	460-00-4	94.3	94.3	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			Bromofluorobenzene	460-00-4	91.8	91.8	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			Bromofluorobenzene	460-00-4	90.0	90.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			Bromofluorobenzene	460-00-4	91.1	91.1	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			Dibromofluoromethane	1868-53-7	98.8	98.8	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			Dibromofluoromethane	1868-53-7	102	102	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			Dibromofluoromethane	1868-53-7	101	101	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			Dibromofluoromethane	1868-53-7	99.0	99.0	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			Dibromofluoromethane	1868-53-7	101	101	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			Dibromofluoromethane	1868-53-7	97.1	97.1	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			Dibromofluoromethane	1868-53-7	97.2	97.2	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			1,1,1-Trichloroethane	71-55-6	94.4	94.4	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			1,1-Dichloroethene	75-35-4	92.3	92.3	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			1,2-Dichloroethane	107-06-2	94.6	94.6	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			1,2-Dichloroethane-d4	17060-07-0	99.8	99.8	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			Benzene	71-43-2	94.5	94.5	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			Bromofluorobenzene	460-00-4	92.6	92.6	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			cis-1,2-Dichloroethene	156-59-2	91.2	91.2	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			Dibromofluoromethane	1868-53-7	98.0	98.0	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			Ethylbenzene	100-41-4	95.5	95.5	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			m- and p-Xylene	m&pXylene	94.0	94.0	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			o-Xylene	95-47-6	94.4	94.4	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			Tetrachloroethene	127-18-4	82.6	82.6	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			Toluene	108-88-3	91.2	91.2	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			Toluene-d8	2037-26-5	98.3	98.3	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			trans-1,2-Dichloroethene	156-60-5	91.0	91.0	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			Trichloroethene	79-01-6	88.5	88.5	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MS	W	4	09/11/2014 08:00	09/12/2014			20140915	12:06:00	20140915	12:06:00	NBS01-B-GW42	1	1			Vinyl chloride	75-01-4	103	103	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			1,1,1-Trichloroethane	71-55-6	98.9	98.9	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			1,1-Dichloroethene	75-35-4	95.9	95.9	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			1,2-Dichloroethane	107-06-2	94.9	94.9	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			1,2-Dichloroethane-d4	17060-07-0	100	100	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			Benzene	71-43-2	98.3	98.3	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			Bromofluorobenzene	460-00-4	91.5	91.5	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			cis-1,2-Dichloroethene	156-59-2	95.9	95.9	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			Dibromofluoromethane	1868-53-7	99.5	99.5	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			Ethylbenzene	100-41-4	96.4	96.4	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			m- and p-Xylene	m&pXylene	95.8	95.8	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			o-Xylene	95-47-6	93.4	93.4	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			Tetrachloroethene	127-18-4	87.9	87.9	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			Toluene	108-88-3	95.5	95.5	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			Toluene-d8	2037-26-5	100	100	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			trans-1,2-Dichloroethene	156-60-5	97.1	97.1	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			Trichloroethene	79-01-6	92.8	92.8	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914-MSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	MSD	W	4	09/11/2014 08:00	09/12/2014			20140915	12:34:00	20140915	12:34:00	NBS01-B-GW42	1	1			Vinyl chloride	75-01-4	108	108	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409067	4I25905		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			Toluene-d8	2037-26-5	99.3	99.3	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			Toluene-d8	2037-26-5	101	101	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			Toluene-d8	2037-26-5	98.0	98.0	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			Toluene-d8	2037-26-5	101	101	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			Toluene-d8	2037-26-5	100	100	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			Toluene-d8	2037-26-5	101	101	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			Toluene-d8	2037-26-5	101	101	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			1,2-Dichloroethane	107-06-2	0.807	0.807	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			cis-1,2-Dichloroethene	156-59-2	10.3	10.3	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			Vinyl chloride	75-01-4	17.8	17.8	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			1,2-Dichloroethane	107-06-2	0.740	0.740	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			cis-1,2-Dichloroethene	156-59-2	9.94	9.94	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			Vinyl chloride	75-01-4	14.0	14.0	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140916	13:50:00	20140916	13:50:00	1409048-04	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			cis-1,2-Dichloroethene	156-59-2	1.68	1.68	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			1,2-Dichloroethane	107-06-2	0.541	0.541	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			cis-1,2-Dichloroethene	156-59-2	6.97	6.97	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140915	13:51:00	20140915	13:51:00	1409059-03	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I25908		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140916	10:58:00	20140916	10:58:00	1409059-04	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			1,1-Dichloroethene	75-35-4	0.435	0.435	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			1,2-Dichloroethane	107-06-2	1.45	1.45	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			Benzene	71-43-2	0.595	0.595	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			cis-1,2-Dichloroethene	156-59-2	45.2	45.2	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			Trichloroethene	79-01-6	0.522	0.522	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			Vinyl chloride	75-01-4	5.90	5.90	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_N	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Bromofluorobenzene	460-00-4	106	106	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Dibromofluoromethane	1868-53-7	112	112	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/16/2014 09:35	09/16/2014			20140916	09:35:00	20140916	09:35:00	4I16009-BLK1	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			1,1,1-Trichloroethane	71-55-6	113	113	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			1,1-Dichloroethene	75-35-4	93.6	93.6	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			1,2-Dichloroethane	107-06-2	98.7	98.7	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Benzene	71-43-2	100	100	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Bromofluorobenzene	460-00-4	105	105	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	103	103	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Dibromofluoromethane	1868-53-7	104	104	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Ethylbenzene	100-41-4	103	103	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			m- and p-Xylene	m&pXylene	107	107	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			o-Xylene	95-47-6	101	101	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Tetrachloroethene	127-18-4	117	117	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Toluene	108-88-3	107	107	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Toluene-d8	2037-26-5	104	104	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	104	104	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Trichloroethene	79-01-6	105	105	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I16009-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/16/2014 07:42	09/16/2014			20140916	07:42:00	20140916	07:42:00	4I16009-BS1	1	1			Vinyl chloride	75-01-4	124	124	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	4I17013-BLK1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/18/2014 11:19	09/18/2014			20140918	11:19:00	20140918	14:55:00	4I17013-BLK1	1	1			2,4,6-Tribromophenol	118-79-6	101	101	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	4I17013-BLK1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/18/2014 11:19	09/18/2014			20140918	11:19:00	20140918	14:55:00	4I17013-BLK1	1	1			2-Fluorobiphenyl	321-60-8	83.6	83.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	4I17013-BLK1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/18/2014 11:19	09/18/2014			20140918	11:19:00	20140918	14:55:00	4I17013-BLK1	1	1			Terphenyl-d14	1718-51-0	92.1	92.1	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	4I17013-BLK1	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/18/2014 11:19	09/18/2014			20140918	11:19:00	20140918	14:55:00	4I17013-BLK1	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	4I17013-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/18/2014 11:19	09/18/2014			20140918	11:19:00	20140918	15:22:00	4I17013-BS2	1	1			1,4-Dioxane	123-91-1	32.4	32.4	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.125	0.250	0.500	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	4I17013-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/18/2014 11:19	09/18/2014			20140918	11:19:00	20140918	15:22:00	4I17013-BS2	1	1			2,4,6-Tribromophenol	118-79-6	104	104	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	4I17013-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/18/2014 11:19	09/18/2014			20140918	11:19:00	20140918	15:22:00	4I17013-BS2	1	1			2-Fluorobiphenyl	321-60-8	87.9	87.9	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	4I17013-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/18/2014 11:19	09/18/2014			20140918	11:19:00	20140918	15:22:00	4I17013-BS2	1	1			Terphenyl-d14	1718-51-0	91.0	91.0	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	101	101	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Bromofluorobenzene	460-00-4	97.0	97.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Dibromofluoromethane	1868-53-7	101	101	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/18/2014 11:05	09/18/2014			20140918	11:05:00	20140918	11:05:00	4I18011-BLK1	1	1			Toluene-d8	2037-26-5	95.9	95.9	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			1,1,1-Trichloroethane	71-55-6	98.7	98.7	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			1,1-Dichloroethene	75-35-4	106	106	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			1,2-Dichloroethane	107-06-2	96.0	96.0	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	100	100	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Benzene	71-43-2	89.1	89.1	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Bromofluorobenzene	460-00-4	98.7	98.7	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	93.1	93.1	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Dibromofluoromethane	1868-53-7	102	102	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Ethylbenzene	100-41-4	96.2	96.2	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			m- and p-Xylene	m&pXylene	91.3	91.3	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			o-Xylene	95-47-6	93.8	93.8	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Tetrachloroethene	127-18-4	102	102	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Toluene	108-88-3	95.4	95.4	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Toluene-d8	2037-26-5	99.7	99.7	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	92.8	92.8	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Trichloroethene	79-01-6	93.7	93.7	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/18/2014 08:45	09/18/2014			20140918	08:45:00	20140918	08:45:00	4I18011-BS1	1	1			Vinyl chloride	75-01-4	106	106	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			1,1,1-Trichloroethane	71-55-6	104	104	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			1,1-Dichloroethene	75-35-4	88.6	88.6	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			1,2-Dichloroethane	107-06-2	103	103	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			1,2-Dichloroethane-d4	17060-07-0	97.5	97.5	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Benzene	71-43-2	89.4	89.4	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Bromofluorobenzene	460-00-4	98.6	98.6	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			cis-1,2-Dichloroethene	156-59-2	89.8	89.8	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Dibromofluoromethane	1868-53-7	99.6	99.6	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Ethylbenzene	100-41-4	92.3	92.3	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			m- and p-Xylene	m&pXylene	90.5	90.5	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			o-Xylene	95-47-6	101	101	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Tetrachloroethene	127-18-4	95.7	95.7	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Toluene	108-88-3	96.8	96.8	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			trans-1,2-Dichloroethene	156-60-5	89.5	89.5	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Trichloroethene	79-01-6	94.6	94.6	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I18011-BSD1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BSD	W	4	09/18/2014 18:59	09/18/2014			20140918	18:59:00	20140918	18:59:00	4I18011-BSD1	1	1			Vinyl chloride	75-01-4	116	116	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Bromofluorobenzene	460-00-4	90.1	90.1	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Dibromofluoromethane	1868-53-7	103	103	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Toluene-d8	2037-26-5	109	109	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			1,1,1-Trichloroethane	71-55-6	104	104	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			1,1-Dichloroethene	75-35-4	107	107	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			1,2-Dichloroethane	107-06-2	99.7	99.7	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	100	100	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Benzene	71-43-2	92.0	92.0	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Bromofluorobenzene	460-00-4	90.4	90.4	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	95.3	95.3	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Dibromofluoromethane	1868-53-7	101	101	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Ethylbenzene	100-41-4	96.8	96.8	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			m- and p-Xylene	m&pXylene	92.9	92.9	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			o-Xylene	95-47-6	93.1	93.1	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Tetrachloroethene	127-18-4	92.6	92.6	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Toluene	108-88-3	87.3	87.3	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Toluene-d8	2037-26-5	90.5	90.5	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	92.1	92.1	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Trichloroethene	79-01-6	94.7	94.7	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Vinyl chloride	75-01-4	110	110	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140916	11:53:00	20140916	11:53:00	1409059-06	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			1,2-Dichloroethane	107-06-2	0.488	0.488	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			Benzene	71-43-2	0.310	0.310	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			cis-1,2-Dichloroethene	156-59-2	1.35	1.35	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			trans-1,2-Dichloroethene	156-60-5	0.505	0.505	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			Vinyl chloride	75-01-4	50.3	50.3	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:40	09/12/2014			20140918	10:00:00	20140923	15:58:00	FA18247-2	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.017	0.017	UG_L	J	J	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:40	09/12/2014			20140918	10:00:00	20140923	15:58:00	FA18247-2	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:40	09/12/2014			20140918	10:00:00	20140923	15:58:00	FA18247-2	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:40	09/12/2014			20140918	10:00:00	20140923	15:58:00	FA18247-2	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:40	09/12/2014			20140918	10:00:00	20140923	15:58:00	FA18247-2	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:40	09/12/2014			20140918	10:00:00	20140923	15:58:00	FA18247-2	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.033	0.033	UG_L	U	U	PR	TRG									4.1	0.017	0.033	0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 16:35	09/12/2014			20140918	11:19:00	20140918	18:33:00	1409069-04	1	1			1,4-Dioxane	123-91-1	0.231	0.231	UG_L	U	U	MS	TRG									4.1	0.116	0.231	0.463	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:35	09/12/2014			20140918	10:00:00	20140923	15:39:00	FA18247-1	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.0176	0.0176	UG_L	J	J	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:35	09/12/2014			20140918	10:00:00	20140923	15:39:00	FA18247-1	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00	1409048-08	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			1,2-Dichloroethane-d4	17060-07-0	112	112	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			1,2-Dichloroethane-d4	17060-07-0	100	100	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Sample_ID	Diluti	Run_I	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-08	1	1			1,2-Dichloroethane-d4	17060-07-0	108	108	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	1409069-11	1	1			1,2-Dichloroethane-d4	17060-07-0	97.3	97.3	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-09	1	1			1,2-Dichloroethane-d4	17060-07-0	98.0	98.0	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-10	1	1			1,2-Dichloroethane-d4	17060-07-0	103	103	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	1409069-12	1	1			1,2-Dichloroethane-d4	17060-07-0	107	107	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-02	2	1			1,2-Dichloroethane-d4	17060-07-0	104	104	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-03	2	1			1,2-Dichloroethane-d4	17060-07-0	98.0	98.0	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-06	2	1			1,2-Dichloroethane-d4	17060-07-0	101	101	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-07	2	1			1,2-Dichloroethane-d4	17060-07-0	96.6	96.6	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	1409048-08	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONE	VOA	8260B	VOA	ELABT	1409048-08	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			cis-1,2-Dichloroethene	156-59-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			Trichloroethene	79-01-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONE	VOA	8260B	VOA	ELABT	1409059-05	2	1			Vinyl chloride	75-01-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409059	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	1409069-12	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	1	1			1,2-Dichloroethane-d4	17060-07-0	97.3	97.3	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	1	1			Bromofluorobenzene	460-00-4	109	109	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	1	1			Dibromofluoromethane	1868-53-7	113	113	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	1	1			Toluene-d8	2037-26-5	99.0	99.0	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			1,1,1-Trichloroethane	71-55-6	131	131	PCT	D	D	MS	TRG		LSA	130	65	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			1,1-Dichloroethene	75-35-4	111	111	PCT	D	D	MS	TRG		LSA	130	70	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			1,2-Dichloroethane	107-06-2	117	117	PCT	D	D	MS	TRG		LSA	130	70	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Benzene	71-43-2	102	102	PCT	D	D	MS	TRG		LSA	120	80	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			cis-1,2-Dichloroethene	156-59-2	105	105	PCT	D	D	MS	TRG		LSA	125	70	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Ethylbenzene	100-41-4	105	105	PCT	D	D	MS	TRG		LSA	125	75	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			m- and p-Xylene	m&pXylene	109	109	PCT	D	D	MS	TRG		LSA	130	75	20080107				4.1	1.00	2.00	4.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			o-Xylene	95-47-6	108	108	PCT	D	D	MS	TRG		LSA	120	80	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Tetrachloroethene	127-18-4	113	113	PCT	D	D	MS	TRG		LSA	150	45	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Toluene	108-88-3	104	104	PCT	D	D	MS	TRG		LSA	120	75	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			trans-1,2-Dichloroethene	156-60-5	107	107	PCT	D	D	MS	TRG		LSA	140	60	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Trichloroethene	79-01-6	116	116	PCT	D	D	MS	TRG		LSA	125	70	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Vinyl chloride	75-01-4	135	135	PCT	D	D	MS	TRG		LSA	145	50	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONS	SVOA	8270D	SVOA	ELABT	NBS01-A1-MW8	1	1			1,4-Dioxane	123-91-1	24.2	24.2	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.125	0.250	0.500	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONS	SVOA	8270D	SVOA	ELABT	NBS01-A1-MW8	1	1			2,4,6-Tribromophenol	118-79-6	96.3	96.3	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONS	SVOA	8270D	SVOA	ELABT	NBS01-A1-MW8	1	1			2-Fluorobiphenyl	321-60-8	80.4	80.4	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MS1	NONS	SVOA	8270D	SVOA	ELABT	NBS01-A1-MW8	1	1			Terphenyl-d14	1718-51-0	80.0	80.0	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	1	1			1,2-Dichloroethane-d4	17060-07-0	97.1	97.1	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	1	1			Bromofluorobenzene	460-00-4	109	109	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	1	1			Dibromofluoromethane	1868-53-7	110	110	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	1	1			Toluene-d8	2037-26-5	101	101	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			1,1,1-Trichloroethane	71-55-6	130	130	PCT	D	D	MS	TRG		LSA	130	65	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			1,1-Dichloroethene	75-35-4	116	116	PCT	D	D	MS	TRG		LSA	130	70	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			1,2-Dichloroethane	107-06-2	115	115	PCT	D	D	MS	TRG		LSA	130	70	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Benzene	71-43-2	104	104	PCT	D	D	MS	TRG		LSA	120	80	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			cis-1,2-Dichloroethene	156-59-2	109	109	PCT	D	D	MS	TRG		LSA	125	70	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Ethylbenzene	100-41-4	108	108	PCT	D	D	MS	TRG		LSA	125	75	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			m- and p-Xylene	m&pXylene	112	112	PCT	D	D	MS	TRG		LSA	130	75	20080107				4.1	1.00	2.00	4.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			o-Xylene	95-47-6	109	109	PCT	D	D	MS	TRG		LSA	120	80	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Tetrachloroethene	127-18-4	117	117	PCT	D	D	MS	TRG		LSA	150	45	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Toluene	108-88-3	108	108	PCT	D	D	MS	TRG		LSA	120	75	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			trans-1,2-Dichloroethene	156-60-5	109	109	PCT	D	D	MS	TRG		LSA	140	60	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Trichloroethene	79-01-6	115	115	PCT	D	D	MS	TRG		LSA	125	70	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONE	VOA	8260B	VOA	ELABT	NBS01-A1-MW8	2	1			Vinyl chloride	75-01-4	158	158	PCT	D	D	MS	TRG		LSA	145	50	20080107				4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONS	SVOA	8270D	SVOA	ELABT	NBS01-A1-MW8	1	1			1,4-Dioxane	123-91-1	23.2	23.2	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.116	0.231	0.463	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONS	SVOA	8270D	SVOA	ELABT	NBS01-A1-MW8	1	1			2,4,6-Tribromophenol	118-79-6	102	102	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONS	SVOA	8270D	SVOA	ELABT	NBS01-A1-MW8	1	1			2-Fluorobiphenyl	321-60-8	81.9	81.9	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15-MSD1	NONS	SVOA	8270D	SVOA	ELABT	NBS01-A1-MW8	1	1			Terphenyl-d14	1718-51-0	80.9	80.9	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-05	1	1			2,4,6-Tribromophenol	118-79-6	88.2	88.2	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0510	0.204	0.408	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-04	1	1			2,4,6-Tribromophenol	118-79-6	90.8	90.8	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-02	1	1			2,4,6-Tribromophenol	118-79-6	90.6	90.6	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-01	1	1			2,4,6-Tribromophenol	118-79-6	93.9	93.9	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-03	1	1			2,4,6-Tribromophenol	118-79-6	92.6	92.6	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-06	1	1			2,4,6-Tribromophenol	118-79-6	90.4	90.4	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-07	1	1			2,4,6-Tribromophenol	118-79-6	98.6	98.6	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-08	1	1			2,4,6-Tribromophenol	118-79-6	92.5	92.5	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-11	1	1			2,4,6-Tribromophenol	118-79-6	93.9	93.9	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-09	1	1			2,4,6-Tribromophenol	118-79-6	97.9	97.9	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-10	1	1			2,4,6-Tribromophenol	118-79-6	96.2	96.2	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0463	0.185	0.370	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONE	VOA	8260B	VOA	ELABT	1409048-07	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-05	1	1			2-Fluorobiphenyl	321-60-8	67.6	67.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0510	0.102	0.204	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-04	1	1			2-Fluorobiphenyl	321-60-8	71.8	71.8	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-02	1	1			2-Fluorobiphenyl	321-60-8	72.3	72.3	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-01	1	1			2-Fluorobiphenyl	321-60-8	71.1	71.1	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-03	1	1			2-Fluorobiphenyl	321-60-8	72.1	72.1	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-06	1	1			2-Fluorobiphenyl	321-60-8	67.4	67.4	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-07	1	1			2-Fluorobiphenyl	321-60-8	75.5	75.5	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-08	1	1			2-Fluorobiphenyl	321-60-8	71.1	71.1	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-11	1	1			2-Fluorobiphenyl	321-60-8	75.0	75.0	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-09	1	1			2-Fluorobiphenyl	321-60-8	79.6	79.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONS	SVOA	8270D	SVOA	ELABT	1409069-10	1	1			2-Fluorobiphenyl	321-60-8	75.6	75.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			1,1,1-Trichloroethane	71-55-6	50.0	50.0	UG_L	U	U	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			1,1,1-Trichloroethane	71-55-6	100	100	UG_L	U	U	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			1,1-Dichloroethene	75-35-4	50.0	50.0	UG_L	U	U	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			1,1-Dichloroethene	75-35-4	100	100	UG_L	U	U	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			1,2-Dichloroethane	107-06-2	50.0	50.0	UG_L	U	U	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			1,2-Dichloroethane	107-06-2	107	107	UG_L	DJ	DJ	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			Benzene	71-43-2	250	250	UG_L	D	D	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			Benzene	71-43-2	235	235	UG_L	D	D	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			cis-1,2-Dichloroethene	156-59-2	25000	25000	UG_L	ED	ED	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			cis-1,2-Dichloroethene	156-59-2	22800	22800	UG_L	D	D	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			Ethylbenzene	100-41-4	50.0	50.0	UG_L	U	U	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			Ethylbenzene	100-41-4	100	100	UG_L	U	U	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			m- and p-Xylene	m&pXylene	236	236	UG_L	D	D	MS	TRG									4.1	50.0	100	200	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			m- and p-Xylene	m&pXylene	228	228	UG_L	DJ	DJ	MS	TRG									4.1	100	200	400	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			o-Xylene	95-47-6	254	254	UG_L	D	D	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			o-Xylene	95-47-6	217	217	UG_L	D	D	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			Tetrachloroethene	127-18-4	50.0	50.0	UG_L	U	U	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			Tetrachloroethene	127-18-4	100	100	UG_L	U	U	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			Toluene	108-88-3	5580	5580	UG_L	D	D	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			Toluene	108-88-3	4790	4790	UG_L	D	D	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			trans-1,2-Dichloroethene	156-60-5	59.6	59.6	UG_L	DJ	DJ	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			trans-1,2-Dichloroethene	156-60-5	71.9	71.9	UG_L	DJ	DJ	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			Trichloroethene	79-01-6	50.0	50.0	UG_L	U	U	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			Trichloroethene	79-01-6	100	100	UG_L	U	U	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	1409069-12	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	100	1			Vinyl chloride	75-01-4	16400	16400	UG_L	D	D	MS	TRG									4.1	25.0	50.0	100	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	1409077-03	200	1			Vinyl chloride	75-01-4	17400	17400	UG_L	D	D	MS	TRG									4.1	50.0	100	200	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			cis-1,2-Dichloroethene	156-59-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	1409069-05	1	1			Bromofluorobenzene	460-00-4	91.3	91.3	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-04	1	1			Bromofluorobenzene	460-00-4	93.0	93.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-01	1	1			Bromofluorobenzene	460-00-4	107	107	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-08	1	1			Bromofluorobenzene	460-00-4	96.5	96.5	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	1409069-11	1	1			Bromofluorobenzene	460-00-4	95.3	95.3	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-09	1	1			Bromofluorobenzene	460-00-4	89.0	89.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-10	1	1			Bromofluorobenzene	460-00-4	95.0	95.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	1409069-12	1	1			Bromofluorobenzene	460-00-4	106	106	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			Trichloroethene	79-01-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-02	2	1			Bromofluorobenzene	460-00-4	102	102	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-03	2	1			Bromofluorobenzene	460-00-4	93.3	93.3	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-06	2	1			Bromofluorobenzene	460-00-4	105	105	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-07	2	1			Bromofluorobenzene	460-00-4	106	106	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	1409077-05	2	1			Vinyl chloride	75-01-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	1409069-12	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	1409077-04	2	1			1,1,1-Trichloroethane	71-55-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	1409077-04	2	1			1,1-Dichloroethene	75-35-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	1409077-04	2	1			1,2-Dichloroethane	107-06-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	1409069-05	1	1			Dibromofluoromethane	1868-53-7	104	104	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-04	1	1			Dibromofluoromethane	1868-53-7	104	104	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-01	1	1			Dibromofluoromethane	1868-53-7	112	112	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-08	1	1			Dibromofluoromethane	1868-53-7	114	114	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	1409069-11	1	1			Dibromofluoromethane	1868-53-7	104	104	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-09	1	1			Dibromofluoromethane	1868-53-7	99.0	99.0	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	1409069-10	1	1			Dibromofluoromethane	1868-53-7	108	108	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	1409069-12	1	1			Dibromofluoromethane	1868-53-7	112	112	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	1409077-04	2	1			Benzene	71-43-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-02	2	1			Dibromofluoromethane	1868-53-7	113	113	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-03	2	1			Dibromofluoromethane	1868-53-7	105	105	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-06	2	1			Dibromofluoromethane	1868-53-7	114	114	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	1409069-07	2	1			Dibromofluoromethane	1868-53-7	106	106	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	1409077-04	2	1			cis-1,2-Dichloroethene	156-59-2	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	1409069-12	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	FA18247-1	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		

Sample_Name	Lab_Name	Leachate_Method	Sample_Basis	Extraction_M	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti
NBS01-A1-MW9B-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00
NBS01-A2-MW23BP-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00
NBS01-A2-MW23B-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00
NBS01-A-MW14B-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00
NBS01-TB091114	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00
NBS01-A1-MW25A-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00
NBS01-A1-MW31A-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00
NBS01-A1-MW8A-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00
NBS01-A1-MW9A-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00
NBS01-A-MW4B-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00
NBS01-A-MW4B-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140916	14:45:00	20140916	14:45:00
NBS01-B-15WB-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140916	11:25:00	20140916	11:25:00
NBS01-B-15WB-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140916	11:25:00	20140916	11:25:00
NBS01-B-15WB-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140916	11:25:00	20140916	11:25:00
NBS01-B-15WB-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140916	11:25:00	20140916	11:25:00
NBS01-B-15WB-R15	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140916	11:25:00	20140916	11:25:00

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_M	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			Ethylbenzene	100-41-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			m- and p-Xylene	m&pXylene	2.00	2.00	UG_L	U	U	MS	TRG									4.1	1.00	2.00	4.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			o-Xylene	95-47-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			Tetrachloroethene	127-18-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			Toluene	108-88-3	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			trans-1,2-Dichloroethene	156-60-5	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			Trichloroethene	79-01-6	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			Vinyl chloride	75-01-4	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:35	09/12/2014			20140918	10:00:00	20140923	15:39:00	FA18247-1	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140916	17:16:00	20140916	17:16:00	1409048-12	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409048	4I26008		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			1,2-Dichloroethane	107-06-2	0.251	0.251	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			cis-1,2-Dichloroethene	156-59-2	4.66	4.66	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			Trichloroethene	79-01-6	0.365	0.365	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW41-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:35	09/12/2014			20140912	12:29:00	20140912	12:29:00	1409067-01	1	1			Vinyl chloride	75-01-4	5.85	5.85	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	11:19:00	20140918	19:00:00	1409069-05	1	1			Terphenyl-d14	1718-51-0	81.2	81.2	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0510	0.102	0.204	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 16:35	09/12/2014			20140918	11:19:00	20140918	18:33:00	1409069-04	1	1			Terphenyl-d14	1718-51-0	83.3	83.3	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140918	11:19:00	20140918	17:38:00	1409069-02	1	1			Terphenyl-d14	1718-51-0	81.6	81.6	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140918	11:19:00	20140918	17:11:00	1409069-01	1	1			Terphenyl-d14	1718-51-0	81.3	81.3	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	11:19:00	20140918	18:05:00	1409069-03	1	1			Terphenyl-d14	1718-51-0	84.3	84.3	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140918	11:19:00	20140918	19:27:00	1409069-06	1	1			Terphenyl-d14	1718-51-0	77.6	77.6	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	11:19:00	20140918	20:49:00	1409069-07	1	1			Terphenyl-d14	1718-51-0	82.6	82.6	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	11:19:00	20140918	21:16:00	1409069-08	1	1			Terphenyl-d14	1718-51-0	82.7	82.7	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140918	11:19:00	20140918	22:38:00	1409069-11	1	1			Terphenyl-d14	1718-51-0	84.2	84.2	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140918	11:19:00	20140918	21:43:00	1409069-09	1	1			Terphenyl-d14	1718-51-0	85.3	85.3	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140918	11:19:00	20140918	22:10:00	1409069-10	1	1			Terphenyl-d14	1718-51-0	87.2	87.2	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0463	0.0926	0.185	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 16:40	09/12/2014			20140918	12:56:00	20140918	12:56:00	1409069-05	1	1			Toluene-d8	2037-26-5	97.2	97.2	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/11/2014 16:35	09/12/2014			20140919	11:30:00	20140919	11:30:00	1409069-04	1	1			Toluene-d8	2037-26-5	95.1	95.1	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140916	16:04:00	20140916	16:04:00	1409069-01	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	13:52:00	20140918	13:52:00	1409069-08	1	1			Toluene-d8	2037-26-5	99.3	99.3	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140919	12:54:00	20140919	12:54:00	1409069-11	1	1			Toluene-d8	2037-26-5	96.0	96.0	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140919	11:58:00	20140919	11:58:00	1409069-09	1	1			Toluene-d8	2037-26-5	96.3	96.3	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140919	12:26:00	20140919	12:26:00	1409069-10	1	1			Toluene-d8	2037-26-5	108	108	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091114	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 06:30	09/12/2014			20140916	15:36:00	20140916	15:36:00	1409069-12	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140916	16:31:00	20140916	16:31:00	1409069-02	2	1			Toluene-d8	2037-26-5	100	100	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	12:00:00	20140918	12:00:00	1409069-03	2	1			Toluene-d8	2037-26-5	97.0	97.0	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140916	16:58:00	20140916	16:58:00	1409069-06	2	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26001		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	13:24:00	20140918	13:24:00	1409069-07	2	1			Toluene-d8	2037-26-5	95.3	95.3	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409069	4I26202		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BLK2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	16:23:00	4I19008-BLK2	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BLK2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	16:23:00	4I19008-BLK2	1	1			2,4,6-Tribromophenol	118-79-6	79.0	79.0	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BLK2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	16:23:00	4I19008-BLK2	1	1			2-Fluorobiphenyl	321-60-8	88.6	88.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BLK2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BLK	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	16:23:00	4I19008-BLK2	1	1			Terphenyl-d14	1718-51-0	95.4	95.4	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	16:51:00	4I19008-BS2	1	1			1,4-Dioxane	123-91-1	27.9	27.9	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.125	0.250	0.500	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	16:51:00	4I19008-BS2	1	1			2,4,6-Tribromophenol	118-79-6	95.0	95.0	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	16:51:00	4I19008-BS2	1	1			2-Fluorobiphenyl	321-60-8	80.4	80.4	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BS2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BS	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	16:51:00	4I19008-BS2	1	1			Terphenyl-d14	1718-51-0	85.1	85.1	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	17:18:00	4I19008-BSD2	1	1			1,4-Dioxane	123-91-1	28.6	28.6	PCT			MS	TRG		LSA	110	5	20080107				4.1	0.125	0.250	0.500	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	17:18:00	4I19008-BSD2	1	1			2,4,6-Tribromophenol	118-79-6	103	103	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0500	0.200	0.400	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	17:18:00	4I19008-BSD2	1	1			2-Fluorobiphenyl	321-60-8	86.0	86.0	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0500	0.100	0.200	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19008-BSD2	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	BSD	W	4	09/19/2014 11:08	09/19/2014			20140919	11:08:00	20140919	17:18:00	4I19008-BSD2	1	1			Terphenyl-d14	1718-51-0	89.8	89.8	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0500	0.100	0.200	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Bromofluorobenzene	460-00-4	90.1	90.1	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Dibromofluoromethane	1868-53-7	103	103	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Toluene-d8	2037-26-5	109	109	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/19/2014 11:02	09/19/2014			20140919	11:02:00	20140919	11:02:00	4I19010-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			1,1,1-Trichloroethane	71-55-6	104	104	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			1,1-Dichloroethene	75-35-4	107	107	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			1,2-Dichloroethane	107-06-2	99.7	99.7	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	100	100	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Benzene	71-43-2	92.0	92.0	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Bromofluorobenzene	460-00-4	90.4	90.4	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	95.3	95.3	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Dibromofluoromethane	1868-53-7	101	101	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Ethylbenzene	100-41-4	96.8	96.8	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			m- and p-Xylene	m&pXylene	92.9	92.9	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			o-Xylene	95-47-6	93.1	93.1	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Tetrachloroethene	127-18-4	92.6	92.6	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Toluene	108-88-3	87.3	87.3	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Toluene-d8	2037-26-5	90.5	90.5	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	92.1	92.1	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Trichloroethene	79-01-6	94.7	94.7	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I19010-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/19/2014 09:11	09/19/2014			20140919	09:11:00	20140919	09:11:00	4I19010-BS1	1	1			Vinyl chloride	75-01-4	110	110	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	99.7	99.7	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			Bromofluorobenzene	460-00-4	96.4	96.4	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			Dibromofluoromethane	1868-53-7	102	102	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			Toluene-d8	2037-26-5	100	100	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/22/2014 16:48	09/22/2014			20140922	16:48:00	20140922	16:48:00	4I22017-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			1,1,1-Trichloroethane	71-55-6	101	101	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			1,1-Dichloroethene	75-35-4	90.8	90.8	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			1,2-Dichloroethane	107-06-2	97.3	97.3	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	101	101	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			Benzene	71-43-2	90.7	90.7	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			Bromofluorobenzene	460-00-4	96.8	96.8	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	93.4	93.4	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			Dibromofluoromethane	1868-53-7	102	102	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			Ethylbenzene	100-41-4	93.0	93.0	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			m- and p-Xylene	m&pXylene	95.4	95.4	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			o-Xylene	95-47-6	95.1	95.1	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			Tetrachloroethene	127-18-4	95.0	95.0	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			Toluene	108-88-3	95.4	95.4	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			Toluene-d8	2037-26-5	99.8	99.8	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	91.6	91.6	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			Trichloroethene	79-01-6	92.5	92.5	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I22017-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/22/2014 14:56	09/22/2014			20140922	14:56:00	20140922	14:56:00	4I22017-BS1	1	1			Vinyl chloride	75-01-4	108	108	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			1,2-Dichloroethane-d4	17060-07-0	97.0	97.0	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			Bromofluorobenzene	460-00-4	92.8	92.8	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			Dibromofluoromethane	1868-53-7	108	108	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			Toluene-d8	2037-26-5	95.0	95.0	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BLK1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BLK	W	4	09/23/2014 10:25	09/23/2014			20140923	10:25:00	20140923	10:25:00	4I23005-BLK1	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			1,1,1-Trichloroethane	71-55-6	95.0	95.0	PCT			MS	TRG		LSA	130	65	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			1,1-Dichloroethene	75-35-4	105	105	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			1,2-Dichloroethane	107-06-2	91.1	91.1	PCT			MS	TRG		LSA	130	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			1,2-Dichloroethane-d4	17060-07-0	95.9	95.9	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			Benzene	71-43-2	85.6	85.6	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			Bromofluorobenzene	460-00-4	92.0	92.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			cis-1,2-Dichloroethene	156-59-2	88.3	88.3	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			Dibromofluoromethane	1868-53-7	96.1	96.1	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			Ethylbenzene	100-41-4	91.6	91.6	PCT			MS	TRG		LSA	125	75	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			m- and p-Xylene	m&pXylene	89.6	89.6	PCT			MS	TRG		LSA	130	75	20080107				4.1	0.500	1.00	2.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			o-Xylene	95-47-6	86.2	86.2	PCT			MS	TRG		LSA	120	80	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			Tetrachloroethene	127-18-4	94.1	94.1	PCT			MS	TRG		LSA	150	45	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			Toluene	108-88-3	87.3	87.3	PCT			MS	TRG		LSA	120	75	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_N	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			Toluene-d8	2037-26-5	94.6	94.6	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			trans-1,2-Dichloroethene	156-60-5	93.6	93.6	PCT			MS	TRG		LSA	140	60	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			Trichloroethene	79-01-6	91.2	91.2	PCT			MS	TRG		LSA	125	70	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	4I23005-BS1	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	BS	W	4	09/23/2014 08:32	09/23/2014			20140923	08:32:00	20140923	08:32:00	4I23005-BS1	1	1			Vinyl chloride	75-01-4	103	103	PCT			MS	TRG		LSA	145	50	20080107				4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:35	09/12/2014			20140918	10:00:00	20140923	15:39:00	FA18247-1	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:35	09/12/2014			20140918	10:00:00	20140923	15:39:00	FA18247-1	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.033	0.033	UG_L	U	U	PR	TRG									4.1	0.017	0.033	0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 13:20	09/13/2014			20140919	17:33:00	20140919	17:33:00	1409077-03	100	1			1,2-Dichloroethane-d4	17060-07-0	103	103	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 13:20	09/13/2014			20140923	00:14:00	20140923	00:14:00	1409077-03	200	1			1,2-Dichloroethane-d4	17060-07-0	101	101	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140919	11:08:00	20140919	20:56:00	1409077-06	1	1			1,4-Dioxane	123-91-1	0.236	0.236	UG_L	U	U	MS	TRG									4.1	0.118	0.236	0.472	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			1,2-Dichloroethane-d4	17060-07-0	100	100	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			1,2-Dichloroethane-d4	17060-07-0	100	100	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			1,2-Dichloroethane-d4	17060-07-0	102	102	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			1,2-Dichloroethane-d4	17060-07-0	108	108	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 13:20	09/13/2014			20140919	11:08:00	20140919	19:34:00	1409077-03	10	1			2,4,6-Tribromophenol	118-79-6	82.9	82.9	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.463	1.85	3.70	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 13:20	09/13/2014			20140919	11:08:00	20140919	19:34:00	1409077-03	10	1			2-Fluorobiphenyl	321-60-8	54.0	54.0	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.463	0.926	1.85	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 13:20	09/13/2014			20140919	17:33:00	20140919	17:33:00	1409077-03	100	1			Bromofluorobenzene	460-00-4	96.2	96.2	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 13:20	09/13/2014			20140923	00:14:00	20140923	00:14:00	1409077-03	200	1			Bromofluorobenzene	460-00-4	91.5	91.5	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 10:30	09/13/2014			20140919	11:08:00	20140919	19:07:00	1409077-02	1	1			2,4,6-Tribromophenol	118-79-6	95.8	95.8	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	11:08:00	20140919	18:40:00	1409077-01	1	1			2,4,6-Tribromophenol	118-79-6	98.7	98.7	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0490	0.196	0.392	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 13:20	09/13/2014			20140919	17:33:00	20140919	17:33:00	1409077-03	100	1			Dibromofluoromethane	1868-53-7	112	112	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 13:20	09/13/2014			20140923	00:14:00	20140923	00:14:00	1409077-03	200	1			Dibromofluoromethane	1868-53-7	115	115	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140919	11:08:00	20140919	20:56:00	1409077-06	1	1			2,4,6-Tribromophenol	118-79-6	99.8	99.8	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0472	0.189	0.377	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 10:30	09/13/2014			20140919	11:08:00	20140919	19:07:00	1409077-02	1	1			2-Fluorobiphenyl	321-60-8	72.1	72.1	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	11:08:00	20140919	18:40:00	1409077-01	1	1			2-Fluorobiphenyl	321-60-8	76.5	76.5	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0490	0.0980	0.196	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 13:20	09/13/2014			20140919	11:08:00	20140919	19:34:00	1409077-03	10	1			Terphenyl-d14	1718-51-0	64.6	64.6	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.463	0.926	1.85	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140919	11:08:00	20140919	20:56:00	1409077-06	1	1			2-Fluorobiphenyl	321-60-8	82.8	82.8	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0472	0.0943	0.189	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21P-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:25	09/10/2014			20140915	11:32:00	20140916	17:30:00	1409048-06	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			Bromofluorobenzene	460-00-4	89.0	89.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			Bromofluorobenzene	460-00-4	93.4	93.4	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			Bromofluorobenzene	460-00-4	93.0	93.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			Bromofluorobenzene	460-00-4	94.0	94.0	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			Dibromofluoromethane	1868-53-7	107	107	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			Dibromofluoromethane	1868-53-7	111	111	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			Dibromofluoromethane	1868-53-7	109	109	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			Dibromofluoromethane	1868-53-7	112	112	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 13:20	09/13/2014			20140919	17:33:00	20140919	17:33:00	1409077-03	100	1			Toluene-d8	2037-26-5	97.9	97.9	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 13:20	09/13/2014			20140923	00:14:00	20140923	00:14:00	1409077-03	200	1			Toluene-d8	2037-26-5	92.1	92.1	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409077	4I26702		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			Benzene	71-43-2	3.94	3.94	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			cis-1,2-Dichloroethene	156-59-2	2.49	2.49	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			Trichloroethene	79-01-6	0.542	0.542	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW42-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:00	09/12/2014			20140912	12:57:00	20140912	12:57:00	1409067-02	1	1			Vinyl chloride	75-01-4	1.37	1.37	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			Benzene	71-43-2	0.585	0.585	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			cis-1,2-Dichloroethene	156-59-2	0.252	0.252	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			m- and p-Xylene	m&pXylene	0.954	0.954	UG_L	J	J	MS	TRG									4.1	0.500	1.00	2.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			o-Xylene	95-47-6	0.511	0.511	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 10:30	09/13/2014			20140919	11:08:00	20140919	19:07:00	1409077-02	1	1			Terphenyl-d14	1718-51-0	78.0	78.0	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	11:08:00	20140919	18:40:00	1409077-01	1	1			Terphenyl-d14	1718-51-0	70.6	70.6	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0490	0.0980	0.196	1409077	4I26504		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			Toluene	108-88-3	0.329	0.329	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140919	11:08:00	20140919	20:56:00	1409077-06	1	1			Terphenyl-d14	1718-51-0	87.7	87.7	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0472	0.0943	0.189	1409077	4I26504		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW43-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 08:05	09/12/2014			20140912	13:25:00	20140912	13:25:00	1409067-03	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW21-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:20	09/10/2014			20140915	11:32:00	20140916	17:02:00	1409048-05	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	14:01:00	20140912	14:01:00	1409067-04	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409077	4I26702		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW44P-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:05	09/12/2014			20140912	14:29:00	20140912	14:29:00	1409067-05	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			Benzene	71-43-2	0.367	0.367	UG_L	J	J	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 10:30	09/13/2014			20140922	20:59:00	20140922	20:59:00	1409077-02	1	1			Toluene-d8	2037-26-5	87.9	87.9	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	13:22:00	20140919	13:22:00	1409077-01	1	1			Toluene-d8	2037-26-5	102	102	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 10:00	09/13/2014			20140923	10:53:00	20140923	10:53:00	1409077-06	1	1			Toluene-d8	2037-26-5	103	103	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE79		NORFOLK_NB	NBS01-TB091214	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 07:30	09/13/2014			20140923	11:21:00	20140923	11:21:00	1409077-07	1	1			Toluene-d8	2037-26-5	94.9	94.9	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26702		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			cis-1,2-Dichloroethene	156-59-2	3.11	3.11	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 13:05	09/12/2014			20140918	11:19:00	20140918	17:38:00	1409069-02	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 12:40	09/13/2014			20140919	14:45:00	20140919	14:45:00	1409077-05	2	1			1,2-Dichloroethane-d4	17060-07-0	99.9	99.9	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 12:40	09/13/2014			20140919	11:08:00	20140919	20:29:00	1409077-05	1	1			2,4,6-Tribromophenol	118-79-6	96.6	96.6	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0481	0.192	0.385	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 12:40	09/13/2014			20140919	11:08:00	20140919	20:29:00	1409077-05	1	1			2-Fluorobiphenyl	321-60-8	76.9	76.9	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0481	0.0962	0.192	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 12:40	09/13/2014			20140919	14:45:00	20140919	14:45:00	1409077-05	2	1			Bromofluorobenzene	460-00-4	92.7	92.7	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 12:40	09/13/2014			20140919	14:45:00	20140919	14:45:00	1409077-05	2	1			Dibromofluoromethane	1868-53-7	108	108	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			Trichloroethene	79-01-6	3.41	3.41	UG_L			MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW45-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:40	09/12/2014			20140912	14:56:00	20140912	14:56:00	1409067-06	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			1,1,1-Trichloroethane	71-55-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			1,1-Dichloroethene	75-35-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			1,2-Dichloroethane	107-06-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			Benzene	71-43-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 12:40	09/13/2014			20140919	11:08:00	20140919	20:29:00	1409077-05	1	1			Terphenyl-d14	1718-51-0	77.3	77.3	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0481	0.0962	0.192	1409077	4I26504		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			cis-1,2-Dichloroethene	156-59-2	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			Ethylbenzene	100-41-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			m- and p-Xylene	m&pXylene	1.00	1.00	UG_L	U	U	MS	TRG									4.1	0.500	1.00	2.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			o-Xylene	95-47-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			Tetrachloroethene	127-18-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			Toluene	108-88-3	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			trans-1,2-Dichloroethene	156-60-5	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			Trichloroethene	79-01-6	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/12/2014 12:40	09/13/2014			20140919	14:45:00	20140919	14:45:00	1409077-05	2	1			Toluene-d8	2037-26-5	94.8	94.8	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26505		
N6247011D8012	WE1B		NORFOLK_NB	NBS01-B-GW46-0914	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	000	REG	W	4	09/11/2014 09:00	09/12/2014			20140912	15:24:00	20140912	15:24:00	1409067-07	1	1			Vinyl chloride	75-01-4	0.500	0.500	UG_L	U	U	MS	TRG									4.1	0.250	0.500	1.00	1409067	4I25801		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			1,2-Dichloroethane-d4	17060-07-0	98.8	98.8	PCT_REC			MS	SURR		LSA	120	70	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 12:35	09/13/2014			20140919	11:08:00	20140919	20:01:00	1409077-04	1	1			2,4,6-Tribromophenol	118-79-6	90.2	90.2	PCT_REC	X	X	MS	SURR		LSA	125	40	20080107				4.1	0.0490	0.196	0.392	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 12:35	09/13/2014			20140919	11:08:00	20140919	20:01:00	1409077-04	1	1			2-Fluorobiphenyl	321-60-8	74.6	74.6	PCT_REC			MS	SURR		LSA	110	50	20080107				4.1	0.0490	0.0980	0.196	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			Bromofluorobenzene	460-00-4	90.3	90.3	PCT_REC			MS	SURR		LSA	120	75	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			Dibromofluoromethane	1868-53-7	103	103	PCT_REC			MS	SURR		LSA	115	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 12:35	09/13/2014			20140919	11:08:00	20140919	20:01:00	1409077-04	1	1			Terphenyl-d14	1718-51-0	74.6	74.6	PCT_REC			MS	SURR		LSA	135	50	20080107				4.1	0.0490	0.0980	0.196	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONE	VOA	8260B	VOA	ELABT	EMPHERICAL LABS		WET	SW5030B	RA0	REG	W	4	09/12/2014 12:35	09/13/2014			20140922	21:27:00	20140922	21:27:00	1409077-04	2	1			Toluene-d8	2037-26-5	93.0	93.0	PCT_REC			MS	SURR		LSA	120	85	20080107				4.1	0.250	0.500	30.0	1409077	4I26602		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW8A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:40	09/10/2014			20140916	11:30:00	20140918	15:28:00	FA18133-1	1	1			13C2-PFDA		122	122	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW8A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:40	09/10/2014			20140916	11:30:00	20140918	15:28:00	FA18133-1	1	1			13C2-PFHxA		95	95	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW25B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 11:55	09/12/2014			20140918	11:19:00	20140918	17:11:00	1409069-01	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW31A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 14:35	09/12/2014			20140918	11:19:00	20140918	18:05:00	1409069-03	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 13:00	09/12/2014			20140918	11:19:00	20140918	19:27:00	1409069-06	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140924	10:56:00	FA18247-3	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140924	10:56:00	FA18247-3	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140924	10:56:00	FA18247-3	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.0141	0.0141	UG_L	J	J	PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:03:00	FA18133-2	5	2			13C2-PFDA		96	96	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:03:00	FA18133-2	5	2			13C2-PFHxA		122	122	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_N	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140924	10:56:00	FA18247-3	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140918	15:48:00	FA18133-2	1	1			13C2-PFDA		119	119	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140918	15:48:00	FA18133-2	1	1			13C2-PFHxA		118	118	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140924	10:56:00	FA18247-3	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.0255	0.0255	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140924	10:56:00	FA18247-3	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.0179	0.0179	UG_L	J	J	PR	TRG									4.1	0.016	0.032	0.04	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 11:15	09/12/2014			20140918	11:19:00	20140918	20:49:00	1409069-07	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW9B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 11:25	09/12/2014			20140918	11:19:00	20140918	21:16:00	1409069-08	1	1			1,4-Dioxane	123-91-1	0.231	0.231	UG_L	U	U	MS	TRG									4.1	0.116	0.231	0.463	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/08/2014 13:15	09/10/2014			20140915	11:32:00	20140916	16:08:00	1409048-03	1	1			1,4-Dioxane	123-91-1	0.305	0.305	UG_L	J	J	MS	TRG									4.1	0.118	0.236	0.472	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 13:15	09/10/2014			20140918	10:00:00	20140923	13:38:00	FA18133-12	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4AP-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:20	09/10/2014			20140916	11:30:00	20140918	17:24:00	FA18133-5	1	1			13C2-PFDA		112	112	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4AP-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:20	09/10/2014			20140916	11:30:00	20140918	17:24:00	FA18133-5	1	1			13C2-PFHxA		93	93	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 16:00	09/10/2014			20140918	10:00:00	20140923	14:41:00	FA18133-15	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 13:15	09/10/2014			20140918	10:00:00	20140923	13:38:00	FA18133-12	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 13:15	09/10/2014			20140918	10:00:00	20140923	13:38:00	FA18133-12	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.0497	0.0497	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 13:15	09/10/2014			20140918	10:00:00	20140923	13:38:00	FA18133-12	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 13:15	09/10/2014			20140918	10:00:00	20140923	13:38:00	FA18133-12	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	OP53121-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	14:01:00	OP53121-BS	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	130	130	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	104	104	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW5A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:05	09/10/2014			20140916	11:30:00	20140918	16:45:00	FA18133-3	1	1			13C2-PFDA		97	97	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW5A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:05	09/10/2014			20140916	11:30:00	20140918	16:45:00	FA18133-3	1	1			13C2-PFHxA		91	91	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	SF5106589	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	15:09:00	OP53121-MB	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 13:15	09/10/2014			20140918	10:00:00	20140923	13:38:00	FA18133-12	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.0357	0.0357	UG_L	J	J	PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	90	90	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	5	5	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:22:00	OP53121-MS	5	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	92	92	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:15	09/10/2014			20140916	11:30:00	20140918	17:04:00	FA18133-4	1	1			13C2-PFDA		99	99	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:15	09/10/2014			20140916	11:30:00	20140918	17:04:00	FA18133-4	1	1			13C2-PFHxA		87	87	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:42:00	OP53121-MSD	5	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	2	2	PCT			PR	TRG		MSP	30		20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 13:30	09/10/2014			20140915	11:32:00	20140916	18:51:00	1409048-09	1	1			1,4-Dioxane	123-91-1	0.273	0.273	UG_L	J	J	MS	TRG									4.1	0.116	0.231	0.463	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:30	09/10/2014			20140916	11:30:00	20140918	18:21:00	FA18133-6	1	1			13C2-PFDA		117	117	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:30	09/10/2014			20140916	11:30:00	20140918	18:21:00	FA18133-6	1	1			13C2-PFHxA		96	96	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 13:30	09/10/2014			20140918	10:00:00	20140923	14:17:00	FA18133-14	10	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.221	0.221	UG_L			PR	TRG									4.1	0.083	0.17	0.21	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140922	13:01:00	FA18133-7	10	2			13C2-PFDA		85	85	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140922	13:01:00	FA18133-7	10	2			13C2-PFHxA		106	106	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 13:30	09/10/2014			20140918	10:00:00	20140923	14:17:00	FA18133-14	10	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.292	0.292	UG_L			PR	TRG									4.1	0.083	0.17	0.21	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 13:30	09/10/2014			20140918	10:00:00	20140923	14:17:00	FA18133-14	10	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	2	2	UG_L			PR	TRG									4.1	0.083	0.17	0.21	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140918	18:41:00	FA18133-7	1	1			13C2-PFDA		118	118	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140918	18:41:00	FA18133-7	1	1			13C2-PFHxA		97	97	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 13:30	09/10/2014			20140918	10:00:00	20140923	14:17:00	FA18133-14	10	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.17	0.17	UG_L	U	U	PR	TRG									4.1	0.083	0.17	0.21	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 13:30	09/10/2014			20140918	10:00:00	20140923	14:17:00	FA18133-14	10	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	1.29	1.29	UG_L			PR	TRG									4.1	0.083	0.17	0.21	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 13:30	09/10/2014			20140918	10:00:00	20140923	14:17:00	FA18133-14	10	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.746	0.746	UG_L			PR	TRG									4.1	0.17	0.33	0.42	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 12:45	09/10/2014			20140915	11:32:00	20140916	19:18:00	1409048-10	1	1			1,4-Dioxane	123-91-1	0.231	0.231	UG_L	U	U	MS	TRG									4.1	0.116	0.231	0.463	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140922	13:20:00	FA18133-8	20	2			13C2-PFDA		70	70	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140922	13:20:00	FA18133-8	20	2			13C2-PFHxA		99	99	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23BP-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 14:55	09/12/2014			20140918	11:19:00	20140918	22:38:00	1409069-11	1	1			1,4-Dioxane	123-91-1	0.229	0.229	UG_L	J	J	MS	TRG									4.1	0.125	0.250	0.500	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW23B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 14:50	09/12/2014			20140918	11:19:00	20140918	21:43:00	1409069-09	1	1			1,4-Dioxane	123-91-1	0.238	0.238	UG_L	J	J	MS	TRG									4.1	0.116	0.231	0.463	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140918	19:00:00	FA18133-8	1	1			13C2-PFDA		105	105	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140918	19:00:00	FA18133-8	1	1			13C2-PFHxA		87	87	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 11:45	09/10/2014			20140915	11:32:00	20140916	16:35:00	1409048-04	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 11:45	09/10/2014			20140918	10:00:00	20140923	13:57:00	FA18133-13	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 16:00	09/10/2014			20140918	10:00:00	20140923	14:41:00	FA18133-15	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 11:45	09/10/2014			20140918	10:00:00	20140923	13:57:00	FA18133-13	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140922	13:39:00	FA18133-9	10	2			13C2-PFDA		91	91	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140922	13:39:00	FA18133-9	10	2			13C2-PFHxA		113	113	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 11:45	09/10/2014			20140918	10:00:00	20140923	13:57:00	FA18133-13	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.0539	0.0539	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 11:45	09/10/2014			20140918	10:00:00	20140923	13:57:00	FA18133-13	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140918	19:19:00	FA18133-9	1	1			13C2-PFDA		116	116	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140918	19:19:00	FA18133-9	1	1			13C2-PFHxA		92	92	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 11:45	09/10/2014			20140918	10:00:00	20140923	13:57:00	FA18133-13	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.0185	0.0185	UG_L	J	J	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 11:45	09/10/2014			20140918	10:00:00	20140923	13:57:00	FA18133-13	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.146	0.146	UG_L			PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW14B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/11/2014 15:40	09/12/2014			20140918	11:19:00	20140918	22:10:00	1409069-10	1	1			1,4-Dioxane	123-91-1	0.231	0.231	UG_L	U	U	MS	TRG									4.1	0.116	0.231	0.463	1409069	4I26208		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW15B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 15:00	09/11/2014			20140917	11:38:00	20140917	18:04:00	1409059-03	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:25	09/10/2014			20140918	10:00:00	20140923	13:00:00	FA18133-10	1	1			13C2-PFDA		120	120	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW4B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:25	09/10/2014			20140918	10:00:00	20140923	13:00:00	FA18133-10	1	1			13C2-PFHxA		114	114	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	OP53121-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	14:01:00	OP53121-BS	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	84	84	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW16B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 11:10	09/11/2014			20140917	11:38:00	20140917	19:30:00	1409059-04	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	89	89	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5106589	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	15:09:00	OP53121-MB	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	89	89	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:45	09/10/2014			20140918	10:00:00	20140923	13:19:00	FA18133-11	1	1			13C2-PFDA		118	118	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:45	09/10/2014			20140918	10:00:00	20140923	13:19:00	FA18133-11	1	1			13C2-PFHxA		112	112	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	7	7	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW17B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 10:30	09/13/2014			20140919	11:08:00	20140919	19:07:00	1409077-02	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:22:00	OP53121-MS	5	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	88	88	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:42:00	OP53121-MSD	5	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	5	5	PCT			PR	TRG		MSP	30		20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 13:15	09/10/2014			20140918	10:00:00	20140923	13:38:00	FA18133-12	1	1			13C2-PFDA		126	126	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-EW3B-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 13:15	09/10/2014			20140918	10:00:00	20140923	13:38:00	FA18133-12	1	1			13C2-PFHxA		105	105	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW19B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 14:55	09/11/2014			20140917	11:38:00	20140917	20:27:00	1409059-06	1	1			1,4-Dioxane	123-91-1	0.231	0.231	UG_L	U	U	MS	TRG									4.1	0.116	0.231	0.463	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 11:45	09/10/2014			20140918	10:00:00	20140923	13:57:00	FA18133-13	1	1			13C2-PFDA		128	128	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-GW-3-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 11:45	09/10/2014			20140918	10:00:00	20140923	13:57:00	FA18133-13	1	1			13C2-PFHxA		117	117	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW1B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 09:50	09/13/2014			20140919	11:08:00	20140919	18:40:00	1409077-01	1	1			1,4-Dioxane	123-91-1	0.339	0.339	UG_L	J	J	MS	TRG									4.1	0.123	0.245	0.490	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A-MW4B-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 17:00	09/10/2014			20140915	11:32:00	20140916	18:24:00	1409048-08	1	1			1,4-Dioxane	123-91-1	0.236	0.236	UG_L	U	U	MS	TRG									4.1	0.118	0.236	0.472	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-15WB-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/10/2014 09:40	09/11/2014			20140917	11:38:00	20140917	19:52:00	1409059-05	1	1			1,4-Dioxane	123-91-1	0.231	0.231	UG_L	U	U	MS	TRG									4.1	0.116	0.231	0.463	1409059	4I26109		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-17W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 14:55	09/10/2014			20140915	11:32:00	20140916	17:57:00	1409048-07	1	1			1,4-Dioxane	123-91-1	0.250	0.250	UG_L	U	U	MS	TRG									4.1	0.125	0.250	0.500	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 16:00	09/10/2014			20140918	10:00:00	20140923	14:41:00	FA18133-15	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 13:20	09/13/2014			20140919	11:08:00	20140919	19:34:00	1409077-03	10	1			1,4-Dioxane	123-91-1	2.31	2.31	UG_L	U	U	MS	TRG									4.1	1.16	2.31	4.63	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 13:30	09/10/2014			20140918	10:00:00	20140923	14:17:00	FA18133-14	10	1			13C2-PFDA		108	108	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A2-MW11A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 13:30	09/10/2014			20140918	10:00:00	20140923	14:17:00	FA18133-14	10	1			13C2-PFHxA		118	118	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSSP-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 12:40	09/13/2014			20140919	11:08:00	20140919	20:29:00	1409077-05	1	1			1,4-Dioxane	123-91-1	0.240	0.240	UG_L	U	U	MS	TRG									4.1	0.120	0.240	0.481	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-20WSS-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/12/2014 12:35	09/13/2014			20140919	11:08:00	20140919	20:01:00	1409077-04	1	1			1,4-Dioxane	123-91-1	0.245	0.245	UG_L	U	U	MS	TRG									4.1	0.123	0.245	0.490	1409077	4I26504		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-7W-R15	NONS	SVOA	8270D	SVOA	ELABT	EMPHERICAL LABS		WET	SW3510C	000	REG	W	4	09/09/2014 15:40	09/10/2014			20140915	11:32:00	20140916	19:45:00	1409048-12	1	1			1,4-Dioxane	123-91-1	0.231	0.231	UG_L	U	U	MS	TRG									4.1	0.116	0.231	0.463	1409048	4I26106		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140918	19:19:00	FA18133-9	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.202	0.202	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140918	19:19:00	FA18133-9	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.196	0.196	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140922	13:39:00	FA18133-9	10	2			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	1.53	1.53	UG_L			PR	TRG									4.1	0.12	0.24	0.29	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 16:00	09/10/2014			20140918	10:00:00	20140923	14:41:00	FA18133-15	1	1			13C2-PFDA		119	119	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 16:00	09/10/2014			20140918	10:00:00	20140923	14:41:00	FA18133-15	1	1			13C2-PFHxA		114	114	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140918	19:19:00	FA18133-9	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.0197	0.0197	UG_L	J	J	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140922	13:39:00	FA18133-9	10	2			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	1.91	1.91	UG_L			PR	TRG									4.1	0.12	0.24	0.29	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW2B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 12:05	09/10/2014			20140916	11:30:00	20140918	19:19:00	FA18133-9	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.281	0.281	UG_L			PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140918	19:00:00	FA18133-8	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.081	0.081	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140918	19:00:00	FA18133-8	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.155	0.155	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140922	13:20:00	FA18133-8	20	2			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.833	0.833	UG_L			PR	TRG									4.1	0.16	0.32	0.4	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53121-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	14:01:00	OP53121-BS	1	1			13C2-PFDA		112	112	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			13C2-PFDA		125	125	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	OP53121-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	14:01:00	OP53121-BS	1	1			13C2-PFHxA		107	107	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			13C2-PFHxA		127	127	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5106589	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	15:09:00	OP53121-MB	1	1			13C2-PFDA		173	173	PCT	*	*	PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			13C2-PFDA		108	108	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5106589	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	15:09:00	OP53121-MB	1	1			13C2-PFHxA		112	112	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			13C2-PFHxA		104	104	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			13C2-PFDA		118	118	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:22:00	OP53121-MS	5	1			13C2-PFDA		88	88	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			13C2-PFHxA		101	101	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:22:00	OP53121-MS	5	1			13C2-PFHxA		122	122	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			13C2-PFDA		115	115	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:42:00	OP53121-MSD	5	1			13C2-PFDA		106	106	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			13C2-PFHxA		94	94	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:42:00	OP53121-MSD	5	1			13C2-PFHxA		114	114	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53121-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	14:01:00	OP53121-BS	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	120	120	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	103	103	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5106589	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	15:09:00	OP53121-MB	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	102	102	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	7	7	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:22:00	OP53121-MS	5	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	92	92	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:42:00	OP53121-MSD	5	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	4	4	PCT			PR	TRG		MSP	30		20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140918	19:00:00	FA18133-8	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.052	0.052	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140922	13:20:00	FA18133-8	20	2			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	1.85	1.85	UG_L			PR	TRG									4.1	0.16	0.32	0.4	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:55	09/10/2014			20140916	11:30:00	20140918	19:00:00	FA18133-8	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.308	0.308	UG_L			PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:30	09/10/2014			20140916	11:30:00	20140918	18:21:00	FA18133-6	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.0517	0.0517	UG_L			PR	TRG									4.1	0.01	0.02	0.025	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:30	09/10/2014			20140916	11:30:00	20140918	18:21:00	FA18133-6	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.0679	0.0679	UG_L			PR	TRG									4.1	0.01	0.02	0.025	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53121-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	14:01:00	OP53121-BS	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	96	96	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.016		0.04	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	89	89	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.016		0.04	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5106589	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	15:09:00	OP53121-MB	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.032	0.032	UG_L	U	U	PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.032	0.032	UG_L	U	U	PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:30	09/10/2014			20140916	11:30:00	20140918	18:21:00	FA18133-6	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.417	0.417	UG_L			PR	TRG									4.1	0.01	0.02	0.025	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:30	09/10/2014			20140916	11:30:00	20140918	18:21:00	FA18133-6	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.02	0.02	UG_L	U	U	PR	TRG									4.1	0.01	0.02	0.025	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 16:00	09/10/2014			20140918	10:00:00	20140923	14:41:00	FA18133-15	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:30	09/10/2014			20140916	11:30:00	20140918	18:21:00	FA18133-6	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.351	0.351	UG_L			PR	TRG									4.1	0.01	0.02	0.025	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW3B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:30	09/10/2014			20140916	11:30:00	20140918	18:21:00	FA18133-6	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.143	0.143	UG_L			PR	TRG									4.1	0.02	0.04	0.05	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:15	09/10/2014			20140916	11:30:00	20140918	17:04:00	FA18133-4	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.024	0.024	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:15	09/10/2014			20140916	11:30:00	20140918	17:04:00	FA18133-4	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.0201	0.0201	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:15	09/10/2014			20140916	11:30:00	20140918	17:04:00	FA18133-4	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.206	0.206	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:15	09/10/2014			20140916	11:30:00	20140918	17:04:00	FA18133-4	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:15	09/10/2014			20140916	11:30:00	20140918	17:04:00	FA18133-4	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.289	0.289	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	94	94	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.033		0.083	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	9	9	PCT			PR	TRG		MSP	30		20131112				4.1	0.033		0.083	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	OP53121-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	14:01:00	OP53121-BS	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	96	96	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	102	102	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5106589	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	15:09:00	OP53121-MB	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	113	113	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	12	12	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:22:00	OP53121-MS	5	1			Perfluorononanoic Acid (PFNA)	375-95-1	109	109	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:42:00	OP53121-MSD	5	1			Perfluorononanoic Acid (PFNA)	375-95-1	2	2	PCT			PR	TRG		MSP	30		20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:22:00	OP53121-MS	5	1			Perfluorooctanoic Acid (PFOA)	335-67-1	69	69	PCT	*	*	PR	TRG		MSA	130	70	20131112				4.1	0.17		0.42	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:42:00	OP53121-MSD	5	1			Perfluorooctanoic Acid (PFOA)	335-67-1	2	2	PCT			PR	TRG		MSP	30		20131112				4.1	0.17		0.42	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:15	09/10/2014			20140916	11:30:00	20140918	17:04:00	FA18133-4	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.0996	0.0996	UG_L			PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4AP-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:20	09/10/2014			20140916	11:30:00	20140918	17:24:00	FA18133-5	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.0251	0.0251	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4AP-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:20	09/10/2014			20140916	11:30:00	20140918	17:24:00	FA18133-5	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.0207	0.0207	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4AP-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:20	09/10/2014			20140916	11:30:00	20140918	17:24:00	FA18133-5	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.215	0.215	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4AP-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:20	09/10/2014			20140916	11:30:00	20140918	17:24:00	FA18133-5	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4AP-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:20	09/10/2014			20140916	11:30:00	20140918	17:24:00	FA18133-5	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.299	0.299	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4AP-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:20	09/10/2014			20140916	11:30:00	20140918	17:24:00	FA18133-5	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.108	0.108	UG_L			PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 16:00	09/10/2014			20140918	10:00:00	20140923	14:41:00	FA18133-15	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140918	15:48:00	FA18133-2	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.0125	0.0125	UG_L	J	J	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140918	15:48:00	FA18133-2	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.0391	0.0391	UG_L			PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140918	15:48:00	FA18133-2	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.0936	0.0936	UG_L			PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140918	15:48:00	FA18133-2	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140918	15:48:00	FA18133-2	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.017	0.017	UG_L	U	U	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:03:00	FA18133-2	5	2			Perfluorooctanoic Acid (PFOA)	335-67-1	1	1	UG_L			PR	TRG									4.1	0.083	0.17	0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW5A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:05	09/10/2014			20140916	11:30:00	20140918	16:45:00	FA18133-3	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.0436	0.0436	UG_L			PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	CH2M_Code	Analysi	Analytical	PRC_Code	Lab_Code	Lab_Name	Leachate_Method	Sample_Basis	Extraction_N	Result_	Lab_Q	Sample_Medium	QC_Level	DateTime_Collected	Date_Received	Leachate_Date	Leachate_Time	Extraction_D	Extraction_	Analysis_Dat	Analysis_Ti	Lab_Sample_ID	Diluti	Run_I	Percent_Moisture	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_A	Result_Units	Lab_Q	Validator_Qualifier	GC_Column_Type	Analysi	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247011D8012	WE79		NORFOLK_NB	OP53121-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	14:01:00	OP53121-BS	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	99	99	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	86	86	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5106589	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/16/2014 11:30				20140916	11:30:00	20140918	15:09:00	OP53121-MB	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	81	81	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	12	12	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:22:00	OP53121-MS	5	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	86	86	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW4B-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/08/2014 10:55	09/10/2014			20140916	11:30:00	20140922	12:42:00	OP53121-MSD	5	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	1	1	PCT			PR	TRG		MSP	30		20131112				4.1	0.083		0.21	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW5A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:05	09/10/2014			20140916	11:30:00	20140918	16:45:00	FA18133-3	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.0309	0.0309	UG_L			PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW5A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:05	09/10/2014			20140916	11:30:00	20140918	16:45:00	FA18133-3	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.0882	0.0882	UG_L			PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW5A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:05	09/10/2014			20140916	11:30:00	20140918	16:45:00	FA18133-3	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.00944	0.00944	UG_L	J	J	PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	104	104	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	90	90	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	5	5	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW5A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:05	09/10/2014			20140916	11:30:00	20140918	16:45:00	FA18133-3	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.0791	0.0791	UG_L			PR	TRG									4.1	0.0083	0.017	0.021	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW5A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:05	09/10/2014			20140916	11:30:00	20140918	16:45:00	FA18133-3	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.18	0.18	UG_L			PR	TRG									4.1	0.017	0.033	0.042	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140918	18:41:00	FA18133-7	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.0486	0.0486	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	89	89	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	89	89	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	7	7	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140918	18:41:00	FA18133-7	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.0715	0.0715	UG_L			PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140922	13:01:00	FA18133-7	10	2			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.334	0.334	UG_L			PR	TRG									4.1	0.08	0.16	0.2	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140918	18:41:00	FA18133-7	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.0155	0.0155	UG_L	J	J	PR	TRG									4.1	0.008	0.016	0.02	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	103	103	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	102	102	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	7	7	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140922	13:01:00	FA18133-7	10	2			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.903	0.903	UG_L			PR	TRG									4.1	0.08	0.16	0.2	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW7A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 11:40	09/10/2014			20140916	11:30:00	20140918	18:41:00	FA18133-7	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.16	0.16	UG_L			PR	TRG									4.1	0.016	0.032	0.04	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:40	09/12/2014			20140918	10:00:00	20140923	15:58:00	FA18247-2	1	1			13C2-PFDA		123	123	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10AP-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:40	09/12/2014			20140918	10:00:00	20140923	15:58:00	FA18247-2	1	1			13C2-PFHxA		111	111	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:35	09/12/2014			20140918	10:00:00	20140923	15:39:00	FA18247-1	1	1			13C2-PFDA		117	117	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW10A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 16:35	09/12/2014			20140918	10:00:00	20140923	15:39:00	FA18247-1	1	1			13C2-PFHxA		105	105	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW8A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:40	09/10/2014			20140916	11:30:00	20140918	15:28:00	FA18133-1	1	1			Perfluorobutanesulfonic Acid (PFBS)	375-73-5	0.0342	0.0342	UG_L			PR	TRG									4.1	0.011	0.022	0.028	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-EB090914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/09/2014 16:00	09/10/2014			20140918	10:00:00	20140923	14:41:00	FA18133-15	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.033	0.033	UG_L	U	U	PR	TRG									4.1	0.017	0.033	0.042	1409070	OP53158		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	102	102	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	113	113	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	12	12	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW8A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:40	09/10/2014			20140916	11:30:00	20140918	15:28:00	FA18133-1	1	1			Perfluoroheptanoic Acid (PFHpA)	375-85-9	0.0224	0.0224	UG_L	J	J	PR	TRG									4.1	0.011	0.022	0.028	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140924	10:56:00	FA18247-3	1	1			13C2-PFDA		122	122	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140924	10:56:00	FA18247-3	1	1			13C2-PFHxA		86	86	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW8A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:40	09/10/2014			20140916	11:30:00	20140918	15:28:00	FA18133-1	1	1			Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	0.157	0.157	UG_L			PR	TRG									4.1	0.011	0.022	0.028	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			13C2-PFDA		125	125	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			13C2-PFHxA		127	127	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			13C2-PFDA		108	108	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			13C2-PFHxA		104	104	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			13C2-PFDA		118	118	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			13C2-PFHxA		101	101	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			13C2-PFDA		115	115	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			13C2-PFHxA		94	94	PCT			PR	SURR		SLSA	130	70	20131112				4.1				1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	89	89	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.016		0.04	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.032	0.032	UG_L	U	U	PR	TRG									4.1	0.016	0.032	0.04	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW8A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:40	09/10/2014			20140916	11:30:00	20140918	15:28:00	FA18133-1	1	1			Perfluorononanoic Acid (PFNA)	375-95-1	0.022	0.022	UG_L	U	U	PR	TRG									4.1	0.011	0.022	0.028	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW8A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:40	09/10/2014			20140916	11:30:00	20140918	15:28:00	FA18133-1	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.204	0.204	UG_L			PR	TRG									4.1	0.011	0.022	0.028	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	NBS01-B-EW8A-0914	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	REG	W	UNK	09/08/2014 10:40	09/10/2014			20140916	11:30:00	20140918	15:28:00	FA18133-1	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	0.0474	0.0474	UG_L	J	J	PR	TRG									4.1	0.022	0.044	0.056	1409070	OP53121		
N6247011D8012	WE79		NORFOLK_NB	OP53158-BS	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BS	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:21:00	OP53158-BS	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	86	86	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.008		0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	SF5112911	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	BLK	W	UNK	09/18/2014 10:00				20140918	10:00:00	20140923	12:41:00	OP53158-MB	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	0.016	0.016	UG_L	U	U	PR	TRG									4.1	0.008	0.016	0.02	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	81	81	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorooctanesulfonic Acid (PFOS)	1763-23-1	12	12	PCT			PR	TRG		MSP	30		20131112				4.1	0.017		0.042	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MS	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:37:00	OP53158-MS	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	94	94	PCT			PR	TRG		MSA	130	70	20131112				4.1	0.033		0.083	1409100	OP53158		
N6247011D8012	WE79		NORFOLK_NB	NBS01-A1-MW8A-R15	NONS	SVOA	EPA 537 MOD		ACCUT_O	Accutest, Orlando, FL		N	METHOD	000	MSD	W	UNK	09/11/2014 13:00	09/12/2014			20140918	10:00:00	20140923	16:56:00	OP53158-MSD	1	1			Perfluorooctanoic Acid (PFOA)	335-67-1	9	9	PCT			PR	TRG		MSP	30		20131112				4.1	0.033		0.083	1409100	OP53158		

Data Validation Summary

Naval Station, Norfolk, Site 1

TO: Juliana Dean/VBO

Anita Dodson/VBO

FROM: Tiffany McGlynn/GNV

CC: Herb Kelly/GNV

DATE: November 25, 2014

Introduction

The following data validation report discusses the data validation process and findings for Empirical Laboratories, for SDG 1409100.

Samples were analyzed using the analytical methods below.

- EPA 537 MOD Semivolatiles (subbed out to Accutest Orlando)

The samples included in this SDG are listed in the table below.

Sample Name	Matrix
NBS01-A1-MW10A-R15	Water
NBS01-A1-MW10AP-R15	Water
NBS01-A1-MW8A-R15	Water

Data Evaluation

Data was evaluated in accordance with the analytical methods and with the criteria found in the following guidance documents: Sampling and Analysis Plan Long-Term Monitoring Plan for Groundwater Sites 1,2,3,6,18, and 20 Naval Station Norfolk, Norfolk, Virginia Contract Task Order WE79 (October 2014) and Region III Modifications for Organic Data Review (EPA 1994) as applicable. The samples were evaluated based on the following criteria:

- Data Completeness
- Technical Holding Times
- Instrument Tuning
- Initial/Continuing Calibrations

- Blanks
- Internal Standards
- Laboratory Control Samples
- Matrix Spike Recoveries
- Surrogates
- Field Duplicates
- Identification/Quantitation
- Reporting Limits

Overall Evaluation of Data/Potential Usability Issues

Specific details regarding qualification of the data are addressed in the sections below. If an issue is not addressed there were no actions required based on unmet quality criteria. When more than one qualifier is associated with a compound/analyte, the validator has chosen the qualifier that best indicates possible bias in the results and qualified these data accordingly.

Data Completeness

The SDG was received complete and intact.

Technical Holding Times


According to the chain of custody records, sampling was performed on 9/11/14. Samples were received at the laboratory on 9/12/14. All sample preparation and analyses were performed within holding time requirements.

Conclusion

These data can be used in the project decision-making process as qualified by the data quality evaluation process.

Please do not hesitate to contact us about this validation report.

Sincerely,



Tiffany McGlynn

Qualification Flags

Exclude	More appropriate data exist for this analyte.
R	Data were rejected for use.
UL	Analyte not detected, quantitation limit is potentially biased low.
UJ	Analyte not detected, estimated quantitation limit.
U	Analyte not detected.
B	Not detected substantially above the level reported in laboratory or field blanks.
L	Analyte present, estimated value potentially biased low.
K	Analyte present, estimated value potentially biased high.
N	Analyte identification presumptive; no second column analysis performed or GC/MS tentative identification.
J	Analyte present, estimated value.
NJ	Analysis indicates the presence of an analyte that was "tentatively identified" and the associated value represents its approximate concentration.
None	Placeholder for calculating quality control issues that do not require flagging.
=	Analyte was detected at a concentration greater than the quantitation limit.

Qualifier Code Reference

Value	Description
%SOL	High Moisture content
2C	Second Column – Poor Dual Column Reproducibility
2S	Second Source – Bad reproducibility between tandem detectors
BD	Blank Spike/Blank Spike Duplicate(LCS/LCSD) Precision
BRL	Below Reporting Limit
BSH	Blank Spike/LCS – High Recovery
BSL	Blank Spike/LCS – Low Recovery
CC	Continuing Calibration
CCBL	Continuing Calibration Blank Contamination
CCH	Continuing Calibration Verification – High Recovery
CCL	Continuing Calibration Verification – Low Recovery
DL	Redundant Result – due to Dilution
EBL	Equipment Blank Contamination
EMPC	Estimated Possible Maximum Concentration
ESH	Extraction Standard - High Recovery
ESL	Extraction Standard - Low Recovery
FBL	Field Blank Contamination
FD	Field Duplicate
HT	Holding Time
ICB	Initial Calibration – Bad Linearity or Curve Function
ICH	Initial Calibration – High Relative Response Factors
ICL	Initial Calibration – Low Relative Response Factors
IR15	Ion ratio exceeds +/- 15% difference
ISH	Internal Standard – High Recovery
ISL	Internal Standard – Low Recovery
LD	Lab Duplicate Reproducibility
LR	Concentration Exceeds Linear Range
MBL	Method Blank Contamination
MDP	Matrix Spike/Matrix Spike Duplicate Precision
MI	Matrix interference obscuring the raw data

MSH	Matrix Spike and/or Matrix Spike Duplicate – High Recovery
MSL	Matrix Spike and/or Matrix Spike Duplicate – Low Recovery
OT	Other
PD	Pesticide Degradation
RE	Redundant Result - due to Reanalysis or Re-extraction
SD	Serial Dilution Reproducibility
SSH	Spiked Surrogate – High Recovery
SSL	Spiked Surrogate – Low Recovery
TBL	Trip Blank Contamination
TN	Tune

LOCATION_NAME	SITE_NAME	INSTALLATION_ID	LOCATION_TYPE	LOCATION_TYPE_DESC	SDG	COORD_X	COORD_Y	ANALYTICAL_METHOD_GRP_DESC	SAMPLE_NAME	SAMPLE_MATRIX	SAMPLE_MATRIX_DESC	COLLECT_DATE
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10AP-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10AP-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10AP-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10AP-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW8A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124223	3505291.5	Perfluoroalkyl Compounds	NBS01-A1-MW8A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW8A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124223	3505291.5	Perfluoroalkyl Compounds	NBS01-A1-MW8A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10AP-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW8A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124223	3505291.5	Perfluoroalkyl Compounds	NBS01-A1-MW8A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW8A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124223	3505291.5	Perfluoroalkyl Compounds	NBS01-A1-MW8A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW8A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124223	3505291.5	Perfluoroalkyl Compounds	NBS01-A1-MW8A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10A-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW10A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124099	3505516.25	Perfluoroalkyl Compounds	NBS01-A1-MW10AP-R15	WG	Ground water	11-Sep-14
NBS01-A1-MW8A	SITE 00001	NORFOLK_NB	WLM	Monitoring well	1409100	12124223	3505291.5	Perfluoroalkyl Compounds	NBS01-A1-MW8A-R15	WG	Ground water	11-Sep-14