



**Off-Base Drinking Water Sample Results,  
Combined Level 2 and Level 4 Laboratory Report,  
Electronic Data Deliverable, Data Validation Report,  
and the Sample Location Figure, SDG 320-32923-1**

*Naval Air Warfare Center Warminster  
Warminster, Pennsylvania*

August 2019

N62269\_001156  
WARMINSTER\_NAWC  
SSIC 5000-33c

**LABORATORY DATA PACKAGE, 320-32923-1, NAS WILLOW GROVE NAWC**  
**WARMINSTER PA**  
11/22/2017  
TESTAMERICA LABORATORIES INC

Approved for public release: distribution unlimited.

## ANALYTICAL REPORT

Job Number: 320-32923-1

Job Description: Warminster: PFAS, NAS JRB Willow Grove

For:  
Tetra Tech, Inc.  
234 Mall Boulevard  
Suite 260  
King of Prussia, PA 19406  
Attention: Andy Frebowitz



Approved for release.  
David R. Alltucker  
Project Manager I  
11/22/2017 12:22 PM

---

David R Alltucker, Project Manager I  
880 Riverside Parkway, West Sacramento, CA, 95605  
(916)374-4383  
david.alltucker@testamericainc.com  
11/22/2017

# Table of Contents

Cover Title Page . . . . .	1
Data Summaries . . . . .	4
Definitions . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	8
Default Detection Limits . . . . .	13
Surrogate Summary . . . . .	14
QC Sample Results . . . . .	15
QC Association . . . . .	17
Chronicle . . . . .	18
Certification Summary . . . . .	21
Method Summary . . . . .	22
Sample Summary . . . . .	23
Manual Integration Summary . . . . .	24
Reagent Traceability . . . . .	30
COAs . . . . .	40
Organic Sample Data . . . . .	94
LCMS . . . . .	94
Method 537 DOD . . . . .	94
Method 537 DOD QC Summary . . . . .	95
Method 537 DOD Sample Data . . . . .	106
Standards Data . . . . .	190
Method 537 DOD ICAL Data . . . . .	190
Method 537 DOD CCAL Data . . . . .	229
Raw QC Data . . . . .	276

# Table of Contents

Method 537 DOD Blank Data .....	276
Method 537 DOD LCS/LCSD Data .....	281
Method 537 DOD MS/MSD Data .....	295
Method 537 DOD Run Logs .....	309
Method 537 DOD Prep Data .....	313
Shipping and Receiving Documents .....	326
Client Chain of Custody .....	327
Sample Receipt Checklist .....	328

# Definitions/Glossary

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## Qualifiers

### LCMS

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.
J	Estimated: The analyte was positively identified; the quantitation is an estimation
M	Manual integrated compound.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

**Job Narrative**  
**320-32923-1**

**Receipt**

The samples were received on 11/1/2017 9:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.6° C and 4.0° C.

**LCMS**

Method(s) 537: The first level standard from the initial calibration curve is used to evaluate the tune criteria. The instrument mass windows are set at +/- 0.5amu; therefore, detection of the analyte serves as verification that the assigned mass is within +/- 0.5amu of the true value, which meets the DoD/DOE QSM tune criterion.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**Organic Prep**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

# Detection Summary

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## Client Sample ID: NAWC-103117-RW-081

Lab Sample ID: 320-32923-1

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonic acid (PFOS)	22	J	41	6.9	ng/L	1		537	Total/NA
Perfluorooctanoic acid (PFOA)	16	J	20	2.8	ng/L	1		537	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	13	J	30	5.6	ng/L	1		537	Total/NA
Perfluoroheptanoic acid (PFHpA)	5.3	J	10	1.9	ng/L	1		537	Total/NA

## Client Sample ID: NAWC-103117-FRB-081

Lab Sample ID: 320-32923-2

No Detections.

## Client Sample ID: NAWC-103117-RW-082

Lab Sample ID: 320-32923-3

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonic acid (PFOS)	21	J	40	6.8	ng/L	1		537	Total/NA
Perfluorooctanoic acid (PFOA)	16	J	20	2.8	ng/L	1		537	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	12	J	30	5.5	ng/L	1		537	Total/NA
Perfluoroheptanoic acid (PFHpA)	5.3	J	10	1.9	ng/L	1		537	Total/NA

## Client Sample ID: NAWC-103117-FRB-082

Lab Sample ID: 320-32923-4

No Detections.

## Client Sample ID: NAWC-103117-RW-056

Lab Sample ID: 320-32923-5

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonic acid (PFOS)	18	J	40	6.8	ng/L	1		537	Total/NA
Perfluorooctanoic acid (PFOA)	25		20	2.8	ng/L	1		537	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	8.9	J	30	5.5	ng/L	1		537	Total/NA
Perfluoroheptanoic acid (PFHpA)	11		10	1.9	ng/L	1		537	Total/NA

## Client Sample ID: NAWC-103117-FRB-056

Lab Sample ID: 320-32923-6

No Detections.

## Client Sample ID: NAWC-103117-RW-117

Lab Sample ID: 320-32923-7

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonic acid (PFOS)	32	J	40	6.9	ng/L	1		537	Total/NA
Perfluorooctanoic acid (PFOA)	22		20	2.8	ng/L	1		537	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	18	J	30	5.6	ng/L	1		537	Total/NA
Perfluoroheptanoic acid (PFHpA)	5.6	J M	10	1.9	ng/L	1		537	Total/NA

## Client Sample ID: NAWC-103117-FRB-117

Lab Sample ID: 320-32923-8

No Detections.

## Client Sample ID: NAWC-103117-RW-335

Lab Sample ID: 320-32923-9

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonic acid (PFOS)	23	J	40	6.8	ng/L	1		537	Total/NA
Perfluorooctanoic acid (PFOA)	21		20	2.8	ng/L	1		537	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	10	J	30	5.5	ng/L	1		537	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento



# Detection Summary

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## Client Sample ID: NAWC-103117-RW-335 (Continued)

Lab Sample ID: 320-32923-9

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluoroheptanoic acid (PFHpA)	8.4	J	10	1.9	ng/L	1		537	Total/NA

## Client Sample ID: NAWC-103117-FRB-335

Lab Sample ID: 320-32923-10

No Detections.

## Client Sample ID: NAWC-103117-RW-324

Lab Sample ID: 320-32923-11

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonic acid (PFOS)	44		40	6.8	ng/L	1		537	Total/NA
Perfluorooctanoic acid (PFOA)	14	J	20	2.8	ng/L	1		537	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	18	J	30	5.5	ng/L	1		537	Total/NA
Perfluoroheptanoic acid (PFHpA)	3.9	J	10	1.9	ng/L	1		537	Total/NA

## Client Sample ID: NAWC-103117-FRB-324

Lab Sample ID: 320-32923-12

No Detections.

## Client Sample ID: WGNA-103117-DUP-12

Lab Sample ID: 320-32923-13

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonic acid (PFOS)	23	J	40	6.8	ng/L	1		537	Total/NA
Perfluorooctanoic acid (PFOA)	21		20	2.8	ng/L	1		537	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	9.5	J	30	5.5	ng/L	1		537	Total/NA
Perfluoroheptanoic acid (PFHpA)	8.6	J	9.9	1.9	ng/L	1		537	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

**Client Sample ID: NAWC-103117-RW-081**

**Lab Sample ID: 320-32923-1**

Date Collected: 10/31/17 08:10

Matrix: Water

Date Received: 11/01/17 09:40

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	22	J	41	6.9	ng/L		11/06/17 11:56	11/08/17 20:42	1
Perfluorooctanoic acid (PFOA)	16	J	20	2.8	ng/L		11/06/17 11:56	11/08/17 20:42	1
Perfluorononanoic acid (PFNA)	20	U M	24	8.1	ng/L		11/06/17 11:56	11/08/17 20:42	1
Perfluorohexanesulfonic acid (PFHxS)	13	J	30	5.6	ng/L		11/06/17 11:56	11/08/17 20:42	1
Perfluoroheptanoic acid (PFHpA)	5.3	J	10	1.9	ng/L		11/06/17 11:56	11/08/17 20:42	1
Perfluorobutanesulfonic acid (PFBS)	37	U	91	16	ng/L		11/06/17 11:56	11/08/17 20:42	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C2 PFHxA	96		70 - 130				11/06/17 11:56	11/08/17 20:42	1
13C2 PFDA	86		70 - 130				11/06/17 11:56	11/08/17 20:42	1

**Client Sample ID: NAWC-103117-FRB-081**

**Lab Sample ID: 320-32923-2**

Date Collected: 10/31/17 08:05

Matrix: Water

Date Received: 11/01/17 09:40

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	16	U	40	6.8	ng/L		11/06/17 11:56	11/08/17 20:56	1
Perfluorooctanoic acid (PFOA)	8.0	U	20	2.8	ng/L		11/06/17 11:56	11/08/17 20:56	1
Perfluorononanoic acid (PFNA)	20	U	24	8.0	ng/L		11/06/17 11:56	11/08/17 20:56	1
Perfluorohexanesulfonic acid (PFHxS)	12	U	30	5.5	ng/L		11/06/17 11:56	11/08/17 20:56	1
Perfluoroheptanoic acid (PFHpA)	4.0	U	10	1.9	ng/L		11/06/17 11:56	11/08/17 20:56	1
Perfluorobutanesulfonic acid (PFBS)	36	U	90	16	ng/L		11/06/17 11:56	11/08/17 20:56	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C2 PFHxA	93		70 - 130				11/06/17 11:56	11/08/17 20:56	1
13C2 PFDA	86		70 - 130				11/06/17 11:56	11/08/17 20:56	1

**Client Sample ID: NAWC-103117-RW-082**

**Lab Sample ID: 320-32923-3**

Date Collected: 10/31/17 08:40

Matrix: Water

Date Received: 11/01/17 09:40

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	21	J	40	6.8	ng/L		11/06/17 11:56	11/08/17 21:01	1
Perfluorooctanoic acid (PFOA)	16	J	20	2.8	ng/L		11/06/17 11:56	11/08/17 21:01	1
Perfluorononanoic acid (PFNA)	20	U M	24	8.0	ng/L		11/06/17 11:56	11/08/17 21:01	1
Perfluorohexanesulfonic acid (PFHxS)	12	J	30	5.5	ng/L		11/06/17 11:56	11/08/17 21:01	1
Perfluoroheptanoic acid (PFHpA)	5.3	J	10	1.9	ng/L		11/06/17 11:56	11/08/17 21:01	1
Perfluorobutanesulfonic acid (PFBS)	36	U	90	16	ng/L		11/06/17 11:56	11/08/17 21:01	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C2 PFHxA	92		70 - 130				11/06/17 11:56	11/08/17 21:01	1
13C2 PFDA	86		70 - 130				11/06/17 11:56	11/08/17 21:01	1

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

**Client Sample ID: NAWC-103117-FRB-082**

**Lab Sample ID: 320-32923-4**

**Date Collected: 10/31/17 08:35**

**Matrix: Water**

**Date Received: 11/01/17 09:40**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	17	U	41	7.0	ng/L		11/06/17 11:56	11/08/17 21:06	1
Perfluorooctanoic acid (PFOA)	8.3	U	21	2.9	ng/L		11/06/17 11:56	11/08/17 21:06	1
Perfluorononanoic acid (PFNA)	21	U	25	8.3	ng/L		11/06/17 11:56	11/08/17 21:06	1
Perfluorohexanesulfonic acid (PFHxS)	12	U	31	5.7	ng/L		11/06/17 11:56	11/08/17 21:06	1
Perfluoroheptanoic acid (PFHpA)	4.1	U	10	2.0	ng/L		11/06/17 11:56	11/08/17 21:06	1
Perfluorobutanesulfonic acid (PFBS)	37	U	93	17	ng/L		11/06/17 11:56	11/08/17 21:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFHxA	96		70 - 130	11/06/17 11:56	11/08/17 21:06	1
13C2 PFDA	89		70 - 130	11/06/17 11:56	11/08/17 21:06	1

**Client Sample ID: NAWC-103117-RW-056**

**Lab Sample ID: 320-32923-5**

**Date Collected: 10/31/17 09:10**

**Matrix: Water**

**Date Received: 11/01/17 09:40**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	18	J	40	6.8	ng/L		11/06/17 11:56	11/08/17 21:10	1
Perfluorooctanoic acid (PFOA)	25		20	2.8	ng/L		11/06/17 11:56	11/08/17 21:10	1
Perfluorononanoic acid (PFNA)	20	U M	24	8.0	ng/L		11/06/17 11:56	11/08/17 21:10	1
Perfluorohexanesulfonic acid (PFHxS)	8.9	J	30	5.5	ng/L		11/06/17 11:56	11/08/17 21:10	1
Perfluoroheptanoic acid (PFHpA)	11		10	1.9	ng/L		11/06/17 11:56	11/08/17 21:10	1
Perfluorobutanesulfonic acid (PFBS)	36	U	90	16	ng/L		11/06/17 11:56	11/08/17 21:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFHxA	95		70 - 130	11/06/17 11:56	11/08/17 21:10	1
13C2 PFDA	96		70 - 130	11/06/17 11:56	11/08/17 21:10	1

**Client Sample ID: NAWC-103117-FRB-056**

**Lab Sample ID: 320-32923-6**

**Date Collected: 10/31/17 09:05**

**Matrix: Water**

**Date Received: 11/01/17 09:40**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	16	U	40	6.8	ng/L		11/06/17 11:56	11/08/17 21:24	1
Perfluorooctanoic acid (PFOA)	8.0	U	20	2.8	ng/L		11/06/17 11:56	11/08/17 21:24	1
Perfluorononanoic acid (PFNA)	20	U	24	8.0	ng/L		11/06/17 11:56	11/08/17 21:24	1
Perfluorohexanesulfonic acid (PFHxS)	12	U	30	5.5	ng/L		11/06/17 11:56	11/08/17 21:24	1
Perfluoroheptanoic acid (PFHpA)	4.0	U	10	1.9	ng/L		11/06/17 11:56	11/08/17 21:24	1
Perfluorobutanesulfonic acid (PFBS)	36	U	90	16	ng/L		11/06/17 11:56	11/08/17 21:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFHxA	95		70 - 130	11/06/17 11:56	11/08/17 21:24	1
13C2 PFDA	85		70 - 130	11/06/17 11:56	11/08/17 21:24	1

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

**Client Sample ID: NAWC-103117-RW-117**

**Lab Sample ID: 320-32923-7**

Date Collected: 10/31/17 09:40

Matrix: Water

Date Received: 11/01/17 09:40

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	32	J	40	6.9	ng/L		11/06/17 11:56	11/08/17 21:29	1
Perfluorooctanoic acid (PFOA)	22		20	2.8	ng/L		11/06/17 11:56	11/08/17 21:29	1
Perfluorononanoic acid (PFNA)	20	U M	24	8.1	ng/L		11/06/17 11:56	11/08/17 21:29	1
Perfluorohexanesulfonic acid (PFHxS)	18	J	30	5.6	ng/L		11/06/17 11:56	11/08/17 21:29	1
Perfluoroheptanoic acid (PFHpA)	5.6	J M	10	1.9	ng/L		11/06/17 11:56	11/08/17 21:29	1
Perfluorobutanesulfonic acid (PFBS)	36	U M	91	16	ng/L		11/06/17 11:56	11/08/17 21:29	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C2 PFHxA	97		70 - 130				11/06/17 11:56	11/08/17 21:29	1
13C2 PFDA	86		70 - 130				11/06/17 11:56	11/08/17 21:29	1

**Client Sample ID: NAWC-103117-FRB-117**

**Lab Sample ID: 320-32923-8**

Date Collected: 10/31/17 09:35

Matrix: Water

Date Received: 11/01/17 09:40

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	16	U	40	6.7	ng/L		11/06/17 11:56	11/08/17 21:34	1
Perfluorooctanoic acid (PFOA)	7.9	U	20	2.8	ng/L		11/06/17 11:56	11/08/17 21:34	1
Perfluorononanoic acid (PFNA)	20	U	24	7.9	ng/L		11/06/17 11:56	11/08/17 21:34	1
Perfluorohexanesulfonic acid (PFHxS)	12	U	30	5.4	ng/L		11/06/17 11:56	11/08/17 21:34	1
Perfluoroheptanoic acid (PFHpA)	4.0	U	9.9	1.9	ng/L		11/06/17 11:56	11/08/17 21:34	1
Perfluorobutanesulfonic acid (PFBS)	36	U	89	16	ng/L		11/06/17 11:56	11/08/17 21:34	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C2 PFHxA	98		70 - 130				11/06/17 11:56	11/08/17 21:34	1
13C2 PFDA	90		70 - 130				11/06/17 11:56	11/08/17 21:34	1

**Client Sample ID: NAWC-103117-RW-335**

**Lab Sample ID: 320-32923-9**

Date Collected: 10/31/17 11:40

Matrix: Water

Date Received: 11/01/17 09:40

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	23	J	40	6.8	ng/L		11/06/17 11:56	11/08/17 21:38	1
Perfluorooctanoic acid (PFOA)	21		20	2.8	ng/L		11/06/17 11:56	11/08/17 21:38	1
Perfluorononanoic acid (PFNA)	20	U M	24	8.1	ng/L		11/06/17 11:56	11/08/17 21:38	1
Perfluorohexanesulfonic acid (PFHxS)	10	J	30	5.5	ng/L		11/06/17 11:56	11/08/17 21:38	1
Perfluoroheptanoic acid (PFHpA)	8.4	J	10	1.9	ng/L		11/06/17 11:56	11/08/17 21:38	1
Perfluorobutanesulfonic acid (PFBS)	36	U M	91	16	ng/L		11/06/17 11:56	11/08/17 21:38	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C2 PFHxA	96		70 - 130				11/06/17 11:56	11/08/17 21:38	1
13C2 PFDA	89		70 - 130				11/06/17 11:56	11/08/17 21:38	1

# Client Sample Results

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

**Client Sample ID: NAWC-103117-FRB-335**

**Lab Sample ID: 320-32923-10**

**Date Collected: 10/31/17 11:35**

**Matrix: Water**

**Date Received: 11/01/17 09:40**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	16	U	39	6.7	ng/L		11/06/17 11:56	11/08/17 21:43	1
Perfluorooctanoic acid (PFOA)	7.9	U	20	2.8	ng/L		11/06/17 11:56	11/08/17 21:43	1
Perfluorononanoic acid (PFNA)	20	U	24	7.9	ng/L		11/06/17 11:56	11/08/17 21:43	1
Perfluorohexanesulfonic acid (PFHxS)	12	U	30	5.4	ng/L		11/06/17 11:56	11/08/17 21:43	1
Perfluoroheptanoic acid (PFHpA)	3.9	U	9.9	1.9	ng/L		11/06/17 11:56	11/08/17 21:43	1
Perfluorobutanesulfonic acid (PFBS)	35	U	89	16	ng/L		11/06/17 11:56	11/08/17 21:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFHxA	96		70 - 130	11/06/17 11:56	11/08/17 21:43	1
13C2 PFDA	88		70 - 130	11/06/17 11:56	11/08/17 21:43	1

**Client Sample ID: NAWC-103117-RW-324**

**Lab Sample ID: 320-32923-11**

**Date Collected: 10/31/17 10:10**

**Matrix: Water**

**Date Received: 11/01/17 09:40**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	44		40	6.8	ng/L		11/06/17 11:56	11/08/17 21:48	1
Perfluorooctanoic acid (PFOA)	14	J	20	2.8	ng/L		11/06/17 11:56	11/08/17 21:48	1
Perfluorononanoic acid (PFNA)	20	U M	24	8.1	ng/L		11/06/17 11:56	11/08/17 21:48	1
Perfluorohexanesulfonic acid (PFHxS)	18	J	30	5.5	ng/L		11/06/17 11:56	11/08/17 21:48	1
Perfluoroheptanoic acid (PFHpA)	3.9	J	10	1.9	ng/L		11/06/17 11:56	11/08/17 21:48	1
Perfluorobutanesulfonic acid (PFBS)	36	U	91	16	ng/L		11/06/17 11:56	11/08/17 21:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFHxA	94		70 - 130	11/06/17 11:56	11/08/17 21:48	1
13C2 PFDA	86		70 - 130	11/06/17 11:56	11/08/17 21:48	1

**Client Sample ID: NAWC-103117-FRB-324**

**Lab Sample ID: 320-32923-12**

**Date Collected: 10/31/17 10:05**

**Matrix: Water**

**Date Received: 11/01/17 09:40**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	16	U	40	6.8	ng/L		11/06/17 11:56	11/08/17 21:52	1
Perfluorooctanoic acid (PFOA)	7.9	U	20	2.8	ng/L		11/06/17 11:56	11/08/17 21:52	1
Perfluorononanoic acid (PFNA)	20	U	24	7.9	ng/L		11/06/17 11:56	11/08/17 21:52	1
Perfluorohexanesulfonic acid (PFHxS)	12	U	30	5.5	ng/L		11/06/17 11:56	11/08/17 21:52	1
Perfluoroheptanoic acid (PFHpA)	4.0	U	9.9	1.9	ng/L		11/06/17 11:56	11/08/17 21:52	1
Perfluorobutanesulfonic acid (PFBS)	36	U	89	16	ng/L		11/06/17 11:56	11/08/17 21:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFHxA	93		70 - 130	11/06/17 11:56	11/08/17 21:52	1
13C2 PFDA	87		70 - 130	11/06/17 11:56	11/08/17 21:52	1

# Client Sample Results

Client: Tetra Tech, Inc.  
 Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

**Client Sample ID: WGNA-103117-DUP-12**

**Lab Sample ID: 320-32923-13**

**Date Collected: 10/31/17 12:00**

**Matrix: Water**

**Date Received: 11/01/17 09:40**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>23</b>	<b>J</b>	40	6.8	ng/L		11/06/17 11:56	11/08/17 21:57	1
<b>Perfluorooctanoic acid (PFOA)</b>	<b>21</b>		20	2.8	ng/L		11/06/17 11:56	11/08/17 21:57	1
Perfluorononanoic acid (PFNA)	20	U M	24	7.9	ng/L		11/06/17 11:56	11/08/17 21:57	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>9.5</b>	<b>J</b>	30	5.5	ng/L		11/06/17 11:56	11/08/17 21:57	1
<b>Perfluoroheptanoic acid (PFHpA)</b>	<b>8.6</b>	<b>J</b>	9.9	1.9	ng/L		11/06/17 11:56	11/08/17 21:57	1
Perfluorobutanesulfonic acid (PFBS)	36	U	89	16	ng/L		11/06/17 11:56	11/08/17 21:57	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C2 PFHxA	96		70 - 130				11/06/17 11:56	11/08/17 21:57	1
13C2 PFDA	82		70 - 130				11/06/17 11:56	11/08/17 21:57	1

# Default Detection Limits

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Prep: 537

Analyte	LOQ	DL	Units	Method
Perfluorobutanesulfonic acid (PFBS)	90	16	ng/L	537
Perfluoroheptanoic acid (PFHpA)	10	1.9	ng/L	537
Perfluorohexanesulfonic acid (PFHxS)	30	5.5	ng/L	537
Perfluorononanoic acid (PFNA)	24	8.0	ng/L	537
Perfluorooctanesulfonic acid (PFOS)	40	6.8	ng/L	537
Perfluorooctanoic acid (PFOA)	20	2.8	ng/L	537

# Surrogate Summary

Client: Tetra Tech, Inc.  
 Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		3C2 PFHx (70-130)	3C2 PFDA (70-130)
320-32923-1	NAWC-103117-RW-081	96	86
320-32923-1 LMS	NAWC-103117-RW-081	96	90
320-32923-1 LMSD	NAWC-103117-RW-081	100	89
320-32923-2	NAWC-103117-FRB-081	93	86
320-32923-3	NAWC-103117-RW-082	92	86
320-32923-4	NAWC-103117-FRB-082	96	89
320-32923-5	NAWC-103117-RW-056	95	96
320-32923-6	NAWC-103117-FRB-056	95	85
320-32923-7	NAWC-103117-RW-117	97	86
320-32923-8	NAWC-103117-FRB-117	98	90
320-32923-9	NAWC-103117-RW-335	96	89
320-32923-10	NAWC-103117-FRB-335	96	88
320-32923-11	NAWC-103117-RW-324	94	86
320-32923-12	NAWC-103117-FRB-324	93	87
320-32923-13	WGNA-103117-DUP-12	96	82
LLCS 320-193034/2-A	Lab Control Sample	94	89
LLCSD 320-193034/3-A	Lab Control Sample Dup	94	85
MB 320-193034/1-A	Method Blank	91	77

### Surrogate Legend

13C2 PFHxA = 13C2 PFHxA

13C2 PFDA = 13C2 PFDA



# QC Sample Results

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

**Lab Sample ID: MB 320-193034/1-A**  
**Matrix: Water**  
**Analysis Batch: 193699**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 193034**

Analyte	MB	MB	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Perfluorooctanesulfonic acid (PFOS)	16	U	40	6.8	ng/L		11/06/17 11:56	11/08/17 20:28	1
Perfluorooctanoic acid (PFOA)	8.0	U	20	2.8	ng/L		11/06/17 11:56	11/08/17 20:28	1
Perfluorononanoic acid (PFNA)	20	U	24	8.0	ng/L		11/06/17 11:56	11/08/17 20:28	1
Perfluorohexanesulfonic acid (PFHxS)	12	U	30	5.5	ng/L		11/06/17 11:56	11/08/17 20:28	1
Perfluoroheptanoic acid (PFHpA)	4.0	U	10	1.9	ng/L		11/06/17 11:56	11/08/17 20:28	1
Perfluorobutanesulfonic acid (PFBS)	36	U	90	16	ng/L		11/06/17 11:56	11/08/17 20:28	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
13C2 PFHxA	91		70 - 130	11/06/17 11:56	11/08/17 20:28	1
13C2 PFDA	77		70 - 130	11/06/17 11:56	11/08/17 20:28	1

**Lab Sample ID: LLCS 320-193034/2-A**  
**Matrix: Water**  
**Analysis Batch: 193699**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 193034**  
**%Rec.**

Analyte	Spike Added	LLCS	LLCS	Unit	D	%Rec	Limits
		Result	Qualifier				
Perfluorooctanesulfonic acid (PFOS)	40.0	38.2	J	ng/L		96	50 - 150
Perfluorooctanoic acid (PFOA)	20.0	19.9	J	ng/L		99	50 - 150
Perfluorononanoic acid (PFNA)	20.0	18.4	J	ng/L		92	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	30.0	31.6		ng/L		105	50 - 150
Perfluoroheptanoic acid (PFHpA)	10.0	10.1		ng/L		101	50 - 150
Perfluorobutanesulfonic acid (PFBS)	90.0	88.2	J	ng/L		98	50 - 150

Surrogate	LLCS	LLCS	Limits
	%Recovery	Qualifier	
13C2 PFHxA	94		70 - 130
13C2 PFDA	89		70 - 130

**Lab Sample ID: LLCSD 320-193034/3-A**  
**Matrix: Water**  
**Analysis Batch: 193699**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 193034**  
**%Rec.**

Analyte	Spike Added	LLCSD	LLCSD	Unit	D	%Rec	Limits	RPD	Limit
		Result	Qualifier						
Perfluorooctanesulfonic acid (PFOS)	40.0	40.1	M	ng/L		100	50 - 150	5	50
Perfluorooctanoic acid (PFOA)	20.0	19.3	J	ng/L		96	50 - 150	3	50
Perfluorononanoic acid (PFNA)	20.0	18.6	J	ng/L		93	50 - 150	0.9	50
Perfluorohexanesulfonic acid (PFHxS)	30.0	31.9		ng/L		106	50 - 150	0.7	50
Perfluoroheptanoic acid (PFHpA)	10.0	10.2		ng/L		102	50 - 150	1	50
Perfluorobutanesulfonic acid (PFBS)	90.0	93.5		ng/L		104	50 - 150	6	50

Surrogate	LLCSD	LLCSD	Limits
	%Recovery	Qualifier	
13C2 PFHxA	94		70 - 130
13C2 PFDA	85		70 - 130

TestAmerica Sacramento

# QC Sample Results

Client: Tetra Tech, Inc.  
 Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## Method: 537 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: 320-32923-1 LMS

Matrix: Water

Analysis Batch: 193699

Client Sample ID: NAWC-103117-RW-081

Prep Type: Total/NA

Prep Batch: 193034

Analyte	Sample Result	Sample Qualifier	Spike Added	LMS Result	LMS Qualifier	Unit	D	%Rec	Limits
Perfluorooctanesulfonic acid (PFOS)	22	J	39.8	59.3		ng/L		93	50 - 150
Perfluorooctanoic acid (PFOA)	16	J	19.9	34.9		ng/L		95	50 - 150
Perfluorononanoic acid (PFNA)	20	U M	19.9	20.2	J	ng/L		101	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	13	J	29.8	42.7		ng/L		101	50 - 150
Perfluoroheptanoic acid (PFHpA)	5.3	J	9.94	14.6		ng/L		94	50 - 150
Perfluorobutanesulfonic acid (PFBS)	37	U	89.5	103		ng/L		115	50 - 150
		<b>LMS</b>		<b>LMS</b>					
<b>Surrogate</b>		<b>%Recovery</b>			<b>Qualifier</b>				<b>Limits</b>
13C2 PFHxA		96							70 - 130
13C2 PFDA		90							70 - 130

Lab Sample ID: 320-32923-1 LMSD

Matrix: Water

Analysis Batch: 193699

Client Sample ID: NAWC-103117-RW-081

Prep Type: Total/NA

Prep Batch: 193034

Analyte	Sample Result	Sample Qualifier	Spike Added	LMSD Result	LMSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Perfluorooctanesulfonic acid (PFOS)	22	J	39.6	64.2	M	ng/L		106	50 - 150	8	50
Perfluorooctanoic acid (PFOA)	16	J	19.8	35.9		ng/L		100	50 - 150	3	50
Perfluorononanoic acid (PFNA)	20	U M	19.8	20.1	J	ng/L		101	50 - 150	0	50
Perfluorohexanesulfonic acid (PFHxS)	13	J	29.7	45.3		ng/L		110	50 - 150	6	50
Perfluoroheptanoic acid (PFHpA)	5.3	J	9.91	15.7		ng/L		104	50 - 150	7	50
Perfluorobutanesulfonic acid (PFBS)	37	U	89.1	107		ng/L		120	50 - 150	4	50
		<b>LMSD</b>		<b>LMSD</b>							
<b>Surrogate</b>		<b>%Recovery</b>			<b>Qualifier</b>				<b>Limits</b>		
13C2 PFHxA		100							70 - 130		
13C2 PFDA		89							70 - 130		

# QC Association Summary

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## LCMS

### Prep Batch: 193034

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-32923-1	NAWC-103117-RW-081	Total/NA	Water	537	
320-32923-2	NAWC-103117-FRB-081	Total/NA	Water	537	
320-32923-3	NAWC-103117-RW-082	Total/NA	Water	537	
320-32923-4	NAWC-103117-FRB-082	Total/NA	Water	537	
320-32923-5	NAWC-103117-RW-056	Total/NA	Water	537	
320-32923-6	NAWC-103117-FRB-056	Total/NA	Water	537	
320-32923-7	NAWC-103117-RW-117	Total/NA	Water	537	
320-32923-8	NAWC-103117-FRB-117	Total/NA	Water	537	
320-32923-9	NAWC-103117-RW-335	Total/NA	Water	537	
320-32923-10	NAWC-103117-FRB-335	Total/NA	Water	537	
320-32923-11	NAWC-103117-RW-324	Total/NA	Water	537	
320-32923-12	NAWC-103117-FRB-324	Total/NA	Water	537	
320-32923-13	WGNA-103117-DUP-12	Total/NA	Water	537	
MB 320-193034/1-A	Method Blank	Total/NA	Water	537	
LLCS 320-193034/2-A	Lab Control Sample	Total/NA	Water	537	
LLCSD 320-193034/3-A	Lab Control Sample Dup	Total/NA	Water	537	
320-32923-1 LMS	NAWC-103117-RW-081	Total/NA	Water	537	
320-32923-1 LMSD	NAWC-103117-RW-081	Total/NA	Water	537	

### Analysis Batch: 193699

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-32923-1	NAWC-103117-RW-081	Total/NA	Water	537	193034
320-32923-2	NAWC-103117-FRB-081	Total/NA	Water	537	193034
320-32923-3	NAWC-103117-RW-082	Total/NA	Water	537	193034
320-32923-4	NAWC-103117-FRB-082	Total/NA	Water	537	193034
320-32923-5	NAWC-103117-RW-056	Total/NA	Water	537	193034
MB 320-193034/1-A	Method Blank	Total/NA	Water	537	193034
LLCS 320-193034/2-A	Lab Control Sample	Total/NA	Water	537	193034
LLCSD 320-193034/3-A	Lab Control Sample Dup	Total/NA	Water	537	193034
320-32923-1 LMS	NAWC-103117-RW-081	Total/NA	Water	537	193034
320-32923-1 LMSD	NAWC-103117-RW-081	Total/NA	Water	537	193034

### Analysis Batch: 193701

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-32923-6	NAWC-103117-FRB-056	Total/NA	Water	537	193034
320-32923-7	NAWC-103117-RW-117	Total/NA	Water	537	193034
320-32923-8	NAWC-103117-FRB-117	Total/NA	Water	537	193034
320-32923-9	NAWC-103117-RW-335	Total/NA	Water	537	193034
320-32923-10	NAWC-103117-FRB-335	Total/NA	Water	537	193034
320-32923-11	NAWC-103117-RW-324	Total/NA	Water	537	193034
320-32923-12	NAWC-103117-FRB-324	Total/NA	Water	537	193034
320-32923-13	WGNA-103117-DUP-12	Total/NA	Water	537	193034

# Lab Chronicle

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## Client Sample ID: NAWC-103117-RW-081

Date Collected: 10/31/17 08:10

Date Received: 11/01/17 09:40

## Lab Sample ID: 320-32923-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193699	11/08/17 20:42	JRB	TAL SAC

## Client Sample ID: NAWC-103117-FRB-081

Date Collected: 10/31/17 08:05

Date Received: 11/01/17 09:40

## Lab Sample ID: 320-32923-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193699	11/08/17 20:56	JRB	TAL SAC

## Client Sample ID: NAWC-103117-RW-082

Date Collected: 10/31/17 08:40

Date Received: 11/01/17 09:40

## Lab Sample ID: 320-32923-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193699	11/08/17 21:01	JRB	TAL SAC

## Client Sample ID: NAWC-103117-FRB-082

Date Collected: 10/31/17 08:35

Date Received: 11/01/17 09:40

## Lab Sample ID: 320-32923-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193699	11/08/17 21:06	JRB	TAL SAC

## Client Sample ID: NAWC-103117-RW-056

Date Collected: 10/31/17 09:10

Date Received: 11/01/17 09:40

## Lab Sample ID: 320-32923-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193699	11/08/17 21:10	JRB	TAL SAC

## Client Sample ID: NAWC-103117-FRB-056

Date Collected: 10/31/17 09:05

Date Received: 11/01/17 09:40

## Lab Sample ID: 320-32923-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193701	11/08/17 21:24	JRB	TAL SAC

TestAmerica Sacramento

# Lab Chronicle

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

**Client Sample ID: NAWC-103117-RW-117**

**Lab Sample ID: 320-32923-7**

Date Collected: 10/31/17 09:40

Matrix: Water

Date Received: 11/01/17 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193701	11/08/17 21:29	JRB	TAL SAC

**Client Sample ID: NAWC-103117-FRB-117**

**Lab Sample ID: 320-32923-8**

Date Collected: 10/31/17 09:35

Matrix: Water

Date Received: 11/01/17 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193701	11/08/17 21:34	JRB	TAL SAC

**Client Sample ID: NAWC-103117-RW-335**

**Lab Sample ID: 320-32923-9**

Date Collected: 10/31/17 11:40

Matrix: Water

Date Received: 11/01/17 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193701	11/08/17 21:38	JRB	TAL SAC

**Client Sample ID: NAWC-103117-FRB-335**

**Lab Sample ID: 320-32923-10**

Date Collected: 10/31/17 11:35

Matrix: Water

Date Received: 11/01/17 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193701	11/08/17 21:43	JRB	TAL SAC

**Client Sample ID: NAWC-103117-RW-324**

**Lab Sample ID: 320-32923-11**

Date Collected: 10/31/17 10:10

Matrix: Water

Date Received: 11/01/17 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193701	11/08/17 21:48	JRB	TAL SAC

**Client Sample ID: NAWC-103117-FRB-324**

**Lab Sample ID: 320-32923-12**

Date Collected: 10/31/17 10:05

Matrix: Water

Date Received: 11/01/17 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193701	11/08/17 21:52	JRB	TAL SAC

TestAmerica Sacramento

# Lab Chronicle

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

**Client Sample ID: WGNA-103117-DUP-12**

**Lab Sample ID: 320-32923-13**

**Date Collected: 10/31/17 12:00**

**Matrix: Water**

**Date Received: 11/01/17 09:40**

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Prepared or Analyzed</u>	<u>Analyst</u>	<u>Lab</u>
Total/NA	Prep	537			193034	11/06/17 11:56	KMK	TAL SAC
Total/NA	Analysis	537		1	193701	11/08/17 21:57	JRB	TAL SAC

**Laboratory References:**

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

# Accreditation/Certification Summary

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

## Laboratory: TestAmerica Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
Oregon	NELAP	10	4040	01-28-18

The following analytes are included in this report, but accreditation/certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
537	537	Water	Perfluorobutanesulfonic acid (PFBS)
537	537	Water	Perfluoroheptanoic acid (PFHpA)
537	537	Water	Perfluorohexanesulfonic acid (PFHxS)
537	537	Water	Perfluorononanoic acid (PFNA)
537	537	Water	Perfluorooctanesulfonic acid (PFOS)
537	537	Water	Perfluorooctanoic acid (PFOA)

# Method Summary

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

---

---

<b>Method</b>	<b>Method Description</b>	<b>Protocol</b>	<b>Laboratory</b>
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600



# Sample Summary

Client: Tetra Tech, Inc.

TestAmerica Job ID: 320-32923-1

Project/Site: Warminster: PFAS, NAS JRB Willow Grove

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-32923-1	NAWC-103117-RW-081	Water	10/31/17 08:10	11/01/17 09:40
320-32923-2	NAWC-103117-FRB-081	Water	10/31/17 08:05	11/01/17 09:40
320-32923-3	NAWC-103117-RW-082	Water	10/31/17 08:40	11/01/17 09:40
320-32923-4	NAWC-103117-FRB-082	Water	10/31/17 08:35	11/01/17 09:40
320-32923-5	NAWC-103117-RW-056	Water	10/31/17 09:10	11/01/17 09:40
320-32923-6	NAWC-103117-FRB-056	Water	10/31/17 09:05	11/01/17 09:40
320-32923-7	NAWC-103117-RW-117	Water	10/31/17 09:40	11/01/17 09:40
320-32923-8	NAWC-103117-FRB-117	Water	10/31/17 09:35	11/01/17 09:40
320-32923-9	NAWC-103117-RW-335	Water	10/31/17 11:40	11/01/17 09:40
320-32923-10	NAWC-103117-FRB-335	Water	10/31/17 11:35	11/01/17 09:40
320-32923-11	NAWC-103117-RW-324	Water	10/31/17 10:10	11/01/17 09:40
320-32923-12	NAWC-103117-FRB-324	Water	10/31/17 10:05	11/01/17 09:40
320-32923-13	WGNA-103117-DUP-12	Water	10/31/17 12:00	11/01/17 09:40

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Analysis Batch Number: 192908

Lab Sample ID: IC 320-192908/4 Client Sample ID: \_\_\_\_\_

Date Analyzed: 11/03/17 13:37 Lab File ID: 2017.11.03\_537XICAL\_004.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.16	Assign Peak	phomsopha t	11/06/17 07:17

Lab Sample ID: IC 320-192908/5 Client Sample ID: \_\_\_\_\_

Date Analyzed: 11/03/17 13:42 Lab File ID: 2017.11.03\_537XICAL\_005.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.16	Assign Peak	phomsopha t	11/06/17 07:18

Lab Sample ID: IC 320-192908/7 ICISAV Client Sample ID: \_\_\_\_\_

Date Analyzed: 11/03/17 13:52 Lab File ID: 2017.11.03\_537XICAL\_007.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.16	Assign Peak	phomsopha t	11/06/17 07:20

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Analysis Batch Number: 193636

Lab Sample ID: CCVL 320-193636/1 Client Sample ID: \_\_\_\_\_

Date Analyzed: 11/08/17 18:45 Lab File ID: 2017.11.08\_537A\_002.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.17	Isomers	barnettj	11/09/17 09:59

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Analysis Batch Number: 193699

Lab Sample ID: CCV 320-193699/21 CCVIS Client Sample ID: \_\_\_\_\_

Date Analyzed: 11/08/17 20:19 Lab File ID: 2017.11.08\_537A\_022.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.16	Missed Peak	barnettj	11/09/17 13:19

Lab Sample ID: LLCSD 320-193034/3-A Client Sample ID: \_\_\_\_\_

Date Analyzed: 11/08/17 20:37 Lab File ID: 2017.11.08\_537A\_026.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.16	Missed Peak	barnettj	11/09/17 13:37

Lab Sample ID: 320-32923-1 Client Sample ID: NAWC-103117-RW-081

Date Analyzed: 11/08/17 20:42 Lab File ID: 2017.11.08\_537A\_027.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorononanoic acid (PFNA)	2.16	Missed Peak	barnettj	11/09/17 13:38

Lab Sample ID: 320-32923-1 LMSD Client Sample ID: NAWC-103117-RW-081 LMSD

Date Analyzed: 11/08/17 20:51 Lab File ID: 2017.11.08\_537A\_029.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.16	Missed Peak	barnettj	11/09/17 13:39

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Analysis Batch Number: 193699

Lab Sample ID: 320-32923-3 Client Sample ID: NAWC-103117-RW-082

Date Analyzed: 11/08/17 21:01 Lab File ID: 2017.11.08\_537A\_031.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorononanoic acid (PFNA)	2.16	Missed Peak	barnettj	11/09/17 13:40

Lab Sample ID: 320-32923-5 Client Sample ID: NAWC-103117-RW-056

Date Analyzed: 11/08/17 21:10 Lab File ID: 2017.11.08\_537A\_033.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorononanoic acid (PFNA)	2.16	Missed Peak	barnettj	11/09/17 13:41

Lab Sample ID: CCV 320-193699/33 CCVIS Client Sample ID: \_\_\_\_\_

Date Analyzed: 11/08/17 21:15 Lab File ID: 2017.11.08\_537A\_034.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.16	Missed Peak	barnettj	11/09/17 13:19

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Analysis Batch Number: 193701

Lab Sample ID: CCV 320-193701/33 CCVIS Client Sample ID: \_\_\_\_\_

Date Analyzed: 11/08/17 21:15 Lab File ID: 2017.11.08\_537A\_034.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.16	Missed Peak	barnettj	11/09/17 13:19

Lab Sample ID: 320-32923-7 Client Sample ID: NAWC-103117-RW-117

Date Analyzed: 11/08/17 21:29 Lab File ID: 2017.11.08\_537A\_037.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorobutanesulfonic acid (PFBS)	1.45	Missed Peak	barnettj	11/09/17 13:41
Perfluoroheptanoic acid (PFHpA)	1.72	Split Peak	barnettj	11/09/17 13:42
Perfluorononanoic acid (PFNA)	2.16	Missed Peak	barnettj	11/09/17 13:42

Lab Sample ID: 320-32923-9 Client Sample ID: NAWC-103117-RW-335

Date Analyzed: 11/08/17 21:38 Lab File ID: 2017.11.08\_537A\_039.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorobutanesulfonic acid (PFBS)	1.45	Missed Peak	barnettj	11/09/17 13:43
Perfluorononanoic acid (PFNA)	2.16	Missed Peak	barnettj	11/09/17 13:44

Lab Sample ID: 320-32923-11 Client Sample ID: NAWC-103117-RW-324

Date Analyzed: 11/08/17 21:48 Lab File ID: 2017.11.08\_537A\_041.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorononanoic acid (PFNA)	2.16	Missed Peak	barnettj	11/09/17 13:44

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Analysis Batch Number: 193701

Lab Sample ID: 320-32923-13 Client Sample ID: WGNA-103117-DUP-12

Date Analyzed: 11/08/17 21:57 Lab File ID: 2017.11.08\_537A\_043.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorononanoic acid (PFNA)	2.16	Missed Peak	barnettj	11/09/17 13:45

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
<b>LC537-ICV_00028</b>	01/05/18	08/02/17	MeOH/H2O, Lot 067374	10 mL	LC537-IS_00045	1000 uL	13C2-PFOA	10 ng/mL
..LC537-IS_00045	01/05/18	07/05/17	Methanol, Lot 090285	30000 uL	LCM2PFOA_00007	60 uL	13C2-PFOA	28.68 ng/mL
..LCM2PFOA_00007	02/12/21	Wellington Laboratories, Lot M2PFOA0216			LCMPFOS_00019	180 uL	13C4 PFOS	0.1 ug/mL
..LCMPFOS_00019	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C2-PFOA	0.2868 ug/mL
<b>LC537-ICV_00028</b>	01/05/18	08/02/17	MeOH/H2O, Lot 067374	10 mL	LC537-SU_00046	1000 uL	13C2-PFOA	50 ug/mL
..LC537-SU_00046	01/05/18	07/05/17	Methanol, Lot 104453	30000 uL	LC537ICIM_00019	20 uL	13C4 PFOS	47.8 ug/mL
..LCMPFDA_00012	09/30/21	Wellington Laboratories, Lot MPFDA0916			LC537-SU_00046	1000 uL	13C2 PFDA	10 ng/mL
..LCMPFHxA_00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416			LC537ICIM_00019	20 uL	13C2 PFHxA	10 ng/mL
..LC537ICIM_00019	01/25/18	08/01/17	Methanol, Lot 090285	25 mL	LCMPFHxA_00013	60 uL	Perfluorobutanesulfonic acid (PFBS)	100.119 ng/mL
..LC537-PFBS2_00008	01/25/18	07/25/17	Methanol, Lot 090285	20 mL	LC537-PFBS2_00008	0.6 mL	Perfluoroheptanoic acid (PFHpA)	9.99613 ng/mL
...LC537-PFBS2_00002	09/08/22	Santa Cruz Biotechnology, Lot F0917			LC537-PFHpA2_00011	0.061 mL	Perfluorohexanesulfonic acid (PFHxS)	20.0761 ng/mL
..LC537-PFHpA2_00011	01/25/18	07/25/17	Methanol, Lot 09092	31 mL	LC537-PFHpA2_00011	0.061 mL	Perfluorononanoic acid (PFNA)	20.1272 ng/mL
...LC537-PFHpA2_00002	06/13/22	Afla Aesar, Lot 10200390			LC537-PFOA2_00010	0.122 mL	Perfluorooctanoic acid (PFOA)	20.4843 ng/mL
..LC537-PFHxS2_00008	01/25/18	07/25/17	Methanol, Lot 090285	21 mL	LC537-PFHxS2_00008	0.122 mL	Perfluorooctanesulfonic acid (PFOS)	19.698 ng/mL
...LC537-PFHxS2_00002	06/08/22	Santa Cruz Biotechnology, Lot G2516			LC537-PFOS2_00010	0.124 mL	Perfluorobutanesulfonic acid (PFBS)	50.0597 ug/mL
..LC537-PFNA2_00009	01/25/18	07/25/17	Methanol, Lot 090285	21 mL	LC537-PFNA2_00009	0.126 mL	Perfluoroheptanoic acid (PFHpA)	4.99806 ug/mL
...LC537-PFNA2_00002	06/14/22	Aldrich, Lot MKCC0699			LC537-PFOA2_00010	0.122 mL	Perfluorohexanesulfonic acid (PFHxS)	10.038 ug/mL
..LC537-PFOA2_00010	01/25/18	08/01/17	Methanol, Lot 090285	20 mL	LC537-PFOA2_00010	0.122 mL	Perfluorononanoic acid (PFNA)	10.0636 ug/mL
...LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOS2_00010	0.124 mL	Perfluorooctanoic acid (PFOA)	10.2421 ug/mL
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluorooctanesulfonic acid (PFOS)	9.849 ug/mL
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluorobutanesulfonic acid (PFBS)	2085.82 ug/mL
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluoroheptanoic acid (PFHpA)	2048.39 ug/mL
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluoroheptanoic acid (PFHpA)	1 g/g
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluorohexanesulfonic acid (PFHxS)	2056.98 ug/mL
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluorohexanesulfonic acid (PFHxS)	0.9094 g/g
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluorononanoic acid (PFNA)	1996.74 ug/mL
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluorononanoic acid (PFNA)	0.996 g/g
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluorooctanoic acid (PFOA)	2098.8 ug/mL
..LC537-PFOA2_00002	06/09/22	Afla Aesar, Lot 10199078			LC537-PFOA2_00002	0.0424 g	Perfluorooctanoic acid (PFOA)	0.99 g/g



REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
..LC537-PFOS2_00010	01/25/18	08/01/17	Methanol, Lot 090285	22 mL	LC537_PFOS2_00002	0.0561 g	Perfluorooctanesulfonic acid (PFOS)	1985.68 ug/mL
...LC537_PFOS2_00002	06/14/22		Sigma, Lot BCBQ0108V		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.7787 g/g
<b>LC537-IS_00050</b>	03/20/18	09/20/17	Methanol, Lot 090285	30000 uL	LCM2PFOA_00007	60 uL	13C2-PFOA	0.1 ug/mL
					LCMPFOS_00021	180 uL	13C4 PFOS	0.2868 ug/mL
..LCM2PFOA_00007	02/12/21		Wellington Laboratories, Lot M2PFOA0216		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00021	12/12/21		Wellington Laboratories, Lot MPFOS1216		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
<b>LC537-L1_00020</b>	02/04/18	08/14/17	MeOH/H2O, Lot 090285	5 mL	LC537-IS_00048	500 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-MSP_00029	60 uL	Perfluorobutanesulfonic acid (PFBS)	9.0018 ng/mL
							Perfluoroheptanoic acid (PFHpA)	1.00036 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	3.00103 ng/mL
							Perfluorononanoic acid (PFNA)	2.0006 ng/mL
							Perfluorooctanoic acid (PFOA)	2.00191 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	4.00146 ng/mL
					LC537-SU_00049	500 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
..LC537-IS_00048	02/04/18	08/04/17	Methanol, Lot 090285	30000 uL	LCM2PFOA_00007	60 uL	13C2-PFOA	0.1 ug/mL
					LCMPFOS_00021	180 uL	13C4 PFOS	0.2868 ug/mL
..LCM2PFOA_00007	02/12/21		Wellington Laboratories, Lot M2PFOA0216		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00021	12/12/21		Wellington Laboratories, Lot MPFOS1216		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
..LC537-MSP_00029	02/10/18	08/10/17	Methanol, Lot 141039	20000 uL	LC537SPIM_00023	166.7 uL	Perfluorobutanesulfonic acid (PFBS)	750.15 ng/mL
							Perfluoroheptanoic acid (PFHpA)	83.3637 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	250.086 ng/mL
							Perfluorononanoic acid (PFNA)	166.716 ng/mL
							Perfluorooctanoic acid (PFOA)	166.826 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	333.455 ng/mL
..LC537SPIM_00023	02/10/18	08/10/17	Methanol, Lot 104453	10000 uL	LC537-PFBS_00008	450 uL	Perfluorobutanesulfonic acid (PFBS)	90 ug/mL
					LC537-PFHpA_00015	100 uL	Perfluoroheptanoic acid (PFHpA)	10.0016 ug/mL
					LC537-PFHxS_00010	150 uL	Perfluorohexanesulfonic acid (PFHxS)	30.0043 ug/mL
					LC537-PFNA_00013	200 uL	Perfluorononanoic acid (PFNA)	20.002 ug/mL
					LC537-PFOA_00013	200 uL	Perfluorooctanoic acid (PFOA)	20.0151 ug/mL
					LC537-PFOS_00008	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0066 ug/mL
...LC537-PFBS_00008	02/10/18	08/10/17	Methanol, Lot 090285	49.6 mL	LC537_PFBS_00002	0.0992 g	Perfluorobutanesulfonic acid (PFBS)	2 mg/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
....LC537_PFB_S_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00015	02/10/18	08/10/17	Methanol, Lot 090285	48.7 mL	LC537_PFHpA_00002	0.0492 g	Perfluoroheptanoic acid (PFHpA)	1.00016 mg/mL
....LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCBM2579V		(Purchased Reagent)		Perfluoroheptanoic acid (PFHpA)	0.99 g/g
...LC537-PFHxS_00010	02/10/18	08/10/17	Methanol, Lot 090285	55.92 mL	LC537_PFHxS_00002	0.123 g	Perfluorohexanesulfonic acid (PFHxS)	2.00029 mg/mL
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid (PFHxS)	0.9094 g/g
..LC537-PFNA_00013	02/10/18	08/10/17	Methanol, Lot 090285	62.3 mL	LC537 PFNA_00002	0.0647 g	Perfluorononanoic acid (PFNA)	1000.1 ug/mL
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid (PFNA)	0.963 g/g
...LC537-PFOA_00013	02/10/18	08/10/17	Methanol, Lot 090285	22.76 mL	LC537 PFOA_00003	0.0228 g	Perfluorooctanoic acid (PFOA)	1.00076 mg/mL
....LC537 PFOA_00003	10/31/23		SIGMA ALDRICH, Lot BCBS1198V		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00008	02/10/18	08/10/17	Methanol, Lot 090285	44.43 mL	LC537_PFOS_00003	0.0488 g	Perfluorooctanesulfonic acid (PFOS)	1.00016 mg/mL
....LC537_PFOS_00003	04/17/19		sigma alrich, Lot SZBE107XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-SU_00049	02/04/18	08/04/17	Methanol, Lot 104453	30000 uL	LCMPFDA_00012	60 uL	13C2 PFDA	0.1 ug/mL
..LCMPFDA_00012	09/30/21		Wellington Laboratories, Lot MPFDA0916		LCMPFHxA_00013	60 uL	13C2 PFHxA	0.1 ug/mL
..LCMPFHxA_00013	04/08/21		Wellington Laboratories, Lot MPFHxA0416		(Purchased Reagent)		13C2 PFDA	50 ug/mL
<b>LC537-L2_00020</b>	02/04/18	08/14/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00025	80 uL	Perfluorobutanesulfonic acid (PFBS)	20.0016 ng/mL
							Perfluoroheptanoic acid (PFHpA)	2.22277 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	6.66817 ng/mL
							Perfluorononanoic acid (PFNA)	4.44524 ng/mL
							Perfluorooctanoic acid (PFOA)	4.44816 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	8.89106 ng/mL
LC537-IS_00048	500 uL	13C2-PFOA	10 ng/mL					
		13C4 PFOS	28.68 ng/mL					
		13C2 PFDA	10 ng/mL					
LC537-SU_00049	500 uL	13C2 PFHxA	10 ng/mL					
.LC537-HSP_00025	02/10/18	08/10/17	Methanol, Lot 141039	20000 uL	LC537SPIM_00023	277.8 uL	Perfluorobutanesulfonic acid (PFBS)	1250.1 ng/mL
							Perfluoroheptanoic acid (PFHpA)	138.923 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	416.76 ng/mL
							Perfluorononanoic acid (PFNA)	277.827 ng/mL
							Perfluorooctanoic acid (PFOA)	278.01 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	555.691 ng/mL
..LC537SPIM_00023	02/10/18	08/10/17	Methanol, Lot 104453	10000 uL	LC537-PFBS_00008	450 uL	Perfluorobutanesulfonic acid (PFBS)	90 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
					LC537-PFHpA_00015	100 uL	Perfluoroheptanoic acid (PFHpA)	10.0016 ug/mL
					LC537-PFHxS_00010	150 uL	Perfluorohexanesulfonic acid (PFHxS)	30.0043 ug/mL
					LC537-PFNA_00013	200 uL	Perfluorononanoic acid (PFNA)	20.002 ug/mL
					LC537-PFOA_00013	200 uL	Perfluorooctanoic acid (PFOA)	20.0151 ug/mL
					LC537-PFOS_00008	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0066 ug/mL
...LC537-PFBS_00008	02/10/18	08/10/17	Methanol, Lot 090285	49.6 mL	LC537_PFBS_00002	0.0992 g	Perfluorobutanesulfonic acid (PFBS)	2 mg/mL
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00015	02/10/18	08/10/17	Methanol, Lot 090285	48.7 mL	LC537_PFHpA_00002	0.0492 g	Perfluoroheptanoic acid (PFHpA)	1.00016 mg/mL
....LC537_PFHpA_00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid (PFHpA)	0.99 g/g
...LC537-PFHxS_00010	02/10/18	08/10/17	Methanol, Lot 090285	55.92 mL	LC537_PFHxS_00002	0.123 g	Perfluorohexanesulfonic acid (PFHxS)	2.00029 mg/mL
....LC537_PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid (PFHxS)	0.9094 g/g
...LC537-PFNA_00013	02/10/18	08/10/17	Methanol, Lot 090285	62.3 mL	LC537_PFNA_00002	0.0647 g	Perfluorononanoic acid (PFNA)	1000.1 ug/mL
....LC537_PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid (PFNA)	0.963 g/g
...LC537-PFOA_00013	02/10/18	08/10/17	Methanol, Lot 090285	22.76 mL	LC537_PFOA_00003	0.0228 g	Perfluorooctanoic acid (PFOA)	1.00076 mg/mL
....LC537_PFOA_00003	10/31/23	SIGMA ALDRICH, Lot BCBS1198V			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00008	02/10/18	08/10/17	Methanol, Lot 090285	44.43 mL	LC537_PFOS_00003	0.0488 g	Perfluorooctanesulfonic acid (PFOS)	1.00016 mg/mL
....LC537_PFOS_00003	04/17/19	sigma alrich, Lot SZBE107XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00048	02/04/18	08/04/17	Methanol, Lot 090285	30000 uL	LCM2PFOA_00007	60 uL	13C2-PFOA	0.1 ug/mL
..LCM2PFOA_00007	02/12/21	Wellington Laboratories, Lot M2PFOA0216			LCMPFOS_00021	180 uL	13C4 PFOS	0.2868 ug/mL
..LCMPFOS_00021	12/12/21	Wellington Laboratories, Lot MPFOS1216			(Purchased Reagent)		13C2-PFOA	50 ug/mL
.LC537-SU_00049	02/04/18	08/04/17	Methanol, Lot 104453	30000 uL	LCMPFDA_00012	60 uL	13C2 PFDA	47.8 ug/mL
..LCMPFDA_00012	09/30/21	Wellington Laboratories, Lot MPFDA0916			LCMPFHxA_00013	60 uL	13C2 PFHxA	0.1 ug/mL
..LCMPFHxA_00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416			(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA_00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416			(Purchased Reagent)		13C2 PFHxA	50 ug/mL
<b>LC537-L3_00023</b>	02/04/18	08/14/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00025	180 uL	Perfluorobutanesulfonic acid (PFBS)	45.0036 ng/mL
							Perfluoroheptanoic acid (PFHpA)	5.00122 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	15.0034 ng/mL
							Perfluorononanoic acid (PFNA)	10.0018 ng/mL
							Perfluorooctanoic acid (PFOA)	10.0084 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	20.0049 ng/mL
					LC537-IS_00048	500 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00049	500 uL	13C2 PFDA	10 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration		
					Reagent ID	Volume Added				
.LC537-HSP_00025	02/10/18	08/10/17	Methanol, Lot 141039	20000 uL	LC537SPIM_00023	277.8 uL	13C2 PFHxA	10 ng/mL		
							Perfluorobutanesulfonic acid (PFBS)	1250.1 ng/mL		
							Perfluoroheptanoic acid (PFHpA)	138.923 ng/mL		
							Perfluorohexanesulfonic acid (PFHxS)	416.76 ng/mL		
							Perfluorononanoic acid (PFNA)	277.827 ng/mL		
Perfluorooctanoic acid (PFOA)	278.01 ng/mL									
Perfluorooctanesulfonic acid (PFOS)	555.691 ng/mL									
..LC537SPIM_00023	02/10/18	08/10/17	Methanol, Lot 104453	10000 uL	LC537-PFBS_00008	450 uL	Perfluorobutanesulfonic acid (PFBS)	90 ug/mL		
							LC537-PFHpA_00015	100 uL	Perfluoroheptanoic acid (PFHpA)	10.0016 ug/mL
							LC537-PFHxS_00010	150 uL	Perfluorohexanesulfonic acid (PFHxS)	30.0043 ug/mL
							LC537-PFNA_00013	200 uL	Perfluorononanoic acid (PFNA)	20.002 ug/mL
							LC537-PFOA_00013	200 uL	Perfluorooctanoic acid (PFOA)	20.0151 ug/mL
							LC537-PFOS_00008	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0066 ug/mL
...LC537-PFBS_00008	02/10/18	08/10/17	Methanol, Lot 090285	49.6 mL	LC537_PFBS_00002	0.0992 g	Perfluorobutanesulfonic acid (PFBS)	2 mg/mL		
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g		
...LC537-PFHpA_00015	02/10/18	08/10/17	Methanol, Lot 090285	48.7 mL	LC537_PFHpA_00002	0.0492 g	Perfluoroheptanoic acid (PFHpA)	1.00016 mg/mL		
....LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCBM2579V		(Purchased Reagent)		Perfluoroheptanoic acid (PFHpA)	0.99 g/g		
...LC537-PFHxS_00010	02/10/18	08/10/17	Methanol, Lot 090285	55.92 mL	LC537_PFHxS_00002	0.123 g	Perfluorohexanesulfonic acid (PFHxS)	2.00029 mg/mL		
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid (PFHxS)	0.9094 g/g		
...LC537-PFNA_00013	02/10/18	08/10/17	Methanol, Lot 090285	62.3 mL	LC537 PFNA_00002	0.0647 g	Perfluorononanoic acid (PFNA)	1000.1 ug/mL		
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid (PFNA)	0.963 g/g		
...LC537-PFOA_00013	02/10/18	08/10/17	Methanol, Lot 090285	22.76 mL	LC537 PFOA_00003	0.0228 g	Perfluorooctanoic acid (PFOA)	1.00076 mg/mL		
....LC537 PFOA_00003	10/31/23		SIGMA ALDRICH, Lot BCBS1198V		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g		
...LC537-PFOS_00008	02/10/18	08/10/17	Methanol, Lot 090285	44.43 mL	LC537_PFOS_00003	0.0488 g	Perfluorooctanesulfonic acid (PFOS)	1.00016 mg/mL		
....LC537_PFOS_00003	04/17/19		sigma alrich, Lot SZBE107XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g		
.LC537-IS_00048	02/04/18	08/04/17	Methanol, Lot 090285	30000 uL	LCM2PFOA_00007	60 uL	13C2-PFOA	0.1 ug/mL		
					LCMPFOS_00021	180 uL	13C4 PFOS	0.2868 ug/mL		
..LCM2PFOA_00007	02/12/21		Wellington Laboratories, Lot M2PFOA0216		(Purchased Reagent)		13C2-PFOA	50 ug/mL		
..LCMPFOS_00021	12/12/21		Wellington Laboratories, Lot MPFOS1216		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL		
.LC537-SU_00049	02/04/18	08/04/17	Methanol, Lot 104453	30000 uL	LCMPFDA_00012	60 uL	13C2 PFDA	0.1 ug/mL		
					LCMPFHxA_00013	60 uL	13C2 PFHxA	0.1 ug/mL		
..LCMPFDA_00012	09/30/21		Wellington Laboratories, Lot MPFDA0916		(Purchased Reagent)		13C2 PFDA	50 ug/mL		
..LCMPFHxA_00013	04/08/21		Wellington Laboratories, Lot MPFHxA0416		(Purchased Reagent)		13C2 PFHxA	50 ug/mL		

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration		
					Reagent ID	Volume Added				
LC537-L4_00020	02/04/18	08/14/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00025	360 uL	Perfluorobutanesulfonic acid (PFBS)	90.0072 ng/mL		
							Perfluoroheptanoic acid (PFHpA)	10.0024 ng/mL		
							Perfluorohexanesulfonic acid (PFHxS)	30.0067 ng/mL		
							Perfluorononanoic acid (PFNA)	20.0036 ng/mL		
							Perfluorooctanoic acid (PFOA)	20.0167 ng/mL		
					Perfluorooctanesulfonic acid (PFOS)	40.0098 ng/mL				
					LC537-IS_00048	500 uL	13C2-PFOA	10 ng/mL		
LC537-SU_00049	500 uL	13C2 PFDA	10 ng/mL							
.LC537-HSP_00025	02/10/18	08/10/17	Methanol, Lot 141039	20000 uL	LC537SPIM_00023	277.8 uL	Perfluorobutanesulfonic acid (PFBS)	1250.1 ng/mL		
							Perfluoroheptanoic acid (PFHpA)	138.923 ng/mL		
							Perfluorohexanesulfonic acid (PFHxS)	416.76 ng/mL		
							Perfluorononanoic acid (PFNA)	277.827 ng/mL		
							Perfluorooctanoic acid (PFOA)	278.01 ng/mL		
Perfluorooctanesulfonic acid (PFOS)	555.691 ng/mL									
..LC537SPIM_00023	02/10/18	08/10/17	Methanol, Lot 104453	10000 uL	LC537-PFBS_00008	450 uL	Perfluorobutanesulfonic acid (PFBS)	90 ug/mL		
							LC537-PFHpA_00015	100 uL	Perfluoroheptanoic acid (PFHpA)	10.0016 ug/mL
							LC537-PFHxS_00010	150 uL	Perfluorohexanesulfonic acid (PFHxS)	30.0043 ug/mL
							LC537-PFNA_00013	200 uL	Perfluorononanoic acid (PFNA)	20.002 ug/mL
							LC537-PFOA_00013	200 uL	Perfluorooctanoic acid (PFOA)	20.0151 ug/mL
							LC537-PFOS_00008	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0066 ug/mL
...LC537-PFBS_00008	02/10/18	08/10/17	Methanol, Lot 090285	49.6 mL	LC537_PFBS_00002	0.0992 g	Perfluorobutanesulfonic acid (PFBS)	2 mg/mL		
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g		
...LC537-PFHpA_00015	02/10/18	08/10/17	Methanol, Lot 090285	48.7 mL	LC537_PFHpA_00002	0.0492 g	Perfluoroheptanoic acid (PFHpA)	1.00016 mg/mL		
....LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCBM2579V		(Purchased Reagent)		Perfluoroheptanoic acid (PFHpA)	0.99 g/g		
...LC537-PFHxS_00010	02/10/18	08/10/17	Methanol, Lot 090285	55.92 mL	LC537_PFHxS_00002	0.123 g	Perfluorohexanesulfonic acid (PFHxS)	2.00029 mg/mL		
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid (PFHxS)	0.9094 g/g		
...LC537-PFNA_00013	02/10/18	08/10/17	Methanol, Lot 090285	62.3 mL	LC537 PFNA_00002	0.0647 g	Perfluorononanoic acid (PFNA)	1000.1 ug/mL		
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid (PFNA)	0.963 g/g		
...LC537-PFOA_00013	02/10/18	08/10/17	Methanol, Lot 090285	22.76 mL	LC537 PFOA_00003	0.0228 g	Perfluorooctanoic acid (PFOA)	1.00076 mg/mL		
....LC537_PFOA_00003	10/31/23		SIGMA ALDRICH, Lot BCBS1198V		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g		

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
...LC537-PFOS_00008	02/10/18	08/10/17	Methanol, Lot 090285	44.43 mL	LC537_PFOS_00003	0.0488 g	Perfluorooctanesulfonic acid (PFOS)	1.00016 mg/mL
....LC537_PFOS_00003	04/17/19	sigma alrich, Lot SZBE107XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00048	02/04/18	08/04/17	Methanol, Lot 090285	30000 uL	LCM2PFOA 00007	60 uL	13C2-PFOA	0.1 ug/mL
					LCMPFOS 00021	180 uL	13C4 PFOS	0.2868 ug/mL
..LCM2PFOA 00007	02/12/21	Wellington Laboratories, Lot M2PFOA0216			(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS 00021	12/12/21	Wellington Laboratories, Lot MPFOS1216			(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00049	02/04/18	08/04/17	Methanol, Lot 104453	30000 uL	LCMPFDA 00012	60 uL	13C2 PFDA	0.1 ug/mL
					LCMPFHxA 00013	60 uL	13C2 PFHxA	0.1 ug/mL
..LCMPFDA 00012	09/30/21	Wellington Laboratories, Lot MPFDA0916			(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA 00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416			(Purchased Reagent)		13C2 PFHxA	50 ug/mL
<b>LC537-L5_00024</b>	02/04/18	08/14/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00025	540 uL	Perfluorobutanesulfonic acid (PFBS)	135.011 ng/mL
							Perfluoroheptanoic acid (PFHpA)	15.0037 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	45.0101 ng/mL
							Perfluorononanoic acid (PFNA)	30.0053 ng/mL
							Perfluorooctanoic acid (PFOA)	30.0251 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	60.0146 ng/mL
					LC537-IS_00048	500 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00049	500 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00025	02/10/18	08/10/17	Methanol, Lot 141039	20000 uL	LC537SPIM_00023	277.8 uL	Perfluorobutanesulfonic acid (PFBS)	1250.1 ng/mL
							Perfluoroheptanoic acid (PFHpA)	138.923 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	416.76 ng/mL
							Perfluorononanoic acid (PFNA)	277.827 ng/mL
							Perfluorooctanoic acid (PFOA)	278.01 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	555.691 ng/mL
..LC537SPIM_00023	02/10/18	08/10/17	Methanol, Lot 104453	10000 uL	LC537-PFBS_00008	450 uL	Perfluorobutanesulfonic acid (PFBS)	90 ug/mL
					LC537-PFHpA_00015	100 uL	Perfluoroheptanoic acid (PFHpA)	10.0016 ug/mL
					LC537-PFHxS_00010	150 uL	Perfluorohexanesulfonic acid (PFHxS)	30.0043 ug/mL
					LC537-PFNA 00013	200 uL	Perfluorononanoic acid (PFNA)	20.002 ug/mL
					LC537-PFOA 00013	200 uL	Perfluorooctanoic acid (PFOA)	20.0151 ug/mL
					LC537-PFOS_00008	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0066 ug/mL
...LC537-PFBS_00008	02/10/18	08/10/17	Methanol, Lot 090285	49.6 mL	LC537_PFBS_00002	0.0992 g	Perfluorobutanesulfonic acid (PFBS)	2 mg/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
....LC537_PFB_S_00002	04/01/18		Sigma, Lot MKBP8842V			(Purchased Reagent)	Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00015	02/10/18	08/10/17	Methanol, Lot 090285	48.7 mL	LC537_PFHpA_00002	0.0492 g	Perfluoroheptanoic acid (PFHpA)	1.00016 mg/mL
....LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCBM2579V			(Purchased Reagent)	Perfluoroheptanoic acid (PFHpA)	0.99 g/g
...LC537-PFHxS_00010	02/10/18	08/10/17	Methanol, Lot 090285	55.92 mL	LC537_PFHxS_00002	0.123 g	Perfluorohexanesulfonic acid (PFHxS)	2.00029 mg/mL
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V			(Purchased Reagent)	Perfluorohexanesulfonic acid (PFHxS)	0.9094 g/g
..LC537-PFNA_00013	02/10/18	08/10/17	Methanol, Lot 090285	62.3 mL	LC537 PFNA_00002	0.0647 g	Perfluorononanoic acid (PFNA)	1000.1 ug/mL
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F			(Purchased Reagent)	Perfluorononanoic acid (PFNA)	0.963 g/g
..LC537-PFOA_00013	02/10/18	08/10/17	Methanol, Lot 090285	22.76 mL	LC537 PFOA_00003	0.0228 g	Perfluorooctanoic acid (PFOA)	1.00076 mg/mL
....LC537 PFOA_00003	10/31/23		SIGMA ALDRICH, Lot BCBS1198V			(Purchased Reagent)	Perfluorooctanoic acid (PFOA)	0.999 g/g
..LC537-PFOS_00008	02/10/18	08/10/17	Methanol, Lot 090285	44.43 mL	LC537_PFOS_00003	0.0488 g	Perfluorooctanesulfonic acid (PFOS)	1.00016 mg/mL
....LC537_PFOS_00003	04/17/19		sigma alrich, Lot SZBE107XV			(Purchased Reagent)	Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00048	02/04/18	08/04/17	Methanol, Lot 090285	30000 uL	LCM2PFOA_00007	60 uL	13C2-PFOA	0.1 ug/mL
..LCM2PFOA_00007	02/12/21		Wellington Laboratories, Lot M2PFOA0216			(Purchased Reagent)	13C2-PFOA	50 ug/mL
..LCMPFOS_00021	12/12/21		Wellington Laboratories, Lot MPFOS1216		LCMPFOS_00021	180 uL	13C4 PFOS	0.2868 ug/mL
..LCMPFOS_00021	12/12/21		Wellington Laboratories, Lot MPFOS1216			(Purchased Reagent)	13C4 PFOS	47.8 ug/mL
.LC537-SU_00049	02/04/18	08/04/17	Methanol, Lot 104453	30000 uL	LCMPFDA_00012	60 uL	13C2 PFDA	0.1 ug/mL
..LCMPFDA_00012	09/30/21		Wellington Laboratories, Lot MPFDA0916			(Purchased Reagent)	13C2 PFDA	50 ug/mL
..LCMPFHxA_00013	04/08/21		Wellington Laboratories, Lot MPFHxA0416		LCMPFHxA_00013	60 uL	13C2 PFHxA	0.1 ug/mL
..LCMPFHxA_00013	04/08/21		Wellington Laboratories, Lot MPFHxA0416			(Purchased Reagent)	13C2 PFHxA	50 ug/mL
<b>LC537-L6_00020</b>	02/04/18	08/14/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00025	720 uL	Perfluorobutanesulfonic acid (PFBS)	180.014 ng/mL
							Perfluoroheptanoic acid (PFHpA)	20.0049 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	60.0135 ng/mL
							Perfluorononanoic acid (PFNA)	40.0071 ng/mL
							Perfluorooctanoic acid (PFOA)	40.0334 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	80.0195 ng/mL
.LC537-IS_00048	02/04/18	08/04/17	Methanol, Lot 090285	30000 uL	LC537-IS_00048	500 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
							13C2 PFDA	10 ng/mL
.LC537-SU_00049	02/04/18	08/04/17	Methanol, Lot 104453	30000 uL	LC537-SU_00049	500 uL	13C2 PFHxA	10 ng/mL
							13C2 PFHxA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00025	02/10/18	08/10/17	Methanol, Lot 141039	20000 uL	LC537SPIM_00023	277.8 uL	Perfluorobutanesulfonic acid (PFBS)	1250.1 ng/mL
							Perfluoroheptanoic acid (PFHpA)	138.923 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	416.76 ng/mL
							Perfluorononanoic acid (PFNA)	277.827 ng/mL
							Perfluorooctanoic acid (PFOA)	278.01 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluorooctanesulfonic acid (PFOS)	555.691 ng/mL
..LC537SPIM_00023	02/10/18	08/10/17	Methanol, Lot 104453	10000 uL	LC537-PFBS_00008	450 uL	Perfluorobutanesulfonic acid (PFBS)	90 ug/mL
					LC537-PFHpA_00015	100 uL	Perfluoroheptanoic acid (PFHpA)	10.0016 ug/mL
					LC537-PFHxS_00010	150 uL	Perfluorohexanesulfonic acid (PFHxS)	30.0043 ug/mL
					LC537-PFNA_00013	200 uL	Perfluorononanoic acid (PFNA)	20.002 ug/mL
					LC537-PFOA_00013	200 uL	Perfluorooctanoic acid (PFOA)	20.0151 ug/mL
					LC537-PFOS_00008	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0066 ug/mL
...LC537-PFBS_00008	02/10/18	08/10/17	Methanol, Lot 090285	49.6 mL	LC537_PFBS_00002	0.0992 g	Perfluorobutanesulfonic acid (PFBS)	2 mg/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00015	02/10/18	08/10/17	Methanol, Lot 090285	48.7 mL	LC537_PFHpA_00002	0.0492 g	Perfluoroheptanoic acid (PFHpA)	1.00016 mg/mL
....LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCBM2579V		(Purchased Reagent)		Perfluoroheptanoic acid (PFHpA)	0.99 g/g
...LC537-PFHxS_00010	02/10/18	08/10/17	Methanol, Lot 090285	55.92 mL	LC537_PFHxS_00002	0.123 g	Perfluorohexanesulfonic acid (PFHxS)	2.00029 mg/mL
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid (PFHxS)	0.9094 g/g
...LC537-PFNA_00013	02/10/18	08/10/17	Methanol, Lot 090285	62.3 mL	LC537 PFNA_00002	0.0647 g	Perfluorononanoic acid (PFNA)	1000.1 ug/mL
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid (PFNA)	0.963 g/g
...LC537-PFOA_00013	02/10/18	08/10/17	Methanol, Lot 090285	22.76 mL	LC537 PFOA_00003	0.0228 g	Perfluorooctanoic acid (PFOA)	1.00076 mg/mL
....LC537 PFOA_00003	10/31/23		SIGMA ALDRICH, Lot BCBS1198V		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00008	02/10/18	08/10/17	Methanol, Lot 090285	44.43 mL	LC537_PFOS_00003	0.0488 g	Perfluorooctanesulfonic acid (PFOS)	1.00016 mg/mL
....LC537_PFOS_00003	04/17/19		sigma alrich, Lot SZBE107XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00048	02/04/18	08/04/17	Methanol, Lot 090285	30000 uL	LCM2PFOA_00007	60 uL	13C2-PFOA	0.1 ug/mL
					LCMPFOS_00021	180 uL	13C4 PFOS	0.2868 ug/mL
..LCM2PFOA_00007	02/12/21		Wellington Laboratories, Lot M2PFOA0216		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00021	12/12/21		Wellington Laboratories, Lot MPFOS1216		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00049	02/04/18	08/04/17	Methanol, Lot 104453	30000 uL	LCMPFDA_00012	60 uL	13C2 PFDA	0.1 ug/mL
					LCMPFHxA_00013	60 uL	13C2 PFHxA	0.1 ug/mL
..LCMPFDA_00012	09/30/21		Wellington Laboratories, Lot MPFDA0916		(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA_00013	04/08/21		Wellington Laboratories, Lot MPFHxA0416		(Purchased Reagent)		13C2 PFHxA	50 ug/mL
<b>LC537-LSP_00025</b>	02/10/18	08/10/17	Methanol, Lot 090285	20000 uL	LC537SPIM_00023	50 uL	Perfluorobutane Sulfonate	225 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	225 ng/mL
							Perfluoroheptanoic acid (PFHpA)	25.0041 ng/mL
							Perfluorohexanesulfonic acid (PFHxS)	75.0109 ng/mL
							Perfluorononanoic acid (PFNA)	50.0049 ng/mL
							Perfluorooctanoic acid (PFOA)	50.0378 ng/mL



REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluorooctanesulfonic acid (PFOS)	100.016 ng/mL
.LC537SPIM_00023	02/10/18	08/10/17	Methanol, Lot 104453	10000 uL	LC537-PFBS_00008	450 uL	Perfluorobutane Sulfonate	90 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	90 ug/mL
					LC537-PFHpA_00015	100 uL	Perfluoroheptanoic acid (PFHpA)	10.0016 ug/mL
					LC537-PFHxS_00010	150 uL	Perfluorohexanesulfonic acid (PFHxS)	30.0043 ug/mL
					LC537-PFNA_00013	200 uL	Perfluorononanoic acid (PFNA)	20.002 ug/mL
					LC537-PFOA_00013	200 uL	Perfluorooctanoic acid (PFOA)	20.0151 ug/mL
					LC537-PFOS_00008	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0066 ug/mL
..LC537-PFBS_00008	02/10/18	08/10/17	Methanol, Lot 090285	49.6 mL	LC537_PFB_00002	0.0992 g	Perfluorobutane Sulfonate	2 mg/mL
							Perfluorobutanesulfonic acid (PFBS)	2 mg/mL
...LC537_PFB_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutane Sulfonate	1 g/g
							Perfluorobutanesulfonic acid (PFBS)	1 g/g
..LC537-PFHpA_00015	02/10/18	08/10/17	Methanol, Lot 090285	48.7 mL	LC537_PFHpA_00002	0.0492 g	Perfluoroheptanoic acid (PFHpA)	1.00016 mg/mL
...LC537_PFHpA_00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid (PFHpA)	0.99 g/g
..LC537-PFHxS_00010	02/10/18	08/10/17	Methanol, Lot 090285	55.92 mL	LC537_PFHxS_00002	0.123 g	Perfluorohexanesulfonic acid (PFHxS)	2.00029 mg/mL
...LC537_PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid (PFHxS)	0.9094 g/g
..LC537-PFNA_00013	02/10/18	08/10/17	Methanol, Lot 090285	62.3 mL	LC537 PFNA_00002	0.0647 g	Perfluorononanoic acid (PFNA)	1000.1 ug/mL
...LC537 PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid (PFNA)	0.963 g/g
..LC537-PFOA_00013	02/10/18	08/10/17	Methanol, Lot 090285	22.76 mL	LC537 PFOA_00003	0.0228 g	Perfluorooctanoic acid (PFOA)	1.00076 mg/mL
...LC537 PFOA_00003	10/31/23	SIGMA ALDRICH, Lot BCBS1198V			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
..LC537-PFOS_00008	02/10/18	08/10/17	Methanol, Lot 090285	44.43 mL	LC537_PFOS_00003	0.0488 g	Perfluorooctanesulfonic acid (PFOS)	1.00016 mg/mL
...LC537_PFOS_00003	04/17/19	sigma alrich, Lot SZBE107XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
<b>LC537-SU_00050</b>	03/20/18	09/20/17	Methanol, Lot 104453	30000 uL	LCMPFDA_00012	60 uL	13C2 PFDA	0.1 ug/mL
					LCMPFHxA_00015	60 uL	13C2 PFHxA	0.1 ug/mL
.LCMPFDA_00012	09/30/21	Wellington Laboratories, Lot MPFDA0916			(Purchased Reagent)		13C2 PFDA	50 ug/mL
.LCMPFHxA_00015	11/22/21	Wellington Laboratories, Lot MPFHxA1116			(Purchased Reagent)		13C2 PFHxA	50 ug/mL

Reagent

---

**LC537\_PFB\_00002**

4/1/15 SPV

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com


Outside USA: eurtechserv@sial.com

## Certificate of Analysis

Product Name:

Nonafluorobutane-1-sulfonic acid - 97%

**Product Number:** 562629  
**Batch Number:** MKBP8842V  
**Brand:** ALDRICH  
**CAS Number:** 375-73-5  
**MDL Number:** MFCD01320794  
**Formula:** C4HF9O3S  
**Formula Weight:** 300.10 g/mol  
**Storage Temperature:** Store at 2 - 8 °C  
**Quality Release Date:** 11 OCT 2013



PFBS

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Fluorine NMR Spectrum	Conforms to Structure	Conforms
Purity (Titration by NaOH)	96.5 - 103.5 %	101.6 %

Jamie Gleason, Manager  
 Quality Control  
 Milwaukee, Wisconsin US


Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

---

**LC537\_PFB2\_00002**

F: 6.8.17 SW



# CERTIFICATE OF ANALYSIS

*The Power to Question*

Catalog Number: sc-236187  
Lot Number: F0917  
Product Name: Nonafluorobutane-1-sulfonic acid  
CAS Number: 375-73-5  
Molecular Formula:  $C_4HF_9O_3S$   
Molecular Weight: 300.10

Test	Specification	Result
Appearance	Colorless liquid	Complies
Identification (19F-NMR)	Conforms to structure	Complies
Purity (Sodium Hydroxide Titration)	$\geq 97\%$	101.3%
Infrared Spectrum	Conforms to structure	Complies

Reagent

---

**LC537\_PFHpA\_00002**

R: 4/1/15 4V

### Certificate of Analysis

**Product Name:** PERFLUOROHEPTANOIC ACID  
 99 %  
**Product Number:** 342041  
**Batch Number:** BCBM2579V  
**Brand:** Aldrich  
**CAS Number:** 375-85-9  
**Formula:**  $CF_3(CF_2)_5CO_2H$   
**Formula Weight:** 364.06  
**Quality Release Date:** 06 DEC 2013  
**Recommended Retest Date:** OCT 2018

PFHpA

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	LIQUID OR SOLID	SOLID
TITRATION	98.5 - 101.5 %	99.8 %
TITRATION (METHOD)	-	BACK TITRATION
PURITY (GC AREA %)	≥ 98.5 %	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

Dr. Claudia Geitner  
 Manager Quality Control  
 Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

---

**LC537\_PFHpA2\_00002**



# Certificate of analysis

r:6.13.17 SW

Product No.: A12092  
Product: Perfluoroheptanoic acid, 98+%  
Lot No.: 10200390

PFHe A

Appearance: White fused solid  
Water Content (Karl-Fischer): 0.30%  
Melting Point: 32.0-34.3°C  
Assay (Aqueous acid-base titration): 99.7%  
Identification (FTIR): Conforms

This document has been electronically generated and does not require a signature.

Order our products online [www.alfa.com](http://www.alfa.com)

**ThermoFisher**  
SCIENTIFIC

Reagent

---

**LC537\_PFHxS\_00002**

r: 4/1/15 stw

### Certificate of Analysis

**Product Name:** TRIDECAFLUOROHEXANE-1-SULFONIC ACID POTASSIUM SALT  
 >= 98.0 % T

**Product Number:** 50929

**Batch Number:** BCBL3545V

**Brand:** Aldrich

**CAS Number:** 3871-99-6

**Formula:** C<sub>6</sub>F<sub>13</sub>KO<sub>3</sub>S

**Formula Weight:** 438.20

**Quality Release Date:** 20 JUN 2013

PFH<sub>13</sub>S-K

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	WHITE TO FAINT BEIGE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (ION EXCHANGE)	≥ 98.0 %	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

Dr. Claudia Geitner  
Manager Quality Control  
Buchs, Switzerland

$$MW_{corr} = \frac{(k_{form}) - (k) + (H)}{438.20 (k_{form})} = \frac{(438.20 - 3910 + 101)}{438.20 (k_{form})} = 0.91307 \text{ (anion form)}$$

$$Purity = 90.94 \% \text{ w/m.w correction}$$

stw 4/1/15

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

---

**LC537\_PFHxS2\_00002**

n: 6-8-17 SKJ




The Future of Science

# CERTIFICATE OF ANALYSIS

Catalog Number: sc-237289  
 Lot Number: G2516  
 Product Name: Tridecafluorohexane-1-sulfonic acid potassium salt  
 CAS Number: 3871-99-6  
 Molecular Formula:  $C_6F_{13}KO_3S$   
 Molecular Weight: 438.20

Test	Specification	Result
Appearance	White to faint beige powder or crystals	White powder
Identification (Infrared Spectrum)	Consistent with structure	Complies
Purity (Titration, Ion Exchange)	≥ 98.0%	100.4%



MW correction =  $\frac{400.11}{438.201} = 0.91307$  PFH<sub>13</sub>S  
 CAS# 355-46-4

Purity  $\frac{1}{9}$  MW correction = 90.9%

*This document was produced electronically and is valid without a signature.*

Reagent

---

**LC537\_PENA\_00002**

R: 4/1/15 SKV



### Certificate of Analysis

Apr 2, 2015 (JST)

TOKYO CHEMICAL INDUSTRY CO.,LTD.  
4-10-1 Nihonbashi-Honcho, Chuo-ku, Tokyo 103-0023 Japan

Chemical Name: Heptadecafluorononanoic Acid		
Product Number: H0843 CAS: 375-95-1	Lot: QN44F	

Tests	Results	Specifications
Purity(GC)	96.3 %	min. 95.0 %
Purity(Neutralization titration)	98.1 %	min. 95.0 %
Melting point	63.3 deg-C	62.0 to 67.0 deg-C

TCI Lot numbers are 4-5 characters in length.  
Characters listed after the first 4-5 characters are control numbers for internal purpose only.

**Customer service:**  
TCI AMERICA  
Tel: +1-800-423-8616 / +1-503-283-1681  
Fax: +1-888-520-1075 / +1-503-283-1987  
E-mail: Sales-US@TCIchemicals.com

PFNA

Reagent

---

**LC537\_PFN2\_00002**



P: 6.14.17 SKW

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: [www.sigmaaldrich.com](http://www.sigmaaldrich.com)


Email USA: [techserv@sial.com](mailto:techserv@sial.com)

Outside USA: [eurtechserv@sial.com](mailto:eurtechserv@sial.com)

## Certificate of Analysis

Product Name:  
Perfluorononanoic acid - 97%

Product Number: 394459  
Batch Number: MKCC0699  
Brand: ALDRICH  
CAS Number: 375-95-1  
MDL Number: MFCD00039605  
Formula: C<sub>9</sub>H<sub>F</sub>17O<sub>2</sub>  
Formula Weight: 464.08 g/mol  
Quality Release Date: 07 DEC 2016



Test	Specification	Result
Appearance (Color)	White to Off-White	White
Appearance (Form)	Powder or Crystals or Crystalline Chunk(s) or Granule or Flakes or Solid	Powder
Infrared Spectrum	Conforms to Structure	Conforms
GC (area %)	≥ 96.5 %	98.2 %

Michael Grady, Manager  
Quality Control  
Milwaukee, WI US

PFNA

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of Invoice or packing slip for additional terms and conditions of sale.

Reagent

---

**LC537\_PFOA\_00003**

P: 11/30/16 SKV  
PFA

**SIGMA-ALDRICH**

3050 Spruce Street, Saint Louis, MO 63103 USA  
Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

## Certificate of Analysis

**Product Name:** PENTADECAFLUOROOCCTANOIC ACID  
analytical standard  
**Product Number:** 33824  
**Batch Number:** BCBS1198V  
**Brand:** Sigma-Aldrich  
**CAS Number:** 335-67-1  
**Formula:**  $\text{CF}_3(\text{CF}_2)_6\text{COOH}$   
**Formula Weight:** 414.07  
**Expiration Date:** OCT 2023  
**Quality Release Date:** 12 MAY 2016

TEST	SPECIFICATION	RESULT
PURITY (HPLC AREA %)	≥ 98.0%	100.0%
IDENTIFICATION (LC-MS)	IDENTITY CONFORMS	CONFORMS



Dr. Claudia Geitner  
Manager Quality Control  
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

---

**LC537\_PFOA2\_00002**

# Certificate of analysis

P: 6/21/17 SW ✓

Product No.: L08862  
Product: Perfluorooctanoic acid, 95%  
Lot No.: 10199078

PFOA

Appearance: White powder  
Water Content (Karl-Fischer): 1.30%  
Melting Point: 47.6-54.0°C  
Assay (Aqueous acid-base titration): 98.4%  
Assay (GC Silyl Deriv): 97.2%

This document has been electronically generated and does not require a signature.

Order our products online [www.alfa.com](http://www.alfa.com)

**ThermoFisher**  
SCIENTIFIC

Reagent

---

**LC537\_PFOs\_00003**

n: 11/30/16 SV  
PFOS

**SIGMA-ALDRICH**

**CERTIFICATE OF ANALYSIS**

Sigma-Aldrich Laborchemikalien GmbH D-30918 Seelze  
Telefon: +49 5137 8238-150

Seelze, 22.04.2014/524107/14/08646

Order-No.:

Customer-No.:

Order-Code:

Quantity:

Production Date: 17.Apr.2014

Expiry Date: 17.Apr.2019

Article/Product: 33829

Batch : SZBE107XV

Heptadecafluorooctanesulfonic acid potassium salt OEKANAL<sup>®</sup>

**Reference Material (RM)**

**1. General Information**

Formula: C<sub>8</sub>F<sub>17</sub>KO<sub>3</sub>S

CAS-No.: [2795-39-3]

Usage : PFOS

Molar mass: 538.22 g/Mole

Recomm. storage temp.: roomtemp.

The estimated uncertainty of a single measurement of the assay can be expected to be 0.5 % relative (confidence level = 95%, n= 6) whereby the assay measurements are calculated by 100% minus found impurities.

**2. Batch Analysis**

Identity

Assay (LC-MS)

Date of Analysis

complying

98 %

22.Apr.2014

**3. Advice and Remarks**

- The expiry date is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.
- Whenever the container is opened for removal of aliquot portions of the substance, the person handling the substance must assure, that the integrity of the substance is maintained and proper records of all its handlings are kept. Special care has to be taken to avoid any contamination or adulteration of the substance.
- We herewith confirm that the delivery is effected according to the technical delivery conditions agreed.
- Particular properties of the products or the suitability for a particular area of application are not assured.
- We guarantee a proper quality within our General Conditions of Sales.

Sigma-Aldrich Laborchemikalien GmbH  
Quality Management SA-LC

Reagent

---

**LC537\_PFO2\_00002**



R: 6.14.17 SKV

**Certificate of Analysis**


**Product Name:** HEPTADECAFLUOROCTANESULFONIC ACID TETRAETHYLAMMONIUM SALT  
 98 %  
**Product Number:** 365289  
**Batch Number:** BCBQ0108V  
**Brand:** Aldrich  
**CAS Number:** 56773-42-3  
**Formula:**  $CF_3(CF_2)_6CF_2SO_3N(C_2H_5)_4$   
**Formula Weight:** 629.37  
**Quality Release Date:** 11 JUN 2015

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	WHITE TO OFF WHITE	OFF-WHITE
APPEARANCE (FORM)	POWDER OR POWDER WITH CHUNK(S)	POWDER
CARBON CONTENT	29.77 % - 31.29 %	29.97 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

*Claudia Geitner*  
 Dr. Claudia Geitner  
 Manager Quality Control  
 Buchs, Switzerland

MW correction:  $\frac{500.125}{629.37} = 0.7946$

Purity & MW correction = 77.87%



	$C_{17}F_{17}SO_3 + H$	$C_8H_{20}N$
C = 12.011	96.088	96.088
F = 18.998	322.966	—
S = 32.066	32.066	—
O = 16.999	47.997	20.60
H = 1.008	1.008	14.007
N = 14.007	—	14.007
	<hr/>	<hr/>
	500.125	130.255

Reagent

---

**LCM2PFOA\_00007**

P: 5/11/17 SKV




# WELLINGTON LABORATORIES

## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** M2PFOA  
**COMPOUND:** Perfluoro-n-[1,2-<sup>13</sup>C<sub>2</sub>]octanoic acid

**LOT NUMBER:** M2PFOA0216

**STRUCTURE:** **CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>2</sub><sup>12</sup>C<sub>6</sub>HF<sub>16</sub>O<sub>2</sub>  
**CONCENTRATION:** 50 ± 2.5 µg/ml

**MOLECULAR WEIGHT:** 416.05  
**SOLVENT(S):** Methanol  
Water (<1%)

**CHEMICAL PURITY:** >98%  
**LAST TESTED:** (mm/dd/yyyy) 02/12/2016  
**EXPIRY DATE:** (mm/dd/yyyy) 02/12/2021

**ISOTOPIC PURITY:** ≥99%<sup>13</sup>C  
(1,2-<sup>13</sup>C<sub>2</sub>)

**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place

**DOCUMENTATION/ DATA ATTACHED:**

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**   
B.G. Chittim

**Date:** 02/24/2016  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

**INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

**HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

**SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

**HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

**UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

**TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

**EXPIRY DATE / PERIOD OF VALIDITY:**


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

**LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



**QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: M2PFOA; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

Column: Acquity UPLC BEH Shield RP<sub>18</sub>  
1.7  $\mu$ m, 2.1 x 100 mm


Mobile phase: Gradient  
Start: 50% (80:20 MeOH:ACN) / 50% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)  
Ramp to 90% organic over 7.5 min and hold for 1.5 min  
before returning to initial conditions in 0.5 min.  
Time: 10 min

Flow: 300  $\mu$ l/min

**MS Parameters**

Experiment: Full Scan (150 - 850 amu)  
Source: Electrospray (negative)  
Capillary Voltage (kV) = 3.00  
Cone Voltage (V) = 15.00  
Cone Gas Flow (l/hr) = 100  
Desolvation Gas Flow (l/hr) = 750

**Figure 2: M2PFOA; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
 10  $\mu\text{l}$  (500 ng/ml M2PFOA)

Mobile phase: Isocratic 80% MeOH / 20%  $\text{H}_2\text{O}$

Flow: 300  $\mu\text{l}/\text{min}$

**MS Parameters**

Collision Gas (mbar) = 3.39e-3  
 Collision Energy (eV) = 10

Reagent

---

**LCMPFDA\_00012**

R: SBC 12/21/16



814255  
ID: LCMPPFDA\_00012  
Exp: 09/30/21 Prpd: SBC  
13C2-Perfluorodecanoic a




# WELLINGTON LABORATORIES

## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFDA      **LOT NUMBER:** MPFDA0916  
**COMPOUND:** Perfluoro-n-[1,2-<sup>13</sup>C<sub>2</sub>]decanoic acid

**STRUCTURE:**      **CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>2</sub><sup>12</sup>C<sub>8</sub>HF<sub>19</sub>O<sub>2</sub>  
**CONCENTRATION:** 50 ± 2.5 µg/ml

**MOLECULAR WEIGHT:** 516.07  
**SOLVENT(S):** Methanol  
Water (<1%)

**CHEMICAL PURITY:** >98%

**ISOTOPIC PURITY:** ≥99% <sup>13</sup>C  
(1,2-<sup>13</sup>C<sub>2</sub>)

**LAST TESTED:** (mm/dd/yyyy) 09/30/2016

**EXPIRY DATE:** (mm/dd/yyyy) 09/30/2021

**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place

**DOCUMENTATION/ DATA ATTACHED:**

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of <sup>13</sup>C<sub>1</sub>-PFNA.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**   
B.G. Chríttim

**Date:** 10/07/2016  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com



### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



### **QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: MPFDA; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

Column: Acquity UPLC BEH Shield RP<sub>18</sub>  
1.7  $\mu$ m, 2.1 x 100 mm

Mobile phase: Gradient  
Start: 50% (80:20 MeOH:ACN) / 50% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)  
Ramp to 90% organic over 7 min and hold for 1.5 min  
before returning to initial conditions in 0.5 min.  
Time: 10 min


Flow: 300  $\mu$ l/min

**MS Parameters**

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)  
Capillary Voltage (kV) = 2.00  
Cone Voltage (V) = 15.00  
Cone Gas Flow (l/hr) = 50  
Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFDA; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
10  $\mu$ l (500 ng/ml MPFDA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)

Flow: 300  $\mu$ l/min

**MS Parameters**

Collision Gas (mbar) = 3.31e-3  
Collision Energy (eV) = 13

Reagent

---

**LCMPFHxA\_00013**

R: SBC 12/21/16



814258  
ID: LCMPFHxA\_00013  
Exp: 04/08/21 Ppdt. SBC  
13C2-Perfluorohexanoic ac



# WELLINGTON LABORATORIES


## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFHxA  
**COMPOUND:** Perfluoro-n-[1,2-<sup>13</sup>C<sub>2</sub>]hexanoic acid

**LOT NUMBER:** MPFHxA0416

**STRUCTURE:**

**CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>2</sub><sup>12</sup>C<sub>4</sub>HF<sub>11</sub>O<sub>2</sub>  
**CONCENTRATION:** 50 ± 2.5 µg/ml

**MOLECULAR WEIGHT:** 316.04  
**SOLVENT(S):** Methanol  
Water (<1%)

**CHEMICAL PURITY:** >98%

**ISOTOPIC PURITY:** ≥99%<sup>13</sup>C  
(1,2-<sup>13</sup>C<sub>2</sub>)

**LAST TESTED:** (mm/dd/yyyy) 04/08/2016

**EXPIRY DATE:** (mm/dd/yyyy) 04/08/2021

**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place

**DOCUMENTATION/ DATA ATTACHED:**

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of perfluoro-n-hexanoic acid and ~ 0.3% of perfluoro-n-octanoic acid.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**   
B.G. Chittim

**Date:** 04/29/2016  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



### **QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: MPFHxA; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

Column: Acquity UPLC BEH Shield RP<sub>18</sub>  
 1.7  $\mu$ m, 2.1 x 100 mm

Mobile phase: Gradient  
 Start: 50% (80:20 MeOH:ACN) / 50% H<sub>2</sub>O  
 (both with 10 mM NH<sub>4</sub>OAc buffer)  
 Ramp to 90% organic over 7.5 min and hold for 1.5 min  
 before returning to initial conditions over 0.5 min.  
 Time: 10 min


Flow: 300  $\mu$ l/min

**MS Parameters**

Experiment: Full Scan (150 - 850 amu)

Source: Electrospray (negative)  
 Capillary Voltage (kV) = 2.00  
 Cone Voltage (V) = 15.00  
 Cone Gas Flow (l/hr) = 100  
 Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFHxA; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
10  $\mu$ l (500 ng/ml MPFHxA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)

Flow: 300  $\mu$ l/min

**MS Parameters**

Collision Gas (mbar) = 3.39e-3  
Collision Energy (eV) = 10



Reagent

---

**LCMPFHxA\_00015**

r: 5/10/17 skd



# WELLINGTON LABORATORIES


## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFHxA  
**COMPOUND:** Perfluoro-n-[1,2-<sup>13</sup>C<sub>2</sub>]hexanoic acid

**LOT NUMBER:** MPFHxA1116

**STRUCTURE:**

**CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>2</sub><sup>12</sup>C<sub>4</sub>HF<sub>11</sub>O<sub>2</sub>  
**CONCENTRATION:** 50 ± 2.5 µg/ml

**MOLECULAR WEIGHT:** 316.04  
**SOLVENT(S):** Methanol  
Water (<1%)

**CHEMICAL PURITY:** >98%  
**LAST TESTED:** (mm/dd/yyyy) 11/22/2016

**ISOTOPIC PURITY:** ≥99% <sup>13</sup>C  
(1,2-<sup>13</sup>C<sub>2</sub>)

**EXPIRY DATE:** (mm/dd/yyyy) 11/22/2021  
**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place


**DOCUMENTATION/ DATA ATTACHED:**

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of perfluoro-n-hexanoic acid and ~ 0.3% of perfluoro-n-octanoic acid.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**   
B.G. Chittim

**Date:** 12/13/2016  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

**INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

**HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

**SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

**HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

**UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

**TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

**EXPIRY DATE / PERIOD OF VALIDITY:**


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

**LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



**QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: MPFHxA; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

Column: Acquity UPLC BEH Shield RP<sub>18</sub>  
 1.7  $\mu$ m, 2.1 x 100 mm


Mobile phase: Gradient  
 Start: 40% (80:20 MeOH:ACN) / 60% H<sub>2</sub>O  
 (both with 10 mM NH<sub>4</sub>OAc buffer)  
 Ramp to 90% organic over 7 min and hold for 2 min  
 before returning to initial conditions over 0.5 min.  
 Time: 10 min

Flow: 300  $\mu$ l/min

**MS Parameters**

Experiment: Full Scan (150 - 850 amu)  
 Source: Electrospray (negative)  
 Capillary Voltage (kV) = 2.00  
 Cone Voltage (V) = 15.00  
 Cone Gas Flow (l/hr) = 100  
 Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFHxA; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
10  $\mu\text{l}$  (500 ng/ml MPFHxA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20%  $\text{H}_2\text{O}$   
(both with 10 mM  $\text{NH}_4\text{OAc}$  buffer)

Flow: 300  $\mu\text{l}/\text{min}$

**MS Parameters**

Collision Gas (mbar) =  $3.46\text{e-}3$   
Collision Energy (eV) = 10

Reagent

---

**LCMPFOS\_00019**

R: SBC 12/21/16



814253  
ID: LCMPFOS\_00019  
Exp: 08/03/21 Ppfd: SBC  
13C4-Perfluorooctanesulfo




# WELLINGTON LABORATORIES

## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFOS **LOT NUMBER:** MPFOS0816  
**COMPOUND:** Sodium perfluoro-1-[1,2,3,4-<sup>13</sup>C<sub>4</sub>]octanesulfonate

**STRUCTURE:** **CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>4</sub><sup>12</sup>C<sub>4</sub>F<sub>17</sub>SO<sub>3</sub>Na **MOLECULAR WEIGHT:** 526.08  
**CONCENTRATION:** 50.0 ± 2.5 µg/ml (Na salt) **SOLVENT(S):** Methanol  
47.8 ± 2.4 µg/ml (MPFOS anion)  
**CHEMICAL PURITY:** >98% **ISOTOPIC PURITY:** ≥99% <sup>13</sup>C  
**LAST TESTED:** (mm/dd/yyyy) 08/03/2016 (1,2,3,4-<sup>13</sup>C<sub>4</sub>)  
**EXPIRY DATE:** (mm/dd/yyyy) 08/03/2021  
**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place


**DOCUMENTATION/ DATA ATTACHED:**

Figure 1: LC/MS Data (TIC and Mass Spectrum)  
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains ~ 0.8% Sodium perfluoro-1-[1,2,3-<sup>13</sup>C<sub>3</sub>]heptanesulfonate.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**   
B.G. Chittim **Date:** 08/05/2016  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.

### **QUALITY MANAGEMENT:**



This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*



**Figure 1: MPFOS; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

**Column:** Acquity UPLC BEH Shield RP<sub>18</sub>  
 1.7  $\mu$ m, 2.1 x 100 mm

**Mobile phase:** Gradient  
 Start: 45% (80:20 MeOH:ACN) / 55% H<sub>2</sub>O  
 (both with 10 mM NH<sub>4</sub>OAc buffer)  
 Ramp to 90% organic over 7 min and hold for 1.5 min  
 before returning to initial conditions in 0.5 min.  
 Time: 10 min


**Flow:** 300  $\mu$ l/min

**MS Parameters**

**Experiment:** Full Scan (225 - 850 amu)

**Source:** Electrospray (negative)  
 Capillary Voltage (kV) = 3.00  
 Cone Voltage (V) = 60.00  
 Cone Gas Flow (l/hr) = 50  
 Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFOS; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
10  $\mu\text{l}$  (500 ng/ml MPFOS)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20%  $\text{H}_2\text{O}$   
(both with 10 mM  $\text{NH}_4\text{OAc}$  buffer)

Flow: 300  $\mu\text{l}/\text{min}$

**MS Parameters**

Collision Gas (mbar) = 3.46e-3  
Collision Energy (eV) = 40

Reagent

---

**LCMPFOS\_00021**

r: 5/6/17 SKV




# WELLINGTON LABORATORIES

## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFOS **LOT NUMBER:** MPFOS1216  
**COMPOUND:** Sodium perfluoro-1-[1,2,3,4-<sup>13</sup>C<sub>4</sub>]octanesulfonate

**STRUCTURE:** **CAS #:** Not available



<b>MOLECULAR FORMULA:</b>	<sup>13</sup> C <sub>4</sub> <sup>12</sup> C <sub>4</sub> F <sub>17</sub> SO <sub>3</sub> Na	<b>MOLECULAR WEIGHT:</b>	526.08
<b>CONCENTRATION:</b>	50.0 ± 2.5 µg/ml (Na salt) 47.8 ± 2.4 µg/ml (MPFOS anion)	<b>SOLVENT(S):</b>	Methanol
<b>CHEMICAL PURITY:</b>	>98%	<b>ISOTOPIC PURITY:</b>	≥99% <sup>13</sup> C (1,2,3,4- <sup>13</sup> C <sub>4</sub> )
<b>LAST TESTED:</b> (mm/dd/yyyy)	12/12/2016		
<b>EXPIRY DATE:</b> (mm/dd/yyyy)	12/12/2021		
<b>RECOMMENDED STORAGE:</b>	Store ampoule in a cool, dark place		


**DOCUMENTATION/ DATA ATTACHED:**

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains ~ 0.8% Sodium perfluoro-1-[1,2,3-<sup>13</sup>C<sub>3</sub>]heptanesulfonate.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**   
B.G. Chittim **Date:** 12/14/2016  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
 519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

**INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

**HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

**SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

**HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

**UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

**TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

**EXPIRY DATE / PERIOD OF VALIDITY:**

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

**LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



**QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: MPFOS; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

**Column:** Acquity UPLC BEH Shield RP<sub>18</sub>  
 1.7  $\mu$ m, 2.1 x 100 mm

**Mobile phase:** Gradient  
 Start: 50% (80:20 MeOH:ACN) / 50% H<sub>2</sub>O  
 (both with 10 mM NH<sub>4</sub>OAc buffer)  
 Ramp to 85% organic over 7.5 min and hold for 1.5 min  
 before returning to initial conditions in 0.5 min.  
 Time: 10 min


**Flow:** 300  $\mu$ l/min

**MS Parameters**

**Experiment:** Full Scan (150 - 850 amu)

**Source:** Electrospray (negative)  
 Capillary Voltage (kV) = 3.00  
 Cone Voltage (V) = 60.00  
 Cone Gas Flow (l/hr) = 50  
 Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFOS; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

**Injection:** Direct loop injection  
 10  $\mu\text{l}$  (500 ng/ml MPFOS)

**Mobile phase:** Isocratic 80% (80:20 MeOH:ACN) / 20%  $\text{H}_2\text{O}$   
 (both with 10 mM  $\text{NH}_4\text{OAc}$  buffer)

**Flow:** 300  $\mu\text{l}/\text{min}$

**MS Parameters**

Collision Gas (mbar) = 3.35e-3  
 Collision Energy (eV) = 40

# Method 537 DOD

---

Perfluorinated Alkyl Acids (LC/MS)  
by Method 537 DOD



FORM II  
LCMS SURROGATE RECOVERY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Matrix: Water

Level: Low

GC Column (1): GeminiC18 3 ID: 3 (mm)

Client Sample ID	Lab Sample ID	PFHxA #	PFDA #
NAWC-103117-RW-081	320-32923-1	96	86
NAWC-103117-FRB-081	320-32923-2	93	86
NAWC-103117-RW-082	320-32923-3	92	86
NAWC-103117-FRB-082	320-32923-4	96	89
NAWC-103117-RW-056	320-32923-5	95	96
NAWC-103117-FRB-056	320-32923-6	95	85
NAWC-103117-RW-117	320-32923-7	97	86
NAWC-103117-FRB-117	320-32923-8	98	90
NAWC-103117-RW-335	320-32923-9	96	89
NAWC-103117-FRB-335	320-32923-10	96	88
NAWC-103117-RW-324	320-32923-11	94	86
NAWC-103117-FRB-324	320-32923-12	93	87
WGNA-103117-DUP-12	320-32923-13	96	82
	MB 320-193034/1-A	91	77
	LLCS 320-193034/2-A	94	89
NAWC-103117-RW-081 LMS	320-32923-1 LMS	96	90
NAWC-103117-RW-081 LMSD	320-32923-1 LMSD	100	89
	LLCSD 320-193034/3-A	94	85

PFHxA = 13C2 PFHxA  
PFDA = 13C2 PFDA

QC LIMITS  
70-130  
70-130

# Column to be used to flag recovery values

FORM III  
LCMS LOW LEVEL CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Matrix: Water Level: Low Lab File ID: 2017.11.08\_537A\_025.d  
 Lab ID: LLCS 320-193034/2-A Client ID: \_\_\_\_\_

COMPOUND	SPIKE ADDED (ng/L)	LLCS CONCENTRATION (ng/L)	LLCS % REC	QC LIMITS REC	#
Perfluorooctanesulfonic acid (PFOS)	40.0	38.2 J	96	50-150	
Perfluorooctanoic acid (PFOA)	20.0	19.9 J	99	50-150	
Perfluorononanoic acid (PFNA)	20.0	18.4 J	92	50-150	
Perfluorohexanesulfonic acid (PFHxS)	30.0	31.6	105	50-150	
Perfluoroheptanoic acid (PFHpA)	10.0	10.1	101	50-150	
Perfluorobutanesulfonic acid (PFBS)	90.0	88.2 J	98	50-150	

# Column to be used to flag recovery and RPD values

FORM III  
LCMS LOW LEVEL MATRIX SPIKE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Matrix: Water Level: Low Lab File ID: 2017.11.08\_537A\_028.d  
 Lab ID: 320-32923-1 LMS Client ID: NAWC-103117-RW-081 LMS

COMPOUND	SPIKE ADDED (ng/L)	SAMPLE CONCENTRATION (ng/L)	LMS CONCENTRATION (ng/L)	LMS % REC	QC LIMITS REC	#
Perfluorooctanesulfonic acid (PFOS)	39.8	22 J	59.3	93	50-150	
Perfluorooctanoic acid (PFOA)	19.9	16 J	34.9	95	50-150	
Perfluorononanoic acid (PFNA)	19.9	20 U	20.2 J	101	50-150	
Perfluorohexanesulfonic acid (PFHxS)	29.8	13 J	42.7	101	50-150	
Perfluoroheptanoic acid (PFHpA)	9.94	5.3 J	14.6	94	50-150	
Perfluorobutanesulfonic acid (PFBS)	89.5	37 U	103	115	50-150	

# Column to be used to flag recovery and RPD values

FORM III  
LCMS LOW LEVEL MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Matrix: Water Level: Low

Lab File ID: 2017.11.08\_537A\_029.d

Lab ID: 320-32923-1 LMSD

Client ID: NAWC-103117-RW-081 LMSD

COMPOUND	SPIKE ADDED (ng/L)	LMSD CONCENTRATION (ng/L)	LMSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Perfluorooctanesulfonic acid (PFOS)	39.6	64.2	106	8	50	50-150	M
Perfluorooctanoic acid (PFOA)	19.8	35.9	100	3	50	50-150	
Perfluorononanoic acid (PFNA)	19.8	20.1 J	101	0	50	50-150	
Perfluorohexanesulfonic acid (PFHxS)	29.7	45.3	110	6	50	50-150	
Perfluoroheptanoic acid (PFHpA)	9.91	15.7	104	7	50	50-150	
Perfluorobutanesulfonic acid (PFBS)	89.1	107	120	4	50	50-150	

# Column to be used to flag recovery and RPD values

FORM III  
LCMS LOW LEVEL CONTROL STANDARD DUPLICATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Matrix: Water Level: Low Lab File ID: 2017.11.08\_537A\_026.d

Lab ID: LLCSD 320-193034/3-A Client ID: \_\_\_\_\_

COMPOUND	SPIKE ADDED (ng/L)	LLCSD CONCENTRATION (ng/L)	LLCSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Perfluorooctanesulfonic acid (PFOS)	40.0	40.1	100	5	50	50-150	M
Perfluorooctanoic acid (PFOA)	20.0	19.3 J	96	3	50	50-150	
Perfluorononanoic acid (PFNA)	20.0	18.6 J	93	0.9	50	50-150	
Perfluorohexanesulfonic acid (PFHxS)	30.0	31.9	106	0.7	50	50-150	
Perfluoroheptanoic acid (PFHpA)	10.0	10.2	102	1	50	50-150	
Perfluorobutanesulfonic acid (PFBS)	90.0	93.5	104	6	50	50-150	

# Column to be used to flag recovery and RPD values

FORM IV  
LCMS METHOD BLANK SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Lab File ID: 2017.11.08\_537A\_024.d

Lab Sample ID: MB 320-193034/1-A

Matrix: Water

Date Extracted: 11/06/2017 11:56

Instrument ID: A8\_N

Date Analyzed: 11/08/2017 20:28

Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LLCS 320-193034/2-A	2017.11.08_537A_025.d	11/08/2017 20:33
	LLCSD 320-193034/3-A	2017.11.08_537A_026.d	11/08/2017 20:37
NAWC-103117-RW-081	320-32923-1	2017.11.08_537A_027.d	11/08/2017 20:42
NAWC-103117-RW-081 LMS	320-32923-1 LMS	2017.11.08_537A_028.d	11/08/2017 20:47
NAWC-103117-RW-081 LMSD	320-32923-1 LMSD	2017.11.08_537A_029.d	11/08/2017 20:51
NAWC-103117-FRB-081	320-32923-2	2017.11.08_537A_030.d	11/08/2017 20:56
NAWC-103117-RW-082	320-32923-3	2017.11.08_537A_031.d	11/08/2017 21:01
NAWC-103117-FRB-082	320-32923-4	2017.11.08_537A_032.d	11/08/2017 21:06
NAWC-103117-RW-056	320-32923-5	2017.11.08_537A_033.d	11/08/2017 21:10
NAWC-103117-FRB-056	320-32923-6	2017.11.08_537A_036.d	11/08/2017 21:24
NAWC-103117-RW-117	320-32923-7	2017.11.08_537A_037.d	11/08/2017 21:29
NAWC-103117-FRB-117	320-32923-8	2017.11.08_537A_038.d	11/08/2017 21:34
NAWC-103117-RW-335	320-32923-9	2017.11.08_537A_039.d	11/08/2017 21:38
NAWC-103117-FRB-335	320-32923-10	2017.11.08_537A_040.d	11/08/2017 21:43
NAWC-103117-RW-324	320-32923-11	2017.11.08_537A_041.d	11/08/2017 21:48
NAWC-103117-FRB-324	320-32923-12	2017.11.08_537A_042.d	11/08/2017 21:52
WGNA-103117-DUP-12	320-32923-13	2017.11.08_537A_043.d	11/08/2017 21:57

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Instrument ID: A8\_N Calibration Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3(mm) Calibration End Date: 11/03/2017 14:01  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
INITIAL CALIBRATION MEAN AREA AND MEAN RT	1535518	1.91	3276559	2.15		
UPPER LIMIT	2303277	2.41	4914839	2.65		
LOWER LIMIT	767759	1.41	1638280	1.65		
LAB SAMPLE ID	CLIENT SAMPLE ID					
CCVL 320-192908/11		1586829	1.91	3305852	2.15	
ICV 320-192908/13		1512045	1.90	3433628	2.14	
CCV 320-193699/21 CCVIS		1084014	1.90	2835649	2.16	
MB 320-193034/1-A		1215921	1.90	2796921	2.16	
LLCS 320-193034/2-A		1107022	1.90	2639143	2.15	
LLCSD 320-193034/3-A		1109253	1.90	2653124	2.16	
320-32923-1	NAWC-103117-RW-081	1183040	1.90	2747456	2.15	
320-32923-1 LMS	NAWC-103117-RW-081 LMS	1155283	1.90	2844722	2.16	
320-32923-1 LMSD	NAWC-103117-RW-081 LMSD	1112519	1.91	2660865	2.16	
320-32923-2	NAWC-103117-FRB-081	1181747	1.90	2805456	2.16	
320-32923-3	NAWC-103117-RW-082	1180018	1.90	2769253	2.16	
320-32923-4	NAWC-103117-FRB-082	1165152	1.90	2730221	2.15	
320-32923-5	NAWC-103117-RW-056	1106821	1.90	2732515	2.16	
CCV 320-193699/33 CCVIS		1108259	1.90	2829772	2.16	
CCV 320-193701/33 CCVIS		1108259	1.90	2829772	2.16	
320-32923-6	NAWC-103117-FRB-056	1163202	1.90	2749727	2.16	
320-32923-7	NAWC-103117-RW-117	1124180	1.90	2670002	2.15	
320-32923-8	NAWC-103117-FRB-117	1133387	1.90	2701760	2.16	
320-32923-9	NAWC-103117-RW-335	1174130	1.90	2734150	2.16	
320-32923-10	NAWC-103117-FRB-335	1128222	1.90	2644107	2.15	
320-32923-11	NAWC-103117-RW-324	1177750	1.90	2908025	2.15	
320-32923-12	NAWC-103117-FRB-324	1162160	1.90	2772541	2.15	
320-32923-13	WGNA-103117-DUP-12	1155448	1.90	2797190	2.15	
CCV 320-193701/43 CCVIS		1070340	1.90	2705180	2.15	

13PFOA = 13C2-PFOA

PFOS = 13C4 PFOS

Area Limit = 50%-150% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-193699/21 Date Analyzed: 11/08/2017 20:19  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.11.08\_537A\_022 Heated Purge: (Y/N) N  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	1084014	1.90	2835649	2.16		
UPPER LIMIT	1517620	2.40	3969909	2.66		
LOWER LIMIT	758810	1.40	1984954	1.66		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-193034/1-A		1215921	1.90	2796921	2.16	
LLCS 320-193034/2-A		1107022	1.90	2639143	2.15	
LLCSD 320-193034/3-A		1109253	1.90	2653124	2.16	
320-32923-1	NAWC-103117-RW-081	1183040	1.90	2747456	2.15	
320-32923-1 LMS	NAWC-103117-RW-081 LMS	1155283	1.90	2844722	2.16	
320-32923-1 LMSD	NAWC-103117-RW-081 LMSD	1112519	1.91	2660865	2.16	
320-32923-2	NAWC-103117-FRB-081	1181747	1.90	2805456	2.16	
320-32923-3	NAWC-103117-RW-082	1180018	1.90	2769253	2.16	
320-32923-4	NAWC-103117-FRB-082	1165152	1.90	2730221	2.15	
320-32923-5	NAWC-103117-RW-056	1106821	1.90	2732515	2.16	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits



FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-193699/33 Date Analyzed: 11/08/2017 21:15  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.11.08\_537A\_034 Heated Purge: (Y/N) N  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	1108259	1.90	2829772	2.16		
UPPER LIMIT	1551563	2.40	3961681	2.66		
LOWER LIMIT	775781	1.40	1980840	1.66		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-193034/1-A		1215921	1.90	2796921	2.16	
LLCS 320-193034/2-A		1107022	1.90	2639143	2.15	
LLCSD 320-193034/3-A		1109253	1.90	2653124	2.16	
320-32923-1	NAWC-103117-RW-081	1183040	1.90	2747456	2.15	
320-32923-1 LMS	NAWC-103117-RW-081 LMS	1155283	1.90	2844722	2.16	
320-32923-1 LMSD	NAWC-103117-RW-081 LMSD	1112519	1.91	2660865	2.16	
320-32923-2	NAWC-103117-FRB-081	1181747	1.90	2805456	2.16	
320-32923-3	NAWC-103117-RW-082	1180018	1.90	2769253	2.16	
320-32923-4	NAWC-103117-FRB-082	1165152	1.90	2730221	2.15	
320-32923-5	NAWC-103117-RW-056	1106821	1.90	2732515	2.16	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-193701/33 Date Analyzed: 11/08/2017 21:15  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.11.08\_537A\_034 Heated Purge: (Y/N) N  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	1108259	1.90	2829772	2.16		
UPPER LIMIT	1551563	2.40	3961681	2.66		
LOWER LIMIT	775781	1.40	1980840	1.66		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-32923-6	NAWC-103117-FRB-056	1163202	1.90	2749727	2.16	
320-32923-7	NAWC-103117-RW-117	1124180	1.90	2670002	2.15	
320-32923-8	NAWC-103117-FRB-117	1133387	1.90	2701760	2.16	
320-32923-9	NAWC-103117-RW-335	1174130	1.90	2734150	2.16	
320-32923-10	NAWC-103117-FRB-335	1128222	1.90	2644107	2.15	
320-32923-11	NAWC-103117-RW-324	1177750	1.90	2908025	2.15	
320-32923-12	NAWC-103117-FRB-324	1162160	1.90	2772541	2.15	
320-32923-13	WGNA-103117-DUP-12	1155448	1.90	2797190	2.15	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-193701/43 Date Analyzed: 11/08/2017 22:02  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.11.08\_537A\_044 Heated Purge: (Y/N) N  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	1070340	1.90	2705180	2.15		
UPPER LIMIT	1498476	2.40	3787252	2.65		
LOWER LIMIT	749238	1.40	1893626	1.65		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-32923-6	NAWC-103117-FRB-056	1163202	1.90	2749727	2.16	
320-32923-7	NAWC-103117-RW-117	1124180	1.90	2670002	2.15	
320-32923-8	NAWC-103117-FRB-117	1133387	1.90	2701760	2.16	
320-32923-9	NAWC-103117-RW-335	1174130	1.90	2734150	2.16	
320-32923-10	NAWC-103117-FRB-335	1128222	1.90	2644107	2.15	
320-32923-11	NAWC-103117-RW-324	1177750	1.90	2908025	2.15	
320-32923-12	NAWC-103117-FRB-324	1162160	1.90	2772541	2.15	
320-32923-13	WGNA-103117-DUP-12	1155448	1.90	2797190	2.15	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-081 Lab Sample ID: 320-32923-1  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_027.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 246(mL) Date Analyzed: 11/08/2017 20:42  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	22	J	41	16	6.9
335-67-1	Perfluorooctanoic acid (PFOA)	16	J	20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	13	J	30	12	5.6
375-85-9	Perfluoroheptanoic acid (PFHpA)	5.3	J	10	4.1	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	37	U	91	37	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	86		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_027.d  
 Lims ID: 320-32923-A-1-A  
 Client ID: NAWC-103117-RW-081  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 20:42:37 ALS Bottle#: 19 Worklist Smp#: 26  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-1-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:38:21

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	128751	1.20		124	
298.90 > 99.00	1.449	1.444	0.005	1.000	97072		1.33(0.00-0.00)	369	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1248738	9.59		5597	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.715	1.725	-0.010	1.000	496331	3.09		379	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.715	1.725	-0.010	1.000	145419	1.31		32.0	
* 6 13C2-PFOA									
415.00 > 370.00	1.897	1.913	-0.016		1183040	10.0		4644	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	429963	3.93		30.7	
413.00 > 169.00	1.904	1.914	-0.010	1.000	255583		1.68(0.00-0.00)	31.6	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.147	2.147	0.0	1.000	492193	5.47		368	
499.00 > 99.00	2.147	2.147	0.0	1.000	96775		5.09(0.00-0.00)	402	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		2747456	28.7		3541	
9 Perfluorononanoic acid									
463.00 > 419.00	2.155	2.158	-0.003	1.000	34338	0.4370		22.3	M
\$ 10 13C2 PFDA									
515.00 > 470.00	2.314	2.312	0.002	1.000	775587	8.57		6898	

## QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_027.d

Injection Date: 08-Nov-2017 20:42:37

Instrument ID: A8\_N

Lims ID: 320-32923-A-1-A

Lab Sample ID: 320-32923-1

Client ID: NAWC-103117-RW-081

Operator ID: SACINSTLCMS01

ALS Bottle#: 19

Worklist Smp#: 26

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid (M)



\$ 10 13C2 PFDA





TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_027.d  
 Lims ID: 320-32923-A-1-A  
 Client ID: NAWC-103117-RW-081  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 20:42:37 ALS Bottle#: 19 Worklist Smp#: 26  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-1-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:38:21

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.59	95.93
\$ 10 13C2 PFDA	10.0	8.57	85.67

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_027.d  
Injection Date: 08-Nov-2017 20:42:37 Instrument ID: A8\_N  
Lims ID: 320-32923-A-1-A Lab Sample ID: 320-32923-1  
Client ID: NAWC-103117-RW-081  
Operator ID: SACINSTLCMS01 ALS Bottle#: 19 Worklist Smp#: 26  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

9 Perfluorononanoic acid, CAS: 375-95-1

Signal: 1


Not Detected  
Expected RT: 2.16

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 34338  
Amount: 0.437021  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:38:03  
Audit Action: Manually Integrated

Audit Reason: Missed Peak

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-081 Lab Sample ID: 320-32923-2  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_030.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:05  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 249.8 (mL) Date Analyzed: 11/08/2017 20:56  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	8.0	U	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	93		70-130
STL00996	13C2 PFDA	86		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_030.d  
 Lims ID: 320-32923-A-2-A  
 Client ID: NAWC-103117-FRB-081  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 20:56:40 ALS Bottle#: 22 Worklist Smp#: 29  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-2-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:39:49

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.571	1.573	-0.003	1.000	1211947	9.32	5587	
* 6 13C2-PFOA	415.00 > 370.00	1.904	1.913	-0.009		1181747	10.0	5254	
* 7 13C4 PFOS	503.00 > 80.00	2.155	2.151	0.004		2805456	28.7	6252	
\$ 10 13C2 PFDA	515.00 > 470.00	2.322	2.312	0.010	1.000	778467	8.61	7801	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_030.d

Injection Date: 08-Nov-2017 20:56:40

Instrument ID: A8\_N

Lims ID: 320-32923-A-2-A

Lab Sample ID: 320-32923-2

Client ID: NAWC-103117-FRB-081

Operator ID: SACINSTLCMS01

ALS Bottle#: 22

Worklist Smp#: 29

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)

5 Perfluorooctanoic acid (ND)




8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND)

\* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_030.d  
 Lims ID: 320-32923-A-2-A  
 Client ID: NAWC-103117-FRB-081  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 20:56:40 ALS Bottle#: 22 Worklist Smp#: 29  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-2-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:39:49

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.32	93.21
\$ 10 13C2 PFDA	10.0	8.61	86.09

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-082 Lab Sample ID: 320-32923-3  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_031.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:40  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 250.3(mL) Date Analyzed: 11/08/2017 21:01  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	21	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	16	J	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	5.3	J	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	92		70-130
STL00996	13C2 PFDA	86		70-130



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_031.d  
 Lims ID: 320-32923-A-3-A  
 Client ID: NAWC-103117-RW-082  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:01:21 ALS Bottle#: 23 Worklist Smp#: 30  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-3-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:40:41

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	123451	1.14		138	
298.90 > 99.00	1.449	1.444	0.005	1.000	90290		1.37(0.00-0.00)	363	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.578	1.573	0.005	1.000	1192020	9.18		5815	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	497032	3.07		429	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	147865	1.34		34.0	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1180018	10.0		5184	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.912	1.914	-0.002	1.000	444704	4.07		34.1	
413.00 > 169.00	1.904	1.914	-0.010	0.996	276433		1.61(0.00-0.00)	38.6	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	475708	5.25		373	
499.00 > 99.00	2.155	2.147	0.008	1.000	90139		5.28(0.00-0.00)	411	
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		2769253	28.7		4166	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	32108	0.4097		23.8	M
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	776580	8.60		6663	

## QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_031.d

Injection Date: 08-Nov-2017 21:01:21

Instrument ID: A8\_N

Lims ID: 320-32923-A-3-A

Lab Sample ID: 320-32923-3

Client ID: NAWC-103117-RW-082

Operator ID: SACINSTLCMS01

ALS Bottle#: 23

Worklist Smp#: 30

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid (M)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_031.d  
 Lims ID: 320-32923-A-3-A  
 Client ID: NAWC-103117-RW-082  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:01:21 ALS Bottle#: 23 Worklist Smp#: 30  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-3-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:40:41

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.18	91.81
\$ 10 13C2 PFDA	10.0	8.60	86.00

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_031.d  
Injection Date: 08-Nov-2017 21:01:21 Instrument ID: A8\_N  
Lims ID: 320-32923-A-3-A Lab Sample ID: 320-32923-3  
Client ID: NAWC-103117-RW-082  
Operator ID: SACINSTLCMS01 ALS Bottle#: 23 Worklist Smp#: 30  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

9 Perfluorononanoic acid, CAS: 375-95-1

Signal: 1


Not Detected  
Expected RT: 2.16

Processing Integration Results



Manual Integration Results

RT: 2.16  
Area: 32108  
Amount: 0.409686  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:40:27  
Audit Action: Manually Integrated

Audit Reason: Missed Peak

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-082 Lab Sample ID: 320-32923-4  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_032.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:35  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 241.9(mL) Date Analyzed: 11/08/2017 21:06  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	17	U	41	17	7.0
335-67-1	Perfluorooctanoic acid (PFOA)	8.3	U	21	8.3	2.9
375-95-1	Perfluorononanoic acid (PFNA)	21	U	25	21	8.3
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	31	12	5.7
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.1	U	10	4.1	2.0
375-73-5	Perfluorobutanesulfonic acid (PFBS)	37	U	93	37	17

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	89		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_032.d  
 Lims ID: 320-32923-A-4-A  
 Client ID: NAWC-103117-FRB-082  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:06:01 ALS Bottle#: 24 Worklist Smp#: 31  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-4-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.571	1.573	-0.003	1.000	1234351	9.63	6252	
* 6 13C2-PFOA	415.00 > 370.00	1.904	1.913	-0.009		1165152	10.0	5184	
* 7 13C4 PFOS	503.00 > 80.00	2.147	2.151	-0.004		2730221	28.7	5935	
\$ 10 13C2 PFDA	515.00 > 470.00	2.314	2.312	0.002	1.000	794356	8.91	6417	



TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_032.d

Injection Date: 08-Nov-2017 21:06:01

Instrument ID: A8\_N

Lims ID: 320-32923-A-4-A

Lab Sample ID: 320-32923-4

Client ID: NAWC-103117-FRB-082

Operator ID: SACINSTLCMS01

ALS Bottle#: 24

Worklist Smp#: 31

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)

5 Perfluorooctanoic acid (ND)




8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND)

\* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_032.d  
 Lims ID: 320-32923-A-4-A  
 Client ID: NAWC-103117-FRB-082  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:06:01 ALS Bottle#: 24 Worklist Smp#: 31  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-4-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.63	96.28
\$ 10 13C2 PFDA	10.0	8.91	89.10

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-056 Lab Sample ID: 320-32923-5  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_033.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 249.6(mL) Date Analyzed: 11/08/2017 21:10  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	18	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	25		20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	8.9	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	11		10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	95		70-130
STL00996	13C2 PFDA	96		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_033.d  
 Lims ID: 320-32923-A-5-A  
 Client ID: NAWC-103117-RW-056  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:10:42 ALS Bottle#: 25 Worklist Smp#: 32  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-5-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:41:25

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	293559	2.76		95.1	
298.90 > 99.00	1.449	1.444	0.005	1.000	212816		1.38(0.00-0.00)	866	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1157261	9.50		5405	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	352557	2.21		210	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	275032	2.65		62.0	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1106821	10.0		5749	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	648177	6.33		50.0	
413.00 > 169.00	1.904	1.914	-0.010	1.000	390964		1.66(0.00-0.00)	58.4	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	406661	4.55		238	
499.00 > 99.00	2.155	2.147	0.008	1.000	67395		6.03(0.00-0.00)	244	
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		2732515	28.7		3279	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	43996	0.5985		27.4	M
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	815378	9.63		6620	

## QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_033.d

Injection Date: 08-Nov-2017 21:10:42

Instrument ID: A8\_N

Lims ID: 320-32923-A-5-A

Lab Sample ID: 320-32923-5

Client ID: NAWC-103117-RW-056

Operator ID: SACINSTLCMS01

ALS Bottle#: 25

Worklist Smp#: 32

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid (M)



\$ 10 13C2 PFDA





TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_033.d  
 Lims ID: 320-32923-A-5-A  
 Client ID: NAWC-103117-RW-056  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:10:42 ALS Bottle#: 25 Worklist Smp#: 32  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-5-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:41:25

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.50	95.03
\$ 10 13C2 PFDA	10.0	9.63	96.27

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_033.d  
Injection Date: 08-Nov-2017 21:10:42 Instrument ID: A8\_N  
Lims ID: 320-32923-A-5-A Lab Sample ID: 320-32923-5  
Client ID: NAWC-103117-RW-056  
Operator ID: SACINSTLCMS01 ALS Bottle#: 25 Worklist Smp#: 32  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

9 Perfluorononanoic acid, CAS: 375-95-1

Signal: 1


Not Detected  
Expected RT: 2.16

Processing Integration Results



Manual Integration Results

RT: 2.16  
Area: 43996  
Amount: 0.598498  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:41:10  
Audit Action: Manually Integrated

Audit Reason: Missed Peak

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-056 Lab Sample ID: 320-32923-6  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_036.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:05  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 248.7(mL) Date Analyzed: 11/08/2017 21:24  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	8.0	U	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	95		70-130
STL00996	13C2 PFDA	85		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_036.d  
 Lims ID: 320-32923-A-6-A  
 Client ID: NAWC-103117-FRB-056  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:24:42 ALS Bottle#: 26 Worklist Smp#: 35  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-6-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 22-Nov-2017 09:27:35 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK007

First Level Reviewer: phomsophat Date: 22-Nov-2017 09:27:35

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.571	1.573	-0.003	1.000	1218392	9.52	6153	
* 6 13C2-PFOA	415.00 > 370.00	1.904	1.913	-0.009		1163202	10.0	5516	
* 7 13C4 PFOS	503.00 > 80.00	2.155	2.151	0.004		2749727	28.7	5689	
\$ 10 13C2 PFDA	515.00 > 470.00	2.322	2.312	0.010	1.000	760177	8.54	6934	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_036.d

Injection Date: 08-Nov-2017 21:24:42

Instrument ID: A8\_N

Lims ID: 320-32923-A-6-A

Lab Sample ID: 320-32923-6

Client ID: NAWC-103117-FRB-056

Operator ID: SACINSTLCMS01

ALS Bottle#: 26

Worklist Smp#: 35




Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL




1 Perfluorobutanesulfonic acid (ND) 1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA






3 Perfluorohexanesulfonic acid (ND) 4 Perfluoroheptanoic acid (ND) \* 6 13C2-PFOA




5 Perfluorooctanoic acid (ND) 5 Perfluorooctanoic acid (ND) 8 Perfluorooctane sulfonic acid (ND)



8 Perfluorooctane sulfonic acid (ND) \* 7 13C4 PFOS 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_036.d  
 Lims ID: 320-32923-A-6-A  
 Client ID: NAWC-103117-FRB-056  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:24:42 ALS Bottle#: 26 Worklist Smp#: 35  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-6-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 22-Nov-2017 09:27:35 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK007

First Level Reviewer: phomsophat Date: 22-Nov-2017 09:27:35

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.52	95.20
\$ 10 13C2 PFDA	10.0	8.54	85.40

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-117 Lab Sample ID: 320-32923-7  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_037.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:40  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 247.2 (mL) Date Analyzed: 11/08/2017 21:29  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	32	J	40	16	6.9
335-67-1	Perfluorooctanoic acid (PFOA)	22		20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	18	J	30	12	5.6
375-85-9	Perfluoroheptanoic acid (PFHpA)	5.6	J M	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U M	91	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	97		70-130
STL00996	13C2 PFDA	86		70-130



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_037.d  
 Lims ID: 320-32923-A-7-A  
 Client ID: NAWC-103117-RW-117  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:29:22 ALS Bottle#: 27 Worklist Smp#: 36  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-7-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:43:14

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	85054	0.8171		74.9	M
298.90 > 99.00	1.449	1.444	0.005	1.000	63380		1.34(0.00-0.00)	275	M
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1200504	9.71		6293	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	685930	4.40		540	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	146848	1.39		34.5	M
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1124180	10.0		4914	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	575983	5.53		52.5	
413.00 > 169.00	1.904	1.914	-0.010	1.000	334084		1.72(0.00-0.00)	54.1	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	690569	7.90		572	
499.00 > 99.00	2.155	2.147	0.008	1.000	135182		5.11(0.00-0.00)	579	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		2670002	28.7		3609	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	52935	0.7090		37.8	M
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	739083	8.59		6876	

## QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_037.d

Injection Date: 08-Nov-2017 21:29:22

Instrument ID: A8\_N

Lims ID: 320-32923-A-7-A

Lab Sample ID: 320-32923-7

Client ID: NAWC-103117-RW-117

Operator ID: SACINSTLCMS01

ALS Bottle#: 27

Worklist Smp#: 36

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (M)

1 Perfluorobutanesulfonic acid (M)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid (M)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid (M)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_037.d  
 Lims ID: 320-32923-A-7-A  
 Client ID: NAWC-103117-RW-117  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:29:22 ALS Bottle#: 27 Worklist Smp#: 36  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-7-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:43:14

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.71	97.06
\$ 10 13C2 PFDA	10.0	8.59	85.92

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_037.d  
Injection Date: 08-Nov-2017 21:29:22 Instrument ID: A8\_N  
Lims ID: 320-32923-A-7-A Lab Sample ID: 320-32923-7  
Client ID: NAWC-103117-RW-117  
Operator ID: SACINSTLCMS01 ALS Bottle#: 27 Worklist Smp#: 36  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

9 Perfluorononanoic acid, CAS: 375-95-1

Signal: 1


Not Detected  
Expected RT: 2.16

Processing Integration Results



Manual Integration Results

RT: 2.16  
Area: 52935  
Amount: 0.708980  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:42:36  
Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_037.d  
Injection Date: 08-Nov-2017 21:29:22 Instrument ID: A8\_N  
Lims ID: 320-32923-A-7-A Lab Sample ID: 320-32923-7  
Client ID: NAWC-103117-RW-117  
Operator ID: SACINSTLCMS01 ALS Bottle#: 27 Worklist Smp#: 36  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

4 Perfluoroheptanoic acid, CAS: 375-85-9

Signal: 1


RT: 1.72  
Area: 150911  
Amount: 1.432798  
Amount Units: ng/ml

Processing Integration Results



RT: 1.72  
Area: 146848  
Amount: 1.394222  
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 09-Nov-2017 13:42:57  
Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_037.d  
Injection Date: 08-Nov-2017 21:29:22 Instrument ID: A8\_N  
Lims ID: 320-32923-A-7-A Lab Sample ID: 320-32923-7  
Client ID: NAWC-103117-RW-117  
Operator ID: SACINSTLCMS01 ALS Bottle#: 27 Worklist Smp#: 36  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

1 Perfluorobutanesulfonic acid, CAS: 375-73-5

Signal: 1


Not Detected  
Expected RT: 1.44

Processing Integration Results



Manual Integration Results

RT: 1.45  
Area: 85054  
Amount: 0.817131  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:41:52  
Audit Action: Manually Integrated

Audit Reason: Missed Peak



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_037.d  
Injection Date: 08-Nov-2017 21:29:22 Instrument ID: A8\_N  
Lims ID: 320-32923-A-7-A Lab Sample ID: 320-32923-7  
Client ID: NAWC-103117-RW-117  
Operator ID: SACINSTLCMS01 ALS Bottle#: 27 Worklist Smp#: 36  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

1 Perfluorobutanesulfonic acid, CAS: 375-73-5

Signal: 2


Not Detected  
Expected RT: 1.44

Processing Integration Results



Manual Integration Results

RT: 1.45  
Area: 63380  
Amount: 0.817131  
Amount Units: ng/ml



FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-117 Lab Sample ID: 320-32923-8  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_038.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:35  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 252.6(mL) Date Analyzed: 11/08/2017 21:34  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.7
335-67-1	Perfluorooctanoic acid (PFOA)	7.9	U	20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.4
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	98		70-130
STL00996	13C2 PFDA	90		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_038.d  
 Lims ID: 320-32923-A-8-A  
 Client ID: NAWC-103117-FRB-117  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:34:03 ALS Bottle#: 28 Worklist Smp#: 37  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-8-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.578	1.573	0.005	1.000	1224021	9.82	6586	
* 6 13C2-PFOA	415.00 > 370.00	1.904	1.913	-0.009		1133387	10.0	4982	
* 7 13C4 PFOS	503.00 > 80.00	2.155	2.151	0.004		2701760	28.7	5760	
\$ 10 13C2 PFDA	515.00 > 470.00	2.322	2.312	0.010	1.000	778456	8.98	7092	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_038.d

Injection Date: 08-Nov-2017 21:34:03

Instrument ID: A8\_N

Lims ID: 320-32923-A-8-A

Lab Sample ID: 320-32923-8

Client ID: NAWC-103117-FRB-117

Operator ID: SACINSTLCMS01

ALS Bottle#: 28

Worklist Smp#: 37

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)

5 Perfluorooctanoic acid (ND)




8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND)

\* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_038.d  
 Lims ID: 320-32923-A-8-A  
 Client ID: NAWC-103117-FRB-117  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:34:03 ALS Bottle#: 28 Worklist Smp#: 37  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-8-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.82	98.15
\$ 10 13C2 PFDA	10.0	8.98	89.76

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-335 Lab Sample ID: 320-32923-9  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_039.d  
 Analysis Method: 537 Date Collected: 10/31/2017 11:40  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 248.3(mL) Date Analyzed: 11/08/2017 21:38  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	23	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	21		20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	10	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	8.4	J	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U M	91	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	89		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_039.d  
 Lims ID: 320-32923-A-9-A  
 Client ID: NAWC-103117-RW-335  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:38:43 ALS Bottle#: 29 Worklist Smp#: 38  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-9-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:44:26

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	104783	0.9833		154	M
298.90 > 99.00	1.449	1.444	0.005	1.000	77692		1.35(0.00-0.00)	332	M
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.578	1.573	0.005	1.000	1245688	9.64		6289	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	410206	2.57		495	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	228589	2.08		65.1	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1174130	10.0		5246	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	558499	5.14		52.3	
413.00 > 169.00	1.904	1.914	-0.010	1.000	327171		1.71(0.00-0.00)	54.9	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	520107	5.81		542	
499.00 > 99.00	2.155	2.147	0.008	1.000	92986		5.59(0.00-0.00)	400	
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		2734150	28.7		4861	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	42387	0.5436		33.0	M
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	798446	8.89		7351	



## QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_039.d

Injection Date: 08-Nov-2017 21:38:43

Instrument ID: A8\_N

Lims ID: 320-32923-A-9-A

Lab Sample ID: 320-32923-9

Client ID: NAWC-103117-RW-335

Operator ID: SACINSTLCMS01

ALS Bottle#: 29

Worklist Smp#: 38

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid (M)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid (M)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_039.d  
 Lims ID: 320-32923-A-9-A  
 Client ID: NAWC-103117-RW-335  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:38:43 ALS Bottle#: 29 Worklist Smp#: 38  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-9-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:44:26

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.64	96.42
\$ 10 13C2 PFDA	10.0	8.89	88.87

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_039.d  
Injection Date: 08-Nov-2017 21:38:43 Instrument ID: A8\_N  
Lims ID: 320-32923-A-9-A Lab Sample ID: 320-32923-9  
Client ID: NAWC-103117-RW-335  
Operator ID: SACINSTLCMS01 ALS Bottle#: 29 Worklist Smp#: 38  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

9 Perfluorononanoic acid, CAS: 375-95-1

Signal: 1


Not Detected  
Expected RT: 2.16

Processing Integration Results



Manual Integration Results

RT: 2.16  
Area: 42387  
Amount: 0.543555  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:44:08  
Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_039.d  
Injection Date: 08-Nov-2017 21:38:43 Instrument ID: A8\_N  
Lims ID: 320-32923-A-9-A Lab Sample ID: 320-32923-9  
Client ID: NAWC-103117-RW-335  
Operator ID: SACINSTLCMS01 ALS Bottle#: 29 Worklist Smp#: 38  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

1 Perfluorobutanesulfonic acid, CAS: 375-73-5

Signal: 1


Not Detected  
Expected RT: 1.44

Processing Integration Results



Manual Integration Results

RT: 1.45  
Area: 104783  
Amount: 0.983272  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:43:29  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_039.d  
Injection Date: 08-Nov-2017 21:38:43 Instrument ID: A8\_N  
Lims ID: 320-32923-A-9-A Lab Sample ID: 320-32923-9  
Client ID: NAWC-103117-RW-335  
Operator ID: SACINSTLCMS01 ALS Bottle#: 29 Worklist Smp#: 38  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

1 Perfluorobutanesulfonic acid, CAS: 375-73-5

Signal: 2


Not Detected  
Expected RT: 1.44

Processing Integration Results



Manual Integration Results

RT: 1.45  
Area: 77692  
Amount: 0.983272  
Amount Units: ng/ml



FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-335 Lab Sample ID: 320-32923-10  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_040.d  
 Analysis Method: 537 Date Collected: 10/31/2017 11:35  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 253.7(mL) Date Analyzed: 11/08/2017 21:43  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	39	16	6.7
335-67-1	Perfluorooctanoic acid (PFOA)	7.9	U	20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.4
375-85-9	Perfluoroheptanoic acid (PFHpA)	3.9	U	9.9	3.9	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	35	U	89	35	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	88		70-130



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_040.d  
 Lims ID: 320-32923-A-10-A  
 Client ID: NAWC-103117-FRB-335  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:43:23 ALS Bottle#: 30 Worklist Smp#: 39  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-10-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.571	1.573	-0.003	1.000	1186388	9.56	6175	
* 6 13C2-PFOA	415.00 > 370.00	1.904	1.913	-0.009		1128222	10.0	5230	
* 7 13C4 PFOS	503.00 > 80.00	2.147	2.151	-0.004		2644107	28.7	5672	
\$ 10 13C2 PFDA	515.00 > 470.00	2.322	2.312	0.010	1.000	758557	8.79	6236	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_040.d

Injection Date: 08-Nov-2017 21:43:23

Instrument ID: A8\_N

Lims ID: 320-32923-A-10-A

Lab Sample ID: 320-32923-10

Client ID: NAWC-103117-FRB-335

Operator ID: SACINSTLCMS01

ALS Bottle#: 30

Worklist Smp#: 39




Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL




1 Perfluorobutanesulfonic acid (ND) 1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA






3 Perfluorohexanesulfonic acid (ND) 4 Perfluoroheptanoic acid (ND) \* 6 13C2-PFOA




5 Perfluorooctanoic acid (ND) 5 Perfluorooctanoic acid (ND) 8 Perfluorooctane sulfonic acid (ND)



8 Perfluorooctane sulfonic acid (ND) \* 7 13C4 PFOS 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_040.d  
 Lims ID: 320-32923-A-10-A  
 Client ID: NAWC-103117-FRB-335  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:43:23 ALS Bottle#: 30 Worklist Smp#: 39  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-10-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.56	95.57
\$ 10 13C2 PFDA	10.0	8.79	87.87

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-324 Lab Sample ID: 320-32923-11  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_041.d  
 Analysis Method: 537 Date Collected: 10/31/2017 10:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 248.3(mL) Date Analyzed: 11/08/2017 21:48  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	44		40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	14	J	20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	18	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	3.9	J	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	91	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	86		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_041.d  
 Lims ID: 320-32923-A-11-A  
 Client ID: NAWC-103117-RW-324  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:48:04 ALS Bottle#: 31 Worklist Smp#: 40  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-11-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:45:06

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	85597	0.7550		123	
298.90 > 99.00	1.442	1.444	-0.002	0.995	65798		1.30(0.00-0.00)	258	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1221200	9.42		5807	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.715	1.725	-0.010	1.000	744004	4.38		1137	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.715	1.725	-0.010	1.000	106134	0.9618		30.8	
* 6 13C2-PFOA									
415.00 > 370.00	1.897	1.913	-0.016		1177750	10.0		5662	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.897	1.914	-0.017	1.000	384347	3.53		37.2	
413.00 > 169.00	1.897	1.914	-0.017	1.000	218015		1.76(0.00-0.00)	34.2	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.147	2.147	0.0	1.000	1044371	11.0		1445	
499.00 > 99.00	2.140	2.147	-0.007	0.996	228645		4.57(0.00-0.00)	931	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		2908025	28.7		6070	
9 Perfluorononanoic acid									
463.00 > 419.00	2.155	2.158	-0.003	1.000	12873	0.1646		9.7	M
\$ 10 13C2 PFDA									
515.00 > 470.00	2.314	2.312	0.002	1.000	777336	8.63		7406	

## QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_041.d

Injection Date: 08-Nov-2017 21:48:04

Instrument ID: A8\_N

Lims ID: 320-32923-A-11-A

Lab Sample ID: 320-32923-11

Client ID: NAWC-103117-RW-324

Operator ID: SACINSTLCMS01

ALS Bottle#: 31

Worklist Smp#: 40

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid



8 Perfluorooctane sulfonic acid


\* 7 13C4 PFOS

9 Perfluorononanoic acid (M)





\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_041.d  
 Lims ID: 320-32923-A-11-A  
 Client ID: NAWC-103117-RW-324  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:48:04 ALS Bottle#: 31 Worklist Smp#: 40  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-11-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:45:06

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.42	94.24
\$ 10 13C2 PFDA	10.0	8.63	86.25

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_041.d  
Injection Date: 08-Nov-2017 21:48:04 Instrument ID: A8\_N  
Lims ID: 320-32923-A-11-A Lab Sample ID: 320-32923-11  
Client ID: NAWC-103117-RW-324  
Operator ID: SACINSTLCMS01 ALS Bottle#: 31 Worklist Smp#: 40  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

9 Perfluorononanoic acid, CAS: 375-95-1

Signal: 1


Not Detected  
Expected RT: 2.16

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 12873  
Amount: 0.164571  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:44:49  
Audit Action: Manually Integrated

Audit Reason: Missed Peak  
Page 177 of 328

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-324 Lab Sample ID: 320-32923-12  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_042.d  
 Analysis Method: 537 Date Collected: 10/31/2017 10:05  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 251.6(mL) Date Analyzed: 11/08/2017 21:52  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	7.9	U	20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	93		70-130
STL00996	13C2 PFDA	87		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_042.d  
 Lims ID: 320-32923-A-12-A  
 Client ID: NAWC-103117-FRB-324  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:52:45 ALS Bottle#: 32 Worklist Smp#: 41  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-12-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.571	1.573	-0.003	1.000	1191211	9.32	6759	
* 6 13C2-PFOA	415.00 > 370.00	1.897	1.913	-0.016		1162160	10.0	5333	
* 7 13C4 PFOS	503.00 > 80.00	2.147	2.151	-0.004		2772541	28.7	5954	
\$ 10 13C2 PFDA	515.00 > 470.00	2.314	2.312	0.002	1.000	776145	8.73	6800	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_042.d

Injection Date: 08-Nov-2017 21:52:45

Instrument ID: A8\_N

Lims ID: 320-32923-A-12-A

Lab Sample ID: 320-32923-12

Client ID: NAWC-103117-FRB-324

Operator ID: SACINSTLCMS01

ALS Bottle#: 32

Worklist Smp#: 41




Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL




1 Perfluorobutanesulfonic acid (ND) 1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA






3 Perfluorohexanesulfonic acid (ND) 4 Perfluoroheptanoic acid (ND) \* 6 13C2-PFOA




5 Perfluorooctanoic acid (ND) 5 Perfluorooctanoic acid (ND) 8 Perfluorooctane sulfonic acid (ND)



8 Perfluorooctane sulfonic acid (ND) \* 7 13C4 PFOS 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_042.d  
 Lims ID: 320-32923-A-12-A  
 Client ID: NAWC-103117-FRB-324  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:52:45 ALS Bottle#: 32 Worklist Smp#: 41  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-12-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.32	93.16
\$ 10 13C2 PFDA	10.0	8.73	87.28



FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WGNA-103117-DUP-12 Lab Sample ID: 320-32923-13  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_043.d  
 Analysis Method: 537 Date Collected: 10/31/2017 12:00  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 251.8 (mL) Date Analyzed: 11/08/2017 21:57  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	23	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	21		20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	9.5	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	8.6	J	9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	82		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_043.d  
 Lims ID: 320-32923-A-13-A  
 Client ID: WGNA-103117-DUP-12  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:57:25 ALS Bottle#: 33 Worklist Smp#: 42  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-13-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:47:56

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	99948	0.9167		147	
298.90 > 99.00	1.449	1.444	0.005	1.000	72323		1.38(0.00-0.00)	326	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1224188	9.63		6825	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.715	1.725	-0.010	1.000	389804	2.39		486	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.715	1.725	-0.010	1.000	235207	2.17		66.5	
* 6 13C2-PFOA									
415.00 > 370.00	1.897	1.913	-0.016		1155448	10.0		6013	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.897	1.914	-0.017	1.000	573811	5.36		56.1	
413.00 > 169.00	1.897	1.914	-0.017	1.000	331439		1.73(0.00-0.00)	57.7	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.147	2.147	0.0	1.000	522224	5.70		578	
499.00 > 99.00	2.147	2.147	0.0	1.000	86913		6.01(0.00-0.00)	391	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		2797190	28.7		5413	
9 Perfluorononanoic acid									
463.00 > 419.00	2.155	2.158	-0.003	1.000	39607	0.5161		32.1	M
\$ 10 13C2 PFDA									
515.00 > 470.00	2.314	2.312	0.002	1.000	729177	8.25		6620	

## QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_043.d

Injection Date: 08-Nov-2017 21:57:25

Instrument ID: A8\_N

Lims ID: 320-32923-A-13-A

Lab Sample ID: 320-32923-13

Client ID: WGNA-103117-DUP-12

Operator ID: SACINSTLCMS01

ALS Bottle#: 33

Worklist Smp#: 42

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid (M)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_043.d  
 Lims ID: 320-32923-A-13-A  
 Client ID: WGNA-103117-DUP-12  
 Sample Type: Client  
 Inject. Date: 08-Nov-2017 21:57:25 ALS Bottle#: 33 Worklist Smp#: 42  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-13-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:47:56

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.63	96.29
\$ 10 13C2 PFDA	10.0	8.25	82.47

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_043.d  
Injection Date: 08-Nov-2017 21:57:25 Instrument ID: A8\_N  
Lims ID: 320-32923-A-13-A Lab Sample ID: 320-32923-13  
Client ID: WGNA-103117-DUP-12  
Operator ID: SACINSTLCMS01 ALS Bottle#: 33 Worklist Smp#: 42  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

9 Perfluorononanoic acid, CAS: 375-95-1

Signal: 1


Not Detected  
Expected RT: 2.16

Processing Integration Results



RT: 2.15  
Area: 39607  
Amount: 0.516117  
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 09-Nov-2017 13:45:43  
Audit Action: Manually Integrated

Audit Reason: Missed Peak

FORM VI  
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
CURVE EVALUATION

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1 Analy Batch No.: 192908

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N GC Column: GeminiC18 3 ID: 3(mm) Heated Purge: (Y/N) N

Calibration Start Date: 11/03/2017 13:37 Calibration End Date: 11/03/2017 14:01 Calibration ID: 36012

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-192908/4	2017.11.03_537XICAL_004.d
Level 2	IC 320-192908/5	2017.11.03_537XICAL_005.d
Level 3	IC 320-192908/6	2017.11.03_537XICAL_006.d
Level 4	IC 320-192908/7	2017.11.03_537XICAL_007.d
Level 5	IC 320-192908/8	2017.11.03_537XICAL_008.d
Level 6	IC 320-192908/9	2017.11.03_537XICAL_009.d

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R <sup>2</sup> OR COD	#	MIN R <sup>2</sup> OR COD
	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
Perfluorobutanesulfonic acid (PFBS)	1.0397 0.8468	1.0767	1.0898	0.9577	0.9303	QuaF		1.1193	-0.001498					0.9990			0.9600
Perfluoroheptanoic acid (PFHpA)	0.9433 0.9848	0.9187	0.9551	0.9185	0.9011	Ave		0.9369			3.2		30.0				
Perfluorohexanesulfonic acid (PFHxS)	1.6459 1.6841	1.6355	1.7405	1.6631	1.6755	Ave		1.6741			2.2		30.0				
Perfluorooctanoic acid (PFOA)	0.9757 0.9799	0.8919	0.9000	0.8953	0.9117	Ave		0.9258			4.4		30.0				
Perfluorooctanesulfonic acid (PFOS)	0.8958 0.9902	0.9213	0.9281	0.9268	0.9715	Ave		0.9389			3.7		30.0				
Perfluorononanoic acid (PFNA)	0.6610 0.7042	0.6285	0.6624	0.6810	0.6478	Ave		0.6642			3.9		30.0				
13C2 PFHxA	1.0891 1.1664	1.0526	1.1042	1.1123	1.0772	Ave		1.1003			3.5		30.0				
13C2 PFDA	0.7748 0.8159	0.7295	0.7569	0.7811	0.7330	Ave		0.7652			4.3		30.0				

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type.



FORM VI  
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1 Analy Batch No.: 192908

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N GC Column: GeminiC18 3 ID: 3(mm) Heated Purge: (Y/N) N

Calibration Start Date: 11/03/2017 13:37 Calibration End Date: 11/03/2017 14:01 Calibration ID: 36012

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-192908/4	2017.11.03_537XICAL_004.d
Level 2	IC 320-192908/5	2017.11.03_537XICAL_005.d
Level 3	IC 320-192908/6	2017.11.03_537XICAL_006.d
Level 4	IC 320-192908/7	2017.11.03_537XICAL_007.d
Level 5	IC 320-192908/8	2017.11.03_537XICAL_008.d
Level 6	IC 320-192908/9	2017.11.03_537XICAL_009.d

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (NG/ML)				
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5
Perfluorobutanesulfonic acid (PFBS)	PFOS	QuaF	1076553 16699152	2591121	5461974	10142530	14011858	9.00 180	20.0	45.0	90.0	135
Perfluoroheptanoic acid (PFHpA)	13PF OA	Ave	143455 2810797	331548	736034	1420703	2102676	1.00 20.0	2.22	5.00	10.0	15.0
Perfluorohexanesulfonic acid (PFHxS)	PFOS	Ave	568156 11071993	1312135	2908204	5871843	8413133	3.00 60.0	6.67	15.0	30.0	45.0
Perfluorooctanoic acid (PFOA)	13PF OA	Ave	296934 5597122	644149	1388033	2771271	4257225	2.00 40.0	4.45	10.0	20.0	30.0
Perfluorooctanesulfonic acid (PFOS)	PFOS	Ave	412315 8679676	985487	2067792	4363079	6504279	4.00 80.0	8.89	20.0	40.0	60.0
Perfluorononanoic acid (PFNA)	13PF OA	Ave	201053 4019666	453612	1020851	2106479	3023088	2.00 40.0	4.45	10.0	20.0	30.0
13C2 PFHxA	13PF OA	Ave	1655691 1664260	1708988	1701491	1719911	1675220	10.0 10.0	10.0	10.0	10.0	10.0
13C2 PFDA	13PF OA	Ave	1177922 1164156	1184358	1166275	1207887	1139992	10.0 10.0	10.0	10.0	10.0	10.0

Curve Type Legend:

Ave = Average ISTD
QuaF = Quadratic ISTD forced zero

FORM VI  
 LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
 READBACK PERCENT ERROR

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1 Analy Batch No.: 192908

SDG No.: \_\_\_\_\_



Instrument ID: A8\_N GC Column: GeminiC18 3 ID: 3 (mm) Heated Purge: (Y/N) N


Calibration Start Date: 11/03/2017 13:37 Calibration End Date: 11/03/2017 14:01 Calibration ID: 36012

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-192908/4	2017.11.03_537XICAL_004.d
Level 2	IC 320-192908/5	2017.11.03_537XICAL_005.d
Level 3	IC 320-192908/6	2017.11.03_537XICAL_006.d
Level 4	IC 320-192908/7	2017.11.03_537XICAL_007.d
Level 5	IC 320-192908/8	2017.11.03_537XICAL_008.d
Level 6	IC 320-192908/9	2017.11.03_537XICAL_009.d

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Perfluorobutanesulfonic acid (PFBS)	-6.0	-1.2	3.9	-3.1	1.9	-0.5	50	30	30	30	30	30
Perfluoroheptanoic acid (PFHpA)	0.7	-1.9	1.9	-2.0	-3.8	5.1	50	30	30	30	30	30
Perfluorohexanesulfonic acid (PFHxS)	-1.7	-2.3	4.0	-0.7	0.1	0.6	50	30	30	30	30	30
Perfluorooctanoic acid (PFOA)	5.4	-3.7	-2.8	-3.3	-1.5	5.8	50	30	30	30	30	30
Perfluorooctanesulfonic acid (PFOS)	-4.6	-1.9	-1.2	-1.3	3.5	5.5	50	30	30	30	30	30
Perfluorononanoic acid (PFNA)	-0.5	-5.4	-0.3	2.5	-2.5	6.0	50	30	30	30	30	30
13C2 PFHxA	-1.0	-4.3	0.4	1.1	-2.1	6.0	30	30	30	30	30	30
13C2 PFDA	1.3	-4.7	-1.1	2.1	-4.2	6.6	30	30	30	30	30	30





TestAmerica Laboratories  
Istd/Surrogate Recovery Report

Worklist Name: 03NOV2017\_537A\_ICAL

Worklist Num: 49975

Instrument: A8\_N

Method: 537\_A8\_N

Batch Directory: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b

Limit Group: LC 537 ICAL

Analysis Type: SemiVOA

Inj Volume: 2.00

Inj Vol Units: ul

Lims Batch: 192908

CCV IS Mode: Select Ical Level, Cal Level: 3

Non-Cal IS Mode: Last Ccal Sample

\$ 2 13C2 PFHxA

\$ 10 13C2 PFDA

Lab ID	Inj Date	\$ 2	\$ 10	* 6 13C2-PFOA	* 7 13C4 PFOS
	IS Std			2864400 1.87	6253426 2.11
# 1 RB	03-Nov-2017 13:23:59			1485386 51.9	3471256 55.5
# 2 RB	03-Nov-2017 13:28:38			1511056 52.8	3340239 53.4
# 3 RB	03-Nov-2017 13:33:19			1483949 51.8	3285228 52.5
	IS Std				
# 4 IC L1	03-Nov-2017 13:37:59	1.58 98.98	2.31 101.30	1520258> 100.0*	3298877> 100.0*
# 5 IC L2	03-Nov-2017 13:42:39	1.58 95.66	2.31 95.33	1623614> 106.8*	3450592> 104.6*
# 6 IC L3	03-Nov-2017 13:47:20	1.57 100.40	2.31 98.91	1540946> 101.4*	3194016> 96.8*
# 7 IC L4	03-Nov-2017 13:52:00	1.57 101.10	2.31 102.10	1546307> 101.7*	3374600> 102.3*
# 8 IC L5	03-Nov-2017 13:56:41	1.57 97.90	2.31 95.80	1555174> 102.3*	3199479> 97.0*
# 9 IC L6	03-Nov-2017 14:01:24	1.57 106.00	2.31 106.60	1426806> 93.9*	3141787> 95.2*
	IS Std			1540946 1.91	3194016 2.15
#10 RB	03-Nov-2017 14:06:04			1395383 90.6	3212781 100.6
	IS Std			1546307 1.91	3374600 2.16
#11 CCVL	03-Nov-2017 14:10:44	1.58 97.03	2.31 97.49	1586829 102.6	3305852 98.0
	IS Std			1586829 1.91	3305852 2.15
#12 RB	03-Nov-2017 14:15:23			1415042 89.2	3122656 94.5
	IS Std			1546307 1.91	3374600 2.16
#13 ICV	03-Nov-2017 14:20:03	1.57 94.41	2.31 96.59	1512045 97.8	3433628 101.7
	IS Std			1395100 1.91	3254950 2.15
#14 RB	03-Nov-2017 14:24:44			1395100 100.0	3254950 100.0

13C2-PFOA

$$RPD = \frac{1623614 - 1426806}{\left(\frac{1623614 + 1426806}{2}\right)} (100) = 12.9$$

13C4-PFOS

$$RPD = \frac{3450592 - 3141787}{\left(\frac{3450592 + 3141787}{2}\right)} (100) = 9.37$$

JRB  
11-6-17

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_004.d  
 Lims ID: IC L1  
 Client ID:  
 Sample Type: IC Calib Level: 1  
 Inject. Date: 03-Nov-2017 13:37:59 ALS Bottle#: 1 Worklist Smp#: 4  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L1\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1

Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 07-Nov-2017 15:52:07 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: phomsophat Date: 06-Nov-2017 07:18:01

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	1076553	8.46		654	
298.90 > 99.00	1.449	1.444	0.005	1.000	763262		1.41(0.00-0.00)	2025	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.578	1.573	0.005	1.000	1655691	9.90		8732	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.730	1.725	0.005	1.000	568156	2.95		1122	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.730	1.725	0.005	1.000	143455	1.01		42.2	
* 6 13C2-PFOA									
415.00 > 370.00	1.920	1.913	0.007		1520258	10.0		6863	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.920	1.914	0.006	1.000	296934	2.11		53.5	
413.00 > 169.00	1.920	1.914	0.006	1.000	149720		1.98(0.00-0.00)	184	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	412315	3.82		235	M
499.00 > 99.00	2.155	2.147	0.008	1.000	85347		4.83(0.00-0.00)	209	M
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		3298877	28.7		5279	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	201053	1.99		67.8	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.314	2.312	0.002	1.000	1177922	10.1		7012	

**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L1\_00020

Amount Added: 1.00

Units: mL

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537ICAL\_004.d

Injection Date: 03-Nov-2017 13:37:59

Instrument ID: A8\_N

Lims ID: IC L1

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 1

Worklist Smp#: 4

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)



8 Perfluorooctane sulfonic acid (M)


\* 7 13C4 PFOS

9 Perfluorononanoic acid





\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\201711106-49975.b\2017.11.03\_537XICAL\_004.d  
Injection Date: 03-Nov-2017 13:37:59 Instrument ID: A8\_N  
Lims ID: IC L1  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 1 Worklist Smp#: 4  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 412315  
Amount: 3.817687  
Amount Units: ng/ml



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\201711106-49975.b\2017.11.03\_537XICAL\_004.d  
Injection Date: 03-Nov-2017 13:37:59 Instrument ID: A8\_N  
Lims ID: IC L1  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 1 Worklist Smp#: 4  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 85347  
Amount: 3.817687  
Amount Units: ng/ml



Reviewer: phomsophat, 06-Nov-2017 07:17:37

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\201711106-49975.b\2017.11.03\_537XICAL\_004.d  
Injection Date: 03-Nov-2017 13:37:59 Instrument ID: A8\_N  
Lims ID: IC L1  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 1 Worklist Smp#: 4  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 412315  
Amount: 3.817687  
Amount Units: ng/ml



Reviewer: phomsophat, 06-Nov-2017 07:17:37

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_005.d  
 Lims ID: IC L2  
 Client ID:  
 Sample Type: IC Calib Level: 2  
 Inject. Date: 03-Nov-2017 13:42:39 ALS Bottle#: 2 Worklist Smp#: 5  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L2\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1

Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 07-Nov-2017 15:52:08 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: phomsophat Date: 06-Nov-2017 07:18:56

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	2591121	19.8		1479	
298.90 > 99.00	1.442	1.444	-0.002	0.995	1874928		1.38(0.00-0.00)	4315	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.578	1.573	0.005	1.000	1708988	9.57		8562	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.730	1.725	0.005	1.000	331548	2.18		87.8	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.730	1.725	0.005	1.000	1312135	6.51		2317	
* 6 13C2-PFOA									
415.00 > 370.00	1.920	1.913	0.007		1623614	10.0		6970	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.920	1.914	0.006	1.000	644149	4.29		113	
413.00 > 169.00	1.920	1.914	0.006	1.000	329479		1.96(0.00-0.00)	459	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	985487	8.72		578	M
499.00 > 99.00	2.155	2.147	0.008	1.000	200739		4.91(0.00-0.00)	449	M
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		3450592	28.7		5334	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	453612	4.21		136	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.314	2.312	0.002	1.000	1184358	9.53		7573	

**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L2\_00020

Amount Added: 1.00

Units: mL

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537ICAL\_005.d

Injection Date: 03-Nov-2017 13:42:39

Instrument ID: A8\_N

Lims ID: IC L2

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 2

Worklist Smp#: 5

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



4 Perfluoroheptanoic acid

3 Perfluorohexanesulfonic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA





TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_005.d  
Injection Date: 03-Nov-2017 13:42:39 Instrument ID: A8\_N  
Lims ID: IC L2  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 2 Worklist Smp#: 5  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.15  
Area: 985487  
Amount: 8.723576  
Amount Units: ng/ml

Manual Integration Results



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\201711106-49975.b\2017.11.03\_537XICAL\_005.d  
Injection Date: 03-Nov-2017 13:42:39 Instrument ID: A8\_N  
Lims ID: IC L2  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 2 Worklist Smp#: 5  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.15  
Area: 200739  
Amount: 8.723576  
Amount Units: ng/ml

Manual Integration Results



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\201711106-49975.b\2017.11.03\_537XICAL\_005.d  
Injection Date: 03-Nov-2017 13:42:39 Instrument ID: A8\_N  
Lims ID: IC L2  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 2 Worklist Smp#: 5  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.15  
Area: 985487  
Amount: 8.723576  
Amount Units: ng/ml

Manual Integration Results



Reviewer: phomsophat, 06-Nov-2017 07:18:24

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_006.d  
 Lims ID: IC L3  
 Client ID:  
 Sample Type: IC Calib Level: 3  
 Inject. Date: 03-Nov-2017 13:47:20 ALS Bottle#: 3 Worklist Smp#: 6  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L3\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1

Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 07-Nov-2017 15:52:09 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: phomsophat Date: 06-Nov-2017 07:20:04

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.442	1.444	-0.002	1.000	5461974	46.7		3220	
298.90 > 99.00	1.442	1.444	-0.002	1.000	3903438		1.40(0.00-0.00)	8589	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1701491	10.0		9021	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	2908204	15.6		5000	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	736034	5.10		208	
* 6 13C2-PFOA									
415.00 > 370.00	1.912	1.913	-0.001		1540946	10.0		6787	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.912	1.914	-0.002	1.000	1388033	9.73		256	
413.00 > 169.00	1.912	1.914	-0.002	1.000	715399		1.94(0.00-0.00)	904	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.147	2.147	0.0	1.000	2067792	19.8		2001	
499.00 > 99.00	2.147	2.147	0.0	1.000	431075		4.80(0.00-0.00)	922	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		3194016	28.7		4956	
9 Perfluorononanoic acid									
463.00 > 419.00	2.155	2.158	-0.003	1.000	1020851	9.97		302	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.306	2.312	-0.006	1.000	1166275	9.89		6310	

Reagents:

LC537-L3\_00023

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537ICAL\_006.d

Injection Date: 03-Nov-2017 13:47:20

Instrument ID: A8\_N

Lims ID: IC L3

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 3

Worklist Smp#: 6

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_007.d  
 Lims ID: IC L4  
 Client ID:  
 Sample Type: ICISAV Calib Level: 4  
 Inject. Date: 03-Nov-2017 13:52:00 ALS Bottle#: 4 Worklist Smp#: 7  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L4\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1

Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 07-Nov-2017 15:52:10 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: phomsophat Date: 06-Nov-2017 07:20:46

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.442	1.444	-0.002	1.000	10142530	87.2		5274	
298.90 > 99.00	1.442	1.444	-0.002	1.000	7408390		1.37(0.00-0.00)	12862	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1719911	10.1		8503	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	1420703	9.81		399	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	5871843	29.8		7622	
* 6 13C2-PFOA									
415.00 > 370.00	1.912	1.913	-0.001		1546307	10.0		6563	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.912	1.914	-0.002	1.000	2771271	19.4		505	
413.00 > 169.00	1.912	1.914	-0.002	1.000	1520933		1.82(0.00-0.00)	1919	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	4363079	39.5		3896	M
499.00 > 99.00	2.155	2.147	0.008	1.000	902486		4.83(0.00-0.00)	1588	M
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		3374600	28.7		5331	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	2106479	20.5		638	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.314	2.312	0.002	1.000	1207887	10.2		7165	



**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L4\_00020




Amount Added: 1.00

Units: mL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



4 Perfluoroheptanoic acid

3 Perfluorohexanesulfonic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_007.d  
Injection Date: 03-Nov-2017 13:52:00 Instrument ID: A8\_N  
Lims ID: IC L4  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 4 Worklist Smp#: 7  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 4363079  
Amount: 39.491903  
Amount Units: ng/ml



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\201711106-49975.b\2017.11.03\_537XICAL\_007.d  
Injection Date: 03-Nov-2017 13:52:00 Instrument ID: A8\_N  
Lims ID: IC L4  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 4 Worklist Smp#: 7  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 902486  
Amount: 39.491903  
Amount Units: ng/ml



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\201711106-49975.b\2017.11.03\_537XICAL\_007.d  
Injection Date: 03-Nov-2017 13:52:00 Instrument ID: A8\_N  
Lims ID: IC L4  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 4 Worklist Smp#: 7  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.15  
Area: 4363079  
Amount: 39.491903  
Amount Units: ng/ml

Manual Integration Results



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_008.d  
 Lims ID: IC L5  
 Client ID:  
 Sample Type: IC Calib Level: 5  
 Inject. Date: 03-Nov-2017 13:56:41 ALS Bottle#: 5 Worklist Smp#: 8  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L5\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1

Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 07-Nov-2017 15:52:11 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: phomsophat Date: 06-Nov-2017 07:21:19

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.442	1.444	-0.002	1.000	14011858	137.5		6452	
298.90 > 99.00	1.442	1.444	-0.002	1.000	10411479		1.35(0.00-0.00)	14800	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1675220	9.79		9525	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	8413133	45.0		9078	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	2102676	14.4		562	
* 6 13C2-PFOA									
415.00 > 370.00	1.912	1.913	-0.001		1555174	10.0		6769	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.912	1.914	-0.002	1.000	4257225	29.6		800	
413.00 > 169.00	1.912	1.914	-0.002	1.000	2294552		1.86(0.00-0.00)	2838	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.147	2.147	0.0	1.000	6504279	62.1		5682	
499.00 > 99.00	2.147	2.147	0.0	1.000	1339120		4.86(0.00-0.00)	2329	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		3199479	28.7		4946	
9 Perfluorononanoic acid									
463.00 > 419.00	2.155	2.158	-0.003	1.000	3023088	29.3		870	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.314	2.312	0.002	1.000	1139992	9.58		5885	

**Reagents:**

LC537-L5\_00024

Amount Added: 1.00




Units: mL



1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Lims ID: IC L6  
 Client ID:  
 Sample Type: IC Calib Level: 6  
 Inject. Date: 03-Nov-2017 14:01:24 ALS Bottle#: 6 Worklist Smp#: 9  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L6\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1

Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 07-Nov-2017 15:52:12 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last Ical File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: phomsophat Date: 06-Nov-2017 07:25:41

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.442	1.444	-0.002	1.000	16699152	179.1		7089	
298.90 > 99.00	1.442	1.444	-0.002	1.000	12929978		1.29(0.00-0.00)	15608	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1664260	10.6		9116	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	2810797	21.0		763	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	11071993	60.4		10884	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1426806	10.0		5446	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.912	1.914	-0.002	1.000	5597122	42.4		962	
413.00 > 169.00	1.904	1.914	-0.010	0.996	3028676		1.85(0.00-0.00)	3704	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.147	2.147	0.0	1.000	8679676	84.4		6114	
499.00 > 99.00	2.147	2.147	0.0	1.000	1807143		4.80(0.00-0.00)	2991	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		3141787	28.7		4961	
9 Perfluorononanoic acid									
463.00 > 419.00	2.155	2.158	-0.003	1.000	4019666	42.4		1149	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.306	2.312	-0.006	1.000	1164156	10.7		6124	

**Reagents:**

LC537-L6\_00020

Amount Added: 1.00

Units: mL

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Injection Date: 03-Nov-2017 14:01:24

Instrument ID: A8\_N

Lims ID: IC L6

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 6

Worklist Smp#: 9

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



4 Perfluoroheptanoic acid

3 Perfluorohexanesulfonic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCVL 320-192908/11 Calibration Date: 11/03/2017 14:10  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.03\_537XICAL\_011.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.109		20.4	20.0	1.9	50.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9382		2.23	2.22	0.1	50.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.688		6.72	6.67	0.8	50.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.8825		4.24	4.45	-4.7	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.9176		8.69	8.89	-2.3	50.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6625		4.43	4.45	-0.2	50.0
13C2 PFHxA	Ave	1.100	1.068		9.70	10.0	-3.0	30.0
13C2 PFDA	Ave	0.7652	0.7460		9.75	10.0	-2.5	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_011.d  
 Lims ID: CCVL  
 Client ID:  
 Sample Type: CCVL  
 Inject. Date: 03-Nov-2017 14:10:44 ALS Bottle#: 2 Worklist Smp#: 11  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L2  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 07-Nov-2017 15:39:07 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: phomsophat Date: 06-Nov-2017 07:26:29

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	2556738	20.4		1537	
298.90 > 99.00	1.449	1.444	0.005	1.000	1750170		1.46(0.00-0.00)	4023	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.578	1.573	0.005	1.000	1694196	9.70		8915	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.730	1.725	0.005	1.000	1297654	6.72		2410	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.730	1.725	0.005	1.000	330927	2.23		99.4	
* 6 13C2-PFOA									
415.00 > 370.00	1.912	1.913	-0.001		1586829	10.0		6840	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.912	1.914	-0.002	1.000	622915	4.24		116	
413.00 > 169.00	1.912	1.914	-0.002	1.000	335080		1.86(0.00-0.00)	460	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	940397	8.69		528	
499.00 > 99.00	2.147	2.147	0.0	0.996	196397		4.79(0.00-0.00)	430	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		3305852	28.7		5135	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	467323	4.43		143	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.314	2.312	0.002	1.000	1183747	9.75		6763	



**Reagents:**

LC537-L2\_00020

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_011.d

Injection Date: 03-Nov-2017 14:10:44

Instrument ID: A8\_N

Lims ID: CCVL

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 2

Worklist Smp#: 11

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: ICV 320-192908/13 Calibration Date: 11/03/2017 14:20  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.03\_537XICAL\_013.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		0.8310		83.7	100	-16.4	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.8136		8.68	10.0	-13.2	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.463		17.5	20.1	-12.6	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.7995		17.7	20.5	-13.6	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.8637		18.1	19.7	-8.0	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6428		19.5	20.1	-3.2	30.0
13C2 PFHxA	Ave	1.100	1.039		9.44	10.0	-5.6	30.0
13C2 PFDA	Ave	0.7652	0.7391		9.66	10.0	-3.4	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_013.d  
 Lims ID: ICV  
 Client ID:  
 Sample Type: ICV  
 Inject. Date: 03-Nov-2017 14:20:03 ALS Bottle#: 7 Worklist Smp#: 13  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: ICV  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist:

Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 07-Nov-2017 15:39:08 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: phomsophat Date: 06-Nov-2017 07:27:24

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.442	1.444	-0.002	1.000	9960387	83.7		4998	
298.90 > 99.00	1.442	1.444	-0.002	1.000	7235967		1.38(0.00-0.00)	13514	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1570629	9.44		8393	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	3517469	17.5		5659	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	1229696	8.68		345	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1512045	10.0		7643	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	2476221	17.7		475	
413.00 > 169.00	1.904	1.914	-0.010	1.000	1327388		1.87(0.00-0.00)	1724	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.140	2.147	-0.007	1.000	2036944	18.1		2323	
499.00 > 99.00	2.140	2.147	-0.007	1.000	389736		5.23(0.00-0.00)	830	
* 7 13C4 PFOS									
503.00 > 80.00	2.140	2.151	-0.011		3433628	28.7		5334	
9 Perfluorononanoic acid									
463.00 > 419.00	2.147	2.158	-0.011	1.000	1956116	19.5		652	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.306	2.312	-0.006	1.000	1117553	9.66		6230	

**Reagents:**

LC537-ICV\_00028

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_013.d

Injection Date: 03-Nov-2017 14:20:03

Instrument ID: A8\_N

Lims ID: ICV

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 7

Worklist Smp#: 13

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA





FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCVL 320-193636/1 Calibration Date: 11/08/2017 18:45  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_002.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.152		21.2	20.0	6.0	50.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9925		2.35	2.22	5.9	50.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.727		6.88	6.67	3.2	50.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9534		4.58	4.45	3.0	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.9318		8.82	8.89	-0.8	50.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6592		4.41	4.45	-0.7	50.0
13C2 PFHxA	Ave	1.100	1.124		10.2	10.0	2.1	30.0
13C2 PFDA	Ave	0.7652	0.7263		9.49	10.0	-5.1	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_002.d  
 Lims ID: CCVL  
 Client ID:  
 Sample Type: CCVL  
 Inject. Date: 08-Nov-2017 18:45:43 ALS Bottle#: 2 Worklist Smp#: 1  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L2  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 10:09:35 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 10:00:04

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.457	1.444	0.013	1.000	2245613	21.2		3445	
298.90 > 99.00	1.457	1.444	0.013	1.000	1668075		1.35(0.00-0.00)	6365	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.578	1.573	0.005	1.000	1263441	10.2		3577	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.730	1.725	0.005	1.000	1121922	6.88		2684	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.730	1.725	0.005	1.000	248041	2.35		64.7	
* 6 13C2-PFOA									
415.00 > 370.00	1.920	1.913	0.007		1124298	10.0		3997	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.920	1.914	0.006	1.000	476808	4.58		27.8	
413.00 > 169.00	1.920	1.914	0.006	1.000	263290		1.81(0.00-0.00)	26.7	
* 7 13C4 PFOS									
503.00 > 80.00	2.162	2.151	0.011		2794249	28.7		7147	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.170	2.155	0.015	1.000	807169	8.82		1835	M
499.00 > 99.00	2.162	2.155	0.007	0.996	166109		4.86(0.00-0.00)	831	M
9 Perfluorononanoic acid									
463.00 > 419.00	2.177	2.158	0.019	1.000	329468	4.41		415	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.329	2.312	0.017	1.000	816538	9.49		5926	

**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L2\_00020

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_002.d

Injection Date: 08-Nov-2017 18:45:43

Instrument ID: A8\_N

Lims ID: CCVL

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 2

Worklist Smp#: 1

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




\* 7 13C4 PFOS




8 Perfluorooctane sulfonic acid (M)

8 Perfluorooctane sulfonic acid (M)

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_002.d  
Injection Date: 08-Nov-2017 18:45:43 Instrument ID: A8\_N  
Lims ID: CCVL  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 2 Worklist Smp#: 1  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.17  
Area: 807169  
Amount: 8.823414  
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 09-Nov-2017 09:59:20  
Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_002.d  
Injection Date: 08-Nov-2017 18:45:43 Instrument ID: A8\_N  
Lims ID: CCVL  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 2 Worklist Smp#: 1  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.16  
Area: 166109  
Amount: 8.823414  
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 09-Nov-2017 09:59:44

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_002.d  
Injection Date: 08-Nov-2017 18:45:43 Instrument ID: A8\_N  
Lims ID: CCVL  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 2 Worklist Smp#: 1  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.17  
Area: 807169  
Amount: 8.823414  
Amount Units: ng/ml

Manual Integration Results





FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-193699/21 Calibration Date: 11/08/2017 20:19  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_022.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		0.9728		146	135	8.0	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9769		15.6	15.0	4.3	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.658		44.6	45.0	-1.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9402		30.5	30.0	1.6	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.9090		58.1	60.0	-3.2	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6705		30.3	30.0	1.0	30.0
13C2 PFHxA	Ave	1.100	1.172		10.7	10.0	6.5	30.0
13C2 PFDA	Ave	0.7652	0.7420		9.70	10.0	-3.0	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_022.d  
 Lims ID: CCV L5  
 Client ID:  
 Sample Type: CCVIS  
 Inject. Date: 08-Nov-2017 20:19:16 ALS Bottle#: 5 Worklist Smp#: 21  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L5  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:23:37 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:19:16

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.457	1.444	0.013	1.000	12985496	145.8		13059	
298.90 > 99.00	1.457	1.444	0.013	1.000	9774842		1.33(0.00-0.00)	18911	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.578	1.573	0.005	1.000	1270464	10.7		6017	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	7379145	44.6		10768	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	1588870	15.6		486	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1084014	10.0		4550	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.912	1.914	-0.002	1.000	3060025	30.5		269	
413.00 > 169.00	1.912	1.914	-0.002	1.000	1625830		1.88(0.00-0.00)	263	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	5393706	58.1		7381	M
499.00 > 99.00	2.155	2.147	0.008	1.000	1104432		4.88(0.00-0.00)	3032	M
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		2835649	28.7		7033	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	2180788	30.3		2160	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	804310	9.70		7063	

**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L5\_00024

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_022.d

Injection Date: 08-Nov-2017 20:19:16

Instrument ID: A8\_N

Lims ID: CCV L5

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 5

Worklist Smp#: 21

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_022.d  
Injection Date: 08-Nov-2017 20:19:16 Instrument ID: A8\_N  
Lims ID: CCV L5  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 5 Worklist Smp#: 21  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 5393706  
Amount: 58.099458  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:18:50  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_022.d  
Injection Date: 08-Nov-2017 20:19:16 Instrument ID: A8\_N  
Lims ID: CCV L5  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 5 Worklist Smp#: 21  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.15  
Area: 1104432  
Amount: 58.099458  
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 09-Nov-2017 13:19:06

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_022.d  
Injection Date: 08-Nov-2017 20:19:16 Instrument ID: A8\_N  
Lims ID: CCV L5  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 5 Worklist Smp#: 21  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 5393706  
Amount: 58.099458  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:19:06

Audit Action: Manually Integrated

Audit Reason: Missed Peak



FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-193699/33 Calibration Date: 11/08/2017 21:15  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_034.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.107		47.5	45.0	5.6	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9613		5.13	5.00	2.6	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.708		15.3	15.0	2.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9305		10.1	10.0	0.5	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.8993		19.2	20.0	-4.2	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6674		10.1	10.0	0.5	30.0
13C2 PFHxA	Ave	1.100	1.151		10.5	10.0	4.6	30.0
13C2 PFDA	Ave	0.7652	0.7482		9.78	10.0	-2.2	30.0

FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-193701/33 Calibration Date: 11/08/2017 21:15  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_034.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.107		47.5	45.0	5.6	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9613		5.13	5.00	2.6	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.708		15.3	15.0	2.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9305		10.1	10.0	0.5	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.8993		19.2	20.0	-4.2	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6674		10.1	10.0	0.5	30.0
13C2 PFHxA	Ave	1.100	1.151		10.5	10.0	4.6	30.0
13C2 PFDA	Ave	0.7652	0.7482		9.78	10.0	-2.2	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d  
 Lims ID: CCV L3  
 Client ID:  
 Sample Type: CCVIS  
 Inject. Date: 08-Nov-2017 21:15:22 ALS Bottle#: 3 Worklist Smp#: 33  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L3  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:19:51

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	4915095	47.5		7650	
298.90 > 99.00	1.449	1.444	0.005	1.000	3717794		1.32(0.00-0.00)	11395	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1275380	10.5		6931	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.715	1.725	-0.010	1.000	2528164	15.3		5996	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.715	1.725	-0.010	1.000	532818	5.13		169	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1108259	10.0		4963	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	1032062	10.1		109	
413.00 > 169.00	1.904	1.914	-0.010	1.000	546923		1.89(0.00-0.00)	109	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	1775087	19.2		3687	M
499.00 > 99.00	2.155	2.147	0.008	1.000	380278		4.67(0.00-0.00)	1623	M
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		2829772	28.7		6275	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	739801	10.1		795	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	829184	9.78		7147	

**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L3\_00023

Amount Added: 1.00

Units: mL

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d  
 Lims ID: CCV L3  
 Client ID:  
 Sample Type: CCVIS  
 Inject. Date: 08-Nov-2017 21:15:22 ALS Bottle#: 3 Worklist Smp#: 33  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L3  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:36 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:19:51

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	4915095	47.5		7650	
298.90 > 99.00	1.449	1.444	0.005	1.000	3717794		1.32(0.00-0.00)	11395	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1275380	10.5		6931	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.715	1.725	-0.010	1.000	2528164	15.3		5996	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.715	1.725	-0.010	1.000	532818	5.13		169	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1108259	10.0		4963	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	1032062	10.1		109	
413.00 > 169.00	1.904	1.914	-0.010	1.000	546923		1.89(0.00-0.00)	109	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	1775087	19.2		3687	M
499.00 > 99.00	2.155	2.147	0.008	1.000	380278		4.67(0.00-0.00)	1623	M
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		2829772	28.7		6275	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	739801	10.1		795	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	829184	9.78		7147	

**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L3\_00023

Amount Added: 1.00

Units: mL

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d

Injection Date: 08-Nov-2017 21:15:22

Instrument ID: A8\_N

Lims ID: CCV L3

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 3

Worklist Smp#: 33

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA





Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d

Injection Date: 08-Nov-2017 21:15:22

Instrument ID: A8\_N

Lims ID: CCV L3

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 3

Worklist Smp#: 33

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d  
Injection Date: 08-Nov-2017 21:15:22 Instrument ID: A8\_N  
Lims ID: CCV L3  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 3 Worklist Smp#: 33  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 1775087  
Amount: 19.160440  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:19:23  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d  
Injection Date: 08-Nov-2017 21:15:22 Instrument ID: A8\_N  
Lims ID: CCV L3  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 3 Worklist Smp#: 33  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 380278  
Amount: 19.160440  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:19:38

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d  
Injection Date: 08-Nov-2017 21:15:22 Instrument ID: A8\_N  
Lims ID: CCV L3  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 3 Worklist Smp#: 33  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 1775087  
Amount: 19.160440  
Amount Units: ng/ml



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d  
Injection Date: 08-Nov-2017 21:15:22 Instrument ID: A8\_N  
Lims ID: CCV L3  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 3 Worklist Smp#: 33  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 1775087  
Amount: 19.160440  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:19:23  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d  
Injection Date: 08-Nov-2017 21:15:22 Instrument ID: A8\_N  
Lims ID: CCV L3  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 3 Worklist Smp#: 33  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 380278  
Amount: 19.160440  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:19:38

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_034.d  
Injection Date: 08-Nov-2017 21:15:22 Instrument ID: A8\_N  
Lims ID: CCV L3  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 3 Worklist Smp#: 33  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.15  
Area: 1775087  
Amount: 19.160440  
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 09-Nov-2017 13:19:38

Audit Action: Manually Integrated

Audit Reason: Missed Peak



FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-193701/43 Calibration Date: 11/08/2017 22:02  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_044.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.024		156	135	15.6	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9733		15.6	15.0	3.9	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.742		46.8	45.0	4.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9519		30.9	30.0	2.8	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6738		30.4	30.0	1.4	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.9432		60.3	60.0	0.5	30.0
13C2 PFHxA	Ave	1.100	1.202		10.9	10.0	9.3	30.0
13C2 PFDA	Ave	0.7652	0.7347		9.60	10.0	-4.0	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_044.d  
 Lims ID: CCV L5  
 Client ID:  
 Sample Type: CCVIS  
 Inject. Date: 08-Nov-2017 22:02:05 ALS Bottle#: 5 Worklist Smp#: 43  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L5  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:48:58 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:20:05

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	13037087	156.1		13397	
298.90 > 99.00	1.449	1.444	0.005	1.000	9827305		1.33(0.00-0.00)	22088	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1286788	10.9		7005	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	7394466	46.8		12286	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	1562968	15.6		504	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1070340	10.0		5079	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	3058972	30.9		373	
413.00 > 169.00	1.904	1.914	-0.010	1.000	1621470		1.89(0.00-0.00)	375	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	5339399	60.3		7104	
499.00 > 99.00	2.147	2.147	0.0	0.996	1093762		4.88(0.00-0.00)	3557	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		2705180	28.7		5869	
9 Perfluorononanoic acid									
463.00 > 419.00	2.155	2.158	-0.003	1.000	2163849	30.4		2074	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	786350	9.60		7519	

Reagents:

LC537-L5\_00024

Amount Added: 1.00

Units: mL

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_044.d

Injection Date: 08-Nov-2017 22:02:05

Instrument ID: A8\_N

Lims ID: CCV L5

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 5

Worklist Smp#: 43

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: MB 320-193034/1-A  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_024.d  
 Analysis Method: 537 Date Collected: \_\_\_\_\_  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 250.00 (mL) Date Analyzed: 11/08/2017 20:28  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	8.0	U	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	91		70-130
STL00996	13C2 PFDA	77		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_024.d  
 Lims ID: MB 320-193034/1-A  
 Client ID:  
 Sample Type: MB  
 Inject. Date: 08-Nov-2017 20:28:37 ALS Bottle#: 16 Worklist Smp#: 23  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: mb 320-193034/1-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:36:25

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.578	1.573	0.005	1.000	1217922	9.10	5398	
* 6 13C2-PFOA	415.00 > 370.00	1.904	1.913	-0.009		1215921	10.0	4785	
5 Perfluorooctanoic acid	413.00 > 369.00	1.912	1.914	-0.002	1.000	22118	0.1965	1.7	
	413.00 > 169.00	1.912	1.914	-0.002	1.000	15273	1.45(0.00-0.00)	1.6	
* 7 13C4 PFOS	503.00 > 80.00	2.155	2.151	0.004		2796921	28.7	5398	
\$ 10 13C2 PFDA	515.00 > 470.00	2.322	2.312	0.010	1.000	715439	7.69	6388	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_024.d

Injection Date: 08-Nov-2017 20:28:37

Instrument ID: A8\_N

Lims ID: MB 320-193034/1-A

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 16

Worklist Smp#: 23

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (ND)



8 Perfluorooctane sulfonic acid (ND)


\* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)





\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_024.d  
 Lims ID: MB 320-193034/1-A  
 Client ID:  
 Sample Type: MB  
 Inject. Date: 08-Nov-2017 20:28:37 ALS Bottle#: 16 Worklist Smp#: 23  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: mb 320-193034/1-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:36:25

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.10	91.03
\$ 10 13C2 PFDA	10.0	7.69	76.89

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: LLCS 320-193034/2-A  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_025.d  
 Analysis Method: 537 Date Collected: \_\_\_\_\_  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 250.00 (mL) Date Analyzed: 11/08/2017 20:33  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	38.2	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	19.9	J	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	18.4	J	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	31.6		30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	10.1		10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	88.2	J	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	89		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_025.d  
 Lims ID: LLCS 320-193034/2-A  
 Client ID:  
 Sample Type: LLCS  
 Inject. Date: 08-Nov-2017 20:33:17 ALS Bottle#: 17 Worklist Smp#: 24  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: llcs 320-193034/2-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:36:51

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	2205109	22.1		3444	
298.90 > 99.00	1.449	1.444	0.005	1.000	1617502		1.36(0.00-0.00)	6075	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1140492	9.36		5087	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.715	1.725	-0.010	1.000	1217980	7.91		2893	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.715	1.725	-0.010	1.000	261100	2.52		80.4	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1107022	10.0		4582	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	509117	4.97		44.6	
413.00 > 169.00	1.904	1.914	-0.010	1.000	267656		1.90(0.00-0.00)	42.4	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	825932	9.56		1511	
499.00 > 99.00	2.147	2.147	0.0	0.996	176676		4.67(0.00-0.00)	905	
* 7 13C4 PFOS									
503.00 > 80.00	2.147	2.151	-0.004		2639143	28.7		5795	
9 Perfluorononanoic acid									
463.00 > 419.00	2.155	2.158	-0.003	1.000	338199	4.60		357	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	752162	8.88		8142	

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_025.d

Injection Date: 08-Nov-2017 20:33:17

Instrument ID: A8\_N

Lims ID: LLCS 320-193034/2-A

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 17

Worklist Smp#: 24

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_025.d  
 Lims ID: LLCS 320-193034/2-A  
 Client ID:  
 Sample Type: LLCS  
 Inject. Date: 08-Nov-2017 20:33:17 ALS Bottle#: 17 Worklist Smp#: 24  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: llcs 320-193034/2-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:36:51

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.36	93.63
\$ 10 13C2 PFDA	10.0	8.88	88.79

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: LLCSD 320-193034/3-A  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_026.d  
 Analysis Method: 537 Date Collected: \_\_\_\_\_  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 250.00 (mL) Date Analyzed: 11/08/2017 20:37  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	40.1	M	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	19.3	J	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	18.6	J	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	31.9		30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	10.2		10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	93.5		90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	85		70-130



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_026.d  
 Lims ID: LLCSD 320-193034/3-A  
 Client ID:  
 Sample Type: LLCSD  
 Inject. Date: 08-Nov-2017 20:37:57 ALS Bottle#: 18 Worklist Smp#: 25  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: llcsd 320-193034/3-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:37:38

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.449	1.444	0.005	1.000	2343432	23.4		3539	
298.90 > 99.00	1.449	1.444	0.005	1.000	1699025		1.38(0.00-0.00)	5622	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.571	1.573	-0.003	1.000	1141690	9.35		5085	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	1233289	7.96		3020	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	264536	2.55		80.2	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1109253	10.0		4862	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.912	1.914	-0.002	1.000	494238	4.81		44.2	
413.00 > 169.00	1.912	1.914	-0.002	1.000	265441		1.86(0.00-0.00)	44.3	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	871685	10.0		1795	M
499.00 > 99.00	2.155	2.147	0.008	1.000	182848		4.77(0.00-0.00)	902	M
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		2653124	28.7		5923	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	342005	4.64		363	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	723743	8.53		6497	

## QC Flag Legend

### Review Flags

M - Manually Integrated

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_026.d

Injection Date: 08-Nov-2017 20:37:57

Instrument ID: A8\_N

Lims ID: LLCSD 320-193034/3-A

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 18

Worklist Smp#: 25

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_026.d  
 Lims ID: LLCSD 320-193034/3-A  
 Client ID:  
 Sample Type: LLCSD  
 Inject. Date: 08-Nov-2017 20:37:57 ALS Bottle#: 18 Worklist Smp#: 25  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: llcsd 320-193034/3-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:37:38

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.35	93.54
\$ 10 13C2 PFDA	10.0	8.53	85.27

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_026.d  
Injection Date: 08-Nov-2017 20:37:57 Instrument ID: A8\_N  
Lims ID: LLCSD 320-193034/3-A  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 18 Worklist Smp#: 25  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 871685  
Amount: 10.035507  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:36:57  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_026.d  
Injection Date: 08-Nov-2017 20:37:57 Instrument ID: A8\_N  
Lims ID: LLCSD 320-193034/3-A  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 18 Worklist Smp#: 25  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.15  
Area: 182848  
Amount: 10.035507  
Amount Units: ng/ml



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_026.d  
Injection Date: 08-Nov-2017 20:37:57 Instrument ID: A8\_N  
Lims ID: LLCSD 320-193034/3-A  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 18 Worklist Smp#: 25  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.15  
Area: 871685  
Amount: 10.035507  
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 09-Nov-2017 13:37:11

Audit Action: Manually Integrated

Audit Reason: Missed Peak



FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-081 LMS Lab Sample ID: 320-32923-1 LMS  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_028.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 251.5 (mL) Date Analyzed: 11/08/2017 20:47  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	59.3		40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	34.9		20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20.2	J	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	42.7		30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	14.6		9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	103		89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	90		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_028.d  
 Lims ID: 320-32923-A-1-D LMS  
 Client ID:  
 Sample Type: LMS  
 Inject. Date: 08-Nov-2017 20:47:18 ALS Bottle#: 20 Worklist Smp#: 27  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-1-d lms  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:38:44

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.457	1.444	0.013	1.000	2778955	25.9		2597	
298.90 > 99.00	1.457	1.444	0.013	1.000	1976610		1.41(0.00-0.00)	6663	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.578	1.573	0.005	1.000	1219689	9.60		5822	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	1784061	10.7		1302	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	398731	3.68		91.2	
* 6 13C2-PFOA									
415.00 > 370.00	1.904	1.913	-0.009		1155283	10.0		5017	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.904	1.914	-0.010	1.000	939119	8.78		74.3	
413.00 > 169.00	1.904	1.914	-0.010	1.000	524209		1.79(0.00-0.00)	87.0	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.147	0.008	1.000	1389864	14.9		1147	
499.00 > 99.00	2.155	2.147	0.008	1.000	272609		5.10(0.00-0.00)	1273	
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		2844722	28.7		3695	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	388864	5.07		243	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	791620	8.95		6553	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_028.d

Injection Date: 08-Nov-2017 20:47:18

Instrument ID: A8\_N

Lims ID: 320-32923-A-1-D LMS

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 20

Worklist Smp#: 27

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_028.d  
 Lims ID: 320-32923-A-1-D LMS  
 Client ID:  
 Sample Type: LMS  
 Inject. Date: 08-Nov-2017 20:47:18 ALS Bottle#: 20 Worklist Smp#: 27  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-1-d lms  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:38:44

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.60	95.95
\$ 10 13C2 PFDA	10.0	8.95	89.55

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-081 LMSD Lab Sample ID: 320-32923-1 LMSD  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_029.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 252.4 (mL) Date Analyzed: 11/08/2017 20:51  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	64.2	M	40	16	6.7
335-67-1	Perfluorooctanoic acid (PFOA)	35.9		20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20.1	J	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	45.3		30	12	5.4
375-85-9	Perfluoroheptanoic acid (PFHpA)	15.7		9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	107		89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	100		70-130
STL00996	13C2 PFDA	89		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_029.d  
 Lims ID: 320-32923-A-1-E LMSD  
 Client ID:  
 Sample Type: LMSD  
 Inject. Date: 08-Nov-2017 20:51:58 ALS Bottle#: 21 Worklist Smp#: 28  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-1-e lmsd  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:39:31

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.457	1.444	0.013	1.000	2700101	27.0		2539	
298.90 > 99.00	1.457	1.444	0.013	1.000	1964711		1.37(0.00-0.00)	6007	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.578	1.573	0.005	1.000	1227325	10.0		5871	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.722	1.725	-0.003	1.000	1774312	11.4		1341	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.722	1.725	-0.003	1.000	412189	3.95		95.6	
* 6 13C2-PFOA									
415.00 > 370.00	1.912	1.913	-0.001		1112519	10.0		4326	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.912	1.914	-0.002	1.000	932257	9.05		74.8	
413.00 > 169.00	1.912	1.914	-0.002	1.000	519631		1.79(0.00-0.00)	77.2	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.162	2.147	0.015	1.000	1411043	16.2		1088	M
499.00 > 99.00	2.162	2.147	0.015	1.000	280926		5.02(0.00-0.00)	1065	M
* 7 13C4 PFOS									
503.00 > 80.00	2.155	2.151	0.004		2660865	28.7		3450	
9 Perfluorononanoic acid									
463.00 > 419.00	2.162	2.158	0.004	1.000	374500	5.07		241	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.322	2.312	0.010	1.000	759041	8.92		6747	

## QC Flag Legend

Review Flags

M - Manually Integrated



Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_029.d

Injection Date: 08-Nov-2017 20:51:58

Instrument ID: A8\_N

Lims ID: 320-32923-A-1-E LMSD

Client ID:

Operator ID: SACINSTLCMS01

ALS Bottle#: 21

Worklist Smp#: 28

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_029.d  
 Lims ID: 320-32923-A-1-E LMSD  
 Client ID:  
 Sample Type: LMSD  
 Inject. Date: 08-Nov-2017 20:51:58 ALS Bottle#: 21 Worklist Smp#: 28  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-32923-a-1-e lmsd  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: SACINSTLCMS01 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 09-Nov-2017 13:47:56 Calib Date: 03-Nov-2017 14:01:24  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20171106-49975.b\2017.11.03\_537XICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK029

First Level Reviewer: barnettj Date: 09-Nov-2017 13:39:31

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.0	100.26
\$ 10 13C2 PFDA	10.0	8.92	89.16

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_029.d  
Injection Date: 08-Nov-2017 20:51:58 Instrument ID: A8\_N  
Lims ID: 320-32923-A-1-E LMSD  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 21 Worklist Smp#: 28  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



RT: 2.16  
Area: 1411043  
Amount: 16.197750  
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 09-Nov-2017 13:38:52  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_029.d  
Injection Date: 08-Nov-2017 20:51:58 Instrument ID: A8\_N  
Lims ID: 320-32923-A-1-E LMSD  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 21 Worklist Smp#: 28  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.16  
Area: 280926  
Amount: 16.197750  
Amount Units: ng/ml



Reviewer: barnettj, 09-Nov-2017 13:39:16

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b\2017.11.08\_537A\_029.d  
Injection Date: 08-Nov-2017 20:51:58 Instrument ID: A8\_N  
Lims ID: 320-32923-A-1-E LMSD  
Client ID:  
Operator ID: SACINSTLCMS01 ALS Bottle#: 21 Worklist Smp#: 28  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.15

Processing Integration Results



Manual Integration Results

RT: 2.16  
Area: 1411043  
Amount: 16.197750  
Amount Units: ng/ml



LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 11/03/2017 13:37

Analysis Batch Number: 192908 End Date: 11/03/2017 14:24

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
IC 320-192908/4		11/03/2017 13:37	1	2017.11.03_537X ICAL 004.d	GeminiC18 3x100 3(mm)
IC 320-192908/5		11/03/2017 13:42	1	2017.11.03_537X ICAL 005.d	GeminiC18 3x100 3(mm)
IC 320-192908/6		11/03/2017 13:47	1	2017.11.03_537X ICAL 006.d	GeminiC18 3x100 3(mm)
IC 320-192908/7 ICISAV		11/03/2017 13:52	1	2017.11.03_537X ICAL 007.d	GeminiC18 3x100 3(mm)
IC 320-192908/8		11/03/2017 13:56	1	2017.11.03_537X ICAL 008.d	GeminiC18 3x100 3(mm)
IC 320-192908/9		11/03/2017 14:01	1	2017.11.03_537X ICAL 009.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/03/2017 14:06	1		GeminiC18 3x100 3(mm)
CCVL 320-192908/11		11/03/2017 14:10	1	2017.11.03_537X ICAL 011.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/03/2017 14:15	1		GeminiC18 3x100 3(mm)
ICV 320-192908/13		11/03/2017 14:20	1	2017.11.03_537X ICAL 013.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/03/2017 14:24	1		GeminiC18 3x100 3(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 11/08/2017 18:45

Analysis Batch Number: 193636 End Date: 11/08/2017 19:37

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCVL 320-193636/1		11/08/2017 18:45	1	2017.11.08_537A 002.d	GeminiC18 3x100 3(mm)
CCV 320-193636/12 CCVIS		11/08/2017 19:37	1		GeminiC18 3x100 3(mm)



LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 11/08/2017 20:19

Analysis Batch Number: 193699 End Date: 11/08/2017 21:15

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-193699/21 CCVIS		11/08/2017 20:19	1	2017.11.08_537A 022.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/08/2017 20:23	1		GeminiC18 3x100 3(mm)
MB 320-193034/1-A		11/08/2017 20:28	1	2017.11.08_537A 024.d	GeminiC18 3x100 3(mm)
LLCS 320-193034/2-A		11/08/2017 20:33	1	2017.11.08_537A 025.d	GeminiC18 3x100 3(mm)
LLCSD 320-193034/3-A		11/08/2017 20:37	1	2017.11.08_537A 026.d	GeminiC18 3x100 3(mm)
320-32923-1		11/08/2017 20:42	1	2017.11.08_537A 027.d	GeminiC18 3x100 3(mm)
320-32923-1 LMS		11/08/2017 20:47	1	2017.11.08_537A 028.d	GeminiC18 3x100 3(mm)
320-32923-1 LMSD		11/08/2017 20:51	1	2017.11.08_537A 029.d	GeminiC18 3x100 3(mm)
320-32923-2		11/08/2017 20:56	1	2017.11.08_537A 030.d	GeminiC18 3x100 3(mm)
320-32923-3		11/08/2017 21:01	1	2017.11.08_537A 031.d	GeminiC18 3x100 3(mm)
320-32923-4		11/08/2017 21:06	1	2017.11.08_537A 032.d	GeminiC18 3x100 3(mm)
320-32923-5		11/08/2017 21:10	1	2017.11.08_537A 033.d	GeminiC18 3x100 3(mm)
CCV 320-193699/33 CCVIS		11/08/2017 21:15	1	2017.11.08_537A 034.d	GeminiC18 3x100 3(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 11/08/2017 21:15

Analysis Batch Number: 193701 End Date: 11/08/2017 22:02

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-193701/33 CCVIS		11/08/2017 21:15	1	2017.11.08_537A 034.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/08/2017 21:20	1		GeminiC18 3x100 3(mm)
320-32923-6		11/08/2017 21:24	1	2017.11.08_537A 036.d	GeminiC18 3x100 3(mm)
320-32923-7		11/08/2017 21:29	1	2017.11.08_537A 037.d	GeminiC18 3x100 3(mm)
320-32923-8		11/08/2017 21:34	1	2017.11.08_537A 038.d	GeminiC18 3x100 3(mm)
320-32923-9		11/08/2017 21:38	1	2017.11.08_537A 039.d	GeminiC18 3x100 3(mm)
320-32923-10		11/08/2017 21:43	1	2017.11.08_537A 040.d	GeminiC18 3x100 3(mm)
320-32923-11		11/08/2017 21:48	1	2017.11.08_537A 041.d	GeminiC18 3x100 3(mm)
320-32923-12		11/08/2017 21:52	1	2017.11.08_537A 042.d	GeminiC18 3x100 3(mm)
320-32923-13		11/08/2017 21:57	1	2017.11.08_537A 043.d	GeminiC18 3x100 3(mm)
CCV 320-193701/43 CCVIS		11/08/2017 22:02	1	2017.11.08_537A 044.d	GeminiC18 3x100 3(mm)

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Batch Number: 193034 Batch Start Date: 11/06/17 11:55 Batch Analyst: Kolstad, Kate M

Batch Method: 537 Batch End Date: 11/08/17 11:46

Lab Sample ID	Client Sample ID	Method Chain	Basis	GrossWeight	TareWeight	InitialAmount	FinalAmount	ReceivedpH	LC537-IS 00050
MB 320-193034/1		537, 537				250.00 mL	1.00 mL	7 SU	100 uL
LLCS 320-193034/2		537, 537				250.00 mL	1.00 mL	7 SU	100 uL
LLCSD 320-193034/3		537, 537				250.00 mL	1.00 mL	7 SU	100 uL
320-32923-A-1	NAWC-103117-RW-081	537, 537	T	273.48 g	27.47 g	246 mL	1.00 mL	7 SU	100 uL
320-32923-A-1 LMS	NAWC-103117-RW-081	537, 537	T	279.10 g	27.62 g	251.5 mL	1.00 mL	7 SU	100 uL
320-32923-A-1 LMSD	NAWC-103117-RW-081	537, 537	T	279.46 g	27.09 g	252.4 mL	1.00 mL	7 SU	100 uL
320-32923-A-2	NAWC-103117-FRB-081	537, 537	T	276.63 g	26.87 g	249.8 mL	1.00 mL	7 SU	100 uL
320-32923-A-3	NAWC-103117-RW-082	537, 537	T	277.40 g	27.15 g	250.3 mL	1.00 mL	7 SU	100 uL
320-32923-A-4	NAWC-103117-FRB-082	537, 537	T	269.32 g	27.38 g	241.9 mL	1.00 mL	7 SU	100 uL
320-32923-A-5	NAWC-103117-RW-056	537, 537	T	277.42 g	27.84 g	249.6 mL	1.00 mL	7 SU	100 uL
320-32923-A-6	NAWC-103117-FRB-056	537, 537	T	275.81 g	27.12 g	248.7 mL	1.00 mL	7 SU	100 uL
320-32923-A-7	NAWC-103117-RW-117	537, 537	T	274.56 g	27.33 g	247.2 mL	1.00 mL	7 SU	100 uL
320-32923-A-8	NAWC-103117-FRB-117	537, 537	T	279.97 g	27.37 g	252.6 mL	1.00 mL	7 SU	100 uL
320-32923-A-9	NAWC-103117-RW-335	537, 537	T	275.99 g	27.67 g	248.3 mL	1.00 mL	7 SU	100 uL
320-32923-A-10	NAWC-103117-FRB-335	537, 537	T	280.78 g	27.07 g	253.7 mL	1.00 mL	7 SU	100 uL
320-32923-A-11	NAWC-103117-RW-324	537, 537	T	276.09 g	27.75 g	248.3 mL	1.00 mL	7 SU	100 uL
320-32923-A-12	NAWC-103117-FRB-324	537, 537	T	278.77 g	27.19 g	251.6 mL	1.00 mL	7 SU	100 uL
320-32923-A-13	WGNA-103117-DUP-12	537, 537	T	279.60 g	27.85 g	251.8 mL	1.00 mL	7 SU	100 uL

Lab Sample ID	Client Sample ID	Method Chain	Basis	LC537-LSP 00025	LC537-SU 00050	AnalysisComment			
MB 320-193034/1		537, 537			100 uL	Chlorine ND			
LLCS 320-193034/2		537, 537		100 uL	100 uL	Chlorine ND			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Batch Number: 193034 Batch Start Date: 11/06/17 11:55 Batch Analyst: Kolstad, Kate M

Batch Method: 537 Batch End Date: 11/08/17 11:46

Lab Sample ID	Client Sample ID	Method Chain	Basis	LC537-LSP 00025	LC537-SU 00050	AnalysisComment			
LLCSD 320-193034/3		537, 537		100 uL	100 uL	Chlorine ND			
320-32923-A-1	NAWC-103117-RW-081	537, 537	T		100 uL	Chlorine ND			
320-32923-A-1 LMS	NAWC-103117-RW-081	537, 537	T	100 uL	100 uL	Chlorine ND			
320-32923-A-1 LMSD	NAWC-103117-RW-081	537, 537	T	100 uL	100 uL	Chlorine ND			
320-32923-A-2	NAWC-103117-FRB-081	537, 537	T		100 uL	Chlorine ND			
320-32923-A-3	NAWC-103117-RW-082	537, 537	T		100 uL	Chlorine ND			
320-32923-A-4	NAWC-103117-FRB-082	537, 537	T		100 uL	Chlorine ND			
320-32923-A-5	NAWC-103117-RW-056	537, 537	T		100 uL	Chlorine ND			
320-32923-A-6	NAWC-103117-FRB-056	537, 537	T		100 uL	Chlorine ND			
320-32923-A-7	NAWC-103117-RW-117	537, 537	T		100 uL	Chlorine ND			
320-32923-A-8	NAWC-103117-FRB-117	537, 537	T		100 uL	Chlorine ND			
320-32923-A-9	NAWC-103117-RW-335	537, 537	T		100 uL	Chlorine ND			
320-32923-A-10	NAWC-103117-FRB-335	537, 537	T		100 uL	Chlorine ND			
320-32923-A-11	NAWC-103117-RW-324	537, 537	T		100 uL	Chlorine ND			
320-32923-A-12	NAWC-103117-FRB-324	537, 537	T		100 uL	Chlorine ND			
320-32923-A-13	WGNA-103117-DUP-12	537, 537	T		100 uL	Chlorine ND			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Batch Number: 193034 Batch Start Date: 11/06/17 11:55 Batch Analyst: Kolstad, Kate M

Batch Method: 537 Batch End Date: 11/08/17 11:46

Batch Notes	
Analyst ID - Aliquot Step	NSH
Analyst ID - Concentration	NIGHTS/CCB
Analyst ID - Final Volume Step	CCB
Internal Standard ID#	1041858
Manifold ID	1, 3
Methanol ID	1071549
Pipette ID	M16387D
Analyst ID - IS Reagent Drop	CCB
Analyst ID - IS Reagent Drop Witness	NSH
Analyst ID - SU Reagent Drop	CCB
Analyst ID - SU Reagent Drop Witness	KMK
Analyst ID - TA Reagent Drop	CCB
Analyst ID - TA Reagent Drop Witness	KMK
SPE Cartridge ID	6357081-09
Trizma ID	SLBR4303V
Reagent Water ID	11-2-17

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

A8

Job No: 32923 Instrument ID & Date: 11-8-17 ICAL Batch: 192908  
 Extraction Batch: 193034 Worklist #: 50165 TALS Batch: 193699, 193701

Review Items	-- Level 1 --			Level 2
	Yes	No	N/A	
<b>Initial Calibration</b>				
1. Is ICAL verified and locked in Chrom & TALS?	✓			✓
2. Is ICV properly linked in TALS?	✓			✓
<b>Continuing Calibration</b>				
1. Low-range CCV injected at start of analytical run? CCV injected after every 10 samples and at the end of the analytical run and alternated between Low-range, Mid-range and High-range?	✓			✓
2. If sequence was not after an ICAL was a low and mid range CCV injected at the start of the analytical run? <u>193636</u>	✓			✓
3. Native compounds and surrogates in control? Low-range within ±50% of true value Mid and High-range within ±30% of true value	✓			✓
4. Internal Standard areas in control? Areas ≥ 50% of average area of the ICAL and 70-140% of the most recent CCV.	✓			✓
<b>Client Samples &amp; QC Sample Results</b>				
1. Were preparation and analysis done within holding times?	✓			✓
2. Are Chromatograms reviewed and spectra verified?	✓			✓
3. Are positive results within calibration range?	✓			✓
4. Dilutions due to target cpds? _____ Dilutions due to non-targets? _____			✓	
5. All target compounds in MB < 1/3 RL ? (Requires NCM if "no.")	✓			✓
6. Are target constituents in LCS/LCSD within method control limits?	✓			✓
7. Internal Standard areas in control for all samples and QC reported? ±50% from the average area of the ICAL and 70-140% of the most recent CCV	✓			✓
8. Do results (e.g., dilutions/trip blanks) make sense?	✓			✓
9. Are MS/MSD recoveries and RPDs within method control limits?	✓			✓
10. Are all QC samples properly linked in TALS?	✓			✓
11. All manual integrations appropriate and completely documented?	✓			✓
12. Are nonconformances documented as NCMs?			✓	✓
13. Are all Chrom graphics uploaded?	✓			✓

1st Level Reviewer / Date: JRB 11-9-17 2nd Level Reviewer / Date: M. W. J. 11/9/2017

NCM # and Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

A8

Instrument ID & Date: 11-3-17 Worklist#: 49975

ICAL Batch: 192908, 192909 Calibration ID number: 36012, 36013

Review Items	-- Level 1 --			Level 2
	Yes	No	N/A	
<b>Initial Calibration</b>				
1. Mass calibration, as needed, verified by full scan of PFC stock standard. All PFC ions used for quantitation are within 0.3 m/z of true mass?	✓			✓
2. Responses increase with increasing concentration?	✓			✓
3. Fit used (circle): <u>Average</u> Linear (1/x <sup>2</sup> ) Linear <u>Quadratic</u> (6 points minimum)				
4. Meets fit criteria? Intercept ≤ ½ RL RSD ≤ 30% for Average R <sup>2</sup> ≥ 0.990 for Linear R <sup>2</sup> ≥ 0.990 for Quadratic NOTE: "Force through Zero" must be used and weighted if needed	✓			✓
5. If quadratic fit used the curve does not "bend over".	✓			✓
6. Feed calibration points into the calculated curve. Are points ≤MRL within ±50% of true value? Are points >MRL within ±30% of true value?	✓			✓
7. Any carryover from the high calibration point must be ≤ 1/3 RL	✓			✓
8. Asymmetry check, meets criteria for the first two eluting peaks? (0.8 - 1.5).	✓			✓
9. Is the asymmetry check scanned and linked in TALS to the calibration point?	✓			✓
10. Is ICV (2 <sup>nd</sup> source) ± 30% of true value?	✓			✓
11. Is ICV (2 <sup>nd</sup> source) internal standards ±50% of average area of the ICAL?	✓			✓
12. ICAL locked in Chrom and uploaded to TALS?	✓			
13. ICAL locked in TALS and scanned?				✓

1<sup>st</sup> Level Reviewer / Date: JRB 11-6-17

2<sup>nd</sup> Level Reviewer / Date: M. Wang 11/6/2017

NCM # and Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

TestAmerica Laboratories  
Worklist QC Batch Report

Worklist Name: 08NOV2017\_537A  
Instrument Name: A8\_N  
Data Directory: \\ChromNa\Sacramento\ChromData\A8\_N\20171108-50165.b  
QC Batching: Enabled

Worklist Number: 50165  
Chrom Method: 537\_A8\_N  
Limit Group Batching: Enabled

QC Batch: 1	LC 537 ICAL Raw Batch: 193636	LC 537 CS ICAL Raw Batch: 193637
# 1 CCVL # 2 CCV L5 # 3 RB # 4 320-32726-A-1-A # 5 320-32727-A-1-A # 6 320-32727-A-1-B MS # 7 320-32727-A-1-C MSD # 8 320-32727-A-2-A # 9 320-32727-A-3-A #10 320-32727-A-4-A #11 320-32727-A-5-A #12 CCV L3	# 1 CCVL                #12 CCV L3	# 1 CCVL # 2 CCV L5 # 3 RB # 4 320-32726-A-1-A # 5 320-32727-A-1-A # 6 320-32727-A-1-B MS # 7 320-32727-A-1-C MSD # 8 320-32727-A-2-A # 9 320-32727-A-3-A #10 320-32727-A-4-A #11 320-32727-A-5-A #12 CCV L3

QC Batch: 2	LC 537 CS ICAL Raw Batch: 193696	LC 537 ICAL Raw Batch: 193697
#12 CCV L3 #13 RB #14 MB 320-192668/1-A #15 LCS 320-192668/2-A #16 LCSD 320-192668/3-A #17 320-32932-A-1-A #18 320-32932-A-2-A #19 320-32932-A-3-A #20 320-32932-A-4-A #21 CCV L5	#12 CCV L3                #21 CCV L5	#12 CCV L3 #13 RB #14 MB 320-192668/1-A #15 LCS 320-192668/2-A #16 LCSD 320-192668/3-A #17 320-32932-A-1-A #18 320-32932-A-2-A #19 320-32932-A-3-A #20 320-32932-A-4-A #21 CCV L5

QC Batch: 3	LC 537 ICAL Raw Batch: 193699
#21 CCV L5 #22 RB #23 MB 320-193034/1-A #24 LLCS 320-193034/2-A #25 LLCSD 320-193034/3-A #26 320-32923-A-1-A #27 320-32923-A-1-D LMS #28 320-32923-A-1-E LMSD #29 320-32923-A-2-A #30 320-32923-A-3-A #31 320-32923-A-4-A #32 320-32923-A-5-A #33 CCV L3	#21 CCV L5 #22 RB #23 MB 320-193034/1-A #24 LLCS 320-193034/2-A #25 LLCSD 320-193034/3-A #26 320-32923-A-1-A #27 320-32923-A-1-D LMS #28 320-32923-A-1-E LMSD #29 320-32923-A-2-A #30 320-32923-A-3-A #31 320-32923-A-4-A #32 320-32923-A-5-A #33 CCV L3

QC Batch: 4	LC 537 ICAL Raw Batch: 193701
#33 CCV L3 #34 RB #35 320-32923-A-6-A #36 320-32923-A-7-A #37 320-32923-A-8-A #38 320-32923-A-9-A	#33 CCV L3 #34 RB #35 320-32923-A-6-A #36 320-32923-A-7-A #37 320-32923-A-8-A #38 320-32923-A-9-A



QC Batch 4	LC 537 ICAL Raw Batch: 193701
#39 320-32923-A-10-A	#39 320-32923-A-10-A
#40 320-32923-A-11-A	#40 320-32923-A-11-A
#41 320-32923-A-12-A	#41 320-32923-A-12-A
#42 320-32923-A-13-A	#42 320-32923-A-13-A
#43 CCV L5	#43 CCV L5

QC Batch 5	LC 537 ICAL Raw Batch: 193703
#43 CCV L5	#43 CCV L5
#44 RB	#44 RB
#45 320-32258-A-20-A	#45 320-32258-A-20-A
#46 LCS 320-192595/2-A	#46 LCS 320-192595/2-A
#47 LCS 320-192595/3-A	#47 LCS 320-192595/3-A
#48 LCS 320-192595/4-A	#48 LCS 320-192595/4-A
#49 LCS 320-192595/5-A	#49 LCS 320-192595/5-A
#50 CCV L3	#50 CCV L3
#51 RB	#51 RB

# Aqueous Extraction Analysis Sheet

AG 11/08/17

(To Accompany Samples to Instruments)

Batch Number: 320-193034











Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End: 11/8/2017 11:46:00AM

## Extraction of Perfluorinated Alkyl Acids

Input Sample Lab ID (Analytical Method)	SDG (Job #)	GrossWt TareWt	InitAmnt FinAmnt	Rcvd	PHs Adj1	Adj2	Due Date	Analytical TAT	Div Rank	Comments	Output Sample Lab ID
1 MB-320-193034/1 N/A	N/A		250.00 mL	7			N/A	N/A	N/A	Chlorine ND	
			1.00 mL								
2 LLCS-320-193034/2 N/A	N/A		250.00 mL	7			N/A	N/A	N/A	Chlorine ND	
			1.00 mL								
3 LLCSD-320-193034/3 N/A	N/A		250.00 mL	7			N/A	N/A	N/A	Chlorine ND	
			1.00 mL								
4 320-32923-A-1 (537_DOD5)	N/A (320-32923-1)	273.48 g	246 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.47 g	1.00 mL								
5 320-32923-A-1-LMS (537_DOD5)	N/A (320-32923-1)	279.10 g	251.5 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.62 g	1.00 mL								
6 320-32923-A-1-LMSD (537_DOD5)	N/A (320-32923-1)	279.46 g	252.4 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.09 g	1.00 mL								
7 320-32923-A-2 (537_DOD5)	N/A (320-32923-1)	276.63 g	249.8 mL	7			11/5/17	16_Days	4	Chlorine ND	
		26.87 g	1.00 mL								
8 320-32923-A-3 (537_DOD5)	N/A (320-32923-1)	277.40 g	250.3 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.15 g	1.00 mL								
9 320-32923-A-4 (537_DOD5)	N/A (320-32923-1)	269.32 g	241.9 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.38 g	1.00 mL								
10 320-32923-A-5 (537_DOD5)	N/A (320-32923-1)	277.42 g	249.6 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.84 g	1.00 mL								

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)









Batch Number: 320-193034

Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End: 11/8/2017 11:46:00AM

11	320-32923-A-6 (537_DOD5)	N/A (320-32923-1)	275.81 g	248.7 mL	7		11/5/17	16_Days	4	Chlorine ND	
			27.12 g	1.00 mL							
12	320-32923-A-7 (537_DOD5)	N/A (320-32923-1)	274.56 g	247.2 mL	7		11/5/17	16_Days	4	Chlorine ND	
			27.33 g	1.00 mL							
13	320-32923-A-8 (537_DOD5)	N/A (320-32923-1)	279.97 g	252.6 mL	7		11/5/17	16_Days	4	Chlorine ND	
			27.37 g	1.00 mL							
14	320-32923-A-9 (537_DOD5)	N/A (320-32923-1)	275.99 g	248.3 mL	7		11/5/17	16_Days	4	Chlorine ND	
			27.67 g	1.00 mL							
15	320-32923-A-10 (537_DOD5)	N/A (320-32923-1)	280.78 g	253.7 mL	7		11/5/17	16_Days	4	Chlorine ND	
			27.07 g	1.00 mL							
16	320-32923-A-11 (537_DOD5)	N/A (320-32923-1)	276.09 g	248.3 mL	7		11/5/17	16_Days	4	Chlorine ND	
			27.75 g	1.00 mL							
17	320-32923-A-12 (537_DOD5)	N/A (320-32923-1)	278.77 g	251.6 mL	7		11/5/17	16_Days	4	Chlorine ND	
			27.19 g	1.00 mL							
18	320-32923-A-13 (537_DOD5)	N/A (320-32923-1)	279.60 g	251.8 mL	7		11/5/17	16_Days	4	Chlorine ND	
			27.85 g	1.00 mL							

Page 321 of 328

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-193034

Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End: 11/8/2017 11:46:00AM

## Batch Notes

Manifold ID 1, 3

Trizma ID SLBR4303V

SPE Cartridge ID 6357081-09

Methanol ID 1071549

Reagent Water ID 11-2-17

Internal Standard ID# 1041858

Pipette ID M16387D

Analyst ID - TA Reagent Drop CCB

Analyst ID - TA Reagent Drop KMK

Witness

Analyst ID - SU Reagent Drop CCB

Analyst ID - SU Reagent Drop KMK

Witness

Analyst ID - IS Reagent Drop CCB

Analyst ID - IS Reagent Drop NSH

Witness

Analyst ID - Concentration NIGHTS/CCB

Analyst ID - Aliquot Step NSH

Analyst ID - Final Volume Step CCB

Batch Comment

## Comments

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-193034

Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End:

## Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
MB 320-193034/1	LC537-SU_00050	100 uL	1.00 mL	KCB 11-6-17	KMK 11-6-17
LLCS 320-193034/2	LC537-LSP_00025	100 uL	1.00 mL		
LLCS 320-193034/2	LC537-SU_00050	100 uL	1.00 mL		
LLCSD 320-193034/3	LC537-LSP_00025	100 uL	1.00 mL		
LLCSD 320-193034/3	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-1	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-1 LMS	LC537-LSP_00025	100 uL	1.00 mL		
320-32923-A-1 LMS	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-1 LMSD	LC537-LSP_00025	100 uL	1.00 mL		
320-32923-A-1 LMSD	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-2	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-3	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-4	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-5	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-6	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-7	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-8	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-9	LC537-SU_00050	100 uL	1.00 mL		

Page 323 of 328

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-193034

Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End:

320-32923-A-10	LC537-SU_00050	100 uL	1.00 mL	KMS 11-6-17	KMK 11-6-17
320-32923-A-11	LC537-SU_00050	100 uL	1.00 mL	↓	↓
320-32923-A-12	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-13	LC537-SU_00050	100 uL	1.00 mL	↓	↓

### Other Reagents:

Reagent	Amount/Units	Lot#:

Page 324 of 328

Preparation Batch Number(s) 320-193034 Test 537-Prep

Earliest Holding Time 11-14-17

Batch Information	1 <sup>st</sup> Level Reviewer	2 <sup>nd</sup> Level Reviewer
Date and time accurate and entered into TALS correctly	/	✓
All necessary batch information complete and entered into TALS correctly	/	✓
BD, FV, and AL initials are transcribed into the batch comment	/	✓
Sample List Tab	1 <sup>st</sup> Level Reviewer	2 <sup>nd</sup> Level Reviewer
Samples identified to the correct method	/	✓
Holding time violation NCM filed	NA	NA
MS/MSD or MS/DU NCM filed	NA	NA
NCM for any anomalies filed	NA	NA
All NCMs include method code, matrix, and prep batch	NA	NA
Method/sample/login/QAS checked and correct	/	✓
Batch contains no more than 20 live samples	/	✓
Worksheet Tab	1 <sup>st</sup> Level Reviewer	2 <sup>nd</sup> Level Reviewer
All samples properly preserved	/	✓
Weights in anticipated range and not targeted	/	✓
All additional test requirements performed, documented, and uploaded to TALS correctly (e.g. final amount, initial amount, turbidity, and CI Check)	/	✓
The pH is transcribed properly in TALS	/	✓
All additional information is transcribed into TALS and is correct and raw data is attached	/	✓
Comments/Observations are transcribed correctly in TALS	/	✓
Reagents Tab	1 <sup>st</sup> Level Reviewer	2 <sup>nd</sup> Level Reviewer
All necessary reagents not expired and checked into TALS	/	✓
All spike amounts correct and added to necessary samples and QC	/	✓
Internal Standard is added to the reagents	/	✓
All units are correctly transcribed into TALS	/	✓

1<sup>st</sup> Level Reviewer: cab

Date: 11-8-17

2<sup>nd</sup> Level Reviewer: vpm

Date: 11/8/17

Comments: \_\_\_\_\_

# Shipping and Receiving Documents





# Login Sample Receipt Checklist

Client: Tetra Tech, Inc.

Job Number: 320-32923-1

**Login Number: 32923**

**List Source: TestAmerica Sacramento**

**List Number: 1**

**Creator: Turpen, Troy**

<b>Question</b>	<b>Answer</b>	<b>Comment</b>
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

"NAWC-103117-RW-081", "537", "RES", "320-32923-1", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid (PFOS)", "22", "ng/L", "J", "6.9", "DL", "", "TRG", "", "", "41", "LOQ", "YES", "-99", "", "246", "1.00", "16", ""

"NAWC-103117-RW-081", "537", "RES", "320-32923-1", "TALSAC", "335-67-1", "Perfluorooctanoic acid (PFOA)", "16", "ng/L", "J", "2.8", "DL", "", "TRG", "", "", "20", "LOQ", "YES", "-99", "", "246", "1.00", "8.1", ""

"NAWC-103117-RW-081", "537", "RES", "320-32923-1", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid (PFHxS)", "13", "ng/L", "J", "5.6", "DL", "", "TRG", "", "", "30", "LOQ", "YES", "-99", "", "246", "1.00", "12", ""

"NAWC-103117-RW-081", "537", "RES", "320-32923-1", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid (PFBS)", "37", "ng/L", "U", "16", "DL", "", "TRG", "", "", "91", "LOQ", "YES", "-99", "", "246", "1.00", "37", ""

"NAWC-103117-RW-081", "537", "RES", "320-32923-1", "TALSAC", "375-85-9", "Perfluoroheptanoic acid (PFHpA)", "5.3", "ng/L", "J", "1.9", "DL", "", "TRG", "", "", "10", "LOQ", "YES", "-99", "", "246", "1.00", "4.1", ""

"NAWC-103117-RW-081", "537", "RES", "320-32923-1", "TALSAC", "375-95-1", "Perfluorononanoic acid (PFNA)", "20", "ng/L", "U M", "8.1", "DL", "", "TRG", "", "", "24", "LOQ", "YES", "-99", "", "246", "1.00", "20", ""

"NAWC-103117-RW-081", "537", "RES", "320-32923-1", "TALSAC", "STL00993", "13C2 PFHxA", "39", "ng/L", "", "-99", "DL", "", "SURR", "96", "", "-99", "LOQ", "YES", "40.7", "", "246", "1.00", "0", ""

"NAWC-103117-RW-081", "537", "RES", "320-32923-1", "TALSAC", "STL00996", "13C2 PFDA", "35", "ng/L", "", "-99", "DL", "", "SURR", "86", "", "-99", "LOQ", "YES", "40.7", "", "246", "1.00", "0", ""

"NAWC-103117-FRB-335", "537", "RES", "320-32923-10", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid (PFOS)", "16", "ng/L", "U", "6.7", "DL", "", "TRG", "", "", "39", "LOQ", "YES", "-99", "", "253.7", "1.00", "16", ""

"NAWC-103117-FRB-335", "537", "RES", "320-32923-10", "TALSAC", "335-67-1", "Perfluorooctanoic acid (PFOA)", "7.9", "ng/L", "U", "2.8", "DL", "", "TRG", "", "", "20", "LOQ", "YES", "-99", "", "253.7", "1.00", "7.9", ""

"NAWC-103117-FRB-335", "537", "RES", "320-32923-10", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid (PFHxS)", "12", "ng/L", "U", "5.4", "DL", "", "TRG", "", "", "30", "LOQ", "YES", "-99", "", "253.7", "1.00", "12", ""

"NAWC-103117-FRB-335", "537", "RES", "320-32923-10", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid (PFBS)", "35", "ng/L", "U", "16", "DL", "", "TRG", "", "", "89", "LOQ", "YES", "-99", "", "253.7", "1.00", "35", ""

"NAWC-103117-FRB-335", "537", "RES", "320-32923-10", "TALSAC", "375-85-9", "Perfluoroheptanoic acid (PFHpA)", "3.9", "ng/L", "U", "1.9", "DL", "", "TRG", "", "", "9.9", "LOQ", "YES", "-99", "", "253.7", "1.00", "3.9", ""

"NAWC-103117-FRB-335", "537", "RES", "320-32923-10", "TALSAC", "375-95-1", "Perfluorononanoic acid (PFNA)", "20", "ng/L", "U", "7.9", "DL", "", "TRG", "", "", "24", "LOQ", "YES", "-99", "", "253.7", "1.00", "20", ""

"NAWC-103117-FRB-335", "537", "RES", "320-32923-10", "TALSAC", "STL00993", "13C2 PFHxA", "38", "ng/L", "", "-99", "DL", "", "SURR", "96", "", "-99", "LOQ", "YES", "39.4", "", "253.7", "1.00", "0", ""

"NAWC-103117-FRB-335", "537", "RES", "320-32923-10", "TALSAC", "STL00996", "13C2 PFDA", "35", "ng/L", "", "-99", "DL", "", "SURR", "88", "", "-99", "LOQ", "YES", "39.4", "", "253.7", "1.00", "0", ""

"NAWC-103117-RW-324", "537", "RES", "320-32923-11", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid (PFOS)", "44", "ng/L", "", "6.8", "DL", "", "TRG", "", "", "40", "LOQ", "YES", "-99", "", "248.3", "1.00", "16", ""

"NAWC-103117-RW-324", "537", "RES", "320-32923-11", "TALSAC", "335-67-1", "Perfluorooctanoic acid (PFOA)", "14", "ng/L", "J", "2.8", "DL", "", "TRG", "", "", "20", "LOQ", "YES", "-99", "", "248.3", "1.00", "8.1", ""

"NAWC-103117-RW-324", "537", "RES", "320-32923-11", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid (PFHxS)", "18", "ng/L", "J", "5.5", "DL", "", "TRG", "", "", "30", "LOQ", "YES", "-99", "", "248.3", "1.00", "12", ""

"NAWC-103117-RW-324", "537", "RES", "320-32923-11", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid (PFBS)", "36", "ng/L", "U", "16", "DL", "", "TRG", "", "", "91", "LOQ", "YES", "-99", "", "248.3", "1.00", "36", ""

"NAWC-103117-RW-324", "537", "RES", "320-32923-11", "TALSAC", "375-85-9", "Perfluoroheptanoic acid (PFHpA)", "3.9", "ng/L", "J", "1.9", "DL", "", "TRG", "", "", "10", "LOQ", "YES", "-99", "", "248.3", "1.00", "4.0", ""

"NAWC-103117-RW-324", "537", "RES", "320-32923-11", "TALSAC", "375-95-1", "Perfluorononanoic acid (PFNA)", "20", "ng/L", "U M", "8.1", "DL", "", "TRG", "", "", "24", "LOQ", "YES", "-99", "", "248.3", "1.00", "20", ""

"NAWC-103117-RW-324", "537", "RES", "320-32923-11", "TALSAC", "STL00993", "13C2 PFHxA", "38", "ng/L", "", "-99", "DL", "", "SURR", "94", "", "-99", "LOQ", "YES", "40.3", "", "248.3", "1.00", "0", ""

"NAWC-103117-RW-324", "537", "RES", "320-32923-11", "TALSAC", "STL00996", "13C2 PFDA", "35", "ng/L", "", "-99", "DL", "", "SURR", "86", "", "-99", "LOQ", "YES", "40.3", "", "248.3", "1.00", "0", ""

"NAWC-103117-FRB-324", "537", "RES", "320-32923-12", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid (PFOS)", "16", "ng/L", "U", "6.8", "DL", "", "TRG", "", "", "40", "LOQ", "YES", "-99", "", "251.6", "1.00", "16", ""

"NAWC-103117-FRB-324", "537", "RES", "320-32923-12", "TALSAC", "335-67-1", "Perfluorooctanoic acid (PFOA)", "7.9", "ng/L", "U", "2.8", "DL", "", "TRG", "", "", "20", "LOQ", "YES", "-99", "", "251.6", "1.00", "7.9", ""

"NAWC-103117-FRB-324", "537", "RES", "320-32923-12", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid

(PFHxS),"12","ng/L","U","5.5","DL","","TRG","","","30","LOQ","YES",-99","","251.6","1.00","12",""  
"NAWC-103117-FRB-324","537","RES","320-32923-12","TALSAC","375-73-5","Perfluorobutanesulfonic acid  
(PFBS)","36","ng/L","U","16","DL","","TRG","","","89","LOQ","YES",-99","","251.6","1.00","36",""  
"NAWC-103117-FRB-324","537","RES","320-32923-12","TALSAC","375-85-9","Perfluoroheptanoic acid  
(PFHpA)","4.0","ng/L","U","1.9","DL","","TRG","","","9.9","LOQ","YES",-99","","251.6","1.00","4.0",""  
"NAWC-103117-FRB-324","537","RES","320-32923-12","TALSAC","375-95-1","Perfluorononanoic acid  
(PFNA)","20","ng/L","U","7.9","DL","","TRG","","","24","LOQ","YES",-99","","251.6","1.00","20",""  
"NAWC-103117-FRB-324","537","RES","320-32923-12","TALSAC","STL00993","13C2  
PFHxA","37","ng/L","","-99","DL","","SURR","93","","-99","LOQ","YES","39.7","","251.6","1.00","0",""  
"NAWC-103117-FRB-324","537","RES","320-32923-12","TALSAC","STL00996","13C2  
PFDA","35","ng/L","","-99","DL","","SURR","87","","-99","LOQ","YES","39.7","","251.6","1.00","0",""  
"WGNA-103117-DUP-12","537","RES","320-32923-13","TALSAC","1763-23-1","Perfluorooctanesulfonic acid  
(PFOS)","23","ng/L","J","6.8","DL","","TRG","","","40","LOQ","YES",-99","","251.8","1.00","16",""  
"WGNA-103117-DUP-12","537","RES","320-32923-13","TALSAC","335-67-1","Perfluorooctanoic acid  
(PFOA)","21","ng/L","","2.8","DL","","TRG","","","20","LOQ","YES",-99","","251.8","1.00","7.9",""  
"WGNA-103117-DUP-12","537","RES","320-32923-13","TALSAC","355-46-4","Perfluorohexanesulfonic acid  
(PFHxS)","9.5","ng/L","J","5.5","DL","","TRG","","","30","LOQ","YES",-99","","251.8","1.00","12",""  
"WGNA-103117-DUP-12","537","RES","320-32923-13","TALSAC","375-73-5","Perfluorobutanesulfonic acid  
(PFBS)","36","ng/L","U","16","DL","","TRG","","","89","LOQ","YES",-99","","251.8","1.00","36",""  
"WGNA-103117-DUP-12","537","RES","320-32923-13","TALSAC","375-85-9","Perfluoroheptanoic acid  
(PFHpA)","8.6","ng/L","J","1.9","DL","","TRG","","","9.9","LOQ","YES",-99","","251.8","1.00","4.0",""  
"WGNA-103117-DUP-12","537","RES","320-32923-13","TALSAC","375-95-1","Perfluorononanoic acid  
(PFNA)","20","ng/L","U M","7.9","DL","","TRG","","","24","LOQ","YES",-99","","251.8","1.00","20",""  
"WGNA-103117-DUP-12","537","RES","320-32923-13","TALSAC","STL00993","13C2  
PFHxA","38","ng/L","","-99","DL","","SURR","96","","-99","LOQ","YES","39.7","","251.8","1.00","0",""  
"WGNA-103117-DUP-12","537","RES","320-32923-13","TALSAC","STL00996","13C2  
PFDA","33","ng/L","","-99","DL","","SURR","82","","-99","LOQ","YES","39.7","","251.8","1.00","0",""  
"NAWC-103117-RW-081MS","537","RES","320-32923-1MS","TALSAC","1763-23-1","Perfluorooctanesulfonic acid  
(PFOS)","59.3","ng/L","","6.8","DL","","SPK","93","","40","LOQ","YES","39.8","NAWC-103117-RW-  
081","251.5","1.00","16",""  
"NAWC-103117-RW-081MS","537","RES","320-32923-1MS","TALSAC","335-67-1","Perfluorooctanoic acid  
(PFOA)","34.9","ng/L","","2.8","DL","","SPK","95","","20","LOQ","YES","19.9","NAWC-103117-RW-  
081","251.5","1.00","8.0",""  
"NAWC-103117-RW-081MS","537","RES","320-32923-1MS","TALSAC","355-46-4","Perfluorohexanesulfonic acid  
(PFHxS)","42.7","ng/L","","5.5","DL","","SPK","101","","30","LOQ","YES","29.8","NAWC-103117-RW-  
081","251.5","1.00","12",""  
"NAWC-103117-RW-081MS","537","RES","320-32923-1MS","TALSAC","375-73-5","Perfluorobutanesulfonic acid  
(PFBS)","103","ng/L","","16","DL","","SPK","115","","89","LOQ","YES","89.5","NAWC-103117-RW-  
081","251.5","1.00","36",""  
"NAWC-103117-RW-081MS","537","RES","320-32923-1MS","TALSAC","375-85-9","Perfluoroheptanoic acid  
(PFHpA)","14.6","ng/L","","1.9","DL","","SPK","94","","9.9","LOQ","YES","9.94","NAWC-103117-RW-  
081","251.5","1.00","4.0",""  
"NAWC-103117-RW-081MS","537","RES","320-32923-1MS","TALSAC","375-95-1","Perfluorononanoic acid  
(PFNA)","20.2","ng/L","J","8.0","DL","","SPK","101","","24","LOQ","YES","19.9","NAWC-103117-RW-  
081","251.5","1.00","20",""  
"NAWC-103117-RW-081MS","537","RES","320-32923-1MS","TALSAC","STL00993","13C2  
PFHxA","38.2","ng/L","","-99","DL","","SURR","96","","-99","LOQ","YES","39.8","NAWC-103117-RW-  
081","251.5","1.00","0",""  
"NAWC-103117-RW-081MS","537","RES","320-32923-1MS","TALSAC","STL00996","13C2  
PFDA","35.6","ng/L","","-99","DL","","SURR","90","","-99","LOQ","YES","39.8","NAWC-103117-RW-  
081","251.5","1.00","0",""  
"NAWC-103117-RW-081MSD","537","RES","320-32923-1MSD","TALSAC","1763-23-1","Perfluorooctanesulfonic  
acid (PFOS)","64.2","ng/L","M","6.7","DL","","SPK","106","8","40","LOQ","YES","39.6","NAWC-103117-RW-  
081","252.4","1.00","16",""

"NAWC-103117-RW-081MSD", "537", "RES", "320-32923-1MSD", "TALSAC", "335-67-1", "Perfluorooctanoic acid (PFOA)", "35.9", "ng/L", "", "2.8", "DL", "", "SPK", "100", "3", "20", "LOQ", "YES", "19.8", "NAWC-103117-RW-081", "252.4", "1.00", "7.9", ""

"NAWC-103117-RW-081MSD", "537", "RES", "320-32923-1MSD", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid (PFHxS)", "45.3", "ng/L", "", "5.4", "DL", "", "SPK", "110", "6", "30", "LOQ", "YES", "29.7", "NAWC-103117-RW-081", "252.4", "1.00", "12", ""

"NAWC-103117-RW-081MSD", "537", "RES", "320-32923-1MSD", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid (PFBS)", "107", "ng/L", "", "16", "DL", "", "SPK", "120", "4", "89", "LOQ", "YES", "89.1", "NAWC-103117-RW-081", "252.4", "1.00", "36", ""

"NAWC-103117-RW-081MSD", "537", "RES", "320-32923-1MSD", "TALSAC", "375-85-9", "Perfluoroheptanoic acid (PFHpA)", "15.7", "ng/L", "", "1.9", "DL", "", "SPK", "104", "7", "9.9", "LOQ", "YES", "9.91", "NAWC-103117-RW-081", "252.4", "1.00", "4.0", ""

"NAWC-103117-RW-081MSD", "537", "RES", "320-32923-1MSD", "TALSAC", "375-95-1", "Perfluorononanoic acid (PFNA)", "20.1", "ng/L", "J", "7.9", "DL", "", "SPK", "101", "0", "24", "LOQ", "YES", "19.8", "NAWC-103117-RW-081", "252.4", "1.00", "20", ""

"NAWC-103117-RW-081MSD", "537", "RES", "320-32923-1MSD", "TALSAC", "STL00993", "13C2 PFHxA", "39.7", "ng/L", "", "-99", "DL", "", "SURR", "100", "", "-99", "LOQ", "YES", "39.6", "NAWC-103117-RW-081", "252.4", "1.00", "0", ""

"NAWC-103117-RW-081MSD", "537", "RES", "320-32923-1MSD", "TALSAC", "STL00996", "13C2 PFDA", "35.3", "ng/L", "", "-99", "DL", "", "SURR", "89", "", "-99", "LOQ", "YES", "39.6", "NAWC-103117-RW-081", "252.4", "1.00", "0", ""

"NAWC-103117-FRB-081", "537", "RES", "320-32923-2", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid (PFOS)", "16", "ng/L", "U", "6.8", "DL", "", "TRG", "", "", "40", "LOQ", "YES", "-99", "", "249.8", "1.00", "16", ""

"NAWC-103117-FRB-081", "537", "RES", "320-32923-2", "TALSAC", "335-67-1", "Perfluorooctanoic acid (PFOA)", "8.0", "ng/L", "U", "2.8", "DL", "", "TRG", "", "", "20", "LOQ", "YES", "-99", "", "249.8", "1.00", "8.0", ""

"NAWC-103117-FRB-081", "537", "RES", "320-32923-2", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid (PFHxS)", "12", "ng/L", "U", "5.5", "DL", "", "TRG", "", "", "30", "LOQ", "YES", "-99", "", "249.8", "1.00", "12", ""

"NAWC-103117-FRB-081", "537", "RES", "320-32923-2", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid (PFBS)", "36", "ng/L", "U", "16", "DL", "", "TRG", "", "", "90", "LOQ", "YES", "-99", "", "249.8", "1.00", "36", ""

"NAWC-103117-FRB-081", "537", "RES", "320-32923-2", "TALSAC", "375-85-9", "Perfluoroheptanoic acid (PFHpA)", "4.0", "ng/L", "U", "1.9", "DL", "", "TRG", "", "", "10", "LOQ", "YES", "-99", "", "249.8", "1.00", "4.0", ""

"NAWC-103117-FRB-081", "537", "RES", "320-32923-2", "TALSAC", "375-95-1", "Perfluorononanoic acid (PFNA)", "20", "ng/L", "U", "8.0", "DL", "", "TRG", "", "", "24", "LOQ", "YES", "-99", "", "249.8", "1.00", "20", ""

"NAWC-103117-FRB-081", "537", "RES", "320-32923-2", "TALSAC", "STL00993", "13C2 PFHxA", "37", "ng/L", "", "-99", "DL", "", "SURR", "93", "", "-99", "LOQ", "YES", "40.0", "", "249.8", "1.00", "0", ""

"NAWC-103117-FRB-081", "537", "RES", "320-32923-2", "TALSAC", "STL00996", "13C2 PFDA", "34", "ng/L", "", "-99", "DL", "", "SURR", "86", "", "-99", "LOQ", "YES", "40.0", "", "249.8", "1.00", "0", ""

"NAWC-103117-RW-082", "537", "RES", "320-32923-3", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid (PFOS)", "21", "ng/L", "J", "6.8", "DL", "", "TRG", "", "", "40", "LOQ", "YES", "-99", "", "250.3", "1.00", "16", ""

"NAWC-103117-RW-082", "537", "RES", "320-32923-3", "TALSAC", "335-67-1", "Perfluorooctanoic acid (PFOA)", "16", "ng/L", "J", "2.8", "DL", "", "TRG", "", "", "20", "LOQ", "YES", "-99", "", "250.3", "1.00", "8.0", ""

"NAWC-103117-RW-082", "537", "RES", "320-32923-3", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid (PFHxS)", "12", "ng/L", "J", "5.5", "DL", "", "TRG", "", "", "30", "LOQ", "YES", "-99", "", "250.3", "1.00", "12", ""

"NAWC-103117-RW-082", "537", "RES", "320-32923-3", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid (PFBS)", "36", "ng/L", "U", "16", "DL", "", "TRG", "", "", "90", "LOQ", "YES", "-99", "", "250.3", "1.00", "36", ""

"NAWC-103117-RW-082", "537", "RES", "320-32923-3", "TALSAC", "375-85-9", "Perfluoroheptanoic acid (PFHpA)", "5.3", "ng/L", "J", "1.9", "DL", "", "TRG", "", "", "10", "LOQ", "YES", "-99", "", "250.3", "1.00", "4.0", ""

"NAWC-103117-RW-082", "537", "RES", "320-32923-3", "TALSAC", "375-95-1", "Perfluorononanoic acid (PFNA)", "20", "ng/L", "U M", "8.0", "DL", "", "TRG", "", "", "24", "LOQ", "YES", "-99", "", "250.3", "1.00", "20", ""

"NAWC-103117-RW-082", "537", "RES", "320-32923-3", "TALSAC", "STL00993", "13C2 PFHxA", "37", "ng/L", "", "-99", "DL", "", "SURR", "92", "", "-99", "LOQ", "YES", "40.0", "", "250.3", "1.00", "0", ""

"NAWC-103117-RW-082", "537", "RES", "320-32923-3", "TALSAC", "STL00996", "13C2 PFDA", "34", "ng/L", "", "-99", "DL", "", "SURR", "86", "", "-99", "LOQ", "YES", "40.0", "", "250.3", "1.00", "0", ""

"NAWC-103117-FRB-082", "537", "RES", "320-32923-4", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid

(PFOS),"17","ng/L","U","7.0","DL","","TRG","","","41","LOQ","YES","-99","","241.9","1.00","17",""  
"NAWC-103117-FRB-082","537","RES","320-32923-4","TALSAC","335-67-1","Perfluorooctanoic acid  
(PFOA),"8.3","ng/L","U","2.9","DL","","TRG","","","21","LOQ","YES","-99","","241.9","1.00","8.3",""  
"NAWC-103117-FRB-082","537","RES","320-32923-4","TALSAC","355-46-4","Perfluorohexanesulfonic acid  
(PFHxS),"12","ng/L","U","5.7","DL","","TRG","","","31","LOQ","YES","-99","","241.9","1.00","12",""  
"NAWC-103117-FRB-082","537","RES","320-32923-4","TALSAC","375-73-5","Perfluorobutanesulfonic acid  
(PFBS),"37","ng/L","U","17","DL","","TRG","","","93","LOQ","YES","-99","","241.9","1.00","37",""  
"NAWC-103117-FRB-082","537","RES","320-32923-4","TALSAC","375-85-9","Perfluoroheptanoic acid  
(PFHpA),"4.1","ng/L","U","2.0","DL","","TRG","","","10","LOQ","YES","-99","","241.9","1.00","4.1",""  
"NAWC-103117-FRB-082","537","RES","320-32923-4","TALSAC","375-95-1","Perfluorononanoic acid  
(PFNA),"21","ng/L","U","8.3","DL","","TRG","","","25","LOQ","YES","-99","","241.9","1.00","21",""  
"NAWC-103117-FRB-082","537","RES","320-32923-4","TALSAC","STL00993","13C2  
PFHxA","40","ng/L","","-99","DL","","SURR","96","","-99","LOQ","YES","41.3","","241.9","1.00","0",""  
"NAWC-103117-FRB-082","537","RES","320-32923-4","TALSAC","STL00996","13C2  
PFDA","37","ng/L","","-99","DL","","SURR","89","","-99","LOQ","YES","41.3","","241.9","1.00","0",""  
"NAWC-103117-RW-056","537","RES","320-32923-5","TALSAC","1763-23-1","Perfluorooctanesulfonic acid  
(PFOS),"18","ng/L","J","6.8","DL","","TRG","","","40","LOQ","YES","-99","","249.6","1.00","16",""  
"NAWC-103117-RW-056","537","RES","320-32923-5","TALSAC","335-67-1","Perfluorooctanoic acid  
(PFOA),"25","ng/L","","2.8","DL","","TRG","","","20","LOQ","YES","-99","","249.6","1.00","8.0",""  
"NAWC-103117-RW-056","537","RES","320-32923-5","TALSAC","355-46-4","Perfluorohexanesulfonic acid  
(PFHxS),"8.9","ng/L","J","5.5","DL","","TRG","","","30","LOQ","YES","-99","","249.6","1.00","12",""  
"NAWC-103117-RW-056","537","RES","320-32923-5","TALSAC","375-73-5","Perfluorobutanesulfonic acid  
(PFBS),"36","ng/L","U","16","DL","","TRG","","","90","LOQ","YES","-99","","249.6","1.00","36",""  
"NAWC-103117-RW-056","537","RES","320-32923-5","TALSAC","375-85-9","Perfluoroheptanoic acid  
(PFHpA),"11","ng/L","","1.9","DL","","TRG","","","10","LOQ","YES","-99","","249.6","1.00","4.0",""  
"NAWC-103117-RW-056","537","RES","320-32923-5","TALSAC","375-95-1","Perfluorononanoic acid  
(PFNA),"20","ng/L","U M","8.0","DL","","TRG","","","24","LOQ","YES","-99","","249.6","1.00","20",""  
"NAWC-103117-RW-056","537","RES","320-32923-5","TALSAC","STL00993","13C2  
PFHxA","38","ng/L","","-99","DL","","SURR","95","","-99","LOQ","YES","40.1","","249.6","1.00","0",""  
"NAWC-103117-RW-056","537","RES","320-32923-5","TALSAC","STL00996","13C2  
PFDA","39","ng/L","","-99","DL","","SURR","96","","-99","LOQ","YES","40.1","","249.6","1.00","0",""  
"NAWC-103117-FRB-056","537","RES","320-32923-6","TALSAC","1763-23-1","Perfluorooctanesulfonic acid  
(PFOS),"16","ng/L","U","6.8","DL","","TRG","","","40","LOQ","YES","-99","","248.7","1.00","16",""  
"NAWC-103117-FRB-056","537","RES","320-32923-6","TALSAC","335-67-1","Perfluorooctanoic acid  
(PFOA),"8.0","ng/L","U","2.8","DL","","TRG","","","20","LOQ","YES","-99","","248.7","1.00","8.0",""  
"NAWC-103117-FRB-056","537","RES","320-32923-6","TALSAC","355-46-4","Perfluorohexanesulfonic acid  
(PFHxS),"12","ng/L","U","5.5","DL","","TRG","","","30","LOQ","YES","-99","","248.7","1.00","12",""  
"NAWC-103117-FRB-056","537","RES","320-32923-6","TALSAC","375-73-5","Perfluorobutanesulfonic acid  
(PFBS),"36","ng/L","U","16","DL","","TRG","","","90","LOQ","YES","-99","","248.7","1.00","36",""  
"NAWC-103117-FRB-056","537","RES","320-32923-6","TALSAC","375-85-9","Perfluoroheptanoic acid  
(PFHpA),"4.0","ng/L","U","1.9","DL","","TRG","","","10","LOQ","YES","-99","","248.7","1.00","4.0",""  
"NAWC-103117-FRB-056","537","RES","320-32923-6","TALSAC","375-95-1","Perfluorononanoic acid  
(PFNA),"20","ng/L","U","8.0","DL","","TRG","","","24","LOQ","YES","-99","","248.7","1.00","20",""  
"NAWC-103117-FRB-056","537","RES","320-32923-6","TALSAC","STL00993","13C2  
PFHxA","38","ng/L","","-99","DL","","SURR","95","","-99","LOQ","YES","40.2","","248.7","1.00","0",""  
"NAWC-103117-FRB-056","537","RES","320-32923-6","TALSAC","STL00996","13C2  
PFDA","34","ng/L","","-99","DL","","SURR","85","","-99","LOQ","YES","40.2","","248.7","1.00","0",""  
"NAWC-103117-RW-117","537","RES","320-32923-7","TALSAC","1763-23-1","Perfluorooctanesulfonic acid  
(PFOS),"32","ng/L","J","6.9","DL","","TRG","","","40","LOQ","YES","-99","","247.2","1.00","16",""  
"NAWC-103117-RW-117","537","RES","320-32923-7","TALSAC","335-67-1","Perfluorooctanoic acid  
(PFOA),"22","ng/L","","2.8","DL","","TRG","","","20","LOQ","YES","-99","","247.2","1.00","8.1",""  
"NAWC-103117-RW-117","537","RES","320-32923-7","TALSAC","355-46-4","Perfluorohexanesulfonic acid  
(PFHxS),"18","ng/L","J","5.6","DL","","TRG","","","30","LOQ","YES","-99","","247.2","1.00","12",""  
"NAWC-103117-RW-117","537","RES","320-32923-7","TALSAC","375-73-5","Perfluorobutanesulfonic acid

(PFBS)", "36", "ng/L", "U M", "16", "DL", "", "TRG", "", "", "91", "LOQ", "YES", "-99", "", "247.2", "1.00", "36", ""  
"NAWC-103117-RW-117", "537", "RES", "320-32923-7", "TALSAC", "375-85-9", "Perfluoroheptanoic acid  
(PFHpA)", "5.6", "ng/L", "J M", "1.9", "DL", "", "TRG", "", "", "10", "LOQ", "YES", "-99", "", "247.2", "1.00", "4.0", ""  
"NAWC-103117-RW-117", "537", "RES", "320-32923-7", "TALSAC", "375-95-1", "Perfluorononanoic acid  
(PFNA)", "20", "ng/L", "U M", "8.1", "DL", "", "TRG", "", "", "24", "LOQ", "YES", "-99", "", "247.2", "1.00", "20", ""  
"NAWC-103117-RW-117", "537", "RES", "320-32923-7", "TALSAC", "STL00993", "13C2  
PFHxA", "39", "ng/L", "", "-99", "DL", "", "SURR", "97", "", "-99", "LOQ", "YES", "40.5", "", "247.2", "1.00", "0", ""  
"NAWC-103117-RW-117", "537", "RES", "320-32923-7", "TALSAC", "STL00996", "13C2  
PFDA", "35", "ng/L", "", "-99", "DL", "", "SURR", "86", "", "-99", "LOQ", "YES", "40.5", "", "247.2", "1.00", "0", ""  
"NAWC-103117-FRB-117", "537", "RES", "320-32923-8", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid  
(PFOS)", "16", "ng/L", "U", "6.7", "DL", "", "TRG", "", "", "40", "LOQ", "YES", "-99", "", "252.6", "1.00", "16", ""  
"NAWC-103117-FRB-117", "537", "RES", "320-32923-8", "TALSAC", "335-67-1", "Perfluorooctanoic acid  
(PFOA)", "7.9", "ng/L", "U", "2.8", "DL", "", "TRG", "", "", "20", "LOQ", "YES", "-99", "", "252.6", "1.00", "7.9", ""  
"NAWC-103117-FRB-117", "537", "RES", "320-32923-8", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid  
(PFHxS)", "12", "ng/L", "U", "5.4", "DL", "", "TRG", "", "", "30", "LOQ", "YES", "-99", "", "252.6", "1.00", "12", ""  
"NAWC-103117-FRB-117", "537", "RES", "320-32923-8", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid  
(PFBS)", "36", "ng/L", "U", "16", "DL", "", "TRG", "", "", "89", "LOQ", "YES", "-99", "", "252.6", "1.00", "36", ""  
"NAWC-103117-FRB-117", "537", "RES", "320-32923-8", "TALSAC", "375-85-9", "Perfluoroheptanoic acid  
(PFHpA)", "4.0", "ng/L", "U", "1.9", "DL", "", "TRG", "", "", "9.9", "LOQ", "YES", "-99", "", "252.6", "1.00", "4.0", ""  
"NAWC-103117-FRB-117", "537", "RES", "320-32923-8", "TALSAC", "375-95-1", "Perfluorononanoic acid  
(PFNA)", "20", "ng/L", "U", "7.9", "DL", "", "TRG", "", "", "24", "LOQ", "YES", "-99", "", "252.6", "1.00", "20", ""  
"NAWC-103117-FRB-117", "537", "RES", "320-32923-8", "TALSAC", "STL00993", "13C2  
PFHxA", "39", "ng/L", "", "-99", "DL", "", "SURR", "98", "", "-99", "LOQ", "YES", "39.6", "", "252.6", "1.00", "0", ""  
"NAWC-103117-FRB-117", "537", "RES", "320-32923-8", "TALSAC", "STL00996", "13C2  
PFDA", "36", "ng/L", "", "-99", "DL", "", "SURR", "90", "", "-99", "LOQ", "YES", "39.6", "", "252.6", "1.00", "0", ""  
"NAWC-103117-RW-335", "537", "RES", "320-32923-9", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid  
(PFOS)", "23", "ng/L", "J", "6.8", "DL", "", "TRG", "", "", "40", "LOQ", "YES", "-99", "", "248.3", "1.00", "16", ""  
"NAWC-103117-RW-335", "537", "RES", "320-32923-9", "TALSAC", "335-67-1", "Perfluorooctanoic acid  
(PFOA)", "21", "ng/L", "", "2.8", "DL", "", "TRG", "", "", "20", "LOQ", "YES", "-99", "", "248.3", "1.00", "8.1", ""  
"NAWC-103117-RW-335", "537", "RES", "320-32923-9", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid  
(PFHxS)", "10", "ng/L", "J", "5.5", "DL", "", "TRG", "", "", "30", "LOQ", "YES", "-99", "", "248.3", "1.00", "12", ""  
"NAWC-103117-RW-335", "537", "RES", "320-32923-9", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid  
(PFBS)", "36", "ng/L", "U M", "16", "DL", "", "TRG", "", "", "91", "LOQ", "YES", "-99", "", "248.3", "1.00", "36", ""  
"NAWC-103117-RW-335", "537", "RES", "320-32923-9", "TALSAC", "375-85-9", "Perfluoroheptanoic acid  
(PFHpA)", "8.4", "ng/L", "J", "1.9", "DL", "", "TRG", "", "", "10", "LOQ", "YES", "-99", "", "248.3", "1.00", "4.0", ""  
"NAWC-103117-RW-335", "537", "RES", "320-32923-9", "TALSAC", "375-95-1", "Perfluorononanoic acid  
(PFNA)", "20", "ng/L", "U M", "8.1", "DL", "", "TRG", "", "", "24", "LOQ", "YES", "-99", "", "248.3", "1.00", "20", ""  
"NAWC-103117-RW-335", "537", "RES", "320-32923-9", "TALSAC", "STL00993", "13C2  
PFHxA", "39", "ng/L", "", "-99", "DL", "", "SURR", "96", "", "-99", "LOQ", "YES", "40.3", "", "248.3", "1.00", "0", ""  
"NAWC-103117-RW-335", "537", "RES", "320-32923-9", "TALSAC", "STL00996", "13C2  
PFDA", "36", "ng/L", "", "-99", "DL", "", "SURR", "89", "", "-99", "LOQ", "YES", "40.3", "", "248.3", "1.00", "0", ""  
"LLCS 320-193034/2-A", "537", "RES", "LLCS 320-193034/2-A", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic  
acid (PFOS)", "38.2", "ng/L", "J", "6.8", "DL", "", "SPK", "96", "", "40", "LOQ", "YES", "40.0", "", "250.00", "1.00", "16", ""  
"LLCS 320-193034/2-A", "537", "RES", "LLCS 320-193034/2-A", "TALSAC", "335-67-1", "Perfluorooctanoic acid  
(PFOA)", "19.9", "ng/L", "J", "2.8", "DL", "", "SPK", "99", "", "20", "LOQ", "YES", "20.0", "", "250.00", "1.00", "8.0", ""  
"LLCS 320-193034/2-A", "537", "RES", "LLCS 320-193034/2-A", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid  
(PFHxS)", "31.6", "ng/L", "", "5.5", "DL", "", "SPK", "105", "", "30", "LOQ", "YES", "30.0", "", "250.00", "1.00", "12", ""  
"LLCS 320-193034/2-A", "537", "RES", "LLCS 320-193034/2-A", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid  
(PFBS)", "88.2", "ng/L", "J", "16", "DL", "", "SPK", "98", "", "90", "LOQ", "YES", "90.0", "", "250.00", "1.00", "36", ""  
"LLCS 320-193034/2-A", "537", "RES", "LLCS 320-193034/2-A", "TALSAC", "375-85-9", "Perfluoroheptanoic acid  
(PFHpA)", "10.1", "ng/L", "", "1.9", "DL", "", "SPK", "101", "", "10", "LOQ", "YES", "10.0", "", "250.00", "1.00", "4.0", ""  
"LLCS 320-193034/2-A", "537", "RES", "LLCS 320-193034/2-A", "TALSAC", "375-95-1", "Perfluorononanoic acid  
(PFNA)", "18.4", "ng/L", "J", "8.0", "DL", "", "SPK", "92", "", "24", "LOQ", "YES", "20.0", "", "250.00", "1.00", "20", ""  
"LLCS 320-193034/2-A", "537", "RES", "LLCS 320-193034/2-A", "TALSAC", "STL00993", "13C2

PFHxA", "37.5", "ng/L", "", "-99", "DL", "", "SURR", "94", "", "-99", "LOQ", "YES", "40.0", "", "250.00", "1.00", "0", ""  
"LLCS 320-193034/2-A", "537", "RES", "LLCS 320-193034/2-A", "TALSAC", "STL00996", "13C2  
PFDA", "35.5", "ng/L", "", "-99", "DL", "", "SURR", "89", "", "-99", "LOQ", "YES", "40.0", "", "250.00", "1.00", "0", ""  
"LLCSD 320-193034/3-A", "537", "RES", "LLCSD 320-193034/3-A", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic  
acid (PFOS)", "40.1", "ng/L", "M", "6.8", "DL", "", "SPK", "100", "5", "40", "LOQ", "YES", "40.0", "LLCS 320-193034/2-  
A", "250.00", "1.00", "16", ""  
"LLCSD 320-193034/3-A", "537", "RES", "LLCSD 320-193034/3-A", "TALSAC", "335-67-1", "Perfluorooctanoic acid  
(PFOA)", "19.3", "ng/L", "J", "2.8", "DL", "", "SPK", "96", "3", "20", "LOQ", "YES", "20.0", "LLCS 320-193034/2-  
A", "250.00", "1.00", "8.0", ""  
"LLCSD 320-193034/3-A", "537", "RES", "LLCSD 320-193034/3-A", "TALSAC", "355-46-4", "Perfluorohexanesulfonic  
acid (PFHxS)", "31.9", "ng/L", "", "5.5", "DL", "", "SPK", "106", "0.7", "30", "LOQ", "YES", "30.0", "LLCS 320-193034/2-  
A", "250.00", "1.00", "12", ""  
"LLCSD 320-193034/3-A", "537", "RES", "LLCSD 320-193034/3-A", "TALSAC", "375-73-5", "Perfluorobutanesulfonic  
acid (PFBS)", "93.5", "ng/L", "", "16", "DL", "", "SPK", "104", "6", "90", "LOQ", "YES", "90.0", "LLCS 320-193034/2-  
A", "250.00", "1.00", "36", ""  
"LLCSD 320-193034/3-A", "537", "RES", "LLCSD 320-193034/3-A", "TALSAC", "375-85-9", "Perfluoroheptanoic acid  
(PFHpA)", "10.2", "ng/L", "", "1.9", "DL", "", "SPK", "102", "1", "10", "LOQ", "YES", "10.0", "LLCS 320-193034/2-  
A", "250.00", "1.00", "4.0", ""  
"LLCSD 320-193034/3-A", "537", "RES", "LLCSD 320-193034/3-A", "TALSAC", "375-95-1", "Perfluorononanoic acid  
(PFNA)", "18.6", "ng/L", "J", "8.0", "DL", "", "SPK", "93", "0.9", "24", "LOQ", "YES", "20.0", "LLCS 320-193034/2-  
A", "250.00", "1.00", "20", ""  
"LLCSD 320-193034/3-A", "537", "RES", "LLCSD 320-193034/3-A", "TALSAC", "STL00993", "13C2  
PFHxA", "37.4", "ng/L", "", "-99", "DL", "", "SURR", "94", "0.1", "-99", "LOQ", "YES", "40.0", "LLCS 320-193034/2-  
A", "250.00", "1.00", "0", ""  
"LLCSD 320-193034/3-A", "537", "RES", "LLCSD 320-193034/3-A", "TALSAC", "STL00996", "13C2  
PFDA", "34.1", "ng/L", "", "-99", "DL", "", "SURR", "85", "4", "-99", "LOQ", "YES", "40.0", "LLCS 320-193034/2-  
A", "250.00", "1.00", "0", ""  
"MB 320-193034/1-A", "537", "RES", "MB 320-193034/1-A", "TALSAC", "1763-23-1", "Perfluorooctanesulfonic acid  
(PFOS)", "16", "ng/L", "U", "6.8", "DL", "", "TRG", "", "", "40", "LOQ", "YES", "-99", "", "250.00", "1.00", "16", ""  
"MB 320-193034/1-A", "537", "RES", "MB 320-193034/1-A", "TALSAC", "335-67-1", "Perfluorooctanoic acid  
(PFOA)", "8.0", "ng/L", "U", "2.8", "DL", "", "TRG", "", "", "20", "LOQ", "YES", "-99", "", "250.00", "1.00", "8.0", ""  
"MB 320-193034/1-A", "537", "RES", "MB 320-193034/1-A", "TALSAC", "355-46-4", "Perfluorohexanesulfonic acid  
(PFHxS)", "12", "ng/L", "U", "5.5", "DL", "", "TRG", "", "", "30", "LOQ", "YES", "-99", "", "250.00", "1.00", "12", ""  
"MB 320-193034/1-A", "537", "RES", "MB 320-193034/1-A", "TALSAC", "375-73-5", "Perfluorobutanesulfonic acid  
(PFBS)", "36", "ng/L", "U", "16", "DL", "", "TRG", "", "", "90", "LOQ", "YES", "-99", "", "250.00", "1.00", "36", ""  
"MB 320-193034/1-A", "537", "RES", "MB 320-193034/1-A", "TALSAC", "375-85-9", "Perfluoroheptanoic acid  
(PFHpA)", "4.0", "ng/L", "U", "1.9", "DL", "", "TRG", "", "", "10", "LOQ", "YES", "-99", "", "250.00", "1.00", "4.0", ""  
"MB 320-193034/1-A", "537", "RES", "MB 320-193034/1-A", "TALSAC", "375-95-1", "Perfluorononanoic acid  
(PFNA)", "20", "ng/L", "U", "8.0", "DL", "", "TRG", "", "", "24", "LOQ", "YES", "-99", "", "250.00", "1.00", "20", ""  
"MB 320-193034/1-A", "537", "RES", "MB 320-193034/1-A", "TALSAC", "STL00993", "13C2  
PFHxA", "36.4", "ng/L", "", "-99", "DL", "", "SURR", "91", "", "-99", "LOQ", "YES", "40.0", "", "250.00", "1.00", "0", ""  
"MB 320-193034/1-A", "537", "RES", "MB 320-193034/1-A", "TALSAC", "STL00996", "13C2  
PFDA", "30.8", "ng/L", "", "-99", "DL", "", "SURR", "77", "", "-99", "LOQ", "YES", "40.0", "", "250.00", "1.00", "0", ""  
"Unknown", "Unknown", "NAWC-103117-RW-081", "10/31/2017 08:10", "AQ", "320-32923-  
1", "NM", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017  
20:42", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-  
193699", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown", "Unknown", "NAWC-103117-FRB-335", "10/31/2017 11:35", "AQ", "320-32923-  
10", "FB", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017  
21:43", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-  
193701", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown", "Unknown", "NAWC-103117-RW-324", "10/31/2017 10:10", "AQ", "320-32923-  
11", "NM", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017  
21:48", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-



193701","320-32923-1","11/01/2017 09:40","11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-FRB-324","10/31/2017 10:05","AQ","320-32923-12","NM", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 21:52", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193701", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","WGNA-103117-DUP-12","10/31/2017 12:00","AQ","320-32923-13","NM", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 21:57", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193701", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-RW-081MS","10/31/2017 08:10","AQ","320-32923-1MS","MS", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 20:47", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193699", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-RW-081MSD","10/31/2017 08:10","AQ","320-32923-1MSD","MSD", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 20:51", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193699", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-FRB-081","10/31/2017 08:05","AQ","320-32923-2","FB", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 20:56", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193699", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-RW-082","10/31/2017 08:40","AQ","320-32923-3","NM", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 21:01", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193699", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-FRB-082","10/31/2017 08:35","AQ","320-32923-4","FB", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 21:06", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193699", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-RW-056","10/31/2017 09:10","AQ","320-32923-5","NM", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 21:10", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193699", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-FRB-056","10/31/2017 09:05","AQ","320-32923-6","FB", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 21:24", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193701", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-RW-117","10/31/2017 09:40","AQ","320-32923-7","NM", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 21:29", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193701", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-FRB-117","10/31/2017 09:35","AQ","320-32923-8","FB", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 21:34", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193701", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","NAWC-103117-RW-335","10/31/2017 11:40","AQ","320-32923-9","NM", "", "4.0", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 21:38", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193701", "320-32923-1", "11/01/2017 09:40", "11/22/2017 12:15", ""  
"Unknown","Unknown","LLCS 320-193034/2-A", "", "AQ", "LLCS 320-193034/2-A", "LCS", "", "-99", "537", "METHOD", "RES", "11/06/2017 11:56", "11/08/2017 20:33", "TALSAC", "COA", "WET", "NA", "1", "NA", "NA", "", "100", "320-193034", "320-193034", "NA", "320-193699", "320-32923-1", "11/06/2017 11:56", "11/22/2017 12:15", ""  
"Unknown","Unknown","LLCSD 320-193034/3-A", "", "AQ", "LLCSD 320-193034/3-

A,"LCSD",,"-99",537,"METHOD","RES","11/06/2017 11:56","11/08/2017  
20:37","TALSAC","COA","WET","NA","1","NA","NA",,"100","320-193034","320-193034","NA","320-  
193699","320-32923-1","11/06/2017 11:56","11/22/2017 12:15",,"  
"Unknown","Unknown","MB 320-193034/1-A",,"AQ","MB 320-193034/1-  
A","MB",,"-99",537,"METHOD","RES","11/06/2017 11:56","11/08/2017  
20:28","TALSAC","COA","WET","NA","1","NA","NA",,"100","320-193034","320-193034","NA","320-  
193699","320-32923-1","11/06/2017 11:56","11/22/2017 12:15",,"



TO: A. FREBOWITZ  
SDG: 320-32923-1

PAGE 2

**Notes**

Samples with detections and their associated FRBs are summarized below. No detected results were present in the FRBs.

<b><u>Sample</u></b>	<b><u>Associated FRB</u></b>
NAWC-103117-RW-056	NAWC-103117-FRB-056
NAWC-103117-RW-081	NAWC-103117-FRB-081
NAWC-103117-RW-082	NAWC-103117-FRB-082
NAWC-103117-RW-117	NAWC-103117-FRB-117
NAWC-103117-RW-324	NAWC-103117-FRB-324
NAWC-103117-RW-335	NAWC-103117-FRB-335
WGNA-103117-DUP-12	NAWC-103117-FRB-335

Non-detected results were reported to the Limit of Detection (LOD).

The buffering agent Trizma was added to all drinking water samples.

**Executive Summary**

**Laboratory Performance:** None.

**Other Factors Affecting Data Quality:** Results below the RL were estimated.

The data for these analyses were reviewed with reference to the Environmental Protection Agency document EPA/600/R-08/092, Method 537, "Determination of Selected Perfluorinated Alkyl Acids in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS)", (September 2009) and the US EPA National Functional Guidelines for Organic Data Review (January 2017) as applicable. The text of this report has been formulated to address only those areas affecting data quality.



---

Tetra Tech, Inc.  
Terri L. Solomon  
Chemist/Data Validator



---

Tetra Tech, Inc.  
Joseph A. Samchuck  
Data Validation Manager

Attachments:

Appendix A – Qualified Analytical Results  
Appendix B – Results as Reported by the Laboratory  
Appendix C – Support Documentation

### Data Qualifier Definitions

The following definitions provide brief explanations of the validation qualifiers assigned to results in the data review process.

<b>U</b>	The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted method detection limit for sample and method.
<b>J</b>	The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the reporting limit).
<b>J+</b>	The result is an estimated quantity, but the result may be biased high.
<b>J-</b>	The result is an estimated quantity, but the result may be biased low.
<b>UJ</b>	The analyte was analyzed for, but was not detected. The reported detection limit is approximate and may be inaccurate or imprecise.
<b>R</b>	The sample result (detected) is unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
<b>UR</b>	The sample result (nondetected) is unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.

**Appendix A**

Qualified Analytical Results

**Qualifier Codes:**

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration Noncompliance (i.e., % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
- C01 = GC/MS Tuning Noncompliance
- D = MS/MSD Recovery Noncompliance
- E = LCS/LCSD Recovery Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = ICP PDS Recovery Noncompliance; MSA's  $r < 0.995$
- K = ICP Interference - includes ICS % R Noncompliance
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation Noncompliance
- N = Internal Standard Noncompliance
- N01 = Internal Standard Recovery Noncompliance Dioxins
- N02 = Recovery Standard Noncompliance Dioxins
- N03 = Clean-up Standard Noncompliance Dioxins
- O = Poor Instrument Performance (i.e., base-time drifting)
- P = Uncertainty near detection limit ( $< 2 \times$  IDL for inorganics and  $<$ CRQL for organics)
- Q = Other problems (can encompass a number of issues; i.e.chromatography,interferences, etc.)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = RPD between columns/detectors  $>40\%$  for positive results determined via GC/HPLC
- V = Non-linear calibrations; correlation coefficient  $r < 0.995$
- W = EMPC result
- X = Signal to noise response drop
- Y = Percent solids  $<30\%$
- Z = Uncertainty at 2 standard deviations is greater than sample activity
- Z1 = Tentatively Identified Compound considered presumptively present
- Z2 = Tentatively Identified Compound column bleed
- Z3 = Tentatively Identified Compound aldol condensate
- Z4 = Sample activity is less than the at uncertainty at 3 standard deviations and greater than the MDC
- Z5 = Sample activity is less than the at uncertainty at 3 standard deviations and less than the MDC

<b>PROJ_NO: 08005-WE04</b> <b>SDG: 320-32923-1</b> <b>FRACTION: PFAS</b> <b>MEDIA: WATER</b>	NSAMPLE	NAWC-103117-FRB-056			NAWC-103117-FRB-081			NAWC-103117-FRB-082			NAWC-103117-FRB-117		
	LAB_ID	320-32923-6			320-32923-2			320-32923-4			320-32923-8		
	SAMP_DATE	10/31/2017			10/31/2017			10/31/2017			10/31/2017		
	QC_TYPE	FB			FB			FB			FB		
	UNITS	NG/L			NG/L			NG/L			NG/L		
	PCT_SOLIDS	0.0			0.0			0.0			0.0		
	DUP_OF												
PARAMETER	RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD	
PENTADECAFLUOROOCTANOIC ACID	8	U		8	U		8.3	U		7.9	U		
PERFLUOROBUTANESULFONIC ACID	36	U		36	U		37	U		36	U		
PERFLUOROHEPTANOIC ACID	4	U		4	U		4.1	U		4	U		
PERFLUOROHXANESULFONIC ACID	12	U		12	U		12	U		12	U		
PERFLUORONONANOIC ACID	20	U		20	U		21	U		20	U		
PERFLUOROOCTANE SULFONIC ACID	16	U		16	U		17	U		16	U		



<b>PROJ_NO: 08005-WE04</b> <b>SDG: 320-32923-1</b> <b>FRACTION: PFAS</b> <b>MEDIA: WATER</b>	NSAMPLE	NAWC-103117-FRB-324			NAWC-103117-FRB-335			NAWC-103117-RW-056			NAWC-103117-RW-081		
	LAB_ID	320-32923-12			320-32923-10			320-32923-5			320-32923-1		
	SAMP_DATE	10/31/2017			10/31/2017			10/31/2017			10/31/2017		
	QC_TYPE	NM			FB			NM			NM		
	UNITS	NG/L			NG/L			NG/L			NG/L		
	PCT_SOLIDS	0.0			0.0			0.0			0.0		
	DUP_OF												
PARAMETER	RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD	
PENTADECAFLUOROOCTANOIC ACID	7.9	U		7.9	U		25			16	J	P	
PERFLUOROBUTANESULFONIC ACID	36	U		35	U		36	U		37	U		
PERFLUOROHEPTANOIC ACID	4	U		3.9	U		11			5.3	J	P	
PERFLUOROHXANESULFONIC ACID	12	U		12	U		8.9	J	P	13	J	P	
PERFLUORONONANOIC ACID	20	U		20	U		20	U		20	U		
PERFLUOROOCTANE SULFONIC ACID	16	U		16	U		18	J	P	22	J	P	

<b>PROJ_NO: 08005-WE04</b> <b>SDG: 320-32923-1</b> <b>FRACTION: PFAS</b> <b>MEDIA: WATER</b>	NSAMPLE	NAWC-103117-RW-082			NAWC-103117-RW-117			NAWC-103117-RW-324			NAWC-103117-RW-335		
	LAB_ID	320-32923-3			320-32923-7			320-32923-11			320-32923-9		
	SAMP_DATE	10/31/2017			10/31/2017			10/31/2017			10/31/2017		
	QC_TYPE	NM			NM			NM			NM		
	UNITS	NG/L			NG/L			NG/L			NG/L		
	PCT_SOLIDS	0.0			0.0			0.0			0.0		
	DUP_OF												
PARAMETER	RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD	RESULT	VQL	QLCD	
PENTADECAFLUOROOCTANOIC ACID	16	J	P	22			14	J	P	21			
PERFLUOROBUTANESULFONIC ACID	36	U		36	U		36	U		36	U		
PERFLUOROHEPTANOIC ACID	5.3	J	P	5.6	J	P	3.9	J	P	8.4	J	P	
PERFLUOROHXANESULFONIC ACID	12	J	P	18	J	P	18	J	P	10	J	P	
PERFLUORONONANOIC ACID	20	U		20	U		20	U		20	U		
PERFLUOROOCTANE SULFONIC ACID	21	J	P	32	J	P	44			23	J	P	

<b>PROJ_NO: 08005-WE04</b> <b>SDG: 320-32923-1</b> <b>FRACTION: PFAS</b> <b>MEDIA: WATER</b>	NSAMPLE	WGNA-103117-DUP-12		
	LAB_ID	320-32923-13		
	SAMP_DATE	10/31/2017		
	QC_TYPE	NM		
	UNITS	NG/L		
	PCT_SOLIDS	0.0		
	DUP_OF	NAWC-103117-RW-335		
PARAMETER	RESULT	VQL	QLCD	
PENTADECAFLUOROOCTANOIC ACID	21			
PERFLUOROBUTANESULFONIC ACID	36	U		
PERFLUROHEPTANOIC ACID	8.6	J	P	
PERFLUROHEXANESULFONIC ACID	9.5	J	P	
PERFLURONONANOIC ACID	20	U		
PERFLUROOCTANE SULFONIC ACID	23	J	P	

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-081 Lab Sample ID: 320-32923-1  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_027.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 246(mL) Date Analyzed: 11/08/2017 20:42  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	22	J	41	16	6.9
335-67-1	Perfluorooctanoic acid (PFOA)	16	J	20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	<del>U</del> -M	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	13	J	30	12	5.6
375-85-9	Perfluoroheptanoic acid (PFHpA)	5.3	J	10	4.1	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	37	U	91	37	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	86		70-130

*Wesley L. Salzman*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-081 Lab Sample ID: 320-32923-2  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_030.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:05  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 249.8 (mL) Date Analyzed: 11/08/2017 20:56  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	8.0	U	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	93		70-130
STL00996	13C2 PFDA	86		70-130

*Wesley L. Salomon*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-082 Lab Sample ID: 320-32923-3  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_031.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:40  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 250.3(mL) Date Analyzed: 11/08/2017 21:01  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	21	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	16	J	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U <del>M</del>	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	5.3	J	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	92		70-130
STL00996	13C2 PFDA	86		70-130

*Wesley L. Salzman*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-082 Lab Sample ID: 320-32923-4  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_032.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:35  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 241.9(mL) Date Analyzed: 11/08/2017 21:06  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	17	U	41	17	7.0
335-67-1	Perfluorooctanoic acid (PFOA)	8.3	U	21	8.3	2.9
375-95-1	Perfluorononanoic acid (PFNA)	21	U	25	21	8.3
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	31	12	5.7
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.1	U	10	4.1	2.0
375-73-5	Perfluorobutanesulfonic acid (PFBS)	37	U	93	37	17

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	89		70-130

*Ali L. Salem*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-056 Lab Sample ID: 320-32923-5  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_033.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 249.6(mL) Date Analyzed: 11/08/2017 21:10  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	18	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	25		20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U <del>M</del>	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	8.9	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	11		10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	95		70-130
STL00996	13C2 PFDA	96		70-130

*Ali L. Salem*  
12/04/2017



FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-056 Lab Sample ID: 320-32923-6  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_036.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:05  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 248.7(mL) Date Analyzed: 11/08/2017 21:24  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	8.0	U	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	95		70-130
STL00996	13C2 PFDA	85		70-130

*Wesley L. Selman*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-117 Lab Sample ID: 320-32923-7  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_037.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:40  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 247.2 (mL) Date Analyzed: 11/08/2017 21:29  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	32	J	40	16	6.9
335-67-1	Perfluorooctanoic acid (PFOA)	22		20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U <del>M</del>	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	18	J	30	12	5.6
375-85-9	Perfluoroheptanoic acid (PFHpA)	5.6	J <del>M</del>	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U <del>M</del>	91	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	97		70-130
STL00996	13C2 PFDA	86		70-130

*Wesley L. Salomon*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-117 Lab Sample ID: 320-32923-8  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_038.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:35  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 252.6(mL) Date Analyzed: 11/08/2017 21:34  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.7
335-67-1	Perfluorooctanoic acid (PFOA)	7.9	U	20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.4
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	98		70-130
STL00996	13C2 PFDA	90		70-130

*Steve L. Salzman*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-335 Lab Sample ID: 320-32923-9  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_039.d  
 Analysis Method: 537 Date Collected: 10/31/2017 11:40  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 248.3(mL) Date Analyzed: 11/08/2017 21:38  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	23	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	21		20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U <del>M</del>	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	10	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	8.4	J	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U <del>M</del>	91	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	89		70-130

*Ali L. Salem*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-335 Lab Sample ID: 320-32923-10  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_040.d  
 Analysis Method: 537 Date Collected: 10/31/2017 11:35  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 253.7(mL) Date Analyzed: 11/08/2017 21:43  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	39	16	6.7
335-67-1	Perfluorooctanoic acid (PFOA)	7.9	U	20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.4
375-85-9	Perfluoroheptanoic acid (PFHpA)	3.9	U	9.9	3.9	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	35	U	89	35	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	88		70-130

*Teri L. Selman*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-324 Lab Sample ID: 320-32923-11  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_041.d  
 Analysis Method: 537 Date Collected: 10/31/2017 10:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 248.3(mL) Date Analyzed: 11/08/2017 21:48  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	44		40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	14	J	20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U <del>M</del>	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	18	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	3.9	J	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	91	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	86		70-130

*Heidi L. Selmer*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-324 Lab Sample ID: 320-32923-12  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_042.d  
 Analysis Method: 537 Date Collected: 10/31/2017 10:05  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 251.6(mL) Date Analyzed: 11/08/2017 21:52  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	7.9	U	20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	93		70-130
STL00996	13C2 PFDA	87		70-130

*Steve L. Selman*  
12/04/2017

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WGNA-103117-DUP-12 Lab Sample ID: 320-32923-13  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_043.d  
 Analysis Method: 537 Date Collected: 10/31/2017 12:00  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 251.8 (mL) Date Analyzed: 11/08/2017 21:57  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	23	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	21		20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U <del>M</del>	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	9.5	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	8.6	J	9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	82		70-130

*Wesley L. Selman*  
12/04/2017



**Appendix B**

Results as Reported by the Laboratory

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-081 Lab Sample ID: 320-32923-1  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_027.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 246(mL) Date Analyzed: 11/08/2017 20:42  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	22	J	41	16	6.9
335-67-1	Perfluorooctanoic acid (PFOA)	16	J	20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	13	J	30	12	5.6
375-85-9	Perfluoroheptanoic acid (PFHpA)	5.3	J	10	4.1	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	37	U	91	37	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	86		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-081 Lab Sample ID: 320-32923-2  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_030.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:05  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 249.8 (mL) Date Analyzed: 11/08/2017 20:56  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	8.0	U	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	93		70-130
STL00996	13C2 PFDA	86		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-082 Lab Sample ID: 320-32923-3  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_031.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:40  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 250.3(mL) Date Analyzed: 11/08/2017 21:01  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	21	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	16	J	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	5.3	J	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	92		70-130
STL00996	13C2 PFDA	86		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-082 Lab Sample ID: 320-32923-4  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_032.d  
 Analysis Method: 537 Date Collected: 10/31/2017 08:35  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 241.9(mL) Date Analyzed: 11/08/2017 21:06  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	17	U	41	17	7.0
335-67-1	Perfluorooctanoic acid (PFOA)	8.3	U	21	8.3	2.9
375-95-1	Perfluorononanoic acid (PFNA)	21	U	25	21	8.3
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	31	12	5.7
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.1	U	10	4.1	2.0
375-73-5	Perfluorobutanesulfonic acid (PFBS)	37	U	93	37	17

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	89		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-056 Lab Sample ID: 320-32923-5  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_033.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 249.6(mL) Date Analyzed: 11/08/2017 21:10  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	18	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	25		20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	8.9	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	11		10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	95		70-130
STL00996	13C2 PFDA	96		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-056 Lab Sample ID: 320-32923-6  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_036.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:05  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 248.7(mL) Date Analyzed: 11/08/2017 21:24  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	8.0	U	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	95		70-130
STL00996	13C2 PFDA	85		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-117 Lab Sample ID: 320-32923-7  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_037.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:40  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 247.2 (mL) Date Analyzed: 11/08/2017 21:29  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	32	J	40	16	6.9
335-67-1	Perfluorooctanoic acid (PFOA)	22		20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	18	J	30	12	5.6
375-85-9	Perfluoroheptanoic acid (PFHpA)	5.6	J M	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U M	91	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	97		70-130
STL00996	13C2 PFDA	86		70-130



FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-117 Lab Sample ID: 320-32923-8  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_038.d  
 Analysis Method: 537 Date Collected: 10/31/2017 09:35  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 252.6(mL) Date Analyzed: 11/08/2017 21:34  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.7
335-67-1	Perfluorooctanoic acid (PFOA)	7.9	U	20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.4
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	98		70-130
STL00996	13C2 PFDA	90		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-335 Lab Sample ID: 320-32923-9  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_039.d  
 Analysis Method: 537 Date Collected: 10/31/2017 11:40  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 248.3(mL) Date Analyzed: 11/08/2017 21:38  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	23	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	21		20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	10	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	8.4	J	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U M	91	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	89		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-335 Lab Sample ID: 320-32923-10  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_040.d  
 Analysis Method: 537 Date Collected: 10/31/2017 11:35  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 253.7(mL) Date Analyzed: 11/08/2017 21:43  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	39	16	6.7
335-67-1	Perfluorooctanoic acid (PFOA)	7.9	U	20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.4
375-85-9	Perfluoroheptanoic acid (PFHpA)	3.9	U	9.9	3.9	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	35	U	89	35	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	88		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-RW-324 Lab Sample ID: 320-32923-11  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_041.d  
 Analysis Method: 537 Date Collected: 10/31/2017 10:10  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 248.3(mL) Date Analyzed: 11/08/2017 21:48  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	44		40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	14	J	20	8.1	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	8.1
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	18	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	3.9	J	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	91	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	86		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: NAWC-103117-FRB-324 Lab Sample ID: 320-32923-12  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_042.d  
 Analysis Method: 537 Date Collected: 10/31/2017 10:05  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 251.6(mL) Date Analyzed: 11/08/2017 21:52  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	7.9	U	20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	93		70-130
STL00996	13C2 PFDA	87		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WGNA-103117-DUP-12 Lab Sample ID: 320-32923-13  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_043.d  
 Analysis Method: 537 Date Collected: 10/31/2017 12:00  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 251.8(mL) Date Analyzed: 11/08/2017 21:57  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193701 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	23	J	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	21		20	7.9	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U M	24	20	7.9
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	9.5	J	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	8.6	J	9.9	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	89	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	82		70-130

**Appendix C**

Support Documentation

ANALYTE	ORIGINAL	DUPLICATE	RL	RPD	RPD > 50%	ORIGINAL	DUPLICATE	DIFFERENCE >2XRL
	103117-RW-335	103117-DUP-12				SAMPLE CONC	SAMPLE CONC	
Pentadecafluorooctanoic acid	21	21	20	0.000	FALSE	FALSE	FALSE	FALSE
Perfluoroheptanoic acid	8.4	8.6	10	2.353	FALSE	FALSE	FALSE	FALSE
Perfluorohexanesulfonic acid	10	9.5	30	5.128	FALSE	FALSE	FALSE	FALSE
Perfluorooctane sulfonic acid	23	23	40	0.000	FALSE	FALSE	FALSE	FALSE




**TestAmerica Sacramento**  
 880 Riverside Parkway  
 West Sacramento, CA 95605-1500  
 phone 916.373.5600 fax 303.467.7248

**Chain of Custody Record**

**TestAmerica**  
 THE LEADER IN ENVIRONMENTAL TESTING  
**TestAmerica Laboratories, Inc.**

**Regulatory Program:**  DW  NPDES  RCRA  Other:

<b>Client Contact</b>		<b>Project Manager:</b> Andy Frebowitz		<b>Site Contact:</b> Mary Kay Bond		<b>Date:</b> 10/31/2017		<b>COC No:</b>			
TetraTech		Tel/Fax: 610.382.1170		Lab Contact: Dave Alltucker		Carrier: FedEx		1 of 1 COCs			
234 Mall Boulevard Suite 260		<b>Analysis Turnaround Time</b>								Sampler: Mary Kay Bond	
King of Prussia, PA 19406		<input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below 21								For Lab Use Only:	
610-382-1174		<input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day								Walk-in Client:	
610-491-9688										Lab Sampling:	
Project Name: WE04										Job / SDG No.:	
Site: WE04											
P O # 1132358 (through EarthToxics)											
Sample Identification	Sample Date	Sample Time	Sample Type (CaComp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	EPA 537 UCMR3			Sample Specific Notes:
NAWC-103117-RW-081	10/31/2017	08:10	G	DW	6	N	Y	Y			MS/MSD
NAWC-103117-FRB-081	10/31/2017	08:05	G	DW	2	N	N	Y			Field Reagent Blank
NAWC-103117-RW-082	10/31/2017	08:40	G	DW	2	N	N	Y			
NAWC-103117-FRB-082	10/31/2017	08:35	G	DW	2	N	N	Y			Field Reagent Blank
NAWC-103117-RW-056	10/31/2017	09:10	G	DW	2	N	N	Y			
NAWC-103117-FRB-056	10/31/2017	09:05	G	DW	2	N	N	Y			Field Reagent Blank
NAWC-103117-RW-117	10/31/2017	09:40	G	DW	2	N	N	Y			
NAWC-103117-FRB-117	10/31/2017	09:35	G	DW	2	N	N	Y			Field Reagent Blank
NAWC-103117-RW-335	10/31/2017	11:40	G	DW	2	N	N	Y			
NAWC-103117-FRB-335	10/31/2017	11:35	G	DW	2	N	N	Y			Field Reagent Blank
NAWC-103117-RW-324	10/31/2017	10:10	G	DW	2	N	N	Y			
NAWC-103117-FRB-324	10/31/2017	10:05	G	DW	2	N	N	Y			Field Reagent Blank
WGNA-103117-DUP-12	10/31/2017	12:00	G	DW	2	N	N	Y			Duplicate
<b>Preservation Used:</b> 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other: <u>Trizma</u>						<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b>					
<b>Possible Hazard Identification:</b> Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the						<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months					
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown											
Fed Ex Tracking: 770622411645											
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No			Custody Seal No.:			Cooler Temp. (°C): Obs'd: <u>4.0</u> Corr'd: <u>—</u>			Therm ID No. <u>A11-3</u>		
Relinquished by:		Company: Tetra Tech		Date/Time: 10/31/2017 16:00		Received by:		Company: <u>TAS</u>		Date/Time: <u>11/01/17 940</u>	
Relinquished by:		Company:		Date/Time:		Received by:		Company:		Date/Time:	
Relinquished by:		Company:		Date/Time:		Received in Laboratory by:		Company:		Date/Time:	



320-32923 Chain of Custody

S:\Willow Grove PFOs Private Well\COCs TTICOC 20171031

Form No. CA-C-WI-002, Rev. 4.11, dated 1/24/2017

Page 22 of 23

11/22/2017



**Job Narrative**  
**320-32923-1**

**Receipt**

The samples were received on 11/1/2017 9:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.6° C and 4.0° C.

**LCMS**

Method(s) 537: The first level standard from the initial calibration curve is used to evaluate the tune criteria. The instrument mass windows are set at +/- 0.5amu; therefore, detection of the analyte serves as verification that the assigned mass is within +/- 0.5amu of the true value, which meets the DoD/DOE QSM tune criterion.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**Organic Prep**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

# Method Summary

Client: Tetra Tech, Inc.  
Project/Site: Warminster: PFAS, NAS JRB Willow Grove

TestAmerica Job ID: 320-32923-1

---

---

<b>Method</b>	<b>Method Description</b>	<b>Protocol</b>	<b>Laboratory</b>
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

# Sample Summary

Client: Tetra Tech, Inc.

TestAmerica Job ID: 320-32923-1

Project/Site: Warminster: PFAS, NAS JRB Willow Grove

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-32923-1	NAWC-103117-RW-081	Water	10/31/17 08:10	11/01/17 09:40
320-32923-2	NAWC-103117-FRB-081	Water	10/31/17 08:05	11/01/17 09:40
320-32923-3	NAWC-103117-RW-082	Water	10/31/17 08:40	11/01/17 09:40
320-32923-4	NAWC-103117-FRB-082	Water	10/31/17 08:35	11/01/17 09:40
320-32923-5	NAWC-103117-RW-056	Water	10/31/17 09:10	11/01/17 09:40
320-32923-6	NAWC-103117-FRB-056	Water	10/31/17 09:05	11/01/17 09:40
320-32923-7	NAWC-103117-RW-117	Water	10/31/17 09:40	11/01/17 09:40
320-32923-8	NAWC-103117-FRB-117	Water	10/31/17 09:35	11/01/17 09:40
320-32923-9	NAWC-103117-RW-335	Water	10/31/17 11:40	11/01/17 09:40
320-32923-10	NAWC-103117-FRB-335	Water	10/31/17 11:35	11/01/17 09:40
320-32923-11	NAWC-103117-RW-324	Water	10/31/17 10:10	11/01/17 09:40
320-32923-12	NAWC-103117-FRB-324	Water	10/31/17 10:05	11/01/17 09:40
320-32923-13	WGNA-103117-DUP-12	Water	10/31/17 12:00	11/01/17 09:40

FORM II  
LCMS SURROGATE RECOVERY

Lab Name: TestAmerica Sacramento

Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Matrix: Water

Level: Low

GC Column (1): GeminiC18 3 ID: 3 (mm)

Client Sample ID	Lab Sample ID	PFHxA #	PFDA #
NAWC-103117-RW-081	320-32923-1	96	86
NAWC-103117-FRB-081	320-32923-2	93	86
NAWC-103117-RW-082	320-32923-3	92	86
NAWC-103117-FRB-082	320-32923-4	96	89
NAWC-103117-RW-056	320-32923-5	95	96
NAWC-103117-FRB-056	320-32923-6	95	85
NAWC-103117-RW-117	320-32923-7	97	86
NAWC-103117-FRB-117	320-32923-8	98	90
NAWC-103117-RW-335	320-32923-9	96	89
NAWC-103117-FRB-335	320-32923-10	96	88
NAWC-103117-RW-324	320-32923-11	94	86
NAWC-103117-FRB-324	320-32923-12	93	87
WGNA-103117-DUP-12	320-32923-13	96	82
	MB 320-193034/1-A	91	77
	LLCS 320-193034/2-A	94	89
NAWC-103117-RW-081 LMS	320-32923-1 LMS	96	90
NAWC-103117-RW-081 LMSD	320-32923-1 LMSD	100	89
	LLCSD 320-193034/3-A	94	85

PFHxA = 13C2 PFHxA  
PFDA = 13C2 PFDA

QC LIMITS  
70-130  
70-130

# Column to be used to flag recovery values

FORM III  
LCMS LOW LEVEL CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Matrix: Water Level: Low Lab File ID: 2017.11.08\_537A\_025.d  
 Lab ID: LLCS 320-193034/2-A Client ID: \_\_\_\_\_

COMPOUND	SPIKE ADDED (ng/L)	LLCS CONCENTRATION (ng/L)	LLCS % REC	QC LIMITS REC	#
Perfluorooctanesulfonic acid (PFOS)	40.0	38.2 J	96	50-150	
Perfluorooctanoic acid (PFOA)	20.0	19.9 J	99	50-150	
Perfluorononanoic acid (PFNA)	20.0	18.4 J	92	50-150	
Perfluorohexanesulfonic acid (PFHxS)	30.0	31.6	105	50-150	
Perfluoroheptanoic acid (PFHpA)	10.0	10.1	101	50-150	
Perfluorobutanesulfonic acid (PFBS)	90.0	88.2 J	98	50-150	

# Column to be used to flag recovery and RPD values

FORM III  
LCMS LOW LEVEL MATRIX SPIKE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Matrix: Water Level: Low Lab File ID: 2017.11.08\_537A\_028.d  
 Lab ID: 320-32923-1 LMS Client ID: NAWC-103117-RW-081 LMS

COMPOUND	SPIKE ADDED (ng/L)	SAMPLE CONCENTRATION (ng/L)	LMS CONCENTRATION (ng/L)	LMS % REC	QC LIMITS REC	#
Perfluorooctanesulfonic acid (PFOS)	39.8	22 J	59.3	93	50-150	
Perfluorooctanoic acid (PFOA)	19.9	16 J	34.9	95	50-150	
Perfluorononanoic acid (PFNA)	19.9	20 U	20.2 J	101	50-150	
Perfluorohexanesulfonic acid (PFHxS)	29.8	13 J	42.7	101	50-150	
Perfluoroheptanoic acid (PFHpA)	9.94	5.3 J	14.6	94	50-150	
Perfluorobutanesulfonic acid (PFBS)	89.5	37 U	103	115	50-150	

# Column to be used to flag recovery and RPD values

FORM III  
LCMS LOW LEVEL MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Matrix: Water Level: Low Lab File ID: 2017.11.08\_537A\_029.d

Lab ID: 320-32923-1 LMSD Client ID: NAWC-103117-RW-081 LMSD

COMPOUND	SPIKE ADDED (ng/L)	LMSD CONCENTRATION (ng/L)	LMSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Perfluorooctanesulfonic acid (PFOS)	39.6	64.2	106	8	50	50-150	M
Perfluorooctanoic acid (PFOA)	19.8	35.9	100	3	50	50-150	
Perfluorononanoic acid (PFNA)	19.8	20.1 J	101	0	50	50-150	
Perfluorohexanesulfonic acid (PFHxS)	29.7	45.3	110	6	50	50-150	
Perfluoroheptanoic acid (PFHpA)	9.91	15.7	104	7	50	50-150	
Perfluorobutanesulfonic acid (PFBS)	89.1	107	120	4	50	50-150	

# Column to be used to flag recovery and RPD values



FORM III  
LCMS LOW LEVEL CONTROL STANDARD DUPLICATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Matrix: Water Level: Low Lab File ID: 2017.11.08\_537A\_026.d

Lab ID: LLCSD 320-193034/3-A Client ID: \_\_\_\_\_

COMPOUND	SPIKE ADDED (ng/L)	LLCSD CONCENTRATION (ng/L)	LLCSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Perfluorooctanesulfonic acid (PFOS)	40.0	40.1	100	5	50	50-150	M
Perfluorooctanoic acid (PFOA)	20.0	19.3 J	96	3	50	50-150	
Perfluorononanoic acid (PFNA)	20.0	18.6 J	93	0.9	50	50-150	
Perfluorohexanesulfonic acid (PFHxS)	30.0	31.9	106	0.7	50	50-150	
Perfluoroheptanoic acid (PFHpA)	10.0	10.2	102	1	50	50-150	
Perfluorobutanesulfonic acid (PFBS)	90.0	93.5	104	6	50	50-150	

# Column to be used to flag recovery and RPD values

FORM IV  
LCMS METHOD BLANK SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab File ID: 2017.11.08\_537A\_024.d Lab Sample ID: MB 320-193034/1-A  
 Matrix: Water Date Extracted: 11/06/2017 11:56  
 Instrument ID: A8\_N Date Analyzed: 11/08/2017 20:28  
 Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LLCS 320-193034/2-A	2017.11.08_537A_025.d	11/08/2017 20:33
	LLCSD 320-193034/3-A	2017.11.08_537A_026.d	11/08/2017 20:37
NAWC-103117-RW-081	320-32923-1	2017.11.08_537A_027.d	11/08/2017 20:42
NAWC-103117-RW-081 LMS	320-32923-1 LMS	2017.11.08_537A_028.d	11/08/2017 20:47
NAWC-103117-RW-081 LMSD	320-32923-1 LMSD	2017.11.08_537A_029.d	11/08/2017 20:51
NAWC-103117-FRB-081	320-32923-2	2017.11.08_537A_030.d	11/08/2017 20:56
NAWC-103117-RW-082	320-32923-3	2017.11.08_537A_031.d	11/08/2017 21:01
NAWC-103117-FRB-082	320-32923-4	2017.11.08_537A_032.d	11/08/2017 21:06
NAWC-103117-RW-056	320-32923-5	2017.11.08_537A_033.d	11/08/2017 21:10
NAWC-103117-FRB-056	320-32923-6	2017.11.08_537A_036.d	11/08/2017 21:24
NAWC-103117-RW-117	320-32923-7	2017.11.08_537A_037.d	11/08/2017 21:29
NAWC-103117-FRB-117	320-32923-8	2017.11.08_537A_038.d	11/08/2017 21:34
NAWC-103117-RW-335	320-32923-9	2017.11.08_537A_039.d	11/08/2017 21:38
NAWC-103117-FRB-335	320-32923-10	2017.11.08_537A_040.d	11/08/2017 21:43
NAWC-103117-RW-324	320-32923-11	2017.11.08_537A_041.d	11/08/2017 21:48
NAWC-103117-FRB-324	320-32923-12	2017.11.08_537A_042.d	11/08/2017 21:52
WGNA-103117-DUP-12	320-32923-13	2017.11.08_537A_043.d	11/08/2017 21:57

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: MB 320-193034/1-A  
 Matrix: Water Lab File ID: 2017.11.08\_537A\_024.d  
 Analysis Method: 537 Date Collected: \_\_\_\_\_  
 Extraction Method: 537 Date Extracted: 11/06/2017 11:56  
 Sample wt/vol: 250.00 (mL) Date Analyzed: 11/08/2017 20:28  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 193699 Units: ng/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	16	U	40	16	6.8
335-67-1	Perfluorooctanoic acid (PFOA)	8.0	U	20	8.0	2.8
375-95-1	Perfluorononanoic acid (PFNA)	20	U	24	20	8.0
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	12	U	30	12	5.5
375-85-9	Perfluoroheptanoic acid (PFHpA)	4.0	U	10	4.0	1.9
375-73-5	Perfluorobutanesulfonic acid (PFBS)	36	U	90	36	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	91		70-130
STL00996	13C2 PFDA	77		70-130

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Instrument ID: A8\_N Calibration Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3(mm) Calibration End Date: 11/03/2017 14:01  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
INITIAL CALIBRATION MEAN AREA AND MEAN RT	1535518	1.91	3276559	2.15		
UPPER LIMIT	2303277	2.41	4914839	2.65		
LOWER LIMIT	767759	1.41	1638280	1.65		
LAB SAMPLE ID	CLIENT SAMPLE ID					
CCVL 320-192908/11	1586829	1.91	3305852	2.15		
ICV 320-192908/13	1512045	1.90	3433628	2.14		
CCV 320-193699/21 CCVIS	1084014	1.90	2835649	2.16		
MB 320-193034/1-A	1215921	1.90	2796921	2.16		
LLCS 320-193034/2-A	1107022	1.90	2639143	2.15		
LLCSD 320-193034/3-A	1109253	1.90	2653124	2.16		
320-32923-1	NAWC-103117-RW-081	1183040	1.90	2747456	2.15	
320-32923-1 LMS	NAWC-103117-RW-081 LMS	1155283	1.90	2844722	2.16	
320-32923-1 LMSD	NAWC-103117-RW-081 LMSD	1112519	1.91	2660865	2.16	
320-32923-2	NAWC-103117-FRB-081	1181747	1.90	2805456	2.16	
320-32923-3	NAWC-103117-RW-082	1180018	1.90	2769253	2.16	
320-32923-4	NAWC-103117-FRB-082	1165152	1.90	2730221	2.15	
320-32923-5	NAWC-103117-RW-056	1106821	1.90	2732515	2.16	
CCV 320-193699/33 CCVIS		1108259	1.90	2829772	2.16	
CCV 320-193701/33 CCVIS		1108259	1.90	2829772	2.16	
320-32923-6	NAWC-103117-FRB-056	1163202	1.90	2749727	2.16	
320-32923-7	NAWC-103117-RW-117	1124180	1.90	2670002	2.15	
320-32923-8	NAWC-103117-FRB-117	1133387	1.90	2701760	2.16	
320-32923-9	NAWC-103117-RW-335	1174130	1.90	2734150	2.16	
320-32923-10	NAWC-103117-FRB-335	1128222	1.90	2644107	2.15	
320-32923-11	NAWC-103117-RW-324	1177750	1.90	2908025	2.15	
320-32923-12	NAWC-103117-FRB-324	1162160	1.90	2772541	2.15	
320-32923-13	WGNA-103117-DUP-12	1155448	1.90	2797190	2.15	
CCV 320-193701/43 CCVIS		1070340	1.90	2705180	2.15	

13PFOA = 13C2-PFOA

PFOS = 13C4 PFOS

Area Limit = 50%-150% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-193699/21 Date Analyzed: 11/08/2017 20:19  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.11.08\_537A\_022 Heated Purge: (Y/N) N  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	1084014	1.90	2835649	2.16		
UPPER LIMIT	1517620	2.40	3969909	2.66		
LOWER LIMIT	758810	1.40	1984954	1.66		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-193034/1-A		1215921	1.90	2796921	2.16	
LLCS 320-193034/2-A		1107022	1.90	2639143	2.15	
LLCSD 320-193034/3-A		1109253	1.90	2653124	2.16	
320-32923-1	NAWC-103117-RW-081	1183040	1.90	2747456	2.15	
320-32923-1 LMS	NAWC-103117-RW-081 LMS	1155283	1.90	2844722	2.16	
320-32923-1 LMSD	NAWC-103117-RW-081 LMSD	1112519	1.91	2660865	2.16	
320-32923-2	NAWC-103117-FRB-081	1181747	1.90	2805456	2.16	
320-32923-3	NAWC-103117-RW-082	1180018	1.90	2769253	2.16	
320-32923-4	NAWC-103117-FRB-082	1165152	1.90	2730221	2.15	
320-32923-5	NAWC-103117-RW-056	1106821	1.90	2732515	2.16	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-193699/33 Date Analyzed: 11/08/2017 21:15  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.11.08\_537A\_034 Heated Purge: (Y/N) N  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	1108259	1.90	2829772	2.16		
UPPER LIMIT	1551563	2.40	3961681	2.66		
LOWER LIMIT	775781	1.40	1980840	1.66		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-193034/1-A		1215921	1.90	2796921	2.16	
LLCS 320-193034/2-A		1107022	1.90	2639143	2.15	
LLCSD 320-193034/3-A		1109253	1.90	2653124	2.16	
320-32923-1	NAWC-103117-RW-081	1183040	1.90	2747456	2.15	
320-32923-1 LMS	NAWC-103117-RW-081 LMS	1155283	1.90	2844722	2.16	
320-32923-1 LMSD	NAWC-103117-RW-081 LMSD	1112519	1.91	2660865	2.16	
320-32923-2	NAWC-103117-FRB-081	1181747	1.90	2805456	2.16	
320-32923-3	NAWC-103117-RW-082	1180018	1.90	2769253	2.16	
320-32923-4	NAWC-103117-FRB-082	1165152	1.90	2730221	2.15	
320-32923-5	NAWC-103117-RW-056	1106821	1.90	2732515	2.16	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-193701/33 Date Analyzed: 11/08/2017 21:15  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.11.08\_537A\_034 Heated Purge: (Y/N) N  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	1108259	1.90	2829772	2.16		
UPPER LIMIT	1551563	2.40	3961681	2.66		
LOWER LIMIT	775781	1.40	1980840	1.66		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-32923-6	NAWC-103117-FRB-056	1163202	1.90	2749727	2.16	
320-32923-7	NAWC-103117-RW-117	1124180	1.90	2670002	2.15	
320-32923-8	NAWC-103117-FRB-117	1133387	1.90	2701760	2.16	
320-32923-9	NAWC-103117-RW-335	1174130	1.90	2734150	2.16	
320-32923-10	NAWC-103117-FRB-335	1128222	1.90	2644107	2.15	
320-32923-11	NAWC-103117-RW-324	1177750	1.90	2908025	2.15	
320-32923-12	NAWC-103117-FRB-324	1162160	1.90	2772541	2.15	
320-32923-13	WGNA-103117-DUP-12	1155448	1.90	2797190	2.15	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-193701/43 Date Analyzed: 11/08/2017 22:02  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.11.08\_537A\_044 Heated Purge: (Y/N) N  
 Calibration ID: 36012

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	1070340	1.90	2705180	2.15		
UPPER LIMIT	1498476	2.40	3787252	2.65		
LOWER LIMIT	749238	1.40	1893626	1.65		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-32923-6	NAWC-103117-FRB-056	1163202	1.90	2749727	2.16	
320-32923-7	NAWC-103117-RW-117	1124180	1.90	2670002	2.15	
320-32923-8	NAWC-103117-FRB-117	1133387	1.90	2701760	2.16	
320-32923-9	NAWC-103117-RW-335	1174130	1.90	2734150	2.16	
320-32923-10	NAWC-103117-FRB-335	1128222	1.90	2644107	2.15	
320-32923-11	NAWC-103117-RW-324	1177750	1.90	2908025	2.15	
320-32923-12	NAWC-103117-FRB-324	1162160	1.90	2772541	2.15	
320-32923-13	WGNA-103117-DUP-12	1155448	1.90	2797190	2.15	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits



FORM VI  
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
CURVE EVALUATION

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1 Analy Batch No.: 192908

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N GC Column: GeminiC18 3 ID: 3(mm) Heated Purge: (Y/N) N

Calibration Start Date: 11/03/2017 13:37 Calibration End Date: 11/03/2017 14:01 Calibration ID: 36012

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-192908/4	2017.11.03_537XICAL_004.d
Level 2	IC 320-192908/5	2017.11.03_537XICAL_005.d
Level 3	IC 320-192908/6	2017.11.03_537XICAL_006.d
Level 4	IC 320-192908/7	2017.11.03_537XICAL_007.d
Level 5	IC 320-192908/8	2017.11.03_537XICAL_008.d
Level 6	IC 320-192908/9	2017.11.03_537XICAL_009.d

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R <sup>2</sup> OR COD	#	MIN R <sup>2</sup> OR COD
	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
Perfluorobutanesulfonic acid (PFBS)	1.0397 0.8468	1.0767	1.0898	0.9577	0.9303	QuaF		1.1193	-0.001498					0.9990			0.9600
Perfluoroheptanoic acid (PFHpA)	0.9433 0.9848	0.9187	0.9551	0.9185	0.9011	Ave		0.9369			3.2		30.0				
Perfluorohexanesulfonic acid (PFHxS)	1.6459 1.6841	1.6355	1.7405	1.6631	1.6755	Ave		1.6741			2.2		30.0				
Perfluorooctanoic acid (PFOA)	0.9757 0.9799	0.8919	0.9000	0.8953	0.9117	Ave		0.9258			4.4		30.0				
Perfluorooctanesulfonic acid (PFOS)	0.8958 0.9902	0.9213	0.9281	0.9268	0.9715	Ave		0.9389			3.7		30.0				
Perfluorononanoic acid (PFNA)	0.6610 0.7042	0.6285	0.6624	0.6810	0.6478	Ave		0.6642			3.9		30.0				
13C2 PFHxA	1.0891 1.1664	1.0526	1.1042	1.1123	1.0772	Ave		1.1003			3.5		30.0				
13C2 PFDA	0.7748 0.8159	0.7295	0.7569	0.7811	0.7330	Ave		0.7652			4.3		30.0				

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type.

FORM VI  
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1 Analy Batch No.: 192908

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N GC Column: GeminiC18 3 ID: 3(mm) Heated Purge: (Y/N) N

Calibration Start Date: 11/03/2017 13:37 Calibration End Date: 11/03/2017 14:01 Calibration ID: 36012

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-192908/4	2017.11.03_537XICAL_004.d
Level 2	IC 320-192908/5	2017.11.03_537XICAL_005.d
Level 3	IC 320-192908/6	2017.11.03_537XICAL_006.d
Level 4	IC 320-192908/7	2017.11.03_537XICAL_007.d
Level 5	IC 320-192908/8	2017.11.03_537XICAL_008.d
Level 6	IC 320-192908/9	2017.11.03_537XICAL_009.d

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (NG/ML)				
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5
Perfluorobutanesulfonic acid (PFBS)	PFOS	QuaF	1076553 16699152	2591121	5461974	10142530	14011858	9.00 180	20.0	45.0	90.0	135
Perfluoroheptanoic acid (PFHpA)	13PF OA	Ave	143455 2810797	331548	736034	1420703	2102676	1.00 20.0	2.22	5.00	10.0	15.0
Perfluorohexanesulfonic acid (PFHxS)	PFOS	Ave	568156 11071993	1312135	2908204	5871843	8413133	3.00 60.0	6.67	15.0	30.0	45.0
Perfluorooctanoic acid (PFOA)	13PF OA	Ave	296934 5597122	644149	1388033	2771271	4257225	2.00 40.0	4.45	10.0	20.0	30.0
Perfluorooctanesulfonic acid (PFOS)	PFOS	Ave	412315 8679676	985487	2067792	4363079	6504279	4.00 80.0	8.89	20.0	40.0	60.0
Perfluorononanoic acid (PFNA)	13PF OA	Ave	201053 4019666	453612	1020851	2106479	3023088	2.00 40.0	4.45	10.0	20.0	30.0
13C2 PFHxA	13PF OA	Ave	1655691 1664260	1708988	1701491	1719911	1675220	10.0 10.0	10.0	10.0	10.0	10.0
13C2 PFDA	13PF OA	Ave	1177922 1164156	1184358	1166275	1207887	1139992	10.0 10.0	10.0	10.0	10.0	10.0

Curve Type Legend:

Ave = Average ISTD
QuaF = Quadratic ISTD forced zero

FORM VI  
 LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
 READBACK PERCENT ERROR

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1 Analy Batch No.: 192908

SDG No.: \_\_\_\_\_


Instrument ID: A8\_N GC Column: GeminiC18 3 ID: 3 (mm) Heated Purge: (Y/N) N


Calibration Start Date: 11/03/2017 13:37 Calibration End Date: 11/03/2017 14:01 Calibration ID: 36012

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-192908/4	2017.11.03_537XICAL_004.d
Level 2	IC 320-192908/5	2017.11.03_537XICAL_005.d
Level 3	IC 320-192908/6	2017.11.03_537XICAL_006.d
Level 4	IC 320-192908/7	2017.11.03_537XICAL_007.d
Level 5	IC 320-192908/8	2017.11.03_537XICAL_008.d
Level 6	IC 320-192908/9	2017.11.03_537XICAL_009.d

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Perfluorobutanesulfonic acid (PFBS)	-6.0	-1.2	3.9	-3.1	1.9	-0.5	50	30	30	30	30	30
Perfluoroheptanoic acid (PFHpA)	0.7	-1.9	1.9	-2.0	-3.8	5.1	50	30	30	30	30	30
Perfluorohexanesulfonic acid (PFHxS)	-1.7	-2.3	4.0	-0.7	0.1	0.6	50	30	30	30	30	30
Perfluorooctanoic acid (PFOA)	5.4	-3.7	-2.8	-3.3	-1.5	5.8	50	30	30	30	30	30
Perfluorooctanesulfonic acid (PFOS)	-4.6	-1.9	-1.2	-1.3	3.5	5.5	50	30	30	30	30	30
Perfluorononanoic acid (PFNA)	-0.5	-5.4	-0.3	2.5	-2.5	6.0	50	30	30	30	30	30
13C2 PFHxA	-1.0	-4.3	0.4	1.1	-2.1	6.0	30	30	30	30	30	30
13C2 PFDA	1.3	-4.7	-1.1	2.1	-4.2	6.6	30	30	30	30	30	30





FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCVL 320-192908/11 Calibration Date: 11/03/2017 14:10  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.03\_537XICAL\_011.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.109		20.4	20.0	1.9	50.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9382		2.23	2.22	0.1	50.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.688		6.72	6.67	0.8	50.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.8825		4.24	4.45	-4.7	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.9176		8.69	8.89	-2.3	50.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6625		4.43	4.45	-0.2	50.0
13C2 PFHxA	Ave	1.100	1.068		9.70	10.0	-3.0	30.0
13C2 PFDA	Ave	0.7652	0.7460		9.75	10.0	-2.5	30.0

FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: ICV 320-192908/13 Calibration Date: 11/03/2017 14:20  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.03\_537XICAL\_013.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		0.8310		83.7	100	-16.4	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.8136		8.68	10.0	-13.2	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.463		17.5	20.1	-12.6	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.7995		17.7	20.5	-13.6	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.8637		18.1	19.7	-8.0	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6428		19.5	20.1	-3.2	30.0
13C2 PFHxA	Ave	1.100	1.039		9.44	10.0	-5.6	30.0
13C2 PFDA	Ave	0.7652	0.7391		9.66	10.0	-3.4	30.0

FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCVL 320-193636/1 Calibration Date: 11/08/2017 18:45  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_002.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.152		21.2	20.0	6.0	50.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9925		2.35	2.22	5.9	50.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.727		6.88	6.67	3.2	50.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9534		4.58	4.45	3.0	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.9318		8.82	8.89	-0.8	50.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6592		4.41	4.45	-0.7	50.0
13C2 PFHxA	Ave	1.100	1.124		10.2	10.0	2.1	30.0
13C2 PFDA	Ave	0.7652	0.7263		9.49	10.0	-5.1	30.0



FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-193699/21 Calibration Date: 11/08/2017 20:19  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_022.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		0.9728		146	135	8.0	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9769		15.6	15.0	4.3	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.658		44.6	45.0	-1.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9402		30.5	30.0	1.6	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.9090		58.1	60.0	-3.2	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6705		30.3	30.0	1.0	30.0
13C2 PFHxA	Ave	1.100	1.172		10.7	10.0	6.5	30.0
13C2 PFDA	Ave	0.7652	0.7420		9.70	10.0	-3.0	30.0

FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-193699/33 Calibration Date: 11/08/2017 21:15  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_034.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.107		47.5	45.0	5.6	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9613		5.13	5.00	2.6	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.708		15.3	15.0	2.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9305		10.1	10.0	0.5	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.8993		19.2	20.0	-4.2	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6674		10.1	10.0	0.5	30.0
13C2 PFHxA	Ave	1.100	1.151		10.5	10.0	4.6	30.0
13C2 PFDA	Ave	0.7652	0.7482		9.78	10.0	-2.2	30.0

FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-193701/33 Calibration Date: 11/08/2017 21:15  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_034.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.107		47.5	45.0	5.6	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9613		5.13	5.00	2.6	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.708		15.3	15.0	2.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9305		10.1	10.0	0.5	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.8993		19.2	20.0	-4.2	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6674		10.1	10.0	0.5	30.0
13C2 PFHxA	Ave	1.100	1.151		10.5	10.0	4.6	30.0
13C2 PFDA	Ave	0.7652	0.7482		9.78	10.0	-2.2	30.0

FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-193701/43 Calibration Date: 11/08/2017 22:02  
 Instrument ID: A8\_N Calib Start Date: 11/03/2017 13:37  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 11/03/2017 14:01  
 Lab File ID: 2017.11.08\_537A\_044.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.024		156	135	15.6	30.0
Perfluoroheptanoic acid (PFHpA)	Ave	0.9369	0.9733		15.6	15.0	3.9	30.0
Perfluorohexanesulfonic acid (PFHxS)	Ave	1.674	1.742		46.8	45.0	4.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9258	0.9519		30.9	30.0	2.8	30.0
Perfluorononanoic acid (PFNA)	Ave	0.6642	0.6738		30.4	30.0	1.4	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	0.9389	0.9432		60.3	60.0	0.5	30.0
13C2 PFHxA	Ave	1.100	1.202		10.9	10.0	9.3	30.0
13C2 PFDA	Ave	0.7652	0.7347		9.60	10.0	-4.0	30.0

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 11/03/2017 13:37

Analysis Batch Number: 192908 End Date: 11/03/2017 14:24

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
IC 320-192908/4		11/03/2017 13:37	1	2017.11.03_537X ICAL 004.d	GeminiC18 3x100 3(mm)
IC 320-192908/5		11/03/2017 13:42	1	2017.11.03_537X ICAL 005.d	GeminiC18 3x100 3(mm)
IC 320-192908/6		11/03/2017 13:47	1	2017.11.03_537X ICAL 006.d	GeminiC18 3x100 3(mm)
IC 320-192908/7 ICISAV		11/03/2017 13:52	1	2017.11.03_537X ICAL 007.d	GeminiC18 3x100 3(mm)
IC 320-192908/8		11/03/2017 13:56	1	2017.11.03_537X ICAL 008.d	GeminiC18 3x100 3(mm)
IC 320-192908/9		11/03/2017 14:01	1	2017.11.03_537X ICAL 009.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/03/2017 14:06	1		GeminiC18 3x100 3(mm)
CCVL 320-192908/11		11/03/2017 14:10	1	2017.11.03_537X ICAL 011.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/03/2017 14:15	1		GeminiC18 3x100 3(mm)
ICV 320-192908/13		11/03/2017 14:20	1	2017.11.03_537X ICAL 013.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/03/2017 14:24	1		GeminiC18 3x100 3(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 11/08/2017 18:45

Analysis Batch Number: 193636 End Date: 11/08/2017 19:37

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCVL 320-193636/1		11/08/2017 18:45	1	2017.11.08_537A 002.d	GeminiC18 3x100 3(mm)
CCV 320-193636/12 CCVIS		11/08/2017 19:37	1		GeminiC18 3x100 3(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 11/08/2017 20:19

Analysis Batch Number: 193699 End Date: 11/08/2017 21:15

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-193699/21 CCVIS		11/08/2017 20:19	1	2017.11.08_537A 022.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/08/2017 20:23	1		GeminiC18 3x100 3(mm)
MB 320-193034/1-A		11/08/2017 20:28	1	2017.11.08_537A 024.d	GeminiC18 3x100 3(mm)
LLCS 320-193034/2-A		11/08/2017 20:33	1	2017.11.08_537A 025.d	GeminiC18 3x100 3(mm)
LLCSD 320-193034/3-A		11/08/2017 20:37	1	2017.11.08_537A 026.d	GeminiC18 3x100 3(mm)
320-32923-1		11/08/2017 20:42	1	2017.11.08_537A 027.d	GeminiC18 3x100 3(mm)
320-32923-1 LMS		11/08/2017 20:47	1	2017.11.08_537A 028.d	GeminiC18 3x100 3(mm)
320-32923-1 LMSD		11/08/2017 20:51	1	2017.11.08_537A 029.d	GeminiC18 3x100 3(mm)
320-32923-2		11/08/2017 20:56	1	2017.11.08_537A 030.d	GeminiC18 3x100 3(mm)
320-32923-3		11/08/2017 21:01	1	2017.11.08_537A 031.d	GeminiC18 3x100 3(mm)
320-32923-4		11/08/2017 21:06	1	2017.11.08_537A 032.d	GeminiC18 3x100 3(mm)
320-32923-5		11/08/2017 21:10	1	2017.11.08_537A 033.d	GeminiC18 3x100 3(mm)
CCV 320-193699/33 CCVIS		11/08/2017 21:15	1	2017.11.08_537A 034.d	GeminiC18 3x100 3(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 11/08/2017 21:15

Analysis Batch Number: 193701 End Date: 11/08/2017 22:02

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-193701/33 CCVIS		11/08/2017 21:15	1	2017.11.08_537A 034.d	GeminiC18 3x100 3(mm)
ZZZZZ		11/08/2017 21:20	1		GeminiC18 3x100 3(mm)
320-32923-6		11/08/2017 21:24	1	2017.11.08_537A 036.d	GeminiC18 3x100 3(mm)
320-32923-7		11/08/2017 21:29	1	2017.11.08_537A 037.d	GeminiC18 3x100 3(mm)
320-32923-8		11/08/2017 21:34	1	2017.11.08_537A 038.d	GeminiC18 3x100 3(mm)
320-32923-9		11/08/2017 21:38	1	2017.11.08_537A 039.d	GeminiC18 3x100 3(mm)
320-32923-10		11/08/2017 21:43	1	2017.11.08_537A 040.d	GeminiC18 3x100 3(mm)
320-32923-11		11/08/2017 21:48	1	2017.11.08_537A 041.d	GeminiC18 3x100 3(mm)
320-32923-12		11/08/2017 21:52	1	2017.11.08_537A 042.d	GeminiC18 3x100 3(mm)
320-32923-13		11/08/2017 21:57	1	2017.11.08_537A 043.d	GeminiC18 3x100 3(mm)
CCV 320-193701/43 CCVIS		11/08/2017 22:02	1	2017.11.08_537A 044.d	GeminiC18 3x100 3(mm)



LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Batch Number: 193034 Batch Start Date: 11/06/17 11:55 Batch Analyst: Kolstad, Kate M

Batch Method: 537 Batch End Date: 11/08/17 11:46

Lab Sample ID	Client Sample ID	Method Chain	Basis	GrossWeight	TareWeight	InitialAmount	FinalAmount	ReceivedpH	LC537-IS 00050
MB 320-193034/1		537, 537				250.00 mL	1.00 mL	7 SU	100 uL
LLCS 320-193034/2		537, 537				250.00 mL	1.00 mL	7 SU	100 uL
LLCSD 320-193034/3		537, 537				250.00 mL	1.00 mL	7 SU	100 uL
320-32923-A-1	NAWC-103117-RW-081	537, 537	T	273.48 g	27.47 g	246 mL	1.00 mL	7 SU	100 uL
320-32923-A-1 LMS	NAWC-103117-RW-081	537, 537	T	279.10 g	27.62 g	251.5 mL	1.00 mL	7 SU	100 uL
320-32923-A-1 LMSD	NAWC-103117-RW-081	537, 537	T	279.46 g	27.09 g	252.4 mL	1.00 mL	7 SU	100 uL
320-32923-A-2	NAWC-103117-FRB-081	537, 537	T	276.63 g	26.87 g	249.8 mL	1.00 mL	7 SU	100 uL
320-32923-A-3	NAWC-103117-RW-082	537, 537	T	277.40 g	27.15 g	250.3 mL	1.00 mL	7 SU	100 uL
320-32923-A-4	NAWC-103117-FRB-082	537, 537	T	269.32 g	27.38 g	241.9 mL	1.00 mL	7 SU	100 uL
320-32923-A-5	NAWC-103117-RW-056	537, 537	T	277.42 g	27.84 g	249.6 mL	1.00 mL	7 SU	100 uL
320-32923-A-6	NAWC-103117-FRB-056	537, 537	T	275.81 g	27.12 g	248.7 mL	1.00 mL	7 SU	100 uL
320-32923-A-7	NAWC-103117-RW-117	537, 537	T	274.56 g	27.33 g	247.2 mL	1.00 mL	7 SU	100 uL
320-32923-A-8	NAWC-103117-FRB-117	537, 537	T	279.97 g	27.37 g	252.6 mL	1.00 mL	7 SU	100 uL
320-32923-A-9	NAWC-103117-RW-335	537, 537	T	275.99 g	27.67 g	248.3 mL	1.00 mL	7 SU	100 uL
320-32923-A-10	NAWC-103117-FRB-335	537, 537	T	280.78 g	27.07 g	253.7 mL	1.00 mL	7 SU	100 uL
320-32923-A-11	NAWC-103117-RW-324	537, 537	T	276.09 g	27.75 g	248.3 mL	1.00 mL	7 SU	100 uL
320-32923-A-12	NAWC-103117-FRB-324	537, 537	T	278.77 g	27.19 g	251.6 mL	1.00 mL	7 SU	100 uL
320-32923-A-13	WGNA-103117-DUP-12	537, 537	T	279.60 g	27.85 g	251.8 mL	1.00 mL	7 SU	100 uL

Lab Sample ID	Client Sample ID	Method Chain	Basis	LC537-LSP 00025	LC537-SU 00050	AnalysisComment			
MB 320-193034/1		537, 537			100 uL	Chlorine ND			
LLCS 320-193034/2		537, 537		100 uL	100 uL	Chlorine ND			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Batch Number: 193034 Batch Start Date: 11/06/17 11:55 Batch Analyst: Kolstad, Kate M

Batch Method: 537 Batch End Date: 11/08/17 11:46

Lab Sample ID	Client Sample ID	Method Chain	Basis	LC537-LSP 00025	LC537-SU 00050	AnalysisComment			
LLCSD 320-193034/3		537, 537		100 uL	100 uL	Chlorine ND			
320-32923-A-1	NAWC-103117-RW-081	537, 537	T		100 uL	Chlorine ND			
320-32923-A-1 LMS	NAWC-103117-RW-081	537, 537	T	100 uL	100 uL	Chlorine ND			
320-32923-A-1 LMSD	NAWC-103117-RW-081	537, 537	T	100 uL	100 uL	Chlorine ND			
320-32923-A-2	NAWC-103117-FRB-081	537, 537	T		100 uL	Chlorine ND			
320-32923-A-3	NAWC-103117-RW-082	537, 537	T		100 uL	Chlorine ND			
320-32923-A-4	NAWC-103117-FRB-082	537, 537	T		100 uL	Chlorine ND			
320-32923-A-5	NAWC-103117-RW-056	537, 537	T		100 uL	Chlorine ND			
320-32923-A-6	NAWC-103117-FRB-056	537, 537	T		100 uL	Chlorine ND			
320-32923-A-7	NAWC-103117-RW-117	537, 537	T		100 uL	Chlorine ND			
320-32923-A-8	NAWC-103117-FRB-117	537, 537	T		100 uL	Chlorine ND			
320-32923-A-9	NAWC-103117-RW-335	537, 537	T		100 uL	Chlorine ND			
320-32923-A-10	NAWC-103117-FRB-335	537, 537	T		100 uL	Chlorine ND			
320-32923-A-11	NAWC-103117-RW-324	537, 537	T		100 uL	Chlorine ND			
320-32923-A-12	NAWC-103117-FRB-324	537, 537	T		100 uL	Chlorine ND			
320-32923-A-13	WGNA-103117-DUP-12	537, 537	T		100 uL	Chlorine ND			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-32923-1

SDG No.: \_\_\_\_\_

Batch Number: 193034 Batch Start Date: 11/06/17 11:55 Batch Analyst: Kolstad, Kate M

Batch Method: 537 Batch End Date: 11/08/17 11:46

Batch Notes	
Analyst ID - Aliquot Step	NSH
Analyst ID - Concentration	NIGHTS/CCB
Analyst ID - Final Volume Step	CCB
Internal Standard ID#	1041858
Manifold ID	1, 3
Methanol ID	1071549
Pipette ID	M16387D
Analyst ID - IS Reagent Drop	CCB
Analyst ID - IS Reagent Drop Witness	NSH
Analyst ID - SU Reagent Drop	CCB
Analyst ID - SU Reagent Drop Witness	KMK
Analyst ID - TA Reagent Drop	CCB
Analyst ID - TA Reagent Drop Witness	KMK
SPE Cartridge ID	6357081-09
Trizma ID	SLBR4303V
Reagent Water ID	11-2-17

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# Aqueous Extraction Analysis Sheet

AB 11/08/17

(To Accompany Samples to Instruments)

Batch Number: 320-193034

Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End: 11/8/2017 11:46:00AM

## Extraction of Perfluorinated Alkyl Acids

Input Sample Lab ID (Analytical Method)	SDG (Job #)	GrossWt TareWt	InitAmnt FinAmnt	Rcvd	PHs Adj1	Adj2	Due Date	Analytical TAT	Div Rank	Comments	Output Sample Lab ID
1 MB-320-193034/1 N/A	N/A		250.00 mL	7			N/A	N/A	N/A	Chlorine ND	
			1.00 mL								
2 LLCS-320-193034/2 N/A	N/A		250.00 mL	7			N/A	N/A	N/A	Chlorine ND	
			1.00 mL								
3 LLCSD-320-193034/3 N/A	N/A		250.00 mL	7			N/A	N/A	N/A	Chlorine ND	
			1.00 mL								
4 320-32923-A-1 (537_DOD5)	N/A (320-32923-1)	273.48 g	246 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.47 g	1.00 mL								
5 320-32923-A-1-LMS (537_DOD5)	N/A (320-32923-1)	279.10 g	251.5 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.62 g	1.00 mL								
6 320-32923-A-1-LMSD (537_DOD5)	N/A (320-32923-1)	279.46 g	252.4 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.09 g	1.00 mL								
7 320-32923-A-2 (537_DOD5)	N/A (320-32923-1)	276.63 g	249.8 mL	7			11/5/17	16_Days	4	Chlorine ND	
		26.87 g	1.00 mL								
8 320-32923-A-3 (537_DOD5)	N/A (320-32923-1)	277.40 g	250.3 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.15 g	1.00 mL								
9 320-32923-A-4 (537_DOD5)	N/A (320-32923-1)	269.32 g	241.9 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.38 g	1.00 mL								
10 320-32923-A-5 (537_DOD5)	N/A (320-32923-1)	277.42 g	249.6 mL	7			11/5/17	16_Days	4	Chlorine ND	
		27.84 g	1.00 mL								

Page 320 of 328

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)









Batch Number: 320-193034

Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End: 11/8/2017 11:46:00AM

11	320-32923-A-6 (537_DOD5)	N/A (320-32923-1)	275.81 g	248.7 mL	7			11/5/17	16_Days	4	Chlorine ND	
			27.12 g	1.00 mL								
12	320-32923-A-7 (537_DOD5)	N/A (320-32923-1)	274.56 g	247.2 mL	7			11/5/17	16_Days	4	Chlorine ND	
			27.33 g	1.00 mL								
13	320-32923-A-8 (537_DOD5)	N/A (320-32923-1)	279.97 g	252.6 mL	7			11/5/17	16_Days	4	Chlorine ND	
			27.37 g	1.00 mL								
14	320-32923-A-9 (537_DOD5)	N/A (320-32923-1)	275.99 g	248.3 mL	7			11/5/17	16_Days	4	Chlorine ND	
			27.67 g	1.00 mL								
15	320-32923-A-10 (537_DOD5)	N/A (320-32923-1)	280.78 g	253.7 mL	7			11/5/17	16_Days	4	Chlorine ND	
			27.07 g	1.00 mL								
16	320-32923-A-11 (537_DOD5)	N/A (320-32923-1)	276.09 g	248.3 mL	7			11/5/17	16_Days	4	Chlorine ND	
			27.75 g	1.00 mL								
17	320-32923-A-12 (537_DOD5)	N/A (320-32923-1)	278.77 g	251.6 mL	7			11/5/17	16_Days	4	Chlorine ND	
			27.19 g	1.00 mL								
18	320-32923-A-13 (537_DOD5)	N/A (320-32923-1)	279.60 g	251.8 mL	7			11/5/17	16_Days	4	Chlorine ND	
			27.85 g	1.00 mL								

Page 321 of 328

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-193034

Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End: 11/8/2017 11:46:00AM

## Batch Notes

Manifold ID 1, 3

Trizma ID SLBR4303V

SPE Cartridge ID 6357081-09

Methanol ID 1071549

Reagent Water ID 11-2-17

Internal Standard ID# 1041858

Pipette ID M16387D

Analyst ID - TA Reagent Drop CCB

Analyst ID - TA Reagent Drop KMK

Witness

Analyst ID - SU Reagent Drop CCB

Analyst ID - SU Reagent Drop KMK

Witness

Analyst ID - IS Reagent Drop CCB

Analyst ID - IS Reagent Drop NSH

Witness

Analyst ID - Concentration NIGHTS/CCB

Analyst ID - Aliquot Step NSH

Analyst ID - Final Volume Step CCB

Batch Comment

## Comments

Page 322 of 328

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-193034



Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End:

## Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
MB 320-193034/1	LC537-SU_00050	100 uL	1.00 mL	<i>ceb</i> 11-6-17 	<i>KMK</i> 11-6-17 
LLCS 320-193034/2	LC537-LSP_00025	100 uL	1.00 mL		
LLCS 320-193034/2	LC537-SU_00050	100 uL	1.00 mL		
LLCSD 320-193034/3	LC537-LSP_00025	100 uL	1.00 mL		
LLCSD 320-193034/3	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-1	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-1 LMS	LC537-LSP_00025	100 uL	1.00 mL		
320-32923-A-1 LMS	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-1 LMSD	LC537-LSP_00025	100 uL	1.00 mL		
320-32923-A-1 LMSD	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-2	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-3	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-4	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-5	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-6	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-7	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-8	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-9	LC537-SU_00050	100 uL	1.00 mL		

Page 323 of 328

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-193034

Analyst: Kolstad, Kate M

Batch Open: 11/6/2017 11:55:00AM

Method Code: 320-537\_Prep-320

Batch End:

320-32923-A-10	LC537-SU_00050	100 uL	1.00 mL	<i>AKS</i> 11-6-17	KMK 11-6-17
320-32923-A-11	LC537-SU_00050	100 uL	1.00 mL	↓	↓
320-32923-A-12	LC537-SU_00050	100 uL	1.00 mL		
320-32923-A-13	LC537-SU_00050	100 uL	1.00 mL		

### Other Reagents:

Reagent	Amount/Units	Lot#:

Page 324 of 328



PFAS Calibration Calculations:

Initial Calibration 11/3/2017  
 Instrument A8\_N

Perfluorohexanesulfonic acid

Analyte Concentration	Analyte Response	Internal Standard Response	Internal Standard Amount	RRF	Reported RRF
3	568156	3298877	28.7	1.64764	1.6459
6.67	1312135	3450592	28.7	1.63622	1.6355
15	2908204	3194016	28.7	1.74212	1.7405
30	5871843	3374600	28.7	1.66461	1.6631
45	8413133	3199479	28.7	1.67706	1.6755
60	11071993	3141787	28.7	1.68570	1.6841
Average				1.67556	1.6741
Standard Deviation				0.0374	
RSD				0.0223	
%RSD				2.23033	2.2

Continuing Calibration 11/08/2017 @ 18:45  
 A8\_N

Perfluorohexanesulfonic acid

Analyte Concentration	Analyte Response	Internal Standard Response	Internal Standard Amount	RRF	%D	Reported RRF	Reported %D
6.67	1121922	2794249	28.7	1.7276	3.1982248	1.727	3.2


Willow Grove  
SDG 320-32923-1

Sample Identification NAWC-103117-RW-081

Compound Perfluorohexanesulfonic acid

Compound Area	496331
Internal Standard Amount (ng)	28.7
Dilution Factor	1
Internal Standard Area	2747456
Average RRF	1.6741
Sample Volume(ml)	246
Volume Extract (ml)	1
Injection Volume (µl)	1
Concentration	12.5894 ng/L

C:\AI\Projects\112008005\WE04\F.S.DR.03\NAWC\_201901.mxd MKB 1/24/2019



**LEGEND**

- PFOA & PFOS BELOW DETECTION LIMITS
- SUM OF PFOA & PFOS CONCENTRATIONS AT OR BELOW 40 PPT
- SUM OF PFOA & PFOS CONCENTRATIONS BETWEEN 40 PPT AND 70 PPT
- SUM OF PFOA & PFOS CONCENTRATIONS ABOVE 70 PPT
- PUBLIC WATER CONNECTION (SOME NOT BY NAVY)
- SAMPLING AREA
- FORMER NAWC WARRINSTER
- TOWNSHIP BOUNDARY



**PFC SAMPLE RESULTS MAP**  
 FORMER NAWC WARRINSTER  
 MONTGOMERY COUNTY, PENNSYLVANIA

SCALE AS NOTED	
FILE	
NAWC	
REV 0	DATE 01/24/19
FIGURE NUMBER	
FIGURE 1	