



**Off-base Drinking Water Sample Results,
Level 2 Laboratory Report, Level 4 Laboratory Report,
Electronic Data Deliverable, Data Validation Report,
and the Sample Location Figure, SDG 320-25188**

Ault Field

Naval Air Station Whidbey Island

Oak Harbor, Washington

February 2019

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Sacramento

880 Riverside Parkway
West Sacramento, CA 95605

Tel: (916)373-5600

TestAmerica Job ID: 320-25188-1

Client Project/Site: Whidbey Island

For:

CH2M Hill Constructors, Inc.
1100 NE Circle Blvd
Corvallis, Oregon 97330

Attn: Tiffany Hill



Authorized for release by:

1/26/2017 3:21:42 PM

Laura Turpen, Project Manager I

(916)374-4414

laura.turpen@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	7
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	11
Lab Chronicle	12
Certification Summary	14
Method Summary	15
Sample Summary	16
Chain of Custody	17
Receipt Checklists	18

Definitions/Glossary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.
M	Manual integrated compound.
J	Estimated: The analyte was positively identified; the quantitation is an estimation

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Case Narrative

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Job ID: 320-25188-1

Laboratory: TestAmerica Sacramento

Narrative

CASE NARRATIVE

Client: CH2M Hill Constructors, Inc.

Project: Whidbey Island

Report Number: 320-25188-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Sacramento attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

TestAmerica utilizes USEPA approved methods and DOD QSM, where applicable, in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. A summary of QC data for these analyses is included at the back of the report.

All parameters for which TestAmerica Sacramento has certification were evaluated to the QSM specified reporting convention or to the client specified format if different from QSM. Parameters not certified under QSM, if any, were evaluated to the detection limit (DL) and include qualified results where applicable.

The sample(s) that contain constituents flagged with U are undetected. The result associated with this flag is the limit of detection (LOD).

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 01/21/2017; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.1 C.

PFOA/PFOS

Samples WI-AF-1RW11-0117 (320-25188-1), WI-AF-1FB11-0117 (320-25188-2), WI-AF-1RW12-0117 (320-25188-3), WI-AF-1FB12-0117 (320-25188-4), WI-AF-1RW13-0117 (320-25188-5), WI-AF-1FB13-0117 (320-25188-6), WI-AF-1RW14-0117 (320-25188-7) and WI-AF-1FB14-0117 (320-25188-8) were analyzed for PFOA/PFOS in accordance with 537. The samples were prepared on 01/24/2017 and analyzed on 01/26/2017.

The level 1 standard from the ICAL is used to evaluate the tune criteria. The instrument mass windows are set at +/- 0.5 amu, so detection of the analyte serves as verification that the assigned mass is within +/- 0.5 amu of the true value, which meets the DOD tune criterion. (ICV 320-147661/12)

Case Narrative

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Job ID: 320-25188-1 (Continued)

Laboratory: TestAmerica Sacramento (Continued)

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 320-147589.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW11-0117

Lab Sample ID: 320-25188-1

No Detections.

Client Sample ID: WI-AF-1FB11-0117

Lab Sample ID: 320-25188-2

No Detections.

Client Sample ID: WI-AF-1RW12-0117

Lab Sample ID: 320-25188-3

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanoic acid (PFOA)	0.0094	J M	0.030	0.0093	ug/L	1	537		Total/NA

Client Sample ID: WI-AF-1FB12-0117

Lab Sample ID: 320-25188-4

No Detections.

Client Sample ID: WI-AF-1RW13-0117

Lab Sample ID: 320-25188-5

No Detections.

Client Sample ID: WI-AF-1FB13-0117

Lab Sample ID: 320-25188-6

No Detections.

Client Sample ID: WI-AF-1RW14-0117

Lab Sample ID: 320-25188-7

No Detections.

Client Sample ID: WI-AF-1FB14-0117

Lab Sample ID: 320-25188-8

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW11-0117

Date Collected: 01/19/17 09:09

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-1

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.045	U M	0.056	0.015	ug/L		01/24/17 10:27	01/26/17 03:36	1
Perfluoroctanoic acid (PFOA)	0.022	U M	0.028	0.0088	ug/L		01/24/17 10:27	01/26/17 03:36	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 03:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	99		70 - 130				01/24/17 10:27	01/26/17 03:36	1
13C2 PFDA	108		70 - 130				01/24/17 10:27	01/26/17 03:36	1

Client Sample ID: WI-AF-1FB11-0117

Date Collected: 01/19/17 09:10

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-2

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.057	0.015	ug/L		01/24/17 10:27	01/26/17 04:05	1
Perfluoroctanoic acid (PFOA)	0.023	U	0.028	0.0089	ug/L		01/24/17 10:27	01/26/17 04:05	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 04:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	108		70 - 130				01/24/17 10:27	01/26/17 04:05	1
13C2 PFDA	110		70 - 130				01/24/17 10:27	01/26/17 04:05	1

Client Sample ID: WI-AF-1RW12-0117

Date Collected: 01/19/17 09:33

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-3

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.047	U M	0.059	0.015	ug/L		01/24/17 10:27	01/26/17 04:35	1
Perfluoroctanoic acid (PFOA)	0.0094	J M	0.030	0.0093	ug/L		01/24/17 10:27	01/26/17 04:35	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L		01/24/17 10:27	01/26/17 04:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	100		70 - 130				01/24/17 10:27	01/26/17 04:35	1
13C2 PFDA	105		70 - 130				01/24/17 10:27	01/26/17 04:35	1

Client Sample ID: WI-AF-1FB12-0117

Date Collected: 01/19/17 09:34

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-4

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.045	U	0.056	0.015	ug/L		01/24/17 10:27	01/26/17 05:04	1
Perfluoroctanoic acid (PFOA)	0.023	U	0.028	0.0089	ug/L		01/24/17 10:27	01/26/17 05:04	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 05:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	105		70 - 130				01/24/17 10:27	01/26/17 05:04	1
13C2 PFDA	103		70 - 130				01/24/17 10:27	01/26/17 05:04	1

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW13-0117

Lab Sample ID: 320-25188-5

Matrix: Water

Date Collected: 01/19/17 10:36
Date Received: 01/21/17 09:00

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.046	U	0.057	0.015	ug/L		01/24/17 10:27	01/26/17 05:34	1
Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.0090	ug/L		01/24/17 10:27	01/26/17 05:34	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U M	0.13	0.046	ug/L		01/24/17 10:27	01/26/17 05:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	103		70 - 130				01/24/17 10:27	01/26/17 05:34	1
13C2 PFDA	113		70 - 130				01/24/17 10:27	01/26/17 05:34	1

Client Sample ID: WI-AF-1FB13-0117

Lab Sample ID: 320-25188-6

Matrix: Water

Date Collected: 01/19/17 10:37
Date Received: 01/21/17 09:00

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.045	U	0.056	0.015	ug/L		01/24/17 10:27	01/26/17 06:04	1
Perfluorooctanoic acid (PFOA)	0.022	U	0.028	0.0088	ug/L		01/24/17 10:27	01/26/17 06:04	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 06:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	106		70 - 130				01/24/17 10:27	01/26/17 06:04	1
13C2 PFDA	105		70 - 130				01/24/17 10:27	01/26/17 06:04	1

Client Sample ID: WI-AF-1RW14-0117

Lab Sample ID: 320-25188-7

Matrix: Water

Date Collected: 01/19/17 18:05
Date Received: 01/21/17 09:00

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.049	U M	0.061	0.016	ug/L		01/24/17 10:27	01/26/17 06:33	1
Perfluorooctanoic acid (PFOA)	0.025	U M	0.031	0.0097	ug/L		01/24/17 10:27	01/26/17 06:33	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.049	ug/L		01/24/17 10:27	01/26/17 06:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	106		70 - 130				01/24/17 10:27	01/26/17 06:33	1
13C2 PFDA	107		70 - 130				01/24/17 10:27	01/26/17 06:33	1

Client Sample ID: WI-AF-1FB14-0117

Lab Sample ID: 320-25188-8

Matrix: Water

Date Collected: 01/19/17 18:06
Date Received: 01/21/17 09:00

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.045	U	0.057	0.015	ug/L		01/24/17 10:27	01/26/17 08:02	1
Perfluorooctanoic acid (PFOA)	0.023	U	0.028	0.0089	ug/L		01/24/17 10:27	01/26/17 08:02	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 08:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	104		70 - 130				01/24/17 10:27	01/26/17 08:02	1
13C2 PFDA	101		70 - 130				01/24/17 10:27	01/26/17 08:02	1

TestAmerica Sacramento

Surrogate Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	3C2 PFHx		3C2 PFDA	
		(70-130)	(70-130)	(70-130)	(70-130)
320-25188-1	WI-AF-1RW11-0117	99	108		
320-25188-2	WI-AF-1FB11-0117	108	110		
320-25188-3	WI-AF-1RW12-0117	100	105		
320-25188-4	WI-AF-1FB12-0117	105	103		
320-25188-5	WI-AF-1RW13-0117	103	113		
320-25188-6	WI-AF-1FB13-0117	106	105		
320-25188-7	WI-AF-1RW14-0117	106	107		
320-25188-8	WI-AF-1FB14-0117	104	101		
LCS 320-147589/2-A	Lab Control Sample	105	100		
LCSD 320-147589/3-A	Lab Control Sample Dup	101	96		
MB 320-147589/1-A	Method Blank	99	95		

Surrogate Legend

13C2 PFHxA = 13C2 PFHxA

13C2 PFDA = 13C2 PFDA

QC Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MB 320-147589/1-A

Matrix: Water

Analysis Batch: 147802

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 147589

Analyte	MB		LOQ	DL	Unit	D	Prepared		Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed		
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L	D	01/24/17 10:27	01/26/17 02:07		1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0094	ug/L		01/24/17 10:27	01/26/17 02:07		1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L		01/24/17 10:27	01/26/17 02:07		1
Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac				
	%Recovery	Qualifier					Prepared	Analyzed		
13C2 PFHxA	99		70 - 130	01/24/17 10:27	01/26/17 02:07	1				
13C2 PFDA	95		70 - 130	01/24/17 10:27	01/26/17 02:07	1				

Lab Sample ID: LCS 320-147589/2-A

Matrix: Water

Analysis Batch: 147802

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 147589

Analyte	Spike		LCS Result	LCS Qualifier	Unit	D	%Rec	Limits		
	Added	Result							%Rec.	Limits
Perfluorooctanesulfonic acid (PFOS)	0.160	0.154	ug/L	D	96	70 - 130				
Perfluorooctanoic acid (PFOA)		0.0781	0.0703	ug/L		90	70 - 130			
Perfluorobutanesulfonic acid (PFBS)		0.359	0.341	ug/L		95	70 - 130			
Surrogate	LCS		LCS Result	LCS Qualifier	Unit	D	%Rec	Limits		
	%Recovery	Qualifier								
13C2 PFHxA	105		70 - 130							
13C2 PFDA	100		70 - 130							

Lab Sample ID: LCSD 320-147589/3-A

Matrix: Water

Analysis Batch: 147802

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 147589

Analyte	Spike		LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
	Added	Result								
Perfluorooctanesulfonic acid (PFOS)	0.160	0.150	ug/L	D	94	70 - 130	3	30		
Perfluorooctanoic acid (PFOA)		0.0781	0.0666	ug/L		85	70 - 130	5	30	
Perfluorobutanesulfonic acid (PFBS)		0.359	0.354	ug/L		98	70 - 130	4	30	
Surrogate	LCSD		LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
	%Recovery	Qualifier								
13C2 PFHxA	101		70 - 130							
13C2 PFDA	96		70 - 130							

QC Association Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

LCMS

Prep Batch: 147589

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25188-1	WI-AF-1RW11-0117	Total/NA	Water	537	5
320-25188-2	WI-AF-1FB11-0117	Total/NA	Water	537	6
320-25188-3	WI-AF-1RW12-0117	Total/NA	Water	537	7
320-25188-4	WI-AF-1FB12-0117	Total/NA	Water	537	8
320-25188-5	WI-AF-1RW13-0117	Total/NA	Water	537	9
320-25188-6	WI-AF-1FB13-0117	Total/NA	Water	537	10
320-25188-7	WI-AF-1RW14-0117	Total/NA	Water	537	11
320-25188-8	WI-AF-1FB14-0117	Total/NA	Water	537	12
MB 320-147589/1-A	Method Blank	Total/NA	Water	537	13
LCS 320-147589/2-A	Lab Control Sample	Total/NA	Water	537	14
LCSD 320-147589/3-A	Lab Control Sample Dup	Total/NA	Water	537	15

Analysis Batch: 147802

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25188-1	WI-AF-1RW11-0117	Total/NA	Water	537	147589
320-25188-2	WI-AF-1FB11-0117	Total/NA	Water	537	147589
320-25188-3	WI-AF-1RW12-0117	Total/NA	Water	537	147589
320-25188-4	WI-AF-1FB12-0117	Total/NA	Water	537	147589
320-25188-5	WI-AF-1RW13-0117	Total/NA	Water	537	147589
320-25188-6	WI-AF-1FB13-0117	Total/NA	Water	537	147589
320-25188-7	WI-AF-1RW14-0117	Total/NA	Water	537	147589
MB 320-147589/1-A	Method Blank	Total/NA	Water	537	147589
LCS 320-147589/2-A	Lab Control Sample	Total/NA	Water	537	147589
LCSD 320-147589/3-A	Lab Control Sample Dup	Total/NA	Water	537	147589

Analysis Batch: 147803

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25188-8	WI-AF-1FB14-0117	Total/NA	Water	537	147589

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW11-0117

Date Collected: 01/19/17 09:09

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			267.2 mL	1.0 mL	147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1			147802	01/26/17 03:36	JRB	TAL SAC

Client Sample ID: WI-AF-1FB11-0117

Date Collected: 01/19/17 09:10

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			263.5 mL	1.0 mL	147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1			147802	01/26/17 04:05	JRB	TAL SAC

Client Sample ID: WI-AF-1RW12-0117

Date Collected: 01/19/17 09:33

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			253.8 mL	1.0 mL	147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1			147802	01/26/17 04:35	JRB	TAL SAC

Client Sample ID: WI-AF-1FB12-0117

Date Collected: 01/19/17 09:34

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			265.6 mL	1.0 mL	147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1			147802	01/26/17 05:04	JRB	TAL SAC

Client Sample ID: WI-AF-1RW13-0117

Date Collected: 01/19/17 10:36

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			261.2 mL	1.0 mL	147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1			147802	01/26/17 05:34	JRB	TAL SAC

Client Sample ID: WI-AF-1FB13-0117

Date Collected: 01/19/17 10:37

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			267.2 mL	1.0 mL	147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1			147802	01/26/17 06:04	JRB	TAL SAC

TestAmerica Sacramento

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW14-0117

Date Collected: 01/19/17 18:05

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			244 mL	1.0 mL	147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1			147802	01/26/17 06:33	JRB	TAL SAC

Client Sample ID: WI-AF-1FB14-0117

Date Collected: 01/19/17 18:06

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			264 mL	1.0 mL	147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1			147803	01/26/17 08:02	JRB	TAL SAC

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Certification Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Laboratory: TestAmerica Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		2928-01	01-31-17
Analysis Method	Prep Method	Matrix	Analyte	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

TestAmerica Sacramento

Method Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Method	Method Description	Protocol	Laboratory
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Sample Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-25188-1	WI-AF-1RW11-0117	Water	01/19/17 09:09	01/21/17 09:00
320-25188-2	WI-AF-1FB11-0117	Water	01/19/17 09:10	01/21/17 09:00
320-25188-3	WI-AF-1RW12-0117	Water	01/19/17 09:33	01/21/17 09:00
320-25188-4	WI-AF-1FB12-0117	Water	01/19/17 09:34	01/21/17 09:00
320-25188-5	WI-AF-1RW13-0117	Water	01/19/17 10:36	01/21/17 09:00
320-25188-6	WI-AF-1FB13-0117	Water	01/19/17 10:37	01/21/17 09:00
320-25188-7	WI-AF-1RW14-0117	Water	01/19/17 18:05	01/21/17 09:00
320-25188-8	WI-AF-1FB14-0117	Water	01/19/17 18:06	01/21/17 09:00

Chain of Custody Record

TestAmerica Laboratories, Inc.

Client Contact		Project Manager: Katie Tippin Tel/Fax: (757) 671-6258	Regulatory Program: <input type="checkbox"/> DW <input type="checkbox"/> INPES <input type="checkbox"/> PCRA <input type="checkbox"/> Other:	Site Contact: Eric Epple Lab Contact: Laura Turpen	Date: 1/19/2017 Carrier: FedEx
Tiffany Hill Project Chemist 1100 NE Circle Blvd Site 300 Corvallis, OR 97330 (541) 768-3109 (541) 908-3794 Project Name: CTO-08 Site: NAS Whidbey Island P O #: 100067106050 - 679580 06 F1/F5	<input checked="" type="checkbox"/> Analysis Turnaround Time <input checked="" type="checkbox"/> WORKING DAYS <input checked="" type="checkbox"/> CALENDAR DAYS TAT if different from Below _____ 7-Day _____ <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day				
USEPA Method 537 (PFoA, PFOS, and PFS) Perform MS / MSD (Y / N) Filed Sample (Y / N)					
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.
WI-AF-1RW11-0117	01/19/17	9:09	G	DW	2
WI-AF-1FB11-0117	01/19/17	9:10	G	DW	2
WI-AF-1RW12-0117	01/19/17	9:33	G	DW	2
WI-AF-1FB12-0117	01/19/17	9:34	G	DW	2
WI-AF-1RW13-0117	01/19/17	10:36	G	DW	2
WI-AF-1FB13-0117	01/19/17	10:37	G	DW	2
WI-AF-1RW14-0117	01/19/17	18:05	G	DW	2
WI-AF-1FB14-0117	01/19/17	18:06	G	DW	2
Preservation Used: 1=Ice, 2=HCl; 3=H2SO4; 4=HNO3; 5=NaOH; 6=Other Trizma					
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please list any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.					
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown					
Special Instructions/QC Requirements & Comments:					
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: Company: CH2M		Cooler Temp. (°C); Obs'd: <u>24</u> Corr: <u>2.6</u> Therm ID No.: <u>17</u> Received by: <u>Jay Hig</u> Date/Time: <u>1/20/17 9:00</u> Company: <u>JHHS</u> Date/Time: <u>1/20/17 9:00</u>	
Relinquished by: <u>MJL</u>		Company: <u>CH2M</u>		Received by: <u>Jay Hig</u> Date/Time: <u>1/20/17 9:00</u> Company: <u>JHHS</u> Date/Time: <u>1/20/17 9:00</u>	
Relinquished by: <u></u>		Company: <u></u>		Received in Laboratory by: <u></u> Company: <u></u> Date/Time: <u></u> Date/Time: <u></u>	
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months					

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Login Sample Receipt Checklist

Client: CH2M Hill Constructors, Inc.

Job Number: 320-25188-1

Login Number: 25188

List Source: TestAmerica Sacramento

List Number: 1

Creator: Hytrek, Cheryl

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT


Job Number: 320-25188-1

Job Description: Whidbey Island

For:

CH2M Hill Constructors, Inc.
1100 NE Circle Blvd
Corvallis, OR 97330

Attention: Tiffany Hill



Approved for release.
Laura Turpen
Project Manager I
1/26/2017 3:23 PM

Laura Turpen, Project Manager I
880 Riverside Parkway, West Sacramento, CA, 95605
(916)374-4414
laura.turpen@testamericainc.com
01/26/2017

Table of Contents

Cover Title Page	1
Data Summaries	4
Definitions	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Default Detection Limits	9
Surrogate Summary	10
QC Sample Results	11
QC Association	12
Chronicle	13
Certification Summary	15
Method Summary	16
Sample Summary	17
Manual Integration Summary	18
Reagent Traceability	20
COAs	29
Organic Sample Data	69
LCMS	69
Method 537 DOD	69
Method 537 DOD QC Summary	70
Method 537 DOD Sample Data	79
Standards Data	118
Method 537 DOD ICAL Data	118
Method 537 DOD CCAL Data	141
Raw QC Data	162

Table of Contents

Method 537 DOD Blank Data	162
Method 537 DOD LCS/LCSD Data	166
Method 537 DOD Run Logs	174
Method 537 DOD Prep Data	177
Shipping and Receiving Documents	189
Client Chain of Custody	190
Sample Receipt Checklist	191

Definitions/Glossary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.
M	Manual integrated compound.
J	Estimated: The analyte was positively identified; the quantitation is an estimation

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

CASE NARRATIVE

Client: CH2M Hill Constructors, Inc.

Project: Whidbey Island

Report Number: 320-25188-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Sacramento attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

TestAmerica utilizes USEPA approved methods and DOD QSM, where applicable, in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. A summary of QC data for these analyses is included at the back of the report.

All parameters for which TestAmerica Sacramento has certification were evaluated to the QSM specified reporting convention or to the client specified format if different from QSM. Parameters not certified under QSM, if any, were evaluated to the detection limit (DL) and include qualified results where applicable.

The sample(s) that contain constituents flagged with U are undetected. The result associated with this flag is the limit of detection (LOD).

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 01/21/2017; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.1 C.

PFOA/PFOS

Samples WI-AF-1RW11-0117 (320-25188-1), WI-AF-1FB11-0117 (320-25188-2), WI-AF-1RW12-0117 (320-25188-3), WI-AF-1FB12-0117 (320-25188-4), WI-AF-1RW13-0117 (320-25188-5), WI-AF-1FB13-0117 (320-25188-6), WI-AF-1RW14-0117 (320-25188-7) and WI-AF-1FB14-0117 (320-25188-8) were analyzed for PFOA/PFOS in accordance with 537. The samples were prepared on 01/24/2017 and analyzed on 01/26/2017.

The level 1 standard from the ICAL is used to evaluate the tune criteria. The instrument mass windows are set at +/- 0.5 amu, so detection of the analyte serves as verification that the assigned mass is within +/- 0.5 amu of the true value, which meets the DOD tune criterion. (ICV 320-147661/12)

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 320-147589.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW11-0117

Lab Sample ID: 320-25188-1

No Detections.

Client Sample ID: WI-AF-1FB11-0117

Lab Sample ID: 320-25188-2

No Detections.

Client Sample ID: WI-AF-1RW12-0117

Lab Sample ID: 320-25188-3

Analyte	Result	Qualifier	LOQ	DL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanoic acid (PFOA)	0.0094	J M	0.030	0.0093	ug/L	1	537		Total/NA

Client Sample ID: WI-AF-1FB12-0117

Lab Sample ID: 320-25188-4

No Detections.

Client Sample ID: WI-AF-1RW13-0117

Lab Sample ID: 320-25188-5

No Detections.

Client Sample ID: WI-AF-1FB13-0117

Lab Sample ID: 320-25188-6

No Detections.

Client Sample ID: WI-AF-1RW14-0117

Lab Sample ID: 320-25188-7

No Detections.

Client Sample ID: WI-AF-1FB14-0117

Lab Sample ID: 320-25188-8

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW11-0117

Date Collected: 01/19/17 09:09
Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-1

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.045	U M	0.056	0.015	ug/L	D	01/24/17 10:27	01/26/17 03:36	1
Perfluoroctanoic acid (PFOA)	0.022	U M	0.028	0.0089	ug/L		01/24/17 10:27	01/26/17 03:36	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 03:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	99		70 - 130				01/24/17 10:27	01/26/17 03:36	1
13C2 PFDA	108		70 - 130				01/24/17 10:27	01/26/17 03:36	1

Client Sample ID: WI-AF-1FB11-0117

Date Collected: 01/19/17 09:10
Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-2

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.046	U	0.057	0.015	ug/L	D	01/24/17 10:27	01/26/17 04:05	1
Perfluoroctanoic acid (PFOA)	0.023	U	0.028	0.0089	ug/L		01/24/17 10:27	01/26/17 04:05	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 04:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	108		70 - 130				01/24/17 10:27	01/26/17 04:05	1
13C2 PFDA	110		70 - 130				01/24/17 10:27	01/26/17 04:05	1

Client Sample ID: WI-AF-1RW12-0117

Date Collected: 01/19/17 09:33
Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-3

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.047	U M	0.059	0.015	ug/L	D	01/24/17 10:27	01/26/17 04:35	1
Perfluoroctanoic acid (PFOA)	0.0094	J M	0.030	0.0093	ug/L		01/24/17 10:27	01/26/17 04:35	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L		01/24/17 10:27	01/26/17 04:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	100		70 - 130				01/24/17 10:27	01/26/17 04:35	1
13C2 PFDA	105		70 - 130				01/24/17 10:27	01/26/17 04:35	1

Client Sample ID: WI-AF-1FB12-0117

Date Collected: 01/19/17 09:34
Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-4

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.045	U	0.056	0.015	ug/L	D	01/24/17 10:27	01/26/17 05:04	1
Perfluoroctanoic acid (PFOA)	0.023	U	0.028	0.0089	ug/L		01/24/17 10:27	01/26/17 05:04	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 05:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	105		70 - 130				01/24/17 10:27	01/26/17 05:04	1
13C2 PFDA	103		70 - 130				01/24/17 10:27	01/26/17 05:04	1

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW13-0117

Date Collected: 01/19/17 10:36
Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-5
Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.046	U	0.057	0.015	ug/L		01/24/17 10:27	01/26/17 05:34	1
Perfluoroctanoic acid (PFOA)	0.023	U	0.029	0.0090	ug/L		01/24/17 10:27	01/26/17 05:34	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U M	0.13	0.046	ug/L		01/24/17 10:27	01/26/17 05:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	103		70 - 130				01/24/17 10:27	01/26/17 05:34	1
13C2 PFDA	113		70 - 130				01/24/17 10:27	01/26/17 05:34	1

Client Sample ID: WI-AF-1FB13-0117

Date Collected: 01/19/17 10:37
Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-6
Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.045	U	0.056	0.015	ug/L		01/24/17 10:27	01/26/17 06:04	1
Perfluoroctanoic acid (PFOA)	0.022	U	0.028	0.0088	ug/L		01/24/17 10:27	01/26/17 06:04	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 06:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	106		70 - 130				01/24/17 10:27	01/26/17 06:04	1
13C2 PFDA	105		70 - 130				01/24/17 10:27	01/26/17 06:04	1

Client Sample ID: WI-AF-1RW14-0117

Date Collected: 01/19/17 18:05
Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-7
Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.049	U M	0.061	0.016	ug/L		01/24/17 10:27	01/26/17 06:33	1
Perfluoroctanoic acid (PFOA)	0.025	U M	0.031	0.0097	ug/L		01/24/17 10:27	01/26/17 06:33	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.049	ug/L		01/24/17 10:27	01/26/17 06:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	106		70 - 130				01/24/17 10:27	01/26/17 06:33	1
13C2 PFDA	107		70 - 130				01/24/17 10:27	01/26/17 06:33	1

Client Sample ID: WI-AF-1FB14-0117

Date Collected: 01/19/17 18:06
Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-8
Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroctanesulfonic acid (PFOS)	0.045	U	0.057	0.015	ug/L		01/24/17 10:27	01/26/17 08:02	1
Perfluoroctanoic acid (PFOA)	0.023	U	0.028	0.0089	ug/L		01/24/17 10:27	01/26/17 08:02	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.045	ug/L		01/24/17 10:27	01/26/17 08:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	104		70 - 130				01/24/17 10:27	01/26/17 08:02	1
13C2 PFDA	101		70 - 130				01/24/17 10:27	01/26/17 08:02	1

TestAmerica Sacramento

Default Detection Limits

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Prep: 537

Analyte	LOQ	DL	Units	Method
Perfluorobutanesulfonic acid (PFBS)	0.14	0.048	ug/L	537
Perfluorooctanesulfonic acid (PFOS)	0.060	0.016	ug/L	537
Perfluorooctanoic acid (PFOA)	0.030	0.0094	ug/L	537

Surrogate Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

3C2 PFHx 3C2 PFDA

(70-130) (70-130)

Lab Sample ID	Client Sample ID	3C2 PFHx (70-130)	3C2 PFDA (70-130)
320-25188-1	WI-AF-1RW11-0117	99	108
320-25188-2	WI-AF-1FB11-0117	108	110
320-25188-3	WI-AF-1RW12-0117	100	105
320-25188-4	WI-AF-1FB12-0117	105	103
320-25188-5	WI-AF-1RW13-0117	103	113
320-25188-6	WI-AF-1FB13-0117	106	105
320-25188-7	WI-AF-1RW14-0117	106	107
320-25188-8	WI-AF-1FB14-0117	104	101
LCS 320-147589/2-A	Lab Control Sample	105	100
LCSD 320-147589/3-A	Lab Control Sample Dup	101	96
MB 320-147589/1-A	Method Blank	99	95

Surrogate Legend

13C2 PFHxA = 13C2 PFHxA

13C2 PFDA = 13C2 PFDA

QC Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MB 320-147589/1-A

Matrix: Water

Analysis Batch: 147802

Analyte	MB		MB		D	Prepared	Analyzed	Dil Fac
	Result	Qualifier	LOQ	DL				
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L	01/24/17 10:27	01/26/17 02:07	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0094	ug/L	01/24/17 10:27	01/26/17 02:07	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L	01/24/17 10:27	01/26/17 02:07	1

Surrogate	MB		MB		D	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier	Limits					
13C2 PFHxA	99		70 - 130			01/24/17 10:27	01/26/17 02:07	1
13C2 PFDA	95		70 - 130			01/24/17 10:27	01/26/17 02:07	1

Lab Sample ID: LCS 320-147589/2-A

Matrix: Water

Analysis Batch: 147802

Analyte	Spike		LCS		Unit	D	%Rec	%Rec.	Limits
	Added	Result	Result	Qualifier					
Perfluorooctanesulfonic acid (PFOS)	0.160	0.154	0.154	ug/L	96	70 - 130			
Perfluorooctanoic acid (PFOA)		0.0781	0.0703	ug/L		90	70 - 130		
Perfluorobutanesulfonic acid (PFBS)		0.359	0.341	ug/L		95	70 - 130		

Surrogate	LCS		LCS		Limits
	%Recovery	Qualifier	Limits		
13C2 PFHxA	105		70 - 130		
13C2 PFDA	100		70 - 130		

Lab Sample ID: LCSD 320-147589/3-A

Matrix: Water

Analysis Batch: 147802

Analyte	Spike		LCSD		Unit	D	%Rec	%Rec.	RPD	Limit
	Added	Result	Result	Qualifier						
Perfluorooctanesulfonic acid (PFOS)	0.160	0.150	0.150	ug/L	94	70 - 130	3	30		
Perfluorooctanoic acid (PFOA)		0.0781	0.0666	ug/L		85	70 - 130	5	30	
Perfluorobutanesulfonic acid (PFBS)		0.359	0.354	ug/L		98	70 - 130	4	30	

Surrogate	LCSD		LCSD		Limits	RPD	Limit
	%Recovery	Qualifier	Limits				
13C2 PFHxA	101		70 - 130				
13C2 PFDA	96		70 - 130				

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 147589

TestAmerica Sacramento

QC Association Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

LCMS

Prep Batch: 147589

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25188-1	WI-AF-1RW11-0117	Total/NA	Water	537	
320-25188-2	WI-AF-1FB11-0117	Total/NA	Water	537	
320-25188-3	WI-AF-1RW12-0117	Total/NA	Water	537	
320-25188-4	WI-AF-1FB12-0117	Total/NA	Water	537	
320-25188-5	WI-AF-1RW13-0117	Total/NA	Water	537	
320-25188-6	WI-AF-1FB13-0117	Total/NA	Water	537	
320-25188-7	WI-AF-1RW14-0117	Total/NA	Water	537	
320-25188-8	WI-AF-1FB14-0117	Total/NA	Water	537	
MB 320-147589/1-A	Method Blank	Total/NA	Water	537	
LCS 320-147589/2-A	Lab Control Sample	Total/NA	Water	537	
LCSD 320-147589/3-A	Lab Control Sample Dup	Total/NA	Water	537	

Analysis Batch: 147802

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25188-1	WI-AF-1RW11-0117	Total/NA	Water	537	147589
320-25188-2	WI-AF-1FB11-0117	Total/NA	Water	537	147589
320-25188-3	WI-AF-1RW12-0117	Total/NA	Water	537	147589
320-25188-4	WI-AF-1FB12-0117	Total/NA	Water	537	147589
320-25188-5	WI-AF-1RW13-0117	Total/NA	Water	537	147589
320-25188-6	WI-AF-1FB13-0117	Total/NA	Water	537	147589
320-25188-7	WI-AF-1RW14-0117	Total/NA	Water	537	147589
MB 320-147589/1-A	Method Blank	Total/NA	Water	537	147589
LCS 320-147589/2-A	Lab Control Sample	Total/NA	Water	537	147589
LCSD 320-147589/3-A	Lab Control Sample Dup	Total/NA	Water	537	147589

Analysis Batch: 147803

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25188-8	WI-AF-1FB14-0117	Total/NA	Water	537	147589

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW11-0117

Date Collected: 01/19/17 09:09

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1	147802	01/26/17 03:36	JRB	TAL SAC

Client Sample ID: WI-AF-1FB11-0117

Date Collected: 01/19/17 09:10

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1	147802	01/26/17 04:05	JRB	TAL SAC

Client Sample ID: WI-AF-1RW12-0117

Date Collected: 01/19/17 09:33

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1	147802	01/26/17 04:35	JRB	TAL SAC

Client Sample ID: WI-AF-1FB12-0117

Date Collected: 01/19/17 09:34

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1	147802	01/26/17 05:04	JRB	TAL SAC

Client Sample ID: WI-AF-1RW13-0117

Date Collected: 01/19/17 10:36

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1	147802	01/26/17 05:34	JRB	TAL SAC

Client Sample ID: WI-AF-1FB13-0117

Date Collected: 01/19/17 10:37

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1	147802	01/26/17 06:04	JRB	TAL SAC

TestAmerica Sacramento

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Client Sample ID: WI-AF-1RW14-0117

Date Collected: 01/19/17 18:05

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1	147802	01/26/17 06:33	JRB	TAL SAC

Client Sample ID: WI-AF-1FB14-0117

Date Collected: 01/19/17 18:06

Date Received: 01/21/17 09:00

Lab Sample ID: 320-25188-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			147589	01/24/17 10:27	NS1	TAL SAC
Total/NA	Analysis	537		1	147803	01/26/17 08:02	JRB	TAL SAC

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Certification Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Laboratory: TestAmerica Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		2928-01	01-31-17
Analysis Method	Prep Method	Matrix	Analyte	

Method Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Method	Method Description	Protocol	Laboratory
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Sample Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25188-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-25188-1	WI-AF-1RW11-0117	Water	01/19/17 09:09	01/21/17 09:00
320-25188-2	WI-AF-1FB11-0117	Water	01/19/17 09:10	01/21/17 09:00
320-25188-3	WI-AF-1RW12-0117	Water	01/19/17 09:33	01/21/17 09:00
320-25188-4	WI-AF-1FB12-0117	Water	01/19/17 09:34	01/21/17 09:00
320-25188-5	WI-AF-1RW13-0117	Water	01/19/17 10:36	01/21/17 09:00
320-25188-6	WI-AF-1FB13-0117	Water	01/19/17 10:37	01/21/17 09:00
320-25188-7	WI-AF-1RW14-0117	Water	01/19/17 18:05	01/21/17 09:00
320-25188-8	WI-AF-1FB14-0117	Water	01/19/17 18:06	01/21/17 09:00

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.: _____

Instrument ID: A6

Analysis Batch Number: 147661

Lab Sample ID: STD 320-147661/3 IC

Client Sample ID: _____

Date Analyzed: 01/24/17 16:04

Lab File ID: 24JAN2017A6A_003.d

GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluoroheptanoic acid	19.43	Split Peak	barnettj	01/25/17 09:52
Perfluorooctanoic acid (PFOA)	20.09	Split Peak	barnettj	01/25/17 09:52

Lab Sample ID: STD 320-147661/4 IC

Client Sample ID: _____

Date Analyzed: 01/24/17 16:33

Lab File ID: 24JAN2017A6A_004.d

GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluoroheptanoic acid	19.43	Split Peak	barnettj	01/25/17 09:52
Perfluorooctanoic acid (PFOA)	20.09	Split Peak	barnettj	01/25/17 09:52

Lab Sample ID: CCV 320-147661/10 CCVL

Client Sample ID: _____

Date Analyzed: 01/24/17 19:31

Lab File ID: 24JAN2017A6A_010.d

GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluoroheptanoic acid	19.44	Split Peak	barnettj	01/25/17 10:08
Perfluorooctanoic acid (PFOA)	20.11	Split Peak	barnettj	01/25/17 10:08

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Instrument ID: A6

Analysis Batch Number: 147802

Lab Sample ID: 320-25188-1

Client Sample ID: WI-AF-1RW11-0117

Date Analyzed: 01/26/17 03:36

Lab File ID: 24JAN2017A6A_075.d

GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanoic acid (PFOA)	20.08	Split Peak	barnettj	01/26/17 11:28
Perfluorooctanesulfonic acid (PFOS)	20.73	Missed Peak	barnettj	01/26/17 11:28

Lab Sample ID: 320-25188-3

Client Sample ID: WI-AF-1RW12-0117

Date Analyzed: 01/26/17 04:35

Lab File ID: 24JAN2017A6A_077.d

GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanoic acid (PFOA)	20.08	Split Peak	barnettj	01/26/17 11:30
Perfluorooctanesulfonic acid (PFOS)	20.71	Missed Peak	barnettj	01/26/17 11:30

Lab Sample ID: 320-25188-5

Client Sample ID: WI-AF-1RW13-0117

Date Analyzed: 01/26/17 05:34

Lab File ID: 24JAN2017A6A_079.d

GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorobutanesulfonic acid (PFBS)	17.68	Missed Peak	barnettj	01/26/17 13:39

Lab Sample ID: 320-25188-7

Client Sample ID: WI-AF-1RW14-0117

Date Analyzed: 01/26/17 06:33

Lab File ID: 24JAN2017A6A_081.d

GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanoic acid (PFOA)	19.91	Split Peak	barnettj	01/26/17 13:41
Perfluorooctanesulfonic acid (PFOS)	20.43	Missed Peak	barnettj	01/26/17 13:41

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
LC537-ICV_00019	03/01/17	12/20/16	MeOH/H ₂ O, Lot 067374	10 mL	LC537-IS_00028	200 uL	13C2-PFOA	10 ng/mL
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C4 PFOS	28.68 ng/mL
.LCMPFOS_00018	06/19/18	Wellington Laboratories, Lot M2PFOA0613			LCMPFOS_00018	300 uL	13C2-PFOA	0.5 ug/mL
.LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	1.434 ug/mL
LC537-ICV_00019	03/01/17	12/20/16	MeOH/H ₂ O, Lot 067374	10 mL	LC537-SU_00027	500 uL	13C2 PFDA	50 ug/mL
					LC537ICIM_00014	25 uL	13C2 PFHxA	47.8 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	10 ng/mL
							Perfluoroctanoic acid (PFOA)	114.77 ng/mL
							Perfluoroctanesulfonic acid (PFOS)	25.0232 ng/mL
.LC537-SU_00027	06/19/17	12/19/16	Methanol, Lot 104453	20000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	27.2389 ng/mL
					LCMPFHxA_00009	80 uL	13C2 PFHxA	0.2 ug/mL
.LCMPFDA_00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			(Purchased Reagent)		13C2 PFDA	0.2 ug/mL
.LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFHxA	50 ug/mL
.LC537ICIM_00014	03/01/17	12/20/16	Methanol, Lot 090285	25 mL	LC537-PFBS2_00005	0.5 mL	Perfluorobutanesulfonic acid (PFBS)	50 ug/mL
					LC537-PFOA2_00008	0.142 mL	Perfluoroctanoic acid (PFOA)	45.908 ug/mL
					LC537-PFOS2_00005	0.22 mL	Perfluoroctanesulfonic acid (PFOS)	10.0093 ug/mL
.LC537-PFBS2_00005	03/01/17	02/29/16	Methanol, Lot 090285	10 mL	LC537_PFBS2_00001	0.023 g	Perfluorobutanesulfonic acid (PFBS)	10.8956 ug/mL
...LC537_PFBS2_00001	08/09/17	Santa Cruz Biotechnology, Lot H0112			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	2295.4 ug/mL
...LC537_PFOA2_00008	07/25/17	12/20/16	Methanol, Lot 090285	10 mL	LC537_PFOA2_00001	0.0178 g	Perfluoroctanoic acid (PFOA)	0.998 g/g
...LC537_PFOA2_00001	07/25/17	Afla Aesar, Lot D24Y026			(Purchased Reagent)		Perfluoroctanoic acid (PFOA)	1762.2 ug/mL
..LC537-PFOS2_00005	03/01/17	02/29/16	Methanol, Lot 090285	10 mL	LC537_PFOS2_00001	0.0159 g	Perfluoroctanesulfonic acid (PFOS)	0.99 g/g
...LC537_PFOS2_00001	07/26/17	Sigma, Lot BCBF5116V			(Purchased Reagent)		Perfluoroctanesulfonic acid (PFOS)	1238.13 ug/mL
...LC537_PFOS2_00001	07/26/17						Perfluoroctanoic acid (PFOA)	0.7787 g/g
LC537-IS_00029	07/04/17	01/04/17	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
.LCM2PFOA_00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
.LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C2-PFOA	50 ug/mL
13C2-PFOA					(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
LC537-L1_00017	06/14/17	12/23/16	MeOH/H ₂ O, Lot 090285	5 mL	LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL
					LC537-MSP_00017	25 uL	13C4 PFOS	28.68 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	8.976 ng/mL
							Perfluoroheptanoic acid	0.99 ng/mL
							Perfluorohexanesulfonic acid	3.02582 ng/mL
							Perfluorononanoic acid	2.07415 ng/mL
							Perfluoroctanoic acid (PFOA)	1.95189 ng/mL
							Perfluoroctanesulfonic acid (PFOS)	4.00664 ng/mL
					LC537-SU_00026	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613		(Purchased Reagent)		13C2-PFOA	50 ug/mL	
..LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL	
.LC537-MSP_00017	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	200 uL	Perfluorobutanesulfonic acid (PFBS)	1795.2 ng/mL
							Perfluoroheptanoic acid	198 ng/mL
							Perfluorohexanesulfonic acid	605.164 ng/mL
							Perfluorononanoic acid	414.831 ng/mL
							Perfluoroctanoic acid (PFOA)	390.378 ng/mL
							Perfluoroctanesulfonic acid (PFOS)	801.328 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHxA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluoroctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluoroctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBs_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBs_00002	04/01/18	Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g	
...LC537-PFHxA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHxA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537_PFHxA_00002	04/01/18	Aldrich, Lot BCBM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g	
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g	
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537_PFNA_00002	04/01/18	TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g	
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluoroctanoic acid (PFOA)	1951.89 ug/mL
....LC537_PFOA_00002	11/04/18	Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluoroctanoic acid (PFOA)	0.999 g/g	
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluoroctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluoroctanesulfonic acid (PFOS)	0.9106 g/g	
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL
							13C2 PFHxA	0.2 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	0.4 ug/mL
					LCMPFHxA_00009	80 uL	13C2 PFHxA	0.4 ug/mL
...LCMPFDA_00008	08/19/20	Wellington Laboratories, Lot MPFDA0815		(Purchased Reagent)		13C2 PFDA	50 ug/mL	
...LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFHxA	50 ug/mL	
LC537-L2_00016	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	34 uL	Perfluorobutanesulfonic acid (PFBS)	22.8888 ng/mL
							Perfluoroheptanoic acid	2.5245 ng/mL
							Perfluorohexanesulfonic acid	7.71585 ng/mL
							Perfluorononanoic acid	5.28909 ng/mL
							Perfluoroctanoic acid (PFOA)	4.97733 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration			
					Reagent ID	Volume Added					
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluoroctanesulfonic acid (PFOS)	10.2169 ng/mL			
							13C2-PFOA	10 ng/mL			
							13C4 PFOS	28.68 ng/mL			
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL			
							Perfluoroheptanoic acid	371.25 ng/mL			
							Perfluorohexanesulfonic acid	1134.68 ng/mL			
							Perfluorononanoic acid	777.808 ng/mL			
							Perfluoroctanoic acid (PFOA)	731.96 ng/mL			
							Perfluoroctanesulfonic acid (PFOS)	1502.49 ng/mL			
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL			
							Perfluoroheptanoic acid	9.9 ug/mL			
							Perfluorohexanesulfonic acid	30.2582 ug/mL			
							Perfluorononanoic acid	20.7415 ug/mL			
							Perfluoroctanoic acid (PFOA)	19.5189 ug/mL			
							Perfluoroctanesulfonic acid (PFOS)	40.0664 ug/mL			
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g			
							Perfluoroheptanoic acid	990 ug/mL			
....LC537_PFHxA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHxA_00002	0.0568 g	Perfluoroheptanoic acid	0.99 g/g			
							Perfluorohexanesulfonic acid	1008.61 ug/mL			
....LC537_PFHxA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxA_00002	0.0061 g	Perfluorohexanesulfonic acid	0.9094 g/g			
							Perfluorononanoic acid	1037.08 ug/mL			
....LC537_PFHxA_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)	0.007 g	Perfluoromonanoic acid	0.963 g/g			
							Perfluoroctanoic acid (PFOA)	1951.89 ug/mL			
....LC537_PFNNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNNA_00002	0.0127 g	(Purchased Reagent)	0.999 g/g			
							Perfluoromonanoic acid	0.9106 g/g			
....LC537_PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	(Purchased Reagent)	0.5 ug/mL			
							Perfluoroctanoic acid (PFOA)	1.434 ug/mL			
....LC537_PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)	0.0066 g	Perfluoroctanoic acid (PFOA)	50 ug/mL			
							Perfluoroctanesulfonic acid (PFOS)	47.8 ug/mL			
....LC537_PFOA_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOA_00002	0.0066 g	(Purchased Reagent)	0.2 ug/mL			
							Perfluoroctanesulfonic acid (PFOS)	0.2 ug/mL			
....LC537_PFOA_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)	0.0066 g	Perfluoroctanesulfonic acid (PFOS)	0.4 ug/mL			
							Perfluoroctanesulfonic acid (PFOS)	0.4 ug/mL			
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	50 ug/mL			
							13C4 PFOS	47.8 ug/mL			
..LCMFOS_00018	06/19/18	Wellington Laboratories, Lot M2PFOA0613			(Purchased Reagent)	80 uL	13C2-PFOA	50 ug/mL			
							13C4 PFOS	47.8 ug/mL			
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL			
							13C2 PFHxA	0.2 ug/mL			
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	0.4 ug/mL			
							13C2 PFHxA	0.4 ug/mL			
...LCMPFDA_00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			(Purchased Reagent)	80 uL	13C2 PFDA	50 ug/mL			
							13C2 PFHxA	50 ug/mL			
...LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)	80 uL	13C2 PFHxA	50 ug/mL			

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
LC537-L3_00019	06/14/17	01/20/17	MeOH/H ₂ O, Lot 090285	5 mL	LC537-HSP_00014	67 uL	Perfluorobutanesulfonic acid (PFBS)	45.1044 ng/mL
							Perfluoroheptanoic acid	4.97475 ng/mL
							Perfluorohexanesulfonic acid	15.2048 ng/mL
							Perfluorononanoic acid	10.4226 ng/mL
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
							Perfluoroheptanoic acid	9.9 ug/mL
							Perfluorohexanesulfonic acid	30.2582 ug/mL
							Perfluorononanoic acid	20.7415 ug/mL
							Perfluoroctanoic acid (PFOA)	19.5189 ug/mL
							Perfluoroctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V			(Purchased Reagent)	Perfluorobutanesulfonic acid (PFBS)	1 g/g
....LC537-PFHpa_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHpa_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537_PFHpa_00002	04/01/18		Aldrich, Lot BCBM2579V			(Purchased Reagent)	Perfluoroheptanoic acid	0.99 g/g
....LC537-PFHxs_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxs_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxs_00002	04/01/18		Sigma, Lot BCBL3545V			(Purchased Reagent)	Perfluorohexanesulfonic acid	0.9094 g/g
....LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F			(Purchased Reagent)	Perfluorononanoic acid	0.963 g/g
....LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluoroctanoic acid (PFOA)	1951.89 ug/mL
....LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV			(Purchased Reagent)	Perfluoroctanoic acid (PFOA)	0.999 g/g
....LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluoroctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV			(Purchased Reagent)	Perfluoroctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00030	07/17/17	01/17/17	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
..LCMPFOS_00018	06/19/18		Wellington Laboratories, Lot M2PFOA0613		LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)	13C2-PFOA	50 ug/mL
.LC537-SU_00029	07/17/17	01/17/17	Methanol, Lot 104453	20000 uL	LCMPFDA_00012	80 uL	13C4 PFOS	47.8 ug/mL
							13C2 PFDA	0.2 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
					LCMPFHxA_00013	80 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFDA 00012	09/30/21	Wellington Laboratories, Lot MPFDA0916		(Purchased Reagent)	13C2 PFDA			50 ug/mL
..LCMPFHxA 00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416		(Purchased Reagent)	13C2 PFHxA			50 ug/mL
LC537-L4_00017	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	135 uL	Perfluorobutanesulfonic acid (PFBS)	90.882 ng/mL
							Perfluoroheptanoic acid	10.0238 ng/mL
							Perfluorohexanesulfonic acid	30.6364 ng/mL
							Perfluorononanoic acid	21.0008 ng/mL
							Perfluoroctanoic acid (PFOA)	19.7629 ng/mL
							Perfluoroctanesulfonic acid (PFOS)	40.5672 ng/mL
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL
							Perfluoroctanoic acid (PFOA)	731.96 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
							Perfluoroheptanoic acid	9.9 ug/mL
							Perfluorohexanesulfonic acid	30.2582 ug/mL
							Perfluorononanoic acid	20.7415 ug/mL
							Perfluoroctanoic acid (PFOA)	19.5189 ug/mL
							Perfluoroctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBs_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBs_00002	04/01/18		Sigma, Lot MKBP8842V			(Purchased Reagent)	Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpa_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHpa_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537_PFHpa_00002	04/01/18		Aldrich, Lot BCBM2579V			(Purchased Reagent)	Perfluoroheptanoic acid	0.99 g/g
....LC537_PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V			(Purchased Reagent)	Perfluorohexanesulfonic acid	0.9094 g/g
....LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537_PFN_A_00002	04/01/18		TCI America, Lot QN44F			(Purchased Reagent)	Perfluorononanoic acid	0.963 g/g
....LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluoroctanoic acid (PFOA)	1951.89 ug/mL
....LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV			(Purchased Reagent)	Perfluoroctanoic acid (PFOA)	0.999 g/g
....LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluoroctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV			(Purchased Reagent)	Perfluoroctanesulfonic acid (PFOS)	0.9106 g/g
..LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration	
					Reagent ID	Volume Added			
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		(Purchased Reagent)		13C2-PFOA	50 ug/mL	
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL	
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL	
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	0.4 ug/mL	
..LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		LCMPFHxA_00009	80 uL	13C2 PFHxA	0.4 ug/mL	
...LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFDA	50 ug/mL	
...LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFHxA	50 ug/mL	
LC537-L5_00020	06/14/17	01/20/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	200 uL	Perfluorobutanesulfonic acid (PFBS)	134.64 ng/mL	
							Perfluoroheptanoic acid	14.85 ng/mL	
							Perfluorohexanesulfonic acid	45.3873 ng/mL	
							Perfluorononanoic acid	31.1123 ng/mL	
							Perfluoroctanoic acid (PFOA)	29.2784 ng/mL	
LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL	
							Perfluoroheptanoic acid	371.25 ng/mL	
							Perfluorohexanesulfonic acid	1134.68 ng/mL	
							Perfluorononanoic acid	777.808 ng/mL	
							Perfluoroctanoic acid (PFOA)	731.96 ng/mL	
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL	
							Perfluoroheptanoic acid	9.9 ug/mL	
							Perfluorohexanesulfonic acid	30.2582 ug/mL	
							Perfluorononanoic acid	20.7415 ug/mL	
							Perfluoroctanoic acid (PFOA)	19.5189 ug/mL	
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBs_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL	
							Perfluorobutanesulfonic acid (PFBS)	1 g/g	
							Perfluoroheptanoic acid	990 ug/mL	
							Perfluoroheptanoic acid	0.99 g/g	
							Perfluorohexanesulfonic acid	1008.61 ug/mL	
....LC537_PFHxA_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g	
					(Purchased Reagent)		Perfluorononanoic acid	1037.08 ug/mL	
					(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g	
					(Purchased Reagent)		Perfluoroctanoic acid (PFOA)	1951.89 ug/mL	
					(Purchased Reagent)		Perfluoroctanoic acid (PFOA)	0.999 g/g	
....LC537_PFHxA_00002	04/01/18		Aldrich, Lot BCBM2579V		LC537_PFHxA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL	
							Perfluoroheptanoic acid	0.99 g/g	
....LC537_PFHxA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxA_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL	
							Perfluorohexanesulfonic acid	0.9094 g/g	
....LC537_PFHxA_00002	04/01/18		Sigma, Lot BCBL3545V		LC537_PFHxA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL	
							Perfluorononanoic acid	0.963 g/g	
....LC537_PFNAs_00002	04/01/18		TCI America, Lot QN44F		LC537_PFNAs_00002	0.0127 g	Perfluoroctanoic acid (PFOA)	1951.89 ug/mL	
							Perfluoroctanoic acid (PFOA)	0.999 g/g	
....LC537_PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL	
							Perfluorobutanesulfonic acid (PFBS)	1 g/g	

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluoroctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluoroctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00030	07/17/17	01/17/17	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00029	07/17/17	01/17/17	Methanol, Lot 104453	20000 uL	LCMPFDA_00012	80 uL	13C2 PFDA	0.2 ug/mL
					LCMPFHxA_00013	80 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFDA_00012	09/30/21		Wellington Laboratories, Lot MPFDA0916		(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA_00013	04/08/21		Wellington Laboratories, Lot MPFHxA0416		(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-L6_00016	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	265 uL	Perfluorobutanesulfonic acid (PFBS)	178.398 ng/mL
							Perfluoroheptanoic acid	19.6763 ng/mL
							Perfluorohexanesulfonic acid	60.1382 ng/mL
							Perfluorononanoic acid	41.2238 ng/mL
							Perfluoroctanoic acid (PFOA)	38.7939 ng/mL
							Perfluoroctanesulfonic acid (PFOS)	79.632 ng/mL
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL
							Perfluoroctanoic acid (PFOA)	731.96 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
							Perfluoroheptanoic acid	9.9 ug/mL
							Perfluorohexanesulfonic acid	30.2582 ug/mL
							Perfluorononanoic acid	20.7415 ug/mL
							Perfluoroctanoic acid (PFOA)	19.5189 ug/mL
							Perfluoroctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHxA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHxA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537_PFHxA_00002	04/01/18		Aldrich, Lot BCBM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
....LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluoroctanoic acid (PFOA)	1951.89 ug/mL
....LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluoroctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluoroctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluoroctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL
					LCMPFDA_00008	80 uL	13C2 PFHxA	0.2 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00009	80 uL	13C2 PFHxA	0.4 ug/mL
...LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		(Purchased Reagent)		13C2 PFDA	50 ug/mL
...LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-MSP_00017	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	200 uL	Perfluorobutane Sulfonate	1795.2 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	1795.2 ng/mL
							Perfluoroheptanoic acid	198 ng/mL
							Perfluorohexanesulfonic acid	605.164 ng/mL
							Perfluorononanoic acid	414.831 ng/mL
							Perfluoroctanoic acid (PFOA)	390.378 ng/mL
							Perfluoroctanesulfonic acid (PFOS)	801.328 ng/mL
.LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutane Sulfonate	89.76 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHxA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxA_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluoroctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluoroctanesulfonic acid (PFOS)	40.0664 ug/mL
..LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutane Sulfonate	2040 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
...LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutane Sulfonate	1 g/g
							Perfluorobutanesulfonic acid (PFBS)	1 g/g
..LC537-PFHxA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHxA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
...LC537_PFHxA_00002	04/01/18		Aldrich, Lot BCBM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
..LC537-PFHxA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxA_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
...LC537_PFHxA_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
..LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
...LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
..LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluoroctanoic acid (PFOA)	1951.89 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
...LC537_PFOA_00002	11/04/18	Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g	
..LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
...LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g	
LC537-SU_00029	07/17/17	01/17/17	Methanol, Lot 104453	20000 uL	LCMPFDA_00012 LCMPFHxA_00013	80 uL 80 uL	13C2 PFDA 13C2 PFHxA	0.2 ug/mL 0.2 ug/mL
.LCMPFDA_00012	09/30/21	Wellington Laboratories, Lot MPFDA0916		(Purchased Reagent)		13C2 PFDA	50 ug/mL	
.LCMPFHxA_00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416		(Purchased Reagent)		13C2 PFHxA	50 ug/mL	

Reagent

LC537_PFBs_00002

C: 4/1/15 SPV

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com


Outside USA: eurtechserv@sial.com

Product Name:

Certificate of Analysis

Nonafluorobutane-1-sulfonic acid - 97%

Product Number: 562629
Batch Number: MKBP8842V
Brand: ALDRICH
CAS Number: 375-73-5
MDL Number: MFCD01320794
Formula: C₄H₉O₃S
Formula Weight: 300.10 g/mol
Storage Temperature: Store at 2 - 8 °C
Quality Release Date: 11 OCT 2013



PFBS

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Fluorine NMR Spectrum	Conforms to Structure	Conforms
Purity (Titration by NaOH)	96.5 - 103.5 %	101.6 %

Jamie Gleason

Jamie Gleason, Manager
 Quality Control
 Milwaukee, Wisconsin US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

LC537_PFB2_00001



The Power to Question

CERTIFICATE OF ANALYSIS

Catalog Number: sc-236187
Product Name: Nonanfluorobutane-1-sulfonic acid
CAS Number: 375-73-5
Molecular Formula: C₄H₉F₉O₃S
Molecular Weight: 300.10
Lot Number: H0112

Test	Result
Refractive Index	1.3200 to 1.3290
Purity (Titration)	min. 98.0%

Test Conditions: Refractive Index: n_{20/D}

Reagent

LC537_PFHpA_00002

R: 4/1/15 SV

SIGMA-ALDRICH®

3050 Spruce Street, Saint Louis, MO 63103 USA
Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name: PERFLUOROHEPTANOIC ACID
99 %
Product Number: 342041
Batch Number: BCBM2579V
Brand: Aldrich
CAS Number: 375-85-9
Formula: $\text{CF}_3(\text{CF}_2)_5\text{CO}_2\text{H}$
Formula Weight: 364.06
Quality Release Date: 06 DEC 2013
Recommended Retest Date: OCT 2018

PFH₇A

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	LIQUID OR SOLID	SOLID
TITRATION	98.5 - 101.5 %	99.8 %
TITRATION (METHOD)	-	BACK TITRATION
PURITY (GC AREA %)	$\geq 98.5 \%$	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

Dr. Claudia Geitner
Manager Quality Control
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

LC537_PFHxS_00002

R: 4/11/15 SW

SIGMA-ALDRICH®3050 Spruce Street, Saint Louis, MO 63103 USA
Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com**Certificate of Analysis**

Product Name: TRIDECAFLUOROHEXANE-1-SULFONIC ACID POTASSIUM SALT
Spec: >= 98.0 % T
Product Number: 50929
Batch Number: BCBL3545V
Brand: Aldrich
CAS Number: 3871-99-6
Formula: C₆F₁₃KO₃S
Formula Weight: 438.20
Quality Release Date: 20 JUN 2013

PFH_xS-K

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	WHITE TO FAINT BEIGE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (ION EXCHANGE)	≥ 98.0 %	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

Dr. Claudia Geitner
Manager Quality Control
Buchs, Switzerland

$$\text{MW corr} = \frac{(k_{\text{form}}) - (k) + (n)}{(438.20 - 391.0 + 1.0)} = \frac{0.91307}{438.20 (k_{\text{form}})} = 0.91307 \text{ (anion form)}$$

$$\text{Purity} = 90.94 \% \text{ w/m.w correction}$$

SW 4/11/15

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

LC537_PFNA_00002

R: 4/1/15 SKV



Certificate of Analysis

Apr 2, 2015 (JST)

TOKYO CHEMICAL INDUSTRY CO.,LTD.
4-10-1 Nihonbashi-Honcho, Chuo-ku, Tokyo 103-0023 Japan

Chemical Name: Heptadecafluororonanoic Acid		
Product Number: H0843 CAS: 375-95-1	Lot: QN44F	

Tests	Results	Specifications
Purity(GC)	96.3 %	min. 95.0 %
Purity(Neutralization titration)	98.1 %	min. 95.0 %
Melting point	63.3 deg-C	62.0 to 67.0 deg-C

TCI Lot numbers are 4-5 characters in length.
Characters listed after the first 4-5 characters are control numbers for internal purpose only.

Customer service:

TCI AMERICA
Tel: +1-800-423-8616 / +1-503-283-1681
Fax: +1-866-520-1075 / +1-503-283-1987
E-mail: Sales-US@TCIchemicals.com

PFNA

Reagent

LC537_PFOA_00002

13/21/15 PV

SIGMA-ALDRICH®

CERTIFICATE OF ANALYSIS

Sigma-Aldrich Laborchemikalien GmbH D-30918 Seelze
Telefon: +49 5137 8238-150

Seelze, 13.11.2013/505378/13/24029

Order-No.:

Customer-No.:

Order-Code:

Quantity:

Production Date: 04.Nov.2013

Expiry Date: 04.Nov.2018

Article/Product: 33824

Batch : SZBD308XV

Pentadecafluorooctanoic acid OEKANAL®

PFCA

Reference Material (RM)

1. General Information

Formula: C₈HF₁₅O₂

Molar mass: 414.07 g/Mole

CAS-No.: [335-67-1]

Recomm. storage temp.: roomtemp.

Usage : PFOA

The estimated uncertainty of a single measurement of the assay can be expected to be 0.5 % relative (confidence level = 95%, n= 6) whereby the assay measurements are calculated by 100% minus found impurities.

2. Batch Analysis

Identify (GC-MS)

complying

Assay (GCMS)

99.4 %

Date of Analysis

13.Nov.2013

3. Advice and Remarks

- The expiry date is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.
- Whenever the container is opened for removal of aliquot portions of the substance, the person handling the substance must assure, that the integrity of the substance is maintained and proper records of all its handlings are kept. Special care has to be taken to avoid any contamination or adulteration of the substance.
- We herewith confirm that the delivery is effected according to the technical delivery conditions agreed.
- Particular properties of the products or the suitability for a particular area of application are not assured.
- We guarantee a proper quality within our General Conditions of Sales.

Sigma-Aldrich Laborchemikalien GmbH
Quality Management SA-LC

GC/MS-Method**Analytical Department****Article:** Pentadecafluoroctanoic acid OEKANAL**Article-No.:** 33824**Batch:** SZBD308XV

Column: XTI-5 (Restek); 30 m; fs cap.; I.D.:0.25 mm; 1 µm df

Injector: Split mode

Injection: approx. 1 µl of reaction mixture with MSTFA (approx. 10 mg + 200 µl MSTFA)

Inj.-temp.: 280°C

Oven-temp.: 40°C (for 2 min) to 320°C (6°C/min) hold for 2 min

Split: 1:100

Flow: 1 ml He/min (Constant flow mode)


Detector: MSD

Mass range: 10-600 amu (Scan mode)


Evaluation: Purity: Total Ion Chromatogram
(MSTFA and reaction products blinded out in report)

Identity: Mass spectrum complies

Operator: Ahrens / 2013-11-13

Total Ion Chromatogram:

Ret.time Area Area-% Com

11.54 565.1670 99.4 Pentadecafluoroctanoic acid (as TMS-ester)
11.95 3.6792 0.64**Mass spectrum (rt = 11.54 min):**

Reagent

LC537_PFOA2_00001

Certificate of Analysis

Alfa Aesar®
A Johnson Matthey Company

Product No.: L08862

Product: Perfluorooctanoic acid, 95%

PFOA

Lot No.: D24Y026

Appearance White solid

Melting point 58 - 60°C

Assay 99 %

Identity Matches reference

This document has been electronically generated and does not require a signature.

www.alfa.com

NORTH AMERICA
Tel: +1-800-343-0660 or
+1-978-521-6300
Fax: +1-800-322-4757
Email: info@alfa.com

GERMANY
Tel: 00800 4566 4566 or
+49 721 84007 280
Fax: 00800 4577 4577 or
+49 721 84007 300
.Email: Eurosales@alfa.com

UNITED KINGDOM
Tel: 0800-801812 or
+44 (0)1524-850506
Fax: +44 (0)1524-850608
Email: UKsales@alfa.com

FRANCE
Tel: 0800 03 51 47 or
+33 (0)3 8862 2690
Fax: 0800 10 20 67 or
+33 (0)3 8862 6864
Email: frventes@alfa.com

INDIA
Tel: +91 8008 812424 or
+91 8008 812525 or
+91 8008 812626
Fax: +91 8418 260060
Email: India@alfa.com

CHINA
Tel: +86 (010) 8567-8600
Fax: +86 (010) 8567-8601
Email: saleschina@alfa-asia.com

KOREA
Tel: +82-2-3140-6000
Fax: +82-2-3140-6002
Email: saleskorea@alfa-asia.com

Reagent

LC537_PFOS_00002

F: 4/115 SV

SIGMA-ALDRICH®

CERTIFICATE OF ANALYSIS

Sigma-Aldrich Laborchemikalien GmbH D-30918 Seelze
Telefon: +49 5137 8238-150

Seelze, 13.08.2012/419060/12/17583

Order-No.:

Customer-No.:

Order-Code:

Quantity:

Production Date: 09.Aug.2012

Expiry Date: 09.Aug.2017 - ~~exp date~~

Article/Product: 33829

Batch : SZBC222XV

Heptadecafluorooctanesulfonic acid potassium salt OEKANAL®

PFOS-K+

Reference Material (RM)

1. General Information

Formula: C₈F₁₇KO₃S

Molar mass: 538.22 g/Mole

CAS-No.: [2795-39-3]

Recomm. storage temp.: roomtemp.

Usage : PFOS

The estimated uncertainty of a single measurement of the assay can be expected to be 0.5 % relative (confidence level = 95%, n= 6) whereby the assay measurements are calculated by 100% minus found impurities.

2. Batch Analysis

Identity

complying

Assay (LC-MS)

98 %

Date of Analysis

10.Aug.2012

W-W-Correction: $\frac{538.22 - 39.10 + 1.01}{538.22} = \frac{500.13}{538.22} = 0.92923$

Purity: 91.06 %

3. Advice and Remarks

- The minimum shelf life is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.
- Whenever the container is opened for removal of aliquot portions of the substance, the person handling the substance must assure, that the integrity of the substance is maintained and proper records of all its handlings are kept. Special care has to be taken to avoid any contamination or adulteration of the substance.
- We herewith confirm that the delivery is effected according to the technical delivery conditions agreed.
- Particular properties of the products or the suitability for a particular area of application are not assured.
- We guarantee a proper quality within our General Conditions of Sales.

Sigma-Aldrich Laborchemikalien GmbH
Quality Management SA-LC

Reagent

LC537_PFOS2_00001

Certificate of Analysis

Inv 820
12LCMS 0579

Product Name: HEPTADECAFLUOROOCTANESULFONIC ACID TETRAETHYLMAMMONIUM SALT
98 %

Product Number: 365289

Product Brand: Aldrich

Molecular Formula: C₁₆H₂₀F₁₇NO₃S

Molecular Mass: 629.37

CAS Number: 56773-42-3

TEST	SPECIFICATION	LOT BCBF5116V RESULTS
APPEARANCE (COLOR)	OFF-WHITE TO WHITE	WHITE
APPEARANCE (FORM)	POWDER, LUMPS OR CHUNKS	POWDER WITH LUMPS
CARBON CONTENT	29.77 % - 31.29 %	30.52
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS


QC RELEASE DATE 13/APR/11

$$\text{MW correction} = \frac{500.125}{629.37} = 0.7946$$

= 79.46% Dated 7-26-12

Purity + MW Correction = 77.87%

E. Schwärzler
Edeltraud Schwärzler, Manager
Quality Control
Buchs, Switzerland



<u>C₈F₁₇SO₃H</u>		<u>C₈H₂₀N</u>
C = 12.011	96.088	96.088
F = 18.998	322.966	-
S = 32.066	32.066	-
O = 15.999	47.997	-
H = 1.008	1.008	20.160
N = 14.007	-	14.007
	<u>500.125</u>	<u>130.255</u> →

Sigma-Aldrich warrants, that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice for additional terms and conditions of sale. The values given on the 'Certificate of Analysis' are the results determined at the time of analysis.

Certificate of Origin

Product Name: Heptadecafluoroctanesulfonic acid tetraethylammonium salt
98 %

Product Number: 365289

Product Brand: Aldrich

Lot: BCBF5116V

Molecular Formula: C₁₆H₂₀F₁₇NO₃S

Molecular Mass: 629.37

CAS Number: 56773-42-3

Date of Issue: 30-MAR-11

Country of Origin China

product is of synthetic origin yes

only synthetic materials used in the manufacturing process yes

compounds of animal origin used no

genetically modified organisms used no

allergenic materials used no

procedures in place to avoid cross contamination with residue of animal, human, GMO or allergenes in manufacturing process yes

Sigma-Aldrich has quality systems and procedures in place for monitoring the production process, traceability and batch consistency.

Document issued by Sigma-Aldrich Corporation "Sigma-Aldrich". This document is valid without signature and has been produced digitally.

This information is to be used for the purpose of determining animal or other biological origin only and not to be confused with "Country of Origin" for import/export purposes. Data provided on this document are property of Sigma-Aldrich.

This information is considered accurate and reliable as of the date appearing on the document and is presented in good faith.

Sigma-Aldrich shall not be held liable for any damage resulting from handling or from processing the above product(s). This document does not make any warranty, express or implied, of fitness for any particular use of the product(s). Purchaser must determine the suitability of the product(s) for its use under the applicable law and regulations.

For further questions please contact your local Sigma-Aldrich representative.

We are committed to the success of our Customers, Employees and Shareholders through leadership in Life Science, High Technology and Service.

Reagent

LCM2PFOA_00005



WELLINGTON LABORATORIES


CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

M2PFOA

LOT NUMBER: M2PFOA0613**COMPOUND:**Perfluoro-n-[1,2-¹³C₂]octanoic acid**STRUCTURE:****CAS #:**

Not available

**MOLECULAR FORMULA:**¹³C₂¹²C₆HF₁₅O₂**MOLECULAR WEIGHT:** 416.05**CONCENTRATION:**

50 ± 2.5 µg/ml

SOLVENT(S): Methanol**CHEMICAL PURITY:**

>98%

ISOTOPIC PURITY: Water (<1%)**LAST TESTED:** (mm/dd/yyyy)

06/19/2013

EXPIRY DATE: (mm/dd/yyyy)

06/19/2018

RECOMMENDED STORAGE: Store ampoule in a cool, dark place**DOCUMENTATION/ DATA ATTACHED:**

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim

Date: 07/16/2013

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
 519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. They are designed to be used as reference standards for the identification and/or quantification of specific chemical compound(s).

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Material Safety Data Sheets (MSDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product, unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, x-ray crystallography and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS and/or LC/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters

x_1, x_2, \dots, x_n on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external, ISO/IEC 17025:2005 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:

Ongoing stability studies of this product have demonstrated stability in its composition and concentration for the period of time specified by the expiry date in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to ISO 9001:2008 by SAI Global, ISO/IEC 17025:2005 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34:2009 by ACCLASS (certificate number AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: M2PFOA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 µm, 2.1 x 100 mm

Mobile phase: Gradient
Start: 50% (80:20 MeOH:ACN) / 50% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 1.5 min
before returning to initial conditions in 0.5 min.
Time: 10 min


Flow: 300 µl/min

MS Parameters

Experiment: Full Scan (150 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 100
Desolvation Gas Flow (l/hr) = 750

Figure 2: M2PFOA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μl (500 ng/ml M2PFOA)

MS Parameters

Collision Gas (mbar) = 3.66e-3
Collision Energy (eV) = 11

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H_2O
(both with 10 mM NH_4OAc buffer)

Flow: 300 $\mu\text{l}/\text{min}$

Reagent

LCMPFDA_00008



605243

ID: LCMPFDA_00008

Exp: 08/19/20 Prod: CBW

13C2-Perfluorodecanoic a

Rec. 3/29/16 JEB ✓



WELLINGTON
LABORATORIES


**CERTIFICATE OF ANALYSIS
DOCUMENTATION**

PRODUCT CODE:

MPFDA

LOT NUMBER: MPFDA0815**COMPOUND:**Perfluoro-n-[1,2-¹³C₂]decanoic acid**STRUCTURE:****CAS #:**

Not available

**MOLECULAR FORMULA:**¹³C₂¹²C₈HF₁₉O₂**CONCENTRATION:**

50 ± 2.5 µg/ml

MOLECULAR WEIGHT: 516.07**CHEMICAL PURITY:**

>98%

SOLVENT(S): Methanol**LAST TESTED:** (mm/dd/yyyy)

08/19/2015

Water (<1%)

EXPIRY DATE: (mm/dd/yyyy)

08/19/2020

ISOTOPIC PURITY: >99% ¹³C**RECOMMENDED STORAGE:**

Store ampoule in a cool, dark place

(1,2-¹³C₂)**DOCUMENTATION/ DATA ATTACHED:**

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of ¹³C₁-PFNA.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim

Date: 08/21/2015

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters

x_1, x_2, \dots, x_n on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFDA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acuity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acuity UPLC BEH Shield RP₁₈
1.7 µm, 2.1 x 100 mm

Mobile phase: Gradient
Start: 50% (80:20 MeOH:ACN) / 50% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 2 min
before returning to initial conditions in 0.5 min.
Time: 10 min


Flow: 300 µl/min

MS Parameters

Experiment: Full Scan (150 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 50
Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFDA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μl (500 ng/ml MPFDA)

MS Parameters


Collision Gas (mbar) = 3.35e-3
Collision Energy (eV) = 13

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H_2O
(both with 10 mM NH_4OAc buffer)

Flow: 300 $\mu\text{l}/\text{min}$

Reagent

LCMPFHxA_00009



WELLINGTON
LABORATORIES



605244

ID: LCMPFHxA_00009

Exp: 04/09/20 Prp: CBW

13C2-Perfluorohexanoic ac

Rec. 3/29/16 JRB ✓

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE:

MPFHxA


COMPOUND:

Perfluoro-n-[1,2-¹³C₂]hexanoic acid

LOT NUMBER: MPFHxA0415

STRUCTURE:

CAS #: Not available



MOLECULAR FORMULA:

¹³C₂¹²C₄HF₁₁O₂

CONCENTRATION:

50 ± 2.5 µg/ml

MOLECULAR WEIGHT: 316.04

CHEMICAL PURITY:

>98%

SOLVENT(S): Methanol

LAST TESTED: (mm/dd/yyyy)

04/09/2015

Water (<1%)

EXPIRY DATE: (mm/dd/yyyy)

04/09/2020

ISOTOPIC PURITY: >99%¹³C

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

(1,2-¹³C₂)

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of perfluoro-n-hexanoic acid and ~ 0.3% of perfluoro-n-octanoic acid.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim

Date: 04/14/2015

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters

x_1, x_2, \dots, x_n on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.


QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFHxA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acuity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acuity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 50% (80:20 MeOH:ACN) / 50% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 2 min
before returning to initial conditions over 0.5 min.
Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 100
Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFHxA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
 10 μl (500 ng/ml MPFHxA)

MS Parameters

Collision Gas (mbar) = 3.20e-3
 Collision Energy (eV) = 10

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H_2O
 (both with 10 mM NH_4OAc buffer)

Flow: 300 $\mu\text{l}/\text{min}$

Reagent

LCMPFOS_00018

R: SBe 9/22/16



738686
ID: LCMPFOS_00018
Exp: 08/03/21 Ppd: SBC
13C4-Perfluorooctanesulfonate




WELLINGTON
LABORATORIES

CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE: MPFOS LOT NUMBER: MPFOS0816
COMPOUND: Sodium perfluoro-1-[1,2,3,4-¹³C₄]octanesulfonate

STRUCTURE: CAS #: Not available



MOLECULAR FORMULA: ¹³C₄¹²C₄F₁₇SO₃Na MOLECULAR WEIGHT: 526.08
CONCENTRATION: 50.0 ± 2.5 µg/ml (Na salt) SOLVENT(S): Methanol
47.8 ± 2.4 µg/ml (MPFOS anion)
CHEMICAL PURITY: >98% ISOTOPIC PURITY: ≥99% ¹³C
LAST TESTED: (mm/dd/yyyy) 08/03/2016 (1,2,3,4-¹³C₄)
EXPIRY DATE: (mm/dd/yyyy) 08/03/2021
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.8% Sodium perfluoro-1-[1,2,3-¹³C₃]heptanesulfonate.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim

Date: 08/05/2016

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters

x_1, x_2, \dots, x_n on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.


QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFOS; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μm, 2.1 x 100 mm

Mobile phase: Gradient

Start: 45% (80:20 MeOH:ACN) / 55% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 1.5 min
before returning to initial conditions in 0.5 min.

Time: 10 min


Flow: 300 μl/min

MS Parameters

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 3.00
Cone Voltage (V) = 60.00
Cone Gas Flow (l/hr) = 50
Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFOS; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
 10 μl (500 ng/ml MPFOS)

MS Parameters

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H_2O
 (both with 10 mM NH_4OAc buffer)

Collision Gas (mbar) = 3.46e-3
 Collision Energy (eV) = 40

Flow: 300 $\mu\text{l}/\text{min}$

Method 537 DOD

Perfluorinated Alkyl Acids (LC/MS)
by Method 537 DOD

FORM II
LCMS SURROGATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Matrix: Water Level: Low
GC Column (1): Acquity ID: 2.1 (mm)

Client Sample ID	Lab Sample ID	PFHxA #	PFDA #
WI-AF-1RW11-0117	320-25188-1	99	108
WI-AF-1FB11-0117	320-25188-2	108	110
WI-AF-1RW12-0117	320-25188-3	100	105
WI-AF-1FB12-0117	320-25188-4	105	103
WI-AF-1RW13-0117	320-25188-5	103	113
WI-AF-1FB13-0117	320-25188-6	106	105
WI-AF-1RW14-0117	320-25188-7	106	107
WI-AF-1FB14-0117	320-25188-8	104	101
	MB 320-147589/1-A	99	95
	LCS 320-147589/2-A	105	100
	LCSD 320-147589/3-A	101	96

PFHxA = 13C2 PFHxA
PFDA = 13C2 PFDA

QC LIMITS
70-130
70-130

Column to be used to flag recovery values

FORM III
LCMS LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Matrix: Water Level: Low Lab File ID: 24JAN2017A6A_073.d
Lab ID: LCS 320-147589/2-A Client ID: _____

COMPOUND	SPIKE ADDED (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC	QC LIMITS REC	#
Perfluorooctanesulfonic acid (PFOS)	0.160	0.154	96	70-130	
Perfluorooctanoic acid (PFOA)	0.0781	0.0703	90	70-130	
Perfluorobutanesulfonic acid (PFBS)	0.359	0.341	95	70-130	

Column to be used to flag recovery and RPD values

FORM III 537

FORM III
LCMS LAB CONTROL SAMPLE DUPLICATE RECOVERY

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.: _____

Matrix: Water Level: Low Lab File ID: 24JAN2017A6A_074.d

Lab ID: LCSD 320-147589/3-A Client ID: _____

COMPOUND	SPIKE ADDED (ug/L)	LCSD CONCENTRATION (ug/L)	LCSD %	%	QC LIMITS		#
					RPD	REC	
Perfluorooctanesulfonic acid (PFOS)	0.160	0.150	94	3	30	70-130	
Perfluorooctanoic acid (PFOA)	0.0781	0.0666	85	5	30	70-130	
Perfluorobutanesulfonic acid (PFBS)	0.359	0.354	98	4	30	70-130	

Column to be used to flag recovery and RPD values

FORM III 537

FORM IV
LCMS METHOD BLANK SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Lab File ID: 24JAN2017A6A_072.d Lab Sample ID: MB 320-147589/1-A
Matrix: Water Date Extracted: 01/24/2017 10:27
Instrument ID: A6 Date Analyzed: 01/26/2017 02:07
Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LCS 320-147589/2-A	24JAN2017A6 A 073.d	01/26/2017 02:36
	LCSD 320-147589/3-A	24JAN2017A6 A 074.d	01/26/2017 03:06
WI-AF-1RW11-0117	320-25188-1	24JAN2017A6 A 075.d	01/26/2017 03:36
WI-AF-1FB11-0117	320-25188-2	24JAN2017A6 A 076.d	01/26/2017 04:05
WI-AF-1RW12-0117	320-25188-3	24JAN2017A6 A 077.d	01/26/2017 04:35
WI-AF-1FB12-0117	320-25188-4	24JAN2017A6 A 078.d	01/26/2017 05:04
WI-AF-1RW13-0117	320-25188-5	24JAN2017A6 A 079.d	01/26/2017 05:34
WI-AF-1FB13-0117	320-25188-6	24JAN2017A6 A 080.d	01/26/2017 06:04
WI-AF-1RW14-0117	320-25188-7	24JAN2017A6 A 081.d	01/26/2017 06:33
WI-AF-1FB14-0117	320-25188-8	24JAN2017A6 A 084.d	01/26/2017 08:02

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Instrument ID: A6 Calibration Start Date: 01/24/2017 16:04
GC Column: Acquity ID: 2.1 (mm) Calibration End Date: 01/24/2017 18:32
Calibration ID: 27898

		13PFOA		PFOS			
		AREA #	RT #	AREA #	RT #	AREA #	RT #
INITIAL CALIBRATION MEAN AREA AND MEAN RT		653829	20.10	1228760	20.73		
UPPER LIMIT		980744	20.60	1843140	21.23		
LOWER LIMIT		326915	19.60	614380	20.23		
LAB SAMPLE ID	CLIENT SAMPLE ID						
CCV 320-147661/10 CCVL		685988	20.11	1294038	20.75		
ICV 320-147661/12		604008	20.11	1139050	20.74		
CCV 320-147802/23 CCVIS		693146	20.08	1298786	20.71		
MB 320-147589/1-A		743427	20.08	1331212	20.71		
LCS 320-147589/2-A		715573	20.08	1322235	20.71		
LCSD 320-147589/3-A		724988	20.08	1333141	20.73		
320-25188-1	WI-AF-1RW11-0117	673448	20.08	1414125	20.71		
320-25188-2	WI-AF-1FB11-0117	650899	20.08	1270340	20.70		
320-25188-3	WI-AF-1RW12-0117	623597	20.08	1278341	20.71		
320-25188-4	WI-AF-1FB12-0117	678695	20.07	1281924	20.70		
320-25188-5	WI-AF-1RW13-0117	632483	20.08	1268835	20.71		
320-25188-6	WI-AF-1FB13-0117	654795	20.07	1241902	20.70		
320-25188-7	WI-AF-1RW14-0117	619408	20.08	1322896	20.71		
CCV 320-147802/35 CCVIS		658721	20.07	1148372	20.70		
CCV 320-147803/35 CCVIS		658721	20.07	1148372	20.70		
320-25188-8	WI-AF-1FB14-0117	687340	20.07	1292983	20.70		
CCV 320-147803/47 CCVIS		723663	20.08	1362380	20.73		

13PFOA = 13C2-PFOA
PFOS = 13C4 PFOS

Area Limit = 50%-150% of internal standard area
RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Sample No.: CCV 320-147802/23 Date Analyzed: 01/26/2017 01:08
Instrument ID: A6 GC Column: Acquity ID: 2.1 (mm)
Lab File ID (Standard): 24JAN2017A6A_070.d Heated Purge: (Y/N) N
Calibration ID: 27898

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	693146	20.08	1298786	20.71		
UPPER LIMIT	970404	20.58	1818300	21.21		
LOWER LIMIT	485202	19.58	909150	20.21		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-147589/1-A		743427	20.08	1331212	20.71	
LCS 320-147589/2-A		715573	20.08	1322235	20.71	
LCSD 320-147589/3-A		724988	20.08	1333141	20.73	
320-25188-1	WI-AF-1RW11-0117	673448	20.08	1414125	20.71	
320-25188-2	WI-AF-1FB11-0117	650899	20.08	1270340	20.70	
320-25188-3	WI-AF-1RW12-0117	623597	20.08	1278341	20.71	
320-25188-4	WI-AF-1FB12-0117	678695	20.07	1281924	20.70	
320-25188-5	WI-AF-1RW13-0117	632483	20.08	1268835	20.71	
320-25188-6	WI-AF-1FB13-0117	654795	20.07	1241902	20.70	
320-25188-7	WI-AF-1RW14-0117	619408	20.08	1322896	20.71	

13PFOA = 13C2-PFOA
13PFOA = 13C2-PFOA
PFOS = 13C4 PFOS
PFOS = 13C4 PFOS
Area Limit = 70%-140% of internal standard area
RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Sample No.: CCV 320-147802/35 Date Analyzed: 01/26/2017 07:03
Instrument ID: A6 GC Column: Acquity ID: 2.1 (mm)
Lab File ID (Standard): 24JAN2017A6A_082.d Heated Purge: (Y/N) N
Calibration ID: 27898

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	658721	20.07	1148372	20.70		
UPPER LIMIT	922209	20.57	1607721	21.20		
LOWER LIMIT	461105	19.57	803860	20.20		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-147589/1-A		743427	20.08	1331212	20.71	
LCS 320-147589/2-A		715573	20.08	1322235	20.71	
LCSD 320-147589/3-A		724988	20.08	1333141	20.73	
320-25188-1	WI-AF-1RW11-0117	673448	20.08	1414125	20.71	
320-25188-2	WI-AF-1FB11-0117	650899	20.08	1270340	20.70	
320-25188-3	WI-AF-1RW12-0117	623597	20.08	1278341	20.71	
320-25188-4	WI-AF-1FB12-0117	678695	20.07	1281924	20.70	
320-25188-5	WI-AF-1RW13-0117	632483	20.08	1268835	20.71	
320-25188-6	WI-AF-1FB13-0117	654795	20.07	1241902	20.70	
320-25188-7	WI-AF-1RW14-0117	619408	20.08	1322896	20.71	

13PFOA = 13C2-PFOA
13PFOA = 13C2-PFOA
PFOS = 13C4 PFOS
PFOS = 13C4 PFOS
Area Limit = 70%-140% of internal standard area
RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Sample No.: CCV 320-147803/35 Date Analyzed: 01/26/2017 07:03
Instrument ID: A6 GC Column: Acquity ID: 2.1 (mm)
Lab File ID (Standard): 24JAN2017A6A_082.d Heated Purge: (Y/N) N
Calibration ID: 27898

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	658721	20.07	1148372	20.70		
UPPER LIMIT	922209	20.57	1607721	21.20		
LOWER LIMIT	461105	19.57	803860	20.20		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-25188-8	WI-AF-1FB14-0117	687340	20.07	1292983	20.70	

13PFOA = 13C2-PFOA
13PFOA = 13C2-PFOA
PFOS = 13C4 PFOS
PFOS = 13C4 PFOS
Area Limit = 70%-140% of internal standard area
RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Sample No.: CCV 320-147803/47 Date Analyzed: 01/26/2017 12:58
Instrument ID: A6 GC Column: Acuity ID: 2.1 (mm)
Lab File ID (Standard): 24JAN2017A6A_094.d Heated Purge: (Y/N) N
Calibration ID: 27898

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	723663	20.08	1362380	20.73		
UPPER LIMIT	1013128	20.58	1907332	21.23		
LOWER LIMIT	506564	19.58	953666	20.23		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-25188-8	WI-AF-1FB14-0117	687340	20.07	1292983	20.70	

13PFOA = 13C2-PFOA
13PFOA = 13C2-PFOA
PFOS = 13C4 PFOS
PFOS = 13C4 PFOS
Area Limit = 70%-140% of internal standard area
RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.:
 Client Sample ID: WI-AF-1RW11-0117 Lab Sample ID: 320-25188-1
 Matrix: Water Lab File ID: 24JAN2017A6A_075.d
 Analysis Method: 537 Date Collected: 01/19/2017 09:09
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 267.2 (mL) Date Analyzed: 01/26/2017 03:36
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture:
 Analysis Batch No.: 147802 GPC Cleanup: (Y/N) N
 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.045	U M	0.056	0.045	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U M	0.028	0.022	0.0088
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	99		70-130
STL00996	13C2 PFDA	108		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_075.d
 Lims ID: 320-25188-A-1-A
 Client ID: WI-AF-1RW11-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 03:36:09 ALS Bottle#: 40 Worklist Smp#: 28
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-1-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:02 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:28:22

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid								
299.0 > 80.0	17.712	17.683	0.029	1.000	1219	0.0326	4.8	
\$ 2 13C2 PFHxA								
315.0 > 270.0	18.649	18.640	0.009	1.000	798117	9.93	26500	
3 Perfluorohexanesulfonic acid								M
399.0 > 80.0	19.391	19.392	-0.001	1.000	910	0.0196	5.7	M
* 5 13C2-PFOA								
415.0 > 370.0	20.082	20.082	0.0		673448	10.0	18433	
6 Perfluorooctanoic acid								M
413.0 > 369.0	20.082	20.082	0.0	1.000	1300	0.0192	0.7	M
7 Perfluorooctane sulfonic acid								M
499.0 > 80.0	20.726	20.454	0.272	1.000	1073	0.0198	30.0	M
* 8 13C4 PFOS								
503.0 > 80.0	20.714	20.714	0.0		1414125	28.7	38500	
\$ 10 13C2 PFDA								
515.0 > 470.0	21.524	21.524	0.0	1.000	730373	10.8	24725	


QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_075.d
 Injection Date: 26-Jan-2017 03:36:09
 Lims ID: 320-25188-A-1-A
 Client ID: WI-AF-1RW11-0117
 Operator ID: CBW
 Injection Vol: 10.0 ul
 Method: 537_A6

ALS Bottle#:	40	Worklist Smp#:	28
Dil. Factor:	1.0000	Limit Group:	LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_075.d
 Lims ID: 320-25188-A-1-A
 Client ID: WI-AF-1RW11-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 03:36:09 ALS Bottle#: 40 Worklist Smp#: 28
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-1-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:02 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:28:22

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.93	99.33
\$ 10 13C2 PFDA	10.0	10.8	107.56

TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_075.d
 Injection Date: 26-Jan-2017 03:36:09 Instrument ID: A6
 Lims ID: 320-25188-A-1-A Lab Sample ID: 320-25188-1
 Client ID: WI-AF-1RW11-0117
 Operator ID: CBW ALS Bottle#: 40 Worklist Smp#: 28
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector F5:MRM

7 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
 Expected RT: 20.45

Processing Integration Results



RT: 20.73
 Area: 1073
 Amount: 0.019790
 Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 26-Jan-2017 11:28:22

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_075.d
 Injection Date: 26-Jan-2017 03:36:09 Instrument ID: A6
 Lims ID: 320-25188-A-1-A Lab Sample ID: 320-25188-1
 Client ID: WI-AF-1RW11-0117
 Operator ID: CBW ALS Bottle#: 40 Worklist Smp#: 28
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector F4:MRM

6 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


RT: 20.33
 Area: 17706
 Amount: 0.261394
 Amount Units: ng/ml

Processing Integration Results



RT: 20.08
 Area: 1300
 Amount: 0.019192
 Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 26-Jan-2017 11:28:22

Audit Action: Manually Integrated

Audit Reason: Split Peak

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.:
 Client Sample ID: WI-AF-1FB11-0117 Lab Sample ID: 320-25188-2
 Matrix: Water Lab File ID: 24JAN2017A6A_076.d
 Analysis Method: 537 Date Collected: 01/19/2017 09:10
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 263.5 (mL) Date Analyzed: 01/26/2017 04:05
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture:
 Analysis Batch No.: 147802 GPC Cleanup: (Y/N) N
 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.057	0.046	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.028	0.023	0.0089
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	108		70-130
STL00996	13C2 PFDA	110		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_076.d
 Lims ID: 320-25188-A-2-A
 Client ID: WI-AF-1FB11-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 04:05:46 ALS Bottle#: 41 Worklist Smp#: 29
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-2-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:29:36

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------


\$ 2 13C2 PFHxA
 315.0 > 270.0 18.640 18.640 0.0 1.000 837471 10.8 28030
 * 5 13C2-PFOA
 415.0 > 370.0 20.082 20.082 0.0 650899 10.0 17932
 * 8 13C4 PFOS
 503.0 > 80.0 20.702 20.714 -0.012 1270340 28.7 27756
 9 Perfluorononanoic acid M
 463.0 > 419.0 20.809 20.785 0.024 1.000 893 0.0119 12.0 M
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.515 21.524 -0.009 1.000 722607 11.0 24154

QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_076.d
 Injection Date: 26-Jan-2017 04:05:46 Instrument ID: A6
 Lims ID: 320-25188-A-2-A Lab Sample ID: 320-25188-2
 Client ID: WI-AF-1FB11-0117
 Operator ID: CBW ALS Bottle#: 41 Worklist Smp#: 29
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_076.d
 Lims ID: 320-25188-A-2-A
 Client ID: WI-AF-1FB11-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 04:05:46 ALS Bottle#: 41 Worklist Smp#: 29
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-2-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:29:36

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.8	107.84
\$ 10 13C2 PFDA	10.0	11.0	110.10

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.:
 Client Sample ID: WI-AF-1RW12-0117 Lab Sample ID: 320-25188-3
 Matrix: Water Lab File ID: 24JAN2017A6A_077.d
 Analysis Method: 537 Date Collected: 01/19/2017 09:33
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 253.8 (mL) Date Analyzed: 01/26/2017 04:35
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture:
 Analysis Batch No.: 147802 GPC Cleanup: (Y/N) N
 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U M	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.0094	J M	0.030	0.024	0.0093
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	100		70-130
STL00996	13C2 PFDA	105		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_077.d
 Lims ID: 320-25188-A-3-A
 Client ID: WI-AF-1RW12-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 04:35:21 ALS Bottle#: 42 Worklist Smp#: 30
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-3-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:30:58

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid								
299.0 > 80.0	17.683	17.683	0.0	1.000	21181	0.6266	64.1	
\$ 2 13C2 PFHxA								
315.0 > 270.0	18.640	18.640	0.0	1.000	746944	10.0	25016	
3 Perfluorohexanesulfonic acid								
399.0 > 80.0	19.380	19.392	-0.012	1.000	22324	0.5326	547	
4 Perfluoroheptanoic acid								M
363.0 > 319.0	19.415	19.427	-0.012	1.000	33903	0.4449	34.9	M
* 5 13C2-PFOA								
415.0 > 370.0	20.082	20.082	0.0		623597	10.0	17308	
6 Perfluoroctanoic acid								M
413.0 > 369.0	20.082	20.082	0.0	1.000	150242	2.40	103	M
7 Perfluoroctane sulfonic acid								M
499.0 > 80.0	20.714	20.454	0.260	1.000	27075	0.5524	552	M
* 8 13C4 PFOS								
503.0 > 80.0	20.714	20.714	0.0		1278341	28.7	35099	
\$ 10 13C2 PFDA								
515.0 > 470.0	21.516	21.524	-0.008	1.000	661661	10.5	22636	


QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_077.d
 Injection Date: 26-Jan-2017 04:35:21
 Lims ID: 320-25188-A-3-A
 Client ID: WI-AF-1RW12-0117
 Operator ID: CBW
 Injection Vol: 10.0 ul
 Method: 537_A6

Instrument ID: A6
 Lab Sample ID: 320-25188-3
 ALS Bottle#: 42
 Dil. Factor: 1.0000
 Limit Group: LC 537 ICAL
 Worklist Smp#: 30



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_077.d
 Lims ID: 320-25188-A-3-A
 Client ID: WI-AF-1RW12-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 04:35:21 ALS Bottle#: 42 Worklist Smp#: 30
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-3-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:30:58

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.0	100.39
\$ 10 13C2 PFDA	10.0	10.5	105.23

TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_077.d
 Injection Date: 26-Jan-2017 04:35:21 Instrument ID: A6
 Lims ID: 320-25188-A-3-A Lab Sample ID: 320-25188-3
 Client ID: WI-AF-1RW12-0117
 Operator ID: CBW ALS Bottle#: 42 Worklist Smp#: 30
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector F5:MRM


7 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1

Not Detected


Expected RT: 20.45

Processing Integration Results



Manual Integration Results

RT: 20.71
 Area: 27075
 Amount: 0.552415
 Amount Units: ng/ml



Reviewer: barnettj, 26-Jan-2017 11:30:58

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_077.d
 Injection Date: 26-Jan-2017 04:35:21 Instrument ID: A6
 Lims ID: 320-25188-A-3-A Lab Sample ID: 320-25188-3
 Client ID: WI-AF-1RW12-0117
 Operator ID: CBW ALS Bottle#: 42 Worklist Smp#: 30
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector: F4:MRM

6 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


Processing Integration Results

RT: 20.08
 Area: 159376
 Amount: 2.540963
 Amount Units: ng/ml



Manual Integration Results

RT: 20.08
 Area: 150242
 Amount: 2.395338
 Amount Units: ng/ml



Reviewer: barnettj, 26-Jan-2017 11:30:58

Audit Action: Manually Integrated

Audit Reason: Split Peak

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.:
 Client Sample ID: WI-AF-1FB12-0117 Lab Sample ID: 320-25188-4
 Matrix: Water Lab File ID: 24JAN2017A6A_078.d
 Analysis Method: 537 Date Collected: 01/19/2017 09:34
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 265.6 (mL) Date Analyzed: 01/26/2017 05:04
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture:
 Analysis Batch No.: 147802 GPC Cleanup: (Y/N) N
 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.045	U	0.056	0.045	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.028	0.023	0.0089
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	105		70-130
STL00996	13C2 PFDA	103		70-130

TestAmerica Sacramento
Target Compound Quantitation Report


Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_078.d
 Lims ID: 320-25188-A-4-A
 Client ID: WI-AF-1FB12-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 05:04:56 ALS Bottle#: 43 Worklist Smp#: 31
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-4-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:31:17

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA
 315.0 > 270.0 18.640 18.640 0.0 1.000 847905 10.5 28203
 * 5 13C2-PFOA
 415.0 > 370.0 20.070 20.082 -0.012 678695 10.0 18602
 * 8 13C4 PFOS
 503.0 > 80.0 20.702 20.714 -0.012 1281924 28.7 35123
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.515 21.524 -0.009 1.000 704948 10.3 23807

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_078.d
 Injection Date: 26-Jan-2017 05:04:56 Instrument ID: A6
 Lims ID: 320-25188-A-4-A Lab Sample ID: 320-25188-4
 Client ID: WI-AF-1FB12-0117
 Operator ID: CBW ALS Bottle#: 43 Worklist Smp#: 31
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_078.d
 Lims ID: 320-25188-A-4-A
 Client ID: WI-AF-1FB12-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 05:04:56 ALS Bottle#: 43 Worklist Smp#: 31
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-4-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:31:17

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.5	104.71
\$ 10 13C2 PFDA	10.0	10.3	103.02

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.:
 Client Sample ID: WI-AF-1RW13-0117 Lab Sample ID: 320-25188-5
 Matrix: Water Lab File ID: 24JAN2017A6A_079.d
 Analysis Method: 537 Date Collected: 01/19/2017 10:36
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 261.2 (mL) Date Analyzed: 01/26/2017 05:34
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture:
 Analysis Batch No.: 147802 GPC Cleanup: (Y/N) N
 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.057	0.046	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.023	0.0090
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U M	0.13	0.11	0.046

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	103		70-130
STL00996	13C2 PFDA	113		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_079.d
 Lims ID: 320-25188-A-5-A
 Client ID: WI-AF-1RW13-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 05:34:30 ALS Bottle#: 44 Worklist Smp#: 32
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-5-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 13:39:27

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------


1 Perfluorobutanesulfonic acid							M	
299.0 > 80.0	17.683	17.683	0.0	1.000	443	0.0132	2.3	M
\$ 2 13C2 PFHxA								
315.0 > 270.0	18.649	18.640	0.009	1.000	780419	10.3	26169	
* 5 13C2-PFOA								
415.0 > 370.0	20.082	20.082	0.0		632483	10.0	17344	
* 8 13C4 PFOS								
503.0 > 80.0	20.714	20.714	0.0		1268835	28.7	27814	
\$ 10 13C2 PFDA								
515.0 > 470.0	21.516	21.524	-0.008	1.000	719000	11.3	24358	

QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_079.d
 Injection Date: 26-Jan-2017 05:34:30 Instrument ID: A6
 Lims ID: 320-25188-A-5-A Lab Sample ID: 320-25188-5
 Client ID: WI-AF-1RW13-0117
 Operator ID: CBW ALS Bottle#: 44 Worklist Smp#: 32
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_079.d
 Lims ID: 320-25188-A-5-A
 Client ID: WI-AF-1RW13-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 05:34:30 ALS Bottle#: 44 Worklist Smp#: 32
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-5-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 13:39:27

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.3	103.42
\$ 10 13C2 PFDA	10.0	11.3	112.75

TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_079.d
 Injection Date: 26-Jan-2017 05:34:30 Instrument ID: A6
 Lims ID: 320-25188-A-5-A Lab Sample ID: 320-25188-5
 Client ID: WI-AF-1RW13-0117
 Operator ID: CBW ALS Bottle#: 44 Worklist Smp#: 32
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector F1:MRM


1 Perfluorobutanesulfonic acid, CAS: 375-73-5

Signal: 1

Not Detected


Expected RT: 17.68

Processing Integration Results



Manual Integration Results

RT: 17.68
 Area: 443
 Amount: 0.013203
 Amount Units: ng/ml



Reviewer: barnettj, 26-Jan-2017 13:39:27

Audit Action: Manually Integrated

Audit Reason: Missed Peak

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.:
 Client Sample ID: WI-AF-1FB13-0117 Lab Sample ID: 320-25188-6
 Matrix: Water Lab File ID: 24JAN2017A6A_080.d
 Analysis Method: 537 Date Collected: 01/19/2017 10:37
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 267.2 (mL) Date Analyzed: 01/26/2017 06:04
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture:
 Analysis Batch No.: 147802 GPC Cleanup: (Y/N) N
 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.045	U	0.056	0.045	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.028	0.022	0.0088
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	106		70-130
STL00996	13C2 PFDA	105		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_080.d
 Lims ID: 320-25188-A-6-A
 Client ID: WI-AF-1FB13-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 06:04:05 ALS Bottle#: 45 Worklist Smp#: 33
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-6-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 13:40:43

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA
 315.0 > 270.0 18.640 18.640 0.0 1.000 831764 10.6 27888
 * 5 13C2-PFOA
 415.0 > 370.0 20.070 20.082 -0.012 654795 10.0 17942
 * 8 13C4 PFOS
 503.0 > 80.0 20.702 20.714 -0.012 1241902 28.7 34086
 9 Perfluorononanoic acid M
 463.0 > 419.0 20.762 20.785 -0.023 1.000 604 0.008030 9.3 M
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.507 21.524 -0.017 1.000 691048 10.5 23566


QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_080.d
 Injection Date: 26-Jan-2017 06:04:05 Instrument ID: A6
 Lims ID: 320-25188-A-6-A Lab Sample ID: 320-25188-6
 Client ID: WI-AF-1FB13-0117
 Operator ID: CBW ALS Bottle#: 45 Worklist Smp#: 33
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_080.d
 Lims ID: 320-25188-A-6-A
 Client ID: WI-AF-1FB13-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 06:04:05 ALS Bottle#: 45 Worklist Smp#: 33
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-6-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 13:40:43

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.6	106.47
\$ 10 13C2 PFDA	10.0	10.5	104.67

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.:
 Client Sample ID: WI-AF-1RW14-0117 Lab Sample ID: 320-25188-7
 Matrix: Water Lab File ID: 24JAN2017A6A_081.d
 Analysis Method: 537 Date Collected: 01/19/2017 18:05
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 244 (mL) Date Analyzed: 01/26/2017 06:33
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture:
 Analysis Batch No.: 147802 GPC Cleanup: (Y/N) N
 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.049	U M	0.061	0.049	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.025	U M	0.031	0.025	0.0097
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.049

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	106		70-130
STL00996	13C2 PFDA	107		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_081.d
 Lims ID: 320-25188-A-7-A
 Client ID: WI-AF-1RW14-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 06:33:42 ALS Bottle#: 46 Worklist Smp#: 34
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-7-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 13:41:58

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------


1 Perfluorobutanesulfonic acid								
299.0 > 80.0	17.699	17.683	0.016	1.000	12747	0.3644	41.5	
\$ 2 13C2 PFHxA								
315.0 > 270.0	18.649	18.640	0.009	1.000	779900	10.6	26088	
3 Perfluorohexanesulfonic acid								
399.0 > 80.0	19.392	19.392	0.0	1.000	20750	0.4783	549	
* 5 13C2-PFOA								
415.0 > 370.0	20.082	20.082	0.0		619408	10.0	16949	
6 Perfluorooctanoic acid							M	
413.0 > 369.0	19.905	20.082	-0.177	1.000	20821	0.3342	9.5	M
7 Perfluorooctane sulfonic acid							M	
499.0 > 80.0	20.430	20.454	-0.024	1.000	2280	0.0450	69.0	M
* 8 13C4 PFOS								
503.0 > 80.0	20.714	20.714	0.0		1322896	28.7	36153	
\$ 10 13C2 PFDA								
515.0 > 470.0	21.524	21.524	0.0	1.000	667015	10.7	22298	

QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_081.d
 Injection Date: 26-Jan-2017 06:33:42 Instrument ID: A6
 Lims ID: 320-25188-A-7-A Lab Sample ID: 320-25188-7
 Client ID: WI-AF-1RW14-0117
 Operator ID: CBW ALS Bottle#: 46 Worklist Smp#: 34
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_081.d
 Lims ID: 320-25188-A-7-A
 Client ID: WI-AF-1RW14-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 06:33:42 ALS Bottle#: 46 Worklist Smp#: 34
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-7-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:41:58 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 13:41:58

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.6	105.53
\$ 10 13C2 PFDA	10.0	10.7	106.80

TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_081.d
 Injection Date: 26-Jan-2017 06:33:42 Instrument ID: A6
 Lims ID: 320-25188-A-7-A Lab Sample ID: 320-25188-7
 Client ID: WI-AF-1RW14-0117
 Operator ID: CBW ALS Bottle#: 46 Worklist Smp#: 34
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector F5:MRM


7 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1

Not Detected


Expected RT: 20.45

Processing Integration Results



Manual Integration Results

RT: 20.43
 Area: 2280
 Amount: 0.044952
 Amount Units: ng/ml



Reviewer: barnettj, 26-Jan-2017 13:41:58

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_081.d
 Injection Date: 26-Jan-2017 06:33:42 Instrument ID: A6
 Lims ID: 320-25188-A-7-A Lab Sample ID: 320-25188-7
 Client ID: WI-AF-1RW14-0117
 Operator ID: CBW ALS Bottle#: 46 Worklist Smp#: 34
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector: F4:MRM

6 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


RT: 19.90
 Area: 29368
 Amount: 0.471386
 Amount Units: ng/ml

Processing Integration Results



RT: 19.90
 Area: 20821
 Amount: 0.334198
 Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 26-Jan-2017 13:41:58

Audit Action: Manually Integrated

Audit Reason: Split Peak

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.:
 Client Sample ID: WI-AF-1FB14-0117 Lab Sample ID: 320-25188-8
 Matrix: Water Lab File ID: 24JAN2017A6A_084.d
 Analysis Method: 537 Date Collected: 01/19/2017 18:06
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 264 (mL) Date Analyzed: 01/26/2017 08:02
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture:
 Analysis Batch No.: 147803 GPC Cleanup: (Y/N) N
 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.045	U	0.057	0.045	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.028	0.023	0.0089
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	104		70-130
STL00996	13C2 PFDA	101		70-130

TestAmerica Sacramento
Target Compound Quantitation Report


Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_084.d
 Lims ID: 320-25188-A-8-A
 Client ID: WI-AF-1FB14-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 08:02:33 ALS Bottle#: 47 Worklist Smp#: 37
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-8-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 14:04:08 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 13:38:47

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA
 315.0 > 270.0 18.649 18.649 0.0 1.000 856666 10.4 22805
 * 5 13C2-PFOA
 415.0 > 370.0 20.070 20.070 0.0 687340 10.0 18868
 * 8 13C4 PFOS
 503.0 > 80.0 20.702 20.702 0.0 1292983 28.7 35300
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.516 21.516 0.0 1.000 701342 10.1 23737

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_084.d
 Injection Date: 26-Jan-2017 08:02:33 Instrument ID: A6
 Lims ID: 320-25188-A-8-A Lab Sample ID: 320-25188-8
 Client ID: WI-AF-1FB14-0117
 Operator ID: CBW ALS Bottle#: 47 Worklist Smp#: 37
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_084.d
 Lims ID: 320-25188-A-8-A
 Client ID: WI-AF-1FB14-0117
 Sample Type: Client
 Inject. Date: 26-Jan-2017 08:02:33 ALS Bottle#: 47 Worklist Smp#: 37
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25188-a-8-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 14:04:08 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 13:38:47

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.4	104.46
\$ 10 13C2 PFDA	10.0	10.1	101.20

FORM VI
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

Analy Batch No.: 147661

SDG No.: _____

Instrument ID: A6 GC Column: Acquity ID: 2.1(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/24/2017 16:04 Calibration End Date: 01/24/2017 18:32 Calibration ID: 27898

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	STD 320-147661/3	24JAN2017A6A_003.d
Level 2	STD 320-147661/4	24JAN2017A6A_004.d
Level 3	STD 320-147661/5	24JAN2017A6A_005.d
Level 4	STD 320-147661/6	24JAN2017A6A_006.d
Level 5	STD 320-147661/7	24JAN2017A6A_007.d
Level 6	STD 320-147661/8	24JAN2017A6A_008.d

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
Perfluorobutanesulfonic acid (PFBS)	0.7240 0.6936	0.7843	0.7732	0.7241	0.6625	Ave		0.7270				6.4		30.0			
Perfluorohexanesulfonic acid	0.8475 0.9755	0.9230	0.9507	0.9667	0.9035	Ave		0.9278				5.1		30.0			
Perfluoroheptanoic acid	1.2619 1.0890	1.2736	1.1788	1.2241	1.0619	Ave		1.1816				7.5		30.0			
Perfluorooctanoic acid (PFOA)	1.0507 1.1089	1.1693	0.9554	1.1498	0.9852	Ave		1.0699				8.2		30.0			
Perfluorooctanesulfonic acid (PFOS)	0.9568 1.1822	1.0466	1.0874	1.1607	1.0912	Ave		1.0875				7.5		30.0			
Perfluorononanoic acid	1.3391 1.1974	1.2929	1.2031	1.3206	1.0485	Ave		1.2336				8.8		30.0			
13C2 PFHxA	1.2029 1.3245	1.1943	1.2160	1.3847	1.3016	Ave		1.2707				6.1		30.0			
13C2 PFDA	1.0118 1.1311	1.0452	1.0462	1.1378	1.1344	Ave		1.0844				5.2		30.0			

Note: The m1 coefficient is the same as Ave RRF for an Ave curve type.

FORM VI
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1 Analy Batch No.: 147661

SDG No.: _____

Instrument ID: A6 GC Column: Acquity ID: 2.1(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/24/2017 16:04 Calibration End Date: 01/24/2017 18:32 Calibration ID: 27898

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	STD 320-147661/3	24JAN2017A6A_003.d
Level 2	STD 320-147661/4	24JAN2017A6A_004.d
Level 3	STD 320-147661/5	24JAN2017A6A_005.d
Level 4	STD 320-147661/6	24JAN2017A6A_006.d
Level 5	STD 320-147661/7	24JAN2017A6A_007.d
Level 6	STD 320-147661/8	24JAN2017A6A_008.d

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (NG/ML)				
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5
Perfluorobutanesulfonic acid (PFBS)	PFOS	Ave	294327 4661120	836915	1619491	2616556	3682649	8.98 178	22.9	45.1	90.9	135
Perfluorohexanesulfonic acid	PFOS	Ave	116135 2209984	331991	671200	1177606	1693136	3.03 60.1	7.72	15.2	30.6	45.4
Perfluoroheptanoic acid	13PF OA	Ave	80877 1336981	216684	422942	741749	1028185	0.990 19.7	2.52	4.97	10.0	14.9
Perfluorooctanoic acid (PFOA)	13PF OA	Ave	132774 2684196	392200	675822	1373612	1880740	1.95 38.8	4.98	9.81	19.8	29.3
Perfluorooctanesulfonic acid (PFOS)	PFOS	Ave	173628 3546373	498504	1016551	1872091	2707686	4.01 79.6	10.2	20.1	40.6	60.1
Perfluorononanoic acid	13PF OA	Ave	179817 3079855	460843	904369	1676501	2126918	2.07 41.2	5.29	10.4	21.0	31.1
13C2 PFHxA	13PF OA	Ave	778758 826398	804846	877015	837038	848632	10.0 10.0	10.0	10.0	10.0	10.0
13C2 PFDA	13PF OA	Ave	655015 705744	704379	754518	687782	739638	10.0 10.0	10.0	10.0	10.0	10.0

Curve Type Legend:

Ave = Average ISTD

FORM VI
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1 Analy Batch No.: 147661

SDG No.: _____


Instrument ID: A6 GC Column: Acquity ID: 2.1 (mm) Heated Purge: (Y/N) N


Calibration Start Date: 01/24/2017 16:04 Calibration End Date: 01/24/2017 18:32 Calibration ID: 27898

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	STD 320-147661/3	24JAN2017A6A_003.d
Level 2	STD 320-147661/4	24JAN2017A6A_004.d
Level 3	STD 320-147661/5	24JAN2017A6A_005.d
Level 4	STD 320-147661/6	24JAN2017A6A_006.d
Level 5	STD 320-147661/7	24JAN2017A6A_007.d
Level 6	STD 320-147661/8	24JAN2017A6A_008.d

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Perfluorobutanesulfonic acid (PFBS)	-0.4	7.9	6.4	-0.4	-8.9	-4.6	50	50	50	50	50	50
Perfluorohexanesulfonic acid	-8.7	-0.5	2.5	4.2	-2.6	5.1	50	50	50	50	50	50
Perfluoroheptanoic acid	6.8	7.8	-0.2	3.6	-10.1	-7.8	50	50	50	50	50	50
Perfluorooctanoic acid (PFOA)	-1.8	9.3	-10.7	7.5	-7.9	3.6	50	50	50	50	50	50
Perfluorooctanesulfonic acid (PFOS)	-12.0	-3.8	0.0	6.7	0.3	8.7	50	50	50	50	50	50
Perfluorononanoic acid	8.6	4.8	-2.5	7.1	-15.0	-2.9	50	50	50	50	50	50
13C2 PFHxA	-5.3	-6.0	-4.3	9.0	2.4	4.2	30	30	30	30	30	30
13C2 PFDA	-6.7	-3.6	-3.5	4.9	4.6	4.3	30	30	30	30	30	30





TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_003.d
 Lims ID: STD L1
 Client ID:
 Sample Type: IC Calib Level: 1
 Inject. Date: 24-Jan-2017 16:04:08 ALS Bottle#: 1 Worklist Smp#: 3
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L1 L1
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 25-Jan-2017 10:24:31 Calib Date: 24-Jan-2017 18:32:06
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_008.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 25-Jan-2017 09:52:59

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid								
299.0 > 80.0	17.696	17.685	0.011	1.000	294327	8.94	406	
\$ 2 13C2 PFHxA								
315.0 > 270.0	18.658	18.658	0.0	1.000	778758	9.47	26147	
3 Perfluorohexanesulfonic acid								
399.0 > 80.0	19.391	19.403	-0.012	1.000	116135	2.76	2918	
4 Perfluoroheptanoic acid								M
363.0 > 319.0	19.427	19.437	-0.010	1.000	80877	1.06	45.3	M
* 5 13C2-PFOA								
415.0 > 370.0	20.094	20.096	-0.002		647399	10.0	17760	
6 Perfluorooctanoic acid								M
413.0 > 369.0	20.094	20.096	-0.002	1.000	132774	1.92	70.3	M
7 Perfluorooctane sulfonic acid								
499.0 > 80.0	20.466	20.468	-0.002	1.000	173628	3.53	1325	
* 8 13C4 PFOS								
503.0 > 80.0	20.726	20.730	-0.004		1298918	28.7	35348	
9 Perfluorononanoic acid								
463.0 > 419.0	20.797	20.803	-0.006	1.000	179817	2.25	3952	
\$ 10 13C2 PFDA								
515.0 > 470.0	21.542	21.541	0.001	1.000	655015	9.33	21944	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:


LC537-L1_00017

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_003.d
 Injection Date: 24-Jan-2017 16:04:08 Instrument ID: A6
 Lims ID: STD L1
 Client ID:
 Operator ID: CBW ALS Bottle#: 1 Worklist Smp#: 3
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_003.d
 Injection Date: 24-Jan-2017 16:04:08 Instrument ID: A6
 Lims ID: STD L1
 Client ID:
 Operator ID: CBW ALS Bottle#: 1 Worklist Smp#: 3
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector F3:MRM

4 Perfluoroheptanoic acid, CAS: 375-85-9

Signal: 1


Processing Integration Results

RT: 19.43
 Area: 99579
 Amount: 1.250312
 Amount Units: ng/ml



Manual Integration Results

RT: 19.43
 Area: 80877
 Amount: 1.057287
 Amount Units: ng/ml



Reviewer: barnettj, 25-Jan-2017 09:52:59

Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_003.d
 Injection Date: 24-Jan-2017 16:04:08 Instrument ID: A6
 Lims ID: STD L1
 Client ID:
 Operator ID: CBW ALS Bottle#: 1 Worklist Smp#: 3
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector: F4:MRM

6 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


RT: 20.09
 Area: 147106
 Amount: 2.086973
 Amount Units: ng/ml

Processing Integration Results



RT: 20.09
 Area: 132774
 Amount: 1.916927
 Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 25-Jan-2017 09:52:59

Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_004.d
 Lims ID: STD L2
 Client ID:
 Sample Type: IC Calib Level: 2
 Inject. Date: 24-Jan-2017 16:33:43 ALS Bottle#: 2 Worklist Smp#: 4
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L2 L2
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 25-Jan-2017 10:24:32 Calib Date: 24-Jan-2017 18:32:06
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_008.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 25-Jan-2017 09:52:22

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid								
299.0 > 80.0	17.692	17.685	0.007	1.000	836915	24.7	644	
\$ 2 13C2 PFHxA								
315.0 > 270.0	18.658	18.658	0.0	1.000	804846	9.40	26897	
3 Perfluorohexanesulfonic acid								
399.0 > 80.0	19.403	19.403	0.0	1.000	331991	7.68	7924	
4 Perfluoroheptanoic acid								M
363.0 > 319.0	19.427	19.437	-0.010	1.000	216684	2.72	151	M
6 Perfluorooctanoic acid								M
413.0 > 369.0	20.094	20.096	-0.002	1.000	392200	5.44	206	M
* 5 13C2-PFOA								
415.0 > 370.0	20.094	20.096	-0.002		673912	10.0	18520	
7 Perfluorooctane sulfonic acid								
499.0 > 80.0	20.466	20.468	-0.002	1.000	498504	9.83	4010	
* 8 13C4 PFOS								
503.0 > 80.0	20.726	20.730	-0.004		1337002	28.7	36400	
9 Perfluorononanoic acid								
463.0 > 419.0	20.797	20.803	-0.006	1.000	460843	5.54	12656	
\$ 10 13C2 PFDA								
515.0 > 470.0	21.542	21.541	0.001	1.000	704379	9.64	23893	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:


LC537-L2_00016

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_004.d
 Injection Date: 24-Jan-2017 16:33:43 Instrument ID: A6
 Lims ID: STD L2
 Client ID:
 Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 4
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_004.d
 Injection Date: 24-Jan-2017 16:33:43 Instrument ID: A6
 Lims ID: STD L2
 Client ID:
 Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 4
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector: F3:MRM

4 Perfluoroheptanoic acid, CAS: 375-85-9

Signal: 1


Processing Integration Results

RT: 19.43
 Area: 229238
 Amount: 2.993407
 Amount Units: ng/ml



Manual Integration Results

RT: 19.43
 Area: 216684
 Amount: 2.721220
 Amount Units: ng/ml



Reviewer: barnettj, 25-Jan-2017 09:52:22

Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_004.d
 Injection Date: 24-Jan-2017 16:33:43 Instrument ID: A6
 Lims ID: STD L2
 Client ID:
 Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 4
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector: F4:MRM

6 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


RT: 20.09
 Area: 406644
 Amount: 5.505747
 Amount Units: ng/ml

Processing Integration Results



RT: 20.09
 Area: 392200
 Amount: 5.439626
 Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 25-Jan-2017 09:52:22

Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_005.d
 Lims ID: STD L3
 Client ID:
 Sample Type: IC Calib Level: 3
 Inject. Date: 24-Jan-2017 17:03:19 ALS Bottle#: 3 Worklist Smp#: 5
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L3 L3
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 25-Jan-2017 10:24:33 Calib Date: 24-Jan-2017 18:32:06
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_008.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid
 299.0 > 80.0 17.686 17.685 0.001 1.000 1619491 48.0 31029
 \$ 2 13C2 PFHxA
 315.0 > 270.0 18.658 18.658 0.0 1.000 877015 9.57 29230
 3 Perfluorohexanesulfonic acid
 399.0 > 80.0 19.403 19.403 0.0 1.000 671200 15.6 12708
 4 Perfluoroheptanoic acid
 363.0 > 319.0 19.439 19.437 0.002 1.000 422942 4.96 8716
 * 5 13C2-PFOA
 415.0 > 370.0 20.094 20.096 -0.002 1.000 721212 10.0 19834
 6 Perfluorooctanoic acid
 413.0 > 369.0 20.094 20.096 -0.002 1.000 675822 8.76 554
 7 Perfluorooctane sulfonic acid
 499.0 > 80.0 20.465 20.468 -0.003 1.000 1016551 20.1 8469
 * 8 13C4 PFOS
 503.0 > 80.0 20.726 20.730 -0.004 1.000 1331746 28.7 36078
 9 Perfluorononanoic acid
 463.0 > 419.0 20.809 20.803 0.006 1.000 904369 10.2 14125
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.542 21.541 0.001 1.000 754518 9.65 25470

Reagents:

LC537-L3_00019 Amount Added: 1.00 Units: mL

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_005.d
 Injection Date: 24-Jan-2017 17:03:19 Instrument ID: A6
 Lims ID: STD L3
 Client ID:
 Operator ID: CBW ALS Bottle#: 3 Worklist Smp#: 5
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_006.d
 Lims ID: STD L4
 Client ID:
 Sample Type: ICISAV Calib Level: 4
 Inject. Date: 24-Jan-2017 17:32:54 ALS Bottle#: 4 Worklist Smp#: 6
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L4 L4
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 25-Jan-2017 10:24:34 Calib Date: 24-Jan-2017 18:32:06
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_008.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid
 299.0 > 80.0 17.679 17.685 -0.006 1.000 2616556 90.5 1742
 \$ 2 13C2 PFHxA
 315.0 > 270.0 18.658 18.658 0.0 1.000 837038 10.9 28026
 3 Perfluorohexanesulfonic acid
 399.0 > 80.0 19.403 19.403 0.0 1.000 1177606 31.9 27855
 4 Perfluoroheptanoic acid
 363.0 > 319.0 19.439 19.437 0.002 1.000 741749 10.4 15638
 6 Perfluoroctanoic acid
 413.0 > 369.0 20.094 20.096 -0.002 1.000 1373612 21.2 1064
 * 5 13C2-PFOA
 415.0 > 370.0 20.094 20.096 -0.002 1.000 604498 10.0 16375
 7 Perfluoroctane sulfonic acid
 499.0 > 80.0 20.466 20.468 -0.002 1.000 1872091 43.3 15402
 * 8 13C4 PFOS
 503.0 > 80.0 20.738 20.730 0.008 1.000 1140325 28.7 20547
 9 Perfluorononanoic acid
 463.0 > 419.0 20.809 20.803 0.006 1.000 1676501 22.5 10761
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.542 21.541 0.001 1.000 687782 10.5 23064

Reagents:

LC537-L4_00017 Amount Added: 1.00 Units: mL

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_006.d
 Injection Date: 24-Jan-2017 17:32:54 Instrument ID: A6
 Lims ID: STD L4
 Client ID:
 Operator ID: CBW ALS Bottle#: 4 Worklist Smp#: 6
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_007.d
 Lims ID: STD L5
 Client ID:
 Sample Type: IC Calib Level: 5
 Inject. Date: 24-Jan-2017 18:02:30 ALS Bottle#: 5 Worklist Smp#: 7
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L5 L5
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 25-Jan-2017 10:24:35 Calib Date: 24-Jan-2017 18:32:06
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_008.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid
 299.0 > 80.0 17.679 17.685 -0.006 1.000 3682649 122.7 33770
 \$ 2 13C2 PFHxA
 315.0 > 270.0 18.658 18.658 0.0 1.000 848632 10.2 28266
 3 Perfluorohexanesulfonic acid
 399.0 > 80.0 19.403 19.403 0.0 1.000 1693136 44.2 39384
 4 Perfluoroheptanoic acid
 363.0 > 319.0 19.439 19.437 0.002 1.000 1028185 13.3 15459
 * 5 13C2-PFOA
 415.0 > 370.0 20.094 20.096 -0.002 1.000 651996 10.0 17896
 6 Perfluorooctanoic acid
 413.0 > 369.0 20.094 20.096 -0.002 1.000 1880740 27.0 2528
 7 Perfluorooctane sulfonic acid
 499.0 > 80.0 20.466 20.468 -0.002 1.000 2707686 60.3 23903
 * 8 13C4 PFOS
 503.0 > 80.0 20.726 20.730 -0.004 1.000 1184136 28.7 31885
 9 Perfluorononanoic acid
 463.0 > 419.0 20.797 20.803 -0.006 1.000 2126918 26.4 25583
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.533 21.541 -0.008 1.000 739638 10.5 33062

Reagents:

LC537-L5_00020 Amount Added: 1.00 Units: mL

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_007.d
 Injection Date: 24-Jan-2017 18:02:30 Instrument ID: A6
 Lims ID: STD L5
 Client ID:
 Operator ID: CBW ALS Bottle#: 5 Worklist Smp#: 7
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_008.d
 Lims ID: STD L6
 Client ID:
 Sample Type: IC Calib Level: 6
 Inject. Date: 24-Jan-2017 18:32:06 ALS Bottle#: 6 Worklist Smp#: 8
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L6 L6
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 25-Jan-2017 10:24:36 Calib Date: 24-Jan-2017 18:32:06
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_008.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015


First Level Reviewer: barnettj Date: 25-Jan-2017 10:22:02

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid								
299.0 > 80.0 17.676 17.685 -0.009 1.000 4661120 170.2 22002								
\$ 2 13C2 PFHxA								
315.0 > 270.0 18.658 18.658 0.0 1.000 826398 10.4 27617								
3 Perfluorohexanesulfonic acid								
399.0 > 80.0 19.415 19.403 0.012 1.000 2209984 63.2 25355								
4 Perfluoroheptanoic acid								
363.0 > 319.0 19.451 19.437 0.014 1.000 1336981 18.1 27944								
6 Perfluorooctanoic acid								
413.0 > 369.0 20.106 20.096 0.010 1.000 2684196 40.2 1997								
* 5 13C2-PFOA								
415.0 > 370.0 20.106 20.096 0.010 623954 10.0 17050								
7 Perfluorooctane sulfonic acid								
499.0 > 80.0 20.477 20.468 0.009 1.000 3546373 86.6 15457								
* 8 13C4 PFOS								
503.0 > 80.0 20.738 20.730 0.008 1080434 28.7 29097								
9 Perfluorononanoic acid								
463.0 > 419.0 20.809 20.803 0.006 1.000 3079855 40.0 25508								
\$ 10 13C2 PFDA								
515.0 > 470.0 21.542 21.541 0.001 1.000 705744 10.4 23928								

Reagents:

LC537-L6_00016 Amount Added: 1.00 Units: mL

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_008.d
 Injection Date: 24-Jan-2017 18:32:06 Instrument ID: A6
 Lims ID: STD L6
 Client ID:
 Operator ID: CBW ALS Bottle#: 6 Worklist Smp#: 8
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Lab Sample ID: CCV 320-147661/10 Calibration Date: 01/24/2017 19:31
Instrument ID: A6 Calib Start Date: 01/24/2017 16:04
GC Column: Acquity ID: 2.10 (mm) Calib End Date: 01/24/2017 18:32
Lab File ID: 24JAN2017A6A_010.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7270	0.7782		24.5	22.9	7.1	50.0
Perfluorohexanesulfonic acid	Ave	0.9278	0.9185		7.64	7.72	-1.0	50.0
Perfluoroheptanoic acid	Ave	1.182	1.187		2.54	2.52	0.5	50.0
Perfluorooctanoic acid (PFOA)	Ave	1.070	1.096		5.10	4.98	2.5	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.087	1.062		9.97	10.2	-2.4	50.0
Perfluorononanoic acid	Ave	1.234	1.285		5.51	5.29	4.2	50.0
13C2 PFHxA	Ave	1.271	1.203		9.47	10.0	-5.3	30.0
13C2 PFDA	Ave	1.084	1.044		9.63	10.0	-3.7	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_010.d
 Lims ID: CCV L2
 Client ID:
 Sample Type: CCVL
 Inject. Date: 24-Jan-2017 19:31:17 ALS Bottle#: 2 Worklist Smp#: 10
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L2 CCV L2
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 25-Jan-2017 10:22:12 Calib Date: 24-Jan-2017 18:32:06
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_008.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 25-Jan-2017 10:08:05

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid								
299.0 > 80.0 17.666 17.685 -0.019 1.000	803696	24.5	952					
\$ 2 13C2 PFHxA								
315.0 > 270.0 18.649 18.658 -0.009 1.000	825193	9.47	15677					
3 Perfluorohexanesulfonic acid								
399.0 > 80.0 19.415 19.403 0.012 1.000	319747	7.64	7726					
4 Perfluoroheptanoic acid							M	
363.0 > 319.0 19.439 19.437 0.002 1.000	205628	2.54	117	M				
6 Perfluorooctanoic acid							M	
413.0 > 369.0 20.106 20.096 0.010 1.000	374382	5.10	207	M				
* 5 13C2-PFOA								
415.0 > 370.0 20.106 20.096 0.010	685988	10.0	18843					
7 Perfluorooctane sulfonic acid								
499.0 > 80.0 20.750 20.468 0.282 1.000	489360	9.97	8610					
* 8 13C4 PFOS								
503.0 > 80.0 20.750 20.730 0.020	1294038	28.7	35177					
9 Perfluorononanoic acid								
463.0 > 419.0 20.821 20.803 0.018 1.000	466253	5.51	12868					
\$ 10 13C2 PFDA								
515.0 > 470.0 21.551 21.541 0.010 1.000	716048	9.63	24184					

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:


LC537-L2_00016

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_010.d
 Injection Date: 24-Jan-2017 19:31:17 Instrument ID: A6
 Lims ID: CCV L2
 Client ID:
 Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 10
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_010.d
 Injection Date: 24-Jan-2017 19:31:17 Instrument ID: A6
 Lims ID: CCV L2
 Client ID:
 Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 10
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector: F3:MRM

4 Perfluoroheptanoic acid, CAS: 375-85-9

Signal: 1


Processing Integration Results

RT: 19.44
 Area: 223578
 Amount: 2.758370
 Amount Units: ng/ml



Manual Integration Results

RT: 19.44
 Area: 205628
 Amount: 2.536914
 Amount Units: ng/ml



Reviewer: barnettj, 25-Jan-2017 10:08:05

Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento


Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_010.d
 Injection Date: 24-Jan-2017 19:31:17 Instrument ID: A6
 Lims ID: CCV L2
 Client ID:
 Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 10
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL
 Column: Acquity BEH C18 (2.10 mm) Detector F4:MRM

6 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


RT: 20.11
 Area: 385048
 Amount: 5.246419
 Amount Units: ng/ml

Processing Integration Results



RT: 20.11
 Area: 374382
 Amount: 5.101091
 Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 25-Jan-2017 10:08:05

Audit Action: Manually Integrated

Audit Reason: Split Peak

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Lab Sample ID: ICV 320-147661/12 Calibration Date: 01/24/2017 20:30
Instrument ID: A6 Calib Start Date: 01/24/2017 16:04
GC Column: Acquity ID: 2.10 (mm) Calib End Date: 01/24/2017 18:32
Lab File ID: 24JAN2017A6A_012.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7270	0.5866		92.6	115	-19.3	30.0
Perfluorohexanesulfonic acid	Ave	0.9278	0.7684		21.9	26.5	-17.2	30.0
Perfluoroheptanoic acid	Ave	1.182	1.133		12.1	12.6	-4.1	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.070	0.8954		20.9	25.0	-16.3	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.087	0.8813		22.1	27.2	-19.0	30.0
Perfluorononanoic acid	Ave	1.234	1.039		21.1	25.0	-15.8	30.0
13C2 PFHxA	Ave	1.271	1.458		11.5	10.0	14.7	30.0
13C2 PFDA	Ave	1.084	1.110		10.2	10.0	2.4	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_012.d
 Lims ID: ICV
 Client ID:
 Sample Type: ICV
 Inject. Date: 24-Jan-2017 20:30:30 ALS Bottle#: 7 Worklist Smp#: 12
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: ICV ICV
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist:
 Method: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 25-Jan-2017 10:22:15 Calib Date: 24-Jan-2017 18:32:06
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20170124-39144.b\24JAN2017A6A_008.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid
 299.0 > 80.0 17.657 17.685 -0.028 1.000 2673771 92.6 2930
 \$ 2 13C2 PFHxA
 315.0 > 270.0 18.658 18.658 0.0 1.000 880359 11.5 29110
 3 Perfluorohexanesulfonic acid
 399.0 > 80.0 19.415 19.403 0.012 1.000 808128 21.9 19175
 4 Perfluoroheptanoic acid
 363.0 > 319.0 19.451 19.437 0.014 1.000 862609 12.1 17968
 6 Perfluoroctanoic acid
 413.0 > 369.0 20.106 20.096 0.010 1.000 1353374 20.9 1260
 * 5 13C2-PFOA
 415.0 > 370.0 20.106 20.096 0.010 1.000 604008 10.0 16643
 7 Perfluoroctane sulfonic acid
 499.0 > 80.0 20.477 20.468 0.009 1.000 953425 22.1 8036
 * 8 13C4 PFOS
 503.0 > 80.0 20.738 20.730 0.008 1.000 1139050 28.7 30933
 9 Perfluorononanoic acid
 463.0 > 419.0 20.809 20.803 0.006 1.000 1569480 21.1 21356
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.542 21.541 0.001 1.000 670720 10.2 22653

Reagents:

LC537-ICV_00019 Amount Added: 1.00 Units: mL

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170124-39144.b\\24JAN2017A6A_012.d
 Injection Date: 24-Jan-2017 20:30:30 Instrument ID: A6
 Lims ID: ICV
 Client ID:
 Operator ID: CBW ALS Bottle#: 7 Worklist Smp#: 12
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Lab Sample ID: CCV 320-147802/23 Calibration Date: 01/26/2017 01:08
Instrument ID: A6 Calib Start Date: 01/24/2017 16:04
GC Column: Acquity ID: 2.10 (mm) Calib End Date: 01/24/2017 18:32
Lab File ID: 24JAN2017A6A_070.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7270	0.7247		43.1	45.1	-0.3	30.0
Perfluorohexanesulfonic acid	Ave	0.9278	0.8516		13.8	15.2	-8.2	30.0
Perfluoroheptanoic acid	Ave	1.182	1.213		4.94	4.97	2.7	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.070	1.005		9.80	9.81	-6.1	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.087	1.063		19.5	20.1	-2.3	30.0
Perfluorononanoic acid	Ave	1.234	1.226		11.1	10.4	-0.6	30.0
13C2 PFHxA	Ave	1.271	1.292		10.8	10.0	1.7	30.0
13C2 PFDA	Ave	1.084	1.029		10.2	10.0	-5.1	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_070.d
 Lims ID: CCV L3
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 26-Jan-2017 01:08:11 ALS Bottle#: 3 Worklist Smp#: 23
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L3
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 10:46:48 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid								
299.0 > 80.0	17.683	17.683	0.0	1.000	1480203	43.1	879	
\$ 2 13C2 PFHxA								
315.0 > 270.0	18.640	18.640	0.0	1.000	895547	10.8	30081	
3 Perfluorohexanesulfonic acid								
399.0 > 80.0	19.392	19.392	0.0	1.000	586361	13.8	14142	
4 Perfluoroheptanoic acid								
363.0 > 319.0	19.427	19.427	0.0	1.000	418416	4.94	10878	
* 5 13C2-PFOA								
415.0 > 370.0	20.082	20.082	0.0		693146	10.0	19096	
6 Perfluorooctanoic acid								
413.0 > 369.0	20.082	20.082	0.0	1.000	683018	9.80	1149	
7 Perfluorooctane sulfonic acid								
499.0 > 80.0	20.454	20.454	0.0	1.000	969038	19.5	7900	
* 8 13C4 PFOS								
503.0 > 80.0	20.714	20.714	0.0		1298786	28.7	35599	
9 Perfluorononanoic acid								
463.0 > 419.0	20.785	20.785	0.0	1.000	885657	11.1	13904	
\$ 10 13C2 PFDA								
515.0 > 470.0	21.524	21.524	0.0	1.000	713563	10.2	23842	

Reagents:

LC537-L3_00019 Amount Added: 1.00 Units: mL

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_070.d

Injection Date: 26-Jan-2017 01:08:11

Instrument ID: A6

Lims ID: CCV L3

Client ID:

Operator ID: CBW


ALS Bottle#: 3 Worklist Smp#: 23

Injection Vol: 10.0 ul

Dil. Factor: 1.0000

Method: 537_A6

Limit Group: LC 537 ICAL



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Lab Sample ID: CCV 320-147802/35 Calibration Date: 01/26/2017 07:03
Instrument ID: A6 Calib Start Date: 01/24/2017 16:04
GC Column: Acquity ID: 2.10 (mm) Calib End Date: 01/24/2017 18:32
Lab File ID: 24JAN2017A6A_082.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7270	0.6774		120	135	-6.8	30.0
Perfluorohexanesulfonic acid	Ave	0.9278	0.8884		42.9	45.4	-4.2	30.0
Perfluoroheptanoic acid	Ave	1.182	1.049		12.8	14.9	-11.2	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.070	0.9717		28.3	29.3	-9.2	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.087	1.107		60.5	60.1	1.8	30.0
Perfluorononanoic acid	Ave	1.234	1.072		29.0	31.1	-13.1	30.0
13C2 PFHxA	Ave	1.271	1.277		10.7	10.0	0.5	30.0
13C2 PFDA	Ave	1.084	1.090		10.8	10.0	0.5	30.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Lab Sample ID: CCV 320-147803/35 Calibration Date: 01/26/2017 07:03
Instrument ID: A6 Calib Start Date: 01/24/2017 16:04
GC Column: Acquity ID: 2.10 (mm) Calib End Date: 01/24/2017 18:32
Lab File ID: 24JAN2017A6A_082.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7270	0.6774		120	135	-6.8	30.0
Perfluorohexanesulfonic acid	Ave	0.9278	0.8884		42.9	45.4	-4.2	30.0
Perfluoroheptanoic acid	Ave	1.182	1.049		12.8	14.9	-11.2	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.070	0.9717		28.3	29.3	-9.2	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.087	1.107		60.5	60.1	1.8	30.0
Perfluorononanoic acid	Ave	1.234	1.072		29.0	31.1	-13.1	30.0
13C2 PFHxA	Ave	1.271	1.277		10.7	10.0	0.5	30.0
13C2 PFDA	Ave	1.084	1.090		10.8	10.0	0.5	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_082.d
 Lims ID: CCV L5
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 26-Jan-2017 07:03:20 ALS Bottle#: 5 Worklist Smp#: 35
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L5
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:19 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid
 299.0 > 80.0 17.686 17.686 0.0 1.000 3651944 120.3 28890
 \$ 2 13C2 PFHxA
 315.0 > 270.0 18.649 18.649 0.0 1.000 841291 10.7 28071
 3 Perfluorohexanesulfonic acid
 399.0 > 80.0 19.380 19.380 0.0 1.000 1614606 42.9 30474
 4 Perfluoroheptanoic acid
 363.0 > 319.0 19.415 19.415 0.0 1.000 1026379 12.8 36254
 * 5 13C2-PFOA
 415.0 > 370.0 20.070 20.070 0.0 1.000 658721 10.0 17843
 6 Perfluorooctanoic acid
 413.0 > 369.0 20.070 20.070 0.0 1.000 1873978 28.3 1805
 7 Perfluorooctane sulfonic acid
 499.0 > 80.0 20.442 20.442 0.0 1.000 2662813 60.5 18140
 * 8 13C4 PFOS
 503.0 > 80.0 20.702 20.702 0.0 1.000 1148372 28.7 24917
 9 Perfluorononanoic acid
 463.0 > 419.0 20.774 20.774 0.0 1.000 2196382 29.0 18193
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.516 21.516 0.0 1.000 718110 10.8 24284

Reagents:

LC537-L5_00020 Amount Added: 1.00 Units: mL

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_082.d
 Lims ID: CCV L5
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 26-Jan-2017 07:03:20 ALS Bottle#: 5 Worklist Smp#: 35
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L5
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:19 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------


1 Perfluorobutanesulfonic acid
 299.0 > 80.0 17.686 17.686 0.0 1.000 3651944 120.3 28890
 \$ 2 13C2 PFHxA
 315.0 > 270.0 18.649 18.649 0.0 1.000 841291 10.7 28071
 3 Perfluorohexanesulfonic acid
 399.0 > 80.0 19.380 19.380 0.0 1.000 1614606 42.9 30474
 4 Perfluoroheptanoic acid
 363.0 > 319.0 19.415 19.415 0.0 1.000 1026379 12.8 36254
 * 5 13C2-PFOA
 415.0 > 370.0 20.070 20.070 0.0 1.000 658721 10.0 17843
 6 Perfluorooctanoic acid
 413.0 > 369.0 20.070 20.070 0.0 1.000 1873978 28.3 1805
 7 Perfluorooctane sulfonic acid
 499.0 > 80.0 20.442 20.442 0.0 1.000 2662813 60.5 18140
 * 8 13C4 PFOS
 503.0 > 80.0 20.702 20.702 0.0 1.000 1148372 28.7 24917
 9 Perfluorononanoic acid
 463.0 > 419.0 20.774 20.774 0.0 1.000 2196382 29.0 18193
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.516 21.516 0.0 1.000 718110 10.8 24284

Reagents:

LC537-L5_00020 Amount Added: 1.00 Units: mL


TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_082.d
 Injection Date: 26-Jan-2017 07:03:20 Instrument ID: A6
 Lims ID: CCV L5
 Client ID:
 Operator ID: CBW ALS Bottle#: 5 Worklist Smp#: 35
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_082.d
 Injection Date: 26-Jan-2017 07:03:20 Instrument ID: A6
 Lims ID: CCV L5
 Client ID:
 Operator ID: CBW ALS Bottle#: 5 Worklist Smp#: 35
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
SDG No.: _____
Lab Sample ID: CCV 320-147803/47 Calibration Date: 01/26/2017 12:58
Instrument ID: A6 Calib Start Date: 01/24/2017 16:04
GC Column: Acquity ID: 2.10 (mm) Calib End Date: 01/24/2017 18:32
Lab File ID: 24JAN2017A6A_094.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7270	0.7226		43.0	45.1	-0.6	30.0
Perfluorohexanesulfonic acid	Ave	0.9278	0.9329		15.1	15.2	0.5	30.0
Perfluoroheptanoic acid	Ave	1.182	1.181		4.81	4.97	-0.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.070	0.9915		9.67	9.81	-7.3	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.087	1.082		19.8	20.1	-0.5	30.0
Perfluorononanoic acid	Ave	1.234	1.180		10.7	10.4	-4.3	30.0
13C2 PFHxA	Ave	1.271	1.226		10.3	10.0	-3.5	30.0
13C2 PFDA	Ave	1.084	1.024		10.2	10.0	-5.6	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_094.d
 Lims ID: CCV L3
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 26-Jan-2017 12:58:38 ALS Bottle#: 3 Worklist Smp#: 47
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L3
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 14:04:31 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 13:37:02


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid								
299.0 > 80.0 17.683 17.683 0.0	1.000	1548299	43.0	1251				
\$ 2 13C2 PFHxA								
315.0 > 270.0 18.640 18.640 0.0	1.000	887278	10.3	29543				
3 Perfluorohexanesulfonic acid								
399.0 > 80.0 19.380 19.380 0.0	1.000	673799	15.1	16423				
4 Perfluoroheptanoic acid								
363.0 > 319.0 19.415 19.415 0.0	1.000	425293	4.81	11006				
* 5 13C2-PFOA								
415.0 > 370.0 20.082 20.082 0.0		723663	10.0	19804				
6 Perfluorooctanoic acid								
413.0 > 369.0 20.082 20.082 0.0	1.000	703781	9.67	638				
7 Perfluorooctane sulfonic acid								
499.0 > 80.0 20.454 20.454 0.0	1.000	1034399	19.8	8809				
* 8 13C4 PFOS								
503.0 > 80.0 20.726 20.726 0.0		1362380	28.7	36696				
9 Perfluorononanoic acid								
463.0 > 419.0 20.785 20.785 0.0	1.000	889980	10.7	24399				
\$ 10 13C2 PFDA								
515.0 > 470.0 21.533 21.533 0.0	1.000	740789	10.2	24795				

Reagents:

LC537-L3_00019 Amount Added: 1.00 Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_094.d
 Injection Date: 26-Jan-2017 12:58:38 Instrument ID: A6
 Lims ID: CCV L3
 Client ID:
 Operator ID: CBW ALS Bottle#: 3 Worklist Smp#: 47
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.: _____
 Client Sample ID: _____ Lab Sample ID: MB 320-147589/1-A
 Matrix: Water Lab File ID: 24JAN2017A6A_072.d
 Analysis Method: 537 Date Collected: _____
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 250 (mL) Date Analyzed: 01/26/2017 02:07
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 147802 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	99		70-130
STL00996	13C2 PFDA	95		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_072.d
 Lims ID: MB 320-147589/1-A
 Client ID:
 Sample Type: MB
 Inject. Date: 26-Jan-2017 02:07:21 ALS Bottle#: 37 Worklist Smp#: 25
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: mb 320-147589/1-a BOX 55
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:02 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:26:58

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA
 315.0 > 270.0 18.649 18.640 0.009 1.000 878505 9.90 29398
 * 5 13C2-PFOA
 415.0 > 370.0 20.082 20.082 0.0 743427 10.0 20483
 * 8 13C4 PFOS
 503.0 > 80.0 20.714 20.714 0.0 1331212 28.7 36618
 \$ 10 13C2 PFDA
 515.0 > 470.0 21.524 21.524 0.0 1.000 714513 9.53 24247

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_072.d

Injection Date: 26-Jan-2017 02:07:21

Instrument ID: A6

Lims ID: MB 320-147589/1-A

Client ID:

Operator ID: CBW


ALS Bottle#: 37 Worklist Smp#: 25

Injection Vol: 10.0 ul

Dil. Factor: 1.0000

Method: 537_A6

Limit Group: LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_072.d
 Lims ID: MB 320-147589/1-A
 Client ID:
 Sample Type: MB
 Inject. Date: 26-Jan-2017 02:07:21 ALS Bottle#: 37 Worklist Smp#: 25
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: mb 320-147589/1-a BOX 55
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:02 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:26:58

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.90	99.04
\$ 10 13C2 PFDA	10.0	9.53	95.32

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.: _____
 Client Sample ID: _____ Lab Sample ID: LCS 320-147589/2-A
 Matrix: Water Lab File ID: 24JAN2017A6A_073.d
 Analysis Method: 537 Date Collected: _____
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 250 (mL) Date Analyzed: 01/26/2017 02:36
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 147802 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.154		0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.0703		0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.341		0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	105		70-130
STL00996	13C2 PFDA	100		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_073.d
 Lims ID: LCS 320-147589/2-A
 Client ID:
 Sample Type: LCS
 Inject. Date: 26-Jan-2017 02:36:56 ALS Bottle#: 38 Worklist Smp#: 26
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: lcs 320-147589/2-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:02 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICAL File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:27:06

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid								
299.0 > 80.0	17.696	17.683	0.013	1.000	2984910	85.4	1714	
\$ 2 13C2 PFHxA								
315.0 > 270.0	18.649	18.640	0.009	1.000	894181	10.5	29776	
3 Perfluorohexanesulfonic acid								
399.0 > 80.0	19.392	19.392	0.0	1.000	1275185	29.4	30775	
4 Perfluoroheptanoic acid								
363.0 > 319.0	19.427	19.427	0.0	1.000	793687	9.08	20981	
* 5 13C2-PFOA								
415.0 > 370.0	20.082	20.082	0.0		715573	10.0	19656	
6 Perfluoroctanoic acid								
413.0 > 369.0	20.082	20.082	0.0	1.000	1264477	17.6	1720	
7 Perfluoroctane sulfonic acid								
499.0 > 80.0	20.454	20.454	0.0	1.000	1953299	38.5	16577	
* 8 13C4 PFOS								
503.0 > 80.0	20.714	20.714	0.0		1322235	28.7	35725	
9 Perfluorononanoic acid								
463.0 > 419.0	20.797	20.785	0.012	1.000	1593775	19.4	24696	
\$ 10 13C2 PFDA								
515.0 > 470.0	21.524	21.524	0.0	1.000	721216	10.0	24550	

Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_073.d

Injection Date: 26-Jan-2017 02:36:56

Instrument ID: A6

Lims ID: LCS 320-147589/2-A

Client ID:

Operator ID: CBW


ALS Bottle#: 38 Worklist Smp#: 26

Injection Vol: 10.0 ul

Dil. Factor: 1.0000

Method: 537_A6

Limit Group: LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_073.d
 Lims ID: LCS 320-147589/2-A
 Client ID:
 Sample Type: LCS
 Inject. Date: 26-Jan-2017 02:36:56 ALS Bottle#: 38 Worklist Smp#: 26
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: lcs 320-147589/2-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:02 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

First Level Reviewer: barnettj Date: 26-Jan-2017 11:27:06

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.5	104.73
\$ 10 13C2 PFDA	10.0	10.0	99.96

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25188-1
 SDG No.: _____
 Client Sample ID: _____ Lab Sample ID: LCSD 320-147589/3-A
 Matrix: Water Lab File ID: 24JAN2017A6A_074.d
 Analysis Method: 537 Date Collected: _____
 Extraction Method: 537 Date Extracted: 01/24/2017 10:27
 Sample wt/vol: 250 (mL) Date Analyzed: 01/26/2017 03:06
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 147802 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.150		0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.0666		0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.354		0.14	0.11	0.048


CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	101		70-130
STL00996	13C2 PFDA	96		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_074.d
 Lims ID: LCSD 320-147589/3-A
 Client ID:
 Sample Type: LCSD
 Inject. Date: 26-Jan-2017 03:06:34 ALS Bottle#: 39 Worklist Smp#: 27
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: lcsm 320-147589/3-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:02 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid								
299.0 > 80.0	17.699	17.683	0.016	1.000	3116792	88.4	34752	
\$ 2 13C2 PFHxA								
315.0 > 270.0	18.649	18.640	0.009	1.000	873049	10.1	29098	
3 Perfluorohexanesulfonic acid								
399.0 > 80.0	19.392	19.392	0.0	1.000	1299712	29.7	30974	
4 Perfluoroheptanoic acid								
363.0 > 319.0	19.427	19.427	0.0	1.000	779379	8.80	16438	
* 5 13C2-PFOA								
415.0 > 370.0	20.082	20.082	0.0		724988	10.0	19574	
6 Perfluorooctanoic acid								
413.0 > 369.0	20.094	20.082	0.012	1.000	1213577	16.6	934	
7 Perfluorooctane sulfonic acid								
499.0 > 80.0	20.454	20.454	0.0	1.000	1916095	37.5	15365	
* 8 13C4 PFOS								
503.0 > 80.0	20.726	20.714	0.012		1333141	28.7	35946	
9 Perfluorononanoic acid								
463.0 > 419.0	20.797	20.785	0.012	1.000	1619529	19.4	29325	
\$ 10 13C2 PFDA								
515.0 > 470.0	21.524	21.524	0.0	1.000	704980	9.64	23574	

TestAmerica Sacramento
 Data File: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b\\24JAN2017A6A_074.d
 Injection Date: 26-Jan-2017 03:06:34 Instrument ID: A6
 Lims ID: LCSD 320-147589/3-A
 Client ID:
 Operator ID: CBW ALS Bottle#: 39 Worklist Smp#: 27
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Method: 537_A6 Limit Group: LC 537 ICAL



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\24JAN2017A6A_074.d
 Lims ID: LCSD 320-147589/3-A
 Client ID:
 Sample Type: LCSD
 Inject. Date: 26-Jan-2017 03:06:34 ALS Bottle#: 39 Worklist Smp#: 27
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: lcsm 320-147589/3-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20170125-39184.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 26-Jan-2017 13:37:02 Calib Date: 24-Dec-2016 06:54:10
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161224-38202.b\24DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK015

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.1	100.93
\$ 10 13C2 PFDA	10.0	9.64	96.44

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Instrument ID: A6

Start Date: 01/24/2017 16:04

Analysis Batch Number: 147661

End Date: 01/25/2017 02:25

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
STD 320-147661/3 IC		01/24/2017 16:04	1	24JAN2017A6A_00 3.d	Acquity 2.1 (mm)
STD 320-147661/4 IC		01/24/2017 16:33	1	24JAN2017A6A_00 4.d	Acquity 2.1 (mm)
STD 320-147661/5 IC		01/24/2017 17:03	1	24JAN2017A6A_00 5.d	Acquity 2.1 (mm)
STD 320-147661/6 ICISAV		01/24/2017 17:32	1	24JAN2017A6A_00 6.d	Acquity 2.1 (mm)
STD 320-147661/7 IC		01/24/2017 18:02	1	24JAN2017A6A_00 7.d	Acquity 2.1 (mm)
STD 320-147661/8 IC		01/24/2017 18:32	1	24JAN2017A6A_00 8.d	Acquity 2.1 (mm)
ZZZZZ		01/24/2017 19:01	1		Acquity 2.1 (mm)
CCV 320-147661/10 CCVL		01/24/2017 19:31	1	24JAN2017A6A_01 0.d	Acquity 2.1 (mm)
ZZZZZ		01/24/2017 20:00	1		Acquity 2.1 (mm)
ICV 320-147661/12		01/24/2017 20:30	1	24JAN2017A6A_01 2.d	Acquity 2.1 (mm)
ZZZZZ		01/24/2017 21:00	1		Acquity 2.1 (mm)
ZZZZZ		01/24/2017 21:29	1		Acquity 2.1 (mm)
ZZZZZ		01/24/2017 21:59	1		Acquity 2.1 (mm)
ZZZZZ		01/24/2017 22:28	1		Acquity 2.1 (mm)
ZZZZZ		01/24/2017 22:58	1		Acquity 2.1 (mm)
ZZZZZ		01/24/2017 23:28	1		Acquity 2.1 (mm)
ZZZZZ		01/24/2017 23:57	1		Acquity 2.1 (mm)
ZZZZZ		01/25/2017 00:27	1		Acquity 2.1 (mm)
ZZZZZ		01/25/2017 00:56	1		Acquity 2.1 (mm)
ZZZZZ		01/25/2017 01:26	1		Acquity 2.1 (mm)
ZZZZZ		01/25/2017 01:56	1		Acquity 2.1 (mm)
CCV 320-147661/24 CCVIS		01/25/2017 02:25	1		Acquity 2.1 (mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Instrument ID: A6

Start Date: 01/26/2017 01:08

Analysis Batch Number: 147802

End Date: 01/26/2017 07:03

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-147802/23 CCVIS		01/26/2017 01:08	1	24JAN2017A6A_07 0.d	Acquity 2.1 (mm)
ZZZZZ		01/26/2017 01:37	1		Acquity 2.1 (mm)
MB 320-147589/1-A		01/26/2017 02:07	1	24JAN2017A6A_07 2.d	Acquity 2.1 (mm)
LCS 320-147589/2-A		01/26/2017 02:36	1	24JAN2017A6A_07 3.d	Acquity 2.1 (mm)
LCSD 320-147589/3-A		01/26/2017 03:06	1	24JAN2017A6A_07 4.d	Acquity 2.1 (mm)
320-25188-1		01/26/2017 03:36	1	24JAN2017A6A_07 5.d	Acquity 2.1 (mm)
320-25188-2		01/26/2017 04:05	1	24JAN2017A6A_07 6.d	Acquity 2.1 (mm)
320-25188-3		01/26/2017 04:35	1	24JAN2017A6A_07 7.d	Acquity 2.1 (mm)
320-25188-4		01/26/2017 05:04	1	24JAN2017A6A_07 8.d	Acquity 2.1 (mm)
320-25188-5		01/26/2017 05:34	1	24JAN2017A6A_07 9.d	Acquity 2.1 (mm)
320-25188-6		01/26/2017 06:04	1	24JAN2017A6A_08 0.d	Acquity 2.1 (mm)
320-25188-7		01/26/2017 06:33	1	24JAN2017A6A_08 1.d	Acquity 2.1 (mm)
CCV 320-147802/35 CCVIS		01/26/2017 07:03	1	24JAN2017A6A_08 2.d	Acquity 2.1 (mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Instrument ID: A6

Start Date: 01/26/2017 07:03

Analysis Batch Number: 147803

End Date: 01/26/2017 12:58

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-147803/35 CCVIS		01/26/2017 07:03	1	24JAN2017A6A_08 2.d	Acquity 2.1 (mm)
ZZZZZ		01/26/2017 07:32	1		Acquity 2.1 (mm)
320-25188-8		01/26/2017 08:02	1	24JAN2017A6A_08 4.d	Acquity 2.1 (mm)
ZZZZZ		01/26/2017 08:32	1		Acquity 2.1 (mm)
ZZZZZ		01/26/2017 09:01	1		Acquity 2.1 (mm)
ZZZZZ		01/26/2017 09:31	1		Acquity 2.1 (mm)
ZZZZZ		01/26/2017 10:00	1		Acquity 2.1 (mm)
ZZZZZ		01/26/2017 10:30	1		Acquity 2.1 (mm)
ZZZZZ		01/26/2017 11:00	1		Acquity 2.1 (mm)
ZZZZZ		01/26/2017 11:29	1		Acquity 2.1 (mm)
ZZZZZ		01/26/2017 11:59	1		Acquity 2.1 (mm)
ZZZZZ		01/26/2017 12:29	1		Acquity 2.1 (mm)
CCV 320-147803/47 CCVIS		01/26/2017 12:58	1	24JAN2017A6A_09 4.d	Acquity 2.1 (mm)

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Batch Number: 147589

Batch Start Date: 01/24/17 10:27

Batch Analyst: Sharifi, Nooshin

Batch Method: 537

Batch End Date: 01/24/17 22:00

Lab Sample ID	Client Sample ID	Method Chain	Basis	GrossWeight	TareWeight	InitialAmount	FinalAmount	ReceivedpH	LC537-IS 00029
MB 320-147589/1		537, 537				250 mL	1.0 mL	7 SU	20 uL
LCS 320-147589/2		537, 537				250 mL	1.0 mL	7 SU	20 uL
LCSD 320-147589/3		537, 537				250 mL	1.0 mL	7 SU	20 uL
320-25188-A-1	WI-AF-1RW11-0117	537, 537	T	293.91 g	26.76 g	267.2 mL	1.0 mL	7 SU	20 uL
320-25188-A-2	WI-AF-1FB11-0117	537, 537	T	290.20 g	26.69 g	263.5 mL	1.0 mL	7 SU	20 uL
320-25188-A-3	WI-AF-1RW12-0117	537, 537	T	280.56 g	26.77 g	253.8 mL	1.0 mL	7 SU	20 uL
320-25188-A-4	WI-AF-1FB12-0117	537, 537	T	291.93 g	26.33 g	265.6 mL	1.0 mL	7 SU	20 uL
320-25188-A-5	WI-AF-1RW13-0117	537, 537	T	288.24 g	27.09 g	261.2 mL	1.0 mL	7 SU	20 uL
320-25188-A-6	WI-AF-1FB13-0117	537, 537	T	293.97 g	26.78 g	267.2 mL	1.0 mL	7 SU	20 uL
320-25188-A-7	WI-AF-1RW14-0117	537, 537	T	271.25 g	27.30 g	244 mL	1.0 mL	7 SU	20 uL
320-25188-A-8	WI-AF-1FB14-0117	537, 537	T	290.64 g	26.64 g	264 mL	1.0 mL	7 SU	20 uL

Lab Sample ID	Client Sample ID	Method Chain	Basis	LC537-MSP 00017	LC537-SU 00029	AnalysisComment			
MB 320-147589/1		537, 537			50 uL	Chlorine ND			
LCS 320-147589/2		537, 537		50 uL	50 uL	Chlorine ND			
LCSD 320-147589/3		537, 537		50 uL	50 uL	Chlorine ND			
320-25188-A-1	WI-AF-1RW11-0117	537, 537	T		50 uL	Chlorine ND			
320-25188-A-2	WI-AF-1FB11-0117	537, 537	T		50 uL	Chlorine ND			
320-25188-A-3	WI-AF-1RW12-0117	537, 537	T		50 uL	Chlorine ND			
320-25188-A-4	WI-AF-1FB12-0117	537, 537	T		50 uL	Chlorine ND			
320-25188-A-5	WI-AF-1RW13-0117	537, 537	T		50 uL	Chlorine ND			
320-25188-A-6	WI-AF-1FB13-0117	537, 537	T		50 uL	Chlorine ND			
320-25188-A-7	WI-AF-1RW14-0117	537, 537	T		50 uL	Chlorine ND			
320-25188-A-8	WI-AF-1FB14-0117	537, 537	T		50 uL	Chlorine ND			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Batch Number: 147589

Batch Start Date: 01/24/17 10:27

Batch Analyst: Sharifi, Nooshin

Batch Method: 537

Batch End Date: 01/24/17 22:00

Batch Notes	
Manifold ID	3, 10
Methanol ID	816943
Pipette ID	MD05306
Analyst ID - IS Reagent Drop	JER
Analyst ID - IS Reagent Drop Witness	KMK
Analyst ID - SU Reagent Drop	VPM
Analyst ID - SU Reagent Drop Witness	KMK
Analyst ID - TA Reagent Drop	VPM
Analyst ID - TA Reagent Drop Witness	KMK
SPE Cartridge ID	6341059-03
Trizma ID	SLBR4303V
Reagent Water ID	SIZ 1-13-17

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Method 537 CCV/Data Review Checklist

A6

Job No: 25188, 25189 Instrument ID & Date: 1-26-17 ICAL Batch: 147661
 Extraction Batch: 147589 Worklist #: 39184 TALS Batch: 147802, 147803

Review Items	-- Level 1 --			Level 2
	Yes	No	N/A	
Initial Calibration				
1. Is ICAL verified and locked in Chrom & TALS?	✓			✓
2. Is ICV properly linked in TALS?	✓			✓
Continuing Calibration				
1. Low-range CCV injected at start of analytical run? CCV injected after every 10 samples and at the end of the analytical run and alternated between Low-range, Mid-range and High-range?	✓			✓
2. If sequence was not after an ICAL was a low and mid range CCV injected at the start of the analytical run?		✓		
3. Native compounds and surrogates in control? Low-range within $\pm 50\%$ of true value Mid and High-range within $\pm 30\%$ of true value	✓			✓
4. Internal Standard areas in control? Areas $\geq 50\%$ of average area of the ICAL and 70-140% of the most recent CCV.	✓			✓
Client Samples & QC Sample Results				
1. Were preparation and analysis done within holding times?	✓			✓
2. Are Chromatograms reviewed and spectra verified?	✓			✓
3. Are positive results within calibration range?	✓			✓
4. Dilutions due to target cpds? Dilutions due to non-targets?		✓		
5. All target compounds in MB $< 1/3$ RL? (Requires NCM if "no.")	✓			✓
6. Are target constituents in LCS/LCSD within method control limits?	✓			✓
7. Internal Standard areas in control for all samples and QC reported? $\pm 50\%$ from the average area of the ICAL and 70-140% of the most recent CCV	✓			✓
8. Do results (e.g., dilutions/trip blanks) make sense?	✓			
9. Are MS/MSD recoveries and RPDs within method control limits?		✓		✓
10. Are all QC samples properly linked in TALS?	✓			✓
11. All manual integrations appropriate and completely documented?	✓			✓
12. Are nonconformances documented as NCMs?		✓		
13. Are all Chrom graphics uploaded?	✓			✓

 1st Level Reviewer / Date: JRB 1-26-17

 2nd Level Reviewer / Date: M.Way 1-26-17

 NCM # and Comments: 76408

Method 537 ICAL Checklist

A6

 Instrument ID & Date: 1-24-17 Worklist#: 39144

 ICAL Batch: 147661, 147662 Calibration ID number: 27898, 27899

Review Items	-- Level 1 --			Level 2
	Yes	No	N/A	
Initial Calibration				
1. Mass calibration, as needed, verified by full scan of PFC stock standard. All PFC ions used for quantitation are within 0.3 m/z of true mass?	✓			
2. Responses increase with increasing concentration?	✓			✓
3. Fit used (circle): <u>Average</u> Linear $(1/x^2)$ Linear Quadratic (6 points minimum)				
4. Meets fit criteria? Intercept $\leq \frac{1}{2}$ RL RSD $\leq 30\%$ for Average $R^2 \geq 0.990$ for Linear $R^2 \geq 0.990$ for Quadratic		✓		✓
NOTE: "Force through Zero" must be used and weighted if needed				
5. If quadratic fit used the curve does not "bend over".			✓	
6. Feed calibration points into the calculated curve. Are points $\leq MRL$ within $\pm 50\%$ of true value? Are points $> MRL$ within $\pm 30\%$ of true value?	✓			
7. Any carryover from the high calibration point must be $< 1/3$ RL	✓			✓
8. Asymmetry check meets criteria for the first two eluting peaks? (0.8 - 1.5).	✓			✓
9. Is the asymmetry check scanned and linked in TALS to the calibration point?	✓			✓
10. Is ICV (2 nd source) $\pm 30\%$ of true value?	✓			✓
11. Is ICV (2 nd source) internal standards $\pm 50\%$ of average area of the ICAL?	✓			✓
12. ICAL locked in Chrom and uploaded to TALS?	✓			
13. ICAL locked in TALS and scanned?				✓

 1st Level Reviewer / Date: JRB 1-25-17

 2nd Level Reviewer / Date: Meway 1/25/2017

 NCM # and Comments: _____

TestAmerica Laboratories
Worklist QC Batch Report

Worklist Name: 25JAN2017A_A6 537 Worklist Number: 39184
 Instrument Name: A6 Chrom Method: 537_A6
 Data Directory: \\ChromNA\\Sacramento\\ChromData\\A6\\20170125-39184.b
 QC Batching: Enabled Limit Group Batching: Enabled

QC Batch: 1	LC 537 ICAL Raw Batch: 147800
# 1 CCV L3	# 1 CCV L3
# 2 RB	# 2 RB
# 3 MB 320-147532/1-A	# 3 MB 320-147532/1-A
# 4 LLCS 320-147532/2-A	# 4 LLCS 320-147532/2-A
# 5 LLCSD 320-147532/3-A	# 5 LLCSD 320-147532/3-A
# 6 320-25161-A-1-A	# 6 320-25161-A-1-A
# 7 320-25161-A-2-A	# 7 320-25161-A-2-A
# 8 320-25161-A-3-A	# 8 320-25161-A-3-A
# 9 320-25161-A-4-A	# 9 320-25161-A-4-A
#10 320-25161-A-5-A	#10 320-25161-A-5-A
#11 320-25161-A-6-A	#11 320-25161-A-6-A
#12 320-25161-A-7-A	#12 320-25161-A-7-A
#13 CCV L5	#13 CCV L5

QC Batch: 2	LC 537 ICAL Raw Batch: 147801
#13 CCV L5	#13 CCV L5
#14 RB	#14 RB
#15 320-25161-A-8-A	#15 320-25161-A-8-A
#16 320-25161-A-9-A	#16 320-25161-A-9-A
#17 320-25161-A-10-A	#17 320-25161-A-10-A
#18 320-25161-A-11-A	#18 320-25161-A-11-A
#19 320-25161-A-12-A	#19 320-25161-A-12-A
#20 320-25161-A-13-A	#20 320-25161-A-13-A
#21 320-25161-A-14-A	#21 320-25161-A-14-A
#22 320-25161-A-15-A	#22 320-25161-A-15-A
#23 CCV L3	#23 CCV L3

QC Batch: 3	LC 537 ICAL Raw Batch: 147802
#23 CCV L3	#23 CCV L3
#24 RB	#24 RB
#25 MB 320-147589/1-A	#25 MB 320-147589/1-A
#26 LCS 320-147589/2-A	#26 LCS 320-147589/2-A
#27 LCSD 320-147589/3-A	#27 LCSD 320-147589/3-A
#28 320-25188-A-1-A	#28 320-25188-A-1-A
#29 320-25188-A-2-A	#29 320-25188-A-2-A
#30 320-25188-A-3-A	#30 320-25188-A-3-A
#31 320-25188-A-4-A	#31 320-25188-A-4-A
#32 320-25188-A-5-A	#32 320-25188-A-5-A
#33 320-25188-A-6-A	#33 320-25188-A-6-A
#34 320-25188-A-7-A	#34 320-25188-A-7-A
#35 CCV L5	#35 CCV L5

QC Batch: 4	LC 537 ICAL Raw Batch: 147803	LC 537 CS ICAL Raw Batch: 147804
#35 CCV L5	#35 CCV L5	
#36 RB	#36 RB	
#37 320-25188-A-8-A	#37 320-25188-A-8-A	
#38 320-25189-A-1-A	#38 320-25189-A-1-A	

QC Batch: 4	LC 537 ICAL Raw Batch: 147803	LC 537 CS ICAL Raw Batch: 147804
#39 320-25189-A-2-A	#39 320-25189-A-2-A	
#40 320-25189-A-3-A	#40 320-25189-A-3-A	
#41 320-25189-A-4-A	#41 320-25189-A-4-A	
#42 320-25189-A-5-A	#42 320-25189-A-5-A	
#43 320-25189-A-6-A	#43 320-25189-A-6-A	
#44 320-25189-A-7-A	#44 320-25189-A-7-A	
#45 320-25189-A-8-A	#45 320-25189-A-8-A	
#46 320-25189-A-9-A	#46 320-25189-A-9-A	
#47 CCV L3	#47 CCV L3	#47 CCV L3

QC Batch: 5	LC 537 ICAL Raw Batch: 147805	LC 537 CS ICAL Raw Batch: 147806
#47 CCV L3	#47 CCV L3	#47 CCV L3
#48 RB		#48 RB
#49 MB 320-147514/1-A		#49 MB 320-147514/1-A
#50 LCS 320-147514/2-A		#50 LCS 320-147514/2-A
#51 320-24982-A-1-A		#51 320-24982-A-1-A
#52 320-24982-A-1-B MS		#52 320-24982-A-1-B MS
#53 320-24982-A-1-C DU		#53 320-24982-A-1-C DU
#54 320-24982-A-2-A		#54 320-24982-A-2-A
#55 320-24983-A-1-A		#55 320-24983-A-1-A
#56 320-24983-A-1-B MS		#56 320-24983-A-1-B MS
#57 320-24983-A-1-C DU		#57 320-24983-A-1-C DU
#58 320-24983-A-2-A		#58 320-24983-A-2-A
#59 CCV L5		#59 CCV L5

QC Batch: 6	LC 537 CS ICAL Raw Batch: 147807
#59 CCV L5	#59 CCV L5
#60 RB	#60 RB
#61 320-24983-A-3-A	#61 320-24983-A-3-A
#62 320-25121-A-1-A	#62 320-25121-A-1-A
#63 320-25121-A-1-B MS	#63 320-25121-A-1-B MS
#64 320-25121-A-1-C DU	#64 320-25121-A-1-C DU
#65 320-25121-A-2-A	#65 320-25121-A-2-A
#66 320-25121-A-3-A	#66 320-25121-A-3-A
#67 320-25121-A-4-A	#67 320-25121-A-4-A
#68 320-25121-A-5-A	#68 320-25121-A-5-A
#69 CCV L3	#69 CCV L3
#70 RB	#70 RB

55

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-147589

Method Code: 320-537_Prep-320

Analyst: Sharifi, Nooshin

Batch Open: 1/24/2017 10:27:00AM
 Batch End: 1/24/17 10:00
 20:00

Extraction of Perfluorinated Alkyl Acids

Due 1/30

	Input Sample Lab ID (Analytical Method)	SDG (Job #)	GrossWt TareWt	InitAmnt FinAmnt	Rcvd	PHs Adj1	Adj2	Due Date	Analytical TAT	Comments	Output Sample Lab ID
1	MB-320-147589/1 N/A	N/A	250 mL	7		N/A		N/A	N/A	Chlorine ND	
2	LCS~320-147589/2 N/A	N/A	250 mL	7		N/A		N/A	N/A	Chlorine ND	
3	LCSD~320-147589/3 N/A	N/A	250 mL	7		N/A		N/A	N/A	Chlorine ND	
4	320-25188-A-1 (537_DOD5)	N/A (320-25188-1)	293.91 g	267.2 mL	7			1/27/17	5_Days	4	Chlorine ND
5	320-25188-A-2 (537_DOD5)	N/A (320-25188-1)	290.20 g	263.5 mL	7			1/27/17	5_Days	4	Chlorine ND
6	320-25188-A-3 (537_DOD5)	N/A (320-25188-1)	280.56 g	253.8 mL	7			1/27/17	5_Days	4	Chlorine ND
7	320-25188-A-4 (537_DOD5)	N/A (320-25188-1)	291.93 g	265.6 mL	7			1/27/17	5_Days	4	Chlorine ND
8	320-25188-A-5 (537_DOD5)	N/A (320-25188-1)	288.24 g	261.2 mL	7			1/27/17	5_Days	4	Chlorine ND
9	320-25188-A-6 (537_DOD5)	N/A (320-25188-1)	293.97 g	267.2 mL	7			1/27/17	5_Days	4	Chlorine ND
10	320-25188-A-7 (537_DOD5)	N/A (320-25188-1)	271.25 g	244 mL	7			1/27/17	5_Days	4	Chlorine ND

01/26/2017

Printed : 1/24/2017

Page 1 of 5

TestAmerica Sacramento

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Analyst: Sharifi, Nooshin

Batch Open: 1/24/2017 10:27:00AM

Batch Number: 320-147589

Method Code: 320-537_Prep-320

Line	Sample ID	Sample Description	Volume	Conc	Start Date	End Date	Chlorine ND
11	320-25189-A-8 (537_DOD5)	N/A (320-25188-1)	290.64 g	264 mL	7	1/27/17	5_Days
12	320-25189-A-1 (537_DOD5)	N/A (320-25189-1)	26.64 g	1.0 mL			Chlorine ND
13	320-25189-A-2 (537_DOD5)	N/A (320-25189-1)	294.33 g	267.2 mL	7	1/27/17	5_Days
14	320-25189-A-3 (537_DOD5)	N/A (320-25189-1)	27.16 g	1.0 mL			Chlorine ND
15	320-25189-A-4 (537_DOD5)	N/A (320-25189-1)	296.14 g	269.9 mL	7	1/27/17	5_Days
16	320-25189-A-5 (537_DOD5)	N/A (320-25189-1)	26.26 g	1.0 mL			Chlorine ND
17	320-25189-A-6 (537_DOD5)	N/A (320-25189-1)	292.68 g	265.9 mL	7	1/27/17	5_Days
18	320-25189-A-7 (537_DOD5)	N/A (320-25189-1)	26.77 g	1.0 mL			Chlorine ND
19	320-25189-A-8 (537_DOD5)	N/A (320-25189-1)	293.52 g	266.2 mL	7	1/27/17	5_Days
20	320-25189-A-9 (537_DOD5)	N/A (320-25189-1)	27.37 g	1.0 mL			Chlorine ND
Page 184 of 191			269.86 g	266.2 mL	7	1/27/17	5_Days
			26.64 g	1.0 mL			Chlorine ND
			289.98 g	262.4 mL	7	1/27/17	5_Days
			27.60 g	1.0 mL			Chlorine ND
			291.80 g	265.2 mL	7	1/27/17	5_Days
			26.59 g	1.0 mL			Chlorine ND
			299.21 g	271 mL	7	1/27/17	5_Days
			28.26 g	1.0 mL			Chlorine ND
			293.07 g	266.6 mL	7	1/27/17	5_Days
			26.50 g	1.0 mL			Chlorine ND

01/26/2017

Printed : 1/24/2017

Page 2 of 5

TestAmerica Sacramento

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-147589

Method Code: 320-537 Prep-320

Analyst: Sharifi, Nooshin

Batch Onen: 1/24/2017 10:27:00AM

Batch End

Batch Notes	
Manifold ID	3, 10
Trizma ID	SLBR4303V
SPE Cartridge ID	6341059-03
Methanol ID	816943
Reagent Water ID	SIZ 1-13-17
Pipette ID	MD05306
Analyst ID - TA Reagent Drop	VPM
Analyst ID - TA Reagent Drop	KMK
Analyst ID - SU Reagent Drop	VPM
Analyst ID - SU Reagent Drop	KMK
Analyst ID - IS Reagent Drop	VPM
Analyst ID - IS Reagent Drop	KMK
Batch Comment	

Comments

01/26/2017

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Analyst: Sharifi, Nooshin

Batch Number: 320-147589

Method Code: 320-537_Prep-320

Batch Open: 1/24/2017 10:27:00AM

Batch End:

Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
MB 320-147589/1	LC537-SU_00029	50 uL	1.0 mL	NSH	1-24-17
LCS 320-147589/2	LC537-MSP_00017	50 uL	1.0 mL		HSA 1-24-17
LCS 320-147589/2	LC537-SU_00029	50 uL	1.0 mL		
LCS 320-147589/3	LC537-MSP_00017	50 uL	1.0 mL		
LCS 320-147589/3	LC537-SU_00029	50 uL	1.0 mL		
320-25188-A-1	LC537-SU_00029	50 uL	1.0 mL		
320-25188-A-2	LC537-SU_00029	50 uL	1.0 mL		
320-25188-A-3	LC537-SU_00029	50 uL	1.0 mL		
320-25188-A-4	LC537-SU_00029	50 uL	1.0 mL		
320-25188-A-5	LC537-SU_00029	50 uL	1.0 mL		
320-25188-A-6	LC537-SU_00029	50 uL	1.0 mL		
320-25188-A-7	LC537-SU_00029	50 uL	1.0 mL		
320-25188-A-8	LC537-SU_00029	50 uL	1.0 mL		
320-25189-A-1	LC537-SU_00029	50 uL	1.0 mL		
320-25189-A-2	LC537-SU_00029	50 uL	1.0 mL		
320-25189-A-3	LC537-SU_00029	50 uL	1.0 mL		
320-25189-A-4	LC537-SU_00029	50 uL	1.0 mL		
320-25189-A-5	LC537-SU_00029	50 uL	1.0 mL		

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Method Code: 320-537_Prep
Batch Number: 320-147589

Batch Open: 1/24/2017 10:27:00AM

Analyst: Sharifi, Nooshin

320-25189-A-6	LC537-SU_00029	50 uL	1.0 mL	NSA	1-24-17	HSD 1-24-17
320-25189-A-7	LC537-SU_00029	50 uL	1.0 mL			
320-25189-A-8	LC537-SU_00029	50 uL	1.0 mL			
320-25189-A-9	LC537-SU_00029	50 uL	1.0 mL			

Other Reagents:

Reagent

Amount/Units

10

Page 187 of 191

01/26/2017

Preparation Batch Number(s): 147589

Test: 537-0005 (RUSH)

Earliest Holding Time: 2-2-17

Sample List Tab		1 st Level Reviewer	2 nd Level Reviewer
Samples identified to the correct method		/	
All necessary NCMs filed (including holding time)		/	/
Method/sample/login/QAS checked and correct		/	/
Worksheet Tab		1 st Level Reviewer	2 nd Level Reviewer
All samples properly preserved		/	/
Weights in anticipated range and not targeted		/	/
All additional test requirements performed, documented, and uploaded to TALS correctly (e.g. final amount, initial amount, turbidity, and CI Check)		/	/
The pH is transcribed correctly in TALS		/	/
All additional information transcribed into TALS is correct and raw data is attached		/	/
Comments are transcribed correctly in TALS		/	/
Reagents Tab		1 st Level Reviewer	2 nd Level Reviewer
All necessary reagents not expired and entered into TALS		/	/
All spike amounts correct and added to necessary samples and QC		/	/
Batch Information		1 st Level Reviewer	2 nd Level Reviewer
Date and time accurate and entered into TALS correctly		/	/
All necessary 'batch information' complete and entered into TALS correctly		/	/

1st Level Reviewer:

VPM

Date:

1/24/17

2nd Level Reviewer:

ABD

Date:

1/24/17

Comments:

Shipping and Receiving Documents

TestAmerica Sacramento
880 Riverside Parkway

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

West Sacramento, CA 95660
phone 916.373.5600 fax

TestAmerica Laboratories, Inc.

Client Contact		Project Manager: Katie Tippin Tel/Fax: (757) 671-6258	Regulatory Program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other:	Site Contact: Eric Epple Lab Contact: Laura Turpen	Date: 1/19/2017 Carrier: FedEx	COC No: 1 of _____ COCs
Tiffany Hill Project Chemist: 1100 NE Circle Blvd Ste 300 Corvallis, OR 97330 (541) 768-3109 (541) 908-3794 Project Name: CTO-08 Site: NAS Whidbey Island P O # 10006/106050 - 679580.06 FLFS	Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below _____ 7-Day _____ <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day				For Lab Use Only: Walk-in Client: _____ Lab Sampling: _____	
				US EPA Method 537 (PFoA, PFOS, and PFBs) Perform MS/MS (Y/N)		Job / SDG No.: _____
				320-25188 Chain of Custody		Sample Specific Notes: _____
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	
WI-AF-1RW11-0117	01/19/17	9:09	G	DW	2	N N X
WI-AF-1FB11-0117	01/19/17	9:10	G	DW	2	N N X
WI-AF-1RW12-0117	01/19/17	9:33	G	DW	2	N N X
WI-AF-1FB12-0117	01/19/17	9:34	G	DW	2	N N X
WI-AF-1RW13-0117	01/19/17	10:36	G	DW	2	N N X
WI-AF-1FB13-0117	01/19/17	10:37	G	DW	2	N N X
WI-AF-1RW14-0117	01/19/17	18:05	G	DW	2	N N X
WI-AF-1FB14-0117	01/19/17	18:06	G	DW	2	N N X
						Preservation Used: 1= Ice, 2= HCl; 3= H ₂ SO ₄ ; 4= HNO ₃ ; 5= NaOH; 6= Other Trizma
						Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample
						<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown
						Comments: _____
						Special Instructions/QC Requirements & Comments: _____
Relinquished by: <u>BNZ</u>		Yes <input type="checkbox"/> No	Custody Seal No.: Company: CH2M	Received by: <u>Jay Shug</u> Date/Time: 1/20/17 9:00 Company: <u>Jay Shug</u>	Cooler Temp (°C): Obs'd 24 Corrd 26 Date/Time: 1/20/17 9:00 Company: <u>Jay Shug</u>	Therm ID No: <u>17900</u> Date/Time: 1/20/17 9:00 Company: <u>Jay Shug</u>
Relinquished by: <u>01/26/2017</u>			Comments: _____	Received by: _____ Date/Time: _____ Company: _____	Received by: _____ Date/Time: _____ Company: _____	Comments: _____
						Return to Client <input type="checkbox"/> Disposal by Lab <input checked="" type="checkbox"/> Disposal by Client <input type="checkbox"/> Archive for _____ Months

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

Login Sample Receipt Checklist

Client: CH2M Hill Constructors, Inc.

Job Number: 320-25188-1

Login Number: 25188

List Source: TestAmerica Sacramento

List Number: 1

Creator: Hytrek, Cheryl

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Lab_Sample_ID	Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	Chem_Name	Analyte_ID	Analyte_Value	Original_Analyte_Value	Result_Units	Lab_Qualifier	Validator_Qualifier	GC_Column_Type	Analysis_Type	Result_Narrative	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDU	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch
320-25188-1	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW11-0117	Perfluoroctane Sulfonate (PFOS)	1763-23-1	0.045	UG_L	U M	PR	TRG				00000000			5.0	0.015	0.045	0.056	320-25188-1	320-147802				
320-25188-1	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW11-0117	Perfluoroctanoic acid (PFOA)	335-67-1	0.022	UG_L	U M	PR	TRG				00000000			5.0	0.0088	0.022	0.028	320-25188-1	320-147802				
320-25188-1	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW11-0117	Perfluorobutanesulfonic acid (PFBS)	375-73-5	0.10	UG_L	U	PR	TRG				00000000			5.0	0.045	0.10	0.13	320-25188-1	320-147802				
320-25188-1	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW11-0117	13C2 PFHXA		99	13C2 PFHXA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-1	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW11-0117	13C2 PFDA		108	13C2 PFDA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-2	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB11-0117	Perfluoroctane Sulfonate (PFOS)	1763-23-1	0.046	UG_L	U	PR	TRG				00000000			5.0	0.015	0.046	0.057	320-25188-1	320-147802				
320-25188-2	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB11-0117	Perfluoroctanoic acid (PFOA)	335-67-1	0.023	UG_L	U	PR	TRG				00000000			5.0	0.0089	0.023	0.028	320-25188-1	320-147802				
320-25188-2	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB11-0117	Perfluorobutanesulfonic acid (PFBS)	375-73-5	0.10	UG_L	U	PR	TRG				00000000			5.0	0.045	0.10	0.13	320-25188-1	320-147802				
320-25188-2	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB11-0117	13C2 PFHXA		108	13C2 PFHXA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-2	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB11-0117	13C2 PFDA		110	13C2 PFDA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-3	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW12-0117	Perfluoroctane Sulfonate (PFOS)	1763-23-1	0.047	UG_L	U M	PR	TRG				00000000			5.0	0.015	0.047	0.059	320-25188-1	320-147802				
320-25188-3	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW12-0117	Perfluoroctanoic acid (PFOA)	335-67-1	0.0094	UG_L	J M	PR	TRG				00000000			5.0	0.0093	0.024	0.030	320-25188-1	320-147802				
320-25188-3	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW12-0117	Perfluorobutanesulfonic acid (PFBS)	375-73-5	0.11	UG_L	U	PR	TRG				00000000			5.0	0.047	0.11	0.14	320-25188-1	320-147802				
320-25188-3	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW12-0117	13C2 PFHXA		100	13C2 PFHXA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-3	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW12-0117	13C2 PFDA		105	13C2 PFDA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-4	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB12-0117	Perfluoroctane Sulfonate (PFOS)	1763-23-1	0.045	UG_L	U	PR	TRG				00000000			5.0	0.015	0.045	0.056	320-25188-1	320-147802				
320-25188-4	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB12-0117	Perfluoroctanoic acid (PFOA)	335-67-1	0.023	UG_L	U	PR	TRG				00000000			5.0	0.0089	0.023	0.028	320-25188-1	320-147802				
320-25188-4	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB12-0117	Perfluorobutanesulfonic acid (PFBS)	375-73-5	0.10	UG_L	U	PR	TRG				00000000			5.0	0.045	0.10	0.13	320-25188-1	320-147802				
320-25188-4	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB12-0117	13C2 PFHXA		105	13C2 PFHXA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-4	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB12-0117	13C2 PFDA		103	13C2 PFDA		PR	SURR				00000000			5.0				320-25188-1	320-147802				
320-25188-5	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW13-0117	Perfluoroctane Sulfonate (PFOS)	1763-23-1	0.046	UG_L	U	PR	TRG				00000000			5.0	0.015	0.046	0.057	320-25188-1	320-147802				
320-25188-5	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW13-0117	Perfluoroctanoic acid (PFOA)	335-67-1	0.023	UG_L	U	PR	TRG				00000000			5.0	0.0090	0.023	0.029	320-25188-1	320-147802				
320-25188-5	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW13-0117	Perfluorobutanesulfonic acid (PFBS)	375-73-5	0.11	UG_L	U M	PR	TRG				00000000			5.0	0.046	0.11	0.13	320-25188-1	320-147802				
320-25188-5	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW13-0117	13C2 PFHXA		103	13C2 PFHXA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-5	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1RW13-0117	13C2 PFDA		113	13C2 PFDA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-6	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB13-0117	Perfluoroctane Sulfonate (PFOS)	1763-23-1	0.045	UG_L	U	PR	TRG				00000000			5.0	0.015	0.045	0.056	320-25188-1	320-147802				
320-25188-6	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB13-0117	Perfluoroctanoic acid (PFOA)	335-67-1	0.022	UG_L	U	PR	TRG				00000000			5.0	0.0088	0.022	0.028	320-25188-1	320-147802				
320-25188-6	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB13-0117	Perfluorobutanesulfonic acid (PFBS)	375-73-5	0.10	UG_L	U	PR	TRG				00000000			5.0	0.045	0.10	0.13	320-25188-1	320-147802				
320-25188-6	N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-AF-1FB13-0117	13C2 PFHXA		106	13C2 PFHXA		PR	SURR		SLSA	130	70	00000000			5.0				320-25188-1	320-147802			
320-25188-6	N6247016D9000	00																										

**DATA VALIDATION SUMMARY REPORT
WHIDBEY ISLAND, WASHINGTON**

Client: CH2M HILL, Inc., Corvallis, Oregon
SDG: 320-25188-1
Laboratory: Test America, Sacramento, California
Site: Whidbey Island, CTO-0008, Washington
Date: February 1, 2017

PFCs			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	WI-AF-1RW11-0117	320-25188-1	Water
2	WI-AF-1FB11-0117	320-25188-2	Water
3	WI-AF-1RW12-0117	320-25188-3	Water
4	WI-AF-1FB12-0117	320-25188-4	Water
5	WI-AF-1RW13-0117	320-25188-5	Water
6	WI-AF-1FB13-0117	320-25188-6	Water
7	WI-AF-1RW14-0117	320-25188-7	Water
8	WI-AF-1FB14-0117	320-25188-8	Water

A full data validation was performed on the analytical data for four water samples and four aqueous field blank samples collected on January 19, 2017 by CH2M HILL at the Whidbey Island site in Washington. The samples were analyzed under the EPA Method “Determination of Selected Perfluorinated Alkyl Acids in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS)”.

Specific method references are as follows:

Analysis
PFCs

Method References
USEPA Method 537 Rev 1.1 Modified

The data have been validated according to the protocols and quality control (QC) requirements of the analytical method, and the U.S. Department of Defense (DoD) Quality Systems Manual (QSM), Version 5.0 (DoD 2013) and the USEPA National Functional Guidelines for Organic Data Review as follows:

- The USEPA “Contract Laboratories Program National Functional Guidelines for Superfund Organic Methods Data Review,” August 2014;
- and the reviewer's professional judgment.

The following data quality indicators were reviewed for this report:

Organics

- Date Completeness, Case Narrative & Custody Documentation
- Holding times
- Gas Chromatography/Mass Spectrometry (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field QC blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) recoveries
- Internal standard area and retention time summary forms
- Target Compound Identification
- Compound Quantitation
- Field Duplicate sample precision

A full (Level IV) data validation was performed with this review including a recalculation of 10% of the detected results in the samples.

Data Usability Assessment

There were no rejections of data.

Overall the data is acceptable for the intended purposes. There were no qualifications.

Perfluorinated Compounds (PFCs)

Data Completeness, Case Narrative & Custody Documentation

- The case narrative and chain-of-custody documentation were included in the data package as required. All criteria were met.

Holding Times

- All samples were extracted within 14 days for water samples and analyzed within 28 days.

GC/MS Tuning

- All criteria were met.

Initial Calibration

- All relative standard deviation (%RSD) and/or correlation coefficients criteria were met.

Continuing Calibration

- All percent difference (%D) and RRF criteria were met.

Method Blank

- The method blanks were free of contamination.

Field QC Blank

- The field blank samples were free of contamination.

Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate %R values.

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- A MS/MSD sample was not collected.

Laboratory Control Samples/Laboratory Control Sample Duplicates

- The LCS/LCSD samples exhibited acceptable percent recoveries (%R) and RPD values.

Internal Standard (IS) Area Performance

- All internal standards met response and retention time (RT) criteria.

Target Compound Identification

- All mass spectra and quantitation criteria were met.

Compound Quantitation

- All criteria were met.

Field Duplicate Sample Precision

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed: Nancy Weaver Dated: 2/2/17
Nancy Weaver
Senior Chemist

Data Qualifier	Definition
U	The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.
J	The analyte is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
NJ	The analysis has been "tentatively identified" or "presumptively" as present and the associated numerical value is the estimated concentration in the samples.
UJ	The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the samples.

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Client Sample ID: WI-AF-1RW11-0117

Lab Sample ID: 320-25188-1

Matrix: Water

Lab File ID: 24JAN2017A6A_075.d

Analysis Method: 537

Date Collected: 01/19/2017 09:09

Extraction Method: 537

Date Extracted: 01/24/2017 10:27

Sample wt/vol: 267.2 (mL)

Date Analyzed: 01/26/2017 03:36

Con. Extract Vol.: 1.0 (mL)

Dilution Factor: 1

Injection Volume: 10 (uL)

GC Column: Acquity ID: 2.1 (mm)

% Moisture:

GPC Cleanup: (Y/N) N

Analysis Batch No.: 147802

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.045	U M	0.056	0.045	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U Y	0.028	0.022	0.0088
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	99		70-130
STL00996	13C2 PFDA	108		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

2

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Client Sample ID: WI-AF-1FB11-0117

Lab Sample ID: 320-25188-2

Matrix: Water

Lab File ID: 24JAN2017A6A_076.d

Analysis Method: 537

Date Collected: 01/19/2017 09:10

Extraction Method: 537

Date Extracted: 01/24/2017 10:27

Sample wt/vol: 263.5 (mL)

Date Analyzed: 01/26/2017 04:05

Con. Extract Vol.: 1.0 (mL)

Dilution Factor: 1

Injection Volume: 10 (uL)

GC Column: Acquity ID: 2.1 (mm)

% Moisture:

GPC Cleanup: (Y/N) N

Analysis Batch No.: 147802

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.057	0.046	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.028	0.023	0.0089
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	108		70-130
STL00996	13C2 PFDA	110		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

3

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Client Sample ID: WI-AF-1RW12-0117

Lab Sample ID: 320-25188-3

Matrix: Water

Lab File ID: 24JAN2017A6A_077.d

Analysis Method: 537

Date Collected: 01/19/2017 09:33

Extraction Method: 537

Date Extracted: 01/24/2017 10:27

Sample wt/vol: 253.8 (mL)

Date Analyzed: 01/26/2017 04:35

Con. Extract Vol.: 1.0 (mL)

Dilution Factor: 1

Injection Volume: 10 (uL)

GC Column: Acquity ID: 2.1 (mm)

% Moisture:

GPC Cleanup: (Y/N) N

Analysis Batch No.: 147802

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U M	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.0094	J M	0.030	0.024	0.0093
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	100		70-130
STL00996	13C2 PFDA	105		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

4

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Client Sample ID: WI-AF-1FB12-0117

Lab Sample ID: 320-25188-4

Matrix: Water

Lab File ID: 24JAN2017A6A_078.d

Analysis Method: 537

Date Collected: 01/19/2017 09:34

Extraction Method: 537

Date Extracted: 01/24/2017 10:27

Sample wt/vol: 265.6 (mL)

Date Analyzed: 01/26/2017 05:04

Con. Extract Vol.: 1.0 (mL)

Dilution Factor: 1

Injection Volume: 10 (uL)

GC Column: Acquity ID: 2.1 (mm)

% Moisture:

GPC Cleanup: (Y/N) N

Analysis Batch No.: 147802

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.045	U	0.056	0.045	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.028	0.023	0.0089
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	105		70-130
STL00996	13C2 PFDA	103		70-130

5

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Client Sample ID: WI-AF-1RW13-0117

Lab Sample ID: 320-25188-5

Matrix: Water

Lab File ID: 24JAN2017A6A_079.d

Analysis Method: 537

Date Collected: 01/19/2017 10:36

Extraction Method: 537

Date Extracted: 01/24/2017 10:27

Sample wt/vol: 261.2 (mL)

Date Analyzed: 01/26/2017 05:34

Con. Extract Vol.: 1.0 (mL)

Dilution Factor: 1

Injection Volume: 10 (uL)

GC Column: Acquity ID: 2.1 (mm)

% Moisture:

GPC Cleanup: (Y/N) N

Analysis Batch No.: 147802

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.057	0.046	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.023	0.0090
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U <i>N</i>	0.13	0.11	0.046

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	103		70-130
STL00996	13C2 PFDA	113		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

b

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Client Sample ID: WI-AF-1FB13-0117

Lab Sample ID: 320-25188-6

Matrix: Water

Lab File ID: 24JAN2017A6A_080.d

Analysis Method: 537

Date Collected: 01/19/2017 10:37

Extraction Method: 537

Date Extracted: 01/24/2017 10:27

Sample wt/vol: 267.2 (mL)

Date Analyzed: 01/26/2017 06:04

Con. Extract Vol.: 1.0 (mL)

Dilution Factor: 1

Injection Volume: 10 (uL)

GC Column: Acquity ID: 2.1 (mm)

% Moisture:

GPC Cleanup: (Y/N) N

Analysis Batch No.: 147802

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.045	U	0.056	0.045	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.028	0.022	0.0088
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	106		70-130
STL00996	13C2 PFDA	105		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

7

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Client Sample ID: WI-AF-1RW14-0117

Lab Sample ID: 320-25188-7

Matrix: Water

Lab File ID: 24JAN2017A6A_081.d

Analysis Method: 537

Date Collected: 01/19/2017 18:05

Extraction Method: 537

Date Extracted: 01/24/2017 10:27

Sample wt/vol: 244 (mL)

Date Analyzed: 01/26/2017 06:33

Con. Extract Vol.: 1.0 (mL)

Dilution Factor: 1

Injection Volume: 10 (uL)

GC Column: Acquity ID: 2.1 (mm)

% Moisture:

GPC Cleanup: (Y/N) N

Analysis Batch No.: 147802

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.049	U M	0.061	0.049	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.025	U M	0.031	0.025	0.0097
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.049

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	106		70-130
STL00996	13C2 PFDA	107		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

8

Lab Name: TestAmerica Sacramento

Job No.: 320-25188-1

SDG No.:

Client Sample ID: WI-AF-1FB14-0117

Lab Sample ID: 320-25188-8

Matrix: Water

Lab File ID: 24JAN2017A6A_084.d

Analysis Method: 537

Date Collected: 01/19/2017 18:06

Extraction Method: 537

Date Extracted: 01/24/2017 10:27

Sample wt/vol: 264 (mL)

Date Analyzed: 01/26/2017 08:02

Con. Extract Vol.: 1.0 (mL)

Dilution Factor: 1

Injection Volume: 10 (uL)

GC Column: Acquity ID: 2.1 (mm)

% Moisture:


GPC Cleanup: (Y/N) N

Analysis Batch No.: 147803

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.045	U	0.057	0.045	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.028	0.023	0.0089
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.045

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	104		70-130
STL00996	13C2 PFDA	101		70-130



Legend

- 1 Mile Zone
- Surface Water
- Drainage Ditch
- Suspected Source Area
- Phase 1 Sampling Area
- Phase 2 Sampling Area
- Phase 3 Sampling Area
- Base Boundary
- Inferred Groundwater Flow Direction

Notes:

1. Results shown on this figure are for PFOA and PFOS. See text and Table 2 for PFBS results.
2. * Both results above the LHA are from the same well; the second sample collected was a confirmation sample.

N
0 0.25 0.5 Miles
1 inch = 0.5 mile

Imagery Source: Esri

Figure 2
Results for Drinking Water Well Sampling
Near Ault Field
Naval Air Station Whidbey Island
Oak Harbor, Washington

For Official Use Only

ch2m