



**Off-base Drinking Water Sample Results,  
Level 2 Laboratory Report, Level 4 Laboratory Report,  
Electronic Data Deliverable, Data Validation Report,  
and the Sample Location Figure, SDG 320-26360**

*Ault Field*

*Naval Air Station Whidbey Island*

*Oak Harbor, Washington*

February 2019

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.  
TestAmerica Sacramento  
880 Riverside Parkway  
West Sacramento, CA 95605  
Tel: (916)373-5600

TestAmerica Job ID: 320-26360-1  
Client Project/Site: Whidbey Island

For:  
CH2M Hill Constructors, Inc.  
1100 NE Circle Blvd  
Corvallis, Oregon 97330

Attn: Tiffany Hill



Authorized for release by:  
3/13/2017 11:10:08 AM

Laura Turpen, Project Manager I  
(916)374-4414  
[laura.turpen@testamericainc.com](mailto:laura.turpen@testamericainc.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:  
[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Surrogate Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	18
Method Summary . . . . .	19
Sample Summary . . . . .	20
Chain of Custody . . . . .	21
Receipt Checklists . . . . .	22

# Definitions/Glossary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## Qualifiers

### LCMS

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.
M	Manual integrated compound.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Case Narrative

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Job ID: 320-26360-1**

**Laboratory: TestAmerica Sacramento**

**Narrative**

## CASE NARRATIVE

**Client: CH2M Hill Constructors, Inc.**

**Project: Whidbey Island**

**Report Number: 320-26360-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Sacramento attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

TestAmerica utilizes USEPA approved methods and DOD QSM, where applicable, in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. A summary of QC data for these analyses is included at the back of the report.

All parameters for which TestAmerica Sacramento has certification were evaluated to the QSM specified reporting convention or to the client specified format if different from QSM. Parameters not certified under QSM, if any, were evaluated to the detection limit (DL) and include qualified results where applicable.

The sample(s) that contain constituents flagged with U are undetected. The result associated with this flag is the limit of detection (LOD).

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

### **RECEIPT**

The samples were received on 03/07/2017; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 0.6 C.

### **PFOA/PFOS**

Samples WI-AF-1RW47-0217 (320-26360-1), WI-AF-1FB47-0217 (320-26360-2), WI-AF-1RW48-0217 (320-26360-3), WI-AF-1FB48-0217 (320-26360-4), WI-AF-1RW49-0217 (320-26360-5) and WI-AF-1FB49-0217 (320-26360-6) were analyzed for PFOA/PFOS in accordance with 537. The samples were prepared on 03/08/2017 and analyzed on 03/09/2017.

The first level standard from the initial calibration curve is used to evaluate the tune criteria. The instrument mass windows are set at +/- 0.5amu; therefore, detection of the analyte serves as verification that the assigned mass is within +/- 0.5amu of the true value, which meets the DoD/DOE QSM tune criterion.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with 320-153989.

# Case Narrative

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

---

## Job ID: 320-26360-1 (Continued)

---

### Laboratory: TestAmerica Sacramento (Continued)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Detection Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1RW47-0217**

**Lab Sample ID: 320-26360-1**

No Detections.

**Client Sample ID: WI-AF-1FB47-0217**

**Lab Sample ID: 320-26360-2**

No Detections.

**Client Sample ID: WI-AF-1RW48-0217**

**Lab Sample ID: 320-26360-3**

No Detections.

**Client Sample ID: WI-AF-1FB48-0217**

**Lab Sample ID: 320-26360-4**

No Detections.

**Client Sample ID: WI-AF-1RW49-0217**

**Lab Sample ID: 320-26360-5**

No Detections.

**Client Sample ID: WI-AF-1FB49-0217**

**Lab Sample ID: 320-26360-6**

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1RW47-0217**

**Lab Sample ID: 320-26360-1**

**Date Collected: 03/04/17 09:09**

**Matrix: Water**

**Date Received: 03/07/17 11:05**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.014	ug/L		03/08/17 17:02	03/09/17 20:22	1
Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.0084	ug/L		03/08/17 17:02	03/09/17 20:22	1
Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.042	ug/L		03/08/17 17:02	03/09/17 20:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	99		70 - 130				03/08/17 17:02	03/09/17 20:22	1
13C2 PFDA	104		70 - 130				03/08/17 17:02	03/09/17 20:22	1



# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1FB47-0217**

**Lab Sample ID: 320-26360-2**

**Date Collected: 03/04/17 09:10**

**Matrix: Water**

**Date Received: 03/07/17 11:05**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.054	0.014	ug/L		03/08/17 17:02	03/09/17 20:26	1
Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.0085	ug/L		03/08/17 17:02	03/09/17 20:26	1
Perfluorobutanesulfonic acid (PFBS)	0.099	U	0.13	0.043	ug/L		03/08/17 17:02	03/09/17 20:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	103		70 - 130				03/08/17 17:02	03/09/17 20:26	1
13C2 PFDA	107		70 - 130				03/08/17 17:02	03/09/17 20:26	1

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1RW48-0217**

**Lab Sample ID: 320-26360-3**

**Date Collected: 03/04/17 09:56**

**Matrix: Water**

**Date Received: 03/07/17 11:05**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.044	U	0.055	0.014	ug/L		03/08/17 17:02	03/09/17 20:31	1
Perfluorooctanoic acid (PFOA)	0.022	U	0.028	0.0087	ug/L		03/08/17 17:02	03/09/17 20:31	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.044	ug/L		03/08/17 17:02	03/09/17 20:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	97		70 - 130				03/08/17 17:02	03/09/17 20:31	1
13C2 PFDA	100		70 - 130				03/08/17 17:02	03/09/17 20:31	1

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1FB48-0217**

**Lab Sample ID: 320-26360-4**

**Date Collected: 03/04/17 09:57**

**Matrix: Water**

**Date Received: 03/07/17 11:05**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.014	ug/L		03/08/17 17:02	03/09/17 20:35	1
Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.0084	ug/L		03/08/17 17:02	03/09/17 20:35	1
Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.042	ug/L		03/08/17 17:02	03/09/17 20:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	108		70 - 130				03/08/17 17:02	03/09/17 20:35	1
13C2 PFDA	117		70 - 130				03/08/17 17:02	03/09/17 20:35	1

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1RW49-0217**

**Lab Sample ID: 320-26360-5**

**Date Collected: 03/04/17 10:19**

**Matrix: Water**

**Date Received: 03/07/17 11:05**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.014	ug/L		03/08/17 17:02	03/09/17 20:39	1
Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.0084	ug/L		03/08/17 17:02	03/09/17 20:39	1
Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.042	ug/L		03/08/17 17:02	03/09/17 20:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFHxA	94		70 - 130	03/08/17 17:02	03/09/17 20:39	1
13C2 PFDA	105		70 - 130	03/08/17 17:02	03/09/17 20:39	1

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1FB49-0217**

**Lab Sample ID: 320-26360-6**

**Date Collected: 03/04/17 10:20**

**Matrix: Water**

**Date Received: 03/07/17 11:05**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.044	U	0.055	0.014	ug/L		03/08/17 17:02	03/09/17 20:44	1
Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.0086	ug/L		03/08/17 17:02	03/09/17 20:44	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.043	ug/L		03/08/17 17:02	03/09/17 20:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	108		70 - 130				03/08/17 17:02	03/09/17 20:44	1
13C2 PFDA	106		70 - 130				03/08/17 17:02	03/09/17 20:44	1

# Surrogate Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

**Matrix: Water**

**Prep Type: Total/NA**

## Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		3C2 PFHx (70-130)	3C2 PFDA (70-130)
320-26360-1	WI-AF-1RW47-0217	99	104
320-26360-2	WI-AF-1FB47-0217	103	107
320-26360-3	WI-AF-1RW48-0217	97	100
320-26360-4	WI-AF-1FB48-0217	108	117
320-26360-5	WI-AF-1RW49-0217	94	105
320-26360-6	WI-AF-1FB49-0217	108	106
LCS 320-153989/2-A	Lab Control Sample	109	107
LCSD 320-153989/3-A	Lab Control Sample Dup	110	102
MB 320-153989/1-A	Method Blank	107	110

### Surrogate Legend

13C2 PFHxA = 13C2 PFHxA

13C2 PFDA = 13C2 PFDA

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

**Lab Sample ID: MB 320-153989/1-A**  
**Matrix: Water**  
**Analysis Batch: 154348**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 153989**

Analyte	MB Result	MB Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L		03/08/17 17:02	03/09/17 20:09	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0094	ug/L		03/08/17 17:02	03/09/17 20:09	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L		03/08/17 17:02	03/09/17 20:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFHxA	107		70 - 130	03/08/17 17:02	03/09/17 20:09	1
13C2 PFDA	110		70 - 130	03/08/17 17:02	03/09/17 20:09	1

**Lab Sample ID: LCS 320-153989/2-A**  
**Matrix: Water**  
**Analysis Batch: 154348**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 153989**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Perfluorooctanesulfonic acid (PFOS)	0.160	0.167	M	ug/L		104	70 - 130
Perfluorooctanoic acid (PFOA)	0.0781	0.0747		ug/L		96	70 - 130
Perfluorobutanesulfonic acid (PFBS)	0.359	0.401		ug/L		112	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
13C2 PFHxA	109		70 - 130
13C2 PFDA	107		70 - 130

**Lab Sample ID: LCSD 320-153989/3-A**  
**Matrix: Water**  
**Analysis Batch: 154348**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 153989**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Perfluorooctanesulfonic acid (PFOS)	0.160	0.165	M	ug/L		103	70 - 130	1	30
Perfluorooctanoic acid (PFOA)	0.0781	0.0753		ug/L		96	70 - 130	1	30
Perfluorobutanesulfonic acid (PFBS)	0.359	0.410		ug/L		114	70 - 130	2	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
13C2 PFHxA	110		70 - 130
13C2 PFDA	102		70 - 130

# QC Association Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## LCMS

### Prep Batch: 153989

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-26360-1	WI-AF-1RW47-0217	Total/NA	Water	537	
320-26360-2	WI-AF-1FB47-0217	Total/NA	Water	537	
320-26360-3	WI-AF-1RW48-0217	Total/NA	Water	537	
320-26360-4	WI-AF-1FB48-0217	Total/NA	Water	537	
320-26360-5	WI-AF-1RW49-0217	Total/NA	Water	537	
320-26360-6	WI-AF-1FB49-0217	Total/NA	Water	537	
MB 320-153989/1-A	Method Blank	Total/NA	Water	537	
LCS 320-153989/2-A	Lab Control Sample	Total/NA	Water	537	
LCSD 320-153989/3-A	Lab Control Sample Dup	Total/NA	Water	537	

### Analysis Batch: 154348

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-26360-1	WI-AF-1RW47-0217	Total/NA	Water	537	153989
320-26360-2	WI-AF-1FB47-0217	Total/NA	Water	537	153989
320-26360-3	WI-AF-1RW48-0217	Total/NA	Water	537	153989
320-26360-4	WI-AF-1FB48-0217	Total/NA	Water	537	153989
320-26360-5	WI-AF-1RW49-0217	Total/NA	Water	537	153989
320-26360-6	WI-AF-1FB49-0217	Total/NA	Water	537	153989
MB 320-153989/1-A	Method Blank	Total/NA	Water	537	153989
LCS 320-153989/2-A	Lab Control Sample	Total/NA	Water	537	153989
LCSD 320-153989/3-A	Lab Control Sample Dup	Total/NA	Water	537	153989



# Lab Chronicle

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1RW47-0217**

Date Collected: 03/04/17 09:09

Date Received: 03/07/17 11:05

**Lab Sample ID: 320-26360-1**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			280.7 mL	1.00 mL	153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1			154348	03/09/17 20:22	JRB	TAL SAC

**Client Sample ID: WI-AF-1FB47-0217**

Date Collected: 03/04/17 09:10

Date Received: 03/07/17 11:05

**Lab Sample ID: 320-26360-2**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			277.4 mL	1.00 mL	153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1			154348	03/09/17 20:26	JRB	TAL SAC

**Client Sample ID: WI-AF-1RW48-0217**

Date Collected: 03/04/17 09:56

Date Received: 03/07/17 11:05

**Lab Sample ID: 320-26360-3**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			270.6 mL	1.00 mL	153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1			154348	03/09/17 20:31	JRB	TAL SAC

**Client Sample ID: WI-AF-1FB48-0217**

Date Collected: 03/04/17 09:57

Date Received: 03/07/17 11:05

**Lab Sample ID: 320-26360-4**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			281.9 mL	1.00 mL	153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1			154348	03/09/17 20:35	JRB	TAL SAC

**Client Sample ID: WI-AF-1RW49-0217**

Date Collected: 03/04/17 10:19

Date Received: 03/07/17 11:05

**Lab Sample ID: 320-26360-5**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			281.5 mL	1.00 mL	153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1			154348	03/09/17 20:39	JRB	TAL SAC

**Client Sample ID: WI-AF-1FB49-0217**

Date Collected: 03/04/17 10:20

Date Received: 03/07/17 11:05

**Lab Sample ID: 320-26360-6**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			274 mL	1.00 mL	153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1			154348	03/09/17 20:44	JRB	TAL SAC

TestAmerica Sacramento

# Lab Chronicle

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Laboratory References:**

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Certification Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## Laboratory: TestAmerica Sacramento

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska (UST)	State Program	10	UST-055	12-18-17
Arizona	State Program	9	AZ0708	08-11-17
Arkansas DEQ	State Program	6	88-0691	06-17-17
California	State Program	9	2897	01-31-18
Colorado	State Program	8	CA00044	08-31-17
Connecticut	State Program	1	PH-0691	06-30-17
Florida	NELAP	4	E87570	06-30-17
Hawaii	State Program	9	N/A	01-29-18
Illinois	NELAP	5	200060	03-17-18
Kansas	NELAP	7	E-10375	10-31-17
L-A-B	DoD ELAP		L2468	01-20-18
Louisiana	NELAP	6	30612	06-30-17
Maine	State Program	1	CA0004	04-18-18
Michigan	State Program	5	9947	01-31-18
Nevada	State Program	9	CA00044	07-31-17
New Jersey	NELAP	2	CA005	06-30-17
New York	NELAP	2	11666	04-01-17
Oregon	NELAP	10	4040	01-28-18
Pennsylvania	NELAP	3	68-01272	03-31-17
Texas	NELAP	6	T104704399	07-31-17
US Fish & Wildlife	Federal		LE148388-0	10-31-17
USDA	Federal		P330-11-00436	12-30-17
USEPA UCMR	Federal	1	CA00044	11-06-18
Utah	NELAP	8	CA00044	02-28-17 *
Virginia	NELAP	3	460278	03-14-18
Washington	State Program	10	C581	05-05-17
West Virginia (DW)	State Program	3	9930C	12-31-17
Wyoming	State Program	8	8TMS-L	01-29-17 *

\* Certification renewal pending - certification considered valid.

TestAmerica Sacramento

# Method Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

---

Method	Method Description	Protocol	Laboratory
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

---

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Sample Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-26360-1	WI-AF-1RW47-0217	Water	03/04/17 09:09	03/07/17 11:05
320-26360-2	WI-AF-1FB47-0217	Water	03/04/17 09:10	03/07/17 11:05
320-26360-3	WI-AF-1RW48-0217	Water	03/04/17 09:56	03/07/17 11:05
320-26360-4	WI-AF-1FB48-0217	Water	03/04/17 09:57	03/07/17 11:05
320-26360-5	WI-AF-1RW49-0217	Water	03/04/17 10:19	03/07/17 11:05
320-26360-6	WI-AF-1FB49-0217	Water	03/04/17 10:20	03/07/17 11:05

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Company Name: CH2M / Tiffany Hill  
Address: 1100 NE Circle Blvd, Suite 300  
City/State/Zip: Corvallis, OR 97330  
Phone: 541-368-3109  
Fax: 541-908-3794  
Project Name: NAFS Winibkey Island  
Site: CTO - 08  
P O #: 10086-7-106050; PN 679580.06.FE.FS

Regulatory Program:  DW  NPDES  RCRA  Other:

Client Contact: Project Manager: Katie Turpen  
Tel/Fax: 757-671-6258  
Date: 3/4/2017  
COC No.: 1 of 1 COCs

Lab Contact: Kathryn Smith  
Carrier: Laura Turpen  
For Lab Use Only:  
Walk-in Client:  
Lab Sampling:  
Job / SDG No.:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	Sample Specific Notes:
WI-AF-1	3/4/17	6	DW			N		
WI-AF-1RW47-0217	3/4/17	0909	G	DW	2	N		
WI-AF-1FB47-0217	3/4/17	0910	G	DW	2	N		
WI-AF-1RW48-0217	3/4/17	0956	G	DW	2	N		
WI-AF-1FB48-0217	3/4/17	0957	G	DW	2	N		
WI-AF-1RW49-0217	3/4/17	1019	G	DW	2	N		
WI-AF-1FB49-0217	3/4/17	1020	G	DW	2	N		



Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other  
Possible Hazard Identification: Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

Special Instructions/QC Requirements & Comments:  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  
 Return to Client  Disposal by Lab  Archive for: \_\_\_\_\_ Months

Custody Seal No.:  
 Relinquished by: *Katie Turpen*  
 Relinquished by: *Michelle*  
 Relinquished by:  
 Company: CH2M  
 Date/Time: 3/5/17 1200  
 Received by: *Michelle*  
 Date/Time: 3/7/17 11:05  
 Company: TAWS  
 Received in Laboratory by:  
 Date/Time:



# Login Sample Receipt Checklist

Client: CH2M Hill Constructors, Inc.

Job Number: 320-26360-1

**Login Number: 26360**  
**List Number: 1**  
**Creator: Nelson, Kym D**

**List Source: TestAmerica Sacramento**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





## ANALYTICAL REPORT

Job Number: 320-26360-1  
Job Description: Whidbey Island

For:  
CH2M Hill Constructors, Inc.  
1100 NE Circle Blvd  
Corvallis, OR 97330  
Attention: Tiffany Hill



Approved for release.  
Laura Turpen  
Project Manager I  
3/13/2017 11:11 AM

---

Laura Turpen, Project Manager I  
880 Riverside Parkway, West Sacramento, CA, 95605  
(916)374-4414  
laura.turpen@testamericainc.com  
03/13/2017



# Table of Contents

Cover Title Page . . . . .	1
Data Summaries . . . . .	4
Definitions . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Default Detection Limits . . . . .	9
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	11
QC Association . . . . .	12
Chronicle . . . . .	13
Certification Summary . . . . .	15
Method Summary . . . . .	16
Sample Summary . . . . .	17
Manual Integration Summary . . . . .	18
Reagent Traceability . . . . .	20
COAs . . . . .	29
Organic Sample Data . . . . .	84
LCMS . . . . .	84
Method 537 DOD . . . . .	84
Method 537 DOD QC Summary . . . . .	85
Method 537 DOD Sample Data . . . . .	92
Standards Data . . . . .	122
Method 537 DOD ICAL Data . . . . .	122
Method 537 DOD CCAL Data . . . . .	156
Raw QC Data . . . . .	187

# Table of Contents

Method 537 DOD Blank Data .....	187
Method 537 DOD LCS/LCSD Data .....	192
Method 537 DOD Run Logs .....	210
Method 537 DOD Prep Data .....	213
Shipping and Receiving Documents .....	224
Client Chain of Custody .....	225
Sample Receipt Checklist .....	226

# Definitions/Glossary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

---

## Qualifiers

---

### LCMS

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.
M	Manual integrated compound.

---

## Glossary

---

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

**Job Narrative**  
**320-26360-1**

**Comments**

No additional comments.

**Receipt**

The samples were received on 3/7/2017 11:05 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.6° C.

**LCMS**

Method(s) 537: The first level standard from the initial calibration curve is used to evaluate the tune criteria. The instrument mass windows are set at +/- 0.5amu; therefore, detection of the analyte serves as verification that the assigned mass is within +/- 0.5amu of the true value, which meets the DoD/DOE QSM tune criterion.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**Organic Prep**

Method(s) 537: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with 320-153989.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Detection Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1RW47-0217**

**Lab Sample ID: 320-26360-1**

No Detections.

**Client Sample ID: WI-AF-1FB47-0217**

**Lab Sample ID: 320-26360-2**

No Detections.

**Client Sample ID: WI-AF-1RW48-0217**

**Lab Sample ID: 320-26360-3**

No Detections.

**Client Sample ID: WI-AF-1FB48-0217**

**Lab Sample ID: 320-26360-4**

No Detections.

**Client Sample ID: WI-AF-1RW49-0217**

**Lab Sample ID: 320-26360-5**

No Detections.

**Client Sample ID: WI-AF-1FB49-0217**

**Lab Sample ID: 320-26360-6**

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## Client Sample ID: WI-AF-1RW47-0217

Date Collected: 03/04/17 09:09

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-1

Matrix: Water

### Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.014	ug/L		03/08/17 17:02	03/09/17 20:22	1
Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.0084	ug/L		03/08/17 17:02	03/09/17 20:22	1
Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.042	ug/L		03/08/17 17:02	03/09/17 20:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	99		70 - 130				03/08/17 17:02	03/09/17 20:22	1
13C2 PFDA	104		70 - 130				03/08/17 17:02	03/09/17 20:22	1

## Client Sample ID: WI-AF-1FB47-0217

Date Collected: 03/04/17 09:10

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-2

Matrix: Water

### Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.054	0.014	ug/L		03/08/17 17:02	03/09/17 20:26	1
Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.0085	ug/L		03/08/17 17:02	03/09/17 20:26	1
Perfluorobutanesulfonic acid (PFBS)	0.099	U	0.13	0.043	ug/L		03/08/17 17:02	03/09/17 20:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	103		70 - 130				03/08/17 17:02	03/09/17 20:26	1
13C2 PFDA	107		70 - 130				03/08/17 17:02	03/09/17 20:26	1

## Client Sample ID: WI-AF-1RW48-0217

Date Collected: 03/04/17 09:56

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-3

Matrix: Water

### Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.044	U	0.055	0.014	ug/L		03/08/17 17:02	03/09/17 20:31	1
Perfluorooctanoic acid (PFOA)	0.022	U	0.028	0.0087	ug/L		03/08/17 17:02	03/09/17 20:31	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.044	ug/L		03/08/17 17:02	03/09/17 20:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	97		70 - 130				03/08/17 17:02	03/09/17 20:31	1
13C2 PFDA	100		70 - 130				03/08/17 17:02	03/09/17 20:31	1

## Client Sample ID: WI-AF-1FB48-0217

Date Collected: 03/04/17 09:57

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-4

Matrix: Water

### Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.014	ug/L		03/08/17 17:02	03/09/17 20:35	1
Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.0084	ug/L		03/08/17 17:02	03/09/17 20:35	1
Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.042	ug/L		03/08/17 17:02	03/09/17 20:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	108		70 - 130				03/08/17 17:02	03/09/17 20:35	1
13C2 PFDA	117		70 - 130				03/08/17 17:02	03/09/17 20:35	1

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Client Sample ID: WI-AF-1RW49-0217**

**Lab Sample ID: 320-26360-5**

**Date Collected: 03/04/17 10:19**

**Matrix: Water**

**Date Received: 03/07/17 11:05**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.014	ug/L		03/08/17 17:02	03/09/17 20:39	1
Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.0084	ug/L		03/08/17 17:02	03/09/17 20:39	1
Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.042	ug/L		03/08/17 17:02	03/09/17 20:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	94		70 - 130				03/08/17 17:02	03/09/17 20:39	1
13C2 PFDA	105		70 - 130				03/08/17 17:02	03/09/17 20:39	1

**Client Sample ID: WI-AF-1FB49-0217**

**Lab Sample ID: 320-26360-6**

**Date Collected: 03/04/17 10:20**

**Matrix: Water**

**Date Received: 03/07/17 11:05**

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.044	U	0.055	0.014	ug/L		03/08/17 17:02	03/09/17 20:44	1
Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.0086	ug/L		03/08/17 17:02	03/09/17 20:44	1
Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.043	ug/L		03/08/17 17:02	03/09/17 20:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	108		70 - 130				03/08/17 17:02	03/09/17 20:44	1
13C2 PFDA	106		70 - 130				03/08/17 17:02	03/09/17 20:44	1

# Default Detection Limits

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Prep: 537

Analyte	LOQ	DL	Units	Method
Perfluorobutanesulfonic acid (PFBS)	0.14	0.048	ug/L	537
Perfluorooctanesulfonic acid (PFOS)	0.060	0.016	ug/L	537
Perfluorooctanoic acid (PFOA)	0.030	0.0094	ug/L	537



# Surrogate Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Method: 537 - Perfluorinated Alkyl Acids (LC/MS)**

**Matrix: Water**

**Prep Type: Total/NA**

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		3C2 PFHx (70-130)	3C2 PFDA (70-130)
320-26360-1	WI-AF-1RW47-0217	99	104
320-26360-2	WI-AF-1FB47-0217	103	107
320-26360-3	WI-AF-1RW48-0217	97	100
320-26360-4	WI-AF-1FB48-0217	108	117
320-26360-5	WI-AF-1RW49-0217	94	105
320-26360-6	WI-AF-1FB49-0217	108	106
LCS 320-153989/2-A	Lab Control Sample	109	107
LCSD 320-153989/3-A	Lab Control Sample Dup	110	102
MB 320-153989/1-A	Method Blank	107	110

### Surrogate Legend

13C2 PFHxA = 13C2 PFHxA

13C2 PFDA = 13C2 PFDA

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

**Lab Sample ID: MB 320-153989/1-A**  
**Matrix: Water**  
**Analysis Batch: 154348**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 153989**

Analyte	MB MB		LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L		03/08/17 17:02	03/09/17 20:09	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0094	ug/L		03/08/17 17:02	03/09/17 20:09	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L		03/08/17 17:02	03/09/17 20:09	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
13C2 PFHxA	107		70 - 130	03/08/17 17:02	03/09/17 20:09	1
13C2 PFDA	110		70 - 130	03/08/17 17:02	03/09/17 20:09	1

**Lab Sample ID: LCS 320-153989/2-A**  
**Matrix: Water**  
**Analysis Batch: 154348**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 153989**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Perfluorooctanoic acid (PFOA)	0.0781	0.0747		ug/L		96	70 - 130
Perfluorobutanesulfonic acid (PFBS)	0.359	0.401		ug/L		112	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
13C2 PFHxA	109		70 - 130
13C2 PFDA	107		70 - 130

**Lab Sample ID: LCSD 320-153989/3-A**  
**Matrix: Water**  
**Analysis Batch: 154348**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 153989**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Perfluorooctanoic acid (PFOA)	0.0781	0.0753		ug/L		96	70 - 130	1	30
Perfluorobutanesulfonic acid (PFBS)	0.359	0.410		ug/L		114	70 - 130	2	30

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
13C2 PFHxA	110		70 - 130
13C2 PFDA	102		70 - 130

# QC Association Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## LCMS

### Prep Batch: 153989

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-26360-1	WI-AF-1RW47-0217	Total/NA	Water	537	
320-26360-2	WI-AF-1FB47-0217	Total/NA	Water	537	
320-26360-3	WI-AF-1RW48-0217	Total/NA	Water	537	
320-26360-4	WI-AF-1FB48-0217	Total/NA	Water	537	
320-26360-5	WI-AF-1RW49-0217	Total/NA	Water	537	
320-26360-6	WI-AF-1FB49-0217	Total/NA	Water	537	
MB 320-153989/1-A	Method Blank	Total/NA	Water	537	
LCS 320-153989/2-A	Lab Control Sample	Total/NA	Water	537	
LCSD 320-153989/3-A	Lab Control Sample Dup	Total/NA	Water	537	

### Analysis Batch: 154348

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-26360-1	WI-AF-1RW47-0217	Total/NA	Water	537	153989
320-26360-2	WI-AF-1FB47-0217	Total/NA	Water	537	153989
320-26360-3	WI-AF-1RW48-0217	Total/NA	Water	537	153989
320-26360-4	WI-AF-1FB48-0217	Total/NA	Water	537	153989
320-26360-5	WI-AF-1RW49-0217	Total/NA	Water	537	153989
320-26360-6	WI-AF-1FB49-0217	Total/NA	Water	537	153989
MB 320-153989/1-A	Method Blank	Total/NA	Water	537	153989
LCS 320-153989/2-A	Lab Control Sample	Total/NA	Water	537	153989
LCSD 320-153989/3-A	Lab Control Sample Dup	Total/NA	Water	537	153989

# Lab Chronicle

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## Client Sample ID: WI-AF-1RW47-0217

Date Collected: 03/04/17 09:09

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1	154348	03/09/17 20:22	JRB	TAL SAC

## Client Sample ID: WI-AF-1FB47-0217

Date Collected: 03/04/17 09:10

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1	154348	03/09/17 20:26	JRB	TAL SAC

## Client Sample ID: WI-AF-1RW48-0217

Date Collected: 03/04/17 09:56

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1	154348	03/09/17 20:31	JRB	TAL SAC

## Client Sample ID: WI-AF-1FB48-0217

Date Collected: 03/04/17 09:57

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1	154348	03/09/17 20:35	JRB	TAL SAC

## Client Sample ID: WI-AF-1RW49-0217

Date Collected: 03/04/17 10:19

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1	154348	03/09/17 20:39	JRB	TAL SAC

## Client Sample ID: WI-AF-1FB49-0217

Date Collected: 03/04/17 10:20

Date Received: 03/07/17 11:05

## Lab Sample ID: 320-26360-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			153989	03/08/17 17:02	JER	TAL SAC
Total/NA	Analysis	537		1	154348	03/09/17 20:44	JRB	TAL SAC

TestAmerica Sacramento

# Lab Chronicle

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

**Laboratory References:**

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

# Certification Summary

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

## Laboratory: TestAmerica Sacramento

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska (UST)	State Program	10	UST-055	12-18-17
Arizona	State Program	9	AZ0708	08-11-17
Arkansas DEQ	State Program	6	88-0691	06-17-17
California	State Program	9	2897	01-31-18
Colorado	State Program	8	CA00044	08-31-17
Connecticut	State Program	1	PH-0691	06-30-17
Florida	NELAP	4	E87570	06-30-17
Hawaii	State Program	9	N/A	01-29-18
Illinois	NELAP	5	200060	03-17-18
Kansas	NELAP	7	E-10375	10-31-17
L-A-B	DoD ELAP		L2468	01-20-18
Louisiana	NELAP	6	30612	06-30-17
Maine	State Program	1	CA0004	04-18-18
Michigan	State Program	5	9947	01-31-18
Nevada	State Program	9	CA00044	07-31-17
New Jersey	NELAP	2	CA005	06-30-17
New York	NELAP	2	11666	04-01-17
Oregon	NELAP	10	4040	01-28-18
Pennsylvania	NELAP	3	68-01272	03-31-17
Texas	NELAP	6	T104704399	07-31-17
US Fish & Wildlife	Federal		LE148388-0	10-31-17
USDA	Federal		P330-11-00436	12-30-17
USEPA UCMR	Federal	1	CA00044	11-06-18
Utah	NELAP	8	CA00044	02-28-17 *
Virginia	NELAP	3	460278	03-14-18
Washington	State Program	10	C581	05-05-17
West Virginia (DW)	State Program	3	9930C	12-31-17
Wyoming	State Program	8	8TMS-L	01-29-17 *

\* Certification renewal pending - certification considered valid.

# Method Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

---

---

<b>Method</b>	<b>Method Description</b>	<b>Protocol</b>	<b>Laboratory</b>
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

# Sample Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Whidbey Island

TestAmerica Job ID: 320-26360-1

---

---

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Matrix</b>	<b>Collected</b>	<b>Received</b>
320-26360-1	WI-AF-1RW47-0217	Water	03/04/17 09:09	03/07/17 11:05
320-26360-2	WI-AF-1FB47-0217	Water	03/04/17 09:10	03/07/17 11:05
320-26360-3	WI-AF-1RW48-0217	Water	03/04/17 09:56	03/07/17 11:05
320-26360-4	WI-AF-1FB48-0217	Water	03/04/17 09:57	03/07/17 11:05
320-26360-5	WI-AF-1RW49-0217	Water	03/04/17 10:19	03/07/17 11:05
320-26360-6	WI-AF-1FB49-0217	Water	03/04/17 10:20	03/07/17 11:05



LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Analysis Batch Number: 153407

Lab Sample ID: IC 320-153407/5 Client Sample ID: \_\_\_\_\_

Date Analyzed: 03/06/17 09:59 Lab File ID: 2017.03.06\_537\_ICAL\_006.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.25	Isomers	westendorfc	03/06/17 13:27

Lab Sample ID: IC 320-153407/7 Client Sample ID: \_\_\_\_\_

Date Analyzed: 03/06/17 10:08 Lab File ID: 2017.03.06\_537\_ICAL\_008.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.25	Isomers	westendorfc	03/06/17 13:27

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Analysis Batch Number: 154348

Lab Sample ID: CCV 320-154348/12 CCVIS Client Sample ID: \_\_\_\_\_

Date Analyzed: 03/09/17 20:00 Lab File ID: 2017.03.09\_537B\_012.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Missed Peak	barnettj	03/10/17 14:01

Lab Sample ID: LCS 320-153989/2-A Client Sample ID: \_\_\_\_\_

Date Analyzed: 03/09/17 20:13 Lab File ID: 2017.03.09\_537B\_015.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Missed Peak	barnettj	03/10/17 13:41

Lab Sample ID: LCSD 320-153989/3-A Client Sample ID: \_\_\_\_\_

Date Analyzed: 03/09/17 20:17 Lab File ID: 2017.03.09\_537B\_016.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Missed Peak	barnettj	03/10/17 13:41

Lab Sample ID: CCV 320-154348/23 CCVIS Client Sample ID: \_\_\_\_\_

Date Analyzed: 03/09/17 20:48 Lab File ID: 2017.03.09\_537B\_023.d GC Column: GeminiC18 3x1 ID: 3(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Missed Peak	barnettj	03/10/17 13:41

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
<b>LC537-ICV_00020</b>	07/25/17	02/21/17	MeOH/H2O, Lot 067374	10 mL	LC537-IS_00031	200 uL	13C2-PFOA	10 ng/mL
.LC537-IS_00031	07/31/17	01/31/17	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
..LCM2PFOA_00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			LCMPFOS_00019	300 uL	13C4 PFOS	1.434 ug/mL
..LCMPFOS_00019	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C2-PFOA	50 ug/mL
<b>LC537-ICV_00020</b>	07/25/17	02/21/17	MeOH/H2O, Lot 067374	10 mL	LC537-SU_00030	500 uL	13C2 PFDA	10 ng/mL
					LC537ICIM_00015	20 uL	13C2 PFHxA	10 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	100.676 ng/mL
							Perfluorooctanoic acid (PFOA)	20.0186 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	20.6936 ng/mL
.LC537-SU_00030	07/31/17	01/31/17	Methanol, Lot 104453	20000 uL	LCMPFDA_00012	80 uL	13C2 PFDA	0.2 ug/mL
..LCMPFDA_00012	09/30/21	Wellington Laboratories, Lot MPFDA0916			LCMPFHxA_00013	80 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFHxA_00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416			(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LC537ICIM_00015	07/25/17	02/21/17	Methanol, Lot 090285	25 mL	LC537-PFBS2_00007	0.55 mL	13C2 PFHxA	50 ug/mL
					LC537-PFOA2_00008	0.142 mL	Perfluorobutanesulfonic acid (PFBS)	50.3381 ug/mL
					LC537-PFOS2_00007	0.21 mL	Perfluorooctanoic acid (PFOA)	10.0093 ug/mL
..LC537-PFBS2_00007	08/09/17	02/20/17	Methanol, Lot 090285	8.2 mL	LC537-PFOS2_00007	0.21 mL	Perfluorooctanesulfonic acid (PFOS)	10.3468 ug/mL
...LC537-PFBS2_00001	08/09/17	Santa Cruz Biotechnology, Lot H0112			LC537_PFBS2_00001	0.0188 g	Perfluorobutanesulfonic acid (PFBS)	2288.1 ug/mL
..LC537-PFOA2_00008	07/25/17	12/20/16	Methanol, Lot 090285	10 mL	(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	0.998 g/g
..LC537-PFOA2_00001	07/25/17		Afla Aesar, Lot D24Y026		LC537_PFOA2_00001	0.0178 g	Perfluorooctanoic acid (PFOA)	1762.2 ug/mL
..LC537-PFOS2_00007	07/26/17	02/20/17	Methanol, Lot 090285	11 mL	(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.99 g/g
...LC537-PFOS2_00001	07/26/17		Sigma, Lot BCBF5116V		LC537_PFOS2_00001	0.0174 g	Perfluorooctanesulfonic acid (PFOS)	1231.76 ug/mL
					(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.7787 g/g
<b>LC537-IS_00032</b>	08/28/17	02/28/17	Methanol, Lot 090285	20000 uL	LCM2PFOA_00005	200 uL	13C2-PFOA	0.5 ug/mL
.LCM2PFOA_00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			LCMPFOS_00019	600 uL	13C4 PFOS	1.434 ug/mL
..LCMPFOS_00019	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C2-PFOA	50 ug/mL
					(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
<b>LC537-L1_00017</b>	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL
					LC537-MSP_00017	25 uL	13C4 PFOS	28.68 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	8.976 ng/mL
							Perfluoroheptanoic acid	0.99 ng/mL
							Perfluorohexanesulfonic acid	3.02582 ng/mL
							Perfluorononanoic acid	2.07415 ng/mL
							Perfluorooctanoic acid (PFOA)	1.95189 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	4.00664 ng/mL
					LC537-SU_00026	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-26360-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA 00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS 00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA 00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS 00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-MSP_00017	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	200 uL	Perfluorobutanesulfonic acid (PFBS)	1795.2 ng/mL
							Perfluoroheptanoic acid	198 ng/mL
							Perfluorohexanesulfonic acid	605.164 ng/mL
							Perfluorononanoic acid	414.831 ng/mL
							Perfluorooctanoic acid (PFOA)	390.378 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	801.328 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA 00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS 00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA 00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA 00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA 00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537 PFHpA 00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537 PFHpA 00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS 00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS 00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537 PFHxS 00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA 00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFNA 00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537 PFNA 00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA 00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFOA 00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
....LC537 PFOA 00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL
							13C2 PFHxA	0.2 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA 00008	80 uL	13C2 PFDA	0.4 ug/mL
					LCMPFHxA 00009	80 uL	13C2 PFHxA	0.4 ug/mL
...LCMPFDA 00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA 00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFHxA	50 ug/mL
<b>LC537-L2_00015</b>	05/21/17	12/19/16	MeOH/H2O, Lot 090285	5 mL	LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA 00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS 00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA 00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS 00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	47.8 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration	
					Reagent ID	Volume Added			
LC537-L2_00015	05/21/17	12/19/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00013	34 uL	Perfluorobutanesulfonic acid (PFBS)	22.8888 ng/mL	
							Perfluorooctanoic acid (PFOA)	4.97733 ng/mL	
					LC537-SU_00026	250 uL	Perfluorooctanesulfonic acid (PFOS)	10.2169 ng/mL	
							13C2 PFDA	10 ng/mL	
.LC537-HSP_00013	05/21/17	11/21/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00017	375 uL	13C2 PFHxA	10 ng/mL	
							Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL	
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL	
..LC537SPIM_00017	05/21/17	11/21/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL	
							Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL	
							Perfluorooctanoic acid (PFOA)	19.5189 ug/mL	
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	40.0664 ug/mL	
							Perfluorooctanesulfonic acid (PFOS)	2040 ug/mL	
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537-PFOS_00006	400 uL	Perfluorobutanesulfonic acid (PFBS)	1 g/g	
....LC537-PFBS_00002	04/01/18		Sigma, Lot MKBP8842V				(Purchased Reagent)	Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537-PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL	
....LC537-PFOA_00002	11/04/18		Fluka, Lot SZBD308XV				(Purchased Reagent)	Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537-PFOS_00002	0.0066 g	Perfluorobutanesulfonic acid (PFBS)	1001.66 ug/mL	
....LC537-PFOS_00002	08/09/17		Fluka, Lot SZBC222XV				(Purchased Reagent)	Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL	
							13C2 PFHxA	0.2 ug/mL	
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	0.4 ug/mL	
							13C2 PFHxA	0.4 ug/mL	
...LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815				(Purchased Reagent)	13C2 PFDA	50 ug/mL
...LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415				(Purchased Reagent)	13C2 PFHxA	50 ug/mL
LC537-L2_00016	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	34 uL	Perfluorobutanesulfonic acid (PFBS)	22.8888 ng/mL	
							Perfluoroheptanoic acid	2.5245 ng/mL	
							Perfluorohexanesulfonic acid	7.71585 ng/mL	
					LC537-IS_00028	100 uL	Perfluorononanoic acid	5.28909 ng/mL	
							Perfluorooctanoic acid (PFOA)	4.97733 ng/mL	
							Perfluorooctanesulfonic acid (PFOS)	10.2169 ng/mL	
LC537-SU_00026	250 uL	13C2-PFOA	10 ng/mL						
		13C4 PFOS	28.68 ng/mL						
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	13C2 PFDA	10 ng/mL	
							13C2 PFHxA	10 ng/mL	
							Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL	
							Perfluoroheptanoic acid	371.25 ng/mL	
							Perfluorohexanesulfonic acid	1134.68 ng/mL	

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluorononanoic acid	777.808 ng/mL
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
..LC537-PFHpA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
..LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
..LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
..LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
....LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
..LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL
							13C2 PFHxA	0.2 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	0.4 ug/mL
					LCMPFHxA_00009	80 uL	13C2 PFHxA	0.4 ug/mL
...LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		(Purchased Reagent)		13C2 PFDA	50 ug/mL
...LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFHxA	50 ug/mL
<b>LC537-L3_00019</b>	06/14/17	01/20/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	67 uL	Perfluorobutanesulfonic acid (PFBS)	45.1044 ng/mL
							Perfluoroheptanoic acid	4.97475 ng/mL
							Perfluorohexanesulfonic acid	15.2048 ng/mL
							Perfluorononanoic acid	10.4226 ng/mL
							Perfluorooctanoic acid (PFOA)	9.80826 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	20.1334 ng/mL
					LC537-IS_00030	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00029	250 uL	13C2 PFDA	10 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-26360-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration		
					Reagent ID	Volume Added				
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	13C2 PFHxA	10 ng/mL		
							Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL		
							Perfluoroheptanoic acid	371.25 ng/mL		
							Perfluorohexanesulfonic acid	1134.68 ng/mL		
							Perfluorononanoic acid	777.808 ng/mL		
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL		
Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL									
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL		
							LC537-PFHpA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
							LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
							LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
							LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL							
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL		
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g		
...LC537-PFHpA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL		
...LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g		
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL		
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g		
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL		
...LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g		
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL		
....LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g		
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL		
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g		
.LC537-IS_00030	07/17/17	01/17/17	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL		
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL		
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C2-PFOA	50 ug/mL		
.LC537-SU_00029	07/17/17	01/17/17	Methanol, Lot 104453	20000 uL	LCMPFDA_00012	80 uL	13C2 PFDA	0.2 ug/mL		
..LCMPFDA_00012	09/30/21		Wellington Laboratories, Lot MPFDA0916		LCMPFHxA_00013	80 uL	13C2 PFHxA	0.2 ug/mL		
..LCMPFHxA_00013	04/08/21		Wellington Laboratories, Lot MPFHxA0416		(Purchased Reagent)		13C2 PFDA	50 ug/mL		
					(Purchased Reagent)		13C2 PFHxA	50 ug/mL		
<b>LC537-L4_00017</b>	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	135 uL	Perfluorobutanesulfonic acid (PFBS)	90.882 ng/mL		
							Perfluoroheptanoic acid	10.0238 ng/mL		
							Perfluorohexanesulfonic acid	30.6364 ng/mL		
							Perfluorononanoic acid	21.0008 ng/mL		
							Perfluorooctanoic acid (PFOA)	19.7629 ng/mL		
Perfluorooctanesulfonic acid (PFOS)	40.5672 ng/mL									

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
					LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00026	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
....LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C2-PFOA	50 ug/mL
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C4 PFOS	47.8 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	0.2 ug/mL
...LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		LCMPFHxA_00009	80 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFDA	0.4 ug/mL
					(Purchased Reagent)		13C2 PFHxA	0.4 ug/mL
LC537-L5_00020	06/14/17	01/20/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	200 uL	Perfluorobutanesulfonic acid (PFBS)	134.64 ng/mL
							Perfluoroheptanoic acid	14.85 ng/mL



REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluorohexanesulfonic acid	45.3873 ng/mL
							Perfluorononanoic acid	31.1123 ng/mL
							Perfluorooctanoic acid (PFOA)	29.2784 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	60.0996 ng/mL
					LC537-IS_00030	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00029	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537 PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537 PFHpA_00002	04/01/18		Aldrich, Lot BCM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
..LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537 PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
....LC537 PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00030	07/17/17	01/17/17	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00029	07/17/17	01/17/17	Methanol, Lot 104453	20000 uL	LCMPFDA_00012	80 uL	13C2 PFDA	0.2 ug/mL
					LCMPFHxA_00013	80 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFDA_00012	09/30/21		Wellington Laboratories, Lot MPFDA0916		(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA_00013	04/08/21		Wellington Laboratories, Lot MPFHxA0416		(Purchased Reagent)		13C2 PFHxA	50 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration		
					Reagent ID	Volume Added				
LC537-L6_00016	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	265 uL	Perfluorobutanesulfonic acid (PFBS)	178.398 ng/mL		
							Perfluoroheptanoic acid	19.6763 ng/mL		
							Perfluorohexanesulfonic acid	60.1382 ng/mL		
							Perfluorononanoic acid	41.2238 ng/mL		
							Perfluorooctanoic acid (PFOA)	38.7939 ng/mL		
					Perfluorooctanesulfonic acid (PFOS)	79.632 ng/mL				
					LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL		
							13C4 PFOS	28.68 ng/mL		
					LC537-SU_00026	250 uL	13C2 PFDA	10 ng/mL		
							13C2 PFHxA	10 ng/mL		
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL		
							Perfluoroheptanoic acid	371.25 ng/mL		
							Perfluorohexanesulfonic acid	1134.68 ng/mL		
							Perfluorononanoic acid	777.808 ng/mL		
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL		
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL		
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL		
							LC537-PFHpA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
							LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
							LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
							LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
							LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL		
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g		
...LC537-PFHpA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537 PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL		
...LC537 PFHpA_00002	04/01/18		Aldrich, Lot BCM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g		
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL		
...LC537 PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g		
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL		
...LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g		
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL		
...LC537 PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g		
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL		
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g		
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL		
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL		
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		(Purchased Reagent)		13C2-PFOA	50 ug/mL		
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL		
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL		

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA 00008	80 uL	13C2 PFHxA	0.2 ug/mL
					LCMPFHxA 00009	80 uL	13C2 PFDA	0.4 ug/mL
...LCMPFDA 00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			(Purchased Reagent)		13C2 PFHxA	0.4 ug/mL
...LCMPFHxA 00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFDA	50 ug/mL
<b>LC537-MSP_00017</b>	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	200 uL	Perfluorobutane Sulfonate	1795.2 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	1795.2 ng/mL
							Perfluoroheptanoic acid	198 ng/mL
							Perfluorohexanesulfonic acid	605.164 ng/mL
							Perfluorononanoic acid	414.831 ng/mL
							Perfluorooctanoic acid (PFOA)	390.378 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	801.328 ng/mL
.LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutane Sulfonate	89.76 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHxA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
..LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutane Sulfonate	2040 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
...LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutane Sulfonate	1 g/g
							Perfluorobutanesulfonic acid (PFBS)	1 g/g
..LC537-PFHxA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537 PFHxA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
...LC537 PFHxA_00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
..LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
...LC537 PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
..LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
...LC537 PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
..LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
...LC537 PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
..LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
...LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
<b>LC537-SU_00030</b>	07/31/17	01/31/17	Methanol, Lot 104453	20000 uL	LCMPFDA 00012	80 uL	13C2 PFDA	0.2 ug/mL
					LCMPFHxA 00013	80 uL	13C2 PFHxA	0.2 ug/mL
.LCMPFDA 00012	09/30/21	Wellington Laboratories, Lot MPFDA0916			(Purchased Reagent)		13C2 PFDA	50 ug/mL
.LCMPFHxA_00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416			(Purchased Reagent)		13C2 PFHxA	50 ug/mL

Reagent

---

**LC537\_PFB\_00002**

#: 4/1/15 SPV

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com


Outside USA: eurtechserv@sial.com

## Certificate of Analysis

Product Name:

Nonafluorobutane-1-sulfonic acid - 97%

**Product Number:** 562629  
**Batch Number:** MKBP8842V  
**Brand:** ALDRICH  
**CAS Number:** 375-73-5  
**MDL Number:** MFCD01320794  
**Formula:** C4HF9O3S  
**Formula Weight:** 300.10 g/mol  
**Storage Temperature:** Store at 2 - 8 °C  
**Quality Release Date:** 11 OCT 2013



PFBS

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Fluorine NMR Spectrum	Conforms to Structure	Conforms
Purity (Titration by NaOH)	96.5 - 103.5 %	101.6 %


Jamie Gleason, Manager  
 Quality Control  
 Milwaukee, Wisconsin US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

---

**LC537\_PFB2\_00001**



*The Power to Question*

# CERTIFICATE OF ANALYSIS

Catalog Number: sc-236187  
Product Name: Nonafluorobutane-1-sulfonic acid  
CAS Number: 375-73-5  
Molecular Formula:  $C_4HF_9O_3S$   
Molecular Weight: 300.10  
Lot Number: H0112

Test		Result
Refractive Index	1.3200 to 1.3290	1.3219
Purity (Titration)	min. 98.0%	99.8%

Test Conditions: Refractive Index: n<sub>20/D</sub>

Reagent

---

**LC537\_PFHpA\_00002**



R: 4/1/15 4V

### Certificate of Analysis

**Product Name:** PERFLUOROHEPTANOIC ACID  
**Product Number:** 342041  
**Batch Number:** BCBM2579V  
**Brand:** Aldrich  
**CAS Number:** 375-85-9  
**Formula:**  $CF_3(CF_2)_5CO_2H$   
**Formula Weight:** 364.06  
**Quality Release Date:** 06 DEC 2013  
**Recommended Retest Date:** OCT 2018

PFHpA

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	LIQUID OR SOLID	SOLID
TITRATION	98.5 - 101.5 %	99.8 %
TITRATION (METHOD)	-	BACK TITRATION
PURITY (GC AREA %)	≥ 98.5 %	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

Dr. Claudia Geitner  
Manager Quality Control  
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

---

**LC537\_PFHxS\_00002**

r: 4/1/15 stw

### Certificate of Analysis

**Product Name:** TRIDECAFLUOROHEXANE-1-SULFONIC ACID POTASSIUM SALT  
 >= 98.0 % T

**Product Number:** 50929

**Batch Number:** BCBL3545V

**Brand:** Aldrich

**CAS Number:** 3871-99-6

**Formula:** C<sub>6</sub>F<sub>13</sub>KO<sub>3</sub>S

**Formula Weight:** 438.20

**Quality Release Date:** 20 JUN 2013

PFH<sub>13</sub>S-K

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	WHITE TO FAINT BEIGE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (ION EXCHANGE)	≥ 98.0 %	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

Dr. Claudia Geitner  
Manager Quality Control  
Buchs, Switzerland

$$MW_{corr} = \frac{(k_{form}) - (k) + (H)}{438.20 (k_{form})} = \frac{(438.20 - 39.10 + 1.01)}{438.20 (k_{form})} = 0.91307 \text{ (anion form)}$$

$$Purity = 90.94 \% \text{ w/m.w correction}$$

stw 4/1/15

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

---

**LC537\_PENA\_00002**

R: 4/1/15 SKV



### Certificate of Analysis

Apr 2, 2015 (JST)

TOKYO CHEMICAL INDUSTRY CO.,LTD.  
4-10-1 Nihonbashi-Honcho, Chuo-ku, Tokyo 103-0023 Japan

Chemical Name: Heptadecafluorononanoic Acid		
Product Number: H0843 CAS: 375-95-1	Lot: QN44F	

Tests	Results	Specifications
Purity(GC)	96.3 %	min. 95.0 %
Purity(Neutralization titration)	98.1 %	min. 95.0 %
Melting point	63.3 deg-C	62.0 to 67.0 deg-C

TCI Lot numbers are 4-5 characters in length.  
Characters listed after the first 4-5 characters are control numbers for internal purpose only.

**Customer service:**  
TCI AMERICA  
Tel: +1-800-423-8616 / +1-503-283-1681  
Fax: +1-888-520-1075 / +1-503-283-1987  
E-mail: Sales-US@TCIchemicals.com

PFNA

Reagent

---

**LC537\_PFOA\_00002**

3/21/15

# SIGMA-ALDRICH

## CERTIFICATE OF ANALYSIS

Sigma-Aldrich Laborchemikalien GmbH D-30918 Seelze  
Telefon: +49 5137 8238-150

Seelze, 13.11.2013/505378/13/24029
Order-No.:
Customer-No.:
Order-Code:
Quantity:
Production Date: 04.Nov.2013
Expiry Date: 04.Nov.2018

Article/Product: 33824	Batch : SZBD308XV	PFOA
Pentadecafluorooctanoic acid OEKANAL®		

### Reference Material (RM)

#### 1. General Information

Formula: C<sub>8</sub>HF<sub>15</sub>O<sub>2</sub>  
CAS-No.: [335-67-1]  
Usage : PFOA

Molar mass: 414.07 g/Mole  
Recomm. storage temp.: roomtemp.

The estimated uncertainty of a single measurement of the assay can be expected to be 0.5 % relative (confidence level = 95%, n= 6) whereby the assay measurements are calculated by 100% minus found impurities.

#### 2. Batch Analysis

identity (GC-MS)  
Assay (GCMS)  
Date of Analysis

complying  
99.4 %  
13.Nov.2013

#### 3. Advice and Remarks

- The expiry date is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.
- Whenever the container is opened for removal of aliquot portions of the substance, the person handling the substance must assure, that the integrity of the substance is maintained and proper records of all its handlings are kept. Special care has to be taken to avoid any contamination or adulteration of the substance.
- We herewith confirm that the delivery is effected according to the technical delivery conditions agreed.
- Particular properties of the products or the suitability for a particular area of application are not assured.
- We guarantee a proper quality within our General Conditions of Sales.

Sigma-Aldrich Laborchemikalien GmbH  
Quality Management SA-LC

This document was produced electronically and is valid without a signature

**GC/MS-Method**

**Analytical Department**

**Article:** Pentadecafluorooctanoic acid OEKANAL

**Article-No.:** 33824

**Batch:** SZBD308XV

**Column:** XTI-5 (Restek); 30 m; fs cap.; I.D.:0.25 mm; 1 µm df

**Injector:** Split mode

**Injection:** approx. 1 µl of reaction mixture with MSTFA (approx. 10 mg + 200 µl MSTFA)

**Inj.-temp.:** 280°C

**Oven-temp.:** 40°C (for 2 min) to 320°C (6°C/min) hold for 2 min

**Split:** 1:100

**Flow:** 1 ml He/min (Constant flow mode)

**Detector:** MSD


**Mass range:** 10-600 amu (Scan mode)

**Evaluation:** Purity: Total Ion Chromatogram  
(MSTFA and reaction products blinded out in report)

Identity: Mass spectrum complies


**Operator:** Ahrens / 2013-11-13

**Total Ion Chromatogram:**



Ret. time	Area	Area-%	Com
11.54	565.1670	99.4	Pentadecafluorooctanoic acid (as TMS-ester)
11.95	3.6792	0.64	

**Mass spectrum (rt = 11.54 min):**





Reagent

---

**LC537\_PFOA2\_00001**

# Certificate of Analysis

**Alfa Aesar**  
A Johnson Matthey Company

Product No.: L08862  
Product: Perfluorooctanoic acid, 95%  
Lot No.: D24Y026

PFOA

Appearance White solid  
Melting point 58 - 60°C  
Assay 99 %  
Identity Matches reference

This document has been electronically generated and does not require a signature.

[www.alfa.com](http://www.alfa.com)

**NORTH AMERICA**  
Tel: +1-800-343-0660 or  
+1-978-521-6300  
Fax: +1-800-322-4757  
Email: [info@alfa.com](mailto:info@alfa.com)

**GERMANY**  
Tel: 00800 4566 4566 or  
+49 721 84007 280  
Fax: 00800 4577 4577 or  
+49 721 84007 300  
Email: [Eurosales@alfa.com](mailto:Eurosales@alfa.com)

**UNITED KINGDOM**  
Tel: 0800-801812 or  
+44 (0)1524-850506  
Fax: +44 (0)1524-850608  
Email: [UKsales@alfa.com](mailto:UKsales@alfa.com)

**FRANCE**  
Tel: 0800 03 51 47 or  
+33 (0)3 8862 2690  
Fax: 0800 10 20 67 or  
+33 (0)3 8862 6864  
Email: [frventes@alfa.com](mailto:frventes@alfa.com)

**INDIA**  
Tel: +91 8008 812424 or  
+91 8008 812525 or  
+91 8008 812626  
Fax: +91 8418 260060  
Email: [India@alfa.com](mailto:India@alfa.com)

**CHINA**  
Tel: +86 (010) 8567-8600  
Fax: +86 (010) 8567-8601  
Email: [saleschina@alfa-asia.com](mailto:saleschina@alfa-asia.com)

**KOREA**  
Tel: +82-2-3140-6000  
Fax: +82-2-3140-6002  
Email: [saleskorea@alfa-asia.com](mailto:saleskorea@alfa-asia.com)

Reagent

---

**LC537\_PFOs\_00002**

**SIGMA-ALDRICH®**

**CERTIFICATE OF ANALYSIS**

Sigma-Aldrich Laborchemikalien GmbH D-30918 Seelze  
 Telefon: +49 5137 8238-150

Seelze, 13.08.2012/419060/12/17583
Order-No.:
Customer-No.:
Order-Code:
Quantity:
Production Date: 09.Aug.2012
Expiry Date: 09.Aug.2017 - <i>err date</i>

Article/Product: 33829	Batch : SZBC222XV
Heptadecafluorooctanesulfonic acid potassium salt OEKANAL®	
	PFOS-K <sup>+</sup>

**Reference Material (RM)**

**1. General Information**

Formula: C8F17KO3S  
 CAS-No.: [2795-39-3]  
 Usage : PFOS

Molar mass: 538.22 g/Mole  
 Recomm. storage temp.: roomtemp.

The estimated uncertainty of a single measurement of the assay can be expected to be 0.5 % relative (confidence level = 95%, n= 6) whereby the assay measurements are calculated by 100% minus found impurities.

**2. Batch Analysis**

Identity	complying
Assay (LC-MS)	98 %
Date of Analysis	10.Aug.2012

*FW-Correction:*

$$\frac{538.22 - 39.10 + 1.01}{538.22} = \frac{500.13}{538.22} = 0.92923$$

*Purity = 91.06%*

**3. Advice and Remarks**

- The minimum shelf life is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.
- Whenever the container is opened for removal of aliquot portions of the substance, the person handling the substance must assure, that the integrity of the substance is maintained and proper records of all its handlings are kept. Special care has to be taken to avoid any contamination or adulteration of the substance.
- We herewith confirm that the delivery is effected according to the technical delivery conditions agreed.
- Particular properties of the products or the suitability for a particular area of application are not assured.
- We guarantee a proper quality within our General Conditions of Sales.

Sigma-Aldrich Laborchemikalien GmbH  
 Quality Management SA-LC

Reagent

---

**LC537\_PFO2\_00001**

Certificate of Analysis

Inw 820  
12LCMS 0579

Product Name: HEPTADEC AFLUORO OCTANESULFONIC ACID TETRAETHYLAMMONIUM SALT  
98 %  
Product Number: 365289  
Product Brand: Aldrich  
Molecular Formula: C<sub>16</sub>H<sub>20</sub>F<sub>17</sub>NO<sub>3</sub>S  
Molecular Mass: 629.37  
CAS Number: 56773-42-3

TEST	SPECIFICATION	LOT BCBF5116V RESULTS
APPEARANCE (COLOR)	OFF-WHITE TO WHITE	WHITE
APPEARANCE (FORM)	POWDER, LUMPS OR CHUNKS	POWDER WITH LUMPS
CARBON CONTENT	29.77 % - 31.29 %	30.52
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

QC RELEASE DATE 13/APR/11



$$\text{Mw correction} = \frac{500.125}{629.37} = 0.7946$$

~~79.46%~~ det 7-26-12

*E. Schwarzler*

Purity + Mw Correction = 77.87%

Edeltraud Schwärzler, Manager  
Quality Control  
Buchs, Switzerland



	<u>C<sub>8</sub>F<sub>17</sub>SO<sub>3</sub>H</u>	<u>C<sub>8</sub>H<sub>20</sub>N</u>
C = 12.011	96.088	96.088
F = 18.998	322.966	-
S = 32.066	32.066	-
O = 15.999	47.997	-
H = 1.008	1.008	20.160
N = 14.007	-	14.007
	<u>500.125</u>	<u>130.255</u> →

Sigma-Aldrich warrants, that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice for additional terms and conditions of sale. The values given on the 'Certificate of Analysis' are the results determined at the time of analysis.

## Certificate of Origin

**Product Name:** Heptadecafluorooctanesulfonic acid tetraethylammonium salt  
 98 %  
**Product Number:** 365289  
**Product Brand:** Aldrich  
**Lot:** BCBF5116V  
**Molecular Formula:**  $C_{16}H_{20}F_{17}NO_3S$   
**Molecular Mass:** 629.37  
**CAS Number:** 56773-42-3  
**Date of Issue:** 30-MAR-11

---

**Country of Origin** China

---

product is of synthetic origin	yes
only synthetic materials used in the manufacturing process	yes
compounds of animal origin used	no
genetically modified organisms used	no
allergenic materials used	no
procedures in place to avoid cross contamination with residue of animal, human, GMO or allergenes in manufacturing process	yes

Sigma-Aldrich has quality systems and procedures in place for monitoring the production process, traceability and batch consistency.

Document issued by Sigma-Aldrich Corporation "Sigma-Aldrich". This document is valid without signature and has been produced digitally.

This information is to be used for the purpose of determining animal or other biological origin only and not to be confused with "Country of Origin" for import/export purposes. Data provided on this document are property of Sigma-Aldrich.

This information is considered accurate and reliable as of the date appearing on the document and is presented in good faith.

Sigma-Aldrich shall not be held liable for any damage resulting from handling or from processing the above product(s). This document does not make any warranty, express or implied, of fitness for any particular use of the product(s). Purchaser must determine the suitability of the product(s) for its use under the applicable law and regulations.

For further questions please contact your local Sigma-Aldrich representative.

*We are committed to the success of our Customers, Employees and Shareholders through leadership in Life Science, High Technology and Service.*

Reagent

---

**LCM2PFOA\_00005**






# WELLINGTON LABORATORIES

## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** M2PFOA **LOT NUMBER:** M2PFOA0613  
**COMPOUND:** Perfluoro-n-[1,2-<sup>13</sup>C<sub>2</sub>]octanoic acid

**STRUCTURE:** **CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>2</sub><sup>12</sup>C<sub>6</sub>H<sub>15</sub>F<sub>15</sub>O<sub>2</sub> **MOLECULAR WEIGHT:** 416.05  
**CONCENTRATION:** 50 ± 2.5 µg/ml **SOLVENT(S):** Methanol  
 Water (<1%)  
**CHEMICAL PURITY:** >98% **ISOTOPIC PURITY:** ≥99%<sup>13</sup>C  
 (1,2-<sup>13</sup>C<sub>2</sub>)  
**LAST TESTED:** (mm/dd/yyyy) 06/19/2013  
**EXPIRY DATE:** (mm/dd/yyyy) 06/19/2018  
**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place

### DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)  
 Figure 2: LC/MS/MS Data (Selected MRM Transitions)

### ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

Certified By: \_\_\_\_\_

  
B.G. Chittim

Date: 07/16/2013  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
 519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. They are designed to be used as reference standards for the identification and/or quantification of specific chemical compound(s).

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Material Safety Data Sheets (MSDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product, unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, x-ray crystallography and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS and/or LC/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external, ISO/IEC 17025:2005 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**

Ongoing stability studies of this product have demonstrated stability in its composition and concentration for the period of time specified by the expiry date in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



### **QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to ISO 9001:2008 by SAI Global, ISO/IEC 17025:2005 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34:2009 by ACLASS (certificate number AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: M2PFOA; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

Column: Acquity UPLC BEH Shield RP<sub>18</sub>  
 1.7  $\mu$ m, 2.1 x 100 mm

Mobile phase: Gradient  
 Start: 50% (80:20 MeOH:ACN) / 50% H<sub>2</sub>O  
 (both with 10 mM NH<sub>4</sub>OAc buffer)  
 Ramp to 90% organic over 7 min and hold for 1.5 min  
 before returning to initial conditions in 0.5 min.  
 Time: 10 min


Flow: 300  $\mu$ l/min

**MS Parameters**

Experiment: Full Scan (150 - 850 amu)

Source: Electrospray (negative)  
 Capillary Voltage (kV) = 2.00  
 Cone Voltage (V) = 15.00  
 Cone Gas Flow (l/hr) = 100  
 Desolvation Gas Flow (l/hr) = 750

**Figure 2: M2PFOA; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
10  $\mu\text{l}$  (500 ng/ml M2PFOA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20%  $\text{H}_2\text{O}$   
(both with 10 mM  $\text{NH}_4\text{OAc}$  buffer)

Flow: 300  $\mu\text{l}/\text{min}$

**MS Parameters**

Collision Gas (mbar) = 3.66e-3  
Collision Energy (eV) = 11

Reagent

---

**LCMPFDA\_00008**



605243

ID: LCMPFDA\_00008

Exp: 08/19/20 Pp'd: CBW

13C2-Perfluorodecanoic acid

Rec. 3/29/16 JEB ✓



# WELLINGTON LABORATORIES


## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFDA  
**COMPOUND:** Perfluoro-n-[1,2-<sup>13</sup>C<sub>2</sub>]decanoic acid

**LOT NUMBER:** MPFDA0815

**STRUCTURE:**

**CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>2</sub><sup>12</sup>C<sub>8</sub>HF<sub>19</sub>O<sub>2</sub>  
**CONCENTRATION:** 50 ± 2.5 µg/ml

**MOLECULAR WEIGHT:** 516.07  
**SOLVENT(S):** Methanol  
Water (<1%)

**CHEMICAL PURITY:** >98%

**ISOTOPIC PURITY:** ≥99% <sup>13</sup>C  
(1,2-<sup>13</sup>C<sub>2</sub>)

**LAST TESTED:** (mm/dd/yyyy) 08/19/2015

**EXPIRY DATE:** (mm/dd/yyyy) 08/19/2020

**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place

**DOCUMENTATION/ DATA ATTACHED:**

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of <sup>13</sup>C<sub>1</sub>-PFNA.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**

B.G. Chittim

**Date:** 08/21/2015  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



### **QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: MPFDA; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

Column: Acquity UPLC BEH Shield RP<sub>18</sub>  
1.7  $\mu$ m, 2.1 x 100 mm

Mobile phase: Gradient  
Start: 50% (80:20 MeOH:ACN) / 50% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)  
Ramp to 90% organic over 7 min and hold for 2 min  
before returning to initial conditions in 0.5 min.  
Time: 10 min

Flow: 300  $\mu$ l/min


**MS Parameters**

Experiment: Full Scan (150 - 850 amu)

Source: Electrospray (negative)  
Capillary Voltage (kV) = 2.00  
Cone Voltage (V) = 15.00  
Cone Gas Flow (l/hr) = 50  
Desolvation Gas Flow (l/hr) = 750



**Figure 2: MPFDA; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
10  $\mu$ l (500 ng/ml MPFDA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)

Flow: 300  $\mu$ l/min

**MS Parameters**

Collision Gas (mbar) = 3.35e-3  
Collision Energy (eV) = 13

Reagent

---

**LCMPFDA\_00012**

R: SBC 12/21/16



814255

ID: LCMFDA\_00012

Exp: 09/30/21 Prpd: SBC

13C2-Perfluorodecanoic a




# WELLINGTON LABORATORIES

## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFDA      **LOT NUMBER:** MPFDA0916  
**COMPOUND:** Perfluoro-n-[1,2-<sup>13</sup>C<sub>2</sub>]decanoic acid

**STRUCTURE:**      **CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>2</sub><sup>12</sup>C<sub>8</sub>HF<sub>19</sub>O<sub>2</sub>  
**CONCENTRATION:** 50 ± 2.5 µg/ml

**MOLECULAR WEIGHT:** 516.07  
**SOLVENT(S):** Methanol  
Water (<1%)

**CHEMICAL PURITY:** >98%

**ISOTOPIC PURITY:** ≥99% <sup>13</sup>C  
(1,2-<sup>13</sup>C<sub>2</sub>)

**LAST TESTED:** (mm/dd/yyyy) 09/30/2016

**EXPIRY DATE:** (mm/dd/yyyy) 09/30/2021

**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place

### DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

### ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of <sup>13</sup>C<sub>1</sub>-PFNA.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

Certified By:   
B.G. Chrftim

Date: 10/07/2016  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



### **QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: MPFDA; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

Column: Acquity UPLC BEH Shield RP<sub>18</sub>  
1.7  $\mu$ m, 2.1 x 100 mm

Mobile phase: Gradient  
Start: 50% (80:20 MeOH:ACN) / 50% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)  
Ramp to 90% organic over 7 min and hold for 1.5 min  
before returning to initial conditions in 0.5 min.  
Time: 10 min


Flow: 300  $\mu$ l/min

**MS Parameters**

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)  
Capillary Voltage (kV) = 2.00  
Cone Voltage (V) = 15.00  
Cone Gas Flow (l/hr) = 50  
Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFDA; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
10  $\mu$ l (500 ng/ml MPFDA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)

Flow: 300  $\mu$ l/min

**MS Parameters**

Collision Gas (mbar) = 3.31e-3  
Collision Energy (eV) = 13

Reagent

---

**LCMPFHxA\_00009**



605244  
 ID: LCMPFHxA\_00009  
 Exp: 04/09/20 Prep: CBW  
<sup>13</sup>C<sub>2</sub>-Perfluorohexanoic ac

Rec. 3/29/16 JRB ✓



# WELLINGTON LABORATORIES


## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFHxA  
**COMPOUND:** Perfluoro-n-[1,2-<sup>13</sup>C<sub>2</sub>]hexanoic acid

**LOT NUMBER:** MPFHxA0415

**STRUCTURE:**

**CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>2</sub><sup>12</sup>C<sub>4</sub>HF<sub>11</sub>O<sub>2</sub>  
**CONCENTRATION:** 50 ± 2.5 µg/ml

**MOLECULAR WEIGHT:** 316.04  
**SOLVENT(S):** Methanol  
 Water (<1%)

**CHEMICAL PURITY:** >98%  
**LAST TESTED:** (mm/dd/yyyy) 04/09/2015

**ISOTOPIC PURITY:** ≥99%<sup>13</sup>C  
 (1,2-<sup>13</sup>C<sub>2</sub>)

**EXPIRY DATE:** (mm/dd/yyyy) 04/09/2020

**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place


**DOCUMENTATION/ DATA ATTACHED:**

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of perfluoro-n-hexanoic acid and ~ 0.3% of perfluoro-n-octanoic acid.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

Certified By:   
 B.G. Chittim

Date: 04/14/2015  
 (mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
 519-822-2436 • Fax: 519-822-2849 • info@well-labs.com



### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



### **QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: MPFHxA; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

Column: Acquity UPLC BEH Shield RP<sub>18</sub>  
1.7  $\mu$ m, 2.1 x 100 mm

Mobile phase: Gradient  
Start: 50% (80:20 MeOH:ACN) / 50% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)  
Ramp to 90% organic over 7 min and hold for 2 min  
before returning to initial conditions over 0.5 min.  
Time: 10 min


Flow: 300  $\mu$ l/min

**MS Parameters**

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)  
Capillary Voltage (kV) = 2.00  
Cone Voltage (V) = 15.00  
Cone Gas Flow (l/hr) = 100  
Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFHxA; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

**Injection:** Direct loop injection  
10  $\mu$ l (500 ng/ml MPFHxA)

**Mobile phase:** Isocratic 80% (80:20 MeOH:ACN) / 20% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)

**Flow:** 300  $\mu$ l/min

**MS Parameters**

Collision Gas (mbar) = 3.20e-3  
Collision Energy (eV) = 10

Reagent

---

**LCMPFHxA\_00013**

R: SBC 12/21/16



814258

ID: LCMPFHxA\_00013

Exp: 04/08/21 Prod: SBC


<sup>13</sup>C2-Perfluorohexanoic ac



**WELLINGTON**  
LABORATORIES

**CERTIFICATE OF ANALYSIS**  
DOCUMENTATION

**PRODUCT CODE:** MPFHxA      **LOT NUMBER:** MPFHxA0416  
**COMPOUND:** Perfluoro-n-[1,2-<sup>13</sup>C<sub>2</sub>]hexanoic acid  
**STRUCTURE:**      **CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>2</sub><sup>12</sup>C<sub>4</sub>HF<sub>11</sub>O<sub>2</sub>      **MOLECULAR WEIGHT:** 316.04  
**CONCENTRATION:** 50 ± 2.5 µg/ml      **SOLVENT(S):** Methanol  
Water (<1%)  
**CHEMICAL PURITY:** >98%      **ISOTOPIC PURITY:** ≥99%<sup>13</sup>C  
(1,2-<sup>13</sup>C<sub>2</sub>)  
**LAST TESTED:** (mm/dd/yyyy) 04/08/2016  
**EXPIRY DATE:** (mm/dd/yyyy) 04/08/2021  
**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place


**DOCUMENTATION/ DATA ATTACHED:**

Figure 1: LC/MS Data (TIC and Mass Spectrum)  
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of perfluoro-n-hexanoic acid and ~ 0.3% of perfluoro-n-octanoic acid.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**  **Date:** 04/29/2016  
B.G. Chittim (mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



### **QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: MPFHxA; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

**Column:** Acquity UPLC BEH Shield RP<sub>18</sub>  
 1.7  $\mu$ m, 2.1 x 100 mm

**Mobile phase:** Gradient  
 Start: 50% (80:20 MeOH:ACN) / 50% H<sub>2</sub>O  
 (both with 10 mM NH<sub>4</sub>OAc buffer)  
 Ramp to 90% organic over 7.5 min and hold for 1.5 min  
 before returning to initial conditions over 0.5 min.  
 Time: 10 min


**Flow:** 300  $\mu$ l/min

**MS Parameters**

**Experiment:** Full Scan (150 - 850 amu)

**Source:** Electrospray (negative)  
 Capillary Voltage (kV) = 2.00  
 Cone Voltage (V) = 15.00  
 Cone Gas Flow (l/hr) = 100  
 Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFHxA; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
10  $\mu$ l (500 ng/ml MPFHxA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H<sub>2</sub>O  
(both with 10 mM NH<sub>4</sub>OAc buffer)

Flow: 300  $\mu$ l/min

**MS Parameters**

Collision Gas (mbar) = 3.39e-3  
Collision Energy (eV) = 10



Reagent

---

**LCMPFOS\_00018**

R: SBC 9/22/16



738686  
ID: LCMFOS\_00018  
Exp: 08/03/21 Papi: SBC  
13C4-Perfluorooctanesulfo




# WELLINGTON LABORATORIES

## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFOS **LOT NUMBER:** MPFOS0816  
**COMPOUND:** Sodium perfluoro-1-[1,2,3,4-<sup>13</sup>C]<sub>4</sub>octanesulfonate

**STRUCTURE:** **CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>4</sub><sup>12</sup>C<sub>4</sub>F<sub>17</sub>SO<sub>3</sub>Na **MOLECULAR WEIGHT:** 526.08  
**CONCENTRATION:** 50.0 ± 2.5 µg/ml (Na salt) **SOLVENT(S):** Methanol  
47.8 ± 2.4 µg/ml (MPFOS anion)  
**CHEMICAL PURITY:** >98% **ISOTOPIC PURITY:** ≥99% <sup>13</sup>C  
**LAST TESTED:** (mm/dd/yyyy) 08/03/2016 (1,2,3,4-<sup>13</sup>C)  
**EXPIRY DATE:** (mm/dd/yyyy) 08/03/2021  
**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place


**DOCUMENTATION/ DATA ATTACHED:**

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains ~ 0.8% Sodium perfluoro-1-[1,2,3-<sup>13</sup>C]<sub>3</sub>heptanesulfonate.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**   
B.G. Chittim **Date:** 08/05/2016  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters

$x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



### **QUALITY MANAGEMENT:**

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*

**Figure 1: MPFOS; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

**Column:** Acquity UPLC BEH Shield RP<sub>18</sub>  
 1.7  $\mu$ m, 2.1 x 100 mm

**Mobile phase:** Gradient  
 Start: 45% (80:20 MeOH:ACN) / 55% H<sub>2</sub>O  
 (both with 10 mM NH<sub>4</sub>OAc buffer)  
 Ramp to 90% organic over 7 min and hold for 1.5 min  
 before returning to initial conditions in 0.5 min.  
 Time: 10 min


**Flow:** 300  $\mu$ l/min

**MS Parameters**

**Experiment:** Full Scan (225 - 850 amu)

**Source:** Electrospray (negative)  
 Capillary Voltage (kV) = 3.00  
 Cone Voltage (V) = 60.00  
 Cone Gas Flow (l/hr) = 50  
 Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFOS; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

Injection: Direct loop injection  
10  $\mu\text{l}$  (500 ng/ml MPFOS)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20%  $\text{H}_2\text{O}$   
(both with 10 mM  $\text{NH}_4\text{OAc}$  buffer)

Flow: 300  $\mu\text{l}/\text{min}$

**MS Parameters**

Collision Gas (mbar) = 3.46e-3  
Collision Energy (eV) = 40

Reagent

---

**LCMPFOS\_00019**

R: SBC 12/21/16



814253  
ID: LCMFOS\_00019  
Exp: 08/03/21 Prpd: SBC  
13C4-Perfluorooctanesulfo




# WELLINGTON LABORATORIES

## CERTIFICATE OF ANALYSIS DOCUMENTATION

**PRODUCT CODE:** MPFOS **LOT NUMBER:** MPFOS0816  
**COMPOUND:** Sodium perfluoro-1-[1,2,3,4-<sup>13</sup>C<sub>4</sub>]octanesulfonate

**STRUCTURE:** **CAS #:** Not available



**MOLECULAR FORMULA:** <sup>13</sup>C<sub>4</sub><sup>12</sup>C<sub>4</sub>F<sub>17</sub>SO<sub>3</sub>Na **MOLECULAR WEIGHT:** 526.08  
**CONCENTRATION:** 50.0 ± 2.5 µg/ml (Na salt) **SOLVENT(S):** Methanol  
47.8 ± 2.4 µg/ml (MPFOS anion)  
**CHEMICAL PURITY:** >98% **ISOTOPIC PURITY:** ≥99% <sup>13</sup>C  
**LAST TESTED:** (mm/dd/yyyy) 08/03/2016 (1,2,3,4-<sup>13</sup>C<sub>4</sub>)  
**EXPIRY DATE:** (mm/dd/yyyy) 08/03/2021  
**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place


**DOCUMENTATION/ DATA ATTACHED:**

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

**ADDITIONAL INFORMATION:**

- See page 2 for further details.
- Contains ~ 0.8% Sodium perfluoro-1-[1,2,3-<sup>13</sup>C<sub>3</sub>]heptanesulfonate.

**FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE**

**Certified By:**   
B.G. Chittim **Date:** 08/05/2016  
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA  
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

### **INTENDED USE:**

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

### **HAZARDS:**

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

### **SYNTHESIS / CHARACTERIZATION:**

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

### **HOMOGENEITY:**

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

### **UNCERTAINTY:**

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty,  $u_c(y)$ , of a value  $y$  and the uncertainty of the independent parameters  $x_1, x_2, \dots, x_n$  on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where  $x$  is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of  $\pm 5\%$  (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

### **TRACEABILITY:**

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

### **EXPIRY DATE / PERIOD OF VALIDITY:**

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

### **LIMITED WARRANTY:**

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.

### **QUALITY MANAGEMENT:**



This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



\*\*For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at [www.well-labs.com](http://www.well-labs.com) or contact us directly at [info@well-labs.com](mailto:info@well-labs.com)\*\*



**Figure 1: MPFOS; LC/MS Data (TIC and Mass Spectrum)**



**Conditions for Figure 1:**

**LC:** Waters Acquity Ultra Performance LC  
**MS:** Micromass Quattro *micro* API MS

**Chromatographic Conditions**

**Column:** Acquity UPLC BEH Shield RP<sub>18</sub>  
 1.7  $\mu$ m, 2.1 x 100 mm

**Mobile phase:** Gradient  
 Start: 45% (80:20 MeOH:ACN) / 55% H<sub>2</sub>O  
 (both with 10 mM NH<sub>4</sub>OAc buffer)  
 Ramp to 90% organic over 7 min and hold for 1.5 min  
 before returning to initial conditions in 0.5 min.  
 Time: 10 min


**Flow:** 300  $\mu$ l/min

**MS Parameters**

**Experiment:** Full Scan (225 - 850 amu)

**Source:** Electrospray (negative)  
 Capillary Voltage (kV) = 3.00  
 Cone Voltage (V) = 60.00  
 Cone Gas Flow (l/hr) = 50  
 Desolvation Gas Flow (l/hr) = 750

**Figure 2: MPFOS; LC/MS/MS Data (Selected MRM Transitions)**



**Conditions for Figure 2:**

**Injection:** Direct loop injection  
10  $\mu\text{l}$  (500 ng/ml MPFOS)

**Mobile phase:** Isocratic 80% (80:20 MeOH:ACN) / 20%  $\text{H}_2\text{O}$   
(both with 10 mM  $\text{NH}_4\text{OAc}$  buffer)

**Flow:** 300  $\mu\text{l}/\text{min}$

**MS Parameters**

Collision Gas (mbar) = 3.46e-3  
Collision Energy (eV) = 40

# Method 537 DOD

---

Perfluorinated Alkyl Acids (LC/MS)  
by Method 537 DOD

FORM II  
LCMS SURROGATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Matrix: Water Level: Low

GC Column (1): GeminiC18 3 ID: 3 (mm)

Client Sample ID	Lab Sample ID	PFHxA #	PFDA #
WI-AF-1RW47-0217	320-26360-1	99	104
WI-AF-1FB47-0217	320-26360-2	103	107
WI-AF-1RW48-0217	320-26360-3	97	100
WI-AF-1FB48-0217	320-26360-4	108	117
WI-AF-1RW49-0217	320-26360-5	94	105
WI-AF-1FB49-0217	320-26360-6	108	106
	MB 320-153989/1-A	107	110
	LCS 320-153989/2-A	109	107
	LCSD 320-153989/3-A	110	102

PFHxA = 13C2 PFHxA  
PFDA = 13C2 PFDA

QC LIMITS  
70-130  
70-130

# Column to be used to flag recovery values

FORM III  
LCMS LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Matrix: Water Level: Low Lab File ID: 2017.03.09\_537B\_015.d  
 Lab ID: LCS 320-153989/2-A Client ID: \_\_\_\_\_

COMPOUND	SPIKE ADDED (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC	QC LIMITS REC	#
Perfluorooctanesulfonic acid (PFOS)	0.160	0.167	104	70-130	M
Perfluorooctanoic acid (PFOA)	0.0781	0.0747	96	70-130	
Perfluorobutanesulfonic acid (PFBS)	0.359	0.401	112	70-130	

# Column to be used to flag recovery and RPD values

FORM III  
LCMS LAB CONTROL SAMPLE DUPLICATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Matrix: Water Level: Low Lab File ID: 2017.03.09\_537B\_016.d

Lab ID: LCSD 320-153989/3-A Client ID: \_\_\_\_\_

COMPOUND	SPIKE ADDED (ug/L)	LCSD CONCENTRATION (ug/L)	LCSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Perfluorooctanesulfonic acid (PFOS)	0.160	0.165	103	1	30	70-130	M
Perfluorooctanoic acid (PFOA)	0.0781	0.0753	96	1	30	70-130	
Perfluorobutanesulfonic acid (PFBS)	0.359	0.410	114	2	30	70-130	

# Column to be used to flag recovery and RPD values

FORM IV  
LCMS METHOD BLANK SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Lab File ID: 2017.03.09\_537B\_014.d Lab Sample ID: MB 320-153989/1-A  
 Matrix: Water Date Extracted: 03/08/2017 17:02  
 Instrument ID: A8\_N Date Analyzed: 03/09/2017 20:09  
 Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LCS 320-153989/2-A	2017.03.09_537B_015.d	03/09/2017 20:13
	LCSD 320-153989/3-A	2017.03.09_537B_016.d	03/09/2017 20:17
WI-AF-1RW47-0217	320-26360-1	2017.03.09_537B_017.d	03/09/2017 20:22
WI-AF-1FB47-0217	320-26360-2	2017.03.09_537B_018.d	03/09/2017 20:26
WI-AF-1RW48-0217	320-26360-3	2017.03.09_537B_019.d	03/09/2017 20:31
WI-AF-1FB48-0217	320-26360-4	2017.03.09_537B_020.d	03/09/2017 20:35
WI-AF-1RW49-0217	320-26360-5	2017.03.09_537B_021.d	03/09/2017 20:39
WI-AF-1FB49-0217	320-26360-6	2017.03.09_537B_022.d	03/09/2017 20:44

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Instrument ID: A8\_N Calibration Start Date: 03/06/2017 09:50  
 GC Column: GeminiC18 3x100 ID: 3(mm) Calibration End Date: 03/06/2017 10:12  
 Calibration ID: 28784

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
INITIAL CALIBRATION MEAN AREA AND MEAN RT	2859837	2.00	7781706	2.25		
UPPER LIMIT	4289756	2.50	11672559	2.75		
LOWER LIMIT	1429919	1.50	3890853	1.75		
LAB SAMPLE ID	CLIENT SAMPLE ID					
CCVL 320-153407/10		3088660	1.98	8393899	2.23	
ICV 320-153407/12		2323387	1.99	6768948	2.24	
CCVL 320-154108/4		2698296	2.03	8014501	2.27	
CCV 320-154348/12 CCVIS		2894727	1.97	7378718	2.22	
MB 320-153989/1-A		2300405	1.98	5990324	2.23	
LCS 320-153989/2-A		2287510	1.97	5927857	2.22	
LCSD 320-153989/3-A		2271752	1.97	5875812	2.22	
320-26360-1	WI-AF-1RW47-0217	2263027	1.97	5956878	2.22	
320-26360-2	WI-AF-1FB47-0217	2267523	1.97	5868034	2.22	
320-26360-3	WI-AF-1RW48-0217	2241587	1.96	5909461	2.21	
320-26360-4	WI-AF-1FB48-0217	2262139	1.97	5809063	2.22	
320-26360-5	WI-AF-1RW49-0217	2255508	1.97	5917331	2.22	
320-26360-6	WI-AF-1FB49-0217	2184524	1.97	5786361	2.22	
CCV 320-154348/23 CCVIS		2853218	1.97	7676801	2.22	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 50%-150% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits



FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-154348/12 Date Analyzed: 03/09/2017 20:00  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.03.09\_537B\_012 Heated Purge: (Y/N) N  
 Calibration ID: 28784

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	2894727	1.97	7378718	2.22		
UPPER LIMIT	4052618	2.47	10330205	2.72		
LOWER LIMIT	2026309	1.47	5165103	1.72		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-153989/1-A		2300405	1.98	5990324	2.23	
LCS 320-153989/2-A		2287510	1.97	5927857	2.22	
LCSD 320-153989/3-A		2271752	1.97	5875812	2.22	
320-26360-1	WI-AF-1RW47-0217	2263027	1.97	5956878	2.22	
320-26360-2	WI-AF-1FB47-0217	2267523	1.97	5868034	2.22	
320-26360-3	WI-AF-1RW48-0217	2241587	1.96	5909461	2.21	
320-26360-4	WI-AF-1FB48-0217	2262139	1.97	5809063	2.22	
320-26360-5	WI-AF-1RW49-0217	2255508	1.97	5917331	2.22	
320-26360-6	WI-AF-1FB49-0217	2184524	1.97	5786361	2.22	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM VIII  
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCV 320-154348/23 Date Analyzed: 03/09/2017 20:48  
 Instrument ID: A8\_N GC Column: GeminiC18 3x100 ID: 3 (mm)  
 Lab File ID (Standard): 2017.03.09\_537B\_023 Heated Purge: (Y/N) N  
 Calibration ID: 28784

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	2853218	1.97	7676801	2.22		
UPPER LIMIT	3994505	2.47	10747521	2.72		
LOWER LIMIT	1997253	1.47	5373761	1.72		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-153989/1-A		2300405	1.98	5990324	2.23	
LCS 320-153989/2-A		2287510	1.97	5927857	2.22	
LCSD 320-153989/3-A		2271752	1.97	5875812	2.22	
320-26360-1	WI-AF-1RW47-0217	2263027	1.97	5956878	2.22	
320-26360-2	WI-AF-1FB47-0217	2267523	1.97	5868034	2.22	
320-26360-3	WI-AF-1RW48-0217	2241587	1.96	5909461	2.21	
320-26360-4	WI-AF-1FB48-0217	2262139	1.97	5809063	2.22	
320-26360-5	WI-AF-1RW49-0217	2255508	1.97	5917331	2.22	
320-26360-6	WI-AF-1FB49-0217	2184524	1.97	5786361	2.22	

13PFOA = 13C2-PFOA  
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1RW47-0217 Lab Sample ID: 320-26360-1  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_017.d  
 Analysis Method: 537 Date Collected: 03/04/2017 09:09  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 280.7(mL) Date Analyzed: 03/09/2017 20:22  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.021	0.0084
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.098	0.042

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	99		70-130
STL00996	13C2 PFDA	104		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_017.d  
 Lims ID: 320-26360-A-1-A  
 Client ID: WI-AF-1RW47-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:22:23 ALS Bottle#: 10 Worklist Smp#: 17  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-1-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.616	1.627	-0.011	1.000	2392351	9.87	5470	
* 6 13C2-PFOA	415.00 > 370.00	1.973	1.999	-0.026		2263027	10.0	5409	
* 7 13C4 PFOS	503.00 > 80.00	2.223	2.246	-0.023		5956878	28.7	3349	
\$ 10 13C2 PFDA	515.00 > 470.00	2.382	2.394	-0.012	1.000	1585127	10.4	2613	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_017.d

Injection Date: 09-Mar-2017 20:22:23

Instrument ID: A8\_N

Lims ID: 320-26360-A-1-A

Lab Sample ID: 320-26360-1

Client ID: WI-AF-1RW47-0217

Operator ID: A8-PC\A8

ALS Bottle#: 10

Worklist Smp#: 17

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)




5 Perfluorooctanoic acid (ND)

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) \* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_017.d  
 Lims ID: 320-26360-A-1-A  
 Client ID: WI-AF-1RW47-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:22:23 ALS Bottle#: 10 Worklist Smp#: 17  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-1-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.87	98.70
\$ 10 13C2 PFDA	10.0	10.4	104.11

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1FB47-0217 Lab Sample ID: 320-26360-2  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_018.d  
 Analysis Method: 537 Date Collected: 03/04/2017 09:10  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 277.4 (mL) Date Analyzed: 03/09/2017 20:26  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.054	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.022	0.0085
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.099	U	0.13	0.099	0.043

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	103		70-130
STL00996	13C2 PFDA	107		70-130



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_018.d  
 Lims ID: 320-26360-A-2-A  
 Client ID: WI-AF-1FB47-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:26:47 ALS Bottle#: 11 Worklist Smp#: 18  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-2-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.624	1.627	-0.003	1.000	2509744	10.3	5621	
* 6 13C2-PFOA	415.00 > 370.00	1.973	1.999	-0.026		2267523	10.0	4659	
* 7 13C4 PFOS	503.00 > 80.00	2.223	2.246	-0.023		5868034	28.7	5600	
\$ 10 13C2 PFDA	515.00 > 470.00	2.382	2.394	-0.012	1.000	1633032	10.7	2489	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_018.d

Injection Date: 09-Mar-2017 20:26:47

Instrument ID: A8\_N

Lims ID: 320-26360-A-2-A

Lab Sample ID: 320-26360-2

Client ID: WI-AF-1FB47-0217

Operator ID: A8-PC\A8

ALS Bottle#: 11

Worklist Smp#: 18

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)

5 Perfluorooctanoic acid (ND)




8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND)

\* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_018.d  
 Lims ID: 320-26360-A-2-A  
 Client ID: WI-AF-1FB47-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:26:47 ALS Bottle#: 11 Worklist Smp#: 18  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-2-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.3	103.34
\$ 10 13C2 PFDA	10.0	10.7	107.04

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1RW48-0217 Lab Sample ID: 320-26360-3  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_019.d  
 Analysis Method: 537 Date Collected: 03/04/2017 09:56  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 270.6(mL) Date Analyzed: 03/09/2017 20:31  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.044	U	0.055	0.044	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.028	0.022	0.0087
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.044

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	97		70-130
STL00996	13C2 PFDA	100		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_019.d  
 Lims ID: 320-26360-A-3-A  
 Client ID: WI-AF-1RW48-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:31:11 ALS Bottle#: 12 Worklist Smp#: 19  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-3-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.608	1.627	-0.019	1.000	2324598	9.68	4846	
* 6 13C2-PFOA	415.00 > 370.00	1.957	1.999	-0.042		2241587	10.0	4740	
* 7 13C4 PFOS	503.00 > 80.00	2.208	2.246	-0.038		5909461	28.7	3528	
\$ 10 13C2 PFDA	515.00 > 470.00	2.367	2.394	-0.027	1.000	1504166	9.97	2364	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_019.d

Injection Date: 09-Mar-2017 20:31:11

Instrument ID: A8\_N

Lims ID: 320-26360-A-3-A

Lab Sample ID: 320-26360-3

Client ID: WI-AF-1RW48-0217

Operator ID: A8-PC\A8

ALS Bottle#: 12

Worklist Smp#: 19

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)




5 Perfluorooctanoic acid (ND)

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) \* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA





TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_019.d  
 Lims ID: 320-26360-A-3-A  
 Client ID: WI-AF-1RW48-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:31:11 ALS Bottle#: 12 Worklist Smp#: 19  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-3-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.68	96.83
\$ 10 13C2 PFDA	10.0	9.97	99.74

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1FB48-0217 Lab Sample ID: 320-26360-4  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_020.d  
 Analysis Method: 537 Date Collected: 03/04/2017 09:57  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 281.9(mL) Date Analyzed: 03/09/2017 20:35  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.021	0.0084
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.098	0.042

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	108		70-130
STL00996	13C2 PFDA	117		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_020.d  
 Lims ID: 320-26360-A-4-A  
 Client ID: WI-AF-1FB48-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:35:36 ALS Bottle#: 13 Worklist Smp#: 20  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-4-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.616	1.627	-0.011	1.000	2612095	10.8	5849	
* 6 13C2-PFOA	415.00 > 370.00	1.965	1.999	-0.034		2262139	10.0	4517	
* 7 13C4 PFOS	503.00 > 80.00	2.215	2.246	-0.031		5809063	28.7	1918	
\$ 10 13C2 PFDA	515.00 > 470.00	2.375	2.394	-0.019	1.000	1784947	11.7	2784	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_020.d

Injection Date: 09-Mar-2017 20:35:36

Instrument ID: A8\_N

Lims ID: 320-26360-A-4-A

Lab Sample ID: 320-26360-4

Client ID: WI-AF-1FB48-0217

Operator ID: A8-PC\A8

ALS Bottle#: 13

Worklist Smp#: 20




Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL




1 Perfluorobutanesulfonic acid (ND) 1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA






3 Perfluorohexanesulfonic acid (ND) 4 Perfluoroheptanoic acid (ND) \* 6 13C2-PFOA




5 Perfluorooctanoic acid (ND) 5 Perfluorooctanoic acid (ND) 8 Perfluorooctane sulfonic acid (ND)



8 Perfluorooctane sulfonic acid (ND) \* 7 13C4 PFOS 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_020.d  
 Lims ID: 320-26360-A-4-A  
 Client ID: WI-AF-1FB48-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:35:36 ALS Bottle#: 13 Worklist Smp#: 20  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-4-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.8	107.81
\$ 10 13C2 PFDA	10.0	11.7	117.28

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1RW49-0217 Lab Sample ID: 320-26360-5  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_021.d  
 Analysis Method: 537 Date Collected: 03/04/2017 10:19  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 281.5 (mL) Date Analyzed: 03/09/2017 20:39  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.021	0.0084
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.098	0.042

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	105		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_021.d  
 Lims ID: 320-26360-A-5-A  
 Client ID: WI-AF-1RW49-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:39:59 ALS Bottle#: 14 Worklist Smp#: 21  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-5-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.616	1.627	-0.011	1.000	2266848	9.38	4707	
* 6 13C2-PFOA	415.00 > 370.00	1.965	1.999	-0.034		2255508	10.0	4413	
* 7 13C4 PFOS	503.00 > 80.00	2.215	2.246	-0.031		5917331	28.7	2795	
\$ 10 13C2 PFDA	515.00 > 470.00	2.375	2.394	-0.019	1.000	1594247	10.5	2580	



TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_021.d

Injection Date: 09-Mar-2017 20:39:59

Instrument ID: A8\_N

Lims ID: 320-26360-A-5-A

Lab Sample ID: 320-26360-5

Client ID: WI-AF-1RW49-0217

Operator ID: A8-PC\A8

ALS Bottle#: 14

Worklist Smp#: 21




Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL




1 Perfluorobutanesulfonic acid (ND) 1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA






3 Perfluorohexanesulfonic acid (ND) 4 Perfluoroheptanoic acid (ND) \* 6 13C2-PFOA




5 Perfluorooctanoic acid (ND) 5 Perfluorooctanoic acid (ND) 8 Perfluorooctane sulfonic acid (ND)



8 Perfluorooctane sulfonic acid (ND) \* 7 13C4 PFOS 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_021.d  
 Lims ID: 320-26360-A-5-A  
 Client ID: WI-AF-1RW49-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:39:59 ALS Bottle#: 14 Worklist Smp#: 21  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-5-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.38	93.84
\$ 10 13C2 PFDA	10.0	10.5	105.06

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1FB49-0217 Lab Sample ID: 320-26360-6  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_022.d  
 Analysis Method: 537 Date Collected: 03/04/2017 10:20  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 274(mL) Date Analyzed: 03/09/2017 20:44  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.044	U	0.055	0.044	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.022	0.0086
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.043

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	108		70-130
STL00996	13C2 PFDA	106		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_022.d  
 Lims ID: 320-26360-A-6-A  
 Client ID: WI-AF-1FB49-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:44:23 ALS Bottle#: 15 Worklist Smp#: 22  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-6-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.616	1.627	-0.011	1.000	2517800	10.8	5095	
* 6 13C2-PFOA	415.00 > 370.00	1.965	1.999	-0.034		2184524	10.0	4610	
* 7 13C4 PFOS	503.00 > 80.00	2.215	2.246	-0.031		5786361	28.7	5445	
\$ 10 13C2 PFDA	515.00 > 470.00	2.375	2.394	-0.019	1.000	1554939	10.6	2644	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_022.d

Injection Date: 09-Mar-2017 20:44:23

Instrument ID: A8\_N

Lims ID: 320-26360-A-6-A

Lab Sample ID: 320-26360-6

Client ID: WI-AF-1FB49-0217

Operator ID: A8-PC\A8

ALS Bottle#: 15

Worklist Smp#: 22

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)




5 Perfluorooctanoic acid (ND)

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) \* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_022.d  
 Lims ID: 320-26360-A-6-A  
 Client ID: WI-AF-1FB49-0217  
 Sample Type: Client  
 Inject. Date: 09-Mar-2017 20:44:23 ALS Bottle#: 15 Worklist Smp#: 22  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: 320-26360-a-6-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK031

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.8	107.61
\$ 10 13C2 PFDA	10.0	10.6	105.80



FORM VI  
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
CURVE EVALUATION

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1 Analy Batch No.: 153407

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N GC Column: GeminiC18 3 ID: 3(mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/06/2017 09:50 Calibration End Date: 03/06/2017 10:12 Calibration ID: 28784

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-153407/3	2017.03.06_537_ICAL_004.d
Level 2	IC 320-153407/4	2017.03.06_537_ICAL_005.d
Level 3	IC 320-153407/5	2017.03.06_537_ICAL_006.d
Level 4	IC 320-153407/6	2017.03.06_537_ICAL_007.d
Level 5	IC 320-153407/7	2017.03.06_537_ICAL_008.d
Level 6	IC 320-153407/8	2017.03.06_537_ICAL_009.d

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R <sup>2</sup> OR COD	#	MIN R <sup>2</sup> OR COD
	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
Perfluorobutanesulfonic acid (PFBS)	1.1162 0.8349	1.2605	1.1082	0.9831	0.8418	QuaF		1.1278	-0.001746					0.9940			0.9600
Perfluorohexanesulfonic acid	1.5553 1.6127	1.7156	1.6896	1.7197	1.5518	Ave		1.6408			4.7		30.0				
Perfluoroheptanoic acid	0.9526 0.9844	1.0223	0.9493	0.9690	0.9041	Ave		0.9636			4.1		30.0				
Perfluorooctanoic acid (PFOA)	0.9587 1.0328	1.0155	0.9277	0.9922	0.9235	Ave		0.9751			4.7		30.0				
Perfluorooctanesulfonic acid (PFOS)	1.0449 1.1489	1.1283	1.1101	1.1484	1.0910	Ave		1.1119			3.6		30.0				
Perfluorononanoic acid	0.7209 0.7473	0.7725	0.7114	0.6911	0.6721	Ave		0.7192			5.1		30.0				
13C2 PFHxA	1.0170 1.1346	1.0757	1.0271	1.1064	1.0654	Ave		1.0710			4.2		30.0				
13C2 PFDA	0.6478 0.7143	0.6624	0.6450	0.6795	0.6877	Ave		0.6728			3.9		30.0				

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type.

FORM VI  
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1 Analy Batch No.: 153407

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N GC Column: GeminiC18 3 ID: 3(mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/06/2017 09:50 Calibration End Date: 03/06/2017 10:12 Calibration ID: 28784

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-153407/3	2017.03.06_537_ICAL_004.d
Level 2	IC 320-153407/4	2017.03.06_537_ICAL_005.d
Level 3	IC 320-153407/5	2017.03.06_537_ICAL_006.d
Level 4	IC 320-153407/6	2017.03.06_537_ICAL_007.d
Level 5	IC 320-153407/7	2017.03.06_537_ICAL_008.d
Level 6	IC 320-153407/8	2017.03.06_537_ICAL_009.d

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (NG/ML)				
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5
Perfluorobutanesulfonic acid (PFBS)	PFOS	QuaF	2573301 34667690	8479498	13791633	25746912	31778413	8.98 178	22.9	45.1	90.9	135
Perfluorohexanesulfonic acid	PFOS	Ave	1208752 22573309	3890424	7088185	15182290	19746983	3.03 60.1	7.72	15.2	30.6	45.4
Perfluoroheptanoic acid	13PF OA	Ave	254601 4673221	801092	1377103	2982886	3968138	0.990 19.7	2.52	4.97	10.0	14.9
Perfluorooctanoic acid (PFOA)	13PF OA	Ave	505152 9667200	1568879	2653216	6021984	7991552	1.95 38.8	4.98	9.81	19.8	29.3
Perfluorooctanesulfonic acid (PFOS)	PFOS	Ave	1075260 21293992	3387968	6166646	13425071	18383468	4.01 79.6	10.2	20.1	40.6	60.1
Perfluorononanoic acid	13PF OA	Ave	403671 7433161	1268153	2162060	4457176	6180287	2.07 41.2	5.29	10.4	21.0	31.1
13C2 PFHxA	13PF OA	Ave	2745566 2737478	3338884	2995105	3397870	3148773	10.0 10.0	10.0	10.0	10.0	10.0
13C2 PFDA	13PF OA	Ave	1748869 1723332	2056221	1880890	2086938	2032603	10.0 10.0	10.0	10.0	10.0	10.0

Curve Type Legend:

Ave = Average ISTD  
QuaF = Quadratic ISTD forced zero

FORM VI  
 LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
 READBACK PERCENT ERROR

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1 Analy Batch No.: 153407

SDG No.: \_\_\_\_\_


Instrument ID: A8\_N GC Column: GeminiC18 3 ID: 3(mm) Heated Purge: (Y/N) N


Calibration Start Date: 03/06/2017 09:50 Calibration End Date: 03/06/2017 10:12 Calibration ID: 28784

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-153407/3	2017.03.06_537_ICAL_004.d
Level 2	IC 320-153407/4	2017.03.06_537_ICAL_005.d
Level 3	IC 320-153407/5	2017.03.06_537_ICAL_006.d
Level 4	IC 320-153407/6	2017.03.06_537_ICAL_007.d
Level 5	IC 320-153407/7	2017.03.06_537_ICAL_008.d
Level 6	IC 320-153407/8	2017.03.06_537_ICAL_009.d

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Perfluorobutanesulfonic acid (PFBS)	0.4	16.6	6.1	1.7	-7.5	3.8	50	50	50	50	50	50
Perfluorohexanesulfonic acid	-5.2	4.6	3.0	4.8	-5.4	-1.7	50	50	50	50	50	50
Perfluoroheptanoic acid	-1.1	6.1	-1.5	0.6	-6.2	2.2	50	50	50	50	50	50
Perfluorooctanoic acid (PFOA)	-1.7	4.1	-4.9	1.8	-5.3	5.9	50	50	50	50	50	50
Perfluorooctanesulfonic acid (PFOS)	-6.0	1.5	-0.2	3.3	-1.9	3.3	50	50	50	50	50	50
Perfluorononanoic acid	0.2	7.4	-1.1	-3.9	-6.6	3.9	50	50	50	50	50	50
13C2 PFHxA	-5.0	0.4	-4.1	3.3	-0.5	5.9	30	30	30	30	30	30
13C2 PFDA	-3.7	-1.5	-4.1	1.0	2.2	6.2	30	30	30	30	30	30





TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_004.d  
 Lims ID: IC L1  
 Client ID:  
 Sample Type: IC Calib Level: 1  
 Inject. Date: 06-Mar-2017 09:50:35 ALS Bottle#: 1 Worklist Smp#: 3  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L1\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 06-Mar-2017 13:27:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: westendorfc Date: 06-Mar-2017 11:03:28

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.502	1.498	0.004	1.000	2573301	9.01		586	
298.90 > 99.00	1.502	1.498	0.004	1.000	1849015		1.39(0.00-0.00)	569	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.627	0.004	1.000	2745566	9.50		6858	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.791	1.785	0.006	1.000	1208752	2.87		360	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.787	0.004	1.000	254601	0.9787		46.4	
* 6 13C2-PFOA									
415.00 > 370.00	2.011	1.999	0.012		2699611	10.0		5712	
5 Perfluorooctanoic acid									
413.00 > 369.00	2.011	2.000	0.011	1.000	505152	1.92		38.0	
413.00 > 169.00	2.011	2.000	0.011	1.000	289657		1.74(0.00-0.00)	601	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.253	2.238	0.015	1.000	1075260	3.77		2411	
499.00 > 99.00	2.253	2.238	0.015	1.000	260005		4.14(0.00-0.00)	501	
* 7 13C4 PFOS									
503.00 > 80.00	2.253	2.246	0.007		7366391	28.7		11176	
9 Perfluorononanoic acid									
463.00 > 419.00	2.261	2.256	0.005	1.000	403671	2.08		154	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.397	2.394	0.003	1.000	1748869	9.63		2663	

**Reagents:**

LC537-L1\_00017

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_004.d

Injection Date: 06-Mar-2017 09:50:35

Instrument ID: A8\_N

Lims ID: IC L1

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 1

Worklist Smp#: 3

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid



8 Perfluorooctane sulfonic acid


\* 7 13C4 PFOS

9 Perfluorononanoic acid





\$ 10 13C2 PFDA



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_005.d  
 Lims ID: IC L2  
 Client ID:  
 Sample Type: IC Calib Level: 2  
 Inject. Date: 06-Mar-2017 09:55:00 ALS Bottle#: 2 Worklist Smp#: 4  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L2\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 06-Mar-2017 13:27:16 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: westendorfc Date: 06-Mar-2017 11:03:36

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.502	1.498	0.004	1.000	8479498	26.7		1361	
298.90 > 99.00	1.502	1.498	0.004	1.000	5942699		1.43(0.00-0.00)	1522	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.627	0.004	1.000	3338884	10.0		6867	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.791	1.785	0.006	1.000	3890424	8.07		1006	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.787	0.004	1.000	801092	2.68		145	
* 6 13C2-PFOA									
415.00 > 370.00	2.003	1.999	0.004		3103965	10.0		5949	
5 Perfluorooctanoic acid									
413.00 > 369.00	2.011	2.000	0.011	1.000	1568879	5.18		124	
413.00 > 169.00	2.011	2.000	0.011	1.000	903181		1.74(0.00-0.00)	1545	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.253	2.238	0.015	1.000	3387968	10.4		5886	
499.00 > 99.00	2.253	2.238	0.015	1.000	812346		4.17(0.00-0.00)	1585	
* 7 13C4 PFOS									
503.00 > 80.00	2.253	2.246	0.007		8429009	28.7		9970	
9 Perfluorononanoic acid									
463.00 > 419.00	2.261	2.256	0.005	1.000	1268153	5.68		476	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.405	2.394	0.011	1.000	2056221	9.85		2798	

**Reagents:**

LC537-L2\_00016

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_005.d

Injection Date: 06-Mar-2017 09:55:00

Instrument ID: A8\_N

Lims ID: IC L2

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 2

Worklist Smp#: 4

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_006.d  
 Lims ID: IC L3  
 Client ID:  
 Sample Type: IC Calib Level: 3  
 Inject. Date: 06-Mar-2017 09:59:23 ALS Bottle#: 3 Worklist Smp#: 5  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L3\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 06-Mar-2017 13:27:17 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: westendorfc Date: 06-Mar-2017 11:01:31

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.495	1.498	-0.003	1.000	13791633	47.9		1639	
298.90 > 99.00	1.495	1.498	-0.003	1.000	10038548		1.37(0.00-0.00)	2054	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.624	1.627	-0.003	1.000	2995105	9.59		7105	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.785	-0.002	1.000	7088185	15.7		1635	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.787	-0.004	1.000	1377103	4.90		246	
* 6 13C2-PFOA									
415.00 > 370.00	1.995	1.999	-0.004		2916019	10.0		6011	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.995	2.000	-0.005	1.000	2653216	9.33		206	
413.00 > 169.00	1.995	2.000	-0.005	1.000	1582790		1.68(0.00-0.00)	2335	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.246	2.238	0.008	1.000	6166646	20.1		6580	M
499.00 > 99.00	2.246	2.238	0.008	1.000	1495877		4.12(0.00-0.00)	2410	M
* 7 13C4 PFOS									
503.00 > 80.00	2.246	2.246	0.0		7913409	28.7		8673	
9 Perfluorononanoic acid									
463.00 > 419.00	2.253	2.256	-0.003	1.000	2162060	10.3		774	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.394	-0.004	1.000	1880890	9.59		2686	

**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L3\_00019

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_006.d

Injection Date: 06-Mar-2017 09:59:23

Instrument ID: A8\_N

Lims ID: IC L3

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 3

Worklist Smp#: 5

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid



8 Perfluorooctane sulfonic acid (M)


\* 7 13C4 PFOS

9 Perfluorononanoic acid





\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_006.d  
Injection Date: 06-Mar-2017 09:59:23 Instrument ID: A8\_N  
Lims ID: IC L3  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 5  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.24

Processing Integration Results



Manual Integration Results

RT: 2.25  
Area: 6166646  
Amount: 20.100009  
Amount Units: ng/ml



Reviewer: westendorfc, 06-Mar-2017 13:27:17  
Audit Action: Assigned Compound ID

Audit Reason:

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_006.d  
Injection Date: 06-Mar-2017 09:59:23 Instrument ID: A8\_N  
Lims ID: IC L3  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 5  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.24

Processing Integration Results



Manual Integration Results

RT: 2.25  
Area: 1495877  
Amount: 20.100009  
Amount Units: ng/ml



Reviewer: westendorfc, 06-Mar-2017 13:27:17

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_007.d  
 Lims ID: IC L4  
 Client ID:  
 Sample Type: ICISAV Calib Level: 4  
 Inject. Date: 06-Mar-2017 10:03:46 ALS Bottle#: 4 Worklist Smp#: 6  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L4\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 06-Mar-2017 13:27:19 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: westendorfc Date: 06-Mar-2017 10:32:36

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.495	1.498	-0.003	1.000	25746912	92.5		2044	
298.90 > 99.00	1.495	1.498	-0.003	1.000	19499933		1.32(0.00-0.00)	2638	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.624	1.627	-0.003	1.000	3397870	10.3		6944	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.785	-0.002	1.000	15182290	32.1		2904	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.787	-0.004	1.000	2982886	10.1		425	
* 6 13C2-PFOA									
415.00 > 370.00	1.995	1.999	-0.004		3071166	10.0		5721	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.995	2.000	-0.005	1.000	6021984	20.1		392	
413.00 > 169.00	1.995	2.000	-0.005	1.000	3538360		1.70(0.00-0.00)	3504	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.246	2.238	0.008	1.000	13425071	41.9		8811	
499.00 > 99.00	2.208	2.238	-0.030	0.983	3162897		4.24(0.00-0.00)	622	
* 7 13C4 PFOS									
503.00 > 80.00	2.238	2.246	-0.008		8264872	28.7		10477	
9 Perfluorononanoic acid									
463.00 > 419.00	2.253	2.256	-0.003	1.000	4457176	20.2		1520	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.394	-0.004	1.000	2086938	10.1		2964	

**Reagents:**

LC537-L4\_00017

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_007.d

Injection Date: 06-Mar-2017 10:03:46

Instrument ID: A8\_N

Lims ID: IC L4

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 4

Worklist Smp#: 6

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_008.d  
 Lims ID: IC L5  
 Client ID:  
 Sample Type: IC Calib Level: 5  
 Inject. Date: 06-Mar-2017 10:08:09 ALS Bottle#: 5 Worklist Smp#: 7  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L5\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 06-Mar-2017 13:27:20 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: westendorfc Date: 06-Mar-2017 11:04:09

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.502	1.498	0.004	1.000	31778413	124.5		2224	
298.90 > 99.00	1.502	1.498	0.004	1.000	24312044		1.31(0.00-0.00)	2694	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.627	0.004	1.000	3148773	9.95		6014	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.785	-0.002	1.000	19746983	42.9		2751	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.787	0.004	1.000	3968138	13.9		646	
* 6 13C2-PFOA									
415.00 > 370.00	1.995	1.999	-0.004		2955567	10.0		5267	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.995	2.000	-0.005	1.000	7991552	27.7		559	
413.00 > 169.00	1.995	2.000	-0.005	1.000	4649868		1.72(0.00-0.00)	3959	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.246	2.238	0.008	1.000	18383468	59.0		10512	M
499.00 > 99.00	2.246	2.238	0.008	1.000	4498972		4.09(0.00-0.00)	4023	M
* 7 13C4 PFOS									
503.00 > 80.00	2.246	2.246	0.0		8041075	28.7		9813	
9 Perfluorononanoic acid									
463.00 > 419.00	2.253	2.256	-0.003	1.000	6180287	29.1		1835	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.394	-0.004	1.000	2032603	10.2		2847	



**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L5\_00020

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_008.d

Injection Date: 06-Mar-2017 10:08:09

Instrument ID: A8\_N

Lims ID: IC L5

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 5

Worklist Smp#: 7

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_008.d  
Injection Date: 06-Mar-2017 10:08:09 Instrument ID: A8\_N  
Lims ID: IC L5  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 7  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.24

Processing Integration Results



Manual Integration Results

RT: 2.25  
Area: 18383468  
Amount: 58.969056  
Amount Units: ng/ml



Reviewer: westendorfc, 06-Mar-2017 13:27:20  
Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_008.d  
Injection Date: 06-Mar-2017 10:08:09 Instrument ID: A8\_N  
Lims ID: IC L5  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 7  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.24

Processing Integration Results



Manual Integration Results

RT: 2.25  
Area: 4498972  
Amount: 58.969056  
Amount Units: ng/ml



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_008.d  
Injection Date: 06-Mar-2017 10:08:09 Instrument ID: A8\_N  
Lims ID: IC L5  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 7  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.24

Processing Integration Results



Manual Integration Results

RT: 2.25  
Area: 18383468  
Amount: 58.969056  
Amount Units: ng/ml



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Lims ID: IC L6  
 Client ID:  
 Sample Type: IC Calib Level: 6  
 Inject. Date: 06-Mar-2017 10:12:33 ALS Bottle#: 6 Worklist Smp#: 8  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: L6\_537  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 06-Mar-2017 13:27:21 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: westendorfc Date: 06-Mar-2017 11:04:25

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.495	1.498	-0.003	1.000	34667690	185.2		1862	
298.90 > 99.00	1.495	1.498	-0.003	1.000	26776115		1.29(0.00-0.00)	2450	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.624	1.627	-0.003	1.000	2737478	10.6		5848	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.785	-0.002	1.000	22573309	59.1		2777	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.787	-0.004	1.000	4673221	20.1		734	
* 6 13C2-PFOA									
415.00 > 370.00	1.995	1.999	-0.004		2412696	10.0		4419	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.995	2.000	-0.005	1.000	9667200	41.1		637	
413.00 > 169.00	1.995	2.000	-0.005	1.000	5834692		1.66(0.00-0.00)	4209	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.238	2.238	0.0	1.000	21293992	82.3		8093	
499.00 > 99.00	2.208	2.238	-0.030	0.986	5225361		4.08(0.00-0.00)	777	
* 7 13C4 PFOS									
503.00 > 80.00	2.238	2.246	-0.008		6675479	28.7		9210	
9 Perfluorononanoic acid									
463.00 > 419.00	2.253	2.256	-0.003	1.000	7433161	42.8		2157	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.394	-0.004	1.000	1723332	10.6		2573	

**Reagents:**

LC537-L6\_00016

Amount Added: 1.00

Units: mL



TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d

Injection Date: 06-Mar-2017 10:12:33

Instrument ID: A8\_N

Lims ID: IC L6

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 6

Worklist Smp#: 8

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICA

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCVL 320-153407/10 Calibration Date: 03/06/2017 10:21  
 Instrument ID: A8\_N Calib Start Date: 03/06/2017 09:50  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 03/06/2017 10:12  
 Lab File ID: 2017.03.06\_537\_ICAL\_011.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.283		27.2	22.9	18.8	50.0
Perfluorohexanesulfonic acid	Ave	1.641	1.777		8.36	7.72	8.3	50.0
Perfluoroheptanoic acid	Ave	0.9636	1.012		2.75	2.62	5.1	50.0
Perfluorooctanoic acid (PFOA)	Ave	0.9751	1.043		5.32	4.98	6.9	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.112	1.151		10.6	10.2	3.5	50.0
Perfluorononanoic acid	Ave	0.7192	0.8073		5.94	5.29	12.3	50.0
13C2 PFHxA	Ave	1.071	1.109		10.4	10.0	3.6	30.0
13C2 PFDA	Ave	0.6728	0.6687		9.94	10.0	-0.6	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_011.d  
 Lims ID: CCVL  
 Client ID:  
 Sample Type: CCVL  
 Inject. Date: 06-Mar-2017 10:21:20 ALS Bottle#: 2 Worklist Smp#: 10  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L2  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 06-Mar-2017 13:27:24 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last Ical File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: westendorfc Date: 06-Mar-2017 11:05:21

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.495	1.498	-0.003	1.000	8594157	27.2		1449	
298.90 > 99.00	1.495	1.498	-0.003	1.000	6076353		1.41(0.00-0.00)	1609	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.624	1.627	-0.003	1.000	3425759	10.4		7751	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.775	1.785	-0.010	1.000	4013945	8.36		1034	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.787	-0.004	1.000	819823	2.75		148	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.999	-0.019		3088660	10.0		5483	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.988	2.000	-0.012	1.000	1602679	5.32		118	
413.00 > 169.00	1.988	2.000	-0.012	1.000	934779		1.71(0.00-0.00)	1609	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.231	2.238	-0.007	1.000	3442878	10.6		3993	
499.00 > 99.00	2.231	2.238	-0.007	1.000	835570		4.12(0.00-0.00)	1525	
* 7 13C4 PFOS									
503.00 > 80.00	2.231	2.246	-0.015		8393899	28.7		10021	
9 Perfluorononanoic acid									
463.00 > 419.00	2.238	2.256	-0.018	1.000	1318863	5.94		523	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.394	-0.012	1.000	2065448	9.94		3087	

**Reagents:**

LC537-L2\_00015

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_011.d

Injection Date: 06-Mar-2017 10:21:20

Instrument ID: A8\_N

Lims ID: CCVL

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 2

Worklist Smp#: 10

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: ICV 320-153407/12 Calibration Date: 03/06/2017 10:30  
 Instrument ID: A8\_N Calib Start Date: 03/06/2017 09:50  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 03/06/2017 10:12  
 Lab File ID: 2017.03.06\_537\_ICAL\_013.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		0.9595		102	101	1.0	30.0
Perfluoroheptanoic acid	Ave	0.9636	0.8161		8.54	10.1	-15.3	30.0
Perfluorohexanesulfonic acid	Ave	1.641	1.516		19.6	21.2	-7.6	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9751	0.8588		17.6	20.0	-11.9	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.112	1.026		19.1	20.7	-7.8	30.0
Perfluorononanoic acid	Ave	0.7192	0.6561		18.3	20.0	-8.8	30.0
13C2 PFHxA	Ave	1.071	1.141		10.7	10.0	6.5	30.0
13C2 PFDA	Ave	0.6728	0.7153		10.6	10.0	6.3	30.0



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_013.d  
 Lims ID: ICV  
 Client ID:  
 Sample Type: ICV  
 Inject. Date: 06-Mar-2017 10:30:06 ALS Bottle#: 7 Worklist Smp#: 12  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: ICV  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist:  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 06-Mar-2017 13:34:28 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK021

First Level Reviewer: barnettj Date: 06-Mar-2017 13:27:45

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.495	1.498	-0.003	1.000	22799237	101.7		1988	
298.90 > 99.00	1.495	1.498	-0.003	1.000	17124574		1.33(0.00-0.00)	2436	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.624	1.627	-0.003	1.000	2651116	10.7		6748	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.785	-0.002	1.000	7578052	19.6		1716	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.787	-0.004	1.000	1911207	8.54		320	
* 6 13C2-PFOA									
415.00 > 370.00	1.988	1.999	-0.011		2323387	10.0		5475	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.988	2.000	-0.012	1.000	3994455	17.6		303	
413.00 > 169.00	1.988	2.000	-0.012	1.000	2327993		1.72(0.00-0.00)	3017	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.238	2.238	0.0	1.000	5009561	19.1		5210	
499.00 > 99.00	2.208	2.238	-0.030	0.986	992944		5.05(0.00-0.00)	308	
* 7 13C4 PFOS									
503.00 > 80.00	2.238	2.246	-0.008		6768948	28.7		9506	
9 Perfluorononanoic acid									
463.00 > 419.00	2.246	2.256	-0.010	1.000	3049729	18.3		1191	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.394	-0.004	1.000	1661997	10.6		2494	

Reagents:

LC537-ICV\_00020

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_013.d

Injection Date: 06-Mar-2017 10:30:06

Instrument ID: A8\_N

Lims ID: ICV

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 7

Worklist Smp#: 12

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCVL 320-154108/4 Calibration Date: 03/09/2017 09:55  
 Instrument ID: A8\_N Calib Start Date: 03/06/2017 09:50  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 03/06/2017 10:12  
 Lab File ID: 2017.03.09\_537A\_004.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.243		26.3	22.9	14.9	50.0
Perfluoroheptanoic acid	Ave	0.9636	1.049		2.75	2.52	8.9	50.0
Perfluorohexanesulfonic acid	Ave	1.641	1.741		8.19	7.72	6.1	50.0
Perfluorooctanoic acid (PFOA)	Ave	0.9751	1.026		5.24	4.98	5.3	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.112	1.148		10.5	10.2	3.2	50.0
Perfluorononanoic acid	Ave	0.7192	0.7835		5.76	5.29	8.9	50.0
13C2 PFHxA	Ave	1.071	1.094		10.2	10.0	2.2	30.0
13C2 PFDA	Ave	0.6728	0.6585		9.79	10.0	-2.1	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170309-40642.b\2017.03.09\_537A\_004.d  
 Lims ID: CCVL  
 Client ID:  
 Sample Type: CCVL  
 Inject. Date: 09-Mar-2017 09:55:56 ALS Bottle#: 2 Worklist Smp#: 4  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L2  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170309-40642.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 10:42:26 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK031

First Level Reviewer: phomsophat Date: 09-Mar-2017 12:02:50

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.498	0.012	1.000	7948696	26.3		1154	
298.90 > 99.00	1.510	1.498	0.012	1.000	5633933		1.41(0.00-0.00)	1408	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.627	0.012	1.000	2952172	10.2		6549	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.806	1.785	0.021	1.000	3753387	8.19		915	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.806	1.787	0.019	1.000	714582	2.75		130	
* 6 13C2-PFOA									
415.00 > 370.00	2.026	1.999	0.027		2698296	10.0		5193	
5 Perfluorooctanoic acid									
413.00 > 369.00	2.033	2.000	0.033	1.000	1378489	5.24		86.5	
413.00 > 169.00	2.026	2.000	0.026	0.996	806968		1.71(0.00-0.00)	1094	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.276	2.231	0.045	1.000	3276225	10.5		5249	
499.00 > 99.00	2.269	2.231	0.037	0.997	786291		4.17(0.00-0.00)	1527	
* 7 13C4 PFOS									
503.00 > 80.00	2.269	2.246	0.022		8014501	28.7		11864	
9 Perfluorononanoic acid									
463.00 > 419.00	2.284	2.256	0.028	1.000	1118173	5.76		304	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.420	2.394	0.026	1.000	1776868	9.79		2666	

**Reagents:**

LC537-L2\_00016

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170309-40642.b\2017.03.09\_537A\_004.d

Injection Date: 09-Mar-2017 09:55:56

Instrument ID: A8\_N

Lims ID: CCVL

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 2

Worklist Smp#: 4

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid



8 Perfluorooctane sulfonic acid


\* 7 13C4 PFOS

9 Perfluorononanoic acid





\$ 10 13C2 PFDA



FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-154348/12 Calibration Date: 03/09/2017 20:00  
 Instrument ID: A8\_N Calib Start Date: 03/06/2017 09:50  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 03/06/2017 10:12  
 Lab File ID: 2017.03.09\_537B\_012.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.131		48.9	45.1	8.5	30.0
Perfluoroheptanoic acid	Ave	0.9636	0.9270		4.79	4.97	-3.8	30.0
Perfluorohexanesulfonic acid	Ave	1.641	1.707		15.8	15.2	4.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9751	0.9224		9.28	9.81	-5.4	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.112	1.118		20.2	20.1	0.5	30.0
Perfluorononanoic acid	Ave	0.7192	0.7008		10.2	10.4	-2.6	30.0
13C2 PFHxA	Ave	1.071	1.022		9.55	10.0	-4.5	30.0
13C2 PFDA	Ave	0.6728	0.6149		9.14	10.0	-8.6	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_012.d  
 Lims ID: CCV L3  
 Client ID:  
 Sample Type: CCVIS  
 Inject. Date: 09-Mar-2017 20:00:21 ALS Bottle#: 3 Worklist Smp#: 12  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L3  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 14:01:59 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK031

First Level Reviewer: barnettj Date: 10-Mar-2017 14:01:40

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.495	1.498	-0.003	1.000	13122114	48.9		1570	
298.90 > 99.00	1.495	1.498	-0.003	1.000	9372279		1.40(0.00-0.00)	1762	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.624	1.627	-0.003	1.000	2959540	9.55		6527	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.775	1.785	-0.010	1.000	6677877	15.8		1460	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.775	1.787	-0.012	1.000	1334895	4.79		214	
* 6 13C2-PFOA									
415.00 > 370.00	1.973	1.999	-0.026		2894727	10.0		6195	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.973	2.000	-0.027	1.000	2618969	9.28		144	
413.00 > 169.00	1.973	2.000	-0.027	1.000	1514476		1.73(0.00-0.00)	2108	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.223	2.223	0.0	1.000	5790327	20.2		4982	M
499.00 > 99.00	2.223	2.223	0.0	1.000	1390947		4.16(0.00-0.00)	2025	M
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.246	-0.023		7378718	28.7		8032	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.256	-0.025	1.000	2114312	10.2		646	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.394	-0.012	1.000	1779923	9.14		2211	

**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L3\_00019

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_012.d

Injection Date: 09-Mar-2017 20:00:21

Instrument ID: A8\_N

Lims ID: CCV L3

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 3

Worklist Smp#: 12

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_012.d  
Injection Date: 09-Mar-2017 20:00:21 Instrument ID: A8\_N  
Lims ID: CCV L3  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 12  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 5790327  
Amount: 20.241049  
Amount Units: ng/ml



Reviewer: barnettj, 10-Mar-2017 14:01:59  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_012.d  
Injection Date: 09-Mar-2017 20:00:21 Instrument ID: A8\_N  
Lims ID: CCV L3  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 12  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 1390947  
Amount: 20.241049  
Amount Units: ng/ml



Reviewer: barnettj, 10-Mar-2017 14:01:59

Audit Action: Manually Integrated

Audit Reason: Missed Peak



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_012.d  
Injection Date: 09-Mar-2017 20:00:21 Instrument ID: A8\_N  
Lims ID: CCV L3  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 12  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 5790327  
Amount: 20.241049  
Amount Units: ng/ml



Reviewer: barnettj, 10-Mar-2017 14:01:59

Audit Action: Manually Integrated

Audit Reason: Missed Peak

FORM VII  
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 320-154348/23 Calibration Date: 03/09/2017 20:48  
 Instrument ID: A8\_N Calib Start Date: 03/06/2017 09:50  
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 03/06/2017 10:12  
 Lab File ID: 2017.03.09\_537B\_023.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		0.8291		122	135	-9.3	30.0
Perfluoroheptanoic acid	Ave	0.9636	0.8809		13.6	14.9	-8.6	30.0
Perfluorohexanesulfonic acid	Ave	1.641	1.559		43.1	45.4	-5.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9751	0.9323		28.0	29.3	-4.4	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.112	1.087		58.8	60.1	-2.2	30.0
Perfluorononanoic acid	Ave	0.7192	0.6705		29.0	31.1	-6.8	30.0
13C2 PFHxA	Ave	1.071	1.090		10.2	10.0	1.7	30.0
13C2 PFDA	Ave	0.6728	0.6578		9.78	10.0	-2.2	30.0

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_023.d  
 Lims ID: CCV L5  
 Client ID:  
 Sample Type: CCVIS  
 Inject. Date: 09-Mar-2017 20:48:48 ALS Bottle#: 5 Worklist Smp#: 23  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: CCV L5  
 Misc. Info.: Plate: 1 Rack: 1  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Sublist: chrom-537\_A8\_N\*sub1  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:41:37 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK031

First Level Reviewer: barnettj Date: 10-Mar-2017 13:38:12

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.495	1.498	-0.003	1.000	29881686	122.1		1984	
298.90 > 99.00	1.495	1.498	-0.003	1.000	23295029		1.28(0.00-0.00)	2797	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.616	1.627	-0.011	1.000	3108824	10.2		7152	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.768	1.785	-0.017	1.000	18936770	43.1		2717	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.768	1.787	-0.019	1.000	3732254	13.6		534	
* 6 13C2-PFOA									
415.00 > 370.00	1.965	1.999	-0.034		2853218	10.0		6249	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.965	2.000	-0.035	1.000	7788070	28.0		414	
413.00 > 169.00	1.965	2.000	-0.035	1.000	4529654		1.72(0.00-0.00)	4393	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.215	2.215	0.0	1.000	17488140	58.8		6879	M
499.00 > 99.00	2.215	2.215	0.0	1.000	4230618		4.13(0.00-0.00)	4492	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.246	-0.031		7676801	28.7		8868	
9 Perfluorononanoic acid									
463.00 > 419.00	2.223	2.256	-0.033	1.000	5951912	29.0		1527	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.375	2.394	-0.019	1.000	1876959	9.78		2403	

**QC Flag Legend**

Review Flags

M - Manually Integrated

**Reagents:**

LC537-L5\_00020

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_023.d

Injection Date: 09-Mar-2017 20:48:48

Instrument ID: A8\_N

Lims ID: CCV L5

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 5

Worklist Smp#: 23

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_023.d  
Injection Date: 09-Mar-2017 20:48:48 Instrument ID: A8\_N  
Lims ID: CCV L5  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 23  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 17488140  
Amount: 58.758971  
Amount Units: ng/ml



Reviewer: barnettj, 10-Mar-2017 13:41:37  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_023.d  
Injection Date: 09-Mar-2017 20:48:48 Instrument ID: A8\_N  
Lims ID: CCV L5  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 23  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 4230618  
Amount: 58.758971  
Amount Units: ng/ml



Reviewer: barnettj, 10-Mar-2017 13:41:37

Audit Action: Manually Integrated

Audit Reason: Missed Peak



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_023.d  
Injection Date: 09-Mar-2017 20:48:48 Instrument ID: A8\_N  
Lims ID: CCV L5  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 23  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 17488140  
Amount: 58.758971  
Amount Units: ng/ml



FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: MB 320-153989/1-A  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_014.d  
 Analysis Method: 537 Date Collected: \_\_\_\_\_  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 250.00 (mL) Date Analyzed: 03/09/2017 20:09  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	107		70-130
STL00996	13C2 PFDA	110		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_014.d  
 Lims ID: MB 320-153989/1-A  
 Client ID:  
 Sample Type: MB  
 Inject. Date: 09-Mar-2017 20:09:09 ALS Bottle#: 7 Worklist Smp#: 14  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: mb 320-153989/1-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK031

First Level Reviewer: barnettj Date: 10-Mar-2017 13:35:16

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA	315.00 > 270.00	1.624	1.627	-0.003	1.000	2640751	10.7	5567	
* 6 13C2-PFOA	415.00 > 370.00	1.980	1.999	-0.019		2300405	10.0	4169	
* 7 13C4 PFOS	503.00 > 80.00	2.231	2.246	-0.015		5990324	28.7	5904	
\$ 10 13C2 PFDA	515.00 > 470.00	2.382	2.394	-0.012	1.000	1696144	11.0	2638	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_014.d

Injection Date: 09-Mar-2017 20:09:09

Instrument ID: A8\_N

Lims ID: MB 320-153989/1-A

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 7

Worklist Smp#: 14

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




\* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)




5 Perfluorooctanoic acid (ND)

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) \* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_014.d  
 Lims ID: MB 320-153989/1-A  
 Client ID:  
 Sample Type: MB  
 Inject. Date: 09-Mar-2017 20:09:09 ALS Bottle#: 7 Worklist Smp#: 14  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: mb 320-153989/1-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK031

First Level Reviewer: barnettj Date: 10-Mar-2017 13:35:16

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.7	107.18
\$ 10 13C2 PFDA	10.0	11.0	109.59

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: LCS 320-153989/2-A  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_015.d  
 Analysis Method: 537 Date Collected: \_\_\_\_\_  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 250.00 (mL) Date Analyzed: 03/09/2017 20:13  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.167	M	0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.0747		0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.401		0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	109		70-130
STL00996	13C2 PFDA	107		70-130

TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_015.d  
 Lims ID: LCS 320-153989/2-A  
 Client ID:  
 Sample Type: LCS  
 Inject. Date: 09-Mar-2017 20:13:33 ALS Bottle#: 8 Worklist Smp#: 15  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: lcs 320-153989/2-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK031

First Level Reviewer: barnettj Date: 10-Mar-2017 13:36:17

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.487	1.498	-0.011	1.000	19721671	100.1		1662	
298.90 > 99.00	1.487	1.498	-0.011	1.000	14770951		1.34(0.00-0.00)	2185	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.616	1.627	-0.011	1.000	2676272	10.9		5400	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.768	1.785	-0.017	1.000	10809416	31.9		2005	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.768	1.787	-0.019	1.000	2191076	9.94		224	
* 6 13C2-PFOA									
415.00 > 370.00	1.965	1.999	-0.034		2287510	10.0		4832	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.965	2.000	-0.035	1.000	4164831	18.7		280	
413.00 > 169.00	1.965	2.000	-0.035	1.000	2398461		1.74(0.00-0.00)	2513	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.215	2.215	0.0	1.000	9582799	41.7		4383	M
499.00 > 99.00	2.215	2.215	0.0	1.000	2233919		4.29(0.00-0.00)	2119	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.246	-0.031		5927857	28.7		5028	
9 Perfluorononanoic acid									
463.00 > 419.00	2.223	2.256	-0.033	1.000	3456406	21.0		916	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.375	2.394	-0.019	1.000	1653746	10.7		2656	



## QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_015.d

Injection Date: 09-Mar-2017 20:13:33

Instrument ID: A8\_N

Lims ID: LCS 320-153989/2-A

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 8

Worklist Smp#: 15

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_015.d  
 Lims ID: LCS 320-153989/2-A  
 Client ID:  
 Sample Type: LCS  
 Inject. Date: 09-Mar-2017 20:13:33 ALS Bottle#: 8 Worklist Smp#: 15  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: lcs 320-153989/2-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK031

First Level Reviewer: barnettj Date: 10-Mar-2017 13:36:17

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.9	109.24
\$ 10 13C2 PFDA	10.0	10.7	107.45

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_015.d  
Injection Date: 09-Mar-2017 20:13:33 Instrument ID: A8\_N  
Lims ID: LCS 320-153989/2-A  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 8 Worklist Smp#: 15  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1


Signal: 1

Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results



RT: 2.22  
Area: 9582799  
Amount: 41.697067  
Amount Units: ng/ml

Reviewer: barnettj, 10-Mar-2017 13:41:29  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_015.d  
Injection Date: 09-Mar-2017 20:13:33 Instrument ID: A8\_N  
Lims ID: LCS 320-153989/2-A  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 8 Worklist Smp#: 15  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 2233919  
Amount: 41.697067  
Amount Units: ng/ml



Reviewer: barnettj, 10-Mar-2017 13:41:29

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_015.d  
Injection Date: 09-Mar-2017 20:13:33 Instrument ID: A8\_N  
Lims ID: LCS 320-153989/2-A  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 8 Worklist Smp#: 15  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 9582799  
Amount: 41.697067  
Amount Units: ng/ml



Reviewer: barnettj, 10-Mar-2017 13:41:29

Audit Action: Manually Integrated

Audit Reason: Missed Peak

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: LCSD 320-153989/3-A  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_016.d  
 Analysis Method: 537 Date Collected: \_\_\_\_\_  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 250.00 (mL) Date Analyzed: 03/09/2017 20:17  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.165	M	0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.0753		0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.410		0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	110		70-130
STL00996	13C2 PFDA	102		70-130



TestAmerica Sacramento  
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_016.d  
 Lims ID: LCSD 320-153989/3-A  
 Client ID:  
 Sample Type: LCSD  
 Inject. Date: 09-Mar-2017 20:17:58 ALS Bottle#: 9 Worklist Smp#: 16  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: lcsd 320-153989/3-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK031

First Level Reviewer: barnettj Date: 10-Mar-2017 13:36:57

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.487	1.498	-0.011	1.000	19938888	102.6		1758	
298.90 > 99.00	1.487	1.498	-0.011	1.000	14905663		1.34(0.00-0.00)	2271	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.608	1.627	-0.019	1.000	2673823	11.0		5730	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.760	1.785	-0.025	1.000	10697083	31.8		2049	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.768	1.787	-0.019	1.000	2215801	10.1		225	
* 6 13C2-PFOA									
415.00 > 370.00	1.965	1.999	-0.034		2271752	10.0		4750	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.965	2.000	-0.035	1.000	4171711	18.8		275	
413.00 > 169.00	1.965	2.000	-0.035	1.000	2423836		1.72(0.00-0.00)	2349	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.215	2.215	0.0	1.000	9376128	41.2		4617	M
499.00 > 99.00	2.215	2.215	0.0	1.000	2194588		4.27(0.00-0.00)	2349	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.246	-0.031		5875812	28.7		5635	
9 Perfluorononanoic acid									
463.00 > 419.00	2.223	2.256	-0.033	1.000	3362860	20.6		923	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.375	2.394	-0.019	1.000	1565327	10.2		2497	

## QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_016.d

Injection Date: 09-Mar-2017 20:17:58

Instrument ID: A8\_N

Lims ID: LCSD 320-153989/3-A

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 9

Worklist Smp#: 16

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537\_A8\_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




\* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

\* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento  
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_016.d  
 Lims ID: LCSD 320-153989/3-A  
 Client ID:  
 Sample Type: LCSD  
 Inject. Date: 09-Mar-2017 20:17:58 ALS Bottle#: 9 Worklist Smp#: 16  
 Injection Vol: 2.0 ul Dil. Factor: 1.0000  
 Sample Info: lcsd 320-153989/3-a  
 Misc. Info.: Plate: 1 Rack: 2  
 Operator ID: A8-PC\A8 Instrument ID: A8\_N  
 Method: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\537\_A8\_N.m  
 Limit Group: LC 537 ICAL  
 Last Update: 10-Mar-2017 13:40:15 Calib Date: 06-Mar-2017 10:12:33  
 Integrator: Picker  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8\_N\20170306-40511.b\2017.03.06\_537\_ICAL\_009.d  
 Column 1 : Det: EXP1  
 Process Host: XAWRK031

First Level Reviewer: barnettj Date: 10-Mar-2017 13:36:57

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	11.0	109.89
\$ 10 13C2 PFDA	10.0	10.2	102.41

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_016.d  
Injection Date: 09-Mar-2017 20:17:58 Instrument ID: A8\_N  
Lims ID: LCSD 320-153989/3-A  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 9 Worklist Smp#: 16  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 9376128  
Amount: 41.159158  
Amount Units: ng/ml



Reviewer: barnettj, 10-Mar-2017 13:41:30  
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_016.d  
Injection Date: 09-Mar-2017 20:17:58 Instrument ID: A8\_N  
Lims ID: LCSD 320-153989/3-A  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 9 Worklist Smp#: 16  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 2194588  
Amount: 41.159158  
Amount Units: ng/ml



Reviewer: barnettj, 10-Mar-2017 13:41:30

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b\2017.03.09\_537B\_016.d  
Injection Date: 09-Mar-2017 20:17:58 Instrument ID: A8\_N  
Lims ID: LCSD 320-153989/3-A  
Client ID:  
Operator ID: A8-PC\A8 ALS Bottle#: 9 Worklist Smp#: 16  
Injection Vol: 2.0 ul Dil. Factor: 1.0000  
Method: 537\_A8\_N Limit Group: LC 537 ICAL  
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected  
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22  
Area: 9376128  
Amount: 41.159158  
Amount Units: ng/ml





LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 03/06/2017 09:50

Analysis Batch Number: 153407 End Date: 03/06/2017 11:46

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
IC 320-153407/3		03/06/2017 09:50	1	2017.03.06_537_ICAL 004.d	GeminiC18 3x100 3(mm)
IC 320-153407/4		03/06/2017 09:55	1	2017.03.06_537_ICAL 005.d	GeminiC18 3x100 3(mm)
IC 320-153407/5		03/06/2017 09:59	1	2017.03.06_537_ICAL 006.d	GeminiC18 3x100 3(mm)
IC 320-153407/6 ICISAV		03/06/2017 10:03	1	2017.03.06_537_ICAL 007.d	GeminiC18 3x100 3(mm)
IC 320-153407/7		03/06/2017 10:08	1	2017.03.06_537_ICAL 008.d	GeminiC18 3x100 3(mm)
IC 320-153407/8		03/06/2017 10:12	1	2017.03.06_537_ICAL 009.d	GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 10:16	1		GeminiC18 3x100 3(mm)
CCVL 320-153407/10		03/06/2017 10:21	1	2017.03.06_537_ICAL 011.d	GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 10:25	1		GeminiC18 3x100 3(mm)
ICV 320-153407/12		03/06/2017 10:30	1	2017.03.06_537_ICAL 013.d	GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 10:34	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 10:58	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:02	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:07	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:11	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:15	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:20	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:24	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:29	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:33	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:37	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/06/2017 11:42	1		GeminiC18 3x100 3(mm)
CCV 320-153407/29 CCVIS		03/06/2017 11:46	1		GeminiC18 3x100 3(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 03/09/2017 09:55

Analysis Batch Number: 154108 End Date: 03/09/2017 10:53

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCVL 320-154108/4		03/09/2017 09:55	1	2017.03.09_537A 004.d	GeminiC18 3x100 3(mm)
CCV 320-154108/5 CCVIS		03/09/2017 10:00	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:04	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:09	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:13	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:18	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:22	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:26	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:31	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:35	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:40	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:44	1		GeminiC18 3x100 3(mm)
ZZZZZ		03/09/2017 10:48	1		GeminiC18 3x100 3(mm)
CCV 320-154108/17 CCVIS		03/09/2017 10:53	1		GeminiC18 3x100 3(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Instrument ID: A8\_N Start Date: 03/09/2017 20:00

Analysis Batch Number: 154348 End Date: 03/09/2017 20:48

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-154348/12 CCVIS ZZZZZ		03/09/2017 20:00	1	2017.03.09_537B 012.d	GeminiC18 3x100 3(mm)
MB 320-153989/1-A		03/09/2017 20:04	1		GeminiC18 3x100 3(mm)
LCS 320-153989/2-A		03/09/2017 20:09	1	2017.03.09_537B 014.d	GeminiC18 3x100 3(mm)
LCSD 320-153989/3-A		03/09/2017 20:13	1	2017.03.09_537B 015.d	GeminiC18 3x100 3(mm)
320-26360-1		03/09/2017 20:17	1	2017.03.09_537B 016.d	GeminiC18 3x100 3(mm)
320-26360-2		03/09/2017 20:22	1	2017.03.09_537B 017.d	GeminiC18 3x100 3(mm)
320-26360-3		03/09/2017 20:26	1	2017.03.09_537B 018.d	GeminiC18 3x100 3(mm)
320-26360-4		03/09/2017 20:31	1	2017.03.09_537B 019.d	GeminiC18 3x100 3(mm)
320-26360-5		03/09/2017 20:35	1	2017.03.09_537B 020.d	GeminiC18 3x100 3(mm)
320-26360-6		03/09/2017 20:39	1	2017.03.09_537B 021.d	GeminiC18 3x100 3(mm)
CCV 320-154348/23 CCVIS		03/09/2017 20:44	1	2017.03.09_537B 022.d	GeminiC18 3x100 3(mm)
		03/09/2017 20:48	1	2017.03.09_537B 023.d	GeminiC18 3x100 3(mm)

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Batch Number: 153989 Batch Start Date: 03/08/17 17:02 Batch Analyst: Reed, Jonathan E

Batch Method: 537 Batch End Date: 03/09/17 12:45

Lab Sample ID	Client Sample ID	Method Chain	Basis	GrossWeight	TareWeight	InitialAmount	FinalAmount	ReceivedpH	LC537-IS 00032
MB 320-153989/1		537, 537				250.00 mL	1.00 mL	7 SU	20 uL
LCS 320-153989/2		537, 537				250.00 mL	1.00 mL	7 SU	20 uL
LCSD 320-153989/3		537, 537				250.00 mL	1.00 mL	7 SU	20 uL
320-26360-A-1	WI-AF-1RW47-0217	537, 537	T	308.07 g	27.34 g	280.7 mL	1.00 mL	7 SU	20 uL
320-26360-A-2	WI-AF-1FB47-0217	537, 537	T	303.80 g	26.38 g	277.4 mL	1.00 mL	7 SU	20 uL
320-26360-A-3	WI-AF-1RW48-0217	537, 537	T	298.15 g	27.59 g	270.6 mL	1.00 mL	7 SU	20 uL
320-26360-A-4	WI-AF-1FB48-0217	537, 537	T	308.93 g	27.07 g	281.9 mL	1.00 mL	7 SU	20 uL
320-26360-A-5	WI-AF-1RW49-0217	537, 537	T	309.06 g	27.53 g	281.5 mL	1.00 mL	7 SU	20 uL
320-26360-A-6	WI-AF-1FB49-0217	537, 537	T	301.22 g	27.24 g	274 mL	1.00 mL	7 SU	20 uL

Lab Sample ID	Client Sample ID	Method Chain	Basis	IC537-MSP 00017	IC537-SU 00030	AnalysisComment			
MB 320-153989/1		537, 537			50 uL	Chlorine: ND			
LCS 320-153989/2		537, 537		50 uL	50 uL	Chlorine: ND			
LCSD 320-153989/3		537, 537		50 uL	50 uL	Chlorine: ND			
320-26360-A-1	WI-AF-1RW47-0217	537, 537	T		50 uL	Chlorine: ND			
320-26360-A-2	WI-AF-1FB47-0217	537, 537	T		50 uL	Chlorine: ND			
320-26360-A-3	WI-AF-1RW48-0217	537, 537	T		50 uL	Chlorine: ND			
320-26360-A-4	WI-AF-1FB48-0217	537, 537	T		50 uL	Chlorine: ND			
320-26360-A-5	WI-AF-1RW49-0217	537, 537	T		50 uL	Chlorine: ND			
320-26360-A-6	WI-AF-1FB49-0217	537, 537	T		50 uL	Chlorine: ND			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1

SDG No.: \_\_\_\_\_

Batch Number: 153989 Batch Start Date: 03/08/17 17:02 Batch Analyst: Reed, Jonathan E

Batch Method: 537 Batch End Date: 03/09/17 12:45

Batch Notes	
Manifold ID	1
Methanol ID	865699
Pipette ID	MD05306
Analyst ID - IS Reagent Drop	NSH #2/2
Analyst ID - IS Reagent Drop Witness	VPM
Analyst ID - SU Reagent Drop	JER
Analyst ID - SU Reagent Drop Witness	KMK
Analyst ID - TA Reagent Drop	JER
Analyst ID - TA Reagent Drop Witness	KMK
SPE Cartridge ID	6341059-06
Trizma ID	SLBR4303V
Reagent Water ID	3/07/17

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

A8

Job No: 26360 Instrument ID & Date: 3-9-17 ICAL Batch: 153407  
 Extraction Batch: 153989 Worklist #: 40696 TALS Batch: 154348

Review Items	Level 1			Level 2
	Yes	No	N/A	
<b>Initial Calibration</b>				
1. Is ICAL verified and locked in Chrom & TALS?	✓			✓
2. Is ICV properly linked in TALS?	✓			✓
<b>Continuing Calibration</b>				
1. Low-range CCV injected at start of analytical run? CCV injected after every 10 samples and at the end of the analytical run and alternated between Low-range, Mid-range and High-range?	✓			✓
2. If sequence was not after an ICAL was a low and mid range CCV injected at the start of the analytical run?	✓			✓
3. Native compounds and surrogates in control? Low-range within ±50% of true value Mid and High-range within ±30% of true value	✓			✓
4. Internal Standard areas in control? Areas ≥ 50% of average area of the ICAL and 70-140% of the most recent CCV.	✓			✓
<b>Client Samples &amp; QC Sample Results</b>				
1. Were preparation and analysis done within holding times?	✓			✓
2. Are Chromatograms reviewed and spectra verified?	✓			✓
3. Are positive results within calibration range?	✓			✓
4. Dilutions due to target cpds? _____ Dilutions due to non-targets? _____			✓	
5. All target compounds in MB < 1/3 RL ? (Requires NCM if "no.")	✓			✓
6. Are target constituents in LCS/LCSD within method control limits?	✓			✓
7. Internal Standard areas in control for all samples and QC reported? ±50% from the average area of the ICAL and 70-140% of the most recent CCV	✓			✓
8. Do results (e.g., dilutions/trip blanks)-make sense?	✓			✓
9. Are MS/MSD recoveries and RPDs within method control limits?			✓	
10. Are all QC samples properly linked in TALS?	✓			✓
11. All manual integrations appropriate and completely documented?	✓			✓
12. Are nonconformances documented as NCMs?			✓	
13. Are all Chrom graphics uploaded?	✓			✓

1<sup>st</sup> Level Reviewer / Date: JRB 3-10-17 2<sup>nd</sup> Level Reviewer / Date: Shu 3/10/17

NCM # and Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

A8

Instrument ID & Date: 3-6-17 Worklist#: 40511

ICAL Batch: 153407, 153408 Calibration ID number: 28784, 28785

Review Items	-- Level 1 --			Level 2
	Yes	No	N/A	
<b>Initial Calibration</b>				
1. Mass calibration, as needed, verified by full scan of PFC stock standard. All PFC ions used for quantitation are within 0.3 m/z of true mass?	✓			✓
2. Responses increase with increasing concentration?	✓			✓
3. Fit used (circle): <u>Average</u> Linear (1/x <sup>2</sup> )Linear <u>Quadratic</u> (6 points minimum)				
4. Meets fit criteria? Intercept ≤ ½ RL RSD ≤ 30% for Average R <sup>2</sup> ≥ 0.990 for Linear R <sup>2</sup> ≥ 0.990 for Quadratic NOTE: "Force through Zero" must be used and weighted if needed	✓			✓
5. If quadratic fit used the curve does not "bend over".	✓			✓
6. Feed calibration points into the calculated curve. Are points ≤MRL within ±50% of true value? Are points >MRL within ±30% of true value?	✓			✓
7. Any carryover from the high calibration point must be ≤ 1/3 RL	✓			✓
8. Asymmetry check meets criteria for the first two eluting peaks? (0.8 - 1.5).	✓			✓
9. Is the asymmetry check scanned and linked in TALS to the calibration point?	✓			✓
10. Is ICV (2 <sup>nd</sup> source) ± 30% of true value?	✓			✓
11. Is ICV (2 <sup>nd</sup> source) internal standards ±50% of average area of the ICAL?	✓			✓
12. ICAL locked in Chrom and uploaded to TALS?	✓			
13. ICAL locked in TALS and scanned?				✓

1<sup>st</sup> Level Reviewer / Date: JRB 3-6-17

2<sup>nd</sup> Level Reviewer / Date: MWY 3/2/2017

NCM # and Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

TestAmerica Laboratories  
Worklist QC Batch Report

Worklist Name: 09MAR2017B\_537

Worklist Number: 40696

Instrument Name: A8\_N

Chrom Method: 537\_A8\_N

Data Directory: \\ChromNa\Sacramento\ChromData\A8\_N\20170310-40696.b

QC Batching: Enabled

Limit Group Batching: Enabled

QC Batch: 1	LC 537 ICAL Raw Batch: 154330	LC 537 CS ICAL Raw Batch: 154331
# 1 RINSE	# 1 RINSE	
# 2 RINSE	# 2 RINSE	
# 3 RINSE	# 3 RINSE	
# 4 CCV L5		# 4 CCV L5
# 5 RB	# 5 RB	# 5 RB
# 6 MB 320-153992/1-A		# 6 MB 320-153992/1-A
# 7 LCS 320-153992/2-A		# 7 LCS 320-153992/2-A
# 8 320-26034-B-2-A		# 8 320-26034-B-2-A
# 9 320-26035-B-1-A		# 9 320-26035-B-1-A
#10 320-26035-B-1-B MS		#10 320-26035-B-1-B MS
#11 320-26035-B-1-C MSD		#11 320-26035-B-1-C MSD
#12 CCV L3	#12 CCV L3	#12 CCV L3

QC Batch: 2	LC 537 CS ICAL Raw Batch: 154347	LC 537 ICAL Raw Batch: 154348
#12 CCV L3	#12 CCV L3	#12 CCV L3
#13 RB	#13 RB	#13 RB
#14 MB 320-153989/1-A		#14 MB 320-153989/1-A
#15 LCS 320-153989/2-A		#15 LCS 320-153989/2-A
#16 LCSD 320-153989/3-A		#16 LCSD 320-153989/3-A
#17 320-26360-A-1-A		#17 320-26360-A-1-A
#18 320-26360-A-2-A		#18 320-26360-A-2-A
#19 320-26360-A-3-A		#19 320-26360-A-3-A
#20 320-26360-A-4-A		#20 320-26360-A-4-A
#21 320-26360-A-5-A		#21 320-26360-A-5-A
#22 320-26360-A-6-A		#22 320-26360-A-6-A
#23 CCV L5	#23 CCV L5	#23 CCV L5

QC Batch: 3	LC 537 ICAL Raw Batch: 154349	LC 537 CS ICAL Raw Batch: 154350
#23 CCV L5	#23 CCV L5	#23 CCV L5
#24 RB	#24 RB	#24 RB
#25 MB 320-153948/1-A		#25 MB 320-153948/1-A
#26 LCS 320-153948/2-A		#26 LCS 320-153948/2-A
#27 320-26365-A-1-A		#27 320-26365-A-1-A
#28 320-26365-A-2-A		#28 320-26365-A-2-A
#29 320-26365-A-3-A		#29 320-26365-A-3-A
#30 320-26365-A-4-A		#30 320-26365-A-4-A
#31 320-26365-A-4-B MS		#31 320-26365-A-4-B MS
#32 320-26365-A-4-C MSD		#32 320-26365-A-4-C MSD
#33 320-26365-A-5-A		#33 320-26365-A-5-A
#34 320-26365-A-6-A		#34 320-26365-A-6-A
#35 CCV L3		#35 CCV L3

QC Batch: 4	LC 537 CS ICAL Raw Batch: 154351	LC 537 ICAL Raw Batch: 154352
#35 CCV L3	#35 CCV L3	
#36 RB	#36 RB	#36 RB
#37 320-26365-A-7-A	#37 320-26365-A-7-A	
#38 320-26365-A-8-A	#38 320-26365-A-8-A	



QC Batch: 4	LC 537 CS ICAL Raw Batch: 154351	LC 537 ICAL Raw Batch: 154352
#39 CCV L5 #40 RB	#39 CCV L5 #40 RB	#40 RB

86

AB 3/9/17

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-153989

Analyst: Reed, Jonathan E

Batch Open: 3/8/2017 5:02:00PM

Method Code: 320-537\_Prep-320

Batch End: 3/9/17 12:45

## Extraction of Perfluorinated Alkyl Acids

Due 3/14

Input Sample Lab ID (Analytical Method)	SDG (Job #)	GrossWt TareWt	InitAmnt		Rcvd	PHs		Due Date	Analytical TAT	Div Rank	Comments	Output Sample Lab ID
			FinAmnt	ml		Adj1	Adj2					
1 MB-320-153989/1 N/A	N/A		250.00 mL	1.00 mL	7			N/A	N/A	N/A	Chlorine: ND	MB 320-153989/1-A
2 LCS-320-153989/2 N/A	N/A		250.00 mL	1.00 mL	7			N/A	N/A	N/A	Chlorine: ND	LCS 320-153989/2-A
3 LCSD-320-153989/3 N/A	N/A		250.00 mL	1.00 mL	7			N/A	N/A	N/A	Chlorine: ND	LCS D 320-153989/3-A
4 320-26360-A-1 (537_DOD5)	N/A (320-26360-1)	308.07 g 27.34 g	280.7 mL	1.00 mL	7			3/11/17	5_Days	4	Chlorine: ND	320-26360-A-1-A
5 320-26360-A-2 (537_DOD5)	N/A (320-26360-1)	303.80 g 26.38 g	277.4 mL	1.00 mL	7			3/11/17	5_Days	4	Chlorine: ND	320-26360-A-2-A
6 320-26360-A-3 (537_DOD5)	N/A (320-26360-1)	298.15 g 27.59 g	270.6 mL	1.00 mL	7			3/11/17	5_Days	4	Chlorine: ND	320-26360-A-3-A
7 320-26360-A-4 (537_DOD5)	N/A (320-26360-1)	308.93 g 27.07 g	281.9 mL	1.00 mL	7			3/11/17	5_Days	4	Chlorine: ND	320-26360-A-4-A
8 320-26360-A-5 (537_DOD5)	N/A (320-26360-1)	309.06 g 27.53 g	281.5 mL	1.00 mL	7			3/11/17	5_Days	4	Chlorine: ND	320-26360-A-5-A
9 320-26360-A-6 (537_DOD5)	N/A (320-26360-1)	301.22 g 27.24 g	274 mL	1.00 mL	7			3/11/17	5_Days	4	Chlorine: ND	320-26360-A-6-A

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-153989

Analyst: Reed, Jonathan E

Batch Open: 3/8/2017 5:02:00PM

Method Code: 320-537\_Prep-320

Batch End:

Batch Notes	
Manifold ID	1
Trizma ID	SLBR4303V
SPE Cartridge ID	6341059-06
Methanol ID	865699
Reagent Water ID	3/07/17
Pipette ID	MD05306
Analyst ID - TA Reagent Drop	JER
Analyst ID - TA Reagent Drop Witness	KMK
Analyst ID - SU Reagent Drop	JER
Analyst ID - SU Reagent Drop Witness	KMK
Analyst ID - IS Reagent Drop	NSH
Analyst ID - IS Reagent Drop Witness	VPM
Batch Comment	801758 (2/2)

Comments

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-153989



Analyst: Reed, Jonathan E

Batch Open: 3/8/2017 5:02:00PM

Method Code: 320-537\_Prep-320

Batch End:

## Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
MB 320-153989/1	LC537-SU_00030	50 uL	1.00 mL	 3/08/17	KMK 3-8-17 
LCS 320-153989/2	LC537-MSP_00017	50 <del>uL</del> <sup>uL</sup>	1.00 mL		
LCS 320-153989/2	LC537-SU_00030	50 <del>uL</del> <sup>uL</sup>	1.00 mL		
LCSD 320-153989/3	LC537-MSP_00017	50 <del>uL</del> <sup>uL</sup>	1.00 mL		
LCSD 320-153989/3	LC537-SU_00030	50 <del>uL</del> <sup>uL</sup>	1.00 mL		
320-26360-A-1	LC537-SU_00030	50 uL	1.00 mL		
320-26360-A-2	LC537-SU_00030	50 uL	1.00 mL		
320-26360-A-3	LC537-SU_00030	50 uL	1.00 mL		
320-26360-A-4	LC537-SU_00030	50 uL	1.00 mL		
320-26360-A-5	LC537-SU_00030	50 uL	1.00 mL		
320-26360-A-6	LC537-SU_00030	50 uL	1.00 mL		

# Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-153989

Analyst: Reed, Jonathan E

Batch Open: 3/8/2017 5:02:00PM

Method Code: 320-537\_Prep-320

Batch End:

Reagent	Other Reagents:	Amount/Units	Lot#:

Preparation Batch Number(s): 153989 Test: 537  
 Earliest Holding Time: 3/18/17

<b>Sample List Tab</b>		1 <sup>st</sup> Level Reviewer	2 <sup>nd</sup> Level Reviewer
Samples identified to the correct method		/	/
All necessary NCMs filed (including holding time)		/	/
Method/sample/login/QAS checked and correct		/	/
<b>Worksheet Tab</b>		1 <sup>st</sup> Level Reviewer	2 <sup>nd</sup> Level Reviewer
All samples properly preserved		/	/
Weights in anticipated range and not targeted		/	/
All additional test requirements performed, documented, and uploaded to TALS correctly (e.g. final amount, initial amount, turbidity, and CI Check)		/	/
The pH is transcribed correctly in TALS		/	/
All additional information transcribed into TALS is correct and raw data is attached		/	/
Comments are transcribed correctly in TALS		/	/
<b>Reagents Tab</b>		1 <sup>st</sup> Level Reviewer	2 <sup>nd</sup> Level Reviewer
All necessary reagents not expired and entered into TALS		/	/
All spike amounts correct and added to necessary samples and QC		/	/
<b>Batch Information</b>		1 <sup>st</sup> Level Reviewer	2 <sup>nd</sup> Level Reviewer
Date and time accurate and entered into TALS correctly		/	/
All necessary 'batch information' complete and entered into TALS correctly		/	/

1<sup>st</sup> Level Reviewer: NSH  
 2<sup>nd</sup> Level Reviewer: VMM

Date: 3-9-17  
 Date: 3/9/17

Comments: \_\_\_\_\_

# Shipping and Receiving Documents

Regulatory Program:  DW  NPDES  RCRA  Other:

Client Contact  
Company Name: CH2M / Tiffany Hill  
Address: 1100 NE Circle Blvd, Suite 300  
City/State/Zip: Corvallis, OR 97330  
Phone: 541-768-3109  
Fax: 541-908-3794  
Project Name: NRS Walloway Island  
Site: CTO-08  
P O # 10006-7-106050; PN 671580, D6, FI, FS

Project Manager: Katie Tupper  
Tel/Fax: 757-671-6258  
Analysis Turnaround Time  
 CALENDAR DAYS  WORKING DAYS  
TAT If different from Below 3 days  
 2 weeks  
 1 week  
 2 days  
 1 day

Site Contact: Kathryn Smith  
Lab Contact: Laura Turpen  
Date: 3/4/2017  
Carrier:  
COC No: \_\_\_\_\_ of \_\_\_\_\_ COCs

Sample Identification	Sample Date	Sample Time	Sample Type (C-Comp, G-Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	Sample Specific Notes:
WI-AF-1	3/4/17	6	DW	DW	2	N	N	2A
WI-AF-1RW47-0217	3/4/17	0909	G	DW	2	N	N	
WI-AF-1FB47-0217	3/4/17	0910	G	DW	2	N	N	
WI-AF-1RW48-0217	3/4/17	0956	G	DW	2	N	N	
WI-AF-1FB48-0217	3/4/17	0957	G	DW	2	N	N	
WI-AF-1RW49-0217	3/4/17	1019	G	DW	2	N	N	
WI-AF-1FB49-0217	3/4/17	1020	G	DW	2	N	N	



Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other  
Possible Hazard Identification: Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  
 Return to Client  Dispose by Lab  Archive for \_\_\_\_\_ Months

Special Instructions/QC Requirements & Comments:  
Custody Seal No.:  
Relinquished by: [Signature] Date/Time: 3/5/17 1200  
Relinquished by: [Signature] Date/Time: 3/5/17 1200  
Received by: [Signature] Date/Time: 3/5/17 11:05  
Received by: [Signature] Date/Time: 3/5/17 11:05  
Cooler Temp. (°C): Obs'd: 0.3 Corrd: 0.0  
Therm ID No.: AK1  
Company: CH2M  
Company: TAWS  
Company: [Blank]  
Company: [Blank]



# Login Sample Receipt Checklist

Client: CH2M Hill Constructors, Inc.

Job Number: 320-26360-1

**Login Number: 26360**  
**List Number: 1**  
**Creator: Nelson, Kym D**

**List Source: TestAmerica Sacramento**

<b>Question</b>	<b>Answer</b>	<b>Comment</b>
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





**DATA VALIDATION SUMMARY REPORT  
WHIDBEY ISLAND, WASHINGTON**

Client: CH2M HILL, Inc., Corvallis, Oregon  
SDG: 320-26360-1  
Laboratory: Test America, Sacramento, California  
Site: Whidbey Island, CTO-0008, Washington  
Date: March 23, 2017

PFCs			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	WI-AF-1RW47-0217	320-26360-1	Water
2	WI-AF-1FB47-0217	320-26360-2	Water
3	WI-AF-1RW48-0217	320-26360-3	Water
4	WI-AF-1FB48-0217	320-26360-4	Water
5	WI-AF-1RW49-0217	320-26360-5	Water
6	WI-AF-1FB49-0217	320-26360-6	Water

A full data validation was performed on the analytical data for three water samples and three aqueous field blank samples collected on March 4, 2017 by CH2M HILL at the Whidbey Island site in Washington. The samples were analyzed under the EPA Method "Determination of Selected Perfluorinated Alkyl Acids in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS)".

Specific method references are as follows:

Analysis  
PFCs

Method References  
USEPA Method 537 Rev 1.1 Modified

The data have been validated according to the protocols and quality control (QC) requirements of the analytical method, and the U.S. Department of Defense (DoD) Quality Systems Manual (QSM), Version 5.0 (July 2013) and the USEPA National Functional Guidelines for Organic Data Review as follows:

- The USEPA "Contract Laboratories Program National Functional Guidelines for Superfund Organic Methods Data Review," August 2014;
- and the reviewer's professional judgment.

The following data quality indicators were reviewed for this report:

**Organics**

- Date Completeness, Case Narrative & Custody Documentation

- Holding times
- Gas Chromatography/Mass Spectrometry (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field QC blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) recoveries
- Internal standard area and retention time summary forms
- Target Compound Identification
- Compound Quantitation
- Field Duplicate sample precision

A full (Level IV) data validation was performed with this review including a recalculation of 10% of the detected results in the samples.

### **Data Usability Assessment**

There were no rejections of data.

Overall the data is acceptable for the intended purposes. There were no qualifications.

### **Perfluorinated Compounds (PFCs)**

### **Data Completeness, Case Narrative & Custody Documentation**

- The case narrative and chain-of-custody documentation were included in the data package as required. All criteria were met.

### **Holding Times**

- All samples were extracted within 14 days for water samples and analyzed within 28 days.

### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- All relative standard deviation (%RSD) and/or correlation coefficients criteria were met.

### Continuing Calibration

- All percent difference (%D) and RRF criteria were met.

### Method Blank

- The method blanks were free of contamination.

### Field QC Blank

- The field blank samples were free of contamination.

### Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate %R values.

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- MS/MSD samples were not analyzed.

### Laboratory Control Samples

- The LCS samples exhibited acceptable percent recoveries (%R).

### Internal Standard (IS) Area Performance

- All internal standards met response and retention time (RT) criteria.

### Target Compound Identification

- All mass spectra and quantitation criteria were met.

### Compound Quantitation

- All criteria were met.

### Field Duplicate Sample Precision

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed: Nancy Weaver  
Nancy Weaver  
Senior Chemist

Dated: 3/24/17

<b>Data Qualifier</b>	<b>Definition</b>
U	The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.
J	The analyte is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
NJ	The analysis has been "tentatively identified" or "presumptively" as present and the associated numerical value is the estimated concentration in the samples.
UJ	The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the samples.





FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1RW47-0217 Lab Sample ID: 320-26360-1  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_017.d  
 Analysis Method: 537 Date Collected: 03/04/2017 09:09  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 280.7(mL) Date Analyzed: 03/09/2017 20:22  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.021	0.0084
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.098	0.042

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	99		70-130
STL00996	13C2 PFDA	104		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

2

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1FB47-0217 Lab Sample ID: 320-26360-2  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_018.d  
 Analysis Method: 537 Date Collected: 03/04/2017 09:10  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 277.4 (mL) Date Analyzed: 03/09/2017 20:26  
 Con. Extract Vol.: 1.00 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.054	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.022	0.0085
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.099	U	0.13	0.099	0.043

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	103		70-130
STL00996	13C2 PFDA	107		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

3

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1RW48-0217 Lab Sample ID: 320-26360-3  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_019.d  
 Analysis Method: 537 Date Collected: 03/04/2017 09:56  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 270.6(mL) Date Analyzed: 03/09/2017 20:31  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.044	U	0.055	0.044	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.028	0.022	0.0087
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.044

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	97		70-130
STL00996	13C2 PFDA	100		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

4

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1FB48-0217 Lab Sample ID: 320-26360-4  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_020.d  
 Analysis Method: 537 Date Collected: 03/04/2017 09:57  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 281.9(mL) Date Analyzed: 03/09/2017 20:35  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.021	0.0084
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.098	0.042

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	108		70-130
STL00996	13C2 PFDA	117		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET

5

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1RW49-0217 Lab Sample ID: 320-26360-5  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_021.d  
 Analysis Method: 537 Date Collected: 03/04/2017 10:19  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 281.5(mL) Date Analyzed: 03/09/2017 20:39  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.053	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.021	U	0.027	0.021	0.0084
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.098	U	0.12	0.098	0.042

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	105		70-130

FORM I  
LCMS ORGANICS ANALYSIS DATA SHEET


6

Lab Name: TestAmerica Sacramento Job No.: 320-26360-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: WI-AF-1FB49-0217 Lab Sample ID: 320-26360-6  
 Matrix: Water Lab File ID: 2017.03.09\_537B\_022.d  
 Analysis Method: 537 Date Collected: 03/04/2017 10:20  
 Extraction Method: 537 Date Extracted: 03/08/2017 17:02  
 Sample wt/vol: 274(mL) Date Analyzed: 03/09/2017 20:44  
 Con. Extract Vol.: 1.00(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 154348 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.044	U	0.055	0.044	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.022	0.0086
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.10	U	0.13	0.10	0.043

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	108		70-130
STL00996	13C2 PFDA	106		70-130





- Legend**
- 1 Mile Zone
  - - - Surface Water
  - - - Drainage Ditch
  - Suspected Source Area
  - Phase 1 Sampling Area
  - Phase 2 Sampling Area
  - Phase 3 Sampling Area
  - Base Boundary
  - - - ▶ Inferred Groundwater Flow Direction

**Notes:**

1. Results shown on this figure are for PFOA and PFOS. See text and Table 2 for PFBS results
2. \* Both results above the LHA are from the same well; the second sample collected was a confirmation sample.




Figure 2  
 Results for Drinking Water Well Sampling  
 Near Ault Field  
 Naval Air Station Whidbey Island  
 Oak Harbor, Washington

For Official Use Only

