



**Off-base Drinking Water Sample Results,
Level 2 Laboratory Report, Level 4 Laboratory Report,
Electronic Data Deliverable, Data Validation Report,
and the Sample Location Figure, SDG 320-24442**

*Outlying Landing Field Coupeville
Naval Air Station Whidbey Island
Coupeville, Washington*

February 2019

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Sacramento
880 Riverside Parkway
West Sacramento, CA 95605
Tel: (916)373-5600

TestAmerica Job ID: 320-24442-1
Client Project/Site: Whidbey Island

For:
CH2M Hill Constructors, Inc.
1100 NE Circle Blvd
Corvallis, Oregon 97330

Attn: Tiffany Hill



Authorized for release by:
12/23/2016 3:22:02 PM

Laura Turpen, Project Manager I
(916)374-4414
laura.turpen@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	7
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	11
Lab Chronicle	12
Certification Summary	14
Method Summary	15
Sample Summary	16
Chain of Custody	17
Receipt Checklists	18

Definitions/Glossary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Job ID: 320-24442-1

Laboratory: TestAmerica Sacramento

Narrative

CASE NARRATIVE

Client: CH2M Hill Constructors, Inc.

Project: Whidbey Island

Report Number: 320-24442-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica West Sacramento attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

TestAmerica utilizes USEPA approved methods and DOD QSM, where applicable, in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. A summary of QC data for these analyses is included at the back of the report.

All parameters for which TestAmerica West Sacramento has certification were evaluated to the QSM specified reporting convention or to the client specified format if different from QSM. Parameters not certified under QSM, if any, were evaluated to the detection limit (DL) and include qualified results where applicable.

The sample(s) that contain constituents flagged with U are undetected. The result associated with this flag is the limit of detection (LOD).

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 12/16/2016; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 1.5 C.

PFOA/PFOS

Samples WI-CV-1RW35-1216 (320-24442-1), WI-CV-1FB35-1216 (320-24442-2), WI-CV-1RW36-1216 (320-24442-3), WI-CV-1FB36-1216 (320-24442-4), WI-CV-1RW37-1216 (320-24442-5) and WI-CV-1FB37-1216 (320-24442-6) were analyzed for PFOA/PFOS in accordance with 537. The samples were prepared on 12/17/2016 and analyzed on 12/22/2016.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 320-142683.

Case Narrative

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Job ID: 320-24442-1 (Continued)

Laboratory: TestAmerica Sacramento (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Client Sample ID: WI-CV-1RW35-1216

Lab Sample ID: 320-24442-1

No Detections.

Client Sample ID: WI-CV-1FB35-1216

Lab Sample ID: 320-24442-2

No Detections.

Client Sample ID: WI-CV-1RW36-1216

Lab Sample ID: 320-24442-3

No Detections.

Client Sample ID: WI-CV-1FB36-1216

Lab Sample ID: 320-24442-4

No Detections.

Client Sample ID: WI-CV-1RW37-1216

Lab Sample ID: 320-24442-5

No Detections.

Client Sample ID: WI-CV-1FB37-1216

Lab Sample ID: 320-24442-6

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento



Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Client Sample ID: WI-CV-1RW35-1216

Lab Sample ID: 320-24442-1

Date Collected: 12/13/16 09:10

Matrix: Water

Date Received: 12/16/16 10:05

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.015	ug/L		12/17/16 13:06	12/22/16 13:19	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.029	0.0092	ug/L		12/17/16 13:06	12/22/16 13:19	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L		12/17/16 13:06	12/22/16 13:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	100		70 - 130				12/17/16 13:06	12/22/16 13:19	1
13C2 PFDA	92		70 - 130				12/17/16 13:06	12/22/16 13:19	1

Client Sample ID: WI-CV-1FB35-1216

Lab Sample ID: 320-24442-2

Date Collected: 12/13/16 09:11

Matrix: Water

Date Received: 12/16/16 10:05

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.058	0.015	ug/L		12/17/16 13:06	12/22/16 13:49	1
Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.0090	ug/L		12/17/16 13:06	12/22/16 13:49	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.13	0.046	ug/L		12/17/16 13:06	12/22/16 13:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	96		70 - 130				12/17/16 13:06	12/22/16 13:49	1
13C2 PFDA	95		70 - 130				12/17/16 13:06	12/22/16 13:49	1

Client Sample ID: WI-CV-1RW36-1216

Lab Sample ID: 320-24442-3

Date Collected: 12/13/16 09:24

Matrix: Water

Date Received: 12/16/16 10:05

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L		12/17/16 13:06	12/22/16 14:19	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0095	ug/L		12/17/16 13:06	12/22/16 14:19	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L		12/17/16 13:06	12/22/16 14:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	99		70 - 130				12/17/16 13:06	12/22/16 14:19	1
13C2 PFDA	92		70 - 130				12/17/16 13:06	12/22/16 14:19	1

Client Sample ID: WI-CV-1FB36-1216

Lab Sample ID: 320-24442-4

Date Collected: 12/13/16 09:25

Matrix: Water

Date Received: 12/16/16 10:05

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.054	0.014	ug/L		12/17/16 13:06	12/22/16 17:53	1
Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.0084	ug/L		12/17/16 13:06	12/22/16 17:53	1
Perfluorobutanesulfonic acid (PFBS)	0.099	U	0.13	0.043	ug/L		12/17/16 13:06	12/22/16 17:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	95		70 - 130				12/17/16 13:06	12/22/16 17:53	1
13C2 PFDA	102		70 - 130				12/17/16 13:06	12/22/16 17:53	1

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Client Sample ID: WI-CV-1RW37-1216

Lab Sample ID: 320-24442-5

Date Collected: 12/14/16 09:14

Matrix: Water

Date Received: 12/16/16 10:05

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.015	ug/L	-	12/17/16 13:06	12/22/16 18:22	1
Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.0092	ug/L	-	12/17/16 13:06	12/22/16 18:22	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L	-	12/17/16 13:06	12/22/16 18:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	113		70 - 130				12/17/16 13:06	12/22/16 18:22	1
13C2 PFDA	115		70 - 130				12/17/16 13:06	12/22/16 18:22	1

Client Sample ID: WI-CV-1FB37-1216

Lab Sample ID: 320-24442-6

Date Collected: 12/14/16 09:15

Matrix: Water

Date Received: 12/16/16 10:05

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.058	0.015	ug/L	-	12/17/16 13:06	12/22/16 18:52	1
Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.0091	ug/L	-	12/17/16 13:06	12/22/16 18:52	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.13	0.046	ug/L	-	12/17/16 13:06	12/22/16 18:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	97		70 - 130				12/17/16 13:06	12/22/16 18:52	1
13C2 PFDA	99		70 - 130				12/17/16 13:06	12/22/16 18:52	1

Surrogate Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		3C2 PFHx (70-130)	3C2 PFDA (70-130)
320-24442-1	WI-CV-1RW35-1216	100	92
320-24442-2	WI-CV-1FB35-1216	96	95
320-24442-3	WI-CV-1RW36-1216	99	92
320-24442-4	WI-CV-1FB36-1216	95	102
320-24442-5	WI-CV-1RW37-1216	113	115
320-24442-6	WI-CV-1FB37-1216	97	99
LCS 320-142683/2-A	Lab Control Sample	111	113
LCSD 320-142683/3-A	Lab Control Sample Dup	114	114
MB 320-142683/1-A	Method Blank	103	104

Surrogate Legend

13C2 PFHxA = 13C2 PFHxA

13C2 PFDA = 13C2 PFDA

QC Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MB 320-142683/1-A
Matrix: Water
Analysis Batch: 143413

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 142683

Analyte	MB MB		LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L		12/17/16 13:06	12/22/16 10:51	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0094	ug/L		12/17/16 13:06	12/22/16 10:51	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L		12/17/16 13:06	12/22/16 10:51	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
13C2 PFHxA	103		70 - 130	12/17/16 13:06	12/22/16 10:51	1
13C2 PFDA	104		70 - 130	12/17/16 13:06	12/22/16 10:51	1

Lab Sample ID: LCS 320-142683/2-A
Matrix: Water
Analysis Batch: 143413

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 142683

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
Perfluorooctanesulfonic acid (PFOS)	0.160	0.149		ug/L		93	70 - 130
Perfluorooctanoic acid (PFOA)	0.0811	0.0740		ug/L		91	70 - 130
Perfluorobutanesulfonic acid (PFBS)	0.359	0.340		ug/L		95	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
13C2 PFHxA	111		70 - 130
13C2 PFDA	113		70 - 130

Lab Sample ID: LCSD 320-142683/3-A
Matrix: Water
Analysis Batch: 143413

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 142683

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	Limits	RPD	
		Result	Qualifier					RPD	Limit
Perfluorooctanesulfonic acid (PFOS)	0.160	0.158		ug/L		99	70 - 130	6	30
Perfluorooctanoic acid (PFOA)	0.0811	0.0751		ug/L		93	70 - 130	1	30
Perfluorobutanesulfonic acid (PFBS)	0.359	0.352		ug/L		98	70 - 130	4	30

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
13C2 PFHxA	114		70 - 130
13C2 PFDA	114		70 - 130

QC Association Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

LCMS

Prep Batch: 142683

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-24442-1	WI-CV-1RW35-1216	Total/NA	Water	537	
320-24442-2	WI-CV-1FB35-1216	Total/NA	Water	537	
320-24442-3	WI-CV-1RW36-1216	Total/NA	Water	537	
320-24442-4	WI-CV-1FB36-1216	Total/NA	Water	537	
320-24442-5	WI-CV-1RW37-1216	Total/NA	Water	537	
320-24442-6	WI-CV-1FB37-1216	Total/NA	Water	537	
MB 320-142683/1-A	Method Blank	Total/NA	Water	537	
LCS 320-142683/2-A	Lab Control Sample	Total/NA	Water	537	
LCSD 320-142683/3-A	Lab Control Sample Dup	Total/NA	Water	537	

Analysis Batch: 143413

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-24442-1	WI-CV-1RW35-1216	Total/NA	Water	537	142683
320-24442-2	WI-CV-1FB35-1216	Total/NA	Water	537	142683
320-24442-3	WI-CV-1RW36-1216	Total/NA	Water	537	142683
MB 320-142683/1-A	Method Blank	Total/NA	Water	537	142683
LCS 320-142683/2-A	Lab Control Sample	Total/NA	Water	537	142683
LCSD 320-142683/3-A	Lab Control Sample Dup	Total/NA	Water	537	142683

Analysis Batch: 143415

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-24442-4	WI-CV-1FB36-1216	Total/NA	Water	537	142683
320-24442-5	WI-CV-1RW37-1216	Total/NA	Water	537	142683
320-24442-6	WI-CV-1FB37-1216	Total/NA	Water	537	142683

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Client Sample ID: WI-CV-1RW35-1216

Date Collected: 12/13/16 09:10

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			254.9 mL	1.0 mL	142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1			143413	12/22/16 13:19	CBW	TAL SAC

Client Sample ID: WI-CV-1FB35-1216

Date Collected: 12/13/16 09:11

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			260.8 mL	1.0 mL	142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1			143413	12/22/16 13:49	CBW	TAL SAC

Client Sample ID: WI-CV-1RW36-1216

Date Collected: 12/13/16 09:24

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			249.2 mL	1.0 mL	142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1			143413	12/22/16 14:19	CBW	TAL SAC

Client Sample ID: WI-CV-1FB36-1216

Date Collected: 12/13/16 09:25

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			278.9 mL	1.0 mL	142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1			143415	12/22/16 17:53	CBW	TAL SAC

Client Sample ID: WI-CV-1RW37-1216

Date Collected: 12/14/16 09:14

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			255.7 mL	1.0 mL	142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1			143415	12/22/16 18:22	CBW	TAL SAC

Client Sample ID: WI-CV-1FB37-1216

Date Collected: 12/14/16 09:15

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			259.4 mL	1.0 mL	142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1			143415	12/22/16 18:52	CBW	TAL SAC

TestAmerica Sacramento

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Certification Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Laboratory: TestAmerica Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		2928-01	01-31-17

Analysis Method	Prep Method	Matrix	Analyte
-----------------	-------------	--------	---------

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Method	Method Description	Protocol	Laboratory
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Sample Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-24442-1	WI-CV-1RW35-1216	Water	12/13/16 09:10	12/16/16 10:05
320-24442-2	WI-CV-1FB35-1216	Water	12/13/16 09:11	12/16/16 10:05
320-24442-3	WI-CV-1RW36-1216	Water	12/13/16 09:24	12/16/16 10:05
320-24442-4	WI-CV-1FB36-1216	Water	12/13/16 09:25	12/16/16 10:05
320-24442-5	WI-CV-1RW37-1216	Water	12/14/16 09:14	12/16/16 10:05
320-24442-6	WI-CV-1FB37-1216	Water	12/14/16 09:15	12/16/16 10:05

TestAmerica Sacramento

880 Riverside Parkway

West Sacramento, CA 95605
phone 916.373.5600 fax


Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact Tiffany Hill Project Chemist 1100 NE Circle Blvd Ste 300 Corvallis, OR 97330 (541) 768-3109 (541) 908-3794 Project Name: CTO-08 Site: OLF Coupeville P O #: 100067106050 - 679580.09.FLFS		Project Manager: Katie Tippin Tel/Fax: (757) 671-6258		Site Contact: Eric Epple Lab Contact: Laura Turpen		Date: 12/15/2016 Carrier: FedEx		COC No: 9 1 of 1 COCs	
		Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below _7-Day_____						Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.:	
		<input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day							
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	USEPA Method 637 (PFOA, PFOS, and PFBS)	Sample Specific Notes:
WI-CV-1RW35-1216	12/13/16	0910	G	DW	2	N	N	X	
WI-CV-1FB35-1216	12/13/16	0911	G	DW	2	N	N	X	
WI-CV-1RW36-1216	12/13/16	0924	G	DW	2	N	N	X	
WI-CV-1FB36-1216	12/13/16	0925	G	DW	2	N	N	X	
WI-CV-1RW37-1216	12/14/16	0914	G	DW	2	N	N	X	
WI-CV-1FB37-1216	12/14/16	0915	G	DW	2	N	N	X	
						 320-24442 Chain of Custody			
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other _____									
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)			
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown						<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months			
Special Instructions/QC Requirements & Comments:									
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temp. (°C): Obs'd: 24		Corr'd: 1.5		Therm ID No.: 12	
Relinquished by: Eric Epple		Company: CH2M		Date/Time: 12-15-16/1500		Received by: [Signature]		Company: TA-SAC	
Relinquished by:		Company:		Date/Time:		Received by:		Company:	
Relinquished by:		Company:		Date/Time:		Received in Laboratory by:		Company:	

Page 17 of 18

12/23/2016



Login Sample Receipt Checklist

Client: CH2M Hill Constructors, Inc.

Job Number: 320-24442-1

Login Number: 24442
List Number: 1
Creator: Nelson, Kym D

List Source: TestAmerica Sacramento

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Job Number: 320-24442-1
Job Description: Whidbey Island

For:
CH2M Hill Constructors, Inc.
1100 NE Circle Blvd
Corvallis, OR 97330
Attention: Tiffany Hill



Approved for release.
Laura Turpen
Project Manager I
12/23/2016 3:22 PM

Laura Turpen, Project Manager I
880 Riverside Parkway, West Sacramento, CA, 95605
(916)374-4414
laura.turpen@testamericainc.com
12/23/2016

Table of Contents

Cover Title Page	1
Data Summaries	4
Definitions	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Default Detection Limits	9
Surrogate Summary	10
QC Sample Results	11
QC Association	12
Chronicle	13
Certification Summary	15
Method Summary	16
Sample Summary	17
Manual Integration Summary	18
Reagent Traceability	21
COAs	30
Organic Sample Data	80
LCMS	80
Method 537 DOD	80
Method 537 DOD QC Summary	81
Method 537 DOD Sample Data	90
Standards Data	114
Method 537 DOD ICAL Data	114
Method 537 DOD CCAL Data	137
Raw QC Data	165

Table of Contents

Method 537 DOD Blank Data	165
Method 537 DOD LCS/LCSD Data	169
Method 537 DOD Run Logs	177
Method 537 DOD Prep Data	181
Shipping and Receiving Documents	192
Client Chain of Custody	193
Sample Receipt Checklist	194

Definitions/Glossary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

CASE NARRATIVE

Client: CH2M Hill Constructors, Inc.

Project: Whidbey Island

Report Number: 320-24442-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica West Sacramento attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

TestAmerica utilizes USEPA approved methods and DOD QSM, where applicable, in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. A summary of QC data for these analyses is included at the back of the report.

All parameters for which TestAmerica West Sacramento has certification were evaluated to the QSM specified reporting convention or to the client specified format if different from QSM. Parameters not certified under QSM, if any, were evaluated to the detection limit (DL) and include qualified results where applicable.

The sample(s) that contain constituents flagged with U are undetected. The result associated with this flag is the limit of detection (LOD).

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 12/16/2016; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 1.5 C.

PFOA/PFOS

Samples WI-CV-1RW35-1216 (320-24442-1), WI-CV-1FB35-1216 (320-24442-2), WI-CV-1RW36-1216 (320-24442-3), WI-CV-1FB36-1216 (320-24442-4), WI-CV-1RW37-1216 (320-24442-5) and WI-CV-1FB37-1216 (320-24442-6) were analyzed for PFOA/PFOS in accordance with 537. The samples were prepared on 12/17/2016 and analyzed on 12/22/2016.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 320-142683.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Client Sample ID: WI-CV-1RW35-1216

Lab Sample ID: 320-24442-1

No Detections.

Client Sample ID: WI-CV-1FB35-1216

Lab Sample ID: 320-24442-2

No Detections.

Client Sample ID: WI-CV-1RW36-1216

Lab Sample ID: 320-24442-3

No Detections.

Client Sample ID: WI-CV-1FB36-1216

Lab Sample ID: 320-24442-4

No Detections.

Client Sample ID: WI-CV-1RW37-1216

Lab Sample ID: 320-24442-5

No Detections.

Client Sample ID: WI-CV-1FB37-1216

Lab Sample ID: 320-24442-6

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Client Sample ID: WI-CV-1RW35-1216

Date Collected: 12/13/16 09:10

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-1

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.015	ug/L		12/17/16 13:06	12/22/16 13:19	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.029	0.0092	ug/L		12/17/16 13:06	12/22/16 13:19	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L		12/17/16 13:06	12/22/16 13:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	100		70 - 130				12/17/16 13:06	12/22/16 13:19	1
13C2 PFDA	92		70 - 130				12/17/16 13:06	12/22/16 13:19	1

Client Sample ID: WI-CV-1FB35-1216

Date Collected: 12/13/16 09:11

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-2

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.058	0.015	ug/L		12/17/16 13:06	12/22/16 13:49	1
Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.0090	ug/L		12/17/16 13:06	12/22/16 13:49	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.13	0.046	ug/L		12/17/16 13:06	12/22/16 13:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	96		70 - 130				12/17/16 13:06	12/22/16 13:49	1
13C2 PFDA	95		70 - 130				12/17/16 13:06	12/22/16 13:49	1

Client Sample ID: WI-CV-1RW36-1216

Date Collected: 12/13/16 09:24

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-3

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L		12/17/16 13:06	12/22/16 14:19	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0095	ug/L		12/17/16 13:06	12/22/16 14:19	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L		12/17/16 13:06	12/22/16 14:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	99		70 - 130				12/17/16 13:06	12/22/16 14:19	1
13C2 PFDA	92		70 - 130				12/17/16 13:06	12/22/16 14:19	1

Client Sample ID: WI-CV-1FB36-1216

Date Collected: 12/13/16 09:25

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-4

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.054	0.014	ug/L		12/17/16 13:06	12/22/16 17:53	1
Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.0084	ug/L		12/17/16 13:06	12/22/16 17:53	1
Perfluorobutanesulfonic acid (PFBS)	0.099	U	0.13	0.043	ug/L		12/17/16 13:06	12/22/16 17:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	95		70 - 130				12/17/16 13:06	12/22/16 17:53	1
13C2 PFDA	102		70 - 130				12/17/16 13:06	12/22/16 17:53	1

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Client Sample ID: WI-CV-1RW37-1216

Lab Sample ID: 320-24442-5

Date Collected: 12/14/16 09:14

Matrix: Water

Date Received: 12/16/16 10:05

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.015	ug/L		12/17/16 13:06	12/22/16 18:22	1
Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.0092	ug/L		12/17/16 13:06	12/22/16 18:22	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L		12/17/16 13:06	12/22/16 18:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	113		70 - 130				12/17/16 13:06	12/22/16 18:22	1
13C2 PFDA	115		70 - 130				12/17/16 13:06	12/22/16 18:22	1

Client Sample ID: WI-CV-1FB37-1216

Lab Sample ID: 320-24442-6

Date Collected: 12/14/16 09:15

Matrix: Water

Date Received: 12/16/16 10:05

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.058	0.015	ug/L		12/17/16 13:06	12/22/16 18:52	1
Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.0091	ug/L		12/17/16 13:06	12/22/16 18:52	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.13	0.046	ug/L		12/17/16 13:06	12/22/16 18:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	97		70 - 130				12/17/16 13:06	12/22/16 18:52	1
13C2 PFDA	99		70 - 130				12/17/16 13:06	12/22/16 18:52	1

Default Detection Limits

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Prep: 537

Analyte	LOQ	DL	Units	Method
Perfluorobutanesulfonic acid (PFBS)	0.14	0.048	ug/L	537
Perfluorooctanesulfonic acid (PFOS)	0.060	0.016	ug/L	537
Perfluorooctanoic acid (PFOA)	0.030	0.0094	ug/L	537

Surrogate Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		3C2 PFHx (70-130)	3C2 PFDA (70-130)
320-24442-1	WI-CV-1RW35-1216	100	92
320-24442-2	WI-CV-1FB35-1216	96	95
320-24442-3	WI-CV-1RW36-1216	99	92
320-24442-4	WI-CV-1FB36-1216	95	102
320-24442-5	WI-CV-1RW37-1216	113	115
320-24442-6	WI-CV-1FB37-1216	97	99
LCS 320-142683/2-A	Lab Control Sample	111	113
LCSD 320-142683/3-A	Lab Control Sample Dup	114	114
MB 320-142683/1-A	Method Blank	103	104

Surrogate Legend

13C2 PFHxA = 13C2 PFHxA

13C2 PFDA = 13C2 PFDA

QC Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MB 320-142683/1-A
Matrix: Water
Analysis Batch: 143413

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 142683

Analyte	MB MB		LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L		12/17/16 13:06	12/22/16 10:51	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0094	ug/L		12/17/16 13:06	12/22/16 10:51	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L		12/17/16 13:06	12/22/16 10:51	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
13C2 PFHxA	103		70 - 130	12/17/16 13:06	12/22/16 10:51	1
13C2 PFDA	104		70 - 130	12/17/16 13:06	12/22/16 10:51	1

Lab Sample ID: LCS 320-142683/2-A
Matrix: Water
Analysis Batch: 143413

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 142683

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Perfluorooctanoic acid (PFOA)	0.0811	0.0740		ug/L		91	70 - 130
Perfluorobutanesulfonic acid (PFBS)	0.359	0.340		ug/L		95	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
13C2 PFHxA	111		70 - 130
13C2 PFDA	113		70 - 130

Lab Sample ID: LCSD 320-142683/3-A
Matrix: Water
Analysis Batch: 143413

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 142683

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Perfluorooctanoic acid (PFOA)	0.0811	0.0751		ug/L		93	70 - 130	1	30
Perfluorobutanesulfonic acid (PFBS)	0.359	0.352		ug/L		98	70 - 130	4	30

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
13C2 PFHxA	114		70 - 130
13C2 PFDA	114		70 - 130

QC Association Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

LCMS

Prep Batch: 142683

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-24442-1	WI-CV-1RW35-1216	Total/NA	Water	537	
320-24442-2	WI-CV-1FB35-1216	Total/NA	Water	537	
320-24442-3	WI-CV-1RW36-1216	Total/NA	Water	537	
320-24442-4	WI-CV-1FB36-1216	Total/NA	Water	537	
320-24442-5	WI-CV-1RW37-1216	Total/NA	Water	537	
320-24442-6	WI-CV-1FB37-1216	Total/NA	Water	537	
MB 320-142683/1-A	Method Blank	Total/NA	Water	537	
LCS 320-142683/2-A	Lab Control Sample	Total/NA	Water	537	
LCSD 320-142683/3-A	Lab Control Sample Dup	Total/NA	Water	537	

Analysis Batch: 143413

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-24442-1	WI-CV-1RW35-1216	Total/NA	Water	537	142683
320-24442-2	WI-CV-1FB35-1216	Total/NA	Water	537	142683
320-24442-3	WI-CV-1RW36-1216	Total/NA	Water	537	142683
MB 320-142683/1-A	Method Blank	Total/NA	Water	537	142683
LCS 320-142683/2-A	Lab Control Sample	Total/NA	Water	537	142683
LCSD 320-142683/3-A	Lab Control Sample Dup	Total/NA	Water	537	142683

Analysis Batch: 143415

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-24442-4	WI-CV-1FB36-1216	Total/NA	Water	537	142683
320-24442-5	WI-CV-1RW37-1216	Total/NA	Water	537	142683
320-24442-6	WI-CV-1FB37-1216	Total/NA	Water	537	142683

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Client Sample ID: WI-CV-1RW35-1216

Date Collected: 12/13/16 09:10

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1	143413	12/22/16 13:19	CBW	TAL SAC

Client Sample ID: WI-CV-1FB35-1216

Date Collected: 12/13/16 09:11

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1	143413	12/22/16 13:49	CBW	TAL SAC

Client Sample ID: WI-CV-1RW36-1216

Date Collected: 12/13/16 09:24

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1	143413	12/22/16 14:19	CBW	TAL SAC

Client Sample ID: WI-CV-1FB36-1216

Date Collected: 12/13/16 09:25

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1	143415	12/22/16 17:53	CBW	TAL SAC

Client Sample ID: WI-CV-1RW37-1216

Date Collected: 12/14/16 09:14

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1	143415	12/22/16 18:22	CBW	TAL SAC

Client Sample ID: WI-CV-1FB37-1216

Date Collected: 12/14/16 09:15

Date Received: 12/16/16 10:05

Lab Sample ID: 320-24442-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			142683	12/17/16 13:06	VPM	TAL SAC
Total/NA	Analysis	537		1	143415	12/22/16 18:52	CBW	TAL SAC

TestAmerica Sacramento

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Certification Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Laboratory: TestAmerica Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		2928-01	01-31-17

Analysis Method	Prep Method	Matrix	Analyte
-----------------	-------------	--------	---------

Method Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Method	Method Description	Protocol	Laboratory
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Sample Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-24442-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-24442-1	WI-CV-1RW35-1216	Water	12/13/16 09:10	12/16/16 10:05
320-24442-2	WI-CV-1FB35-1216	Water	12/13/16 09:11	12/16/16 10:05
320-24442-3	WI-CV-1RW36-1216	Water	12/13/16 09:24	12/16/16 10:05
320-24442-4	WI-CV-1FB36-1216	Water	12/13/16 09:25	12/16/16 10:05
320-24442-5	WI-CV-1RW37-1216	Water	12/14/16 09:14	12/16/16 10:05
320-24442-6	WI-CV-1FB37-1216	Water	12/14/16 09:15	12/16/16 10:05

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Instrument ID: A6 Analysis Batch Number: 140688

Lab Sample ID: STD 320-140688/2 IC Client Sample ID: _____

Date Analyzed: 12/05/16 17:26 Lab File ID: 05DEC2016A6A_004.d GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluoroheptanoic acid	19.37	Split Peak	barnettj	12/06/16 10:00
Perfluorooctanoic acid (PFOA)	20.05	Split Peak	barnettj	12/06/16 10:00

Lab Sample ID: STD 320-140688/3 IC Client Sample ID: _____

Date Analyzed: 12/05/16 17:55 Lab File ID: 05DEC2016A6A_005.d GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluoroheptanoic acid	19.38	Split Peak	barnettj	12/06/16 10:03
Perfluorooctanoic acid (PFOA)	20.05	Split Peak	barnettj	12/06/16 10:03

Lab Sample ID: CCV 320-140688/9 CCVL Client Sample ID: _____

Date Analyzed: 12/05/16 20:53 Lab File ID: 05DEC2016A6A_011.d GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluoroheptanoic acid	19.38	Split Peak	barnettj	12/06/16 10:08
Perfluorooctanoic acid (PFOA)	20.05	Split Peak	barnettj	12/06/16 10:08

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Instrument ID: A6 Analysis Batch Number: 143413

Lab Sample ID: CCV 320-143413/34 CCVIS Client Sample ID: _____

Date Analyzed: 12/22/16 15:54 Lab File ID: 19DEC2016A6A_159.d GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluoroheptanoic acid	19.36	Split Peak	westendor fc	12/22/16 16:50

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Instrument ID: A6 Analysis Batch Number: 143415

Lab Sample ID: CCV 320-143415/34 CCVIS Client Sample ID: _____

Date Analyzed: 12/22/16 15:54 Lab File ID: 19DEC2016A6A_159.d GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluoroheptanoic acid	19.36	Split Peak	westendor fc	12/22/16 16:50

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-24442-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
LC537-ICV_00017	01/13/17	08/09/16	MeOH/H2O, Lot 067374	10 mL	LC537-IS_00018	200 uL	13C2-PFOA	10 ng/mL
.LC537-IS_00018	01/13/17	07/13/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00004	100 uL	13C2-PFOA	0.5 ug/mL
..LCM2PFOA_00004	03/19/17	Wellington Laboratories, Lot M2PFOA0312			LCMPFOS_00013	300 uL	13C4 PFOS	1.434 ug/mL
..LCMPFOS_00013	01/22/21	Wellington Laboratories, Lot MPFOS0116			(Purchased Reagent)		13C2-PFOA	50 ug/mL
LC537-ICV_00017	01/13/17	08/09/16	MeOH/H2O, Lot 067374	10 mL	LC537-SU_00017	500 uL	13C2 PFDA	10 ng/mL
.LC537-SU_00017	01/19/17	07/19/16	Methanol, Lot 104453	25000 uL	LC537ICIM_00013	25 uL	13C2 PFHxA	10 ng/mL
..LCMPFDA_00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			LC537ICIM_00013	25 uL	Perfluorobutanesulfonic acid (PFBS)	114.77 ng/mL
..LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			LC537ICIM_00013	25 uL	Perfluorooctanoic acid (PFOA)	25.0965 ng/mL
..LC537ICIM_00013	02/05/17	08/09/16	Methanol, Lot 090285	25 mL	LC537ICIM_00013	25 mL	Perfluorooctanesulfonic acid (PFOS)	27.2389 ng/mL
..LC537-PFBS2_00005	03/01/17	02/29/16	Methanol, Lot 090285	10 mL	LCMPFDA_00008	100 uL	13C2 PFDA	0.2 ug/mL
...LC537_PFBS2_00001	08/09/17	Santa Cruz Biotechnology, Lot H0112			LCMPFHxA_00009	100 uL	13C2 PFHxA	0.2 ug/mL
..LC537-PFOA2_00007	07/25/17	08/05/16	Methanol, Lot 090285	10 mL	(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LC537-PFOA2_00001	07/25/17	Afla Aesar, Lot D24Y026			(Purchased Reagent)		13C2 PFHxA	50 ug/mL
..LC537-PFOS2_00005	03/01/17	02/29/16	Methanol, Lot 090285	10 mL	LC537-PFBS2_00005	0.5 mL	Perfluorobutanesulfonic acid (PFBS)	45.908 ug/mL
..LC537-PFOS2_00001	07/26/17	Sigma, Lot BCBF5116V			LC537-PFOA2_00007	0.13 mL	Perfluorooctanoic acid (PFOA)	10.0386 ug/mL
LC537-IS_00027	03/19/17	12/14/16	Methanol, Lot 090285	10000 uL	LC537-PFOS2_00005	0.22 mL	Perfluorooctanesulfonic acid (PFOS)	10.8956 ug/mL
.LCM2PFOA_00003	03/19/17	Wellington Laboratories, Lot M2PFOA0312			LC537-PFBS2_00001	0.023 g	Perfluorobutanesulfonic acid (PFBS)	2295.4 ug/mL
.LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	0.998 g/g
LC537-L1_00015	01/13/17	07/28/16	MeOH/H2O, Lot 090285	5 mL	LC537-PFOA2_00001	0.0195 g	Perfluorooctanoic acid (PFOA)	1930.5 ug/mL
.LCM2PFOA_00003	03/19/17	Wellington Laboratories, Lot M2PFOA0312			LC537-PFOA2_00001	0.0195 g	Perfluorooctanoic acid (PFOA)	0.99 g/g
.LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			LC537-PFOS2_00001	0.0159 g	Perfluorooctanesulfonic acid (PFOS)	1238.13 ug/mL
LC537-L1_00015	01/13/17	07/28/16	MeOH/H2O, Lot 090285	5 mL	LC537-PFOS2_00001	0.0159 g	Perfluorooctanesulfonic acid (PFOS)	0.7787 g/g
.LCM2PFOA_00003	03/19/17	Wellington Laboratories, Lot M2PFOA0312			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.5 ug/mL
.LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	1.434 ug/mL
LC537-L1_00015	01/13/17	07/28/16	MeOH/H2O, Lot 090285	5 mL	LC537-IS_00018	100 uL	13C2-PFOA	10 ng/mL
.LCM2PFOA_00003	03/19/17	Wellington Laboratories, Lot M2PFOA0312			LC537-MSP_00012	24.4 uL	13C4 PFOS	28.68 ng/mL
.LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			LC537-MSP_00012	24.4 uL	Perfluorobutanesulfonic acid (PFBS)	8.76058 ng/mL
LC537-L1_00015	01/13/17	07/28/16	MeOH/H2O, Lot 090285	5 mL	LC537-MSP_00012	24.4 uL	Perfluoroheptanoic acid	0.993847 ng/mL
.LCM2PFOA_00003	03/19/17	Wellington Laboratories, Lot M2PFOA0312			LC537-MSP_00012	24.4 uL	Perfluorohexanesulfonic acid	2.9532 ng/mL
.LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			LC537-MSP_00012	24.4 uL	Perfluorononanoic acid	1.91737 ng/mL
LC537-L1_00015	01/13/17	07/28/16	MeOH/H2O, Lot 090285	5 mL	LC537-MSP_00012	24.4 uL	Perfluorooctanoic acid (PFOA)	1.9793 ng/mL
.LCM2PFOA_00003	03/19/17	Wellington Laboratories, Lot M2PFOA0312			LC537-MSP_00012	24.4 uL	Perfluorooctanesulfonic acid (PFOS)	3.91048 ng/mL
.LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			LC537-MSP_00012	24.4 uL	Perfluorooctanesulfonic acid (PFOS)	3.91048 ng/mL
LC537-L1_00015	01/13/17	07/28/16	MeOH/H2O, Lot 090285	5 mL	LC537-SU_00017	250 uL	13C2 PFDA	10 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-24442-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
.LC537-IS_00018	01/13/17	07/13/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00004	100 uL	13C2 PFHxA	10 ng/mL
..LCM2PFOA_00004	03/19/17	Wellington Laboratories, Lot M2PFOA0312			(Purchased Reagent)		13C2-PFOA	0.5 ug/mL
..LCMPFOS_00013	01/22/21	Wellington Laboratories, Lot MPFOS0116			(Purchased Reagent)		13C4 PFOS	1.434 ug/mL
.LC537-MSP_00012	01/28/17	07/28/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00012	200 uL	13C2 PFOS	47.8 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	1795.2 ng/mL
							Perfluoroheptanoic acid	203.657 ng/mL
							Perfluorohexanesulfonic acid	605.164 ng/mL
							Perfluorononanoic acid	392.904 ng/mL
							Perfluorooctanoic acid (PFOA)	405.594 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	801.328 ng/mL
..LC537SPIM_00012	01/28/17	07/28/16	Methanol, Lot 104453	10 mL	LC537-PFBS_00006	0.44 mL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00010	0.1 mL	Perfluoroheptanoic acid	10.1829 ug/mL
					LC537-PFHxS_00008	0.3 mL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00008	0.2 mL	Perfluorononanoic acid	19.6452 ug/mL
					LC537-PFOA_00009	0.098 mL	Perfluorooctanoic acid (PFOA)	20.2797 ug/mL
					LC537-PFOS_00006	0.4 mL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00010	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537_PFHpA_00002	0.0072 g	Perfluoroheptanoic acid	1018.29 ug/mL
...LC537_PFHpA_00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
...LC537_PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFNA_00002	0.0051 g	Perfluorononanoic acid	982.26 ug/mL
...LC537_PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00009	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537_PFOA_00002	0.0145 g	Perfluorooctanoic acid (PFOA)	2069.36 ug/mL
...LC537_PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-SU_00017	01/19/17	07/19/16	Methanol, Lot 104453	25000 uL	LCMPFDA_00008	100 uL	13C2 PFDA	0.2 ug/mL
..LCMPFDA_00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			LCMPFHxA_00009	100 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFDA	50 ug/mL
					(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-L2_00014	01/13/17	07/28/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00010	34 uL	Perfluorobutanesulfonic acid (PFBS)	22.8888 ng/mL
							Perfluoroheptanoic acid	2.59663 ng/mL
							Perfluorohexanesulfonic acid	7.71585 ng/mL
							Perfluorononanoic acid	5.00953 ng/mL
							Perfluorooctanoic acid (PFOA)	5.17132 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	10.2169 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-24442-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
					LC537-IS_00018	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00017	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00010	01/28/17	07/28/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00012	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	381.857 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	736.695 ng/mL
							Perfluorooctanoic acid (PFOA)	760.489 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL
..LC537SPIM_00012	01/28/17	07/28/16	Methanol, Lot 104453	10 mL	LC537-PFBS_00006	0.44 mL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00010	0.1 mL	Perfluoroheptanoic acid	10.1829 ug/mL
					LC537-PFHxS_00008	0.3 mL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00008	0.2 mL	Perfluorononanoic acid	19.6452 ug/mL
					LC537-PFOA_00009	0.098 mL	Perfluorooctanoic acid (PFOA)	20.2797 ug/mL
					LC537-PFOS_00006	0.4 mL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00010	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537_PFHpA_00002	0.0072 g	Perfluoroheptanoic acid	1018.29 ug/mL
....LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFNA_00002	0.0051 g	Perfluorononanoic acid	982.26 ug/mL
....LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00009	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537_PFOA_00002	0.0145 g	Perfluorooctanoic acid (PFOA)	2069.36 ug/mL
....LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00018	01/13/17	07/13/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00004	100 uL	13C2-PFOA	0.5 ug/mL
..LCM2PFOA_00004	03/19/17		Wellington Laboratories, Lot M2PFOA0312		LCMPFOS_00013	300 uL	13C4 PFOS	1.434 ug/mL
..LCMPFOS_00013	01/22/21		Wellington Laboratories, Lot MPFOS0116		(Purchased Reagent)		13C2-PFOA	50 ug/mL
.LC537-SU_00017	01/19/17	07/19/16	Methanol, Lot 104453	25000 uL	LCMPFDA_00008	100 uL	13C4 PFOS	47.8 ug/mL
..LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		LCMPFHxA_00009	100 uL	13C2 PFDA	0.2 ug/mL
..LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-L3_00016	01/28/17	11/07/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00010	67 uL	Perfluorobutanesulfonic acid (PFBS)	45.1044 ng/mL
							Perfluoroheptanoic acid	5.11689 ng/mL
							Perfluorohexanesulfonic acid	15.2048 ng/mL
							Perfluorononanoic acid	9.87171 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-24442-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluorooctanoic acid (PFOA)	10.1905 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	20.1334 ng/mL
					LC537-IS_00024	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00020	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00010	01/28/17	07/28/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00012	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	381.857 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	736.695 ng/mL
							Perfluorooctanoic acid (PFOA)	760.489 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL
..LC537SPIM_00012	01/28/17	07/28/16	Methanol, Lot 104453	10 mL	LC537-PFBS_00006	0.44 mL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00010	0.1 mL	Perfluoroheptanoic acid	10.1829 ug/mL
					LC537-PFHxS_00008	0.3 mL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00008	0.2 mL	Perfluorononanoic acid	19.6452 ug/mL
					LC537-PFOA_00009	0.098 mL	Perfluorooctanoic acid (PFOA)	20.2797 ug/mL
					LC537-PFOS_00006	0.4 mL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V			(Purchased Reagent)	Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00010	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537 PFHpA_00002	0.0072 g	Perfluoroheptanoic acid	1018.29 ug/mL
....LC537 PFHpA_00002	04/01/18		Aldrich, Lot BCBM2579V			(Purchased Reagent)	Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537 PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V			(Purchased Reagent)	Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537 PFNA_00002	0.0051 g	Perfluorononanoic acid	982.26 ug/mL
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F			(Purchased Reagent)	Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00009	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537 PFOA_00002	0.0145 g	Perfluorooctanoic acid (PFOA)	2069.36 ug/mL
....LC537 PFOA_00002	11/04/18		Fluka, Lot SZBD308XV			(Purchased Reagent)	Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV			(Purchased Reagent)	Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00024	03/19/17	11/03/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00003	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00003	03/19/17		Wellington Laboratories, Lot M2PFOA0312			(Purchased Reagent)	13C2-PFOA	50 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)	13C4 PFOS	47.8 ug/mL
.LC537-SU_00020	04/07/17	10/07/16	Methanol, Lot 104453	25000 uL	LCMPFDA_00008	100 uL	13C2 PFDA	0.2 ug/mL
					LCMPFHxA_00009	100 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815			(Purchased Reagent)	13C2 PFDA	50 ug/mL
..LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)	13C2 PFHxA	50 ug/mL
LC537-L4_00015	01/13/17	07/28/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00010	135 uL	Perfluorobutanesulfonic acid (PFBS)	90.882 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-24442-1

SDG No.:

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluoroheptanoic acid	10.3101 ng/mL
							Perfluorohexanesulfonic acid	30.6364 ng/mL
							Perfluorononanoic acid	19.8908 ng/mL
							Perfluorooctanoic acid (PFOA)	20.5332 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	40.5672 ng/mL
					LC537-IS_00018	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00017	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00010	01/28/17	07/28/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00012	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	381.857 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	736.695 ng/mL
							Perfluorooctanoic acid (PFOA)	760.489 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL
..LC537SPIM_00012	01/28/17	07/28/16	Methanol, Lot 104453	10 mL	LC537-PFBS_00006	0.44 mL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00010	0.1 mL	Perfluoroheptanoic acid	10.1829 ug/mL
					LC537-PFHxS_00008	0.3 mL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00008	0.2 mL	Perfluorononanoic acid	19.6452 ug/mL
					LC537-PFOA_00009	0.098 mL	Perfluorooctanoic acid (PFOA)	20.2797 ug/mL
					LC537-PFOS_00006	0.4 mL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00010	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537 PFHpA_00002	0.0072 g	Perfluoroheptanoic acid	1018.29 ug/mL
....LC537 PFHpA_00002	04/01/18		Aldrich, Lot BCBM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537 PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537 PFNA_00002	0.0051 g	Perfluorononanoic acid	982.26 ug/mL
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00009	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537 PFOA_00002	0.0145 g	Perfluorooctanoic acid (PFOA)	2069.36 ug/mL
....LC537 PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00018	01/13/17	07/13/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00004	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00013	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00004	03/19/17		Wellington Laboratories, Lot M2PFOA0312		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00013	01/22/21		Wellington Laboratories, Lot MPFOS0116		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00017	01/19/17	07/19/16	Methanol, Lot 104453	25000 uL	LCMPFDA_00008	100 uL	13C2 PFDA	0.2 ug/mL
					LCMPFHxA_00009	100 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		(Purchased Reagent)		13C2 PFDA	50 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-24442-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration		
					Reagent ID	Volume Added				
..LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFHxA	50 ug/mL		
LC537-L5_00017	01/28/17	11/07/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00010	200 uL	Perfluorobutanesulfonic acid (PFBS)	134.64 ng/mL		
							Perfluoroheptanoic acid	15.2743 ng/mL		
							Perfluorohexanesulfonic acid	45.3873 ng/mL		
							Perfluorononanoic acid	29.4678 ng/mL		
							Perfluorooctanoic acid (PFOA)	30.4196 ng/mL		
					Perfluorooctanesulfonic acid (PFOS)	60.0996 ng/mL				
					LC537-IS_00024	100 uL	13C2-PFOA	10 ng/mL		
							13C4 PFOS	28.68 ng/mL		
					LC537-SU_00020	250 uL	13C2 PFDA	10 ng/mL		
							13C2 PFHxA	10 ng/mL		
.LC537-HSP_00010	01/28/17	07/28/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00012	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL		
							Perfluoroheptanoic acid	381.857 ng/mL		
							Perfluorohexanesulfonic acid	1134.68 ng/mL		
							Perfluorononanoic acid	736.695 ng/mL		
							Perfluorooctanoic acid (PFOA)	760.489 ng/mL		
Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL									
..LC537SPIM_00012	01/28/17	07/28/16	Methanol, Lot 104453	10 mL	LC537-PFBS_00006	0.44 mL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL		
							LC537-PFHpA_00010	0.1 mL	Perfluoroheptanoic acid	10.1829 ug/mL
							LC537-PFHxS_00008	0.3 mL	Perfluorohexanesulfonic acid	30.2582 ug/mL
							LC537-PFNA_00008	0.2 mL	Perfluorononanoic acid	19.6452 ug/mL
							LC537-PFOA_00009	0.098 mL	Perfluorooctanoic acid (PFOA)	20.2797 ug/mL
LC537-PFOS_00006	0.4 mL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL							
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL		
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g		
...LC537-PFHpA_00010	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537 PFHpA_00002	0.0072 g	Perfluoroheptanoic acid	1018.29 ug/mL		
...LC537 PFHpA_00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g		
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL		
...LC537 PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g		
...LC537-PFNA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537 PFNA_00002	0.0051 g	Perfluorononanoic acid	982.26 ug/mL		
...LC537 PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g		
...LC537-PFOA_00009	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537 PFOA_00002	0.0145 g	Perfluorooctanoic acid (PFOA)	2069.36 ug/mL		
...LC537 PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g		
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL		
....LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g		
.LC537-IS_00024	03/19/17	11/03/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00003	100 uL	13C2-PFOA	0.5 ug/mL		
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL		
..LCM2PFOA_00003	03/19/17	Wellington Laboratories, Lot M2PFOA0312			(Purchased Reagent)		13C2-PFOA	50 ug/mL		
..LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	47.8 ug/mL		

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-24442-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
.LC537-SU_00020	04/07/17	10/07/16	Methanol, Lot 104453	25000 uL	LCMPFDA_00008	100 uL	13C2 PFDA	0.2 ug/mL
					LCMPFHxA_00009	100 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFDA_00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-L6_00014	01/13/17	07/28/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00010	265 uL	Perfluorobutanesulfonic acid (PFBS)	178.398 ng/mL
							Perfluoroheptanoic acid	20.2384 ng/mL
							Perfluorohexanesulfonic acid	60.1382 ng/mL
							Perfluorononanoic acid	39.0448 ng/mL
							Perfluorooctanoic acid (PFOA)	40.3059 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	79.632 ng/mL
					LC537-IS_00018	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00017	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00010	01/28/17	07/28/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00012	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	381.857 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	736.695 ng/mL
							Perfluorooctanoic acid (PFOA)	760.489 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL
..LC537SPIM_00012	01/28/17	07/28/16	Methanol, Lot 104453	10 mL	LC537-PFBS_00006	0.44 mL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00010	0.1 mL	Perfluoroheptanoic acid	10.1829 ug/mL
					LC537-PFHxS_00008	0.3 mL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00008	0.2 mL	Perfluorononanoic acid	19.6452 ug/mL
					LC537-PFOA_00009	0.098 mL	Perfluorooctanoic acid (PFOA)	20.2797 ug/mL
					LC537-PFOS_00006	0.4 mL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00010	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537_PFHpA_00002	0.0072 g	Perfluoroheptanoic acid	1018.29 ug/mL
....LC537_PFHpA_00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
..LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
..LC537-PFNA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFNA_00002	0.0051 g	Perfluorononanoic acid	982.26 ug/mL
....LC537_PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
..LC537-PFOA_00009	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537_PFOA_00002	0.0145 g	Perfluorooctanoic acid (PFOA)	2069.36 ug/mL
....LC537_PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
..LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00018	01/13/17	07/13/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00004	100 uL	13C2-PFOA	0.5 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-24442-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
..LCM2PFOA_00004	03/19/17		Wellington Laboratories, Lot M2PFOA0312		LCMPFOS_00013	300 uL	13C4 PFOS	1.434 ug/mL
..LCMPFOS_00013	01/22/21		Wellington Laboratories, Lot MPFOS0116		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LC537-SU_00017	01/19/17	07/19/16	Methanol, Lot 104453	25000 uL	LCMPFDA_00008	100 uL	13C2 PFDA	0.2 ug/mL
..LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		LCMPFHxA_00009	100 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-MSP_00014	03/14/17	09/14/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00013	200 uL	Perfluorobutane Sulfonate	1795.2 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	1795.2 ng/mL
							Perfluoroheptanoic acid	203.657 ng/mL
							Perfluorohexanesulfonic acid	605.164 ng/mL
							Perfluorononanoic acid	392.904 ng/mL
							Perfluorooctanoic acid (PFOA)	405.594 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	801.328 ng/mL
..LC537SPIM_00013	03/14/17	09/14/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutane Sulfonate	89760 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	89760 ng/mL
					LC537-PFHpA_00010	100 uL	Perfluoroheptanoic acid	10182.9 ng/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30258.2 ng/mL
					LC537-PFNA_00008	200 uL	Perfluorononanoic acid	19645.2 ng/mL
					LC537-PFOA_00009	98 uL	Perfluorooctanoic acid (PFOA)	20279.7 ng/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40066.4 ng/mL
..LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutane Sulfonate	2040 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
...LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutane Sulfonate	1 g/g
							Perfluorobutanesulfonic acid (PFBS)	1 g/g
..LC537-PFHpA_00010	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537_PFHpA_00002	0.0072 g	Perfluoroheptanoic acid	1018.29 ug/mL
...LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
..LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
...LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
..LC537-PFNA_00008	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFNA_00002	0.0051 g	Perfluorononanoic acid	982.26 ug/mL
...LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
..LC537-PFOA_00009	07/28/17	07/28/16	Methanol, Lot 090285	7 mL	LC537_PFOA_00002	0.0145 g	Perfluorooctanoic acid (PFOA)	2069.36 ug/mL
...LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
..LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
...LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFHxA	0.2 ug/mL
					LCMPFHxA_00009	80 uL	13C2 PFDA	0.4 ug/mL
..LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		(Purchased Reagent)		13C2 PFHxA	0.4 ug/mL
							13C2 PFDA	50 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
..LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFHxA	50 ug/mL

Reagent

LC537_PFB_00002

#: 4/1/15 SPV

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com


Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

Nonafluorobutane-1-sulfonic acid - 97%

Product Number: 562629
Batch Number: MKBP8842V
Brand: ALDRICH
CAS Number: 375-73-5
MDL Number: MFCD01320794
Formula: C4HF9O3S
Formula Weight: 300.10 g/mol
Storage Temperature: Store at 2 - 8 °C
Quality Release Date: 11 OCT 2013



PFBS

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Fluorine NMR Spectrum	Conforms to Structure	Conforms
Purity (Titration by NaOH)	96.5 - 103.5 %	101.6 %

Jamie Gleason, Manager
 Quality Control
 Milwaukee, Wisconsin US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

LC537_PFB2_00001



The Power to Question

CERTIFICATE OF ANALYSIS

Catalog Number: sc-236187
Product Name: Nonafluorobutane-1-sulfonic acid
CAS Number: 375-73-5
Molecular Formula: $C_4HF_9O_3S$
Molecular Weight: 300.10
Lot Number: H0112

Test		Result
Refractive Index	1.3200 to 1.3290	1.3219
Purity (Titration)	min. 98.0%	99.8%

Test Conditions: Refractive Index: n_{20/D}

Reagent

LC537_PFHpA_00002

R: 4/1/15 SV

Certificate of Analysis

Product Name: PERFLUOROHEPTANOIC ACID
 99 %
Product Number: 342041
Batch Number: BCBM2579V
Brand: Aldrich
CAS Number: 375-85-9
Formula: $CF_3(CF_2)_5CO_2H$
Formula Weight: 364.06
Quality Release Date: 06 DEC 2013
Recommended Retest Date: OCT 2018

PFHPA

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	LIQUID OR SOLID	SOLID
TITRATION	98.5 - 101.5 %	99.8 %
TITRATION (METHOD)	-	BACK TITRATION
PURITY (GC AREA %)	≥ 98.5 %	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

Dr. Claudia Geitner
Manager Quality Control
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

LC537_PFHxS_00002

R: 4/1/15 SW

Certificate of Analysis

Product Name: TRIDECAFLUOROHEXANE-1-SULFONIC ACID POTASSIUM SALT
 >= 98.0 % T

Product Number: 50929

Batch Number: BCBL3545V

Brand: Aldrich

CAS Number: 3871-99-6

Formula: C₆F₁₃KO₃S

Formula Weight: 438.20

Quality Release Date: 20 JUN 2013

PFH₁₃S-K

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	WHITE TO FAINT BEIGE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (ION EXCHANGE)	≥ 98.0 %	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

Dr. Claudia Geitner
Manager Quality Control
Buchs, Switzerland

$$MW_{corr} = \frac{(k_{form}) - (K) + (H)}{438.20 (k_{form})} = \frac{(438.20 - 39.10 + 1.01)}{438.20 (k_{form})} = 0.91307 \text{ (anion form)}$$

$$Purity = 90.94 \% \text{ w/m.w correction}$$

SW 4/1/15

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

LC537_PENA_00002

R: 4/1/15 SKV



Certificate of Analysis

Apr 2, 2015 (JST)

TOKYO CHEMICAL INDUSTRY CO., LTD.
4-10-1 Nihonbashi-Honcho, Chuo-ku, Tokyo 103-0023 Japan

Chemical Name: Heptadecafluorononanoic Acid		
Product Number: H0843 CAS: 375-95-1	Lot: QN44F	

Tests	Results	Specifications
Purity(GC)	96.3 %	min. 95.0 %
Purity(Neutralization titration)	98.1 %	min. 95.0 %
Melting point	63.3 deg-C	62.0 to 67.0 deg-C

TCI Lot numbers are 4-5 characters in length.
Characters listed after the first 4-5 characters are control numbers for internal purpose only.

Customer service:
TCI AMERICA
Tel: +1-800-423-8616 / +1-503-283-1681
Fax: +1-888-520-1075 / +1-503-283-1987
E-mail: Sales-US@TCIchemicals.com

PFNA

Reagent

LC537_PFOA_00002

11/3/2015 21

SIGMA-ALDRICH®

CERTIFICATE OF ANALYSIS

Sigma-Aldrich Laborchemikalien GmbH D-30918 Seelze
Telefon: +49 5137 8238-150

Seelze, 13.11.2013/505378/13/24029
Order-No.:
Customer-No.:
Order-Code:
Quantity:
Production Date: 04.Nov.2013
Expiry Date: 04.Nov.2018

Article/Product: 33824	Batch : SZBD308XV	PFOA
Pentadecafluorooctanoic acid OEKANAL®		

Reference Material (RM)

1. General Information

Formula: C₈HF₁₅O₂
CAS-No.: [335-67-1]
Usage : PFOA

Molar mass: 414.07 g/Mole
Recomm. storage temp.: roomtemp.

The estimated uncertainty of a single measurement of the assay can be expected to be 0.5 % relative (confidence level = 95%, n= 6) whereby the assay measurements are calculated by 100% minus found impurities.

2. Batch Analysis

identity (GC-MS)
Assay (GCMS)
Date of Analysis

complying
99.4 %
13.Nov.2013

3. Advice and Remarks

- The expiry date is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.
- Whenever the container is opened for removal of aliquot portions of the substance, the person handling the substance must assure, that the integrity of the substance is maintained and proper records of all its handlings are kept. Special care has to be taken to avoid any contamination or adulteration of the substance.
- We herewith confirm that the delivery is effected according to the technical delivery conditions agreed.
- Particular properties of the products or the suitability for a particular area of application are not assured.
- We guarantee a proper quality within our General Conditions of Sales.

Sigma-Aldrich Laborchemikalien GmbH
Quality Management SA-LC

This document was produced electronically and is valid without a signature

GC/MS-Method

Analytical Department

Article: Pentadecafluorooctanoic acid OEKANAL

Article-No.: 33824

Batch: SZBD308XV

Column: XTI-5 (Restek); 30 m; fs cap.; I.D.:0.25 mm; 1 µm df

Injector: Split mode

Injection: approx. 1 µl of reaction mixture with MSTFA (approx. 10 mg + 200 µl MSTFA)

Inj.-temp.: 280°C

Oven-temp.: 40°C (for 2 min) to 320°C (6°C/min) hold for 2 min

Split: 1:100

Flow: 1 ml He/min (Constant flow mode)

Detector: MSD


Mass range: 10-600 amu (Scan mode)

Evaluation: Purity: Total Ion Chromatogram
(MSTFA and reaction products blinded out in report)

Identity: Mass spectrum complies


Operator: Ahrens / 2013-11-13

Total Ion Chromatogram:



Ret.time	Area	Area-%	Com
11.54	565.1670	99.4	Pentadecafluorooctanoic acid (as TMS-ester)
11.95	3.6792	0.64	

Mass spectrum (rt = 11.54 min):



Reagent

LC537_PFOA2_00001

Certificate of Analysis

Alfa Aesar
A Johnson Matthey Company

Product No.: L08862
Product: Perfluorooctanoic acid, 95%
Lot No.: D24Y026

PFOA

Appearance White solid
Melting point 58 - 60°C
Assay 99 %
Identity Matches reference

This document has been electronically generated and does not require a signature.

www.alfa.com

NORTH AMERICA
Tel: +1-800-343-0660 or
+1-978-521-6300
Fax: +1-800-322-4757
Email: info@alfa.com

GERMANY
Tel: 00800 4566 4566 or
+49 721 84007 280
Fax: 00800 4577 4577 or
+49 721 84007 300
Email: Eurosales@alfa.com

UNITED KINGDOM
Tel: 0800-801812 or
+44 (0)1524-850506
Fax: +44 (0)1524-850608
Email: UKsales@alfa.com

FRANCE
Tel: 0800 03 51 47 or
+33 (0)3 8862 2690
Fax: 0800 10 20 67 or
+33 (0)3 8862 6864
Email: frventes@alfa.com

INDIA
Tel: +91 8008 812424 or
+91 8008 812525 or
+91 8008 812626
Fax: +91 8418 260060
Email: India@alfa.com

CHINA
Tel: +86 (010) 8567-8600
Fax: +86 (010) 8567-8601
Email: saleschina@alfa-asia.com

KOREA
Tel: +82-2-3140-6000
Fax: +82-2-3140-6002
Email: saleskorea@alfa-asia.com

Reagent

LC537_PFOs_00002

F: 4/115 SV

SIGMA-ALDRICH®

CERTIFICATE OF ANALYSIS

Sigma-Aldrich Laborchemikalien GmbH D-30918 Seelze
Telefon: +49 5137 8238-150

Seelze, 13.08.2012/419060/12/17583
Order-No.:
Customer-No.:
Order-Code:
Quantity:
Production Date: 09.Aug.2012
Expiry Date: 09.Aug.2017 - <i>ex date</i>

Article/Product: 33829	Batch : SZBC222XV
Heptadecafluorooctanesulfonic acid potassium salt OEKANAL®	
	PFOS-k ⁺

Reference Material (RM)

1. General Information

Formula: C8F17KO3S
CAS-No.: [2795-39-3]
Usage : PFOS

Molar mass: 538.22 g/Mole
Recomm. storage temp.: roomtemp.

The estimated uncertainty of a single measurement of the assay can be expected to be 0.5 % relative (confidence level = 95%, n= 6) whereby the assay measurements are calculated by 100% minus found impurities.

2. Batch Analysis

Identity	complying
Assay (LC-MS)	98. %
Date of Analysis	10.Aug.2012

FW-Correction:

$$\frac{538.22 - 39.10 + 1.01}{538.22} = \frac{500.13}{538.22} = 0.92923$$

Purity = 91.06%

3. Advice and Remarks

- The minimum shelf life is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.
- Whenever the container is opened for removal of aliquot portions of the substance, the person handling the substance must assure, that the integrity of the substance is maintained and proper records of all its handlings are kept. Special care has to be taken to avoid any contamination or adulteration of the substance.
- We herewith confirm that the delivery is effected according to the technical delivery conditions agreed.
- Particular properties of the products or the suitability for a particular area of application are not assured.
- We guarantee a proper quality within our General Conditions of Sales.

Sigma-Aldrich Laborchemikalien GmbH
Quality Management SA-LC

Reagent

LC537_PFO2_00001

Certificate of Analysis

Inv 820
12LCMS 0579

Product Name: HEPTADEC AFLUORO OCTANESULFONIC ACID TETRAETHYLAMMONIUM SALT
98 %
Product Number: 365289
Product Brand: Aldrich
Molecular Formula: C₁₆H₂₀F₁₇NO₃S
Molecular Mass: 629.37
CAS Number: 56773-42-3

TEST	SPECIFICATION	LOT BCBF5116V RESULTS
APPEARANCE (COLOR)	OFF-WHITE TO WHITE	WHITE
APPEARANCE (FORM)	POWDER, LUMPS OR CHUNKS	POWDER WITH LUMPS
CARBON CONTENT	29.77 % - 31.29 %	30.52
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

QC RELEASE DATE 13/APR/11



$$\text{MW correction} = \frac{500.125}{629.37} = 0.7946$$

~~100 = 79.46%~~ Oct 7-26-12

E. Schwarzler

Purity + MW Correction = 77.87%

Edeltraud Schwarzler, Manager
Quality Control
Buchs, Switzerland



	<u>C₈F₁₇SO₃H</u>	<u>C₈H₂₀N</u>
C = 12.011	96.088	96.088
F = 18.998	322.966	-
S = 32.066	32.066	-
O = 15.999	47.997	-
H = 1.008	1.008	20.160
N = 14.007	-	14.007
	<u>500.125</u>	<u>130.255</u> →

Sigma-Aldrich warrants, that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice for additional terms and conditions of sale. The values given on the 'Certificate of Analysis' are the results determined at the time of analysis.

Certificate of Origin

Product Name: Heptadecafluorooctanesulfonic acid tetraethylammonium salt
 98 %
Product Number: 365289
Product Brand: Aldrich
Lot: BCBF5116V
Molecular Formula: C₁₆H₂₀F₁₇NO₃S
Molecular Mass: 629.37
CAS Number: 56773-42-3
Date of Issue: 30-MAR-11

Country of Origin China

product is of synthetic origin	yes
only synthetic materials used in the manufacturing process	yes
compounds of animal origin used	no
genetically modified organisms used	no
allergenic materials used	no
procedures in place to avoid cross contamination with residue of animal, human, GMO or allergenes in manufacturing process	yes

Sigma-Aldrich has quality systems and procedures in place for monitoring the production process, traceability and batch consistency.

Document issued by Sigma-Aldrich Corporation "Sigma-Aldrich". This document is valid without signature and has been produced digitally.

This information is to be used for the purpose of determining animal or other biological origin only and not to be confused with "Country of Origin" for import/export purposes. Data provided on this document are property of Sigma-Aldrich.

This information is considered accurate and reliable as of the date appearing on the document and is presented in good faith.

Sigma-Aldrich shall not be held liable for any damage resulting from handling or from processing the above product(s). This document does not make any warranty, express or implied, of fitness for any particular use of the product(s). Purchaser must determine the suitability of the product(s) for its use under the applicable law and regulations.

For further questions please contact your local Sigma-Aldrich representative.

We are committed to the success of our Customers, Employees and Shareholders through leadership in Life Science, High Technology and Service.

Reagent


LCM2PFOA_00003



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: M2PFOA **LOT NUMBER:** M2PFOA0312
COMPOUND: Perfluoro-n-[1,2-¹³C₂]octanoic acid
STRUCTURE: **CAS #:** Not available



MOLECULAR FORMULA: ¹³C₂¹²C₆HF₁₅O₂ **MOLECULAR WEIGHT:** 416.05
CONCENTRATION: 50 ± 2.5 µg/ml **SOLVENT(S):** Methanol
Water (<1%)
CHEMICAL PURITY: >98% **ISOTOPIC PURITY:** ≥99% ¹³C
(1,2-¹³C₂)
LAST TESTED: (mm/dd/yyyy) 03/19/2012
EXPIRY DATE: (mm/dd/yyyy) 03/19/2017
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____

B.G. Chittim

Date: 01/09/2013
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. They are designed to be used as reference standards for the identification and/or quantification of specific chemical compound(s).

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Material Safety Data Sheets (MSDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product, unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, x-ray crystallography and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS and/or LC/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters x_1, x_2, \dots, x_n on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external, ISO/IEC 17025:2005 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:

Ongoing stability studies of this product have demonstrated stability in its composition and concentration for the period of time specified by the expiry date in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to ISO 9001:2008 by SAI Global, ISO/IEC 17025:2005 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34:2009 by ACLASS (certificate number AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: M2PFOA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 60% (80:20 MeOH:ACN) / 40% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 6.5 min and hold for 2 min
before returning to initial conditions in 0.5 min.
Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (250 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 100
Desolvation Gas Flow (l/hr) = 750

Figure 2: M2PFOA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μl (500 ng/ml M2PFOA)

Mobile phase: Isocratic 70% (80:20 MeOH:ACN) / 30% H_2O
(both with 10 mM NH_4OAc buffer)


Flow: 300 $\mu\text{l}/\text{min}$

MS Parameters

Collision Gas (mbar) = 3.35e-3
Collision Energy (eV) = 11

Reagent


LCM2PFOA_00004



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: M2PFOA **LOT NUMBER:** M2PFOA0312
COMPOUND: Perfluoro-n-[1,2-¹³C₂]octanoic acid
STRUCTURE: **CAS #:** Not available



MOLECULAR FORMULA: ¹³C₂¹²C₆HF₁₅O₂ **MOLECULAR WEIGHT:** 416.05
CONCENTRATION: 50 ± 2.5 µg/ml **SOLVENT(S):** Methanol
Water (<1%)
CHEMICAL PURITY: >98% **ISOTOPIC PURITY:** ≥99% ¹³C
(1,2-¹³C₂)
LAST TESTED: (mm/dd/yyyy) 03/19/2012
EXPIRY DATE: (mm/dd/yyyy) 03/19/2017
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____

B.G. Chittim

Date: 01/09/2013
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. They are designed to be used as reference standards for the identification and/or quantification of specific chemical compound(s).

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Material Safety Data Sheets (MSDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product, unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, x-ray crystallography and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS and/or LC/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters x_1, x_2, \dots, x_n on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external, ISO/IEC 17025:2005 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:

Ongoing stability studies of this product have demonstrated stability in its composition and concentration for the period of time specified by the expiry date in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to ISO 9001:2008 by SAI Global, ISO/IEC 17025:2005 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34:2009 by ACLASS (certificate number AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: M2PFOA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 60% (80:20 MeOH:ACN) / 40% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 6.5 min and hold for 2 min
before returning to initial conditions in 0.5 min.
Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (250 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 100
Desolvation Gas Flow (l/hr) = 750

Figure 2: M2PFOA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μl (500 ng/ml M2PFOA)

Mobile phase: Isocratic 70% (80:20 MeOH:ACN) / 30% H_2O
(both with 10 mM NH_4OAc buffer)

Flow: 300 $\mu\text{l}/\text{min}$

MS Parameters

Collision Gas (mbar) = $3.35\text{e-}3$
Collision Energy (eV) = 11

Reagent

LCMPFDA_00008



605243

ID: LCMPFDA_00008

Exp: 08/19/20 Prep: CBW

13C2-Perfluorodecanoic acid

Rec. 3/29/16 JEB ✓




WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: MPFDA **LOT NUMBER:** MPFDA0815
COMPOUND: Perfluoro-n-[1,2-¹³C₂]decanoic acid

STRUCTURE: **CAS #:** Not available



MOLECULAR FORMULA: ¹³C₂¹²C₈HF₁₉O₂ **MOLECULAR WEIGHT:** 516.07
CONCENTRATION: 50 ± 2.5 µg/ml **SOLVENT(S):** Methanol
Water (<1%)
CHEMICAL PURITY: >98% **ISOTOPIC PURITY:** ≥99% ¹³C
(1,2-¹³C₂)
LAST TESTED: (mm/dd/yyyy) 08/19/2015
EXPIRY DATE: (mm/dd/yyyy) 08/19/2020
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of ¹³C₁-PFNA.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: _____

B.G. Chittim

Date: 08/21/2015
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters x_1, x_2, \dots, x_n on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFDA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 50% (80:20 MeOH:ACN) / 50% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 2 min
before returning to initial conditions in 0.5 min.
Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (150 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 50
Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFDA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μ l (500 ng/ml MPFDA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H₂O
(both with 10 mM NH₄OAc buffer)

Flow: 300 μ l/min

MS Parameters

Collision Gas (mbar) = 3.35e-3
Collision Energy (eV) = 13

Reagent

LCMPFHxA_00009



605244

ID: LCMPFHxA_00009

Exp: 04/09/20 Prpd: CBW

13C2-Perfluorohexanoic ac

Rec. 3/29/16 JRB ✓


**WELLINGTON
LABORATORIES****CERTIFICATE OF ANALYSIS
DOCUMENTATION****PRODUCT CODE:** MPFHxA
COMPOUND: Perfluoro-n-[1,2-¹³C₂]hexanoic acid**LOT NUMBER:** MPFHxA0415**STRUCTURE:****CAS #:** Not available**MOLECULAR FORMULA:** ¹³C₂¹²C₄HF₁₁O₂
CONCENTRATION: 50 ± 2.5 µg/ml**MOLECULAR WEIGHT:** 316.04
SOLVENT(S): Methanol
Water (<1%)**CHEMICAL PURITY:** >98%**ISOTOPIC PURITY:** ≥99%¹³C
(1,2-¹³C₂)**LAST TESTED:** (mm/dd/yyyy) 04/09/2015**EXPIRY DATE:** (mm/dd/yyyy) 04/09/2020**RECOMMENDED STORAGE:** Store ampoule in a cool, dark place**DOCUMENTATION/ DATA ATTACHED:**

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of perfluoro-n-hexanoic acid and ~ 0.3% of perfluoro-n-octanoic acid.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim

Date: 04/14/2015

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters x_1, x_2, \dots, x_n on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFHxA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 50% (80:20 MeOH:ACN) / 50% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 2 min
before returning to initial conditions over 0.5 min.
Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 100
Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFHxA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μ l (500 ng/ml MPFHxA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H₂O
(both with 10 mM NH₄OAc buffer)

Flow: 300 μ l/min

MS Parameters

Collision Gas (mbar) = 3.20e-3
Collision Energy (eV) = 10

Reagent

LCMPFOS_00013

605227
ID: LCMFOS_00012
Exp: 01/22/21 Ppds: CBW
13C4-Perfluorooctanesulfo


Rec 3/29/16 JRB ✓
606228
ID: LCMFOS_00013
Exp: 01/22/21 Ppds: CBW
13C4-Perfluorooctanesulfo



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: MPFOS **LOT NUMBER:** MPFOS0116
COMPOUND: Sodium perfluoro-1-[1,2,3,4-¹³C₄]octanesulfonate
STRUCTURE: **CAS #:** Not available



MOLECULAR FORMULA: ¹³C₄¹²C₄F₁₇SO₃Na **MOLECULAR WEIGHT:** 526.08
CONCENTRATION: 50.0 ± 2.5 µg/ml (Na salt) **SOLVENT(S):** Methanol
47.8 ± 2.4 µg/ml (MPFOS anion)
CHEMICAL PURITY: >98% **ISOTOPIC PURITY:** ≥99% ¹³C
(1,2,3,4-¹³C₄)
LAST TESTED: (mm/dd/yyyy) 01/22/2016
EXPIRY DATE: (mm/dd/yyyy) 01/22/2021
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.8% Sodium perfluoro-1-[1,2,3-¹³C₃]heptanesulfonate.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: 
B.G. Chittim Date: 02/01/2016
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters x_1, x_2, \dots, x_n on which it depends is:

$$u_c(v(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFOS; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
 1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
 Start: 55% (80:20 MeOH:ACN) / 45% H₂O
 (both with 10 mM NH₄OAc buffer)
 Ramp to 90% organic over 7 min and hold for 2 min
 before returning to initial conditions in 0.5 min.
 Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)
 Capillary Voltage (kV) = 2.00
 Cone Voltage (V) = 60.00
 Cone Gas Flow (l/hr) = 50
 Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFOS; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
 10 μl (500 ng/ml MPFOS)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H₂O
 (both with 10 mM NH₄OAc buffer)

Flow: 300 $\mu\text{l}/\text{min}$

MS Parameters

Collision Gas (mbar) = 3.70e-3
 Collision Energy (eV) = 40

Reagent

LCMPFOS_00018

R: SBC 9/22/16



738686
ID: LCMFOS_00018
Exp: 08/03/21 Prod: SBC
13C4-Perfluorooctanesulfo




WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: MPFOS **LOT NUMBER:** MPFOS0816
COMPOUND: Sodium perfluoro-1-[1,2,3,4-¹³C]₄octanesulfonate

STRUCTURE: **CAS #:** Not available



MOLECULAR FORMULA: ¹³C₄¹²C₄F₁₇SO₃Na **MOLECULAR WEIGHT:** 526.08
CONCENTRATION: 50.0 ± 2.5 µg/ml (Na salt) **SOLVENT(S):** Methanol
47.8 ± 2.4 µg/ml (MPFOS anion)
CHEMICAL PURITY: >98% **ISOTOPIC PURITY:** ≥99% ¹³C
LAST TESTED: (mm/dd/yyyy) 08/03/2016 (1,2,3,4-¹³C)
EXPIRY DATE: (mm/dd/yyyy) 08/03/2021
RECOMMENDED STORAGE: Store ampoule in a cool, dark place


DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.8% Sodium perfluoro-1-[1,2,3-¹³C]₃heptanesulfonate.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: 
B.G. Chittim **Date:** 08/05/2016
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters x_1, x_2, \dots, x_n on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFOS; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
 1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
 Start: 45% (80:20 MeOH:ACN) / 55% H₂O
 (both with 10 mM NH₄OAc buffer)
 Ramp to 90% organic over 7 min and hold for 1.5 min
 before returning to initial conditions in 0.5 min.
 Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)
 Capillary Voltage (kV) = 3.00
 Cone Voltage (V) = 60.00
 Cone Gas Flow (l/hr) = 50
 Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFOS; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μl (500 ng/ml MPFOS)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H_2O
(both with 10 mM NH_4OAc buffer)

Flow: 300 $\mu\text{l}/\text{min}$

MS Parameters

Collision Gas (mbar) = 3.46e-3
Collision Energy (eV) = 40

Method 537 DOD

Perfluorinated Alkyl Acids (LC/MS)
by Method 537 DOD

FORM II
LCMS SURROGATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Matrix: Water Level: Low

GC Column (1): Acquity ID: 2.1 (mm)

Client Sample ID	Lab Sample ID	PFHxA #	PFDA #
WI-CV-1RW35-1216	320-24442-1	100	92
WI-CV-1FB35-1216	320-24442-2	96	95
WI-CV-1RW36-1216	320-24442-3	99	92
WI-CV-1FB36-1216	320-24442-4	95	102
WI-CV-1RW37-1216	320-24442-5	113	115
WI-CV-1FB37-1216	320-24442-6	97	99
	MB 320-142683/1-A	103	104
	LCS 320-142683/2-A	111	113
	LCSD 320-142683/3-A	114	114

PFHxA = 13C2 PFHxA
PFDA = 13C2 PFDA

QC LIMITS
70-130
70-130

Column to be used to flag recovery values

FORM III
LCMS LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Matrix: Water Level: Low Lab File ID: 19DEC2016A6A_150.d
 Lab ID: LCS 320-142683/2-A Client ID: _____

COMPOUND	SPIKE ADDED (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC	QC LIMITS REC	#
Perfluorooctanesulfonic acid (PFOS)	0.160	0.149	93	70-130	
Perfluorooctanoic acid (PFOA)	0.0811	0.0740	91	70-130	
Perfluorobutanesulfonic acid (PFBS)	0.359	0.340	95	70-130	

Column to be used to flag recovery and RPD values

FORM III
LCMS LAB CONTROL SAMPLE DUPLICATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Matrix: Water Level: Low Lab File ID: 19DEC2016A6A_151.d

Lab ID: LCSD 320-142683/3-A Client ID: _____

COMPOUND	SPIKE ADDED (ug/L)	LCSD CONCENTRATION (ug/L)	LCSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Perfluorooctanesulfonic acid (PFOS)	0.160	0.158	99	6	30	70-130	
Perfluorooctanoic acid (PFOA)	0.0811	0.0751	93	1	30	70-130	
Perfluorobutanesulfonic acid (PFBS)	0.359	0.352	98	4	30	70-130	

Column to be used to flag recovery and RPD values

FORM IV
LCMS METHOD BLANK SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Lab File ID: 19DEC2016A6A_149.d Lab Sample ID: MB 320-142683/1-A
 Matrix: Water Date Extracted: 12/17/2016 13:06
 Instrument ID: A6 Date Analyzed: 12/22/2016 10:51
 Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LCS 320-142683/2-A	19DEC2016A6 A 150.d	12/22/2016 11:21
	LCSD 320-142683/3-A	19DEC2016A6 A 151.d	12/22/2016 11:51
WI-CV-1RW35-1216	320-24442-1	19DEC2016A6 A 154.d	12/22/2016 13:19
WI-CV-1FB35-1216	320-24442-2	19DEC2016A6 A 155.d	12/22/2016 13:49
WI-CV-1RW36-1216	320-24442-3	19DEC2016A6 A 156.d	12/22/2016 14:19
WI-CV-1FB36-1216	320-24442-4	19DEC2016A6 A 163.d	12/22/2016 17:53
WI-CV-1RW37-1216	320-24442-5	19DEC2016A6 A 164.d	12/22/2016 18:22
WI-CV-1FB37-1216	320-24442-6	19DEC2016A6 A 165.d	12/22/2016 18:52

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Instrument ID: A6 Calibration Start Date: 12/05/2016 17:26
 GC Column: Acquity ID: 2.1(mm) Calibration End Date: 12/05/2016 19:54
 Calibration ID: 26888

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
INITIAL CALIBRATION MEAN AREA AND MEAN RT	965911	20.05	2046916	20.67		
UPPER LIMIT	1448867	20.55	3070374	21.17		
LOWER LIMIT	482956	19.55	1023458	20.17		
LAB SAMPLE ID	CLIENT SAMPLE ID					
CCV 320-140688/9 CCVL	1025187	20.05	2358079	20.67		
ICV 320-140688/11	877210	20.05	2015178	20.67		
CCV 320-143413/22 CCVIS	771348	20.00	1564962	20.61		
MB 320-142683/1-A	695779	20.00	2117564	20.62		
LCS 320-142683/2-A	637524	20.01	1783962	20.62		
LCSD 320-142683/3-A	618882	20.00	1665020	20.61		
320-24442-1	WI-CV-1RW35-1216	620647	20.01	1852452	20.62	
320-24442-2	WI-CV-1FB35-1216	541923	20.00	1552982	20.62	
320-24442-3	WI-CV-1RW36-1216	603664	20.00	1842118	20.62	
CCV 320-143413/34 CCVIS	773306	20.00	1768636	20.62		
CCV 320-143415/34 CCVIS	773306	20.00	1768636	20.62		
320-24442-4	WI-CV-1FB36-1216	659462	20.00	1855839	20.61	
320-24442-5	WI-CV-1RW37-1216	575835	20.00	1881707	20.62	
320-24442-6	WI-CV-1FB37-1216	664655	20.00	1980820	20.62	
CCV 320-143415/37 CCVIS	686789	20.01	1511069	20.62		

13PFOA = 13C2-PFOA

PFOS = 13C4 PFOS

Area Limit = 50%-150% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Sample No.: CCV 320-143413/22 Date Analyzed: 12/22/2016 09:52
 Instrument ID: A6 GC Column: Acquity ID: 2.1 (mm)
 Lab File ID (Standard): 19DEC2016A6A_147.d Heated Purge: (Y/N) N
 Calibration ID: 26888

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	771348	20.00	1564962	20.61		
UPPER LIMIT	1079887	20.50	2190947	21.11		
LOWER LIMIT	539944	19.50	1095473	20.11		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-142683/1-A		695779	20.00	2117564	20.62	
LCS 320-142683/2-A		637524	20.01	1783962	20.62	
LCSD 320-142683/3-A		618882	20.00	1665020	20.61	
320-24442-1	WI-CV-1RW35-1216	620647	20.01	1852452	20.62	
320-24442-2	WI-CV-1FB35-1216	541923	20.00	1552982	20.62	
320-24442-3	WI-CV-1RW36-1216	603664	20.00	1842118	20.62	

13PFOA = 13C2-PFOA
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Sample No.: CCV 320-143413/34 Date Analyzed: 12/22/2016 15:54
 Instrument ID: A6 GC Column: Acquity ID: 2.1 (mm)
 Lab File ID (Standard): 19DEC2016A6A_159.d Heated Purge: (Y/N) N
 Calibration ID: 26888

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	773306	20.00	1768636	20.62		
UPPER LIMIT	1082628	20.50	2476090	21.12		
LOWER LIMIT	541314	19.50	1238045	20.12		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-142683/1-A		695779	20.00	2117564	20.62	
LCS 320-142683/2-A		637524	20.01	1783962	20.62	
LCSD 320-142683/3-A		618882	20.00	1665020	20.61	
320-24442-1	WI-CV-1RW35-1216	620647	20.01	1852452	20.62	
320-24442-2	WI-CV-1FB35-1216	541923	20.00	1552982	20.62	
320-24442-3	WI-CV-1RW36-1216	603664	20.00	1842118	20.62	

13PFOA = 13C2-PFOA

PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Sample No.: CCV 320-143415/34 Date Analyzed: 12/22/2016 15:54
 Instrument ID: A6 GC Column: Acquity ID: 2.1 (mm)
 Lab File ID (Standard): 19DEC2016A6A_159.d Heated Purge: (Y/N) N
 Calibration ID: 26888

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	773306	20.00	1768636	20.62		
UPPER LIMIT	1082628	20.50	2476090	21.12		
LOWER LIMIT	541314	19.50	1238045	20.12		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-24442-4	WI-CV-1FB36-1216	659462	20.00	1855839	20.61	
320-24442-5	WI-CV-1RW37-1216	575835	20.00	1881707	20.62	
320-24442-6	WI-CV-1FB37-1216	664655	20.00	1980820	20.62	

13PFOA = 13C2-PFOA
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Sample No.: CCV 320-143415/37 Date Analyzed: 12/22/2016 22:49
 Instrument ID: A6 GC Column: Acquity ID: 2.1 (mm)
 Lab File ID (Standard): 19DEC2016A6A_173.d Heated Purge: (Y/N) N
 Calibration ID: 26888

	13PFOA		PFOS		AREA #	RT #
	AREA #	RT #	AREA #	RT #		
12/24 HOUR STD	686789	20.01	1511069	20.62		
UPPER LIMIT	961505	20.51	2115497	21.12		
LOWER LIMIT	480752	19.51	1057748	20.12		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-24442-4	WI-CV-1FB36-1216	659462	20.00	1855839	20.61	
320-24442-5	WI-CV-1RW37-1216	575835	20.00	1881707	20.62	
320-24442-6	WI-CV-1FB37-1216	664655	20.00	1980820	20.62	

13PFOA = 13C2-PFOA
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1RW35-1216 Lab Sample ID: 320-24442-1
 Matrix: Water Lab File ID: 19DEC2016A6A_154.d
 Analysis Method: 537 Date Collected: 12/13/2016 09:10
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 254.9(mL) Date Analyzed: 12/22/2016 13:19
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 10(uL) GC Column: Acquity ID: 2.1(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143413 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.029	0.024	0.0092
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	100		70-130
STL00996	13C2 PFDA	92		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_154.d
 Lims ID: 320-24442-A-1-A
 Client ID: WI-CV-1RW35-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 13:19:52 ALS Bottle#: 9 Worklist Smp#: 29
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-1-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 14:50:42

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.602	17.589	0.013	1.000	1055	0.0233	0.9
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	720977	9.96	23335
* 5 13C2-PFOA	415.0 > 370.0	20.011	19.999	0.012		620647	10.0	15798
* 8 13C4 PFOS	503.0 > 80.0	20.619	20.608	0.011		1852452	28.7	48195
\$ 10 13C2 PFDA	515.0 > 470.0	21.418	21.409	0.009	1.000	501859	9.23	15833




TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_154.d
Injection Date: 22-Dec-2016 13:19:52 Instrument ID: A6
Lims ID: 320-24442-A-1-A Lab Sample ID: 320-24442-1
Client ID: WI-CV-1RW35-1216
Operator ID: CBW ALS Bottle#: 9 Worklist Smp#: 29
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537_A6 Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid (ND)



4 Perfluoroheptanoic acid (ND)

* 5 13C2-PFOA




6 Perfluorooctanoic acid (ND)




* 8 13C4 PFOS

7 Perfluorooctane sulfonic acid (ND)

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_154.d
 Lims ID: 320-24442-A-1-A
 Client ID: WI-CV-1RW35-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 13:19:52 ALS Bottle#: 9 Worklist Smp#: 29
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-1-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35°C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 14:50:42

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.96	99.58
\$ 10 13C2 PFDA	10.0	9.23	92.28

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1FB35-1216 Lab Sample ID: 320-24442-2
 Matrix: Water Lab File ID: 19DEC2016A6A_155.d
 Analysis Method: 537 Date Collected: 12/13/2016 09:11
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 260.8(mL) Date Analyzed: 12/22/2016 13:49
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 10(uL) GC Column: Acquity ID: 2.1(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143413 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.058	0.046	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.023	0.0090
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.13	0.11	0.046

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	95		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_155.d
 Lims ID: 320-24442-A-2-A
 Client ID: WI-CV-1FB35-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 13:49:26 ALS Bottle#: 10 Worklist Smp#: 30
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-2-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 14:51:00


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA	315.0 > 270.0	18.558	18.567	-0.009	1.000	609723	9.64	19963
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		541923	10.0	13895
* 8 13C4 PFOS	503.0 > 80.0	20.620	20.608	0.012		1552982	28.7	40154
\$ 10 13C2 PFDA	515.0 > 470.0	21.409	21.409	0.0	1.000	450936	9.50	14182


TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_155.d
Injection Date: 22-Dec-2016 13:49:26 Instrument ID: A6
Lims ID: 320-24442-A-2-A Lab Sample ID: 320-24442-2
Client ID: WI-CV-1FB35-1216
Operator ID: CBW ALS Bottle#: 10 Worklist Smp#: 30
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537_A6 Limit Group: LC 537 ICAL


1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA 3 Perfluorohexanesulfonic acid (ND)




4 Perfluoroheptanoic acid (ND) * 5 13C2-PFOA 6 Perfluorooctanoic acid (ND)



* 8 13C4 PFOS 7 Perfluorooctane sulfonic acid (ND) 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_155.d
 Lims ID: 320-24442-A-2-A
 Client ID: WI-CV-1FB35-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 13:49:26 ALS Bottle#: 10 Worklist Smp#: 30
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-2-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35°C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 14:51:00

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.64	96.45
\$ 10 13C2 PFDA	10.0	9.50	94.96

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1RW36-1216 Lab Sample ID: 320-24442-3
 Matrix: Water Lab File ID: 19DEC2016A6A_156.d
 Analysis Method: 537 Date Collected: 12/13/2016 09:24
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 249.2 (mL) Date Analyzed: 12/22/2016 14:19
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143413 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0095
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	99		70-130
STL00996	13C2 PFDA	92		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_156.d
 Lims ID: 320-24442-A-3-A
 Client ID: WI-CV-1RW36-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 14:19:01 ALS Bottle#: 11 Worklist Smp#: 31
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-3-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 14:51:20


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA	315.0 > 270.0	18.548	18.567	-0.019	1.000	695912	9.88	13155
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		603664	10.0	15456
* 8 13C4 PFOS	503.0 > 80.0	20.619	20.608	0.011		1842118	28.7	38096
\$ 10 13C2 PFDA	515.0 > 470.0	21.409	21.409	0.0	1.000	484855	9.17	15298


TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_156.d
Injection Date: 22-Dec-2016 14:19:01 Instrument ID: A6
Lims ID: 320-24442-A-3-A Lab Sample ID: 320-24442-3
Client ID: WI-CV-1RW36-1216
Operator ID: CBW ALS Bottle#: 11 Worklist Smp#: 31
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537_A6 Limit Group: LC 537 ICAL


1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA 3 Perfluorohexanesulfonic acid (ND)




4 Perfluoroheptanoic acid (ND) * 5 13C2-PFOA 6 Perfluorooctanoic acid (ND)



* 8 13C4 PFOS 7 Perfluorooctane sulfonic acid (ND) 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_156.d
 Lims ID: 320-24442-A-3-A
 Client ID: WI-CV-1RW36-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 14:19:01 ALS Bottle#: 11 Worklist Smp#: 31
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-3-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35°C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 14:51:20

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.88	98.82
\$ 10 13C2 PFDA	10.0	9.17	91.66

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1FB36-1216 Lab Sample ID: 320-24442-4
 Matrix: Water Lab File ID: 19DEC2016A6A_163.d
 Analysis Method: 537 Date Collected: 12/13/2016 09:25
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 278.9(mL) Date Analyzed: 12/22/2016 17:53
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 10(uL) GC Column: Acquity ID: 2.1(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143415 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.054	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.022	0.0084
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.099	U	0.13	0.099	0.043

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	95		70-130
STL00996	13C2 PFDA	102		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_163.d
 Lims ID: 320-24442-A-4-A
 Client ID: WI-CV-1FB36-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 17:53:07 ALS Bottle#: 12 Worklist Smp#: 32
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-4-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:30 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 23-Dec-2016 08:20:11


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA	315.0 > 270.0	18.539	18.557	-0.018	1.000	730829	9.50	24063
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		659462	10.0	16677
* 8 13C4 PFOS	503.0 > 80.0	20.608	20.619	-0.011		1855839	28.7	47982
\$ 10 13C2 PFDA	515.0 > 470.0	21.409	21.418	-0.009	1.000	589809	10.2	18651


TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_163.d
Injection Date: 22-Dec-2016 17:53:07 Instrument ID: A6
Lims ID: 320-24442-A-4-A Lab Sample ID: 320-24442-4
Client ID: WI-CV-1FB36-1216
Operator ID: CBW ALS Bottle#: 12 Worklist Smp#: 32
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537_A6 Limit Group: LC 537 ICAL


1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA 3 Perfluorohexanesulfonic acid (ND)




4 Perfluoroheptanoic acid (ND) * 5 13C2-PFOA 6 Perfluorooctanoic acid (ND)



* 8 13C4 PFOS 7 Perfluorooctane sulfonic acid (ND) 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_163.d
 Lims ID: 320-24442-A-4-A
 Client ID: WI-CV-1FB36-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 17:53:07 ALS Bottle#: 12 Worklist Smp#: 32
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-4-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35°C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:30 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 23-Dec-2016 08:20:11

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.50	95.00
\$ 10 13C2 PFDA	10.0	10.2	102.07

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1RW37-1216 Lab Sample ID: 320-24442-5
 Matrix: Water Lab File ID: 19DEC2016A6A_164.d
 Analysis Method: 537 Date Collected: 12/14/2016 09:14
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 255.7(mL) Date Analyzed: 12/22/2016 18:22
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 10(uL) GC Column: Acquity ID: 2.1(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143415 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.023	0.0092
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	113		70-130
STL00996	13C2 PFDA	115		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_164.d
 Lims ID: 320-24442-A-5-A
 Client ID: WI-CV-1RW37-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 18:22:43 ALS Bottle#: 13 Worklist Smp#: 33
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-5-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:30 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 23-Dec-2016 08:20:23


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA	315.0 > 270.0	18.558	18.557	0.001	1.000	759405	11.3	11044
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		575835	10.0	14670
* 8 13C4 PFOS	503.0 > 80.0	20.620	20.619	0.001		1881707	28.7	48694
\$ 10 13C2 PFDA	515.0 > 470.0	21.418	21.418	0.0	1.000	582568	11.5	18461


TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_164.d
Injection Date: 22-Dec-2016 18:22:43 Instrument ID: A6
Lims ID: 320-24442-A-5-A Lab Sample ID: 320-24442-5
Client ID: WI-CV-1RW37-1216
Operator ID: CBW ALS Bottle#: 13 Worklist Smp#: 33
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537_A6 Limit Group: LC 537 ICAL


1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA 3 Perfluorohexanesulfonic acid (ND)




4 Perfluoroheptanoic acid (ND) * 5 13C2-PFOA 6 Perfluorooctanoic acid (ND)



* 8 13C4 PFOS 7 Perfluorooctane sulfonic acid (ND) 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_164.d
 Lims ID: 320-24442-A-5-A
 Client ID: WI-CV-1RW37-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 18:22:43 ALS Bottle#: 13 Worklist Smp#: 33
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-5-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35°C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:30 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 23-Dec-2016 08:20:23

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	11.3	113.05
\$ 10 13C2 PFDA	10.0	11.5	115.45

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1FB37-1216 Lab Sample ID: 320-24442-6
 Matrix: Water Lab File ID: 19DEC2016A6A_165.d
 Analysis Method: 537 Date Collected: 12/14/2016 09:15
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 259.4 (mL) Date Analyzed: 12/22/2016 18:52
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143415 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.058	0.046	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.023	0.0091
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.13	0.11	0.046

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	97		70-130
STL00996	13C2 PFDA	99		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_165.d
 Lims ID: 320-24442-A-6-A
 Client ID: WI-CV-1FB37-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 18:52:20 ALS Bottle#: 14 Worklist Smp#: 36
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-6-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:30 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 23-Dec-2016 08:20:35


Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA	315.0 > 270.0	18.558	18.557	0.001	1.000	755289	9.74	24792
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		664655	10.0	16883
* 8 13C4 PFOS	503.0 > 80.0	20.619	20.619	0.0		1980820	28.7	34127
\$ 10 13C2 PFDA	515.0 > 470.0	21.418	21.418	0.0	1.000	577038	9.91	18178


TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_165.d
Injection Date: 22-Dec-2016 18:52:20 Instrument ID: A6
Lims ID: 320-24442-A-6-A Lab Sample ID: 320-24442-6
Client ID: WI-CV-1FB37-1216
Operator ID: CBW ALS Bottle#: 14 Worklist Smp#: 36
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537__A6 Limit Group: LC 537 ICAL


1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA 3 Perfluorohexanesulfonic acid (ND)




4 Perfluoroheptanoic acid (ND) * 5 13C2-PFOA 6 Perfluorooctanoic acid (ND)



* 8 13C4 PFOS 7 Perfluorooctane sulfonic acid (ND) 9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_165.d
 Lims ID: 320-24442-A-6-A
 Client ID: WI-CV-1FB37-1216
 Sample Type: Client
 Inject. Date: 22-Dec-2016 18:52:20 ALS Bottle#: 14 Worklist Smp#: 36
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: 320-24442-a-6-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:30 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 23-Dec-2016 08:20:35

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.74	97.41
\$ 10 13C2 PFDA	10.0	9.91	99.08

FORM VI
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1 Analy Batch No.: 140688

SDG No.: _____

Instrument ID: A6 GC Column: Acquity ID: 2.1 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 12/05/2016 17:26 Calibration End Date: 12/05/2016 19:54 Calibration ID: 26888

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	STD 320-140688/2	05DEC2016A6A_004.d
Level 2	STD 320-140688/3	05DEC2016A6A_005.d
Level 3	STD 320-140688/4	05DEC2016A6A_006.d
Level 4	STD 320-140688/5	05DEC2016A6A_007.d
Level 5	STD 320-140688/6	05DEC2016A6A_008.d
Level 6	STD 320-140688/7	05DEC2016A6A_009.d

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R ² OR COD	#	MIN R ² OR COD
	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
Perfluorobutanesulfonic acid (PFBS)	0.7247 0.6563	0.6525	0.7178	0.7256	0.7321	Ave		0.7015			5.2		30.0				
Perfluorohexanesulfonic acid	0.8344 0.8930	0.7757	0.9290	0.9478	1.0082	Ave		0.8980			9.3		30.0				
Perfluoroheptanoic acid	1.4137 1.1078	1.1891	1.2161	1.1975	1.1665	Ave		1.2151			8.6		30.0				
Perfluorooctanoic acid (PFOA)	0.9720 1.0610	0.9049	1.0674	1.1235	1.1136	Ave		1.0404			8.2		30.0				
Perfluorooctanesulfonic acid (PFOS)	0.8855 1.0951	0.9020	1.0711	1.0966	1.2136	Ave		1.0440			12.1		30.0				
Perfluorononanoic acid	0.9735 1.1655	0.9961	1.1929	1.2321	1.2453	Ave		1.1342			10.5		30.0				
13C2 PFHxA	1.0366 1.2091	1.0515	1.1929	1.2298	1.2791	Ave		1.1665			8.5		30.0				
13C2 PFDA	0.8084 0.9456	0.7439	0.8674	0.9054	0.9868	Ave		0.8763			10.2		30.0				

Note: The m1 coefficient is the same as Ave RRF for an Ave curve type.

FORM VI
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1 Analy Batch No.: 140688

SDG No.: _____

Instrument ID: A6 GC Column: Acquity ID: 2.1(mm) Heated Purge: (Y/N) N

Calibration Start Date: 12/05/2016 17:26 Calibration End Date: 12/05/2016 19:54 Calibration ID: 26888

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	STD 320-140688/2	05DEC2016A6A_004.d
Level 2	STD 320-140688/3	05DEC2016A6A_005.d
Level 3	STD 320-140688/4	05DEC2016A6A_006.d
Level 4	STD 320-140688/5	05DEC2016A6A_007.d
Level 5	STD 320-140688/6	05DEC2016A6A_008.d
Level 6	STD 320-140688/7	05DEC2016A6A_009.d

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (NG/ML)				
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5
Perfluorobutanesulfonic acid (PFBS)	PFOS	Ave	437563 7753569	1227165	2489398	4401661	6630132	8.76 178	22.9	45.1	90.9	135
Perfluorohexanesulfonic acid	PFOS	Ave	169827 3556638	491809	1086082	1938237	3077974	2.95 60.1	7.72	15.2	30.6	45.4
Perfluoroheptanoic acid	13PF OA	Ave	126557 2032288	324913	658044	1121930	1727957	0.994 20.2	2.60	5.12	10.3	15.3
Perfluorooctanoic acid (PFOA)	13PF OA	Ave	173304 3876381	492431	1150281	2096404	3285195	1.98 40.3	5.17	10.2	20.5	30.4
Perfluorooctanesulfonic acid (PFOS)	PFOS	Ave	238662 5775285	757269	1658139	2969550	4906017	3.91 79.6	10.2	20.1	40.6	60.1
Perfluorononanoic acid	13PF OA	Ave	168128 4124664	525061	1245341	2227031	3558831	1.92 39.0	5.01	9.87	19.9	29.5
13C2 PFHxA	13PF OA	Ave	933751 1095977	1106485	1261522	1117585	1240474	10.0 10.0	10.0	10.0	10.0	10.0
13C2 PFDA	13PF OA	Ave	728204 857144	782778	917302	822787	957025	10.0 10.0	10.0	10.0	10.0	10.0

Curve Type Legend:

Ave = Average ISTD

FORM VI
 LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
 READBACK PERCENT ERROR

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1 Analy Batch No.: 140688

SDG No.: _____

Instrument ID: A6 GC Column: Acquity ID: 2.1(mm) Heated Purge: (Y/N) N

Calibration Start Date: 12/05/2016 17:26 Calibration End Date: 12/05/2016 19:54 Calibration ID: 26888

Calibration Files:


LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	STD 320-140688/2	05DEC2016A6A_004.d
Level 2	STD 320-140688/3	05DEC2016A6A_005.d
Level 3	STD 320-140688/4	05DEC2016A6A_006.d
Level 4	STD 320-140688/5	05DEC2016A6A_007.d
Level 5	STD 320-140688/6	05DEC2016A6A_008.d
Level 6	STD 320-140688/7	05DEC2016A6A_009.d

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Perfluorobutanesulfonic acid (PFBS)	3.3	-7.0	2.3	3.4	4.4	-6.4	50	50	50	50	50	50
Perfluorohexanesulfonic acid	-7.1	-13.6	3.4	5.5	12.3	-0.6	50	50	50	50	50	50
Perfluoroheptanoic acid	16.3	-2.1	0.1	-1.5	-4.0	-8.8	50	50	50	50	50	50
Perfluorooctanoic acid (PFOA)	-6.6	-13.0	2.6	8.0	7.0	2.0	50	50	50	50	50	50
Perfluorooctanesulfonic acid (PFOS)	-15.2	-13.6	2.6	5.0	16.2	4.9	50	50	50	50	50	50
Perfluorononanoic acid	-14.2	-12.2	5.2	8.6	9.8	2.8	50	50	50	50	50	50
13C2 PFHxA	-11.1	-9.9	2.3	5.4	9.7	3.7	30	30	30	30	30	30
13C2 PFDA	-7.7	-15.1	-1.0	3.3	12.6	7.9	30	30	30	30	30	30

L4

05DEC2016A6A_007 Sm (Mn, 2x3)


1: MRM of 1 Channel ES-
299 > 80 (PFBS)
7.74e5
Area



L4

05DEC2016A6A_007 Sm (Mn, 2x3)

2: MRM of 1 Channel ES-
315 > 270 (13C2-PFHxA)
1.80e5
Area



TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_004.d
 Lims ID: STD L1
 Client ID:
 Sample Type: IC Calib Level: 1
 Inject. Date: 05-Dec-2016 17:26:03 ALS Bottle#: 1 Worklist Smp#: 2
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L1 L1
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 06-Dec-2016 16:35:34 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK024

First Level Reviewer: barnettj Date: 06-Dec-2016 10:00:02

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.576	17.581	-0.005	1.000	437563	9.05	466
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	933751	8.89	30467
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.332	19.342	-0.010	1.000	169827	2.74	4140
4 Perfluoroheptanoic acid	363.0 > 319.0	19.368	19.378	-0.010	1.000	126557	1.16	45.1 M
* 5 13C2-PFOA	415.0 > 370.0	20.047	20.047	0.0		900764	10.0	23392
6 Perfluorooctanoic acid	413.0 > 369.0	20.047	20.047	0.0	1.000	173304	1.85	35.0 M
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	238662	3.32	2941
* 8 13C4 PFOS	503.0 > 80.0	20.667	20.669	-0.002		1976615	28.7	40886
9 Perfluorononanoic acid	463.0 > 419.0	20.738	20.748	-0.010	1.000	168128	1.65	6043
\$ 10 13C2 PFDA	515.0 > 470.0	21.471	21.474	-0.003	1.000	728204	9.23	22953

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L1_00015

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_004.d

Injection Date: 05-Dec-2016 17:26:03

Instrument ID: A6

Lims ID: STD L1

Client ID:

Operator ID: CBW

ALS Bottle#: 1

Worklist Smp#: 2

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid (M)

* 5 13C2-PFOA




6 Perfluorooctanoic acid (M)




7 Perfluorooctane sulfonic acid

* 8 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_004.d
Injection Date: 05-Dec-2016 17:26:03 Instrument ID: A6
Lims ID: STD L1
Client ID:
Operator ID: CBW ALS Bottle#: 1 Worklist Smp#: 2
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537__A6 Limit Group: LC 537 ICAL
Column: Acquity BEH C18 (2.10 mm) Detector F3:M/RM

4 Perfluoroheptanoic acid, CAS: 375-85-9

Signal: 1


RT: 19.37
Area: 155591
Amount: 1.476072
Amount Units: ng/ml

Processing Integration Results



RT: 19.37
Area: 126557
Amount: 1.156251
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 06-Dec-2016 10:00:02
Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento


Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_004.d
Injection Date: 05-Dec-2016 17:26:03 Instrument ID: A6
Lims ID: STD L1
Client ID:
Operator ID: CBW ALS Bottle#: 1 Worklist Smp#: 2
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537__A6 Limit Group: LC 537 ICAL
Column: Acquity BEH C18 (2.10 mm) Detector F4:MRM

6 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


RT: 20.05
Area: 186490
Amount: 1.959453
Amount Units: ng/ml

Processing Integration Results



RT: 20.05
Area: 173304
Amount: 1.849212
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 06-Dec-2016 10:00:02
Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_005.d
 Lims ID: STD L2
 Client ID:
 Sample Type: IC Calib Level: 2
 Inject. Date: 05-Dec-2016 17:55:38 ALS Bottle#: 2 Worklist Smp#: 3
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L2 L2
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 06-Dec-2016 16:35:35 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK024

First Level Reviewer: barnettj Date: 06-Dec-2016 09:58:24

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.582	17.581	0.001	1.000	1227165	21.3	5055
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	1106485	9.01	35678
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.344	19.342	0.002	1.000	491809	6.67	11495
4 Perfluoroheptanoic acid	363.0 > 319.0	19.380	19.378	0.002	1.000	324913	2.54	155 M
* 5 13C2-PFOA	415.0 > 370.0	20.047	20.047	0.0		1052273	10.0	27645
6 Perfluorooctanoic acid	413.0 > 369.0	20.047	20.047	0.0	1.000	492431	4.50	100 M
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	757269	8.83	8449
* 8 13C4 PFOS	503.0 > 80.0	20.667	20.669	-0.002		2356620	28.7	30757
9 Perfluorononanoic acid	463.0 > 419.0	20.750	20.748	0.002	1.000	525061	4.40	13911
\$ 10 13C2 PFDA	515.0 > 470.0	21.480	21.474	0.006	1.000	782778	8.49	24678

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L2_00014

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_005.d

Injection Date: 05-Dec-2016 17:55:38

Instrument ID: A6

Lims ID: STD L2

Client ID:

Operator ID: CBW

ALS Bottle#: 2

Worklist Smp#: 3

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid (M)

* 5 13C2-PFOA




6 Perfluorooctanoic acid (M)




7 Perfluorooctane sulfonic acid

* 8 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_005.d
Injection Date: 05-Dec-2016 17:55:38 Instrument ID: A6
Lims ID: STD L2
Client ID:
Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 3
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537__A6 Limit Group: LC 537 ICAL
Column: Acquity BEH C18 (2.10 mm) Detector F3:M/RM

4 Perfluoroheptanoic acid, CAS: 375-85-9

Signal: 1


RT: 19.38
Area: 344811
Amount: 2.670013
Amount Units: ng/ml

Processing Integration Results



RT: 19.38
Area: 324913
Amount: 2.541065
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 06-Dec-2016 10:03:30
Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento


Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_005.d
Injection Date: 05-Dec-2016 17:55:38 Instrument ID: A6
Lims ID: STD L2
Client ID:
Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 3
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537__A6 Limit Group: LC 537 ICAL
Column: Acquity BEH C18 (2.10 mm) Detector F4:MRM

6 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


RT: 20.05
Area: 504990
Amount: 4.595586
Amount Units: ng/ml

Processing Integration Results



RT: 20.05
Area: 492431
Amount: 4.497863
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 06-Dec-2016 10:03:30
Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_006.d
 Lims ID: STD L3
 Client ID:
 Sample Type: IC Calib Level: 3
 Inject. Date: 05-Dec-2016 18:25:13 ALS Bottle#: 3 Worklist Smp#: 4
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L3 L3
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 06-Dec-2016 16:35:36 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK024

First Level Reviewer: barnettj Date: 06-Dec-2016 09:58:05

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.582	17.581	0.001	1.000	2489398	46.2	1804
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	1261522	10.2	40506
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.344	19.342	0.002	1.000	1086082	15.7	25400
4 Perfluoroheptanoic acid	363.0 > 319.0	19.380	19.378	0.002	1.000	658044	5.12	4774
* 5 13C2-PFOA	415.0 > 370.0	20.047	20.047	0.0		1057506	10.0	27287
6 Perfluorooctanoic acid	413.0 > 369.0	20.047	20.047	0.0	1.000	1150281	10.5	429
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	1658139	20.7	19019
* 8 13C4 PFOS	503.0 > 80.0	20.667	20.669	-0.002		2205243	28.7	57142
9 Perfluorononanoic acid	463.0 > 419.0	20.750	20.748	0.002	1.000	1245341	10.4	13210
\$ 10 13C2 PFDA	515.0 > 470.0	21.471	21.474	-0.003	1.000	917302	9.90	28753

Reagents:

LC537-L3_00016 Amount Added: 1.00 Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_006.d

Injection Date: 05-Dec-2016 18:25:13

Instrument ID: A6

Lims ID: STD L3

Client ID:

Operator ID: CBW

ALS Bottle#: 3

Worklist Smp#: 4

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




7 Perfluorooctane sulfonic acid

* 8 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_007.d
 Lims ID: STD L4
 Client ID:
 Sample Type: ICISAV Calib Level: 4
 Inject. Date: 05-Dec-2016 18:54:48 ALS Bottle#: 4 Worklist Smp#: 5
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L4 L4
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 06-Dec-2016 16:35:37 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK024

First Level Reviewer: barnettj Date: 06-Dec-2016 13:43:03

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.579	17.581	-0.002	1.000	4401661	94.0	2768
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	1117585	10.5	28676
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.344	19.342	0.002	1.000	1938237	32.3	25196
4 Perfluoroheptanoic acid	363.0 > 319.0	19.380	19.378	0.002	1.000	1121930	10.2	12796
* 5 13C2-PFOA	415.0 > 370.0	20.047	20.047	0.0		908727	10.0	23744
6 Perfluorooctanoic acid	413.0 > 369.0	20.047	20.047	0.0	1.000	2096404	22.2	516
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	2969550	42.6	9704
* 8 13C4 PFOS	503.0 > 80.0	20.667	20.669	-0.002		1914415	28.7	28032
9 Perfluorononanoic acid	463.0 > 419.0	20.750	20.748	0.002	1.000	2227031	21.6	23494
\$ 10 13C2 PFDA	515.0 > 470.0	21.471	21.474	-0.003	1.000	822787	10.3	25796

Reagents:

LC537-L4_00015 Amount Added: 1.00 Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_007.d

Injection Date: 05-Dec-2016 18:54:48

Instrument ID: A6

Lims ID: STD L4

Client ID:

Operator ID: CBW

ALS Bottle#: 4

Worklist Smp#: 5

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




7 Perfluorooctane sulfonic acid

* 8 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_008.d
 Lims ID: STD L5
 Client ID:
 Sample Type: IC Calib Level: 5
 Inject. Date: 05-Dec-2016 19:24:23 ALS Bottle#: 5 Worklist Smp#: 6
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L5 L5
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 06-Dec-2016 16:35:38 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK024

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.582	17.581	0.001	1.000	6630132	140.5	3208
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	1240474	11.0	39454
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.344	19.342	0.002	1.000	3077974	51.0	14553
4 Perfluoroheptanoic acid	363.0 > 319.0	19.380	19.378	0.002	1.000	1727957	14.7	6886
* 5 13C2-PFOA	415.0 > 370.0	20.047	20.047	0.0		969779	10.0	24964
6 Perfluorooctanoic acid	413.0 > 369.0	20.047	20.047	0.0	1.000	3285195	32.6	1114
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.620	20.619	0.001	1.000	4906017	69.9	10146
* 8 13C4 PFOS	503.0 > 80.0	20.679	20.669	0.010		1929192	28.7	32805
9 Perfluorononanoic acid	463.0 > 419.0	20.750	20.748	0.002	1.000	3558831	32.4	16307
\$ 10 13C2 PFDA	515.0 > 470.0	21.480	21.474	0.006	1.000	957025	11.3	30231

Reagents:

LC537-L5_00017 Amount Added: 1.00 Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_008.d

Injection Date: 05-Dec-2016 19:24:23

Instrument ID: A6

Lims ID: STD L5

Client ID:

Operator ID: CBW

ALS Bottle#: 5

Worklist Smp#: 6

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




7 Perfluorooctane sulfonic acid

* 8 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Lims ID: STD L6
 Client ID:
 Sample Type: IC Calib Level: 6
 Inject. Date: 05-Dec-2016 19:54:00 ALS Bottle#: 6 Worklist Smp#: 7
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: STD L6 L6
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 06-Dec-2016 16:35:39 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK024

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.582	17.581	0.001	1.000	7753569	166.9	8570
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	1095977	10.4	34796
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.344	19.342	0.002	1.000	3556638	59.8	31299
4 Perfluoroheptanoic acid	363.0 > 319.0	19.380	19.378	0.002	1.000	2032288	18.5	6367
* 5 13C2-PFOA	415.0 > 370.0	20.047	20.047	0.0		906416	10.0	23083
6 Perfluorooctanoic acid	413.0 > 369.0	20.047	20.047	0.0	1.000	3876381	41.1	917
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	5775285	83.5	12991
* 8 13C4 PFOS	503.0 > 80.0	20.667	20.669	-0.002		1899408	28.7	17628
9 Perfluorononanoic acid	463.0 > 419.0	20.750	20.748	0.002	1.000	4124664	40.1	17939
\$ 10 13C2 PFDA	515.0 > 470.0	21.471	21.474	-0.003	1.000	857144	10.8	26862

Reagents:

LC537-L6_00014 Amount Added: 1.00 Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d

Injection Date: 05-Dec-2016 19:54:00

Instrument ID: A6

Lims ID: STD L6

Client ID:

Operator ID: CBW

ALS Bottle#: 6

Worklist Smp#: 7

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




7 Perfluorooctane sulfonic acid

* 8 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Lab Sample ID: CCV 320-140688/9 Calibration Date: 12/05/2016 20:53
 Instrument ID: A6 Calib Start Date: 12/05/2016 17:26
 GC Column: Acquity ID: 2.10 (mm) Calib End Date: 12/05/2016 19:54
 Lab File ID: 05DEC2016A6A_011.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7015	0.6306		20.6	22.9	-10.1	50.0
Perfluorohexanesulfonic acid	Ave	0.8980	0.7822		6.72	7.72	-12.9	50.0
Perfluoroheptanoic acid	Ave	1.215	1.239		2.65	2.60	1.9	50.0
Perfluorooctanoic acid (PFOA)	Ave	1.040	0.9133		4.54	5.17	-12.2	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.044	0.8902		8.71	10.2	-14.7	50.0
Perfluorononanoic acid	Ave	1.134	1.093		4.83	5.01	-3.6	50.0
13C2 PFHxA	Ave	1.167	1.081		9.27	10.0	-7.3	30.0
13C2 PFDA	Ave	0.8763	0.8211		9.37	10.0	-6.3	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_011.d
 Lims ID: CCV L2
 Client ID:
 Sample Type: CCVL
 Inject. Date: 05-Dec-2016 20:53:12 ALS Bottle#: 2 Worklist Smp#: 9
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L2 CCV L2
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 06-Dec-2016 16:35:40 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK024

First Level Reviewer: barnettj Date: 06-Dec-2016 10:08:33

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.586	17.581	0.005	1.000	1186753	20.6	693
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	1108698	9.27	35970
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.344	19.342	0.002	1.000	496197	6.72	11535
4 Perfluoroheptanoic acid	363.0 > 319.0	19.380	19.378	0.002	1.000	329772	2.65	166 M
* 5 13C2-PFOA	415.0 > 370.0	20.047	20.047	0.0		1025187	10.0	21492
6 Perfluorooctanoic acid	413.0 > 369.0	20.047	20.047	0.0	1.000	484196	4.54	93.2 M
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	747766	8.71	8549
* 8 13C4 PFOS	503.0 > 80.0	20.667	20.669	-0.002		2358079	28.7	20478
9 Perfluorononanoic acid	463.0 > 419.0	20.750	20.748	0.002	1.000	561371	4.83	15032
\$ 10 13C2 PFDA	515.0 > 470.0	21.471	21.474	-0.003	1.000	841818	9.37	26813

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L2_00014

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_011.d

Injection Date: 05-Dec-2016 20:53:12

Instrument ID: A6

Lims ID: CCV L2

Client ID:

Operator ID: CBW

ALS Bottle#: 2

Worklist Smp#: 9

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537__A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid (M)

* 5 13C2-PFOA




6 Perfluorooctanoic acid (M)




7 Perfluorooctane sulfonic acid

* 8 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_011.d
Injection Date: 05-Dec-2016 20:53:12 Instrument ID: A6
Lims ID: CCV L2
Client ID:
Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 9
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537__A6 Limit Group: LC 537 ICAL
Column: Acquity BEH C18 (2.10 mm) Detector F3:M/RM

4 Perfluoroheptanoic acid, CAS: 375-85-9

Signal: 1


RT: 19.38
Area: 349162
Amount: 2.802857
Amount Units: ng/ml

Processing Integration Results



RT: 19.38
Area: 329772
Amount: 2.647206
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 06-Dec-2016 10:08:33
Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento


Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_011.d
Injection Date: 05-Dec-2016 20:53:12 Instrument ID: A6
Lims ID: CCV L2
Client ID:
Operator ID: CBW ALS Bottle#: 2 Worklist Smp#: 9
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537__A6 Limit Group: LC 537 ICAL
Column: Acquity BEH C18 (2.10 mm) Detector F4:MRM

6 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


RT: 20.05
Area: 520603
Amount: 4.880820
Amount Units: ng/ml

Processing Integration Results



RT: 20.05
Area: 484196
Amount: 4.539493
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 06-Dec-2016 10:08:33
Audit Action: Manually Integrated

Audit Reason: Split Peak

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Lab Sample ID: ICV 320-140688/11 Calibration Date: 12/05/2016 21:52
 Instrument ID: A6 Calib Start Date: 12/05/2016 17:26
 GC Column: Acquity ID: 2.10 (mm) Calib End Date: 12/05/2016 19:54
 Lab File ID: 05DEC2016A6A_013.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7015	0.5756		94.2	115	-18.0	30.0
Perfluorohexanesulfonic acid	Ave	0.8980	0.6976		20.6	26.5	-22.3	30.0
Perfluoroheptanoic acid	Ave	1.215	1.155		11.9	12.5	-4.9	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.040	0.9604		23.2	25.1	-7.7	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.044	0.8424		22.0	27.2	-19.3	30.0
Perfluorononanoic acid	Ave	1.134	0.9316		20.6	25.1	-17.9	30.0
13C2 PFHxA	Ave	1.167	1.079		9.25	10.0	-7.5	30.0
13C2 PFDA	Ave	0.8763	0.8628		9.85	10.0	-1.5	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_013.d
 Lims ID: ICV
 Client ID:
 Sample Type: ICV
 Inject. Date: 05-Dec-2016 21:52:24 ALS Bottle#: 7 Worklist Smp#: 11
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: ICV ICV
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist:

Method: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 06-Dec-2016 16:53:23 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK024

First Level Reviewer: barnettj Date: 06-Dec-2016 16:34:53

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.582	17.581	0.001	1.000	4641388	94.2	8629
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	946677	9.25	29673
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.344	19.342	0.002	1.000	1298107	20.6	29738
4 Perfluoroheptanoic acid	363.0 > 319.0	19.380	19.378	0.002	1.000	1267011	11.9	9991
* 5 13C2-PFOA	415.0 > 370.0	20.047	20.047	0.0		877210	10.0	22431
6 Perfluorooctanoic acid	413.0 > 369.0	20.047	20.047	0.0	1.000	2114272	23.2	647
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	1612191	22.0	13496
* 8 13C4 PFOS	503.0 > 80.0	20.667	20.669	-0.002		2015178	28.7	51574
9 Perfluorononanoic acid	463.0 > 419.0	20.750	20.748	0.002	1.000	2051048	20.6	7161
\$ 10 13C2 PFDA	515.0 > 470.0	21.480	21.474	0.006	1.000	756809	9.85	23714

Reagents:

LC537-ICV_00017 Amount Added: 1.00 Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_013.d

Injection Date: 05-Dec-2016 21:52:24

Instrument ID: A6

Lims ID: ICV

Client ID:

Operator ID: CBW

ALS Bottle#: 7

Worklist Smp#: 11

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




7 Perfluorooctane sulfonic acid

* 8 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Lab Sample ID: CCV 320-142884/3 Calibration Date: 12/19/2016 09:45
 Instrument ID: A6 Calib Start Date: 12/05/2016 17:26
 GC Column: Acquity ID: 2.10 (mm) Calib End Date: 12/05/2016 19:54
 Lab File ID: 19DEC2016A6A_003.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7015	0.6117		20.0	22.9	-12.8	50.0
Perfluorohexanesulfonic acid	Ave	0.8980	0.6980		6.00	7.72	-22.3	50.0
Perfluoroheptanoic acid	Ave	1.215	1.305		2.79	2.60	7.4	50.0
Perfluorooctanoic acid (PFOA)	Ave	1.040	0.9478		4.71	5.17	-8.9	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.044	0.8410		8.23	10.2	-19.4	50.0
Perfluorononanoic acid	Ave	1.134	1.022		4.51	5.01	-9.9	50.0
13C2 PFHxA	Ave	1.167	1.048		8.99	10.0	-10.1	30.0
13C2 PFDA	Ave	0.8763	0.8176		9.33	10.0	-6.7	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161219-37999.b\19DEC2016A6A_003.d
 Lims ID: CCV L2
 Client ID:
 Sample Type: CCVL
 Inject. Date: 19-Dec-2016 09:45:37 ALS Bottle#: 2 Worklist Smp#: 3
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L2 CCV L2
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161219-37999.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 19-Dec-2016 13:22:17 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK025

First Level Reviewer: westendorfc Date: 19-Dec-2016 11:23:20

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.586	17.586	0.0	1.000	701934	20.0	516
\$ 2 13C2 PFHxA	315.0 > 270.0	18.549	18.549	0.0	1.000	642432	8.99	21202
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.308	19.308	0.0	1.000	269978	6.00	6558
4 Perfluoroheptanoic acid	363.0 > 319.0	19.344	19.344	0.0	1.000	207650	2.79	752
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		612795	10.0	15691
6 Perfluorooctanoic acid	413.0 > 369.0	19.999	19.999	0.0	1.000	300363	4.71	247
* 8 13C4 PFOS	503.0 > 80.0	20.619	20.619	0.0		1437810	28.7	37350
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	430785	8.23	7306
9 Perfluorononanoic acid	463.0 > 419.0	20.691	20.691	0.0	1.000	313809	4.51	8317
\$ 10 13C2 PFDA	515.0 > 470.0	21.418	21.418	0.0	1.000	501037	9.33	15767

Reagents:

LC537-L2_00014 Amount Added: 1.00 Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161219-37999.b\19DEC2016A6A_003.d

Injection Date: 19-Dec-2016 09:45:37

Instrument ID: A6

Lims ID: CCV L2

Client ID:

Operator ID: CBW

ALS Bottle#: 2

Worklist Smp#: 3

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




* 8 13C4 PFOS

7 Perfluorooctane sulfonic acid

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Lab Sample ID: CCV 320-143413/22 Calibration Date: 12/22/2016 09:52
 Instrument ID: A6 Calib Start Date: 12/05/2016 17:26
 GC Column: Acquity ID: 2.10 (mm) Calib End Date: 12/05/2016 19:54
 Lab File ID: 19DEC2016A6A_147.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7015	0.7735		148	135	10.3	30.0
Perfluorohexanesulfonic acid	Ave	0.8980	1.083		54.7	45.4	20.6	30.0
Perfluoroheptanoic acid	Ave	1.215	1.273		16.0	15.3	4.7	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.040	1.054		30.8	30.4	1.3	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.044	1.258		72.4	60.1	20.5	30.0
Perfluorononanoic acid	Ave	1.134	1.190		30.9	29.5	5.0	30.0
13C2 PFHxA	Ave	1.167	1.289		11.1	10.0	10.5	30.0
13C2 PFDA	Ave	0.8763	0.9564		10.9	10.0	9.1	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_147.d
 Lims ID: CCV L5
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 22-Dec-2016 09:52:37 ALS Bottle#: 5 Worklist Smp#: 22
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L5 CCV L5
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 22-Dec-2016 13:16:24 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 13:15:50

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.589	17.589	0.0	1.000	5682964	148.5	3372
\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	994589	11.1	32229
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.308	19.308	0.0	1.000	2682129	54.7	59949
4 Perfluoroheptanoic acid	363.0 > 319.0	19.344	19.344	0.0	1.000	1499340	16.0	827
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		771348	10.0	19499
6 Perfluorooctanoic acid	413.0 > 369.0	19.999	19.999	0.0	1.000	2472785	30.8	1214
* 8 13C4 PFOS	503.0 > 80.0	20.608	20.608	0.0		1564962	28.7	22635
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	4126885	72.4	25095
9 Perfluorononanoic acid	463.0 > 419.0	20.690	20.690	0.0	1.000	2705915	30.9	16656
\$ 10 13C2 PFDA	515.0 > 470.0	21.409	21.409	0.0	1.000	737689	10.9	23069

Reagents:

LC537-L5_00017 Amount Added: 1.00 Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_147.d

Injection Date: 22-Dec-2016 09:52:37

Instrument ID: A6

Lims ID: CCV L5

Client ID:

Operator ID: CBW

ALS Bottle#: 5

Worklist Smp#: 22

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




* 8 13C4 PFOS

7 Perfluorooctane sulfonic acid

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Lab Sample ID: CCV 320-143413/34 Calibration Date: 12/22/2016 15:54
 Instrument ID: A6 Calib Start Date: 12/05/2016 17:26
 GC Column: Acquity ID: 2.10 (mm) Calib End Date: 12/05/2016 19:54
 Lab File ID: 19DEC2016A6A_159.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7015	0.7987		51.4	45.1	13.9	30.0
Perfluorohexanesulfonic acid	Ave	0.8980	0.9765		16.5	15.2	8.7	30.0
Perfluoroheptanoic acid	Ave	1.215	1.297		5.46	5.12	6.8	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.040	1.021		10.0	10.2	-1.9	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.044	1.115		21.5	20.1	6.8	30.0
Perfluorononanoic acid	Ave	1.134	1.301		11.3	9.87	14.7	30.0
13C2 PFHxA	Ave	1.167	1.193		10.2	10.0	2.3	30.0
13C2 PFDA	Ave	0.8763	0.9192		10.5	10.0	4.9	30.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Lab Sample ID: CCV 320-143415/34 Calibration Date: 12/22/2016 15:54
 Instrument ID: A6 Calib Start Date: 12/05/2016 17:26
 GC Column: Acquity ID: 2.10 (mm) Calib End Date: 12/05/2016 19:54
 Lab File ID: 19DEC2016A6A_159.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7015	0.7987		51.4	45.1	13.9	30.0
Perfluorohexanesulfonic acid	Ave	0.8980	0.9765		16.5	15.2	8.7	30.0
Perfluoroheptanoic acid	Ave	1.215	1.297		5.46	5.12	6.8	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.040	1.021		10.0	10.2	-1.9	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.044	1.115		21.5	20.1	6.8	30.0
Perfluorononanoic acid	Ave	1.134	1.301		11.3	9.87	14.7	30.0
13C2 PFHxA	Ave	1.167	1.193		10.2	10.0	2.3	30.0
13C2 PFDA	Ave	0.8763	0.9192		10.5	10.0	4.9	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_159.d
 Lims ID: CCV L3
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 22-Dec-2016 15:54:46 ALS Bottle#: 3 Worklist Smp#: 34
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L3 CCV L3
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 22-Dec-2016 16:54:06 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 16:50:16

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.589	17.589	0.0	1.000	2221484	51.4	586
\$ 2 13C2 PFHxA	315.0 > 270.0	18.557	18.557	0.0	1.000	922504	10.2	29811
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.320	19.320	0.0	1.000	915588	16.5	20825
4 Perfluoroheptanoic acid	363.0 > 319.0	19.356	19.356	0.0	1.000	513370	5.46	72.7 M
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		773306	10.0	19564
6 Perfluorooctanoic acid	413.0 > 369.0	19.999	19.999	0.0	1.000	804619	10.0	401
* 8 13C4 PFOS	503.0 > 80.0	20.619	20.619	0.0		1768636	28.7	45579
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	1384896	21.5	22451
9 Perfluorononanoic acid	463.0 > 419.0	20.690	20.690	0.0	1.000	993517	11.3	9472
\$ 10 13C2 PFDA	515.0 > 470.0	21.418	21.418	0.0	1.000	710850	10.5	22348

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L3_00016

Amount Added: 1.00

Units: mL

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_159.d
 Lims ID: CCV L3
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 22-Dec-2016 15:54:46 ALS Bottle#: 3 Worklist Smp#: 34
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L3 CCV L3
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 22-Dec-2016 16:54:06 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 16:50:16

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.589	17.589	0.0	1.000	2221484	51.4	586
\$ 2 13C2 PFHxA	315.0 > 270.0	18.557	18.557	0.0	1.000	922504	10.2	29811
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.320	19.320	0.0	1.000	915588	16.5	20825
4 Perfluoroheptanoic acid	363.0 > 319.0	19.356	19.356	0.0	1.000	513370	5.46	72.7 M
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		773306	10.0	19564
6 Perfluorooctanoic acid	413.0 > 369.0	19.999	19.999	0.0	1.000	804619	10.0	401
* 8 13C4 PFOS	503.0 > 80.0	20.619	20.619	0.0		1768636	28.7	45579
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	1384896	21.5	22451
9 Perfluorononanoic acid	463.0 > 419.0	20.690	20.690	0.0	1.000	993517	11.3	9472
\$ 10 13C2 PFDA	515.0 > 470.0	21.418	21.418	0.0	1.000	710850	10.5	22348

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L3_00016

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_159.d

Injection Date: 22-Dec-2016 15:54:46

Instrument ID: A6

Lims ID: CCV L3

Client ID:

Operator ID: CBW

ALS Bottle#: 3

Worklist Smp#: 34

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid (M)

* 5 13C2-PFOA




6 Perfluorooctanoic acid




* 8 13C4 PFOS

7 Perfluorooctane sulfonic acid

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_159.d

Injection Date: 22-Dec-2016 15:54:46

Instrument ID: A6

Lims ID: CCV L3

Client ID:

Operator ID: CBW

ALS Bottle#: 3

Worklist Smp#: 34

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid (M)

* 5 13C2-PFOA




6 Perfluorooctanoic acid




* 8 13C4 PFOS

7 Perfluorooctane sulfonic acid

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_159.d
Injection Date: 22-Dec-2016 15:54:46 Instrument ID: A6
Lims ID: CCV L3
Client ID:
Operator ID: CBW ALS Bottle#: 3 Worklist Smp#: 34
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537__A6 Limit Group: LC 537 ICAL
Column: Acquity BEH C18 (2.10 mm) Detector F3:MRM

4 Perfluoroheptanoic acid, CAS: 375-85-9

Signal: 1


RT: 19.36
Area: 586964
Amount: 6.246507
Amount Units: ng/ml

Processing Integration Results



RT: 19.36
Area: 513370
Amount: 5.463315
Amount Units: ng/ml

Manual Integration Results



Reviewer: westendorfc, 22-Dec-2016 16:50:16
Audit Action: Manually Integrated

Audit Reason: Split Peak

TestAmerica Sacramento


Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_159.d
Injection Date: 22-Dec-2016 15:54:46 Instrument ID: A6
Lims ID: CCV L3
Client ID:
Operator ID: CBW ALS Bottle#: 3 Worklist Smp#: 34
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: 537__A6 Limit Group: LC 537 ICAL
Column: Acquity BEH C18 (2.10 mm) Detector F3:MRM

4 Perfluoroheptanoic acid, CAS: 375-85-9

Signal: 1


RT: 19.36
Area: 586964
Amount: 6.246507
Amount Units: ng/ml

Processing Integration Results



RT: 19.36
Area: 513370
Amount: 5.463315
Amount Units: ng/ml

Manual Integration Results



Reviewer: westendorfc, 22-Dec-2016 16:50:16
Audit Action: Manually Integrated

Audit Reason: Split Peak

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Lab Sample ID: CCV 320-143415/37 Calibration Date: 12/22/2016 22:49
 Instrument ID: A6 Calib Start Date: 12/05/2016 17:26
 GC Column: Acquity ID: 2.10 (mm) Calib End Date: 12/05/2016 19:54
 Lab File ID: 19DEC2016A6A_173.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	Ave	0.7015	0.7598		146	135	8.3	30.0
Perfluorohexanesulfonic acid	Ave	0.8980	1.040		52.5	45.4	15.8	30.0
Perfluoroheptanoic acid	Ave	1.215	1.276		16.0	15.3	5.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	1.040	1.121		32.8	30.4	7.7	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.044	1.212		69.8	60.1	16.1	30.0
Perfluorononanoic acid	Ave	1.134	1.261		32.8	29.5	11.2	30.0
13C2 PFHxA	Ave	1.167	1.229		10.5	10.0	5.4	30.0
13C2 PFDA	Ave	0.8763	0.9725		11.1	10.0	11.0	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_173.d
 Lims ID: CCV L5
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 22-Dec-2016 22:49:07 ALS Bottle#: 5 Worklist Smp#: 37
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L5 CCV L5
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Sublist: chrom-537__A6*sub3
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 23-Dec-2016 08:23:30

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.582	17.582	0.0	1.000	5390004	145.8	1003
\$ 2 13C2 PFHxA	315.0 > 270.0	18.557	18.557	0.0	1.000	844227	10.5	27511
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.320	19.320	0.0	1.000	2486051	52.5	56113
4 Perfluoroheptanoic acid	363.0 > 319.0	19.356	19.356	0.0	1.000	1338545	16.0	745
* 5 13C2-PFOA	415.0 > 370.0	20.011	20.011	0.0		686789	10.0	17490
6 Perfluorooctanoic acid	413.0 > 369.0	20.011	20.011	0.0	1.000	2340930	32.8	927
* 8 13C4 PFOS	503.0 > 80.0	20.619	20.619	0.0		1511069	28.7	22116
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	3836733	69.8	16783
9 Perfluorononanoic acid	463.0 > 419.0	20.691	20.691	0.0	1.000	2552729	32.8	15629
\$ 10 13C2 PFDA	515.0 > 470.0	21.418	21.418	0.0	1.000	667917	11.1	20786

Reagents:

LC537-L5_00017 Amount Added: 1.00 Units: mL

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_173.d

Injection Date: 22-Dec-2016 22:49:07

Instrument ID: A6

Lims ID: CCV L5

Client ID:

Operator ID: CBW

ALS Bottle#: 5

Worklist Smp#: 37

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




* 8 13C4 PFOS

7 Perfluorooctane sulfonic acid

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: _____ Lab Sample ID: MB 320-142683/1-A
 Matrix: Water Lab File ID: 19DEC2016A6A_149.d
 Analysis Method: 537 Date Collected: _____
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 250 (mL) Date Analyzed: 12/22/2016 10:51
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143413 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	103		70-130
STL00996	13C2 PFDA	104		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_149.d
 Lims ID: MB 320-142683/1-A
 Client ID:
 Sample Type: MB
 Inject. Date: 22-Dec-2016 10:51:49 ALS Bottle#: 4 Worklist Smp#: 24
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: mb 320-142683/1-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 13:16:00

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
--------	----	--------	--------	--------	----------	--------------	-----	-------

\$ 2 13C2 PFHxA	315.0 > 270.0	18.567	18.567	0.0	1.000	838511	10.3	27307
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		695779	10.0	17609
6 Perfluorooctanoic acid	413.0 > 369.0	20.236	19.999	0.237	1.000	20557	0.2840	8.8
* 8 13C4 PFOS	503.0 > 80.0	20.619	20.608	0.011		2117564	28.7	21958
\$ 10 13C2 PFDA	515.0 > 470.0	21.418	21.409	0.009	1.000	632698	10.4	20038

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_149.d

Injection Date: 22-Dec-2016 10:51:49

Instrument ID: A6

Lims ID: MB 320-142683/1-A

Client ID:

Operator ID: CBW

ALS Bottle#: 4

Worklist Smp#: 24

Injection Vol: 10.0 ul




Dil. Factor: 1.0000

Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND) \$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid (ND)



4 Perfluoroheptanoic acid (ND)

* 5 13C2-PFOA




6 Perfluorooctanoic acid




* 8 13C4 PFOS

7 Perfluorooctane sulfonic acid (ND)

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_149.d
 Lims ID: MB 320-142683/1-A
 Client ID:
 Sample Type: MB
 Inject. Date: 22-Dec-2016 10:51:49 ALS Bottle#: 4 Worklist Smp#: 24
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: mb 320-142683/1-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35°C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

First Level Reviewer: westendorfc Date: 22-Dec-2016 13:16:00

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.3	103.31
\$ 10 13C2 PFDA	10.0	10.4	103.77

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: _____ Lab Sample ID: LCS 320-142683/2-A
 Matrix: Water Lab File ID: 19DEC2016A6A_150.d
 Analysis Method: 537 Date Collected: _____
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 250 (mL) Date Analyzed: 12/22/2016 11:21
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143413 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.149		0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.0740		0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.340		0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	111		70-130
STL00996	13C2 PFDA	113		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_150.d
 Lims ID: LCS 320-142683/2-A
 Client ID:
 Sample Type: LCS
 Inject. Date: 22-Dec-2016 11:21:24 ALS Bottle#: 5 Worklist Smp#: 25
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: lcs 320-142683/2-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.592	17.589	0.003	1.000	3709912	85.0	625
\$ 2 13C2 PFHxA	315.0 > 270.0	18.576	18.567	0.009	1.000	828770	11.1	26800
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.320	19.308	0.012	1.000	1596105	28.6	36096
4 Perfluoroheptanoic acid	363.0 > 319.0	19.356	19.356	0.0	1.000	861383	11.1	1067
* 5 13C2-PFOA	415.0 > 370.0	20.011	19.999	0.012		637524	10.0	2213
6 Perfluorooctanoic acid	413.0 > 369.0	20.011	19.999	0.012	1.000	1227656	18.5	715
* 8 13C4 PFOS	503.0 > 80.0	20.619	20.608	0.011		1783962	28.7	45586
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.619	20.619	0.0	1.000	2425614	37.4	30963
9 Perfluorononanoic acid	463.0 > 419.0	20.690	20.690	0.0	1.000	1424844	19.7	14998
\$ 10 13C2 PFDA	515.0 > 470.0	21.409	21.409	0.0	1.000	629545	11.3	19810

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_150.d

Injection Date: 22-Dec-2016 11:21:24

Instrument ID: A6

Lims ID: LCS 320-142683/2-A

Client ID:

Operator ID: CBW

ALS Bottle#: 5

Worklist Smp#: 25

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




* 8 13C4 PFOS

7 Perfluorooctane sulfonic acid

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_150.d
 Lims ID: LCS 320-142683/2-A
 Client ID:
 Sample Type: LCS
 Inject. Date: 22-Dec-2016 11:21:24 ALS Bottle#: 5 Worklist Smp#: 25
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: lcs 320-142683/2-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	11.1	111.44
\$ 10 13C2 PFDA	10.0	11.3	112.69

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: _____ Lab Sample ID: LCSD 320-142683/3-A
 Matrix: Water Lab File ID: 19DEC2016A6A_151.d
 Analysis Method: 537 Date Collected: _____
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 250 (mL) Date Analyzed: 12/22/2016 11:51
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143413 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.158		0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.0751		0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.352		0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	114		70-130
STL00996	13C2 PFDA	114		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_151.d
 Lims ID: LCSD 320-142683/3-A
 Client ID:
 Sample Type: LCSD
 Inject. Date: 22-Dec-2016 11:51:01 ALS Bottle#: 6 Worklist Smp#: 26
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: lcsd 320-142683/3-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	S/N	Flags
1 Perfluorobutanesulfonic acid	299.0 > 80.0	17.582	17.589	-0.007	1.000	3587874	88.1	583
\$ 2 13C2 PFHxA	315.0 > 270.0	18.558	18.567	-0.009	1.000	824912	11.4	26660
3 Perfluorohexanesulfonic acid	399.0 > 80.0	19.308	19.308	0.0	1.000	1580930	30.3	36487
4 Perfluoroheptanoic acid	363.0 > 319.0	19.344	19.356	-0.012	1.000	818112	10.9	698
* 5 13C2-PFOA	415.0 > 370.0	19.999	19.999	0.0		618882	10.0	15661
6 Perfluorooctanoic acid	413.0 > 369.0	19.999	19.999	0.0	1.000	1208477	18.8	659
* 8 13C4 PFOS	503.0 > 80.0	20.608	20.608	0.0		1665020	28.7	42852
7 Perfluorooctane sulfonic acid	499.0 > 80.0	20.608	20.619	-0.011	1.000	2392877	39.5	38037
9 Perfluorononanoic acid	463.0 > 419.0	20.690	20.690	0.0	1.000	1424407	20.3	13513
\$ 10 13C2 PFDA	515.0 > 470.0	21.409	21.409	0.0	1.000	620648	11.4	19788

TestAmerica Sacramento

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_151.d

Injection Date: 22-Dec-2016 11:51:01 Instrument ID: A6

Lims ID: LCSD 320-142683/3-A

Client ID:

Operator ID: CBW

ALS Bottle#: 6

Worklist Smp#: 26

Injection Vol: 10.0 ul

Dil. Factor: 1.0000




Method: 537_A6

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid



4 Perfluoroheptanoic acid

* 5 13C2-PFOA




6 Perfluorooctanoic acid




* 8 13C4 PFOS

7 Perfluorooctane sulfonic acid

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\19DEC2016A6A_151.d
 Lims ID: LCSD 320-142683/3-A
 Client ID:
 Sample Type: LCSD
 Inject. Date: 22-Dec-2016 11:51:01 ALS Bottle#: 6 Worklist Smp#: 26
 Injection Vol: 10.0 ul Dil. Factor: 1.0000
 Sample Info: lcsd 320-142683/3-a
 Misc. Info.: Acquity BEH 1.7um, 3X150mm T=35*C
 Operator ID: CBW Instrument ID: A6
 Method: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b\537__A6.m
 Limit Group: LC 537 ICAL
 Last Update: 23-Dec-2016 08:23:57 Calib Date: 05-Dec-2016 19:54:00
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A6\20161205-37524.b\05DEC2016A6A_009.d
 Column 1 : Acquity BEH C18 (2.10 mm) Det: F1:MRM
 Process Host: XAWRK034

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	11.4	114.26
\$ 10 13C2 PFDA	10.0	11.4	114.44

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Instrument ID: A6 Start Date: 12/05/2016 17:26

Analysis Batch Number: 140688 End Date: 12/06/2016 02:48

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
STD 320-140688/2 IC		12/05/2016 17:26	1	05DEC2016A6A_00 4.d	Acquity 2.1 (mm)
STD 320-140688/3 IC		12/05/2016 17:55	1	05DEC2016A6A_00 5.d	Acquity 2.1 (mm)
STD 320-140688/4 IC		12/05/2016 18:25	1	05DEC2016A6A_00 6.d	Acquity 2.1 (mm)
STD 320-140688/5 ICISAV		12/05/2016 18:54	1	05DEC2016A6A_00 7.d	Acquity 2.1 (mm)
STD 320-140688/6 IC		12/05/2016 19:24	1	05DEC2016A6A_00 8.d	Acquity 2.1 (mm)
STD 320-140688/7 IC		12/05/2016 19:54	1	05DEC2016A6A_00 9.d	Acquity 2.1 (mm)
ZZZZZ		12/05/2016 20:23	1		Acquity 2.1 (mm)
CCV 320-140688/9 CCVL		12/05/2016 20:53	1	05DEC2016A6A_01 1.d	Acquity 2.1 (mm)
ZZZZZ		12/05/2016 21:22	1		Acquity 2.1 (mm)
ICV 320-140688/11		12/05/2016 21:52	1	05DEC2016A6A_01 3.d	Acquity 2.1 (mm)
ZZZZZ		12/05/2016 22:22	1		Acquity 2.1 (mm)
ZZZZZ		12/05/2016 22:51	1		Acquity 2.1 (mm)
ZZZZZ		12/05/2016 23:21	1		Acquity 2.1 (mm)
ZZZZZ		12/05/2016 23:50	1		Acquity 2.1 (mm)
ZZZZZ		12/06/2016 00:20	1		Acquity 2.1 (mm)
ZZZZZ		12/06/2016 00:49	1		Acquity 2.1 (mm)
ZZZZZ		12/06/2016 01:19	1		Acquity 2.1 (mm)
ZZZZZ		12/06/2016 01:49	1		Acquity 2.1 (mm)
ZZZZZ		12/06/2016 02:18	1		Acquity 2.1 (mm)
CCV 320-140688/21 CCVIS		12/06/2016 02:48	1		Acquity 2.1 (mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Instrument ID: A6 Start Date: 12/19/2016 09:45

Analysis Batch Number: 142884 End Date: 12/19/2016 11:51

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-142884/3 CCVL		12/19/2016 09:45	1	19DEC2016A6A_00 3.d	Acquity 2.1(mm)
CCV 320-142884/4 CCVIS		12/19/2016 10:15	1		Acquity 2.1(mm)
ZZZZZ		12/19/2016 10:44	1		Acquity 2.1(mm)
CCV 320-142884/7 CCVIS		12/19/2016 11:51	1		Acquity 2.1(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Instrument ID: A6 Start Date: 12/22/2016 09:52

Analysis Batch Number: 143413 End Date: 12/22/2016 15:54

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-143413/22 CCVIS		12/22/2016 09:52	1	19DEC2016A6A_14 7.d	Acquity 2.1 (mm)
ZZZZZ		12/22/2016 10:22	1		Acquity 2.1 (mm)
MB 320-142683/1-A		12/22/2016 10:51	1	19DEC2016A6A_14 9.d	Acquity 2.1 (mm)
LCS 320-142683/2-A		12/22/2016 11:21	1	19DEC2016A6A_15 0.d	Acquity 2.1 (mm)
LCSD 320-142683/3-A		12/22/2016 11:51	1	19DEC2016A6A_15 1.d	Acquity 2.1 (mm)
ZZZZZ		12/22/2016 12:20	1		Acquity 2.1 (mm)
ZZZZZ		12/22/2016 12:50	1		Acquity 2.1 (mm)
320-24442-1		12/22/2016 13:19	1	19DEC2016A6A_15 4.d	Acquity 2.1 (mm)
320-24442-2		12/22/2016 13:49	1	19DEC2016A6A_15 5.d	Acquity 2.1 (mm)
320-24442-3		12/22/2016 14:19	1	19DEC2016A6A_15 6.d	Acquity 2.1 (mm)
CCV 320-143413/34 CCVIS		12/22/2016 15:54	1	19DEC2016A6A_15 9.d	Acquity 2.1 (mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Instrument ID: A6 Start Date: 12/22/2016 15:54

Analysis Batch Number: 143415 End Date: 12/22/2016 22:49

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-143415/34 CCVIS		12/22/2016 15:54	1	19DEC2016A6A_15 9.d	Acquity 2.1(mm)
ZZZZZ		12/22/2016 16:24	1		Acquity 2.1(mm)
ZZZZZ		12/22/2016 16:53	1		Acquity 2.1(mm)
ZZZZZ		12/22/2016 17:23	1		Acquity 2.1(mm)
320-24442-4		12/22/2016 17:53	1	19DEC2016A6A_16 3.d	Acquity 2.1(mm)
320-24442-5		12/22/2016 18:22	1	19DEC2016A6A_16 4.d	Acquity 2.1(mm)
320-24442-6		12/22/2016 18:52	1	19DEC2016A6A_16 5.d	Acquity 2.1(mm)
ZZZZZ		12/22/2016 19:21	1		Acquity 2.1(mm)
ZZZZZ		12/22/2016 19:51	1		Acquity 2.1(mm)
ZZZZZ		12/22/2016 20:21	1		Acquity 2.1(mm)
ZZZZZ		12/22/2016 20:50	1		Acquity 2.1(mm)
ZZZZZ		12/22/2016 21:20	1		Acquity 2.1(mm)
ZZZZZ		12/22/2016 21:49	1		Acquity 2.1(mm)
ZZZZZ		12/22/2016 22:19	1		Acquity 2.1(mm)
CCV 320-143415/37 CCVIS		12/22/2016 22:49	1	19DEC2016A6A_17 3.d	Acquity 2.1(mm)

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Batch Number: 142683 Batch Start Date: 12/17/16 13:06 Batch Analyst: Marchenko, Veronika P

Batch Method: 537 Batch End Date: 12/19/16 13:25

Lab Sample ID	Client Sample ID	Method Chain	Basis	GrossWeight	TareWeight	InitialAmount	FinalAmount	ReceivedpH	LC537-IS 00027
MB 320-142683/1		537, 537				250 mL	1.0 mL	7 SU	20 uL
LCS 320-142683/2		537, 537				250 mL	1.0 mL	7 SU	20 uL
LCSD 320-142683/3		537, 537				250 mL	1.0 mL	7 SU	20 uL
320-24442-A-1	WI-CV-1RW35-1216	537, 537	T	282.34 g	27.45 g	254.9 mL	1.0 mL	7 SU	20 uL
320-24442-A-2	WI-CV-1FB35-1216	537, 537	T	287.67 g	26.89 g	260.8 mL	1.0 mL	7 SU	20 uL
320-24442-A-3	WI-CV-1RW36-1216	537, 537	T	277.16 g	27.95 g	249.2 mL	1.0 mL	7 SU	20 uL
320-24442-A-4	WI-CV-1FB36-1216	537, 537	T	305.50 g	26.65 g	278.9 mL	1.0 mL	7 SU	20 uL
320-24442-A-5	WI-CV-1RW37-1216	537, 537	T	282.69 g	26.96 g	255.7 mL	1.0 mL	7 SU	20 uL
320-24442-A-6	WI-CV-1FB37-1216	537, 537	T	285.68 g	26.25 g	259.4 mL	1.0 mL	7 SU	20 uL

Lab Sample ID	Client Sample ID	Method Chain	Basis	IC537-MSP 00014	IC537-SU 00026	AnalysisComment			
MB 320-142683/1		537, 537			50 uL	Chlorine ND			
LCS 320-142683/2		537, 537		50 uL	50 uL	Chlorine ND			
LCSD 320-142683/3		537, 537		50 uL	50 uL	Chlorine ND			
320-24442-A-1	WI-CV-1RW35-1216	537, 537	T		50 uL	Chlorine ND			
320-24442-A-2	WI-CV-1FB35-1216	537, 537	T		50 uL	Chlorine ND			
320-24442-A-3	WI-CV-1RW36-1216	537, 537	T		50 uL	Chlorine ND			
320-24442-A-4	WI-CV-1FB36-1216	537, 537	T		50 uL	Chlorine ND			
320-24442-A-5	WI-CV-1RW37-1216	537, 537	T		50 uL	Chlorine ND			
320-24442-A-6	WI-CV-1FB37-1216	537, 537	T		50 uL	Chlorine ND			

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1

SDG No.: _____

Batch Number: 142683 Batch Start Date: 12/17/16 13:06

Batch Analyst: Marchenko, Veronika P

Batch Method: 537 Batch End Date: 12/19/16 13:25

Batch Notes	
Manifold ID	5
Methanol ID	807188
Pipette ID	MD05306
Analyst ID - IS Reagent Drop	VPM
Analyst ID - IS Reagent Drop Witness	CCB
Analyst ID - SU Reagent Drop	VPM
Analyst ID - SU Reagent Drop Witness	ERW
Analyst ID - TA Reagent Drop	VPM
Analyst ID - TA Reagent Drop Witness	ERW
SPE Cartridge ID	6341059-01
Trizma ID	SLBR4303V
Reagent Water ID	12/15/16

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Job No: 24441, 24442 Instrument ID & Date: A6 12/22/16 ICAL Batch: 140688
 Extraction Batch: 142683 Worklist #: 38111 TALS Batch: 143413, 143415

Review Items	-- Level 1 --			Level 2
	Yes	No	N/A	
Initial Calibration				
1. Is ICAL verified and locked in Chrom & TALS?	✓			✓
2. Is ICV properly linked in TALS?	✓			✓
Continuing Calibration				
1. Low-range CCV injected at start of analytical run? CCV injected after every 10 samples and at the end of the analytical run and alternated between Low-range, Mid-range and High-range?	✓			✓
2. If sequence was not after an ICAL was a low and mid range CCV injected at the start of the analytical run?	✓			✓
3. Native compounds and surrogates in control? Low-range within ±50% of true value Mid and High-range within ±30% of true value	✓			✓
4. Internal Standard areas in control? Areas ≥ 50% of average area of the ICAL and 70-140% of the most recent CCV.	✓			✓
Client Samples & QC Sample Results				
1. Were preparation and analysis done within holding times?	✓			✓
2. Are Chromatograms reviewed and spectra verified?	✓			✓
3. Are positive results within calibration range?	✓			✓
4. Dilutions due to target cpds? <u>0</u> Dilutions due to non-targets? <u>0</u>	✓			✓
5. All target compounds in MB < 1/3 RL ? (Requires NCM if "no.")	✓			✓
6. Are target constituents in LCS/LCSD within method control limits?	✓			✓
7. Internal Standard areas in control for all samples and QC reported? ±50% from the average area of the ICAL and 70-140% of the most recent CCV	✓			✓
8. Do results (e.g., dilutions/trip blanks) make sense?	✓			✓
9. Are MS/MSD recoveries and RPDs within method control limits?			✓	
10. Are all QC samples properly linked in TALS?	✓			✓
11. All manual integrations appropriate and completely documented?	✓			✓
12. Are nonconformances documented as NCMs?	✓			✓
13. Are all Chrom graphics uploaded?	✓			✓

1st Level Reviewer / Date: Coy [Signature] 12/23/16 2nd Level Reviewer / Date: Murray 12/23/2016

NCM # and Comments: _____

Instrument ID & Date: ^{AL6} 12-5-16 Worklist#: 37524

ICAL Batch: 140688, 140689 Calibration ID number: 26888, 26889

Review Items	-- Level 1 --			Level 2
	Yes	No	N/A	
Initial Calibration				
1. Mass calibration, as needed, verified by full scan of PFC stock standard. All PFC ions used for quantitation are within 0.3 m/z of true mass?	✓			✓
2. Responses increase with increasing concentration?	✓			✓
3. Fit used (circle): <u>Average</u> Linear (1/x ²) Linear Quadratic (6 points minimum)				
4. Meets fit criteria? Intercept ≤ ½ RL RSD ≤ 30% for Average R ² ≥ 0.990 for Linear R ² ≥ 0.990 for Quadratic NOTE: "Force through Zero" must be used and weighted if needed	✓			✓
5. If quadratic fit used the curve does not "bend over".			✓	
6. Feed calibration points into the calculated curve. Are points ≤MRL within ±50% of true value? Are points >MRL within ±30% of true value?	✓			✓
7. Any carryover from the high calibration point must be ≤ 1/3 RL	✓			✓
8. Asymmetry check meets criteria for the first two eluting peaks?.(0.8 - 1.5).	✓			✓
9. Is the asymmetry check scanned and linked in TALS to the calibration point?	✓			✓
10. Is ICV (2 nd source) ± 30% of true value?	✓			✓
11. Is ICV (2 nd source) internal standards ±50% of average area of the ICAL?	✓			✓
12. ICAL locked in Chrom and uploaded to TALS?	✓			✓
13. ICAL locked in TALS and scanned?				✓

1st Level Reviewer / Date: JRB 12-6-16

2nd Level Reviewer / Date: R. [Signature] 12/7/16

NCM # and Comments: _____

TestAmerica Laboratories
Worklist QC Batch Report

Worklist Name: 21DEC2016A_A6 537 Worklist Number: 38111
 Instrument Name: A6 Chrom Method: 537_A6
 Data Directory: \\ChromNA\Sacramento\ChromData\A6\20161221-38111.b
 QC Batching: Enabled Limit Group Batching: Enabled

QC Batch: 1	LC 537 ICAL Raw Batch: 143409	LC 537 CS ICAL Raw Batch: 143410
# 1 CCV L5	# 1 CCV L5	
# 2 RB	# 2 RB	
# 3 320-24313-A-1-A	# 3 320-24313-A-1-A	
# 4 320-24313-A-2-A	# 4 320-24313-A-2-A	
# 5 320-24313-A-3-A	# 5 320-24313-A-3-A	
# 6 320-24313-A-4-A	# 6 320-24313-A-4-A	
# 7 320-24313-A-5-A	# 7 320-24313-A-5-A	
# 8 MB 320-137363/1-A	# 8 MB 320-137363/1-A	
# 9 320-20510-A-7-B	# 9 320-20510-A-7-B	
#10 320-20510-A-8-B	#10 320-20510-A-8-B	
#11 CCV L3	#11 CCV L3	#11 CCV L3

QC Batch: 2	LC 537 ICAL Raw Batch: 143411	LC 537 CS ICAL Raw Batch: 143412
#11 CCV L3	#11 CCV L3	#11 CCV L3
#12 RB		#12 RB
#13 320-24143-A-1-A		#13 320-24143-A-1-A
#14 320-24143-A-2-A		#14 320-24143-A-2-A
#15 320-24143-A-3-A		#15 320-24143-A-3-A
#16 320-24156-A-4-A		#16 320-24156-A-4-A
#17 320-24156-A-5-A		#17 320-24156-A-5-A
#18 320-24156-A-6-A		#18 320-24156-A-6-A
#19 320-24156-A-7-A		#19 320-24156-A-7-A
#20 320-24156-A-8-A		#20 320-24156-A-8-A
#21 320-24156-A-9-A		#21 320-24156-A-9-A
#22 CCV L5	#22 CCV L5	#22 CCV L5

QC Batch: 3	LC 537 ICAL Raw Batch: 143413	LC 537 CS ICAL Raw Batch: 143414
#22 CCV L5	#22 CCV L5	#22 CCV L5
#23 RB	#23 RB	
#24 MB 320-142683/1-A	#24 MB 320-142683/1-A	
#25 LCS 320-142683/2-A	#25 LCS 320-142683/2-A	
#26 LCSD 320-142683/3-A	#26 LCSD 320-142683/3-A	
#27 320-24441-A-1-A	#27 320-24441-A-1-A	
#28 320-24441-A-2-A	#28 320-24441-A-2-A	
#29 320-24442-A-1-A	#29 320-24442-A-1-A	
#30 320-24442-A-2-A	#30 320-24442-A-2-A	
#31 320-24442-A-3-A	#31 320-24442-A-3-A	
#41 320-24156-A-2-B DU		#41 320-24156-A-2-B DU
#40 320-24156-A-14-A		#40 320-24156-A-14-A
#34 CCV L3	#34 CCV L3	#34 CCV L3

QC Batch: 4	LC 537 ICAL Raw Batch: 143415	LC 537 CS ICAL Raw Batch: 143611
#34 CCV L3	#34 CCV L3	#34 CCV L3
#35 RB	#35 RB	
#42 537 MSP QC	#42 537 MSP QC	
#43 537 HSP QC	#43 537 HSP QC	
#32 320-24442-A-4-A	#32 320-24442-A-4-A	

QC Batch: 4	LC 537 ICAL Raw Batch: 143415	LC 537 CS ICAL Raw Batch: 143611
#33 320-24442-A-5-A	#33 320-24442-A-5-A	
#36 320-24442-A-6-A	#36 320-24442-A-6-A	
#44 MB 320-142406/1-A	#44 MB 320-142406/1-A	
#45 LLCS 320-142406/2-A	#45 LLCS 320-142406/2-A	
#46 LLCSD 320-142406/3-A	#46 LLCSD 320-142406/3-A	
#47 320-24371-A-1-A	#47 320-24371-A-1-A	
#48 320-24371-A-2-A	#48 320-24371-A-2-A	
#49 320-24371-A-3-A	#49 320-24371-A-3-A	
#50 320-24371-A-4-A	#50 320-24371-A-4-A	
#37 CCV L5	#37 CCV L5	

QC Batch: 5	LC 537 ICAL Raw Batch: 143649
#37 CCV L5	#37 CCV L5
#38 RB	#38 RB
#51 320-24371-A-5-A	#51 320-24371-A-5-A
#52 320-24371-A-6-A	#52 320-24371-A-6-A
#53 320-24371-A-7-A	#53 320-24371-A-7-A
#54 320-24371-A-8-A	#54 320-24371-A-8-A
#55 320-24371-A-9-A	#55 320-24371-A-9-A
#56 320-24371-A-10-A	#56 320-24371-A-10-A
#57 320-24371-A-11-A	#57 320-24371-A-11-A
#58 320-24371-A-12-A	#58 320-24371-A-12-A
#59 320-24371-A-13-A	#59 320-24371-A-13-A
#78 CCV L5	#78 CCV L5

QC Batch: 6	LC 537 ICAL Raw Batch: 143650	LC 537 CS ICAL Raw Batch: 143651
#78 CCV L5	#78 CCV L5	
#79 RB	#79 RB	
#60 MB 320-142564/1-A	#60 MB 320-142564/1-A	
#61 LCS 320-142564/2-A	#61 LCS 320-142564/2-A	
#62 LCSD 320-142564/3-A	#62 LCSD 320-142564/3-A	
#63 320-24375-A-1-A	#63 320-24375-A-1-A	
#64 320-24375-A-2-A	#64 320-24375-A-2-A	
#65 320-24375-A-3-A	#65 320-24375-A-3-A	
#66 320-24375-A-4-A	#66 320-24375-A-4-A	
#67 320-24375-A-5-A	#67 320-24375-A-5-A	
#68 320-24375-A-6-A	#68 320-24375-A-6-A	
#69 320-24375-A-7-A	#69 320-24375-A-7-A	
#80 CCV L3	#80 CCV L3	#80 CCV L3

QC Batch: 7	LC 537 ICAL Raw Batch: 143652	LC 537 CS ICAL Raw Batch: 143653
#80 CCV L3	#80 CCV L3	#80 CCV L3
#81 RB	#81 RB	
#70 320-24375-A-8-A	#70 320-24375-A-8-A	
#71 320-24375-A-9-A	#71 320-24375-A-9-A	
#72 320-24375-A-10-A	#72 320-24375-A-10-A	
#73 320-24375-A-11-A	#73 320-24375-A-11-A	
#74 320-24375-A-12-A	#74 320-24375-A-12-A	
#75 320-24375-A-13-A	#75 320-24375-A-13-A	
#76 320-24375-B-14-A	#76 320-24375-B-14-A	
#77 320-24375-A-15-A	#77 320-24375-A-15-A	
#82 CCV L5	#82 CCV L5	

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-142683

Analyst: Marchenko, Veronika P

Batch Open: 12/17/2016 1:06:00PM











Method Code: 320-537_Prep-320

Batch End: 12/19/2016 1:25:00PM

Screened AU 12/20/16, no DL needed

Extraction of Perfluorinated Alkyl Acids

Due 12/27

Input Sample Lab ID (Analytical Method)	SDG (Job #)	GrossWt TareWt	InitAmnt FinAmnt	Rcvd	PHs Adj1 Adj2	Due Date	Analytical TAT	Div Rank	Comments	Output Sample Lab ID
1 MB-320-142683/1 N/A	N/A		250 mL	7		N/A	N/A	N/A	Chlorine ND	
			1.0 mL							
2 LCS-320-142683/2 N/A	N/A		250 mL	7		N/A	N/A	N/A	Chlorine ND	
			1.0 mL							
3 LCSD-320-142683/3 N/A	N/A		250 mL	7		N/A	N/A	N/A	Chlorine ND	
			1.0 mL							
4 320-24441-A-1 (537_DOD5)	N/A (320-24441-1)	292.14 g	266 mL	7		12/21/16	8_Day_Rush	4	Chlorine ND	
		26.16 g	1.0 mL							
5 320-24441-A-2 (537_DOD5)	N/A (320-24441-1)	278.10 g	251.3 mL	7		12/21/16	8_Day_Rush	4	Chlorine ND	
		26.81 g	1.0 mL							
6 320-24442-A-1 (537_DOD5)	N/A (320-24442-1)	282.34 g	254.9 mL	7		12/21/16	8_Day_Rush	4	Chlorine ND	
		27.45 g	1.0 mL							
7 320-24442-A-2 (537_DOD5)	N/A (320-24442-1)	287.67 g	260.8 mL	7		12/21/16	8_Day_Rush	4	Chlorine ND	
		26.89 g	1.0 mL							
8 320-24442-A-3 (537_DOD5)	N/A (320-24442-1)	277.16 g	249.2 mL	7		12/21/16	8_Day_Rush	4	Chlorine ND	
		27.95 g	1.0 mL							
9 320-24442-A-4 (537_DOD5)	N/A (320-24442-1)	305.50 g	278.9 mL	7		12/21/16	8_Day_Rush	4	Chlorine ND	
		26.65 g	1.0 mL							
10 320-24442-A-5 (537_DOD5)	N/A (320-24442-1)	282.69 g	255.7 mL	7		12/21/16	8_Day_Rush	4	Chlorine ND	
		26.96 g	1.0 mL							

Page 1 of 194
12/23/2016

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-142683

Analyst: Marchenko, Veronika P

Batch Open: 12/17/2016 1:06:00PM

Method Code: 320-537_Prep-320

Batch End: 12/19/2016 1:25:00PM

320-24442-A-6 (537_DOD5)	N/A (320-24442-1)	285.68 g	259.4 mL	7			12/21/16	8_Day_Rush	4	Chlorine ND
		26.25 g	1.0 mL							



Batch Notes

Manifold ID 5

Trizma ID SLBR4303V

SPE Cartridge ID 6341059-01

Methanol ID 807188

Reagent Water ID 12/15/16

Pipette ID MD05306

Analyst ID - TA Reagent Drop VPM

Analyst ID - TA Reagent Drop ERW

Witness

Analyst ID - SU Reagent Drop VPM

Analyst ID - SU Reagent Drop ERW

Witness

Analyst ID - IS Reagent Drop VPM

Analyst ID - IS Reagent Drop CCB

Witness

Batch Comment

Comments

11

Page 188 of 194

12/23/2016

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-142683

Analyst: Marchenko, Veronika P

Batch Open: 12/17/2016 1:06:00PM

Method Code: 320-537_Prep-320

Batch End:

Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
MB 320-142683/1	LC537-SU_00026	50 uL	1.0 mL	VPM 12/17/16	ERW 12/17/16
LCS 320-142683/2	LC537-MSP_00014	50 uL	1.0 mL	↓	↓
LCS 320-142683/2	LC537-SU_00026	50 uL	1.0 mL		
LCSD 320-142683/3	LC537-MSP_00014	50 uL	1.0 mL		
LCSD 320-142683/3	LC537-SU_00026	50 uL	1.0 mL		
320-24441-A-1	LC537-SU_00026	50 uL	1.0 mL		
320-24441-A-2	LC537-SU_00026	50 uL	1.0 mL		
320-24442-A-1	LC537-SU_00026	50 uL	1.0 mL		
320-24442-A-2	LC537-SU_00026	50 uL	1.0 mL		
320-24442-A-3	LC537-SU_00026	50 uL	1.0 mL		
320-24442-A-4	LC537-SU_00026	50 uL	1.0 mL		
320-24442-A-5	LC537-SU_00026	50 uL	1.0 mL		
320-24442-A-6	LC537-SU_00026	50 uL	1.0 mL		

Page 189 of 194

12/23/2016

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-142683

Analyst: Marchenko, Veronika P

Batch Open: 12/17/2016 1:06:00PM

Method Code: 320-537_Prep-320

Batch End:

Other Reagents:

Reagent

Amount/Units

Lot#:

Page 190 of 194

12/23/2016

Printed : 12/17/2016

Page 4 of 4

TestAmerica Sacramento

Preparation Batch Number(s): 142683 Test: 537-0005 Push
 Earliest Holding Time: 12/27/14

Sample List Tab		1 st Level Reviewer	2 nd Level Reviewer
Samples identified to the correct method		/	/
All necessary NCMs filed (including holding time)		/	/
Method/sample/login/QAS checked and correct		/	/
Worksheet Tab		1 st Level Reviewer	2 nd Level Reviewer
All samples properly preserved		/	/
Weights in anticipated range and not targeted		/	/
All additional test requirements performed, documented, and uploaded to TALS correctly (e.g. final amount, initial amount, turbidity, and CI Check)		/	/
The pH is transcribed correctly in TALS		/	/
All additional information transcribed into TALS is correct and raw data is attached		/	/
Comments are transcribed correctly in TALS		/	/
Reagents Tab		1 st Level Reviewer	2 nd Level Reviewer
All necessary reagents not expired and entered into TALS		/	/
All spike amounts correct and added to necessary samples and QC		/	/
Batch Information		1 st Level Reviewer	2 nd Level Reviewer
Date and time accurate and entered into TALS correctly		/	/
All necessary 'batch information' complete and entered into TALS correctly		/	/

1st Level Reviewer: NSH
 2nd Level Reviewer: JPM

Date: 12-19-16
 Date: 12/19/16

Comments: _____

Shipping and Receiving Documents

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Katie Tippin		Site Contact: Eric Epple		Date: 12/15/2016		COC No: 6	
Tiffany Hill		Tel/Fax: (757) 671-6258		Lab Contact: Laura Turpen		Carrier: FedEx		1 of 1 COCs	
Project Chemist		Analysis Turnaround Time		Filtered Sample (Y/N) Perform MS/MSD (Y/N) USEPA Method 537 (PFOA, PFOS, and PFBS)				Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.:	
1100 NE Circle Blvd Ste 300 Corvallis, OR 97330		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below <u>7</u> -Day							
(541) 768-3109		<input type="checkbox"/> 2 weeks							
(541) 908-3794		<input type="checkbox"/> 1 week							
Project Name: CTO-08		<input type="checkbox"/> 2 days							
Site: OLF Coupeville		<input type="checkbox"/> 1 day							
P O #: 100067106050 - 679580.09.FI.FS									
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	USEPA Method 537 (PFOA, PFOS, and PFBS)	Sample Specific Notes:
WI-CV-1RW35-1216	12/13/16	0910	G	DW	2	N	N	X	
WI-CV-1FB35-1216	12/13/16	0911	G	DW	2	N	N	X	
WI-CV-1RW36-1216	12/13/16	0924	G	DW	2	N	N	X	
WI-CV-1FB36-1216	12/13/16	0925	G	DW	2	N	N	X	
WI-CV-1RW37-1216	12/14/16	0914	G	DW	2	N	N	X	
WI-CV-1FB37-1216	12/14/16	0915	G	DW	2	N	N	X	
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)			
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.						<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months			
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown									
Special Instructions/QC Requirements & Comments:									
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temp. (°C): Obs'd: <u>24</u> Corr'd: <u>1.5</u>		Therm ID No.: <u>12</u>			
Relinquished by: <u>Eric Epple</u>		Company: CH2M		Date/Time: <u>12-15-16/1600</u>		Received by: <u>[Signature]</u>		Company: <u>JA-SAC</u>	
Relinquished by:		Company:		Date/Time:		Received by:		Date/Time: <u>12/16/16 10:05</u>	
Relinquished by:		Company:		Date/Time:		Received in Laboratory by:		Date/Time:	

Page 193 of 194



320-24442 Chain of Custody

Login Sample Receipt Checklist

Client: CH2M Hill Constructors, Inc.

Job Number: 320-24442-1

Login Number: 24442
List Number: 1
Creator: Nelson, Kym D

List Source: TestAmerica Sacramento

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	Percent_Lipid	Chem_Name	Analyte_ID	Analyte_Value	Original_Analyte_Value	Result_Units	Lab_Qualifier	Validator_Qualifier	GC_Column_Type	Analysis_Result_Type	Result_Narrative
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216		Perfluorooctane Sulfonate (PFOS)	1763-23-1		0.047	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216		Perfluorooctanoic acid (PFOA)	335-67-1		0.024	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216		Perfluorobutanesulfonic acid (PFBS)	375-73-5		0.11	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216		13C2 PFHXA	13C2 PFHXA		100	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216		13C2 PFDA	13C2 PFDA		92	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216		Perfluorooctane Sulfonate (PFOS)	1763-23-1		0.046	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216		Perfluorooctanoic acid (PFOA)	335-67-1		0.023	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216		Perfluorobutanesulfonic acid (PFBS)	375-73-5		0.11	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216		13C2 PFHXA	13C2 PFHXA		96	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216		13C2 PFDA	13C2 PFDA		95	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216		Perfluorooctane Sulfonate (PFOS)	1763-23-1		0.048	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216		Perfluorooctanoic acid (PFOA)	335-67-1		0.024	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216		Perfluorobutanesulfonic acid (PFBS)	375-73-5		0.11	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216		13C2 PFHXA	13C2 PFHXA		99	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216		13C2 PFDA	13C2 PFDA		92	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216		Perfluorooctane Sulfonate (PFOS)	1763-23-1		0.043	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216		Perfluorooctanoic acid (PFOA)	335-67-1		0.022	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216		Perfluorobutanesulfonic acid (PFBS)	375-73-5		0.099	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216		13C2 PFHXA	13C2 PFHXA		95	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216		13C2 PFDA	13C2 PFDA		102	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216		Perfluorooctane Sulfonate (PFOS)	1763-23-1		0.047	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216		Perfluorooctanoic acid (PFOA)	335-67-1		0.023	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216		Perfluorobutanesulfonic acid (PFBS)	375-73-5		0.11	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216		13C2 PFHXA	13C2 PFHXA		113	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216		13C2 PFDA	13C2 PFDA		115	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216		Perfluorooctane Sulfonate (PFOS)	1763-23-1		0.046	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216		Perfluorooctanoic acid (PFOA)	335-67-1		0.023	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216		Perfluorobutanesulfonic acid (PFBS)	375-73-5		0.11	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216		13C2 PFHXA	13C2 PFHXA		97	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216		13C2 PFDA	13C2 PFDA		99	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/2-A		Perfluorooctane Sulfonate (PFOS)	1763-23-1		93	PCT_REC			PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/2-A		Perfluorooctanoic acid (PFOA)	335-67-1		91	PCT_REC			PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/2-A		Perfluorobutanesulfonic acid (PFBS)	375-73-5		95	PCT_REC			PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/2-A		13C2 PFHXA	13C2 PFHXA		111	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/2-A		13C2 PFDA	13C2 PFDA		113	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCSD 320-142683/3-A		Perfluorooctane Sulfonate (PFOS)	1763-23-1		99	PCT_REC			PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCSD 320-142683/3-A		Perfluorooctanoic acid (PFOA)	335-67-1		93	PCT_REC			PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCSD 320-142683/3-A		Perfluorobutanesulfonic acid (PFBS)	375-73-5		98	PCT_REC			PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCSD 320-142683/3-A		13C2 PFHXA	13C2 PFHXA		114	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCSD 320-142683/3-A		13C2 PFDA	13C2 PFDA		114	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A		Perfluorooctane Sulfonate (PFOS)	1763-23-1		0.048	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A		Perfluorooctanoic acid (PFOA)	335-67-1		0.024	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A		Perfluorobutanesulfonic acid (PFBS)	375-73-5		0.11	UG_L	U		PR	TRG	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A		13C2 PFHXA	13C2 PFHXA		103	PCT_REC			PR	SURR	
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A		13C2 PFDA	13C2 PFDA		104	PCT_REC			PR	SURR	

Contract_ID	DO_CTO_Number	Phase	Installation_ID	Sample_Name	QC_Control_Limit_Code	QC_Accuracy_Upper	QC_Accuracy_Lower	Control_Limit_Date	QC_Narrative	MDL	Detection_Limit	QSM_Version	DL	LOD	LOQ	SDG	Analysis_Batch	Validator_Name	Val_Date
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216				00000000				5.0	0.015	0.047	0.059	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216				00000000				5.0	0.0092	0.024	0.029	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216				00000000				5.0	0.047	0.11	0.14	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW35-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216				00000000				5.0	0.015	0.046	0.058	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216				00000000				5.0	0.0090	0.023	0.029	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216				00000000				5.0	0.046	0.11	0.13	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB35-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216				00000000				5.0	0.016	0.048	0.060	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216				00000000				5.0	0.0095	0.024	0.030	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216				00000000				5.0	0.048	0.11	0.14	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW36-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216				00000000				5.0	0.014	0.043	0.054	320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216				00000000				5.0	0.0084	0.022	0.027	320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216				00000000				5.0	0.043	0.099	0.13	320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB36-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216				00000000				5.0	0.015	0.047	0.059	320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216				00000000				5.0	0.0092	0.023	0.029	320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216				00000000				5.0	0.047	0.11	0.14	320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1RW37-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216				00000000				5.0	0.015	0.046	0.058	320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216				00000000				5.0	0.0091	0.023	0.029	320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216				00000000				5.0	0.046	0.11	0.13	320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	WI-CV-1FB37-1216	SLSA	130	70	00000000				5.0				320-24442-1	320-143415		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/2-A	LSA	130	70	00000000				5.0	0.016	0.048	0.060	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/2-A	LSA	130	70	00000000				5.0	0.0094	0.024	0.030	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/2-A	LSA	130	70	00000000				5.0	0.048	0.11	0.14	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/2-A	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/3-A	LSP	130	70	00000000				5.0	0.016	0.048	0.060	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/3-A	LSP	130	70	00000000				5.0	0.0094	0.024	0.030	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/3-A	LSP	130	70	00000000				5.0	0.048	0.11	0.14	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/3-A	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	LCS 320-142683/3-A	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A				00000000				5.0	0.016	0.048	0.060	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A				00000000				5.0	0.0094	0.024	0.030	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A				00000000				5.0	0.048	0.11	0.14	320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		
N6247016D9000	0008		WHIDBEY_ISLAND_NAS	MB 320-142683/1-A	SLSA	130	70	00000000				5.0				320-24442-1	320-143413		

**DATA VALIDATION SUMMARY REPORT
WHIDBEY ISLAND, WASHINGTON**

Client: CH2M HILL, Inc., Corvallis, Oregon
SDG: 320-24442-1
Laboratory: Test America, Sacramento, California
Site: Whidbey Island, CTO-0008, Washington
Date: January 5, 2017

PFCs			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	WI-CV-1RW35-1216	320-24442-1	Water
2	WI-CV-1FB35-1216	320-24442-2	Water
3	WI-CV-1RW36-1216	320-24442-3	Water
4	WI-CV-1FB36-1216	320-24442-4	Water
5	WI-CV-1RW37-1216	320-24442-5	Water
6	WI-CV-1FB37-1216	320-24442-6	Water

A full data validation was performed on the analytical data for three water samples and three aqueous field blank samples collected on December 13-14, 2016 by CH2M HILL at the Whidbey Island site in Washington. The samples were analyzed under the EPA Method "Determination of Selected Perfluorinated Alkyl Acids in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS)".

Specific method references are as follows:

Analysis
PFCs

Method References
USEPA Method 537 Rev 1.1 Modified

The data have been validated according to the protocols and quality control (QC) requirements of the analytical method, and the U.S. Department of Defense (DoD) Quality Systems Manual (QSM), Version 5.0 (DoD 2013) and the USEPA National Functional Guidelines for Organic Data Review as follows:

- The USEPA "Contract Laboratories Program National Functional Guidelines for Superfund Organic Methods Data Review," August 2014;
- and the reviewer's professional judgment.

The following data quality indicators were reviewed for this report:

Organics

- Date Completeness, Case Narrative & Custody Documentation

- Holding times
- Gas Chromatography/Mass Spectrometry (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field QC blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) recoveries
- Internal standard area and retention time summary forms
- Target Compound Identification
- Compound Quantitation
- Field Duplicate sample precision

A full (Level IV) data validation was performed with this review including a recalculation of 10% of the detected results in the samples.

Data Usability Assessment

There were no rejections of data.

Overall the data is acceptable for the intended purposes. There were no qualifications.

Perfluorinated Compounds (PFCs)

Data Completeness, Case Narrative & Custody Documentation

- The case narrative and chain-of-custody documentation were included in the data package as required. All criteria were met.

Holding Times

- All samples were extracted within 14 days for water samples and analyzed within 28 days.

GC/MS Tuning

- All criteria were met.

Initial Calibration

- All relative standard deviation (%RSD) and/or correlation coefficients criteria were met.

Continuing Calibration

- All percent difference (%D) and RRF criteria were met.

Method Blank

- The method blanks were free of contamination.

Field QC Blank

- The field blank samples were free of contamination.

Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate %R values.

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- A MS/MSD sample was not collected.

Laboratory Control Samples/Laboratory Control Sample Duplicates

- The LCS/LCSD samples exhibited acceptable percent recoveries (%R) and RPD values.

Internal Standard (IS) Area Performance

- All internal standards met response and retention time (RT) criteria.

Target Compound Identification

- All mass spectra and quantitation criteria were met.


Compound Quantitation

- All criteria were met.

Field Duplicate Sample Precision

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed: 
Nancy Weaver
Senior Chemist

Dated: 1/6/17

Data Qualifier	Definition
U	The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.
J	The analyte is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
NJ	The analysis has been "tentatively identified" or "presumptively" as present and the associated numerical value is the estimated concentration in the samples.
UJ	The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the samples.

1

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1RW35-1216 Lab Sample ID: 320-24442-1
 Matrix: Water Lab File ID: 19DEC2016A6A_154.d
 Analysis Method: 537 Date Collected: 12/13/2016 09:10
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 254.9(mL) Date Analyzed: 12/22/2016 13:19
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 10(uL) GC Column: Acquity ID: 2.1(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143413 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.029	0.024	0.0092
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	100		70-130
STL00996	13C2 PFDA	92		70-130

2

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1FB35-1216 Lab Sample ID: 320-24442-2
 Matrix: Water Lab File ID: 19DEC2016A6A_155.d
 Analysis Method: 537 Date Collected: 12/13/2016 09:11
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 260.8(mL) Date Analyzed: 12/22/2016 13:49
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 10(uL) GC Column: Acquity ID: 2.1(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143413 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.058	0.046	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.023	0.0090
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.13	0.11	0.046

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	96		70-130
STL00996	13C2 PFDA	95		70-130

NW 11/5/17

3

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1RW36-1216 Lab Sample ID: 320-24442-3
 Matrix: Water Lab File ID: 19DEC2016A6A_156.d
 Analysis Method: 537 Date Collected: 12/13/2016 09:24
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 249.2(mL) Date Analyzed: 12/22/2016 14:19
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 10(uL) GC Column: Acquity ID: 2.1(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143413 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0095
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	99		70-130
STL00996	13C2 PFDA	92		70-130

MW 1/5/17

4

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1FB36-1216 Lab Sample ID: 320-24442-4
 Matrix: Water Lab File ID: 19DEC2016A6A_163.d
 Analysis Method: 537 Date Collected: 12/13/2016 09:25
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 278.9(mL) Date Analyzed: 12/22/2016 17:53
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 10(uL) GC Column: Acquity ID: 2.1(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143415 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.043	U	0.054	0.043	0.014
335-67-1	Perfluorooctanoic acid (PFOA)	0.022	U	0.027	0.022	0.0084
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.099	U	0.13	0.099	0.043

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	95		70-130
STL00996	13C2 PFDA	102		70-130

NW 1/5/17

5

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1RW37-1216 Lab Sample ID: 320-24442-5
 Matrix: Water Lab File ID: 19DEC2016A6A_164.d
 Analysis Method: 537 Date Collected: 12/14/2016 09:14
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 255.7(mL) Date Analyzed: 12/22/2016 18:22
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 10(uL) GC Column: Acquity ID: 2.1(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143415 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.023	0.0092
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	113		70-130
STL00996	13C2 PFDA	115		70-130

NW 11/5/17

6


FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-24442-1
 SDG No.: _____
 Client Sample ID: WI-CV-1FB37-1216 Lab Sample ID: 320-24442-6
 Matrix: Water Lab File ID: 19DEC2016A6A_165.d
 Analysis Method: 537 Date Collected: 12/14/2016 09:15
 Extraction Method: 537 Date Extracted: 12/17/2016 13:06
 Sample wt/vol: 259.4 (mL) Date Analyzed: 12/22/2016 18:52
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 10 (uL) GC Column: Acquity ID: 2.1 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 143415 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.046	U	0.058	0.046	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.023	U	0.029	0.023	0.0091
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.13	0.11	0.046

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	97		70-130
STL00996	13C2 PFDA	99		70-130

NW 1/5/17



NUMBER OF SAMPLES COLLECTED: 32
 NO DETECTIONS: 31
 DETECTIONS LESS THAN LHA: 1
 DETECTIONS GREATER THAN LHA: 0

NUMBER OF SAMPLES COLLECTED: 30
 NO DETECTIONS: 30
 DETECTIONS LESS THAN LHA: 0
 DETECTIONS GREATER THAN LHA: 0

NUMBER OF SAMPLES COLLECTED: 39
 NO DETECTIONS: 31
 DETECTIONS LESS THAN LHA: 1
 DETECTIONS GREATER THAN LHA: 7

NUMBER OF SAMPLES COLLECTED: 9
 NO DETECTIONS: 9
 DETECTIONS LESS THAN LHA: 0
 DETECTIONS GREATER THAN LHA: 0

Legend

- Direction of Middle Zone Groundwater Flow
- Direction of Deep Zone Groundwater Flow
- Municipal Well
- Base Supply Well
- Fort Casey Well Field
- 1-mile zone
- Phase 1 Sampling Area
- Phase 2 Sampling Area
- Half-mile Step-out Downgradient

Base Boundary

Note:
 One parcel outside the Phase 1 and Phase 2 sampling areas was sampled, and PFOA and PFOS were detected less than the LHA. This sample is not included in the sample counts shown on the figure.




Figure 2
 Results for Drinking Water Well Sampling
 Outlying Landing Field Coupeville
 Coupeville, Washington

For Official Use Only