



**Off-Base Drinking Water Sample Results,
Level 2 Laboratory Report, Level 4 Laboratory Report,
Electronic Data Deliverable, Data Validation Report,
and the Sample Location Figure, SDG J25352-1**

*Naval Air Station Whidbey Island
Oak Harbor, Washington*

June 2019

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Sacramento

880 Riverside Parkway

West Sacramento, CA 95605

Tel: (916)373-5600

TestAmerica Job ID: 320-25352-1

Client Project/Site: Whidbey Island


For:

CH2M Hill Constructors, Inc.

1100 NE Circle Blvd

Corvallis, Oregon 97330

Attn: Tiffany Hill



Authorized for release by:

2/2/2017 10:52:20 AM

Laura Turpen, Project Manager I

(916)374-4414

laura.turpen@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	7
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	12
Lab Chronicle	13
Certification Summary	15
Method Summary	16
Sample Summary	17
Chain of Custody	18
Receipt Checklists	19



Definitions/Glossary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.
M	Manual integrated compound.
J	Estimated: The analyte was positively identified; the quantitation is an estimation

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Job ID: 320-25352-1

Laboratory: TestAmerica Sacramento

Narrative

CASE NARRATIVE

Client: CH2M Hill Constructors, Inc.

Project: Whidbey Island

Report Number: 320-25352-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Sacramento attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

TestAmerica utilizes USEPA approved methods and DOD QSM, where applicable, in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. A summary of QC data for these analyses is included at the back of the report.

All parameters for which TestAmerica Sacramento has certification were evaluated to the QSM specified reporting convention or to the client specified format if different from QSM. Parameters not certified under QSM, if any, were evaluated to the detection limit (DL) and include qualified results where applicable.

The sample(s) that contain constituents flagged with U are undetected. The result associated with this flag is the limit of detection (LOD).

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 01/28/2017; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 1.1 C.

PFOA/PFOS

Samples WI -CV-1RW68-0117 (320-25352-1), WI -CV-1FB68-0117 (320-25352-2), WI -CV-1RW69-0117 (320-25352-3), WI -CV-1FB69-0117 (320-25352-4), WI -CV-1RW70-0117 (320-25352-5), WI -CV-1FB70-0117 (320-25352-6), WI -CV-1RW71-0117 (320-25352-7) and WI -CV-1FB71-0117 (320-25352-8) were analyzed for PFOA/PFOS in accordance with 537. The samples were prepared on 01/30/2017 and analyzed on 01/31/2017.

The first level standard from the initial calibration curve is used to evaluate the tune criteria. The instrument mass windows are set at +/- 0.5amu; therefore, detection of the analyte serves as verification that the assigned mass is within +/- 0.5amu of the true value, which meets the DoD/DOE QSM tune criterion.

Case Narrative

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Job ID: 320-25352-1 (Continued)

Laboratory: TestAmerica Sacramento (Continued)

The following sample was decanted prior to extraction because of having some sort of black material in the sample, which could potentially clog the column.

WI -CV-1RW71-0117 (320-25352-7)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW68-0117

Lab Sample ID: 320-25352-1

☐ No Detections.

Client Sample ID: WI -CV-1FB68-0117

Lab Sample ID: 320-25352-2

☐ No Detections.

Client Sample ID: WI -CV-1RW69-0117

Lab Sample ID: 320-25352-3

☐ No Detections.

Client Sample ID: WI -CV-1FB69-0117

Lab Sample ID: 320-25352-4

☐ No Detections.

Client Sample ID: WI -CV-1RW70-0117

Lab Sample ID: 320-25352-5

☐ No Detections.

Client Sample ID: WI -CV-1FB70-0117

Lab Sample ID: 320-25352-6

☐ No Detections.

Client Sample ID: WI -CV-1RW71-0117

Lab Sample ID: 320-25352-7

☐ No Detections.

Client Sample ID: WI -CV-1FB71-0117

Lab Sample ID: 320-25352-8

☐ No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW68-0117

Date Collected: 01/25/17 09:11

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-1

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.052	U	0.065	0.017	ug/L	—	01/30/17 14:07	01/31/17 18:51	1
Perfluorooctanoic acid (PFOA)	0.026	U	0.033	0.010	ug/L	—	01/30/17 14:07	01/31/17 18:51	1
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.052	ug/L	—	01/30/17 14:07	01/31/17 18:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	88		70 - 130				01/30/17 14:07	01/31/17 18:51	1
13C2 PFDA	106		70 - 130				01/30/17 14:07	01/31/17 18:51	1

Client Sample ID: WI -CV-1FB68-0117

Date Collected: 01/25/17 09:12

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-2

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.047	U M	0.059	0.015	ug/L	—	01/30/17 14:07	01/31/17 18:55	1
Perfluorooctanoic acid (PFOA)	0.024	U M	0.030	0.0093	ug/L	—	01/30/17 14:07	01/31/17 18:55	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U M	0.14	0.047	ug/L	—	01/30/17 14:07	01/31/17 18:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	100		70 - 130				01/30/17 14:07	01/31/17 18:55	1
13C2 PFDA	112		70 - 130				01/30/17 14:07	01/31/17 18:55	1

Client Sample ID: WI -CV-1RW69-0117

Date Collected: 01/26/17 11:29

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-3

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.049	U M	0.062	0.016	ug/L	—	01/30/17 14:07	01/31/17 19:00	1
Perfluorooctanoic acid (PFOA)	0.025	U	0.031	0.0097	ug/L	—	01/30/17 14:07	01/31/17 19:00	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.049	ug/L	—	01/30/17 14:07	01/31/17 19:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	93		70 - 130				01/30/17 14:07	01/31/17 19:00	1
13C2 PFDA	92		70 - 130				01/30/17 14:07	01/31/17 19:00	1

Client Sample ID: WI -CV-1FB69-0117

Date Collected: 01/26/17 11:30

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-4

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.015	ug/L	—	01/30/17 14:07	01/31/17 19:04	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.029	0.0092	ug/L	—	01/30/17 14:07	01/31/17 19:04	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L	—	01/30/17 14:07	01/31/17 19:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	94		70 - 130				01/30/17 14:07	01/31/17 19:04	1
13C2 PFDA	115		70 - 130				01/30/17 14:07	01/31/17 19:04	1

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW70-0117

Date Collected: 01/27/17 09:03

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-5

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.050	U M	0.063	0.016	ug/L	—	01/30/17 14:07	01/31/17 19:09	1
Perfluorooctanoic acid (PFOA)	0.025	U	0.032	0.0099	ug/L	—	01/30/17 14:07	01/31/17 19:09	1
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.050	ug/L	—	01/30/17 14:07	01/31/17 19:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	108		70 - 130				01/30/17 14:07	01/31/17 19:09	1
13C2 PFDA	119		70 - 130				01/30/17 14:07	01/31/17 19:09	1

Client Sample ID: WI -CV-1FB70-0117

Date Collected: 01/27/17 09:04

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-6

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.059	0.015	ug/L	—	01/30/17 14:07	01/31/17 19:31	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0093	ug/L	—	01/30/17 14:07	01/31/17 19:31	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L	—	01/30/17 14:07	01/31/17 19:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	94		70 - 130				01/30/17 14:07	01/31/17 19:31	1
13C2 PFDA	105		70 - 130				01/30/17 14:07	01/31/17 19:31	1

Client Sample ID: WI -CV-1RW71-0117

Date Collected: 01/27/17 11:33

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-7

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.050	U	0.063	0.016	ug/L	—	01/30/17 14:07	01/31/17 19:35	1
Perfluorooctanoic acid (PFOA)	0.025	U	0.031	0.0099	ug/L	—	01/30/17 14:07	01/31/17 19:35	1
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.050	ug/L	—	01/30/17 14:07	01/31/17 19:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	98		70 - 130				01/30/17 14:07	01/31/17 19:35	1
13C2 PFDA	107		70 - 130				01/30/17 14:07	01/31/17 19:35	1

Client Sample ID: WI -CV-1FB71-0117

Date Collected: 01/27/17 11:34

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-8

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.015	ug/L	—	01/30/17 14:07	01/31/17 19:39	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0093	ug/L	—	01/30/17 14:07	01/31/17 19:39	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L	—	01/30/17 14:07	01/31/17 19:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	97		70 - 130				01/30/17 14:07	01/31/17 19:39	1
13C2 PFDA	105		70 - 130				01/30/17 14:07	01/31/17 19:39	1

TestAmerica Sacramento

Surrogate Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		3C2 PFHx (70-130)	3C2 PFD/ (70-130)
320-25352-1	WI -CV-1RW68-0117	88	106
320-25352-2	WI -CV-1FB68-0117	100	112
320-25352-3	WI -CV-1RW69-0117	93	92
320-25352-4	WI -CV-1FB69-0117	94	115
320-25352-5	WI -CV-1RW70-0117	108	119
320-25352-5 MS	WI -CV-1RW70-0117	94	99
320-25352-5 MSD	WI -CV-1RW70-0117	95	104
320-25352-6	WI -CV-1FB70-0117	94	105
320-25352-7	WI -CV-1RW71-0117	98	107
320-25352-8	WI -CV-1FB71-0117	97	105
LCS 320-148300/2-A	Lab Control Sample	93	109
MB 320-148300/1-A	Method Blank	94	105

Surrogate Legend

13C2 PFHxA = 13C2 PFHxA

13C2 PFDA = 13C2 PFDA

QC Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MB 320-148300/1-A

Matrix: Water

Analysis Batch: 148472

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 148300

Analyte	MB Result	MB Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L		01/30/17 14:07	01/31/17 17:41	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0094	ug/L		01/30/17 14:07	01/31/17 17:41	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L		01/30/17 14:07	01/31/17 17:41	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	94		70 - 130				01/30/17 14:07	01/31/17 17:41	1
13C2 PFDA	105		70 - 130				01/30/17 14:07	01/31/17 17:41	1

Lab Sample ID: LCS 320-148300/2-A

Matrix: Water

Analysis Batch: 148472

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 148300

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Perfluorooctanesulfonic acid (PFOS)	0.300	0.293		ug/L		98	70 - 130
Perfluorooctanoic acid (PFOA)	0.146	0.141		ug/L		96	70 - 130
Perfluorobutanesulfonic acid (PFBS)	0.673	0.606		ug/L		90	70 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
13C2 PFHxA	93		70 - 130				
13C2 PFDA	109		70 - 130				

Lab Sample ID: 320-25352-5 MS

Matrix: Water

Analysis Batch: 148474

Client Sample ID: WI -CV-1RW70-0117

Prep Type: Total/NA

Prep Batch: 148300

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Perfluorooctanesulfonic acid (PFOS)	0.050	U M	0.0406	0.0285	J M	ug/L		70	70 - 130
Perfluorooctanoic acid (PFOA)	0.025	U	0.0201	0.0153	J	ug/L		76	70 - 130
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.0909	0.0765	J	ug/L		84	70 - 130
Surrogate	%Recovery	MS Qualifier	Limits						
13C2 PFHxA	94		70 - 130						
13C2 PFDA	99		70 - 130						

Lab Sample ID: 320-25352-5 MSD

Matrix: Water

Analysis Batch: 148474

Client Sample ID: WI -CV-1RW70-0117

Prep Type: Total/NA

Prep Batch: 148300

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Perfluorooctanesulfonic acid (PFOS)	0.050	U M	0.0401	0.0294	J M	ug/L		74	70 - 130	3	30
Perfluorooctanoic acid (PFOA)	0.025	U	0.0198	0.0159	J	ug/L		80	70 - 130	3	30
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.0897	0.0785	J	ug/L		88	70 - 130	3	30

TestAmerica Sacramento

QC Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: 320-25352-5 MSD

Matrix: Water

Analysis Batch: 148474

Client Sample ID: WI -CV-1RW70-0117

Prep Type: Total/NA

Prep Batch: 148300

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
13C2 PFHxA	95		70 - 130
13C2 PFDA	104		70 - 130

QC Association Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

LCMS

Prep Batch: 148300

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25352-1	WI -CV-1RW68-0117	Total/NA	Water	537	
320-25352-2	WI -CV-1FB68-0117	Total/NA	Water	537	
320-25352-3	WI -CV-1RW69-0117	Total/NA	Water	537	
320-25352-4	WI -CV-1FB69-0117	Total/NA	Water	537	
320-25352-5	WI -CV-1RW70-0117	Total/NA	Water	537	
320-25352-6	WI -CV-1FB70-0117	Total/NA	Water	537	
320-25352-7	WI -CV-1RW71-0117	Total/NA	Water	537	
320-25352-8	WI -CV-1FB71-0117	Total/NA	Water	537	
MB 320-148300/1-A	Method Blank	Total/NA	Water	537	
LCS 320-148300/2-A	Lab Control Sample	Total/NA	Water	537	
320-25352-5 MS	WI -CV-1RW70-0117	Total/NA	Water	537	
320-25352-5 MSD	WI -CV-1RW70-0117	Total/NA	Water	537	

Analysis Batch: 148472

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 320-148300/1-A	Method Blank	Total/NA	Water	537	148300
LCS 320-148300/2-A	Lab Control Sample	Total/NA	Water	537	148300

Analysis Batch: 148473

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25352-1	WI -CV-1RW68-0117	Total/NA	Water	537	148300
320-25352-2	WI -CV-1FB68-0117	Total/NA	Water	537	148300
320-25352-3	WI -CV-1RW69-0117	Total/NA	Water	537	148300
320-25352-4	WI -CV-1FB69-0117	Total/NA	Water	537	148300
320-25352-5	WI -CV-1RW70-0117	Total/NA	Water	537	148300

Analysis Batch: 148474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25352-6	WI -CV-1FB70-0117	Total/NA	Water	537	148300
320-25352-7	WI -CV-1RW71-0117	Total/NA	Water	537	148300
320-25352-8	WI -CV-1FB71-0117	Total/NA	Water	537	148300
320-25352-5 MS	WI -CV-1RW70-0117	Total/NA	Water	537	148300
320-25352-5 MSD	WI -CV-1RW70-0117	Total/NA	Water	537	148300

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW68-0117

Date Collected: 01/25/17 09:11

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			229.2 mL	1.0 mL	148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1			148473	01/31/17 18:51	JRB	TAL SAC

Client Sample ID: WI -CV-1FB68-0117

Date Collected: 01/25/17 09:12

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			254 mL	1.0 mL	148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1			148473	01/31/17 18:55	JRB	TAL SAC

Client Sample ID: WI -CV-1RW69-0117

Date Collected: 01/26/17 11:29

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			243 mL	1.0 mL	148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1			148473	01/31/17 19:00	JRB	TAL SAC

Client Sample ID: WI -CV-1FB69-0117

Date Collected: 01/26/17 11:30

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			255 mL	1.0 mL	148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1			148473	01/31/17 19:04	JRB	TAL SAC

Client Sample ID: WI -CV-1RW70-0117

Date Collected: 01/27/17 09:03

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			237.9 mL	1.0 mL	148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1			148473	01/31/17 19:09	JRB	TAL SAC

Client Sample ID: WI -CV-1FB70-0117

Date Collected: 01/27/17 09:04

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			252.6 mL	1.0 mL	148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1			148474	01/31/17 19:31	JRB	TAL SAC

TestAmerica Sacramento

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW71-0117

Lab Sample ID: 320-25352-7

Date Collected: 01/27/17 11:33

Matrix: Water

Date Received: 01/28/17 09:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			238.2 mL	1.0 mL	148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1			148474	01/31/17 19:35	JRB	TAL SAC

Client Sample ID: WI -CV-1FB71-0117

Lab Sample ID: 320-25352-8

Date Collected: 01/27/17 11:34

Matrix: Water

Date Received: 01/28/17 09:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			251.9 mL	1.0 mL	148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1			148474	01/31/17 19:39	JRB	TAL SAC

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Certification Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Laboratory: TestAmerica Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		2928-01	01-31-17
Analysis Method	Prep Method	Matrix	Analyte	

Method Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Method	Method Description	Protocol	Laboratory
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Sample Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-25352-1	WI -CV-1RW68-0117	Water	01/25/17 09:11	01/28/17 09:15
320-25352-2	WI -CV-1FB68-0117	Water	01/25/17 09:12	01/28/17 09:15
320-25352-3	WI -CV-1RW69-0117	Water	01/26/17 11:29	01/28/17 09:15
320-25352-4	WI -CV-1FB69-0117	Water	01/26/17 11:30	01/28/17 09:15
320-25352-5	WI -CV-1RW70-0117	Water	01/27/17 09:03	01/28/17 09:15
320-25352-6	WI -CV-1FB70-0117	Water	01/27/17 09:04	01/28/17 09:15
320-25352-7	WI -CV-1RW71-0117	Water	01/27/17 11:33	01/28/17 09:15
320-25352-8	WI -CV-1FB71-0117	Water	01/27/17 11:34	01/28/17 09:15

West Sacramento, CA 95605
phone 916.373.5600 fax

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other:

TestAmerica Laboratories, Inc.

Client Contact		Project Manager: Katie Tipping Tel/Fax: (757) 671-6258		Date: 1/27/2017		COC No: 1			
Tiffany Hill		Site Contact: Eric Epple		Carrier: FedEx		COCs			
Project Chemist		Lab Contact: Laura Turpen				Sampler:			
1100 NE Circle Blvd Ste 300 Corvallis, OR 97330		Analysis Turnaround Time				For Lab Use Only:			
(541) 768-3109		☒ CALENDAR DAYS ☐ WORKING DAYS				Walk-in Client:			
(541) 908-3794		TAT if different from Below: 7-Day				Lab Sampling:			
Project Name: CTO-08		☐ 2 weeks				Job / SDG No.:			
Site: OLF Coupeville		☐ 1 week							
P O #: 100067106050 - 679580.09.F.I.F.S		☐ 2 days							
		☐ 1 day							
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	USEPA Method 537 (PFOA, PFOS, and PFBS)	Sample Specific Notes:
WI-CV-1RW68-0117	1/25/17	0911	G	DW	2	N	N	X	
WI-CV-1FB68-0117	1/25/17	0912	G	DW	2	N	N	X	
WI-CV-1RW69-0117	1/26/17	1129	G	DW	2	N	N	X	
WI-CV-1FB69-0117	1/26/17	1130	G	DW	2	N	N	X	
WI-CV-1RW70-0117	1/27/17	0903	G	DW	2	N	N	X	
WI-CV-1RW70-0117-MS	1/27/17	0903	G	DW	2	N	Y	X	
WI-CV-1RW70-0117-SD	1/27/17	0903	G	DW	2	N	Y	X	
WI-CV-1FB70-0117	1/27/17	0904	G	DW	2	N	N	X	
WI-CV-1RW71-0117	1/27/17	1133	G	DW	2	N	N	X	
WI-CV-1FB71-0117	1/27/17	1134	G	DW	2	N	N	X	
 320-25352 Chain of Custody									
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4= HNO3; 5= NaOH; 6= Other: Trizma									
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.									
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown									
Special Instructions/QC Requirements & Comments:									
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temp. (°C): Obs'd: 1.5		Therm ID No.: 12			
Relinquished by: Eric Epple		Company: CH2M		Received by: [Signature]		Company: [Signature]		Date/Time: 1-28-17 9:15	
Relinquished by:		Company:		Received by:		Company:		Date/Time:	
Relinquished by:		Company:		Received in Laboratory by:		Company:		Date/Time:	

Login Sample Receipt Checklist

Client: CH2M Hill Constructors, Inc.

Job Number: 320-25352-1

Login Number: 25352

List Source: TestAmerica Sacramento

List Number: 1

Creator: Edman, Connor M

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Job Number: 320-25352-1

Job Description: Whidbey Island

For:

CH2M Hill Constructors, Inc.

1100 NE Circle Blvd

Corvallis, OR 97330

Attention: Tiffany Hill



Approved for release.
Laura Turpen
Project Manager I
2/2/2017 10:53 AM

Laura Turpen, Project Manager I
880 Riverside Parkway, West Sacramento, CA, 95605
(916)374-4414
laura.turpen@testamericainc.com
02/02/2017

Table of Contents

Cover Title Page	1
Data Summaries	4
Definitions	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Default Detection Limits	9
Surrogate Summary	10
QC Sample Results	11
QC Association	13
Chronicle	14
Certification Summary	16
Method Summary	17
Sample Summary	18
Manual Integration Summary	19
Reagent Traceability	25
COAs	35
Organic Sample Data	75
LCMS	75
Method 537 DOD	75
Method 537 DOD QC Summary	76
Method 537 DOD Sample Data	88
Standards Data	138
Method 537 DOD ICAL Data	138
Method 537 DOD CCAL Data	178
Raw QC Data	242

Table of Contents

Method 537 DOD Blank Data	242
Method 537 DOD LCS/LCSD Data	247
Method 537 DOD MS/MSD Data	252
Method 537 DOD Run Logs	270
Method 537 DOD Prep Data	274
Shipping and Receiving Documents	286
Client Chain of Custody	287
Sample Receipt Checklist	288

Definitions/Glossary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Undetected at the Limit of Detection.
M	Manual integrated compound.
J	Estimated: The analyte was positively identified; the quantitation is an estimation

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

CASE NARRATIVE

Client: CH2M Hill Constructors, Inc.

Project: Whidbey Island

Report Number: 320-25352-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Sacramento attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

TestAmerica utilizes USEPA approved methods and DOD QSM, where applicable, in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. A summary of QC data for these analyses is included at the back of the report.

All parameters for which TestAmerica Sacramento has certification were evaluated to the QSM specified reporting convention or to the client specified format if different from QSM. Parameters not certified under QSM, if any, were evaluated to the detection limit (DL) and include qualified results where applicable.

The sample(s) that contain constituents flagged with U are undetected. The result associated with this flag is the limit of detection (LOD).

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 01/28/2017; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 1.1 C.

PFOA/PFOS

Samples WI -CV-1RW68-0117 (320-25352-1), WI -CV-1FB68-0117 (320-25352-2), WI -CV-1RW69-0117 (320-25352-3), WI -CV-1FB69-0117 (320-25352-4), WI -CV-1RW70-0117 (320-25352-5), WI -CV-1FB70-0117 (320-25352-6), WI -CV-1RW71-0117 (320-25352-7) and WI -CV-1FB71-0117 (320-25352-8) were analyzed for PFOA/PFOS in accordance with 537. The samples were prepared on 01/30/2017 and analyzed on 01/31/2017.

The first level standard from the initial calibration curve is used to evaluate the tune criteria. The instrument mass windows are set at +/- 0.5amu; therefore, detection of the analyte serves as verification that the assigned mass is within +/- 0.5amu of the true value, which meets the DoD/DOE QSM tune criterion.

The following sample was decanted prior to extraction because of having some sort of black material in the sample, which could potentially clog the column.

WI -CV-1RW71-0117 (320-25352-7)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW68-0117

Lab Sample ID: 320-25352-1

☐ No Detections.

Client Sample ID: WI -CV-1FB68-0117

Lab Sample ID: 320-25352-2

☐ No Detections.

Client Sample ID: WI -CV-1RW69-0117

Lab Sample ID: 320-25352-3

☐ No Detections.

Client Sample ID: WI -CV-1FB69-0117

Lab Sample ID: 320-25352-4

☐ No Detections.

Client Sample ID: WI -CV-1RW70-0117

Lab Sample ID: 320-25352-5

☐ No Detections.

Client Sample ID: WI -CV-1FB70-0117

Lab Sample ID: 320-25352-6

☐ No Detections.

Client Sample ID: WI -CV-1RW71-0117

Lab Sample ID: 320-25352-7

☐ No Detections.

Client Sample ID: WI -CV-1FB71-0117

Lab Sample ID: 320-25352-8

☐ No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW68-0117

Date Collected: 01/25/17 09:11

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-1

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.052	U	0.065	0.017	ug/L	—	01/30/17 14:07	01/31/17 18:51	1
Perfluorooctanoic acid (PFOA)	0.026	U	0.033	0.010	ug/L	—	01/30/17 14:07	01/31/17 18:51	1
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.052	ug/L	—	01/30/17 14:07	01/31/17 18:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	88		70 - 130				01/30/17 14:07	01/31/17 18:51	1
13C2 PFDA	106		70 - 130				01/30/17 14:07	01/31/17 18:51	1

Client Sample ID: WI -CV-1FB68-0117

Date Collected: 01/25/17 09:12

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-2

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.047	U M	0.059	0.015	ug/L	—	01/30/17 14:07	01/31/17 18:55	1
Perfluorooctanoic acid (PFOA)	0.024	U M	0.030	0.0093	ug/L	—	01/30/17 14:07	01/31/17 18:55	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U M	0.14	0.047	ug/L	—	01/30/17 14:07	01/31/17 18:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	100		70 - 130				01/30/17 14:07	01/31/17 18:55	1
13C2 PFDA	112		70 - 130				01/30/17 14:07	01/31/17 18:55	1

Client Sample ID: WI -CV-1RW69-0117

Date Collected: 01/26/17 11:29

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-3

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.049	U M	0.062	0.016	ug/L	—	01/30/17 14:07	01/31/17 19:00	1
Perfluorooctanoic acid (PFOA)	0.025	U	0.031	0.0097	ug/L	—	01/30/17 14:07	01/31/17 19:00	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.049	ug/L	—	01/30/17 14:07	01/31/17 19:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	93		70 - 130				01/30/17 14:07	01/31/17 19:00	1
13C2 PFDA	92		70 - 130				01/30/17 14:07	01/31/17 19:00	1

Client Sample ID: WI -CV-1FB69-0117

Date Collected: 01/26/17 11:30

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-4

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.015	ug/L	—	01/30/17 14:07	01/31/17 19:04	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.029	0.0092	ug/L	—	01/30/17 14:07	01/31/17 19:04	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L	—	01/30/17 14:07	01/31/17 19:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	94		70 - 130				01/30/17 14:07	01/31/17 19:04	1
13C2 PFDA	115		70 - 130				01/30/17 14:07	01/31/17 19:04	1

TestAmerica Sacramento

Client Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW70-0117

Date Collected: 01/27/17 09:03

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-5

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.050	U M	0.063	0.016	ug/L		01/30/17 14:07	01/31/17 19:09	1
Perfluorooctanoic acid (PFOA)	0.025	U	0.032	0.0099	ug/L		01/30/17 14:07	01/31/17 19:09	1
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.050	ug/L		01/30/17 14:07	01/31/17 19:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	108		70 - 130				01/30/17 14:07	01/31/17 19:09	1
13C2 PFDA	119		70 - 130				01/30/17 14:07	01/31/17 19:09	1

Client Sample ID: WI -CV-1FB70-0117

Date Collected: 01/27/17 09:04

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-6

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.059	0.015	ug/L		01/30/17 14:07	01/31/17 19:31	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0093	ug/L		01/30/17 14:07	01/31/17 19:31	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L		01/30/17 14:07	01/31/17 19:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	94		70 - 130				01/30/17 14:07	01/31/17 19:31	1
13C2 PFDA	105		70 - 130				01/30/17 14:07	01/31/17 19:31	1

Client Sample ID: WI -CV-1RW71-0117

Date Collected: 01/27/17 11:33

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-7

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.050	U	0.063	0.016	ug/L		01/30/17 14:07	01/31/17 19:35	1
Perfluorooctanoic acid (PFOA)	0.025	U	0.031	0.0099	ug/L		01/30/17 14:07	01/31/17 19:35	1
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.050	ug/L		01/30/17 14:07	01/31/17 19:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	98		70 - 130				01/30/17 14:07	01/31/17 19:35	1
13C2 PFDA	107		70 - 130				01/30/17 14:07	01/31/17 19:35	1

Client Sample ID: WI -CV-1FB71-0117

Date Collected: 01/27/17 11:34

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-8

Matrix: Water

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.015	ug/L		01/30/17 14:07	01/31/17 19:39	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0093	ug/L		01/30/17 14:07	01/31/17 19:39	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.047	ug/L		01/30/17 14:07	01/31/17 19:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	97		70 - 130				01/30/17 14:07	01/31/17 19:39	1
13C2 PFDA	105		70 - 130				01/30/17 14:07	01/31/17 19:39	1

Default Detection Limits

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Prep: 537

Analyte	LOQ	DL	Units	Method
Perfluorobutanesulfonic acid (PFBS)	0.14	0.048	ug/L	537
Perfluorooctanesulfonic acid (PFOS)	0.060	0.016	ug/L	537
Perfluorooctanoic acid (PFOA)	0.030	0.0094	ug/L	537

Surrogate Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	3C2 PFHx	3C2 PFD
		(70-130)	(70-130)
320-25352-1	WI -CV-1RW68-0117	88	106
320-25352-2	WI -CV-1FB68-0117	100	112
320-25352-3	WI -CV-1RW69-0117	93	92
320-25352-4	WI -CV-1FB69-0117	94	115
320-25352-5	WI -CV-1RW70-0117	108	119
320-25352-5 MS	WI -CV-1RW70-0117	94	99
320-25352-5 MSD	WI -CV-1RW70-0117	95	104
320-25352-6	WI -CV-1FB70-0117	94	105
320-25352-7	WI -CV-1RW71-0117	98	107
320-25352-8	WI -CV-1FB71-0117	97	105
LCS 320-148300/2-A	Lab Control Sample	93	109
MB 320-148300/1-A	Method Blank	94	105

Surrogate Legend

13C2 PFHxA = 13C2 PFHxA

13C2 PFDA = 13C2 PFDA

QC Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MB 320-148300/1-A

Matrix: Water

Analysis Batch: 148472

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 148300

Analyte	MB Result	MB Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.016	ug/L	-	01/30/17 14:07	01/31/17 17:41	1
Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.0094	ug/L	-	01/30/17 14:07	01/31/17 17:41	1
Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.048	ug/L	-	01/30/17 14:07	01/31/17 17:41	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C2 PFHxA	94		70 - 130				01/30/17 14:07	01/31/17 17:41	1
13C2 PFDA	105		70 - 130				01/30/17 14:07	01/31/17 17:41	1

Lab Sample ID: LCS 320-148300/2-A

Matrix: Water

Analysis Batch: 148472

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 148300

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Perfluorooctanesulfonic acid (PFOS)	0.300	0.293		ug/L	-	98	70 - 130
Perfluorooctanoic acid (PFOA)	0.146	0.141		ug/L	-	96	70 - 130
Perfluorobutanesulfonic acid (PFBS)	0.673	0.606		ug/L	-	90	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
13C2 PFHxA	93		70 - 130				
13C2 PFDA	109		70 - 130				

Lab Sample ID: 320-25352-5 MS

Matrix: Water

Analysis Batch: 148474

Client Sample ID: WI -CV-1RW70-0117

Prep Type: Total/NA

Prep Batch: 148300

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Perfluorooctanesulfonic acid (PFOS)	0.050	U M	0.0406	0.0285	J M	ug/L	-	70	70 - 130
Perfluorooctanoic acid (PFOA)	0.025	U	0.0201	0.0153	J	ug/L	-	76	70 - 130
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.0909	0.0765	J	ug/L	-	84	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
13C2 PFHxA	94		70 - 130						
13C2 PFDA	99		70 - 130						

Lab Sample ID: 320-25352-5 MSD

Matrix: Water

Analysis Batch: 148474

Client Sample ID: WI -CV-1RW70-0117

Prep Type: Total/NA

Prep Batch: 148300

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Perfluorooctanesulfonic acid (PFOS)	0.050	U M	0.0401	0.0294	J M	ug/L	-	74	70 - 130	3	30
Perfluorooctanoic acid (PFOA)	0.025	U	0.0198	0.0159	J	ug/L	-	80	70 - 130	3	30
Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.0897	0.0785	J	ug/L	-	88	70 - 130	3	30

TestAmerica Sacramento

QC Sample Results

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Method: 537 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: 320-25352-5 MSD

Matrix: Water

Analysis Batch: 148474

Client Sample ID: WI -CV-1RW70-0117

Prep Type: Total/NA

Prep Batch: 148300

<i>Surrogate</i>	<i>MSD</i>	<i>MSD</i>	<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
<i>13C2 PFHxA</i>	95		70 - 130
<i>13C2 PFDA</i>	104		70 - 130

QC Association Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

LCMS

Prep Batch: 148300

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25352-1	WI -CV-1RW68-0117	Total/NA	Water	537	
320-25352-2	WI -CV-1FB68-0117	Total/NA	Water	537	
320-25352-3	WI -CV-1RW69-0117	Total/NA	Water	537	
320-25352-4	WI -CV-1FB69-0117	Total/NA	Water	537	
320-25352-5	WI -CV-1RW70-0117	Total/NA	Water	537	
320-25352-6	WI -CV-1FB70-0117	Total/NA	Water	537	
320-25352-7	WI -CV-1RW71-0117	Total/NA	Water	537	
320-25352-8	WI -CV-1FB71-0117	Total/NA	Water	537	
MB 320-148300/1-A	Method Blank	Total/NA	Water	537	
LCS 320-148300/2-A	Lab Control Sample	Total/NA	Water	537	
320-25352-5 MS	WI -CV-1RW70-0117	Total/NA	Water	537	
320-25352-5 MSD	WI -CV-1RW70-0117	Total/NA	Water	537	

Analysis Batch: 148472

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 320-148300/1-A	Method Blank	Total/NA	Water	537	148300
LCS 320-148300/2-A	Lab Control Sample	Total/NA	Water	537	148300

Analysis Batch: 148473

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25352-1	WI -CV-1RW68-0117	Total/NA	Water	537	148300
320-25352-2	WI -CV-1FB68-0117	Total/NA	Water	537	148300
320-25352-3	WI -CV-1RW69-0117	Total/NA	Water	537	148300
320-25352-4	WI -CV-1FB69-0117	Total/NA	Water	537	148300
320-25352-5	WI -CV-1RW70-0117	Total/NA	Water	537	148300

Analysis Batch: 148474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-25352-6	WI -CV-1FB70-0117	Total/NA	Water	537	148300
320-25352-7	WI -CV-1RW71-0117	Total/NA	Water	537	148300
320-25352-8	WI -CV-1FB71-0117	Total/NA	Water	537	148300
320-25352-5 MS	WI -CV-1RW70-0117	Total/NA	Water	537	148300
320-25352-5 MSD	WI -CV-1RW70-0117	Total/NA	Water	537	148300

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW68-0117

Date Collected: 01/25/17 09:11

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1	148473	01/31/17 18:51	JRB	TAL SAC

Client Sample ID: WI -CV-1FB68-0117

Date Collected: 01/25/17 09:12

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1	148473	01/31/17 18:55	JRB	TAL SAC

Client Sample ID: WI -CV-1RW69-0117

Date Collected: 01/26/17 11:29

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1	148473	01/31/17 19:00	JRB	TAL SAC

Client Sample ID: WI -CV-1FB69-0117

Date Collected: 01/26/17 11:30

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1	148473	01/31/17 19:04	JRB	TAL SAC

Client Sample ID: WI -CV-1RW70-0117

Date Collected: 01/27/17 09:03

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1	148473	01/31/17 19:09	JRB	TAL SAC

Client Sample ID: WI -CV-1FB70-0117

Date Collected: 01/27/17 09:04

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1	148474	01/31/17 19:31	JRB	TAL SAC

TestAmerica Sacramento

Lab Chronicle

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Client Sample ID: WI -CV-1RW71-0117

Date Collected: 01/27/17 11:33

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1	148474	01/31/17 19:35	JRB	TAL SAC

Client Sample ID: WI -CV-1FB71-0117

Date Collected: 01/27/17 11:34

Date Received: 01/28/17 09:15

Lab Sample ID: 320-25352-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537			148300	01/30/17 14:07	VPM	TAL SAC
Total/NA	Analysis	537		1	148474	01/31/17 19:39	JRB	TAL SAC

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Certification Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Laboratory: TestAmerica Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		2928-01	01-31-17
Analysis Method	Prep Method	Matrix	Analyte	

Method Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Method	Method Description	Protocol	Laboratory
537	Perfluorinated Alkyl Acids (LC/MS)	EPA	TAL SAC

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Sample Summary

Client: CH2M Hill Constructors, Inc.
Project/Site: Whidbey Island

TestAmerica Job ID: 320-25352-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-25352-1	WI -CV-1RW68-0117	Water	01/25/17 09:11	01/28/17 09:15
320-25352-2	WI -CV-1FB68-0117	Water	01/25/17 09:12	01/28/17 09:15
320-25352-3	WI -CV-1RW69-0117	Water	01/26/17 11:29	01/28/17 09:15
320-25352-4	WI -CV-1FB69-0117	Water	01/26/17 11:30	01/28/17 09:15
320-25352-5	WI -CV-1RW70-0117	Water	01/27/17 09:03	01/28/17 09:15
320-25352-6	WI -CV-1FB70-0117	Water	01/27/17 09:04	01/28/17 09:15
320-25352-7	WI -CV-1RW71-0117	Water	01/27/17 11:33	01/28/17 09:15
320-25352-8	WI -CV-1FB71-0117	Water	01/27/17 11:34	01/28/17 09:15

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_N Analysis Batch Number: 147939Lab Sample ID: IC 320-147939/4 Client Sample ID: _____Date Analyzed: 01/26/17 11:03 Lab File ID: 2017.01.26_537_CURVE_004. GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Assign Peak	chandrase nas	01/26/17 12:09

Lab Sample ID: IC 320-147939/5 Client Sample ID: _____Date Analyzed: 01/26/17 11:07 Lab File ID: 2017.01.26_537_CURVE_005. GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Assign Peak	chandrase nas	01/26/17 12:10

Lab Sample ID: IC 320-147939/6 Client Sample ID: _____Date Analyzed: 01/26/17 11:11 Lab File ID: 2017.01.26_537_CURVE_006. GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Assign Peak	chandrase nas	01/26/17 12:10

Lab Sample ID: IC 320-147939/7 ICISAV Client Sample ID: _____Date Analyzed: 01/26/17 11:16 Lab File ID: 2017.01.26_537_CURVE_007. GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Isomers	chandrase nas	01/26/17 12:08

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_N Analysis Batch Number: 147939Lab Sample ID: IC 320-147939/8 Client Sample ID: _____Date Analyzed: 01/26/17 11:20 Lab File ID: 2017.01.26_537_CURVE_008. GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Assign Peak	chandrase nas	01/26/17 12:11

Lab Sample ID: IC 320-147939/9 Client Sample ID: _____Date Analyzed: 01/26/17 11:25 Lab File ID: 2017.01.26_537_CURVE_009. GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Assign Peak	chandrase nas	01/26/17 12:11

Lab Sample ID: CCVL 320-147939/11 Client Sample ID: _____Date Analyzed: 01/26/17 11:33 Lab File ID: 2017.01.26_537_CURVE_011. GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Assign Peak	chandrase nas	01/26/17 12:15

Lab Sample ID: ICV 320-147939/13 Client Sample ID: _____Date Analyzed: 01/26/17 11:42 Lab File ID: 2017.01.26_537_CURVE_013. GC Column: Acquity ID: 2.1(mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Assign Peak	chandrase nas	01/26/17 12:16

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_N Analysis Batch Number: 148472Lab Sample ID: CCV 320-148472/17 CCVIS Client Sample ID: _____Date Analyzed: 01/31/17 18:20 Lab File ID: 2017.01.31A_537_017.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.23	Isomers	barnettj	02/01/17 10:34

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_N Analysis Batch Number: 148473Lab Sample ID: CCV 320-148473/17 CCVIS Client Sample ID: _____Date Analyzed: 01/31/17 18:20 Lab File ID: 2017.01.31A_537_017.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.23	Isomers	barnettj	02/01/17 10:34

Lab Sample ID: 320-25352-2 Client Sample ID: WI -CV-1FB68-0117Date Analyzed: 01/31/17 18:55 Lab File ID: 2017.01.31A_537_025.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorobutanesulfonic acid (PFBS)	1.51	Missed Peak	barnettj	02/01/17 10:37
Perfluorooctanoic acid (PFOA)	1.99	Missed Peak	barnettj	02/01/17 10:37
Perfluorooctanesulfonic acid (PFOS)	2.23	Isomers	barnettj	02/01/17 10:37

Lab Sample ID: 320-25352-3 Client Sample ID: WI -CV-1RW69-0117Date Analyzed: 01/31/17 19:00 Lab File ID: 2017.01.31A_537_026.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Missed Peak	barnettj	02/01/17 10:37

Lab Sample ID: 320-25352-5 Client Sample ID: WI -CV-1RW70-0117Date Analyzed: 01/31/17 19:09 Lab File ID: 2017.01.31A_537_028.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Isomers	barnettj	02/01/17 10:39

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_N Analysis Batch Number: 148473Lab Sample ID: CCV 320-148473/29 CCVIS Client Sample ID: _____Date Analyzed: 01/31/17 19:13 Lab File ID: 2017.01.31A_537_029.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Isomers	barnettj	02/01/17 10:39

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_N Analysis Batch Number: 148474Lab Sample ID: CCV 320-148474/29 CCVIS Client Sample ID: _____Date Analyzed: 01/31/17 19:13 Lab File ID: 2017.01.31A_537_029.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Isomers	barnettj	02/01/17 10:39

Lab Sample ID: 320-25352-5 MS Client Sample ID: WI -CV-1RW70-0117 MSDate Analyzed: 01/31/17 19:22 Lab File ID: 2017.01.31A_537_031.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.23	Isomers	barnettj	02/01/17 10:41

Lab Sample ID: 320-25352-5 MSD Client Sample ID: WI -CV-1RW70-0117 MSDDate Analyzed: 01/31/17 19:26 Lab File ID: 2017.01.31A_537_032.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Isomers	barnettj	02/01/17 10:42

Lab Sample ID: CCV 320-148474/36 CCVIS Client Sample ID: _____Date Analyzed: 01/31/17 19:44 Lab File ID: 2017.01.31A_537_036.d GC Column: GeminiC18 3x1 ID: 3 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Perfluorooctanesulfonic acid (PFOS)	2.22	Isomers	barnettj	02/01/17 10:54

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutane Sulfonate	3366 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL
.LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutane Sulfonate	89.76 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
..LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
							Perfluorobutane Sulfonate	2040 ug/mL
...LC537-PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutane Sulfonate	1 g/g
							Perfluorobutanesulfonic acid (PFBS)	1 g/g
..LC537-PFHpA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
...LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCBM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
..LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
...LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
..LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
...LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
..LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
...LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
..LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
...LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
LC537-ICV_00019	03/01/17	12/20/16	MeOH/H2O, Lot 067374	10 mL	LC537-IS_00028	200 uL	13C2-PFOA	10 ng/mL
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C4 PFOS	28.68 ng/mL
					LCMPFOS_00018	300 uL	13C2-PFOA	0.5 ug/mL
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		(Purchased Reagent)		13C4 PFOS	1.434 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C2-PFOA	50 ug/mL
LC537-ICV_00019	03/01/17	12/20/16	MeOH/H2O, Lot 067374	10 mL	LC537-SU_00027	500 uL	13C4 PFOS	47.8 ug/mL
							13C2 PFDA	10 ng/mL
					LC537ICIM_00014	25 uL	13C2 PFHxA	10 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	114.77 ng/mL
							Perfluorooctanoic acid (PFOA)	25.0232 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluorooctanesulfonic acid (PFOS)	27.2389 ng/mL
.LC537-SU_00027	06/19/17	12/19/16	Methanol, Lot 104453	20000 uL	LCMPFDA 00008	80 uL	13C2 PFDA	0.2 ug/mL
..LCMPFDA 00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			LCMPFHxA 00009	80 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFHxA 00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFDA	50 ug/mL
.LC537ICIM_00014	03/01/17	12/20/16	Methanol, Lot 090285	25 mL	LC537-PFBS2_00005	0.5 mL	13C2 PFHxA	50 ug/mL
					LC537-PFOA2_00008	0.142 mL	Perfluorobutanesulfonic acid (PFBS)	45.908 ug/mL
					LC537-PFOS2_00005	0.22 mL	Perfluorooctanoic acid (PFOA)	10.0093 ug/mL
..LC537-PFBS2_00005	03/01/17	02/29/16	Methanol, Lot 090285	10 mL	LC537_PFBS2_00001	0.023 g	Perfluorooctanesulfonic acid (PFOS)	10.8956 ug/mL
...LC537_PFBS2_00001	08/09/17	Santa Cruz Biotechnology, Lot H0112			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	2295.4 ug/mL
..LC537-PFOA2_00008	07/25/17	12/20/16	Methanol, Lot 090285	10 mL	LC537 PFOA2_00001	0.0178 g	Perfluorobutanesulfonic acid (PFBS)	0.998 g/g
...LC537 PFOA2_00001	07/25/17	Afla Aesar, Lot D24Y026			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	1762.2 ug/mL
..LC537-PFOS2_00005	03/01/17	02/29/16	Methanol, Lot 090285	10 mL	LC537_PFOS2_00001	0.0159 g	Perfluorooctanoic acid (PFOA)	0.99 g/g
...LC537_PFOS2_00001	07/26/17	Sigma, Lot BCBF5116V			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	1238.13 ug/mL
LC537-IS_00030	07/17/17	01/17/17	Methanol, Lot 090285	10000 uL	LCM2PFOA 00005	100 uL	Perfluorooctanesulfonic acid (PFOS)	0.7787 g/g
.LCM2PFOA 00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			LCMPFOS 00018	300 uL	13C2-PFOA	0.5 ug/mL
.LCMPFOS 00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	1.434 ug/mL
					(Purchased Reagent)		13C2-PFOA	50 ug/mL
							13C4 PFOS	47.8 ug/mL
LC537-L1_00017	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL
					LC537-MSP_00017	25 uL	13C4 PFOS	28.68 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	8.976 ng/mL
							Perfluoroheptanoic acid	0.99 ng/mL
							Perfluorohexanesulfonic acid	3.02582 ng/mL
							Perfluorononanoic acid	2.07415 ng/mL
							Perfluorooctanoic acid (PFOA)	1.95189 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	4.00664 ng/mL
					LC537-SU_00026	250 uL	13C2 PFDA	10 ng/mL
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA 00005	100 uL	13C2 PFHxA	10 ng/mL
..LCM2PFOA 00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			LCMPFOS 00018	300 uL	13C2-PFOA	0.5 ug/mL
..LCMPFOS 00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	1.434 ug/mL
.LC537-MSP_00017	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	200 uL	13C2-PFOA	50 ug/mL
							13C4 PFOS	47.8 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	1795.2 ng/mL
							Perfluoroheptanoic acid	198 ng/mL
							Perfluorohexanesulfonic acid	605.164 ng/mL
							Perfluorononanoic acid	414.831 ng/mL
							Perfluorooctanoic acid (PFOA)	390.378 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluorooctanesulfonic acid (PFOS)	801.328 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpa_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpa_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537 PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537 PFHpA_00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537 PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537 PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
....LC537 PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFHxA	0.2 ug/mL
...LCMPFDA_00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			LCMPFHxA_00009	80 uL	13C2 PFDA	0.4 ug/mL
...LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFHxA	0.4 ug/mL
..LCMPFHxA_00009					(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA_00009					(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-L2_00015	05/21/17	12/19/16	MeOH/H2O, Lot 090285	5 mL	LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C4 PFOS	28.68 ng/mL
..LCM2PFOA_00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			LCMPFOS_00018	300 uL	13C2-PFOA	0.5 ug/mL
..LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	1.434 ug/mL
LC537-L2_00015	05/21/17	12/19/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00013	34 uL	13C2-PFOA	50 ug/mL
							13C4 PFOS	47.8 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	22.8888 ng/mL
							Perfluorooctanoic acid (PFOA)	4.97733 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	10.2169 ng/mL
					LC537-SU_00026	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00013	05/21/17	11/21/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00017	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration		
					Reagent ID	Volume Added				
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL		
..LC537SPIM_00017	05/21/17	11/21/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL		
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL		
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL		
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL		
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g		
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL		
....LC537_PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g		
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL		
....LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g		
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL		
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	0.4 ug/mL		
					LCMPFHxA_00009	80 uL	13C2 PFHxA	0.4 ug/mL		
...LCMPFDA_00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			(Purchased Reagent)		13C2 PFDA	50 ug/mL		
...LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFHxA	50 ug/mL		
LC537-L2_00016	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	34 uL	Perfluorobutanesulfonic acid (PFBS)	22.8888 ng/mL		
							Perfluoroheptanoic acid	2.5245 ng/mL		
							Perfluorohexanesulfonic acid	7.71585 ng/mL		
							Perfluorononanoic acid	5.28909 ng/mL		
							Perfluorooctanoic acid (PFOA)	4.97733 ng/mL		
					LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL		
							13C4 PFOS	28.68 ng/mL		
							13C2 PFDA	10 ng/mL		
LC537-SU_00026	250 uL	13C2 PFHxA	10 ng/mL							
		.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluoroheptanoic acid	371.25 ng/mL		
							Perfluorohexanesulfonic acid	1134.68 ng/mL		
							Perfluorononanoic acid	777.808 ng/mL		
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL		
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL		
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL		
							LC537-PFHpA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
							LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
							LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
							LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537_PFHpA_00002	04/01/18		Aldrich, Lot BCM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537_PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
....LC537_PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C2-PFOA	50 ug/mL
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	47.8 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFHxA	0.2 ug/mL
...LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		LCMPFHxA_00009	80 uL	13C2 PFDA	0.4 ug/mL
...LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFHxA	0.4 ug/mL
LC537-L3_00019	06/14/17	01/20/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	67 uL	Perfluorobutanesulfonic acid (PFBS)	45.1044 ng/mL
							Perfluoroheptanoic acid	4.97475 ng/mL
							Perfluorohexanesulfonic acid	15.2048 ng/mL
							Perfluorononanoic acid	10.4226 ng/mL
							Perfluorooctanoic acid (PFOA)	9.80826 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	20.1334 ng/mL
					LC537-IS_00030	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00029	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL

REAGENT TRACEABILITY SUMMARY

 Lab Name: TestAmerica Sacramento

 Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpa_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpa_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537 PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537 PFHpA_00002	04/01/18	Aldrich, Lot BCBM2579V			(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537 PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537 PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
....LC537 PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00030	07/17/17	01/17/17	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00029	07/17/17	01/17/17	Methanol, Lot 104453	20000 uL	LCMPFDA_00012	80 uL	13C2 PFDA	0.2 ug/mL
					LCMPFHxA_00013	80 uL	13C2 PFHxA	0.2 ug/mL
..LCMPFDA_00012	09/30/21	Wellington Laboratories, Lot MPFDA0916			(Purchased Reagent)		13C2 PFDA	50 ug/mL
..LCMPFHxA_00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416			(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-L4_00017	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	135 uL	Perfluorobutanesulfonic acid (PFBS)	90.882 ng/mL
							Perfluoroheptanoic acid	10.0238 ng/mL
							Perfluorohexanesulfonic acid	30.6364 ng/mL
							Perfluorononanoic acid	21.0008 ng/mL
							Perfluorooctanoic acid (PFOA)	19.7629 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	40.5672 ng/mL
					LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00026	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537 PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537 PFHpA_00002	04/01/18		Aldrich, Lot BCM2579V		(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537 PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
....LC537 PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL
							13C2 PFHxA	0.2 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	0.4 ug/mL
					LCMPFHxA_00009	80 uL	13C2 PFHxA	0.4 ug/mL
...LCMPFDA_00008	08/19/20		Wellington Laboratories, Lot MPFDA0815		(Purchased Reagent)		13C2 PFDA	50 ug/mL
...LCMPFHxA_00009	04/09/20		Wellington Laboratories, Lot MPFHxA0415		(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-L5_00020	06/14/17	01/20/17	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	200 uL	Perfluorobutanesulfonic acid (PFBS)	134.64 ng/mL
							Perfluoroheptanoic acid	14.85 ng/mL
							Perfluorohexanesulfonic acid	45.3873 ng/mL
							Perfluorononanoic acid	31.1123 ng/mL
							Perfluorooctanoic acid (PFOA)	29.2784 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	60.0996 ng/mL
					LC537-IS_00030	100 uL	13C2-PFOA	10 ng/mL
							13C4 PFOS	28.68 ng/mL
					LC537-SU_00029	250 uL	13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL

REAGENT TRACEABILITY SUMMARY

 Lab Name: TestAmerica Sacramento

 Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
							Perfluoroheptanoic acid	9.9 ug/mL
							Perfluorohexanesulfonic acid	30.2582 ug/mL
							Perfluorononanoic acid	20.7415 ug/mL
							Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
							Perfluoroheptanoic acid	990 ug/mL
							Perfluorohexanesulfonic acid	1008.61 ug/mL
							Perfluorononanoic acid	1037.08 ug/mL
....LC537-PFNA_00002	04/01/18		Sigma, Lot MKBP8842V		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537 PFHxS_00002	04/01/18		Sigma, Lot BCBL3545V		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFNA_00002	0.007 g	Perfluorooctanoic acid (PFOA)	79.632 ng/mL
....LC537 PFNA_00002	04/01/18		TCI America, Lot QN44F		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	38.7939 ng/mL
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537 PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	79.632 ng/mL
....LC537 PFOA_00002	11/04/18		Fluka, Lot SZBD308XV		(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	79.632 ng/mL
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17		Fluka, Lot SZBC222XV		(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00030	07/17/17	01/17/17	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
..LCM2PFOA_00005	06/19/18		Wellington Laboratories, Lot M2PFOA0613		LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
...LCMPFOS_00018	08/03/21		Wellington Laboratories, Lot MPFOS0816		(Purchased Reagent)		13C2-PFOA	50 ug/mL
.LC537-SU_00029	07/17/17	01/17/17	Methanol, Lot 104453	20000 uL	LCMPFDA_00012	80 uL	13C4 PFOS	47.8 ug/mL
..LCMPFDA_00012	09/30/21		Wellington Laboratories, Lot MPFDA0916		LCMPFHxA_00013	80 uL	13C2 PFDA	0.2 ug/mL
...LCMPFHxA_00013	04/08/21		Wellington Laboratories, Lot MPFHxA0416		(Purchased Reagent)		13C2 PFDA	50 ug/mL
LC537-L6_00016	06/14/17	12/23/16	MeOH/H2O, Lot 090285	5 mL	LC537-HSP_00014	265 uL	Perfluorobutanesulfonic acid (PFBS)	178.398 ng/mL
							Perfluoroheptanoic acid	19.6763 ng/mL
							Perfluorohexanesulfonic acid	60.1382 ng/mL
							Perfluorononanoic acid	41.2238 ng/mL
							Perfluorooctanoic acid (PFOA)	38.7939 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	79.632 ng/mL
					LC537-IS_00028	100 uL	13C2-PFOA	10 ng/mL

REAGENT TRACEABILITY SUMMARY

 Lab Name: TestAmerica Sacramento

 Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
					LC537-SU_00026	250 uL	13C4 PFOS	28.68 ng/mL
							13C2 PFDA	10 ng/mL
							13C2 PFHxA	10 ng/mL
.LC537-HSP_00014	06/22/17	12/22/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00018	375 uL	Perfluorobutanesulfonic acid (PFBS)	3366 ng/mL
							Perfluoroheptanoic acid	371.25 ng/mL
							Perfluorohexanesulfonic acid	1134.68 ng/mL
							Perfluorononanoic acid	777.808 ng/mL
							Perfluorooctanoic acid (PFOA)	731.96 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	1502.49 ng/mL
..LC537SPIM_00018	06/22/17	12/22/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00013	100 uL	Perfluoroheptanoic acid	9.9 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00011	200 uL	Perfluorononanoic acid	20.7415 ug/mL
					LC537-PFOA_00011	100 uL	Perfluorooctanoic acid (PFOA)	19.5189 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
...LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
....LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutanesulfonic acid (PFBS)	1 g/g
...LC537-PFHpA_00013	06/22/17	12/22/16	Methanol, Lot 090285	56.8 mL	LC537_PFHpA_00002	0.0568 g	Perfluoroheptanoic acid	990 ug/mL
....LC537_PFHpA_00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
...LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537_PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
....LC537_PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
...LC537-PFNA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFNA_00002	0.007 g	Perfluorononanoic acid	1037.08 ug/mL
....LC537_PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
...LC537-PFOA_00011	11/21/17	11/21/16	Methanol, Lot 090285	6.5 mL	LC537_PFOA_00002	0.0127 g	Perfluorooctanoic acid (PFOA)	1951.89 ug/mL
....LC537_PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
...LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
....LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
.LC537-IS_00028	06/19/17	12/19/16	Methanol, Lot 090285	10000 uL	LCM2PFOA_00005	100 uL	13C2-PFOA	0.5 ug/mL
					LCMPFOS_00018	300 uL	13C4 PFOS	1.434 ug/mL
..LCM2PFOA_00005	06/19/18	Wellington Laboratories, Lot M2PFOA0613			(Purchased Reagent)		13C2-PFOA	50 ug/mL
..LCMPFOS_00018	08/03/21	Wellington Laboratories, Lot MPFOS0816			(Purchased Reagent)		13C4 PFOS	47.8 ug/mL
.LC537-SU_00026	06/14/17	12/16/16	Methanol, Lot 104453	20000 uL	LC537-SU_00025	10000 uL	13C2 PFDA	0.2 ug/mL
							13C2 PFHxA	0.2 ug/mL
..LC537-SU_00025	06/14/17	12/14/16	Methanol, Lot 104453	10000 uL	LCMPFDA_00008	80 uL	13C2 PFDA	0.4 ug/mL
					LCMPFHxA_00009	80 uL	13C2 PFHxA	0.4 ug/mL
...LCMPFDA_00008	08/19/20	Wellington Laboratories, Lot MPFDA0815			(Purchased Reagent)		13C2 PFDA	50 ug/mL
...LCMPFHxA_00009	04/09/20	Wellington Laboratories, Lot MPFHxA0415			(Purchased Reagent)		13C2 PFHxA	50 ug/mL
LC537-LSP_00016	05/04/17	11/04/16	Methanol, Lot 090285	10000 uL	LC537SPIM_00015	50 uL	Perfluorobutane Sulfonate	448.8 ng/mL
							Perfluorobutanesulfonic acid (PFBS)	448.8 ng/mL

REAGENT TRACEABILITY SUMMARY

Lab Name: TestAmerica Sacramento

Job No.: 320-25352-1

SDG No.: _____

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
							Perfluoroheptanoic acid	53.7429 ng/mL
							Perfluorohexanesulfonic acid	151.291 ng/mL
							Perfluorononanoic acid	101.553 ng/mL
							Perfluorooctanoic acid (PFOA)	99.234 ng/mL
							Perfluorooctanesulfonic acid (PFOS)	200.332 ng/mL
.LC537SPIM_00015	05/04/17	11/04/16	Methanol, Lot 104453	10000 uL	LC537-PFBS_00006	440 uL	Perfluorobutane Sulfonate	89.76 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	89.76 ug/mL
					LC537-PFHpA_00011	100 uL	Perfluoroheptanoic acid	10.7486 ug/mL
					LC537-PFHxS_00008	300 uL	Perfluorohexanesulfonic acid	30.2582 ug/mL
					LC537-PFNA_00009	200 uL	Perfluorononanoic acid	20.3105 ug/mL
					LC537-PFOA_00010	100 uL	Perfluorooctanoic acid (PFOA)	19.8468 ug/mL
					LC537-PFOS_00006	400 uL	Perfluorooctanesulfonic acid (PFOS)	40.0664 ug/mL
..LC537-PFBS_00006	07/28/17	07/28/16	Methanol, Lot 090285	5 mL	LC537_PFBS_00002	0.0102 g	Perfluorobutane Sulfonate	2040 ug/mL
							Perfluorobutanesulfonic acid (PFBS)	2040 ug/mL
...LC537_PFBS_00002	04/01/18	Sigma, Lot MKBP8842V			(Purchased Reagent)		Perfluorobutane Sulfonate	1 g/g
							Perfluorobutanesulfonic acid (PFBS)	1 g/g
..LC537-PFHpA_00011	11/04/17	11/04/16	Methanol, Lot 090285	7 mL	LC537 PFHpA_00002	0.0076 g	Perfluoroheptanoic acid	1074.86 ug/mL
...LC537 PFHpA_00002	04/01/18	Aldrich, Lot BCM2579V			(Purchased Reagent)		Perfluoroheptanoic acid	0.99 g/g
..LC537-PFHxS_00008	07/28/17	07/28/16	Methanol, Lot 090285	5.5 mL	LC537 PFHxS_00002	0.0061 g	Perfluorohexanesulfonic acid	1008.61 ug/mL
...LC537 PFHxS_00002	04/01/18	Sigma, Lot BCBL3545V			(Purchased Reagent)		Perfluorohexanesulfonic acid	0.9094 g/g
..LC537-PFNA_00009	11/04/17	11/04/16	Methanol, Lot 090285	5.5 mL	LC537 PFNA_00002	0.0058 g	Perfluorononanoic acid	1015.53 ug/mL
...LC537 PFNA_00002	04/01/18	TCI America, Lot QN44F			(Purchased Reagent)		Perfluorononanoic acid	0.963 g/g
..LC537-PFOA_00010	11/04/17	11/04/16	Methanol, Lot 090285	7.5 mL	LC537 PFOA_00002	0.0149 g	Perfluorooctanoic acid (PFOA)	1984.68 ug/mL
...LC537 PFOA_00002	11/04/18	Fluka, Lot SZBD308XV			(Purchased Reagent)		Perfluorooctanoic acid (PFOA)	0.999 g/g
..LC537-PFOS_00006	07/28/17	07/28/16	Methanol, Lot 090285	6 mL	LC537_PFOS_00002	0.0066 g	Perfluorooctanesulfonic acid (PFOS)	1001.66 ug/mL
...LC537_PFOS_00002	08/09/17	Fluka, Lot SZBC222XV			(Purchased Reagent)		Perfluorooctanesulfonic acid (PFOS)	0.9106 g/g
LC537-SU_00029	07/17/17	01/17/17	Methanol, Lot 104453	20000 uL	LCMPFDA_00012	80 uL	13C2 PFDA	0.2 ug/mL
					LCMPFHxA_00013	80 uL	13C2 PFHxA	0.2 ug/mL
.LCMPFDA_00012	09/30/21	Wellington Laboratories, Lot MPFDA0916			(Purchased Reagent)		13C2 PFDA	50 ug/mL
.LCMPFHxA_00013	04/08/21	Wellington Laboratories, Lot MPFHxA0416			(Purchased Reagent)		13C2 PFHxA	50 ug/mL

Reagent

LC537_PFB_00002

4/1/15 SPV

SIGMA-ALDRICH®

sigma-aldrich.com

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com

Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

Nonafluorobutane-1-sulfonic acid - 97%

Product Number:

562629

Batch Number:

MKBP8842V

Brand:

ALDRICH

CAS Number:

375-73-5

MDL Number:

MFCD01320794

Formula:

C₄HF₉O₃S

Formula Weight:


300.10 g/mol

Storage Temperature:

Store at 2 - 8 °C

Quality Release Date:

11 OCT 2013



PFBS

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Fluorine NMR Spectrum	Conforms to Structure	Conforms
Purity (Titration by NaOH)	96.5 - 103.5 %	101.6 %

Jamie Gleason

Jamie Gleason, Manager
Quality Control
Milwaukee, Wisconsin US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

LC537_PFB2_00001



The Power to Question

CERTIFICATE OF ANALYSIS

Catalog Number: sc-236187
Product Name: Nonafluorobutane-1-sulfonic acid
CAS Number: 375-73-5
Molecular Formula: $C_4HF_9O_3S$
Molecular Weight: 300.10
Lot Number: H0112

Test		Result
Refractive Index	1.3200 to 1.3290	1.3219
Purity (Titration)	min. 98.0%	99.8%

Test Conditions: Refractive Index: $n_{20/D}$

Reagent


LC537_PFH_pA_00002

Certificate of Analysis

Product Name: PERFLUOROHEPTANOIC ACID
Product Number: 342041
Batch Number: BCBM2579V
Brand: Aldrich
CAS Number: 375-85-9
Formula: $\text{CF}_3(\text{CF}_2)_5\text{CO}_2\text{H}$
Formula Weight: 364.06
Quality Release Date: 06 DEC 2013
Recommended Retest Date: OCT 2018

PFHpA

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	COLORLESS OR WHITE	WHITE
APPEARANCE (FORM)	LIQUID OR SOLID	SOLID
TITRATION	98.5 - 101.5 %	99.8 %
TITRATION (METHOD)	-	BACK TITRATION
PURITY (GC AREA %)	≥ 98.5 %	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS



Dr. Claudia Geitner
Manager Quality Control
Buchs, Switzerland

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

LC537_PFHxS_00002

R: 4/1/15 SW

SIGMA-ALDRICH

3050 Spruce Street, Saint Louis, MO 63103 USA
Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name: TRIDECAFLUOROHEXANE-1-SULFONIC ACID POTASSIUM SALT
Product Number: 50929
Batch Number: BCBL3545V
Brand: Aldrich
CAS Number: 3871-99-6
Formula: $C_6F_{13}KO_3S$
Formula Weight: 438.20
Quality Release Date: 20 JUN 2013

PFH₁₃S-K

TEST	SPECIFICATION	RESULT
APPEARANCE (COLOR)	WHITE TO FAINT BEIGE	WHITE
APPEARANCE (FORM)	POWDER OR CRYSTALS	POWDER
TITRATION (ION EXCHANGE)	≥ 98.0 %	99.5 %
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

Claudia Geitner

Dr. Claudia Geitner
Manager Quality Control
Buchs, Switzerland

$$MW_{corr} = \frac{(k_{form}) - (K) + (H)}{(438.20 - 39.10 + 1.01)} = \frac{0.91307}{438.20 (k_{form})} = 0.91307 \text{ (anion form)}$$

$$Purity = 90.94 \% \text{ w/m.w correction}$$

SW 4/1/15

Sigma-Aldrich warrants that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Reagent

LC537_PfNA_00002

R: 4/1/15 SKV



Certificate of Analysis

Apr 2, 2015 (JST)

TOKYO CHEMICAL INDUSTRY CO., LTD.
4-10-1 Nihonbashi-Honcho, Chuo-ku, Tokyo 103-0023 Japan

Chemical Name: Heptadecafluorononanoic Acid		
Product Number: H0843	Lot: QN44F	
CAS: 375-95-1		

Tests	Results	Specifications
Purity(GC)	96.3 %	min. 95.0 %
Purity(Neutralization titration)	98.1 %	min. 95.0 %
Melting point	63.3 deg-C	62.0 to 67.0 deg-C

TCI Lot numbers are 4-5 characters in length.
Characters listed after the first 4-5 characters are control numbers for internal purpose only.

Customer service:

TCI AMERICA
Tel: +1-800-423-8616 / +1-503-283-1681
Fax: +1-888-520-1075 / +1-503-283-1987
E-mail: Sales-US@TCIchemicals.com

PFNA

Reagent

LC537_PFOA_00002

11/3/2015 2

SIGMA-ALDRICH®

CERTIFICATE OF ANALYSIS

Sigma-Aldrich Laborchemikalien GmbH D-30918 Seelze
Telefon: +49 5137 8238-150

Seelze, 13.11.2013/505378/13/24029

Order-No.:

Customer-No.:

Order-Code:

Quantity:

Production Date: 04.Nov.2013

Expiry Date: 04.Nov.2018

Article/Product: 33824

Batch : SZBD308XV

Pentadecafluorooctanoic acid OEKANAL®

PFOA

Reference Material (RM)

1. General Information

Formula: C₈HF₁₅O₂

CAS-No.: [335-67-1]

Usage : PFOA

Molar mass: 414.07 g/Mole

Recomm. storage temp.: roomtemp.

The estimated uncertainty of a single measurement of the assay can be expected to be 0.5 % relative (confidence level = 95%, n= 6) whereby the assay measurements are calculated by 100% minus found impurities.

2. Batch Analysis

identity (GC-MS)

Assay (GCMS)

Date of Analysis

complying

99.4 %

13.Nov.2013

3. Advice and Remarks


- The expiry date is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.
- Whenever the container is opened for removal of aliquot portions of the substance, the person handling the substance must assure, that the integrity of the substance is maintained and proper records of all its handlings are kept. Special care has to be taken to avoid any contamination or adulteration of the substance.
- We herewith confirm that the delivery is effected according to the technical delivery conditions agreed.
- Particular properties of the products or the suitability for a particular area of application are not assured.
- We guarantee a proper quality within our General Conditions of Sales.

Sigma-Aldrich Laborchemikalien GmbH
Quality Management SA-LC


This document was produced electronically and is valid without a signature

GC/MS-Method**Analytical Department****Article:** Pentadecafluorooctanoic acid OEKANAL**Article-No.:** 33824**Batch:** SZBD308XV**Column:** XTI-5 (Restek); 30 m; fs cap.; I.D.:0.25 mm; 1 µm df**Injector:** Split mode**Injection:** approx. 1 µl of reaction mixture with MSTFA (approx. 10 mg + 200 µl MSTFA)**Inj.-temp.:** 280°C**Oven-temp.:** 40°C (for 2 min) to 320°C (6°C/min) hold for 2 min**Split:** 1:100**Flow:** 1 ml He/min (Constant flow mode)**Detector:** MSD**Mass range:** 10-600 amu (Scan mode)**Evaluation:** Purity: Total Ion Chromatogram
(MSTFA and reaction products blinded out in report)

Identity: Mass spectrum complies

Operator: Ahrens / 2013-11-13**Total Ion Chromatogram:**

Ret.time	Area	Area-%	Com
11.54	565.1670	99.4	Pentadecafluorooctanoic acid (as TMS-ester)
11.95	3.6792	0.64	

Mass spectrum (rt = 11.54 min):

Reagent

LC537_PFOA2_00001

Certificate of Analysis

Alfa Aesar
A Johnson Matthey Company

Product No.: L08862
Product: Perfluorooctanoic acid, 95%
Lot No.: D24Y026

PFOA

Appearance White solid
Melting point 58 - 60°C
Assay 99 %
Identity Matches reference

This document has been electronically generated and does not require a signature.

www.alfa.com

NORTH AMERICA
Tel: +1-800-343-0660 or
+1-978-521-6300
Fax: +1-800-322-4757
Email: info@alfa.com

GERMANY
Tel: 00800 4566 4566 or
+49 721 84007 280
Fax: 00800 4577 4577 or
+49 721 84007 300
Email: Eurosales@alfa.com

UNITED KINGDOM
Tel: 0800-801812 or
+44 (0)1524-850506
Fax: +44 (0)1524-850608
Email: UKsales@alfa.com

FRANCE
Tel: 0800 03 51 47 or
+33 (0)3 6862 2690
Fax: 0800 10 20 67 or
+33 (0)3 8862 6864
Email: frventes@alfa.com

INDIA
Tel: +91 8008 812424 or
+91 8008 812525 or
+91 8008 812626
Fax: +91 8418 260060
Email: India@alfa.com

CHINA
Tel: +86 (010) 8567-8600
Fax: +86 (010) 8567-8601
Email: saleschina@alfa-asia.com

KOREA
Tel: +82-2-3140-6000
Fax: +82-2-3140-6002
Email: saleskorea@alfa-asia.com

Reagent

LC537_PFOS_00002

F: 4/1/15 SV

SIGMA-ALDRICH®

CERTIFICATE OF ANALYSIS

Sigma-Aldrich Laborchemikalien GmbH D-30918 Seelze
Telefon: +49 5137 8238-150

Seelze, 13.08.2012/419060/12/17583

Order-No.:

Customer-No.:

Order-Code:

Quantity:

Production Date: 09.Aug.2012

Expiry Date: 09.Aug.2017 - *not date*

Article/Product: 33829

Batch : SZBC222XV

Heptadecafluorooctanesulfonic acid potassium salt OEKANAL®

PFOS-K⁺

Reference Material (RM)

1. General Information

Formula: C8F17KO3S

CAS-No.: [2795-39-3]

Usage : PFOS

Molar mass: 538.22 g/Mole

Recomm. storage temp.: roomtemp.

The estimated uncertainty of a single measurement of the assay can be expected to be 0.5 % relative (confidence level = 95%, n= 6) whereby the assay measurements are calculated by 100% minus found impurities.

2. Batch Analysis

Identity

Assay (LC-MS)

Date of Analysis

complying

98 %

10.Aug.2012

$$\text{P.W.-Correction: } \frac{538.22 - 39.10 + 1.01}{538.22} = \frac{500.13}{538.22} = 0.92923$$

Purity = 91.06 %

3. Advice and Remarks

- The minimum shelf life is based on the current knowledge and holds only for proper storage conditions in the originally closed flasks/ packages.
- Whenever the container is opened for removal of aliquot portions of the substance, the person handling the substance must assure, that the integrity of the substance is maintained and proper records of all its handlings are kept. Special care has to be taken to avoid any contamination or adulteration of the substance.
- We herewith confirm that the delivery is effected according to the technical delivery conditions agreed.
- Particular properties of the products or the suitability for a particular area of application are not assured.
- We guarantee a proper quality within our General Conditions of Sales.

Sigma-Aldrich Laborchemikalien GmbH
Quality Management SA-LC

Reagent

LC537_PFOS2_00001

Certificate of Analysis

Inv 820
12LCMS 0579

Product Name: HEPTADEC AFLUORO OCTANESULFONIC ACID TETRAETHYLAMMONIUM SALT
98 %
Product Number: 365289
Product Brand: Aldrich
Molecular Formula: $C_{16}H_{20}F_{17}NO_3S$
Molecular Mass: 629.37
CAS Number: 56773-42-3

TEST	SPECIFICATION	LOT BCBF5116V RESULTS
APPEARANCE (COLOR)	OFF-WHITE TO WHITE	WHITE
APPEARANCE (FORM)	POWDER, LUMPS OR CHUNKS	POWDER WITH LUMPS
CARBON CONTENT	29.77 % - 31.29 %	30.52
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	CONFORMS

QC RELEASE DATE 13/APR/11



E. Schwarz

Edeltraud Schwarzler, Manager
Quality Control
Buchs, Switzerland

$$\text{MW correction} = \frac{500.125}{629.37} = 0.7946$$

~~79.46%~~ det 7-26-12

$$\text{Purity + MW Correction} = 77.87\%$$



	$C_8F_{17}SO_3 + H$
C = 12.011	96.088
F = 18.998	322.966
S = 32.066	32.066
O = 15.999	47.997
H = 1.008	1.008
N = 14.007	-
	<u>500.125</u>

$C_8H_{20}N$
96.088
-
-
-
20.160
14.007
<u>130.255</u>
→

Sigma-Aldrich warrants, that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice for additional terms and conditions of sale. The values given on the 'Certificate of Analysis' are the results determined at the time of analysis.

Certificate of Origin

Product Name: Heptadecafluorooctanesulfonic acid tetraethylammonium salt
98 %
Product Number: 365289
Product Brand: Aldrich
Lot: BCBF5116V
Molecular Formula: $C_{16}H_{20}F_{17}NO_3S$
Molecular Mass: 629.37
CAS Number: 56773-42-3
Date of Issue: 30-MAR-11

Country of Origin China

product is of synthetic origin	yes
only synthetic materials used in the manufacturing process	yes
compounds of animal origin used	no
genetically modified organisms used	no
allergenic materials used	no
procedures in place to avoid cross contamination with residue of animal, human, GMO or allergenes in manufacturing process	yes

Sigma-Aldrich has quality systems and procedures in place for monitoring the production process, traceability and batch consistency.

Document issued by Sigma-Aldrich Corporation "Sigma-Aldrich". This document is valid without signature and has been produced digitally.

This information is to be used for the purpose of determining animal or other biological origin only and not to be confused with "Country of Origin" for import/export purposes. Data provided on this document are property of Sigma-Aldrich.

This information is considered accurate and reliable as of the date appearing on the document and is presented in good faith.

Sigma-Aldrich shall not be held liable for any damage resulting from handling or from processing the above product(s). This document does not make any warranty, express or implied, of fitness for any particular use of the product(s). Purchaser must determine the suitability of the product(s) for its use under the applicable law and regulations.

For further questions please contact your local Sigma-Aldrich representative.

We are committed to the success of our Customers, Employees and Shareholders through leadership in Life Science, High Technology and Service.

Reagent

LCM2PFOA_00005



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:


M2PFOA

LOT NUMBER:

M2PFOA0613

COMPOUND:Perfluoro-n-[1,2-¹³C₂]octanoic acid**STRUCTURE:****CAS #:**

Not available

**MOLECULAR FORMULA:**¹³C₂¹²C₆H₁₅O₂**MOLECULAR WEIGHT:**

416.05

CONCENTRATION:

50 ± 2.5 µg/ml

SOLVENT(S):

Methanol

Water (<1%)

CHEMICAL PURITY:

>98%

ISOTOPIC PURITY:≥99%¹³C**LAST TESTED:** (mm/dd/yyyy)

06/19/2013

(1,2-¹³C₂)**EXPIRY DATE:** (mm/dd/yyyy)

06/19/2018

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim

Date: 07/16/2013

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. They are designed to be used as reference standards for the identification and/or quantification of specific chemical compound(s).

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Material Safety Data Sheets (MSDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product, unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, x-ray crystallography and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS and/or LC/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters

$x_1, x_2, \dots, x_n$ on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external, ISO/IEC 17025:2005 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:

Ongoing stability studies of this product have demonstrated stability in its composition and concentration for the period of time specified by the expiry date in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to ISO 9001:2008 by SAI Global, ISO/IEC 17025:2005 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34:2009 by ACLASS (certificate number AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: M2PFOA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro *micro* API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 50% (80:20 MeOH:ACN) / 50% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 1.5 min
before returning to initial conditions in 0.5 min.
Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (150 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 100
Desolvation Gas Flow (l/hr) = 750

Figure 2: M2PFOA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μl (500 ng/ml M2PFOA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H_2O
(both with 10 mM NH_4OAc buffer)

Flow: 300 $\mu\text{l}/\text{min}$

MS Parameters

Collision Gas (mbar) = 3.66e-3
Collision Energy (eV) = 11

Reagent

LCMPFDA_00008



605243

ID: LCMPPFDA_00008

Exp: 08/19/20 Pptd: CBW

13C2-Perfluorodecanoic acid

Rec. 3/29/16 JRB ✓



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:


MPFDA

LOT NUMBER:

MPFDA0815

COMPOUND:Perfluoro-n-[1,2-¹³C₂]decanoic acid**STRUCTURE:****CAS #:**

Not available

**MOLECULAR FORMULA:**¹³C₂¹²C₈H₂F₁₉O₂**MOLECULAR WEIGHT:**

516.07

CONCENTRATION:

50 ± 2.5 µg/ml

SOLVENT(S):

Methanol

Water (<1%)

CHEMICAL PURITY:

>98%

ISOTOPIC PURITY:≥99% ¹³C(1,2-¹³C₂)**LAST TESTED:** (mm/dd/yyyy)

08/19/2015

EXPIRY DATE: (mm/dd/yyyy)

08/19/2020

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of ¹³C₁-PFNA.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim

Date: 08/21/2015

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters $x_1, x_2, \dots, x_n$ on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:

Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFDA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro micro API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 50% (80:20 MeOH:ACN) / 50% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 2 min
before returning to initial conditions in 0.5 min.
Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (150 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 50
Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFDA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μl (500 ng/ml MPFDA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H_2O
(both with 10 mM NH_4OAc buffer)

Flow: 300 $\mu\text{l}/\text{min}$

MS Parameters

Collision Gas (mbar) = $3.35\text{e-}3$
Collision Energy (eV) = 13

Reagent

LCMPFHxA_00009



605244

ID: LCMPFHxA_00009

Exp: 04/09/20 Prod: CBW

13C2-Perfluorohexanoic ac

Rec. 3/29/16 JRB ✓



WELLINGTON LABORATORIES


CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: MPFHxA
COMPOUND: Perfluoro-n-[1,2-¹³C₂]hexanoic acid

LOT NUMBER: MPFHxA0415

STRUCTURE:

CAS #: Not available



MOLECULAR FORMULA: ¹³C₂¹²C₄HF₁₁O₂
CONCENTRATION: 50 ± 2.5 µg/ml

MOLECULAR WEIGHT: 316.04
SOLVENT(S): Methanol
Water (<1%)

CHEMICAL PURITY: >98%
LAST TESTED: (mm/dd/yyyy) 04/09/2015
EXPIRY DATE: (mm/dd/yyyy) 04/09/2020
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

ISOTOPIC PURITY: ≥99%¹³C
(1,2-¹³C₂)

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- Contains < 0.1% of perfluoro-n-hexanoic acid and ~ 0.3% of perfluoro-n-octanoic acid.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim

Date: 04/14/2015
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters $x_1, x_2, \dots, x_n$ on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFHxA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro micro API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 50% (80:20 MeOH:ACN) / 50% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 2 min
before returning to initial conditions over 0.5 min.
Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 15.00
Cone Gas Flow (l/hr) = 100
Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFHxA; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μ l (500 ng/ml MPFHxA)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H₂O
(both with 10 mM NH₄OAc buffer)

Flow: 300 μ l/min

MS Parameters

Collision Gas (mbar) = 3.20e-3
Collision Energy (eV) = 10

Reagent

LCMPFOS_00018

R: SBC 9/22/16



738686

ID: LCMFOS_00018

Exp: 08/03/21 Prod: SBC

13C4-Perfluorooctanesulfo



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

MPFOS

LOT NUMBER:

MPFOS0816


COMPOUND:

Sodium perfluoro-1-[1,2,3,4-¹³C₄]octanesulfonate

STRUCTURE:

CAS #:

Not available



MOLECULAR FORMULA:

¹³C₄¹²C₄F₁₇SO₃Na

CONCENTRATION:

50.0 ± 2.5 µg/ml (Na salt)

47.8 ± 2.4 µg/ml (MPFOS anion)

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

08/03/2016

EXPIRY DATE: (mm/dd/yyyy)

08/03/2021

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

MOLECULAR WEIGHT:

526.08

SOLVENT(S):

Methanol

ISOTOPIC PURITY:

≥99% ¹³C
(1,2,3,4-¹³C₄)

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.8% Sodium perfluoro-1-[1,2,3-¹³C₃]heptanesulfonate.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim

Date: 08/05/2016

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

INTENDED USE:

The products prepared by Wellington Laboratories Inc. are for laboratory use only. This certified reference material (CRM) was designed to be used as a standard for the identification and/or quantification of the specific chemical compound it contains.

HAZARDS:

This product should only be used by qualified personnel familiar with its potential hazards and trained in the handling of hazardous chemicals. Due care should be exercised to prevent unnecessary human contact or ingestion. All procedures should be carried out in a well-functioning fume hood and suitable gloves, eye protection, and clothing should be worn at all times. Waste should be disposed of according to national and regional regulations. Safety Data Sheets (SDSs) are available upon request.

SYNTHESIS / CHARACTERIZATION:

Where possible, all of our products are synthesized using single-product unambiguous routes. They are then characterized, and their structures and purities confirmed, using a combination of the most relevant techniques, such as NMR, GC/MS, LC/MS/MS, SFC/UV/MS/MS, x-ray crystallography, and melting point. Isotopic purities of mass-labelled compounds are also confirmed using HRGC/HRMS and/or LC/MS/MS.

HOMOGENEITY:

Prior to solution preparation, crystalline material is tested for homogeneity using a variety of techniques (as stated above) and its solubility in a given diluent is taken into consideration. Duplicate solutions of a new product are prepared from the same crystalline lot and, after the addition of an appropriate internal standard, they are compared by GC/MS, LC/MS/MS and/or SFC/UV/MS/MS. The relative response factors of the analyte of interest in each solution are required to be <5% RSD. New solution lots of existing products are compared to older lots in the same manner, which further confirms the homogeneity of the crystalline material as well as the stability and homogeneity of the solutions in the storage containers.

UNCERTAINTY:

The maximum combined relative standard uncertainty of our reference standard solutions is calculated using the following equation:

The combined relative standard uncertainty, $u_c(y)$, of a value y and the uncertainty of the independent parameters $x_1, x_2, \dots, x_n$ on which it depends is:

$$u_c(y(x_1, x_2, \dots, x_n)) = \sqrt{\sum_{i=1}^n u(y, x_i)^2}$$

where x is expressed as a relative standard uncertainty of the individual parameter.

The individual uncertainties taken into account include those associated with weights (calibration of the balance) and volumes (calibration of the volumetric glassware). An expanded maximum combined percent relative uncertainty of $\pm 5\%$ (calculated with a coverage factor of 2 and a level of confidence of 95%) is stated on the Certificate of Analysis for all of our products.

TRACEABILITY:

All reference standard solutions are traceable to specific crystalline lots. The microbalances used for solution preparation are regularly tested by an external ISO/IEC 17025 accredited calibration company. In addition, their calibration is verified prior to each weighing using NIST and/or NRC traceable external weights. All volumetric glassware used is of Class A tolerance and has been tested according to the appropriate ASTM procedures, which are ultimately traceable to NIST. For certain products, traceability to international interlaboratory studies has also been established.

EXPIRY DATE / PERIOD OF VALIDITY:


Ongoing stability studies of this product have demonstrated stability in its composition and concentration, until the specified expiry date, in the unopened ampoule. Monitoring for any degradation or change in concentration of the listed analyte(s) is performed on a routine basis.

LIMITED WARRANTY:

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the stated technical and purity specifications.



QUALITY MANAGEMENT:

This product was produced using a Quality Management System registered to the latest versions of ISO 9001 by SAI Global, ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA; A 1226), and ISO GUIDE 34 by ANSI-ASQ National Accreditation Board (ANAB; AR-1523).



For additional information or assistance concerning this or any other products from Wellington Laboratories Inc., please visit our website at www.well-labs.com or contact us directly at info@well-labs.com

Figure 1: MPFOS; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

LC: Waters Acquity Ultra Performance LC
MS: Micromass Quattro micro API MS

Chromatographic Conditions

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 45% (80:20 MeOH:ACN) / 55% H₂O
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 1.5 min
before returning to initial conditions in 0.5 min.
Time: 10 min


Flow: 300 μ l/min

MS Parameters

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 3.00
Cone Voltage (V) = 60.00
Cone Gas Flow (l/hr) = 50
Desolvation Gas Flow (l/hr) = 750

Figure 2: MPFOS; LC/MS/MS Data (Selected MRM Transitions)



Conditions for Figure 2:

Injection: Direct loop injection
10 μl (500 ng/ml MPFOS)

Mobile phase: Isocratic 80% (80:20 MeOH:ACN) / 20% H_2O
(both with 10 mM NH_4OAc buffer)

Flow: 300 $\mu\text{l}/\text{min}$

MS Parameters

Collision Gas (mbar) = 3.46e-3
Collision Energy (eV) = 40

Method 537 DOD

Perfluorinated Alkyl Acids (LC/MS)
by Method 537 DOD

FORM II
LCMS SURROGATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Matrix: Water Level: Low
 GC Column (1): GeminiC18 3 ID: 3 (mm)

Client Sample ID	Lab Sample ID	PFHxA #	PFDA #
WI -CV-1RW68-0117	320-25352-1	88	106
WI -CV-1FB68-0117	320-25352-2	100	112
WI -CV-1RW69-0117	320-25352-3	93	92
WI -CV-1FB69-0117	320-25352-4	94	115
WI -CV-1RW70-0117	320-25352-5	108	119
WI -CV-1FB70-0117	320-25352-6	94	105
WI -CV-1RW71-0117	320-25352-7	98	107
WI -CV-1FB71-0117	320-25352-8	97	105
	MB 320-148300/1-A	94	105
	LCS 320-148300/2-A	93	109
WI -CV-1RW70-0117 MS	320-25352-5 MS	94	99
WI -CV-1RW70-0117 MSD	320-25352-5 MSD	95	104

PFHxA = 13C2 PFHxA
 PFDA = 13C2 PFDA

QC LIMITS
 70-130
 70-130

Column to be used to flag recovery values

FORM III
LCMS LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
SDG No.: _____
Matrix: Water Level: Low Lab File ID: 2017.01.31A_537_009.d
Lab ID: LCS 320-148300/2-A Client ID: _____

COMPOUND	SPIKE ADDED (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC	QC LIMITS REC	#
Perfluorooctanesulfonic acid (PFOS)	0.300	0.293	98	70-130	
Perfluorooctanoic acid (PFOA)	0.146	0.141	96	70-130	
Perfluorobutanesulfonic acid (PFBS)	0.673	0.606	90	70-130	

Column to be used to flag recovery and RPD values

FORM III
LCMS MATRIX SPIKE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Matrix: Water Level: Low Lab File ID: 2017.01.31A_537_031.d
 Lab ID: 320-25352-5 MS Client ID: WI -CV-1RW70-0117 MS

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	MS CONCENTRATION (ug/L)	MS % REC	QC LIMITS REC	#
Perfluorooctanesulfonic acid (PFOS)	0.0406	0.050 U	0.0285 J	70	70-130	M
Perfluorooctanoic acid (PFOA)	0.0201	0.025 U	0.0153 J	76	70-130	
Perfluorobutanesulfonic acid (PFBS)	0.0909	0.12 U	0.0765 J	84	70-130	

Column to be used to flag recovery and RPD values

FORM III
LCMS MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Matrix: Water Level: Low Lab File ID: 2017.01.31A_537_032.d
 Lab ID: 320-25352-5 MSD Client ID: WI -CV-1RW70-0117 MSD

COMPOUND	SPIKE ADDED (ug/L)	MSD CONCENTRATION (ug/L)	MSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Perfluorooctanesulfonic acid (PFOS)	0.0401	0.0294 J	74	3	30	70-130	M
Perfluorooctanoic acid (PFOA)	0.0198	0.0159 J	80	3	30	70-130	
Perfluorobutanesulfonic acid (PFBS)	0.0897	0.0785 J	88	3	30	70-130	

Column to be used to flag recovery and RPD values

FORM IV
LCMS METHOD BLANK SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab File ID: 2017.01.31A_537_008.d Lab Sample ID: MB 320-148300/1-A
 Matrix: Water Date Extracted: 01/30/2017 14:07
 Instrument ID: A8_N Date Analyzed: 01/31/2017 17:41
 Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	LCS 320-148300/2-A	2017.01.31A 537 009.d	01/31/2017 17:45
WI -CV-1RW68-0117	320-25352-1	2017.01.31A 537 024.d	01/31/2017 18:51
WI -CV-1FB68-0117	320-25352-2	2017.01.31A 537 025.d	01/31/2017 18:55
WI -CV-1RW69-0117	320-25352-3	2017.01.31A 537 026.d	01/31/2017 19:00
WI -CV-1FB69-0117	320-25352-4	2017.01.31A 537 027.d	01/31/2017 19:04
WI -CV-1RW70-0117	320-25352-5	2017.01.31A 537 028.d	01/31/2017 19:09
WI -CV-1RW70-0117 MS	320-25352-5 MS	2017.01.31A 537 031.d	01/31/2017 19:22
WI -CV-1RW70-0117 MSD	320-25352-5 MSD	2017.01.31A 537 032.d	01/31/2017 19:26
WI -CV-1FB70-0117	320-25352-6	2017.01.31A 537 033.d	01/31/2017 19:31
WI -CV-1RW71-0117	320-25352-7	2017.01.31A 537 034.d	01/31/2017 19:35
WI -CV-1FB71-0117	320-25352-8	2017.01.31A 537 035.d	01/31/2017 19:39

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Instrument ID: A8_N Calibration Start Date: 01/26/2017 11:03
 GC Column: Acquity ID: 2.1(mm) Calibration End Date: 01/26/2017 11:25
 Calibration ID: 27929

		13PFOA		PFOS			
		AREA #	RT #	AREA #	RT #	AREA #	RT #
INITIAL CALIBRATION MEAN AREA AND MEAN RT		2538555	1.98	6895045	2.22		
UPPER LIMIT		3807833	2.48	10342568	2.72		
LOWER LIMIT		1269278	1.48	3447523	1.72		
LAB SAMPLE ID	CLIENT SAMPLE ID						
CCVL 320-147939/11		2492054	1.98	6749200	2.22		
ICV 320-147939/13		2273215	1.97	6260544	2.22		
CCV 320-148472/4 CCVL		2383498	2.00	6668385	2.24		
CCV 320-148472/5 CCVIS		2405110	1.99	6668803	2.24		
MB 320-148300/1-A		2530107	1.99	6516236	2.24		
LCS 320-148300/2-A		2425127	1.99	6406861	2.23		
CCV 320-148472/17 CCVIS		2513223	1.98	6723009	2.22		
CCV 320-148473/17 CCVIS		2513223	1.98	6723009	2.22		
320-25352-1	WI -CV-1RW68-0117	2598678	1.97	6632746	2.22		
320-25352-2	WI -CV-1FB68-0117	2528683	1.98	6512685	2.22		
320-25352-3	WI -CV-1RW69-0117	2536414	1.98	6620633	2.22		
320-25352-4	WI -CV-1FB69-0117	2529253	1.97	6463977	2.22		
320-25352-5	WI -CV-1RW70-0117	2186468	1.97	5609138	2.22		
CCV 320-148473/29 CCVIS		2530721	1.97	6584918	2.22		
CCV 320-148474/29 CCVIS		2530721	1.97	6584918	2.22		
320-25352-5 MS	WI -CV-1RW70-0117 MS	2594579	1.98	6560082	2.22		
320-25352-5 MSD	WI -CV-1RW70-0117 MSD	2645221	1.97	6629871	2.22		
320-25352-6	WI -CV-1FB70-0117	2600919	1.98	6670155	2.22		
320-25352-7	WI -CV-1RW71-0117	2489518	1.98	6560667	2.22		
320-25352-8	WI -CV-1FB71-0117	2549074	1.97	6583393	2.22		
CCV 320-148474/36 CCVIS		2593892	1.97	6661663	2.22		

13PFOA = 13C2-PFOA

PFOS = 13C4 PFOS

Area Limit = 50%-150% of internal standard area

RT Limit = $\pm$ 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Sample No.: CCV 320-148472/5 Date Analyzed: 01/31/2017 17:27
 Instrument ID: A8_N GC Column: GeminiC18 3x100 ID: 3 (mm)
 Lab File ID (Standard): 2017.01.31A_537_005 Heated Purge: (Y/N) N
 Calibration ID: 27929

	13PFOA		PFOS			
	AREA #	RT #	AREA #	RT #	AREA #	RT #
12/24 HOUR STD	2405110	1.99	6668803	2.24		
UPPER LIMIT	3367154	2.49	9336324	2.74		
LOWER LIMIT	1683577	1.49	4668162	1.74		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-148300/1-A		2530107	1.99	6516236	2.24	
LCS 320-148300/2-A		2425127	1.99	6406861	2.23	

13PFOA = 13C2-PFOA
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = $\pm$ 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Sample No.: CCV 320-148472/17 Date Analyzed: 01/31/2017 18:20
 Instrument ID: A8_N GC Column: GeminiC18 3x100 ID: 3 (mm)
 Lab File ID (Standard): 2017.01.31A_537_017 Heated Purge: (Y/N) N
 Calibration ID: 27929

	13PFOA		PFOS			
	AREA #	RT #	AREA #	RT #	AREA #	RT #
12/24 HOUR STD	2513223	1.98	6723009	2.22		
UPPER LIMIT	3518512	2.48	9412213	2.72		
LOWER LIMIT	1759256	1.48	4706106	1.72		
LAB SAMPLE ID	CLIENT SAMPLE ID					
MB 320-148300/1-A		2530107	1.99	6516236	2.24	
LCS 320-148300/2-A		2425127	1.99	6406861	2.23	

13PFOA = 13C2-PFOA
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = $\pm$ 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Sample No.: CCV 320-148473/17 Date Analyzed: 01/31/2017 18:20
 Instrument ID: A8_N GC Column: GeminiC18 3x100 ID: 3 (mm)
 Lab File ID (Standard): 2017.01.31A_537_017 Heated Purge: (Y/N) N
 Calibration ID: 27929

	13PFOA		PFOS			
	AREA #	RT #	AREA #	RT #	AREA #	RT #
12/24 HOUR STD	2513223	1.98	6723009	2.22		
UPPER LIMIT	3518512	2.48	9412213	2.72		
LOWER LIMIT	1759256	1.48	4706106	1.72		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-25352-1	WI -CV-1RW68-0117		2598678	1.97	6632746	2.22
320-25352-2	WI -CV-1FB68-0117		2528683	1.98	6512685	2.22
320-25352-3	WI -CV-1RW69-0117		2536414	1.98	6620633	2.22
320-25352-4	WI -CV-1FB69-0117		2529253	1.97	6463977	2.22
320-25352-5	WI -CV-1RW70-0117		2186468	1.97	5609138	2.22

13PFOA = 13C2-PFOA
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = $\pm$ 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Sample No.: CCV 320-148473/29 Date Analyzed: 01/31/2017 19:13
 Instrument ID: A8_N GC Column: GeminiC18 3x100 ID: 3 (mm)
 Lab File ID (Standard): 2017.01.31A_537_029 Heated Purge: (Y/N) N
 Calibration ID: 27929

	13PFOA		PFOS			
	AREA #	RT #	AREA #	RT #	AREA #	RT #
12/24 HOUR STD	2530721	1.97	6584918	2.22		
UPPER LIMIT	3543009	2.47	9218885	2.72		
LOWER LIMIT	1771505	1.47	4609443	1.72		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-25352-1	WI -CV-1RW68-0117		2598678	1.97	6632746	2.22
320-25352-2	WI -CV-1FB68-0117		2528683	1.98	6512685	2.22
320-25352-3	WI -CV-1RW69-0117		2536414	1.98	6620633	2.22
320-25352-4	WI -CV-1FB69-0117		2529253	1.97	6463977	2.22
320-25352-5	WI -CV-1RW70-0117		2186468	1.97	5609138	2.22

13PFOA = 13C2-PFOA
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = $\pm$ 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Sample No.: CCV 320-148474/29 Date Analyzed: 01/31/2017 19:13
 Instrument ID: A8_N GC Column: GeminiC18 3x100 ID: 3 (mm)
 Lab File ID (Standard): 2017.01.31A_537_029 Heated Purge: (Y/N) N
 Calibration ID: 27929

	13PFOA		PFOS			
	AREA #	RT #	AREA #	RT #	AREA #	RT #
12/24 HOUR STD	2530721	1.97	6584918	2.22		
UPPER LIMIT	3543009	2.47	9218885	2.72		
LOWER LIMIT	1771505	1.47	4609443	1.72		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-25352-5 MS	WI -CV-1RW70-0117 MS	2594579	1.98	6560082	2.22	
320-25352-5 MSD	WI -CV-1RW70-0117 MSD	2645221	1.97	6629871	2.22	
320-25352-6	WI -CV-1FB70-0117	2600919	1.98	6670155	2.22	
320-25352-7	WI -CV-1RW71-0117	2489518	1.98	6560667	2.22	
320-25352-8	WI -CV-1FB71-0117	2549074	1.97	6583393	2.22	

13PFOA = 13C2-PFOA
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = $\pm$ 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Sample No.: CCV 320-148474/36 Date Analyzed: 01/31/2017 19:44
 Instrument ID: A8_N GC Column: GeminiC18 3x100 ID: 3 (mm)
 Lab File ID (Standard): 2017.01.31A_537_036 Heated Purge: (Y/N) N
 Calibration ID: 27929

	13PFOA		PFOS			
	AREA #	RT #	AREA #	RT #	AREA #	RT #
12/24 HOUR STD	2593892	1.97	6661663	2.22		
UPPER LIMIT	3631449	2.47	9326328	2.72		
LOWER LIMIT	1815724	1.47	4663164	1.72		
LAB SAMPLE ID	CLIENT SAMPLE ID					
320-25352-5 MS	WI -CV-1RW70-0117 MS	2594579	1.98	6560082	2.22	
320-25352-5 MSD	WI -CV-1RW70-0117 MSD	2645221	1.97	6629871	2.22	
320-25352-6	WI -CV-1FB70-0117	2600919	1.98	6670155	2.22	
320-25352-7	WI -CV-1RW71-0117	2489518	1.98	6560667	2.22	
320-25352-8	WI -CV-1FB71-0117	2549074	1.97	6583393	2.22	

13PFOA = 13C2-PFOA
 PFOS = 13C4 PFOS

Area Limit = 70%-140% of internal standard area
 RT Limit = $\pm$ 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1RW68-0117 Lab Sample ID: 320-25352-1
 Matrix: Water Lab File ID: 2017.01.31A_537_024.d
 Analysis Method: 537 Date Collected: 01/25/2017 09:11
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 229.2 (mL) Date Analyzed: 01/31/2017 18:51
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.052	U	0.065	0.052	0.017
335-67-1	Perfluorooctanoic acid (PFOA)	0.026	U	0.033	0.026	0.010
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.12	0.052

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	88		70-130
STL00996	13C2 PFDA	106		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_024.d
 Lims ID: 320-25352-A-1-A
 Client ID: WI -CV-1RW68-0117
 Sample Type: Client
 Inject. Date: 31-Jan-2017 18:51:29 ALS Bottle#: 16 Worklist Smp#: 24
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-1-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:36:05

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
--------	----	-----------	-----------	-----------	----------	-----------------	---------------	-----	-------

\$ 2 13C2 PFHxA

315.00 > 270.00 1.631 1.638 -0.007 1.000 2480566 8.85 4931

* 6 13C2-PFOA

415.00 > 370.00 1.973 1.979 -0.006 2598678 10.0 5558

* 7 13C4 PFOS

503.00 > 80.00 2.215 2.220 -0.005 6632746 28.7 5337

\$ 10 13C2 PFDA

515.00 > 470.00 2.382 2.384 -0.002 1.000 1773083 10.6 2450

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_024.d

Injection Date: 31-Jan-2017 18:51:29

Instrument ID: A8_N

Lims ID: 320-25352-A-1-A

Lab Sample ID: 320-25352-1

Client ID: WI -CV-1RW68-0117

Operator ID: A8-PC\A8

ALS Bottle#: 16

Worklist Smp#: 24

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)




5 Perfluorooctanoic acid (ND)

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) * 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_024.d
Lims ID: 320-25352-A-1-A
Client ID: WI -CV-1RW68-0117
Sample Type: Client
Inject. Date: 31-Jan-2017 18:51:29 ALS Bottle#: 16 Worklist Smp#: 24
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-1-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:36:05

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	8.85	88.45
\$ 10 13C2 PFDA	10.0	10.6	105.68

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1FB68-0117 Lab Sample ID: 320-25352-2
 Matrix: Water Lab File ID: 2017.01.31A_537_025.d
 Analysis Method: 537 Date Collected: 01/25/2017 09:12
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 254(mL) Date Analyzed: 01/31/2017 18:55
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U M	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U M	0.030	0.024	0.0093
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U M	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	100		70-130
STL00996	13C2 PFDA	112		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_025.d
 Lims ID: 320-25352-A-2-A
 Client ID: WI -CV-1FB68-0117
 Sample Type: Client
 Inject. Date: 31-Jan-2017 18:55:53 ALS Bottle#: 17 Worklist Smp#: 25
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-2-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:37:27

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	40576	0.0939		4.3	M
298.90 > 99.00	1.510	1.510	0.0	1.000	16880		2.40(0.00-0.00)	3.7	M
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2729330	10.0		6028	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2528683	10.0		4877	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.988	1.980	0.008	1.000	25960	0.1110		1.4	M
413.00 > 169.00	1.980	1.980	0.0	0.996	7290		3.56(0.00-0.00)	9.2	M
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.231	2.215	0.016	1.000	91911	0.3625		40.1	M
499.00 > 99.00	2.223	2.215	0.008	0.997	21003		4.38(0.00-0.00)	30.2	
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		6512685	28.7		5250	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.384	0.006	1.000	1828382	11.2		2494	

QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_025.d

Injection Date: 31-Jan-2017 18:55:53

Instrument ID: A8_N

Lims ID: 320-25352-A-2-A

Lab Sample ID: 320-25352-2

Client ID: WI -CV-1FB68-0117

Operator ID: A8-PC\A8

ALS Bottle#: 17

Worklist Smp#: 25

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (M)

1 Perfluorobutanesulfonic acid (M)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid (M)




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid

* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_025.d
Lims ID: 320-25352-A-2-A
Client ID: WI -CV-1FB68-0117
Sample Type: Client
Inject. Date: 31-Jan-2017 18:55:53 ALS Bottle#: 17 Worklist Smp#: 25
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-2-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:37:27

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.0	100.02
\$ 10 13C2 PFDA	10.0	11.2	112.00

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_025.d
Injection Date: 31-Jan-2017 18:55:53 Instrument ID: A8_N
Lims ID: 320-25352-A-2-A Lab Sample ID: 320-25352-2
Client ID: WI -CV-1FB68-0117
Operator ID: A8-PC\A8 ALS Bottle#: 17 Worklist Smp#: 25
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1


Signal: 1

Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:37:27
Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_025.d
Injection Date: 31-Jan-2017 18:55:53 Instrument ID: A8_N
Lims ID: 320-25352-A-2-A Lab Sample ID: 320-25352-2
Client ID: WI -CV-1FB68-0117
Operator ID: A8-PCVA8 ALS Bottle#: 17 Worklist Smp#: 25
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.23
Area: 91911
Amount: 0.362541
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:37:27

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_025.d
Injection Date: 31-Jan-2017 18:55:53 Instrument ID: A8_N
Lims ID: 320-25352-A-2-A Lab Sample ID: 320-25352-2
Client ID: WI -CV-1FB68-0117
Operator ID: A8-PC\A8 ALS Bottle#: 17 Worklist Smp#: 25
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

5 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 1


Not Detected
Expected RT: 1.98

Processing Integration Results



Manual Integration Results

RT: 1.99
Area: 25960
Amount: 0.111017
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:37:27

Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_025.d
Injection Date: 31-Jan-2017 18:55:53 Instrument ID: A8_N
Lims ID: 320-25352-A-2-A Lab Sample ID: 320-25352-2
Client ID: WI -CV-1FB68-0117
Operator ID: A8-PCVA8 ALS Bottle#: 17 Worklist Smp#: 25
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

5 Perfluorooctanoic acid, CAS: 335-67-1

Signal: 2


Not Detected
Expected RT: 1.98

Processing Integration Results



Manual Integration Results

RT: 1.98
Area: 7290
Amount: 0.111017
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:37:27

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_025.d
Injection Date: 31-Jan-2017 18:55:53 Instrument ID: A8_N
Lims ID: 320-25352-A-2-A Lab Sample ID: 320-25352-2
Client ID: WI -CV-1FB68-0117
Operator ID: A8-PC\A8 ALS Bottle#: 17 Worklist Smp#: 25
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

1 Perfluorobutanesulfonic acid, CAS: 375-73-5


Signal: 1

Not Detected
Expected RT: 1.51

Processing Integration Results



Manual Integration Results



RT: 1.51
Area: 40576
Amount: 0.093912
Amount Units: ng/ml

Reviewer: barnettj, 01-Feb-2017 10:37:27

Audit Action: Manually Integrated

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_025.d
Injection Date: 31-Jan-2017 18:55:53 Instrument ID: A8_N
Lims ID: 320-25352-A-2-A Lab Sample ID: 320-25352-2
Client ID: WI -CV-1FB68-0117
Operator ID: A8-PCVA8 ALS Bottle#: 17 Worklist Smp#: 25
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

1 Perfluorobutanesulfonic acid, CAS: 375-73-5

Signal: 2


Not Detected
Expected RT: 1.51

Processing Integration Results



Manual Integration Results

RT: 1.51
Area: 16880
Amount: 0.093912
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:37:27

Audit Action: Manually Integrated

Audit Reason: Missed Peak

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1RW69-0117 Lab Sample ID: 320-25352-3
 Matrix: Water Lab File ID: 2017.01.31A_537_026.d
 Analysis Method: 537 Date Collected: 01/26/2017 11:29
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 243(mL) Date Analyzed: 01/31/2017 19:00
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.049	U M	0.062	0.049	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.025	U	0.031	0.025	0.0097
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.049

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	93		70-130
STL00996	13C2 PFDA	92		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_026.d
 Lims ID: 320-25352-A-3-A
 Client ID: WI -CV-1RW69-0117
 Sample Type: Client
 Inject. Date: 31-Jan-2017 19:00:17 ALS Bottle#: 18 Worklist Smp#: 26
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-3-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:37:59

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
--------	----	-----------	-----------	-----------	----------	-----------------	---------------	-----	-------

\$ 2 13C2 PFHxA

315.00 > 270.00 1.631 1.638 -0.007 1.000 2537428 9.27 4774

* 6 13C2-PFOA

415.00 > 370.00 1.980 1.979 0.001 2536414 10.0 5132

8 Perfluorooctane sulfonic acid

M

499.00 > 80.00 2.223 2.215 0.008 1.000 29267 0.1136 14.9

499.00 > 99.00 2.223 2.215 0.008 1.000 6716 4.36(0.00-0.00) 6.9 M

* 7 13C4 PFOS

503.00 > 80.00 2.223 2.220 0.003 6620633 28.7 6065

\$ 10 13C2 PFDA

515.00 > 470.00 2.390 2.384 0.006 1.000 1510151 9.22 2159

QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_026.d

Injection Date: 31-Jan-2017 19:00:17

Instrument ID: A8_N

Lims ID: 320-25352-A-3-A

Lab Sample ID: 320-25352-3

Client ID: WI-CV-1RW69-0117

Operator ID: A8-PC\A8

ALS Bottle#: 18

Worklist Smp#: 26

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)

5 Perfluorooctanoic acid (ND)




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_026.d
Lims ID: 320-25352-A-3-A
Client ID: WI -CV-1RW69-0117
Sample Type: Client
Inject. Date: 31-Jan-2017 19:00:17 ALS Bottle#: 18 Worklist Smp#: 26
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-3-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:37:59

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.27	92.70
\$ 10 13C2 PFDA	10.0	9.22	92.22

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_026.d
Injection Date: 31-Jan-2017 19:00:17 Instrument ID: A8_N
Lims ID: 320-25352-A-3-A Lab Sample ID: 320-25352-3
Client ID: WI -CV-1RW69-0117
Operator ID: A8-PC\A8 ALS Bottle#: 18 Worklist Smp#: 26
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1


Signal: 1

Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:37:59

Audit Action: Assigned Compound ID

Audit Reason: Missed Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_026.d
Injection Date: 31-Jan-2017 19:00:17 Instrument ID: A8_N
Lims ID: 320-25352-A-3-A Lab Sample ID: 320-25352-3
Client ID: WI -CV-1RW69-0117
Operator ID: A8-PCVA8 ALS Bottle#: 18 Worklist Smp#: 26
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 6716
Amount: 0.113561
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:37:59

Audit Action: Manually Integrated

Audit Reason: Missed Peak

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1FB69-0117 Lab Sample ID: 320-25352-4
 Matrix: Water Lab File ID: 2017.01.31A_537_027.d
 Analysis Method: 537 Date Collected: 01/26/2017 11:30
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 255(mL) Date Analyzed: 01/31/2017 19:04
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.029	0.024	0.0092
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	115		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_027.d
 Lims ID: 320-25352-A-4-A
 Client ID: WI -CV-1FB69-0117
 Sample Type: Client
 Inject. Date: 31-Jan-2017 19:04:40 ALS Bottle#: 19 Worklist Smp#: 27
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-4-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:38:29

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
--------	----	-----------	-----------	-----------	----------	-----------------	---------------	-----	-------

\$ 2 13C2 PFHxA

315.00 > 270.00 1.631 1.638 -0.007 1.000 2567099 9.40 4876

* 6 13C2-PFOA

415.00 > 370.00 1.973 1.979 -0.006 2529253 10.0 4593

* 7 13C4 PFOS

503.00 > 80.00 2.223 2.220 0.003 6463977 28.7 5764

\$ 10 13C2 PFDA

515.00 > 470.00 2.382 2.384 -0.002 1.000 1881935 11.5 2374

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_027.d

Injection Date: 31-Jan-2017 19:04:40

Instrument ID: A8_N

Lims ID: 320-25352-A-4-A

Lab Sample ID: 320-25352-4

Client ID: WI -CV-1FB69-0117

Operator ID: A8-PC\A8

ALS Bottle#: 19

Worklist Smp#: 27

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)




5 Perfluorooctanoic acid (ND)

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) * 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_027.d
Lims ID: 320-25352-A-4-A
Client ID: WI -CV-1FB69-0117
Sample Type: Client
Inject. Date: 31-Jan-2017 19:04:40 ALS Bottle#: 19 Worklist Smp#: 27
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-4-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:38:29

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.40	94.05
\$ 10 13C2 PFDA	10.0	11.5	115.25

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1RW70-0117 Lab Sample ID: 320-25352-5
 Matrix: Water Lab File ID: 2017.01.31A_537_028.d
 Analysis Method: 537 Date Collected: 01/27/2017 09:03
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 237.9(mL) Date Analyzed: 01/31/2017 19:09
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.050	U M	0.063	0.050	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.025	U	0.032	0.025	0.0099
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.12	0.050

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	108		70-130
STL00996	13C2 PFDA	119		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_028.d
 Lims ID: 320-25352-A-5-A
 Client ID: WI -CV-1RW70-0117
 Sample Type: Client
 Inject. Date: 31-Jan-2017 19:09:04 ALS Bottle#: 20 Worklist Smp#: 28
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-5-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:39:08

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
--------	----	-----------	-----------	-----------	----------	-----------------	---------------	-----	-------

\$ 2 13C2 PFHxA

315.00 > 270.00 1.631 1.638 -0.007 1.000 2540703 10.8 5782

* 6 13C2-PFOA

415.00 > 370.00 1.973 1.979 -0.006 2186468 10.0 4835

8 Perfluorooctane sulfonic acid

499.00 > 80.00 2.223 2.215 0.008 1.000 65381 0.2994 29.0 M

499.00 > 99.00 2.223 2.215 0.008 1.000 14926 4.38(0.00-0.00) 15.8 M

* 7 13C4 PFOS

503.00 > 80.00 2.223 2.220 0.003 5609138 28.7 5455

\$ 10 13C2 PFDA

515.00 > 470.00 2.382 2.384 -0.002 1.000 1686059 11.9 2167

QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_028.d

Injection Date: 31-Jan-2017 19:09:04

Instrument ID: A8_N

Lims ID: 320-25352-A-5-A

Lab Sample ID: 320-25352-5

Client ID: WI -CV-1RW70-0117

Operator ID: A8-PC\A8

ALS Bottle#: 20

Worklist Smp#: 28

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)

5 Perfluorooctanoic acid (ND)




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid

* 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_028.d
Lims ID: 320-25352-A-5-A
Client ID: WI -CV-1RW70-0117
Sample Type: Client
Inject. Date: 31-Jan-2017 19:09:04 ALS Bottle#: 20 Worklist Smp#: 28
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-5-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:25 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:39:08

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	10.8	107.68
\$ 10 13C2 PFDA	10.0	11.9	119.44

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_028.d
Injection Date: 31-Jan-2017 19:09:04 Instrument ID: A8_N
Lims ID: 320-25352-A-5-A Lab Sample ID: 320-25352-5
Client ID: WI -CV-1RW70-0117
Operator ID: A8-PC\A8 ALS Bottle#: 20 Worklist Smp#: 28
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1


Signal: 1

Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results



RT: 2.22
Area: 65381
Amount: 0.299436
Amount Units: ng/ml

Reviewer: barnettj, 01-Feb-2017 10:39:08

Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_028.d
Injection Date: 31-Jan-2017 19:09:04 Instrument ID: A8_N
Lims ID: 320-25352-A-5-A Lab Sample ID: 320-25352-5
Client ID: WI -CV-1RW70-0117
Operator ID: A8-PCVA8 ALS Bottle#: 20 Worklist Smp#: 28
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 65381
Amount: 0.299436
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:39:08

Audit Action: Manually Integrated

Audit Reason: Isomers

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1FB70-0117 Lab Sample ID: 320-25352-6
 Matrix: Water Lab File ID: 2017.01.31A_537_033.d
 Analysis Method: 537 Date Collected: 01/27/2017 09:04
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 252.6(mL) Date Analyzed: 01/31/2017 19:31
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148474 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.059	0.048	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0093
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	105		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_033.d
 Lims ID: 320-25352-A-6-A
 Client ID: WI -CV-1FB70-0117
 Sample Type: Client
 Inject. Date: 31-Jan-2017 19:31:04 ALS Bottle#: 23 Worklist Smp#: 33
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-6-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:42:43

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
--------	----	-----------	-----------	-----------	----------	-----------------	---------------	-----	-------

\$ 2 13C2 PFHxA

315.00 > 270.00 1.639 1.638 0.001 1.000 2646385 9.43 5438

* 6 13C2-PFOA

415.00 > 370.00 1.980 1.979 0.001 2600919 10.0 5112

* 7 13C4 PFOS

503.00 > 80.00 2.223 2.220 0.003 6670155 28.7 7197

\$ 10 13C2 PFDA

515.00 > 470.00 2.390 2.384 0.006 1.000 1770876 10.5 2342

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_033.d

Injection Date: 31-Jan-2017 19:31:04

Instrument ID: A8_N

Lims ID: 320-25352-A-6-A

Lab Sample ID: 320-25352-6

Client ID: WI -CV-1FB70-0117

Operator ID: A8-PC\A8

ALS Bottle#: 23

Worklist Smp#: 33

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)




5 Perfluorooctanoic acid (ND)

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) * 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_033.d
Lims ID: 320-25352-A-6-A
Client ID: WI -CV-1FB70-0117
Sample Type: Client
Inject. Date: 31-Jan-2017 19:31:04 ALS Bottle#: 23 Worklist Smp#: 33
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-6-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:42:43

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.43	94.28
\$ 10 13C2 PFDA	10.0	10.5	105.46

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1RW71-0117 Lab Sample ID: 320-25352-7
 Matrix: Water Lab File ID: 2017.01.31A_537_034.d
 Analysis Method: 537 Date Collected: 01/27/2017 11:33
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 238.2 (mL) Date Analyzed: 01/31/2017 19:35
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148474 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.050	U	0.063	0.050	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.025	U	0.031	0.025	0.0099
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.12	0.050

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	98		70-130
STL00996	13C2 PFDA	107		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_034.d
 Lims ID: 320-25352-A-7-A
 Client ID: WI -CV-1RW71-0117
 Sample Type: Client
 Inject. Date: 31-Jan-2017 19:35:30 ALS Bottle#: 24 Worklist Smp#: 34
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-7-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:43:16

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.638	-0.007	1.000	2639779	9.83		4853	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2489518	10.0		4969	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.973	1.980	-0.007	1.000	19271	0.0837		0.7	
413.00 > 169.00	1.980	1.980	0.0	1.004	11791		1.63(0.00-0.00)	8.5	
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		6560667	28.7		884	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.384	0.006	1.000	1718276	10.7		2887	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_034.d

Injection Date: 31-Jan-2017 19:35:30

Instrument ID: A8_N

Lims ID: 320-25352-A-7-A

Lab Sample ID: 320-25352-7

Client ID: WI-CV-1RW71-0117

Operator ID: A8-PC\A8

ALS Bottle#: 24

Worklist Smp#: 34

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




* 6 13C2-PFOA



5 Perfluorooctanoic acid




5 Perfluorooctanoic acid

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) * 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_034.d
Lims ID: 320-25352-A-7-A
Client ID: WI -CV-1RW71-0117
Sample Type: Client
Inject. Date: 31-Jan-2017 19:35:30 ALS Bottle#: 24 Worklist Smp#: 34
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-7-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:43:16

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.83	98.26
\$ 10 13C2 PFDA	10.0	10.7	106.91

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1FB71-0117 Lab Sample ID: 320-25352-8
 Matrix: Water Lab File ID: 2017.01.31A_537_035.d
 Analysis Method: 537 Date Collected: 01/27/2017 11:34
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 251.9(mL) Date Analyzed: 01/31/2017 19:39
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148474 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.048	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0093
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	97		70-130
STL00996	13C2 PFDA	105		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_035.d
 Lims ID: 320-25352-A-8-A
 Client ID: WI -CV-1FB71-0117
 Sample Type: Client
 Inject. Date: 31-Jan-2017 19:39:53 ALS Bottle#: 25 Worklist Smp#: 35
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-8-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:43:30

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
--------	----	-----------	-----------	-----------	----------	-----------------	---------------	-----	-------

\$ 2 13C2 PFHxA

315.00 > 270.00 1.631 1.638 -0.007 1.000 2667694 9.70 5517

* 6 13C2-PFOA

415.00 > 370.00 1.973 1.979 -0.006 2549074 10.0 4355

* 7 13C4 PFOS

503.00 > 80.00 2.223 2.220 0.003 6583393 28.7 2875

\$ 10 13C2 PFDA

515.00 > 470.00 2.390 2.384 0.006 1.000 1732633 10.5 2263

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_035.d

Injection Date: 31-Jan-2017 19:39:53

Instrument ID: A8_N

Lims ID: 320-25352-A-8-A

Lab Sample ID: 320-25352-8

Client ID: WI -CV-1FB71-0117

Operator ID: A8-PC\A8

ALS Bottle#: 25

Worklist Smp#: 35

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)




5 Perfluorooctanoic acid (ND)

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) * 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_035.d
Lims ID: 320-25352-A-8-A
Client ID: WI -CV-1FB71-0117
Sample Type: Client
Inject. Date: 31-Jan-2017 19:39:53 ALS Bottle#: 25 Worklist Smp#: 35
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-8-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:43:30

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.70	96.98
\$ 10 13C2 PFDA	10.0	10.5	105.28

FORM VI
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1 Analy Batch No.: 147939

SDG No.: _____

Instrument ID: A8_N GC Column: Acquity ID: 2.1(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/26/2017 11:03 Calibration End Date: 01/26/2017 11:25 Calibration ID: 27929

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-147939/4	2017.01.26_537_CURVE_004.d
Level 2	IC 320-147939/5	2017.01.26_537_CURVE_005.d
Level 3	IC 320-147939/6	2017.01.26_537_CURVE_006.d
Level 4	IC 320-147939/7	2017.01.26_537_CURVE_007.d
Level 5	IC 320-147939/8	2017.01.26_537_CURVE_008.d
Level 6	IC 320-147939/9	2017.01.26_537_CURVE_009.d

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD	#	MAX %RSD	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5		B	M1	M2								
Perfluorobutanesulfonic acid (PFBS)	1.9734 1.2846	2.1200	1.9155	1.5235	1.3756	QuaF		1.9030	-0.003592						0.9940		0.9600
Perfluorohexanesulfonic acid	1.6352 1.6362	1.7760	1.7293	1.7290	1.5957	Ave		1.6836				4.2		30.0			
Perfluoroheptanoic acid	0.9573 0.9336	1.0304	0.9596	0.9932	0.9117	Ave		0.9643				4.4		30.0			
Perfluorooctanoic acid (PFOA)	0.9250 0.9675	1.0010	0.8570	0.9604	0.8375	Ave		0.9247				7.0		30.0			
Perfluorooctanesulfonic acid (PFOS)	1.0972 1.1381	1.1350	1.1095	1.1438	1.0749	Ave		1.1164				2.4		30.0			
Perfluorononanoic acid	0.7119 0.6901	0.7252	0.6648	0.6872	0.6088	Ave		0.6813				6.1		30.0			
13C2 PFHxA	1.0229 1.1123	1.0615	1.0571	1.1311	1.0902	Ave		1.0792				3.7		30.0			
13C2 PFDA	0.6004 0.6781	0.6484	0.6293	0.6610	0.6565	Ave		0.6456				4.2		30.0			

Note: The m1 coefficient is the same as Ave RRF for an Ave curve type.

FORM VI
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1 Analy Batch No.: 147939

SDG No.: _____

Instrument ID: A8_N GC Column: Acquity ID: 2.1(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/26/2017 11:03 Calibration End Date: 01/26/2017 11:25 Calibration ID: 27929

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-147939/4	2017.01.26_537_CURVE_004.d
Level 2	IC 320-147939/5	2017.01.26_537_CURVE_005.d
Level 3	IC 320-147939/6	2017.01.26_537_CURVE_006.d
Level 4	IC 320-147939/7	2017.01.26_537_CURVE_007.d
Level 5	IC 320-147939/8	2017.01.26_537_CURVE_008.d
Level 6	IC 320-147939/9	2017.01.26_537_CURVE_009.d

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (NG/ML)				
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5
Perfluorobutanesulfonic acid (PFBS)	PFOS	QuaF	4091129 51739348	10992329	20307189	40111981	43425035	8.98 178	22.9	45.1	90.9	135
Perfluorohexanesulfonic acid	PFOS	Ave	1142790 22216101	3104280	6180212	15346095	16980909	3.03 60.1	7.72	15.2	30.6	45.4
Perfluoroheptanoic acid	13PF OA	Ave	226942 4381381	616263	1202991	3062534	3366172	0.990 19.7	2.52	4.97	10.0	14.9
Perfluorooctanoic acid (PFOA)	13PF OA	Ave	432317 8951805	1180376	2118361	5838940	6096769	1.95 38.8	4.98	9.81	19.8	29.3
Perfluorooctanesulfonic acid (PFOS)	PFOS	Ave	1015341 20461190	2626980	5250567	13442641	15146387	4.01 79.6	10.2	20.1	40.6	60.1
Perfluorononanoic acid	13PF OA	Ave	353574 6784989	908738	1746263	4439886	4708932	2.07 41.2	5.29	10.4	21.0	31.1
13C2 PFHxA	13PF OA	Ave	2449365 2652857	2514804	2663857	3479578	2710579	10.0 10.0	10.0	10.0	10.0	10.0
13C2 PFDA	13PF OA	Ave	1437714 1617282	1536073	1585927	2033318	1632201	10.0 10.0	10.0	10.0	10.0	10.0

Curve Type Legend:

Ave = Average ISTD
QuaF = Quadratic ISTD forced zero

FORM VI
LCMS BY INTERNAL STANDARD - INITIAL CALIBRATION DATA
READBACK PERCENT ERROR

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1 Analy Batch No.: 147939

SDG No.: _____

Instrument ID: A8_N GC Column: Acquity ID: 2.1(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/26/2017 11:03 Calibration End Date: 01/26/2017 11:25 Calibration ID: 27929

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 320-147939/4	2017.01.26_537_CURVE_004.d
Level 2	IC 320-147939/5	2017.01.26_537_CURVE_005.d
Level 3	IC 320-147939/6	2017.01.26_537_CURVE_006.d
Level 4	IC 320-147939/7	2017.01.26_537_CURVE_007.d
Level 5	IC 320-147939/8	2017.01.26_537_CURVE_008.d
Level 6	IC 320-147939/9	2017.01.26_537_CURVE_009.d

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Perfluorobutanesulfonic acid (PFBS)	5.6	17.4	11.2	-4.2	-4.6	3.7	50	50	50	50	50	50
Perfluorohexanesulfonic acid	-2.9	5.5	2.7	2.7	-5.2	-2.8	50	50	50	50	50	50
Perfluoroheptanoic acid	-0.7	6.9	-0.5	3.0	-5.5	-3.2	50	50	50	50	50	50
Perfluorooctanoic acid (PFOA)	0.0	8.2	-7.3	3.9	-9.4	4.6	50	50	50	50	50	50
Perfluorooctanesulfonic acid (PFOS)	-1.7	1.7	-0.6	2.5	-3.7	1.9	50	50	50	50	50	50
Perfluorononanoic acid	4.5	6.4	-2.4	0.9	-10.7	1.3	50	50	50	50	50	50
13C2 PFHxA	-5.2	-1.6	-2.0	4.8	1.0	3.1	30	30	30	30	30	30
13C2 PFDA	-7.0	0.4	-2.5	2.4	1.7	5.0	30	30	30	30	30	30

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_004.d
 Lims ID: IC L1
 Client ID:
 Sample Type: IC Calib Level: 1
 Inject. Date: 26-Jan-2017 11:03:01 ALS Bottle#: 1 Worklist Smp#: 4
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: L1_537
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 30-Jan-2017 11:47:39 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK012

First Level Reviewer: chandrasenas

Date: 26-Jan-2017 12:09:36

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	4091129	9.48		351	
298.90 > 99.00	1.510	1.510	0.0	1.000	1798096		2.28(0.00-0.00)	466	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2449365	9.48		6519	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.791	1.787	0.004	1.000	1142790	2.94		285	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.788	0.003	1.000	226942	0.9828		31.9	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2394556	10.0		5310	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.988	1.980	0.008	1.000	432317	1.95		33.3	
413.00 > 169.00	1.980	1.980	0.0	0.996	250514		1.73(0.00-0.00)	213	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.223	2.140	0.083	1.000	1015341	3.94		504	M
499.00 > 99.00	2.223	2.140	0.083	1.000	244165		4.16(0.00-0.00)	190	M
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		6623994	28.7		7372	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	353574	2.17		87.2	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.384	0.006	1.000	1437714	9.30		2384	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L1_00017

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_004.d

Injection Date: 26-Jan-2017 11:03:01

Instrument ID: A8_N

Lims ID: IC L1

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 1

Worklist Smp#: 4

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_004.d
Injection Date: 26-Jan-2017 11:03:01 Instrument ID: A8_N
Lims ID: IC L1
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 1 Worklist Smp#: 4
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.14

Processing Integration Results



RT: 2.22
Area: 1015341
Amount: 3.937687
Amount Units: ng/ml

Manual Integration Results



Reviewer: chandrasenas, 26-Jan-2017 12:09:36

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_004.d
Injection Date: 26-Jan-2017 11:03:01 Instrument ID: A8_N
Lims ID: IC L1
Client ID:
Operator ID: A8-PCVA8 ALS Bottle#: 1 Worklist Smp#: 4
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.14

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 244165
Amount: 3.937687
Amount Units: ng/ml



Reviewer: chandrasenas, 26-Jan-2017 12:09:36

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_005.d
 Lims ID: IC L2
 Client ID:
 Sample Type: IC Calib Level: 2
 Inject. Date: 26-Jan-2017 11:07:28 ALS Bottle#: 2 Worklist Smp#: 5
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: L2_537
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 30-Jan-2017 11:47:41 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last Ical File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK012

First Level Reviewer: chandrasenas

Date: 26-Jan-2017 12:10:13

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	10992329	26.9		802	
298.90 > 99.00	1.510	1.510	0.0	1.000	4687208		2.35(0.00-0.00)	866	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2514804	9.84		6701	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.791	1.787	0.004	1.000	3104280	8.14		670	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.788	0.003	1.000	616263	2.70		90.7	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2369193	10.0		5564	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.980	1.980	0.0	1.000	1180376	5.39		87.8	
413.00 > 169.00	1.980	1.980	0.0	1.000	670918		1.76(0.00-0.00)	562	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.223	2.140	0.083	1.000	2626980	10.4		1151	M
499.00 > 99.00	2.223	2.140	0.083	1.000	641268		4.10(0.00-0.00)	512	M
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		6496935	28.7		7906	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	908738	5.63		219	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	1536073	10.0		2442	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L2_00016


Amount Added: 1.00

Units: mL


TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_005.d
Injection Date: 26-Jan-2017 11:07:28 Instrument ID: A8_N
Lims ID: IC L2
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 2 Worklist Smp#: 5
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL


1 Perfluorobutanesulfonic acid




1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid




4 Perfluoroheptanoic acid




* 6 13C2-PFOA




5 Perfluorooctanoic acid




5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)




* 7 13C4 PFOS



9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_005.d
Injection Date: 26-Jan-2017 11:07:28 Instrument ID: A8_N
Lims ID: IC L2
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 2 Worklist Smp#: 5
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.14

Processing Integration Results



RT: 2.22
Area: 2626980
Amount: 10.387175
Amount Units: ng/ml

Manual Integration Results



Reviewer: chandrasenas, 26-Jan-2017 12:10:13

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_005.d
Injection Date: 26-Jan-2017 11:07:28 Instrument ID: A8_N
Lims ID: IC L2
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 2 Worklist Smp#: 5
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.14

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 641268
Amount: 10.387175
Amount Units: ng/ml



Reviewer: chandrasenas, 26-Jan-2017 12:10:13

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_006.d
 Lims ID: IC L3
 Client ID:
 Sample Type: IC Calib Level: 3
 Inject. Date: 26-Jan-2017 11:11:53 ALS Bottle#: 3 Worklist Smp#: 6
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: L3_537
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 30-Jan-2017 11:47:42 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last Ical File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK012

First Level Reviewer: chandrasenas

Date: 26-Jan-2017 12:10:41

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	20307189	50.1		1251	
298.90 > 99.00	1.510	1.510	0.0	1.000	9133177		2.22(0.00-0.00)	1402	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2663857	9.80		5739	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	6180212	15.6		1126	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.788	0.003	1.000	1202991	4.95		163	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2520070	10.0		5579	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.980	1.980	0.0	1.000	2118361	9.09		164	
413.00 > 169.00	1.980	1.980	0.0	1.000	1215745		1.74(0.00-0.00)	978	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.223	2.140	0.083	1.000	5250567	20.0		1734	M
499.00 > 99.00	2.223	2.140	0.083	1.000	1270578		4.13(0.00-0.00)	868	M
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		6741021	28.7		5703	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	1746263	10.2		386	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	1585927	9.75		2596	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L3_00019

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_006.d

Injection Date: 26-Jan-2017 11:11:53

Instrument ID: A8_N

Lims ID: IC L3

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 3

Worklist Smp#: 6

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_006.d
Injection Date: 26-Jan-2017 11:11:53 Instrument ID: A8_N
Lims ID: IC L3
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 6
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.14

Processing Integration Results



RT: 2.22
Area: 5250567
Amount: 20.009200
Amount Units: ng/ml

Manual Integration Results



Reviewer: chandrasenas, 26-Jan-2017 12:10:41

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_006.d
Injection Date: 26-Jan-2017 11:11:53 Instrument ID: A8_N
Lims ID: IC L3
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 6
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.14

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 1270578
Amount: 20.009200
Amount Units: ng/ml



Reviewer: chandrasenas, 26-Jan-2017 12:10:41

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_007.d
 Lims ID: IC L4
 Client ID:
 Sample Type: ICISAV Calib Level: 4
 Inject. Date: 26-Jan-2017 11:16:16 ALS Bottle#: 4 Worklist Smp#: 7
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: L4_537
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 30-Jan-2017 11:47:44 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK012

First Level Reviewer: chandrasenas

Date: 26-Jan-2017 12:08:59

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	40111981	87.1		1617	
298.90 > 99.00	1.510	1.510	0.0	1.000	20577220		1.95(0.00-0.00)	2167	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	3479578	10.5		6594	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.791	1.787	0.004	1.000	15346095	31.5		2118	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.788	0.003	1.000	3062534	10.3		405	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		3076249	10.0		5651	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.980	1.980	0.0	1.000	5838940	20.5		395	
413.00 > 169.00	1.980	1.980	0.0	1.000	3484590		1.68(0.00-0.00)	2208	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.223	2.140	0.083	1.000	13442641	41.6		2970	M
499.00 > 99.00	2.223	2.140	0.083	1.000	3300271		4.07(0.00-0.00)	2000	M
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		8308914	28.7		8294	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	4439886	21.2		932	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	2033318	10.2		3084	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L4_00017

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_007.d

Injection Date: 26-Jan-2017 11:16:16

Instrument ID: A8_N

Lims ID: IC L4

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 4

Worklist Smp#: 7

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_007.d
Injection Date: 26-Jan-2017 11:16:16 Instrument ID: A8_N
Lims ID: IC L4
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 4 Worklist Smp#: 7
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1


8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected

Expected RT: 2.14

Processing Integration Results



Manual Integration Results



RT: 2.22
Area: 13442641
Amount: 41.561339
Amount Units: ng/ml

Reviewer: chandrasenas, 26-Jan-2017 12:08:59

Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_007.d
Injection Date: 26-Jan-2017 11:16:16 Instrument ID: A8_N
Lims ID: IC L4
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 4 Worklist Smp#: 7
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.14

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 3300271
Amount: 41.561339
Amount Units: ng/ml



Reviewer: chandrasenas, 26-Jan-2017 12:08:59

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_007.d
Injection Date: 26-Jan-2017 11:16:16 Instrument ID: A8_N
Lims ID: IC L4
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 4 Worklist Smp#: 7
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1


Signal: 1

Not Detected
Expected RT: 2.14

Processing Integration Results



Manual Integration Results



RT: 2.22
Area: 13442641
Amount: 41.561339
Amount Units: ng/ml

Reviewer: chandrasenas, 26-Jan-2017 12:08:59

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_008.d
 Lims ID: IC L5
 Client ID:
 Sample Type: IC Calib Level: 5
 Inject. Date: 26-Jan-2017 11:20:39 ALS Bottle#: 5 Worklist Smp#: 8
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: L5_537
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 30-Jan-2017 11:47:45 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK012

First Level Reviewer: chandrasenas

Date: 26-Jan-2017 12:11:18

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	43425035	128.5		1570	
298.90 > 99.00	1.510	1.510	0.0	1.000	22582383		1.92(0.00-0.00)	2218	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.638	-0.007	1.000	2710579	10.1		6365	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	16980909	43.0		2291	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.788	-0.005	1.000	3366172	14.0		430	
* 6 13C2-PFOA									
415.00 > 370.00	1.973	1.979	-0.006		2486274	10.0		5087	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.973	1.980	-0.007	1.000	6096769	26.5		406	
413.00 > 169.00	1.973	1.980	-0.007	1.000	3583679		1.70(0.00-0.00)	2082	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.215	2.140	0.075	1.000	15146387	57.9		3248	M
499.00 > 99.00	2.215	2.140	0.075	1.000	3738939		4.05(0.00-0.00)	2370	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.220	-0.005		6724206	28.7		7121	
9 Perfluorononanoic acid									
463.00 > 419.00	2.223	2.229	-0.006	1.000	4708932	27.8		956	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	1632201	10.2		2499	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L5_00020

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_008.d

Injection Date: 26-Jan-2017 11:20:39

Instrument ID: A8_N

Lims ID: IC L5

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 5

Worklist Smp#: 8

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_008.d
Injection Date: 26-Jan-2017 11:20:39 Instrument ID: A8_N
Lims ID: IC L5
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 8
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.14

Processing Integration Results



RT: 2.22
Area: 15146387
Amount: 57.865170
Amount Units: ng/ml

Manual Integration Results



Reviewer: chandrasenas, 26-Jan-2017 12:11:18

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_008.d
Injection Date: 26-Jan-2017 11:20:39 Instrument ID: A8_N
Lims ID: IC L5
Client ID:
Operator ID: A8-PCVA8 ALS Bottle#: 5 Worklist Smp#: 8
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.14

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 3738939
Amount: 57.865170
Amount Units: ng/ml



Reviewer: chandrasenas, 26-Jan-2017 12:11:18

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Lims ID: IC L6
 Client ID:
 Sample Type: IC Calib Level: 6
 Inject. Date: 26-Jan-2017 11:25:03 ALS Bottle#: 6 Worklist Smp#: 9
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: L6_537
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 30-Jan-2017 11:47:46 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last Ical File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK012

First Level Reviewer: chandrasenas

Date: 26-Jan-2017 12:11:59

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	51739348	185.1		1516	
298.90 > 99.00	1.510	1.510	0.0	1.000	28204946		1.83(0.00-0.00)	2196	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2652857	10.3		6185	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	22216101	58.4		2524	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.788	-0.005	1.000	4381381	19.1		512	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2384986	10.0		5263	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.980	1.980	0.0	1.000	8951805	40.6		583	
413.00 > 169.00	1.980	1.980	0.0	1.000	5271680		1.70(0.00-0.00)	2903	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.215	2.140	0.075	1.000	20461190	81.2		3203	M
499.00 > 99.00	2.215	2.140	0.075	1.000	5166933		3.96(0.00-0.00)	2729	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.220	-0.005		6475201	28.7		7455	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	6784989	41.8		1253	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	1617282	10.5		2359	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L6_00016

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Injection Date: 26-Jan-2017 11:25:03

Instrument ID: A8_N

Lims ID: IC L6

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 6

Worklist Smp#: 9

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Injection Date: 26-Jan-2017 11:25:03 Instrument ID: A8_N
Lims ID: IC L6
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 6 Worklist Smp#: 9
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.14

Processing Integration Results



RT: 2.22
Area: 20461190
Amount: 81.175847
Amount Units: ng/ml

Manual Integration Results



Reviewer: chandrasenas, 26-Jan-2017 12:11:59

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Injection Date: 26-Jan-2017 11:25:03 Instrument ID: A8_N
Lims ID: IC L6
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 6 Worklist Smp#: 9
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.14

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 5166933
Amount: 81.175847
Amount Units: ng/ml



Reviewer: chandrasenas, 26-Jan-2017 12:11:59

Audit Action: Manually Integrated

Audit Reason: Assign Peak

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab Sample ID: CCVL 320-147939/11 Calibration Date: 01/26/2017 11:33
 Instrument ID: A8_N Calib Start Date: 01/26/2017 11:03
 GC Column: Acquity ID: 2.10 (mm) Calib End Date: 01/26/2017 11:25
 Lab File ID: 2017.01.26_537_CURVE_011.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		2.084		26.4	22.9	15.3	50.0
Perfluorohexanesulfonic acid	Ave	1.684	1.742		7.98	7.72	3.5	50.0
Perfluoroheptanoic acid	Ave	0.9643	0.9585		2.61	2.62	-0.6	50.0
Perfluorooctanoic acid (PFOA)	Ave	0.9247	0.9721		5.23	4.98	5.1	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.116	1.104		10.1	10.2	-1.1	50.0
Perfluorononanoic acid	Ave	0.6813	0.7122		5.53	5.29	4.5	50.0
13C2 PFHxA	Ave	1.079	1.049		9.72	10.0	-2.8	30.0
13C2 PFDA	Ave	0.6456	0.6245		9.67	10.0	-3.3	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_011.d
 Lims ID: CCVL
 Client ID:
 Sample Type: CCVL
 Inject. Date: 26-Jan-2017 11:33:50 ALS Bottle#: 2 Worklist Smp#: 11
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L2
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 30-Jan-2017 11:49:21 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK012

First Level Reviewer: chandrasenas

Date: 26-Jan-2017 12:15:17

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	11225610	26.4		808	
298.90 > 99.00	1.510	1.510	0.0	1.000	4847404		2.32(0.00-0.00)	871	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2615322	9.72		6771	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	3162827	7.98		664	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.788	0.003	1.000	626193	2.61		83.3	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2492054	10.0		5184	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.980	1.980	0.0	1.000	1205723	5.23		86.3	
413.00 > 169.00	1.980	1.980	0.0	1.000	693020		1.74(0.00-0.00)	561	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.223	2.140	0.083	1.000	2653811	10.1		1097	M
499.00 > 99.00	2.215	2.140	0.075	0.997	652679		4.07(0.00-0.00)	489	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.220	-0.005		6749200	28.7		8408	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	938665	5.53		233	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	1556265	9.67		2401	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L2_00015


Amount Added: 1.00

Units: mL


TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_011.d
Injection Date: 26-Jan-2017 11:33:50 Instrument ID: A8_N
Lims ID: CCVL
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 2 Worklist Smp#: 11
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL


1 Perfluorobutanesulfonic acid




1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA




3 Perfluorohexanesulfonic acid




4 Perfluoroheptanoic acid




* 6 13C2-PFOA




5 Perfluorooctanoic acid



5 Perfluorooctanoic acid





8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)


* 7 13C4 PFOS



9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_011.d
Injection Date: 26-Jan-2017 11:33:50 Instrument ID: A8_N
Lims ID: CCVL
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 2 Worklist Smp#: 11
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.14

Processing Integration Results



RT: 2.22
Area: 2653811
Amount: 10.101058
Amount Units: ng/ml

Manual Integration Results



Reviewer: chandrasenas, 26-Jan-2017 12:15:17

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_011.d
Injection Date: 26-Jan-2017 11:33:50 Instrument ID: A8_N
Lims ID: CCVL
Client ID:
Operator ID: A8-PCVA8 ALS Bottle#: 2 Worklist Smp#: 11
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1


Signal: 2

Not Detected
Expected RT: 2.14

Processing Integration Results



Manual Integration Results



Reviewer: chandrasenas, 26-Jan-2017 12:15:17

Audit Action: Manually Integrated

Audit Reason: Assign Peak

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab Sample ID: ICV 320-147939/13 Calibration Date: 01/26/2017 11:42
 Instrument ID: A8_N Calib Start Date: 01/26/2017 11:03
 GC Column: Acquity ID: 2.10 (mm) Calib End Date: 01/26/2017 11:25
 Lab File ID: 2017.01.26_537_CURVE_013.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.349		100	115	-12.5	30.0
Perfluoroheptanoic acid	Ave	0.9643	0.8903		11.6	12.6	-7.7	30.0
Perfluorohexanesulfonic acid	Ave	1.684	1.363		21.4	26.5	-19.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9247	0.8195		22.2	25.0	-11.4	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.116	0.8801		21.5	27.2	-21.2	30.0
Perfluorononanoic acid	Ave	0.6813	0.6118		22.5	25.0	-10.2	30.0
13C2 PFHxA	Ave	1.079	1.180		10.9	10.0	9.4	30.0
13C2 PFDA	Ave	0.6456	0.6736		10.4	10.0	4.3	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_013.d
 Lims ID: ICV
 Client ID:
 Sample Type: ICV
 Inject. Date: 26-Jan-2017 11:42:36 ALS Bottle#: 7 Worklist Smp#: 13
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: ICV
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist:

Method: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 30-Jan-2017 11:49:24 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK012

First Level Reviewer: chandrasenas

Date: 26-Jan-2017 12:16:45

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	33808700	100.4		1738	
298.90 > 99.00	1.510	1.510	0.0	1.000	16544440		2.04(0.00-0.00)	1886	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.638	-0.007	1.000	2683454	10.9		6152	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	7879031	21.4		1437	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.788	-0.005	1.000	2549950	11.6		335	
* 6 13C2-PFOA									
415.00 > 370.00	1.973	1.979	-0.006		2273215	10.0		4649	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.973	1.980	-0.007	1.000	4661444	22.2		343	
413.00 > 169.00	1.973	1.980	-0.007	1.000	2649388		1.76(0.00-0.00)	1872	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.215	2.140	0.075	1.000	5233022	21.5		1657	M
499.00 > 99.00	2.215	2.140	0.075	1.000	1038329		5.04(0.00-0.00)	732	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.220	-0.005		6260544	28.7		6453	
9 Perfluorononanoic acid									
463.00 > 419.00	2.223	2.229	-0.006	1.000	3478258	22.5		767	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.375	2.384	-0.009	1.000	1531279	10.4		2302	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-ICV_00019

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_013.d

Injection Date: 26-Jan-2017 11:42:36

Instrument ID: A8_N

Lims ID: ICV

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 7

Worklist Smp#: 13

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_013.d
Injection Date: 26-Jan-2017 11:42:36 Instrument ID: A8_N
Lims ID: ICV
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 7 Worklist Smp#: 13
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.14

Processing Integration Results



RT: 2.22
Area: 5233022
Amount: 21.472850
Amount Units: ng/ml

Manual Integration Results



Reviewer: chandrasenas, 26-Jan-2017 12:16:45

Audit Action: Manually Integrated

Audit Reason: Assign Peak

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_013.d
Injection Date: 26-Jan-2017 11:42:36 Instrument ID: A8_N
Lims ID: ICV
Client ID:
Operator ID: A8-PCVA8 ALS Bottle#: 7 Worklist Smp#: 13
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.14

Processing Integration Results



RT: 2.22
Area: 1038329
Amount: 21.472850
Amount Units: ng/ml

Manual Integration Results



Reviewer: chandrasenas, 26-Jan-2017 12:16:45

Audit Action: Manually Integrated

Audit Reason: Assign Peak

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab Sample ID: CCV 320-148472/4 Calibration Date: 01/31/2017 17:23
 Instrument ID: A8_N Calib Start Date: 01/26/2017 11:03
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 01/26/2017 11:25
 Lab File ID: 2017.01.31A_537_004.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		2.043		25.8	22.9	12.9	50.0
Perfluorohexanesulfonic acid	Ave	1.684	1.705		7.81	7.72	1.2	50.0
Perfluoroheptanoic acid	Ave	0.9643	1.024		2.68	2.52	6.2	50.0
Perfluorooctanoic acid (PFOA)	Ave	0.9247	1.006		5.42	4.98	8.8	50.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.116	1.112		10.2	10.2	-0.4	50.0
Perfluorononanoic acid	Ave	0.6813	0.7658		5.94	5.29	12.4	50.0
13C2 PFHxA	Ave	1.079	1.086		10.1	10.0	0.6	30.0
13C2 PFDA	Ave	0.6456	0.6721		10.4	10.0	4.1	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_004.d
 Lims ID: CCV L2
 Client ID:
 Sample Type: CCVL
 Inject. Date: 31-Jan-2017 17:23:25 ALS Bottle#: 2 Worklist Smp#: 4
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L2
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 11:06:04 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last Ical File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK010

First Level Reviewer: chandrasenas

Date: 01-Feb-2017 09:46:10

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	10872171	25.8		854	
298.90 > 99.00	1.510	1.510	0.0	1.000	4637215		2.34(0.00-0.00)	947	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2587509	10.1		6001	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.791	1.787	0.004	1.000	3058019	7.81		802	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.798	1.788	0.010	1.000	616313	2.68		68.1	
* 6 13C2-PFOA									
415.00 > 370.00	1.995	1.979	0.016		2383498	10.0		5998	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.995	1.980	0.015	1.000	1193932	5.42		89.2	
413.00 > 169.00	1.995	1.980	0.015	1.000	698973		1.71(0.00-0.00)	779	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.162	2.215	-0.053	1.000	2642479	10.2		428	
499.00 > 99.00	2.170	2.215	-0.045	1.004	621794		4.25(0.00-0.00)	142	
* 7 13C4 PFOS									
503.00 > 80.00	2.238	2.220	0.018		6668385	28.7		9792	
9 Perfluorononanoic acid									
463.00 > 419.00	2.253	2.229	0.024	1.000	965355	5.94		202	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.397	2.384	0.013	1.000	1601978	10.4		1837	

Reagents:

LC537-L2_00016

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_004.d

Injection Date: 31-Jan-2017 17:23:25

Instrument ID: A8_N

Lims ID: CCV L2

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 2

Worklist Smp#: 4

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab Sample ID: CCV 320-148472/5 Calibration Date: 01/31/2017 17:27
 Instrument ID: A8_N Calib Start Date: 01/26/2017 11:03
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 01/26/2017 11:25
 Lab File ID: 2017.01.31A_537_005.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.355		126	135	-6.6	30.0
Perfluoroheptanoic acid	Ave	0.9643	0.9316		14.3	14.9	-3.4	30.0
Perfluorohexanesulfonic acid	Ave	1.684	1.600		43.1	45.4	-5.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9247	0.9077		28.7	29.3	-1.8	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.116	1.090		58.7	60.1	-2.3	30.0
Perfluorononanoic acid	Ave	0.6813	0.6790		31.0	31.1	-0.3	30.0
13C2 PFHxA	Ave	1.079	1.102		10.2	10.0	2.1	30.0
13C2 PFDA	Ave	0.6456	0.7200		11.2	10.0	11.5	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_005.d
 Lims ID: CCV L5
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 31-Jan-2017 17:27:49 ALS Bottle#: 5 Worklist Smp#: 5
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L5
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:54:59 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK010

First Level Reviewer: chandrasenas

Date: 01-Feb-2017 09:45:50

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	42426470	125.7		2055	
298.90 > 99.00	1.510	1.510	0.0	1.000	21717663		1.95(0.00-0.00)	2596	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2650753	10.2		7058	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.791	1.787	0.004	1.000	16884989	43.1		2989	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.788	0.003	1.000	3327408	14.3		375	
* 6 13C2-PFOA									
415.00 > 370.00	1.988	1.979	0.009		2405110	10.0		6136	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.995	1.980	0.015	1.000	6391898	28.7		419	
413.00 > 169.00	1.995	1.980	0.015	1.000	3693536		1.73(0.00-0.00)	2752	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.162	2.215	-0.053	1.000	15235795	58.7		1436	
499.00 > 99.00	2.208	2.215	-0.007	1.021	3640054		4.19(0.00-0.00)	591	
* 7 13C4 PFOS									
503.00 > 80.00	2.238	2.220	0.018		6668803	28.7		10553	
9 Perfluorononanoic acid									
463.00 > 419.00	2.246	2.229	0.017	1.000	5080851	31.0		969	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.397	2.384	0.013	1.000	1731655	11.2		2190	

Reagents:

LC537-L5_00020

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_005.d

Injection Date: 31-Jan-2017 17:27:49

Instrument ID: A8_N

Lims ID: CCV L5

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 5

Worklist Smp#: 5

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab Sample ID: CCV 320-148472/17 Calibration Date: 01/31/2017 18:20
 Instrument ID: A8_N Calib Start Date: 01/26/2017 11:03
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 01/26/2017 11:25
 Lab File ID: 2017.01.31A_537_017.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.866		48.7	45.1	8.0	30.0
Perfluoroheptanoic acid	Ave	0.9643	0.9634		4.97	4.97	-0.1	30.0
Perfluorohexanesulfonic acid	Ave	1.684	1.684		15.2	15.2	0.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9247	0.8787		9.32	9.81	-5.0	30.0
Perfluorononanoic acid	Ave	0.6813	0.6758		10.3	10.4	-0.8	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.116	1.102		19.9	20.1	-1.3	30.0
13C2 PFHxA	Ave	1.079	1.063		9.85	10.0	-1.5	30.0
13C2 PFDA	Ave	0.6456	0.6662		10.3	10.0	3.2	30.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab Sample ID: CCV 320-148473/17 Calibration Date: 01/31/2017 18:20
 Instrument ID: A8_N Calib Start Date: 01/26/2017 11:03
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 01/26/2017 11:25
 Lab File ID: 2017.01.31A_537_017.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.866		48.7	45.1	8.0	30.0
Perfluoroheptanoic acid	Ave	0.9643	0.9634		4.97	4.97	-0.1	30.0
Perfluorohexanesulfonic acid	Ave	1.684	1.684		15.2	15.2	0.0	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9247	0.8787		9.32	9.81	-5.0	30.0
Perfluorononanoic acid	Ave	0.6813	0.6758		10.3	10.4	-0.8	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.116	1.102		19.9	20.1	-1.3	30.0
13C2 PFHxA	Ave	1.079	1.063		9.85	10.0	-1.5	30.0
13C2 PFDA	Ave	0.6456	0.6662		10.3	10.0	3.2	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d
 Lims ID: CCV L3
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 31-Jan-2017 18:20:40 ALS Bottle#: 3 Worklist Smp#: 17
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L3
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:09 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:34:00

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.502	1.510	-0.008	1.000	19726548	48.7		1259	
298.90 > 99.00	1.502	1.510	-0.008	1.000	8956702		2.20(0.00-0.00)	1519	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.638	-0.007	1.000	2670623	9.85		5854	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	6003066	15.2		1357	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.788	-0.005	1.000	1204439	4.97		132	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2513223	10.0		4905	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.980	1.980	0.0	1.000	2165921	9.32		144	
413.00 > 169.00	1.980	1.980	0.0	1.000	1232184		1.76(0.00-0.00)	1174	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.231	2.215	0.016	1.000	5199028	19.9		1616	M
499.00 > 99.00	2.223	2.215	0.008	0.997	1191883		4.36(0.00-0.00)	1271	M
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		6723009	28.7		6818	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	1770122	10.3		357	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.384	0.006	1.000	1674301	10.3		1931	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L3_00019

Amount Added: 1.00

Units: mL

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d
 Lims ID: CCV L3
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 31-Jan-2017 18:20:40 ALS Bottle#: 3 Worklist Smp#: 17
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L3
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:09 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last Ical File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:34:00

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.502	1.510	-0.008	1.000	19726548	48.7		1259	
298.90 > 99.00	1.502	1.510	-0.008	1.000	8956702		2.20(0.00-0.00)	1519	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.638	-0.007	1.000	2670623	9.85		5854	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	6003066	15.2		1357	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.788	-0.005	1.000	1204439	4.97		132	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2513223	10.0		4905	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.980	1.980	0.0	1.000	2165921	9.32		144	
413.00 > 169.00	1.980	1.980	0.0	1.000	1232184		1.76(0.00-0.00)	1174	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.231	2.215	0.016	1.000	5199028	19.9		1616	M
499.00 > 99.00	2.223	2.215	0.008	0.997	1191883		4.36(0.00-0.00)	1271	M
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		6723009	28.7		6818	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	1770122	10.3		357	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.384	0.006	1.000	1674301	10.3		1931	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L3_00019

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d

Injection Date: 31-Jan-2017 18:20:40

Instrument ID: A8_N

Lims ID: CCV L3

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 3

Worklist Smp#: 17

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d

Injection Date: 31-Jan-2017 18:20:40

Instrument ID: A8_N

Lims ID: CCV L3

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 3

Worklist Smp#: 17

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d
Injection Date: 31-Jan-2017 18:20:40 Instrument ID: A8_N
Lims ID: CCV L3
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 17
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



RT: 2.23
Area: 5199028
Amount: 19.865873
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:34:00

Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d
Injection Date: 31-Jan-2017 18:20:40 Instrument ID: A8_N
Lims ID: CCV L3
Client ID:
Operator ID: A8-PCVA8 ALS Bottle#: 3 Worklist Smp#: 17
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 1191883
Amount: 19.865873
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:34:00

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d
Injection Date: 31-Jan-2017 18:20:40 Instrument ID: A8_N
Lims ID: CCV L3
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 17
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.23
Area: 5199028
Amount: 19.865873
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:34:00

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d
Injection Date: 31-Jan-2017 18:20:40 Instrument ID: A8_N
Lims ID: CCV L3
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 17
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



RT: 2.23
Area: 5199028
Amount: 19.865873
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:34:00
Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d
Injection Date: 31-Jan-2017 18:20:40 Instrument ID: A8_N
Lims ID: CCV L3
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 17
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 1191883
Amount: 19.865873
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:34:00

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_017.d
Injection Date: 31-Jan-2017 18:20:40 Instrument ID: A8_N
Lims ID: CCV L3
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 17
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.23
Area: 5199028
Amount: 19.865873
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:34:00

Audit Action: Manually Integrated

Audit Reason: Isomers

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab Sample ID: CCV 320-148473/29 Calibration Date: 01/31/2017 19:13
 Instrument ID: A8_N Calib Start Date: 01/26/2017 11:03
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 01/26/2017 11:25
 Lab File ID: 2017.01.31A_537_029.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.366		127	135	-5.5	30.0
Perfluoroheptanoic acid	Ave	0.9643	0.9014		13.9	14.9	-6.5	30.0
Perfluorohexanesulfonic acid	Ave	1.684	1.589		42.8	45.4	-5.6	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9247	0.8509		26.9	29.3	-8.0	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.116	1.119		60.2	60.1	0.2	30.0
Perfluorononanoic acid	Ave	0.6813	0.6403		29.2	31.1	-6.0	30.0
13C2 PFHxA	Ave	1.079	1.051		9.74	10.0	-2.6	30.0
13C2 PFDA	Ave	0.6456	0.7103		11.0	10.0	10.0	30.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab Sample ID: CCV 320-148474/29 Calibration Date: 01/31/2017 19:13
 Instrument ID: A8_N Calib Start Date: 01/26/2017 11:03
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 01/26/2017 11:25
 Lab File ID: 2017.01.31A_537_029.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.366		127	135	-5.5	30.0
Perfluoroheptanoic acid	Ave	0.9643	0.9014		13.9	14.9	-6.5	30.0
Perfluorohexanesulfonic acid	Ave	1.684	1.589		42.8	45.4	-5.6	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9247	0.8509		26.9	29.3	-8.0	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.116	1.119		60.2	60.1	0.2	30.0
Perfluorononanoic acid	Ave	0.6813	0.6403		29.2	31.1	-6.0	30.0
13C2 PFHxA	Ave	1.079	1.051		9.74	10.0	-2.6	30.0
13C2 PFDA	Ave	0.6456	0.7103		11.0	10.0	10.0	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d
 Lims ID: CCV L5
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 31-Jan-2017 19:13:28 ALS Bottle#: 5 Worklist Smp#: 29
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L5
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:36 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:39:58

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.502	1.510	-0.008	1.000	42230823	127.2		1637	
298.90 > 99.00	1.502	1.510	-0.008	1.000	21931802		1.93(0.00-0.00)	2354	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.638	-0.007	1.000	2660830	9.74		5728	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	16559349	42.8		2574	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.788	-0.005	1.000	3387549	13.9		376	
* 6 13C2-PFOA									
415.00 > 370.00	1.973	1.979	-0.006		2530721	10.0		4767	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.973	1.980	-0.007	1.000	6304463	26.9		410	
413.00 > 169.00	1.973	1.980	-0.007	1.000	3793870		1.66(0.00-0.00)	2703	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.215	2.215	0.0	1.000	15441183	60.2		2743	M
499.00 > 99.00	2.215	2.215	0.0	1.000	3731782		4.14(0.00-0.00)	2570	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.220	-0.005		6584918	28.7		8006	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	5041752	29.2		914	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	1797578	11.0		2389	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L5_00020

Amount Added: 1.00

Units: mL

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d
 Lims ID: CCV L5
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 31-Jan-2017 19:13:28 ALS Bottle#: 5 Worklist Smp#: 29
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L5
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:36 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:39:58

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.502	1.510	-0.008	1.000	42230823	127.2		1637	
298.90 > 99.00	1.502	1.510	-0.008	1.000	21931802		1.93(0.00-0.00)	2354	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.638	-0.007	1.000	2660830	9.74		5728	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	16559349	42.8		2574	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.788	-0.005	1.000	3387549	13.9		376	
* 6 13C2-PFOA									
415.00 > 370.00	1.973	1.979	-0.006		2530721	10.0		4767	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.973	1.980	-0.007	1.000	6304463	26.9		410	
413.00 > 169.00	1.973	1.980	-0.007	1.000	3793870		1.66(0.00-0.00)	2703	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.215	2.215	0.0	1.000	15441183	60.2		2743	M
499.00 > 99.00	2.215	2.215	0.0	1.000	3731782		4.14(0.00-0.00)	2570	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.220	-0.005		6584918	28.7		8006	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	5041752	29.2		914	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	1797578	11.0		2389	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L5_00020

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d

Injection Date: 31-Jan-2017 19:13:28

Instrument ID: A8_N

Lims ID: CCV L5

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 5

Worklist Smp#: 29

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d

Injection Date: 31-Jan-2017 19:13:28

Instrument ID: A8_N

Lims ID: CCV L5

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 5

Worklist Smp#: 29

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d
Injection Date: 31-Jan-2017 19:13:28 Instrument ID: A8_N
Lims ID: CCV L5
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 29
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



RT: 2.22
Area: 15441183
Amount: 60.239227
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:39:58

Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d

Injection Date: 31-Jan-2017 19:13:28

Instrument ID: A8_N

Lims ID: CCV L5

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#:

5

Worklist Smp#: 29

Injection Vol: 2.0 ul

Dil. Factor: 1.0000

Method: 537_A8_N

Limit Group: LC 537 ICAL

Column:

Detector EXP1


8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected

Expected RT: 2.22

Processing Integration Results



Manual Integration Results



RT: 2.22

Area: 3731782

Amount: 60.239227

Amount Units: ng/ml

Reviewer: barnettj, 01-Feb-2017 10:39:58

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d

Injection Date: 31-Jan-2017 19:13:28

Instrument ID: A8_N

Lims ID: CCV L5

Client ID:

Operator ID: A8-PCVA8

ALS Bottle#:

5

Worklist Smp#: 29

Injection Vol: 2.0 ul

Dil. Factor: 1.0000

Method: 537_A8_N

Limit Group: LC 537 ICAL

Column:

Detector EXP1


8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected

Expected RT: 2.22

Processing Integration Results



Manual Integration Results



RT: 2.22

Area: 15441183

Amount: 60.239227

Amount Units: ng/ml

Reviewer: barnettj, 01-Feb-2017 10:39:58

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d
Injection Date: 31-Jan-2017 19:13:28 Instrument ID: A8_N
Lims ID: CCV L5
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 29
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



RT: 2.22
Area: 15441183
Amount: 60.239227
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:39:58
Audit Action: Assigned Compound ID

Audit Reason: Isomers
Page 231 of 288

02/02/2017

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d

Injection Date: 31-Jan-2017 19:13:28

Instrument ID: A8_N

Lims ID: CCV L5

Client ID:

Operator ID: A8-PCVA8

ALS Bottle#:

5

Worklist Smp#: 29

Injection Vol: 2.0 ul

Dil. Factor: 1.0000

Method: 537_A8_N

Limit Group: LC 537 ICAL

Column:

Detector EXP1


8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected

Expected RT: 2.22

Processing Integration Results



Manual Integration Results



RT: 2.22

Area: 3731782

Amount: 60.239227

Amount Units: ng/ml

Reviewer: barnettj, 01-Feb-2017 10:39:58

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_029.d
Injection Date: 31-Jan-2017 19:13:28 Instrument ID: A8_N
Lims ID: CCV L5
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 5 Worklist Smp#: 29
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 15441183
Amount: 60.239227
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:39:58

Audit Action: Manually Integrated

Audit Reason: Isomers

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Lab Sample ID: CCV 320-148474/36 Calibration Date: 01/31/2017 19:44
 Instrument ID: A8_N Calib Start Date: 01/26/2017 11:03
 GC Column: GeminiC18 3x100 ID: 3.00 (mm) Calib End Date: 01/26/2017 11:25
 Lab File ID: 2017.01.31A_537_036.d Conc. Units: ng/mL

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perfluorobutanesulfonic acid (PFBS)	QuaF		1.877		49.0	45.1	8.7	30.0
Perfluoroheptanoic acid	Ave	0.9643	0.9722		5.02	4.97	0.8	30.0
Perfluorohexanesulfonic acid	Ave	1.684	1.707		15.4	15.2	1.4	30.0
Perfluorooctanoic acid (PFOA)	Ave	0.9247	0.8789		9.32	9.81	-5.0	30.0
Perfluorooctanesulfonic acid (PFOS)	Ave	1.116	1.128		20.3	20.1	1.0	30.0
Perfluorononanoic acid	Ave	0.6813	0.6724		10.3	10.4	-1.3	30.0
13C2 PFHxA	Ave	1.079	1.054		9.77	10.0	-2.3	30.0
13C2 PFDA	Ave	0.6456	0.6927		10.7	10.0	7.3	30.0

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_036.d
 Lims ID: CCV L3
 Client ID:
 Sample Type: CCVIS
 Inject. Date: 31-Jan-2017 19:44:17 ALS Bottle#: 3 Worklist Smp#: 36
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: CCV L3
 Misc. Info.: Plate: 1 Rack: 1
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Sublist: chrom-537_A8_N*sub1
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:56 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last Ical File: \\ChromNa\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d

Column 1 : Det: EXP1

Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:54:57

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.502	1.510	-0.008	1.000	19667357	49.0		1313	
298.90 > 99.00	1.502	1.510	-0.008	1.000	9010833		2.18(0.00-0.00)	1503	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.638	-0.007	1.000	2734057	9.77		6337	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	6027941	15.4		1328	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.788	-0.005	1.000	1254475	5.02		152	
* 6 13C2-PFOA									
415.00 > 370.00	1.973	1.979	-0.006		2593892	10.0		4992	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.973	1.980	-0.007	1.000	2236077	9.32		156	
413.00 > 169.00	1.973	1.980	-0.007	1.000	1279325		1.75(0.00-0.00)	1251	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.215	2.215	0.0	1.000	5275649	20.3		1579	M
499.00 > 99.00	2.215	2.215	0.0	1.000	1239881		4.25(0.00-0.00)	1514	M
* 7 13C4 PFOS									
503.00 > 80.00	2.215	2.220	-0.005		6661663	28.7		5554	
9 Perfluorononanoic acid									
463.00 > 419.00	2.223	2.229	-0.006	1.000	1817848	10.3		370	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	1796743	10.7		2255	

QC Flag Legend

Review Flags

M - Manually Integrated

Reagents:

LC537-L3_00019

Amount Added: 1.00

Units: mL

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_036.d

Injection Date: 31-Jan-2017 19:44:17

Instrument ID: A8_N

Lims ID: CCV L3

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 3

Worklist Smp#: 36

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_036.d
Injection Date: 31-Jan-2017 19:44:17 Instrument ID: A8_N
Lims ID: CCV L3
Client ID:
Operator ID: A8-PC\A8 ALS Bottle#: 3 Worklist Smp#: 36
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



RT: 2.22
Area: 5275649
Amount: 20.344285
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:54:57

Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_036.d

Injection Date: 31-Jan-2017 19:44:17

Instrument ID: A8_N

Lims ID: CCV L3

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#:

3

Worklist Smp#: 36

Injection Vol: 2.0 ul

Dil. Factor: 1.0000

Method: 537_A8_N

Limit Group: LC 537 ICAL

Column:

Detector EXP1


8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected

Expected RT: 2.22

Processing Integration Results



Manual Integration Results



RT: 2.22

Area: 1239881

Amount: 20.344285

Amount Units: ng/ml

Reviewer: barnettj, 01-Feb-2017 10:54:57

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_036.d
Injection Date: 31-Jan-2017 19:44:17 Instrument ID: A8_N
Lims ID: CCV L3
Client ID:
Operator ID: A8-PCVA8 ALS Bottle#: 3 Worklist Smp#: 36
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 5275649
Amount: 20.344285
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:54:57

Audit Action: Manually Integrated

Audit Reason: Isomers

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: _____ Lab Sample ID: MB 320-148300/1-A
 Matrix: Water Lab File ID: 2017.01.31A_537_008.d
 Analysis Method: 537 Date Collected: _____
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 250 (mL) Date Analyzed: 01/31/2017 17:41
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148472 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	105		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_008.d
 Lims ID: MB 320-148300/1-A
 Client ID:
 Sample Type: MB
 Inject. Date: 31-Jan-2017 17:41:01 ALS Bottle#: 2 Worklist Smp#: 8
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: mb 320-148300/1-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:54:59 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:29:55

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
--------	----	-----------	-----------	-----------	----------	-----------------	---------------	-----	-------

\$ 2 13C2 PFHxA

315.00 > 270.00 1.639 1.638 0.001 1.000 2562802 9.39 4831

* 6 13C2-PFOA

415.00 > 370.00 1.988 1.979 0.009 2530107 10.0 4860

* 7 13C4 PFOS

503.00 > 80.00 2.238 2.220 0.018 6516236 28.7 7218

\$ 10 13C2 PFDA

515.00 > 470.00 2.397 2.384 0.013 1.000 1721367 10.5 2170

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_008.d

Injection Date: 31-Jan-2017 17:41:01

Instrument ID: A8_N

Lims ID: MB 320-148300/1-A

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 2

Worklist Smp#: 8

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid (ND)

1 Perfluorobutanesulfonic acid (ND)




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid (ND)

4 Perfluoroheptanoic acid (ND)




* 6 13C2-PFOA



5 Perfluorooctanoic acid (ND)




5 Perfluorooctanoic acid (ND)

8 Perfluorooctane sulfonic acid (ND)




8 Perfluorooctane sulfonic acid (ND) * 7 13C4 PFOS

9 Perfluorononanoic acid (ND)



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_008.d
Lims ID: MB 320-148300/1-A
Client ID:
Sample Type: MB
Inject. Date: 31-Jan-2017 17:41:01 ALS Bottle#: 2 Worklist Smp#: 8
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: mb 320-148300/1-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:54:59 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:29:55

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.39	93.86
\$ 10 13C2 PFDA	10.0	10.5	105.38

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: _____ Lab Sample ID: LCS 320-148300/2-A
 Matrix: Water Lab File ID: 2017.01.31A_537_009.d
 Analysis Method: 537 Date Collected: _____
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 250 (mL) Date Analyzed: 01/31/2017 17:45
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148472 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.293		0.060	0.048	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.141		0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.606		0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	93		70-130
STL00996	13C2 PFDA	109		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_009.d
 Lims ID: LCS 320-148300/2-A
 Client ID:
 Sample Type: LCS
 Inject. Date: 31-Jan-2017 17:45:24 ALS Bottle#: 3 Worklist Smp#: 9
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: lcs 320-148300/2-a
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:54:59 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:30:19

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	45995991	151.5		2006	
298.90 > 99.00	1.510	1.510	0.0	1.000	24055696		1.91(0.00-0.00)	2384	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2433925	9.30		4571	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.791	1.787	0.004	1.000	19394200	51.6		2738	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.788	0.003	1.000	4488838	19.2		493	
* 6 13C2-PFOA									
415.00 > 370.00	1.988	1.979	0.009		2425127	10.0		5338	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.988	1.980	0.008	1.000	7902146	35.2		551	
413.00 > 169.00	1.988	1.980	0.008	1.000	4504274		1.75(0.00-0.00)	2897	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.155	2.215	-0.060	1.000	18291541	73.3		1212	
499.00 > 99.00	2.231	2.215	0.016	1.035	4376923		4.18(0.00-0.00)	3191	
* 7 13C4 PFOS									
503.00 > 80.00	2.231	2.220	0.011		6406861	28.7		6844	
9 Perfluorononanoic acid									
463.00 > 419.00	2.238	2.229	0.009	1.000	6049912	36.6		947	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.384	0.006	1.000	1702141	10.9		2246	

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_009.d

Injection Date: 31-Jan-2017 17:45:24

Instrument ID: A8_N

Lims ID: LCS 320-148300/2-A

Client ID:

Operator ID: A8-PC\A8

ALS Bottle#: 3

Worklist Smp#: 9

Injection Vol: 2.0 ul

Dil. Factor: 1.0000


Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid


\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid


* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid


8 Perfluorooctane sulfonic acid




8 Perfluorooctane sulfonic acid

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_009.d
Lims ID: LCS 320-148300/2-A
Client ID:
Sample Type: LCS
Inject. Date: 31-Jan-2017 17:45:24 ALS Bottle#: 3 Worklist Smp#: 9
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: lcs 320-148300/2-a
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:54:59 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:30:19

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.30	93.00
\$ 10 13C2 PFDA	10.0	10.9	108.72

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1RW70-0117 MS Lab Sample ID: 320-25352-5 MS
 Matrix: Water Lab File ID: 2017.01.31A_537_031.d
 Analysis Method: 537 Date Collected: 01/27/2017 09:03
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 247(mL) Date Analyzed: 01/31/2017 19:22
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148474 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.0285	J M	0.061	0.049	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.0153	J	0.030	0.024	0.0095
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.0765	J	0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	99		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_031.d
 Lims ID: 320-25352-A-5-B MS
 Client ID: WI -CV-1RW70-0117
 Sample Type: MS
 Inject. Date: 31-Jan-2017 19:22:17 ALS Bottle#: 21 Worklist Smp#: 31
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-5-b ms
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:41:31

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.510	1.510	0.0	1.000	7931870	18.9		677	
298.90 > 99.00	1.510	1.510	0.0	1.000	3261300		2.43(0.00-0.00)	637	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.639	1.638	0.001	1.000	2621662	9.36		5349	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.791	1.787	0.004	1.000	2236583	5.81		493	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.791	1.788	0.003	1.000	516287	2.06		43.5	
* 6 13C2-PFOA									
415.00 > 370.00	1.980	1.979	0.001		2594579	10.0		4850	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.980	1.980	0.0	1.000	909503	3.79		60.8	
413.00 > 169.00	1.980	1.980	0.0	1.000	537040		1.69(0.00-0.00)	565	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.231	2.215	0.016	1.000	1795904	7.03		648	M
499.00 > 99.00	2.223	2.215	0.008	0.997	432768		4.15(0.00-0.00)	436	M
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		6560082	28.7		5224	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	593793	3.36		98.7	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.390	2.384	0.006	1.000	1666544	9.95		2232	

QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_031.d

Injection Date: 31-Jan-2017 19:22:17

Instrument ID: A8_N

Lims ID: 320-25352-A-5-B MS

Client ID: WI -CV-1RW70-0117

Operator ID: A8-PC\A8

ALS Bottle#: 21

Worklist Smp#: 31

Injection Vol: 2.0 ul

Dil. Factor: 1.0000


Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid


\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid


* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid


8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_031.d
Lims ID: 320-25352-A-5-B MS
Client ID: WI -CV-1RW70-0117
Sample Type: MS
Inject. Date: 31-Jan-2017 19:22:17 ALS Bottle#: 21 Worklist Smp#: 31
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-5-b ms
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:41:31

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.36	93.63
\$ 10 13C2 PFDA	10.0	9.95	99.49

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_031.d
Injection Date: 31-Jan-2017 19:22:17 Instrument ID: A8_N
Lims ID: 320-25352-A-5-B MS
Client ID: WI -CV-1RW70-0117
Operator ID: A8-PC\A8 ALS Bottle#: 21 Worklist Smp#: 31
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



RT: 2.23
Area: 1795904
Amount: 7.032715
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:41:31
Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_031.d
Injection Date: 31-Jan-2017 19:22:17 Instrument ID: A8_N
Lims ID: 320-25352-A-5-B MS
Client ID: WI -CV-1RW70-0117
Operator ID: A8-PCVA8 ALS Bottle#: 21 Worklist Smp#: 31
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 432768
Amount: 7.032715
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:41:31

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_031.d
Injection Date: 31-Jan-2017 19:22:17 Instrument ID: A8_N
Lims ID: 320-25352-A-5-B MS
Client ID: WI -CV-1RW70-0117
Operator ID: A8-PC\A8 ALS Bottle#: 21 Worklist Smp#: 31
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.23
Area: 1795904
Amount: 7.032715
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:41:31

Audit Action: Manually Integrated

Audit Reason: Isomers

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
SDG No.: _____
Client Sample ID: WI -CV-1RW70-0117 MSD Lab Sample ID: 320-25352-5 MSD
Matrix: Water Lab File ID: 2017.01.31A_537_032.d
Analysis Method: 537 Date Collected: 01/27/2017 09:03
Extraction Method: 537 Date Extracted: 01/30/2017 14:07
Sample wt/vol: 250.1(mL) Date Analyzed: 01/31/2017 19:26
Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
% Moisture: _____ GPC Cleanup: (Y/N) N
Analysis Batch No.: 148474 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.0294	J M	0.060	0.048	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.0159	J	0.030	0.024	0.0094
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.0785	J	0.14	0.11	0.048

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	95		70-130
STL00996	13C2 PFDA	104		70-130

TestAmerica Sacramento
Target Compound Quantitation Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_032.d
 Lims ID: 320-25352-A-5-C MSD
 Client ID: WI -CV-1RW70-0117
 Sample Type: MSD
 Inject. Date: 31-Jan-2017 19:26:41 ALS Bottle#: 22 Worklist Smp#: 32
 Injection Vol: 2.0 ul Dil. Factor: 1.0000
 Sample Info: 320-25352-a-5-c msd
 Misc. Info.: Plate: 1 Rack: 2
 Operator ID: A8-PC\A8 Instrument ID: A8_N
 Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
 Limit Group: LC 537 ICAL
 Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
 Integrator: Picker
 Quant Method: Internal Standard Quant By: Initial Calibration
 Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
 Column 1 : Det: EXP1
 Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:42:27

Signal	RT	EXP RT	DLT RT	REL RT	Response	Amount ng/ml	Ratio(Limits)	S/N	Flags
1 Perfluorobutanesulfonic acid									
298.90 > 80.00	1.502	1.510	-0.008	1.000	8319150	19.6		712	
298.90 > 99.00	1.502	1.510	-0.008	1.000	3440813		2.42(0.00-0.00)	701	
\$ 2 13C2 PFHxA									
315.00 > 270.00	1.631	1.638	-0.007	1.000	2723175	9.54		5395	
3 Perfluorohexanesulfonic acid									
399.00 > 80.00	1.783	1.787	-0.004	1.000	2323810	5.97		515	
4 Perfluoroheptanoic acid									
363.00 > 319.00	1.783	1.788	-0.005	1.000	546255	2.14		47.7	
* 6 13C2-PFOA									
415.00 > 370.00	1.973	1.979	-0.006		2645221	10.0		5749	
5 Perfluorooctanoic acid									
413.00 > 369.00	1.973	1.980	-0.007	1.000	970991	3.97		66.2	
413.00 > 169.00	1.980	1.980	0.0	1.004	571493		1.70(0.00-0.00)	596	
8 Perfluorooctane sulfonic acid									
499.00 > 80.00	2.223	2.215	0.008	1.000	1900775	7.37		602	M
499.00 > 99.00	2.223	2.215	0.008	1.000	466839		4.07(0.00-0.00)	416	M
* 7 13C4 PFOS									
503.00 > 80.00	2.223	2.220	0.003		6629871	28.7		6057	
9 Perfluorononanoic acid									
463.00 > 419.00	2.231	2.229	0.002	1.000	658822	3.66		113	
\$ 10 13C2 PFDA									
515.00 > 470.00	2.382	2.384	-0.002	1.000	1780338	10.4		2591	

QC Flag Legend

Review Flags

M - Manually Integrated

TestAmerica Sacramento

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_032.d

Injection Date: 31-Jan-2017 19:26:41

Instrument ID: A8_N

Lims ID: 320-25352-A-5-C MSD

Client ID: WI -CV-1RW70-0117

Operator ID: A8-PC\A8

ALS Bottle#: 22

Worklist Smp#: 32

Injection Vol: 2.0 ul

Dil. Factor: 1.0000




Method: 537_A8_N

Limit Group: LC 537 ICAL

1 Perfluorobutanesulfonic acid

1 Perfluorobutanesulfonic acid




\$ 2 13C2 PFHxA



3 Perfluorohexanesulfonic acid

4 Perfluoroheptanoic acid




* 6 13C2-PFOA



5 Perfluorooctanoic acid

5 Perfluorooctanoic acid




8 Perfluorooctane sulfonic acid (M)




8 Perfluorooctane sulfonic acid (M)

* 7 13C4 PFOS

9 Perfluorononanoic acid



\$ 10 13C2 PFDA



TestAmerica Sacramento
Recovery Report

Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_032.d
Lims ID: 320-25352-A-5-C MSD
Client ID: WI -CV-1RW70-0117
Sample Type: MSD
Inject. Date: 31-Jan-2017 19:26:41 ALS Bottle#: 22 Worklist Smp#: 32
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Sample Info: 320-25352-a-5-c msd
Misc. Info.: Plate: 1 Rack: 2
Operator ID: A8-PC\A8 Instrument ID: A8_N
Method: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\537_A8_N.m
Limit Group: LC 537 ICAL
Last Update: 01-Feb-2017 10:55:43 Calib Date: 26-Jan-2017 11:25:03
Integrator: Picker
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\ChromNA\Sacramento\ChromData\A8_N\20170126-39222.b\2017.01.26_537_CURVE_009.d
Column 1 : Det: EXP1
Process Host: XAWRK010

First Level Reviewer: barnettj

Date: 01-Feb-2017 10:42:27

Compound	Amount Added	Amount Recovered	% Rec.
\$ 2 13C2 PFHxA	10.0	9.54	95.39
\$ 10 13C2 PFDA	10.0	10.4	104.25

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_032.d
Injection Date: 31-Jan-2017 19:26:41 Instrument ID: A8_N
Lims ID: 320-25352-A-5-C MSD
Client ID: WI -CV-1RW70-0117
Operator ID: A8-PC\A8 ALS Bottle#: 22 Worklist Smp#: 32
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



RT: 2.22
Area: 1900775
Amount: 7.365035
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:42:27

Audit Action: Assigned Compound ID

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_032.d
Injection Date: 31-Jan-2017 19:26:41 Instrument ID: A8_N
Lims ID: 320-25352-A-5-C MSD
Client ID: WI -CV-1RW70-0117
Operator ID: A8-PCVA8 ALS Bottle#: 22 Worklist Smp#: 32
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 1


Not Detected
Expected RT: 2.22

Processing Integration Results



Manual Integration Results

RT: 2.22
Area: 1900775
Amount: 7.365035
Amount Units: ng/ml



Reviewer: barnettj, 01-Feb-2017 10:42:27

Audit Action: Manually Integrated

Audit Reason: Isomers

TestAmerica Sacramento


Data File: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b\2017.01.31A_537_032.d
Injection Date: 31-Jan-2017 19:26:41 Instrument ID: A8_N
Lims ID: 320-25352-A-5-C MSD
Client ID: WI -CV-1RW70-0117
Operator ID: A8-PC\A8 ALS Bottle#: 22 Worklist Smp#: 32
Injection Vol: 2.0 ul Dil. Factor: 1.0000
Method: 537_A8_N Limit Group: LC 537 ICAL
Column: Detector EXP1

8 Perfluorooctane sulfonic acid, CAS: 1763-23-1

Signal: 2


Not Detected
Expected RT: 2.22

Processing Integration Results



RT: 2.22
Area: 466839
Amount: 7.365035
Amount Units: ng/ml

Manual Integration Results



Reviewer: barnettj, 01-Feb-2017 10:42:27

Audit Action: Manually Integrated

Audit Reason: Isomers

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica SacramentoJob No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_NStart Date: 01/26/2017 11:03Analysis Batch Number: 147939End Date: 01/26/2017 11:46

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
IC 320-147939/4		01/26/2017 11:03	1	2017.01.26_537_ CURVE 004.d	Acquity 2.1(mm)
IC 320-147939/5		01/26/2017 11:07	1	2017.01.26_537_ CURVE 005.d	Acquity 2.1(mm)
IC 320-147939/6		01/26/2017 11:11	1	2017.01.26_537_ CURVE 006.d	Acquity 2.1(mm)
IC 320-147939/7 ICISAV		01/26/2017 11:16	1	2017.01.26_537_ CURVE 007.d	Acquity 2.1(mm)
IC 320-147939/8		01/26/2017 11:20	1	2017.01.26_537_ CURVE 008.d	Acquity 2.1(mm)
IC 320-147939/9		01/26/2017 11:25	1	2017.01.26_537_ CURVE 009.d	Acquity 2.1(mm)
ZZZZZ		01/26/2017 11:29	1		Acquity 2.1(mm)
CCVL 320-147939/11		01/26/2017 11:33	1	2017.01.26_537_ CURVE 011.d	Acquity 2.1(mm)
ZZZZZ		01/26/2017 11:38	1		Acquity 2.1(mm)
ICV 320-147939/13		01/26/2017 11:42	1	2017.01.26_537_ CURVE 013.d	Acquity 2.1(mm)
ZZZZZ		01/26/2017 11:46	1		Acquity 2.1(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica SacramentoJob No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_NStart Date: 01/31/2017 17:23Analysis Batch Number: 148472End Date: 01/31/2017 18:20

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-148472/4 CCVL		01/31/2017 17:23	1	2017.01.31A_537 004.d	GeminiC18 3x100 3(mm)
CCV 320-148472/5 CCVIS		01/31/2017 17:27	1	2017.01.31A_537 005.d	GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 17:32	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 17:36	1		GeminiC18 3x100 3(mm)
MB 320-148300/1-A		01/31/2017 17:41	1	2017.01.31A_537 008.d	GeminiC18 3x100 3(mm)
LCS 320-148300/2-A		01/31/2017 17:45	1	2017.01.31A_537 009.d	GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 17:49	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 17:54	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 17:58	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:03	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:07	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:11	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:16	1		GeminiC18 3x100 3(mm)
CCV 320-148472/17 CCVIS		01/31/2017 18:20	1	2017.01.31A_537 017.d	GeminiC18 3x100 3(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_N Start Date: 01/31/2017 18:20Analysis Batch Number: 148473 End Date: 01/31/2017 19:13

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-148473/17 CCVIS		01/31/2017 18:20	1	2017.01.31A_537 017.d	GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:25	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:29	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:33	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:38	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:42	1		GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 18:47	1		GeminiC18 3x100 3(mm)
320-25352-1		01/31/2017 18:51	1	2017.01.31A_537 024.d	GeminiC18 3x100 3(mm)
320-25352-2		01/31/2017 18:55	1	2017.01.31A_537 025.d	GeminiC18 3x100 3(mm)
320-25352-3		01/31/2017 19:00	1	2017.01.31A_537 026.d	GeminiC18 3x100 3(mm)
320-25352-4		01/31/2017 19:04	1	2017.01.31A_537 027.d	GeminiC18 3x100 3(mm)
320-25352-5		01/31/2017 19:09	1	2017.01.31A_537 028.d	GeminiC18 3x100 3(mm)
CCV 320-148473/29 CCVIS		01/31/2017 19:13	1	2017.01.31A_537 029.d	GeminiC18 3x100 3(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Instrument ID: A8_N Start Date: 01/31/2017 19:13Analysis Batch Number: 148474 End Date: 01/31/2017 19:44

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCV 320-148474/29 CCVIS		01/31/2017 19:13	1	2017.01.31A_537 029.d	GeminiC18 3x100 3(mm)
ZZZZZ		01/31/2017 19:17	1		GeminiC18 3x100 3(mm)
320-25352-5 MS		01/31/2017 19:22	1	2017.01.31A_537 031.d	GeminiC18 3x100 3(mm)
320-25352-5 MSD		01/31/2017 19:26	1	2017.01.31A_537 032.d	GeminiC18 3x100 3(mm)
320-25352-6		01/31/2017 19:31	1	2017.01.31A_537 033.d	GeminiC18 3x100 3(mm)
320-25352-7		01/31/2017 19:35	1	2017.01.31A_537 034.d	GeminiC18 3x100 3(mm)
320-25352-8		01/31/2017 19:39	1	2017.01.31A_537 035.d	GeminiC18 3x100 3(mm)
CCV 320-148474/36 CCVIS		01/31/2017 19:44	1	2017.01.31A_537 036.d	GeminiC18 3x100 3(mm)

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Batch Number: 148300 Batch Start Date: 01/30/17 14:07 Batch Analyst: Marchenko, Veronika PBatch Method: 537 Batch End Date: 01/31/17 12:45

Lab Sample ID	Client Sample ID	Method Chain	Basis	GrossWeight	TareWeight	InitialAmount	FinalAmount	ReceivedpH	LC537-HSP 00014
MB 320-148300/1		537, 537				250 mL	1.0 mL	7 SU	
LCS 320-148300/2		537, 537				250 mL	1.0 mL	7 SU	50 uL
320-25352-A-1	WI -CV-1RW68-0117	537, 537	T	255.89 g	26.67 g	229.2 mL	1.0 mL	7 SU	
320-25352-A-2	WI -CV-1FB68-0117	537, 537	T	279.91 g	25.90 g	254 mL	1.0 mL	7 SU	
320-25352-A-3	WI -CV-1RW69-0117	537, 537	T	270.64 g	27.62 g	243 mL	1.0 mL	7 SU	
320-25352-A-4	WI -CV-1FB69-0117	537, 537	T	281.78 g	26.83 g	255 mL	1.0 mL	7 SU	
320-25352-A-5	WI -CV-1RW70-0117	537, 537	T	265.30 g	27.41 g	237.9 mL	1.0 mL	7 SU	
320-25352-A-5 MS	WI -CV-1RW70-0117	537, 537	T	274.57 g	27.54 g	247 mL	1.0 mL	7 SU	
320-25352-A-5 MSD	WI -CV-1RW70-0117	537, 537	T	277.44 g	27.38 g	250.1 mL	1.0 mL	7 SU	
320-25352-A-6	WI -CV-1FB70-0117	537, 537	T	279.24 g	26.65 g	252.6 mL	1.0 mL	7 SU	
320-25352-A-7	WI -CV-1RW71-0117	537, 537	T	264.52 g	26.29 g	238.2 mL	1.0 mL	7 SU	
320-25352-A-8	WI -CV-1FB71-0117	537, 537	T	278.48 g	26.58 g	251.9 mL	1.0 mL	7 SU	

Lab Sample ID	Client Sample ID	Method Chain	Basis	LC537-IS 00030	LC537-LSP 00016	LC537-SU 00029	AnalysisComment		
MB 320-148300/1		537, 537		20 uL		50 uL	chlorine=ND		
LCS 320-148300/2		537, 537		20 uL		50 uL	chlorine=ND		
320-25352-A-1	WI -CV-1RW68-0117	537, 537	T	20 uL		50 uL	chlorine=ND		
320-25352-A-2	WI -CV-1FB68-0117	537, 537	T	20 uL		50 uL	chlorine=ND		
320-25352-A-3	WI -CV-1RW69-0117	537, 537	T	20 uL		50 uL	chlorine=ND		
320-25352-A-4	WI -CV-1FB69-0117	537, 537	T	20 uL		50 uL	chlorine=ND		
320-25352-A-5	WI -CV-1RW70-0117	537, 537	T	20 uL		50 uL	chlorine=ND		
320-25352-A-5 MS	WI -CV-1RW70-0117	537, 537	T	20 uL	50 uL	50 uL	chlorine=ND		

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

LCMS BATCH WORKSHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Batch Number: 148300 Batch Start Date: 01/30/17 14:07 Batch Analyst: Marchenko, Veronika PBatch Method: 537 Batch End Date: 01/31/17 12:45

Lab Sample ID	Client Sample ID	Method Chain	Basis	LC537-IS 00030	LC537-LSP 00016	LC537-SU 00029	AnalysisComment		
320-25352-A-5 MSD	WI -CV-1RW70-0117	537, 537	T	20 uL	50 uL	50 uL	chlorine=ND		
320-25352-A-6	WI -CV-1FB70-0117	537, 537	T	20 uL		50 uL	chlorine=ND		
320-25352-A-7	WI -CV-1RW71-0117	537, 537	T	20 uL		50 uL	chlorine=ND		
320-25352-A-8	WI -CV-1FB71-0117	537, 537	T	20 uL		50 uL	chlorine=ND		

Batch Notes	
Manifold ID	7,10
Methanol ID	827183
Pipette ID	MD05306
Analyst ID - IS Reagent Drop	CCB
Analyst ID - IS Reagent Drop Witness	NSH
Analyst ID - SU Reagent Drop	VPM
Analyst ID - SU Reagent Drop Witness	KMK
Analyst ID - TA Reagent Drop	VPM
Analyst ID - TA Reagent Drop Witness	KMK
SPE Cartridge ID	6341059-03
Trizma ID	SLBR4303V
Reagent Water ID	SR 1-29-17

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

A8

Job No: 25351, 25352 Instrument ID & Date: 1-31-17 ICAL Batch: 147939
 Extraction Batch: 148300 Worklist #: 39369, 39407 TALS Batch: 148472, 148473, 148474, 148593

Review Items	-- Level 1 --			Level 2
	Yes	No	N/A	
Initial Calibration				
1. Is ICAL verified and locked in Chrom & TALS?	✓			✓
2. Is ICV properly linked in TALS?	✓			✓
Continuing Calibration				
1. Low-range CCV injected at start of analytical run? CCV injected after every 10 samples and at the end of the analytical run and alternated between Low-range, Mid-range and High-range?	✓			✓
2. If sequence was not after an ICAL was a low and mid range CCV injected at the start of the analytical run?	✓			✓
3. Native compounds and surrogates in control? Low-range within $\pm 50\%$ of true value Mid and High-range within $\pm 30\%$ of true value	✓			✓
4. Internal Standard areas in control? Areas $\geq 50\%$ of average area of the ICAL and 70-140% of the most recent CCV.	✓			✓
Client Samples & QC Sample Results				
1. Were preparation and analysis done within holding times?	✓			✓
2. Are Chromatograms reviewed and spectra verified?	✓			✓
3. Are positive results within calibration range?	✓			✓
4. Dilutions due to target cpds? _____ Dilutions due to non-targets? _____			✓	✓
5. All target compounds in MB < 1/3 RL ? (Requires NCM if "no.")	✓			✓
6. Are target constituents in LCS/LCSD within method control limits?	✓			✓
7. Internal Standard areas in control for all samples and QC reported? $\pm 50\%$ from the average area of the ICAL and 70-140% of the most recent CCV	✓			✓
8. Do results (e.g., dilutions/trip blanks) make sense?	✓			✓
9. Are MS/MSD recoveries and RPDs within method control limits?	✓			✓
10. Are all QC samples properly linked in TALS?	✓			✓
11. All manual integrations appropriate and completely documented?	✓			✓
12. Are nonconformances documented as NCMs?	✓			✓
13. Are all Chrom graphics uploaded?	✓			✓

1st Level Reviewer / Date: JRB 2-1-17

2nd Level Reviewer / Date: Alway 2/2/2017

NCM # and Comments: 76875

A8

Instrument ID & Date: 1-26-17 Worklist#: 39222

ICAL Batch: 147939, 147974 Calibration ID number: 27929, 27930

Review Items	-- Level 1 --			Level 2
	Yes	No	N/A	
Initial Calibration				
1. Mass calibration, as needed, verified by full scan of PFC stock standard. All PFC ions used for quantitation are within 0.3 m/z of true mass?	✓			✓
2. Responses increase with increasing concentration?	✓			✓
3. Fit used (circle): <u>Average</u> Linear (1/x ²) Linear <u>Quadratic</u> (6 points minimum)				✓
4. Meets fit criteria? Intercept ≤ 1/2 RL RSD ≤ 30% for Average R ² ≥ 0.990 for Linear R ² ≥ 0.990 for Quadratic NOTE: "Force through Zero" must be used and weighted if needed	✓			✓
5. If quadratic fit used the curve does not "bend over".	✓			✓
6. Feed calibration points into the calculated curve. Are points ≤MRL within ±50% of true value? Are points >MRL within ±30% of true value?	✓			✓
7. Any carryover from the high calibration point must be ≤ 1/3 RL	✓			✓
8. Asymmetry check meets criteria for the first two eluting peaks? (0.8 - 1.5).	✓			✓
9. Is the asymmetry check scanned and linked in TALS to the calibration point?	✓			✓
10. Is ICV (2 nd source) ± 30% of true value?	✓			✓
11. Is ICV (2 nd source) internal standards ±50% of average area of the ICAL?	✓			✓
12. ICAL locked in Chrom and uploaded to TALS?	✓			✓
13. ICAL locked in TALS and scanned?				✓

1st Level Reviewer / Date: JRB 1-26-17

2nd Level Reviewer / Date: mwj 1/27/2017

NCM # and Comments: _____

TestAmerica Laboratories
Worklist QC Batch Report

Worklist Name: 31JAN2017A_537

Worklist Number: 39369

Instrument Name: A8_N

Chrom Method: 537_A8_N

Data Directory: \\ChromNa\Sacramento\ChromData\A8_N\20170131-39369.b

QC Batching: Enabled

Limit Group Batching: Enabled

QC Batch: 1	LC 537 ICAL Raw Batch: 148472	LC 537 CS ICAL Raw Batch: 148548
# 1 RB	# 1 RB	# 4 CCV L2
# 2 RB	# 2 RB	
# 3 RB	# 3 RB	
# 4 CCV L2	# 4 CCV L2	
# 5 CCV L5	# 5 CCV L5	
# 6 RB	# 6 RB	
# 7 QC 537 SU/IS	# 7 QC 537 SU/IS	
# 8 MB 320-148300/1-A	# 8 MB 320-148300/1-A	
# 9 LCS 320-148300/2-A	# 9 LCS 320-148300/2-A	
#10 320-25351-A-1-A	#10 320-25351-A-1-A	
#11 320-25351-A-2-A	#11 320-25351-A-2-A	
#12 320-25351-A-3-A	#12 320-25351-A-3-A	
#13 320-25351-A-4-A	#13 320-25351-A-4-A	
#14 320-25351-A-5-A	#14 320-25351-A-5-A	
#15 320-25351-A-6-A	#15 320-25351-A-6-A	
#16 320-25351-A-7-A	#16 320-25351-A-7-A	
#17 CCV L3	#17 CCV L3	

QC Batch: 2	LC 537 ICAL Raw Batch: 148473
#17 CCV L3	#17 CCV L3
#18 RB	#18 RB
#19 320-25351-A-8-A	#19 320-25351-A-8-A
#20 320-25351-A-9-A	#20 320-25351-A-9-A
#21 320-25351-A-10-A	#21 320-25351-A-10-A
#22 320-25351-A-11-A	#22 320-25351-A-11-A
#23 320-25351-A-12-A	#23 320-25351-A-12-A
#24 320-25352-A-1-A	#24 320-25352-A-1-A
#25 320-25352-A-2-A	#25 320-25352-A-2-A
#26 320-25352-A-3-A	#26 320-25352-A-3-A
#27 320-25352-A-4-A	#27 320-25352-A-4-A
#28 320-25352-A-5-A	#28 320-25352-A-5-A
#29 CCV L5	#29 CCV L5

QC Batch: 3	LC 537 ICAL Raw Batch: 148474
#29 CCV L5	#29 CCV L5
#30 RB	#30 RB
#31 320-25352-A-5-B MS	#31 320-25352-A-5-B MS
#32 320-25352-A-5-C MSD	#32 320-25352-A-5-C MSD
#33 320-25352-A-6-A	#33 320-25352-A-6-A
#34 320-25352-A-7-A	#34 320-25352-A-7-A
#35 320-25352-A-8-A	#35 320-25352-A-8-A
#36 CCV L3	#36 CCV L3
#37 RB	#37 RB

TestAmerica Laboratories
Worklist QC Batch Report

Worklist Name: 01FEB2017A_537

Worklist Number: 39407

Instrument Name: A8_N

Chrom Method: 537_A8_N

Data Directory: \\ChromNa\Sacramento\ChromData\A8_N\20170201-39407.b

QC Batching: Enabled

Limit Group Batching: Enabled

QC Batch: 1	LC 537 ICAL Raw Batch: 148593	LC 537 CS ICAL Raw Batch: 148594
# 1 RB	# 1 RB	
# 2 RB	# 2 RB	
# 3 RB	# 3 RB	
# 4 CCV L2	# 4 CCV L2	# 4 CCV L2
# 5 CCV L5	# 5 CCV L5	# 5 CCV L5
# 6 RB	# 6 RB	# 6 RB
# 7 320-25221-A-1-A		# 7 320-25221-A-1-A
# 8 320-25351-A-3-A	# 8 320-25351-A-3-A	
# 9 CCV L3	# 9 CCV L3	# 9 CCV L3
#10 RB	#10 RB	

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Analyst: Marchenko, Veronika P

Batch Number: 320-148300

Method Code: 320-537_Prep-320

Batch Open: 1/30/2017 2:07:00PM

Batch End: 1/30/17 12:45

Extraction of Perfluorinated Alkyl Acids

Input Sample Lab ID (Analytical Method)	SDG (Job #)	GrossWt TareWt	InitAmnt FinAmnt	PHs		Due Date	Analytical TAT	Div Rank	Comments	Output Sample Lab ID
				Revd	Adj1 Adj2					
1 MB-320-148300/1 N/A	N/A		250 mL 1.0 mL	7		N/A	N/A	N/A	chlorine=ND	MB-320-148300/1-A
2 LCS-320-148300/2 N/A	N/A		250 mL 1.0 mL	7		N/A	N/A	N/A	chlorine=ND	LCS-320-148300/2-A
3 320-25351-A-1 (537_DOD5)	N/A (320-25351-1)	279.44 g 26.86 g	252.6 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	320-25351-A-1-A
4 320-25351-A-2 (537_DOD5)	N/A (320-25351-1)	279.35 g 25.89 g	253.5 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	320-25351-A-2-A
5 320-25351-A-3 (537_DOD5)	N/A (320-25351-1)	270.68 g 27.84 g	242.8 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	320-25351-A-3-A
6 320-25351-A-4 (537_DOD5)	N/A (320-25351-1)	277.56 g 26.23 g	251.3 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	320-25351-A-4-A
7 320-25351-A-5 (537_DOD5)	N/A (320-25351-1)	271.21 g 28.77 g	242.4 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	320-25351-A-5-A
8 320-25351-A-6 (537_DOD5)	N/A (320-25351-1)	281.66 g 26.51 g	255.2 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	320-25351-A-6-A
9 320-25351-A-7 (537_DOD5)	N/A (320-25351-1)	269.17 g 26.81 g	242.4 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	320-25351-A-7-A
10 320-25351-A-8 (537_DOD5)	N/A (320-25351-1)	273.45 g 26.80 g	246.7 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	320-25351-A-8-A

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 320-148300

Analyst: Marchenko, Veronika P

Batch Open: 1/30/2017 2:07:00PM

Method Code: 320-537_Prep-320

Batch End:

11	320-25351-A-9 (537_DOD5)	N/A (320-25351-1)	273.56 g 27.82 g	245.7 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
12	320-25351-A-10 (537_DOD5)	N/A (320-25351-1)	281.13 g 26.52 g	254.6 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
13	320-25351-A-11 (537_DOD5)	N/A (320-25351-1)	272.88 g 28.30 g	244.6 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
14	320-25351-A-12 (537_DOD5)	N/A (320-25351-1)	279.17 g 26.39 g	252.8 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
15	320-25352-A-1 (537_DOD5)	N/A (320-25352-1)	255.89 g 26.67 g	229.2 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
16	320-25352-A-2 (537_DOD5)	N/A (320-25352-1)	279.91 g 25.90 g	254 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
17	320-25352-A-3 (537_DOD5)	N/A (320-25352-1)	270.64 g 27.62 g	243 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
18	320-25352-A-4 (537_DOD5)	N/A (320-25352-1)	281.78 g 26.83 g	255 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
19	320-25352-A-5 (537_DOD5)	N/A (320-25352-1)	265.30 g 27.41 g	237.9 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
20	320-25352-A-5-MS (537_DOD5)	N/A (320-25352-1)	274.57 g 27.54 g	247 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
21	320-25352-A-5-MSD (537_DOD5)	N/A (320-25352-1)	277.44 g 27.38 g	250.1 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	
22	320-25352-A-6 (537_DOD5)	N/A (320-25352-1)	279.24 g 26.65 g	252.6 mL 1.0 mL	7				2/3/17	5_Days	4	chlorine=ND	

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Analyst: Marchenko, Veronika P

Batch Number: 320-148300

Batch Open: 1/30/2017 2:07:00PM

Method Code: 320-537_Prep-320

Batch End:

23	320-25352-A-7 (537_DOD5)	N/A (320-25352-1)	264.52 g 26.29 g	238.2 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	
24	320-25352-A-8 (537_DOD5)	N/A (320-25352-1)	278.48 g 26.58 g	251.9 mL 1.0 mL	7		2/3/17	5_Days	4	chlorine=ND	

Batch Notes

Manifold ID 7,10

Trizma ID SLBR4303V

SPE Cartridge ID 6341059-03

Methanol ID 827183

Reagent Water ID SR 1-29-17

Pipette ID MD05306

Analyst ID - TA Reagent Drop VPM

Analyst ID - TA Reagent Drop KMK

Witness

Analyst ID - SU Reagent Drop VPM

Analyst ID - SU Reagent Drop KMK

Witness

Analyst ID - IS Reagent Drop NSH

Analyst ID - IS Reagent Drop Cef

Witness

Batch Comment 827698 IS

Comments

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Analyst: Marchenko, Veronika P

Batch Open: 1/30/2017 2:07:00PM

Batch End:

Batch Number: 320-148300

Method Code: 320-537_Prep-320

Reagent Additions Worksheet

Lab ID	Reagent Code	Amount Added	Final Amount	By	Witness
MB 320-148300/1	LC537-SU_00029	50 uL	1.0 mL	VP 1/30/17	KMK 1-30-17
LCS 320-148300/2	LC537-HSP_00014	50 uL	1.0 mL		
LCS 320-148300/2	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-1	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-2	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-3	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-4	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-5	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-6	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-7	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-8	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-9	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-10	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-11	LC537-SU_00029	50 uL	1.0 mL		
320-25351-A-12	LC537-SU_00029	50 uL	1.0 mL		
320-25352-A-1	LC537-SU_00029	50 uL	1.0 mL		
320-25352-A-2	LC537-SU_00029	50 uL	1.0 mL		
320-25352-A-3	LC537-SU_00029	50 uL	1.0 mL		

Aqueous Extraction Analysis Sheet

(To Accompany Samples to Instruments)

Analyst: Marchenko, Veronika P

Batch Number: 320-148300

Method Code: 320-537_Prep-320

Batch Open: 1/30/2017 2:07:00PM

Batch End:

320-25352-A-4	LC537-SU_00029	50 uL	1.0 mL	VPm 1/30/17	KMK 1-30-17
320-25352-A-5	LC537-SU_00029	50 uL	1.0 mL		1-30-17
320-25352-A-5 MS	LC537-LSP_00016	50 uL	1.0 mL		
320-25352-A-5 MS	LC537-SU_00029	50 uL	1.0 mL		
320-25352-A-5 MSD	LC537-LSP_00016	50 uL	1.0 mL		
320-25352-A-5 MSD	LC537-SU_00029	50 uL	1.0 mL		
320-25352-A-6	LC537-SU_00029	50 uL	1.0 mL		
320-25352-A-7	LC537-SU_00029	50 uL	1.0 mL		
320-25352-A-8	LC537-SU_00029	50 uL	1.0 mL		

Other Reagents:

Reagent

Amount/Units

Lot#:

Preparation Batch Number(s): 148300

Test: 537-Prep

Earliest Holding Time: 2-8-17

Sample List Tab		1 st Level Reviewer	2 nd Level Reviewer
Samples identified to the correct method		/	/
All necessary NCMs filed (including holding time)		/	/
Method/sample/login/QAS checked and correct		/	/
Worksheet Tab		1 st Level Reviewer	2 nd Level Reviewer
All samples properly preserved		/	/
Weights in anticipated range and not targeted		/	/
All additional test requirements performed, documented, and uploaded to TALS correctly (e.g. final amount, initial amount, turbidity, and CI Check)		/	/
The pH is transcribed correctly in TALS		/	/
All additional information transcribed into TALS is correct and raw data is attached		/	/
Comments are transcribed correctly in TALS		/	/
Reagents Tab		1 st Level Reviewer	2 nd Level Reviewer
All necessary reagents not expired and entered into TALS		/	/
All spike amounts correct and added to necessary samples and QC		/	/
Batch Information		1 st Level Reviewer	2 nd Level Reviewer
Date and time accurate and entered into TALS correctly		/	/
All necessary 'batch information' complete and entered into TALS correctly		/	/

1st Level Reviewer: cel

Date: 1-31-17

2nd Level Reviewer: VPM

Date: 1/31/17

Comments: _____

Shipping and Receiving Documents

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other: _____

Project Manager: Katie Tippin
Tel/Fax: (757) 671-6258

Site Contact: Eric Epple
Lab Contact: Laura Turpen

Date: 1/27/2017
Carrier: FedEx

COC No: 1 of _____ COCs

Sampler: _____

For Lab Use Only:
Walk-in Client: _____
Lab Sampling: _____

Job / SDG No.: _____

Sample Specific Notes: _____

Analysis Turnaround Time
☒ CALENDAR DAYS ☐ WORKING DAYS
TAT if different from Below: 7-Day _____
☐ 2 weeks
☐ 1 week
☐ 2 days
☐ 1 day

Sample Identification	Sample Date	Sample Time	Sample Type (G=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	USEPA Method 537 (PFOA, PFOS, and PFBS)
WI-CV-1RW68-0117	1/25/17	0911	G	DW	2	N	N	X
WI-CV-1FB68-0117	1/25/17	0912	G	DW	2	N	N	X
WI-CV-1RW69-0117	1/26/17	1129	G	DW	2	N	N	X
WI-CV-1FB69-0117	1/26/17	1130	G	DW	2	N	N	X
WI-CV-1RW70-0117	1/27/17	0903	G	DW	2	N	N	X
WI-CV-1RW70-0117-MS	1/27/17	0903	G	DW	2	N	Y	X
WI-CV-1RW70-0117-SD	1/27/17	0903	G	DW	2	N	Y	X
WI-CV-1FB70-0117	1/27/17	0904	G	DW	2	N	N	X
WI-CV-1RW71-0117	1/27/17	1133	G	DW	2	N	N	X
WI-CV-1FB71-0117	1/27/17	1134	G	DW	2	N	N	X

320-25352 Chain of Custody

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4= HNO3; 5= NaOH; 6= Other _____ Trizma _____

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Special Instructions/QC Requirements & Comments:

Custody Seals Intact: ☐ Yes ☐ No

Relinquished by: Eric Epple

Relinquished by: _____

Relinquished by: _____

Received by: _____

Received by: _____

Received in Laboratory by: _____

Company: _____

Company: _____

Company: _____

Therm ID No.: _____

Date/Time: 1-28-17 9:15

Date/Time: _____

Date/Time: _____

Login Sample Receipt Checklist

Client: CH2M Hill Constructors, Inc.

Job Number: 320-25352-1

Login Number: 25352

List Source: TestAmerica Sacramento

List Number: 1

Creator: Edman, Connor M

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

**DATA VALIDATION SUMMARY REPORT
WHIDBEY ISLAND, WASHINGTON**

Client: CH2M HILL, Inc., Corvallis, Oregon
SDG: 320-25352-1
Laboratory: Test America, Sacramento, California
Site: Whidbey Island, CTO-0008, Washington
Date: February 14, 2017

PFCs			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	WI-CV-1RW68-0117	320-25352-1	Water
2	WI-CV-1FB68-0117	320-25352-2	Water
3	WI-CV-1RW69-0117	320-25352-3	Water
4	WI-CV-1FB69-0117	320-25352-4	Water
5	WI-CV-1RW70-0117	320-25352-5	Water
5MS	WI-CV-1RW70-0117MS	320-25352-5MS	Water
5MSD	WI-CV-1RW70-0117MSD	320-25352-5MSD	Water
6	WI-CV-1FB70-0117	320-25352-6	Water
7	WI-CV-1RW71-0117	320-25352-7	Water
8	WI-CV-1FB71-0117	320-25352-8	Water

A full data validation was performed on the analytical data for four water samples and four aqueous field blank samples collected on January 25, 2017 by CH2M HILL at the Whidbey Island site in Washington. The samples were analyzed under the EPA Method "Determination of Selected Perfluorinated Alkyl Acids in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS)".

Specific method references are as follows:

Analysis
PFCs

Method References
USEPA Method 537 Rev 1.1 Modified

The data have been validated according to the protocols and quality control (QC) requirements of the analytical method, and the U.S. Department of Defense (DoD) Quality Systems Manual (QSM), Version 5.0 (DoD 2013) and the USEPA National Functional Guidelines for Organic Data Review as follows:

- The USEPA "Contract Laboratories Program National Functional Guidelines for Superfund Organic Methods Data Review," August 2014;
- and the reviewer's professional judgment.

The following data quality indicators were reviewed for this report:

Organics

- Date Completeness, Case Narrative & Custody Documentation
- Holding times
- Gas Chromatography/Mass Spectrometry (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field QC blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) recoveries
- Internal standard area and retention time summary forms
- Target Compound Identification
- Compound Quantitation
- Field Duplicate sample precision

A full (Level IV) data validation was performed with this review including a recalculation of 10% of the detected results in the samples.

Data Usability Assessment

There were no rejections of data.

Overall the data is acceptable for the intended purposes. There were no qualifications.

Perfluorinated Compounds (PFCs)

Data Completeness, Case Narrative & Custody Documentation

- The case narrative and chain-of-custody documentation were included in the data package as required. All criteria were met.

Holding Times

- All samples were extracted within 14 days for water samples and analyzed within 28 days.

GC/MS Tuning

- All criteria were met.

Initial Calibration

- All relative standard deviation (%RSD) and/or correlation coefficients criteria were met.

Continuing Calibration

- All percent difference (%D) and RRF criteria were met.

Method Blank

- The method blanks were free of contamination.

Field QC Blank

- The field blank samples were free of contamination.

Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate %R values.

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- The MS/MSD samples exhibited acceptable %R and RPD values.

Laboratory Control Samples

- The LCS samples exhibited acceptable percent recoveries (%R).

Internal Standard (IS) Area Performance

- All internal standards met response and retention time (RT) criteria.

Target Compound Identification

- All mass spectra and quantitation criteria were met.

Compound Quantitation


- All criteria were met.

Field Duplicate Sample Precision

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:


Nancy Weaver
Senior Chemist

Dated:

2/15/17

Data Qualifier	Definition
U	The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.
J	The analyte is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
NJ	The analysis has been "tentatively identified" or "presumptively" as present and the associated numerical value is the estimated concentration in the samples.
UJ	The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the samples.

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1RW68-0117 Lab Sample ID: 320-25352-1
 Matrix: Water Lab File ID: 2017.01.31A_537_024.d
 Analysis Method: 537 Date Collected: 01/25/2017 09:11
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 229.2(mL) Date Analyzed: 01/31/2017 18:51
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.052	U	0.065	0.052	0.017
335-67-1	Perfluorooctanoic acid (PFOA)	0.026	U	0.033	0.026	0.010
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.12	0.052

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	88		70-130
STL00996	13C2 PFDA	106		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

2

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1FB68-0117 Lab Sample ID: 320-25352-2
 Matrix: Water Lab File ID: 2017.01.31A_537_025.d
 Analysis Method: 537 Date Collected: 01/25/2017 09:12
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 254(mL) Date Analyzed: 01/31/2017 18:55
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U M	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U M	0.030	0.024	0.0093
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U M	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	100		70-130
STL00996	13C2 PFDA	112		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

3

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1RW69-0117 Lab Sample ID: 320-25352-3
 Matrix: Water Lab File ID: 2017.01.31A_537_026.d
 Analysis Method: 537 Date Collected: 01/26/2017 11:29
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 243(mL) Date Analyzed: 01/31/2017 19:00
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.049	U /	0.062	0.049	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.025	U	0.031	0.025	0.0097
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.049

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	93		70-130
STL00996	13C2 PFDA	92		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

4

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Client Sample ID: WI -CV-1FB69-0117 Lab Sample ID: 320-25352-4

Matrix: Water Lab File ID: 2017.01.31A_537_027.d

Analysis Method: 537 Date Collected: 01/26/2017 11:30

Extraction Method: 537 Date Extracted: 01/30/2017 14:07

Sample wt/vol: 255(mL) Date Analyzed: 01/31/2017 19:04

Con. Extract Vol.: 1.0(mL) Dilution Factor: 1

Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)

% Moisture: _____ GPC Cleanup: (Y/N) N

Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.047	U	0.059	0.047	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.029	0.024	0.0092
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	115		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

5

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1RW70-0117 Lab Sample ID: 320-25352-5
 Matrix: Water Lab File ID: 2017.01.31A_537_028.d
 Analysis Method: 537 Date Collected: 01/27/2017 09:03
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 237.9(mL) Date Analyzed: 01/31/2017 19:09
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148473 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.050	U	0.063	0.050	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.025	U	0.032	0.025	0.0099
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.12	0.050

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	108		70-130
STL00996	13C2 PFDA	119		70-130

mw 2/1/17

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

6

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1FB70-0117 Lab Sample ID: 320-25352-6
 Matrix: Water Lab File ID: 2017.01.31A_537_033.d
 Analysis Method: 537 Date Collected: 01/27/2017 09:04
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 252.6(mL) Date Analyzed: 01/31/2017 19:31
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1
 Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148474 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.059	0.048	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0093
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	94		70-130
STL00996	13C2 PFDA	105		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

7

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1
 SDG No.: _____
 Client Sample ID: WI -CV-1RW71-0117 Lab Sample ID: 320-25352-7
 Matrix: Water Lab File ID: 2017.01.31A_537_034.d
 Analysis Method: 537 Date Collected: 01/27/2017 11:33
 Extraction Method: 537 Date Extracted: 01/30/2017 14:07
 Sample wt/vol: 238.2 (mL) Date Analyzed: 01/31/2017 19:35
 Con. Extract Vol.: 1.0 (mL) Dilution Factor: 1
 Injection Volume: 2 (uL) GC Column: GeminiC18 3x100 ID: 3 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 148474 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.050	U	0.063	0.050	0.016
335-67-1	Perfluorooctanoic acid (PFOA)	0.025	U	0.031	0.025	0.0099
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.12	U	0.15	0.12	0.050

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	98		70-130
STL00996	13C2 PFDA	107		70-130

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

8

Lab Name: TestAmerica Sacramento Job No.: 320-25352-1

SDG No.: _____

Client Sample ID: WI -CV-1FB71-0117 Lab Sample ID: 320-25352-8

Matrix: Water Lab File ID: 2017.01.31A_537_035.d

Analysis Method: 537 Date Collected: 01/27/2017 11:34

Extraction Method: 537 Date Extracted: 01/30/2017 14:07

Sample wt/vol: 251.9(mL) Date Analyzed: 01/31/2017 19:39

Con. Extract Vol.: 1.0(mL) Dilution Factor: 1

Injection Volume: 2(uL) GC Column: GeminiC18 3x100 ID: 3(mm)


% Moisture: _____ GPC Cleanup: (Y/N) N

Analysis Batch No.: 148474 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	0.048	U	0.060	0.048	0.015
335-67-1	Perfluorooctanoic acid (PFOA)	0.024	U	0.030	0.024	0.0093
375-73-5	Perfluorobutanesulfonic acid (PFBS)	0.11	U	0.14	0.11	0.047

CAS NO.	SURROGATE	%REC	Q	LIMITS
STL00993	13C2 PFHxA	97		70-130
STL00996	13C2 PFDA	105		70-130

mw 2/14/17



Legend

- 1 Mile Zone
- Half-mile Step-out Downgradient
- Surface Water
- Drainage Ditch
- Half-mile Step-out Downgradient
- Suspected Source Area
- Parcels in Phase 1 Sampling Area
- Parcels Identified in Phase 2 Sampling Area
- Parcels Identified in Phase 3 Sampling Area

- Base Boundary
- Inferred Groundwater Flow Direction

* Second result above the EPA health advisory is from a duplicate sample collected from the well with the first exceedance near Ault Field.

Note:
PFOA and PFOS results reflected on figure, PFBS results discussed in Table 2 and text.



0 0.225 0.45
Miles

1 inch = 0.45 mile
Imagery Source: Esri

Figure 2
Results for Drinking Water Well Sampling
Ault Field
Naval Air Station Whidbey Island
Oak Harbor, Washington