Navy_CLEAN_PFAS_FOIA_request_covers_Nov2019.indd

NAVFAC
Naval Facilities Engineering Command

Groundwater Sample Results, Level 4 Laboratory Report, Electronic Data Deliverable, Data Validation Report, and the Sample Location Report, SDG 1902189

Marine Corps Air Station Yuma
Yuma, Arizona

November 2019

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

August 27, 2019

Vista Work Order No. 1902189

Ms. Lisa Bienkowski
Tetra Tech EC, Inc.
17885 Von Karman Avenue, Suite 500
Irvine, CA 92614

Dear Ms. Bienkowski,

Enclosed are the amended results for the sample set received at Vista Analytical Laboratory on July 19, 2019 under your Project Name '4663.3803'.

Vista Analytical Laboratory is committed to serving you effectively. If you require additional information, please contact me at 916-673-1520 or by email at mmaier@vista-analytical.com.

Thank you for choosing Vista as part of your analytical support team.

Sincerely,

Martha Maier

Martha Maier
Laboratory Director

Vista Analytical Laboratory certifies that the report herein meets all the requirements set forth by NELAP for those applicable test methods. Results relate only to the samples as received by the laboratory. This report should not be reproduced except in full without the written approval of Vista.

Vista Work Order No. 1902189
Case Narrative

Sample Condition on Receipt:

Eleven aqueous samples and nine soil samples were received in good condition and within the method temperature requirements. The samples were received and stored securely in accordance with Vista standard operating procedures and EPA methodology. This report was amended to correct the extraction hold time documentation and include the raw data for a calibration standard.

Analytical Notes:

PFAS Isotope Dilution Method

The aqueous and soil samples were extracted and analyzed for a selected list of PFAS using Vista's PFAS Isotope Dilution Method. This method is listed on Vista's NELAP certificate as Modified EPA Method 537. The results for PFHxS, PFOA, PFOS, MeFOSAA, and EtFOSAA include both linear and branched isomers. Results for all other analytes include the linear isomers only.

The following samples contained particulate and were centrifuged prior to extraction:

Laboratory ID	Sample Name
1902189-04	SAOA-B03-GW
1902189-05	NAOA-B03-GW
1902189-10	NON-B03-GW
1902189-12	NAOA-B06-GW

Holding Times

The samples were extracted and analyzed within the method hold times.

Quality Control

The Initial Calibration and Continuing Calibration Verifications met the method acceptance criteria.

For the soil samples; a Method Blank and Ongoing Precision and Recovery (OPR) sample were extracted and analyzed with the preparation batch. No analytes were detected in the Method Blank above 1/2 of the LOQ concentrations. The OPR recoveries were within the method acceptance criteria.

For the aqueous samples; a Method Blank and Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) were extracted and analyzed with each of the preparation batches. No analytes were detected in the Method Blanks above 1/2 of the LOQ concentrations. The LCS/LCSD recoveries were within the acceptance criteria.

As requested, an MS/MSD was performed on sample "NON-B03-SO-1-1.5". The MS/MSD recoveries and RPDs were within the acceptance criteria.

The labeled standard recoveries outside the acceptance criteria are listed in the table below.

QC Anomalies

LabNumber	SampleName	Analysis	Analyte	Flag	%Rec
1902189-02	SAOA-B03-SO-20-20.5	PFAS Isotope Dilution Method	13C2-PFDoA	H	47.7
1902189-03	SAOA-B03-SO-56-56.5	PFAS Isotope Dilution Method	d3-MeFOSAA	H	49.7
1902189-03	SAOA-B03-SO-56-56.5	PFAS Isotope Dilution Method	13C2-PFDoA	H	46.9
1902189-10	NON-B03-GW	PFAS Isotope Dilution Method	13C2-PFDoA	H	41.6
1902189-10	NON-B03-GW	PFAS Isotope Dilution Method	13C2-PFTeDA	H	27.2
1902189-12	NAOA-B06-GW	PFAS Isotope Dilution Method	13C2-PFTeDA	H	31.0
1902189-15	NAOA-B04-SO-69-69.5	PFAS Isotope Dilution Method	d3-MeFOSAA	H	47.8
1902189-15	NAOA-B04-SO-69-69.5	PFAS Isotope Dilution Method	13C2-PFDoA	H	47.4
1902189-16	SAOA-B02-SO-5-5.5	PFAS Isotope Dilution Method	13C2-PFDA	H	49.8
1902189-16	SAOA-B02-SO-5-5.5	PFAS Isotope Dilution Method	13C2-PFDoA	H	49.1
1902189-18	SAOA-B02-SO-56-56.5	PFAS Isotope Dilution Method	13C2-PFDoA	H	45.8
B9G0251-BSD1	B9G0251-BSD1	PFAS Isotope Dilution Method	13C2-PFTeDA	H	46.4
B9G0264-BLK1	B9G0264-BLK1	PFAS Isotope Dilution Method	13C2-PFDoA	H	49.6

H = Recovery was outside laboratory acceptance criteria.

TABLE OF CONTENTS

Case Narrative..... 1

Table of Contents..... 4

Sample Inventory..... 5

Analytical Results..... 6

Qualifiers..... 34

Certifications..... 35

Sample Receipt..... 38

Receiving Airbills..... 41

Extraction Information..... 42

Sample Data - PFAS Isotope Dilution Method..... 60

IIS Areas, IBs and CCVs..... 275

ICAL with ICV and IB..... 687

Tune Checks..... 1520

Standards..... 1569

Sample Inventory Report

Vista Sample ID	Client Sample ID		Sampled	Received	Components/Containers
1902189-01	SAOA-B03-SO-5-5.5		11-Jul-19 16:00	19-Jul-19 09:23	HDPE Jar, 6 oz
1902189-02	SAOA-B03-SO-20-20.5		11-Jul-19 16:30	19-Jul-19 09:23	HDPE Jar, 6 oz
1902189-03	SAOA-B03-SO-56-56.5		11-Jul-19 17:50	19-Jul-19 09:23	HDPE Jar, 6 oz
1902189-04	SAOA-B03-GW		11-Jul-19 18:20	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-05	NAOA-B03-GW		15-Jul-19 15:55	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-06	EB-07152019-GW		15-Jul-19 17:10	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-07	FRB-07152019		15-Jul-19 17:15	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-08	NON-B03-SO-1-1.5	MS/MSD	16-Jul-19 07:50	19-Jul-19 09:23	HDPE Jar, 6 oz
					HDPE Jar, 6 oz
					HDPE Jar, 6 oz
1902189-09	NON-B03-SO-15-15.5		16-Jul-19 08:20	19-Jul-19 09:23	HDPE Jar, 6 oz
1902189-10	NON-B03-GW		16-Jul-19 10:30	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-11	EB-07162019-GW		16-Jul-19 10:40	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-12	NAOA-B06-GW		16-Jul-19 16:00	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-13	FRB-07162019		16-Jul-19 17:30	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-14	EB-07162019		16-Jul-19 18:00	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-15	NAOA-B04-SO-69-69.5		17-Jul-19 09:45	19-Jul-19 09:23	HDPE Jar, 6 oz
1902189-16	SAOA-B02-SO-5-5.5		17-Jul-19 14:25	19-Jul-19 09:23	HDPE Jar, 6 oz
1902189-17	SAOA-B02-SO-20-20.5		17-Jul-19 14:45	19-Jul-19 09:23	HDPE Jar, 6 oz
1902189-18	SAOA-B02-SO-56-56.5		17-Jul-19 15:45	19-Jul-19 09:23	HDPE Jar, 6 oz
1902189-19	FRB-07172019		17-Jul-19 16:00	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL
1902189-20	EB-07172019		17-Jul-19 18:20	19-Jul-19 09:23	HDPE Bottle, 125 mL
					HDPE Bottle, 125 mL

ANALYTICAL RESULTS

Sample ID: Method Blank — **PFAS Isotope Dilution Method**

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Matrix: Solid

Laboratory Data

Lab Sample: B9G0264-BLK1
Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFHxA	307-24-4	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFHpA	375-85-9	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFHxS	355-46-4	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFOA	335-67-1	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFNA	375-95-1	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFOS	1763-23-1	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFDA	335-76-2	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
MeFOSAA	2355-31-9	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
EtFOSAA	2991-50-6	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFUnA	2058-94-8	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFDoA	307-55-1	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFTrDA	72629-94-8	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
PFTeDA	376-06-7	ND	0.845	1.00	2.00	U	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	77.5	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C2-PFHxA	IS	90.9	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C4-PFHpA	IS	102	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C3-PFHxS	IS	92.4	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C2-PFOA	IS	91.5	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C5-PFNA	IS	79.4	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C8-PFOS	IS	102	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C2-PFDA	IS	56.7	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
d3-MeFOSAA	IS	52.9	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
d5-EtFOSAA	IS	57.5	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C2-PFUnA	IS	61.7	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C2-PFDoA	IS	49.6	50 - 150	H	B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1
13C2-PFTeDA	IS	69.1	50 - 150		B9G0264	01-Aug-19	1.00 g	06-Aug-19 14:13	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: OPR **PFAS Isotope Dilution Method**

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Matrix: Solid

Laboratory Data

Lab Sample: B9G0264-BS1
Column: BEH C18

Analyte	CAS Number	Amt Found (ug/kg	Spike Amt	% Rec	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	12.6	10.0	126	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFHxA	307-24-4	13.0	10.0	130	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFHpA	375-85-9	9.29	10.0	92.9	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFHxS	355-46-4	10.3	10.0	103	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFOA	335-67-1	11.2	10.0	112	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFNA	375-95-1	10.5	10.0	105	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFOS	1763-23-1	9.24	10.0	92.4	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFDA	335-76-2	11.9	10.0	119	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
MeFOSAA	2355-31-9	10.5	10.0	105	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
EtFOSAA	2991-50-6	11.0	10.0	110	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFUnA	2058-94-8	10.2	10.0	102	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFDoA	307-55-1	9.10	10.0	91.0	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFTrDA	72629-94-8	9.75	10.0	97.5	60 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
PFTeDA	376-06-7	11.1	10.0	111	70 - 130		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1

Labeled Standards	Type	% Rec	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	69.1	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C2-PFHxA	IS	69.3	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C4-PFHpA	IS	87.0	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C3-PFHxS	IS	84.2	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C2-PFOA	IS	81.7	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C5-PFNA	IS	75.9	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C8-PFOS	IS	94.6	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C2-PFDA	IS	50.7	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
d3-MeFOSAA	IS	62.5	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
d5-EtFOSAA	IS	66.9	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C2-PFUnA	IS	56.9	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C2-PFDoA	IS	58.4	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1
13C2-PFTeDA	IS	70.6	50- 150		B9G0264	01-Aug-19	1.00 g	08-Aug-19 01:48	1

Sample ID: SAOA-B03-SO-5-5.5

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Soil
Date Collected: 11-Jul-19 16:00

Laboratory Data

Lab Sample: 1902189-01
Date Received: 19-Jul-19 09:23
% Solids: 94.3

Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.829	0.981	1.96	U	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFHxA	307-24-4	8.09	0.829	0.981	1.96		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFHpA	375-85-9	0.842	0.829	0.981	1.96	J	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFHxS	355-46-4	10.7	0.829	0.981	1.96		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFOA	335-67-1	19.9	0.829	0.981	1.96		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFNA	375-95-1	ND	0.829	0.981	1.96	U	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFOS	1763-23-1	15.8	0.829	0.981	1.96		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFDA	335-76-2	ND	0.829	0.981	1.96	U	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
MeFOSAA	2355-31-9	ND	0.829	0.981	1.96	U	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
EtFOSAA	2991-50-6	ND	0.829	0.981	1.96	U	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFUnA	2058-94-8	ND	0.829	0.981	1.96	U	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFDoA	307-55-1	ND	0.829	0.981	1.96	U	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFTrDA	72629-94-8	ND	0.829	0.981	1.96	U	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
PFTeDA	376-06-7	ND	0.829	0.981	1.96	U	B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	63.6	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C2-PFHxA	IS	80.7	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C4-PFHpA	IS	89.3	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C3-PFHxS	IS	76.1	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C2-PFOA	IS	84.8	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C5-PFNA	IS	73.3	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C8-PFOS	IS	83.1	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C2-PFDA	IS	56.0	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
d3-MeFOSAA	IS	50.8	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
d5-EtFOSAA	IS	60.0	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C2-PFUnA	IS	58.2	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C2-PFDoA	IS	50.3	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1
13C2-PFTeDA	IS	65.7	50 - 150		B9G0264	01-Aug-19	1.08 g	06-Aug-19 14:23	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: SAOA-B03-SO-20-20.5

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Soil
Date Collected: 11-Jul-19 16:30

Laboratory Data

Lab Sample: 1902189-02
Date Received: 19-Jul-19 09:23
% Solids: 83.8

Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFHxA	307-24-4	4.71	0.833	0.986	1.97		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFHpA	375-85-9	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFHxS	355-46-4	1.98	0.833	0.986	1.97		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFOA	335-67-1	3.74	0.833	0.986	1.97		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFNA	375-95-1	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFOS	1763-23-1	1.73	0.833	0.986	1.97	J	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFDA	335-76-2	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
MeFOSAA	2355-31-9	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
EtFOSAA	2991-50-6	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFUnA	2058-94-8	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFDoA	307-55-1	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFTrDA	72629-94-8	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
PFTeDA	376-06-7	ND	0.833	0.986	1.97	U	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	74.5	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C2-PFHxA	IS	87.5	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C4-PFHpA	IS	99.9	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C3-PFHxS	IS	87.7	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C2-PFOA	IS	88.6	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C5-PFNA	IS	78.4	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C8-PFOS	IS	84.6	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C2-PFDA	IS	55.9	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
d3-MeFOSAA	IS	50.6	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
d5-EtFOSAA	IS	60.5	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C2-PFUnA	IS	59.0	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C2-PFDoA	IS	47.7	50 - 150	H	B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1
13C2-PFTeDA	IS	70.1	50 - 150		B9G0264	01-Aug-19	1.21 g	06-Aug-19 14:34	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: SAOA-B03-SO-56-56.5

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ
Matrix: Soil
Date Collected: 11-Jul-19 17:50

Laboratory Data

Lab Sample: 1902189-03
Date Received: 19-Jul-19 09:23
% Solids: 84.8
Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFHxA	307-24-4	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFHpA	375-85-9	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFHxS	355-46-4	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFOA	335-67-1	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFNA	375-95-1	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFOS	1763-23-1	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFDA	335-76-2	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
MeFOSAA	2355-31-9	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
EtFOSAA	2991-50-6	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFUnA	2058-94-8	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFDoA	307-55-1	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFTrDA	72629-94-8	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
PFTeDA	376-06-7	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	67.4	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C2-PFHxA	IS	84.7	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C4-PFHpA	IS	90.1	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C3-PFHxS	IS	83.7	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C2-PFOA	IS	93.9	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C5-PFNA	IS	73.9	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C8-PFOS	IS	93.8	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C2-PFDA	IS	54.2	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
d3-MeFOSAA	IS	49.7	50 - 150	H	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
d5-EtFOSAA	IS	50.6	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C2-PFUnA	IS	65.4	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C2-PFDoA	IS	46.9	50 - 150	H	B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1
13C2-PFTeDA	IS	69.0	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 15:36	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: NON-B03-SO-1-1.5

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Soil
Date Collected: 16-Jul-19 07:50

Laboratory Data

Lab Sample: 1902189-08
Date Received: 19-Jul-19 09:23
% Solids: 99.2

Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFHxA	307-24-4	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFHpA	375-85-9	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFHxS	355-46-4	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFOA	335-67-1	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFNA	375-95-1	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFOS	1763-23-1	1.27	0.827	0.979	1.96	J	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFDA	335-76-2	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
MeFOSAA	2355-31-9	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
EtFOSAA	2991-50-6	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFUnA	2058-94-8	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFDoA	307-55-1	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFTrDA	72629-94-8	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
PFTeDA	376-06-7	ND	0.827	0.979	1.96	U	B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	75.1	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C2-PFHxA	IS	80.8	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C4-PFHpA	IS	93.0	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C3-PFHxS	IS	103	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C2-PFOA	IS	92.4	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C5-PFNA	IS	76.8	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C8-PFOS	IS	102	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C2-PFDA	IS	53.4	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
d3-MeFOSAA	IS	52.4	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
d5-EtFOSAA	IS	56.8	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C2-PFUnA	IS	70.3	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C2-PFDoA	IS	56.2	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1
13C2-PFTeDA	IS	75.3	50 - 150		B9G0264	01-Aug-19	1.03 g	05-Aug-19 15:47	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: NON-B03-SO-1-1.5 **PFAS Isotope Dilution Method**

Name:	Tetra Tech EC, Inc.	Lab Sample:	B9G0264-MS1/B9G0264-MSD1	Source Lab Sample:	1902189-08
Project:	4663.3803	QC Batch:	B9G0264	Date Extracted:	01-Aug-19
Matrix:	Solid	Samp Size:	1.01/1.02 g	Column:	BEH C18

Analyte	CAS Number	Sample (ug/kg)	MS (ug/kg)	MS Spike	MS % Rec	MS Quals	MSD (ug/kg)	MSD Spike	MSD % Rec	RPD	MSD Quals	%Rec Limits	RPD Limits	MS Analyzed	MS Dil	MSD Analyzed	MSD Dil
PFBS	375-73-5	ND	12.1	9.98	121		12.1	9.88	122	0.823		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFHxA	307-24-4	ND	11.4	9.98	114		12.0	9.88	121	5.96		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFHpA	375-85-9	ND	9.58	9.98	96.0		10.2	9.88	103	7.04		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFHxS	355-46-4	ND	8.49	9.98	83.3		9.95	9.88	98.9	17.1		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFOA	335-67-1	ND	10.0	9.98	99.2		10.2	9.88	102	2.78		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFNA	375-95-1	ND	9.84	9.98	98.3		10.9	9.88	110	11.2		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFOS	1763-23-1	1.27	10.2	9.98	89.8		10.3	9.88	91.3	1.66		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFDA	335-76-2	ND	10.6	9.98	105		10.8	9.88	109	3.74		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
MeFOSAA	2355-31-9	ND	12.6	9.98	126		12.5	9.88	126	0		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
EtFOSAA	2991-50-6	ND	12.8	9.98	128		12.4	9.88	126	1.57		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFUnA	2058-94-8	ND	9.79	9.98	98.1		10.6	9.88	107	8.68		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFDoA	307-55-1	ND	9.00	9.98	90.2		9.50	9.88	96.1	6.33		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFTrDA	72629-94-8	ND	9.05	9.98	90.7		10.6	9.88	108	17.4		60-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1
PFTeDA	376-06-7	ND	9.19	9.98	92.1		9.08	9.88	91.9	0.217		70-130	30	05-Aug-19 14:43	1	05-Aug-19 14:54	1

Labeled Standards	Type	MS % Rec	MS Quals	MSD % Rec	MSD Quals	Limits	MS Analyzed	MS Dil	MSD Analyzed	MSD Dil
13C3-PFBS	IS	69.1		71.9		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C2-PFHxA	IS	81.2		81.1		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C4-PFHpA	IS	90.4		90.0		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C3-PFHxS	IS	95.1		90.3		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C2-PFOA	IS	91.3		89.3		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C5-PFNA	IS	76.7		76.9		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C8-PFOS	IS	88.5		87.5		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C2-PFDA	IS	54.9		50.6		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
d3-MeFOSAA	IS	57.0		54.5		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
d5-EtFOSAA	IS	58.5		57.5		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C2-PFUnA	IS	73.6		68.3		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C2-PFDoA	IS	61.1		59.2		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1
13C2-PFTeDA	IS	78.3		85.8		50-150	05-Aug-19 14:43	1	05-Aug-19 14:54	1

Sample ID: NON-B03-SO-15-15.5

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Soil
Date Collected: 16-Jul-19 08:20

Laboratory Data

Lab Sample: 1902189-09
Date Received: 19-Jul-19 09:23
% Solids: 96.2

Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFHxA	307-24-4	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFHpA	375-85-9	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFHxS	355-46-4	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFOA	335-67-1	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFNA	375-95-1	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFOS	1763-23-1	1.81	0.821	0.971	1.94	J	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFDA	335-76-2	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
MeFOSAA	2355-31-9	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
EtFOSAA	2991-50-6	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFUnA	2058-94-8	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFDoA	307-55-1	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFTrDA	72629-94-8	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
PFTeDA	376-06-7	ND	0.821	0.971	1.94	U	B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	76.6	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C2-PFHxA	IS	89.8	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C4-PFHpA	IS	85.9	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C3-PFHxS	IS	104	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C2-PFOA	IS	94.1	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C5-PFNA	IS	71.8	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C8-PFOS	IS	96.6	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C2-PFDA	IS	54.3	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
d3-MeFOSAA	IS	56.6	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
d5-EtFOSAA	IS	59.0	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C2-PFUnA	IS	70.3	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C2-PFDoA	IS	57.8	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1
13C2-PFTeDA	IS	77.8	50 - 150		B9G0264	01-Aug-19	1.07 g	05-Aug-19 15:57	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: NAOA-B04-SO-69-69.5

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ
Matrix: Soil
Date Collected: 17-Jul-19 09:45

Laboratory Data

Lab Sample: 1902189-15
Date Received: 19-Jul-19 09:23
% Solids: 86.0
Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFHxA	307-24-4	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFHpA	375-85-9	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFHxS	355-46-4	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFOA	335-67-1	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFNA	375-95-1	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFOS	1763-23-1	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFDA	335-76-2	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
MeFOSAA	2355-31-9	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
EtFOSAA	2991-50-6	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFUnA	2058-94-8	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFDoA	307-55-1	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFTrDA	72629-94-8	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
PFTeDA	376-06-7	ND	0.840	0.994	1.99	U	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	66.3	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C2-PFHxA	IS	85.8	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C4-PFHpA	IS	93.1	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C3-PFHxS	IS	77.6	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C2-PFOA	IS	83.5	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C5-PFNA	IS	76.6	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C8-PFOS	IS	92.7	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C2-PFDA	IS	57.6	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
d3-MeFOSAA	IS	47.8	50 - 150	H	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
d5-EtFOSAA	IS	58.7	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C2-PFUnA	IS	59.8	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C2-PFDoA	IS	47.4	50 - 150	H	B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1
13C2-PFTeDA	IS	61.1	50 - 150		B9G0264	01-Aug-19	1.17 g	06-Aug-19 14:44	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: SAOA-B02-SO-5-5.5

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Soil
Date Collected: 17-Jul-19 14:25

Laboratory Data

Lab Sample: 1902189-16
Date Received: 19-Jul-19 09:23
% Solids: 84.9

Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.844	0.998	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFHxA	307-24-4	1.35	0.844	0.998	2.00	J	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFHpA	375-85-9	1.22	0.844	0.998	2.00	J	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFHxS	355-46-4	16.7	0.844	0.998	2.00		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFOA	335-67-1	13.2	0.844	0.998	2.00		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFNA	375-95-1	1.36	0.844	0.998	2.00	J	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFOS	1763-23-1	129	0.844	0.998	2.00		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFDA	335-76-2	ND	0.844	0.998	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
MeFOSAA	2355-31-9	ND	0.844	0.998	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
EtFOSAA	2991-50-6	ND	0.844	0.998	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFUnA	2058-94-8	ND	0.844	0.998	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFDoA	307-55-1	ND	0.844	0.998	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFTrDA	72629-94-8	ND	0.844	0.998	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
PFTeDA	376-06-7	ND	0.844	0.998	2.00	U	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	84.1	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C2-PFHxA	IS	87.2	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C4-PFHpA	IS	90.6	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C3-PFHxS	IS	111	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C2-PFOA	IS	88.2	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C5-PFNA	IS	76.7	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C8-PFOS	IS	101	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C2-PFDA	IS	49.8	50 - 150	H	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
d3-MeFOSAA	IS	54.2	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
d5-EtFOSAA	IS	50.1	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C2-PFUnA	IS	67.1	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C2-PFDoA	IS	49.1	50 - 150	H	B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1
13C2-PFTeDA	IS	68.6	50 - 150		B9G0264	01-Aug-19	1.18 g	05-Aug-19 16:18	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: SAOA-B02-SO-20-20.5

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Soil
Date Collected: 17-Jul-19 14:45

Laboratory Data

Lab Sample: 1902189-17
Date Received: 19-Jul-19 09:23
% Solids: 88.7

Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.843	0.998	2.00	U	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFHxA	307-24-4	2.85	0.843	0.998	2.00		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFHpA	375-85-9	1.53	0.843	0.998	2.00	J	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFHxS	355-46-4	18.1	0.843	0.998	2.00		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFOA	335-67-1	21.5	0.843	0.998	2.00		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFNA	375-95-1	ND	0.843	0.998	2.00	U	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFOS	1763-23-1	181	0.843	0.998	2.00		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFDA	335-76-2	ND	0.843	0.998	2.00	U	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
MeFOSAA	2355-31-9	ND	0.843	0.998	2.00	U	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
EtFOSAA	2991-50-6	ND	0.843	0.998	2.00	U	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFUnA	2058-94-8	ND	0.843	0.998	2.00	U	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFDoA	307-55-1	ND	0.843	0.998	2.00	U	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFTrDA	72629-94-8	ND	0.843	0.998	2.00	U	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
PFTeDA	376-06-7	ND	0.843	0.998	2.00	U	B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	81.7	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C2-PFHxA	IS	85.0	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C4-PFHpA	IS	90.9	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C3-PFHxS	IS	98.2	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C2-PFOA	IS	95.8	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C5-PFNA	IS	73.5	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C8-PFOS	IS	94.3	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C2-PFDA	IS	56.2	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
d3-MeFOSAA	IS	51.4	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
d5-EtFOSAA	IS	55.9	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C2-PFUnA	IS	71.9	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C2-PFDoA	IS	52.2	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1
13C2-PFTeDA	IS	79.7	50 - 150		B9G0264	01-Aug-19	1.13 g	05-Aug-19 16:29	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: SAOA-B02-SO-56-56.5

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Soil
Date Collected: 17-Jul-19 15:45

Laboratory Data

Lab Sample: 1902189-18
Date Received: 19-Jul-19 09:23
% Solids: 78.2

Column: BEH C18

Analyte	CAS Number	Conc. (ug/kg)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	0.911	0.844	0.999	2.00	J	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFHxA	307-24-4	2.83	0.844	0.999	2.00		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFHpA	375-85-9	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFHxS	355-46-4	1.71	0.844	0.999	2.00	J	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFOA	335-67-1	1.05	0.844	0.999	2.00	J	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFNA	375-95-1	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFOS	1763-23-1	7.11	0.844	0.999	2.00		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFDA	335-76-2	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
MeFOSAA	2355-31-9	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
EtFOSAA	2991-50-6	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFUnA	2058-94-8	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFDoA	307-55-1	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFTrDA	72629-94-8	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
PFTeDA	376-06-7	ND	0.844	0.999	2.00	U	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	72.2	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C2-PFHxA	IS	82.0	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C4-PFHpA	IS	88.0	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C3-PFHxS	IS	82.3	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C2-PFOA	IS	86.9	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C5-PFNA	IS	77.8	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C8-PFOS	IS	92.2	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C2-PFDA	IS	58.6	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
d3-MeFOSAA	IS	51.7	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
d5-EtFOSAA	IS	54.9	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C2-PFUnA	IS	60.7	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C2-PFDoA	IS	45.8	50 - 150	H	B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1
13C2-PFTeDA	IS	65.0	50 - 150		B9G0264	01-Aug-19	1.28 g	06-Aug-19 14:55	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation

The results are reported in dry weight.
The sample size is reported in wet weight.
Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: Method Blank **PFAS Isotope Dilution Method**

Client Data
Name: Tetra Tech EC, Inc.
Project: 4663.3803
Matrix: Aqueous

Laboratory Data
Lab Sample: B9G0224-BLK1
Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFHxA	307-24-4	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFHpA	375-85-9	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFHxS	355-46-4	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFOA	335-67-1	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFNA	375-95-1	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFOS	1763-23-1	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFDA	335-76-2	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
MeFOSAA	2355-31-9	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
EtFOSAA	2991-50-6	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFUnA	2058-94-8	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFDoA	307-55-1	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFTrDA	72629-94-8	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
PFTeDA	376-06-7	ND	0.00274	0.00400	0.00800	U	B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	91.7	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C2-PFHxA	IS	91.7	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C4-PFHpA	IS	97.6	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C3-PFHxS	IS	95.6	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C2-PFOA	IS	86.7	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C5-PFNA	IS	84.8	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C8-PFOS	IS	85.2	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C2-PFDA	IS	73.1	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
d3-MeFOSAA	IS	72.7	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
d5-EtFOSAA	IS	76.2	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C2-PFUnA	IS	79.3	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C2-PFDoA	IS	72.7	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1
13C2-PFTeDA	IS	61.3	50 - 150		B9G0224	24-Jul-19	0.125 L	26-Jul-19 11:06	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation
Results reported to the DL.
When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: LCSD **PFAS Isotope Dilution Method**

Name:	Tetra Tech EC, Inc.	Lab Sample:	B9G0224-BS1/B9G0224-BSD1
Project:	4663.3803	QC Batch:	B9G0224
Matrix:	Aqueous	Samp Size:	0.125/0.125 L
		Date Extracted:	24-Jul-19
		Column:	BEH C18

Analyte	CAS Number	LCS (ug/L)	LCS Spike	LCS % Rec	LCS Quals	LCSD (ug/L)	LCSD Spike	LCSD % Rec	RPD	LCSD Quals	%Rec Limits	RPD Limits	LCS Analyzed	LCS Dil	LCSD Analyzed	LCSD Dil
PFBS	375-73-5	0.0755	0.0800	94.3		0.0801	0.0800	100	6.01		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFHxA	307-24-4	0.0779	0.0800	97.4		0.0811	0.0800	101	4.01		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFHpA	375-85-9	0.0760	0.0800	95.0		0.0739	0.0800	92.4	2.79		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFHxS	355-46-4	0.0858	0.0800	107		0.0820	0.0800	102	4.58		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFOA	335-67-1	0.0778	0.0800	97.2		0.0763	0.0800	95.4	1.93		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFNA	375-95-1	0.0801	0.0800	100		0.0785	0.0800	98.2	1.91		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFOS	1763-23-1	0.0755	0.0800	94.4		0.0831	0.0800	104	9.52		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFDA	335-76-2	0.0817	0.0800	102		0.0815	0.0800	102	0.322		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
MeFOSAA	2355-31-9	0.0827	0.0800	103		0.0815	0.0800	102	1.46		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
EtFOSAA	2991-50-6	0.0859	0.0800	107		0.0840	0.0800	105	2.33		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFUnA	2058-94-8	0.0791	0.0800	98.8		0.0800	0.0800	100	1.13		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFDoA	307-55-1	0.0793	0.0800	99.1		0.0773	0.0800	96.6	2.60		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFTrDA	72629-94-8	0.0674	0.0800	84.2		0.0616	0.0800	77.1	8.90		60-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1
PFTeDA	376-06-7	0.0776	0.0800	96.9		0.0799	0.0800	99.9	2.98		70-130	30	26-Jul-19 10:45	1	26-Jul-19 10:55	1

Labeled Standards	Type	LCS % Rec	LCS Quals	LCSD % Rec	LCSD Quals	Limits	LCS Analyzed	LCS Dil	LCSD Analyzed	LCSD Dil
13C3-PFBS	IS	101		95.6		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C2-PFHxA	IS	93.8		98.6		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C4-PFHpA	IS	91.7		99.2		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C3-PFHxS	IS	103		96.5		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C2-PFOA	IS	83.8		85.4		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C5-PFNA	IS	78.4		82.8		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C8-PFOS	IS	83.8		85.8		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C2-PFDA	IS	72.5		75.3		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
d3-MeFOSAA	IS	62.0		60.5		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
d5-EtFOSAA	IS	64.4		63.2		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C2-PFUnA	IS	76.2		78.9		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C2-PFDoA	IS	69.1		72.9		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1
13C2-PFTeDA	IS	52.3		53.0		50-150	26-Jul-19 10:45	1	26-Jul-19 10:55	1

Sample ID: Method Blank — **PFAS Isotope Dilution Method**

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Matrix: Aqueous

Laboratory Data

Lab Sample: B9G0251-BLK1
Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFHxA	307-24-4	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFHpA	375-85-9	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFHxS	355-46-4	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFOA	335-67-1	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFNA	375-95-1	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFOS	1763-23-1	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFDA	335-76-2	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
MeFOSAA	2355-31-9	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
EtFOSAA	2991-50-6	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFUnA	2058-94-8	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFDoA	307-55-1	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFTrDA	72629-94-8	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
PFTeDA	376-06-7	ND	0.00274	0.00400	0.00800	U	B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	93.6	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C2-PFHxA	IS	92.9	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C4-PFHpA	IS	107	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C3-PFHxS	IS	92.3	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C2-PFOA	IS	89.0	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C5-PFNA	IS	78.1	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C8-PFOS	IS	99.0	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C2-PFDA	IS	67.5	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
d3-MeFOSAA	IS	77.2	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
d5-EtFOSAA	IS	74.3	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C2-PFUnA	IS	67.8	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C2-PFDoA	IS	77.2	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1
13C2-PFTeDA	IS	66.2	50 - 150		B9G0251	25-Jul-19	0.125 L	28-Jul-19 23:25	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: LCSD **PFAS Isotope Dilution Method**

Name:	Tetra Tech EC, Inc.	Lab Sample:	B9G0251-BS1/B9G0251-BSD1
Project:	4663.3803	QC Batch:	B9G0251
Matrix:	Aqueous	Samp Size:	0.125/0.125 L
		Date Extracted:	25-Jul-19
		Column:	BEH C18

Analyte	CAS Number	LCS (ug/L)	LCS Spike	LCS % Rec	LCS Quals	LCSD (ug/L)	LCSD Spike	LCSD % Rec	RPD	LCSD Quals	%Rec Limits	RPD Limits	LCS Analyzed	LCS Dil	LCSD Analyzed	LCSD Dil
PFBS	375-73-5	0.0830	0.0800	104		0.0814	0.0800	102	1.93		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFHxA	307-24-4	0.0894	0.0800	112		0.0887	0.0800	111	0.846		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFHpA	375-85-9	0.0883	0.0800	110		0.0872	0.0800	109	1.22		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFHxS	355-46-4	0.0907	0.0800	113		0.0918	0.0800	115	1.17		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFOA	335-67-1	0.0878	0.0800	110		0.0903	0.0800	113	2.81		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFNA	375-95-1	0.0867	0.0800	108		0.0865	0.0800	108	0.295		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFOS	1763-23-1	0.0830	0.0800	104		0.0820	0.0800	102	1.19		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFDA	335-76-2	0.0859	0.0800	107		0.0928	0.0800	116	7.75		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
MeFOSAA	2355-31-9	0.0907	0.0800	113		0.0883	0.0800	110	2.61		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
EtFOSAA	2991-50-6	0.0893	0.0800	112		0.0939	0.0800	117	4.92		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFUnA	2058-94-8	0.0874	0.0800	109		0.0879	0.0800	110	0.607		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFDoA	307-55-1	0.0849	0.0800	106		0.0846	0.0800	106	0.374		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFTrDA	72629-94-8	0.0743	0.0800	92.9		0.0683	0.0800	85.4	8.46		60-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1
PFTeDA	376-06-7	0.0868	0.0800	109		0.0903	0.0800	113	3.97		70-130	30	28-Jul-19 23:04	1	28-Jul-19 23:14	1

Labeled Standards	Type	LCS % Rec	LCS Quals	LCSD % Rec	LCSD Quals	Limits	LCS Analyzed	LCS Dil	LCSD Analyzed	LCSD Dil
13C3-PFBS	IS	96.9		90.8		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C2-PFHxA	IS	94.6		91.6		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C4-PFHpA	IS	94.1		88.8		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C3-PFHxS	IS	93.5		82.7		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C2-PFOA	IS	89.9		83.1		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C5-PFNA	IS	86.2		70.0		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C8-PFOS	IS	89.4		86.2		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C2-PFDA	IS	73.3		62.1		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
d3-MeFOSAA	IS	75.0		66.9		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
d5-EtFOSAA	IS	81.9		67.7		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C2-PFUnA	IS	79.1		69.6		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C2-PFDoA	IS	76.4		68.5		50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1
13C2-PFTeDA	IS	61.1		46.4	H	50-150	28-Jul-19 23:04	1	28-Jul-19 23:14	1

Sample ID: SAOA-B03-GW

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Aqueous
Date Collected: 11-Jul-19 18:20

Laboratory Data

Lab Sample: 1902189-04
Date Received: 19-Jul-19 09:23

Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	0.0769	0.00293	0.00427	0.00856		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFHxA	307-24-4	1.23	0.00293	0.00427	0.00856		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFHpA	375-85-9	0.0681	0.00293	0.00427	0.00856		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFHxS	355-46-4	0.134	0.00293	0.00427	0.00856		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFOA	335-67-1	0.0548	0.00293	0.00427	0.00856		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFNA	375-95-1	ND	0.00293	0.00427	0.00856	U	B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFOS	1763-23-1	0.117	0.00293	0.00427	0.00856		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFDA	335-76-2	ND	0.00293	0.00427	0.00856	U	B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
MeFOSAA	2355-31-9	ND	0.00293	0.00427	0.00856	U	B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
EtFOSAA	2991-50-6	ND	0.00293	0.00427	0.00856	U	B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFUnA	2058-94-8	ND	0.00293	0.00427	0.00856	U	B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFDoA	307-55-1	ND	0.00293	0.00427	0.00856	U	B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFTrDA	72629-94-8	ND	0.00293	0.00427	0.00856	U	B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
PFTeDA	376-06-7	ND	0.00293	0.00427	0.00856	U	B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	111	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C2-PFHxA	IS	96.0	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C4-PFHpA	IS	104	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C3-PFHxS	IS	104	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C2-PFOA	IS	89.8	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C5-PFNA	IS	95.2	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C8-PFOS	IS	105	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C2-PFDA	IS	79.3	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
d3-MeFOSAA	IS	75.7	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
d5-EtFOSAA	IS	75.7	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C2-PFUnA	IS	70.5	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C2-PFDoA	IS	71.4	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1
13C2-PFTeDA	IS	65.4	50 - 150		B9G0251	25-Jul-19	0.117 L	28-Jul-19 23:35	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: NAOA-B03-GW

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ
Matrix: Aqueous
Date Collected: 15-Jul-19 15:55

Laboratory Data

Lab Sample: 1902189-05
Date Received: 19-Jul-19 09:23
Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	0.0227	0.00349	0.00509	0.0102		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFHxA	307-24-4	0.222	0.00349	0.00509	0.0102		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFHpA	375-85-9	0.0369	0.00349	0.00509	0.0102		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFHxS	355-46-4	0.218	0.00349	0.00509	0.0102		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFOA	335-67-1	0.0554	0.00349	0.00509	0.0102		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFNA	375-95-1	0.00450	0.00349	0.00509	0.0102	J	B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFOS	1763-23-1	0.337	0.00349	0.00509	0.0102		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFDA	335-76-2	0.00673	0.00349	0.00509	0.0102	J	B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
MeFOSAA	2355-31-9	ND	0.00349	0.00509	0.0102	U	B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
EtFOSAA	2991-50-6	ND	0.00349	0.00509	0.0102	U	B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFUnA	2058-94-8	ND	0.00349	0.00509	0.0102	U	B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFDoA	307-55-1	ND	0.00349	0.00509	0.0102	U	B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFTrDA	72629-94-8	ND	0.00349	0.00509	0.0102	U	B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
PFTeDA	376-06-7	ND	0.00349	0.00509	0.0102	U	B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	89.1	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C2-PFHxA	IS	88.1	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C4-PFHpA	IS	92.3	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C3-PFHxS	IS	90.6	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C2-PFOA	IS	89.8	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C5-PFNA	IS	86.6	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C8-PFOS	IS	94.4	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C2-PFDA	IS	72.5	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
d3-MeFOSAA	IS	62.3	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
d5-EtFOSAA	IS	68.3	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C2-PFUnA	IS	69.1	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C2-PFDoA	IS	60.5	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1
13C2-PFTeDA	IS	57.0	50 - 150		B9G0251	25-Jul-19	0.0983 L	29-Jul-19 00:18	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: EB-07152019-GW

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Aqueous
Date Collected: 15-Jul-19 17:10

Laboratory Data

Lab Sample: 1902189-06
Date Received: 19-Jul-19 09:23

Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFHxA	307-24-4	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFHpA	375-85-9	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFHxS	355-46-4	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFOA	335-67-1	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFNA	375-95-1	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFOS	1763-23-1	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFDA	335-76-2	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
MeFOSAA	2355-31-9	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
EtFOSAA	2991-50-6	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFUnA	2058-94-8	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFDoA	307-55-1	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFTrDA	72629-94-8	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
PFTeDA	376-06-7	ND	0.00291	0.00424	0.00851	U	B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	92.2	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C2-PFHxA	IS	95.7	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C4-PFHpA	IS	93.8	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C3-PFHxS	IS	104	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C2-PFOA	IS	92.0	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C5-PFNA	IS	88.1	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C8-PFOS	IS	84.7	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C2-PFDA	IS	80.5	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
d3-MeFOSAA	IS	77.1	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
d5-EtFOSAA	IS	77.2	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C2-PFUnA	IS	73.2	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C2-PFDoA	IS	73.0	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1
13C2-PFTeDA	IS	77.5	50 - 150		B9G0224	24-Jul-19	0.118 L	26-Jul-19 11:27	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: FRB-07152019 **PFAS Isotope Dilution Method**

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ
Matrix: Aqueous
Date Collected: 15-Jul-19 17:15

Laboratory Data

Lab Sample: 1902189-07
Date Received: 19-Jul-19 09:23
Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFHxA	307-24-4	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFHpA	375-85-9	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFHxS	355-46-4	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFOA	335-67-1	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFNA	375-95-1	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFOS	1763-23-1	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFDA	335-76-2	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
MeFOSAA	2355-31-9	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
EtFOSAA	2991-50-6	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFUnA	2058-94-8	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFDoA	307-55-1	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFTrDA	72629-94-8	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
PFTeDA	376-06-7	ND	0.00295	0.00431	0.00863	U	B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	101	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C2-PFHxA	IS	92.0	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C4-PFHpA	IS	93.3	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C3-PFHxS	IS	95.2	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C2-PFOA	IS	88.8	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C5-PFNA	IS	86.9	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C8-PFOS	IS	84.4	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C2-PFDA	IS	77.0	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
d3-MeFOSAA	IS	62.8	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
d5-EtFOSAA	IS	67.0	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C2-PFUnA	IS	73.2	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C2-PFDoA	IS	68.7	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1
13C2-PFTeDA	IS	74.0	50 - 150		B9G0224	24-Jul-19	0.116 L	26-Jul-19 11:38	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: NON-B03-GW

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Aqueous
Date Collected: 16-Jul-19 10:30

Laboratory Data

Lab Sample: 1902189-10
Date Received: 19-Jul-19 09:23

Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	0.00486	0.00271	0.00394	0.00790	J	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFHxA	307-24-4	0.0998	0.00271	0.00394	0.00790		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFHpA	375-85-9	0.0821	0.00271	0.00394	0.00790		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFHxS	355-46-4	0.147	0.00271	0.00394	0.00790		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFOA	335-67-1	0.0932	0.00271	0.00394	0.00790		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFNA	375-95-1	0.0914	0.00271	0.00394	0.00790		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFOS	1763-23-1	0.982	0.00271	0.00394	0.00790		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFDA	335-76-2	0.00277	0.00271	0.00394	0.00790	J	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
MeFOSAA	2355-31-9	ND	0.00271	0.00394	0.00790	U	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
EtFOSAA	2991-50-6	ND	0.00271	0.00394	0.00790	U	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFUnA	2058-94-8	ND	0.00271	0.00394	0.00790	U	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFDoA	307-55-1	ND	0.00271	0.00394	0.00790	U	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFTrDA	72629-94-8	ND	0.00271	0.00394	0.00790	U	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
PFTeDA	376-06-7	ND	0.00271	0.00394	0.00790	U	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	96.2	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C2-PFHxA	IS	89.0	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C4-PFHpA	IS	87.9	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C3-PFHxS	IS	102	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C2-PFOA	IS	79.0	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C5-PFNA	IS	75.6	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C8-PFOS	IS	87.6	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C2-PFDA	IS	65.7	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
d3-MeFOSAA	IS	56.0	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
d5-EtFOSAA	IS	53.6	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C2-PFUnA	IS	57.9	50 - 150		B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C2-PFDoA	IS	41.6	50 - 150	H	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1
13C2-PFTeDA	IS	27.2	50 - 150	H	B9G0251	25-Jul-19	0.127 L	29-Jul-19 00:28	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: EB-07162019-GW

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Aqueous
Date Collected: 16-Jul-19 10:40

Laboratory Data

Lab Sample: 1902189-11
Date Received: 19-Jul-19 09:23

Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFHxA	307-24-4	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFHpA	375-85-9	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFHxS	355-46-4	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFOA	335-67-1	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFNA	375-95-1	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFOS	1763-23-1	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFDA	335-76-2	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
MeFOSAA	2355-31-9	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
EtFOSAA	2991-50-6	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFUnA	2058-94-8	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFDoA	307-55-1	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFTrDA	72629-94-8	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
PFTeDA	376-06-7	ND	0.00288	0.00420	0.00842	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	94.8	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C2-PFHxA	IS	92.3	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C4-PFHpA	IS	94.7	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C3-PFHxS	IS	99.0	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C2-PFOA	IS	88.8	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C5-PFNA	IS	84.2	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C8-PFOS	IS	92.0	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C2-PFDA	IS	74.2	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
d3-MeFOSAA	IS	62.0	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
d5-EtFOSAA	IS	68.7	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C2-PFUnA	IS	72.0	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C2-PFDoA	IS	70.4	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1
13C2-PFTeDA	IS	79.7	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 11:48	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: NAOA-B06-GW — **PFAS Isotope Dilution Method**

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ
Matrix: Aqueous
Date Collected: 16-Jul-19 16:00

Laboratory Data

Lab Sample: 1902189-12
Date Received: 19-Jul-19 09:23
Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	0.166	0.00275	0.00400	0.00802		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFHxA	307-24-4	0.932	0.00275	0.00400	0.00802		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFHpA	375-85-9	0.615	0.00275	0.00400	0.00802		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFHxS	355-46-4	4.77	0.0137	0.0200	0.0401	D	B9G0251	25-Jul-19	0.125 L	29-Jul-19 19:24	5
PFOA	335-67-1	0.571	0.00275	0.00400	0.00802		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFNA	375-95-1	ND	0.00275	0.00400	0.00802	U	B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFOS	1763-23-1	0.0433	0.00275	0.00400	0.00802		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFDA	335-76-2	ND	0.00275	0.00400	0.00802	U	B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
MeFOSAA	2355-31-9	ND	0.00275	0.00400	0.00802	U	B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
EtFOSAA	2991-50-6	ND	0.00275	0.00400	0.00802	U	B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFUnA	2058-94-8	ND	0.00275	0.00400	0.00802	U	B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFDoA	307-55-1	ND	0.00275	0.00400	0.00802	U	B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFTrDA	72629-94-8	ND	0.00275	0.00400	0.00802	U	B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
PFTeDA	376-06-7	ND	0.00275	0.00400	0.00802	U	B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	122	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
13C2-PFHxA	IS	96.8	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
13C4-PFHpA	IS	99.0	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
13C3-PFHxS	IS	116	50 - 150	D	B9G0251	25-Jul-19	0.125 L	29-Jul-19 19:24	5
13C2-PFOA	IS	96.2	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
13C5-PFNA	IS	95.7	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
13C8-PFOS	IS	106	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
13C2-PFDA	IS	89.5	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
d3-MeFOSAA	IS	64.7	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
d5-EtFOSAA	IS	62.8	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
13C2-PFUnA	IS	73.9	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
13C2-PFDoA	IS	59.6	50 - 150		B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1
13C2-PFTeDA	IS	31.0	50 - 150	H	B9G0251	25-Jul-19	0.125 L	29-Jul-19 00:39	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: FRB-07162019 **PFAS Isotope Dilution Method**

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ
Matrix: Aqueous
Date Collected: 16-Jul-19 17:30

Laboratory Data

Lab Sample: 1902189-13
Date Received: 19-Jul-19 09:23
Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFHxA	307-24-4	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFHpA	375-85-9	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFHxS	355-46-4	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFOA	335-67-1	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFNA	375-95-1	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFOS	1763-23-1	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFDA	335-76-2	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
MeFOSAA	2355-31-9	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
EtFOSAA	2991-50-6	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFUnA	2058-94-8	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFDoA	307-55-1	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFTrDA	72629-94-8	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
PFTeDA	376-06-7	ND	0.00293	0.00427	0.00855	U	B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	88.9	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C2-PFHxA	IS	91.7	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C4-PFHpA	IS	92.8	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C3-PFHxS	IS	91.0	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C2-PFOA	IS	90.0	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C5-PFNA	IS	83.7	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C8-PFOS	IS	91.5	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C2-PFDA	IS	76.2	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
d3-MeFOSAA	IS	64.0	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
d5-EtFOSAA	IS	69.5	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C2-PFUnA	IS	75.0	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C2-PFDoA	IS	72.2	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1
13C2-PFTeDA	IS	80.1	50 - 150		B9G0224	24-Jul-19	0.117 L	26-Jul-19 11:59	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: EB-07162019

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Aqueous
Date Collected: 16-Jul-19 18:00

Laboratory Data

Lab Sample: 1902189-14
Date Received: 19-Jul-19 09:23

Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFHxA	307-24-4	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFHpA	375-85-9	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFHxS	355-46-4	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFOA	335-67-1	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFNA	375-95-1	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFOS	1763-23-1	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFDA	335-76-2	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
MeFOSAA	2355-31-9	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
EtFOSAA	2991-50-6	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFUnA	2058-94-8	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFDoA	307-55-1	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFTrDA	72629-94-8	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
PFTeDA	376-06-7	ND	0.00289	0.00420	0.00843	U	B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	94.4	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C2-PFHxA	IS	94.9	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C4-PFHpA	IS	99.0	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C3-PFHxS	IS	96.0	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C2-PFOA	IS	92.0	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C5-PFNA	IS	90.9	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C8-PFOS	IS	91.6	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C2-PFDA	IS	84.7	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
d3-MeFOSAA	IS	71.4	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
d5-EtFOSAA	IS	72.5	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C2-PFUnA	IS	76.5	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C2-PFDoA	IS	77.3	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1
13C2-PFTeDA	IS	82.1	50 - 150		B9G0224	24-Jul-19	0.119 L	26-Jul-19 12:10	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: FRB-07172019 **PFAS Isotope Dilution Method**

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ
Matrix: Aqueous
Date Collected: 17-Jul-19 16:00

Laboratory Data

Lab Sample: 1902189-19
Date Received: 19-Jul-19 09:23
Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFHxA	307-24-4	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFHpA	375-85-9	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFHxS	355-46-4	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFOA	335-67-1	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFNA	375-95-1	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFOS	1763-23-1	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFDA	335-76-2	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
MeFOSAA	2355-31-9	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
EtFOSAA	2991-50-6	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFUnA	2058-94-8	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFDoA	307-55-1	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFTrDA	72629-94-8	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
PFTeDA	376-06-7	ND	0.00281	0.00410	0.00819	U	B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	89.2	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C2-PFHxA	IS	91.9	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C4-PFHpA	IS	91.9	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C3-PFHxS	IS	90.8	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C2-PFOA	IS	90.1	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C5-PFNA	IS	78.9	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C8-PFOS	IS	91.0	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C2-PFDA	IS	72.8	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
d3-MeFOSAA	IS	65.2	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
d5-EtFOSAA	IS	68.3	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C2-PFUnA	IS	72.5	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C2-PFDoA	IS	72.8	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1
13C2-PFTeDA	IS	75.8	50 - 150		B9G0224	24-Jul-19	0.122 L	26-Jul-19 12:20	1

DL - Detection Limit
LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

Sample ID: EB-07172019

PFAS Isotope Dilution Method

Client Data

Name: Tetra Tech EC, Inc.
Project: 4663.3803
Location: Yuma, AZ

Matrix: Aqueous
Date Collected: 17-Jul-19 18:20

Laboratory Data

Lab Sample: 1902189-20
Date Received: 19-Jul-19 09:23

Column: BEH C18

Analyte	CAS Number	Conc. (ug/L)	DL	LOD	LOQ	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBS	375-73-5	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFHxA	307-24-4	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFHpA	375-85-9	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFHxS	355-46-4	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFOA	335-67-1	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFNA	375-95-1	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFOS	1763-23-1	0.0123	0.00286	0.00417	0.00834		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFDA	335-76-2	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
MeFOSAA	2355-31-9	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
EtFOSAA	2991-50-6	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFUnA	2058-94-8	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFDoA	307-55-1	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFTrDA	72629-94-8	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
PFTeDA	376-06-7	ND	0.00286	0.00417	0.00834	U	B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBS	IS	99.2	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C2-PFHxA	IS	95.7	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C4-PFHpA	IS	97.9	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C3-PFHxS	IS	101	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C2-PFOA	IS	92.2	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C5-PFNA	IS	84.3	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C8-PFOS	IS	101	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C2-PFDA	IS	74.4	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
d3-MeFOSAA	IS	65.5	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
d5-EtFOSAA	IS	65.4	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C2-PFUnA	IS	72.7	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C2-PFDoA	IS	60.1	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1
13C2-PFTeDA	IS	73.9	50 - 150		B9G0224	24-Jul-19	0.120 L	26-Jul-19 12:31	1

DL - Detection Limit

LOD - Limit of Detection
LOQ - Limit of quantitation

Results reported to the DL.

When reported, PFHxS, PFOA, PFOS, MeFOSAA and EtFOSAA include both linear and branched isomers. Only the linear isomer is reported for all other analytes.

DATA QUALIFIERS & ABBREVIATIONS

B	This compound was also detected in the method blank
Conc.	Concentration
D	Dilution
DL	Detection limit
E	The associated compound concentration exceeded the calibration range of the instrument
H	Recovery and/or RPD was outside laboratory acceptance limits
I	Chemical Interference
J	The amount detected is below the Reporting Limit/LOQ
LOD	Limits of Detection
LOQ	Limits of Quantitation
M	Estimated Maximum Possible Concentration (CA Region 2 projects only)
NA	Not applicable
ND	Not Detected
P	The reported concentration may include contribution from chlorinated diphenyl ether(s).
Q	The ion transition ratio is outside of the acceptance criteria.
TEQ	Toxic Equivalency
U	Not Detected (specific projects only)
*	See Cover Letter

Unless otherwise noted, solid sample results are reported in dry weight. Tissue samples are reported in wet weight.

Vista Analytical Laboratory Certifications

Accrediting Authority	Certificate Number
Alaska Department of Environmental Conservation	17-013
Arkansas Department of Environmental Quality	19-013-0
California Department of Health – ELAP	2892
DoD ELAP - A2LA Accredited - ISO/IEC 17025:2005	3091.01
Florida Department of Health	E87777-23
Hawaii Department of Health	N/A
Louisiana Department of Environmental Quality	01977
Maine Department of Health	2018017
Massachusetts Department of Environmental Protection	N/A
Michigan Department of Environmental Quality	9932
Minnesota Department of Health	1521520
New Hampshire Environmental Accreditation Program	207718-B
New Jersey Department of Environmental Protection	190001
New York Department of Health	11411
Oregon Laboratory Accreditation Program	4042-010
Pennsylvania Department of Environmental Protection	016
Texas Commission on Environmental Quality	T104704189-19-10
Vermont Department of Health	VT-4042
Virginia Department of General Services	10272
Washington Department of Ecology	C584-19
Wisconsin Department of Natural Resources	998036160

Current certificates and lists of licensed parameters are located in the Quality Assurance office and are available upon request.

NELAP Accredited Test Methods

MATRIX: Air	
Description of Test	**Method**
Determination of Polychlorinated p-Dioxins & Polychlorinated Dibenzofurans	EPA 23
Determination of Polychlorinated p-Dioxins & Polychlorinated Dibenzofurans	EPA TO-9A

MATRIX: Biological Tissue	
Description of Test	**Method**
Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS	EPA 1613B
Brominated Diphenyl Ethers by HRGC/HRMS	EPA 1614A
Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by GC/HRMS	EPA 1668A/C
Pesticides in Water, Soil, Sediment, Biosolids, and Tissue by HRGC/HRMS	EPA 1699
Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS	EPA 537
Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofurans by GC/HRMS	EPA 8280A/B
Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by GC/HRMS	EPA 8290/8290A

MATRIX: Drinking Water	
Description of Test	**Method**
2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD) GC/HRMS	EPA 1613/1613B
1,4-Dioxane (1,4-Diethyleneoxide) analysis by GC/HRMS	EPA 522
Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS	EPA 537
Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS	ISO 25101 2009

MATRIX: Non-Potable Water	
Description of Test	**Method**
Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS	EPA 1613B
Brominated Diphenyl Ethers by HRGC/HRMS	EPA 1614A
Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by GC/HRMS	EPA 1668A/C
Pesticides in Water, Soil, Sediment, Biosolids, and Tissue by HRGC/HRMS	EPA 1699
Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS	EPA 537
Dioxin by GC/HRMS	EPA 613
Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofurans by GC/HRMS	EPA 8280A/B
Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by GC/HRMS	EPA 8290/8290A

MATRIX: Solids	
Description of Test	**Method**
Tetra-Octa Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS	EPA 1613
Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution GC/HRMS	EPA 1613B
Brominated Diphenyl Ethers by HRGC/HRMS	EPA 1614A
Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by GC/HRMS	EPA 1668A/C
Pesticides in Water, Soil, Sediment, Biosolids, and Tissue by HRGC/HRMS	EPA 1699
Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS	EPA 537
Polychlorinated Dibenzo-p-Dioxins and Polychlorinated Dibenzofurans by GC/HRMS	EPA 8280A/B
Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by GC/HRMS	EPA 8290/8290A

Vista Analytical Laboratory

CHAIN OF CUSTODY

For Laboratory Use Only
Work Order #: 1902189 Temp: 0.8 °C
Storage ID: R-13, WR-2 Storage Secured: Yes ☑ No ☐

Project ID: 4663.3803 PO#: 1164824 Sampler: M Mckinstry / D Hare (name)

TAT (check one): Standard: ☐ 21 days Rush (surcharge may apply) ☐ 14 days ☐ 7 days Specify: 10 BD

Invoice to: Name	Company	Address	City	State	Ph#	Fax#
Accts Payable	Tetra Tech EC, Inc.	1230 Columbia St. Suite 750	San Diego	CA	619-234-8696	

Relinquished by (printed name and signature)	Date	Time	Received by (printed name and signature)	Date	Time
Jeremy McKinstry	7/19/19	1630	FEDEX	7/18/19	1630
Relinquished by (printed name and signature)	Date	Time	Received by (printed name and signature)	Date	Time
FedEx			Marissa Sparks MSparks	07/19/19	0923

SHIP TO: Vista Analytical Laboratory
1104 Windfield Way
El Dorado Hills, CA 95762
(916) 673-1520 * Fax (916) 673-0106

ATTN: SAMPLE RECEIVING

Method of Shipment: FED EX

Tracking No.:

Add Analysis(es) Requested

Sample ID	Date	Time	Location/Sample Description	Container(s) Quantity	Type	Matrix	Mod. EPA Method 537: PFOA/PFOS	UCMR3 PFAS List 6	537 List 14	Full List of 26	Other: Please List Below	EPA Method 537(DW only): PFOA/PFOS	UCMR3 PFAS List 6	PFAS List 14	Comments
SAOA-B03-SO-5-5.5	7/11/19	1600	YUMA, AZ	1	P	SO			X						
SAOA-B03-SO-20-20.5	7/15/19	1630	Yuma AZ	1	P	SO			X						
SAOA-B03-SO-55-55.5	7/11/19	1750	Yuma, AZ	1	P	SO			X						
SAOA-B03-GW	7/11/19	1820	Yuma, AZ	2	P	AQ			X						
NAOA-B03-GW	7/15/19	1555	Yuma, AZ	2	P	AQ			X						
EB-07152019-GW	7/15/19	1710	Yuma, AZ	2	P	AQ			X						
ERB-07152019	7/15/19	1715	Yuma, AZ	2	P	AQ			X						
NON-B03-SO-1-1.5	7/16/19	0750	Yuma, AZ	3	P	SO			X						RUN MS/MSD
NON-B03-SO-15-15.5	7/16/19	0820	Yuma, AZ	1	P	SO			X						
NON-B03-GW	7/16/19	1030	Yuma, AZ	2	P	AQ			X						

Special Instructions/Comments:

SEND DOCUMENTATION AND RESULTS TO:

Name: Lisa Bienkowski
Company: Tetra Tech EC, Inc.
Address: 17885 Von Karman Avenue, Suite 500
City: Irvine State: CA Zip: 92614
Phone: 949-809-5028 Fax:
Email: lisa.bienkowski@tetratech.com

Container Types: P= HDPE, PJ= HDPE Jar
O = Other:

Bottle Preservation Type: T = Thiosulfate,
TZ = Trizma:

Matrix Types: AQ = Aqueous, DW = Drinking Water, EF = Effluent, PP = Pulp/Paper, SD = Sediment, SL = Sludge, SO = Soil, WW = Wastewater, B = Blood/Serum, O = Other:

Vista Analytical Laboratory

CHAIN OF CUSTODY

For Laboratory Use Only
Work Order #: 1902189 Temp: 0.8 °C
Storage ID: R-13, WR-2 Storage Secured: Yes ☑ No ☐

Project ID: 4863.3803 PO#: 1164824 Sampler: McKinstry (name)

TAT (check one): Standard: ☐ 21 days Rush (surcharge may apply): ☐ 14 days ☐ 7 days Specify: 10 BD

Invoice to: Name	Company	Address	City	State	Ph#	Fax#
Accts Payable	Tetra Tech EC, Inc.	1230 Columbia St. Suite 750	San Diego	CA	619-234-8696	

Relinquished by (printed name and signature)	Date	Time	Received by (printed name and signature)	Date	Time
Jeremy McKinstry	7/18/19	1630	FEDEX	7/18/19	1630
Relinquished by (printed name and signature)	Date	Time	Received by (printed name and signature)	Date	Time
Fedex			Marissa Sparks	07/19/19	0923

SHIP TO: Vista Analytical Laboratory
1104 Windfield Way
El Dorado Hills, CA 95762
(916) 673-1520 * Fax (916) 673-0106

ATTN: SAMPLE RECEIVING

Method of Shipment: FED EX

Tracking No.:

Add Analysis(es) Requested

Sample ID	Date	Time	Location/Sample Description	Container(s) Quantity	Type	Matrix	Mod. EPA Method 537: PFOA/PFOS	UCMR3 PFAS List 6	537 List 14	Full List of 26	Other: Please List Below	EPA Method 537(DW only): PFOA/PFOS	UCMR3 PFAS List 6	PFAS List 14	Comments
EB-07162019-GW	7/16/19	1040	YUMA, AZ	2	P	AQ			X						
NAOA-B06-GW	7/16/19	1600	Yuma, AZ	2	P	AQ			X						
FRB-07162019	7/16/19	1730	Yuma, AZ	2	P	AQ			X						
EB-07162019	7/16/19	1900	Yuma, AZ	2	P	AQ			X						
NAOA-B04-SO-69-69.5	7/17/19	0945	Yuma, AZ	1	P	SO			X						
SAOA-B02-SO-5-5.5	7/17/19	1425	Yuma, AZ	1	P	SO			X						
SAOA-B02-SO-20-20.5	7/17/19	1445	Yuma, AZ	1	P	SO			X						
SAOA-B02-SO-56-56.5	7/17/19	1545	Yuma, AZ	1	P	SO			X						
FRB-07172019	7/17/19	1600	Yuma, AZ	2	P	AQ			X						
EB-07172019	7/17/19	1820	Yuma, AZ	2	P	AQ			X						

Special Instructions/Comments:

SEND DOCUMENTATION AND RESULTS TO:

Name: Lisa Bienkowski
Company: Tetra Tech EC, Inc.
Address: 17885 Von Karman Avenue, Suite 500
City: Irvine State: CA Zip: 92614
Phone: 949-809-5028 Fax:
Email: lisa.bienkowski@tetratech.com

Container Types: P= HDPE, PJ= HDPE Jar
O = Other:

Bottle Preservation Type: T = Thiosulfate,
TZ = Trizma:

Matrix Types: AQ = Aqueous, DW = Drinking Water, EF = Effluent, PP = Pulp/Paper, SD = Sediment, SL = Sludge, SO = Soil, WW = Wastewater, B = Blood/Serum, O = Other:

Vista Analytical Laboratory

Sample Log-In Checklist

Page # 1 of 1

Vista Work Order #: 1902189 TAT Std

Samples Arrival:	**Date/Time** 07/19/19 0923	**Initials:** MWS	**Location:** WR-2 **Shelf/Rack:** N/a
Logged In:	**Date/Time** 07/19/19 1022	**Initials:** MWS	**Location:** R-13, WR-2 **Shelf/Rack:** d-1, d-2,

Delivered By:	(FedEx)	UPS	On Trac	GSO	DHL	Hand Delivered	Other
Preservation:	(Ice)	Blue Ice	Dry Ice	None		
Temp °C: 0.8 (uncorrected)	**Probe used:** Y / (N)	**Thermometer ID:** IR-3				
Temp °C: 0.8 (corrected)						

	YES	NO	NA
Adequate Sample Volume Received?	✓		
Holding Time Acceptable?	✓		
Shipping Container(s) Intact?	✓		
Shipping Custody Seals Intact?	✓		
Shipping Documentation Present?	✓		
Airbill 1 of 2 Trk # 7885 5262 2948	✓		
Sample Container Intact?	✓		
Sample Custody Seals Intact?			✓
Chain of Custody / Sample Documentation Present?	✓		
COC Anomaly/Sample Acceptance Form completed?		✓	✓

If Chlorinated or Drinking Water Samples, Acceptable Preservation?						✓
Preservation Documented:	$Na_2S_2O_3$ Trizma None Other				Yes	No	(NA)
Shipping Container	(Vista)	Client	(Retain)	Return	Dispose	

Comments:


ORIGIN ID:YUMA (619) 200-6897
TETRA TECH
JEREMY MCKINSTRY
1230 COLUMBIA ST STE 750
106-4663.3803.1400.0100
SAN DIEGO, CA 92101
UNITED STATES US
SHIP DATE: 18JUL19
ACTWGT: 43.40 LB
CAD: 006995179/SSFE2002
DIMS: 24x13x14 IN
BILL THIRD PARTY
TO ATTN SAMPLE RECVING
VISTA ANALYTICAL LAB
1104 WINDFIELD WAY
EL DORADO HILLS CA 95762
(916) 673-1520
INV:
PO:
REF:
DEPT:
FedEx
Express
1 of 2
TRK# 0201 7885 5262 2948
MASTER
FRI - 19 JUL 10:30A
PRIORITY OVERNIGHT
WD MHRA
95762
CA-US SMF

EXTRACTION INFORMATION

Process Sheet

Workorder: 1902189

Prep Expiration: 2019-09-09
Client: Tetra Tech EC, Inc.

Workorder Due: 09-Aug-19 00:00
TAT: 21

Method: **VAL - PFAS DoD (LOQ as RL)**
Matrix: **Solid**

Prep Batch: B9G0264

Also run: **Percent Solids**
Version: 537 (14 Analyte) - DoD Limits
DoD: DoD QSM 5.1

Prep Data Entered: AE 08/02/19
Date and Initials

Initial Sequence: S9H0009

LabSampID	A/B	Prep Rec	Spike Rec	ClientSampleID	Comments	Location	Container
1902189-01	A	☑	☑	SAOA-B03-SO-5-5.5		WR-2 A-2	HDPE Jar, 6 oz
1902189-02	A	☑	☑	SAOA-B03-SO-20-20.5		WR-2 A-2	HDPE Jar, 6 oz
1902189-03	A	☑	☑	SAOA-B03-SO-56-56.5		WR-2 A-2	HDPE Jar, 6 oz
1902189-08	A, B, C	☑	☑	NON-B03-SO-1-1.5	MS/MSD	WR-2 A-2	HDPE Jar, 6 oz
1902189-09	A	☑	☑	NON-B03-SO-15-15.5		WR-2 A-2	HDPE Jar, 6 oz
1902189-15	A	☑	☑	NAOA-B04-SO-69-69.5		WR-2 A-2	HDPE Jar, 6 oz
1902189-16	A	☑	☑	SAOA-B02-SO-5-5.5		WR-2 A-2	HDPE Jar, 6 oz
1902189-17	A	☑	☑	SAOA-B02-SO-20-20.5		WR-2 A-2	HDPE Jar, 6 oz
1902189-18	A	☑	☑	SAOA-B02-SO-56-56.5		WR-2 A-2	HDPE Jar, 6 oz

WO Comments: **Internal COC**

Pre-Prep Check Out: OPV 07/22/19
Pre-Prep Check In: OPV 07/22/19

Prep Check Out: HR 08/01/19
Prep Check In: N/A

Prep Reconciled Initals/Date: OPV 07/22/19
Spike Reconciled Initals/Date: HR 08/01/19
VialBoxID: Jiggy

Matrix: Solid
Method: VAL - PFAS DoD (LOQ as RL)

PREPARATION BENCH SHEET

B9G0264

Chemist: HR

Prepared using: ☑ Sonication ☑ Shaker ☑ SPE Extraction ☑ Centrifuge ID: CH

Prep Date: 08/01/19

Initial/Date: HR 08/01/19

BalanceID: HRMS-9

Prep Time: 12:42

Cen	VISTA Sample ID	Sample Amt. (g)	IS/NS CHEM/WIT DATE	Pre-Ext	Extraction	SPE	ENVI-Carb	RS CHEM/WIT DATE
☐	B9G0264-BLK1	(1.00)	HR/LW 08/01/19	HR 08/01/19	HR 08/02/19	HR 08/02/19	HR 08/02/19	HR AE 08/02/19
☐	B9G0264-BS1	(1.00)						
☐	B9G0264-MS1 1902189-08	1.01						
☐	B9G0264-MSD1 1902189-08	1.02						
☐	1902189-01	1.08						
☐	1902189-02	1.21						
☐	1902189-03	1.18						
☐	1902189-08	1.03						
☐	1902189-09	1.07						
☐	1902189-15	1.17						
☐	1902189-16	1.18						
☐	1902189-17	1.13						
☐	1902189-18	1.28						

IS: 19G1701, 10mL, (Vg)

IS SUP: N/A

NS: 19G1704, 10mL, (V3)

NS SUP: N/A

RS: 19G1702, 10mL (Vg)

SPE Chem: Strata-X-AW 33um, 200mg/6mL

SPE Lot#: 518-0006618

Extraction Solvent: 1:1 MeOH/ACN

ENVI-Carb Lot#: A01431

Ele SOLV: MeOH/0.5%NH4OH in MeOH

Final Volume(s) 1 mL

Notes:

Comments: Assume 1 g = 1 mL

1 = Sample deeply colored
2 = Cartridge sorbent discolored after SPE
3 = Sample clogged cartridge, additional cartridge(s) used
4 = Sample recombined at final volume
5 = Sample took longer to SPE, required stronger vacuum
6 = Required Nitrogen line to finish SPE
7 = Required Nitrogen line to finish elution

Batch: B9G0264

Matrix: Solid

LabNumber	WetWeight (Initial)	% Solids (Extraction Solids)	DryWeight	Final	Extracted	Ext By	Spike	SpikeAmount	ClientMatrix	Analysis
1902189-01	1.08	94.34276	1.0189	1000	01-Aug-19 12:42	HNR			Soil	VAL - PFAS DoD (LOQ as
1902189-02	1.21	83.82353	1.0143	1000	01-Aug-19 12:42	HNR			Soil	VAL - PFAS DoD (LOQ as
1902189-03	1.18	84.80801	1.0007	1000	01-Aug-19 12:42	HNR			Soil	VAL - PFAS DoD (LOQ as
1902189-08	1.03	99.21136	1.0219	1000	01-Aug-19 12:42	HNR			Soil	VAL - PFAS DoD (LOQ as
1902189-09	1.07	96.22642	1.0296	1000	01-Aug-19 12:42	HNR			Soil	VAL - PFAS DoD (LOQ as
1902189-15	1.17	86.00682	1.0063	1000	01-Aug-19 12:42	HNR			Soil	VAL - PFAS DoD (LOQ as
1902189-16	1.18	84.88023	1.0016	1000	01-Aug-19 12:42	HNR			Soil	VAL - PFAS DoD (LOQ as
1902189-17	1.13	88.67403	1.0020	1000	01-Aug-19 12:42	HNR			Soil	VAL - PFAS DoD (LOQ as
1902189-18	1.28	78.22165	1.0012	1000	01-Aug-19 12:42	HNR			Soil	VAL - PFAS DoD (LOQ as
B9G0264-BLK1	1			1000	01-Aug-19 12:42	HNR				QC
B9G0264-BS1	1			1000	01-Aug-19 12:42	HNR	19G1704	10		QC
B9G0264-MS1	1.01	99.21136	1.0020 *	1000	01-Aug-19 12:42	HNR	19G1704	10		QC
B9G0264-MSD1	1.02	99.21136	1.0120 *	1000	01-Aug-19 12:42	HNR	19G1704	10		QC

*CGH 8/7/19

All bolded data on report verified against written benchsheet by (initial/date) AE 08/02/19

Percent Moisture/ Percent Solids

D2216-90 BATCH ID B9G0218

Analyst: OPV ✓ **Test Code:** %Moist/%Solids

Analyte: **Units:** %

Dried at 110°C+/-5°C

Oven ID: 01 ✓ 02

Data Entry Verified by: (Initial and Date) HR 07/23/19

Inst HRMS-9 ✓

Date/Time IN: 7/22/19 14:23 ✓ Date/Time OUT 7/23/19 11:45 ✓

	B	C	D	E	F	G	H	I	K	L	M	N	O	P
				Intial and Date:	OPV 07/22/19	HP 07/23/19			OPV 07/22/19					OPV 07/22/19
Particle Size	SampID		SampType	Pan Tare Wt. (gms)	Wet Pan and Sample Weight (g)	Dry Pan and Sample Weight (g)	Dry Sample Weight (g)	%Solids RawVal	Visual Inspection	Cl-	pH Before	pH After	Acid Added	Sample Homogenized*
	1902189-01		Sample	1.2900 ✓	7.3000 ✓	6.9600 ✓	5.6700	94.34	Sand	N/A	N/A	N/A	N/A	X
	1902189-02		Sample	1.2900 ✓	7.4100 ✓	6.4200 ✓	5.1300	83.82	Clay/Sand	N/A	N/A	N/A	N/A	X
	1902189-03		Sample	1.2800 ✓	7.2700 ✓	6.3600 ✓	5.0800	84.81	Sand	N/A	N/A	N/A	N/A	X
	1902189-08		Sample	1.2800 ✓	7.6200 ✓	7.5700 ✓	6.2900	99.21	Sand	N/A	N/A	N/A	N/A	X
	B9G0218-DUP1	1902189-08	Duplicate	1.3000 ✓	6.6600 ✓	6.6000 ✓	5.3000	98.88	Sand	N/A	N/A	N/A	N/A	X
	B9G0218-DUP2	1902189-08	Duplicate	1.3000 ✓	6.0500 ✓	6.0000 ✓	4.7000	98.95	Sand	N/A	N/A	N/A	N/A	X
	1902189-09		Sample	1.2900 ✓	7.1200 ✓	6.9000 ✓	5.6100	96.23	Sand	N/A	N/A	N/A	N/A	X
	1902189-15		Sample	1.2900 ✓	7.1500 ✓	6.3300 ✓	5.0400	86.01	Clay/Sand	N/A	N/A	N/A	N/A	X
	1902189-16		Sample	1.2800 ✓	7.9600 ✓	6.9500 ✓	5.6700	84.88	Clay	N/A	N/A	N/A	N/A	X
	1902189-17		Sample	1.2800 ✓	8.5200 ✓	7.7000 ✓	6.4200	88.67	Clay	N/A	N/A	N/A	N/A	X
	1902189-18		Sample	1.2800 ✓	9.0400 ✓	7.3500 ✓	6.0700	78.22	Clay	N/A	N/A	N/A	N/A	X

*Sample homogenized in sample container unless otherwise noted.

Percent Moisture/ Percent Solids

D2216-90 BATCH ID B9G0218

Analyst: OPV	**Test Code:** %Moist/%Solids	Data Entry Verified by: (Initial and Date) N/A
Analyte:	**Units:** %	
Dried at 110°C+/-5°C **Oven ID:** 01 02		

Inst Hems-9

Date/Time IN: 07/22/19 14:23 Date/Time OUT: 07/23/19 11:45

	B	C	D	E	F	G	H	I	K	L	M	N	O	P
				Intial and Date:	OPV 07/22/19	HP 07/23/19			OPV 07/22/19					OPV 07/22/19
Particle Size	SampID		SampType	Pan Tare Wt. (gms)	Wet Pan and Sample Weight (g)	Dry Pan and Sample Weight (g)	Dry Sample Weight (g)	%Solids RawVal	Visual Inspection	Cl-	pH Before	pH After	Acid Added	Sample Homogenized*
	1902189-01	A	Sample	1.29	7.30	6.96			Sand					✓
	1902189-02		Sample	1.29	7.41	6.98			clay/sand					✓
	1902189-03		Sample	1.28	7.27	6.36			Sand					✓
	1902189-08		Sample	1.28	7.62	7.57			Sand					✓
	B9G0218-MS1	1902189-08 B	Duplicate	1.30	6.66	6.60			Sand					✓
	B9G0218-MSD1	1902189-08 C	Duplicate	1.30	6.65	6.00			Sand					✓
	1902189-09	A	Sample	1.29	7.12	6.90			Sand					✓
	1902189-15		Sample	1.29	7.15	6.33			clay/sand					✓
	1902189-16		Sample	1.28	7.96	6.95			clay					✓
	1902189-17		Sample	1.28	8.52	7.70			clay					✓
	1902189-18		Sample	1.28	9.04	7.35			clay					✓

*Sample homogenized in sample container unless otherwise noted.

Matrix: Solid

Method: Percent Solids

Vista Internal Chain-of-Custody

B9G0218

Vista Analytical Laboratory

	Location		L2	R13	L2	R12	L2	R12	L2	L4	
	Reason		R1	R9	pre-extraction	R9	R4	R2	R6	R8	
	Initials		OPV	OPV	HR	HR	HR	HR	LW	CCH	
	Date/Time		07/22/19 13:53	07/22/19 14:24	08/01/19 11:41	08/01/19 13:28	08/02/19 06:04	08/02/19 12:29	08/05/19 06:12	08/05/19 13:48	
Initial Storage	LabNumber	Cont									
WR-2 A-2	1902189-01	A	O	O	O	E	E	E	E	E	
WR-2 A-2	1902189-02										
WR-2 A-2	1902189-03										
WR-2 A-2	1902189-08										
WR-2 A-2	1902189-09										
WR-2 A-2	1902189-15										
WR-2 A-2	1902189-16										
WR-2 A-2	1902189-17										
WR-2 A-2	1902189-18										

Location Key:
L1 = Prep Lab 1
L2 = Prep Lab 2
L3 = HRMS Diox
L4 = Instrument
Other = _____

Reason Key:
R1 = Percent Solids
R2 = Eluate Preservation
R3 = Sub-Sample
R4 = Extraction
R6 = Concentration
R7 = Filtering
R8 = Analysis
R9 = Storage
Other = _____

Type Key:
O = Original Sample
E = Extract of Sample

Process Sheet

Workorder: 1902189

Prep Expiration: 2019-07-25
Client: Tetra Tech EC, Inc.

Workorder Due: 09-Aug-19 00:00
TAT: 21

Method: **537M PFAS DOD (LOQ as mRL)**
Matrix: **Aqueous**

Prep Batch: B9G0224

Prep Data Entered: FB 07/25/19
Date and Initials

Version: 537 (14 Analyte) - DoD Limits
DoD: DoD QSM 5.1

Initial Sequence: S9G0067

LabSampID	A/B	Prep Rec	Spike Rec	ClientSampleID	Comments	Location	Container
1902189-04	A	☑	☑	SAOA-B03-GW		R-13 A-1	HDPE Bottle, 125 mL
1902189-05	|	☑	☑	NAOA-B03-GW		R-13 A-1	HDPE Bottle, 125 mL
1902189-06	|	☑	☑	EB-07152019-GW		R-13 A-1	HDPE Bottle, 125 mL
1902189-07	|	☑	☑	FRB-07152019		R-13 A-1	HDPE Bottle, 125 mL
1902189-10	|	☑	☑	NON-B03-GW		R-13 A-1	HDPE Bottle, 125 mL
1902189-11	|	☑	☑	EB-07162019-GW		R-13 A-1	HDPE Bottle, 125 mL
1902189-12	|	☑	☑	NAOA-B06-GW		R-13 A-1	HDPE Bottle, 125 mL
1902189-13	|	☑	☑	FRB-07162019		R-13 A-1	HDPE Bottle, 125 mL
1902189-14	|	☑	☑	EB-07162019		R-13 A-1	HDPE Bottle, 125 mL
1902189-19	|	☑	☑	FRB-07172019		R-13 A-1	HDPE Bottle, 125 mL
1902189-20	V	☑	☑	EB-07172019		R-13 A-1	HDPE Bottle, 125 mL

WO Comments: **Internal COC**

Pre-Prep Check Out: SAE 07/22/19
Pre-Prep Check In: SAE 07/22/19

Prep Check Out: ONL 07/24/19
Prep Check In: NA

Prep Reconciled Initals/Date: SAE 07/22/19
Spike Reconciled Initals/Date: ONL 07/24/19
VialBoxID: Snake

Matrix: Aqueous

Method: 537M PFAS DOD (LOQ as mRL)

PREPARATION BENCH SHEET

B9G0224

Chemist: HR

Prep Date: 07/24/19

Prep Time: 06:20

Prepared using: ☐ Sonication Shaker ☑ SPE Extraction ☑ Centrifuge ID: C5

Date/Initals: SH 07/22/19 | BalanceID: HKMS-7

Cen	VISTA Sample ID	pH Before	pH After	Chlorine (Cl)	Drops HCl Added	Bottle + Sample (g)	Bottle Only (g)	Sample Amt. (L)	IS/NS CHEM/WIT DATE	SPE	ENVI-Carb	RS CHEM/WIT DATE
☑	B9G0224-BLK1	5	3	0	1	N/A	N/A	(0.125)	HR ONL 07/24/19	HR 07/24/19	HR 07/24/19	HR ONL 07/24/19
☑	B9G0224-BS1	5	2	0	1	↓	↓	(0.125)	↓	↓	↓	↓
☑	B9G0224-BSD1	5	3	0	1	↓	↓	(0.125)	↓	↓	↓	↓
(A) ☑	~~1902189-04~~	~~8~~	2	0	3					↓	↓	↓
☑	1902189-05	8	3	0	2				HR 07/24/19			
☐	1902189-06	5	3	0	1	144.13	26.63	0.11750	↓	HR 07/24/19	HR 07/24/19	HR ONL 07/24/19
☐	1902189-07	5	3	0	1	142.56	26.64	0.11592	↓	↓	↓	↓
(A) ☑	~~1902189-10~~	~~8~~	~~3~~	~~0~~	~~2~~							HR 07/24/19
☐	1902189-11	5	3	0	1	145.48	26.76	0.11872	↓	HR 07/24/19	HR 07/24/19	HR ONL 07/24/19
(A) ☑	~~1902189-12~~	~~7~~	~~3~~	~~0~~	~~3~~							HR 07/24/19
☐	1902189-13	5	3	0	1	143.61	26.63	0.11698	↓	HR 07/24/19	HR 07/24/19	HR ONL 07/24/19
☐	1902189-14	5	3	0	1	145.28	26.60	0.11868	↓	↓	↓	↓
☐	1902189-19	5	3	0	1	148.90	26.80	0.12210	↓	↓	↓	↓
☐	1902189-20	5	3	0	1	146.69	26.81	0.11988	↓	↓	↓	↓

IS: 19E2201, 10mL (V2)

IS SUP: N/A

NS: 19E2204, 10mL, (V2)

NS SUP: N/A

RS: 19E2202, 10mL, (V2)

SPE Chem: Strata-X-AW 33um 200mg/6mL

SPE Lot#: S18-006879

ENVI-Carb Lot#: A01431

Ele SOLV: MeOH/0.5%NH4OH in MeOH

Final Volume(s) 1 mL

Notes: (A) samples not weighed before spiking and centrifuging. samples re-extracted. HR 07/24/19

Comments: Assume 1 g = 1 mL

Cen = Centrifuged

1 = Sample centrifuged twice
2 = Sample deeply colored after centrifuge
3 = Cartridge sorbent discolored after SPE
4 = Sample clogged cartridge, additional cartridge(s) used
5 = Sample recombined at final volume
6 = Sample took longer to SPE, required stronger vacuum
7 = Required Nitrogen line to finish SPE
8 = Required Nitrogen line to finish elution
9 = Sample arrived with low volume
10 = Trizma added to QC (5g/L)

Matrix: Aqueous

Method: 537M PFAS DOD (LOQ as mRL)

PREPARATION BENCH SHEET

B9G0224

Chemist: HR

Prep Date: 07/24/19

Prep Time: 06:20

Prepared using: ☐ Sonication Shaker ☑ SPE Extraction ☐ Centrifuge ID: _____

Date/Initals: FB 07/23/19 | BalanceID: HRMS-9

Cen	VISTA Sample ID	pH Before	pH After	Chlorine (Cl)	Drops HCl Added	Bottle + Sample (g)	Bottle Only (g)	Sample Amt. (L)	IS/NS CHEM/WIT DATE	SPE	ENVI-Carb	RS CHEM/WIT DATE
☐	~~B9G0224-BLK1~~											
☐	B9G0224-BS1						HR 07/23/19					
☐	B9G0224-BSD1											
☐	1902158-01RE1	5	3	0	5	129.85	16.27	0.1358	HR DM 07/24/19	HR 07/24/19	HR 07/24/19	HR DM 07/24/19
☐	1902189-04											
☐	1902189-05											
☐	1902189-06											
☐	1902189-07											
☐	1902189-10											
☐	1902189-11											
☐	1902189-12								HR 07/23/19			
☐	1902189-13											
☐	1902189-14											
☐	1902189-19											
☐	1902189-20											

IS: 19E2201, 10mL, (V2)

IS SUP: N/A

NS: 19E2204, 10mL, (V2)

NS SUP: N/A

RS: 19E2202, 10mL, (V2)

SPE Chem: Strata-X-AW, 33um, 200mg/6mL

SPE Lot#: 518-000879

ENVI-Carb Lot#: A01431

Ele SOLV: MeOH/0.5%NH4OH in MeOH

Final Volume(s) 1 mL

Notes:

Comments: Assume 1 g = 1 mL

Cen = Centrifuged

1 = Sample centrifuged twice
2 = Sample deeply colored after centrifuge
3 = Cartridge sorbent discolored after SPE
4 = Sample clogged cartridge, additional cartridge(s) used
5 = Sample recombined at final volume
6 = Sample took longer to SPE, required stronger vacuum
7 = Required Nitrogen line to finish SPE
8 = Required Nitrogen line to finish elution
9 = Sample arrived with low volume
10 = Trizma added to QC (5g/L)

Matrix: Aqueous

Method: 537M PFAS DOD (LOQ as mRL)

Vista Internal Chain-of-Custody

B9G0224

Vista Analytical Laboratory

	Location		L2	R13	L2	R12	L1	L4			
	Reason		PREP	R9	R4	R2	R6	R8			
	Initials		FB	FB	ONL	HR	HR	CH			
	Date/Time		07/23/19 15:01	07/23/19 15:11	07/24/19 05:44	07/24/19 12:13	07/25/19 06:31	07/25/19 1604			
Initial Storage	LabNumber	Cont									
R-13 A-1	1902158-01R	B	O	O	O	E	E	E			
R-13 A-1	1902189-04	*N/A	N/A	N/A							
R-13 A-1	1902189-05										
R-13 A-1	1902189-06										
R-13 A-1	1902189-07										
R-13 A-1	1902189-10										
R-13 A-1	1902189-11										
R-13 A-1	1902189-12										
R-13 A-1	1902189-13										
R-13 A-1	1902189-14										
R-13 A-1	1902189-19										
R-13 A-1	1902189-20										

Location Key:
L1 = Prep Lab 1
L2 = Prep Lab 2
L3 = HRMS Diox
L4 = Instrument
Other = _____

Reason Key:
R1 = Percent Solids
R2 = Eluate Preservation
R3 = Sub-Sample
R4 = Extraction
R6 = Concentration
R7 = Filtering
R8 = Analysis
R9 = Storage
Other = _____

Type Key:
O = Original Sample
E = Extract of Sample

*HR 07/24/19

Batch: B9G0224

Matrix: Aqueous

LabNumber	WetWeight (Initial)	% Solids (Extraction Solids)	DryWeight	Final	Extracted	Ext By	Spike	SpikeAmount	ClientMatrix	Analysis
1902158-01RE1	0.11358	N/A	N/A	1000	24-Jul-19 06:20	HNR			Potable Water	537M PFAS DOD (LOQ as
~~1902189-04~~	~~0.125~~			~~1000~~	~~24-Jul-19 06:20~~	~~HNR~~			~~Aqueous~~	~~537M PFAS DOD (LOQ as~~
1902189-05	0.125			1000	24-Jul-19 06:20	HNR			FB 07/25/19 Aqueous	537M PFAS DOD (LOQ as
1902189-06	0.1175	N/A	N/A	1000	24-Jul-19 06:20	HNR			Aqueous	537M PFAS DOD (LOQ as
1902189-07	0.11592			1000	24-Jul-19 06:20	HNR			Aqueous	537M PFAS DOD (LOQ as
~~1902189-10~~	~~0.125~~			~~1000~~	~~24-Jul-19 06:20~~	~~HNR~~			FB 07/25/19 ~~Aqueous~~	~~537M PFAS DOD (LOQ as~~
1902189-11	0.11872	N/A	N/A	1000	24-Jul-19 06:20	HNR			Aqueous	537M PFAS DOD (LOQ as
~~1902189-12~~	~~0.125~~			~~1000~~	~~24-Jul-19 06:20~~	~~HNR~~			FB 07/25/19 ~~Aqueous~~	~~537M PFAS DOD (LOQ as~~
1902189-13	0.11698	N/A	N/A	1000	24-Jul-19 06:20	HNR			Aqueous	537M PFAS DOD (LOQ as
1902189-14	0.11868			1000	24-Jul-19 06:20	HNR			Aqueous	537M PFAS DOD (LOQ as
1902189-19	0.1221			1000	24-Jul-19 06:20	HNR			Aqueous	537M PFAS DOD (LOQ as
1902189-20	0.11988			1000	24-Jul-19 06:20	HNR			Aqueous	537M PFAS DOD (LOQ as
B9G0224-BLK1	0.125			1000	24-Jul-19 06:20	HNR				QC
B9G0224-BS1	0.125			1000	24-Jul-19 06:20	HNR	19E2204	10		QC
B9G0224-BSD1	0.125			1000	24-Jul-19 06:20	HNR	19E2204	10		QC

All bolded data on report verified against written benchsheet by (initial/date) FB 07/25/19

Printed: 7/25/2019 9:25:12AM
Page 1 of 1

Matrix: Aqueous

Method: 537M PFAS DOD (LOQ as mRL)

Vista Internal Chain-of-Custody

B9G0224

Vista Analytical Laboratory

	Location		L2	R-13	L2						
	Reason		Prep	R-9	R4						
	Initials		SAE	SAE	ONL						
	Date/Time		07/22/19 12:13	07/22/19 12:31	07/24/19 05:44						
Initial Storage	LabNumber	Cont									
R-13 A-1	1902189-04	A	①	①	①						
R-13 A-1	1902189-05	T	T	T	T						
R-13 A-1	1902189-06										
R-13 A-1	1902189-07										
R-13 A-1	1902189-10										
R-13 A-1	1902189-11										
R-13 A-1	1902189-12										
R-13 A-1	1902189-13										
R-13 A-1	1902189-14										
R-13 A-1	1902189-19										
R-13 A-1	1902189-20	↓	↓	↓	↓						

07/24/19 LHE

Location Key:
L1 = Prep Lab 1
L2 = Prep Lab 2
L3 = HRMS Diox
L4 = Instrument
Other = _____

Reason Key:
R1 = Percent Solids
R2 = Eluate Preservation
R3 = Sub-Sample
R4 = Extraction
R6 = Concentration
R7 = Filtering
R8 = Analysis
R9 = Storage
Other = _____

Type Key:
O = Original Sample
E = Extract of Sample

RX

Process Sheet

Workorder: 1902189

Prep Expiration: 2019-07-25
Client: Tetra Tech EC, Inc.

Workorder Due: 09-Aug-19 00:00

TAT: 21

Method: **537M PFAS DOD (LOQ as mRL)**
Matrix: **Aqueous**

Prep Batch: B9G0251

Prep Data Entered: FB 07/24/19
Date and Initials

Version: 537 (14 Analyte) - DoD Limits
DoD: DoD QSM 5.1

Initial Sequence: S9G0074

LabSampID	A/B	Prep Rec	Spike Rec	ClientSampleID	Comments	Location	Container
1902189-04	"B"	☑	☑	SAOA-B03-GW		R-13 A-1	HDPE Bottle, 125 mL
1902189-05	↓	☑	☑	NAOA-B03-GW		R-13 A-1	HDPE Bottle, 125 mL
~~1902189-06~~		☐	☐	EB-07152019-GW		R-13 A-1	HDPE Bottle, 125 mL
~~1902189-07~~		☐	☐	FRB-07152019		R-13 A-1	HDPE Bottle, 125 mL
1902189-10	"B"	☑	☑	NON-B03-GW		R-13 A-1	HDPE Bottle, 125 mL
~~1902189-11~~		☐	☐	EB-07162019-GW		R-13 A-1	HDPE Bottle, 125 mL
1902189-12	"B"	☑	☑	NAOA-B06-GW		R-13 A-1	HDPE Bottle, 125 mL
~~1902189-13~~		☐	☐	FRB-07162019		R-13 A-1	HDPE Bottle, 125 mL
~~1902189-14~~		☐	☐	EB-07162019		R-13 A-1	HDPE Bottle, 125 mL
~~1902189-19~~		☐	☐	FRB-07172019		R-13 A-1	HDPE Bottle, 125 mL
~~1902189-20~~		☐	☐	EB-07172019		R-13 A-1	HDPE Bottle, 125 mL

WO Comments: **Internal COC**

Pre-Prep Check Out: LW 07/24/19
Pre-Prep Check In: LW 07/24/19

Prep Check Out: HL 07/25/19
Prep Check In: N/A

Prep Reconciled Initals/Date: LW 07/25/19 for 07/24/19
Spike Reconciled Initals/Date: HL 07/25/19
VialBoxID: Pho

Matrix: Aqueous

Method: 537M PFAS DOD (LOQ as mRL)

PREPARATION BENCH SHEET

B9G0251

Chemist: HR

Prep Date: 07/25/19

Prep Time: 07:40

Prepared using: ☐ Sonication Shaker ☑ SPE Extraction ☑ Centrifuge ID: CS

Date/Initals: HR 07/25/19 | BalanceID: HR MS-9

Cen	VISTA Sample ID	pH Before	pH After	Chlorine (Cl)	Drops HCl Added	Bottle + Sample (g)	Bottle Only (g)	Sample Amt. (L)	IS/NS CHEM/WIT DATE	SPE	ENVI-Carb	RS CHEM/WIT DATE
☑	B9G0251-BLK1	5	2	0	3	N/A	N/A	(0.125)	HR BMB 07/25/19	HR 07/25/19	HR 07/25/19	HR MJ 07/25/19
☑	B9G0251-BS1	5	2	0	2	"	"	(0.125)	"	"	"	"
☑	B9G0251-BSD1	5	2	0	2	"	"	(0.125)	"	"	"	"
☑	1902189-04RE1 (3)	7	3	0	3	143.60	26.76	0.11684	"	"	"	"
☑	1902189-05RE1 (3)(B) HR 07/25/19	7	3	0	3	124.95	26.69	0.09826	"	"	"	"
☑	1902189-10RE1	7	3	0	2	153.42	26.83	0.12659	"	"	"	"
☑	1902189-12RE1	7	3	0	3	151.51	26.78	0.12473	"	"	"	"
☐	1902193-01	10	2	0	3	135.62	26.75	0.10887	"	"	"	"

IS: 19E2201, 10mL, (V1)

IS SUP: N/A

NS: 19E2204, 10mL, (V2)

NS SUP: N/A

RS: 19E2202, 10mL, (V1)

SPE Chem: Strata-X-AW 33µm 200mg/6mL

SPE Lot#: S18-006879

ENVI-Carb Lot#: A01431

Ele SOLV: MeOH/0.5%NH4OH in MeOH

Final Volume(s) 1 mL

Notes: (A) Data transcribed from attached bench sheet. HR 07/25/19
(3) HR 07/25/19
(B) sample required vacuum to finish elution. HR 07/25/19

Comments: Assume 1 g = 1 mL
Cen = Centrifuged

1 = Sample centrifuged twice
2 = Sample deeply colored after centrifuge
3 = Cartridge sorbent discolored after SPE
4 = Sample clogged cartridge, additional cartridge(s) used
5 = Sample recombined at final volume
6 = Sample took longer to SPE, required stronger vacuum
7 = Required Nitrogen line to finish SPE
8 = Required Nitrogen line to finish elution
9 = Sample arrived with low volume
10 = Trizma added to QC (5g/L)

. **Matrix: Aqueous**

Method: 537M PFAS DOD (LOQ as mRL)

PREPARATION BENCH SHEET

B9G0251

Chemist: _____

Prep Date: _____

Prep Time: _____

Prepared using: ☐ Sonication Shaker ☐ SPE Extraction ☐ Centrifuge ID: _____

Date/Initals: CW 07/24/19 | BalanceID: HRMS-9

Cen	VISTA Sample ID	pH Before	pH After	Chlorine (Cl)	Drops HCl Added	Bottle + Sample (g)	Bottle Only (g)	Sample Amt. (L)	IS/NS CHEM/WIT DATE	SPE	ENVI-Carb	RS CHEM/WIT DATE
☐	B9G0251-BLK1	5		0		N/A	N/A	(0.125)				
☐	B9G0251-BS1	5		0				(0.125)				
☐	B9G0251-BSD1	5		0				(0.125)				
☐	1902189-04RE1	7		0		143.60						
☐	1902189-05RE1	7		0		124.95						
☐	1902189-10RE1	7		0		153.42						
☐	1902189-12RE1	7		0		151.51						

RE 07/25/19

IS: _____

IS SUP: _____

NS: _____

NS SUP: _____

RS: _____

SPE Chem: _____

SPE Lot#: _____

ENVI-Carb Lot#: _____

Ele SOLV: MeOH/0.5%NH4OH in MeOH

Final Volume(s) _____mL

Notes:

Comments: Assume 1 g = 1 mL
Cen = Centrifuged

1 = Sample centrifuged twice
2 = Sample deeply colored after centrifuge
3 = Cartridge sorbent discolored after SPE
4 = Sample clogged cartridge, additional cartridge(s) used
5 = Sample recombined at final volume
6 = Sample took longer to SPE, required stronger vacuum
7 = Required Nitrogen line to finish SPE
8 = Required Nitrogen line to finish elution
9 = Sample arrived with low volume
10 = Trizma added to QC (5g/L)

Batch: B9G0251

Matrix: Aqueous

LabNumber	WetWeight (Initial)	% Solids (Extraction Solids)	DryWeight	Final	Extracted	Ext By	Spike	SpikeAmount	ClientMatrix	Analysis
1902189-04RE1	0.11684	N/A	N/A	1000	25-Jul-19 07:49	HNR			Aqueous	537M PFAS DOD (LOQ as
1902189-05RE1	0.09826			1000	25-Jul-19 07:49	HNR			Aqueous	537M PFAS DOD (LOQ as
1902189-10RE1	0.12659			1000	25-Jul-19 07:49	HNR			Aqueous	537M PFAS DOD (LOQ as
1902189-12RE1	0.12473			1000	25-Jul-19 07:49	HNR			Aqueous	537M PFAS DOD (LOQ as
1902193-01	0.10887			1000	25-Jul-19 07:49	HNR			Aqueous	537M PFAS DOD (LOQ as
B9G0251-BLK1	0.125			1000	25-Jul-19 07:49	HNR				QC
B9G0251-BS1	0.125			1000	25-Jul-19 07:49	HNR	19E2204	10		QC
B9G0251-BSD1	0.125			1000	25-Jul-19 07:49	HNR	19E2204	10		QC

All bolded data on report verified against written benchsheet by (initial/date) FB 07-/26/19

Matrix: Aqueous

Method: 537M PFAS DOD (LOQ as mRL)

Vista Internal Chain-of-Custody

B9G0251

Vista Analytical Laboratory

	Location		L1	R12	L2	R12	L0				
	Reason		R4	R2	R6	R9	L4				
	Initials		HR	QE	HR	HR	DM				
	Date/Time		07/25/19 07:06	07/25/19 14:53	07/26/19 06:11	07/26/19 15:04	7/29/19 1442				
Initial Storage	LabNumber	Cont									
R-13 A-1	1902189-04R	B	O	E	E	E	E				
R-13 A-1	1902189-05R	B	"	"	"	"	"				
R-13 A-1	1902189-10R	B	"	"	"	"	"				
R-13 A-1	1902189-12R	G	"	"	"	"	"				
R-13 A-1	1902193-01	A	↓	↓	↓	↓	↓				

Location Key:
L1 = Prep Lab 1
L2 = Prep Lab 2
L3 = HRMS Diox
L4 = Instrument
Other = _____

Reason Key:
R1 = Percent Solids
R2 = Eluate Preservation
R3 = Sub-Sample
R4 = Extraction
R6 = Concentration
R7 = Filtering
R8 = Analysis
R9 = Storage
Other = _____

Type Key:
O = Original Sample
E = Extract of Sample

Sample Data – PFAS Isotope Dilution Method

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-22.qld

Last Altered: Wednesday, August 07, 2019 10:04:37 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:07:06 Pacific Daylight Time

Name: 190806M1_22, Date: 06-Aug-2019, Time: 14:13:02, ID: B9G0264-BLK1 Method Blank 1, Description: Method Blank

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		1.33e3	1.00		2.52						
2	7	PFHxA	313.0 > 269.0		7.71e3	1.00		3.03						
3	11	PFHpA	363.0 > 318.9		1.06e4	1.00		3.65						
4	13	L-PFHxS	398.9 > 79.6	4.53e0	3.18e3	1.00		3.81	3.81	0.0178	0.0156		1.694	NO
5	80	Total PFHxS	398.9 > 79.6	4.53e0	3.18e3	1.00		3.83		0.0178	0.0156			
6	49	13C3-PFBS	302.0 > 98.8	1.33e3	1.56e3	1.00	1.102	2.52	2.52	10.7	9.6848	77.5		
7	52	13C2-PFHxA	315.0 > 270.0	7.71e3	2.15e4	1.00	0.988	3.02	3.03	4.49	4.5467	90.9		
8	53	13C4-PFHpA	367.2 > 321.8	1.06e4	2.15e4	1.00	0.485	3.65	3.65	6.15	12.6878	101.5		
9	54	13C3-PFHxS	401.8 > 79.9	3.18e3	1.56e3	1.00	2.211	3.80	3.81	25.5	11.5449	92.4		
10	54	13C3-PFHxS	401.8 > 79.9	3.18e3	1.56e3	1.00	2.211	3.80	3.81	25.5	11.5449	92.4		
11	-1													
12	16	L-PFOA	412.8 > 368.9	6.21e1	1.86e4	1.00		4.18	4.18	0.0417	0.0033		4.428	NO
13	81	Total PFOA	412.8 > 368.9	6.21e1	1.86e4	1.00		4.21		0.0417	0.0033			
14	21	PFNA	463.0 > 418.8	8.62e0	1.83e4	1.00		4.62	4.63	0.00588			2.305	NO
15	23	L-PFOS	498.9 > 79.9		3.64e3	1.00		4.71						
16	82	Total PFOS	498.9 > 79.9	0.00e0	3.64e3	1.00		4.74		0.000				
17	58	13C2-PFOA	414.9 > 369.7	1.86e4	2.85e4	1.00	0.714	4.18	4.18	8.17	11.4398	91.5		
18	58	13C2-PFOA	414.9 > 369.7	1.86e4	2.85e4	1.00	0.714	4.18	4.18	8.17	11.4398	91.5		
19	56	13C5-PFNA	468.2 > 422.9	1.83e4	2.28e4	1.00	1.014	4.62	4.62	10.1	9.9204	79.4		
20	59	13C8-PFOS	507.0 > 79.9	3.64e3	3.62e3	1.00	0.990	4.71	4.71	12.6	12.6981	101.6		
21	59	13C8-PFOS	507.0 > 79.9	3.64e3	3.62e3	1.00	0.990	4.71	4.71	12.6	12.6981	101.6		
22	-1													
23	26	PFDA	513 > 468.8		1.61e4	1.00		5.01						
24	29	L-MeFOSAA	570 > 419		2.74e3	1.00		5.16						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	2.74e3	1.00		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	2.05e1	2.11e4	1.00		5.34	5.34	0.0121			4.513	YES
27	37	PFDoA	612.9 > 569.0		1.98e4	1.00		5.62						
28	60	13C2-PFDA	515.1 > 469.9	1.61e4	3.64e4	1.00	0.782	5.01	5.01	5.55	7.0927	56.7		
29	62	d3-N-MeFOSAA	573.3 > 419	2.74e3	3.36e4	1.00	0.154	5.16	5.16	1.02	6.6087	52.9		
30	62	d3-N-MeFOSAA	573.3 > 419	2.74e3	3.36e4	1.00	0.154	5.16	5.16	1.02	6.6087	52.9		
31	63	13C2-PFUdA	565 > 519.8	2.11e4	3.36e4	1.00	1.019	5.34	5.34	7.86	7.7164	61.7		
32	65	13C2-PFDoA	614.7 > 569.7	1.98e4	3.64e4	1.00	1.097	5.62	5.62	6.80	6.1973	49.6		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		3.79e3	1.00		5.31						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	3.79e3	1.00		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.98e4	1.00		5.88						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-22.qld

Last Altered: Wednesday, August 07, 2019 10:04:37 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:07:06 Pacific Daylight Time

Name: 190806M1_22, Date: 06-Aug-2019, Time: 14:13:02, ID: B9G0264-BLK1 Method Blank 1, Description: Method Blank

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		1.59e4	1.00		6.10						
38	85	TDCA	498.3>106.9			1.00		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	3.79e3	3.36e4	1.00	0.196	5.31	5.31	1.41	7.1937	57.5		
40	64	d5-N-EtFOSAA	589.3 > 419	3.79e3	3.36e4	1.00	0.196	5.31	5.31	1.41	7.1937	57.5		
41	65	13C2-PFDoA	614.7 > 569.7	1.98e4	3.64e4	1.00	1.097	5.62	5.62	6.80	6.1973	49.6		
42	67	13C2-PFTeDA	715.1 > 669.7	1.59e4	3.36e4	1.00	0.685	6.10	6.10	5.91	8.6393	69.1		
43	59	13C8-PFOS	507.0 > 79.9	3.64e3	3.62e3	1.00	0.990	4.71	4.71	12.6	12.6981	101.6		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.15e4	2.15e4	1.00	1.000	3.02	3.03	12.5	12.5000	100.0		
46	75	13C8-PFOA	420.9 > 376.0	2.85e4	2.85e4	1.00	1.000	4.18	4.18	12.5	12.5000	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.56e3	1.56e3	1.00	1.000	3.80	3.81	12.5	12.5000	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.28e4	2.28e4	1.00	1.000	4.62	4.62	12.5	12.5000	100.0		
49	77	13C4-PFOS	503 > 79.9	3.62e3	3.62e3	1.00	1.000	4.71	4.71	12.5	12.5000	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.64e4	3.64e4	1.00	1.000	5.01	5.01	12.5	12.5000	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	3.36e4	3.36e4	1.00	1.000	5.34	5.34	12.5	12.5000	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-22.qld

Last Altered: Wednesday, August 07, 2019 10:04:37 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:07:06 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080619.mdb 06 Aug 2019 13:58:16
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190806M1_22, Date: 06-Aug-2019, Time: 14:13:02, ID: B9G0264-BLK1 Method Blank 1, Description: Method Blank


PFBS




PFHxA




PFHpA




L-PFHxS




Total PFHxS




13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-22.qld

Last Altered: Wednesday, August 07, 2019 10:04:37 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:07:06 Pacific Daylight Time


Name: 190806M1_22, Date: 06-Aug-2019, Time: 14:13:02, ID: B9G0264-BLK1 Method Blank 1, Description: Method Blank


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



 CGH 8/7/2019


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-22.qld


Last Altered: Wednesday, August 07, 2019 10:04:37 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:07:06 Pacific Daylight Time

Name: 190806M1_22, Date: 06-Aug-2019, Time: 14:13:02, ID: B9G0264-BLK1 Method Blank 1, Description: Method Blank


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-22.qld

Last Altered: Wednesday, August 07, 2019 10:04:37 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:07:06 Pacific Daylight Time


Name: 190806M1_22, Date: 06-Aug-2019, Time: 14:13:02, ID: B9G0264-BLK1 Method Blank 1, Description: Method Blank


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-22.qld


Last Altered: Wednesday, August 07, 2019 10:04:37 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:07:06 Pacific Daylight Time

Name: 190806M1_22, Date: 06-Aug-2019, Time: 14:13:02, ID: B9G0264-BLK1 Method Blank 1, Description: Method Blank


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-46.qld

Last Altered: Thursday, August 08, 2019 10:25:15 Pacific Daylight Time
Printed: Thursday, August 08, 2019 10:27:35 Pacific Daylight Time

Name: 190807M4_46, Date: 08-Aug-2019, Time: 01:48:02, ID: B9G0264-BS1 OPR 1, Description: OPR

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	1.13e3	5.23e2	1.00		2.51	2.51	27.1	12.5506	125.5	3.170	NO
2	7	PFHxA	313.0 > 269.0	3.03e3	1.42e3	1.00		3.01	3.01	10.7	12.9796	129.8	12.460	NO
3	11	PFHpA	363.0 > 318.9	2.01e3	2.18e3	1.00		3.64	3.64	11.5	9.2888	92.9	6.678	NO
4	13	L-PFHxS	398.9 > 79.6	8.98e2	1.28e3	1.00		3.79	3.79	8.78	10.3402	103.4	1.880	NO
5	80	Total PFHxS	398.9 > 79.6	8.98e2	1.28e3	1.00		3.83		8.78	10.3402			
6	49	13C3-PFBS	302.0 > 98.8	5.23e2	6.87e2	1.00	1.102	2.51	2.51	9.52	8.6425	69.1		
7	52	13C2-PFHxA	315.0 > 270.0	1.42e3	5.17e3	1.00	0.988	3.01	3.01	3.43	3.4666	69.3		
8	53	13C4-PFHpA	367.2 > 321.8	2.18e3	5.17e3	1.00	0.485	3.63	3.64	5.27	10.8699	87.0		
9	54	13C3-PFHxS	401.8 > 79.9	1.28e3	6.87e2	1.00	2.211	3.79	3.79	23.3	10.5260	84.2		
10	54	13C3-PFHxS	401.8 > 79.9	1.28e3	6.87e2	1.00	2.211	3.79	3.79	23.3	10.5260	84.2		
11	-1													
12	16	L-PFOA	412.8 > 368.9	5.92e3	4.81e3	1.00		4.16	4.16	15.4	11.1532	111.5	3.471	NO
13	81	Total PFOA	412.8 > 368.9	5.92e3	4.81e3	1.00		4.21		15.4	11.1532			
14	21	PFNA	463.0 > 418.8	4.74e3	4.96e3	1.00		4.61	4.61	11.9	10.5124	105.1	3.510	NO
15	23	L-PFOS	498.9 > 79.9	1.25e3	1.57e3	1.00		4.70	4.70	10.0	9.2372	92.4	1.993	NO
16	82	Total PFOS	498.9 > 79.9	1.25e3	1.57e3	1.00		4.74		10.0	9.2372			
17	58	13C2-PFOA	414.9 > 369.7	4.81e3	8.25e3	1.00	0.714	4.16	4.16	7.29	10.2159	81.7		
18	58	13C2-PFOA	414.9 > 369.7	4.81e3	8.25e3	1.00	0.714	4.16	4.16	7.29	10.2159	81.7		
19	56	13C5-PFNA	468.2 > 422.9	4.96e3	6.44e3	1.00	1.014	4.61	4.61	9.62	9.4936	75.9		
20	59	13C8-PFOS	507.0 > 79.9	1.57e3	1.67e3	1.00	0.990	4.69	4.70	11.7	11.8254	94.6		
21	59	13C8-PFOS	507.0 > 79.9	1.57e3	1.67e3	1.00	0.990	4.69	4.70	11.7	11.8254	94.6		
22	-1													
23	26	PFDA	513 > 468.8	6.26e3	5.02e3	1.00		4.99	4.99	15.6	11.9416	119.4	5.692	NO
24	29	L-MeFOSAA	570 > 419	2.63e3	1.22e3	1.00		5.14	5.14	26.9	10.5465	105.5	2.951	NO
25	83	Total N-MeFOSAA	570. > 419	2.63e3	1.22e3	1.00		5.19		26.9	10.5465			
26	33	PFUdA	563.0 > 518.9	5.05e3	7.34e3	1.00		5.32	5.32	8.60	10.1769	101.8	7.226	NO
27	37	PFDoA	612.9 > 569.0	6.15e3	8.11e3	1.00		5.61	5.61	9.47	9.0997	91.0	7.920	NO
28	60	13C2-PFDA	515.1 > 469.9	5.02e3	1.27e4	1.00	0.782	4.99	4.99	4.96	6.3420	50.7		
29	62	d3-N-MeFOSAA	573.3 > 419	1.22e3	1.27e4	1.00	0.154	5.14	5.14	1.20	7.8133	62.5		
30	62	d3-N-MeFOSAA	573.3 > 419	1.22e3	1.27e4	1.00	0.154	5.14	5.14	1.20	7.8133	62.5		
31	63	13C2-PFUdA	565 > 519.8	7.34e3	1.27e4	1.00	1.019	5.32	5.32	7.25	7.1095	56.9		
32	65	13C2-PFDoA	614.7 > 569.7	8.11e3	1.27e4	1.00	1.097	5.61	5.61	8.01	7.3007	58.4		
33	-1													
34	31	L-EtFOSAA	584.1 > 419	2.04e3	1.66e3	1.00		5.30	5.31	15.4	11.0245	110.2	1.367	NO
35	84	Total N-EtFOSAA	584.1 > 419	2.04e3	1.66e3	1.00		5.33		15.4	11.0245			
36	39	PFTrDA	662.9 > 618.9	7.42e3	8.11e3	1.00		5.86	5.86	11.4	9.7525	97.5	18.117	NO

CGH 8/8/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-46.qld

Last Altered: Thursday, August 08, 2019 10:25:15 Pacific Daylight Time
Printed: Thursday, August 08, 2019 10:27:35 Pacific Daylight Time

Name: 190807M4_46, Date: 08-Aug-2019, Time: 01:48:02, ID: B9G0264-BS1 OPR 1, Description: OPR

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	7.44e3	6.12e3	1.00		6.08	6.08	15.2	11.0841	110.8	14.361	NO
38	85	TDCA	498.3>106.9			1.00		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	1.66e3	1.27e4	1.00	0.196	5.30	5.30	1.64	8.3564	66.9		
40	64	d5-N-EtFOSAA	589.3 > 419	1.66e3	1.27e4	1.00	0.196	5.30	5.30	1.64	8.3564	66.9		
41	65	13C2-PFDoA	614.7 > 569.7	8.11e3	1.27e4	1.00	1.097	5.61	5.61	8.01	7.3007	58.4		
42	67	13C2-PFTeDA	715.1 > 669.7	6.12e3	1.27e4	1.00	0.685	6.08	6.08	6.04	8.8241	70.6		
43	59	13C8-PFOS	507.0 > 79.9	1.57e3	1.67e3	1.00	0.990	4.69	4.70	11.7	11.8254	94.6		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	5.17e3	5.17e3	1.00	1.000	3.01	3.01	12.5	12.5000	100.0		
46	75	13C8-PFOA	420.9 > 376.0	8.25e3	8.25e3	1.00	1.000	4.16	4.16	12.5	12.5000	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	6.87e2	6.87e2	1.00	1.000	3.79	3.79	12.5	12.5000	100.0		
48	76	13C9-PFNA	472.2 > 426.9	6.44e3	6.44e3	1.00	1.000	4.61	4.61	12.5	12.5000	100.0		
49	77	13C4-PFOS	503 > 79.9	1.67e3	1.67e3	1.00	1.000	4.70	4.70	12.5	12.5000	100.0		
50	78	13C6-PFDA	519.1 > 473.7	1.27e4	1.27e4	1.00	1.000	4.99	4.99	12.5	12.5000	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	1.27e4	1.27e4	1.00	1.000	5.32	5.32	12.5	12.5000	100.0		

CGH 8/8/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-46.qld


Last Altered: Thursday, August 08, 2019 10:25:15 Pacific Daylight Time
Printed: Thursday, August 08, 2019 10:27:35 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35


Name: 190807M4_46, Date: 08-Aug-2019, Time: 01:48:02, ID: B9G0264-BS1 OPR 1, Description: OPR


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



 CGH 8/8/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-46.qld

Last Altered: Thursday, August 08, 2019 10:25:15 Pacific Daylight Time
Printed: Thursday, August 08, 2019 10:27:35 Pacific Daylight Time


Name: 190807M4_46, Date: 08-Aug-2019, Time: 01:48:02, ID: B9G0264-BS1 OPR 1, Description: OPR


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



 CGH 8/8/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-46.qld

Last Altered: Thursday, August 08, 2019 10:25:15 Pacific Daylight Time
Printed: Thursday, August 08, 2019 10:27:35 Pacific Daylight Time


Name: 190807M4_46, Date: 08-Aug-2019, Time: 01:48:02, ID: B9G0264-BS1 OPR 1, Description: OPR


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



 CGH 8/8/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-46.qld


Last Altered: Thursday, August 08, 2019 10:25:15 Pacific Daylight Time
Printed: Thursday, August 08, 2019 10:27:35 Pacific Daylight Time

Name: 190807M4_46, Date: 08-Aug-2019, Time: 01:48:02, ID: B9G0264-BS1 OPR 1, Description: OPR


L-EtFOSAA




Total N-EtFOSAA




PFTrDA




PFTeDA




TDCA




d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



CGH 8/8/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-46.qld


Last Altered: Thursday, August 08, 2019 10:25:15 Pacific Daylight Time
Printed: Thursday, August 08, 2019 10:27:35 Pacific Daylight Time

Name: 190807M4_46, Date: 08-Aug-2019, Time: 01:48:02, ID: B9G0264-BS1 OPR 1, Description: OPR


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/8/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-23.qld

Last Altered: Wednesday, August 07, 2019 10:12:26 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:17:56 Pacific Daylight Time

Name: 190806M1_23, Date: 06-Aug-2019, Time: 14:23:35, ID: 1902189-01 SAOA-B03-SO-5-5.5 1.08, Description: SAOA-B03-SO-5-5.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	1.25e2	1.20e3	1.02		2.52	2.52	1.30	0.6247		2.722	NO
2	7	PFHxA	313.0 > 269.0	1.10e4	8.05e3	1.02		3.02	3.03	6.80	8.0860		15.160	NO
3	11	PFHpA	363.0 > 318.9	9.28e2	1.09e4	1.02		3.65	3.65	1.06	0.8417		11.533	NO
4	13	L-PFHxS	398.9 > 79.6	2.14e3	2.89e3	1.02		3.80	3.81	9.27	10.7145		1.968	NO
5	80	Total PFHxS	398.9 > 79.6	2.14e3	2.89e3	1.02		3.83		9.27	10.7145			
6	49	13C3-PFBS	302.0 > 98.8	1.20e3	1.72e3	1.02	1.102	2.52	2.52	8.75	7.8004	63.6		
7	52	13C2-PFHxA	315.0 > 270.0	8.05e3	2.52e4	1.02	0.988	3.02	3.02	3.99	3.9586	80.7		
8	53	13C4-PFHpA	367.2 > 321.8	1.09e4	2.52e4	1.02	0.485	3.65	3.65	5.41	10.9588	89.3		
9	54	13C3-PFHxS	401.8 > 79.9	2.89e3	1.72e3	1.02	2.211	3.80	3.80	21.0	9.3373	76.1		
10	54	13C3-PFHxS	401.8 > 79.9	2.89e3	1.72e3	1.02	2.211	3.80	3.80	21.0	9.3373	76.1		
11	-1													
12	16	L-PFOA	412.8 > 368.9	4.29e4	1.92e4	1.02		4.18	4.18	27.9	19.9111		3.468	NO
13	81	Total PFOA	412.8 > 368.9	4.29e4	1.92e4	1.02		4.21		27.9	19.9111			
14	21	PFNA	463.0 > 418.8	3.00e2	1.75e4	1.02		4.62	4.63	0.215	0.1702		5.267	NO
15	23	L-PFOS	498.9 > 79.9	4.48e3	3.21e3	1.02		4.71	4.71	17.4	15.7695		2.138	NO
16	82	Total PFOS	498.9 > 79.9	4.48e3	3.21e3	1.02		4.74		17.4	15.7695			
17	58	13C2-PFOA	414.9 > 369.7	1.92e4	3.18e4	1.02	0.714	4.18	4.18	7.56	10.3991	84.8		
18	58	13C2-PFOA	414.9 > 369.7	1.92e4	3.18e4	1.02	0.714	4.18	4.18	7.56	10.3991	84.8		
19	56	13C5-PFNA	468.2 > 422.9	1.75e4	2.35e4	1.02	1.014	4.62	4.62	9.28	8.9866	73.3		
20	59	13C8-PFOS	507.0 > 79.9	3.21e3	3.91e3	1.02	0.990	4.71	4.71	10.3	10.1911	83.1		
21	59	13C8-PFOS	507.0 > 79.9	3.21e3	3.91e3	1.02	0.990	4.71	4.71	10.3	10.1911	83.1		
22	-1													
23	26	PFDA	513 > 468.8	1.95e2	1.61e4	1.02		5.01	5.01	0.151	0.0490		11.597	YES
24	29	L-MeFOSAA	570 > 419		2.64e3	1.02		5.16						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	2.64e3	1.02		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	5.34e1	2.00e4	1.02		5.34	5.34	0.0333			8.408	NO
27	37	PFDoA	612.9 > 569.0		2.03e4	1.02		5.62						
28	60	13C2-PFDA	515.1 > 469.9	1.61e4	3.68e4	1.02	0.782	5.01	5.01	5.48	6.8745	56.0		
29	62	d3-N-MeFOSAA	573.3 > 419	2.64e3	3.38e4	1.02	0.154	5.16	5.16	0.979	6.2347	50.8		
30	62	d3-N-MeFOSAA	573.3 > 419	2.64e3	3.38e4	1.02	0.154	5.16	5.16	0.979	6.2347	50.8		
31	63	13C2-PFUdA	565 > 519.8	2.00e4	3.38e4	1.02	1.019	5.34	5.34	7.41	7.1398	58.2		
32	65	13C2-PFDoA	614.7 > 569.7	2.03e4	3.68e4	1.02	1.097	5.62	5.62	6.90	6.1669	50.3		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		3.97e3	1.02		5.31						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	3.97e3	1.02		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		2.03e4	1.02		5.88						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-23.qld

Last Altered: Wednesday, August 07, 2019 10:12:26 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:17:56 Pacific Daylight Time

Name: 190806M1_23, Date: 06-Aug-2019, Time: 14:23:35, ID: 1902189-01 SAOA-B03-SO-5-5.5 1.08, Description: SAOA-B03-SO-5-5.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	4.42e1	1.52e4	1.02		6.09	6.09	0.0364			11.807	NO
38	85	TDCA	498.3>106.9			1.02		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	3.97e3	3.38e4	1.02	0.196	5.31	5.31	1.47	7.3599	60.0		
40	64	d5-N-EtFOSAA	589.3 > 419	3.97e3	3.38e4	1.02	0.196	5.31	5.31	1.47	7.3599	60.0		
41	65	13C2-PFDoA	614.7 > 569.7	2.03e4	3.68e4	1.02	1.097	5.62	5.62	6.90	6.1669	50.3		
42	67	13C2-PFTeDA	715.1 > 669.7	1.52e4	3.38e4	1.02	0.685	6.10	6.09	5.62	8.0600	65.7		
43	59	13C8-PFOS	507.0 > 79.9	3.21e3	3.91e3	1.02	0.990	4.71	4.71	10.3	10.1911	83.1		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.52e4	2.52e4	1.02	1.000	3.02	3.02	12.5	12.2681	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.18e4	3.18e4	1.02	1.000	4.18	4.18	12.5	12.2681	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.72e3	1.72e3	1.02	1.000	3.80	3.80	12.5	12.2681	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.35e4	2.35e4	1.02	1.000	4.62	4.62	12.5	12.2681	100.0		
49	77	13C4-PFOS	503 > 79.9	3.91e3	3.91e3	1.02	1.000	4.71	4.71	12.5	12.2681	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.68e4	3.68e4	1.02	1.000	5.01	5.01	12.5	12.2681	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	3.38e4	3.38e4	1.02	1.000	5.34	5.34	12.5	12.2681	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-23.qld

Last Altered: Wednesday, August 07, 2019 10:12:26 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:17:56 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080619.mdb 06 Aug 2019 13:58:16
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190806M1_23, Date: 06-Aug-2019, Time: 14:23:35, ID: 1902189-01 SAOA-B03-SO-5-5.5 1.08, Description: SAOA-B03-SO-5-5.5


PFBS




PFHxA




PFHpA




L-PFHxS




Total PFHxS




13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-23.qld

Last Altered: Wednesday, August 07, 2019 10:12:26 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:17:56 Pacific Daylight Time


Name: 190806M1_23, Date: 06-Aug-2019, Time: 14:23:35, ID: 1902189-01 SAOA-B03-SO-5-5.5 1.08, Description: SAOA-B03-SO-5-5.5


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-23.qld

Last Altered: Wednesday, August 07, 2019 10:12:26 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:17:56 Pacific Daylight Time


Name: 190806M1_23, Date: 06-Aug-2019, Time: 14:23:35, ID: 1902189-01 SAOA-B03-SO-5-5.5 1.08, Description: SAOA-B03-SO-5-5.5


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



 CGH 8/7/2019


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-23.qld


Last Altered: Wednesday, August 07, 2019 10:12:26 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:17:56 Pacific Daylight Time

Name: 190806M1_23, Date: 06-Aug-2019, Time: 14:23:35, ID: 1902189-01 SAOA-B03-SO-5-5.5 1.08, Description: SAOA-B03-SO-5-5.5


L-EtFOSAA




Total N-EtFOSAA




PFTrDA




PFTeDA




TDCA




d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-23.qld


Last Altered: Wednesday, August 07, 2019 10:12:26 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:17:56 Pacific Daylight Time

Name: 190806M1_23, Date: 06-Aug-2019, Time: 14:23:35, ID: 1902189-01 SAOA-B03-SO-5-5.5 1.08, Description: SAOA-B03-SO-5-5.5


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-24.qld

Last Altered: Wednesday, August 07, 2019 10:27:49 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:29:39 Pacific Daylight Time

Name: 190806M1_24, Date: 06-Aug-2019, Time: 14:34:14, ID: 1902189-02 SAOA-B03-SO-20-20.5 1.21, Description: SAOA-B03-SO-20-20.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	3.13e1	1.41e3	1.01		2.52	2.52	0.278	0.1621		2.539	NO
2	7	PFHxA	313.0 > 269.0	6.53e3	8.25e3	1.01		3.02	3.02	3.96	4.7139		16.445	NO
3	11	PFHpA	363.0 > 318.9	4.97e2	1.16e4	1.01		3.65	3.65	0.538	0.4296		10.130	NO
4	13	L-PFHxS	398.9 > 79.6	4.55e2	3.34e3	1.01		3.80	3.81	1.71	1.9778		2.227	NO
5	80	Total PFHxS	398.9 > 79.6	4.55e2	3.34e3	1.01		3.83		1.71	1.9778			
6	49	13C3-PFBS	302.0 > 98.8	1.41e3	1.72e3	1.01	1.102	2.52	2.52	10.3	9.1808	74.5		
7	52	13C2-PFHxA	315.0 > 270.0	8.25e3	2.38e4	1.01	0.988	3.02	3.02	4.32	4.3136	87.5		
8	53	13C4-PFHpA	367.2 > 321.8	1.16e4	2.38e4	1.01	0.485	3.65	3.65	6.05	12.3136	99.9		
9	54	13C3-PFHxS	401.8 > 79.9	3.34e3	1.72e3	1.01	2.211	3.80	3.80	24.2	10.8096	87.7		
10	54	13C3-PFHxS	401.8 > 79.9	3.34e3	1.72e3	1.01	2.211	3.80	3.80	24.2	10.8096	87.7		
11	-1													
12	16	L-PFOA	412.8 > 368.9	8.15e3	1.94e4	1.01		4.18	4.18	5.25	3.7401		3.688	NO
13	81	Total PFOA	412.8 > 368.9	8.15e3	1.94e4	1.01		4.21		5.25	3.7401			
14	21	PFNA	463.0 > 418.8	3.66e1	1.89e4	1.01		4.62	4.63	0.0243	0.0052		2.259	NO
15	23	L-PFOS	498.9 > 79.9	5.16e2	3.48e3	1.01		4.71	4.71	1.85	1.7256		2.214	NO
16	82	Total PFOS	498.9 > 79.9	5.16e2	3.48e3	1.01		4.74		1.85	1.7256			
17	58	13C2-PFOA	414.9 > 369.7	1.94e4	3.07e4	1.01	0.714	4.18	4.18	7.91	10.9186	88.6		
18	58	13C2-PFOA	414.9 > 369.7	1.94e4	3.07e4	1.01	0.714	4.18	4.18	7.91	10.9186	88.6		
19	56	13C5-PFNA	468.2 > 422.9	1.89e4	2.37e4	1.01	1.014	4.62	4.62	9.94	9.6673	78.4		
20	59	13C8-PFOS	507.0 > 79.9	3.48e3	4.16e3	1.01	0.990	4.71	4.71	10.5	10.4284	84.6		
21	59	13C8-PFOS	507.0 > 79.9	3.48e3	4.16e3	1.01	0.990	4.71	4.71	10.5	10.4284	84.6		
22	-1													
23	26	PFDA	513 > 468.8		1.69e4	1.01		5.01						
24	29	L-MeFOSAA	570 > 419		2.69e3	1.01		5.16						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	2.69e3	1.01		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	5.51e1	2.07e4	1.01		5.33	5.34	0.0332			4.519	YES
27	37	PFDoA	612.9 > 569.0		2.03e4	1.01		5.62						
28	60	13C2-PFDA	515.1 > 469.9	1.69e4	3.87e4	1.01	0.782	5.01	5.01	5.46	6.8843	55.9		
29	62	d3-N-MeFOSAA	573.3 > 419	2.69e3	3.45e4	1.01	0.154	5.16	5.16	0.975	6.2376	50.6		
30	62	d3-N-MeFOSAA	573.3 > 419	2.69e3	3.45e4	1.01	0.154	5.16	5.16	0.975	6.2376	50.6		
31	63	13C2-PFUdA	565 > 519.8	2.07e4	3.45e4	1.01	1.019	5.34	5.33	7.51	7.2668	59.0		
32	65	13C2-PFDoA	614.7 > 569.7	2.03e4	3.87e4	1.01	1.097	5.62	5.62	6.55	5.8841	47.7		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		4.09e3	1.01		5.31						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	4.09e3	1.01		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		2.03e4	1.01		5.88						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-24.qld

Last Altered: Wednesday, August 07, 2019 10:27:49 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:29:39 Pacific Daylight Time

Name: 190806M1_24, Date: 06-Aug-2019, Time: 14:34:14, ID: 1902189-02 SAOA-B03-SO-20-20.5 1.21, Description: SAOA-B03-SO-20-20.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		1.65e4	1.01		6.09						
38	85	TDCA	498.3>106.9			1.01		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	4.09e3	3.45e4	1.01	0.196	5.31	5.31	1.48	7.4608	60.5		
40	64	d5-N-EtFOSAA	589.3 > 419	4.09e3	3.45e4	1.01	0.196	5.31	5.31	1.48	7.4608	60.5		
41	65	13C2-PFDoA	614.7 > 569.7	2.03e4	3.87e4	1.01	1.097	5.62	5.62	6.55	5.8841	47.7		
42	67	13C2-PFTeDA	715.1 > 669.7	1.65e4	3.45e4	1.01	0.685	6.10	6.09	6.00	8.6346	70.1		
43	59	13C8-PFOS	507.0 > 79.9	3.48e3	4.16e3	1.01	0.990	4.71	4.71	10.5	10.4284	84.6		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.38e4	2.38e4	1.01	1.000	3.02	3.02	12.5	12.3242	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.07e4	3.07e4	1.01	1.000	4.18	4.18	12.5	12.3242	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.72e3	1.72e3	1.01	1.000	3.80	3.80	12.5	12.3242	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.37e4	2.37e4	1.01	1.000	4.62	4.62	12.5	12.3242	100.0		
49	77	13C4-PFOS	503 > 79.9	4.16e3	4.16e3	1.01	1.000	4.71	4.71	12.5	12.3242	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.87e4	3.87e4	1.01	1.000	5.01	5.01	12.5	12.3242	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	3.45e4	3.45e4	1.01	1.000	5.34	5.33	12.5	12.3242	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-24.qld


Last Altered: Wednesday, August 07, 2019 10:27:49 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:29:39 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080619.mdb 06 Aug 2019 13:58:16
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35


Name: 190806M1_24, Date: 06-Aug-2019, Time: 14:34:14, ID: 1902189-02 SAOA-B03-SO-20-20.5 1.21, Description: SAOA-B03-SO-20-20.5


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-24.qld

Last Altered: Wednesday, August 07, 2019 10:27:49 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:29:39 Pacific Daylight Time


Name: 190806M1_24, Date: 06-Aug-2019, Time: 14:34:14, ID: 1902189-02 SAOA-B03-SO-20-20.5 1.21, Description: SAOA-B03-SO-20-20.5


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-24.qld

Last Altered: Wednesday, August 07, 2019 10:27:49 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:29:39 Pacific Daylight Time


Name: 190806M1_24, Date: 06-Aug-2019, Time: 14:34:14, ID: 1902189-02 SAOA-B03-SO-20-20.5 1.21, Description: SAOA-B03-SO-20-20.5


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-24.qld

Last Altered: Wednesday, August 07, 2019 10:27:49 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:29:39 Pacific Daylight Time


Name: 190806M1_24, Date: 06-Aug-2019, Time: 14:34:14, ID: 1902189-02 SAOA-B03-SO-20-20.5 1.21, Description: SAOA-B03-SO-20-20.5


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-24.qld


Last Altered: Wednesday, August 07, 2019 10:27:49 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:29:39 Pacific Daylight Time

Name: 190806M1_24, Date: 06-Aug-2019, Time: 14:34:14, ID: 1902189-02 SAOA-B03-SO-20-20.5 1.21, Description: SAOA-B03-SO-20-20.5


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-30..qld

Last Altered: Wednesday, August 07, 2019 10:52:15 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:53:23 Pacific Daylight Time

Name: 190805M1_30, Date: 05-Aug-2019, Time: 15:36:27, ID: 1902189-03 SAOA-B03-SO-56-56.5 1.18, Description: SAOA-B03-SO-56-56.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	3.33e0	6.27e2	1.00		2.51	2.51	0.0664	0.1161		0.821	YES
2	7	PFHxA	313.0 > 269.0	4.44e2	3.08e3	1.00		3.01	3.01	0.720	0.6602		14.616	NO
3	11	PFHpA	363.0 > 318.9	2.82e1	3.82e3	1.00		3.64	3.63	0.0923	0.1612		8.040	YES
4	13	L-PFHxS	398.9 > 79.6	2.52e1	1.68e3	1.00		3.79	3.80	0.187	0.2002		9.438	YES
5	80	Total PFHxS	398.9 > 79.6	2.52e1	1.68e3	1.00		3.83		0.187	0.2002			
6	49	13C3-PFBS	302.0 > 98.8	6.27e2	8.76e2	1.00	1.062	2.50	2.51	8.95	8.4194	67.4		
7	52	13C2-PFHxA	315.0 > 270.0	3.08e3	1.12e4	1.00	0.810	3.00	3.01	3.43	4.2339	84.7		
8	53	13C4-PFHpA	367.2 > 321.8	3.82e3	1.12e4	1.00	0.378	3.63	3.64	4.26	11.2545	90.1		
9	54	13C3-PFHxS	401.8 > 79.9	1.68e3	8.76e2	1.00	2.294	3.79	3.79	24.0	10.4544	83.7		
10	54	13C3-PFHxS	401.8 > 79.9	1.68e3	8.76e2	1.00	2.294	3.79	3.79	24.0	10.4544	83.7		
11	-1													
12	16	L-PFOA	412.8 > 368.9	3.50e2	8.39e3	1.00		4.16	4.16	0.522	0.2638		3.406	NO
13	81	Total PFOA	412.8 > 368.9	3.50e2	8.39e3	1.00		4.21		0.522	0.2638			
14	21	PFNA	463.0 > 418.8		7.98e3	1.00		4.61						
15	23	L-PFOS	498.9 > 79.9	9.02e0	1.63e3	1.00		4.69	4.71	0.0693	0.2285		0.482	YES
16	82	Total PFOS	498.9 > 79.9	9.02e0	1.63e3	1.00		4.74		0.0693	0.2285			
17	58	13C2-PFOA	414.9 > 369.7	8.39e3	1.78e4	1.00	0.502	4.16	4.16	5.90	11.7298	93.9		
18	58	13C2-PFOA	414.9 > 369.7	8.39e3	1.78e4	1.00	0.502	4.16	4.16	5.90	11.7298	93.9		
19	56	13C5-PFNA	468.2 > 422.9	7.98e3	1.03e4	1.00	1.048	4.61	4.61	9.68	9.2322	73.9		
20	59	13C8-PFOS	507.0 > 79.9	1.63e3	1.75e3	1.00	0.994	4.69	4.69	11.7	11.7167	93.8		
21	59	13C8-PFOS	507.0 > 79.9	1.63e3	1.75e3	1.00	0.994	4.69	4.69	11.7	11.7167	93.8		
22	-1													
23	26	PFDA	513 > 468.8		6.06e3	1.00		4.99						
24	29	L-MeFOSAA	570 > 419		1.16e3	1.00		5.14						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	1.16e3	1.00		5.19		0.000				
26	33	PFUdA	563.0 > 518.9		8.91e3	1.00		5.32						
27	37	PFDoA	612.9 > 569.0		9.20e3	1.00		5.60						
28	60	13C2-PFDA	515.1 > 469.9	6.06e3	1.57e4	1.00	0.710	4.98	4.99	4.82	6.7751	54.2		
29	62	d3-N-MeFOSAA	573.3 > 419	1.16e3	1.64e4	1.00	0.143	5.14	5.14	0.888	6.2066	49.7		
30	62	d3-N-MeFOSAA	573.3 > 419	1.16e3	1.64e4	1.00	0.143	5.14	5.14	0.888	6.2066	49.7		
31	63	13C2-PFUdA	565 > 519.8	8.91e3	1.64e4	1.00	0.832	5.32	5.32	6.81	8.1710	65.4		
32	65	13C2-PFDoA	614.7 > 569.7	9.20e3	1.57e4	1.00	1.249	5.60	5.60	7.32	5.8560	46.9		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		1.68e3	1.00		5.29						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	1.68e3	1.00		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		9.20e3	1.00		5.86						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-30..qld

Last Altered: Wednesday, August 07, 2019 10:52:15 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:53:23 Pacific Daylight Time

Name: 190805M1_30, Date: 05-Aug-2019, Time: 15:36:27, ID: 1902189-03 SAOA-B03-SO-56-56.5 1.18, Description: SAOA-B03-SO-56-56.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		5.10e3	1.00		6.08						
38	85	TDCA	498.3>106.9			1.00		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	1.68e3	1.64e4	1.00	0.202	5.29	5.29	1.28	6.3148	50.6		
40	64	d5-N-EtFOSAA	589.3 > 419	1.68e3	1.64e4	1.00	0.202	5.29	5.29	1.28	6.3148	50.6		
41	65	13C2-PFDoA	614.7 > 569.7	9.20e3	1.57e4	1.00	1.249	5.60	5.60	7.32	5.8560	46.9		
42	67	13C2-PFTeDA	715.1 > 669.7	5.10e3	1.64e4	1.00	0.452	6.08	6.08	3.90	8.6150	69.0		
43	59	13C8-PFOS	507.0 > 79.9	1.63e3	1.75e3	1.00	0.994	4.69	4.69	11.7	11.7167	93.8		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.12e4	1.12e4	1.00	1.000	3.00	3.01	12.5	12.4908	100.0		
46	75	13C8-PFOA	420.9 > 376.0	1.78e4	1.78e4	1.00	1.000	4.16	4.16	12.5	12.4908	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	8.76e2	8.76e2	1.00	1.000	3.79	3.79	12.5	12.4908	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.03e4	1.03e4	1.00	1.000	4.61	4.61	12.5	12.4908	100.0		
49	77	13C4-PFOS	503 > 79.9	1.75e3	1.75e3	1.00	1.000	4.69	4.69	12.5	12.4908	100.0		
50	78	13C6-PFDA	519.1 > 473.7	1.57e4	1.57e4	1.00	1.000	4.98	4.99	12.5	12.4908	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	1.64e4	1.64e4	1.00	1.000	5.32	5.32	12.5	12.4908	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-30..qld


Last Altered: Wednesday, August 07, 2019 10:52:15 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:53:23 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31


Name: 190805M1_30, Date: 05-Aug-2019, Time: 15:36:27, ID: 1902189-03 SAOA-B03-SO-56-56.5 1.18, Description: SAOA-B03-SO-56-56.5


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-30..qld


Last Altered: Wednesday, August 07, 2019 10:52:15 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:53:23 Pacific Daylight Time

Name: 190805M1_30, Date: 05-Aug-2019, Time: 15:36:27, ID: 1902189-03 SAOA-B03-SO-56-56.5 1.18, Description: SAOA-B03-SO-56-56.5


L-PFOA




Total PFOA




PFNA




L-PFOS




Total PFOS




13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS




 CGH 8/7/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-30..qld


Last Altered: Wednesday, August 07, 2019 10:52:15 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:53:23 Pacific Daylight Time

Name: 190805M1_30, Date: 05-Aug-2019, Time: 15:36:27, ID: 1902189-03 SAOA-B03-SO-56-56.5 1.18, Description: SAOA-B03-SO-56-56.5


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-30..qld


Last Altered: Wednesday, August 07, 2019 10:52:15 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:53:23 Pacific Daylight Time

Name: 190805M1_30, Date: 05-Aug-2019, Time: 15:36:27, ID: 1902189-03 SAOA-B03-SO-56-56.5 1.18, Description: SAOA-B03-SO-56-56.5


L-EtFOSAA




Total N-EtFOSAA




PFTrDA




PFTeDA




TDCA




d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-30..qld


Last Altered: Wednesday, August 07, 2019 10:52:15 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:53:23 Pacific Daylight Time

Name: 190805M1_30, Date: 05-Aug-2019, Time: 15:36:27, ID: 1902189-03 SAOA-B03-SO-56-56.5 1.18, Description: SAOA-B03-SO-56-56.5


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-31.qld

Last Altered: Wednesday, August 07, 2019 11:00:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:01:20 Pacific Daylight Time

Name: 190805M1_31, Date: 05-Aug-2019, Time: 15:47:06, ID: 1902189-08 NON-B03-SO-1-1.5 1.03, Description: NON-B03-SO-1-1.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		6.33e2	1.02		2.50						
2	7	PFHxA	313.0 > 269.0		3.28e3	1.02		3.01						
3	11	PFHpA	363.0 > 318.9		4.41e3	1.02		3.64						
4	13	L-PFHxS	398.9 > 79.6	2.54e1	1.88e3	1.02		3.79	3.79	0.169	0.1774		2.079	NO
5	80	Total PFHxS	398.9 > 79.6	2.54e1	1.88e3	1.02		3.83		0.169	0.1774			
6	49	13C3-PFBS	302.0 > 98.8	6.33e2	7.94e2	1.02	1.062	2.50	2.50	9.96	9.1812	75.1		
7	52	13C2-PFHxA	315.0 > 270.0	3.28e3	1.25e4	1.02	0.810	3.00	3.01	3.27	3.9518	80.8		
8	53	13C4-PFHpA	367.2 > 321.8	4.41e3	1.25e4	1.02	0.378	3.63	3.64	4.40	11.3712	93.0		
9	54	13C3-PFHxS	401.8 > 79.9	1.88e3	7.94e2	1.02	2.294	3.79	3.79	29.5	12.5945	103.0		
10	54	13C3-PFHxS	401.8 > 79.9	1.88e3	7.94e2	1.02	2.294	3.79	3.79	29.5	12.5945	103.0		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.59e2	9.20e3	1.02		4.16	4.16	0.216	0.0971		4.307	NO
13	81	Total PFOA	412.8 > 368.9	1.59e2	9.20e3	1.02		4.21		0.216	0.0971			
14	21	PFNA	463.0 > 418.8	2.42e1	8.67e3	1.02		4.61	4.61	0.0348	0.0241		11.568	YES
15	23	L-PFOS	498.9 > 79.9	2.11e2	1.81e3	1.02		4.69	4.69	1.46	1.2712		2.376	NO
16	82	Total PFOS	498.9 > 79.9	2.11e2	1.81e3	1.02		4.74		1.46	1.2712			
17	58	13C2-PFOA	414.9 > 369.7	9.20e3	1.98e4	1.02	0.502	4.16	4.16	5.80	11.2999	92.4		
18	58	13C2-PFOA	414.9 > 369.7	9.20e3	1.98e4	1.02	0.502	4.16	4.16	5.80	11.2999	92.4		
19	56	13C5-PFNA	468.2 > 422.9	8.67e3	1.08e4	1.02	1.048	4.61	4.61	10.1	9.3974	76.8		
20	59	13C8-PFOS	507.0 > 79.9	1.81e3	1.79e3	1.02	0.994	4.69	4.69	12.6	12.4108	101.5		
21	59	13C8-PFOS	507.0 > 79.9	1.81e3	1.79e3	1.02	0.994	4.69	4.69	12.6	12.4108	101.5		
22	-1													
23	26	PFDA	513 > 468.8	4.20e1	6.52e3	1.02		4.99	4.99	0.0805	0.0388		7.571	YES
24	29	L-MeFOSAA	570 > 419		1.30e3	1.02		5.14						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	1.30e3	1.02		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	3.37e1	1.02e4	1.02		5.32	5.32	0.0413	0.0043		41.197	YES
27	37	PFDoA	612.9 > 569.0		1.21e4	1.02		5.60						
28	60	13C2-PFDA	515.1 > 469.9	6.52e3	1.72e4	1.02	0.710	4.98	4.99	4.74	6.5357	53.4		
29	62	d3-N-MeFOSAA	573.3 > 419	1.30e3	1.74e4	1.02	0.143	5.14	5.14	0.936	6.4089	52.4		
30	62	d3-N-MeFOSAA	573.3 > 419	1.30e3	1.74e4	1.02	0.143	5.14	5.14	0.936	6.4089	52.4		
31	63	13C2-PFUdA	565 > 519.8	1.02e4	1.74e4	1.02	0.832	5.32	5.32	7.32	8.6000	70.3		
32	65	13C2-PFDoA	614.7 > 569.7	1.21e4	1.72e4	1.02	1.249	5.60	5.60	8.78	6.8803	56.2		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		2.00e3	1.02		5.29						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	2.00e3	1.02		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.21e4	1.02		5.86						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-31.qld

Last Altered: Wednesday, August 07, 2019 11:00:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:01:20 Pacific Daylight Time

Name: 190805M1_31, Date: 05-Aug-2019, Time: 15:47:06, ID: 1902189-08 NON-B03-SO-1-1.5 1.03, Description: NON-B03-SO-1-1.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		5.93e3	1.02		6.08						
38	85	TDCA	498.3>106.9			1.02		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	2.00e3	1.74e4	1.02	0.202	5.29	5.29	1.44	6.9443	56.8		
40	64	d5-N-EtFOSAA	589.3 > 419	2.00e3	1.74e4	1.02	0.202	5.29	5.29	1.44	6.9443	56.8		
41	65	13C2-PFDoA	614.7 > 569.7	1.21e4	1.72e4	1.02	1.249	5.60	5.60	8.78	6.8803	56.2		
42	67	13C2-PFTeDA	715.1 > 669.7	5.93e3	1.74e4	1.02	0.452	6.08	6.08	4.25	9.2092	75.3		
43	59	13C8-PFOS	507.0 > 79.9	1.81e3	1.79e3	1.02	0.994	4.69	4.69	12.6	12.4108	101.5		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.25e4	1.25e4	1.02	1.000	3.00	3.01	12.5	12.2324	100.0		
46	75	13C8-PFOA	420.9 > 376.0	1.98e4	1.98e4	1.02	1.000	4.16	4.16	12.5	12.2324	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	7.94e2	7.94e2	1.02	1.000	3.79	3.79	12.5	12.2324	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.08e4	1.08e4	1.02	1.000	4.61	4.61	12.5	12.2324	100.0		
49	77	13C4-PFOS	503 > 79.9	1.79e3	1.79e3	1.02	1.000	4.69	4.69	12.5	12.2324	100.0		
50	78	13C6-PFDA	519.1 > 473.7	1.72e4	1.72e4	1.02	1.000	4.98	4.98	12.5	12.2324	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	1.74e4	1.74e4	1.02	1.000	5.32	5.32	12.5	12.2324	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-31.qld


Last Altered: Wednesday, August 07, 2019 11:00:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:01:20 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31


Name: 190805M1_31, Date: 05-Aug-2019, Time: 15:47:06, ID: 1902189-08 NON-B03-SO-1-1.5 1.03, Description: NON-B03-SO-1-1.5


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-31.qld

Last Altered: Wednesday, August 07, 2019 11:00:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:01:20 Pacific Daylight Time


Name: 190805M1_31, Date: 05-Aug-2019, Time: 15:47:06, ID: 1902189-08 NON-B03-SO-1-1.5 1.03, Description: NON-B03-SO-1-1.5


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-31.qld


Last Altered: Wednesday, August 07, 2019 11:00:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:01:20 Pacific Daylight Time

Name: 190805M1_31, Date: 05-Aug-2019, Time: 15:47:06, ID: 1902189-08 NON-B03-SO-1-1.5 1.03, Description: NON-B03-SO-1-1.5


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-31.qld

Last Altered: Wednesday, August 07, 2019 11:00:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:01:20 Pacific Daylight Time


Name: 190805M1_31, Date: 05-Aug-2019, Time: 15:47:06, ID: 1902189-08 NON-B03-SO-1-1.5 1.03, Description: NON-B03-SO-1-1.5


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-31.qld


Last Altered: Wednesday, August 07, 2019 11:00:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:01:20 Pacific Daylight Time

Name: 190805M1_31, Date: 05-Aug-2019, Time: 15:47:06, ID: 1902189-08 NON-B03-SO-1-1.5 1.03, Description: NON-B03-SO-1-1.5


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-25.qld

Last Altered: Wednesday, August 07, 2019 11:28:30 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:29:46 Pacific Daylight Time

Name: 190805M1_25, Date: 05-Aug-2019, Time: 14:43:26, ID: B9G0264-MS1 Matrix Spike 1.01, Description: Matrix Spike

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	1.26e3	6.01e2	1.00		2.51	2.51	26.3	12.1134		2.829	NO
2	7	PFHxA	313.0 > 269.0	7.61e3	3.10e3	1.00		3.01	3.01	12.3	11.3878		13.056	NO
3	11	PFHpA	363.0 > 318.9	3.79e3	4.03e3	1.00		3.64	3.64	11.7	9.5812		4.945	NO
4	13	L-PFHxS	398.9 > 79.6	1.12e3	1.79e3	1.00		3.79	3.79	7.85	8.4879		2.089	NO
5	80	Total PFHxS	398.9 > 79.6	1.12e3	1.79e3	1.00		3.83		7.85	8.4879			
6	49	13C3-PFBS	302.0 > 98.8	6.01e2	8.19e2	1.00	1.062	2.50	2.51	9.18	8.6250	69.1		
7	52	13C2-PFHxA	315.0 > 270.0	3.10e3	1.18e4	1.00	0.810	3.00	3.01	3.29	4.0532	81.2		
8	53	13C4-PFHpA	367.2 > 321.8	4.03e3	1.18e4	1.00	0.378	3.63	3.64	4.28	11.2792	90.4		
9	54	13C3-PFHxS	401.8 > 79.9	1.79e3	8.19e2	1.00	2.294	3.79	3.79	27.3	11.8654	95.1		
10	54	13C3-PFHxS	401.8 > 79.9	1.79e3	8.19e2	1.00	2.294	3.79	3.79	27.3	11.8654	95.1		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.21e4	8.10e3	1.00		4.16	4.16	18.6	9.9960		3.769	NO
13	81	Total PFOA	412.8 > 368.9	1.21e4	8.10e3	1.00		4.21		18.6	9.9960			
14	21	PFNA	463.0 > 418.8	6.41e3	8.15e3	1.00		4.61	4.61	9.84	9.8363		2.755	NO
15	23	L-PFOS	498.9 > 79.9	1.72e3	1.64e3	1.00		4.69	4.69	13.1	10.2372		1.976	NO
16	82	Total PFOS	498.9 > 79.9	1.72e3	1.64e3	1.00		4.74		13.1	10.2372			
17	58	13C2-PFOA	414.9 > 369.7	8.10e3	1.77e4	1.00	0.502	4.16	4.16	5.73	11.3853	91.3		
18	58	13C2-PFOA	414.9 > 369.7	8.10e3	1.77e4	1.00	0.502	4.16	4.16	5.73	11.3853	91.3		
19	56	13C5-PFNA	468.2 > 422.9	8.15e3	1.01e4	1.00	1.048	4.61	4.61	10.1	9.5744	76.7		
20	59	13C8-PFOS	507.0 > 79.9	1.64e3	1.86e3	1.00	0.994	4.69	4.69	11.0	11.0463	88.5		
21	59	13C8-PFOS	507.0 > 79.9	1.64e3	1.86e3	1.00	0.994	4.69	4.69	11.0	11.0463	88.5		
22	-1													
23	26	PFDA	513 > 468.8	7.75e3	6.44e3	1.00		4.99	4.99	15.0	10.5669		4.272	NO
24	29	L-MeFOSAA	570 > 419	3.83e3	1.35e3	1.00		5.14	5.14	35.6	12.5533		2.878	NO
25	83	Total N-MeFOSAA	570. > 419	3.83e3	1.35e3	1.00		5.19		35.6	12.5533			
26	33	PFUdA	563.0 > 518.9	6.94e3	1.01e4	1.00		5.32	5.32	8.57	9.7919		6.030	NO
27	37	PFDoA	612.9 > 569.0	8.94e3	1.26e4	1.00		5.60	5.60	8.87	9.0039		7.416	NO
28	60	13C2-PFDA	515.1 > 469.9	6.44e3	1.65e4	1.00	0.710	4.98	4.99	4.88	6.8525	54.9		
29	62	d3-N-MeFOSAA	573.3 > 419	1.35e3	1.65e4	1.00	0.143	5.14	5.14	1.02	7.1158	57.0		
30	62	d3-N-MeFOSAA	573.3 > 419	1.35e3	1.65e4	1.00	0.143	5.14	5.14	1.02	7.1158	57.0		
31	63	13C2-PFUdA	565 > 519.8	1.01e4	1.65e4	1.00	0.832	5.32	5.32	7.66	9.1861	73.6		
32	65	13C2-PFDoA	614.7 > 569.7	1.26e4	1.65e4	1.00	1.249	5.60	5.60	9.54	7.6250	61.1		
33	-1													
34	31	L-EtFOSAA	584.1 > 419	2.80e3	1.95e3	1.00		5.29	5.30	17.9	12.8136		1.385	NO
35	84	Total N-EtFOSAA	584.1 > 419	2.80e3	1.95e3	1.00		5.33		17.9	12.8136			
36	39	PFTrDA	662.9 > 618.9	9.70e3	1.26e4	1.00		5.86	5.86	9.62	9.0522		12.920	NO

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-25.qld

Last Altered: Wednesday, August 07, 2019 11:28:30 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:29:46 Pacific Daylight Time

Name: 190805M1_25, Date: 05-Aug-2019, Time: 14:43:26, ID: B9G0264-MS1 Matrix Spike 1.01, Description: Matrix Spike

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	7.48e3	5.84e3	1.00		6.08	6.08	16.0	9.1877		16.239	NO
38	85	TDCA	498.3>106.9			1.00		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	1.95e3	1.65e4	1.00	0.202	5.29	5.29	1.48	7.2928	58.5		
40	64	d5-N-EtFOSAA	589.3 > 419	1.95e3	1.65e4	1.00	0.202	5.29	5.29	1.48	7.2928	58.5		
41	65	13C2-PFDoA	614.7 > 569.7	1.26e4	1.65e4	1.00	1.249	5.60	5.60	9.54	7.6250	61.1		
42	67	13C2-PFTeDA	715.1 > 669.7	5.84e3	1.65e4	1.00	0.452	6.08	6.08	4.42	9.7655	78.3		
43	59	13C8-PFOS	507.0 > 79.9	1.64e3	1.86e3	1.00	0.994	4.69	4.69	11.0	11.0463	88.5		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.18e4	1.18e4	1.00	1.000	3.00	3.01	12.5	12.4750	100.0		
46	75	13C8-PFOA	420.9 > 376.0	1.77e4	1.77e4	1.00	1.000	4.16	4.16	12.5	12.4750	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	8.19e2	8.19e2	1.00	1.000	3.79	3.79	12.5	12.4750	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.01e4	1.01e4	1.00	1.000	4.61	4.61	12.5	12.4750	100.0		
49	77	13C4-PFOS	503 > 79.9	1.86e3	1.86e3	1.00	1.000	4.69	4.69	12.5	12.4750	100.0		
50	78	13C6-PFDA	519.1 > 473.7	1.65e4	1.65e4	1.00	1.000	4.98	4.99	12.5	12.4750	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	1.65e4	1.65e4	1.00	1.000	5.32	5.32	12.5	12.4750	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-25.qld


Last Altered: Wednesday, August 07, 2019 11:28:30 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:29:46 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31


Name: 190805M1_25, Date: 05-Aug-2019, Time: 14:43:26, ID: B9G0264-MS1 Matrix Spike 1.01, Description: Matrix Spike


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-25.qld

Last Altered: Wednesday, August 07, 2019 11:28:30 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:29:46 Pacific Daylight Time


Name: 190805M1_25, Date: 05-Aug-2019, Time: 14:43:26, ID: B9G0264-MS1 Matrix Spike 1.01, Description: Matrix Spike


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-25.qld


Last Altered: Wednesday, August 07, 2019 11:28:30 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:29:46 Pacific Daylight Time

Name: 190805M1_25, Date: 05-Aug-2019, Time: 14:43:26, ID: B9G0264-MS1 Matrix Spike 1.01, Description: Matrix Spike


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



 CGH 8/7/2019


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-25.qld

Last Altered: Wednesday, August 07, 2019 11:28:30 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:29:46 Pacific Daylight Time


Name: 190805M1_25, Date: 05-Aug-2019, Time: 14:43:26, ID: B9G0264-MS1 Matrix Spike 1.01, Description: Matrix Spike


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-25.qld


Last Altered: Wednesday, August 07, 2019 11:28:30 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:29:46 Pacific Daylight Time

Name: 190805M1_25, Date: 05-Aug-2019, Time: 14:43:26, ID: B9G0264-MS1 Matrix Spike 1.01, Description: Matrix Spike


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



 CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-26.qld

Last Altered: Wednesday, August 07, 2019 11:33:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:34:27 Pacific Daylight Time

Name: 190805M1_26, Date: 05-Aug-2019, Time: 14:54:05, ID: B9G0264-MSD1 Matrix Spike Dup 1.02, Description: Matrix Spike Dup

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	1.41e3	6.63e2	1.01		2.50	2.50	26.5	12.0794		3.034	NO
2	7	PFHxA	313.0 > 269.0	7.42e3	2.84e3	1.01		3.01	3.01	13.1	11.9944		13.978	NO
3	11	PFHpA	363.0 > 318.9	3.72e3	3.68e3	1.01		3.63	3.63	12.6	10.1951		5.574	NO
4	13	L-PFHxS	398.9 > 79.6	1.34e3	1.80e3	1.01		3.79	3.79	9.29	9.9507		1.923	NO
5	80	Total PFHxS	398.9 > 79.6	1.34e3	1.80e3	1.01		3.83		9.29	9.9507			
6	49	13C3-PFBS	302.0 > 98.8	6.63e2	8.69e2	1.01	1.062	2.50	2.50	9.54	8.8799	71.9		
7	52	13C2-PFHxA	315.0 > 270.0	2.84e3	1.08e4	1.01	0.810	3.00	3.01	3.28	4.0051	81.1		
8	53	13C4-PFHpA	367.2 > 321.8	3.68e3	1.08e4	1.01	0.378	3.63	3.63	4.26	11.1227	90.0		
9	54	13C3-PFHxS	401.8 > 79.9	1.80e3	8.69e2	1.01	2.294	3.79	3.79	25.9	11.1590	90.3		
10	54	13C3-PFHxS	401.8 > 79.9	1.80e3	8.69e2	1.01	2.294	3.79	3.79	25.9	11.1590	90.3		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.15e4	7.49e3	1.01		4.16	4.16	19.2	10.2167		3.733	NO
13	81	Total PFOA	412.8 > 368.9	1.15e4	7.49e3	1.01		4.21		19.2	10.2167			
14	21	PFNA	463.0 > 418.8	6.89e3	7.84e3	1.01		4.61	4.61	11.0	10.8654		3.036	NO
15	23	L-PFOS	498.9 > 79.9	1.90e3	1.79e3	1.01		4.69	4.69	13.3	10.2928		2.154	NO
16	82	Total PFOS	498.9 > 79.9	1.90e3	1.79e3	1.01		4.74		13.3	10.2928			
17	58	13C2-PFOA	414.9 > 369.7	7.49e3	1.67e4	1.01	0.502	4.16	4.16	5.61	11.0296	89.3		
18	58	13C2-PFOA	414.9 > 369.7	7.49e3	1.67e4	1.01	0.502	4.16	4.16	5.61	11.0296	89.3		
19	56	13C5-PFNA	468.2 > 422.9	7.84e3	9.73e3	1.01	1.048	4.61	4.61	10.1	9.4975	76.9		
20	59	13C8-PFOS	507.0 > 79.9	1.79e3	2.05e3	1.01	0.994	4.69	4.69	10.9	10.8029	87.5		
21	59	13C8-PFOS	507.0 > 79.9	1.79e3	2.05e3	1.01	0.994	4.69	4.69	10.9	10.8029	87.5		
22	-1													
23	26	PFDA	513 > 468.8	7.37e3	5.92e3	1.01		4.99	4.99	15.6	10.8287		4.196	NO
24	29	L-MeFOSAA	570 > 419	3.72e3	1.30e3	1.01		5.14	5.14	35.8	12.4945		2.539	NO
25	83	Total N-MeFOSAA	570. > 419	3.72e3	1.30e3	1.01		5.19		35.8	12.4945			
26	33	PFUdA	563.0 > 518.9	7.08e3	9.47e3	1.01		5.32	5.32	9.34	10.5679		5.104	NO
27	37	PFDoA	612.9 > 569.0	9.19e3	1.22e4	1.01		5.60	5.60	9.45	9.4985		7.169	NO
28	60	13C2-PFDA	515.1 > 469.9	5.92e3	1.65e4	1.01	0.710	4.98	4.99	4.50	6.2535	50.6		
29	62	d3-N-MeFOSAA	573.3 > 419	1.30e3	1.67e4	1.01	0.143	5.14	5.14	0.974	6.7376	54.5		
30	62	d3-N-MeFOSAA	573.3 > 419	1.30e3	1.67e4	1.01	0.143	5.14	5.14	0.974	6.7376	54.5		
31	63	13C2-PFUdA	565 > 519.8	9.47e3	1.67e4	1.01	0.832	5.32	5.32	7.11	8.4363	68.3		
32	65	13C2-PFDoA	614.7 > 569.7	1.22e4	1.65e4	1.01	1.249	5.60	5.60	9.24	7.3095	59.2		
33	-1													
34	31	L-EtFOSAA	584.1 > 419	2.72e3	1.94e3	1.01		5.29	5.30	17.5	12.4397		1.389	NO
35	84	Total N-EtFOSAA	584.1 > 419	2.72e3	1.94e3	1.01		5.33		17.5	12.4397			
36	39	PFTrDA	662.9 > 618.9	1.11e4	1.22e4	1.01		5.86	5.86	11.4	10.6287		13.378	NO

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-26.qld

Last Altered: Wednesday, August 07, 2019 11:33:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:34:27 Pacific Daylight Time

Name: 190805M1_26, Date: 05-Aug-2019, Time: 14:54:05, ID: B9G0264-MSD1 Matrix Spike Dup 1.02, Description: Matrix Spike Dup

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	8.25e3	6.46e3	1.01		6.08	6.08	16.0	9.0809		12.644	NO
38	85	TDCA	498.3>106.9			1.01		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	1.94e3	1.67e4	1.01	0.202	5.29	5.29	1.46	7.1069	57.5		
40	64	d5-N-EtFOSAA	589.3 > 419	1.94e3	1.67e4	1.01	0.202	5.29	5.29	1.46	7.1069	57.5		
41	65	13C2-PFDoA	614.7 > 569.7	1.22e4	1.65e4	1.01	1.249	5.60	5.60	9.24	7.3095	59.2		
42	67	13C2-PFTeDA	715.1 > 669.7	6.46e3	1.67e4	1.01	0.452	6.08	6.08	4.85	10.5943	85.8		
43	59	13C8-PFOS	507.0 > 79.9	1.79e3	2.05e3	1.01	0.994	4.69	4.69	10.9	10.8029	87.5		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.08e4	1.08e4	1.01	1.000	3.00	3.01	12.5	12.3518	100.0		
46	75	13C8-PFOA	420.9 > 376.0	1.67e4	1.67e4	1.01	1.000	4.16	4.16	12.5	12.3518	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	8.69e2	8.69e2	1.01	1.000	3.79	3.79	12.5	12.3518	100.0		
48	76	13C9-PFNA	472.2 > 426.9	9.73e3	9.73e3	1.01	1.000	4.61	4.60	12.5	12.3518	100.0		
49	77	13C4-PFOS	503 > 79.9	2.05e3	2.05e3	1.01	1.000	4.69	4.69	12.5	12.3518	100.0		
50	78	13C6-PFDA	519.1 > 473.7	1.65e4	1.65e4	1.01	1.000	4.98	4.98	12.5	12.3518	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	1.67e4	1.67e4	1.01	1.000	5.32	5.32	12.5	12.3518	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-26.qld

Last Altered: Wednesday, August 07, 2019 11:33:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:34:27 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Name: 190805M1_26, Date: 05-Aug-2019, Time: 14:54:05, ID: B9G0264-MSD1 Matrix Spike Dup 1.02, Description: Matrix Spike Dup


PFBS




PFHxA




PFHpA




L-PFHxS




Total PFHxS




13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-26.qld

Last Altered: Wednesday, August 07, 2019 11:33:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:34:27 Pacific Daylight Time


Name: 190805M1_26, Date: 05-Aug-2019, Time: 14:54:05, ID: B9G0264-MSD1 Matrix Spike Dup 1.02, Description: Matrix Spike Dup


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-26.qld


Last Altered: Wednesday, August 07, 2019 11:33:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:34:27 Pacific Daylight Time

Name: 190805M1_26, Date: 05-Aug-2019, Time: 14:54:05, ID: B9G0264-MSD1 Matrix Spike Dup 1.02, Description: Matrix Spike Dup


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



 CGH 8/7/2019


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-26.qld


Last Altered: Wednesday, August 07, 2019 11:33:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:34:27 Pacific Daylight Time

Name: 190805M1_26, Date: 05-Aug-2019, Time: 14:54:05, ID: B9G0264-MSD1 Matrix Spike Dup 1.02, Description: Matrix Spike Dup


L-EtFOSAA




Total N-EtFOSAA




PFTrDA




PFTeDA




TDCA




d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



CGH 8/7/2019


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-26.qld


Last Altered: Wednesday, August 07, 2019 11:33:20 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:34:27 Pacific Daylight Time

Name: 190805M1_26, Date: 05-Aug-2019, Time: 14:54:05, ID: B9G0264-MSD1 Matrix Spike Dup 1.02, Description: Matrix Spike Dup


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-32.qld

Last Altered: Wednesday, August 07, 2019 11:07:44 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:08:44 Pacific Daylight Time

Name: 190805M1_32, Date: 05-Aug-2019, Time: 15:57:38, ID: 1902189-09 NON-B03-SO-15-15.5 1.07, Description: NON-B03-SO-15-15.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		6.04e2	1.03		2.51						
2	7	PFHxA	313.0 > 269.0	9.59e1	3.48e3	1.03		3.01	3.01	0.138	0.1157		26.916	YES
3	11	PFHpA	363.0 > 318.9		3.89e3	1.03		3.64						
4	13	L-PFHxS	398.9 > 79.6	1.41e1	1.77e3	1.03		3.79	3.80	0.100	0.1029		3.906	YES
5	80	Total PFHxS	398.9 > 79.6	1.41e1	1.77e3	1.03		3.83		0.100	0.1029			
6	49	13C3-PFBS	302.0 > 98.8	6.04e2	7.43e2	1.03	1.062	2.50	2.51	10.2	9.2993	76.6		
7	52	13C2-PFHxA	315.0 > 270.0	3.48e3	1.20e4	1.03	0.810	3.00	3.01	3.64	4.3597	89.8		
8	53	13C4-PFHpA	367.2 > 321.8	3.89e3	1.20e4	1.03	0.378	3.63	3.64	4.06	10.4273	85.9		
9	54	13C3-PFHxS	401.8 > 79.9	1.77e3	7.43e2	1.03	2.294	3.79	3.79	29.8	12.5980	103.8		
10	54	13C3-PFHxS	401.8 > 79.9	1.77e3	7.43e2	1.03	2.294	3.79	3.79	29.8	12.5980	103.8		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.98e2	8.74e3	1.03		4.16	4.17	0.283	0.1313		6.085	YES
13	81	Total PFOA	412.8 > 368.9	1.98e2	8.74e3	1.03		4.21		0.283	0.1313			
14	21	PFNA	463.0 > 418.8	3.32e1	8.22e3	1.03		4.61	4.61	0.0505	0.0392		6.376	YES
15	23	L-PFOS	498.9 > 79.9	2.90e2	1.65e3	1.03		4.70	4.69	2.20	1.8147		1.446	NO
16	82	Total PFOS	498.9 > 79.9	2.90e2	1.65e3	1.03		4.74		2.20	1.8147			
17	58	13C2-PFOA	414.9 > 369.7	8.74e3	1.85e4	1.03	0.502	4.16	4.16	5.91	11.4276	94.1		
18	58	13C2-PFOA	414.9 > 369.7	8.74e3	1.85e4	1.03	0.502	4.16	4.16	5.91	11.4276	94.1		
19	56	13C5-PFNA	468.2 > 422.9	8.22e3	1.09e4	1.03	1.048	4.61	4.61	9.40	8.7114	71.8		
20	59	13C8-PFOS	507.0 > 79.9	1.65e3	1.72e3	1.03	0.994	4.69	4.70	12.0	11.7240	96.6		
21	59	13C8-PFOS	507.0 > 79.9	1.65e3	1.72e3	1.03	0.994	4.69	4.70	12.0	11.7240	96.6		
22	-1													
23	26	PFDA	513 > 468.8	2.37e1	6.50e3	1.03		4.99	4.99	0.0457	0.0146		5.186	NO
24	29	L-MeFOSAA	570 > 419		1.38e3	1.03		5.14						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	1.38e3	1.03		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	5.28e1	9.99e3	1.03		5.32	5.32	0.0661	0.0320		9.153	YES
27	37	PFDoA	612.9 > 569.0		1.21e4	1.03		5.60						
28	60	13C2-PFDA	515.1 > 469.9	6.50e3	1.68e4	1.03	0.710	4.98	4.99	4.82	6.5948	54.3		
29	62	d3-N-MeFOSAA	573.3 > 419	1.38e3	1.71e4	1.03	0.143	5.14	5.14	1.01	6.8671	56.6		
30	62	d3-N-MeFOSAA	573.3 > 419	1.38e3	1.71e4	1.03	0.143	5.14	5.14	1.01	6.8671	56.6		
31	63	13C2-PFUdA	565 > 519.8	9.99e3	1.71e4	1.03	0.832	5.32	5.32	7.31	8.5311	70.3		
32	65	13C2-PFDoA	614.7 > 569.7	1.21e4	1.68e4	1.03	1.249	5.60	5.60	9.02	7.0122	57.8		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		2.04e3	1.03		5.30						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	2.04e3	1.03		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.21e4	1.03		5.86						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-32.qld

Last Altered: Wednesday, August 07, 2019 11:07:44 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:08:44 Pacific Daylight Time

Name: 190805M1_32, Date: 05-Aug-2019, Time: 15:57:38, ID: 1902189-09 NON-B03-SO-15-15.5 1.07, Description: NON-B03-SO-15-15.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		6.01e3	1.03		6.08						
38	85	TDCA	498.3>106.9			1.03		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	2.04e3	1.71e4	1.03	0.202	5.29	5.30	1.49	7.1663	59.0		
40	64	d5-N-EtFOSAA	589.3 > 419	2.04e3	1.71e4	1.03	0.202	5.29	5.30	1.49	7.1663	59.0		
41	65	13C2-PFDoA	614.7 > 569.7	1.21e4	1.68e4	1.03	1.249	5.60	5.60	9.02	7.0122	57.8		
42	67	13C2-PFTeDA	715.1 > 669.7	6.01e3	1.71e4	1.03	0.452	6.08	6.08	4.40	9.4466	77.8		
43	59	13C8-PFOS	507.0 > 79.9	1.65e3	1.72e3	1.03	0.994	4.69	4.70	12.0	11.7240	96.6		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.20e4	1.20e4	1.03	1.000	3.00	3.01	12.5	12.1404	100.0		
46	75	13C8-PFOA	420.9 > 376.0	1.85e4	1.85e4	1.03	1.000	4.16	4.16	12.5	12.1404	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	7.43e2	7.43e2	1.03	1.000	3.79	3.79	12.5	12.1404	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.09e4	1.09e4	1.03	1.000	4.61	4.61	12.5	12.1404	100.0		
49	77	13C4-PFOS	503 > 79.9	1.72e3	1.72e3	1.03	1.000	4.69	4.69	12.5	12.1404	100.0		
50	78	13C6-PFDA	519.1 > 473.7	1.68e4	1.68e4	1.03	1.000	4.98	4.99	12.5	12.1404	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	1.71e4	1.71e4	1.03	1.000	5.32	5.32	12.5	12.1404	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-32.qld

Last Altered: Wednesday, August 07, 2019 11:07:44 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:08:44 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Name: 190805M1_32, Date: 05-Aug-2019, Time: 15:57:38, ID: 1902189-09 NON-B03-SO-15-15.5 1.07, Description: NON-B03-SO-15-15.5


PFBS




PFHxA




PFHpA




L-PFHxS




Total PFHxS




13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-32.qld

Last Altered: Wednesday, August 07, 2019 11:07:44 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:08:44 Pacific Daylight Time


Name: 190805M1_32, Date: 05-Aug-2019, Time: 15:57:38, ID: 1902189-09 NON-B03-SO-15-15.5 1.07, Description: NON-B03-SO-15-15.5


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-32.qld


Last Altered: Wednesday, August 07, 2019 11:07:44 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:08:44 Pacific Daylight Time

Name: 190805M1_32, Date: 05-Aug-2019, Time: 15:57:38, ID: 1902189-09 NON-B03-SO-15-15.5 1.07, Description: NON-B03-SO-15-15.5


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-32.qld

Last Altered: Wednesday, August 07, 2019 11:07:44 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:08:44 Pacific Daylight Time


Name: 190805M1_32, Date: 05-Aug-2019, Time: 15:57:38, ID: 1902189-09 NON-B03-SO-15-15.5 1.07, Description: NON-B03-SO-15-15.5


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-32.qld


Last Altered: Wednesday, August 07, 2019 11:07:44 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:08:44 Pacific Daylight Time

Name: 190805M1_32, Date: 05-Aug-2019, Time: 15:57:38, ID: 1902189-09 NON-B03-SO-15-15.5 1.07, Description: NON-B03-SO-15-15.5


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-25.qld

Last Altered: Wednesday, August 07, 2019 10:32:28 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:33:40 Pacific Daylight Time

Name: 190806M1_25, Date: 06-Aug-2019, Time: 14:44:47, ID: 1902189-15 NAOA-B04-SO-69-69.5 1.17, Description: NAOA-B04-SO-69-69.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	9.85e1	1.42e3	1.01		2.52	2.52	0.868	0.4341		4.059	YES
2	7	PFHxA	313.0 > 269.0	1.03e3	9.24e3	1.01		3.03	3.02	0.555	0.6422		22.366	NO
3	11	PFHpA	363.0 > 318.9	9.15e1	1.23e4	1.01		3.65	3.65	0.0930	0.0762		369.016	YES
4	13	L-PFHxS	398.9 > 79.6	2.00e1	3.33e3	1.01		3.80	3.81	0.0749	0.0825		1.751	NO
5	80	Total PFHxS	398.9 > 79.6	2.00e1	3.33e3	1.01		3.83		0.0749	0.0825			
6	49	13C3-PFBS	302.0 > 98.8	1.42e3	1.94e3	1.01	1.102	2.52	2.52	9.13	8.2351	66.3		
7	52	13C2-PFHxA	315.0 > 270.0	9.24e3	2.72e4	1.01	0.988	3.02	3.03	4.24	4.2646	85.8		
8	53	13C4-PFHpA	367.2 > 321.8	1.23e4	2.72e4	1.01	0.485	3.65	3.65	5.64	11.5694	93.1		
9	54	13C3-PFHxS	401.8 > 79.9	3.33e3	1.94e3	1.01	2.211	3.80	3.80	21.5	9.6420	77.6		
10	54	13C3-PFHxS	401.8 > 79.9	3.33e3	1.94e3	1.01	2.211	3.80	3.80	21.5	9.6420	77.6		
11	-1													
12	16	L-PFOA	412.8 > 368.9	8.40e1	2.07e4	1.01		4.18	4.18	0.0506	0.0097		3.997	NO
13	81	Total PFOA	412.8 > 368.9	8.40e1	2.07e4	1.01		4.21		0.0506	0.0097			
14	21	PFNA	463.0 > 418.8		2.03e4	1.01		4.62						
15	23	L-PFOS	498.9 > 79.9		3.89e3	1.01		4.71						
16	82	Total PFOS	498.9 > 79.9	0.00e0	3.89e3	1.01		4.74		0.000				
17	58	13C2-PFOA	414.9 > 369.7	2.07e4	3.48e4	1.01	0.714	4.18	4.18	7.45	10.3772	83.5		
18	58	13C2-PFOA	414.9 > 369.7	2.07e4	3.48e4	1.01	0.714	4.18	4.18	7.45	10.3772	83.5		
19	56	13C5-PFNA	468.2 > 422.9	2.03e4	2.62e4	1.01	1.014	4.62	4.62	9.70	9.5139	76.6		
20	59	13C8-PFOS	507.0 > 79.9	3.89e3	4.24e3	1.01	0.990	4.71	4.71	11.5	11.5131	92.7		
21	59	13C8-PFOS	507.0 > 79.9	3.89e3	4.24e3	1.01	0.990	4.71	4.71	11.5	11.5131	92.7		
22	-1													
23	26	PFDA	513 > 468.8		1.84e4	1.01		5.01						
24	29	L-MeFOSAA	570 > 419		2.78e3	1.01		5.15						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	2.78e3	1.01		5.19		0.000				
26	33	PFUdA	563.0 > 518.9		2.30e4	1.01		5.34						
27	37	PFDoA	612.9 > 569.0		2.13e4	1.01		5.62						
28	60	13C2-PFDA	515.1 > 469.9	1.84e4	4.10e4	1.01	0.782	5.01	5.01	5.63	7.1501	57.6		
29	62	d3-N-MeFOSAA	573.3 > 419	2.78e3	3.77e4	1.01	0.154	5.16	5.15	0.921	5.9395	47.8		
30	62	d3-N-MeFOSAA	573.3 > 419	2.78e3	3.77e4	1.01	0.154	5.16	5.15	0.921	5.9395	47.8		
31	63	13C2-PFUdA	565 > 519.8	2.30e4	3.77e4	1.01	1.019	5.34	5.34	7.61	7.4226	59.8		
32	65	13C2-PFDoA	614.7 > 569.7	2.13e4	4.10e4	1.01	1.097	5.62	5.62	6.50	5.8858	47.4		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		4.34e3	1.01		5.31						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	4.34e3	1.01		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		2.13e4	1.01		5.88						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-25.qld

Last Altered: Wednesday, August 07, 2019 10:32:28 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:33:40 Pacific Daylight Time

Name: 190806M1_25, Date: 06-Aug-2019, Time: 14:44:47, ID: 1902189-15 NAOA-B04-SO-69-69.5 1.17, Description: NAOA-B04-SO-69-69.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		1.58e4	1.01		6.09						
38	85	TDCA	498.3>106.9			1.01		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	4.34e3	3.77e4	1.01	0.196	5.31	5.31	1.44	7.2892	58.7		
40	64	d5-N-EtFOSAA	589.3 > 419	4.34e3	3.77e4	1.01	0.196	5.31	5.31	1.44	7.2892	58.7		
41	65	13C2-PFDoA	614.7 > 569.7	2.13e4	4.10e4	1.01	1.097	5.62	5.62	6.50	5.8858	47.4		
42	67	13C2-PFTeDA	715.1 > 669.7	1.58e4	3.77e4	1.01	0.685	6.10	6.09	5.23	7.5940	61.1		
43	59	13C8-PFOS	507.0 > 79.9	3.89e3	4.24e3	1.01	0.990	4.71	4.71	11.5	11.5131	92.7		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.72e4	2.72e4	1.01	1.000	3.02	3.02	12.5	12.4220	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.48e4	3.48e4	1.01	1.000	4.18	4.18	12.5	12.4220	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.94e3	1.94e3	1.01	1.000	3.80	3.80	12.5	12.4220	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.62e4	2.62e4	1.01	1.000	4.62	4.62	12.5	12.4220	100.0		
49	77	13C4-PFOS	503 > 79.9	4.24e3	4.24e3	1.01	1.000	4.71	4.71	12.5	12.4220	100.0		
50	78	13C6-PFDA	519.1 > 473.7	4.10e4	4.10e4	1.01	1.000	5.01	5.01	12.5	12.4220	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	3.77e4	3.77e4	1.01	1.000	5.34	5.33	12.5	12.4220	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-25.qld


Last Altered: Wednesday, August 07, 2019 10:32:28 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:33:40 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080619.mdb 06 Aug 2019 13:58:16
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35


Name: 190806M1_25, Date: 06-Aug-2019, Time: 14:44:47, ID: 1902189-15 NAOA-B04-SO-69-69.5 1.17, Description: NAOA-B04-SO-69-69.5


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-25.qld


Last Altered: Wednesday, August 07, 2019 10:32:28 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:33:40 Pacific Daylight Time

Name: 190806M1_25, Date: 06-Aug-2019, Time: 14:44:47, ID: 1902189-15 NAOA-B04-SO-69-69.5 1.17, Description: NAOA-B04-SO-69-69.5


L-PFOA




Total PFOA




PFNA




L-PFOS




Total PFOS




13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-25.qld

Last Altered: Wednesday, August 07, 2019 10:32:28 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:33:40 Pacific Daylight Time


Name: 190806M1_25, Date: 06-Aug-2019, Time: 14:44:47, ID: 1902189-15 NAOA-B04-SO-69-69.5 1.17, Description: NAOA-B04-SO-69-69.5


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-25.qld

Last Altered: Wednesday, August 07, 2019 10:32:28 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:33:40 Pacific Daylight Time


Name: 190806M1_25, Date: 06-Aug-2019, Time: 14:44:47, ID: 1902189-15 NAOA-B04-SO-69-69.5 1.17, Description: NAOA-B04-SO-69-69.5


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-25.qld


Last Altered: Wednesday, August 07, 2019 10:32:28 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:33:40 Pacific Daylight Time

Name: 190806M1_25, Date: 06-Aug-2019, Time: 14:44:47, ID: 1902189-15 NAOA-B04-SO-69-69.5 1.17, Description: NAOA-B04-SO-69-69.5


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-34.qld

Last Altered: Wednesday, August 07, 2019 11:16:38 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:17:25 Pacific Daylight Time

Name: 190805M1_34, Date: 05-Aug-2019, Time: 16:18:55, ID: 1902189-16 SAOA-B02-SO-5-5.5 1.18, Description: SAOA-B02-SO-5-5.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	6.80e0	6.48e2	1.00		2.51	2.51	0.131	0.1456		2.084	NO
2	7	PFHxA	313.0 > 269.0	1.03e3	3.54e3	1.00		3.01	3.01	1.46	1.3470		15.322	NO
3	11	PFHpA	363.0 > 318.9	4.82e2	4.29e3	1.00		3.63	3.64	1.40	1.2223		6.243	NO
4	13	L-PFHxS	398.9 > 79.6	2.28e3	1.84e3	1.00		3.79	3.79	15.5	16.7312		1.710	NO
5	80	Total PFHxS	398.9 > 79.6	2.28e3	1.84e3	1.00		3.83		15.5	16.7312			
6	49	13C3-PFBS	302.0 > 98.8	6.48e2	7.26e2	1.00	1.062	2.50	2.51	11.2	10.4909	84.1		
7	52	13C2-PFHxA	315.0 > 270.0	3.54e3	1.25e4	1.00	0.810	3.00	3.01	3.53	4.3532	87.2		
8	53	13C4-PFHpA	367.2 > 321.8	4.29e3	1.25e4	1.00	0.378	3.63	3.63	4.29	11.3073	90.6		
9	54	13C3-PFHxS	401.8 > 79.9	1.84e3	7.26e2	1.00	2.294	3.79	3.79	31.7	13.8107	110.7		
10	54	13C3-PFHxS	401.8 > 79.9	1.84e3	7.26e2	1.00	2.294	3.79	3.79	31.7	13.8107	110.7		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.68e4	8.52e3	1.00		4.16	4.16	24.7	13.2405		3.454	NO
13	81	Total PFOA	412.8 > 368.9	1.68e4	8.52e3	1.00		4.21		24.7	13.2405			
14	21	PFNA	463.0 > 418.8	8.91e2	8.12e3	1.00		4.61	4.61	1.37	1.3623		3.069	NO
15	23	L-PFOS	498.9 > 79.9	2.16e4	1.62e3	1.00		4.69	4.69	167	128.9445		2.109	NO
16	82	Total PFOS	498.9 > 79.9	2.16e4	1.62e3	1.00		4.74		167	128.9445			
17	58	13C2-PFOA	414.9 > 369.7	8.52e3	1.92e4	1.00	0.502	4.16	4.16	5.54	11.0087	88.2		
18	58	13C2-PFOA	414.9 > 369.7	8.52e3	1.92e4	1.00	0.502	4.16	4.16	5.54	11.0087	88.2		
19	56	13C5-PFNA	468.2 > 422.9	8.12e3	1.01e4	1.00	1.048	4.61	4.61	10.0	9.5704	76.7		
20	59	13C8-PFOS	507.0 > 79.9	1.62e3	1.61e3	1.00	0.994	4.69	4.69	12.5	12.5804	100.8		
21	59	13C8-PFOS	507.0 > 79.9	1.62e3	1.61e3	1.00	0.994	4.69	4.69	12.5	12.5804	100.8		
22	-1													
23	26	PFDA	513 > 468.8	2.31e1	6.05e3	1.00		4.99	4.99	0.0476	0.0164		17.137	YES
24	29	L-MeFOSAA	570 > 419		1.31e3	1.00		5.14						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	1.31e3	1.00		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	6.24e0	9.45e3	1.00		5.32	5.32	0.00826			4.646	NO
27	37	PFDoA	612.9 > 569.0		1.05e4	1.00		5.60						
28	60	13C2-PFDA	515.1 > 469.9	6.05e3	1.71e4	1.00	0.710	4.98	4.99	4.42	6.2126	49.8		
29	62	d3-N-MeFOSAA	573.3 > 419	1.31e3	1.69e4	1.00	0.143	5.14	5.14	0.969	6.7670	54.2		
30	62	d3-N-MeFOSAA	573.3 > 419	1.31e3	1.69e4	1.00	0.143	5.14	5.14	0.969	6.7670	54.2		
31	63	13C2-PFUdA	565 > 519.8	9.45e3	1.69e4	1.00	0.832	5.32	5.32	6.98	8.3766	67.1		
32	65	13C2-PFDoA	614.7 > 569.7	1.05e4	1.71e4	1.00	1.249	5.60	5.60	7.67	6.1331	49.1		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		1.71e3	1.00		5.29						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	1.71e3	1.00		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.05e4	1.00		5.86						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-34.qld

Last Altered: Wednesday, August 07, 2019 11:16:38 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:17:25 Pacific Daylight Time

Name: 190805M1_34, Date: 05-Aug-2019, Time: 16:18:55, ID: 1902189-16 SAOA-B02-SO-5-5.5 1.18, Description: SAOA-B02-SO-5-5.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		5.24e3	1.00		6.08						
38	85	TDCA	498.3>106.9			1.00		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	1.71e3	1.69e4	1.00	0.202	5.29	5.29	1.27	6.2469	50.1		
40	64	d5-N-EtFOSAA	589.3 > 419	1.71e3	1.69e4	1.00	0.202	5.29	5.29	1.27	6.2469	50.1		
41	65	13C2-PFDoA	614.7 > 569.7	1.05e4	1.71e4	1.00	1.249	5.60	5.60	7.67	6.1331	49.1		
42	67	13C2-PFTeDA	715.1 > 669.7	5.24e3	1.69e4	1.00	0.452	6.08	6.08	3.88	8.5645	68.6		
43	59	13C8-PFOS	507.0 > 79.9	1.62e3	1.61e3	1.00	0.994	4.69	4.69	12.5	12.5804	100.8		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.25e4	1.25e4	1.00	1.000	3.00	3.01	12.5	12.4802	100.0		
46	75	13C8-PFOA	420.9 > 376.0	1.92e4	1.92e4	1.00	1.000	4.16	4.16	12.5	12.4802	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	7.26e2	7.26e2	1.00	1.000	3.79	3.79	12.5	12.4802	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.01e4	1.01e4	1.00	1.000	4.61	4.61	12.5	12.4802	100.0		
49	77	13C4-PFOS	503 > 79.9	1.61e3	1.61e3	1.00	1.000	4.69	4.69	12.5	12.4802	100.0		
50	78	13C6-PFDA	519.1 > 473.7	1.71e4	1.71e4	1.00	1.000	4.98	4.99	12.5	12.4802	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	1.69e4	1.69e4	1.00	1.000	5.32	5.32	12.5	12.4802	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-34.qld


Last Altered: Wednesday, August 07, 2019 11:16:38 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:17:25 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31


Name: 190805M1_34, Date: 05-Aug-2019, Time: 16:18:55, ID: 1902189-16 SAOA-B02-SO-5-5.5 1.18, Description: SAOA-B02-SO-5-5.5


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS




Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-34.qld


Last Altered: Wednesday, August 07, 2019 11:16:38 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:17:25 Pacific Daylight Time

Name: 190805M1_34, Date: 05-Aug-2019, Time: 16:18:55, ID: 1902189-16 SAOA-B02-SO-5-5.5 1.18, Description: SAOA-B02-SO-5-5.5


L-PFOA




Total PFOA




PFNA




L-PFOS




Total PFOS




13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-34.qld


Last Altered: Wednesday, August 07, 2019 11:16:38 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:17:25 Pacific Daylight Time

Name: 190805M1_34, Date: 05-Aug-2019, Time: 16:18:55, ID: 1902189-16 SAOA-B02-SO-5-5.5 1.18, Description: SAOA-B02-SO-5-5.5


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-34.qld

Last Altered: Wednesday, August 07, 2019 11:16:38 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:17:25 Pacific Daylight Time


Name: 190805M1_34, Date: 05-Aug-2019, Time: 16:18:55, ID: 1902189-16 SAOA-B02-SO-5-5.5 1.18, Description: SAOA-B02-SO-5-5.5


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-34.qld


Last Altered: Wednesday, August 07, 2019 11:16:38 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:17:25 Pacific Daylight Time

Name: 190805M1_34, Date: 05-Aug-2019, Time: 16:18:55, ID: 1902189-16 SAOA-B02-SO-5-5.5 1.18, Description: SAOA-B02-SO-5-5.5


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-35.qld

Last Altered: Wednesday, August 07, 2019 11:21:05 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:22:02 Pacific Daylight Time

Name: 190805M1_35, Date: 05-Aug-2019, Time: 16:29:28, ID: 1902189-17 SAOA-B02-SO-20-20.5 1.13, Description: SAOA-B02-SO-20-20.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	8.81e0	6.00e2	1.00		2.51	2.51	0.184	0.1696		3.689	NO
2	7	PFHxA	313.0 > 269.0	1.94e3	3.16e3	1.00		3.01	3.01	3.08	2.8456		13.770	NO
3	11	PFHpA	363.0 > 318.9	5.62e2	3.94e3	1.00		3.64	3.64	1.78	1.5272		6.947	NO
4	13	L-PFHxS	398.9 > 79.6	2.08e3	1.56e3	1.00		3.79	3.79	16.7	18.0721		1.905	NO
5	80	Total PFHxS	398.9 > 79.6	2.08e3	1.56e3	1.00		3.83		16.7	18.0721			
6	49	13C3-PFBS	302.0 > 98.8	6.00e2	6.92e2	1.00	1.062	2.50	2.51	10.8	10.1897	81.7		
7	52	13C2-PFHxA	315.0 > 270.0	3.16e3	1.15e4	1.00	0.810	3.00	3.01	3.44	4.2423	85.0		
8	53	13C4-PFHpA	367.2 > 321.8	3.94e3	1.15e4	1.00	0.378	3.63	3.64	4.30	11.3412	90.9		
9	54	13C3-PFHxS	401.8 > 79.9	1.56e3	6.92e2	1.00	2.294	3.79	3.79	28.2	12.2505	98.2		
10	54	13C3-PFHxS	401.8 > 79.9	1.56e3	6.92e2	1.00	2.294	3.79	3.79	28.2	12.2505	98.2		
11	-1													
12	16	L-PFOA	412.8 > 368.9	2.59e4	8.09e3	1.00		4.16	4.16	40.0	21.4688		3.435	NO
13	81	Total PFOA	412.8 > 368.9	2.59e4	8.09e3	1.00		4.21		40.0	21.4688			
14	21	PFNA	463.0 > 418.8	4.46e2	7.88e3	1.00		4.61	4.61	0.708	0.6979		2.584	NO
15	23	L-PFOS	498.9 > 79.9	2.58e4	1.38e3	1.00		4.70	4.70	235	180.5389		2.008	NO
16	82	Total PFOS	498.9 > 79.9	2.58e4	1.38e3	1.00		4.74		235	180.5389			
17	58	13C2-PFOA	414.9 > 369.7	8.09e3	1.68e4	1.00	0.502	4.16	4.16	6.01	11.9448	95.8		
18	58	13C2-PFOA	414.9 > 369.7	8.09e3	1.68e4	1.00	0.502	4.16	4.16	6.01	11.9448	95.8		
19	56	13C5-PFNA	468.2 > 422.9	7.88e3	1.02e4	1.00	1.048	4.61	4.61	9.63	9.1643	73.5		
20	59	13C8-PFOS	507.0 > 79.9	1.38e3	1.47e3	1.00	0.994	4.69	4.70	11.7	11.7655	94.3		
21	59	13C8-PFOS	507.0 > 79.9	1.38e3	1.47e3	1.00	0.994	4.69	4.70	11.7	11.7655	94.3		
22	-1													
23	26	PFDA	513 > 468.8	1.46e2	6.41e3	1.00		4.99	4.99	0.284	0.1826		6.242	NO
24	29	L-MeFOSAA	570 > 419		1.13e3	1.00		5.14						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	1.13e3	1.00		5.19		0.000				
26	33	PFUdA	563.0 > 518.9		9.20e3	1.00		5.32						
27	37	PFDoA	612.9 > 569.0		1.05e4	1.00		5.61						
28	60	13C2-PFDA	515.1 > 469.9	6.41e3	1.61e4	1.00	0.710	4.98	4.99	4.99	7.0048	56.2		
29	62	d3-N-MeFOSAA	573.3 > 419	1.13e3	1.54e4	1.00	0.143	5.14	5.14	0.918	6.4100	51.4		
30	62	d3-N-MeFOSAA	573.3 > 419	1.13e3	1.54e4	1.00	0.143	5.14	5.14	0.918	6.4100	51.4		
31	63	13C2-PFUdA	565 > 519.8	9.20e3	1.54e4	1.00	0.832	5.32	5.32	7.48	8.9695	71.9		
32	65	13C2-PFDoA	614.7 > 569.7	1.05e4	1.61e4	1.00	1.249	5.60	5.61	8.15	6.5104	52.2		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		1.74e3	1.00		5.30						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	1.74e3	1.00		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.05e4	1.00		5.86						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-35.qld

Last Altered: Wednesday, August 07, 2019 11:21:05 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:22:02 Pacific Daylight Time

Name: 190805M1_35, Date: 05-Aug-2019, Time: 16:29:28, ID: 1902189-17 SAOA-B02-SO-20-20.5 1.13, Description: SAOA-B02-SO-20-20.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		5.54e3	1.00		6.08						
38	85	TDCA	498.3>106.9			1.00		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	1.74e3	1.54e4	1.00	0.202	5.29	5.30	1.41	6.9711	55.9		
40	64	d5-N-EtFOSAA	589.3 > 419	1.74e3	1.54e4	1.00	0.202	5.29	5.30	1.41	6.9711	55.9		
41	65	13C2-PFDoA	614.7 > 569.7	1.05e4	1.61e4	1.00	1.249	5.60	5.61	8.15	6.5104	52.2		
42	67	13C2-PFTeDA	715.1 > 669.7	5.54e3	1.54e4	1.00	0.452	6.08	6.08	4.50	9.9443	79.7		
43	59	13C8-PFOS	507.0 > 79.9	1.38e3	1.47e3	1.00	0.994	4.69	4.70	11.7	11.7655	94.3		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.15e4	1.15e4	1.00	1.000	3.00	3.01	12.5	12.4748	100.0		
46	75	13C8-PFOA	420.9 > 376.0	1.68e4	1.68e4	1.00	1.000	4.16	4.16	12.5	12.4748	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	6.92e2	6.92e2	1.00	1.000	3.79	3.79	12.5	12.4748	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.02e4	1.02e4	1.00	1.000	4.61	4.61	12.5	12.4748	100.0		
49	77	13C4-PFOS	503 > 79.9	1.47e3	1.47e3	1.00	1.000	4.69	4.70	12.5	12.4748	100.0		
50	78	13C6-PFDA	519.1 > 473.7	1.61e4	1.61e4	1.00	1.000	4.98	4.99	12.5	12.4748	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	1.54e4	1.54e4	1.00	1.000	5.32	5.32	12.5	12.4748	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-35.qld

Last Altered: Wednesday, August 07, 2019 11:21:05 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:22:02 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Name: 190805M1_35, Date: 05-Aug-2019, Time: 16:29:28, ID: 1902189-17 SAOA-B02-SO-20-20.5 1.13, Description: SAOA-B02-SO-20-20.5


PFBS




PFHxA




PFHpA




L-PFHxS




Total PFHxS




13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-35.qld


Last Altered: Wednesday, August 07, 2019 11:21:05 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:22:02 Pacific Daylight Time

Name: 190805M1_35, Date: 05-Aug-2019, Time: 16:29:28, ID: 1902189-17 SAOA-B02-SO-20-20.5 1.13, Description: SAOA-B02-SO-20-20.5


L-PFOA




Total PFOA




PFNA




L-PFOS




Total PFOS




13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-35.qld


Last Altered: Wednesday, August 07, 2019 11:21:05 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:22:02 Pacific Daylight Time

Name: 190805M1_35, Date: 05-Aug-2019, Time: 16:29:28, ID: 1902189-17 SAOA-B02-SO-20-20.5 1.13, Description: SAOA-B02-SO-20-20.5


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-35.qld

Last Altered: Wednesday, August 07, 2019 11:21:05 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:22:02 Pacific Daylight Time


Name: 190805M1_35, Date: 05-Aug-2019, Time: 16:29:28, ID: 1902189-17 SAOA-B02-SO-20-20.5 1.13, Description: SAOA-B02-SO-20-20.5


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-35.qld


Last Altered: Wednesday, August 07, 2019 11:21:05 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 11:22:02 Pacific Daylight Time

Name: 190805M1_35, Date: 05-Aug-2019, Time: 16:29:28, ID: 1902189-17 SAOA-B02-SO-20-20.5 1.13, Description: SAOA-B02-SO-20-20.5


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-26.qld

Last Altered: Wednesday, August 07, 2019 10:37:33 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:39:38 Pacific Daylight Time

Name: 190806M1_26, Date: 06-Aug-2019, Time: 14:55:25, ID: 1902189-18 SAOA-B02-SO-56-56.5 1.28, Description: SAOA-B02-SO-56-56.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	1.94e2	1.28e3	1.00		2.52	2.52	1.90	0.9113		2.612	NO
2	7	PFHxA	313.0 > 269.0	3.79e3	8.05e3	1.00		3.03	3.03	2.35	2.8256		15.262	NO
3	11	PFHpA	363.0 > 318.9		1.06e4	1.00		3.65						
4	13	L-PFHxS	398.9 > 79.6	3.41e2	2.93e3	1.00		3.81	3.81	1.45	1.7079		2.387	NO
5	80	Total PFHxS	398.9 > 79.6	3.41e2	2.93e3	1.00		3.83		1.45	1.7079			
6	49	13C3-PFBS	302.0 > 98.8	1.28e3	1.61e3	1.00	1.102	2.52	2.52	9.94	9.0139	72.2		
7	52	13C2-PFHxA	315.0 > 270.0	8.05e3	2.48e4	1.00	0.988	3.02	3.03	4.05	4.0972	82.0		
8	53	13C4-PFHpA	367.2 > 321.8	1.06e4	2.48e4	1.00	0.485	3.65	3.65	5.33	10.9805	88.0		
9	54	13C3-PFHxS	401.8 > 79.9	2.93e3	1.61e3	1.00	2.211	3.80	3.81	22.8	10.2784	82.3		
10	54	13C3-PFHxS	401.8 > 79.9	2.93e3	1.61e3	1.00	2.211	3.80	3.81	22.8	10.2784	82.3		
11	-1													
12	16	L-PFOA	412.8 > 368.9	2.24e3	1.89e4	1.00		4.18	4.18	1.48	1.0457		3.606	NO
13	81	Total PFOA	412.8 > 368.9	2.24e3	1.89e4	1.00		4.21		1.48	1.0457			
14	21	PFNA	463.0 > 418.8	4.29e1	1.85e4	1.00		4.62	4.62	0.0290	0.0094		7.735	YES
15	23	L-PFOS	498.9 > 79.9	2.04e3	3.31e3	1.00		4.71	4.71	7.69	7.1076		2.133	NO
16	82	Total PFOS	498.9 > 79.9	2.04e3	3.31e3	1.00		4.74		7.69	7.1076			
17	58	13C2-PFOA	414.9 > 369.7	1.89e4	3.05e4	1.00	0.714	4.18	4.18	7.75	10.8445	86.9		
18	58	13C2-PFOA	414.9 > 369.7	1.89e4	3.05e4	1.00	0.714	4.18	4.18	7.75	10.8445	86.9		
19	56	13C5-PFNA	468.2 > 422.9	1.85e4	2.35e4	1.00	1.014	4.62	4.62	9.86	9.7126	77.8		
20	59	13C8-PFOS	507.0 > 79.9	3.31e3	3.63e3	1.00	0.990	4.71	4.71	11.4	11.5102	92.2		
21	59	13C8-PFOS	507.0 > 79.9	3.31e3	3.63e3	1.00	0.990	4.71	4.71	11.4	11.5102	92.2		
22	-1													
23	26	PFDA	513 > 468.8		1.65e4	1.00		5.01						
24	29	L-MeFOSAA	570 > 419		2.66e3	1.00		5.16						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	2.66e3	1.00		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	5.00e1	2.06e4	1.00		5.34	5.34	0.0303			12.160	NO
27	37	PFDoA	612.9 > 569.0		1.82e4	1.00		5.62						
28	60	13C2-PFDA	515.1 > 469.9	1.65e4	3.61e4	1.00	0.782	5.01	5.01	5.72	7.3123	58.6		
29	62	d3-N-MeFOSAA	573.3 > 419	2.66e3	3.34e4	1.00	0.154	5.16	5.16	0.996	6.4599	51.7		
30	62	d3-N-MeFOSAA	573.3 > 419	2.66e3	3.34e4	1.00	0.154	5.16	5.16	0.996	6.4599	51.7		
31	63	13C2-PFUdA	565 > 519.8	2.06e4	3.34e4	1.00	1.019	5.34	5.34	7.73	7.5778	60.7		
32	65	13C2-PFDoA	614.7 > 569.7	1.82e4	3.61e4	1.00	1.097	5.62	5.62	6.29	5.7210	45.8		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		3.59e3	1.00		5.31						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	3.59e3	1.00		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.82e4	1.00		5.88						

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-26.qld

Last Altered: Wednesday, August 07, 2019 10:37:33 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:39:38 Pacific Daylight Time

Name: 190806M1_26, Date: 06-Aug-2019, Time: 14:55:25, ID: 1902189-18 SAOA-B02-SO-56-56.5 1.28, Description: SAOA-B02-SO-56-56.5

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		1.48e4	1.00		6.09						
38	85	TDCA	498.3>106.9			1.00		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	3.59e3	3.34e4	1.00	0.196	5.31	5.31	1.34	6.8499	54.9		
40	64	d5-N-EtFOSAA	589.3 > 419	3.59e3	3.34e4	1.00	0.196	5.31	5.31	1.34	6.8499	54.9		
41	65	13C2-PFDoA	614.7 > 569.7	1.82e4	3.61e4	1.00	1.097	5.62	5.62	6.29	5.7210	45.8		
42	67	13C2-PFTeDA	715.1 > 669.7	1.48e4	3.34e4	1.00	0.685	6.10	6.09	5.56	8.1098	65.0		
43	59	13C8-PFOS	507.0 > 79.9	3.31e3	3.63e3	1.00	0.990	4.71	4.71	11.4	11.5102	92.2		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.48e4	2.48e4	1.00	1.000	3.02	3.03	12.5	12.4846	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.05e4	3.05e4	1.00	1.000	4.18	4.18	12.5	12.4846	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.61e3	1.61e3	1.00	1.000	3.80	3.81	12.5	12.4846	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.35e4	2.35e4	1.00	1.000	4.62	4.62	12.5	12.4846	100.0		
49	77	13C4-PFOS	503 > 79.9	3.63e3	3.63e3	1.00	1.000	4.71	4.71	12.5	12.4846	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.61e4	3.61e4	1.00	1.000	5.01	5.01	12.5	12.4846	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	3.34e4	3.34e4	1.00	1.000	5.34	5.33	12.5	12.4846	100.0		

CGH 8/7/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-26.qld


Last Altered: Wednesday, August 07, 2019 10:37:33 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:39:38 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080619.mdb 06 Aug 2019 13:58:16
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35


Name: 190806M1_26, Date: 06-Aug-2019, Time: 14:55:25, ID: 1902189-18 SAOA-B02-SO-56-56.5 1.28, Description: SAOA-B02-SO-56-56.5


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-26.qld


Last Altered: Wednesday, August 07, 2019 10:37:33 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:39:38 Pacific Daylight Time

Name: 190806M1_26, Date: 06-Aug-2019, Time: 14:55:25, ID: 1902189-18 SAOA-B02-SO-56-56.5 1.28, Description: SAOA-B02-SO-56-56.5


L-PFOA




Total PFOA




PFNA




L-PFOS




Total PFOS




13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-26.qld

Last Altered: Wednesday, August 07, 2019 10:37:33 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:39:38 Pacific Daylight Time


Name: 190806M1_26, Date: 06-Aug-2019, Time: 14:55:25, ID: 1902189-18 SAOA-B02-SO-56-56.5 1.28, Description: SAOA-B02-SO-56-56.5


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-26.qld

Last Altered: Wednesday, August 07, 2019 10:37:33 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:39:38 Pacific Daylight Time


Name: 190806M1_26, Date: 06-Aug-2019, Time: 14:55:25, ID: 1902189-18 SAOA-B02-SO-56-56.5 1.28, Description: SAOA-B02-SO-56-56.5


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



 CGH 8/7/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-26.qld


Last Altered: Wednesday, August 07, 2019 10:37:33 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 10:39:38 Pacific Daylight Time

Name: 190806M1_26, Date: 06-Aug-2019, Time: 14:55:25, ID: 1902189-18 SAOA-B02-SO-56-56.5 1.28, Description: SAOA-B02-SO-56-56.5


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 8/7/2019

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-16.qld

Last Altered: Monday, July 29, 2019 14:55:11 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:55:20 Pacific Daylight Time

Name: 190726M1_16, Date: 26-Jul-2019, Time: 11:06:33, ID: B9G0224-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	6.51e1	1.16e4	0.125		1.13	1.13	0.0700	0.4363			
2	4	PFPeA	263.1 > 218.9		1.50e4	0.125		2.11						
3	5	PFBS	299.0 > 79.7		2.39e3	0.125		2.41						
4	7	PFHxA	313.0 > 269.0	8.25e1	1.15e4	0.125		2.94	2.93	0.0358			35.996	YES
5	11	PFHpA	363.0 > 318.9		1.50e4	0.125		3.55						
6	47	13C3-PFBA	216.1 > 171.8	1.16e4	1.66e4	0.125	0.734	1.15	1.13	8.76	95.5470	95.5		
7	48	13C3-PFPeA	266.0 > 221.8	1.50e4	3.21e4	0.125	0.498	2.14	2.11	5.83	93.6801	93.7		
8	49	13C3-PFBS	302.0 > 98.8	2.39e3	2.46e3	0.125	1.058	2.44	2.41	12.1	91.7256	91.7		
9	52	13C2-PFHxA	315.0 > 270.0	1.15e4	3.21e4	0.125	0.978	2.95	2.94	4.48	36.6912	91.7		
10	53	13C4-PFHpA	367.2 > 321.8	1.50e4	3.21e4	0.125	0.479	3.57	3.55	5.84	97.6345	97.6		
11	-1													
12	13	L-PFHxS	398.9 > 79.6	1.05e1	4.76e3	0.125		3.71	3.70	0.0275	0.2520		0.621	YES
13	80	Total PFHxS	398.9 > 79.6	1.05e1	4.76e3	0.125		3.83		0.0275	0.2520			
14	16	L-PFOA	412.8 > 368.9	8.34e1	2.48e4	0.125		4.08	4.09	0.0421	0.0231		4.216	NO
15	81	Total PFOA	412.8 > 368.9	8.34e1	2.48e4	0.125		4.21		0.0421	0.0231			
16	22	PFOSA	497.9 > 77.9		2.03e3	0.125		4.59						
17	74	18O2-PFHxS	403.0 > 102.6	2.46e3	2.46e3	0.125	1.000	3.73	3.71	12.5	100.0000	100.0		
18	74	18O2-PFHxS	403.0 > 102.6	2.46e3	2.46e3	0.125	1.000	3.73	3.71	12.5	100.0000	100.0		
19	58	13C2-PFOA	414.9 > 369.7	2.48e4	4.20e4	0.125	0.681	4.11	4.08	7.38	86.7054	86.7		
20	58	13C2-PFOA	414.9 > 369.7	2.48e4	4.20e4	0.125	0.681	4.11	4.08	7.38	86.7054	86.7		
21	57	13C8-PFOSA	506.1 > 77.7	2.03e3	4.28e4	0.125	0.168	4.61	4.59	0.591	28.2289	28.2		
22	-1													
23	21	PFNA	463.0 > 418.8		2.40e4	0.125		4.53						
24	23	L-PFOS	498.9 > 79.9		4.45e3	0.125		4.62						
25	82	Total PFOS	498.9 > 79.9	0.00e0	4.45e3	0.125		4.74		0.000				
26	26	PFDA	513 > 468.8		2.23e4	0.125		4.91						
27	33	PFUdA	563.0 > 518.9	5.19e1	3.02e4	0.125		5.25	5.25	0.0215			49.864	YES
28	56	13C5-PFNA	468.2 > 422.9	2.40e4	2.82e4	0.125	1.002	4.55	4.53	10.6	84.7841	84.8		
29	59	13C8-PFOS	507.0 > 79.9	4.45e3	5.24e3	0.125	0.997	4.64	4.62	10.6	85.2220	85.2		
30	59	13C8-PFOS	507.0 > 79.9	4.45e3	5.24e3	0.125	0.997	4.64	4.62	10.6	85.2220	85.2		
31	60	13C2-PFDA	515.1 > 469.9	2.23e4	3.71e4	0.125	0.819	4.93	4.91	7.49	73.1497	73.1		
32	63	13C2-PFUdA	565 > 519.8	3.02e4	4.28e4	0.125	0.889	5.26	5.25	8.81	79.2513	79.3		
33	-1													
34	29	L-MeFOSAA	570 > 419		5.53e3	0.125		5.07						
35	83	Total N-MeFOSAA	570. > 419	0.00e0	5.53e3	0.125		5.19		0.000				
36	31	L-EtFOSAA	584.1 > 419		7.30e3	0.125		5.23						

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-16.qld

Last Altered: Monday, July 29, 2019 14:55:11 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:55:20 Pacific Daylight Time

Name: 190726M1_16, Date: 26-Jul-2019, Time: 11:06:33, ID: B9G0224-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	84	Total N-EtFOSAA	584.1 > 419	0.00e0	7.30e3	0.125		5.33		0.000				
38	34	PFDS	598.8 > 79.9		2.59e3	0.125		5.29						
39	62	d3-N-MeFOSAA	573.3 > 419	5.53e3	4.28e4	0.125	0.177	5.08	5.07	1.61	72.7265	72.7		
40	62	d3-N-MeFOSAA	573.3 > 419	5.53e3	4.28e4	0.125	0.177	5.08	5.07	1.61	72.7265	72.7		
41	64	d5-N-EtFOSAA	589.3 > 419	7.30e3	4.28e4	0.125	0.224	5.25	5.23	2.13	76.2164	76.2		
42	64	d5-N-EtFOSAA	589.3 > 419	7.30e3	4.28e4	0.125	0.224	5.25	5.23	2.13	76.2164	76.2		
43	59	13C8-PFOS	507.0 > 79.9	4.45e3	5.24e3	0.125	0.997	4.64	4.62	10.6	85.2220	85.2		
44	-1													
45	37	PFDoA	612.9 > 569.0		2.94e4	0.125		5.54						
46	39	PFTrDA	662.9 > 618.9		2.94e4	0.125		5.79						
47	41	PFTeDA	713.0 > 669.0		1.58e4	0.125		6.02						
48	72	13C4-PFBA	217.0 > 172.0	1.66e4	1.66e4	0.125	1.000	1.15	1.13	12.5	100.0000	100.0		
49	65	13C2-PFDoA	614.7 > 569.7	2.94e4	3.71e4	0.125	1.087	5.55	5.54	9.88	72.6979	72.7		
50	65	13C2-PFDoA	614.7 > 569.7	2.94e4	3.71e4	0.125	1.087	5.55	5.54	9.88	72.6979	72.7		
51	67	13C2-PFTeDA	715.1 > 669.7	1.58e4	4.28e4	0.125	0.604	6.03	6.02	4.63	61.2544	61.3		
52	59	13C8-PFOS	507.0 > 79.9	4.45e3	5.24e3	0.125	0.997	4.64	4.62	10.6	85.2220	85.2		
53	54	13C3-PFHxS	401.8 > 79.9	4.76e3	2.46e3	0.125	2.024	3.73	3.71	24.2	95.6427	95.6		
54	-1													
55	78	13C6-PFDA	519.1 > 473.7	3.71e4	3.71e4	0.125	1.000	4.93	4.91	12.5	100.0000	100.0		
56	79	13C7-PFUdA	570.1 > 524.8	4.28e4	4.28e4	0.125	1.000	5.26	5.25	12.5	100.0000	100.0		
57	77	13C4-PFOS	503 > 79.9	5.24e3	5.24e3	0.125	1.000	4.64	4.62	12.5	100.0000	100.0		
58	76	13C9-PFNA	472.2 > 426.9	2.82e4	2.82e4	0.125	1.000	4.55	4.53	12.5	100.0000	100.0		
59	73	13C5-PFHxA	318.0 > 272.9	3.21e4	3.21e4	0.125	1.000	2.95	2.94	12.5	100.0000	100.0		


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-16.qld

Last Altered: Monday, July 29, 2019 14:55:11 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:55:20 Pacific Daylight Time


Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_16, Date: 26-Jul-2019, Time: 11:06:33, ID: B9G0224-BLK1 Method Blank 0.125, Description: Method Blank


PFBA




PFPeA




PFBS




PFHxA




PFHpA




13C3-PFBA




13C3-PFPeA




13C3-PFBS



13C2-PFHxA



13C4-PFHpA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-16.qld

Last Altered: Monday, July 29, 2019 14:55:11 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:55:20 Pacific Daylight Time


Name: 190726M1_16, Date: 26-Jul-2019, Time: 11:06:33, ID: B9G0224-BLK1 Method Blank 0.125, Description: Method Blank


L-PFHxS







Total PFHxS







L-PFOA







Total PFOA






PFOSA







18O2-PFHxS




18O2-PFHxS




13C2-PFOA



13C2-PFOA



13C8-PFOSA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-16.qld

Last Altered: Monday, July 29, 2019 14:55:11 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:55:20 Pacific Daylight Time


Name: 190726M1_16, Date: 26-Jul-2019, Time: 11:06:33, ID: B9G0224-BLK1 Method Blank 0.125, Description: Method Blank


PFNA







L-PFOS







Total PFOS







PFDA






PFUdA







13C5-PFNA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-PFUdA




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-16.qld


Last Altered: Monday, July 29, 2019 14:55:11 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:55:20 Pacific Daylight Time

Name: 190726M1_16, Date: 26-Jul-2019, Time: 11:06:33, ID: B9G0224-BLK1 Method Blank 0.125, Description: Method Blank


L-MeFOSAA




Total N-MeFOSAA




L-EtFOSAA




Total N-EtFOSAA




PFDS




d3-N-MeFOSAA




d3-N-MeFOSAA




d5-N-EtFOSAA



d5-N-EtFOSAA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-16.qld


Last Altered: Monday, July 29, 2019 14:55:11 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:55:20 Pacific Daylight Time

Name: 190726M1_16, Date: 26-Jul-2019, Time: 11:06:33, ID: B9G0224-BLK1 Method Blank 0.125, Description: Method Blank


PFDoA




PFTrDA




PFTeDA




13C4-PFBA




13C2-PFDoA




13C2-PFDoA




13C2-PFTeDA



13C8-PFOS



13C3-PFHxS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-16.qld


Last Altered: Monday, July 29, 2019 14:55:11 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:55:20 Pacific Daylight Time

Name: 190726M1_16, Date: 26-Jul-2019, Time: 11:06:33, ID: B9G0224-BLK1 Method Blank 0.125, Description: Method Blank


13C6-PFDA




13C7-PFUdA




13C4-PFOS



13C9-PFNA



13C5-PFHxA



Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-14.qld

Last Altered: Monday, July 29, 2019 14:47:26 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:48:04 Pacific Daylight Time

Name: 190726M1_14, Date: 26-Jul-2019, Time: 10:45:21, ID: B9G0224-BS1 OPR 0.125, Description: OPR

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	1.21e4	1.24e4	0.125		1.13	1.13	12.2	78.5510	98.2		
2	4	PFPeA	263.1 > 218.9	1.10e4	1.58e4	0.125		2.11	2.11	8.72	75.4290	94.3		
3	5	PFBS	299.0 > 79.7	4.05e3	2.36e3	0.125		2.41	2.41	21.4	75.4680	94.3	2.952	NO
4	7	PFHxA	313.0 > 269.0	2.20e4	1.28e4	0.125		2.94	2.93	8.60	77.9123	97.4	14.963	NO
5	11	PFHpA	363.0 > 318.9	1.50e4	1.53e4	0.125		3.55	3.55	12.3	76.0142	95.0	9.936	NO
6	47	13C3-PFBA	216.1 > 171.8	1.24e4	1.75e4	0.125	0.734	1.15	1.13	8.83	96.2623	96.3		
7	48	13C3-PFPeA	266.0 > 221.8	1.58e4	3.48e4	0.125	0.498	2.14	2.11	5.67	91.0147	91.0		
8	49	13C3-PFBS	302.0 > 98.8	2.36e3	2.21e3	0.125	1.058	2.44	2.41	13.4	101.1206	101.1		
9	52	13C2-PFHxA	315.0 > 270.0	1.28e4	3.48e4	0.125	0.978	2.95	2.94	4.58	37.5058	93.8		
10	53	13C4-PFHpA	367.2 > 321.8	1.53e4	3.48e4	0.125	0.479	3.57	3.55	5.48	91.6542	91.7		
11	-1													
12	13	L-PFHxS	398.9 > 79.6	3.59e3	4.59e3	0.125		3.71	3.71	9.78	85.7948	107.2	2.246	NO
13	80	Total PFHxS	398.9 > 79.6	3.59e3	4.59e3	0.125		3.83		9.78	85.7948			
14	16	L-PFOA	412.8 > 368.9	2.93e4	2.50e4	0.125		4.08	4.08	14.6	77.7765	97.2	3.957	NO
15	81	Total PFOA	412.8 > 368.9	2.93e4	2.50e4	0.125		4.21		14.6	77.7765			
16	22	PFOSA	497.9 > 77.9	3.32e3	3.65e3	0.125		4.59	4.59	11.4	89.2150	111.5	29.789	NO
17	74	18O2-PFHxS	403.0 > 102.6	2.21e3	2.21e3	0.125	1.000	3.73	3.71	12.5	100.0000	100.0		
18	74	18O2-PFHxS	403.0 > 102.6	2.21e3	2.21e3	0.125	1.000	3.73	3.71	12.5	100.0000	100.0		
19	58	13C2-PFOA	414.9 > 369.7	2.50e4	4.38e4	0.125	0.681	4.11	4.08	7.14	83.8273	83.8		
20	58	13C2-PFOA	414.9 > 369.7	2.50e4	4.38e4	0.125	0.681	4.11	4.08	7.14	83.8273	83.8		
21	57	13C8-PFOSA	506.1 > 77.7	3.65e3	4.88e4	0.125	0.168	4.61	4.59	0.935	44.6482	44.6		
22	-1													
23	21	PFNA	463.0 > 418.8	2.21e4	2.39e4	0.125		4.53	4.53	11.5	80.0529	100.1	4.036	NO
24	23	L-PFOS	498.9 > 79.9	3.82e3	4.74e3	0.125		4.62	4.62	10.1	75.5216	94.4	1.908	NO
25	82	Total PFOS	498.9 > 79.9	3.82e3	4.74e3	0.125		4.74		10.1	75.5216			
26	26	PFDA	513 > 468.8	2.46e4	2.34e4	0.125		4.91	4.91	13.2	81.7353	102.2	5.434	NO
27	33	PFUdA	563.0 > 518.9	2.39e4	3.30e4	0.125		5.25	5.25	9.04	79.0650	98.8	8.900	NO
28	56	13C5-PFNA	468.2 > 422.9	2.39e4	3.05e4	0.125	1.002	4.55	4.53	9.82	78.4239	78.4		
29	59	13C8-PFOS	507.0 > 79.9	4.74e3	5.68e3	0.125	0.997	4.64	4.62	10.4	83.8308	83.8		
30	59	13C8-PFOS	507.0 > 79.9	4.74e3	5.68e3	0.125	0.997	4.64	4.62	10.4	83.8308	83.8		
31	60	13C2-PFDA	515.1 > 469.9	2.34e4	3.93e4	0.125	0.819	4.93	4.91	7.42	72.5091	72.5		
32	63	13C2-PFUdA	565 > 519.8	3.30e4	4.88e4	0.125	0.889	5.26	5.25	8.46	76.1683	76.2		
33	-1													
34	29	L-MeFOSAA	570 > 419	9.57e3	5.37e3	0.125		5.07	5.07	22.3	82.7121	103.4	2.595	NO
35	83	Total N-MeFOSAA	570. > 419	9.57e3	5.37e3	0.125		5.19		22.3	82.7121			
36	31	L-EtFOSAA	584.1 > 419	7.55e3	7.03e3	0.125		5.23	5.23	13.4	85.9419	107.4	1.439	NO

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-14.qld

Last Altered: Monday, July 29, 2019 14:47:26 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:48:04 Pacific Daylight Time

Name: 190726M1_14, Date: 26-Jul-2019, Time: 10:45:21, ID: B9G0224-BS1 OPR 0.125, Description: OPR

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	84	Total N-EtFOSAA	584.1 > 419	7.55e3	7.03e3	0.125		5.33		13.4	85.9419			
38	34	PFDS	598.8 > 79.9	3.30e3	2.58e3	0.125		5.29	5.30	16.0	75.4246	94.3	1.718	NO
39	62	d3-N-MeFOSAA	573.3 > 419	5.37e3	4.88e4	0.125	0.177	5.08	5.07	1.37	61.9617	62.0		
40	62	d3-N-MeFOSAA	573.3 > 419	5.37e3	4.88e4	0.125	0.177	5.08	5.07	1.37	61.9617	62.0		
41	64	d5-N-EtFOSAA	589.3 > 419	7.03e3	4.88e4	0.125	0.224	5.25	5.23	1.80	64.3649	64.4		
42	64	d5-N-EtFOSAA	589.3 > 419	7.03e3	4.88e4	0.125	0.224	5.25	5.23	1.80	64.3649	64.4		
43	59	13C8-PFOS	507.0 > 79.9	4.74e3	5.68e3	0.125	0.997	4.64	4.62	10.4	83.8308	83.8		
44	-1													
45	37	PFDoA	612.9 > 569.0	2.51e4	2.96e4	0.125		5.54	5.54	10.6	79.2904	99.1	8.695	NO
46	39	PFTrDA	662.9 > 618.9	2.28e4	2.96e4	0.125		5.79	5.79	9.63	67.3890	84.2	21.775	NO
47	41	PFTeDA	713.0 > 669.0	1.81e4	1.54e4	0.125		6.01	6.01	14.7	77.5567	96.9	13.632	NO
48	72	13C4-PFBA	217.0 > 172.0	1.75e4	1.75e4	0.125	1.000	1.15	1.13	12.5	100.0000	100.0		
49	65	13C2-PFDoA	614.7 > 569.7	2.96e4	3.93e4	0.125	1.087	5.55	5.54	9.40	69.1473	69.1		
50	65	13C2-PFDoA	614.7 > 569.7	2.96e4	3.93e4	0.125	1.087	5.55	5.54	9.40	69.1473	69.1		
51	67	13C2-PFTeDA	715.1 > 669.7	1.54e4	4.88e4	0.125	0.604	6.03	6.01	3.95	52.2612	52.3		
52	59	13C8-PFOS	507.0 > 79.9	4.74e3	5.68e3	0.125	0.997	4.64	4.62	10.4	83.8308	83.8		
53	54	13C3-PFHxS	401.8 > 79.9	4.59e3	2.21e3	0.125	2.024	3.73	3.71	26.0	102.6485	102.6		
54	-1													
55	78	13C6-PFDA	519.1 > 473.7	3.93e4	3.93e4	0.125	1.000	4.93	4.91	12.5	100.0000	100.0		
56	79	13C7-PFUdA	570.1 > 524.8	4.88e4	4.88e4	0.125	1.000	5.26	5.25	12.5	100.0000	100.0		
57	77	13C4-PFOS	503 > 79.9	5.68e3	5.68e3	0.125	1.000	4.64	4.62	12.5	100.0000	100.0		
58	76	13C9-PFNA	472.2 > 426.9	3.05e4	3.05e4	0.125	1.000	4.55	4.53	12.5	100.0000	100.0		
59	73	13C5-PFHxA	318.0 > 272.9	3.48e4	3.48e4	0.125	1.000	2.95	2.94	12.5	100.0000	100.0		


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-14.qld

Last Altered: Monday, July 29, 2019 14:47:26 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:48:04 Pacific Daylight Time


Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_14, Date: 26-Jul-2019, Time: 10:45:21, ID: B9G0224-BS1 OPR 0.125, Description: OPR


PFBA




PFPeA




PFBS




PFHxA




PFHpA




13C3-PFBA




13C3-PFPeA




13C3-PFBS



13C2-PFHxA



13C4-PFHpA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-14.qld

Last Altered: Monday, July 29, 2019 14:47:26 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:48:04 Pacific Daylight Time


Name: 190726M1_14, Date: 26-Jul-2019, Time: 10:45:21, ID: B9G0224-BS1 OPR 0.125, Description: OPR


L-PFHxS







Total PFHxS







L-PFOA







Total PFOA






PFOSA







18O2-PFHxS




18O2-PFHxS




13C2-PFOA



13C2-PFOA



13C8-PFOSA




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-14.qld


Last Altered: Monday, July 29, 2019 14:47:26 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:48:04 Pacific Daylight Time

Name: 190726M1_14, Date: 26-Jul-2019, Time: 10:45:21, ID: B9G0224-BS1 OPR 0.125, Description: OPR


PFNA




L-PFOS




Total PFOS




PFDA




PFUdA




13C5-PFNA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-PFUdA




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-14.qld


Last Altered: Monday, July 29, 2019 14:47:26 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:48:04 Pacific Daylight Time

Name: 190726M1_14, Date: 26-Jul-2019, Time: 10:45:21, ID: B9G0224-BS1 OPR 0.125, Description: OPR


L-MeFOSAA




Total N-MeFOSAA




L-EtFOSAA




Total N-EtFOSAA




PFDS




d3-N-MeFOSAA




d3-N-MeFOSAA




d5-N-EtFOSAA



d5-N-EtFOSAA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-14.qld


Last Altered: Monday, July 29, 2019 14:47:26 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:48:04 Pacific Daylight Time

Name: 190726M1_14, Date: 26-Jul-2019, Time: 10:45:21, ID: B9G0224-BS1 OPR 0.125, Description: OPR


PFDoA




PFTrDA




PFTeDA




13C4-PFBA




13C2-PFDoA




13C2-PFDoA




13C2-PFTeDA



13C8-PFOS



13C3-PFHxS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-14.qld


Last Altered: Monday, July 29, 2019 14:47:26 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:48:04 Pacific Daylight Time

Name: 190726M1_14, Date: 26-Jul-2019, Time: 10:45:21, ID: B9G0224-BS1 OPR 0.125, Description: OPR


13C6-PFDA




13C7-PFUdA




13C4-PFOS



13C9-PFNA



13C5-PFHxA



Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-15.qld

Last Altered: Monday, July 29, 2019 14:49:45 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:50:57 Pacific Daylight Time

Name: 190726M1_15, Date: 26-Jul-2019, Time: 10:55:54, ID: B9G0224-BSD1 LCSD 0.125, Description: LCSD

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	1.18e4	1.18e4	0.125		1.13	1.14	12.6	80.7988	101.0		
2	4	PFPeA	263.1 > 218.9	1.05e4	1.48e4	0.125		2.11	2.11	8.86	76.6261	95.8		
3	5	PFBS	299.0 > 79.7	4.08e3	2.24e3	0.125		2.41	2.42	22.7	80.1431	100.2	3.024	NO
4	7	PFHxA	313.0 > 269.0	2.17e4	1.21e4	0.125		2.94	2.93	8.95	81.1001	101.4	16.084	NO
5	11	PFHpA	363.0 > 318.9	1.43e4	1.49e4	0.125		3.55	3.55	12.0	73.9204	92.4	9.397	NO
6	47	13C3-PFBA	216.1 > 171.8	1.18e4	1.57e4	0.125	0.734	1.15	1.13	9.34	101.8903	101.9		
7	48	13C3-PFPeA	266.0 > 221.8	1.48e4	3.14e4	0.125	0.498	2.14	2.11	5.88	94.4636	94.5		
8	49	13C3-PFBS	302.0 > 98.8	2.24e3	2.22e3	0.125	1.058	2.44	2.41	12.6	95.6059	95.6		
9	52	13C2-PFHxA	315.0 > 270.0	1.21e4	3.14e4	0.125	0.978	2.95	2.94	4.82	39.4519	98.6		
10	53	13C4-PFHpA	367.2 > 321.8	1.49e4	3.14e4	0.125	0.479	3.57	3.55	5.93	99.1582	99.2		
11	-1													
12	13	L-PFHxS	398.9 > 79.6	3.24e3	4.34e3	0.125		3.71	3.71	9.34	81.9574	102.4	2.166	NO
13	80	Total PFHxS	398.9 > 79.6	3.24e3	4.34e3	0.125		3.83		9.34	81.9574			
14	16	L-PFOA	412.8 > 368.9	2.73e4	2.37e4	0.125		4.08	4.08	14.4	76.2891	95.4	3.816	NO
15	81	Total PFOA	412.8 > 368.9	2.73e4	2.37e4	0.125		4.21		14.4	76.2891			
16	22	PFOSA	497.9 > 77.9	2.91e3	3.45e3	0.125		4.59	4.59	10.5	82.6630	103.3	29.694	NO
17	74	18O2-PFHxS	403.0 > 102.6	2.22e3	2.22e3	0.125	1.000	3.73	3.71	12.5	100.0000	100.0		
18	74	18O2-PFHxS	403.0 > 102.6	2.22e3	2.22e3	0.125	1.000	3.73	3.71	12.5	100.0000	100.0		
19	58	13C2-PFOA	414.9 > 369.7	2.37e4	4.08e4	0.125	0.681	4.11	4.08	7.28	85.4303	85.4		
20	58	13C2-PFOA	414.9 > 369.7	2.37e4	4.08e4	0.125	0.681	4.11	4.08	7.28	85.4303	85.4		
21	57	13C8-PFOSA	506.1 > 77.7	3.45e3	4.44e4	0.125	0.168	4.61	4.59	0.972	46.4010	46.4		
22	-1													
23	21	PFNA	463.0 > 418.8	2.09e4	2.31e4	0.125		4.53	4.53	11.3	78.5397	98.2	4.266	NO
24	23	L-PFOS	498.9 > 79.9	3.95e3	4.46e3	0.125		4.61	4.62	11.1	83.0738	103.8	2.225	NO
25	82	Total PFOS	498.9 > 79.9	3.95e3	4.46e3	0.125		4.74		11.1	83.0738			
26	26	PFDA	513 > 468.8	2.38e4	2.27e4	0.125		4.91	4.91	13.1	81.4728	101.8	5.304	NO
27	33	PFUdA	563.0 > 518.9	2.28e4	3.11e4	0.125		5.24	5.24	9.14	79.9648	100.0	9.005	NO
28	56	13C5-PFNA	468.2 > 422.9	2.31e4	2.79e4	0.125	1.002	4.55	4.53	10.4	82.8366	82.8		
29	59	13C8-PFOS	507.0 > 79.9	4.46e3	5.21e3	0.125	0.997	4.64	4.61	10.7	85.8452	85.8		
30	59	13C8-PFOS	507.0 > 79.9	4.46e3	5.21e3	0.125	0.997	4.64	4.61	10.7	85.8452	85.8		
31	60	13C2-PFDA	515.1 > 469.9	2.27e4	3.68e4	0.125	0.819	4.93	4.91	7.70	75.2602	75.3		
32	63	13C2-PFUdA	565 > 519.8	3.11e4	4.44e4	0.125	0.889	5.26	5.24	8.77	78.8968	78.9		
33	-1													
34	29	L-MeFOSAA	570 > 419	8.38e3	4.77e3	0.125		5.07	5.07	22.0	81.5113	101.9	2.340	NO
35	83	Total N-MeFOSAA	570. > 419	8.38e3	4.77e3	0.125		5.19		22.0	81.5113			
36	31	L-EtFOSAA	584.1 > 419	6.59e3	6.28e3	0.125		5.23	5.23	13.1	83.9651	105.0	1.404	NO

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-15.qld

Last Altered: Monday, July 29, 2019 14:49:45 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:50:57 Pacific Daylight Time

Name: 190726M1_15, Date: 26-Jul-2019, Time: 10:55:54, ID: B9G0224-BSD1 LCSD 0.125, Description: LCSD

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	84	Total N-EtFOSAA	584.1 > 419	6.59e3	6.28e3	0.125		5.33		13.1	83.9651			
38	34	PFDS	598.8 > 79.9	3.30e3	2.51e3	0.125		5.29	5.30	16.4	77.4170	96.8	1.750	NO
39	62	d3-N-MeFOSAA	573.3 > 419	4.77e3	4.44e4	0.125	0.177	5.08	5.07	1.34	60.5183	60.5		
40	62	d3-N-MeFOSAA	573.3 > 419	4.77e3	4.44e4	0.125	0.177	5.08	5.07	1.34	60.5183	60.5		
41	64	d5-N-EtFOSAA	589.3 > 419	6.28e3	4.44e4	0.125	0.224	5.25	5.23	1.77	63.2442	63.2		
42	64	d5-N-EtFOSAA	589.3 > 419	6.28e3	4.44e4	0.125	0.224	5.25	5.23	1.77	63.2442	63.2		
43	59	13C8-PFOS	507.0 > 79.9	4.46e3	5.21e3	0.125	0.997	4.64	4.61	10.7	85.8452	85.8		
44	-1													
45	37	PFDoA	612.9 > 569.0	2.41e4	2.92e4	0.125		5.54	5.54	10.3	77.2559	96.6	8.277	NO
46	39	PFTrDA	662.9 > 618.9	2.06e4	2.92e4	0.125		5.79	5.79	8.82	61.6463	77.1	20.969	NO
47	41	PFTeDA	713.0 > 669.0	1.72e4	1.42e4	0.125		6.02	6.02	15.1	79.9006	99.9	13.319	NO
48	72	13C4-PFBA	217.0 > 172.0	1.57e4	1.57e4	0.125	1.000	1.15	1.14	12.5	100.0000	100.0		
49	65	13C2-PFDoA	614.7 > 569.7	2.92e4	3.68e4	0.125	1.087	5.55	5.54	9.91	72.8894	72.9		
50	65	13C2-PFDoA	614.7 > 569.7	2.92e4	3.68e4	0.125	1.087	5.55	5.54	9.91	72.8894	72.9		
51	67	13C2-PFTeDA	715.1 > 669.7	1.42e4	4.44e4	0.125	0.604	6.03	6.02	4.01	53.0399	53.0		
52	59	13C8-PFOS	507.0 > 79.9	4.46e3	5.21e3	0.125	0.997	4.64	4.61	10.7	85.8452	85.8		
53	54	13C3-PFHxS	401.8 > 79.9	4.34e3	2.22e3	0.125	2.024	3.73	3.71	24.4	96.5402	96.5		
54	-1													
55	78	13C6-PFDA	519.1 > 473.7	3.68e4	3.68e4	0.125	1.000	4.93	4.91	12.5	100.0000	100.0		
56	79	13C7-PFUdA	570.1 > 524.8	4.44e4	4.44e4	0.125	1.000	5.26	5.25	12.5	100.0000	100.0		
57	77	13C4-PFOS	503 > 79.9	5.21e3	5.21e3	0.125	1.000	4.64	4.62	12.5	100.0000	100.0		
58	76	13C9-PFNA	472.2 > 426.9	2.79e4	2.79e4	0.125	1.000	4.55	4.53	12.5	100.0000	100.0		
59	73	13C5-PFHxA	318.0 > 272.9	3.14e4	3.14e4	0.125	1.000	2.95	2.94	12.5	100.0000	100.0		


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-15.qld

Last Altered: Monday, July 29, 2019 14:49:45 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:50:57 Pacific Daylight Time


Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_15, Date: 26-Jul-2019, Time: 10:55:54, ID: B9G0224-BSD1 LCSD 0.125, Description: LCSD


PFBA




PFPeA




PFBS




PFHxA




PFHpA




13C3-PFBA




13C3-PFPeA




13C3-PFBS



13C2-PFHxA



13C4-PFHpA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-15.qld

Last Altered: Monday, July 29, 2019 14:49:45 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:50:57 Pacific Daylight Time


Name: 190726M1_15, Date: 26-Jul-2019, Time: 10:55:54, ID: B9G0224-BSD1 LCSD 0.125, Description: LCSD


L-PFHxS







Total PFHxS







L-PFOA







Total PFOA






PFOSA







18O2-PFHxS




18O2-PFHxS




13C2-PFOA



13C2-PFOA



13C8-PFOSA




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-15.qld


Last Altered: Monday, July 29, 2019 14:49:45 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:50:57 Pacific Daylight Time

Name: 190726M1_15, Date: 26-Jul-2019, Time: 10:55:54, ID: B9G0224-BSD1 LCSD 0.125, Description: LCSD


PFNA




L-PFOS




Total PFOS




PFDA




PFUdA




13C5-PFNA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-PFUdA




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-15.qld


Last Altered: Monday, July 29, 2019 14:49:45 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:50:57 Pacific Daylight Time

Name: 190726M1_15, Date: 26-Jul-2019, Time: 10:55:54, ID: B9G0224-BSD1 LCSD 0.125, Description: LCSD


L-MeFOSAA




Total N-MeFOSAA




L-EtFOSAA




Total N-EtFOSAA




PFDS




d3-N-MeFOSAA




d3-N-MeFOSAA




d5-N-EtFOSAA



d5-N-EtFOSAA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-15.qld


Last Altered: Monday, July 29, 2019 14:49:45 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:50:57 Pacific Daylight Time

Name: 190726M1_15, Date: 26-Jul-2019, Time: 10:55:54, ID: B9G0224-BSD1 LCSD 0.125, Description: LCSD


PFDoA




PFTrDA




PFTeDA




13C4-PFBA




13C2-PFDoA




13C2-PFDoA




13C2-PFTeDA



13C8-PFOS



13C3-PFHxS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-15.qld


Last Altered: Monday, July 29, 2019 14:49:45 Pacific Daylight Time
Printed: Monday, July 29, 2019 14:50:57 Pacific Daylight Time

Name: 190726M1_15, Date: 26-Jul-2019, Time: 10:55:54, ID: B9G0224-BSD1 LCSD 0.125, Description: LCSD


13C6-PFDA




13C7-PFUdA




13C4-PFOS



13C9-PFNA



13C5-PFHxA



Vista Analytical Laboratory L14

Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-48.qld

Last Altered: Monday, August 05, 2019 08:41:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:41:51 Pacific Daylight Time

Name: 190728M1_48, Date: 28-Jul-2019, Time: 23:25:15, ID: B9G0251-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		1.47e3	0.125		2.37						
2	7	PFHxA	313.0 > 269.0		5.70e3	0.125		2.89						
3	11	PFHpA	363.0 > 318.9		7.60e3	0.125		3.52						
4	13	L-PFHxS	398.9 > 79.6		2.68e3	0.125		3.68						
5	80	Total PFHxS	398.9 > 79.6	0.00e0	2.68e3	0.125		3.83		0.000				
6	49	13C3-PFBS	302.0 > 98.8	1.47e3	1.40e3	0.125	1.119	2.37	2.37	13.1	93.6355	93.6		
7	52	13C2-PFHxA	315.0 > 270.0	5.70e3	1.57e4	0.125	0.977	2.89	2.89	4.54	37.1737	92.9		
8	53	13C4-PFHpA	367.2 > 321.8	7.60e3	1.57e4	0.125	0.453	3.51	3.52	6.04	106.8201	106.8		
9	54	13C3-PFHxS	401.8 > 79.9	2.68e3	1.40e3	0.125	2.067	3.67	3.68	23.9	92.3409	92.3		
10	54	13C3-PFHxS	401.8 > 79.9	2.68e3	1.40e3	0.125	2.067	3.67	3.68	23.9	92.3409	92.3		
11	-1													
12	16	L-PFOA	412.8 > 368.9		1.29e4	0.125		4.05						
13	81	Total PFOA	412.8 > 368.9	0.00e0	1.29e4	0.125		4.21		0.000				
14	21	PFNA	463.0 > 418.8		1.24e4	0.125		4.50						
15	23	L-PFOS	498.9 > 79.9		3.22e3	0.125		4.60						
16	82	Total PFOS	498.9 > 79.9	0.00e0	3.22e3	0.125		4.74		0.000				
17	58	13C2-PFOA	414.9 > 369.7	1.29e4	2.13e4	0.125	0.680	4.05	4.05	7.56	88.9600	89.0		
18	58	13C2-PFOA	414.9 > 369.7	1.29e4	2.13e4	0.125	0.680	4.05	4.05	7.56	88.9600	89.0		
19	56	13C5-PFNA	468.2 > 422.9	1.24e4	1.60e4	0.125	0.993	4.50	4.50	9.69	78.0975	78.1		
20	59	13C8-PFOS	507.0 > 79.9	3.22e3	3.34e3	0.125	0.975	4.59	4.60	12.1	99.0401	99.0		
21	59	13C8-PFOS	507.0 > 79.9	3.22e3	3.34e3	0.125	0.975	4.59	4.60	12.1	99.0401	99.0		
22	-1													
23	26	PFDA	513 > 468.8		1.22e4	0.125		4.89						
24	29	L-MeFOSAA	570 > 419		3.75e3	0.125		5.05						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	3.75e3	0.125		5.19		0.000				
26	33	PFUdA	563.0 > 518.9		1.64e4	0.125		5.23						
27	37	PFDoA	612.9 > 569.0		1.76e4	0.125		5.52						
28	60	13C2-PFDA	515.1 > 469.9	1.22e4	2.19e4	0.125	0.824	4.89	4.89	6.95	67.4924	67.5		
29	62	d3-N-MeFOSAA	573.3 > 419	3.75e3	2.71e4	0.125	0.179	5.05	5.05	1.73	77.2106	77.2		
30	62	d3-N-MeFOSAA	573.3 > 419	3.75e3	2.71e4	0.125	0.179	5.05	5.05	1.73	77.2106	77.2		
31	63	13C2-PFUdA	565 > 519.8	1.64e4	2.71e4	0.125	0.891	5.23	5.23	7.55	67.7705	67.8		
32	65	13C2-PFDoA	614.7 > 569.7	1.76e4	2.19e4	0.125	1.044	5.52	5.52	10.1	77.2046	77.2		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		4.48e3	0.125		5.21						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	4.48e3	0.125		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.76e4	0.125		5.77						

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-48.qld

Last Altered: Monday, August 05, 2019 08:41:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:41:51 Pacific Daylight Time

Name: 190728M1_48, Date: 28-Jul-2019, Time: 23:25:15, ID: B9G0251-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	2.48e1	1.14e4	0.125		6.00	6.01	0.0272			12.302	NO
38	85	TDCA	498.3>106.9			0.125		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	4.48e3	2.71e4	0.125	0.222	5.21	5.21	2.06	74.3474	74.3		
40	64	d5-N-EtFOSAA	589.3 > 419	4.48e3	2.71e4	0.125	0.222	5.21	5.21	2.06	74.3474	74.3		
41	65	13C2-PFDoA	614.7 > 569.7	1.76e4	2.19e4	0.125	1.044	5.52	5.52	10.1	77.2046	77.2		
42	67	13C2-PFTeDA	715.1 > 669.7	1.14e4	2.71e4	0.125	0.635	6.00	6.00	5.26	66.2253	66.2		
43	59	13C8-PFOS	507.0 > 79.9	3.22e3	3.34e3	0.125	0.975	4.59	4.60	12.1	99.0401	99.0		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.57e4	1.57e4	0.125	1.000	2.89	2.89	12.5	100.0000	100.0		
46	75	13C8-PFOA	420.9 > 376.0	2.13e4	2.13e4	0.125	1.000	4.05	4.05	12.5	100.0000	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.40e3	1.40e3	0.125	1.000	3.67	3.68	12.5	100.0000	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.60e4	1.60e4	0.125	1.000	4.50	4.50	12.5	100.0000	100.0		
49	77	13C4-PFOS	503 > 79.9	3.34e3	3.34e3	0.125	1.000	4.59	4.60	12.5	100.0000	100.0		
50	78	13C6-PFDA	519.1 > 473.7	2.19e4	2.19e4	0.125	1.000	4.89	4.89	12.5	100.0000	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	2.71e4	2.71e4	0.125	1.000	5.23	5.22	12.5	100.0000	100.0		

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-48.qld


Last Altered: Monday, August 05, 2019 08:41:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:41:51 Pacific Daylight Time

Method: M:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 29 Jul 2019 11:56:31
Calibration: M:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16


Name: 190728M1_48, Date: 28-Jul-2019, Time: 23:25:15, ID: B9G0251-BLK1 Method Blank 0.125, Description: Method Blank


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



NY 8/5/2019

Vista Analytical Laboratory L14


Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-48.qld

Last Altered: Monday, August 05, 2019 08:41:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:41:51 Pacific Daylight Time


Name: 190728M1_48, Date: 28-Jul-2019, Time: 23:25:15, ID: B9G0251-BLK1 Method Blank 0.125, Description: Method Blank


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



NY 8/5/2019


Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-48.qld

Last Altered: Monday, August 05, 2019 08:41:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:41:51 Pacific Daylight Time


Name: 190728M1_48, Date: 28-Jul-2019, Time: 23:25:15, ID: B9G0251-BLK1 Method Blank 0.125, Description: Method Blank


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



NY 8/5/2019


Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-48.qld


Last Altered: Monday, August 05, 2019 08:41:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:41:51 Pacific Daylight Time

Name: 190728M1_48, Date: 28-Jul-2019, Time: 23:25:15, ID: B9G0251-BLK1 Method Blank 0.125, Description: Method Blank


L-EtFOSAA




Total N-EtFOSAA




PFTrDA




PFTeDA




TDCA




d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



NY 8/5/2019


Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-48.qld


Last Altered: Monday, August 05, 2019 08:41:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:41:51 Pacific Daylight Time

Name: 190728M1_48, Date: 28-Jul-2019, Time: 23:25:15, ID: B9G0251-BLK1 Method Blank 0.125, Description: Method Blank


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-46.qld

Last Altered: Monday, August 05, 2019 07:51:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 07:56:16 Pacific Daylight Time

Name: 190728M1_46, Date: 28-Jul-2019, Time: 23:04:04, ID: B9G0251-BS1 OPR 0.125, Description: OPR

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	2.84e3	1.53e3	0.125		2.37	2.37	23.1	82.9870	103.7	3.045	NO
2	7	PFHxA	313.0 > 269.0	1.55e4	7.77e3	0.125		2.89	2.90	9.95	89.4333	111.8	14.435	NO
3	11	PFHpA	363.0 > 318.9	9.97e3	8.96e3	0.125		3.52	3.52	13.9	88.2905	110.4	9.679	NO
4	13	L-PFHxS	398.9 > 79.6	2.39e3	2.73e3	0.125		3.68	3.68	10.9	90.7395	113.4	2.224	NO
5	80	Total PFHxS	398.9 > 79.6	2.39e3	2.73e3	0.125		3.83		10.9	90.7395			
6	49	13C3-PFBS	302.0 > 98.8	1.53e3	1.41e3	0.125	1.119	2.37	2.37	13.6	96.9164	96.9		
7	52	13C2-PFHxA	315.0 > 270.0	7.77e3	2.10e4	0.125	0.977	2.89	2.89	4.62	37.8459	94.6		
8	53	13C4-PFHpA	367.2 > 321.8	8.96e3	2.10e4	0.125	0.453	3.51	3.52	5.33	94.1409	94.1		
9	54	13C3-PFHxS	401.8 > 79.9	2.73e3	1.41e3	0.125	2.067	3.67	3.68	24.2	93.5385	93.5		
10	54	13C3-PFHxS	401.8 > 79.9	2.73e3	1.41e3	0.125	2.067	3.67	3.68	24.2	93.5385	93.5		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.90e4	1.51e4	0.125		4.05	4.05	15.8	87.8349	109.8	3.645	NO
13	81	Total PFOA	412.8 > 368.9	1.90e4	1.51e4	0.125		4.21		15.8	87.8349			
14	21	PFNA	463.0 > 418.8	1.53e4	1.49e4	0.125		4.50	4.50	12.8	86.7167	108.4	4.010	NO
15	23	L-PFOS	498.9 > 79.9	2.69e3	2.99e3	0.125		4.60	4.60	11.3	82.9512	103.7	2.040	NO
16	82	Total PFOS	498.9 > 79.9	2.69e3	2.99e3	0.125		4.74		11.3	82.9512			
17	58	13C2-PFOA	414.9 > 369.7	1.51e4	2.47e4	0.125	0.680	4.05	4.05	7.64	89.8683	89.9		
18	58	13C2-PFOA	414.9 > 369.7	1.51e4	2.47e4	0.125	0.680	4.05	4.05	7.64	89.8683	89.9		
19	56	13C5-PFNA	468.2 > 422.9	1.49e4	1.75e4	0.125	0.993	4.50	4.50	10.7	86.2377	86.2		
20	59	13C8-PFOS	507.0 > 79.9	2.99e3	3.43e3	0.125	0.975	4.59	4.60	10.9	89.3712	89.4		
21	59	13C8-PFOS	507.0 > 79.9	2.99e3	3.43e3	0.125	0.975	4.59	4.60	10.9	89.3712	89.4		
22	-1													
23	26	PFDA	513 > 468.8	1.53e4	1.41e4	0.125		4.89	4.89	13.5	85.9108	107.4	5.250	NO
24	29	L-MeFOSAA	570 > 419	6.74e3	3.69e3	0.125		5.05	5.05	22.8	90.6795	113.3	2.321	NO
25	83	Total N-MeFOSAA	570. > 419	6.74e3	3.69e3	0.125		5.19		22.8	90.6795			
26	33	PFUdA	563.0 > 518.9	1.57e4	1.94e4	0.125		5.23	5.23	10.1	87.4096	109.3	8.769	NO
27	37	PFDoA	612.9 > 569.0	1.74e4	1.87e4	0.125		5.52	5.52	11.7	84.9225	106.2	8.304	NO
28	60	13C2-PFDA	515.1 > 469.9	1.41e4	2.34e4	0.125	0.824	4.89	4.89	7.56	73.3476	73.3		
29	62	d3-N-MeFOSAA	573.3 > 419	3.69e3	2.75e4	0.125	0.179	5.05	5.05	1.68	75.0089	75.0		
30	62	d3-N-MeFOSAA	573.3 > 419	3.69e3	2.75e4	0.125	0.179	5.05	5.05	1.68	75.0089	75.0		
31	63	13C2-PFUdA	565 > 519.8	1.94e4	2.75e4	0.125	0.891	5.23	5.23	8.81	79.1364	79.1		
32	65	13C2-PFDoA	614.7 > 569.7	1.87e4	2.34e4	0.125	1.044	5.52	5.52	9.97	76.4288	76.4		
33	-1													
34	31	L-EtFOSAA	584.1 > 419	5.45e3	5.00e3	0.125		5.21	5.22	13.6	89.3446	111.7	1.421	NO
35	84	Total N-EtFOSAA	584.1 > 419	5.45e3	5.00e3	0.125		5.33		13.6	89.3446			
36	39	PFTrDA	662.9 > 618.9	1.64e4	1.87e4	0.125		5.78	5.78	11.0	74.3397	92.9	20.729	NO

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-46.qld

Last Altered: Monday, August 05, 2019 07:51:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 07:56:16 Pacific Daylight Time

Name: 190728M1_46, Date: 28-Jul-2019, Time: 23:04:04, ID: B9G0251-BS1 OPR 0.125, Description: OPR

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	1.34e4	1.07e4	0.125		6.00	6.00	15.7	86.8180	108.5	13.358	NO
38	85	TDCA	498.3>106.9			0.125		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	5.00e3	2.75e4	0.125	0.222	5.21	5.21	2.27	81.9307	81.9		
40	64	d5-N-EtFOSAA	589.3 > 419	5.00e3	2.75e4	0.125	0.222	5.21	5.21	2.27	81.9307	81.9		
41	65	13C2-PFDoA	614.7 > 569.7	1.87e4	2.34e4	0.125	1.044	5.52	5.52	9.97	76.4288	76.4		
42	67	13C2-PFTeDA	715.1 > 669.7	1.07e4	2.75e4	0.125	0.635	6.00	6.00	4.86	61.1345	61.1		
43	59	13C8-PFOS	507.0 > 79.9	2.99e3	3.43e3	0.125	0.975	4.59	4.60	10.9	89.3712	89.4		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.10e4	2.10e4	0.125	1.000	2.89	2.89	12.5	100.0000	100.0		
46	75	13C8-PFOA	420.9 > 376.0	2.47e4	2.47e4	0.125	1.000	4.05	4.05	12.5	100.0000	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.41e3	1.41e3	0.125	1.000	3.67	3.68	12.5	100.0000	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.75e4	1.75e4	0.125	1.000	4.50	4.50	12.5	100.0000	100.0		
49	77	13C4-PFOS	503 > 79.9	3.43e3	3.43e3	0.125	1.000	4.59	4.60	12.5	100.0000	100.0		
50	78	13C6-PFDA	519.1 > 473.7	2.34e4	2.34e4	0.125	1.000	4.89	4.89	12.5	100.0000	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	2.75e4	2.75e4	0.125	1.000	5.23	5.23	12.5	100.0000	100.0		

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-46.qld


Last Altered: Monday, August 05, 2019 07:51:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 07:56:16 Pacific Daylight Time

Method: M:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 29 Jul 2019 11:56:31
Calibration: M:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16


Name: 190728M1_46, Date: 28-Jul-2019, Time: 23:04:04, ID: B9G0251-BS1 OPR 0.125, Description: OPR


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



 NY 8/5/2019


Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-46.qld

Last Altered: Monday, August 05, 2019 07:51:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 07:56:16 Pacific Daylight Time


Name: 190728M1_46, Date: 28-Jul-2019, Time: 23:04:04, ID: B9G0251-BS1 OPR 0.125, Description: OPR


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



NY 8/5/2019


Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-46.qld

Last Altered: Monday, August 05, 2019 07:51:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 07:56:16 Pacific Daylight Time


Name: 190728M1_46, Date: 28-Jul-2019, Time: 23:04:04, ID: B9G0251-BS1 OPR 0.125, Description: OPR


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



NY 8/5/2019


Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-46.qld

Last Altered: Monday, August 05, 2019 07:51:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 07:56:16 Pacific Daylight Time


Name: 190728M1_46, Date: 28-Jul-2019, Time: 23:04:04, ID: B9G0251-BS1 OPR 0.125, Description: OPR


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



NY 8/5/2019


Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-46.qld


Last Altered: Monday, August 05, 2019 07:51:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 07:56:16 Pacific Daylight Time

Name: 190728M1_46, Date: 28-Jul-2019, Time: 23:04:04, ID: B9G0251-BS1 OPR 0.125, Description: OPR


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-47.qld

Last Altered: Monday, August 05, 2019 08:04:40 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:10:26 Pacific Daylight Time

Name: 190728M1_47, Date: 28-Jul-2019, Time: 23:14:36, ID: B9G0251-BSD1 LCSD 0.125, Description: LCSD

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	2.42e3	1.33e3	0.125		2.37	2.37	22.7	81.3982	101.7	3.206	NO
2	7	PFHxA	313.0 > 269.0	1.36e4	6.88e3	0.125		2.90	2.90	9.87	88.6796	110.8	16.201	NO
3	11	PFHpA	363.0 > 318.9	8.51e3	7.74e3	0.125		3.52	3.52	13.7	87.2226	109.0	9.971	NO
4	13	L-PFHxS	398.9 > 79.6	1.98e3	2.24e3	0.125		3.67	3.68	11.0	91.8038	114.8	2.343	NO
5	80	Total PFHxS	398.9 > 79.6	1.98e3	2.24e3	0.125		3.83		11.0	91.8038			
6	49	13C3-PFBS	302.0 > 98.8	1.33e3	1.31e3	0.125	1.119	2.37	2.37	12.7	90.8268	90.8		
7	52	13C2-PFHxA	315.0 > 270.0	6.88e3	1.92e4	0.125	0.977	2.89	2.90	4.47	36.6382	91.6		
8	53	13C4-PFHpA	367.2 > 321.8	7.74e3	1.92e4	0.125	0.453	3.51	3.52	5.03	88.8423	88.8		
9	54	13C3-PFHxS	401.8 > 79.9	2.24e3	1.31e3	0.125	2.067	3.67	3.67	21.4	82.7478	82.7		
10	54	13C3-PFHxS	401.8 > 79.9	2.24e3	1.31e3	0.125	2.067	3.67	3.67	21.4	82.7478	82.7		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.66e4	1.28e4	0.125		4.05	4.05	16.2	90.3417	112.9	3.896	NO
13	81	Total PFOA	412.8 > 368.9	1.66e4	1.28e4	0.125		4.21		16.2	90.3417			
14	21	PFNA	463.0 > 418.8	1.20e4	1.18e4	0.125		4.50	4.50	12.7	86.4609	108.1	3.978	NO
15	23	L-PFOS	498.9 > 79.9	2.30e3	2.58e3	0.125		4.60	4.60	11.1	81.9680	102.5	2.114	NO
16	82	Total PFOS	498.9 > 79.9	2.30e3	2.58e3	0.125		4.74		11.1	81.9680			
17	58	13C2-PFOA	414.9 > 369.7	1.28e4	2.27e4	0.125	0.680	4.05	4.05	7.06	83.1024	83.1		
18	58	13C2-PFOA	414.9 > 369.7	1.28e4	2.27e4	0.125	0.680	4.05	4.05	7.06	83.1024	83.1		
19	56	13C5-PFNA	468.2 > 422.9	1.18e4	1.70e4	0.125	0.993	4.50	4.50	8.68	69.9623	70.0		
20	59	13C8-PFOS	507.0 > 79.9	2.58e3	3.07e3	0.125	0.975	4.59	4.60	10.5	86.2286	86.2		
21	59	13C8-PFOS	507.0 > 79.9	2.58e3	3.07e3	0.125	0.975	4.59	4.60	10.5	86.2286	86.2		
22	-1													
23	26	PFDA	513 > 468.8	1.33e4	1.14e4	0.125		4.89	4.89	14.6	92.8374	116.0	5.660	NO
24	29	L-MeFOSAA	570 > 419	5.78e3	3.25e3	0.125		5.05	5.05	22.2	88.3465	110.4	2.260	NO
25	83	Total N-MeFOSAA	570. > 419	5.78e3	3.25e3	0.125		5.19		22.2	88.3465			
26	33	PFUdA	563.0 > 518.9	1.37e4	1.68e4	0.125		5.23	5.23	10.2	87.9415	109.9	9.166	NO
27	37	PFDoA	612.9 > 569.0	1.48e4	1.59e4	0.125		5.52	5.52	11.6	84.6051	105.8	8.687	NO
28	60	13C2-PFDA	515.1 > 469.9	1.14e4	2.23e4	0.125	0.824	4.89	4.89	6.40	62.1006	62.1		
29	62	d3-N-MeFOSAA	573.3 > 419	3.25e3	2.71e4	0.125	0.179	5.05	5.05	1.50	66.8631	66.9		
30	62	d3-N-MeFOSAA	573.3 > 419	3.25e3	2.71e4	0.125	0.179	5.05	5.05	1.50	66.8631	66.9		
31	63	13C2-PFUdA	565 > 519.8	1.68e4	2.71e4	0.125	0.891	5.23	5.23	7.75	69.5825	69.6		
32	65	13C2-PFDoA	614.7 > 569.7	1.59e4	2.23e4	0.125	1.044	5.52	5.52	8.94	68.4707	68.5		
33	-1													
34	31	L-EtFOSAA	584.1 > 419	4.67e3	4.07e3	0.125		5.21	5.22	14.3	93.8544	117.3	1.434	NO
35	84	Total N-EtFOSAA	584.1 > 419	4.67e3	4.07e3	0.125		5.33		14.3	93.8544			
36	39	PFTrDA	662.9 > 618.9	1.29e4	1.59e4	0.125		5.78	5.78	10.1	68.3055	85.4	19.454	NO

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-47.qld

Last Altered: Monday, August 05, 2019 08:04:40 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:10:26 Pacific Daylight Time

Name: 190728M1_47, Date: 28-Jul-2019, Time: 23:14:36, ID: B9G0251-BSD1 LCSD 0.125, Description: LCSD

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	1.05e4	7.98e3	0.125		6.01	6.01	16.4	90.3378	112.9	15.499	NO
38	85	TDCA	498.3>106.9			0.125		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	4.07e3	2.71e4	0.125	0.222	5.21	5.21	1.88	67.7429	67.7		
40	64	d5-N-EtFOSAA	589.3 > 419	4.07e3	2.71e4	0.125	0.222	5.21	5.21	1.88	67.7429	67.7		
41	65	13C2-PFDoA	614.7 > 569.7	1.59e4	2.23e4	0.125	1.044	5.52	5.52	8.94	68.4707	68.5		
42	67	13C2-PFTeDA	715.1 > 669.7	7.98e3	2.71e4	0.125	0.635	6.00	6.01	3.68	46.3561	46.4		
43	59	13C8-PFOS	507.0 > 79.9	2.58e3	3.07e3	0.125	0.975	4.59	4.60	10.5	86.2286	86.2		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.92e4	1.92e4	0.125	1.000	2.89	2.89	12.5	100.0000	100.0		
46	75	13C8-PFOA	420.9 > 376.0	2.27e4	2.27e4	0.125	1.000	4.05	4.05	12.5	100.0000	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.31e3	1.31e3	0.125	1.000	3.67	3.67	12.5	100.0000	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.70e4	1.70e4	0.125	1.000	4.50	4.50	12.5	100.0000	100.0		
49	77	13C4-PFOS	503 > 79.9	3.07e3	3.07e3	0.125	1.000	4.59	4.60	12.5	100.0000	100.0		
50	78	13C6-PFDA	519.1 > 473.7	2.23e4	2.23e4	0.125	1.000	4.89	4.89	12.5	100.0000	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	2.71e4	2.71e4	0.125	1.000	5.23	5.23	12.5	100.0000	100.0		

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-47.qld


Last Altered: Monday, August 05, 2019 08:04:40 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:10:26 Pacific Daylight Time

Method: M:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 29 Jul 2019 11:56:31
Calibration: M:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16


Name: 190728M1_47, Date: 28-Jul-2019, Time: 23:14:36, ID: B9G0251-BSD1 LCSD 0.125, Description: LCSD


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



NY 8/5/2019


Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-47.qld

Last Altered: Monday, August 05, 2019 08:04:40 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:10:26 Pacific Daylight Time


Name: 190728M1_47, Date: 28-Jul-2019, Time: 23:14:36, ID: B9G0251-BSD1 LCSD 0.125, Description: LCSD


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



NY 8/5/2019


Review: AMR 8/6/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-47.qld

Last Altered: Monday, August 05, 2019 08:04:40 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:10:26 Pacific Daylight Time


Name: 190728M1_47, Date: 28-Jul-2019, Time: 23:14:36, ID: B9G0251-BSD1 LCSD 0.125, Description: LCSD


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



NY 8/5/2019


Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-47.qld


Last Altered: Monday, August 05, 2019 08:04:40 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:10:26 Pacific Daylight Time

Name: 190728M1_47, Date: 28-Jul-2019, Time: 23:14:36, ID: B9G0251-BSD1 LCSD 0.125, Description: LCSD


L-EtFOSAA




Total N-EtFOSAA




PFTrDA




PFTeDA




TDCA




d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



NY 8/5/2019


Review: AMR 8/6/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-47.qld


Last Altered: Monday, August 05, 2019 08:04:40 Pacific Daylight Time
Printed: Monday, August 05, 2019 08:10:26 Pacific Daylight Time

Name: 190728M1_47, Date: 28-Jul-2019, Time: 23:14:36, ID: B9G0251-BSD1 LCSD 0.125, Description: LCSD


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-49.qld

Last Altered: Monday, August 05, 2019 09:49:56 Pacific Daylight Time
Printed: Monday, August 05, 2019 09:51:35 Pacific Daylight Time

Name: 190728M1_49, Date: 28-Jul-2019, Time: 23:35:53, ID: 1902189-04RE1 SAOA-B03-GW 0.11684, Description: SAOA-B03-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	2.47e3	1.54e3	0.117		2.37	2.37	20.0	76.8964		3.092	NO
2	7	PFHxA	313.0 > 269.0	1.59e5	6.25e3	0.117		2.89	2.89	127	1230.7611		15.369	NO
3	11	PFHpA	363.0 > 318.9	6.26e3	7.81e3	0.117		3.51	3.51	10.0	68.1414		9.280	NO
4	13	L-PFHxS	398.9 > 79.6	3.22e3	2.66e3	0.117		3.67	3.67	15.1	134.4158		2.061	NO
5	80	Total PFHxS	398.9 > 79.6	3.22e3	2.66e3	0.117		3.83		15.1	134.4158			
6	49	13C3-PFBS	302.0 > 98.8	1.54e3	1.24e3	0.117	1.119	2.37	2.37	15.6	119.1493	111.4		
7	52	13C2-PFHxA	315.0 > 270.0	6.25e3	1.67e4	0.117	0.977	2.89	2.89	4.69	41.0809	96.0		
8	53	13C4-PFHpA	367.2 > 321.8	7.81e3	1.67e4	0.117	0.453	3.51	3.51	5.86	110.7842	103.6		
9	54	13C3-PFHxS	401.8 > 79.9	2.66e3	1.24e3	0.117	2.067	3.67	3.67	26.9	111.3631	104.1		
10	54	13C3-PFHxS	401.8 > 79.9	2.66e3	1.24e3	0.117	2.067	3.67	3.67	26.9	111.3631	104.1		
11	-1													
12	16	L-PFOA	412.8 > 368.9	9.91e3	1.34e4	0.117		4.05	4.05	9.23	54.7807		3.211	NO
13	81	Total PFOA	412.8 > 368.9	9.91e3	1.34e4	0.117		4.21		9.23	54.7807			
14	21	PFNA	463.0 > 418.8	2.43e2	1.48e4	0.117		4.50	4.50	0.205	1.3250		5.317	NO
15	23	L-PFOS	498.9 > 79.9	3.96e3	3.32e3	0.117		4.59	4.60	14.9	117.3887		2.279	NO
16	82	Total PFOS	498.9 > 79.9	3.96e3	3.32e3	0.117		4.74		14.9	117.3887			
17	58	13C2-PFOA	414.9 > 369.7	1.34e4	2.20e4	0.117	0.680	4.05	4.05	7.63	96.0303	89.8		
18	58	13C2-PFOA	414.9 > 369.7	1.34e4	2.20e4	0.117	0.680	4.05	4.05	7.63	96.0303	89.8		
19	56	13C5-PFNA	468.2 > 422.9	1.48e4	1.57e4	0.117	0.993	4.50	4.50	11.8	101.8443	95.2		
20	59	13C8-PFOS	507.0 > 79.9	3.32e3	3.25e3	0.117	0.975	4.59	4.59	12.8	112.0574	104.7		
21	59	13C8-PFOS	507.0 > 79.9	3.32e3	3.25e3	0.117	0.975	4.59	4.59	12.8	112.0574	104.7		
22	-1													
23	26	PFDA	513 > 468.8	8.24e1	1.38e4	0.117		4.89	4.90	0.0745			7.012	NO
24	29	L-MeFOSAA	570 > 419		3.54e3	0.117		5.05						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	3.54e3	0.117		5.19		0.000				
26	33	PFUdA	563.0 > 518.9		1.64e4	0.117		5.23						
27	37	PFDoA	612.9 > 569.0	1.42e1	1.58e4	0.117		5.52	5.52	0.0113			4.415	NO
28	60	13C2-PFDA	515.1 > 469.9	1.38e4	2.11e4	0.117	0.824	4.89	4.89	8.17	84.8096	79.3		
29	62	d3-N-MeFOSAA	573.3 > 419	3.54e3	2.61e4	0.117	0.179	5.05	5.05	1.69	80.9600	75.7		
30	62	d3-N-MeFOSAA	573.3 > 419	3.54e3	2.61e4	0.117	0.179	5.05	5.05	1.69	80.9600	75.7		
31	63	13C2-PFUdA	565 > 519.8	1.64e4	2.61e4	0.117	0.891	5.23	5.23	7.86	75.4483	70.5		
32	65	13C2-PFDoA	614.7 > 569.7	1.58e4	2.11e4	0.117	1.044	5.52	5.52	9.32	76.3829	71.4		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		4.38e3	0.117		5.21						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	4.38e3	0.117		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.58e4	0.117		5.78						

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-49.qld

Last Altered: Monday, August 05, 2019 09:49:56 Pacific Daylight Time
Printed: Monday, August 05, 2019 09:51:35 Pacific Daylight Time

Name: 190728M1_49, Date: 28-Jul-2019, Time: 23:35:53, ID: 1902189-04RE1 SAOA-B03-GW 0.11684, Description: SAOA-B03-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		1.08e4	0.117		6.01						
38	85	TDCA	498.3>106.9			0.117		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	4.38e3	2.61e4	0.117	0.222	5.21	5.21	2.10	80.9366	75.7		
40	64	d5-N-EtFOSAA	589.3 > 419	4.38e3	2.61e4	0.117	0.222	5.21	5.21	2.10	80.9366	75.7		
41	65	13C2-PFDoA	614.7 > 569.7	1.58e4	2.11e4	0.117	1.044	5.52	5.52	9.32	76.3829	71.4		
42	67	13C2-PFTeDA	715.1 > 669.7	1.08e4	2.61e4	0.117	0.635	6.00	6.01	5.19	69.9187	65.4		
43	59	13C8-PFOS	507.0 > 79.9	3.32e3	3.25e3	0.117	0.975	4.59	4.59	12.8	112.0574	104.7		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	1.67e4	1.67e4	0.117	1.000	2.89	2.89	12.5	106.9839	100.0		
46	75	13C8-PFOA	420.9 > 376.0	2.20e4	2.20e4	0.117	1.000	4.05	4.05	12.5	106.9839	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.24e3	1.24e3	0.117	1.000	3.67	3.67	12.5	106.9839	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.57e4	1.57e4	0.117	1.000	4.50	4.50	12.5	106.9839	100.0		
49	77	13C4-PFOS	503 > 79.9	3.25e3	3.25e3	0.117	1.000	4.59	4.60	12.5	106.9839	100.0		
50	78	13C6-PFDA	519.1 > 473.7	2.11e4	2.11e4	0.117	1.000	4.89	4.89	12.5	106.9839	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	2.61e4	2.61e4	0.117	1.000	5.23	5.23	12.5	106.9839	100.0		

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-49.qld


Last Altered: Monday, August 05, 2019 09:49:56 Pacific Daylight Time
Printed: Monday, August 05, 2019 09:51:35 Pacific Daylight Time

Method: M:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 29 Jul 2019 11:56:31
Calibration: M:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16


Name: 190728M1_49, Date: 28-Jul-2019, Time: 23:35:53, ID: 1902189-04RE1 SAOA-B03-GW 0.11684, Description: SAOA-B03-GW


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



NY 8/5/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-49.qld

Last Altered: Monday, August 05, 2019 09:49:56 Pacific Daylight Time
Printed: Monday, August 05, 2019 09:51:35 Pacific Daylight Time


Name: 190728M1_49, Date: 28-Jul-2019, Time: 23:35:53, ID: 1902189-04RE1 SAOA-B03-GW 0.11684, Description: SAOA-B03-GW


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



NY 8/5/2019


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-49.qld

Last Altered: Monday, August 05, 2019 09:49:56 Pacific Daylight Time
Printed: Monday, August 05, 2019 09:51:35 Pacific Daylight Time


Name: 190728M1_49, Date: 28-Jul-2019, Time: 23:35:53, ID: 1902189-04RE1 SAOA-B03-GW 0.11684, Description: SAOA-B03-GW


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



NY 8/5/2019


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-49.qld

Last Altered: Monday, August 05, 2019 09:49:56 Pacific Daylight Time
Printed: Monday, August 05, 2019 09:51:35 Pacific Daylight Time


Name: 190728M1_49, Date: 28-Jul-2019, Time: 23:35:53, ID: 1902189-04RE1 SAOA-B03-GW 0.11684, Description: SAOA-B03-GW


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



NY 8/5/2019


Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-49.qld


Last Altered: Monday, August 05, 2019 09:49:56 Pacific Daylight Time
Printed: Monday, August 05, 2019 09:51:35 Pacific Daylight Time

Name: 190728M1_49, Date: 28-Jul-2019, Time: 23:35:53, ID: 1902189-04RE1 SAOA-B03-GW 0.11684, Description: SAOA-B03-GW


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-53.qld

Last Altered: Monday, August 05, 2019 10:01:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:02:21 Pacific Daylight Time

Name: 190728M1_53, Date: 29-Jul-2019, Time: 00:18:15, ID: 1902189-05RE1 NAOA-B03-GW 0.09826, Description: NAOA-B03-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	6.67e2	1.71e3	0.0983		2.36	2.36	4.89	22.6685		3.144	NO
2	7	PFHxA	313.0 > 269.0	3.36e4	8.67e3	0.0983		2.89	2.89	19.4	221.9040		15.586	NO
3	11	PFHpA	363.0 > 318.9	3.84e3	1.05e4	0.0983		3.51	3.51	4.56	36.8707		10.514	NO
4	13	L-PFHxS	398.9 > 79.6	5.28e3	3.20e3	0.0983		3.67	3.67	20.6	217.6833		2.281	NO
5	80	Total PFHxS	398.9 > 79.6	5.28e3	3.20e3	0.0983		3.83		20.6	217.6833			
6	49	13C3-PFBS	302.0 > 98.8	1.71e3	1.71e3	0.0983	1.119	2.37	2.36	12.5	113.3778	89.1		
7	52	13C2-PFHxA	315.0 > 270.0	8.67e3	2.52e4	0.0983	0.977	2.89	2.89	4.30	44.8153	88.1		
8	53	13C4-PFHpA	367.2 > 321.8	1.05e4	2.52e4	0.0983	0.453	3.51	3.51	5.22	117.3773	92.3		
9	54	13C3-PFHxS	401.8 > 79.9	3.20e3	1.71e3	0.0983	2.067	3.67	3.67	23.4	115.2956	90.6		
10	54	13C3-PFHxS	401.8 > 79.9	3.20e3	1.71e3	0.0983	2.067	3.67	3.67	23.4	115.2956	90.6		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.20e4	1.90e4	0.0983		4.05	4.05	7.86	55.4009		3.546	NO
13	81	Total PFOA	412.8 > 368.9	1.20e4	1.90e4	0.0983		4.21		7.86	55.4009			
14	21	PFNA	463.0 > 418.8	8.54e2	1.97e4	0.0983		4.50	4.50	0.543	4.4973		4.050	NO
15	23	L-PFOS	498.9 > 79.9	1.04e4	3.61e3	0.0983		4.59	4.59	36.1	336.6704		2.113	NO
16	82	Total PFOS	498.9 > 79.9	1.04e4	3.61e3	0.0983		4.74		36.1	336.6704			
17	58	13C2-PFOA	414.9 > 369.7	1.90e4	3.12e4	0.0983	0.680	4.05	4.05	7.63	114.2722	89.8		
18	58	13C2-PFOA	414.9 > 369.7	1.90e4	3.12e4	0.0983	0.680	4.05	4.05	7.63	114.2722	89.8		
19	56	13C5-PFNA	468.2 > 422.9	1.97e4	2.29e4	0.0983	0.993	4.50	4.50	10.8	110.2239	86.6		
20	59	13C8-PFOS	507.0 > 79.9	3.61e3	3.93e3	0.0983	0.975	4.59	4.59	11.5	120.0827	94.4		
21	59	13C8-PFOS	507.0 > 79.9	3.61e3	3.93e3	0.0983	0.975	4.59	4.59	11.5	120.0827	94.4		
22	-1													
23	26	PFDA	513 > 468.8	1.33e3	1.82e4	0.0983		4.89	4.89	0.913	6.7259		6.706	NO
24	29	L-MeFOSAA	570 > 419		3.96e3	0.0983		5.05						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	3.96e3	0.0983		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	2.28e2	2.19e4	0.0983		5.22	5.22	0.130	0.6365		11.648	NO
27	37	PFDoA	612.9 > 569.0	1.92e2	1.92e4	0.0983		5.52	5.52	0.125	0.8743		67.813	YES
28	60	13C2-PFDA	515.1 > 469.9	1.82e4	3.04e4	0.0983	0.824	4.89	4.89	7.47	92.2569	72.5		
29	62	d3-N-MeFOSAA	573.3 > 419	3.96e3	3.55e4	0.0983	0.179	5.05	5.05	1.39	79.2056	62.3		
30	62	d3-N-MeFOSAA	573.3 > 419	3.96e3	3.55e4	0.0983	0.179	5.05	5.05	1.39	79.2056	62.3		
31	63	13C2-PFUdA	565 > 519.8	2.19e4	3.55e4	0.0983	0.891	5.23	5.22	7.70	87.9489	69.1		
32	65	13C2-PFDoA	614.7 > 569.7	1.92e4	3.04e4	0.0983	1.044	5.52	5.52	7.90	76.9738	60.5		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		5.38e3	0.0983		5.21						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	5.38e3	0.0983		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.92e4	0.0983		5.77						

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-53.qld

Last Altered: Monday, August 05, 2019 10:01:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:02:21 Pacific Daylight Time

Name: 190728M1_53, Date: 29-Jul-2019, Time: 00:18:15, ID: 1902189-05RE1 NAOA-B03-GW 0.09826, Description: NAOA-B03-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	5.42e1	1.29e4	0.0983		6.00	6.01	0.0527			45.831	YES
38	85	TDCA	498.3>106.9			0.0983		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	5.38e3	3.55e4	0.0983	0.222	5.21	5.21	1.89	86.8393	68.3		
40	64	d5-N-EtFOSAA	589.3 > 419	5.38e3	3.55e4	0.0983	0.222	5.21	5.21	1.89	86.8393	68.3		
41	65	13C2-PFDoA	614.7 > 569.7	1.92e4	3.04e4	0.0983	1.044	5.52	5.52	7.90	76.9738	60.5		
42	67	13C2-PFTeDA	715.1 > 669.7	1.29e4	3.55e4	0.0983	0.635	6.00	6.00	4.53	72.4956	57.0		
43	59	13C8-PFOS	507.0 > 79.9	3.61e3	3.93e3	0.0983	0.975	4.59	4.59	11.5	120.0827	94.4		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.52e4	2.52e4	0.0983	1.000	2.89	2.89	12.5	127.2135	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.12e4	3.12e4	0.0983	1.000	4.05	4.05	12.5	127.2135	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.71e3	1.71e3	0.0983	1.000	3.67	3.68	12.5	127.2135	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.29e4	2.29e4	0.0983	1.000	4.50	4.50	12.5	127.2135	100.0		
49	77	13C4-PFOS	503 > 79.9	3.93e3	3.93e3	0.0983	1.000	4.59	4.59	12.5	127.2135	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.04e4	3.04e4	0.0983	1.000	4.89	4.89	12.5	127.2135	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	3.55e4	3.55e4	0.0983	1.000	5.23	5.23	12.5	127.2135	100.0		

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-53.qld


Last Altered: Monday, August 05, 2019 10:01:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:02:21 Pacific Daylight Time

Method: M:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 29 Jul 2019 11:56:31
Calibration: M:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16


Name: 190728M1_53, Date: 29-Jul-2019, Time: 00:18:15, ID: 1902189-05RE1 NAOA-B03-GW 0.09826, Description: NAOA-B03-GW


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



NY 8/5/2019


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-53.qld

Last Altered: Monday, August 05, 2019 10:01:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:02:21 Pacific Daylight Time


Name: 190728M1_53, Date: 29-Jul-2019, Time: 00:18:15, ID: 1902189-05RE1 NAOA-B03-GW 0.09826, Description: NAOA-B03-GW


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



NY 8/5/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-53.qld

Last Altered: Monday, August 05, 2019 10:01:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:02:21 Pacific Daylight Time


Name: 190728M1_53, Date: 29-Jul-2019, Time: 00:18:15, ID: 1902189-05RE1 NAOA-B03-GW 0.09826, Description: NAOA-B03-GW


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



NY 8/5/2019


Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-53.qld


Last Altered: Monday, August 05, 2019 10:01:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:02:21 Pacific Daylight Time

Name: 190728M1_53, Date: 29-Jul-2019, Time: 00:18:15, ID: 1902189-05RE1 NAOA-B03-GW 0.09826, Description: NAOA-B03-GW


L-EtFOSAA




Total N-EtFOSAA




PFTrDA




PFTeDA




TDCA




d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



NY 8/5/2019


Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-53.qld


Last Altered: Monday, August 05, 2019 10:01:37 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:02:21 Pacific Daylight Time

Name: 190728M1_53, Date: 29-Jul-2019, Time: 00:18:15, ID: 1902189-05RE1 NAOA-B03-GW 0.09826, Description: NAOA-B03-GW


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



NY 8/5/2019

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-18.qld

Last Altered: Monday, July 29, 2019 15:02:25 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:03:04 Pacific Daylight Time

Name: 190726M1_18, Date: 26-Jul-2019, Time: 11:27:45, ID: 1902189-06 EB-07152019-GW 0.1175, Description: EB-07152019-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		2.07e3	0.117		2.42						
2	7	PFHxA	313.0 > 269.0	2.51e2	1.07e4	0.117		2.94	2.94	0.118	0.5440		14.161	NO
3	11	PFHpA	363.0 > 318.9	6.22e1	1.28e4	0.117		3.55	3.56	0.0608	0.4070		18.077	YES
4	13	L-PFHxS	398.9 > 79.6	7.76e0	4.45e3	0.117		3.71	3.71	0.0218	0.2152		0.642	YES
5	80	Total PFHxS	398.9 > 79.6	7.76e0	4.45e3	0.117		3.83		0.0218	0.2152			
6	49	13C3-PFBS	302.0 > 98.8	2.07e3	2.12e3	0.117	1.058	2.44	2.42	12.2	98.0443	92.2		
7	52	13C2-PFHxA	315.0 > 270.0	1.07e4	2.85e4	0.117	0.978	2.95	2.94	4.68	40.7217	95.7		
8	53	13C4-PFHpA	367.2 > 321.8	1.28e4	2.85e4	0.117	0.479	3.57	3.55	5.61	99.8074	93.8		
9	54	13C3-PFHxS	401.8 > 79.9	4.45e3	2.12e3	0.117	2.024	3.73	3.71	26.2	110.2717	103.7		
10	54	13C3-PFHxS	401.8 > 79.9	4.45e3	2.12e3	0.117	2.024	3.73	3.71	26.2	110.2717	103.7		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.74e2	2.27e4	0.117		4.09	4.09	0.0958	0.3289		6.002	YES
13	81	Total PFOA	412.8 > 368.9	1.74e2	2.27e4	0.117		4.21		0.0958	0.3289			
14	21	PFNA	463.0 > 418.8		2.30e4	0.117		4.53						
15	23	L-PFOS	498.9 > 79.9	2.73e1	4.55e3	0.117		4.62	4.62	0.0751	0.7552		2.607	NO
16	82	Total PFOS	498.9 > 79.9	2.73e1	4.55e3	0.117		4.74		0.0751	0.7552			
17	58	13C2-PFOA	414.9 > 369.7	2.27e4	3.62e4	0.117	0.681	4.11	4.09	7.83	97.8715	92.0		
18	58	13C2-PFOA	414.9 > 369.7	2.27e4	3.62e4	0.117	0.681	4.11	4.09	7.83	97.8715	92.0		
19	56	13C5-PFNA	468.2 > 422.9	2.30e4	2.61e4	0.117	1.002	4.55	4.53	11.0	93.6800	88.1		
20	59	13C8-PFOS	507.0 > 79.9	4.55e3	5.39e3	0.117	0.997	4.64	4.62	10.5	90.0698	84.7		
21	59	13C8-PFOS	507.0 > 79.9	4.55e3	5.39e3	0.117	0.997	4.64	4.62	10.5	90.0698	84.7		
22	-1													
23	26	PFDA	513 > 468.8		2.16e4	0.117		4.91						
24	29	L-MeFOSAA	570 > 419		5.80e3	0.117		5.07						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	5.80e3	0.117		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	8.96e1	2.76e4	0.117		5.25	5.25	0.0406			44.651	YES
27	37	PFDoA	612.9 > 569.0	1.85e1	2.60e4	0.117		5.54	5.54	0.00891			19.064	YES
28	60	13C2-PFDA	515.1 > 469.9	2.16e4	3.28e4	0.117	0.819	4.93	4.91	8.24	85.6137	80.5		
29	62	d3-N-MeFOSAA	573.3 > 419	5.80e3	4.24e4	0.117	0.177	5.08	5.07	1.71	82.0238	77.1		
30	62	d3-N-MeFOSAA	573.3 > 419	5.80e3	4.24e4	0.117	0.177	5.08	5.07	1.71	82.0238	77.1		
31	63	13C2-PFUdA	565 > 519.8	2.76e4	4.24e4	0.117	0.889	5.26	5.25	8.13	77.8655	73.2		
32	65	13C2-PFDoA	614.7 > 569.7	2.60e4	3.28e4	0.117	1.087	5.55	5.54	9.92	77.6340	73.0		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		7.33e3	0.117		5.23						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	7.33e3	0.117		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9	9.10e0	2.60e4	0.117		5.79	5.80	0.00437			3.156	YES

Vista Analytical Laboratory L14

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-18.qld

Last Altered: Monday, July 29, 2019 15:02:25 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:03:04 Pacific Daylight Time

Name: 190726M1_18, Date: 26-Jul-2019, Time: 11:27:45, ID: 1902189-06 EB-07152019-GW 0.1175, Description: EB-07152019-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		1.98e4	0.117		6.02						
38	85	TDCA	498.3>106.9			0.117		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	7.33e3	4.24e4	0.117	0.224	5.25	5.23	2.16	82.1724	77.2		
40	64	d5-N-EtFOSAA	589.3 > 419	7.33e3	4.24e4	0.117	0.224	5.25	5.23	2.16	82.1724	77.2		
41	65	13C2-PFDoA	614.7 > 569.7	2.60e4	3.28e4	0.117	1.087	5.55	5.54	9.92	77.6340	73.0		
42	67	13C2-PFTeDA	715.1 > 669.7	1.98e4	4.24e4	0.117	0.604	6.03	6.02	5.85	82.4506	77.5		
43	59	13C8-PFOS	507.0 > 79.9	4.55e3	5.39e3	0.117	0.997	4.64	4.62	10.5	90.0698	84.7		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.85e4	2.85e4	0.117	1.000	2.95	2.94	12.5	106.3830	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.62e4	3.62e4	0.117	1.000	4.11	4.08	12.5	106.3830	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	2.12e3	2.12e3	0.117	1.000	3.73	3.71	12.5	106.3830	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.61e4	2.61e4	0.117	1.000	4.55	4.53	12.5	106.3830	100.0		
49	77	13C4-PFOS	503 > 79.9	5.39e3	5.39e3	0.117	1.000	4.64	4.62	12.5	106.3830	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.28e4	3.28e4	0.117	1.000	4.93	4.91	12.5	106.3830	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	4.24e4	4.24e4	0.117	1.000	5.26	5.25	12.5	106.3830	100.0		

Vista Analytical Laboratory L14


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-18.qld

Last Altered: Monday, July 29, 2019 15:02:25 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:03:04 Pacific Daylight Time


Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_18, Date: 26-Jul-2019, Time: 11:27:45, ID: 1902189-06 EB-07152019-GW 0.1175, Description: EB-07152019-GW


PFBS




PFHxA




PFHpA




L-PFHxS




Total PFHxS




13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-18.qld


Last Altered: Monday, July 29, 2019 15:02:25 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:03:04 Pacific Daylight Time

Name: 190726M1_18, Date: 26-Jul-2019, Time: 11:27:45, ID: 1902189-06 EB-07152019-GW 0.1175, Description: EB-07152019-GW


L-PFOA




Total PFOA




PFNA




L-PFOS




Total PFOS




13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-18.qld


Last Altered: Monday, July 29, 2019 15:02:25 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:03:04 Pacific Daylight Time

Name: 190726M1_18, Date: 26-Jul-2019, Time: 11:27:45, ID: 1902189-06 EB-07152019-GW 0.1175, Description: EB-07152019-GW


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-18.qld

Last Altered: Monday, July 29, 2019 15:02:25 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:03:04 Pacific Daylight Time


Name: 190726M1_18, Date: 26-Jul-2019, Time: 11:27:45, ID: 1902189-06 EB-07152019-GW 0.1175, Description: EB-07152019-GW


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-18.qld


Last Altered: Monday, July 29, 2019 15:02:25 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:03:04 Pacific Daylight Time

Name: 190726M1_18, Date: 26-Jul-2019, Time: 11:27:45, ID: 1902189-06 EB-07152019-GW 0.1175, Description: EB-07152019-GW


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-19.qld

Last Altered: Monday, July 29, 2019 15:05:03 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:05:22 Pacific Daylight Time

Name: 190726M1_19, Date: 26-Jul-2019, Time: 11:38:17, ID: 1902189-07 FRB-07152019 0.11592, Description: FRB-07152019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		2.18e3	0.116		2.42						
2	7	PFHxA	313.0 > 269.0		1.04e4	0.116		2.94						
3	11	PFHpA	363.0 > 318.9		1.29e4	0.116		3.56						
4	13	L-PFHxS	398.9 > 79.6	1.50e1	3.95e3	0.116		3.71	3.72	0.0474	0.4611		10.195	YES
5	80	Total PFHxS	398.9 > 79.6	1.50e1	3.95e3	0.116		3.83		0.0474	0.4611			
6	49	13C3-PFBS	302.0 > 98.8	2.18e3	2.05e3	0.116	1.058	2.44	2.42	13.3	108.3880	100.5		
7	52	13C2-PFHxA	315.0 > 270.0	1.04e4	2.88e4	0.116	0.978	2.95	2.94	4.50	39.6904	92.0		
8	53	13C4-PFHpA	367.2 > 321.8	1.29e4	2.88e4	0.116	0.479	3.57	3.56	5.58	100.6363	93.3		
9	54	13C3-PFHxS	401.8 > 79.9	3.95e3	2.05e3	0.116	2.024	3.73	3.71	24.1	102.6179	95.2		
10	54	13C3-PFHxS	401.8 > 79.9	3.95e3	2.05e3	0.116	2.024	3.73	3.71	24.1	102.6179	95.2		
11	-1													
12	16	L-PFOA	412.8 > 368.9	8.12e1	2.31e4	0.116		4.08	4.09	0.0439	0.0358		5.435	NO
13	81	Total PFOA	412.8 > 368.9	8.12e1	2.31e4	0.116		4.21		0.0439	0.0358			
14	21	PFNA	463.0 > 418.8	1.78e1	2.30e4	0.116		4.53	4.54	0.00971			25.364	YES
15	23	L-PFOS	498.9 > 79.9	8.58e0	4.47e3	0.116		4.62	4.61	0.0240	0.3529		1.400	NO
16	82	Total PFOS	498.9 > 79.9	8.58e0	4.47e3	0.116		4.74		0.0240	0.3529			
17	58	13C2-PFOA	414.9 > 369.7	2.31e4	3.82e4	0.116	0.681	4.11	4.08	7.56	95.7602	88.8		
18	58	13C2-PFOA	414.9 > 369.7	2.31e4	3.82e4	0.116	0.681	4.11	4.08	7.56	95.7602	88.8		
19	56	13C5-PFNA	468.2 > 422.9	2.30e4	2.64e4	0.116	1.002	4.55	4.53	10.9	93.7390	86.9		
20	59	13C8-PFOS	507.0 > 79.9	4.47e3	5.32e3	0.116	0.997	4.64	4.62	10.5	90.9711	84.4		
21	59	13C8-PFOS	507.0 > 79.9	4.47e3	5.32e3	0.116	0.997	4.64	4.62	10.5	90.9711	84.4		
22	-1													
23	26	PFDA	513 > 468.8		2.24e4	0.116		4.91						
24	29	L-MeFOSAA	570 > 419		4.74e3	0.116		5.07						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	4.74e3	0.116		5.19		0.000				
26	33	PFUdA	563.0 > 518.9		2.77e4	0.116		5.25						
27	37	PFDoA	612.9 > 569.0		2.65e4	0.116		5.54						
28	60	13C2-PFDA	515.1 > 469.9	2.24e4	3.55e4	0.116	0.819	4.93	4.91	7.88	83.0177	77.0		
29	62	d3-N-MeFOSAA	573.3 > 419	4.74e3	4.25e4	0.116	0.177	5.08	5.07	1.39	67.7426	62.8		
30	62	d3-N-MeFOSAA	573.3 > 419	4.74e3	4.25e4	0.116	0.177	5.08	5.07	1.39	67.7426	62.8		
31	63	13C2-PFUdA	565 > 519.8	2.77e4	4.25e4	0.116	0.889	5.26	5.25	8.13	78.9037	73.2		
32	65	13C2-PFDoA	614.7 > 569.7	2.65e4	3.55e4	0.116	1.087	5.55	5.54	9.34	74.0866	68.7		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		6.38e3	0.116		5.23						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	6.38e3	0.116		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		2.65e4	0.116		5.79						

Vista Analytical Laboratory L14

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-19.qld

Last Altered: Monday, July 29, 2019 15:05:03 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:05:22 Pacific Daylight Time

Name: 190726M1_19, Date: 26-Jul-2019, Time: 11:38:17, ID: 1902189-07 FRB-07152019 0.11592, Description: FRB-07152019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		1.90e4	0.116		6.02						
38	85	TDCA	498.3>106.9			0.116		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	6.38e3	4.25e4	0.116	0.224	5.25	5.23	1.88	72.2830	67.0		
40	64	d5-N-EtFOSAA	589.3 > 419	6.38e3	4.25e4	0.116	0.224	5.25	5.23	1.88	72.2830	67.0		
41	65	13C2-PFDoA	614.7 > 569.7	2.65e4	3.55e4	0.116	1.087	5.55	5.54	9.34	74.0866	68.7		
42	67	13C2-PFTeDA	715.1 > 669.7	1.90e4	4.25e4	0.116	0.604	6.03	6.02	5.59	79.8407	74.0		
43	59	13C8-PFOS	507.0 > 79.9	4.47e3	5.32e3	0.116	0.997	4.64	4.62	10.5	90.9711	84.4		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.88e4	2.88e4	0.116	1.000	2.95	2.94	12.5	107.8330	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.82e4	3.82e4	0.116	1.000	4.11	4.08	12.5	107.8330	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	2.05e3	2.05e3	0.116	1.000	3.73	3.71	12.5	107.8330	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.64e4	2.64e4	0.116	1.000	4.55	4.53	12.5	107.8330	100.0		
49	77	13C4-PFOS	503 > 79.9	5.32e3	5.32e3	0.116	1.000	4.64	4.62	12.5	107.8330	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.55e4	3.55e4	0.116	1.000	4.93	4.91	12.5	107.8330	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	4.25e4	4.25e4	0.116	1.000	5.26	5.25	12.5	107.8330	100.0		

Vista Analytical Laboratory L14


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-19.qld


Last Altered: Monday, July 29, 2019 15:05:03 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:05:22 Pacific Daylight Time

Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35


Name: 190726M1_19, Date: 26-Jul-2019, Time: 11:38:17, ID: 1902189-07 FRB-07152019 0.11592, Description: FRB-07152019


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-19.qld


Last Altered: Monday, July 29, 2019 15:05:03 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:05:22 Pacific Daylight Time

Name: 190726M1_19, Date: 26-Jul-2019, Time: 11:38:17, ID: 1902189-07 FRB-07152019 0.11592, Description: FRB-07152019


L-PFOA




Total PFOA




PFNA




L-PFOS




Total PFOS




13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-19.qld

Last Altered: Monday, July 29, 2019 15:05:03 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:05:22 Pacific Daylight Time


Name: 190726M1_19, Date: 26-Jul-2019, Time: 11:38:17, ID: 1902189-07 FRB-07152019 0.11592, Description: FRB-07152019


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-19.qld

Last Altered: Monday, July 29, 2019 15:05:03 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:05:22 Pacific Daylight Time


Name: 190726M1_19, Date: 26-Jul-2019, Time: 11:38:17, ID: 1902189-07 FRB-07152019 0.11592, Description: FRB-07152019


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-19.qld


Last Altered: Monday, July 29, 2019 15:05:03 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:05:22 Pacific Daylight Time

Name: 190726M1_19, Date: 26-Jul-2019, Time: 11:38:17, ID: 1902189-07 FRB-07152019 0.11592, Description: FRB-07152019


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-54.qld

Last Altered: Thursday, August 08, 2019 11:43:41 Pacific Daylight Time
Printed: Thursday, August 08, 2019 12:18:31 Pacific Daylight Time

Name: 190728M1_54, Date: 29-Jul-2019, Time: 00:28:53, ID: 1902189-10RE1 NON-B03-GW 0.12659, Description: NON-B03-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7	1.50e2	1.47e3	0.127		2.37	2.37	1.28	4.8599		2.591	NO
2	7	PFHxA	313.0 > 269.0	1.73e4	7.69e3	0.127		2.89	2.89	11.2	99.8371		15.392	NO
3	11	PFHpA	363.0 > 318.9	9.23e3	8.80e3	0.127		3.52	3.52	13.1	82.1332		9.113	NO
4	13	L-PFHxS	398.9 > 79.6	4.11e3	2.87e3	0.127		3.68	3.68	17.9	146.7320		2.274	NO
5	80	Total PFHxS	398.9 > 79.6	4.11e3	2.87e3	0.127		3.83		17.9	146.7320			
6	49	13C3-PFBS	302.0 > 98.8	1.47e3	1.36e3	0.127	1.119	2.37	2.37	13.5	95.0227	96.2		
7	52	13C2-PFHxA	315.0 > 270.0	7.69e3	2.21e4	0.127	0.977	2.89	2.89	4.35	35.1581	89.0		
8	53	13C4-PFHpA	367.2 > 321.8	8.80e3	2.21e4	0.127	0.453	3.51	3.52	4.97	86.7781	87.9		
9	54	13C3-PFHxS	401.8 > 79.9	2.87e3	1.36e3	0.127	2.067	3.67	3.68	26.3	100.6095	101.9		
10	54	13C3-PFHxS	401.8 > 79.9	2.87e3	1.36e3	0.127	2.067	3.67	3.68	26.3	100.6095	101.9		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.96e4	1.44e4	0.127		4.05	4.05	16.9	93.2397		3.751	NO
13	81	Total PFOA	412.8 > 368.9	1.96e4	1.44e4	0.127		4.21		16.9	93.2397			
14	21	PFNA	463.0 > 418.8	1.58e4	1.45e4	0.127		4.50	4.50	13.6	91.4320		4.373	NO
15	23	L-PFOS	498.9 > 79.9	3.37e4	3.10e3	0.127		4.59	4.60	136	982.1661		2.406	NO
16	82	Total PFOS	498.9 > 79.9	3.37e4	3.10e3	0.127		4.74		136	982.1661			
17	58	13C2-PFOA	414.9 > 369.7	1.44e4	2.69e4	0.127	0.680	4.05	4.05	6.71	78.0221	79.0		
18	58	13C2-PFOA	414.9 > 369.7	1.44e4	2.69e4	0.127	0.680	4.05	4.05	6.71	78.0221	79.0		
19	56	13C5-PFNA	468.2 > 422.9	1.45e4	1.94e4	0.127	0.993	4.50	4.50	9.38	74.6503	75.6		
20	59	13C8-PFOS	507.0 > 79.9	3.10e3	3.64e3	0.127	0.975	4.59	4.59	10.7	86.4564	87.6		
21	59	13C8-PFOS	507.0 > 79.9	3.10e3	3.64e3	0.127	0.975	4.59	4.59	10.7	86.4564	87.6		
22	-1													
23	26	PFDA	513 > 468.8	5.90e2	1.40e4	0.127		4.89	4.89	0.525	2.7696		4.032	NO
24	29	L-MeFOSAA	570 > 419		3.00e3	0.127		5.05						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	3.00e3	0.127		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	3.33e2	1.54e4	0.127		5.22	5.23	0.270	1.6910		37.875	YES
27	37	PFDoA	612.9 > 569.0	1.57e2	1.12e4	0.127		5.52	5.52	0.175	1.0355		9.226	NO
28	60	13C2-PFDA	515.1 > 469.9	1.40e4	2.59e4	0.127	0.824	4.89	4.89	6.77	64.9186	65.7		
29	62	d3-N-MeFOSAA	573.3 > 419	3.00e3	2.99e4	0.127	0.179	5.05	5.05	1.25	55.3351	56.0		
30	62	d3-N-MeFOSAA	573.3 > 419	3.00e3	2.99e4	0.127	0.179	5.05	5.05	1.25	55.3351	56.0		
31	63	13C2-PFUdA	565 > 519.8	1.54e4	2.99e4	0.127	0.891	5.23	5.22	6.45	57.2043	57.9		
32	65	13C2-PFDoA	614.7 > 569.7	1.12e4	2.59e4	0.127	1.044	5.52	5.52	5.43	41.0572	41.6		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		3.56e3	0.127		5.21						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	3.56e3	0.127		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		1.12e4	0.127		5.77						

NY 8/8/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-54.qld

Last Altered: Thursday, August 08, 2019 11:43:41 Pacific Daylight Time
Printed: Thursday, August 08, 2019 12:18:31 Pacific Daylight Time

Name: 190728M1_54, Date: 29-Jul-2019, Time: 00:28:53, ID: 1902189-10RE1 NON-B03-GW 0.12659, Description: NON-B03-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		5.16e3	0.127		6.00						
38	85	TDCA	498.3>106.9			0.127		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	3.56e3	2.99e4	0.127	0.222	5.21	5.21	1.49	52.9497	53.6		
40	64	d5-N-EtFOSAA	589.3 > 419	3.56e3	2.99e4	0.127	0.222	5.21	5.21	1.49	52.9497	53.6		
41	65	13C2-PFDoA	614.7 > 569.7	1.12e4	2.59e4	0.127	1.044	5.52	5.52	5.43	41.0572	41.6		
42	67	13C2-PFTeDA	715.1 > 669.7	5.16e3	2.99e4	0.127	0.635	6.00	6.00	2.16	26.8177	27.2		
43	59	13C8-PFOS	507.0 > 79.9	3.10e3	3.64e3	0.127	0.975	4.59	4.59	10.7	86.4564	87.6		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.21e4	2.21e4	0.127	1.000	2.89	2.89	12.5	98.7440	100.0		
46	75	13C8-PFOA	420.9 > 376.0	2.69e4	2.69e4	0.127	1.000	4.05	4.05	12.5	98.7440	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.36e3	1.36e3	0.127	1.000	3.67	3.68	12.5	98.7440	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.94e4	1.94e4	0.127	1.000	4.50	4.50	12.5	98.7440	100.0		
49	77	13C4-PFOS	503 > 79.9	3.64e3	3.64e3	0.127	1.000	4.59	4.59	12.5	98.7440	100.0		
50	78	13C6-PFDA	519.1 > 473.7	2.59e4	2.59e4	0.127	1.000	4.89	4.89	12.5	98.7440	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	2.99e4	2.99e4	0.127	1.000	5.23	5.22	12.5	98.7440	100.0		

NY 8/8/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-54.qld


Last Altered: Thursday, August 08, 2019 11:43:41 Pacific Daylight Time
Printed: Thursday, August 08, 2019 12:18:31 Pacific Daylight Time

Method: M:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 29 Jul 2019 11:56:31
Calibration: M:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16


Name: 190728M1_54, Date: 29-Jul-2019, Time: 00:28:53, ID: 1902189-10RE1 NON-B03-GW 0.12659, Description: NON-B03-GW


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



 NY 8/8/2019


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-54.qld

Last Altered: Thursday, August 08, 2019 11:43:41 Pacific Daylight Time
Printed: Thursday, August 08, 2019 12:18:31 Pacific Daylight Time


Name: 190728M1_54, Date: 29-Jul-2019, Time: 00:28:53, ID: 1902189-10RE1 NON-B03-GW 0.12659, Description: NON-B03-GW


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



NY 8/8/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-54.qld

Last Altered: Thursday, August 08, 2019 11:43:41 Pacific Daylight Time
Printed: Thursday, August 08, 2019 12:18:31 Pacific Daylight Time


Name: 190728M1_54, Date: 29-Jul-2019, Time: 00:28:53, ID: 1902189-10RE1 NON-B03-GW 0.12659, Description: NON-B03-GW


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



NY 8/8/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-54.qld

Last Altered: Thursday, August 08, 2019 11:43:41 Pacific Daylight Time
Printed: Thursday, August 08, 2019 12:18:31 Pacific Daylight Time


Name: 190728M1_54, Date: 29-Jul-2019, Time: 00:28:53, ID: 1902189-10RE1 NON-B03-GW 0.12659, Description: NON-B03-GW


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



NY 8/8/2019


Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-54.qld


Last Altered: Thursday, August 08, 2019 11:43:41 Pacific Daylight Time
Printed: Thursday, August 08, 2019 12:18:31 Pacific Daylight Time

Name: 190728M1_54, Date: 29-Jul-2019, Time: 00:28:53, ID: 1902189-10RE1 NON-B03-GW 0.12659, Description: NON-B03-GW


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



NY 8/8/2019

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-20.qld

Last Altered: Monday, July 29, 2019 15:07:06 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:07:29 Pacific Daylight Time

Name: 190726M1_20, Date: 26-Jul-2019, Time: 11:48:55, ID: 1902189-11 EB-07162019-GW 0.11872, Description: EB-07162019-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		2.29e3	0.119		2.41						
2	7	PFHxA	313.0 > 269.0	1.18e2	1.14e4	0.119		2.94	2.93	0.0517			54.050	YES
3	11	PFHpA	363.0 > 318.9	2.76e1	1.44e4	0.119		3.56	3.55	0.0240	0.1639		10.006	NO
4	13	L-PFHxS	398.9 > 79.6	1.28e1	4.58e3	0.119		3.71	3.71	0.0349	0.3345		2.183	NO
5	80	Total PFHxS	398.9 > 79.6	1.28e1	4.58e3	0.119		3.83		0.0349	0.3345			
6	49	13C3-PFBS	302.0 > 98.8	2.29e3	2.29e3	0.119	1.058	2.44	2.41	12.5	99.8187	94.8		
7	52	13C2-PFHxA	315.0 > 270.0	1.14e4	3.17e4	0.119	0.978	2.95	2.94	4.51	38.8596	92.3		
8	53	13C4-PFHpA	367.2 > 321.8	1.44e4	3.17e4	0.119	0.479	3.57	3.56	5.66	99.6588	94.7		
9	54	13C3-PFHxS	401.8 > 79.9	4.58e3	2.29e3	0.119	2.024	3.73	3.71	25.0	104.2381	99.0		
10	54	13C3-PFHxS	401.8 > 79.9	4.58e3	2.29e3	0.119	2.024	3.73	3.71	25.0	104.2381	99.0		
11	-1													
12	16	L-PFOA	412.8 > 368.9	6.98e1	2.55e4	0.119		4.08	4.08	0.0342			3.389	NO
13	81	Total PFOA	412.8 > 368.9	6.98e1	2.55e4	0.119		4.21		0.000				
14	21	PFNA	463.0 > 418.8	2.08e1	2.56e4	0.119		4.53	4.53	0.0102			10.414	YES
15	23	L-PFOS	498.9 > 79.9	2.71e1	5.29e3	0.119		4.62	4.62	0.0641	0.6604		17.279	YES
16	82	Total PFOS	498.9 > 79.9	2.71e1	5.29e3	0.119		4.74		0.0641	0.6604			
17	58	13C2-PFOA	414.9 > 369.7	2.55e4	4.22e4	0.119	0.681	4.11	4.08	7.56	93.5030	88.8		
18	58	13C2-PFOA	414.9 > 369.7	2.55e4	4.22e4	0.119	0.681	4.11	4.08	7.56	93.5030	88.8		
19	56	13C5-PFNA	468.2 > 422.9	2.56e4	3.04e4	0.119	1.002	4.55	4.53	10.5	88.6101	84.2		
20	59	13C8-PFOS	507.0 > 79.9	5.29e3	5.77e3	0.119	0.997	4.64	4.62	11.5	96.8209	92.0		
21	59	13C8-PFOS	507.0 > 79.9	5.29e3	5.77e3	0.119	0.997	4.64	4.62	11.5	96.8209	92.0		
22	-1													
23	26	PFDA	513 > 468.8		2.43e4	0.119		4.91						
24	29	L-MeFOSAA	570 > 419		5.34e3	0.119		5.07						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	5.34e3	0.119		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	7.79e1	3.11e4	0.119		5.25	5.25	0.0313			22.432	YES
27	37	PFDoA	612.9 > 569.0		3.06e4	0.119		5.54						
28	60	13C2-PFDA	515.1 > 469.9	2.43e4	4.00e4	0.119	0.819	4.93	4.91	7.60	78.1183	74.2		
29	62	d3-N-MeFOSAA	573.3 > 419	5.34e3	4.86e4	0.119	0.177	5.08	5.07	1.38	65.2808	62.0		
30	62	d3-N-MeFOSAA	573.3 > 419	5.34e3	4.86e4	0.119	0.177	5.08	5.07	1.38	65.2808	62.0		
31	63	13C2-PFUdA	565 > 519.8	3.11e4	4.86e4	0.119	0.889	5.26	5.25	8.00	75.8292	72.0		
32	65	13C2-PFDoA	614.7 > 569.7	3.06e4	4.00e4	0.119	1.087	5.55	5.54	9.57	74.1709	70.4		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		7.47e3	0.119		5.23						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	7.47e3	0.119		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		3.06e4	0.119		5.79						

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-20.qld

Last Altered: Monday, July 29, 2019 15:07:06 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:07:29 Pacific Daylight Time

Name: 190726M1_20, Date: 26-Jul-2019, Time: 11:48:55, ID: 1902189-11 EB-07162019-GW 0.11872, Description: EB-07162019-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		2.34e4	0.119		6.02						
38	85	TDCA	498.3>106.9			0.119		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	7.47e3	4.86e4	0.119	0.224	5.25	5.23	1.92	72.3739	68.7		
40	64	d5-N-EtFOSAA	589.3 > 419	7.47e3	4.86e4	0.119	0.224	5.25	5.23	1.92	72.3739	68.7		
41	65	13C2-PFDoA	614.7 > 569.7	3.06e4	4.00e4	0.119	1.087	5.55	5.54	9.57	74.1709	70.4		
42	67	13C2-PFTeDA	715.1 > 669.7	2.34e4	4.86e4	0.119	0.604	6.03	6.02	6.02	83.9011	79.7		
43	59	13C8-PFOS	507.0 > 79.9	5.29e3	5.77e3	0.119	0.997	4.64	4.62	11.5	96.8209	92.0		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	3.17e4	3.17e4	0.119	1.000	2.95	2.94	12.5	105.2898	100.0		
46	75	13C8-PFOA	420.9 > 376.0	4.22e4	4.22e4	0.119	1.000	4.11	4.08	12.5	105.2898	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	2.29e3	2.29e3	0.119	1.000	3.73	3.71	12.5	105.2898	100.0		
48	76	13C9-PFNA	472.2 > 426.9	3.04e4	3.04e4	0.119	1.000	4.55	4.53	12.5	105.2898	100.0		
49	77	13C4-PFOS	503 > 79.9	5.77e3	5.77e3	0.119	1.000	4.64	4.62	12.5	105.2898	100.0		
50	78	13C6-PFDA	519.1 > 473.7	4.00e4	4.00e4	0.119	1.000	4.93	4.91	12.5	105.2898	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	4.86e4	4.86e4	0.119	1.000	5.26	5.25	12.5	105.2898	100.0		

Vista Analytical Laboratory L14


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-20.qld

Last Altered: Monday, July 29, 2019 15:07:06 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:07:29 Pacific Daylight Time


Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_20, Date: 26-Jul-2019, Time: 11:48:55, ID: 1902189-11 EB-07162019-GW 0.11872, Description: EB-07162019-GW


PFBS




PFHxA




PFHpA




L-PFHxS




Total PFHxS




13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-20.qld

Last Altered: Monday, July 29, 2019 15:07:06 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:07:29 Pacific Daylight Time


Name: 190726M1_20, Date: 26-Jul-2019, Time: 11:48:55, ID: 1902189-11 EB-07162019-GW 0.11872, Description: EB-07162019-GW


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-20.qld


Last Altered: Monday, July 29, 2019 15:07:06 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:07:29 Pacific Daylight Time


Name: 190726M1_20, Date: 26-Jul-2019, Time: 11:48:55, ID: 1902189-11 EB-07162019-GW 0.11872, Description: EB-07162019-GW

PFDA





L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-20.qld

Last Altered: Monday, July 29, 2019 15:07:06 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:07:29 Pacific Daylight Time


Name: 190726M1_20, Date: 26-Jul-2019, Time: 11:48:55, ID: 1902189-11 EB-07162019-GW 0.11872, Description: EB-07162019-GW


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-20.qld


Last Altered: Monday, July 29, 2019 15:07:06 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:07:29 Pacific Daylight Time

Name: 190726M1_20, Date: 26-Jul-2019, Time: 11:48:55, ID: 1902189-11 EB-07162019-GW 0.11872, Description: EB-07162019-GW


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Vista Analytical Laboratory L14

Review: AMR 8/8/2019

*See Dilution

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-55.qld

Last Altered: Monday, August 05, 2019 10:12:27 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:13:20 Pacific Daylight Time

Name: 190728M1_55, Date: 29-Jul-2019, Time: 00:39:25, ID: 1902189-12RE1 NAOA-B06-GW 0.12473, Description: NAOA-B06-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?	
1	5	PFBS	299.0 > 79.7	5.82e3	1.57e3	0.125		2.37	2.37	46.3	165.9473		2.973	NO	
2	7	PFHxA	313.0 > 269.0	1.57e5	7.61e3	0.125		2.89	2.89	103	931.6214		15.627	NO	
3	11	PFHpA	363.0 > 318.9	6.98e4	9.02e3	0.125		3.51	3.51	96.8	615.3052		9.469	NO	
4	13	L-PFHxS	398.9 > 79.6	1.15e5	2.09e3	0.125		3.68	3.68	688	5795.4706		2.098	NO	*E
5	80	Total PFHxS	398.9 > 79.6	1.15e5	2.09e3	0.125		3.83		688	5795.4706				
6	49	13C3-PFBS	302.0 > 98.8	1.57e3	1.16e3	0.125	1.119	2.37	2.37	17.0	121.7202	121.5			
7	52	13C2-PFHxA	315.0 > 270.0	7.61e3	2.01e4	0.125	0.977	2.89	2.89	4.73	38.7964	96.8			
8	53	13C4-PFHpA	367.2 > 321.8	9.02e3	2.01e4	0.125	0.453	3.51	3.51	5.60	99.2028	99.0			
9	54	13C3-PFHxS	401.8 > 79.9	2.09e3	1.16e3	0.125	2.067	3.67	3.68	22.6	87.6986	87.5			
10	54	13C3-PFHxS	401.8 > 79.9	2.09e3	1.16e3	0.125	2.067	3.67	3.68	22.6	87.6986	87.5			
11	-1														
12	16	L-PFOA	412.8 > 368.9	1.31e5	1.61e4	0.125		4.05	4.05	102	570.9497		3.337	NO	
13	81	Total PFOA	412.8 > 368.9	1.31e5	1.61e4	0.125		4.21		102	570.9497				
14	21	PFNA	463.0 > 418.8	4.08e2	1.84e4	0.125		4.50	4.50	0.278	1.7345		5.435	NO	
15	23	L-PFOS	498.9 > 79.9	1.80e3	3.86e3	0.125		4.60	4.60	5.84	43.2793		2.645	NO	
16	82	Total PFOS	498.9 > 79.9	1.80e3	3.86e3	0.125		4.74		5.84	43.2793				
17	58	13C2-PFOA	414.9 > 369.7	1.61e4	2.47e4	0.125	0.680	4.05	4.05	8.18	96.4229	96.2			
18	58	13C2-PFOA	414.9 > 369.7	1.61e4	2.47e4	0.125	0.680	4.05	4.05	8.18	96.4229	96.2			
19	56	13C5-PFNA	468.2 > 422.9	1.84e4	1.93e4	0.125	0.993	4.50	4.50	11.9	95.9564	95.7			
20	59	13C8-PFOS	507.0 > 79.9	3.86e3	3.74e3	0.125	0.975	4.59	4.60	12.9	106.1460	105.9			
21	59	13C8-PFOS	507.0 > 79.9	3.86e3	3.74e3	0.125	0.975	4.59	4.60	12.9	106.1460	105.9			
22	-1														
23	26	PFDA	513 > 468.8	1.47e2	1.84e4	0.125		4.89	4.89	0.0999	0.0810		16.992	YES	
24	29	L-MeFOSAA	570 > 419		3.52e3	0.125		5.05							
25	83	Total N-MeFOSAA	570. > 419	0.00e0	3.52e3	0.125		5.19		0.000					
26	33	PFUdA	563.0 > 518.9		2.00e4	0.125		5.22							
27	37	PFDoA	612.9 > 569.0		1.55e4	0.125		5.52							
28	60	13C2-PFDA	515.1 > 469.9	1.84e4	2.49e4	0.125	0.824	4.89	4.89	9.22	89.6877	89.5			
29	62	d3-N-MeFOSAA	573.3 > 419	3.52e3	3.04e4	0.125	0.179	5.05	5.05	1.45	64.8295	64.7			
30	62	d3-N-MeFOSAA	573.3 > 419	3.52e3	3.04e4	0.125	0.179	5.05	5.05	1.45	64.8295	64.7			
31	63	13C2-PFUdA	565 > 519.8	2.00e4	3.04e4	0.125	0.891	5.23	5.22	8.24	74.0961	73.9			
32	65	13C2-PFDoA	614.7 > 569.7	1.55e4	2.49e4	0.125	1.044	5.52	5.52	7.78	59.7346	59.6			
33	-1														
34	31	L-EtFOSAA	584.1 > 419		4.24e3	0.125		5.21							
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	4.24e3	0.125		5.33		0.000					
36	39	PFTrDA	662.9 > 618.9		1.55e4	0.125		5.77							

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-55.qld

Last Altered: Monday, August 05, 2019 10:12:27 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:13:20 Pacific Daylight Time

Name: 190728M1_55, Date: 29-Jul-2019, Time: 00:39:25, ID: 1902189-12RE1 NAOA-B06-GW 0.12473, Description: NAOA-B06-GW

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	3.67e1	6.00e3	0.125		6.00	6.00	0.0765			75.374	YES
38	85	TDCA	498.3>106.9			0.125		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	4.24e3	3.04e4	0.125	0.222	5.21	5.21	1.74	62.9252	62.8		
40	64	d5-N-EtFOSAA	589.3 > 419	4.24e3	3.04e4	0.125	0.222	5.21	5.21	1.74	62.9252	62.8		
41	65	13C2-PFDoA	614.7 > 569.7	1.55e4	2.49e4	0.125	1.044	5.52	5.52	7.78	59.7346	59.6		
42	67	13C2-PFTeDA	715.1 > 669.7	6.00e3	3.04e4	0.125	0.635	6.00	6.00	2.47	31.1107	31.0		
43	59	13C8-PFOS	507.0 > 79.9	3.86e3	3.74e3	0.125	0.975	4.59	4.60	12.9	106.1460	105.9		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.01e4	2.01e4	0.125	1.000	2.89	2.89	12.5	100.2165	100.0		
46	75	13C8-PFOA	420.9 > 376.0	2.47e4	2.47e4	0.125	1.000	4.05	4.05	12.5	100.2165	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.16e3	1.16e3	0.125	1.000	3.67	3.67	12.5	100.2165	100.0		
48	76	13C9-PFNA	472.2 > 426.9	1.93e4	1.93e4	0.125	1.000	4.50	4.50	12.5	100.2165	100.0		
49	77	13C4-PFOS	503 > 79.9	3.74e3	3.74e3	0.125	1.000	4.59	4.60	12.5	100.2165	100.0		
50	78	13C6-PFDA	519.1 > 473.7	2.49e4	2.49e4	0.125	1.000	4.89	4.89	12.5	100.2165	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	3.04e4	3.04e4	0.125	1.000	5.23	5.23	12.5	100.2165	100.0		

NY 8/5/2019

Vista Analytical Laboratory L14

Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-55.qld


Last Altered: Monday, August 05, 2019 10:12:27 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:13:20 Pacific Daylight Time

Method: M:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 29 Jul 2019 11:56:31
Calibration: M:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16


Name: 190728M1_55, Date: 29-Jul-2019, Time: 00:39:25, ID: 1902189-12RE1 NAOA-B06-GW 0.12473, Description: NAOA-B06-GW


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS



 NY 8/5/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-55.qld

Last Altered: Monday, August 05, 2019 10:12:27 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:13:20 Pacific Daylight Time


Name: 190728M1_55, Date: 29-Jul-2019, Time: 00:39:25, ID: 1902189-12RE1 NAOA-B06-GW 0.12473, Description: NAOA-B06-GW


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS



NY 8/5/2019


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-55.qld

Last Altered: Monday, August 05, 2019 10:12:27 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:13:20 Pacific Daylight Time


Name: 190728M1_55, Date: 29-Jul-2019, Time: 00:39:25, ID: 1902189-12RE1 NAOA-B06-GW 0.12473, Description: NAOA-B06-GW


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA



NY 8/5/2019

Vista Analytical Laboratory L14


Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-55.qld

Last Altered: Monday, August 05, 2019 10:12:27 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:13:20 Pacific Daylight Time


Name: 190728M1_55, Date: 29-Jul-2019, Time: 00:39:25, ID: 1902189-12RE1 NAOA-B06-GW 0.12473, Description: NAOA-B06-GW


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS



 NY 8/5/2019


Review: AMR 8/8/2019

Dataset: M:\Projects\PFAS.PRO\Results\190728M1\190728M1-55.qld


Last Altered: Monday, August 05, 2019 10:12:27 Pacific Daylight Time
Printed: Monday, August 05, 2019 10:13:20 Pacific Daylight Time

Name: 190728M1_55, Date: 29-Jul-2019, Time: 00:39:25, ID: 1902189-12RE1 NAOA-B06-GW 0.12473, Description: NAOA-B06-GW


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



NY 8/5/2019

Vista Analytical Laboratory

Review: AMR 8/8/2019


Dataset: M:\Projects\PFAS.PRO\Results\190729M1\190729M1-27.qld

Last Altered: Thursday, August 08, 2019 12:49:46 Pacific Daylight Time
Printed: Thursday, August 08, 2019 12:50:18 Pacific Daylight Time


Method: M:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072919.mdb 30 Jul 2019 08:09:20
Calibration: M:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-29-19.cdb 30 Jul 2019 08:10:04

Name: 190729M1_27, Date: 29-Jul-2019, Time: 19:24:57, ID: 1902189-12RE1@5X NAOA-B06-GW 0.12473, Description: NAOA-B06-GW


L-PFHxS




Total PFHxS



18O2-PFHxS



13C3-PFHxS



	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	13	L-PFHxS	398.9 > 79.6	26494.352	561.048	0.125		4.06	4.06	590.287	4770		NO	2.134	NO
2	80	Total PFHxS	398.9 > 79.6	26494.352	561.048	0.125		3.83		590.287	4770		NO		
3	74	18O2-PFHxS	403.0 > 102.6	226.135	226.135	0.125	1.000	4.09	4.06	12.500	100	100.0	NO		
4	54	13C3-PFHxS	401.8 > 79.9	561.048	226.135	0.125	2.138	4.09	4.06	31.013	116	116.1	NO		

NY 8/8/2019

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-21.qld

Last Altered: Monday, July 29, 2019 15:09:19 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:09:45 Pacific Daylight Time

Name: 190726M1_21, Date: 26-Jul-2019, Time: 11:59:28, ID: 1902189-13 FRB-07162019 0.11698, Description: FRB-07162019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		2.18e3	0.117		2.42						
2	7	PFHxA	313.0 > 269.0		1.15e4	0.117		2.94						
3	11	PFHpA	363.0 > 318.9		1.42e4	0.117		3.56						
4	13	L-PFHxS	398.9 > 79.6	1.39e1	4.26e3	0.117		3.71	3.71	0.0408	0.3949		4.464	YES
5	80	Total PFHxS	398.9 > 79.6	1.39e1	4.26e3	0.117		3.83		0.0408	0.3949			
6	49	13C3-PFBS	302.0 > 98.8	2.18e3	2.31e3	0.117	1.058	2.44	2.42	11.8	95.0283	88.9		
7	52	13C2-PFHxA	315.0 > 270.0	1.15e4	3.20e4	0.117	0.978	2.95	2.94	4.48	39.2111	91.7		
8	53	13C4-PFHpA	367.2 > 321.8	1.42e4	3.20e4	0.117	0.479	3.57	3.56	5.55	99.1614	92.8		
9	54	13C3-PFHxS	401.8 > 79.9	4.26e3	2.31e3	0.117	2.024	3.73	3.71	23.0	97.2800	91.0		
10	54	13C3-PFHxS	401.8 > 79.9	4.26e3	2.31e3	0.117	2.024	3.73	3.71	23.0	97.2800	91.0		
11	-1													
12	16	L-PFOA	412.8 > 368.9	9.11e1	2.49e4	0.117		4.08	4.08	0.0457	0.0453		7.582	YES
13	81	Total PFOA	412.8 > 368.9	9.11e1	2.49e4	0.117		4.21		0.0457	0.0453			
14	21	PFNA	463.0 > 418.8		2.40e4	0.117		4.53						
15	23	L-PFOS	498.9 > 79.9	1.02e1	4.97e3	0.117		4.62	4.52	0.0257	0.3636		3.376	YES
16	82	Total PFOS	498.9 > 79.9	1.02e1	4.97e3	0.117		4.74		0.0257	0.3636			
17	58	13C2-PFOA	414.9 > 369.7	2.49e4	4.06e4	0.117	0.681	4.11	4.08	7.66	96.1353	90.0		
18	58	13C2-PFOA	414.9 > 369.7	2.49e4	4.06e4	0.117	0.681	4.11	4.08	7.66	96.1353	90.0		
19	56	13C5-PFNA	468.2 > 422.9	2.40e4	2.87e4	0.117	1.002	4.55	4.53	10.5	89.3876	83.7		
20	59	13C8-PFOS	507.0 > 79.9	4.97e3	5.45e3	0.117	0.997	4.64	4.62	11.4	97.7243	91.5		
21	59	13C8-PFOS	507.0 > 79.9	4.97e3	5.45e3	0.117	0.997	4.64	4.62	11.4	97.7243	91.5		
22	-1													
23	26	PFDA	513 > 468.8	4.49e1	2.30e4	0.117		4.91	4.92	0.0244	0.1361		16.673	YES
24	29	L-MeFOSAA	570 > 419		5.19e3	0.117		5.07						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	5.19e3	0.117		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	8.64e1	3.05e4	0.117		5.25	5.25	0.0354			36.977	YES
27	37	PFDoA	612.9 > 569.0		2.89e4	0.117		5.54						
28	60	13C2-PFDA	515.1 > 469.9	2.30e4	3.68e4	0.117	0.819	4.93	4.91	7.80	81.3816	76.2		
29	62	d3-N-MeFOSAA	573.3 > 419	5.19e3	4.57e4	0.117	0.177	5.08	5.07	1.42	68.3580	64.0		
30	62	d3-N-MeFOSAA	573.3 > 419	5.19e3	4.57e4	0.117	0.177	5.08	5.07	1.42	68.3580	64.0		
31	63	13C2-PFUdA	565 > 519.8	3.05e4	4.57e4	0.117	0.889	5.26	5.25	8.33	80.1119	75.0		
32	65	13C2-PFDoA	614.7 > 569.7	2.89e4	3.68e4	0.117	1.087	5.55	5.54	9.81	77.1025	72.2		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		7.12e3	0.117		5.23						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	7.12e3	0.117		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9	2.51e1	2.89e4	0.117		5.79	5.79	0.0109			38.068	YES

Vista Analytical Laboratory L14

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-21.qld

Last Altered: Monday, July 29, 2019 15:09:19 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:09:45 Pacific Daylight Time

Name: 190726M1_21, Date: 26-Jul-2019, Time: 11:59:28, ID: 1902189-13 FRB-07162019 0.11698, Description: FRB-07162019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0	6.32e1	2.21e4	0.117		6.02	6.01	0.0357			14.569	NO
38	85	TDCA	498.3>106.9			0.117		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	7.12e3	4.57e4	0.117	0.224	5.25	5.23	1.94	74.2722	69.5		
40	64	d5-N-EtFOSAA	589.3 > 419	7.12e3	4.57e4	0.117	0.224	5.25	5.23	1.94	74.2722	69.5		
41	65	13C2-PFDoA	614.7 > 569.7	2.89e4	3.68e4	0.117	1.087	5.55	5.54	9.81	77.1025	72.2		
42	67	13C2-PFTeDA	715.1 > 669.7	2.21e4	4.57e4	0.117	0.604	6.03	6.02	6.05	85.6123	80.1		
43	59	13C8-PFOS	507.0 > 79.9	4.97e3	5.45e3	0.117	0.997	4.64	4.62	11.4	97.7243	91.5		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	3.20e4	3.20e4	0.117	1.000	2.95	2.94	12.5	106.8559	100.0		
46	75	13C8-PFOA	420.9 > 376.0	4.06e4	4.06e4	0.117	1.000	4.11	4.08	12.5	106.8559	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	2.31e3	2.31e3	0.117	1.000	3.73	3.71	12.5	106.8559	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.87e4	2.87e4	0.117	1.000	4.55	4.53	12.5	106.8559	100.0		
49	77	13C4-PFOS	503 > 79.9	5.45e3	5.45e3	0.117	1.000	4.64	4.62	12.5	106.8559	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.68e4	3.68e4	0.117	1.000	4.93	4.91	12.5	106.8559	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	4.57e4	4.57e4	0.117	1.000	5.26	5.25	12.5	106.8559	100.0		

Vista Analytical Laboratory L14


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-21.qld


Last Altered: Monday, July 29, 2019 15:09:19 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:09:45 Pacific Daylight Time

Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35


Name: 190726M1_21, Date: 26-Jul-2019, Time: 11:59:28, ID: 1902189-13 FRB-07162019 0.11698, Description: FRB-07162019


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-21.qld


Last Altered: Monday, July 29, 2019 15:09:19 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:09:45 Pacific Daylight Time

Name: 190726M1_21, Date: 26-Jul-2019, Time: 11:59:28, ID: 1902189-13 FRB-07162019 0.11698, Description: FRB-07162019


L-PFOA




Total PFOA




PFNA




L-PFOS




Total PFOS




13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-21.qld

Last Altered: Monday, July 29, 2019 15:09:19 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:09:45 Pacific Daylight Time


Name: 190726M1_21, Date: 26-Jul-2019, Time: 11:59:28, ID: 1902189-13 FRB-07162019 0.11698, Description: FRB-07162019


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-21.qld

Last Altered: Monday, July 29, 2019 15:09:19 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:09:45 Pacific Daylight Time


Name: 190726M1_21, Date: 26-Jul-2019, Time: 11:59:28, ID: 1902189-13 FRB-07162019 0.11698, Description: FRB-07162019


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-21.qld


Last Altered: Monday, July 29, 2019 15:09:19 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:09:45 Pacific Daylight Time

Name: 190726M1_21, Date: 26-Jul-2019, Time: 11:59:28, ID: 1902189-13 FRB-07162019 0.11698, Description: FRB-07162019


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-22.qld

Last Altered: Monday, July 29, 2019 15:11:10 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:11:27 Pacific Daylight Time

Name: 190726M1_22, Date: 26-Jul-2019, Time: 12:10:07, ID: 1902189-14 EB-07162019 0.11868, Description: EB-07162019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		1.98e3	0.119		2.42						
2	7	PFHxA	313.0 > 269.0		9.52e3	0.119		2.94						
3	11	PFHpA	363.0 > 318.9		1.22e4	0.119		3.55						
4	13	L-PFHxS	398.9 > 79.6	1.13e1	3.85e3	0.119		3.71	3.70	0.0367	0.3511		6.425	YES
5	80	Total PFHxS	398.9 > 79.6	1.13e1	3.85e3	0.119		3.83		0.0367	0.3511			
6	49	13C3-PFBS	302.0 > 98.8	1.98e3	1.98e3	0.119	1.058	2.44	2.42	12.5	99.3856	94.4		
7	52	13C2-PFHxA	315.0 > 270.0	9.52e3	2.57e4	0.119	0.978	2.95	2.94	4.64	39.9880	94.9		
8	53	13C4-PFHpA	367.2 > 321.8	1.22e4	2.57e4	0.119	0.479	3.57	3.55	5.92	104.3197	99.0		
9	54	13C3-PFHxS	401.8 > 79.9	3.85e3	1.98e3	0.119	2.024	3.73	3.71	24.3	101.1179	96.0		
10	54	13C3-PFHxS	401.8 > 79.9	3.85e3	1.98e3	0.119	2.024	3.73	3.71	24.3	101.1179	96.0		
11	-1													
12	16	L-PFOA	412.8 > 368.9	1.07e2	2.17e4	0.119		4.08	4.08	0.0616	0.1337		16.107	YES
13	81	Total PFOA	412.8 > 368.9	1.07e2	2.17e4	0.119		4.21		0.0616	0.1337			
14	21	PFNA	463.0 > 418.8	1.86e1	2.17e4	0.119		4.53	4.54	0.0107			6.272	YES
15	23	L-PFOS	498.9 > 79.9	3.79e1	4.46e3	0.119		4.62	4.62	0.106	0.9933		1.254	NO
16	82	Total PFOS	498.9 > 79.9	3.79e1	4.46e3	0.119		4.74		0.106	0.9933			
17	58	13C2-PFOA	414.9 > 369.7	2.17e4	3.46e4	0.119	0.681	4.11	4.08	7.83	96.8635	92.0		
18	58	13C2-PFOA	414.9 > 369.7	2.17e4	3.46e4	0.119	0.681	4.11	4.08	7.83	96.8635	92.0		
19	56	13C5-PFNA	468.2 > 422.9	2.17e4	2.39e4	0.119	1.002	4.55	4.53	11.4	95.7050	90.9		
20	59	13C8-PFOS	507.0 > 79.9	4.46e3	4.88e3	0.119	0.997	4.64	4.62	11.4	96.5172	91.6		
21	59	13C8-PFOS	507.0 > 79.9	4.46e3	4.88e3	0.119	0.997	4.64	4.62	11.4	96.5172	91.6		
22	-1													
23	26	PFDA	513 > 468.8		2.16e4	0.119		4.91						
24	29	L-MeFOSAA	570 > 419		5.15e3	0.119		5.07						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	5.15e3	0.119		5.19		0.000				
26	33	PFUdA	563.0 > 518.9		2.76e4	0.119		5.25						
27	37	PFDoA	612.9 > 569.0	2.04e1	2.61e4	0.119		5.54	5.53	0.00977			10.668	NO
28	60	13C2-PFDA	515.1 > 469.9	2.16e4	3.11e4	0.119	0.819	4.93	4.91	8.67	89.2269	84.7		
29	62	d3-N-MeFOSAA	573.3 > 419	5.15e3	4.06e4	0.119	0.177	5.08	5.07	1.58	75.2345	71.4		
30	62	d3-N-MeFOSAA	573.3 > 419	5.15e3	4.06e4	0.119	0.177	5.08	5.07	1.58	75.2345	71.4		
31	63	13C2-PFUdA	565 > 519.8	2.76e4	4.06e4	0.119	0.889	5.26	5.25	8.50	80.5621	76.5		
32	65	13C2-PFDoA	614.7 > 569.7	2.61e4	3.11e4	0.119	1.087	5.55	5.54	10.5	81.3797	77.3		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		6.59e3	0.119		5.23						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	6.59e3	0.119		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		2.61e4	0.119		5.79						

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-22.qld

Last Altered: Monday, July 29, 2019 15:11:10 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:11:27 Pacific Daylight Time

Name: 190726M1_22, Date: 26-Jul-2019, Time: 12:10:07, ID: 1902189-14 EB-07162019 0.11868, Description: EB-07162019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		2.02e4	0.119		6.02						
38	85	TDCA	498.3>106.9			0.119		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	6.59e3	4.06e4	0.119	0.224	5.25	5.23	2.03	76.3224	72.5		
40	64	d5-N-EtFOSAA	589.3 > 419	6.59e3	4.06e4	0.119	0.224	5.25	5.23	2.03	76.3224	72.5		
41	65	13C2-PFDoA	614.7 > 569.7	2.61e4	3.11e4	0.119	1.087	5.55	5.54	10.5	81.3797	77.3		
42	67	13C2-PFTeDA	715.1 > 669.7	2.02e4	4.06e4	0.119	0.604	6.03	6.02	6.20	86.5146	82.1		
43	59	13C8-PFOS	507.0 > 79.9	4.46e3	4.88e3	0.119	0.997	4.64	4.62	11.4	96.5172	91.6		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.57e4	2.57e4	0.119	1.000	2.95	2.94	12.5	105.3252	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.46e4	3.46e4	0.119	1.000	4.11	4.08	12.5	105.3252	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	1.98e3	1.98e3	0.119	1.000	3.73	3.71	12.5	105.3252	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.39e4	2.39e4	0.119	1.000	4.55	4.53	12.5	105.3252	100.0		
49	77	13C4-PFOS	503 > 79.9	4.88e3	4.88e3	0.119	1.000	4.64	4.62	12.5	105.3252	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.11e4	3.11e4	0.119	1.000	4.93	4.91	12.5	105.3252	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	4.06e4	4.06e4	0.119	1.000	5.26	5.25	12.5	105.3252	100.0		

Vista Analytical Laboratory L14


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-22.qld


Last Altered: Monday, July 29, 2019 15:11:10 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:11:27 Pacific Daylight Time

Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35


Name: 190726M1_22, Date: 26-Jul-2019, Time: 12:10:07, ID: 1902189-14 EB-07162019 0.11868, Description: EB-07162019


PFBS







PFHxA







PFHpA







L-PFHxS






Total PFHxS







13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-22.qld

Last Altered: Monday, July 29, 2019 15:11:10 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:11:27 Pacific Daylight Time


Name: 190726M1_22, Date: 26-Jul-2019, Time: 12:10:07, ID: 1902189-14 EB-07162019 0.11868, Description: EB-07162019


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-22.qld

Last Altered: Monday, July 29, 2019 15:11:10 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:11:27 Pacific Daylight Time


Name: 190726M1_22, Date: 26-Jul-2019, Time: 12:10:07, ID: 1902189-14 EB-07162019 0.11868, Description: EB-07162019


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-22.qld

Last Altered: Monday, July 29, 2019 15:11:10 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:11:27 Pacific Daylight Time


Name: 190726M1_22, Date: 26-Jul-2019, Time: 12:10:07, ID: 1902189-14 EB-07162019 0.11868, Description: EB-07162019


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-22.qld


Last Altered: Monday, July 29, 2019 15:11:10 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:11:27 Pacific Daylight Time

Name: 190726M1_22, Date: 26-Jul-2019, Time: 12:10:07, ID: 1902189-14 EB-07162019 0.11868, Description: EB-07162019


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-23.qld

Last Altered: Monday, July 29, 2019 15:12:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:13:11 Pacific Daylight Time

Name: 190726M1_23, Date: 26-Jul-2019, Time: 12:20:39, ID: 1902189-19 FRB-07172019 0.1221, Description: FRB-07172019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		1.93e3	0.122		2.42						
2	7	PFHxA	313.0 > 269.0		9.42e3	0.122		2.94						
3	11	PFHpA	363.0 > 318.9		1.15e4	0.122		3.56						
4	13	L-PFHxS	398.9 > 79.6		3.75e3	0.122		3.71						
5	80	Total PFHxS	398.9 > 79.6	0.00e0	3.75e3	0.122		3.83		0.000				
6	49	13C3-PFBS	302.0 > 98.8	1.93e3	2.04e3	0.122	1.058	2.44	2.42	11.8	91.2820	89.2		
7	52	13C2-PFHxA	315.0 > 270.0	9.42e3	2.62e4	0.122	0.978	2.95	2.94	4.49	37.6206	91.9		
8	53	13C4-PFHpA	367.2 > 321.8	1.15e4	2.62e4	0.122	0.479	3.57	3.56	5.49	94.0449	91.9		
9	54	13C3-PFHxS	401.8 > 79.9	3.75e3	2.04e3	0.122	2.024	3.73	3.71	23.0	92.9800	90.8		
10	54	13C3-PFHxS	401.8 > 79.9	3.75e3	2.04e3	0.122	2.024	3.73	3.71	23.0	92.9800	90.8		
11	-1													
12	16	L-PFOA	412.8 > 368.9		2.04e4	0.122		4.09						
13	81	Total PFOA	412.8 > 368.9	0.00e0	2.04e4	0.122		4.21		0.000				
14	21	PFNA	463.0 > 418.8		1.95e4	0.122		4.53						
15	23	L-PFOS	498.9 > 79.9	7.08e-1	4.15e3	0.122		4.62	4.51	0.00213	0.1676		0.333	YES
16	82	Total PFOS	498.9 > 79.9	7.08e-1	4.15e3	0.122		4.74		0.00213	0.1676			
17	58	13C2-PFOA	414.9 > 369.7	2.04e4	3.32e4	0.122	0.681	4.11	4.09	7.67	92.2046	90.1		
18	58	13C2-PFOA	414.9 > 369.7	2.04e4	3.32e4	0.122	0.681	4.11	4.09	7.67	92.2046	90.1		
19	56	13C5-PFNA	468.2 > 422.9	1.95e4	2.47e4	0.122	1.002	4.55	4.53	9.89	80.8107	78.9		
20	59	13C8-PFOS	507.0 > 79.9	4.15e3	4.58e3	0.122	0.997	4.64	4.62	11.3	93.1213	91.0		
21	59	13C8-PFOS	507.0 > 79.9	4.15e3	4.58e3	0.122	0.997	4.64	4.62	11.3	93.1213	91.0		
22	-1													
23	26	PFDA	513 > 468.8		1.92e4	0.122		4.92						
24	29	L-MeFOSAA	570 > 419		4.59e3	0.122		5.07						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	4.59e3	0.122		5.19		0.000				
26	33	PFUdA	563.0 > 518.9		2.56e4	0.122		5.25						
27	37	PFDoA	612.9 > 569.0		2.55e4	0.122		5.54						
28	60	13C2-PFDA	515.1 > 469.9	1.92e4	3.22e4	0.122	0.819	4.93	4.92	7.45	74.5194	72.8		
29	62	d3-N-MeFOSAA	573.3 > 419	4.59e3	3.97e4	0.122	0.177	5.08	5.07	1.45	66.7063	65.2		
30	62	d3-N-MeFOSAA	573.3 > 419	4.59e3	3.97e4	0.122	0.177	5.08	5.07	1.45	66.7063	65.2		
31	63	13C2-PFUdA	565 > 519.8	2.56e4	3.97e4	0.122	0.889	5.26	5.25	8.06	74.2434	72.5		
32	65	13C2-PFDoA	614.7 > 569.7	2.55e4	3.22e4	0.122	1.087	5.55	5.54	9.89	74.4941	72.8		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		6.06e3	0.122		5.23						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	6.06e3	0.122		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		2.55e4	0.122		5.79						

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-23.qld

Last Altered: Monday, July 29, 2019 15:12:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:13:11 Pacific Daylight Time

Name: 190726M1_23, Date: 26-Jul-2019, Time: 12:20:39, ID: 1902189-19 FRB-07172019 0.1221, Description: FRB-07172019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		1.82e4	0.122		6.02						
38	85	TDCA	498.3>106.9			0.122		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	6.06e3	3.97e4	0.122	0.224	5.25	5.23	1.91	69.9052	68.3		
40	64	d5-N-EtFOSAA	589.3 > 419	6.06e3	3.97e4	0.122	0.224	5.25	5.23	1.91	69.9052	68.3		
41	65	13C2-PFDoA	614.7 > 569.7	2.55e4	3.22e4	0.122	1.087	5.55	5.54	9.89	74.4941	72.8		
42	67	13C2-PFTeDA	715.1 > 669.7	1.82e4	3.97e4	0.122	0.604	6.03	6.02	5.73	77.6202	75.8		
43	59	13C8-PFOS	507.0 > 79.9	4.15e3	4.58e3	0.122	0.997	4.64	4.62	11.3	93.1213	91.0		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.62e4	2.62e4	0.122	1.000	2.95	2.94	12.5	102.3751	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.32e4	3.32e4	0.122	1.000	4.11	4.09	12.5	102.3751	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	2.04e3	2.04e3	0.122	1.000	3.73	3.71	12.5	102.3751	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.47e4	2.47e4	0.122	1.000	4.55	4.53	12.5	102.3751	100.0		
49	77	13C4-PFOS	503 > 79.9	4.58e3	4.58e3	0.122	1.000	4.64	4.62	12.5	102.3751	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.22e4	3.22e4	0.122	1.000	4.93	4.92	12.5	102.3751	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	3.97e4	3.97e4	0.122	1.000	5.26	5.24	12.5	102.3751	100.0		

Vista Analytical Laboratory L14


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-23.qld

Last Altered: Monday, July 29, 2019 15:12:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:13:11 Pacific Daylight Time


Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_23, Date: 26-Jul-2019, Time: 12:20:39, ID: 1902189-19 FRB-07172019 0.1221, Description: FRB-07172019


PFBS




PFHxA




PFHpA




L-PFHxS




Total PFHxS




13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-23.qld


Last Altered: Monday, July 29, 2019 15:12:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:13:11 Pacific Daylight Time

Name: 190726M1_23, Date: 26-Jul-2019, Time: 12:20:39, ID: 1902189-19 FRB-07172019 0.1221, Description: FRB-07172019


L-PFOA




Total PFOA




PFNA




L-PFOS




Total PFOS




13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-23.qld


Last Altered: Monday, July 29, 2019 15:12:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:13:11 Pacific Daylight Time

Name: 190726M1_23, Date: 26-Jul-2019, Time: 12:20:39, ID: 1902189-19 FRB-07172019 0.1221, Description: FRB-07172019


PFDA




L-MeFOSAA




Total N-MeFOSAA




PFUdA




PFDoA




13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-23.qld


Last Altered: Monday, July 29, 2019 15:12:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:13:11 Pacific Daylight Time

Name: 190726M1_23, Date: 26-Jul-2019, Time: 12:20:39, ID: 1902189-19 FRB-07172019 0.1221, Description: FRB-07172019


L-EtFOSAA




Total N-EtFOSAA




PFTrDA




PFTeDA




TDCA




d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-23.qld


Last Altered: Monday, July 29, 2019 15:12:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:13:11 Pacific Daylight Time

Name: 190726M1_23, Date: 26-Jul-2019, Time: 12:20:39, ID: 1902189-19 FRB-07172019 0.1221, Description: FRB-07172019


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-24.qld

Last Altered: Monday, July 29, 2019 15:14:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:15:08 Pacific Daylight Time

Name: 190726M1_24, Date: 26-Jul-2019, Time: 12:31:18, ID: 1902189-20 EB-07172019 0.11988, Description: EB-07172019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
1	5	PFBS	299.0 > 79.7		2.27e3	0.120		2.42						
2	7	PFHxA	313.0 > 269.0	1.21e2	1.09e4	0.120		2.94	2.94	0.0556			488.750	YES
3	11	PFHpA	363.0 > 318.9		1.37e4	0.120		3.56						
4	13	L-PFHxS	398.9 > 79.6	2.13e1	4.45e3	0.120		3.71	3.71	0.0598	0.5597		2.406	NO
5	80	Total PFHxS	398.9 > 79.6	2.13e1	4.45e3	0.120		3.83		0.0598	0.5597			
6	49	13C3-PFBS	302.0 > 98.8	2.27e3	2.17e3	0.120	1.058	2.44	2.42	13.1	103.3917	99.2		
7	52	13C2-PFHxA	315.0 > 270.0	1.09e4	2.91e4	0.120	0.978	2.95	2.94	4.68	39.9048	95.7		
8	53	13C4-PFHpA	367.2 > 321.8	1.37e4	2.91e4	0.120	0.479	3.57	3.56	5.86	102.0943	97.9		
9	54	13C3-PFHxS	401.8 > 79.9	4.45e3	2.17e3	0.120	2.024	3.73	3.71	25.7	105.7696	101.4		
10	54	13C3-PFHxS	401.8 > 79.9	4.45e3	2.17e3	0.120	2.024	3.73	3.71	25.7	105.7696	101.4		
11	-1													
12	16	L-PFOA	412.8 > 368.9	3.33e2	2.32e4	0.120		4.08	4.08	0.179	0.7861		5.772	YES
13	81	Total PFOA	412.8 > 368.9	3.33e2	2.32e4	0.120		4.21		0.179	0.7861			
14	21	PFNA	463.0 > 418.8		2.29e4	0.120		4.53						
15	23	L-PFOS	498.9 > 79.9	6.23e2	4.99e3	0.120		4.62	4.62	1.56	12.3308		1.995	NO
16	82	Total PFOS	498.9 > 79.9	6.23e2	4.99e3	0.120		4.74		1.56	12.3308			
17	58	13C2-PFOA	414.9 > 369.7	2.32e4	3.70e4	0.120	0.681	4.11	4.08	7.86	96.1863	92.2		
18	58	13C2-PFOA	414.9 > 369.7	2.32e4	3.70e4	0.120	0.681	4.11	4.08	7.86	96.1863	92.2		
19	56	13C5-PFNA	468.2 > 422.9	2.29e4	2.71e4	0.120	1.002	4.55	4.53	10.6	87.9294	84.3		
20	59	13C8-PFOS	507.0 > 79.9	4.99e3	4.97e3	0.120	0.997	4.64	4.62	12.6	105.0846	100.8		
21	59	13C8-PFOS	507.0 > 79.9	4.99e3	4.97e3	0.120	0.997	4.64	4.62	12.6	105.0846	100.8		
22	-1													
23	26	PFDA	513 > 468.8	3.48e1	2.16e4	0.120		4.91	4.91	0.0201	0.1047		7.324	NO
24	29	L-MeFOSAA	570 > 419		4.89e3	0.120		5.07						
25	83	Total N-MeFOSAA	570. > 419	0.00e0	4.89e3	0.120		5.19		0.000				
26	33	PFUdA	563.0 > 518.9	6.09e1	2.72e4	0.120		5.25	5.24	0.0280			59.363	YES
27	37	PFDoA	612.9 > 569.0		2.32e4	0.120		5.54						
28	60	13C2-PFDA	515.1 > 469.9	2.16e4	3.55e4	0.120	0.819	4.93	4.91	7.62	77.6214	74.4		
29	62	d3-N-MeFOSAA	573.3 > 419	4.89e3	4.20e4	0.120	0.177	5.08	5.07	1.45	68.2955	65.5		
30	62	d3-N-MeFOSAA	573.3 > 419	4.89e3	4.20e4	0.120	0.177	5.08	5.07	1.45	68.2955	65.5		
31	63	13C2-PFUdA	565 > 519.8	2.72e4	4.20e4	0.120	0.889	5.26	5.25	8.08	75.7936	72.7		
32	65	13C2-PFDoA	614.7 > 569.7	2.32e4	3.55e4	0.120	1.087	5.55	5.54	8.17	62.6486	60.1		
33	-1													
34	31	L-EtFOSAA	584.1 > 419		6.16e3	0.120		5.23						
35	84	Total N-EtFOSAA	584.1 > 419	0.00e0	6.16e3	0.120		5.33		0.000				
36	39	PFTrDA	662.9 > 618.9		2.32e4	0.120		5.79						

Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-24.qld

Last Altered: Monday, July 29, 2019 15:14:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:15:08 Pacific Daylight Time

Name: 190726M1_24, Date: 26-Jul-2019, Time: 12:31:18, ID: 1902189-20 EB-07172019 0.11988, Description: EB-07172019

	#	Name	Trace	Area	IS Area	wt/vol	RRF Mean	Pred.RT	RT	Response	Conc.	%Rec	Ion Ratio	Ratio Out?
37	41	PFTeDA	713.0 > 669.0		1.88e4	0.120		6.02						
38	85	TDCA	498.3>106.9			0.120		5.45						
39	64	d5-N-EtFOSAA	589.3 > 419	6.16e3	4.20e4	0.120	0.224	5.25	5.23	1.83	68.2262	65.4		
40	64	d5-N-EtFOSAA	589.3 > 419	6.16e3	4.20e4	0.120	0.224	5.25	5.23	1.83	68.2262	65.4		
41	65	13C2-PFDoA	614.7 > 569.7	2.32e4	3.55e4	0.120	1.087	5.55	5.54	8.17	62.6486	60.1		
42	67	13C2-PFTeDA	715.1 > 669.7	1.88e4	4.20e4	0.120	0.604	6.03	6.02	5.58	77.0619	73.9		
43	59	13C8-PFOS	507.0 > 79.9	4.99e3	4.97e3	0.120	0.997	4.64	4.62	12.6	105.0846	100.8		
44	-1													
45	73	13C5-PFHxA	318.0 > 272.9	2.91e4	2.91e4	0.120	1.000	2.95	2.94	12.5	104.2709	100.0		
46	75	13C8-PFOA	420.9 > 376.0	3.70e4	3.70e4	0.120	1.000	4.11	4.08	12.5	104.2709	100.0		
47	74	18O2-PFHxS	403.0 > 102.6	2.17e3	2.17e3	0.120	1.000	3.73	3.71	12.5	104.2709	100.0		
48	76	13C9-PFNA	472.2 > 426.9	2.71e4	2.71e4	0.120	1.000	4.55	4.53	12.5	104.2709	100.0		
49	77	13C4-PFOS	503 > 79.9	4.97e3	4.97e3	0.120	1.000	4.64	4.62	12.5	104.2709	100.0		
50	78	13C6-PFDA	519.1 > 473.7	3.55e4	3.55e4	0.120	1.000	4.93	4.91	12.5	104.2709	100.0		
51	79	13C7-PFUdA	570.1 > 524.8	4.20e4	4.20e4	0.120	1.000	5.26	5.25	12.5	104.2709	100.0		

Vista Analytical Laboratory L14


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-24.qld

Last Altered: Monday, July 29, 2019 15:14:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:15:08 Pacific Daylight Time


Method: Z:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072419.mdb 24 Jul 2019 09:05:00
Calibration: Z:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_24, Date: 26-Jul-2019, Time: 12:31:18, ID: 1902189-20 EB-07172019 0.11988, Description: EB-07172019


PFBS




PFHxA




PFHpA




L-PFHxS




Total PFHxS




13C3-PFBS




13C2-PFHxA




13C4-PFHpA



13C3-PFHxS



13C3-PFHxS




Vista Analytical Laboratory L14


Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-24.qld

Last Altered: Monday, July 29, 2019 15:14:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:15:08 Pacific Daylight Time


Name: 190726M1_24, Date: 26-Jul-2019, Time: 12:31:18, ID: 1902189-20 EB-07172019 0.11988, Description: EB-07172019


L-PFOA







Total PFOA







PFNA







L-PFOS






Total PFOS







13C2-PFOA




13C2-PFOA




13C5-PFNA



13C8-PFOS



13C8-PFOS





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-24.qld

Last Altered: Monday, July 29, 2019 15:14:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:15:08 Pacific Daylight Time


Name: 190726M1_24, Date: 26-Jul-2019, Time: 12:31:18, ID: 1902189-20 EB-07172019 0.11988, Description: EB-07172019


PFDA







L-MeFOSAA







Total N-MeFOSAA







PFUdA






PFDoA







13C2-PFDA




d3-N-MeFOSAA




d3-N-MeFOSAA



13C2-PFUdA



13C2-PFDoA





Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-24.qld

Last Altered: Monday, July 29, 2019 15:14:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:15:08 Pacific Daylight Time


Name: 190726M1_24, Date: 26-Jul-2019, Time: 12:31:18, ID: 1902189-20 EB-07172019 0.11988, Description: EB-07172019


L-EtFOSAA







Total N-EtFOSAA







PFTrDA







PFTeDA






TDCA







d5-N-EtFOSAA




d5-N-EtFOSAA




13C2-PFDoA



13C2-PFTeDA



13C8-PFOS




Dataset: Z:\Projects\PFAS.PRO\Results\190726M1\190726M1-24.qld


Last Altered: Monday, July 29, 2019 15:14:50 Pacific Daylight Time
Printed: Monday, July 29, 2019 15:15:08 Pacific Daylight Time

Name: 190726M1_24, Date: 26-Jul-2019, Time: 12:31:18, ID: 1902189-20 EB-07172019 0.11988, Description: EB-07172019


13C5-PFHxA




13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



INJECTION INTERNAL STANDARD (IIS) AREAS,

INSTRUMENT BLANKS (IB)

AND

CONTINUTING CALIBRATION VERIFICATIONS CCV)

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_RS-07-13-19.mdb 23 Jul 2019 10:48:27
Calibration: 28 Jul 2019 12:55:48

Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190726M1-1 PFC CS0 19G1103	1.27e4	100.0	NO
2	2	13C5-PFHxA	ST190726M1-1 PFC CS0 19G1103	3.71e4	100.0	NO
3	3	18O2-PFHxS	ST190726M1-1 PFC CS0 19G1103	2.38e3	100.0	NO
4	4	13C8-PFOA	ST190726M1-1 PFC CS0 19G1103	4.55e4	100.0	NO
5	5	13C9-PFNA	ST190726M1-1 PFC CS0 19G1103	3.25e4	100.0	NO
6	6	13C4-PFOS	ST190726M1-1 PFC CS0 19G1103	5.86e3	100.0	NO
7	7	13C6-PFDA	ST190726M1-1 PFC CS0 19G1103	3.99e4	100.0	NO
8	8	13C7-PFUdA	ST190726M1-1 PFC CS0 19G1103	4.77e4	100.0	NO

Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IB	9.68e3	76.2	NO
2	2	13C5-PFHxA	IB	3.29e4	88.7	NO
3	3	18O2-PFHxS	IB	2.03e3	85.3	NO
4	4	13C8-PFOA	IB	3.98e4	87.5	NO
5	5	13C9-PFNA	IB	2.89e4	88.9	NO
6	6	13C4-PFOS	IB	4.82e3	82.3	NO
7	7	13C6-PFDA	IB	3.49e4	87.5	NO
8	8	13C7-PFUdA	IB	4.33e4	90.7	NO

Name: 190726M1_6, Date: 26-Jul-2019, Time: 08:52:12, ID: B9G0237-BS1 OPR 0.25, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0237-BS1 OPR 0.25	2.50e4	98.5	NO
2	2	13C5-PFHxA	B9G0237-BS1 OPR 0.25	4.79e4	64.5	NO
3	3	18O2-PFHxS	B9G0237-BS1 OPR 0.25	3.95e3	83.2	NO
4	4	13C8-PFOA	B9G0237-BS1 OPR 0.25	6.27e4	68.9	NO
5	5	13C9-PFNA	B9G0237-BS1 OPR 0.25	4.81e4	74.0	NO
6	6	13C4-PFOS	B9G0237-BS1 OPR 0.25	9.03e3	77.1	NO
7	7	13C6-PFDA	B9G0237-BS1 OPR 0.25	6.06e4	76.0	NO
8	8	13C7-PFUdA	B9G0237-BS1 OPR 0.25	7.04e4	73.7	NO

Name: 190726M1_7, Date: 26-Jul-2019, Time: 09:02:47, ID: B9G0237-BSD1 LCSD 0.25, Description: LCSD

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0237-BSD1 LCSD 0.25	2.58e4	101.4	NO
2	2	13C5-PFHxA	B9G0237-BSD1 LCSD 0.25	5.10e4	68.8	NO
3	3	18O2-PFHxS	B9G0237-BSD1 LCSD 0.25	3.86e3	81.3	NO
4	4	13C8-PFOA	B9G0237-BSD1 LCSD 0.25	6.35e4	69.8	NO
5	5	13C9-PFNA	B9G0237-BSD1 LCSD 0.25	4.85e4	74.6	NO
6	6	13C4-PFOS	B9G0237-BSD1 LCSD 0.25	9.58e3	81.8	NO
7	7	13C6-PFDA	B9G0237-BSD1 LCSD 0.25	6.37e4	79.8	NO
8	8	13C7-PFUdA	B9G0237-BSD1 LCSD 0.25	7.54e4	78.9	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_8, Date: 26-Jul-2019, Time: 09:41:42, ID: B9G0237-BLK1 Method Blank 0.25, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0237-BLK1 Method Blank 0.25	3.03e4	119.1	NO
2	2	13C5-PFHxA	B9G0237-BLK1 Method Blank 0.25	5.43e4	73.2	NO
3	3	18O2-PFHxS	B9G0237-BLK1 Method Blank 0.25	3.90e3	82.0	NO
4	4	13C8-PFOA	B9G0237-BLK1 Method Blank 0.25	7.02e4	77.1	NO
5	5	13C9-PFNA	B9G0237-BLK1 Method Blank 0.25	4.97e4	76.5	NO
6	6	13C4-PFOS	B9G0237-BLK1 Method Blank 0.25	9.20e3	78.6	NO
7	7	13C6-PFDA	B9G0237-BLK1 Method Blank 0.25	6.47e4	81.1	NO
8	8	13C7-PFUdA	B9G0237-BLK1 Method Blank 0.25	8.02e4	84.0	NO

Name: 190726M1_9, Date: 26-Jul-2019, Time: 09:52:20, ID: 1902204-01 PFC-AF-420-01-071819 0.11263, Description: PFC-AF-420-01-071819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902204-01 PFC-AF-420-01-071819 0....	1.38e4	54.2	NO
2	2	13C5-PFHxA	1902204-01 PFC-AF-420-01-071819 0....	5.33e4	71.9	NO
3	3	18O2-PFHxS	1902204-01 PFC-AF-420-01-071819 0....	4.05e3	85.2	NO
4	4	13C8-PFOA	1902204-01 PFC-AF-420-01-071819 0....	7.18e4	78.9	NO
5	5	13C9-PFNA	1902204-01 PFC-AF-420-01-071819 0....	5.28e4	81.2	NO
6	6	13C4-PFOS	1902204-01 PFC-AF-420-01-071819 0....	8.72e3	74.5	NO
7	7	13C6-PFDA	1902204-01 PFC-AF-420-01-071819 0....	6.68e4	83.7	NO
8	8	13C7-PFUdA	1902204-01 PFC-AF-420-01-071819 0....	8.01e4	83.9	NO

Name: 190726M1_10, Date: 26-Jul-2019, Time: 10:02:53, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190726M1_11, Date: 26-Jul-2019, Time: 10:13:32, ID: 1902222-01 WIN1907221220GGA 0.22274, Description: WIN1907221220GGA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902222-01 WIN1907221220GGA 0.22...	2.64e4	104.1	NO
2	2	13C5-PFHxA	1902222-01 WIN1907221220GGA 0.22...	5.24e4	70.7	NO
3	3	18O2-PFHxS	1902222-01 WIN1907221220GGA 0.22...	3.62e3	76.3	NO
4	4	13C8-PFOA	1902222-01 WIN1907221220GGA 0.22...	6.67e4	73.3	NO
5	5	13C9-PFNA	1902222-01 WIN1907221220GGA 0.22...	4.67e4	71.8	NO
6	6	13C4-PFOS	1902222-01 WIN1907221220GGA 0.22...	6.98e3	59.6	NO
7	7	13C6-PFDA	1902222-01 WIN1907221220GGA 0.22...	6.21e4	77.8	NO
8	8	13C7-PFUdA	1902222-01 WIN1907221220GGA 0.22...	7.41e4	77.6	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_12, Date: 26-Jul-2019, Time: 10:24:10, ID: 1902222-02 WMP1907221210GGA 0.23459, Description: WMP1907221210GGA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902222-02 WMP1907221210GGA 0.2...	2.66e4	104.8	NO
2	2	13C5-PFHxA	1902222-02 WMP1907221210GGA 0.2...	5.11e4	68.9	NO
3	3	18O2-PFHxS	1902222-02 WMP1907221210GGA 0.2...	3.89e3	81.8	NO
4	4	13C8-PFOA	1902222-02 WMP1907221210GGA 0.2...	6.43e4	70.7	NO
5	5	13C9-PFNA	1902222-02 WMP1907221210GGA 0.2...	4.69e4	72.1	NO
6	6	13C4-PFOS	1902222-02 WMP1907221210GGA 0.2...	9.81e3	83.8	NO
7	7	13C6-PFDA	1902222-02 WMP1907221210GGA 0.2...	6.15e4	77.1	NO
8	8	13C7-PFUdA	1902222-02 WMP1907221210GGA 0.2...	7.35e4	77.0	NO

Name: 190726M1_13, Date: 26-Jul-2019, Time: 10:34:43, ID: 1902222-03 WEF1907221215GGA 0.2448, Description: WEF1907221215GGA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902222-03 WEF1907221215GGA 0.24...	3.06e4	120.4	NO
2	2	13C5-PFHxA	1902222-03 WEF1907221215GGA 0.24...	6.21e4	83.7	NO
3	3	18O2-PFHxS	1902222-03 WEF1907221215GGA 0.24...	4.86e3	102.2	NO
4	4	13C8-PFOA	1902222-03 WEF1907221215GGA 0.24...	8.33e4	91.6	NO
5	5	13C9-PFNA	1902222-03 WEF1907221215GGA 0.24...	5.66e4	87.1	NO
6	6	13C4-PFOS	1902222-03 WEF1907221215GGA 0.24...	1.14e4	97.5	NO
7	7	13C6-PFDA	1902222-03 WEF1907221215GGA 0.24...	7.61e4	95.4	NO
8	8	13C7-PFUdA	1902222-03 WEF1907221215GGA 0.24...	9.17e4	96.1	NO

Name: 190726M1_14, Date: 26-Jul-2019, Time: 10:45:21, ID: B9G0224-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0224-BS1 OPR 0.125	1.75e4	138.0	NO
2	2	13C5-PFHxA	B9G0224-BS1 OPR 0.125	3.48e4	93.9	NO
3	3	18O2-PFHxS	B9G0224-BS1 OPR 0.125	2.21e3	93.1	NO
4	4	13C8-PFOA	B9G0224-BS1 OPR 0.125	4.38e4	96.3	NO
5	5	13C9-PFNA	B9G0224-BS1 OPR 0.125	3.05e4	93.7	NO
6	6	13C4-PFOS	B9G0224-BS1 OPR 0.125	5.68e3	97.0	NO
7	7	13C6-PFDA	B9G0224-BS1 OPR 0.125	3.93e4	98.6	NO
8	8	13C7-PFUdA	B9G0224-BS1 OPR 0.125	4.88e4	102.2	NO

Name: 190726M1_15, Date: 26-Jul-2019, Time: 10:55:54, ID: B9G0224-BSD1 LCSD 0.125, Description: LCSD

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0224-BSD1 LCSD 0.125	1.57e4	123.9	NO
2	2	13C5-PFHxA	B9G0224-BSD1 LCSD 0.125	3.14e4	84.6	NO
3	3	18O2-PFHxS	B9G0224-BSD1 LCSD 0.125	2.22e3	93.5	NO
4	4	13C8-PFOA	B9G0224-BSD1 LCSD 0.125	4.08e4	89.7	NO
5	5	13C9-PFNA	B9G0224-BSD1 LCSD 0.125	2.79e4	85.7	NO
6	6	13C4-PFOS	B9G0224-BSD1 LCSD 0.125	5.21e3	88.9	NO
7	7	13C6-PFDA	B9G0224-BSD1 LCSD 0.125	3.68e4	92.3	NO
8	8	13C7-PFUdA	B9G0224-BSD1 LCSD 0.125	4.44e4	93.0	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_16, Date: 26-Jul-2019, Time: 11:06:33, ID: B9G0224-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0224-BLK1 Method Blank 0.125	1.63e4	128.0	NO
2	2	13C5-PFHxA	B9G0224-BLK1 Method Blank 0.125	3.21e4	86.5	NO
3	3	18O2-PFHxS	B9G0224-BLK1 Method Blank 0.125	2.46e3	103.5	NO
4	4	13C8-PFOA	B9G0224-BLK1 Method Blank 0.125	4.20e4	92.3	NO
5	5	13C9-PFNA	B9G0224-BLK1 Method Blank 0.125	2.82e4	86.8	NO
6	6	13C4-PFOS	B9G0224-BLK1 Method Blank 0.125	5.24e3	89.5	NO
7	7	13C6-PFDA	B9G0224-BLK1 Method Blank 0.125	3.71e4	93.1	NO
8	8	13C7-PFUdA	B9G0224-BLK1 Method Blank 0.125	4.28e4	89.7	NO

Name: 190726M1_17, Date: 26-Jul-2019, Time: 11:17:06, ID: 1902158-01RE1 REEPAC1734FS 0.11358, Description: REEPAC1734FS

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902158-01RE1 REEPAC1734FS 0.11...	1.61e4	126.8	NO
2	2	13C5-PFHxA	1902158-01RE1 REEPAC1734FS 0.11...	3.00e4	80.8	NO
3	3	18O2-PFHxS	1902158-01RE1 REEPAC1734FS 0.11...	2.36e3	99.2	NO
4	4	13C8-PFOA	1902158-01RE1 REEPAC1734FS 0.11...	3.73e4	82.0	NO
5	5	13C9-PFNA	1902158-01RE1 REEPAC1734FS 0.11...	2.71e4	83.2	NO
6	6	13C4-PFOS	1902158-01RE1 REEPAC1734FS 0.11...	5.80e3	99.0	NO
7	7	13C6-PFDA	1902158-01RE1 REEPAC1734FS 0.11...	3.55e4	89.0	NO
8	8	13C7-PFUdA	1902158-01RE1 REEPAC1734FS 0.11...	3.91e4	81.8	NO

Name: 190726M1_18, Date: 26-Jul-2019, Time: 11:27:45, ID: 1902189-06 EB-07152019-GW 0.1175, Description: EB-07152019-GW

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-06 EB-07152019-GW 0.1175	1.48e4	116.3	NO
2	2	13C5-PFHxA	1902189-06 EB-07152019-GW 0.1175	2.85e4	76.9	NO
3	3	18O2-PFHxS	1902189-06 EB-07152019-GW 0.1175	2.12e3	89.3	NO
4	4	13C8-PFOA	1902189-06 EB-07152019-GW 0.1175	3.62e4	79.7	NO
5	5	13C9-PFNA	1902189-06 EB-07152019-GW 0.1175	2.61e4	80.3	NO
6	6	13C4-PFOS	1902189-06 EB-07152019-GW 0.1175	5.39e3	92.1	NO
7	7	13C6-PFDA	1902189-06 EB-07152019-GW 0.1175	3.28e4	82.1	NO
8	8	13C7-PFUdA	1902189-06 EB-07152019-GW 0.1175	4.24e4	88.8	NO

Name: 190726M1_19, Date: 26-Jul-2019, Time: 11:38:17, ID: 1902189-07 FRB-07152019 0.11592, Description: FRB-07152019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-07 FRB-07152019 0.11592	1.54e4	121.5	NO
2	2	13C5-PFHxA	1902189-07 FRB-07152019 0.11592	2.88e4	77.7	NO
3	3	18O2-PFHxS	1902189-07 FRB-07152019 0.11592	2.05e3	86.3	NO
4	4	13C8-PFOA	1902189-07 FRB-07152019 0.11592	3.82e4	83.9	NO
5	5	13C9-PFNA	1902189-07 FRB-07152019 0.11592	2.64e4	81.1	NO
6	6	13C4-PFOS	1902189-07 FRB-07152019 0.11592	5.32e3	90.8	NO
7	7	13C6-PFDA	1902189-07 FRB-07152019 0.11592	3.55e4	88.9	NO
8	8	13C7-PFUdA	1902189-07 FRB-07152019 0.11592	4.25e4	89.1	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_20, Date: 26-Jul-2019, Time: 11:48:55, ID: 1902189-11 EB-07162019-GW 0.11872, Description: EB-07162019-GW

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-11 EB-07162019-GW 0.11872	1.60e4	126.3	NO
2	2	13C5-PFHxA	1902189-11 EB-07162019-GW 0.11872	3.17e4	85.4	NO
3	3	18O2-PFHxS	1902189-11 EB-07162019-GW 0.11872	2.28e3	96.1	NO
4	4	13C8-PFOA	1902189-11 EB-07162019-GW 0.11872	4.22e4	92.7	NO
5	5	13C9-PFNA	1902189-11 EB-07162019-GW 0.11872	3.04e4	93.5	NO
6	6	13C4-PFOS	1902189-11 EB-07162019-GW 0.11872	5.77e3	98.5	NO
7	7	13C6-PFDA	1902189-11 EB-07162019-GW 0.11872	4.00e4	100.1	NO
8	8	13C7-PFUdA	1902189-11 EB-07162019-GW 0.11872	4.86e4	101.8	NO

Name: 190726M1_21, Date: 26-Jul-2019, Time: 11:59:28, ID: 1902189-13 FRB-07162019 0.11698, Description: FRB-07162019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-13 FRB-07162019 0.11698	1.64e4	129.0	NO
2	2	13C5-PFHxA	1902189-13 FRB-07162019 0.11698	3.20e4	86.1	NO
3	3	18O2-PFHxS	1902189-13 FRB-07162019 0.11698	2.31e3	97.4	NO
4	4	13C8-PFOA	1902189-13 FRB-07162019 0.11698	4.06e4	89.3	NO
5	5	13C9-PFNA	1902189-13 FRB-07162019 0.11698	2.87e4	88.2	NO
6	6	13C4-PFOS	1902189-13 FRB-07162019 0.11698	5.45e3	93.0	NO
7	7	13C6-PFDA	1902189-13 FRB-07162019 0.11698	3.68e4	92.3	NO
8	8	13C7-PFUdA	1902189-13 FRB-07162019 0.11698	4.57e4	95.8	NO

Name: 190726M1_22, Date: 26-Jul-2019, Time: 12:10:07, ID: 1902189-14 EB-07162019 0.11868, Description: EB-07162019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-14 EB-07162019 0.11868	1.33e4	104.5	NO
2	2	13C5-PFHxA	1902189-14 EB-07162019 0.11868	2.57e4	69.2	NO
3	3	18O2-PFHxS	1902189-14 EB-07162019 0.11868	1.98e3	83.5	NO
4	4	13C8-PFOA	1902189-14 EB-07162019 0.11868	3.46e4	76.0	NO
5	5	13C9-PFNA	1902189-14 EB-07162019 0.11868	2.39e4	73.4	NO
6	6	13C4-PFOS	1902189-14 EB-07162019 0.11868	4.88e3	83.4	NO
7	7	13C6-PFDA	1902189-14 EB-07162019 0.11868	3.11e4	78.0	NO
8	8	13C7-PFUdA	1902189-14 EB-07162019 0.11868	4.06e4	85.1	NO

Name: 190726M1_23, Date: 26-Jul-2019, Time: 12:20:39, ID: 1902189-19 FRB-07172019 0.1221, Description: FRB-07172019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-19 FRB-07172019 0.1221	1.32e4	104.1	NO
2	2	13C5-PFHxA	1902189-19 FRB-07172019 0.1221	2.62e4	70.7	NO
3	3	18O2-PFHxS	1902189-19 FRB-07172019 0.1221	2.04e3	86.0	NO
4	4	13C8-PFOA	1902189-19 FRB-07172019 0.1221	3.32e4	73.0	NO
5	5	13C9-PFNA	1902189-19 FRB-07172019 0.1221	2.47e4	75.9	NO
6	6	13C4-PFOS	1902189-19 FRB-07172019 0.1221	4.58e3	78.2	NO
7	7	13C6-PFDA	1902189-19 FRB-07172019 0.1221	3.22e4	80.8	NO
8	8	13C7-PFUdA	1902189-19 FRB-07172019 0.1221	3.97e4	83.1	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_24, Date: 26-Jul-2019, Time: 12:31:18, ID: 1902189-20 EB-07172019 0.11988, Description: EB-07172019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-20 EB-07172019 0.11988	1.48e4	116.3	NO
2	2	13C5-PFHxA	1902189-20 EB-07172019 0.11988	2.91e4	78.5	NO
3	3	18O2-PFHxS	1902189-20 EB-07172019 0.11988	2.17e3	91.2	NO
4	4	13C8-PFOA	1902189-20 EB-07172019 0.11988	3.70e4	81.2	NO
5	5	13C9-PFNA	1902189-20 EB-07172019 0.11988	2.71e4	83.3	NO
6	6	13C4-PFOS	1902189-20 EB-07172019 0.11988	4.97e3	84.8	NO
7	7	13C6-PFDA	1902189-20 EB-07172019 0.11988	3.55e4	89.0	NO
8	8	13C7-PFUdA	1902189-20 EB-07172019 0.11988	4.20e4	88.1	NO

Name: 190726M1_25, Date: 26-Jul-2019, Time: 12:41:56, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190726M1_26, Date: 26-Jul-2019, Time: 12:52:29, ID: ST190726M1-2 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190726M1-2 PFC CS3 19G1106			NO
2	2	13C5-PFHxA	ST190726M1-2 PFC CS3 19G1106			NO
3	3	18O2-PFHxS	ST190726M1-2 PFC CS3 19G1106			NO
4	4	13C8-PFOA	ST190726M1-2 PFC CS3 19G1106			NO
5	5	13C9-PFNA	ST190726M1-2 PFC CS3 19G1106			NO
6	6	13C4-PFOS	ST190726M1-2 PFC CS3 19G1106			NO
7	7	13C6-PFDA	ST190726M1-2 PFC CS3 19G1106			NO
8	8	13C7-PFUdA	ST190726M1-2 PFC CS3 19G1106			NO

Name: 190726M1_27, Date: 26-Jul-2019, Time: 13:03:08, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190726M1-3 PFC CS3 19G1106	9.41e3	74.1	NO
2	2	13C5-PFHxA	ST190726M1-3 PFC CS3 19G1106	2.78e4	74.9	NO
3	3	18O2-PFHxS	ST190726M1-3 PFC CS3 19G1106	1.81e3	76.1	NO
4	4	13C8-PFOA	ST190726M1-3 PFC CS3 19G1106	3.39e4	74.5	NO
5	5	13C9-PFNA	ST190726M1-3 PFC CS3 19G1106	2.41e4	74.2	NO
6	6	13C4-PFOS	ST190726M1-3 PFC CS3 19G1106	4.29e3	73.2	NO
7	7	13C6-PFDA	ST190726M1-3 PFC CS3 19G1106	3.21e4	80.3	NO
8	8	13C7-PFUdA	ST190726M1-3 PFC CS3 19G1106	3.72e4	78.0	NO

Name: 190726M1_29, Date: 26-Jul-2019, Time: 13:25:15, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190726M1_30, Date: 26-Jul-2019, Time: 13:35:51, ID: B9G0229-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0229-BS1 OPR 1	1.13e4	88.6	NO
2	2	13C5-PFHxA	B9G0229-BS1 OPR 1	2.41e4	65.1	NO
3	3	18O2-PFHxS	B9G0229-BS1 OPR 1	1.92e3	80.8	NO
4	4	13C8-PFOA	B9G0229-BS1 OPR 1	3.36e4	73.9	NO
5	5	13C9-PFNA	B9G0229-BS1 OPR 1	2.28e4	70.1	NO
6	6	13C4-PFOS	B9G0229-BS1 OPR 1	4.41e3	75.3	NO
7	7	13C6-PFDA	B9G0229-BS1 OPR 1	2.92e4	73.1	NO
8	8	13C7-PFUdA	B9G0229-BS1 OPR 1	3.06e4	64.2	NO

Name: 190726M1_31, Date: 26-Jul-2019, Time: 13:46:26, ID: B9G0229-BSD1 LCSD 1, Description: LCSD

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0229-BSD1 LCSD 1	1.34e4	105.8	NO
2	2	13C5-PFHxA	B9G0229-BSD1 LCSD 1	2.67e4	72.1	NO
3	3	18O2-PFHxS	B9G0229-BSD1 LCSD 1	2.04e3	86.0	NO
4	4	13C8-PFOA	B9G0229-BSD1 LCSD 1	3.44e4	75.5	NO
5	5	13C9-PFNA	B9G0229-BSD1 LCSD 1	2.42e4	74.4	NO
6	6	13C4-PFOS	B9G0229-BSD1 LCSD 1	4.62e3	78.9	NO
7	7	13C6-PFDA	B9G0229-BSD1 LCSD 1	3.07e4	76.8	NO
8	8	13C7-PFUdA	B9G0229-BSD1 LCSD 1	3.44e4	72.0	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_32, Date: 26-Jul-2019, Time: 13:57:00, ID: B9G0229-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0229-BLK1 Method Blank 1	1.22e4	96.4	NO
2	2	13C5-PFHxA	B9G0229-BLK1 Method Blank 1	2.48e4	67.0	NO
3	3	18O2-PFHxS	B9G0229-BLK1 Method Blank 1	1.97e3	83.1	NO
4	4	13C8-PFOA	B9G0229-BLK1 Method Blank 1	3.19e4	70.1	NO
5	5	13C9-PFNA	B9G0229-BLK1 Method Blank 1	2.19e4	67.4	NO
6	6	13C4-PFOS	B9G0229-BLK1 Method Blank 1	4.25e3	72.6	NO
7	7	13C6-PFDA	B9G0229-BLK1 Method Blank 1	2.87e4	72.0	NO
8	8	13C7-PFUdA	B9G0229-BLK1 Method Blank 1	3.41e4	71.4	NO

Name: 190726M1_33, Date: 26-Jul-2019, Time: 14:07:38, ID: B9G0229-MS1 Matrix Spike 1.03, Description: Matrix Spike

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0229-MS1 Matrix Spike 1.03	1.45e4	113.8	NO
2	2	13C5-PFHxA	B9G0229-MS1 Matrix Spike 1.03	2.81e4	75.7	NO
3	3	18O2-PFHxS	B9G0229-MS1 Matrix Spike 1.03	2.15e3	90.7	NO
4	4	13C8-PFOA	B9G0229-MS1 Matrix Spike 1.03	3.62e4	79.5	NO
5	5	13C9-PFNA	B9G0229-MS1 Matrix Spike 1.03	2.47e4	75.9	NO
6	6	13C4-PFOS	B9G0229-MS1 Matrix Spike 1.03	4.72e3	80.6	NO
7	7	13C6-PFDA	B9G0229-MS1 Matrix Spike 1.03	2.78e4	69.7	NO
8	8	13C7-PFUdA	B9G0229-MS1 Matrix Spike 1.03	2.72e4	57.1	NO

Name: 190726M1_34, Date: 26-Jul-2019, Time: 14:18:11, ID: B9G0229-MSD1 Matrix Spike Dup 1.39, Description: Matrix Spike Dup

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0229-MSD1 Matrix Spike Dup 1.39	1.52e4	119.7	NO
2	2	13C5-PFHxA	B9G0229-MSD1 Matrix Spike Dup 1.39	3.04e4	81.8	NO
3	3	18O2-PFHxS	B9G0229-MSD1 Matrix Spike Dup 1.39	2.27e3	95.7	NO
4	4	13C8-PFOA	B9G0229-MSD1 Matrix Spike Dup 1.39	3.98e4	87.5	NO
5	5	13C9-PFNA	B9G0229-MSD1 Matrix Spike Dup 1.39	2.77e4	85.1	NO
6	6	13C4-PFOS	B9G0229-MSD1 Matrix Spike Dup 1.39	5.40e3	92.2	NO
7	7	13C6-PFDA	B9G0229-MSD1 Matrix Spike Dup 1.39	3.53e4	88.5	NO
8	8	13C7-PFUdA	B9G0229-MSD1 Matrix Spike Dup 1.39	3.97e4	83.2	NO

Name: 190726M1_35, Date: 26-Jul-2019, Time: 14:28:50, ID: 1902048-16 B96-PFAS-SB76-6-8-070819 1.1, Description: B96-PFAS-SB76-6-8-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-16 B96-PFAS-SB76-6-8-0708...	1.46e4	114.7	NO
2	2	13C5-PFHxA	1902048-16 B96-PFAS-SB76-6-8-0708...	2.85e4	76.8	NO
3	3	18O2-PFHxS	1902048-16 B96-PFAS-SB76-6-8-0708...	2.26e3	95.3	NO
4	4	13C8-PFOA	1902048-16 B96-PFAS-SB76-6-8-0708...	3.74e4	82.2	NO
5	5	13C9-PFNA	1902048-16 B96-PFAS-SB76-6-8-0708...	2.60e4	79.9	NO
6	6	13C4-PFOS	1902048-16 B96-PFAS-SB76-6-8-0708...	4.71e3	80.5	NO
7	7	13C6-PFDA	1902048-16 B96-PFAS-SB76-6-8-0708...	3.09e4	77.5	NO
8	8	13C7-PFUdA	1902048-16 B96-PFAS-SB76-6-8-0708...	3.06e4	64.2	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_36, Date: 26-Jul-2019, Time: 14:39:29, ID: 1902048-17 B96-PFAS-SB18-6.5-8.5-070819 1.08, Description: B96-PFAS-SB18-6.5-8.5-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-17 B96-PFAS-SB18-6.5-8.5-0...	1.28e4	101.1	NO
2	2	13C5-PFHxA	1902048-17 B96-PFAS-SB18-6.5-8.5-0...	2.74e4	73.8	NO
3	3	18O2-PFHxS	1902048-17 B96-PFAS-SB18-6.5-8.5-0...	2.13e3	89.6	NO
4	4	13C8-PFOA	1902048-17 B96-PFAS-SB18-6.5-8.5-0...	3.58e4	78.6	NO
5	5	13C9-PFNA	1902048-17 B96-PFAS-SB18-6.5-8.5-0...	2.54e4	78.2	NO
6	6	13C4-PFOS	1902048-17 B96-PFAS-SB18-6.5-8.5-0...	4.97e3	84.9	NO
7	7	13C6-PFDA	1902048-17 B96-PFAS-SB18-6.5-8.5-0...	3.22e4	80.6	NO
8	8	13C7-PFUdA	1902048-17 B96-PFAS-SB18-6.5-8.5-0...	3.66e4	76.6	NO

Name: 190726M1_37, Date: 26-Jul-2019, Time: 14:50:01, ID: 1902048-18 DUP07-070819 1.08, Description: DUP07-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-18 DUP07-070819 1.08	1.31e4	102.7	NO
2	2	13C5-PFHxA	1902048-18 DUP07-070819 1.08	2.71e4	73.1	NO
3	3	18O2-PFHxS	1902048-18 DUP07-070819 1.08	2.13e3	89.9	NO
4	4	13C8-PFOA	1902048-18 DUP07-070819 1.08	3.45e4	75.8	NO
5	5	13C9-PFNA	1902048-18 DUP07-070819 1.08	2.50e4	77.0	NO
6	6	13C4-PFOS	1902048-18 DUP07-070819 1.08	4.63e3	79.0	NO
7	7	13C6-PFDA	1902048-18 DUP07-070819 1.08	2.96e4	74.1	NO
8	8	13C7-PFUdA	1902048-18 DUP07-070819 1.08	2.69e4	56.3	NO

Name: 190726M1_38, Date: 26-Jul-2019, Time: 15:00:31, ID: 1902048-19 B96-PFAS-SB23-6-8-070819 1.19, Description: B96-PFAS-SB23-6-8-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-19 B96-PFAS-SB23-6-8-0708...	1.39e4	109.5	NO
2	2	13C5-PFHxA	1902048-19 B96-PFAS-SB23-6-8-0708...	2.91e4	78.4	NO
3	3	18O2-PFHxS	1902048-19 B96-PFAS-SB23-6-8-0708...	2.15e3	90.6	NO
4	4	13C8-PFOA	1902048-19 B96-PFAS-SB23-6-8-0708...	3.57e4	78.5	NO
5	5	13C9-PFNA	1902048-19 B96-PFAS-SB23-6-8-0708...	2.50e4	76.8	NO
6	6	13C4-PFOS	1902048-19 B96-PFAS-SB23-6-8-0708...	4.70e3	80.2	NO
7	7	13C6-PFDA	1902048-19 B96-PFAS-SB23-6-8-0708...	2.85e4	71.3	NO
8	8	13C7-PFUdA	1902048-19 B96-PFAS-SB23-6-8-0708...	2.15e4	45.0	YES

Name: 190726M1_39, Date: 26-Jul-2019, Time: 15:11:10, ID: 1902048-20 B96-PFAS-SB24-6.5-8.5-070819 1.17, Description: B96-PFAS-SB24-6.5-8.5-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-20 B96-PFAS-SB24-6.5-8.5-0...	1.29e4	101.3	NO
2	2	13C5-PFHxA	1902048-20 B96-PFAS-SB24-6.5-8.5-0...	2.75e4	74.0	NO
3	3	18O2-PFHxS	1902048-20 B96-PFAS-SB24-6.5-8.5-0...	2.07e3	87.3	NO
4	4	13C8-PFOA	1902048-20 B96-PFAS-SB24-6.5-8.5-0...	3.66e4	80.4	NO
5	5	13C9-PFNA	1902048-20 B96-PFAS-SB24-6.5-8.5-0...	2.47e4	75.9	NO
6	6	13C4-PFOS	1902048-20 B96-PFAS-SB24-6.5-8.5-0...	4.85e3	82.8	NO
7	7	13C6-PFDA	1902048-20 B96-PFAS-SB24-6.5-8.5-0...	3.26e4	81.7	NO
8	8	13C7-PFUdA	1902048-20 B96-PFAS-SB24-6.5-8.5-0...	3.75e4	78.6	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_40, Date: 26-Jul-2019, Time: 15:21:42, ID: 1902049-01 B96-PFAS-SB75-7.5-9.5-070819 1.23, Description: B96-PFAS-SB75-7.5-9.5-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-01 B96-PFAS-SB75-7.5-9.5-0...	1.20e4	94.8	NO
2	2	13C5-PFHxA	1902049-01 B96-PFAS-SB75-7.5-9.5-0...	2.29e4	61.7	NO
3	3	18O2-PFHxS	1902049-01 B96-PFAS-SB75-7.5-9.5-0...	1.81e3	76.4	NO
4	4	13C8-PFOA	1902049-01 B96-PFAS-SB75-7.5-9.5-0...	3.14e4	69.0	NO
5	5	13C9-PFNA	1902049-01 B96-PFAS-SB75-7.5-9.5-0...	2.25e4	69.2	NO
6	6	13C4-PFOS	1902049-01 B96-PFAS-SB75-7.5-9.5-0...	4.30e3	73.4	NO
7	7	13C6-PFDA	1902049-01 B96-PFAS-SB75-7.5-9.5-0...	2.91e4	73.0	NO
8	8	13C7-PFUdA	1902049-01 B96-PFAS-SB75-7.5-9.5-0...	3.42e4	71.6	NO

Name: 190726M1_41, Date: 26-Jul-2019, Time: 15:32:20, ID: 1902049-02 B96-PFAS-SB44-6.5-8.5-070819 1.18, Description: B96-PFAS-SB44-6.5-8.5-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-02 B96-PFAS-SB44-6.5-8.5-0...	1.21e4	95.3	NO
2	2	13C5-PFHxA	1902049-02 B96-PFAS-SB44-6.5-8.5-0...	2.42e4	65.3	NO
3	3	18O2-PFHxS	1902049-02 B96-PFAS-SB44-6.5-8.5-0...	1.82e3	76.7	NO
4	4	13C8-PFOA	1902049-02 B96-PFAS-SB44-6.5-8.5-0...	3.25e4	71.5	NO
5	5	13C9-PFNA	1902049-02 B96-PFAS-SB44-6.5-8.5-0...	2.33e4	71.8	NO
6	6	13C4-PFOS	1902049-02 B96-PFAS-SB44-6.5-8.5-0...	4.31e3	73.7	NO
7	7	13C6-PFDA	1902049-02 B96-PFAS-SB44-6.5-8.5-0...	3.06e4	76.8	NO
8	8	13C7-PFUdA	1902049-02 B96-PFAS-SB44-6.5-8.5-0...	3.58e4	75.0	NO

Name: 190726M1_42, Date: 26-Jul-2019, Time: 15:42:53, ID: 1902049-04 B96-PFAS-SB47-10-15-070919 1.28, Description: B96-PFAS-SB47-10-15-070919

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-04 B96-PFAS-SB47-10-15-07...	1.35e4	106.1	NO
2	2	13C5-PFHxA	1902049-04 B96-PFAS-SB47-10-15-07...	2.71e4	72.9	NO
3	3	18O2-PFHxS	1902049-04 B96-PFAS-SB47-10-15-07...	1.94e3	81.6	NO
4	4	13C8-PFOA	1902049-04 B96-PFAS-SB47-10-15-07...	3.54e4	77.8	NO
5	5	13C9-PFNA	1902049-04 B96-PFAS-SB47-10-15-07...	2.41e4	74.2	NO
6	6	13C4-PFOS	1902049-04 B96-PFAS-SB47-10-15-07...	4.62e3	78.9	NO
7	7	13C6-PFDA	1902049-04 B96-PFAS-SB47-10-15-07...	3.26e4	81.7	NO
8	8	13C7-PFUdA	1902049-04 B96-PFAS-SB47-10-15-07...	3.79e4	79.5	NO

Name: 190726M1_43, Date: 26-Jul-2019, Time: 15:53:32, ID: 1902049-05 B96-PFAS-SB46-7-9-070919 1.23, Description: B96-PFAS-SB46-7-9-070919

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-05 B96-PFAS-SB46-7-9-0709...	1.37e4	107.5	NO
2	2	13C5-PFHxA	1902049-05 B96-PFAS-SB46-7-9-0709...	2.80e4	75.4	NO
3	3	18O2-PFHxS	1902049-05 B96-PFAS-SB46-7-9-0709...	1.94e3	81.5	NO
4	4	13C8-PFOA	1902049-05 B96-PFAS-SB46-7-9-0709...	3.51e4	77.2	NO
5	5	13C9-PFNA	1902049-05 B96-PFAS-SB46-7-9-0709...	2.40e4	73.9	NO
6	6	13C4-PFOS	1902049-05 B96-PFAS-SB46-7-9-0709...	4.38e3	74.9	NO
7	7	13C6-PFDA	1902049-05 B96-PFAS-SB46-7-9-0709...	3.16e4	79.1	NO
8	8	13C7-PFUdA	1902049-05 B96-PFAS-SB46-7-9-0709...	3.62e4	75.9	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_44, Date: 26-Jul-2019, Time: 16:04:05, ID: 1902049-06 DUP08-070919 1.35, Description: DUP08-070919

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-06 DUP08-070919 1.35	1.29e4	101.3	NO
2	2	13C5-PFHxA	1902049-06 DUP08-070919 1.35	2.57e4	69.4	NO
3	3	18O2-PFHxS	1902049-06 DUP08-070919 1.35	1.79e3	75.3	NO
4	4	13C8-PFOA	1902049-06 DUP08-070919 1.35	3.35e4	73.7	NO
5	5	13C9-PFNA	1902049-06 DUP08-070919 1.35	2.23e4	68.7	NO
6	6	13C4-PFOS	1902049-06 DUP08-070919 1.35	3.88e3	66.3	NO
7	7	13C6-PFDA	1902049-06 DUP08-070919 1.35	2.87e4	71.9	NO
8	8	13C7-PFUdA	1902049-06 DUP08-070919 1.35	3.22e4	67.5	NO

Name: 190726M1_45, Date: 26-Jul-2019, Time: 16:14:43, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA	1.20e1	0.0	YES

Name: 190726M1_46, Date: 26-Jul-2019, Time: 16:25:16, ID: ST190726M1-4 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190726M1-4 PFC CS3 19G1106	8.84e3	69.6	NO
2	2	13C5-PFHxA	ST190726M1-4 PFC CS3 19G1106	3.04e4	81.9	NO
3	3	18O2-PFHxS	ST190726M1-4 PFC CS3 19G1106	1.97e3	82.7	NO
4	4	13C8-PFOA	ST190726M1-4 PFC CS3 19G1106	3.68e4	80.9	NO
5	5	13C9-PFNA	ST190726M1-4 PFC CS3 19G1106	2.61e4	80.3	NO
6	6	13C4-PFOS	ST190726M1-4 PFC CS3 19G1106	4.91e3	83.8	NO
7	7	13C6-PFDA	ST190726M1-4 PFC CS3 19G1106	3.48e4	87.3	NO
8	8	13C7-PFUdA	ST190726M1-4 PFC CS3 19G1106	4.06e4	85.1	NO

Name: 190726M1_47, Date: 26-Jul-2019, Time: 16:35:46, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_48, Date: 26-Jul-2019, Time: 16:46:17, ID: 1902049-07 B96-PFAS-SB37-6-8-070919 1.3, Description: B96-PFAS-SB37-6-8-070919

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-07 B96-PFAS-SB37-6-8-0709...	1.46e4	114.8	NO
2	2	13C5-PFHxA	1902049-07 B96-PFAS-SB37-6-8-0709...	2.90e4	78.2	NO
3	3	18O2-PFHxS	1902049-07 B96-PFAS-SB37-6-8-0709...	2.16e3	90.9	NO
4	4	13C8-PFOA	1902049-07 B96-PFAS-SB37-6-8-0709...	3.68e4	80.9	NO
5	5	13C9-PFNA	1902049-07 B96-PFAS-SB37-6-8-0709...	2.52e4	77.5	NO
6	6	13C4-PFOS	1902049-07 B96-PFAS-SB37-6-8-0709...	3.88e3	66.3	NO
7	7	13C6-PFDA	1902049-07 B96-PFAS-SB37-6-8-0709...	2.40e4	60.1	NO
8	8	13C7-PFUdA	1902049-07 B96-PFAS-SB37-6-8-0709...	1.16e4	24.3	YES

Name: 190726M1_49, Date: 26-Jul-2019, Time: 16:56:55, ID: 1902049-08 B96-PFAS-SB38-6.5-8.5-070919 1.22, Description: B96-PFAS-SB38-6.5-8.5-070919

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-08 B96-PFAS-SB38-6.5-8.5-0...	1.32e4	103.7	NO
2	2	13C5-PFHxA	1902049-08 B96-PFAS-SB38-6.5-8.5-0...	2.64e4	71.3	NO
3	3	18O2-PFHxS	1902049-08 B96-PFAS-SB38-6.5-8.5-0...	1.87e3	78.8	NO
4	4	13C8-PFOA	1902049-08 B96-PFAS-SB38-6.5-8.5-0...	3.46e4	76.1	NO
5	5	13C9-PFNA	1902049-08 B96-PFAS-SB38-6.5-8.5-0...	2.42e4	74.5	NO
6	6	13C4-PFOS	1902049-08 B96-PFAS-SB38-6.5-8.5-0...	4.36e3	74.4	NO
7	7	13C6-PFDA	1902049-08 B96-PFAS-SB38-6.5-8.5-0...	3.09e4	77.5	NO
8	8	13C7-PFUdA	1902049-08 B96-PFAS-SB38-6.5-8.5-0...	3.43e4	71.9	NO

Name: 190726M1_50, Date: 26-Jul-2019, Time: 17:07:33, ID: B9G0232-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0232-BS1 OPR 0.125	1.19e4	93.4	NO
2	2	13C5-PFHxA	B9G0232-BS1 OPR 0.125	2.33e4	62.8	NO
3	3	18O2-PFHxS	B9G0232-BS1 OPR 0.125	1.68e3	70.8	NO
4	4	13C8-PFOA	B9G0232-BS1 OPR 0.125	2.96e4	65.0	NO
5	5	13C9-PFNA	B9G0232-BS1 OPR 0.125	2.14e4	65.9	NO
6	6	13C4-PFOS	B9G0232-BS1 OPR 0.125	4.14e3	70.6	NO
7	7	13C6-PFDA	B9G0232-BS1 OPR 0.125	2.79e4	69.8	NO
8	8	13C7-PFUdA	B9G0232-BS1 OPR 0.125	3.27e4	68.4	NO

Name: 190726M1_51, Date: 26-Jul-2019, Time: 17:18:06, ID: 1902101-01RE1 536 0.11805, Description: 536

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902101-01RE1 536 0.11805	1.34e4	105.3	NO
2	2	13C5-PFHxA	1902101-01RE1 536 0.11805	2.63e4	71.0	NO
3	3	18O2-PFHxS	1902101-01RE1 536 0.11805	1.87e3	78.7	NO
4	4	13C8-PFOA	1902101-01RE1 536 0.11805	3.19e4	70.0	NO
5	5	13C9-PFNA	1902101-01RE1 536 0.11805	2.34e4	71.9	NO
6	6	13C4-PFOS	1902101-01RE1 536 0.11805	4.46e3	76.2	NO
7	7	13C6-PFDA	1902101-01RE1 536 0.11805	3.08e4	77.2	NO
8	8	13C7-PFUdA	1902101-01RE1 536 0.11805	3.62e4	75.9	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_52, Date: 26-Jul-2019, Time: 17:28:44, ID: 1902105-02RE1@5X 5A Raw Leachate 0.24304, Description: 5A Raw Leachate

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902105-02RE1@5X 5A Raw Leachate ...	2.15e3	17.0	YES
2	2	13C5-PFHxA	1902105-02RE1@5X 5A Raw Leachate ...	4.41e3	11.9	YES
3	3	18O2-PFHxS	1902105-02RE1@5X 5A Raw Leachate ...	3.36e2	14.2	YES
4	4	13C8-PFOA	1902105-02RE1@5X 5A Raw Leachate ...	5.99e3	13.2	YES
5	5	13C9-PFNA	1902105-02RE1@5X 5A Raw Leachate ...	3.77e3	11.6	YES
6	6	13C4-PFOS	1902105-02RE1@5X 5A Raw Leachate ...	7.09e2	12.1	YES
7	7	13C6-PFDA	1902105-02RE1@5X 5A Raw Leachate ...	3.37e3	8.4	YES
8	8	13C7-PFUdA	1902105-02RE1@5X 5A Raw Leachate ...	2.69e3	5.6	YES

Name: 190726M1_53, Date: 26-Jul-2019, Time: 17:39:17, ID: 1902150-01 FB-10:10 0.24051, Description: FB-10:10

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902150-01 FB-10:10 0.24051	1.22e4	95.9	NO
2	2	13C5-PFHxA	1902150-01 FB-10:10 0.24051	2.38e4	64.2	NO
3	3	18O2-PFHxS	1902150-01 FB-10:10 0.24051	1.68e3	70.8	NO
4	4	13C8-PFOA	1902150-01 FB-10:10 0.24051	3.01e4	66.2	NO
5	5	13C9-PFNA	1902150-01 FB-10:10 0.24051	2.10e4	64.6	NO
6	6	13C4-PFOS	1902150-01 FB-10:10 0.24051	4.07e3	69.5	NO
7	7	13C6-PFDA	1902150-01 FB-10:10 0.24051	2.84e4	71.0	NO
8	8	13C7-PFUdA	1902150-01 FB-10:10 0.24051	3.45e4	72.3	NO

Name: 190726M1_54, Date: 26-Jul-2019, Time: 17:49:55, ID: 1902150-02 EB-14:15 0.2424, Description: EB-14:15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902150-02 EB-14:15 0.2424	1.35e4	106.5	NO
2	2	13C5-PFHxA	1902150-02 EB-14:15 0.2424	2.58e4	69.4	NO
3	3	18O2-PFHxS	1902150-02 EB-14:15 0.2424	1.88e3	79.0	NO
4	4	13C8-PFOA	1902150-02 EB-14:15 0.2424	3.26e4	71.6	NO
5	5	13C9-PFNA	1902150-02 EB-14:15 0.2424	2.36e4	72.6	NO
6	6	13C4-PFOS	1902150-02 EB-14:15 0.2424	4.12e3	70.3	NO
7	7	13C6-PFDA	1902150-02 EB-14:15 0.2424	2.98e4	74.7	NO
8	8	13C7-PFUdA	1902150-02 EB-14:15 0.2424	3.63e4	76.0	NO

Name: 190726M1_55, Date: 26-Jul-2019, Time: 18:00:28, ID: B9G0243-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0243-BLK1 Method Blank 1	1.16e4	91.7	NO
2	2	13C5-PFHxA	B9G0243-BLK1 Method Blank 1	2.32e4	62.4	NO
3	3	18O2-PFHxS	B9G0243-BLK1 Method Blank 1	1.68e3	70.9	NO
4	4	13C8-PFOA	B9G0243-BLK1 Method Blank 1	3.09e4	67.9	NO
5	5	13C9-PFNA	B9G0243-BLK1 Method Blank 1	2.13e4	65.6	NO
6	6	13C4-PFOS	B9G0243-BLK1 Method Blank 1	4.09e3	69.9	NO
7	7	13C6-PFDA	B9G0243-BLK1 Method Blank 1	2.70e4	67.6	NO
8	8	13C7-PFUdA	B9G0243-BLK1 Method Blank 1	3.31e4	69.3	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_56, Date: 26-Jul-2019, Time: 18:11:06, ID: B9G0243-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0243-BS1 OPR 1	1.22e4	95.7	NO
2	2	13C5-PFHxA	B9G0243-BS1 OPR 1	2.34e4	63.2	NO
3	3	18O2-PFHxS	B9G0243-BS1 OPR 1	1.83e3	77.1	NO
4	4	13C8-PFOA	B9G0243-BS1 OPR 1	3.07e4	67.5	NO
5	5	13C9-PFNA	B9G0243-BS1 OPR 1	2.23e4	68.4	NO
6	6	13C4-PFOS	B9G0243-BS1 OPR 1	4.18e3	71.4	NO
7	7	13C6-PFDA	B9G0243-BS1 OPR 1	2.92e4	73.3	NO
8	8	13C7-PFUdA	B9G0243-BS1 OPR 1	3.58e4	75.0	NO

Name: 190726M1_57, Date: 26-Jul-2019, Time: 18:21:38, ID: B9G0243-BS2 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0243-BS2 OPR 1	1.25e4	98.3	NO
2	2	13C5-PFHxA	B9G0243-BS2 OPR 1	2.51e4	67.5	NO
3	3	18O2-PFHxS	B9G0243-BS2 OPR 1	1.85e3	78.0	NO
4	4	13C8-PFOA	B9G0243-BS2 OPR 1	3.21e4	70.5	NO
5	5	13C9-PFNA	B9G0243-BS2 OPR 1	2.28e4	70.2	NO
6	6	13C4-PFOS	B9G0243-BS2 OPR 1	4.39e3	74.9	NO
7	7	13C6-PFDA	B9G0243-BS2 OPR 1	2.96e4	74.2	NO
8	8	13C7-PFUdA	B9G0243-BS2 OPR 1	3.59e4	75.1	NO

Name: 190726M1_58, Date: 26-Jul-2019, Time: 18:32:17, ID: B9G0243-BS3 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0243-BS3 OPR 1	1.25e4	98.1	NO
2	2	13C5-PFHxA	B9G0243-BS3 OPR 1	2.51e4	67.6	NO
3	3	18O2-PFHxS	B9G0243-BS3 OPR 1	1.82e3	76.5	NO
4	4	13C8-PFOA	B9G0243-BS3 OPR 1	3.30e4	72.5	NO
5	5	13C9-PFNA	B9G0243-BS3 OPR 1	2.32e4	71.2	NO
6	6	13C4-PFOS	B9G0243-BS3 OPR 1	4.22e3	72.1	NO
7	7	13C6-PFDA	B9G0243-BS3 OPR 1	3.16e4	79.2	NO
8	8	13C7-PFUdA	B9G0243-BS3 OPR 1	3.79e4	79.4	NO

Name: 190726M1_59, Date: 26-Jul-2019, Time: 18:42:49, ID: B9G0243-BS4 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0243-BS4 OPR 1	1.24e4	97.7	NO
2	2	13C5-PFHxA	B9G0243-BS4 OPR 1	2.49e4	67.1	NO
3	3	18O2-PFHxS	B9G0243-BS4 OPR 1	1.80e3	75.7	NO
4	4	13C8-PFOA	B9G0243-BS4 OPR 1	3.10e4	68.1	NO
5	5	13C9-PFNA	B9G0243-BS4 OPR 1	2.22e4	68.4	NO
6	6	13C4-PFOS	B9G0243-BS4 OPR 1	4.06e3	69.3	NO
7	7	13C6-PFDA	B9G0243-BS4 OPR 1	2.88e4	72.2	NO
8	8	13C7-PFUdA	B9G0243-BS4 OPR 1	3.45e4	72.3	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_60, Date: 26-Jul-2019, Time: 18:53:28, ID: B9G0235-BS1 OPR 0.25, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0235-BS1 OPR 0.25	1.46e4	115.3	NO
2	2	13C5-PFHxA	B9G0235-BS1 OPR 0.25	2.88e4	77.5	NO
3	3	18O2-PFHxS	B9G0235-BS1 OPR 0.25	2.10e3	88.4	NO
4	4	13C8-PFOA	B9G0235-BS1 OPR 0.25	3.49e4	76.8	NO
5	5	13C9-PFNA	B9G0235-BS1 OPR 0.25	2.48e4	76.4	NO
6	6	13C4-PFOS	B9G0235-BS1 OPR 0.25	4.85e3	82.8	NO
7	7	13C6-PFDA	B9G0235-BS1 OPR 0.25	3.22e4	80.6	NO
8	8	13C7-PFUdA	B9G0235-BS1 OPR 0.25	3.67e4	76.9	NO

Name: 190726M1_61, Date: 26-Jul-2019, Time: 19:04:00, ID: B9G0235-BLK1 Method Blank 0.25, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0235-BLK1 Method Blank 0.25	1.44e4	113.2	NO
2	2	13C5-PFHxA	B9G0235-BLK1 Method Blank 0.25	2.73e4	73.6	NO
3	3	18O2-PFHxS	B9G0235-BLK1 Method Blank 0.25	2.14e3	89.9	NO
4	4	13C8-PFOA	B9G0235-BLK1 Method Blank 0.25	3.46e4	76.0	NO
5	5	13C9-PFNA	B9G0235-BLK1 Method Blank 0.25	2.50e4	76.9	NO
6	6	13C4-PFOS	B9G0235-BLK1 Method Blank 0.25	4.91e3	83.8	NO
7	7	13C6-PFDA	B9G0235-BLK1 Method Blank 0.25	3.26e4	81.6	NO
8	8	13C7-PFUdA	B9G0235-BLK1 Method Blank 0.25	3.82e4	80.1	NO

Name: 190726M1_62, Date: 26-Jul-2019, Time: 19:14:39, ID: 1902188-01 TB-0712 0.24419, Description: TB-0712

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902188-01 TB-0712 0.24419	1.47e4	116.1	NO
2	2	13C5-PFHxA	1902188-01 TB-0712 0.24419	2.90e4	78.2	NO
3	3	18O2-PFHxS	1902188-01 TB-0712 0.24419	2.21e3	92.9	NO
4	4	13C8-PFOA	1902188-01 TB-0712 0.24419	3.56e4	78.4	NO
5	5	13C9-PFNA	1902188-01 TB-0712 0.24419	2.55e4	78.3	NO
6	6	13C4-PFOS	1902188-01 TB-0712 0.24419	5.43e3	92.7	NO
7	7	13C6-PFDA	1902188-01 TB-0712 0.24419	3.54e4	88.6	NO
8	8	13C7-PFUdA	1902188-01 TB-0712 0.24419	4.12e4	86.3	NO

Name: 190726M1_63, Date: 26-Jul-2019, Time: 19:25:11, ID: 1902188-02 Screen Blank 0.23693, Description: Screen Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902188-02 Screen Blank 0.23693	1.65e4	130.2	NO
2	2	13C5-PFHxA	1902188-02 Screen Blank 0.23693	3.22e4	86.8	NO
3	3	18O2-PFHxS	1902188-02 Screen Blank 0.23693	2.62e3	110.3	NO
4	4	13C8-PFOA	1902188-02 Screen Blank 0.23693	4.14e4	91.1	NO
5	5	13C9-PFNA	1902188-02 Screen Blank 0.23693	2.88e4	88.6	NO
6	6	13C4-PFOS	1902188-02 Screen Blank 0.23693	5.71e3	97.5	NO
7	7	13C6-PFDA	1902188-02 Screen Blank 0.23693	3.88e4	97.3	NO
8	8	13C7-PFUdA	1902188-02 Screen Blank 0.23693	4.55e4	95.4	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_64, Date: 26-Jul-2019, Time: 19:35:49, ID: 1902191-01 WMP1907170940JSJ 0.23779, Description: WMP1907170940JSJ

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902191-01 WMP1907170940JSJ 0.23...	1.45e4	114.4	NO
2	2	13C5-PFHxA	1902191-01 WMP1907170940JSJ 0.23...	2.93e4	79.0	NO
3	3	18O2-PFHxS	1902191-01 WMP1907170940JSJ 0.23...	2.39e3	100.7	NO
4	4	13C8-PFOA	1902191-01 WMP1907170940JSJ 0.23...	3.26e4	71.7	NO
5	5	13C9-PFNA	1902191-01 WMP1907170940JSJ 0.23...	2.66e4	81.9	NO
6	6	13C4-PFOS	1902191-01 WMP1907170940JSJ 0.23...	4.65e3	79.5	NO
7	7	13C6-PFDA	1902191-01 WMP1907170940JSJ 0.23...	3.55e4	89.0	NO
8	8	13C7-PFUdA	1902191-01 WMP1907170940JSJ 0.23...	4.13e4	86.6	NO

Name: 190726M1_65, Date: 26-Jul-2019, Time: 19:46:23, ID: 1902191-02 WEF1907170946JSJ 0.24397, Description: WEF1907170946JSJ

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902191-02 WEF1907170946JSJ 0.24...	1.43e4	112.3	NO
2	2	13C5-PFHxA	1902191-02 WEF1907170946JSJ 0.24...	2.67e4	71.9	NO
3	3	18O2-PFHxS	1902191-02 WEF1907170946JSJ 0.24...	1.98e3	83.2	NO
4	4	13C8-PFOA	1902191-02 WEF1907170946JSJ 0.24...	3.47e4	76.2	NO
5	5	13C9-PFNA	1902191-02 WEF1907170946JSJ 0.24...	2.38e4	73.1	NO
6	6	13C4-PFOS	1902191-02 WEF1907170946JSJ 0.24...	4.76e3	81.3	NO
7	7	13C6-PFDA	1902191-02 WEF1907170946JSJ 0.24...	3.18e4	79.6	NO
8	8	13C7-PFUdA	1902191-02 WEF1907170946JSJ 0.24...	3.73e4	78.2	NO

Name: 190726M1_66, Date: 26-Jul-2019, Time: 19:57:01, ID: 1902191-03 WEF1907170955JSJ 0.25084, Description: WEF1907170955JSJ

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902191-03 WEF1907170955JSJ 0.25...	1.33e4	105.0	NO
2	2	13C5-PFHxA	1902191-03 WEF1907170955JSJ 0.25...	2.59e4	69.8	NO
3	3	18O2-PFHxS	1902191-03 WEF1907170955JSJ 0.25...	2.19e3	92.4	NO
4	4	13C8-PFOA	1902191-03 WEF1907170955JSJ 0.25...	3.37e4	74.1	NO
5	5	13C9-PFNA	1902191-03 WEF1907170955JSJ 0.25...	2.45e4	75.3	NO
6	6	13C4-PFOS	1902191-03 WEF1907170955JSJ 0.25...	5.05e3	86.2	NO
7	7	13C6-PFDA	1902191-03 WEF1907170955JSJ 0.25...	3.28e4	82.2	NO
8	8	13C7-PFUdA	1902191-03 WEF1907170955JSJ 0.25...	3.79e4	79.4	NO

Name: 190726M1_67, Date: 26-Jul-2019, Time: 20:07:34, ID: 1902191-04 FB1907171335JSJ 0.2454, Description: FB1907171335JSJ

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902191-04 FB1907171335JSJ 0.2454	1.25e4	98.6	NO
2	2	13C5-PFHxA	1902191-04 FB1907171335JSJ 0.2454	2.45e4	66.1	NO
3	3	18O2-PFHxS	1902191-04 FB1907171335JSJ 0.2454	1.90e3	80.1	NO
4	4	13C8-PFOA	1902191-04 FB1907171335JSJ 0.2454	3.07e4	67.4	NO
5	5	13C9-PFNA	1902191-04 FB1907171335JSJ 0.2454	2.20e4	67.6	NO
6	6	13C4-PFOS	1902191-04 FB1907171335JSJ 0.2454	4.91e3	83.9	NO
7	7	13C6-PFDA	1902191-04 FB1907171335JSJ 0.2454	2.94e4	73.6	NO
8	8	13C7-PFUdA	1902191-04 FB1907171335JSJ 0.2454	3.58e4	75.1	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_68, Date: 26-Jul-2019, Time: 20:18:12, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190726M1_69, Date: 26-Jul-2019, Time: 20:28:45, ID: ST190726M1-5 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190726M1-5 PFC CS3 19G1106	9.14e3	72.0	NO
2	2	13C5-PFHxA	ST190726M1-5 PFC CS3 19G1106	3.20e4	86.3	NO
3	3	18O2-PFHxS	ST190726M1-5 PFC CS3 19G1106	2.06e3	86.9	NO
4	4	13C8-PFOA	ST190726M1-5 PFC CS3 19G1106	3.92e4	86.2	NO
5	5	13C9-PFNA	ST190726M1-5 PFC CS3 19G1106	2.79e4	86.0	NO
6	6	13C4-PFOS	ST190726M1-5 PFC CS3 19G1106	4.88e3	83.3	NO
7	7	13C6-PFDA	ST190726M1-5 PFC CS3 19G1106	3.55e4	88.8	NO
8	8	13C7-PFUdA	ST190726M1-5 PFC CS3 19G1106	4.22e4	88.4	NO

Name: 190726M1_70, Date: 26-Jul-2019, Time: 20:39:23, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190726M1_71, Date: 26-Jul-2019, Time: 20:49:57, ID: 1902196-18 GW38411907161520RL 0.22666, Description: GW38411907161520RL

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-18 GW38411907161520RL 0....	1.50e4	118.3	NO
2	2	13C5-PFHxA	1902196-18 GW38411907161520RL 0....	3.03e4	81.7	NO
3	3	18O2-PFHxS	1902196-18 GW38411907161520RL 0....	2.17e3	91.2	NO
4	4	13C8-PFOA	1902196-18 GW38411907161520RL 0....	3.65e4	80.3	NO
5	5	13C9-PFNA	1902196-18 GW38411907161520RL 0....	2.68e4	82.4	NO
6	6	13C4-PFOS	1902196-18 GW38411907161520RL 0....	5.48e3	93.5	NO
7	7	13C6-PFDA	1902196-18 GW38411907161520RL 0....	3.60e4	90.3	NO
8	8	13C7-PFUdA	1902196-18 GW38411907161520RL 0....	4.37e4	91.6	NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_72, Date: 26-Jul-2019, Time: 21:00:35, ID: 1902196-19 GW38411907161520RL-DUP 0.23688, Description: GW38411907161520RL-DUP

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-19 GW38411907161520RL-D...	1.69e4	133.3	NO
2	2	13C5-PFHxA	1902196-19 GW38411907161520RL-D...	3.42e4	92.2	NO
3	3	18O2-PFHxS	1902196-19 GW38411907161520RL-D...	2.31e3	97.4	NO
4	4	13C8-PFOA	1902196-19 GW38411907161520RL-D...	4.10e4	90.1	NO
5	5	13C9-PFNA	1902196-19 GW38411907161520RL-D...	3.05e4	93.9	NO
6	6	13C4-PFOS	1902196-19 GW38411907161520RL-D...	5.71e3	97.5	NO
7	7	13C6-PFDA	1902196-19 GW38411907161520RL-D...	4.06e4	101.6	NO
8	8	13C7-PFUdA	1902196-19 GW38411907161520RL-D...	4.73e4	99.1	NO

Name: 190726M1_73, Date: 26-Jul-2019, Time: 21:11:08, ID: B9G0225-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0225-BS1 OPR 0.125	1.63e4	128.2	NO
2	2	13C5-PFHxA	B9G0225-BS1 OPR 0.125	2.98e4	80.2	NO
3	3	18O2-PFHxS	B9G0225-BS1 OPR 0.125	1.75e3	73.5	NO
4	4	13C8-PFOA	B9G0225-BS1 OPR 0.125	3.35e4	73.5	NO
5	5	13C9-PFNA	B9G0225-BS1 OPR 0.125	2.17e4	66.6	NO
6	6	13C4-PFOS	B9G0225-BS1 OPR 0.125	3.44e3	58.7	NO
7	7	13C6-PFDA	B9G0225-BS1 OPR 0.125	2.06e4	51.6	NO
8	8	13C7-PFUdA	B9G0225-BS1 OPR 0.125	1.00e4	21.0	YES

Name: 190726M1_74, Date: 26-Jul-2019, Time: 21:21:38, ID: B9G0225-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0225-BLK1 Method Blank 0.125	1.64e4	129.5	NO
2	2	13C5-PFHxA	B9G0225-BLK1 Method Blank 0.125	3.17e4	85.5	NO
3	3	18O2-PFHxS	B9G0225-BLK1 Method Blank 0.125	2.10e3	88.2	NO
4	4	13C8-PFOA	B9G0225-BLK1 Method Blank 0.125	2.75e4	60.5	NO
5	5	13C9-PFNA	B9G0225-BLK1 Method Blank 0.125	1.71e4	52.7	NO
6	6	13C4-PFOS	B9G0225-BLK1 Method Blank 0.125	3.45e3	59.0	NO
7	7	13C6-PFDA	B9G0225-BLK1 Method Blank 0.125	1.54e4	38.7	YES
8	8	13C7-PFUdA	B9G0225-BLK1 Method Blank 0.125	6.78e3	14.2	YES

Name: 190726M1_75, Date: 26-Jul-2019, Time: 21:32:17, ID: 1902198-01 CMW-18-01 0.11395, Description: CMW-18-01

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-01 CMW-18-01 0.11395	1.56e4	123.1	NO
2	2	13C5-PFHxA	1902198-01 CMW-18-01 0.11395	3.02e4	81.5	NO
3	3	18O2-PFHxS	1902198-01 CMW-18-01 0.11395	2.07e3	87.3	NO
4	4	13C8-PFOA	1902198-01 CMW-18-01 0.11395	3.56e4	78.2	NO
5	5	13C9-PFNA	1902198-01 CMW-18-01 0.11395	2.31e4	71.1	NO
6	6	13C4-PFOS	1902198-01 CMW-18-01 0.11395	4.12e3	70.3	NO
7	7	13C6-PFDA	1902198-01 CMW-18-01 0.11395	2.41e4	60.4	NO
8	8	13C7-PFUdA	1902198-01 CMW-18-01 0.11395	1.36e4	28.6	YES

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_76, Date: 26-Jul-2019, Time: 21:42:49, ID: 1902198-02 CMW-101B 0.11752, Description: CMW-101B

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-02 CMW-101B 0.11752	1.47e4	115.6	NO
2	2	13C5-PFHxA	1902198-02 CMW-101B 0.11752	2.80e4	75.3	NO
3	3	18O2-PFHxS	1902198-02 CMW-101B 0.11752	1.80e3	75.7	NO
4	4	13C8-PFOA	1902198-02 CMW-101B 0.11752	3.44e4	75.6	NO
5	5	13C9-PFNA	1902198-02 CMW-101B 0.11752	2.19e4	67.2	NO
6	6	13C4-PFOS	1902198-02 CMW-101B 0.11752	3.73e3	63.7	NO
7	7	13C6-PFDA	1902198-02 CMW-101B 0.11752	2.20e4	55.0	NO
8	8	13C7-PFUdA	1902198-02 CMW-101B 0.11752	1.37e4	28.7	YES

Name: 190726M1_77, Date: 26-Jul-2019, Time: 21:53:28, ID: 1902198-03 CSW-3 0.1162, Description: CSW-3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-03 CSW-3 0.1162	1.54e4	121.3	NO
2	2	13C5-PFHxA	1902198-03 CSW-3 0.1162	2.89e4	77.8	NO
3	3	18O2-PFHxS	1902198-03 CSW-3 0.1162	1.92e3	80.7	NO
4	4	13C8-PFOA	1902198-03 CSW-3 0.1162	2.67e4	58.7	NO
5	5	13C9-PFNA	1902198-03 CSW-3 0.1162	1.51e4	46.3	YES
6	6	13C4-PFOS	1902198-03 CSW-3 0.1162	3.82e3	65.1	NO
7	7	13C6-PFDA	1902198-03 CSW-3 0.1162	1.26e4	31.7	YES
8	8	13C7-PFUdA	1902198-03 CSW-3 0.1162	8.11e3	17.0	YES

Name: 190726M1_78, Date: 26-Jul-2019, Time: 22:04:06, ID: 1902198-04 CSW-4 0.1146, Description: CSW-4

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-04 CSW-4 0.1146	1.53e4	120.8	NO
2	2	13C5-PFHxA	1902198-04 CSW-4 0.1146	3.01e4	81.1	NO
3	3	18O2-PFHxS	1902198-04 CSW-4 0.1146	1.99e3	83.6	NO
4	4	13C8-PFOA	1902198-04 CSW-4 0.1146	3.72e4	81.7	NO
5	5	13C9-PFNA	1902198-04 CSW-4 0.1146	2.31e4	71.2	NO
6	6	13C4-PFOS	1902198-04 CSW-4 0.1146	3.91e3	66.7	NO
7	7	13C6-PFDA	1902198-04 CSW-4 0.1146	2.23e4	55.8	NO
8	8	13C7-PFUdA	1902198-04 CSW-4 0.1146	1.15e4	24.1	YES

Name: 190726M1_79, Date: 26-Jul-2019, Time: 22:14:39, ID: 1902198-05 SW-5 0.11034, Description: SW-5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-05 SW-5 0.11034	1.68e4	132.0	NO
2	2	13C5-PFHxA	1902198-05 SW-5 0.11034	3.00e4	80.8	NO
3	3	18O2-PFHxS	1902198-05 SW-5 0.11034	2.04e3	86.0	NO
4	4	13C8-PFOA	1902198-05 SW-5 0.11034	3.05e4	67.0	NO
5	5	13C9-PFNA	1902198-05 SW-5 0.11034	1.85e4	56.9	NO
6	6	13C4-PFOS	1902198-05 SW-5 0.11034	3.59e3	61.3	NO
7	7	13C6-PFDA	1902198-05 SW-5 0.11034	1.56e4	39.2	YES
8	8	13C7-PFUdA	1902198-05 SW-5 0.11034	7.27e3	15.2	YES

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_80, Date: 26-Jul-2019, Time: 22:25:18, ID: 1902198-06 CUD-3 0.118, Description: CUD-3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-06 CUD-3 0.118	1.64e4	129.5	NO
2	2	13C5-PFHxA	1902198-06 CUD-3 0.118	3.08e4	83.0	NO
3	3	18O2-PFHxS	1902198-06 CUD-3 0.118	2.03e3	85.3	NO
4	4	13C8-PFOA	1902198-06 CUD-3 0.118	2.90e4	63.7	NO
5	5	13C9-PFNA	1902198-06 CUD-3 0.118	1.68e4	51.7	NO
6	6	13C4-PFOS	1902198-06 CUD-3 0.118	4.41e3	75.2	NO
7	7	13C6-PFDA	1902198-06 CUD-3 0.118	1.78e4	44.5	YES
8	8	13C7-PFUdA	1902198-06 CUD-3 0.118	1.38e4	28.9	YES

Name: 190726M1_81, Date: 26-Jul-2019, Time: 22:35:50, ID: 1902198-07 Sump 1 0.11608, Description: Sump 1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-07 Sump 1 0.11608	1.50e4	118.3	NO
2	2	13C5-PFHxA	1902198-07 Sump 1 0.11608	2.69e4	72.6	NO
3	3	18O2-PFHxS	1902198-07 Sump 1 0.11608	2.04e3	85.8	NO
4	4	13C8-PFOA	1902198-07 Sump 1 0.11608	2.41e4	53.1	NO
5	5	13C9-PFNA	1902198-07 Sump 1 0.11608	1.40e4	43.1	YES
6	6	13C4-PFOS	1902198-07 Sump 1 0.11608	4.12e3	70.3	NO
7	7	13C6-PFDA	1902198-07 Sump 1 0.11608	1.37e4	34.3	YES
8	8	13C7-PFUdA	1902198-07 Sump 1 0.11608	9.56e3	20.0	YES

Name: 190726M1_82, Date: 26-Jul-2019, Time: 22:46:28, ID: 1902198-08 Sump 2 0.10782, Description: Sump 2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-08 Sump 2 0.10782	1.53e4	120.2	NO
2	2	13C5-PFHxA	1902198-08 Sump 2 0.10782	2.98e4	80.4	NO
3	3	18O2-PFHxS	1902198-08 Sump 2 0.10782	1.95e3	82.1	NO
4	4	13C8-PFOA	1902198-08 Sump 2 0.10782	3.53e4	77.6	NO
5	5	13C9-PFNA	1902198-08 Sump 2 0.10782	2.18e4	66.9	NO
6	6	13C4-PFOS	1902198-08 Sump 2 0.10782	3.66e3	62.5	NO
7	7	13C6-PFDA	1902198-08 Sump 2 0.10782	2.18e4	54.7	NO
8	8	13C7-PFUdA	1902198-08 Sump 2 0.10782	1.20e4	25.1	YES

Name: 190726M1_83, Date: 26-Jul-2019, Time: 22:57:01, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_84, Date: 26-Jul-2019, Time: 23:07:39, ID: ST190726M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190726M1-6 PFC CS3 19G1106	9.56e3	75.3	NO
2	2	13C5-PFHxA	ST190726M1-6 PFC CS3 19G1106	3.09e4	83.4	NO
3	3	18O2-PFHxS	ST190726M1-6 PFC CS3 19G1106	2.04e3	85.7	NO
4	4	13C8-PFOA	ST190726M1-6 PFC CS3 19G1106	3.85e4	84.6	NO
5	5	13C9-PFNA	ST190726M1-6 PFC CS3 19G1106	2.74e4	84.2	NO
6	6	13C4-PFOS	ST190726M1-6 PFC CS3 19G1106	4.86e3	82.9	NO
7	7	13C6-PFDA	ST190726M1-6 PFC CS3 19G1106	3.32e4	83.2	NO
8	8	13C7-PFUdA	ST190726M1-6 PFC CS3 19G1106	4.15e4	86.9	NO

Name: 190726M1_85, Date: 26-Jul-2019, Time: 23:18:12, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190726M1_86, Date: 26-Jul-2019, Time: 23:28:51, ID: 1902198-09 MW-997701 0.1153, Description: MW-997701

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-09 MW-997701 0.1153	1.37e4	107.8	NO
2	2	13C5-PFHxA	1902198-09 MW-997701 0.1153	2.78e4	74.8	NO
3	3	18O2-PFHxS	1902198-09 MW-997701 0.1153	1.71e3	72.0	NO
4	4	13C8-PFOA	1902198-09 MW-997701 0.1153	3.39e4	74.6	NO
5	5	13C9-PFNA	1902198-09 MW-997701 0.1153	2.29e4	70.6	NO
6	6	13C4-PFOS	1902198-09 MW-997701 0.1153	3.84e3	65.5	NO
7	7	13C6-PFDA	1902198-09 MW-997701 0.1153	2.32e4	58.0	NO
8	8	13C7-PFUdA	1902198-09 MW-997701 0.1153	1.57e4	32.9	YES

Name: 190726M1_87, Date: 26-Jul-2019, Time: 23:39:29, ID: 1902198-10 MW-997702 0.11184, Description: MW-997702

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-10 MW-997702 0.11184	1.48e4	116.4	NO
2	2	13C5-PFHxA	1902198-10 MW-997702 0.11184	2.74e4	73.7	NO
3	3	18O2-PFHxS	1902198-10 MW-997702 0.11184	1.97e3	83.0	NO
4	4	13C8-PFOA	1902198-10 MW-997702 0.11184	2.96e4	65.0	NO
5	5	13C9-PFNA	1902198-10 MW-997702 0.11184	1.70e4	52.3	NO
6	6	13C4-PFOS	1902198-10 MW-997702 0.11184	3.72e3	63.4	NO
7	7	13C6-PFDA	1902198-10 MW-997702 0.11184	1.52e4	38.2	YES
8	8	13C7-PFUdA	1902198-10 MW-997702 0.11184	8.99e3	18.8	YES

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_88, Date: 26-Jul-2019, Time: 23:50:02, ID: 1902198-11 CUD-1 0.11436, Description: CUD-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-11 CUD-1 0.11436	1.51e4	118.6	NO
2	2	13C5-PFHxA	1902198-11 CUD-1 0.11436	2.83e4	76.2	NO
3	3	18O2-PFHxS	1902198-11 CUD-1 0.11436	1.93e3	81.4	NO
4	4	13C8-PFOA	1902198-11 CUD-1 0.11436	2.85e4	62.7	NO
5	5	13C9-PFNA	1902198-11 CUD-1 0.11436	1.57e4	48.2	YES
6	6	13C4-PFOS	1902198-11 CUD-1 0.11436	3.27e3	55.9	NO
7	7	13C6-PFDA	1902198-11 CUD-1 0.11436	1.41e4	35.3	YES
8	8	13C7-PFUdA	1902198-11 CUD-1 0.11436	6.30e3	13.2	YES

Name: 190726M1_89, Date: 27-Jul-2019, Time: 00:00:41, ID: 1902198-12 CUD-2 0.1159, Description: CUD-2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-12 CUD-2 0.1159	1.66e4	130.4	NO
2	2	13C5-PFHxA	1902198-12 CUD-2 0.1159	3.01e4	81.2	NO
3	3	18O2-PFHxS	1902198-12 CUD-2 0.1159	2.03e3	85.3	NO
4	4	13C8-PFOA	1902198-12 CUD-2 0.1159	3.44e4	75.6	NO
5	5	13C9-PFNA	1902198-12 CUD-2 0.1159	2.04e4	62.6	NO
6	6	13C4-PFOS	1902198-12 CUD-2 0.1159	3.91e3	66.7	NO
7	7	13C6-PFDA	1902198-12 CUD-2 0.1159	1.73e4	43.3	YES
8	8	13C7-PFUdA	1902198-12 CUD-2 0.1159	8.23e3	17.2	YES

Name: 190726M1_90, Date: 27-Jul-2019, Time: 00:11:13, ID: 1902198-13 CUD-4 0.10916, Description: CUD-4

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-13 CUD-4 0.10916	1.69e4	133.3	NO
2	2	13C5-PFHxA	1902198-13 CUD-4 0.10916	3.13e4	84.3	NO
3	3	18O2-PFHxS	1902198-13 CUD-4 0.10916	2.08e3	87.7	NO
4	4	13C8-PFOA	1902198-13 CUD-4 0.10916	3.72e4	81.7	NO
5	5	13C9-PFNA	1902198-13 CUD-4 0.10916	2.29e4	70.5	NO
6	6	13C4-PFOS	1902198-13 CUD-4 0.10916	3.45e3	59.0	NO
7	7	13C6-PFDA	1902198-13 CUD-4 0.10916	1.94e4	48.5	YES
8	8	13C7-PFUdA	1902198-13 CUD-4 0.10916	8.40e3	17.6	YES

Name: 190726M1_91, Date: 27-Jul-2019, Time: 00:21:51, ID: 1902198-14 P-601 0.1205, Description: P-601

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-14 P-601 0.1205	1.55e4	122.2	NO
2	2	13C5-PFHxA	1902198-14 P-601 0.1205	3.06e4	82.4	NO
3	3	18O2-PFHxS	1902198-14 P-601 0.1205	1.98e3	83.2	NO
4	4	13C8-PFOA	1902198-14 P-601 0.1205	3.20e4	70.3	NO
5	5	13C9-PFNA	1902198-14 P-601 0.1205	1.90e4	58.6	NO
6	6	13C4-PFOS	1902198-14 P-601 0.1205	3.18e3	54.2	NO
7	7	13C6-PFDA	1902198-14 P-601 0.1205	1.50e4	37.6	YES
8	8	13C7-PFUdA	1902198-14 P-601 0.1205	6.65e3	13.9	YES

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 12:55:48 Pacific Daylight Time
Printed: Sunday, July 28, 2019 12:59:28 Pacific Daylight Time

Name: 190726M1_92, Date: 27-Jul-2019, Time: 00:32:24, ID: 1902198-15 P-97-103RR 0.1159, Description: P-97-103RR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902198-15 P-97-103RR 0.1159	1.51e4	119.2	NO
2	2	13C5-PFHxA	1902198-15 P-97-103RR 0.1159	2.87e4	77.3	NO
3	3	18O2-PFHxS	1902198-15 P-97-103RR 0.1159	1.88e3	79.0	NO
4	4	13C8-PFOA	1902198-15 P-97-103RR 0.1159	3.29e4	72.2	NO
5	5	13C9-PFNA	1902198-15 P-97-103RR 0.1159	1.97e4	60.7	NO
6	6	13C4-PFOS	1902198-15 P-97-103RR 0.1159	3.47e3	59.2	NO
7	7	13C6-PFDA	1902198-15 P-97-103RR 0.1159	1.62e4	40.5	YES
8	8	13C7-PFUdA	1902198-15 P-97-103RR 0.1159	6.95e3	14.6	YES

Name: 190726M1_93, Date: 27-Jul-2019, Time: 00:43:03, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA	8.07e0	0.0	YES
8	8	13C7-PFUdA	IPA	1.46e1	0.0	YES

Name: 190726M1_94, Date: 27-Jul-2019, Time: 00:53:41, ID: ST190726M1-7 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190726M1-7 PFC CS3 19G1106	1.03e4	81.3	NO
2	2	13C5-PFHxA	ST190726M1-7 PFC CS3 19G1106	3.22e4	86.9	NO
3	3	18O2-PFHxS	ST190726M1-7 PFC CS3 19G1106	2.06e3	86.7	NO
4	4	13C8-PFOA	ST190726M1-7 PFC CS3 19G1106	3.95e4	86.8	NO
5	5	13C9-PFNA	ST190726M1-7 PFC CS3 19G1106	2.75e4	84.5	NO
6	6	13C4-PFOS	ST190726M1-7 PFC CS3 19G1106	4.95e3	84.5	NO
7	7	13C6-PFDA	ST190726M1-7 PFC CS3 19G1106	3.53e4	88.4	NO
8	8	13C7-PFUdA	ST190726M1-7 PFC CS3 19G1106	4.16e4	87.2	NO

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld

Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time

Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8		7115.315	1.00					NO		
2	2	PFPrS	248.9 > 79.9		2251.232	1.00					NO		
3	3	3:3 FTCA	240.9 > 176.9		15412.650	1.00					NO		
4	4	PFPeA	263.1 > 218.9		15412.650	1.00					NO		
5	5	PFBS	299.0 > 79.7		2251.232	1.00					NO		
6	6	4:2 FTS	327.0 > 306.9		3406.539	1.00					NO		
7	47	13C3-PFBA	216.1 > 171.8	7115.315	9682.104	1.00	1.13	9.186	12.5	100.2	NO		
8	49	13C3-PFBS	302.0 > 98.8	2251.232	2027.302	1.00	2.41	13.881	13.1	105.0	NO		
9	48	13C3-PFPeA	266.0 > 221.8	15412.650	32927.684	1.00	2.11	5.851	11.7	94.0	NO		
10	48	13C3-PFPeA	266.0 > 221.8	15412.650	32927.684	1.00	2.11	5.851	11.7	94.0	NO		
11	49	13C3-PFBS	302.0 > 98.8	2251.232	2027.302	1.00	2.41	13.881	13.1	105.0	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3406.539	2027.302	1.00	2.84	21.004	12.7	101.8	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0		12948.210	1.00					NO		
15	8	PFPeS	349.1>80.1		2251.232	1.00					NO		
16	9	HFPO-DA	285.1 > 168.9		1779.822	1.00					NO		
17	10	5:3 FTCA	340.9 > 236.9		16507.723	1.00					NO		
18	11	PFHpA	363.0 > 318.9		16507.723	1.00					NO		
19	12	ADONA	376.8 > 250.9		16507.723	1.00					NO		
20	52	13C2-PFHxA	315.0 > 270.0	12948.210	32927.684	1.00	2.93	4.915	5.0	100.6	NO		
21	49	13C3-PFBS	302.0 > 98.8	2251.232	2027.302	1.00	2.41	13.881	13.1	105.0	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1779.822	32927.684	1.00	3.14	0.676	5.0	100.9	NO		
23	53	13C4-PFHpA	367.2 > 321.8	16507.723	32927.684	1.00	3.55	6.267	13.1	104.8	NO		
24	53	13C4-PFHpA	367.2 > 321.8	16507.723	32927.684	1.00	3.55	6.267	13.1	104.8	NO		
25	53	13C4-PFHpA	367.2 > 321.8	16507.723	32927.684	1.00	3.55	6.267	13.1	104.8	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6		4332.328	1.00					NO		
28	15	6:2 FTS	427.0 > 406.9		2343.994	1.00					NO		
29	16	L-PFOA	412.8 > 368.9	117.852	28525.592	1.00	4.08	0.052	0.0		NO	5.130	NO
30	18	PFecHS	460.8 > 381.0		28525.592	1.00					NO		
31	19	PFHpS	449.0 > 80.0		5049.370	1.00					NO		
32	20	7:3 FTCA	440.9 > 336.9		29607.969	1.00					NO		
33	54	13C3-PFHxS	401.8 > 79.9	4332.328	2027.302	1.00	3.70	26.712	13.2	105.6	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2343.994	4818.058	1.00	4.02	6.081	11.3	90.7	NO		
35	58	13C2-PFOA	414.9 > 369.7	28525.592	39806.516	1.00	4.08	8.958	13.1	105.2	NO		
36	58	13C2-PFOA	414.9 > 369.7	28525.592	39806.516	1.00	4.08	8.958	13.1	105.2	NO		

CGH 7/26/2019

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld

Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time

Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	5049.370	4818.058	1.00	4.62	13.100	13.1	105.1	NO		
38	56	13C5-PFNA	468.2 > 422.9	29607.969	28903.037	1.00	4.53	12.805	12.8	102.2	NO		
39	-1												
40	21	PFNA	463.0 > 418.8		29607.969	1.00					NO		
41	22	PFOSA	497.9 > 77.9		6262.123	1.00					NO		
42	23	L-PFOS	498.9 > 79.9		5049.370	1.00					NO		
43	25	9Cl-PF30NS	530.7 > 350.8		5049.370	1.00					NO		
44	26	PFDA	513 > 468.8	36.902	28364.254	1.00	4.92	0.016	0.0		NO	2.351	YES
45	27	8:2 FTS	527.0 > 506.9		2832.925	1.00					NO		
46	56	13C5-PFNA	468.2 > 422.9	29607.969	28903.037	1.00	4.53	12.805	12.8	102.2	NO		
47	57	13C8-PFOSA	506.1 > 77.7	6262.123	43273.457	1.00	4.59	1.809	10.8	86.4	NO		
48	59	13C8-PFOS	507.0 > 79.9	5049.370	4818.058	1.00	4.62	13.100	13.1	105.1	NO		
49	59	13C8-PFOS	507.0 > 79.9	5049.370	4818.058	1.00	4.62	13.100	13.1	105.1	NO		
50	60	13C2-PFDA	515.1 > 469.9	28364.254	34937.598	1.00	4.91	10.148	12.4	99.1	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2832.925	4818.058	1.00	4.88	7.350	13.2	105.6	NO		
52	-1												
53	28	PFNS	549.1 > 80.1		5049.370	1.00					NO		
54	29	L-MeFOSAA	570 > 419		6262.895	1.00					NO		
55	31	L-EtFOSAA	584.1 > 419		9085.869	1.00					NO		
56	33	PFUdA	563.0 > 518.9	82.800	38341.168	1.00	5.24	0.027			NO	8.303	NO
57	34	PFDS	598.8 > 79.9		2832.925	1.00					NO		
58	35	11Cl-PF30UdS	632.6 > 452.7		33927.527	1.00					NO		
59	59	13C8-PFOS	507.0 > 79.9	5049.370	4818.058	1.00	4.62	13.100	13.1	105.1	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	6262.895	43273.457	1.00	5.07	1.809	10.2	81.6	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	9085.869	43273.457	1.00	5.23	2.625	11.7	93.8	NO		
62	63	13C2-PFUdA	565 > 519.8	38341.168	43273.457	1.00	5.24	11.075	12.5	99.7	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2832.925	4818.058	1.00	4.88	7.350	13.2	105.6	NO		
64	65	13C2-PFDoA	614.7 > 569.7	33927.527	34937.598	1.00	5.53	12.139	11.2	89.3	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9		2832.925	1.00					NO		
67	37	PFDoA	612.9 > 569.0	46.720	33927.527	1.00	5.53	0.017			NO	48.264	YES
68	38	N-MeFOSA	512.1 > 168.9		18829.225	1.00					NO		
69	39	PFTrDA	662.9 > 618.9		33927.527	1.00					NO		
70	40	PFDoS	698.8 > 79.9		24559.809	1.00					NO		
71	41	PFTeDA	713.0 > 669.0	77.320	24559.809	1.00	6.01	0.039			NO	124.109	YES
72	65	13C2-PFDoA	614.7 > 569.7	33927.527	34937.598	1.00	5.53	12.139	11.2	89.3	NO		

CGH 7/26/2019

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld

Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time

Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	33927.527	34937.598	1.00	5.53	12.139	11.2	89.3	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	18829.225	43273.457	1.00	5.72	5.439	142.2	94.8	NO		
75	65	13C2-PFDoA	614.7 > 569.7	33927.527	34937.598	1.00	5.53	12.139	11.2	89.3	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	24559.809	43273.457	1.00	6.01	7.094	11.7	93.9	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	24559.809	43273.457	1.00	6.01	7.094	11.7	93.9	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9		25198.975	1.00					NO		
80	43	PFHxDA	813.1 > 768.6	91.229	11976.426	1.00	6.38	0.038	0.0		NO	18.069	NO
81	44	PFODA	913.1 > 868.8	13.429	11976.426	1.00	6.63	0.006			NO		
82	45	N-MeFOSE	616.1 > 58.9		15287.770	1.00					NO		
83	46	N-EtFOSE	630.1 > 58.9		16479.609	1.00					NO		
84	72	13C4-PFBA	217.0 > 172.0	9682.104	9682.104	1.00	1.13	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	25198.975	43273.457	1.00	6.16	7.279	163.7	109.2	NO		
86	69	13C2-PFHxDA	815 > 769.7	11976.426	43273.457	1.00	6.38	3.460	4.4	87.8	NO		
87	69	13C2-PFHxDA	815 > 769.7	11976.426	43273.457	1.00	6.38	3.460	4.4	87.8	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	15287.770	43273.457	1.00	6.35	4.416	141.1	94.1	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	16479.609	43273.457	1.00	6.50	4.760	144.9	96.6	NO		
90	73	13C5-PFHxA	318.0 > 272.9	32927.684	32927.684	1.00	2.93	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	39806.516	39806.516	1.00	4.08	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	2027.302	2027.302	1.00	3.71	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	28903.037	28903.037	1.00	4.53	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4818.058	4818.058	1.00	4.62	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	34937.598	34937.598	1.00	4.91	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	43273.457	43273.457	1.00	5.24	12.500	12.5	100.0	NO		

CGH 7/26/2019

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld

Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072619.mdb 26 Jul 2019 13:29:28
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS




CGH 7/26/2019


Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld

Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time


Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld

Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time


Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld

Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time


Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld

Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time


Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld

Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time


Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




CGH 7/26/2019

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld


Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time

Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-IB.qld


Last Altered: Friday, July 26, 2019 13:50:42 Pacific Daylight Time
Printed: Friday, July 26, 2019 13:51:00 Pacific Daylight Time

Name: 190726M1_5, Date: 26-Jul-2019, Time: 08:41:30, ID: IB, Description: IB


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



LC Calibration Standards Review Checklist Q4

		ION Ratio	Concentration	C-Cals Name	Sign Date	Correct I-Cal	Manual Integrations	NA
Calibration ID: ST190726M1-1	L M H	☑	☑	☑	☑	☐	☑	☐
Calibration ID: -3	L M H	☑	☑	☑	☑	☑	☑	☐
Calibration ID: -4	L M H	☑	☑	☑	☑	☑	☑	☐
Calibration ID: -5	L M H	☑	☑	☑	☑	☑	☑	☐
Calibration ID: -6	L M H	☑	☑	☑	☑	☑	☑	☐
Calibration ID: -7	L M H	☑	☑	☑	☑	☑	☑	☑
Calibration ID:	L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:	L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:	L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:	L M H	☐	☐	☐	☐	☐	☐	☐

Full Mass Cal. Date: 7/15/19

Run Log Present: ☑

# of Samples per Sequence Checked: ☑

Instrument Blank Saved ☑

All Branches in Acquisition Window ☑

IIS Area Saved ☑

Reviewed By: JM 7/29/19
Initials/Date

Comments:

ID: LR - LCSRC *Rev. No.: 2* *Rev. Date: 04/29/2019* *Page: 1 of 1*

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:43:48 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072619.mdb 26 Jul 2019 13:29:28
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	PFBA	1.15	1.15			
2	PFPrS	1.52	1.52	2.460	2.460	NO
3	3:3 FTCA	2.00	1.98	2.118	2.118	NO
4	PFPeA	2.14	2.14			
5	PFBS	2.43	2.43	3.030	3.030	NO
6	4:2 FTS	2.84	2.84	1.842	1.842	NO
7	PFHxA	2.93	2.93	16.899	16.899	NO
8	PFPeS	3.14	3.14	1.469	1.469	NO
9	HFPO-DA	3.15	3.15	2.336	2.336	NO
10	5:3 FTCA	3.48	3.49	1.560	1.560	NO
11	PFHpA	3.56	3.56	9.771	9.771	NO
12	ADONA	3.66	3.66	3.484	3.484	NO
13	L-PFHxS	3.71	3.71	2.204	2.204	NO
14	6:2 FTS	4.03	4.03	2.255	2.255	NO
15	L-PFOA	4.09	4.09	3.761	3.761	NO
16	PFecHS	4.11	4.11	0.890	0.890	NO
17	PFHpS	4.20	4.20	1.755	1.755	NO
18	7:3 FTCA	4.52	4.52	2.009	2.009	NO
19	PFNA	4.53	4.53	4.014	4.014	NO
20	PFOSA	4.59	4.60	29.666	29.666	NO
21	L-PFOS	4.62	4.62	2.073	2.073	NO
22	9Cl-PF30NS	4.85	4.85	16.328	16.328	NO
23	PFDA	4.92	4.91	5.848	5.848	NO
24	8:2 FTS	4.88	4.88	1.248	1.248	NO
25	PFNS	4.98	4.98	1.685	1.685	NO
26	L-MeFOSAA	5.07	5.07	2.446	2.446	NO

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:44:06 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072619.mdb 26 Jul 2019 13:29:28
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	L-EtFOSAA	5.23	5.24	1.351	1.351	NO
2	PFUdA	5.25	5.25	8.926	8.926	NO
3	PFDS	5.30	5.30	1.878	1.878	NO
4	11Cl-PF30UdS	5.47	5.47	5.172	5.172	NO
5	10:2 FTS	5.52	5.52	1.570	1.570	NO
6	PFDoA	5.54	5.54	8.620	8.620	NO
7	N-MeFOSA	5.69	5.69	1.647	1.647	NO
8	PFTrDA	5.80	5.80	22.168	22.168	NO
9	PFDoS	5.82	5.82	1.830	1.830	NO
10	PFTeDA	6.02	6.02	13.965	13.965	NO
11	N-EtFOSA	6.15	6.15	1.685	1.685	NO
12	PFHxDA	6.38	6.38	20.100	20.100	NO
13	PFODA	6.63	6.63			
14	N-MeFOSE	6.36	6.36			
15	N-EtFOSE	6.51	6.51			

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld

Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time

JGM 7/29/19

Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	886.195	9187.815	1.00	1.12	1.206	1.0	96.6	NO		
2	2	PFPrS	248.9 > 79.9	160.648	2628.977	1.00	1.48	0.764	1.0	100.0	NO	2.968	NO
3	3	3:3 FTCA	240.9 > 176.9	44.045	18508.518	1.00	1.96	0.030	1.0	95.2	NO	1.703	NO
4	4	PFPeA	263.1 > 218.9	1297.744	18508.518	1.00	2.11	0.876	1.0	96.3	NO		
5	5	PFBS	299.0 > 79.7	435.064	2628.977	1.00	2.41	2.069	0.9	94.2	NO	3.346	NO
6	6	4:2 FTS	327.0 > 306.9	697.173	3868.968	1.00	2.84	2.252	0.9	92.9	NO	1.648	NO
7	47	13C3-PFBA	216.1 > 171.8	9187.815	12702.217	1.00	1.12	9.042	12.3	98.6	NO		
8	49	13C3-PFBS	302.0 > 98.8	2628.977	2375.293	1.00	2.41	13.835	13.1	104.7	NO		
9	48	13C3-PFPeA	266.0 > 221.8	18508.518	37101.832	1.00	2.11	6.236	12.5	100.2	NO		
10	48	13C3-PFPeA	266.0 > 221.8	18508.518	37101.832	1.00	2.11	6.236	12.5	100.2	NO		
11	49	13C3-PFBS	302.0 > 98.8	2628.977	2375.293	1.00	2.41	13.835	13.1	104.7	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3868.968	2375.293	1.00	2.84	20.360	12.3	98.7	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	2701.734	14559.140	1.00	2.93	0.928	1.0	98.8	NO	21.754	NO
15	8	PFPeS	349.1>80.1	334.751	2628.977	1.00	3.13	1.592	1.0	100.8	NO	1.522	NO
16	9	HFPO-DA	285.1 > 168.9	218.753	2458.514	1.00	3.14	0.445	1.0	96.2	NO	2.637	NO
17	10	5:3 FTCA	340.9 > 236.9	255.992	19430.445	1.00	3.48	0.165	1.0	95.5	NO	1.645	NO
18	11	PFHpA	363.0 > 318.9	1869.177	19430.445	1.00	3.55	1.202	0.9	93.0	NO	12.621	NO
19	12	ADONA	376.8 > 250.9	4573.605	19430.445	1.00	3.66	2.942	0.9	90.6	NO	3.532	NO
20	52	13C2-PFHxA	315.0 > 270.0	14559.140	37101.832	1.00	2.93	4.905	5.0	100.3	NO		
21	49	13C3-PFBS	302.0 > 98.8	2628.977	2375.293	1.00	2.41	13.835	13.1	104.7	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	2458.514	37101.832	1.00	3.14	0.828	6.2	123.7	NO		
23	53	13C4-PFHpA	367.2 > 321.8	19430.445	37101.832	1.00	3.55	6.546	13.7	109.4	NO		
24	53	13C4-PFHpA	367.2 > 321.8	19430.445	37101.832	1.00	3.55	6.546	13.7	109.4	NO		
25	53	13C4-PFHpA	367.2 > 321.8	19430.445	37101.832	1.00	3.55	6.546	13.7	109.4	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	435.456	5069.493	1.00	3.71	1.074	1.2	118.3	NO	2.916	NO
28	15	6:2 FTS	427.0 > 406.9	685.116	2847.677	1.00	4.02	3.007	0.9	93.9	NO	2.117	NO
29	16	L-PFOA	412.8 > 368.9	3751.280	32016.979	1.00	4.08	1.465	0.9	95.0	NO	3.902	NO
30	18	PFecHS	460.8 > 381.0	457.770	32016.979	1.00	4.10	0.179	0.8	79.4	NO	0.805	NO
31	19	PFHpS	449.0 > 80.0	430.951	5930.560	1.00	4.19	0.908	1.0	103.6	NO	1.968	NO
32	20	7:3 FTCA	440.9 > 336.9	264.668	32762.701	1.00	4.51	0.101	1.0	101.7	NO	2.066	NO
33	54	13C3-PFHxS	401.8 > 79.9	5069.493	2375.293	1.00	3.71	26.678	13.2	105.5	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2847.677	5857.151	1.00	4.02	6.077	11.3	90.7	NO		
35	58	13C2-PFOA	414.9 > 369.7	32016.979	45495.906	1.00	4.08	8.797	12.9	103.3	NO		
36	58	13C2-PFOA	414.9 > 369.7	32016.979	45495.906	1.00	4.08	8.797	12.9	103.3	NO		

CGH 7/29/19

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld

Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time

Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	5930.560	5857.151	1.00	4.62	12.657	12.7	101.6	NO		
38	56	13C5-PFNA	468.2 > 422.9	32762.701	32513.850	1.00	4.53	12.596	12.6	100.6	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	2826.073	32762.701	1.00	4.53	1.078	0.9	91.3	NO	4.052	NO
41	22	PFOSA	497.9 > 77.9	524.552	7310.255	1.00	4.59	0.897	0.9	89.1	NO	31.048	NO
42	23	L-PFOS	498.9 > 79.9	493.081	5930.560	1.00	4.62	1.039	1.0	99.1	NO	2.050	NO
43	25	9Cl-PF30NS	530.7 > 350.8	924.686	5930.560	1.00	4.84	1.949	0.9	94.1	NO	9.075	NO
44	26	PFDA	513 > 468.8	3314.293	33098.754	1.00	4.91	1.252	1.0	96.9	NO	5.663	NO
45	27	8:2 FTS	527.0 > 506.9	428.960	3287.002	1.00	4.88	1.631	0.8	84.2	NO	1.013	NO
46	56	13C5-PFNA	468.2 > 422.9	32762.701	32513.850	1.00	4.53	12.596	12.6	100.6	NO		
47	57	13C8-PFOSA	506.1 > 77.7	7310.255	47729.270	1.00	4.59	1.915	11.4	91.4	NO		
48	59	13C8-PFOS	507.0 > 79.9	5930.560	5857.151	1.00	4.62	12.657	12.7	101.6	NO		
49	59	13C8-PFOS	507.0 > 79.9	5930.560	5857.151	1.00	4.62	12.657	12.7	101.6	NO		
50	60	13C2-PFDA	515.1 > 469.9	33098.754	39907.547	1.00	4.91	10.367	12.7	101.3	NO		
51	61	13C2-8:2 FTS	529 > 79.9	3287.002	5857.151	1.00	4.88	7.015	12.6	100.8	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	298.269	5930.560	1.00	4.98	0.629	0.8	80.3	NO	1.488	NO
54	29	L-MeFOSAA	570 > 419	1206.177	7061.573	1.00	5.07	2.135	1.1	105.2	NO	2.288	NO
55	31	L-EtFOSAA	584.1 > 419	934.683	9931.417	1.00	5.23	1.176	1.0	97.6	NO	1.332	NO
56	33	PFUdA	563.0 > 518.9	3585.459	44795.547	1.00	5.24	1.001	1.0	104.0	NO	10.890	NO
57	34	PFDS	598.8 > 79.9	408.257	3287.002	1.00	5.29	1.553	1.0	95.8	NO	1.388	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	210.972	42007.996	1.00	5.46	0.063	1.3	127.5	NO	13.974	YES
59	59	13C8-PFOS	507.0 > 79.9	5930.560	5857.151	1.00	4.62	12.657	12.7	101.6	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	7061.573	47729.270	1.00	5.07	1.849	10.4	83.4	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	9931.417	47729.270	1.00	5.23	2.601	11.6	93.0	NO		
62	63	13C2-PFUdA	565 > 519.8	44795.547	47729.270	1.00	5.24	11.732	13.2	105.6	NO		
63	61	13C2-8:2 FTS	529 > 79.9	3287.002	5857.151	1.00	4.88	7.015	12.6	100.8	NO		
64	65	13C2-PFDoA	614.7 > 569.7	42007.996	39907.547	1.00	5.53	13.158	12.1	96.8	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	632.965	3287.002	1.00	5.52	2.407	1.0	99.5	NO	1.676	NO
67	37	PFDoA	612.9 > 569.0	3798.489	42007.996	1.00	5.53	1.130	1.0	100.1	NO	8.429	NO
68	38	N-MeFOSA	512.1 > 168.9	854.550	21536.166	1.00	5.69	5.952	5.0	99.9	NO	1.733	NO
69	39	PFTrDA	662.9 > 618.9	4003.979	42007.996	1.00	5.79	1.191	1.0	99.6	NO	26.941	NO
70	40	PFDoS	698.8 > 79.9	368.789	29120.334	1.00	5.82	0.158	1.0	98.2	NO	1.842	NO
71	41	PFTeDA	713.0 > 669.0	3783.383	29120.334	1.00	6.01	1.624	1.0	99.0	NO	14.768	NO
72	65	13C2-PFDoA	614.7 > 569.7	42007.996	39907.547	1.00	5.53	13.158	12.1	96.8	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld

Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time

Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	42007.996	39907.547	1.00	5.53	13.158	12.1	96.8	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	21536.166	47729.270	1.00	5.72	5.640	147.5	98.3	NO		
75	65	13C2-PFDoA	614.7 > 569.7	42007.996	39907.547	1.00	5.53	13.158	12.1	96.8	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	29120.334	47729.270	1.00	6.01	7.626	12.6	101.0	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	29120.334	47729.270	1.00	6.01	7.626	12.6	101.0	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	908.321	28063.699	1.00	6.14	4.855	5.2	104.7	NO	1.773	NO
80	43	PFHxDA	813.1 > 768.6	1833.144	14906.626	1.00	6.38	0.615	0.9	89.1	NO	22.275	NO
81	44	PFODA	913.1 > 868.8	2408.752	14906.626	1.00	6.63	0.808	1.0	99.2	NO		
82	45	N-MeFOSE	616.1 > 58.9	622.157	16979.662	1.00	6.36	5.496	4.9	98.3	NO		
83	46	N-EtFOSE	630.1 > 58.9	796.233	18031.523	1.00	6.51	6.624	5.2	103.6	NO		
84	72	13C4-PFBA	217.0 > 172.0	12702.217	12702.217	1.00	1.12	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	28063.699	47729.270	1.00	6.16	7.350	165.3	110.2	NO		
86	69	13C2-PFHxDA	815 > 769.7	14906.626	47729.270	1.00	6.38	3.904	5.0	99.1	NO		
87	69	13C2-PFHxDA	815 > 769.7	14906.626	47729.270	1.00	6.38	3.904	5.0	99.1	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	16979.662	47729.270	1.00	6.35	4.447	142.1	94.7	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	18031.523	47729.270	1.00	6.50	4.722	143.7	95.8	NO		
90	73	13C5-PFHxA	318.0 > 272.9	37101.832	37101.832	1.00	2.93	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	45495.906	45495.906	1.00	4.08	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	2375.293	2375.293	1.00	3.71	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	32513.850	32513.850	1.00	4.53	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	5857.151	5857.151	1.00	4.62	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	39907.547	39907.547	1.00	4.91	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	47729.270	47729.270	1.00	5.24	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:39:09 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:39:14 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072619.mdb 26 Jul 2019 13:29:28
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190726M1_1	IPA	26-Jul-19	07:59:07
2	2	190726M1_2	IPA	26-Jul-19	08:09:40
3	3	190726M1_3	IPA	26-Jul-19	08:20:19
4	4	190726M1_4	ST190726M1-1 PFC CS0 19G1103	26-Jul-19	08:30:57
5	5	190726M1_5	IB	26-Jul-19	08:41:30
6	6	190726M1_6	B9G0237-BS1 OPR 0.25	26-Jul-19	08:52:12
7	7	190726M1_7	B9G0237-BSD1 LCSD 0.25	26-Jul-19	09:02:47
8	8	190726M1_8	B9G0237-BLK1 Method Blank 0.25	26-Jul-19	09:41:42
9	9	190726M1_9	1902204-01 PFC-AF-420-01-071819 0.11263	26-Jul-19	09:52:20
10	10	190726M1_10	IPA	26-Jul-19	10:02:53
11	11	190726M1_11	1902222-01 WIN1907221220GGA 0.22274	26-Jul-19	10:13:32
12	12	190726M1_12	1902222-02 WMP1907221210GGA 0.23459	26-Jul-19	10:24:10
13	13	190726M1_13	1902222-03 WEF1907221215GGA 0.2448	26-Jul-19	10:34:43
14	14	190726M1_14	B9G0224-BS1 OPR 0.125	26-Jul-19	10:45:21
15	15	190726M1_15	B9G0224-BSD1 LCSD 0.125	26-Jul-19	10:55:54
16	16	190726M1_16	B9G0224-BLK1 Method Blank 0.125	26-Jul-19	11:06:33
17	17	190726M1_17	1902158-01RE1 REEPAC1734FS 0.11358	26-Jul-19	11:17:06
18	18	190726M1_18	1902189-06 EB-07152019-GW 0.1175	26-Jul-19	11:27:45
19	19	190726M1_19	1902189-07 FRB-07152019 0.11592	26-Jul-19	11:38:17
20	20	190726M1_20	1902189-11 EB-07162019-GW 0.11872	26-Jul-19	11:48:55
21	21	190726M1_21	1902189-13 FRB-07162019 0.11698	26-Jul-19	11:59:28
22	22	190726M1_22	1902189-14 EB-07162019 0.11868	26-Jul-19	12:10:07
23	23	190726M1_23	1902189-19 FRB-07172019 0.1221	26-Jul-19	12:20:39
24	24	190726M1_24	1902189-20 EB-07172019 0.11988	26-Jul-19	12:31:18
25	25	190726M1_25	IPA	26-Jul-19	12:41:56
26	26	190726M1_26	(A) ST190726M1-2 PFC CS3 19G1106	26-Jul-19	12:52:29
27	27	190726M1_27	IPA	26-Jul-19	13:03:08
28	28	190726M1_28	ST190726M1-3 PFC CS3 19G1106	26-Jul-19	13:14:37
29	29	190726M1_29	IPA	26-Jul-19	13:25:15
30	30	190726M1_30	B9G0229-BS1 OPR 1	26-Jul-19	13:35:51
31	31	190726M1_31	B9G0229-BSD1 LCSD 1	26-Jul-19	13:46:26
32	32	190726M1_32	B9G0229-BLK1 Method Blank 1	26-Jul-19	13:57:00

(A) DNU, vial empty. dlm 7/29/19

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:39:09 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:39:14 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
33	33 190726M1_33	B9G0229-MS1 Matrix Spike 1.03	26-Jul-19	14:07:38
34	34 190726M1_34	B9G0229-MSD1 Matrix Spike Dup 1.39	26-Jul-19	14:18:11
35	35 190726M1_35	1902048-16 B96-PFAS-SB76-6-8-070819 1.1	26-Jul-19	14:28:50
36	36 190726M1_36	1902048-17 B96-PFAS-SB18-6.5-8.5-070819 1.08	26-Jul-19	14:39:29
37	37 190726M1_37	1902048-18 DUP07-070819 1.08	26-Jul-19	14:50:01
38	38 190726M1_38	1902048-19 B96-PFAS-SB23-6-8-070819 1.19	26-Jul-19	15:00:31
39	39 190726M1_39	1902048-20 B96-PFAS-SB24-6.5-8.5-070819 1.17	26-Jul-19	15:11:10
40	40 190726M1_40	1902049-01 B96-PFAS-SB75-7.5-9.5-070819 1.23	26-Jul-19	15:21:42
41	41 190726M1_41	1902049-02 B96-PFAS-SB44-6.5-8.5-070819 1.18	26-Jul-19	15:32:20
42	42 190726M1_42	1902049-04 B96-PFAS-SB47-10-15-070919 1.28	26-Jul-19	15:42:53
43	43 190726M1_43	1902049-05 B96-PFAS-SB46-7-9-070919 1.23	26-Jul-19	15:53:32
44	44 190726M1_44	1902049-06 DUP08-070919 1.35	26-Jul-19	16:04:05
45	45 190726M1_45	IPA	26-Jul-19	16:14:43
46	46 190726M1_46	ST190726M1-4 PFC CS3 19G1106	26-Jul-19	16:25:16
47	47 190726M1_47	IPA	26-Jul-19	16:35:46
48	48 190726M1_48	1902049-07 B96-PFAS-SB37-6-8-070919 1.3	26-Jul-19	16:46:17
49	49 190726M1_49	1902049-08 B96-PFAS-SB38-6.5-8.5-070919 1.22	26-Jul-19	16:56:55
50	50 190726M1_50	B9G0232-BS1 OPR 0.125	26-Jul-19	17:07:33
51	51 190726M1_51	1902101-01RE1 536 0.11805	26-Jul-19	17:18:06
52	52 190726M1_52	1902105-02RE1@5X 5A Raw Leachate 0.24304	26-Jul-19	17:28:44
53	53 190726M1_53	1902150-01 FB-10:10 0.24051	26-Jul-19	17:39:17
54	54 190726M1_54	1902150-02 EB-14:15 0.2424	26-Jul-19	17:49:55
55	55 190726M1_55	B9G0243-BLK1 Method Blank 1	26-Jul-19	18:00:28
56	56 190726M1_56	B9G0243-BS1 OPR 1	26-Jul-19	18:11:06
57	57 190726M1_57	B9G0243-BS2 OPR 1	26-Jul-19	18:21:38
58	58 190726M1_58	B9G0243-BS3 OPR 1	26-Jul-19	18:32:17
59	59 190726M1_59	B9G0243-BS4 OPR 1	26-Jul-19	18:42:49
60	60 190726M1_60	B9G0235-BS1 OPR 0.25	26-Jul-19	18:53:28
61	61 190726M1_61	B9G0235-BLK1 Method Blank 0.25	26-Jul-19	19:04:00
62	62 190726M1_62	1902188-01 TB-0712 0.24419	26-Jul-19	19:14:39
63	63 190726M1_63	1902188-02 Screen Blank 0.23693	26-Jul-19	19:25:11
64	64 190726M1_64	1902191-01 WMP1907170940JSJ 0.23779	26-Jul-19	19:35:49
65	65 190726M1_65	1902191-02 WEF1907170946JSJ 0.24397	26-Jul-19	19:46:23
66	66 190726M1_66	1902191-03 WEF1907170955JSJ 0.25084	26-Jul-19	19:57:01
67	67 190726M1_67	1902191-04 FB1907171335JSJ 0.2454	26-Jul-19	20:07:34
68	68 190726M1_68	IPA	26-Jul-19	20:18:12

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:39:09 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:39:14 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
69	69	190726M1_69	ST190726M1-5 PFC CS3 19G1106	26-Jul-19	20:28:45
70	70	190726M1_70	IPA	26-Jul-19	20:39:23
71	71	190726M1_71	1902196-18 GW38411907161520RL 0.22666	26-Jul-19	20:49:57
72	72	190726M1_72	1902196-19 GW38411907161520RL-DUP 0.23688	26-Jul-19	21:00:35
73	73	190726M1_73	B9G0225-BS1 OPR 0.125	26-Jul-19	21:11:08
74	74	190726M1_74	B9G0225-BLK1 Method Blank 0.125	26-Jul-19	21:21:38
75	75	190726M1_75	1902198-01 CMW-18-01 0.11395	26-Jul-19	21:32:17
76	76	190726M1_76	1902198-02 CMW-101B 0.11752	26-Jul-19	21:42:49
77	77	190726M1_77	1902198-03 CSW-3 0.1162	26-Jul-19	21:53:28
78	78	190726M1_78	1902198-04 CSW-4 0.1146	26-Jul-19	22:04:06
79	79	190726M1_79	1902198-05 SW-5 0.11034	26-Jul-19	22:14:39
80	80	190726M1_80	1902198-06 CUD-3 0.118	26-Jul-19	22:25:18
81	81	190726M1_81	1902198-07 Sump 1 0.11608	26-Jul-19	22:35:50
82	82	190726M1_82	1902198-08 Sump 2 0.10782	26-Jul-19	22:46:28
83	83	190726M1_83	IPA	26-Jul-19	22:57:01
84	84	190726M1_84	ST190726M1-6 PFC CS3 19G1106	26-Jul-19	23:07:39
85	85	190726M1_85	IPA	26-Jul-19	23:18:12
86	86	190726M1_86	1902198-09 MW-997701 0.1153	26-Jul-19	23:28:51
87	87	190726M1_87	1902198-10 MW-997702 0.11184	26-Jul-19	23:39:29
88	88	190726M1_88	1902198-11 CUD-1 0.11436	26-Jul-19	23:50:02
89	89	190726M1_89	1902198-12 CUD-2 0.1159	27-Jul-19	00:00:41
90	90	190726M1_90	1902198-13 CUD-4 0.10916	27-Jul-19	00:11:13
91	91	190726M1_91	1902198-14 P-601 0.1205	27-Jul-19	00:21:51
92	92	190726M1_92	1902198-15 P-97-103RR 0.1159	27-Jul-19	00:32:24
93	93	190726M1_93	IPA	27-Jul-19	00:43:03
94	94	190726M1_94	ST190726M1-7 PFC CS3 19G1106	27-Jul-19	00:53:41
95	95	190726M1_95	IPA	27-Jul-19	01:04:14
96	96	190726M1_96	NEW SPIKE TESTER	27-Jul-19	01:14:53


Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld

Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072619.mdb 26 Jul 2019 13:29:28
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld

Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time


Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld

Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time


Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld

Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time


Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld


Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time

Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFNS




L-MeFOSAA




L-EtFOSAA




PFUdA





PFDS





11Cl-PF30UdS




















13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld


Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time

Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
1.749e+004




F66:MRM of 2 channels,ES-
627.0 > 80.9
1.065e+004




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
1.095e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
1.174e+004




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
2.008e+004




F43:MRM of 2 channels,ES-
512.1 > 219
1.257e+004




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
1.080e+005




F70:MRM of 2 channels,ES-
662.9 > 319
3.586e+003




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
9.688e+003




F71:MRM of 2 channels,ES-
698.8 > 98.9
5.280e+003




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
1.015e+005




F72:MRM of 2 channels,ES-
713. > 369.0
6.391e+003




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.230e+006




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.230e+006




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
5.220e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.230e+006



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
7.681e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
7.681e+005




Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld


Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time

Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-4.qld


Last Altered: Friday, July 26, 2019 13:46:17 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:32:38 Pacific Daylight Time

Name: 190726M1_4, Date: 26-Jul-2019, Time: 08:30:57, ID: ST190726M1-1 PFC CS0 19G1103, Description: PFC CS0 19G1103


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time

7/29/19

Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	6848.524	6661.888	1.00	1.15	12.850	10.3	103.1	NO		
2	2	PFPrS	248.9 > 79.9	1562.125	2003.226	1.00	1.52	9.748	10.4	104.3	NO	2.460	NO
3	3	3:3 FTCA	240.9 > 176.9	368.732	13574.385	1.00	1.98	0.340	9.9	98.8	NO	2.118	NO
4	4	PFPeA	263.1 > 218.9	10194.724	13574.385	1.00	2.14	9.388	10.2	101.5	NO		
5	5	PFBS	299.0 > 79.7	3571.006	2003.226	1.00	2.43	22.283	9.8	98.2	NO	3.030	NO
6	6	4:2 FTS	327.0 > 306.9	5892.543	2959.908	1.00	2.84	24.885	9.9	98.9	NO	1.842	NO
7	47	13C3-PFBA	216.1 > 171.8	6661.888	9113.289	1.00	1.15	9.138	12.5	99.6	NO		
8	49	13C3-PFBS	302.0 > 98.8	2003.226	1806.980	1.00	2.43	13.858	13.1	104.8	NO		
9	48	13C3-PFPeA	266.0 > 221.8	13574.385	27790.170	1.00	2.14	6.106	12.3	98.1	NO		
10	48	13C3-PFPeA	266.0 > 221.8	13574.385	27790.170	1.00	2.14	6.106	12.3	98.1	NO		
11	49	13C3-PFBS	302.0 > 98.8	2003.226	1806.980	1.00	2.43	13.858	13.1	104.8	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	2959.908	1806.980	1.00	2.84	20.476	12.4	99.3	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	20263.672	10906.795	1.00	2.93	9.289	10.5	105.3	NO	16.899	NO
15	8	PFPeS	349.1>80.1	2547.239	2003.226	1.00	3.14	15.895	9.9	99.2	NO	1.469	NO
16	9	HFPO-DA	285.1 > 168.9	1550.423	1654.335	1.00	3.15	4.686	7.3	73.3	NO	2.336	NO
17	10	5:3 FTCA	340.9 > 236.9	2018.754	13248.871	1.00	3.49	1.905	10.3	103.2	NO	1.560	NO
18	11	PFHpA	363.0 > 318.9	13969.831	13248.871	1.00	3.56	13.180	10.2	101.8	NO	9.771	NO
19	12	ADONA	376.8 > 250.9	35003.070	13248.871	1.00	3.66	33.025	9.3	93.1	NO	3.484	NO
20	52	13C2-PFHxA	315.0 > 270.0	10906.795	27790.170	1.00	2.93	4.906	5.0	100.4	NO		
21	49	13C3-PFBS	302.0 > 98.8	2003.226	1806.980	1.00	2.43	13.858	13.1	104.8	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1654.335	27790.170	1.00	3.15	0.744	5.6	111.1	NO		
23	53	13C4-PFHpA	367.2 > 321.8	13248.871	27790.170	1.00	3.56	5.959	12.5	99.6	NO		
24	53	13C4-PFHpA	367.2 > 321.8	13248.871	27790.170	1.00	3.56	5.959	12.5	99.6	NO		
25	53	13C4-PFHpA	367.2 > 321.8	13248.871	27790.170	1.00	3.56	5.959	12.5	99.6	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	2940.314	3834.042	1.00	3.71	9.586	10.5	105.1	NO	2.204	NO
28	15	6:2 FTS	427.0 > 406.9	5729.807	1942.847	1.00	4.03	36.865	11.0	109.6	NO	2.255	NO
29	16	L-PFOA	412.8 > 368.9	28138.973	23255.895	1.00	4.09	15.125	10.0	100.4	NO	3.761	NO
30	18	PFecHS	460.8 > 381.0	4292.641	23255.895	1.00	4.11	2.307	10.0	100.2	NO	0.890	NO
31	19	PFHpS	449.0 > 80.0	3255.194	4257.568	1.00	4.20	9.557	10.8	108.5	NO	1.755	NO
32	20	7:3 FTCA	440.9 > 336.9	2222.299	24062.264	1.00	4.52	1.154	9.7	97.2	NO	2.009	NO
33	54	13C3-PFHxS	401.8 > 79.9	3834.042	1806.980	1.00	3.71	26.522	13.1	104.8	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	1942.847	4285.622	1.00	4.03	5.667	10.6	84.5	NO		
35	58	13C2-PFOA	414.9 > 369.7	23255.895	33894.664	1.00	4.09	8.577	12.6	100.7	NO		
36	58	13C2-PFOA	414.9 > 369.7	23255.895	33894.664	1.00	4.09	8.577	12.6	100.7	NO		

GH 7/29/19

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time

Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	4257.568	4285.622	1.00	4.62	12.418	12.5	99.7	NO		
38	56	13C5-PFNA	468.2 > 422.9	24062.264	24139.852	1.00	4.53	12.460	12.4	99.5	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	23155.607	24062.264	1.00	4.53	12.029	10.4	104.4	NO	4.014	NO
41	22	PFOSA	497.9 > 77.9	4844.753	5931.799	1.00	4.60	10.209	10.0	100.2	NO	29.666	NO
42	23	L-PFOS	498.9 > 79.9	3642.694	4257.568	1.00	4.62	10.695	10.0	100.2	NO	2.073	NO
43	25	9Cl-PF30NS	530.7 > 350.8	7617.623	4257.568	1.00	4.85	22.365	10.2	102.0	NO	16.328	NO
44	26	PFDA	513 > 468.8	27834.787	24536.709	1.00	4.91	14.180	11.0	110.0	NO	5.848	NO
45	27	8:2 FTS	527.0 > 506.9	4255.035	2400.217	1.00	4.88	22.160	10.9	109.0	NO	1.248	NO
46	56	13C5-PFNA	468.2 > 422.9	24062.264	24139.852	1.00	4.53	12.460	12.4	99.5	NO		
47	57	13C8-PFOSA	506.1 > 77.7	5931.799	37233.355	1.00	4.59	1.991	11.9	95.1	NO		
48	59	13C8-PFOS	507.0 > 79.9	4257.568	4285.622	1.00	4.62	12.418	12.5	99.7	NO		
49	59	13C8-PFOS	507.0 > 79.9	4257.568	4285.622	1.00	4.62	12.418	12.5	99.7	NO		
50	60	13C2-PFDA	515.1 > 469.9	24536.709	32052.738	1.00	4.92	9.569	11.7	93.5	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2400.217	4285.622	1.00	4.88	7.001	12.6	100.6	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	2684.990	4257.568	1.00	4.98	7.883	11.0	110.1	NO	1.685	NO
54	29	L-MeFOSAA	570 > 419	10190.694	5723.854	1.00	5.07	22.255	10.3	103.2	NO	2.446	NO
55	31	L-EtFOSAA	584.1 > 419	8482.780	8274.569	1.00	5.24	12.815	10.3	102.6	NO	1.351	NO
56	33	PFUdA	563.0 > 518.9	24914.355	32708.824	1.00	5.25	9.521	10.4	104.1	NO	8.926	NO
57	34	PFDS	598.8 > 79.9	3670.229	2400.217	1.00	5.30	19.114	11.2	112.0	NO	1.878	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	1440.448	30990.471	1.00	5.47	0.581	10.1	100.8	NO	5.172	NO
59	59	13C8-PFOS	507.0 > 79.9	4257.568	4285.622	1.00	4.62	12.418	12.5	99.7	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	5723.854	37233.355	1.00	5.07	1.922	10.8	86.6	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	8274.569	37233.355	1.00	5.23	2.778	12.4	99.3	NO		
62	63	13C2-PFUdA	565 > 519.8	32708.824	37233.355	1.00	5.25	10.981	12.4	98.8	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2400.217	4285.622	1.00	4.88	7.001	12.6	100.6	NO		
64	65	13C2-PFDoA	614.7 > 569.7	30990.471	32052.738	1.00	5.54	12.086	11.1	88.9	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	4866.640	2400.217	1.00	5.52	25.345	10.5	105.0	NO	1.570	NO
67	37	PFDoA	612.9 > 569.0	28350.141	30990.471	1.00	5.54	11.435	10.7	106.9	NO	8.620	NO
68	38	N-MeFOSA	512.1 > 168.9	6831.871	16408.779	1.00	5.69	62.453	53.0	106.0	NO	1.647	NO
69	39	PFTrDA	662.9 > 618.9	29873.684	30990.471	1.00	5.80	12.050	10.6	105.6	NO	22.168	NO
70	40	PFDoS	698.8 > 79.9	3064.957	21439.074	1.00	5.82	1.787	10.8	108.2	NO	1.830	NO
71	41	PFTeDA	713.0 > 669.0	29497.830	21439.074	1.00	6.02	17.199	11.4	113.7	NO	13.965	NO
72	65	13C2-PFDoA	614.7 > 569.7	30990.471	32052.738	1.00	5.54	12.086	11.1	88.9	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time

Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	30990.471	32052.738	1.00	5.54	12.086	11.1	88.9	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	16408.779	37233.355	1.00	5.72	5.509	144.1	96.0	NO		
75	65	13C2-PFDoA	614.7 > 569.7	30990.471	32052.738	1.00	5.54	12.086	11.1	88.9	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	21439.074	37233.355	1.00	6.02	7.198	11.9	95.3	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	21439.074	37233.355	1.00	6.02	7.198	11.9	95.3	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	7542.041	21793.219	1.00	6.15	51.911	53.2	106.4	NO	1.685	NO
80	43	PFHxDA	813.1 > 768.6	14726.053	11488.927	1.00	6.38	6.409	9.7	97.4	NO	20.100	NO
81	44	PFODA	913.1 > 868.8	19802.682	11488.927	1.00	6.63	8.618	11.3	112.6	NO		
82	45	N-MeFOSE	616.1 > 58.9	4649.313	12965.714	1.00	6.36	53.788	48.1	96.3	NO		
83	46	N-EtFOSE	630.1 > 58.9	5965.413	13678.984	1.00	6.51	65.415	50.6	101.2	NO		
84	72	13C4-PFBA	217.0 > 172.0	9113.289	9113.289	1.00	1.16	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	21793.219	37233.355	1.00	6.16	7.316	164.6	109.7	NO		
86	69	13C2-PFHxDA	815 > 769.7	11488.927	37233.355	1.00	6.38	3.857	4.9	97.9	NO		
87	69	13C2-PFHxDA	815 > 769.7	11488.927	37233.355	1.00	6.38	3.857	4.9	97.9	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	12965.714	37233.355	1.00	6.35	4.353	139.1	92.7	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	13678.984	37233.355	1.00	6.50	4.592	139.8	93.2	NO		
90	73	13C5-PFHxA	318.0 > 272.9	27790.170	27790.170	1.00	2.93	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	33894.664	33894.664	1.00	4.08	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	1806.980	1806.980	1.00	3.71	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	24139.852	24139.852	1.00	4.53	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4285.622	4285.622	1.00	4.62	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	32052.738	32052.738	1.00	4.91	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	37233.355	37233.355	1.00	5.25	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:39:09 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:39:14 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072619.mdb 26 Jul 2019 13:29:28
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190726M1_1	IPA	26-Jul-19	07:59:07
2	2	190726M1_2	IPA	26-Jul-19	08:09:40
3	3	190726M1_3	IPA	26-Jul-19	08:20:19
4	4	190726M1_4	ST190726M1-1 PFC CS0 19G1103	26-Jul-19	08:30:57
5	5	190726M1_5	IB	26-Jul-19	08:41:30
6	6	190726M1_6	B9G0237-BS1 OPR 0.25	26-Jul-19	08:52:12
7	7	190726M1_7	B9G0237-BSD1 LCSD 0.25	26-Jul-19	09:02:47
8	8	190726M1_8	B9G0237-BLK1 Method Blank 0.25	26-Jul-19	09:41:42
9	9	190726M1_9	1902204-01 PFC-AF-420-01-071819 0.11263	26-Jul-19	09:52:20
10	10	190726M1_10	IPA	26-Jul-19	10:02:53
11	11	190726M1_11	1902222-01 WIN1907221220GGA 0.22274	26-Jul-19	10:13:32
12	12	190726M1_12	1902222-02 WMP1907221210GGA 0.23459	26-Jul-19	10:24:10
13	13	190726M1_13	1902222-03 WEF1907221215GGA 0.2448	26-Jul-19	10:34:43
14	14	190726M1_14	B9G0224-BS1 OPR 0.125	26-Jul-19	10:45:21
15	15	190726M1_15	B9G0224-BSD1 LCSD 0.125	26-Jul-19	10:55:54
16	16	190726M1_16	B9G0224-BLK1 Method Blank 0.125	26-Jul-19	11:06:33
17	17	190726M1_17	1902158-01RE1 REEPAC1734FS 0.11358	26-Jul-19	11:17:06
18	18	190726M1_18	1902189-06 EB-07152019-GW 0.1175	26-Jul-19	11:27:45
19	19	190726M1_19	1902189-07 FRB-07152019 0.11592	26-Jul-19	11:38:17
20	20	190726M1_20	1902189-11 EB-07162019-GW 0.11872	26-Jul-19	11:48:55
21	21	190726M1_21	1902189-13 FRB-07162019 0.11698	26-Jul-19	11:59:28
22	22	190726M1_22	1902189-14 EB-07162019 0.11868	26-Jul-19	12:10:07
23	23	190726M1_23	1902189-19 FRB-07172019 0.1221	26-Jul-19	12:20:39
24	24	190726M1_24	1902189-20 EB-07172019 0.11988	26-Jul-19	12:31:18
25	25	190726M1_25	IPA	26-Jul-19	12:41:56
26	26	190726M1_26	(A) ST190726M1-2 PFC CS3 19G1106	26-Jul-19	12:52:29
27	27	190726M1_27	IPA	26-Jul-19	13:03:08
28	28	190726M1_28	ST190726M1-3 PFC CS3 19G1106	26-Jul-19	13:14:37
29	29	190726M1_29	IPA	26-Jul-19	13:25:15
30	30	190726M1_30	B9G0229-BS1 OPR 1	26-Jul-19	13:35:51
31	31	190726M1_31	B9G0229-BSD1 LCSD 1	26-Jul-19	13:46:26
32	32	190726M1_32	B9G0229-BLK1 Method Blank 1	26-Jul-19	13:57:00

(A) DNV, vial empty. dm 7/29/19

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:39:09 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:39:14 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
33	33	190726M1_33	B9G0229-MS1 Matrix Spike 1.03	26-Jul-19	14:07:38
34	34	190726M1_34	B9G0229-MSD1 Matrix Spike Dup 1.39	26-Jul-19	14:18:11
35	35	190726M1_35	1902048-16 B96-PFAS-SB76-6-8-070819 1.1	26-Jul-19	14:28:50
36	36	190726M1_36	1902048-17 B96-PFAS-SB18-6.5-8.5-070819 1.08	26-Jul-19	14:39:29
37	37	190726M1_37	1902048-18 DUP07-070819 1.08	26-Jul-19	14:50:01
38	38	190726M1_38	1902048-19 B96-PFAS-SB23-6-8-070819 1.19	26-Jul-19	15:00:31
39	39	190726M1_39	1902048-20 B96-PFAS-SB24-6.5-8.5-070819 1.17	26-Jul-19	15:11:10
40	40	190726M1_40	1902049-01 B96-PFAS-SB75-7.5-9.5-070819 1.23	26-Jul-19	15:21:42
41	41	190726M1_41	1902049-02 B96-PFAS-SB44-6.5-8.5-070819 1.18	26-Jul-19	15:32:20
42	42	190726M1_42	1902049-04 B96-PFAS-SB47-10-15-070919 1.28	26-Jul-19	15:42:53
43	43	190726M1_43	1902049-05 B96-PFAS-SB46-7-9-070919 1.23	26-Jul-19	15:53:32
44	44	190726M1_44	1902049-06 DUP08-070919 1.35	26-Jul-19	16:04:05
45	45	190726M1_45	IPA	26-Jul-19	16:14:43
46	46	190726M1_46	ST190726M1-4 PFC CS3 19G1106	26-Jul-19	16:25:16
47	47	190726M1_47	IPA	26-Jul-19	16:35:46
48	48	190726M1_48	1902049-07 B96-PFAS-SB37-6-8-070919 1.3	26-Jul-19	16:46:17
49	49	190726M1_49	1902049-08 B96-PFAS-SB38-6.5-8.5-070919 1.22	26-Jul-19	16:56:55
50	50	190726M1_50	B9G0232-BS1 OPR 0.125	26-Jul-19	17:07:33
51	51	190726M1_51	1902101-01RE1 536 0.11805	26-Jul-19	17:18:06
52	52	190726M1_52	1902105-02RE1@5X 5A Raw Leachate 0.24304	26-Jul-19	17:28:44
53	53	190726M1_53	1902150-01 FB-10:10 0.24051	26-Jul-19	17:39:17
54	54	190726M1_54	1902150-02 EB-14:15 0.2424	26-Jul-19	17:49:55
55	55	190726M1_55	B9G0243-BLK1 Method Blank 1	26-Jul-19	18:00:28
56	56	190726M1_56	B9G0243-BS1 OPR 1	26-Jul-19	18:11:06
57	57	190726M1_57	B9G0243-BS2 OPR 1	26-Jul-19	18:21:38
58	58	190726M1_58	B9G0243-BS3 OPR 1	26-Jul-19	18:32:17
59	59	190726M1_59	B9G0243-BS4 OPR 1	26-Jul-19	18:42:49
60	60	190726M1_60	B9G0235-BS1 OPR 0.25	26-Jul-19	18:53:28
61	61	190726M1_61	B9G0235-BLK1 Method Blank 0.25	26-Jul-19	19:04:00
62	62	190726M1_62	1902188-01 TB-0712 0.24419	26-Jul-19	19:14:39
63	63	190726M1_63	1902188-02 Screen Blank 0.23693	26-Jul-19	19:25:11
64	64	190726M1_64	1902191-01 WMP1907170940JSJ 0.23779	26-Jul-19	19:35:49
65	65	190726M1_65	1902191-02 WEF1907170946JSJ 0.24397	26-Jul-19	19:46:23
66	66	190726M1_66	1902191-03 WEF1907170955JSJ 0.25084	26-Jul-19	19:57:01
67	67	190726M1_67	1902191-04 FB1907171335JSJ 0.2454	26-Jul-19	20:07:34
68	68	190726M1_68	IPA	26-Jul-19	20:18:12

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:39:09 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:39:14 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
69	69	190726M1_69	ST190726M1-5 PFC CS3 19G1106	26-Jul-19	20:28:45
70	70	190726M1_70	IPA	26-Jul-19	20:39:23
71	71	190726M1_71	1902196-18 GW38411907161520RL 0.22666	26-Jul-19	20:49:57
72	72	190726M1_72	1902196-19 GW38411907161520RL-DUP 0.23688	26-Jul-19	21:00:35
73	73	190726M1_73	B9G0225-BS1 OPR 0.125	26-Jul-19	21:11:08
74	74	190726M1_74	B9G0225-BLK1 Method Blank 0.125	26-Jul-19	21:21:38
75	75	190726M1_75	1902198-01 CMW-18-01 0.11395	26-Jul-19	21:32:17
76	76	190726M1_76	1902198-02 CMW-101B 0.11752	26-Jul-19	21:42:49
77	77	190726M1_77	1902198-03 CSW-3 0.1162	26-Jul-19	21:53:28
78	78	190726M1_78	1902198-04 CSW-4 0.1146	26-Jul-19	22:04:06
79	79	190726M1_79	1902198-05 SW-5 0.11034	26-Jul-19	22:14:39
80	80	190726M1_80	1902198-06 CUD-3 0.118	26-Jul-19	22:25:18
81	81	190726M1_81	1902198-07 Sump 1 0.11608	26-Jul-19	22:35:50
82	82	190726M1_82	1902198-08 Sump 2 0.10782	26-Jul-19	22:46:28
83	83	190726M1_83	IPA	26-Jul-19	22:57:01
84	84	190726M1_84	ST190726M1-6 PFC CS3 19G1106	26-Jul-19	23:07:39
85	85	190726M1_85	IPA	26-Jul-19	23:18:12
86	86	190726M1_86	1902198-09 MW-997701 0.1153	26-Jul-19	23:28:51
87	87	190726M1_87	1902198-10 MW-997702 0.11184	26-Jul-19	23:39:29
88	88	190726M1_88	1902198-11 CUD-1 0.11436	26-Jul-19	23:50:02
89	89	190726M1_89	1902198-12 CUD-2 0.1159	27-Jul-19	00:00:41
90	90	190726M1_90	1902198-13 CUD-4 0.10916	27-Jul-19	00:11:13
91	91	190726M1_91	1902198-14 P-601 0.1205	27-Jul-19	00:21:51
92	92	190726M1_92	1902198-15 P-97-103RR 0.1159	27-Jul-19	00:32:24
93	93	190726M1_93	IPA	27-Jul-19	00:43:03
94	94	190726M1_94	ST190726M1-7 PFC CS3 19G1106	27-Jul-19	00:53:41
95	95	190726M1_95	IPA	27-Jul-19	01:04:14
96	96	190726M1_96	NEW SPIKE TESTER	27-Jul-19	01:14:53

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072619.mdb 26 Jul 2019 13:29:28
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time


Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time


Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time


Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time


Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld

Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time


Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld


Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time

Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190726M1\190726M1-28.qld


Last Altered: Friday, July 26, 2019 13:29:30 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:42:29 Pacific Daylight Time

Name: 190726M1_28, Date: 26-Jul-2019, Time: 13:14:37, ID: ST190726M1-3 PFC CS3 19G1106, Description: PFC CS3 19G1106


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_RS-07-13-19.mdb 23 Jul 2019 10:48:27
Calibration: 29 Jul 2019 10:08:21

Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190728M1-6 PFC CS3 19G1106	1.30e4	100.0	NO
2	2	13C5-PFHxA	ST190728M1-6 PFC CS3 19G1106	2.87e4	100.0	NO
3	3	18O2-PFHxS	ST190728M1-6 PFC CS3 19G1106	1.88e3	100.0	NO
4	4	13C8-PFOA	ST190728M1-6 PFC CS3 19G1106	3.42e4	100.0	NO
5	5	13C9-PFNA	ST190728M1-6 PFC CS3 19G1106	2.57e4	100.0	NO
6	6	13C4-PFOS	ST190728M1-6 PFC CS3 19G1106	4.46e3	100.0	NO
7	7	13C6-PFDA	ST190728M1-6 PFC CS3 19G1106	3.23e4	100.0	NO
8	8	13C7-PFUdA	ST190728M1-6 PFC CS3 19G1106	3.69e4	100.0	NO

Name: 190728M1_10, Date: 28-Jul-2019, Time: 16:42:22, ID: ST190728M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190728M1-7 PFC CS4 19G1107	1.36e4	104.6	NO
2	2	13C5-PFHxA	ST190728M1-7 PFC CS4 19G1107	2.84e4	98.9	NO
3	3	18O2-PFHxS	ST190728M1-7 PFC CS4 19G1107	1.71e3	91.3	NO
4	4	13C8-PFOA	ST190728M1-7 PFC CS4 19G1107	3.27e4	95.5	NO
5	5	13C9-PFNA	ST190728M1-7 PFC CS4 19G1107	2.30e4	89.6	NO
6	6	13C4-PFOS	ST190728M1-7 PFC CS4 19G1107	4.25e3	95.2	NO
7	7	13C6-PFDA	ST190728M1-7 PFC CS4 19G1107	3.12e4	96.7	NO
8	8	13C7-PFUdA	ST190728M1-7 PFC CS4 19G1107	3.70e4	100.5	NO

Name: 190728M1_11, Date: 28-Jul-2019, Time: 16:53:00, ID: ST190728M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190728M1-8 PFC CS5 19G1108	1.32e4	101.5	NO
2	2	13C5-PFHxA	ST190728M1-8 PFC CS5 19G1108	2.79e4	97.1	NO
3	3	18O2-PFHxS	ST190728M1-8 PFC CS5 19G1108	1.64e3	87.1	NO
4	4	13C8-PFOA	ST190728M1-8 PFC CS5 19G1108	3.13e4	91.4	NO
5	5	13C9-PFNA	ST190728M1-8 PFC CS5 19G1108	2.36e4	91.8	NO
6	6	13C4-PFOS	ST190728M1-8 PFC CS5 19G1108	4.35e3	97.6	NO
7	7	13C6-PFDA	ST190728M1-8 PFC CS5 19G1108	2.93e4	90.6	NO
8	8	13C7-PFUdA	ST190728M1-8 PFC CS5 19G1108	3.56e4	96.7	NO

Name: 190728M1_12, Date: 28-Jul-2019, Time: 17:03:33, ID: ST190728M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190728M1-9 PFC CS6 19G1109	1.26e4	97.2	NO
2	2	13C5-PFHxA	ST190728M1-9 PFC CS6 19G1109	2.44e4	85.1	NO
3	3	18O2-PFHxS	ST190728M1-9 PFC CS6 19G1109	1.54e3	82.1	NO
4	4	13C8-PFOA	ST190728M1-9 PFC CS6 19G1109	2.63e4	76.9	NO
5	5	13C9-PFNA	ST190728M1-9 PFC CS6 19G1109	2.09e4	81.3	NO
6	6	13C4-PFOS	ST190728M1-9 PFC CS6 19G1109	3.93e3	88.1	NO
7	7	13C6-PFDA	ST190728M1-9 PFC CS6 19G1109	2.63e4	81.6	NO
8	8	13C7-PFUdA	ST190728M1-9 PFC CS6 19G1109	3.02e4	81.9	NO

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_13, Date: 28-Jul-2019, Time: 17:14:11, ID: ST190728M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190728M1-10 PFC CS7 19G1110	1.14e4	88.0	NO
2	2	13C5-PFHxA	ST190728M1-10 PFC CS7 19G1110	2.14e4	74.4	NO
3	3	18O2-PFHxS	ST190728M1-10 PFC CS7 19G1110	1.37e3	73.1	NO
4	4	13C8-PFOA	ST190728M1-10 PFC CS7 19G1110	2.20e4	64.2	NO
5	5	13C9-PFNA	ST190728M1-10 PFC CS7 19G1110	1.80e4	70.0	NO
6	6	13C4-PFOS	ST190728M1-10 PFC CS7 19G1110	3.46e3	77.6	NO
7	7	13C6-PFDA	ST190728M1-10 PFC CS7 19G1110	2.25e4	69.6	NO
8	8	13C7-PFUdA	ST190728M1-10 PFC CS7 19G1110	2.53e4	68.7	NO

Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IB	1.45e4	112.0	NO
2	2	13C5-PFHxA	IB	3.26e4	113.6	NO
3	3	18O2-PFHxS	IB	1.97e3	104.7	NO
4	4	13C8-PFOA	IB	3.83e4	111.9	NO
5	5	13C9-PFNA	IB	2.71e4	105.6	NO
6	6	13C4-PFOS	IB	4.92e3	110.3	NO
7	7	13C6-PFDA	IB	3.58e4	110.9	NO
8	8	13C7-PFUdA	IB	4.27e4	115.8	NO

Name: 190728M1_15, Date: 28-Jul-2019, Time: 17:35:23, ID: ICV190728M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ICV190728M1-1 PFC ICV 19F2422	1.26e4	97.3	NO
2	2	13C5-PFHxA	ICV190728M1-1 PFC ICV 19F2422	2.83e4	98.5	NO
3	3	18O2-PFHxS	ICV190728M1-1 PFC ICV 19F2422	1.67e3	88.9	NO
4	4	13C8-PFOA	ICV190728M1-1 PFC ICV 19F2422	3.42e4	99.8	NO
5	5	13C9-PFNA	ICV190728M1-1 PFC ICV 19F2422	2.24e4	87.1	NO
6	6	13C4-PFOS	ICV190728M1-1 PFC ICV 19F2422	4.35e3	97.7	NO
7	7	13C6-PFDA	ICV190728M1-1 PFC ICV 19F2422	3.21e4	99.5	NO
8	8	13C7-PFUdA	ICV190728M1-1 PFC ICV 19F2422	3.76e4	102.1	NO

Name: 190728M1_16, Date: 28-Jul-2019, Time: 17:45:56, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_17, Date: 28-Jul-2019, Time: 17:56:35, ID: B9G0228-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0228-BS1 OPR 1	1.66e4	128.3	NO
2	2	13C5-PFHxA	B9G0228-BS1 OPR 1	2.83e4	98.6	NO
3	3	18O2-PFHxS	B9G0228-BS1 OPR 1	1.88e3	100.0	NO
4	4	13C8-PFOA	B9G0228-BS1 OPR 1	2.83e4	82.8	NO
5	5	13C9-PFNA	B9G0228-BS1 OPR 1	1.48e4	57.6	NO
6	6	13C4-PFOS	B9G0228-BS1 OPR 1	3.54e3	79.4	NO
7	7	13C6-PFDA	B9G0228-BS1 OPR 1	1.43e4	44.2	YES
8	8	13C7-PFUdA	B9G0228-BS1 OPR 1	8.80e3	23.9	YES

Name: 190728M1_18, Date: 28-Jul-2019, Time: 18:07:08, ID: B9G0228-BSD1 LCSD 1, Description: LCSD

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0228-BSD1 LCSD 1	1.47e4	113.2	NO
2	2	13C5-PFHxA	B9G0228-BSD1 LCSD 1	2.59e4	90.1	NO
3	3	18O2-PFHxS	B9G0228-BSD1 LCSD 1	1.62e3	86.5	NO
4	4	13C8-PFOA	B9G0228-BSD1 LCSD 1	2.49e4	72.7	NO
5	5	13C9-PFNA	B9G0228-BSD1 LCSD 1	1.46e4	56.7	NO
6	6	13C4-PFOS	B9G0228-BSD1 LCSD 1	3.06e3	68.5	NO
7	7	13C6-PFDA	B9G0228-BSD1 LCSD 1	1.35e4	41.9	YES
8	8	13C7-PFUdA	B9G0228-BSD1 LCSD 1	7.25e3	19.7	YES

Name: 190728M1_19, Date: 28-Jul-2019, Time: 18:17:46, ID: B9G0228-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0228-BLK1 Method Blank 1	1.52e4	117.3	NO
2	2	13C5-PFHxA	B9G0228-BLK1 Method Blank 1	2.72e4	94.7	NO
3	3	18O2-PFHxS	B9G0228-BLK1 Method Blank 1	1.79e3	95.4	NO
4	4	13C8-PFOA	B9G0228-BLK1 Method Blank 1	2.84e4	83.1	NO
5	5	13C9-PFNA	B9G0228-BLK1 Method Blank 1	1.93e4	75.2	NO
6	6	13C4-PFOS	B9G0228-BLK1 Method Blank 1	3.84e3	86.1	NO
7	7	13C6-PFDA	B9G0228-BLK1 Method Blank 1	1.98e4	61.4	NO
8	8	13C7-PFUdA	B9G0228-BLK1 Method Blank 1	1.61e4	43.8	YES

Name: 190728M1_20, Date: 28-Jul-2019, Time: 18:28:19, ID: B9G0228-MS1 Matrix Spike 1.18, Description: Matrix Spike

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0228-MS1 Matrix Spike 1.18	1.45e4	112.1	NO
2	2	13C5-PFHxA	B9G0228-MS1 Matrix Spike 1.18	2.55e4	88.7	NO
3	3	18O2-PFHxS	B9G0228-MS1 Matrix Spike 1.18	1.62e3	86.0	NO
4	4	13C8-PFOA	B9G0228-MS1 Matrix Spike 1.18	2.76e4	80.7	NO
5	5	13C9-PFNA	B9G0228-MS1 Matrix Spike 1.18	1.77e4	69.0	NO
6	6	13C4-PFOS	B9G0228-MS1 Matrix Spike 1.18	2.37e3	53.1	NO
7	7	13C6-PFDA	B9G0228-MS1 Matrix Spike 1.18	1.53e4	47.5	YES
8	8	13C7-PFUdA	B9G0228-MS1 Matrix Spike 1.18	7.60e3	20.6	YES

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_21, Date: 28-Jul-2019, Time: 18:38:57, ID: B9G0228-MSD1 Matrix Spike Dup 1.22, Description: Matrix Spike Dup

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0228-MSD1 Matrix Spike Dup 1.22	1.37e4	105.4	NO
2	2	13C5-PFHxA	B9G0228-MSD1 Matrix Spike Dup 1.22	2.55e4	88.7	NO
3	3	18O2-PFHxS	B9G0228-MSD1 Matrix Spike Dup 1.22	1.64e3	87.4	NO
4	4	13C8-PFOA	B9G0228-MSD1 Matrix Spike Dup 1.22	2.83e4	82.8	NO
5	5	13C9-PFNA	B9G0228-MSD1 Matrix Spike Dup 1.22	1.81e4	70.5	NO
6	6	13C4-PFOS	B9G0228-MSD1 Matrix Spike Dup 1.22	1.96e3	43.9	YES
7	7	13C6-PFDA	B9G0228-MSD1 Matrix Spike Dup 1.22	1.15e4	35.5	YES
8	8	13C7-PFUdA	B9G0228-MSD1 Matrix Spike Dup 1.22	4.96e3	13.4	YES

Name: 190728M1_22, Date: 28-Jul-2019, Time: 18:49:29, ID: 1902048-01 B96-PFAS-SB57-6-8-070319 1.13, Description: B96-PFAS-SB57-6-8-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-01 B96-PFAS-SB57-6-8-0703...	1.54e4	118.5	NO
2	2	13C5-PFHxA	1902048-01 B96-PFAS-SB57-6-8-0703...	2.88e4	100.4	NO
3	3	18O2-PFHxS	1902048-01 B96-PFAS-SB57-6-8-0703...	1.77e3	94.2	NO
4	4	13C8-PFOA	1902048-01 B96-PFAS-SB57-6-8-0703...	3.43e4	100.1	NO
5	5	13C9-PFNA	1902048-01 B96-PFAS-SB57-6-8-0703...	2.30e4	89.5	NO
6	6	13C4-PFOS	1902048-01 B96-PFAS-SB57-6-8-0703...	3.88e3	87.0	NO
7	7	13C6-PFDA	1902048-01 B96-PFAS-SB57-6-8-0703...	2.54e4	78.6	NO
8	8	13C7-PFUdA	1902048-01 B96-PFAS-SB57-6-8-0703...	1.65e4	44.8	YES

Name: 190728M1_23, Date: 28-Jul-2019, Time: 19:00:08, ID: 1902048-02 B96-PFAS-SB36-0-2-070319 1.12, Description: B96-PFAS-SB36-0-2-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-02 B96-PFAS-SB36-0-2-0703...	1.53e4	117.7	NO
2	2	13C5-PFHxA	1902048-02 B96-PFAS-SB36-0-2-0703...	2.82e4	98.1	NO
3	3	18O2-PFHxS	1902048-02 B96-PFAS-SB36-0-2-0703...	1.75e3	93.4	NO
4	4	13C8-PFOA	1902048-02 B96-PFAS-SB36-0-2-0703...	3.20e4	93.4	NO
5	5	13C9-PFNA	1902048-02 B96-PFAS-SB36-0-2-0703...	2.14e4	83.5	NO
6	6	13C4-PFOS	1902048-02 B96-PFAS-SB36-0-2-0703...	3.79e3	85.0	NO
7	7	13C6-PFDA	1902048-02 B96-PFAS-SB36-0-2-0703...	2.39e4	74.0	NO
8	8	13C7-PFUdA	1902048-02 B96-PFAS-SB36-0-2-0703...	1.73e4	47.0	YES

Name: 190728M1_24, Date: 28-Jul-2019, Time: 19:10:46, ID: 1902048-03 B96-PFAS-SB36-6.5-8.5-070319 1.26, Description: B96-PFAS-SB36-6.5-8.5-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-03 B96-PFAS-SB36-6.5-8.5-0...	1.47e4	113.3	NO
2	2	13C5-PFHxA	1902048-03 B96-PFAS-SB36-6.5-8.5-0...	2.68e4	93.5	NO
3	3	18O2-PFHxS	1902048-03 B96-PFAS-SB36-6.5-8.5-0...	1.64e3	87.6	NO
4	4	13C8-PFOA	1902048-03 B96-PFAS-SB36-6.5-8.5-0...	3.08e4	90.0	NO
5	5	13C9-PFNA	1902048-03 B96-PFAS-SB36-6.5-8.5-0...	2.07e4	80.6	NO
6	6	13C4-PFOS	1902048-03 B96-PFAS-SB36-6.5-8.5-0...	3.36e3	75.3	NO
7	7	13C6-PFDA	1902048-03 B96-PFAS-SB36-6.5-8.5-0...	2.10e4	64.9	NO
8	8	13C7-PFUdA	1902048-03 B96-PFAS-SB36-6.5-8.5-0...	1.42e4	38.6	YES

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_25, Date: 28-Jul-2019, Time: 19:21:19, ID: 1902048-04 B96-PFAS-SB73-0-2-070319 1.13, Description: B96-PFAS-SB73-0-2-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-04 B96-PFAS-SB73-0-2-0703...	1.60e4	123.7	NO
2	2	13C5-PFHxA	1902048-04 B96-PFAS-SB73-0-2-0703...	2.78e4	96.8	NO
3	3	18O2-PFHxS	1902048-04 B96-PFAS-SB73-0-2-0703...	1.81e3	96.4	NO
4	4	13C8-PFOA	1902048-04 B96-PFAS-SB73-0-2-0703...	2.85e4	83.2	NO
5	5	13C9-PFNA	1902048-04 B96-PFAS-SB73-0-2-0703...	1.84e4	71.4	NO
6	6	13C4-PFOS	1902048-04 B96-PFAS-SB73-0-2-0703...	4.60e3	103.1	NO
7	7	13C6-PFDA	1902048-04 B96-PFAS-SB73-0-2-0703...	2.44e4	75.6	NO
8	8	13C7-PFUdA	1902048-04 B96-PFAS-SB73-0-2-0703...	2.69e4	73.0	NO

Name: 190728M1_26, Date: 28-Jul-2019, Time: 19:31:57, ID: 1902048-05 B96-PFAS-SB73-7-9-070319 1.21, Description: B96-PFAS-SB73-7-9-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-05 B96-PFAS-SB73-7-9-0703...	1.58e4	122.0	NO
2	2	13C5-PFHxA	1902048-05 B96-PFAS-SB73-7-9-0703...	2.77e4	96.6	NO
3	3	18O2-PFHxS	1902048-05 B96-PFAS-SB73-7-9-0703...	1.78e3	94.8	NO
4	4	13C8-PFOA	1902048-05 B96-PFAS-SB73-7-9-0703...	2.98e4	87.1	NO
5	5	13C9-PFNA	1902048-05 B96-PFAS-SB73-7-9-0703...	1.77e4	68.8	NO
6	6	13C4-PFOS	1902048-05 B96-PFAS-SB73-7-9-0703...	3.50e3	78.6	NO
7	7	13C6-PFDA	1902048-05 B96-PFAS-SB73-7-9-0703...	1.80e4	55.6	NO
8	8	13C7-PFUdA	1902048-05 B96-PFAS-SB73-7-9-0703...	1.13e4	30.7	YES

Name: 190728M1_27, Date: 28-Jul-2019, Time: 19:42:30, ID: 1902048-06 B96-PFAS-SB29-6.5-8.5-070319 1.17, Description: B96-PFAS-SB29-6.5-8.5-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-06 B96-PFAS-SB29-6.5-8.5-0...	1.49e4	114.5	NO
2	2	13C5-PFHxA	1902048-06 B96-PFAS-SB29-6.5-8.5-0...	2.68e4	93.4	NO
3	3	18O2-PFHxS	1902048-06 B96-PFAS-SB29-6.5-8.5-0...	1.76e3	93.9	NO
4	4	13C8-PFOA	1902048-06 B96-PFAS-SB29-6.5-8.5-0...	2.88e4	84.1	NO
5	5	13C9-PFNA	1902048-06 B96-PFAS-SB29-6.5-8.5-0...	1.78e4	69.1	NO
6	6	13C4-PFOS	1902048-06 B96-PFAS-SB29-6.5-8.5-0...	3.22e3	72.2	NO
7	7	13C6-PFDA	1902048-06 B96-PFAS-SB29-6.5-8.5-0...	1.73e4	53.6	NO
8	8	13C7-PFUdA	1902048-06 B96-PFAS-SB29-6.5-8.5-0...	1.08e4	29.3	YES

Name: 190728M1_28, Date: 28-Jul-2019, Time: 19:53:09, ID: 1902048-07 B96-PFAS-SB31-6-8-070319 1.1, Description: B96-PFAS-SB31-6-8-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-07 B96-PFAS-SB31-6-8-0703...	1.49e4	115.0	NO
2	2	13C5-PFHxA	1902048-07 B96-PFAS-SB31-6-8-0703...	2.70e4	94.1	NO
3	3	18O2-PFHxS	1902048-07 B96-PFAS-SB31-6-8-0703...	1.65e3	87.7	NO
4	4	13C8-PFOA	1902048-07 B96-PFAS-SB31-6-8-0703...	2.99e4	87.3	NO
5	5	13C9-PFNA	1902048-07 B96-PFAS-SB31-6-8-0703...	1.74e4	67.6	NO
6	6	13C4-PFOS	1902048-07 B96-PFAS-SB31-6-8-0703...	3.22e3	72.1	NO
7	7	13C6-PFDA	1902048-07 B96-PFAS-SB31-6-8-0703...	1.70e4	52.7	NO
8	8	13C7-PFUdA	1902048-07 B96-PFAS-SB31-6-8-0703...	1.05e4	28.4	YES

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_29, Date: 28-Jul-2019, Time: 20:03:39, ID: 1902048-08 B96-PFAS-SB74-0-2-070319 1.1, Description: B96-PFAS-SB74-0-2-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-08 B96-PFAS-SB74-0-2-0703...	1.53e4	118.0	NO
2	2	13C5-PFHxA	1902048-08 B96-PFAS-SB74-0-2-0703...	2.39e4	83.3	NO
3	3	18O2-PFHxS	1902048-08 B96-PFAS-SB74-0-2-0703...	1.59e3	84.8	NO
4	4	13C8-PFOA	1902048-08 B96-PFAS-SB74-0-2-0703...	2.03e4	59.3	NO
5	5	13C9-PFNA	1902048-08 B96-PFAS-SB74-0-2-0703...	1.24e4	48.4	YES
6	6	13C4-PFOS	1902048-08 B96-PFAS-SB74-0-2-0703...	5.00e2	11.2	YES
7	7	13C6-PFDA	1902048-08 B96-PFAS-SB74-0-2-0703...	2.26e4	70.1	NO
8	8	13C7-PFUdA	1902048-08 B96-PFAS-SB74-0-2-0703...	1.93e4	52.4	NO

Name: 190728M1_30, Date: 28-Jul-2019, Time: 20:14:17, ID: 1902048-09 B96-PFAS-SB74-6.5-8.5-070319 1.2, Description: B96-PFAS-SB74-6.5-8.5-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	1.53e4	118.1	NO
2	2	13C5-PFHxA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	2.79e4	97.0	NO
3	3	18O2-PFHxS	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	1.82e3	96.9	NO
4	4	13C8-PFOA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	3.08e4	90.1	NO
5	5	13C9-PFNA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	1.91e4	74.2	NO
6	6	13C4-PFOS	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	2.69e3	60.4	NO
7	7	13C6-PFDA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	2.19e4	67.8	NO
8	8	13C7-PFUdA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	1.56e4	42.3	YES

Name: 190728M1_31, Date: 28-Jul-2019, Time: 20:24:56, ID: 1902048-11 B96-PFAS-SB48-6-8-070819 1.06, Description: B96-PFAS-SB48-6-8-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-11 B96-PFAS-SB48-6-8-0708...	1.43e4	109.9	NO
2	2	13C5-PFHxA	1902048-11 B96-PFAS-SB48-6-8-0708...	2.59e4	90.4	NO
3	3	18O2-PFHxS	1902048-11 B96-PFAS-SB48-6-8-0708...	1.61e3	85.7	NO
4	4	13C8-PFOA	1902048-11 B96-PFAS-SB48-6-8-0708...	2.88e4	84.2	NO
5	5	13C9-PFNA	1902048-11 B96-PFAS-SB48-6-8-0708...	1.77e4	69.0	NO
6	6	13C4-PFOS	1902048-11 B96-PFAS-SB48-6-8-0708...	2.90e3	65.0	NO
7	7	13C6-PFDA	1902048-11 B96-PFAS-SB48-6-8-0708...	1.63e4	50.6	NO
8	8	13C7-PFUdA	1902048-11 B96-PFAS-SB48-6-8-0708...	7.74e3	21.0	YES

Name: 190728M1_32, Date: 28-Jul-2019, Time: 20:35:28, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA	2.04e1	0.1	YES

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190728M1-11 PFC CS3 19G1106	1.29e4	99.1	NO
2	2	13C5-PFHxA	ST190728M1-11 PFC CS3 19G1106	2.92e4	101.8	NO
3	3	18O2-PFHxS	ST190728M1-11 PFC CS3 19G1106	1.65e3	88.0	NO
4	4	13C8-PFOA	ST190728M1-11 PFC CS3 19G1106	3.50e4	102.2	NO
5	5	13C9-PFNA	ST190728M1-11 PFC CS3 19G1106	2.53e4	98.4	NO
6	6	13C4-PFOS	ST190728M1-11 PFC CS3 19G1106	4.44e3	99.5	NO
7	7	13C6-PFDA	ST190728M1-11 PFC CS3 19G1106	3.22e4	99.8	NO
8	8	13C7-PFUdA	ST190728M1-11 PFC CS3 19G1106	3.74e4	101.5	NO

Name: 190728M1_34, Date: 28-Jul-2019, Time: 20:56:45, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190728M1_35, Date: 28-Jul-2019, Time: 21:07:24, ID: 1902048-12 DUP06-070819 1.12, Description: DUP06-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-12 DUP06-070819 1.12	1.55e4	119.5	NO
2	2	13C5-PFHxA	1902048-12 DUP06-070819 1.12	2.86e4	99.7	NO
3	3	18O2-PFHxS	1902048-12 DUP06-070819 1.12	1.80e3	95.7	NO
4	4	13C8-PFOA	1902048-12 DUP06-070819 1.12	3.30e4	96.5	NO
5	5	13C9-PFNA	1902048-12 DUP06-070819 1.12	1.98e4	77.2	NO
6	6	13C4-PFOS	1902048-12 DUP06-070819 1.12	2.94e3	66.0	NO
7	7	13C6-PFDA	1902048-12 DUP06-070819 1.12	1.82e4	56.4	NO
8	8	13C7-PFUdA	1902048-12 DUP06-070819 1.12	8.46e3	23.0	YES

Name: 190728M1_36, Date: 28-Jul-2019, Time: 21:18:02, ID: 1902048-13 B96-PFAS-SB22-5-7-070819 1.08, Description: B96-PFAS-SB22-5-7-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-13 B96-PFAS-SB22-5-7-0708...	1.54e4	118.5	NO
2	2	13C5-PFHxA	1902048-13 B96-PFAS-SB22-5-7-0708...	2.79e4	97.3	NO
3	3	18O2-PFHxS	1902048-13 B96-PFAS-SB22-5-7-0708...	1.71e3	91.1	NO
4	4	13C8-PFOA	1902048-13 B96-PFAS-SB22-5-7-0708...	3.07e4	89.7	NO
5	5	13C9-PFNA	1902048-13 B96-PFAS-SB22-5-7-0708...	1.87e4	72.9	NO
6	6	13C4-PFOS	1902048-13 B96-PFAS-SB22-5-7-0708...	2.90e3	65.1	NO
7	7	13C6-PFDA	1902048-13 B96-PFAS-SB22-5-7-0708...	1.60e4	49.7	YES
8	8	13C7-PFUdA	1902048-13 B96-PFAS-SB22-5-7-0708...	7.21e3	19.6	YES

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_37, Date: 28-Jul-2019, Time: 21:28:34, ID: 1902048-14 B96-PFAS-SB20-5-7-070819 1.05, Description: B96-PFAS-SB20-5-7-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-14 B96-PFAS-SB20-5-7-0708...	1.44e4	111.2	NO
2	2	13C5-PFHxA	1902048-14 B96-PFAS-SB20-5-7-0708...	2.69e4	93.7	NO
3	3	18O2-PFHxS	1902048-14 B96-PFAS-SB20-5-7-0708...	1.63e3	86.9	NO
4	4	13C8-PFOA	1902048-14 B96-PFAS-SB20-5-7-0708...	2.80e4	81.9	NO
5	5	13C9-PFNA	1902048-14 B96-PFAS-SB20-5-7-0708...	1.84e4	71.6	NO
6	6	13C4-PFOS	1902048-14 B96-PFAS-SB20-5-7-0708...	2.64e3	59.3	NO
7	7	13C6-PFDA	1902048-14 B96-PFAS-SB20-5-7-0708...	1.63e4	50.6	NO
8	8	13C7-PFUdA	1902048-14 B96-PFAS-SB20-5-7-0708...	6.03e3	16.4	YES

Name: 190728M1_38, Date: 28-Jul-2019, Time: 21:39:13, ID: 1902048-15 B96-PFAS-SB49-5-7-070819 1.09, Description: B96-PFAS-SB49-5-7-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-15 B96-PFAS-SB49-5-7-0708...	1.60e4	123.3	NO
2	2	13C5-PFHxA	1902048-15 B96-PFAS-SB49-5-7-0708...	2.78e4	96.8	NO
3	3	18O2-PFHxS	1902048-15 B96-PFAS-SB49-5-7-0708...	1.74e3	92.6	NO
4	4	13C8-PFOA	1902048-15 B96-PFAS-SB49-5-7-0708...	3.04e4	88.7	NO
5	5	13C9-PFNA	1902048-15 B96-PFAS-SB49-5-7-0708...	1.84e4	71.6	NO
6	6	13C4-PFOS	1902048-15 B96-PFAS-SB49-5-7-0708...	3.27e3	73.3	NO
7	7	13C6-PFDA	1902048-15 B96-PFAS-SB49-5-7-0708...	1.85e4	57.4	NO
8	8	13C7-PFUdA	1902048-15 B96-PFAS-SB49-5-7-0708...	1.14e4	31.0	YES

Name: 190728M1_39, Date: 28-Jul-2019, Time: 21:49:51, ID: 1902049-09 B96-PFAS-SB42-6.2-8.2-070919 1.24, Description: B96-PFAS-SB42-6.2-8.2-070919

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-09 B96-PFAS-SB42-6.2-8.2-0...	1.40e4	107.9	NO
2	2	13C5-PFHxA	1902049-09 B96-PFAS-SB42-6.2-8.2-0...	2.65e4	92.5	NO
3	3	18O2-PFHxS	1902049-09 B96-PFAS-SB42-6.2-8.2-0...	1.58e3	83.9	NO
4	4	13C8-PFOA	1902049-09 B96-PFAS-SB42-6.2-8.2-0...	2.92e4	85.4	NO
5	5	13C9-PFNA	1902049-09 B96-PFAS-SB42-6.2-8.2-0...	1.84e4	71.7	NO
6	6	13C4-PFOS	1902049-09 B96-PFAS-SB42-6.2-8.2-0...	2.43e3	54.5	NO
7	7	13C6-PFDA	1902049-09 B96-PFAS-SB42-6.2-8.2-0...	1.58e4	49.1	YES
8	8	13C7-PFUdA	1902049-09 B96-PFAS-SB42-6.2-8.2-0...	9.03e3	24.5	YES

Name: 190728M1_40, Date: 28-Jul-2019, Time: 22:00:24, ID: 1902049-10 B96-PFAS-SB41-5.5-7.5-070919 1.24, Description: B96-PFAS-SB41-5.5-7.5-070919

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-10 B96-PFAS-SB41-5.5-7.5-0...	1.39e4	107.0	NO
2	2	13C5-PFHxA	1902049-10 B96-PFAS-SB41-5.5-7.5-0...	2.48e4	86.2	NO
3	3	18O2-PFHxS	1902049-10 B96-PFAS-SB41-5.5-7.5-0...	1.60e3	85.2	NO
4	4	13C8-PFOA	1902049-10 B96-PFAS-SB41-5.5-7.5-0...	2.86e4	83.5	NO
5	5	13C9-PFNA	1902049-10 B96-PFAS-SB41-5.5-7.5-0...	1.78e4	69.5	NO
6	6	13C4-PFOS	1902049-10 B96-PFAS-SB41-5.5-7.5-0...	2.77e3	62.2	NO
7	7	13C6-PFDA	1902049-10 B96-PFAS-SB41-5.5-7.5-0...	1.76e4	54.5	NO
8	8	13C7-PFUdA	1902049-10 B96-PFAS-SB41-5.5-7.5-0...	9.27e3	25.2	YES

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_41, Date: 28-Jul-2019, Time: 22:11:02, ID: 1902049-11 B96-PFAS-SB52-5-10-070919 1.18, Description: B96-PFAS-SB52-5-10-070919

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-11 B96-PFAS-SB52-5-10-070...	1.46e4	112.6	NO
2	2	13C5-PFHxA	1902049-11 B96-PFAS-SB52-5-10-070...	2.66e4	92.7	NO
3	3	18O2-PFHxS	1902049-11 B96-PFAS-SB52-5-10-070...	1.70e3	90.6	NO
4	4	13C8-PFOA	1902049-11 B96-PFAS-SB52-5-10-070...	3.04e4	88.8	NO
5	5	13C9-PFNA	1902049-11 B96-PFAS-SB52-5-10-070...	1.92e4	74.9	NO
6	6	13C4-PFOS	1902049-11 B96-PFAS-SB52-5-10-070...	3.19e3	71.6	NO
7	7	13C6-PFDA	1902049-11 B96-PFAS-SB52-5-10-070...	1.92e4	59.5	NO
8	8	13C7-PFUdA	1902049-11 B96-PFAS-SB52-5-10-070...	1.08e4	29.3	YES

Name: 190728M1_42, Date: 28-Jul-2019, Time: 22:21:40, ID: 1902049-13 B96-PFAS-SB64-0-2-070919 1.05, Description: B96-PFAS-SB64-0-2-070919

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902049-13 B96-PFAS-SB64-0-2-0709...	1.47e4	113.3	NO
2	2	13C5-PFHxA	1902049-13 B96-PFAS-SB64-0-2-0709...	2.72e4	94.7	NO
3	3	18O2-PFHxS	1902049-13 B96-PFAS-SB64-0-2-0709...	1.63e3	87.0	NO
4	4	13C8-PFOA	1902049-13 B96-PFAS-SB64-0-2-0709...	2.88e4	84.2	NO
5	5	13C9-PFNA	1902049-13 B96-PFAS-SB64-0-2-0709...	1.73e4	67.5	NO
6	6	13C4-PFOS	1902049-13 B96-PFAS-SB64-0-2-0709...	3.41e3	76.4	NO
7	7	13C6-PFDA	1902049-13 B96-PFAS-SB64-0-2-0709...	1.94e4	60.2	NO
8	8	13C7-PFUdA	1902049-13 B96-PFAS-SB64-0-2-0709...	1.56e4	42.2	YES

Name: 190728M1_43, Date: 28-Jul-2019, Time: 22:32:14, ID: B9G0259-BS1 OPR 0.25, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0259-BS1 OPR 0.25	1.14e4	88.1	NO
2	2	13C5-PFHxA	B9G0259-BS1 OPR 0.25	2.09e4	72.7	NO
3	3	18O2-PFHxS	B9G0259-BS1 OPR 0.25	1.57e3	83.5	NO
4	4	13C8-PFOA	B9G0259-BS1 OPR 0.25	2.64e4	77.0	NO
5	5	13C9-PFNA	B9G0259-BS1 OPR 0.25	1.99e4	77.6	NO
6	6	13C4-PFOS	B9G0259-BS1 OPR 0.25	3.78e3	84.8	NO
7	7	13C6-PFDA	B9G0259-BS1 OPR 0.25	2.74e4	85.0	NO
8	8	13C7-PFUdA	B9G0259-BS1 OPR 0.25	3.18e4	86.3	NO

Name: 190728M1_44, Date: 28-Jul-2019, Time: 22:42:52, ID: B9G0259-BLK1 Method Blank 0.25, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0259-BLK1 Method Blank 0.25	9.52e3	73.4	NO
2	2	13C5-PFHxA	B9G0259-BLK1 Method Blank 0.25	1.79e4	62.2	NO
3	3	18O2-PFHxS	B9G0259-BLK1 Method Blank 0.25	1.24e3	65.8	NO
4	4	13C8-PFOA	B9G0259-BLK1 Method Blank 0.25	2.23e4	65.2	NO
5	5	13C9-PFNA	B9G0259-BLK1 Method Blank 0.25	1.66e4	64.6	NO
6	6	13C4-PFOS	B9G0259-BLK1 Method Blank 0.25	3.15e3	70.7	NO
7	7	13C6-PFDA	B9G0259-BLK1 Method Blank 0.25	2.24e4	69.4	NO
8	8	13C7-PFUdA	B9G0259-BLK1 Method Blank 0.25	2.66e4	72.2	NO

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_45, Date: 28-Jul-2019, Time: 22:53:26, ID: 1902093-08RE1 AS-PW-16-0719 0.27719, Description: AS-PW-16-0719

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902093-08RE1 AS-PW-16-0719 0.277...	1.36e4	104.7	NO
2	2	13C5-PFHxA	1902093-08RE1 AS-PW-16-0719 0.277...	2.39e4	83.2	NO
3	3	18O2-PFHxS	1902093-08RE1 AS-PW-16-0719 0.277...	1.42e3	75.4	NO
4	4	13C8-PFOA	1902093-08RE1 AS-PW-16-0719 0.277...	2.72e4	79.4	NO
5	5	13C9-PFNA	1902093-08RE1 AS-PW-16-0719 0.277...	2.06e4	80.2	NO
6	6	13C4-PFOS	1902093-08RE1 AS-PW-16-0719 0.277...	3.69e3	82.8	NO
7	7	13C6-PFDA	1902093-08RE1 AS-PW-16-0719 0.277...	2.61e4	80.9	NO
8	8	13C7-PFUdA	1902093-08RE1 AS-PW-16-0719 0.277...	3.08e4	83.6	NO

Name: 190728M1_46, Date: 28-Jul-2019, Time: 23:04:04, ID: B9G0251-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0251-BS1 OPR 0.125	1.11e4	85.8	NO
2	2	13C5-PFHxA	B9G0251-BS1 OPR 0.125	2.10e4	73.3	NO
3	3	18O2-PFHxS	B9G0251-BS1 OPR 0.125	1.41e3	74.8	NO
4	4	13C8-PFOA	B9G0251-BS1 OPR 0.125	2.47e4	72.1	NO
5	5	13C9-PFNA	B9G0251-BS1 OPR 0.125	1.75e4	67.9	NO
6	6	13C4-PFOS	B9G0251-BS1 OPR 0.125	3.43e3	76.9	NO
7	7	13C6-PFDA	B9G0251-BS1 OPR 0.125	2.34e4	72.4	NO
8	8	13C7-PFUdA	B9G0251-BS1 OPR 0.125	2.75e4	74.6	NO

Name: 190728M1_47, Date: 28-Jul-2019, Time: 23:14:36, ID: B9G0251-BSD1 LCSD 0.125, Description: LCSD

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0251-BSD1 LCSD 0.125	1.07e4	82.2	NO
2	2	13C5-PFHxA	B9G0251-BSD1 LCSD 0.125	1.92e4	67.0	NO
3	3	18O2-PFHxS	B9G0251-BSD1 LCSD 0.125	1.31e3	69.8	NO
4	4	13C8-PFOA	B9G0251-BSD1 LCSD 0.125	2.27e4	66.2	NO
5	5	13C9-PFNA	B9G0251-BSD1 LCSD 0.125	1.70e4	66.0	NO
6	6	13C4-PFOS	B9G0251-BSD1 LCSD 0.125	3.07e3	68.8	NO
7	7	13C6-PFDA	B9G0251-BSD1 LCSD 0.125	2.23e4	69.0	NO
8	8	13C7-PFUdA	B9G0251-BSD1 LCSD 0.125	2.71e4	73.5	NO

Name: 190728M1_48, Date: 28-Jul-2019, Time: 23:25:15, ID: B9G0251-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0251-BLK1 Method Blank 0.125	7.26e3	56.0	NO
2	2	13C5-PFHxA	B9G0251-BLK1 Method Blank 0.125	1.57e4	54.7	NO
3	3	18O2-PFHxS	B9G0251-BLK1 Method Blank 0.125	1.40e3	74.7	NO
4	4	13C8-PFOA	B9G0251-BLK1 Method Blank 0.125	2.13e4	62.3	NO
5	5	13C9-PFNA	B9G0251-BLK1 Method Blank 0.125	1.60e4	62.4	NO
6	6	13C4-PFOS	B9G0251-BLK1 Method Blank 0.125	3.34e3	74.9	NO
7	7	13C6-PFDA	B9G0251-BLK1 Method Blank 0.125	2.19e4	67.7	NO
8	8	13C7-PFUdA	B9G0251-BLK1 Method Blank 0.125	2.71e4	73.6	NO

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_49, Date: 28-Jul-2019, Time: 23:35:53, ID: 1902189-04RE1 SAOA-B03-GW 0.11684, Description: SAOA-B03-GW

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-04RE1 SAOA-B03-GW 0.11684	9.55e3	73.6	NO
2	2	13C5-PFHxA	1902189-04RE1 SAOA-B03-GW 0.11684	1.67e4	58.0	NO
3	3	18O2-PFHxS	1902189-04RE1 SAOA-B03-GW 0.11684	1.24e3	65.8	NO
4	4	13C8-PFOA	1902189-04RE1 SAOA-B03-GW 0.11684	2.20e4	64.3	NO
5	5	13C9-PFNA	1902189-04RE1 SAOA-B03-GW 0.11684	1.57e4	61.0	NO
6	6	13C4-PFOS	1902189-04RE1 SAOA-B03-GW 0.11684	3.25e3	72.9	NO
7	7	13C6-PFDA	1902189-04RE1 SAOA-B03-GW 0.11684	2.11e4	65.5	NO
8	8	13C7-PFUdA	1902189-04RE1 SAOA-B03-GW 0.11684	2.61e4	70.8	NO

Name: 190728M1_50, Date: 28-Jul-2019, Time: 23:46:25, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190728M1-12 PFC CS3 19G1106	1.25e4	96.6	NO
2	2	13C5-PFHxA	ST190728M1-12 PFC CS3 19G1106	3.00e4	104.6	NO
3	3	18O2-PFHxS	ST190728M1-12 PFC CS3 19G1106	1.82e3	97.2	NO
4	4	13C8-PFOA	ST190728M1-12 PFC CS3 19G1106	3.43e4	100.2	NO
5	5	13C9-PFNA	ST190728M1-12 PFC CS3 19G1106	2.56e4	99.5	NO
6	6	13C4-PFOS	ST190728M1-12 PFC CS3 19G1106	4.33e3	97.0	NO
7	7	13C6-PFDA	ST190728M1-12 PFC CS3 19G1106	3.37e4	104.2	NO
8	8	13C7-PFUdA	ST190728M1-12 PFC CS3 19G1106	3.85e4	104.4	NO

Name: 190728M1_52, Date: 29-Jul-2019, Time: 00:07:42, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA	5.47e0	0.0	YES
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA	7.49e0	0.0	YES
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_53, Date: 29-Jul-2019, Time: 00:18:15, ID: 1902189-05RE1 NAOA-B03-GW 0.09826, Description: NAOA-B03-GW

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-05RE1 NAOA-B03-GW 0.09826	1.26e4	97.2	NO
2	2	13C5-PFHxA	1902189-05RE1 NAOA-B03-GW 0.09826	2.52e4	87.8	NO
3	3	18O2-PFHxS	1902189-05RE1 NAOA-B03-GW 0.09826	1.71e3	91.0	NO
4	4	13C8-PFOA	1902189-05RE1 NAOA-B03-GW 0.09826	3.12e4	91.1	NO
5	5	13C9-PFNA	1902189-05RE1 NAOA-B03-GW 0.09826	2.28e4	88.7	NO
6	6	13C4-PFOS	1902189-05RE1 NAOA-B03-GW 0.09826	3.93e3	88.1	NO
7	7	13C6-PFDA	1902189-05RE1 NAOA-B03-GW 0.09826	3.04e4	94.0	NO
8	8	13C7-PFUdA	1902189-05RE1 NAOA-B03-GW 0.09826	3.55e4	96.3	NO

Name: 190728M1_54, Date: 29-Jul-2019, Time: 00:28:53, ID: 1902189-10RE1 NON-B03-GW 0.12659, Description: NON-B03-GW

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-10RE1 NON-B03-GW 0.12659	1.21e4	93.0	NO
2	2	13C5-PFHxA	1902189-10RE1 NON-B03-GW 0.12659	2.21e4	77.1	NO
3	3	18O2-PFHxS	1902189-10RE1 NON-B03-GW 0.12659	1.36e3	72.6	NO
4	4	13C8-PFOA	1902189-10RE1 NON-B03-GW 0.12659	2.69e4	78.6	NO
5	5	13C9-PFNA	1902189-10RE1 NON-B03-GW 0.12659	1.94e4	75.4	NO
6	6	13C4-PFOS	1902189-10RE1 NON-B03-GW 0.12659	3.64e3	81.6	NO
7	7	13C6-PFDA	1902189-10RE1 NON-B03-GW 0.12659	2.59e4	80.2	NO
8	8	13C7-PFUdA	1902189-10RE1 NON-B03-GW 0.12659	2.99e4	81.1	NO

Name: 190728M1_55, Date: 29-Jul-2019, Time: 00:39:25, ID: 1902189-12RE1 NAOA-B06-GW 0.12473, Description: NAOA-B06-GW

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-12RE1 NAOA-B06-GW 0.12473	1.12e4	86.2	NO
2	2	13C5-PFHxA	1902189-12RE1 NAOA-B06-GW 0.12473	2.01e4	70.1	NO
3	3	18O2-PFHxS	1902189-12RE1 NAOA-B06-GW 0.12473	1.16e3	61.6	NO
4	4	13C8-PFOA	1902189-12RE1 NAOA-B06-GW 0.12473	2.47e4	72.1	NO
5	5	13C9-PFNA	1902189-12RE1 NAOA-B06-GW 0.12473	1.93e4	75.2	NO
6	6	13C4-PFOS	1902189-12RE1 NAOA-B06-GW 0.12473	3.74e3	83.9	NO
7	7	13C6-PFDA	1902189-12RE1 NAOA-B06-GW 0.12473	2.49e4	77.1	NO
8	8	13C7-PFUdA	1902189-12RE1 NAOA-B06-GW 0.12473	3.04e4	82.5	NO

Name: 190728M1_56, Date: 29-Jul-2019, Time: 00:50:04, ID: 1902193-01 Wastewater-19-03 0.10887, Description: Wastewater-19-03

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902193-01 Wastewater-19-03 0.10887	1.24e4	95.8	NO
2	2	13C5-PFHxA	1902193-01 Wastewater-19-03 0.10887	2.62e4	91.4	NO
3	3	18O2-PFHxS	1902193-01 Wastewater-19-03 0.10887	1.71e3	91.2	NO
4	4	13C8-PFOA	1902193-01 Wastewater-19-03 0.10887	3.30e4	96.5	NO
5	5	13C9-PFNA	1902193-01 Wastewater-19-03 0.10887	2.32e4	90.1	NO
6	6	13C4-PFOS	1902193-01 Wastewater-19-03 0.10887	4.12e3	92.4	NO
7	7	13C6-PFDA	1902193-01 Wastewater-19-03 0.10887	3.01e4	93.3	NO
8	8	13C7-PFUdA	1902193-01 Wastewater-19-03 0.10887	3.69e4	100.2	NO

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_57, Date: 29-Jul-2019, Time: 01:00:38, ID: B9G0003-BLK1 Method Blank 2, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0003-BLK1 Method Blank 2	1.18e4	91.0	NO
2	2	13C5-PFHxA	B9G0003-BLK1 Method Blank 2	2.18e4	75.8	NO
3	3	18O2-PFHxS	B9G0003-BLK1 Method Blank 2	1.20e3	63.9	NO
4	4	13C8-PFOA	B9G0003-BLK1 Method Blank 2	2.57e4	75.1	NO
5	5	13C9-PFNA	B9G0003-BLK1 Method Blank 2	1.82e4	71.0	NO
6	6	13C4-PFOS	B9G0003-BLK1 Method Blank 2	3.26e3	73.1	NO
7	7	13C6-PFDA	B9G0003-BLK1 Method Blank 2	2.36e4	72.9	NO
8	8	13C7-PFUdA	B9G0003-BLK1 Method Blank 2	2.73e4	74.0	NO

Name: 190728M1_58, Date: 29-Jul-2019, Time: 01:11:16, ID: B9G0003-BS1 OPR 2, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0003-BS1 OPR 2	1.34e4	103.5	NO
2	2	13C5-PFHxA	B9G0003-BS1 OPR 2	2.38e4	82.9	NO
3	3	18O2-PFHxS	B9G0003-BS1 OPR 2	1.42e3	75.6	NO
4	4	13C8-PFOA	B9G0003-BS1 OPR 2	2.80e4	81.8	NO
5	5	13C9-PFNA	B9G0003-BS1 OPR 2	2.12e4	82.3	NO
6	6	13C4-PFOS	B9G0003-BS1 OPR 2	3.66e3	82.1	NO
7	7	13C6-PFDA	B9G0003-BS1 OPR 2	2.54e4	78.7	NO
8	8	13C7-PFUdA	B9G0003-BS1 OPR 2	2.90e4	78.6	NO

Name: 190728M1_59, Date: 29-Jul-2019, Time: 01:21:55, ID: B9G0003-BS2 OPR 2, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0003-BS2 OPR 2	1.30e4	100.5	NO
2	2	13C5-PFHxA	B9G0003-BS2 OPR 2	2.43e4	84.6	NO
3	3	18O2-PFHxS	B9G0003-BS2 OPR 2	1.61e3	85.8	NO
4	4	13C8-PFOA	B9G0003-BS2 OPR 2	2.86e4	83.5	NO
5	5	13C9-PFNA	B9G0003-BS2 OPR 2	2.02e4	78.7	NO
6	6	13C4-PFOS	B9G0003-BS2 OPR 2	3.65e3	81.9	NO
7	7	13C6-PFDA	B9G0003-BS2 OPR 2	2.67e4	82.7	NO
8	8	13C7-PFUdA	B9G0003-BS2 OPR 2	3.05e4	82.7	NO

Name: 190728M1_60, Date: 29-Jul-2019, Time: 01:32:28, ID: B9G0003-BS3 OPR 2, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0003-BS3 OPR 2	1.49e4	115.0	NO
2	2	13C5-PFHxA	B9G0003-BS3 OPR 2	2.82e4	98.3	NO
3	3	18O2-PFHxS	B9G0003-BS3 OPR 2	1.68e3	89.4	NO
4	4	13C8-PFOA	B9G0003-BS3 OPR 2	3.17e4	92.6	NO
5	5	13C9-PFNA	B9G0003-BS3 OPR 2	2.35e4	91.4	NO
6	6	13C4-PFOS	B9G0003-BS3 OPR 2	4.05e3	90.8	NO
7	7	13C6-PFDA	B9G0003-BS3 OPR 2	2.94e4	90.9	NO
8	8	13C7-PFUdA	B9G0003-BS3 OPR 2	3.48e4	94.4	NO

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_61, Date: 29-Jul-2019, Time: 01:43:06, ID: B9G0003-BS4 OPR 2, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0003-BS4 OPR 2	1.41e4	109.1	NO
2	2	13C5-PFHxA	B9G0003-BS4 OPR 2	2.63e4	91.7	NO
3	3	18O2-PFHxS	B9G0003-BS4 OPR 2	1.52e3	80.8	NO
4	4	13C8-PFOA	B9G0003-BS4 OPR 2	3.01e4	88.1	NO
5	5	13C9-PFNA	B9G0003-BS4 OPR 2	2.14e4	83.3	NO
6	6	13C4-PFOS	B9G0003-BS4 OPR 2	3.90e3	87.5	NO
7	7	13C6-PFDA	B9G0003-BS4 OPR 2	2.72e4	84.3	NO
8	8	13C7-PFUdA	B9G0003-BS4 OPR 2	3.27e4	88.7	NO

Name: 190728M1_62, Date: 29-Jul-2019, Time: 01:53:39, ID: B9G0003-BS5 OPR 2, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0003-BS5 OPR 2	1.54e4	119.1	NO
2	2	13C5-PFHxA	B9G0003-BS5 OPR 2	2.80e4	97.5	NO
3	3	18O2-PFHxS	B9G0003-BS5 OPR 2	1.70e3	90.8	NO
4	4	13C8-PFOA	B9G0003-BS5 OPR 2	3.34e4	97.4	NO
5	5	13C9-PFNA	B9G0003-BS5 OPR 2	2.35e4	91.5	NO
6	6	13C4-PFOS	B9G0003-BS5 OPR 2	4.27e3	95.7	NO
7	7	13C6-PFDA	B9G0003-BS5 OPR 2	3.03e4	93.8	NO
8	8	13C7-PFUdA	B9G0003-BS5 OPR 2	3.63e4	98.6	NO

Name: 190728M1_63, Date: 29-Jul-2019, Time: 02:04:17, ID: B9G0003-BS6 OPR 2, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0003-BS6 OPR 2	1.66e4	127.8	NO
2	2	13C5-PFHxA	B9G0003-BS6 OPR 2	3.08e4	107.3	NO
3	3	18O2-PFHxS	B9G0003-BS6 OPR 2	1.91e3	101.5	NO
4	4	13C8-PFOA	B9G0003-BS6 OPR 2	3.54e4	103.5	NO
5	5	13C9-PFNA	B9G0003-BS6 OPR 2	2.54e4	98.9	NO
6	6	13C4-PFOS	B9G0003-BS6 OPR 2	4.43e3	99.4	NO
7	7	13C6-PFDA	B9G0003-BS6 OPR 2	3.34e4	103.5	NO
8	8	13C7-PFUdA	B9G0003-BS6 OPR 2	4.03e4	109.4	NO

Name: 190728M1_64, Date: 29-Jul-2019, Time: 02:14:51, ID: B9G0003-BS7 OPR 2, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0003-BS7 OPR 2	1.83e4	140.8	NO
2	2	13C5-PFHxA	B9G0003-BS7 OPR 2	3.36e4	117.0	NO
3	3	18O2-PFHxS	B9G0003-BS7 OPR 2	1.95e3	104.0	NO
4	4	13C8-PFOA	B9G0003-BS7 OPR 2	3.88e4	113.4	NO
5	5	13C9-PFNA	B9G0003-BS7 OPR 2	2.83e4	110.0	NO
6	6	13C4-PFOS	B9G0003-BS7 OPR 2	5.01e3	112.3	NO
7	7	13C6-PFDA	B9G0003-BS7 OPR 2	3.61e4	111.6	NO
8	8	13C7-PFUdA	B9G0003-BS7 OPR 2	4.16e4	112.9	NO

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_65, Date: 29-Jul-2019, Time: 02:25:29, ID: B9G0260-BS2 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0260-BS2 OPR 1	1.54e4	118.7	NO
2	2	13C5-PFHxA	B9G0260-BS2 OPR 1	2.85e4	99.4	NO
3	3	18O2-PFHxS	B9G0260-BS2 OPR 1	1.72e3	91.4	NO
4	4	13C8-PFOA	B9G0260-BS2 OPR 1	3.31e4	96.7	NO
5	5	13C9-PFNA	B9G0260-BS2 OPR 1	2.39e4	92.9	NO
6	6	13C4-PFOS	B9G0260-BS2 OPR 1	3.94e3	88.4	NO
7	7	13C6-PFDA	B9G0260-BS2 OPR 1	3.02e4	93.6	NO
8	8	13C7-PFUdA	B9G0260-BS2 OPR 1	3.52e4	95.6	NO

Name: 190728M1_66, Date: 29-Jul-2019, Time: 02:36:07, ID: B9G0260-BS3 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0260-BS3 OPR 1	1.50e4	115.9	NO
2	2	13C5-PFHxA	B9G0260-BS3 OPR 1	2.75e4	95.8	NO
3	3	18O2-PFHxS	B9G0260-BS3 OPR 1	1.67e3	88.7	NO
4	4	13C8-PFOA	B9G0260-BS3 OPR 1	3.20e4	93.6	NO
5	5	13C9-PFNA	B9G0260-BS3 OPR 1	2.41e4	93.7	NO
6	6	13C4-PFOS	B9G0260-BS3 OPR 1	4.28e3	95.9	NO
7	7	13C6-PFDA	B9G0260-BS3 OPR 1	3.07e4	95.2	NO
8	8	13C7-PFUdA	B9G0260-BS3 OPR 1	3.63e4	98.6	NO

Name: 190728M1_67, Date: 29-Jul-2019, Time: 02:46:39, ID: B9G0260-BS4 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0260-BS4 OPR 1	1.44e4	111.1	NO
2	2	13C5-PFHxA	B9G0260-BS4 OPR 1	2.49e4	86.8	NO
3	3	18O2-PFHxS	B9G0260-BS4 OPR 1	1.59e3	84.4	NO
4	4	13C8-PFOA	B9G0260-BS4 OPR 1	2.86e4	83.7	NO
5	5	13C9-PFNA	B9G0260-BS4 OPR 1	2.11e4	82.0	NO
6	6	13C4-PFOS	B9G0260-BS4 OPR 1	3.63e3	81.4	NO
7	7	13C6-PFDA	B9G0260-BS4 OPR 1	2.71e4	83.8	NO
8	8	13C7-PFUdA	B9G0260-BS4 OPR 1	3.19e4	86.5	NO

Name: 190728M1_68, Date: 29-Jul-2019, Time: 02:57:18, ID: B9G0260-BS5 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0260-BS5 OPR 1	1.44e4	111.4	NO
2	2	13C5-PFHxA	B9G0260-BS5 OPR 1	2.65e4	92.2	NO
3	3	18O2-PFHxS	B9G0260-BS5 OPR 1	1.56e3	82.9	NO
4	4	13C8-PFOA	B9G0260-BS5 OPR 1	3.12e4	91.0	NO
5	5	13C9-PFNA	B9G0260-BS5 OPR 1	2.26e4	88.0	NO
6	6	13C4-PFOS	B9G0260-BS5 OPR 1	4.04e3	90.6	NO
7	7	13C6-PFDA	B9G0260-BS5 OPR 1	2.99e4	92.5	NO
8	8	13C7-PFUdA	B9G0260-BS5 OPR 1	3.38e4	91.6	NO

Dataset: Untitled

Last Altered: Monday, July 29, 2019 10:08:21 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:08:37 Pacific Daylight Time

Name: 190728M1_69, Date: 29-Jul-2019, Time: 03:07:57, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190728M1-13 PFC CS3 19G1106	1.26e4	96.8	NO
2	2	13C5-PFHxA	ST190728M1-13 PFC CS3 19G1106	3.07e4	106.9	NO
3	3	18O2-PFHxS	ST190728M1-13 PFC CS3 19G1106	1.83e3	97.3	NO
4	4	13C8-PFOA	ST190728M1-13 PFC CS3 19G1106	3.67e4	107.3	NO
5	5	13C9-PFNA	ST190728M1-13 PFC CS3 19G1106	2.61e4	101.5	NO
6	6	13C4-PFOS	ST190728M1-13 PFC CS3 19G1106	4.68e3	105.1	NO
7	7	13C6-PFDA	ST190728M1-13 PFC CS3 19G1106	3.39e4	104.8	NO
8	8	13C7-PFUdA	ST190728M1-13 PFC CS3 19G1106	3.98e4	108.1	NO

Name: 190728M1_71, Date: 29-Jul-2019, Time: 03:29:08, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time

Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	11.920	10617.201	1.00	1.09	0.014	0.0		NO		
2	2	PFPrS	248.9 > 79.9		2108.683	1.00					NO		
3	3	3:3 FTCA	240.9 > 176.9		16544.438	1.00					NO		
4	4	PFPeA	263.1 > 218.9	25.508	16544.438	1.00	2.05	0.019	0.0		NO		
5	5	PFBS	299.0 > 79.7		2108.683	1.00					NO		
6	6	4:2 FTS	327.0 > 306.9	5.777	3474.807	1.00	2.80	0.021			NO		
7	47	13C3-PFBA	216.1 > 171.8	10617.201	14528.914	1.00	1.09	9.135	12.4	98.9	NO		
8	49	13C3-PFBS	302.0 > 98.8	2108.683	1965.715	1.00	2.37	13.409	12.0	95.9	NO		
9	48	13C3-PFPeA	266.0 > 221.8	16544.438	32602.418	1.00	2.06	6.343	12.2	97.8	NO		
10	48	13C3-PFPeA	266.0 > 221.8	16544.438	32602.418	1.00	2.06	6.343	12.2	97.8	NO		
11	49	13C3-PFBS	302.0 > 98.8	2108.683	1965.715	1.00	2.37	13.409	12.0	95.9	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3474.807	1965.715	1.00	2.80	22.096	13.0	103.6	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	37.387	12469.798	1.00	2.90	0.015			NO		
15	8	PFPeS	349.1>80.1		2108.683	1.00					NO		
16	9	HFPO-DA	285.1 > 168.9		1885.727	1.00					NO		
17	10	5:3 FTCA	340.9 > 236.9		14618.015	1.00					NO		
18	11	PFHpA	363.0 > 318.9	24.477	14618.015	1.00	3.44	0.021	0.0		NO		
19	12	ADONA	376.8 > 250.9	125.066	14618.015	1.00	3.53	0.107	0.1		NO	3.994	NO
20	52	13C2-PFHxA	315.0 > 270.0	12469.798	32602.418	1.00	2.89	4.781	4.9	97.9	NO		
21	49	13C3-PFBS	302.0 > 98.8	2108.683	1965.715	1.00	2.37	13.409	12.0	95.9	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1885.727	32602.418	1.00	3.09	0.723	5.1	102.1	NO		
23	53	13C4-PFHpA	367.2 > 321.8	14618.015	32602.418	1.00	3.51	5.605	12.4	99.0	NO		
24	53	13C4-PFHpA	367.2 > 321.8	14618.015	32602.418	1.00	3.51	5.605	12.4	99.0	NO		
25	53	13C4-PFHpA	367.2 > 321.8	14618.015	32602.418	1.00	3.51	5.605	12.4	99.0	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6		3969.553	1.00					NO		
28	15	6:2 FTS	427.0 > 406.9	17.675	2693.106	1.00	3.90	0.082			NO	2.104	NO
29	16	L-PFOA	412.8 > 368.9	130.967	25083.662	1.00	4.05	0.065			NO	4.472	NO
30	18	PFecHS	460.8 > 381.0	28.173	25083.662	1.00	3.98	0.014	0.1		NO	2.928	YES
31	19	PFHpS	449.0 > 80.0	5.875	4597.516	1.00	4.10	0.016	0.1		NO		
32	20	7:3 FTCA	440.9 > 336.9		27756.051	1.00					NO		
33	54	13C3-PFHxS	401.8 > 79.9	3969.553	1965.715	1.00	3.67	25.242	12.2	97.7	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2693.106	4916.683	1.00	3.99	6.847	12.8	102.0	NO		
35	58	13C2-PFOA	414.9 > 369.7	25083.662	38316.180	1.00	4.05	8.183	12.0	96.3	NO		
36	58	13C2-PFOA	414.9 > 369.7	25083.662	38316.180	1.00	4.05	8.183	12.0	96.3	NO		

GM 7/28/2019

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time

Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	4597.516	4916.683	1.00	4.60	11.689	12.0	95.9	NO		
38	56	13C5-PFNA	468.2 > 422.9	27756.051	27207.299	1.00	4.50	12.752	12.8	102.8	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	88.781	27756.051	1.00	4.44	0.040	0.0		NO	3.953	NO
41	22	PFOSA	497.9 > 77.9	47.239	8837.266	1.00	4.57	0.067			NO		
42	23	L-PFOS	498.9 > 79.9		4597.516	1.00					NO		
43	25	9Cl-PF30NS	530.7 > 350.8	13.607	4597.516	1.00	4.76	0.037	0.0		NO	0.308	YES
44	26	PFDA	513 > 468.8	112.383	28572.066	1.00	4.83	0.049			NO	10.055	YES
45	27	8:2 FTS	527.0 > 506.9	20.838	2887.463	1.00	4.78	0.090	0.1		NO		
46	56	13C5-PFNA	468.2 > 422.9	27756.051	27207.299	1.00	4.50	12.752	12.8	102.8	NO		
47	57	13C8-PFOSA	506.1 > 77.7	8837.266	42676.637	1.00	4.56	2.588	12.2	97.8	NO		
48	59	13C8-PFOS	507.0 > 79.9	4597.516	4916.683	1.00	4.60	11.689	12.0	95.9	NO		
49	59	13C8-PFOS	507.0 > 79.9	4597.516	4916.683	1.00	4.60	11.689	12.0	95.9	NO		
50	60	13C2-PFDA	515.1 > 469.9	28572.066	35810.926	1.00	4.89	9.973	12.1	96.8	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2887.463	4916.683	1.00	4.86	7.341	13.1	104.5	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	20.328	4597.516	1.00	4.90	0.055	0.2		NO	3.667	YES
54	29	L-MeFOSAA	570 > 419		6798.291	1.00					NO		
55	31	L-EtFOSAA	584.1 > 419	12.413	9146.187	1.00	5.16	0.017	0.0		NO		
56	33	PFUdA	563.0 > 518.9	114.945	37770.227	1.00	5.22	0.038			NO	5.966	NO
57	34	PFDS	598.8 > 79.9		2887.463	1.00					NO		
58	35	11Cl-PF30UdS	632.6 > 452.7		35781.020	1.00					NO		
59	59	13C8-PFOS	507.0 > 79.9	4597.516	4916.683	1.00	4.60	11.689	12.0	95.9	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	6798.291	42676.637	1.00	5.05	1.991	11.1	88.9	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	9146.187	42676.637	1.00	5.21	2.679	12.1	96.6	NO		
62	63	13C2-PFUdA	565 > 519.8	37770.227	42676.637	1.00	5.23	11.063	12.4	99.3	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2887.463	4916.683	1.00	4.86	7.341	13.1	104.5	NO		
64	65	13C2-PFDoA	614.7 > 569.7	35781.020	35810.926	1.00	5.52	12.490	12.0	95.7	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	11.087	2887.463	1.00	5.45	0.048			NO	0.961	NO
67	37	PFDoA	612.9 > 569.0	587.754	35781.020	1.00	5.71	0.205	0.2		NO		
68	38	N-MeFOSA	512.1 > 168.9	5.962	18132.271	1.00	5.58	0.049			NO	0.580	YES
69	39	PFTrDA	662.9 > 618.9	92.405	35781.020	1.00	5.72	0.032	0.0		NO		
70	40	PFDoS	698.8 > 79.9	9.192	26061.092	1.00	5.75	0.004	0.1		NO		
71	41	PFTeDA	713.0 > 669.0	98.357	26061.092	1.00	5.95	0.047			NO		
72	65	13C2-PFDoA	614.7 > 569.7	35781.020	35810.926	1.00	5.52	12.490	12.0	95.7	NO		

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time

Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	35781.020	35810.926	1.00	5.52	12.490	12.0	95.7	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	18132.271	42676.637	1.00	5.70	5.311	134.6	89.8	NO		
75	65	13C2-PFDoA	614.7 > 569.7	35781.020	35810.926	1.00	5.52	12.490	12.0	95.7	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	26061.092	42676.637	1.00	6.00	7.633	12.0	96.1	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	26061.092	42676.637	1.00	6.00	7.633	12.0	96.1	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	37.564	22878.332	1.00	6.07	0.246	0.5		NO	5.835	YES
80	43	PFHxDA	813.1 > 768.6	162.282	12491.700	1.00	6.37	0.065	0.0		NO		
81	44	PFODA	913.1 > 868.8	87.098	12491.700	1.00	6.63	0.035			NO		
82	45	N-MeFOSE	616.1 > 58.9		15857.995	1.00					NO		
83	46	N-EtFOSE	630.1 > 58.9	14.022	16660.340	1.00	6.51	0.126	0.1		NO		
84	72	13C4-PFBA	217.0 > 172.0	14528.914	14528.914	1.00	1.08	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	22878.332	42676.637	1.00	6.15	6.701	146.0	97.3	NO		
86	69	13C2-PFHxDA	815 > 769.7	12491.700	42676.637	1.00	6.37	3.659	4.6	91.3	NO		
87	69	13C2-PFHxDA	815 > 769.7	12491.700	42676.637	1.00	6.37	3.659	4.6	91.3	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	15857.995	42676.637	1.00	6.34	4.645	134.2	89.4	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	16660.340	42676.637	1.00	6.49	4.880	137.1	91.4	NO		
90	73	13C5-PFHxA	318.0 > 272.9	32602.418	32602.418	1.00	2.89	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	38316.180	38316.180	1.00	4.05	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	1965.715	1965.715	1.00	3.67	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	27207.299	27207.299	1.00	4.50	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4916.683	4916.683	1.00	4.60	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	35810.926	35810.926	1.00	4.89	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	42676.637	42676.637	1.00	5.23	12.500	12.5	100.0	NO		

Vista Analytical Laboratory


Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time


Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time


Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA




Vista Analytical Laboratory


Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time


Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time


Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time


Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: Untitled


Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time

Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Vista Analytical Laboratory

Dataset: Untitled


Last Altered: Sunday, July 28, 2019 20:05:33 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:05:39 Pacific Daylight Time

Name: 190728M1_14, Date: 28-Jul-2019, Time: 17:24:45, ID: IB, Description: IB


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



LC Calibration Standards Review Checklist Q4

			ION Ratio	Concentration	C-Cals Name	Sign Date	Correct I-Cal	Manual Integrations	N/A
Calibration ID:	ST190728M1-11	L (M) H	☑	☑	☑	☑	☑	☑	☐
Calibration ID:	-12	L (M) H	☑	☑	☑	☑	☑	☑	☐
Calibration ID:	-13	L (M) H	☑	☑	☑	☑	☑	☑	☑
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐ N/A Calt 7/29/19	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐

Full Mass Cal. Date: 07/15/19

Run Log Present: ☑

# of Samples per Sequence Checked: ☑

Instrument Blank Saved ☑

All Branches in Acquisition Window ☑

IIS Area Saved ☑

Reviewed By: RK 07/30/19
Initials/Date

Comments:

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld

Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time

RK 07/30/19

Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	9732.679	9317.599	1.00	1.09	13.057	10.7	107.3	NO		
2	2	PFPrS	248.9 > 79.9	1781.112	2006.904	1.00	1.44	11.094	8.8	88.3	NO	2.385	NO
3	3	3:3 FTCA	240.9 > 176.9	513.114	15024.547	1.00	1.91	0.427	9.4	93.6	NO	2.117	NO
4	4	PFPeA	263.1 > 218.9	11230.001	15024.547	1.00	2.07	9.343	10.5	104.7	NO		
5	5	PFBS	299.0 > 79.7	3641.067	2006.904	1.00	2.37	22.678	10.2	101.7	NO	3.041	NO
6	6	4:2 FTS	327.0 > 306.9	6016.987	3065.423	1.00	2.80	24.536	10.6	105.9	NO	1.727	NO
7	47	13C3-PFBA	216.1 > 171.8	9317.599	12850.138	1.00	1.09	9.064	12.3	98.1	NO		
8	49	13C3-PFBS	302.0 > 98.8	2006.904	1652.592	1.00	2.37	15.180	13.6	108.5	NO		
9	48	13C3-PFPeA	266.0 > 221.8	15024.547	29225.631	1.00	2.06	6.426	12.4	99.1	NO		
10	48	13C3-PFPeA	266.0 > 221.8	15024.547	29225.631	1.00	2.06	6.426	12.4	99.1	NO		
11	49	13C3-PFBS	302.0 > 98.8	2006.904	1652.592	1.00	2.37	15.180	13.6	108.5	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3065.423	1652.592	1.00	2.80	23.186	13.6	108.7	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	21742.943	11688.435	1.00	2.89	9.301	10.4	104.4	NO	16.604	NO
15	8	PFPeS	349.1>80.1	2654.883	2006.904	1.00	3.10	16.536	10.8	108.0	NO	1.424	NO
16	9	HFPO-DA	285.1 > 168.9	1871.106	1896.561	1.00	3.09	4.933	9.3	93.1	NO	2.336	NO
17	10	5:3 FTCA	340.9 > 236.9	2566.553	12844.463	1.00	3.44	2.498	10.7	107.5	NO	1.584	NO
18	11	PFHpA	363.0 > 318.9	13565.017	12844.463	1.00	3.51	13.201	10.5	104.8	NO	9.807	NO
19	12	ADONA	376.8 > 250.9	34457.406	12844.463	1.00	3.62	33.533	9.9	99.5	NO	3.568	NO
20	52	13C2-PFHxA	315.0 > 270.0	11688.435	29225.631	1.00	2.89	4.999	5.1	102.4	NO		
21	49	13C3-PFBS	302.0 > 98.8	2006.904	1652.592	1.00	2.37	15.180	13.6	108.5	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1896.561	29225.631	1.00	3.10	0.811	5.7	114.6	NO		
23	53	13C4-PFHpA	367.2 > 321.8	12844.463	29225.631	1.00	3.52	5.494	12.1	97.1	NO		
24	53	13C4-PFHpA	367.2 > 321.8	12844.463	29225.631	1.00	3.52	5.494	12.1	97.1	NO		
25	53	13C4-PFHpA	367.2 > 321.8	12844.463	29225.631	1.00	3.52	5.494	12.1	97.1	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	2915.139	3661.686	1.00	3.68	9.951	10.3	103.4	NO	2.022	NO
28	15	6:2 FTS	427.0 > 406.9	6261.284	2437.227	1.00	3.99	32.113	10.3	103.3	NO	2.055	NO
29	16	L-PFOA	412.8 > 368.9	29007.785	23168.006	1.00	4.05	15.651	10.9	109.1	NO	3.806	NO
30	18	PFecHS	460.8 > 381.0	4635.418	23168.006	1.00	4.07	2.501	10.5	104.6	NO	0.996	NO
31	19	PFHpS	449.0 > 80.0	3203.927	4561.155	1.00	4.17	8.780	10.0	100.3	NO	1.867	NO
32	20	7:3 FTCA	440.9 > 336.9	3640.278	25369.873	1.00	4.48	1.794	9.9	99.0	NO	1.758	NO
33	54	13C3-PFHxS	401.8 > 79.9	3661.686	1652.592	1.00	3.67	27.697	13.4	107.2	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2437.227	4435.434	1.00	3.99	6.869	12.8	102.4	NO		
35	58	13C2-PFOA	414.9 > 369.7	23168.006	34964.645	1.00	4.05	8.283	12.2	97.5	NO		
36	58	13C2-PFOA	414.9 > 369.7	23168.006	34964.645	1.00	4.05	8.283	12.2	97.5	NO		

CGH 7/29/19

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld

Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time

Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	4561.155	4435.434	1.00	4.59	12.854	13.2	105.5	NO		
38	56	13C5-PFNA	468.2 > 422.9	25369.873	25281.797	1.00	4.50	12.544	12.6	101.1	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	24391.441	25369.873	1.00	4.50	12.018	10.2	102.1	NO	4.418	NO
41	22	PFOSA	497.9 > 77.9	7004.745	7953.446	1.00	4.57	11.009	10.4	104.2	NO	27.330	NO
42	23	L-PFOS	498.9 > 79.9	3835.292	4561.155	1.00	4.60	10.511	9.7	96.7	NO	2.022	NO
43	25	9Cl-PF30NS	530.7 > 350.8	7876.049	4561.155	1.00	4.82	21.585	9.9	99.0	NO	22.803	YES
44	26	PFDA	513 > 468.8	28353.117	26274.119	1.00	4.89	13.489	10.7	107.3	NO	5.460	NO
45	27	8:2 FTS	527.0 > 506.9	4421.454	2377.793	1.00	4.86	23.243	10.8	108.4	NO	1.230	NO
46	56	13C5-PFNA	468.2 > 422.9	25369.873	25281.797	1.00	4.50	12.544	12.6	101.1	NO		
47	57	13C8-PFOSA	506.1 > 77.7	7953.446	37414.680	1.00	4.56	2.657	12.5	100.4	NO		
48	59	13C8-PFOS	507.0 > 79.9	4561.155	4435.434	1.00	4.59	12.854	13.2	105.5	NO		
49	59	13C8-PFOS	507.0 > 79.9	4561.155	4435.434	1.00	4.59	12.854	13.2	105.5	NO		
50	60	13C2-PFDA	515.1 > 469.9	26274.119	32222.961	1.00	4.89	10.192	12.4	98.9	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2377.793	4435.434	1.00	4.86	6.701	11.9	95.4	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	2794.031	4561.155	1.00	4.96	7.657	10.4	104.5	NO	1.656	NO
54	29	L-MeFOSAA	570 > 419	10899.305	6391.117	1.00	5.05	21.317	10.6	105.8	NO	2.564	NO
55	31	L-EtFOSAA	584.1 > 419	8554.987	8016.521	1.00	5.22	13.340	10.9	109.3	NO	1.374	NO
56	33	PFUdA	563.0 > 518.9	25518.086	32818.270	1.00	5.23	9.719	10.5	104.8	NO	8.616	NO
57	34	PFDS	598.8 > 79.9	3668.037	2377.793	1.00	5.28	19.283	10.8	107.5	NO	1.797	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	1608.057	32776.480	1.00	5.45	0.613	10.3	103.0	NO	4.562	NO
59	59	13C8-PFOS	507.0 > 79.9	4561.155	4435.434	1.00	4.59	12.854	13.2	105.5	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	6391.117	37414.680	1.00	5.05	2.135	11.9	95.3	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	8016.521	37414.680	1.00	5.21	2.678	12.1	96.5	NO		
62	63	13C2-PFUdA	565 > 519.8	32818.270	37414.680	1.00	5.23	10.964	12.3	98.4	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2377.793	4435.434	1.00	4.86	6.701	11.9	95.4	NO		
64	65	13C2-PFDoA	614.7 > 569.7	32776.480	32222.961	1.00	5.52	12.715	12.2	97.4	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	5402.231	2377.793	1.00	5.51	28.399	10.2	102.4	NO	1.590	NO
67	37	PFDoA	612.9 > 569.0	29919.795	32776.480	1.00	5.52	11.411	10.4	103.7	NO	8.579	NO
68	38	N-MeFOSA	512.1 > 168.9	6906.261	16816.998	1.00	5.67	61.601	50.5	101.0	NO	1.544	NO
69	39	PFTrDA	662.9 > 618.9	32164.943	32776.480	1.00	5.78	12.267	10.4	103.9	NO	21.774	NO
70	40	PFDoS	698.8 > 79.9	3157.285	24326.988	1.00	5.80	1.622	9.8	98.4	NO	1.864	NO
71	41	PFTeDA	713.0 > 669.0	30018.500	24326.988	1.00	6.00	15.424	10.6	106.3	NO	14.150	NO
72	65	13C2-PFDoA	614.7 > 569.7	32776.480	32222.961	1.00	5.52	12.715	12.2	97.4	NO		

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld

Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time

Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	32776.480	32222.961	1.00	5.52	12.715	12.2	97.4	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	16816.998	37414.680	1.00	5.70	5.618	142.4	95.0	NO		
75	65	13C2-PFDoA	614.7 > 569.7	32776.480	32222.961	1.00	5.52	12.715	12.2	97.4	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	24326.988	37414.680	1.00	6.00	8.127	12.8	102.3	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	24326.988	37414.680	1.00	6.00	8.127	12.8	102.3	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	7333.367	20673.520	1.00	6.13	53.208	52.8	105.7	NO	1.746	NO
80	43	PFHxDA	813.1 > 768.6	15862.232	11730.197	1.00	6.37	6.761	10.6	106.0	NO	21.358	NO
81	44	PFODA	913.1 > 868.8	20541.984	11730.197	1.00	6.62	8.756	11.6	115.8	NO		
82	45	N-MeFOSE	616.1 > 58.9	5516.795	14935.126	1.00	6.35	55.408	50.8	101.7	NO		
83	46	N-EtFOSE	630.1 > 58.9	6643.938	15246.863	1.00	6.50	65.364	50.8	101.7	NO		
84	72	13C4-PFBA	217.0 > 172.0	12850.138	12850.138	1.00	1.09	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	20673.520	37414.680	1.00	6.15	6.907	150.5	100.3	NO		
86	69	13C2-PFHxDA	815 > 769.7	11730.197	37414.680	1.00	6.37	3.919	4.9	97.8	NO		
87	69	13C2-PFHxDA	815 > 769.7	11730.197	37414.680	1.00	6.37	3.919	4.9	97.8	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	14935.126	37414.680	1.00	6.34	4.990	144.1	96.1	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	15246.863	37414.680	1.00	6.49	5.094	143.1	95.4	NO		
90	73	13C5-PFHxA	318.0 > 272.9	29225.631	29225.631	1.00	2.89	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	34964.645	34964.645	1.00	4.05	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	1652.592	1652.592	1.00	3.68	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	25281.797	25281.797	1.00	4.50	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4435.434	4435.434	1.00	4.60	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	32222.961	32222.961	1.00	4.89	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	37414.680	37414.680	1.00	5.23	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:58:53 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:58:57 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190728M1_1	IPA	28-Jul-19	15:06:56
2	2	190728M1_2	IPA	28-Jul-19	15:17:30
3	3	190728M1_3	IPA	28-Jul-19	15:28:08
4	4	190728M1_4	ST190728M1-1 PFC CS-2 19G1101	28-Jul-19	15:38:41
5	5	190728M1_5	ST190728M1-2 PFC CS-1 19G1102	28-Jul-19	15:49:20
6	6	190728M1_6	ST190728M1-3 PFC CS0 19G1103	28-Jul-19	15:59:58
7	7	190728M1_7	ST190728M1-4 PFC CS1 19G1104	28-Jul-19	16:10:31
8	8	190728M1_8	ST190728M1-5 PFC CS2 19G1105	28-Jul-19	16:21:10
9	9	190728M1_9	ST190728M1-6 PFC CS3 19G1106	28-Jul-19	16:31:43
10	10	190728M1_10	ST190728M1-7 PFC CS4 19G1107	28-Jul-19	16:42:22
11	11	190728M1_11	ST190728M1-8 PFC CS5 19G1108	28-Jul-19	16:53:00
12	12	190728M1_12	ST190728M1-9 PFC CS6 19G1109	28-Jul-19	17:03:33
13	13	190728M1_13	ST190728M1-10 PFC CS7 19G1110	28-Jul-19	17:14:11
14	14	190728M1_14	IB	28-Jul-19	17:24:45
15	15	190728M1_15	ICV190728M1-1 PFC ICV 19F2422	28-Jul-19	17:35:23
16	16	190728M1_16	IPA	28-Jul-19	17:45:56
17	17	190728M1_17	B9G0228-BS1 OPR 1	28-Jul-19	17:56:35
18	18	190728M1_18	B9G0228-BSD1 LCSD 1	28-Jul-19	18:07:08
19	19	190728M1_19	B9G0228-BLK1 Method Blank 1	28-Jul-19	18:17:46
20	20	190728M1_20	B9G0228-MS1 Matrix Spike 1.18	28-Jul-19	18:28:19
21	21	190728M1_21	B9G0228-MSD1 Matrix Spike Dup 1.22	28-Jul-19	18:38:57
22	22	190728M1_22	1902048-01 B96-PFAS-SB57-6-8-070319 1.13	28-Jul-19	18:49:29
23	23	190728M1_23	1902048-02 B96-PFAS-SB36-0-2-070319 1.12	28-Jul-19	19:00:08
24	24	190728M1_24	1902048-03 B96-PFAS-SB36-6.5-8.5-070319 1.26	28-Jul-19	19:10:46
25	25	190728M1_25	1902048-04 B96-PFAS-SB73-0-2-070319 1.13	28-Jul-19	19:21:19
26	26	190728M1_26	1902048-05 B96-PFAS-SB73-7-9-070319 1.21	28-Jul-19	19:31:57
27	27	190728M1_27	1902048-06 B96-PFAS-SB29-6.5-8.5-070319 1.17	28-Jul-19	19:42:30
28	28	190728M1_28	1902048-07 B96-PFAS-SB31-6-8-070319 1.1	28-Jul-19	19:53:09
29	29	190728M1_29	1902048-08 B96-PFAS-SB74-0-2-070319 1.1	28-Jul-19	20:03:39
30	30	190728M1_30	1902048-09 B96-PFAS-SB74-6.5-8.5-070319 1.2	28-Jul-19	20:14:17
31	31	190728M1_31	1902048-11 B96-PFAS-SB48-6-8-070819 1.06	28-Jul-19	20:24:56
32	32	190728M1_32	IPA	28-Jul-19	20:35:28

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:58:53 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:58:57 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
33	33 190728M1_33	ST190728M1-11 PFC CS3 19G1106	28-Jul-19	20:46:07
34	34 190728M1_34	IPA	28-Jul-19	20:56:45
35	35 190728M1_35	1902048-12 DUP06-070819 1.12	28-Jul-19	21:07:24
36	36 190728M1_36	1902048-13 B96-PFAS-SB22-5-7-070819 1.08	28-Jul-19	21:18:02
37	37 190728M1_37	1902048-14 B96-PFAS-SB20-5-7-070819 1.05	28-Jul-19	21:28:34
38	38 190728M1_38	1902048-15 B96-PFAS-SB49-5-7-070819 1.09	28-Jul-19	21:39:13
39	39 190728M1_39	1902049-09 B96-PFAS-SB42-6.2-8.2-070919 1.24	28-Jul-19	21:49:51
40	40 190728M1_40	1902049-10 B96-PFAS-SB41-5.5-7.5-070919 1.24	28-Jul-19	22:00:24
41	41 190728M1_41	1902049-11 B96-PFAS-SB52-5-10-070919 1.18	28-Jul-19	22:11:02
42	42 190728M1_42	1902049-13 B96-PFAS-SB64-0-2-070919 1.05	28-Jul-19	22:21:40
43	43 190728M1_43	B9G0259-BS1 OPR 0.25	28-Jul-19	22:32:14
44	44 190728M1_44	B9G0259-BLK1 Method Blank 0.25	28-Jul-19	22:42:52
45	45 190728M1_45	1902093-08RE1 AS-PW-16-0719 0.27719	28-Jul-19	22:53:26
46	46 190728M1_46	B9G0251-BS1 OPR 0.125	28-Jul-19	23:04:04
47	47 190728M1_47	B9G0251-BSD1 LCSD 0.125	28-Jul-19	23:14:36
48	48 190728M1_48	B9G0251-BLK1 Method Blank 0.125	28-Jul-19	23:25:15
49	49 190728M1_49	1902189-04RE1 SAOA-B03-GW 0.11684	28-Jul-19	23:35:53
50	50 190728M1_50	IPA	28-Jul-19	23:46:25
51	51 190728M1_51	ST190728M1-12 PFC CS3 19G1106	28-Jul-19	23:57:04
52	52 190728M1_52	IPA	29-Jul-19	00:07:42
53	53 190728M1_53	1902189-05RE1 NAOA-B03-GW 0.09826	29-Jul-19	00:18:15
54	54 190728M1_54	1902189-10RE1 NON-B03-GW 0.12659	29-Jul-19	00:28:53
55	55 190728M1_55	1902189-12RE1 NAOA-B06-GW 0.12473	29-Jul-19	00:39:25
56	56 190728M1_56	1902193-01 Wastewater-19-03 0.10887	29-Jul-19	00:50:04
57	57 190728M1_57	B9G0003-BLK1 Method Blank 2	29-Jul-19	01:00:38
58	58 190728M1_58	B9G0003-BS1 OPR 2	29-Jul-19	01:11:16
59	59 190728M1_59	B9G0003-BS2 OPR 2	29-Jul-19	01:21:55
60	60 190728M1_60	B9G0003-BS3 OPR 2	29-Jul-19	01:32:28
61	61 190728M1_61	B9G0003-BS4 OPR 2	29-Jul-19	01:43:06
62	62 190728M1_62	B9G0003-BS5 OPR 2	29-Jul-19	01:53:39
63	63 190728M1_63	B9G0003-BS6 OPR 2	29-Jul-19	02:04:17
64	64 190728M1_64	B9G0003-BS7 OPR 2	29-Jul-19	02:14:51
65	65 190728M1_65	B9G0260-BS2 OPR 1	29-Jul-19	02:25:29
66	66 190728M1_66	B9G0260-BS3 OPR 1	29-Jul-19	02:36:07
67	67 190728M1_67	B9G0260-BS4 OPR 1	29-Jul-19	02:46:39
68	68 190728M1_68	B9G0260-BS5 OPR 1	29-Jul-19	02:57:18

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:58:53 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:58:57 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
69	69	190728M1_69	IPA	29-Jul-19	03:07:57
70	70	190728M1_70	ST190728M1-13 PFC CS3 19G1106	29-Jul-19	03:18:29
71	71	190728M1_71	IPA	29-Jul-19	03:29:08


Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld

Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld

Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time


Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld

Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time


Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld


Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time

Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNA




PFOSA




L-PFOS




9Cl-PF30NS




PFDA




8:2 FTS




13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld

Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time


Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld

Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time


Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld


Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time

Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-33.qld


Last Altered: Monday, July 29, 2019 09:12:34 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:28:03 Pacific Daylight Time

Name: 190728M1_33, Date: 28-Jul-2019, Time: 20:46:07, ID: ST190728M1-11 PFC CS3 19G1106, Description: PFC CS3 19G1106


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld

Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time

RK 7/30/19

Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	9024.529	8984.687	1.00	1.09	12.555	10.3	103.2	NO		
2	2	PFPrS	248.9 > 79.9	1810.096	2073.527	1.00	1.44	10.912	8.7	86.9	NO	2.347	NO
3	3	3:3 FTCA	240.9 > 176.9	509.620	16106.474	1.00	1.91	0.396	8.7	86.8	NO	1.989	NO
4	4	PFPeA	263.1 > 218.9	11440.203	16106.474	1.00	2.07	8.879	9.9	99.5	NO		
5	5	PFBS	299.0 > 79.7	3802.657	2073.527	1.00	2.37	22.924	10.3	102.8	NO	2.988	NO
6	6	4:2 FTS	327.0 > 306.9	6524.608	3197.501	1.00	2.80	25.507	11.0	110.1	NO	1.867	NO
7	47	13C3-PFBA	216.1 > 171.8	8984.687	12204.711	1.00	1.09	9.202	12.5	99.6	NO		
8	49	13C3-PFBS	302.0 > 98.8	2073.527	1824.851	1.00	2.37	14.203	12.7	101.5	NO		
9	48	13C3-PFPeA	266.0 > 221.8	16106.474	30013.158	1.00	2.07	6.708	12.9	103.4	NO		
10	48	13C3-PFPeA	266.0 > 221.8	16106.474	30013.158	1.00	2.07	6.708	12.9	103.4	NO		
11	49	13C3-PFBS	302.0 > 98.8	2073.527	1824.851	1.00	2.37	14.203	12.7	101.5	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3197.501	1824.851	1.00	2.80	21.902	12.8	102.7	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	22145.988	11493.383	1.00	2.89	9.634	10.8	108.2	NO	15.722	NO
15	8	PFPeS	349.1>80.1	2586.829	2073.527	1.00	3.10	15.594	10.2	101.9	NO	1.478	NO
16	9	HFPO-DA	285.1 > 168.9	2189.506	2119.831	1.00	3.09	5.164	9.7	97.4	NO	2.433	NO
17	10	5:3 FTCA	340.9 > 236.9	2533.976	13423.186	1.00	3.44	2.360	10.2	101.7	NO	1.538	NO
18	11	PFHpA	363.0 > 318.9	13706.271	13423.186	1.00	3.52	12.764	10.1	101.3	NO	9.103	NO
19	12	ADONA	376.8 > 250.9	33969.816	13423.186	1.00	3.62	31.634	9.4	93.9	NO	3.490	NO
20	52	13C2-PFHxA	315.0 > 270.0	11493.383	30013.158	1.00	2.89	4.787	4.9	98.0	NO		
21	49	13C3-PFBS	302.0 > 98.8	2073.527	1824.851	1.00	2.37	14.203	12.7	101.5	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	2119.831	30013.158	1.00	3.09	0.883	6.2	124.7	NO		
23	53	13C4-PFHpA	367.2 > 321.8	13423.186	30013.158	1.00	3.51	5.591	12.4	98.8	NO		
24	53	13C4-PFHpA	367.2 > 321.8	13423.186	30013.158	1.00	3.51	5.591	12.4	98.8	NO		
25	53	13C4-PFHpA	367.2 > 321.8	13423.186	30013.158	1.00	3.51	5.591	12.4	98.8	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	3008.432	3771.651	1.00	3.68	9.971	10.4	103.6	NO	2.163	NO
28	15	6:2 FTS	427.0 > 406.9	6114.538	2468.058	1.00	3.99	30.968	10.0	99.6	NO	2.229	NO
29	16	L-PFOA	412.8 > 368.9	29055.350	23570.133	1.00	4.05	15.409	10.7	107.4	NO	3.714	NO
30	18	PFecHS	460.8 > 381.0	4569.717	23570.133	1.00	4.07	2.423	10.1	101.4	NO	0.894	NO
31	19	PFHpS	449.0 > 80.0	3204.133	4260.459	1.00	4.17	9.401	10.7	107.4	NO	1.699	NO
32	20	7:3 FTCA	440.9 > 336.9	3603.619	26010.213	1.00	4.48	1.732	9.6	95.7	NO	1.806	NO
33	54	13C3-PFHxS	401.8 > 79.9	3771.651	1824.851	1.00	3.67	25.835	12.5	100.0	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2468.058	4325.942	1.00	3.99	7.132	13.3	106.3	NO		
35	58	13C2-PFOA	414.9 > 369.7	23570.133	34298.340	1.00	4.05	8.590	12.6	101.1	NO		
36	58	13C2-PFOA	414.9 > 369.7	23570.133	34298.340	1.00	4.05	8.590	12.6	101.1	NO		

CAH 7/29/19

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld

Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time

Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	4260.459	4325.942	1.00	4.59	12.311	12.6	101.0	NO		
38	56	13C5-PFNA	468.2 > 422.9	26010.213	25555.631	1.00	4.50	12.722	12.8	102.5	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	25163.254	26010.213	1.00	4.50	12.093	10.3	102.7	NO	4.269	NO
41	22	PFOSA	497.9 > 77.9	7089.875	7969.226	1.00	4.57	11.121	10.5	105.3	NO	26.432	NO
42	23	L-PFOS	498.9 > 79.9	3892.551	4260.459	1.00	4.60	11.421	10.5	105.1	NO	1.982	NO
43	25	9Cl-PF30NS	530.7 > 350.8	8218.377	4260.459	1.00	4.82	24.112	11.1	110.5	NO	18.807	NO
44	26	PFDA	513 > 468.8	29247.150	26400.852	1.00	4.89	13.848	11.0	110.1	NO	5.502	NO
45	27	8:2 FTS	527.0 > 506.9	4564.716	2570.166	1.00	4.86	22.200	10.3	103.5	NO	1.282	NO
46	56	13C5-PFNA	468.2 > 422.9	26010.213	25555.631	1.00	4.50	12.722	12.8	102.5	NO		
47	57	13C8-PFOSA	506.1 > 77.7	7969.226	38474.223	1.00	4.56	2.589	12.2	97.8	NO		
48	59	13C8-PFOS	507.0 > 79.9	4260.459	4325.942	1.00	4.59	12.311	12.6	101.0	NO		
49	59	13C8-PFOS	507.0 > 79.9	4260.459	4325.942	1.00	4.59	12.311	12.6	101.0	NO		
50	60	13C2-PFDA	515.1 > 469.9	26400.852	33652.445	1.00	4.89	9.806	11.9	95.2	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2570.166	4325.942	1.00	4.86	7.427	13.2	105.7	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	2850.653	4260.459	1.00	4.96	8.364	11.4	114.0	NO	1.697	NO
54	29	L-MeFOSAA	570 > 419	10793.446	6332.024	1.00	5.06	21.307	10.6	105.8	NO	2.345	NO
55	31	L-EtFOSAA	584.1 > 419	8611.014	8704.344	1.00	5.22	12.366	10.1	101.3	NO	1.392	NO
56	33	PFUdA	563.0 > 518.9	27128.928	34486.609	1.00	5.23	9.833	10.6	106.0	NO	9.108	NO
57	34	PFDS	598.8 > 79.9	3695.463	2570.166	1.00	5.28	17.973	10.0	100.3	NO	1.705	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	1645.870	33215.680	1.00	5.45	0.619	10.4	104.0	NO	4.736	NO
59	59	13C8-PFOS	507.0 > 79.9	4260.459	4325.942	1.00	4.59	12.311	12.6	101.0	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	6332.024	38474.223	1.00	5.05	2.057	11.5	91.9	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	8704.344	38474.223	1.00	5.21	2.828	12.7	101.9	NO		
62	63	13C2-PFUdA	565 > 519.8	34486.609	38474.223	1.00	5.23	11.204	12.6	100.6	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2570.166	4325.942	1.00	4.86	7.427	13.2	105.7	NO		
64	65	13C2-PFDoA	614.7 > 569.7	33215.680	33652.445	1.00	5.52	12.338	11.8	94.5	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	5566.824	2570.166	1.00	5.51	27.074	9.8	97.6	NO	1.657	NO
67	37	PFDoA	612.9 > 569.0	30270.287	33215.680	1.00	5.52	11.392	10.4	103.5	NO	8.535	NO
68	38	N-MeFOSA	512.1 > 168.9	7140.762	17720.654	1.00	5.67	60.444	49.6	99.1	NO	1.524	NO
69	39	PFTrDA	662.9 > 618.9	33357.750	33215.680	1.00	5.78	12.553	10.6	106.3	NO	23.379	NO
70	40	PFDoS	698.8 > 79.9	3040.980	23353.057	1.00	5.81	1.628	9.9	98.7	NO	1.726	NO
71	41	PFTeDA	713.0 > 669.0	30435.002	23353.057	1.00	6.00	16.291	11.2	112.3	NO	14.193	NO
72	65	13C2-PFDoA	614.7 > 569.7	33215.680	33652.445	1.00	5.52	12.338	11.8	94.5	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld

Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time

Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	33215.680	33652.445	1.00	5.52	12.338	11.8	94.5	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	17720.654	38474.223	1.00	5.70	5.757	146.0	97.3	NO		
75	65	13C2-PFDoA	614.7 > 569.7	33215.680	33652.445	1.00	5.52	12.338	11.8	94.5	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	23353.057	38474.223	1.00	6.00	7.587	11.9	95.5	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	23353.057	38474.223	1.00	6.00	7.587	11.9	95.5	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	7603.438	21472.240	1.00	6.13	53.116	52.7	105.5	NO	1.746	NO
80	43	PFHxDA	813.1 > 768.6	15939.359	12227.557	1.00	6.37	6.518	10.2	102.1	NO	20.877	NO
81	44	PFODA	913.1 > 868.8	21046.850	12227.557	1.00	6.62	8.606	11.4	113.8	NO		
82	45	N-MeFOSE	616.1 > 58.9	5512.603	14736.345	1.00	6.35	56.112	51.5	103.0	NO		
83	46	N-EtFOSE	630.1 > 58.9	6932.836	15496.389	1.00	6.50	67.108	52.2	104.4	NO		
84	72	13C4-PFBA	217.0 > 172.0	12204.711	12204.711	1.00	1.09	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	21472.240	38474.223	1.00	6.15	6.976	152.0	101.3	NO		
86	69	13C2-PFHxDA	815 > 769.7	12227.557	38474.223	1.00	6.37	3.973	5.0	99.2	NO		
87	69	13C2-PFHxDA	815 > 769.7	12227.557	38474.223	1.00	6.37	3.973	5.0	99.2	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	14736.345	38474.223	1.00	6.34	4.788	138.3	92.2	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	15496.389	38474.223	1.00	6.49	5.035	141.5	94.3	NO		
90	73	13C5-PFHxA	318.0 > 272.9	30013.158	30013.158	1.00	2.89	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	34298.340	34298.340	1.00	4.05	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	1824.851	1824.851	1.00	3.67	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	25555.631	25555.631	1.00	4.50	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4325.942	4325.942	1.00	4.60	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	33652.445	33652.445	1.00	4.89	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	38474.223	38474.223	1.00	5.23	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:58:53 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:58:57 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190728M1_1	IPA	28-Jul-19	15:06:56
2	2	190728M1_2	IPA	28-Jul-19	15:17:30
3	3	190728M1_3	IPA	28-Jul-19	15:28:08
4	4	190728M1_4	ST190728M1-1 PFC CS-2 19G1101	28-Jul-19	15:38:41
5	5	190728M1_5	ST190728M1-2 PFC CS-1 19G1102	28-Jul-19	15:49:20
6	6	190728M1_6	ST190728M1-3 PFC CS0 19G1103	28-Jul-19	15:59:58
7	7	190728M1_7	ST190728M1-4 PFC CS1 19G1104	28-Jul-19	16:10:31
8	8	190728M1_8	ST190728M1-5 PFC CS2 19G1105	28-Jul-19	16:21:10
9	9	190728M1_9	ST190728M1-6 PFC CS3 19G1106	28-Jul-19	16:31:43
10	10	190728M1_10	ST190728M1-7 PFC CS4 19G1107	28-Jul-19	16:42:22
11	11	190728M1_11	ST190728M1-8 PFC CS5 19G1108	28-Jul-19	16:53:00
12	12	190728M1_12	ST190728M1-9 PFC CS6 19G1109	28-Jul-19	17:03:33
13	13	190728M1_13	ST190728M1-10 PFC CS7 19G1110	28-Jul-19	17:14:11
14	14	190728M1_14	IB	28-Jul-19	17:24:45
15	15	190728M1_15	ICV190728M1-1 PFC ICV 19F2422	28-Jul-19	17:35:23
16	16	190728M1_16	IPA	28-Jul-19	17:45:56
17	17	190728M1_17	B9G0228-BS1 OPR 1	28-Jul-19	17:56:35
18	18	190728M1_18	B9G0228-BSD1 LCSD 1	28-Jul-19	18:07:08
19	19	190728M1_19	B9G0228-BLK1 Method Blank 1	28-Jul-19	18:17:46
20	20	190728M1_20	B9G0228-MS1 Matrix Spike 1.18	28-Jul-19	18:28:19
21	21	190728M1_21	B9G0228-MSD1 Matrix Spike Dup 1.22	28-Jul-19	18:38:57
22	22	190728M1_22	1902048-01 B96-PFAS-SB57-6-8-070319 1.13	28-Jul-19	18:49:29
23	23	190728M1_23	1902048-02 B96-PFAS-SB36-0-2-070319 1.12	28-Jul-19	19:00:08
24	24	190728M1_24	1902048-03 B96-PFAS-SB36-6.5-8.5-070319 1.26	28-Jul-19	19:10:46
25	25	190728M1_25	1902048-04 B96-PFAS-SB73-0-2-070319 1.13	28-Jul-19	19:21:19
26	26	190728M1_26	1902048-05 B96-PFAS-SB73-7-9-070319 1.21	28-Jul-19	19:31:57
27	27	190728M1_27	1902048-06 B96-PFAS-SB29-6.5-8.5-070319 1.17	28-Jul-19	19:42:30
28	28	190728M1_28	1902048-07 B96-PFAS-SB31-6-8-070319 1.1	28-Jul-19	19:53:09
29	29	190728M1_29	1902048-08 B96-PFAS-SB74-0-2-070319 1.1	28-Jul-19	20:03:39
30	30	190728M1_30	1902048-09 B96-PFAS-SB74-6.5-8.5-070319 1.2	28-Jul-19	20:14:17
31	31	190728M1_31	1902048-11 B96-PFAS-SB48-6-8-070819 1.06	28-Jul-19	20:24:56
32	32	190728M1_32	IPA	28-Jul-19	20:35:28

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:58:53 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:58:57 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
33	33 190728M1_33	ST190728M1-11 PFC CS3 19G1106	28-Jul-19	20:46:07
34	34 190728M1_34	IPA	28-Jul-19	20:56:45
35	35 190728M1_35	1902048-12 DUP06-070819 1.12	28-Jul-19	21:07:24
36	36 190728M1_36	1902048-13 B96-PFAS-SB22-5-7-070819 1.08	28-Jul-19	21:18:02
37	37 190728M1_37	1902048-14 B96-PFAS-SB20-5-7-070819 1.05	28-Jul-19	21:28:34
38	38 190728M1_38	1902048-15 B96-PFAS-SB49-5-7-070819 1.09	28-Jul-19	21:39:13
39	39 190728M1_39	1902049-09 B96-PFAS-SB42-6.2-8.2-070919 1.24	28-Jul-19	21:49:51
40	40 190728M1_40	1902049-10 B96-PFAS-SB41-5.5-7.5-070919 1.24	28-Jul-19	22:00:24
41	41 190728M1_41	1902049-11 B96-PFAS-SB52-5-10-070919 1.18	28-Jul-19	22:11:02
42	42 190728M1_42	1902049-13 B96-PFAS-SB64-0-2-070919 1.05	28-Jul-19	22:21:40
43	43 190728M1_43	B9G0259-BS1 OPR 0.25	28-Jul-19	22:32:14
44	44 190728M1_44	B9G0259-BLK1 Method Blank 0.25	28-Jul-19	22:42:52
45	45 190728M1_45	1902093-08RE1 AS-PW-16-0719 0.27719	28-Jul-19	22:53:26
46	46 190728M1_46	B9G0251-BS1 OPR 0.125	28-Jul-19	23:04:04
47	47 190728M1_47	B9G0251-BSD1 LCSD 0.125	28-Jul-19	23:14:36
48	48 190728M1_48	B9G0251-BLK1 Method Blank 0.125	28-Jul-19	23:25:15
49	49 190728M1_49	1902189-04RE1 SAOA-B03-GW 0.11684	28-Jul-19	23:35:53
50	50 190728M1_50	IPA	28-Jul-19	23:46:25
51	51 190728M1_51	ST190728M1-12 PFC CS3 19G1106	28-Jul-19	23:57:04
52	52 190728M1_52	IPA	29-Jul-19	00:07:42
53	53 190728M1_53	1902189-05RE1 NAOA-B03-GW 0.09826	29-Jul-19	00:18:15
54	54 190728M1_54	1902189-10RE1 NON-B03-GW 0.12659	29-Jul-19	00:28:53
55	55 190728M1_55	1902189-12RE1 NAOA-B06-GW 0.12473	29-Jul-19	00:39:25
56	56 190728M1_56	1902193-01 Wastewater-19-03 0.10887	29-Jul-19	00:50:04
57	57 190728M1_57	B9G0003-BLK1 Method Blank 2	29-Jul-19	01:00:38
58	58 190728M1_58	B9G0003-BS1 OPR 2	29-Jul-19	01:11:16
59	59 190728M1_59	B9G0003-BS2 OPR 2	29-Jul-19	01:21:55
60	60 190728M1_60	B9G0003-BS3 OPR 2	29-Jul-19	01:32:28
61	61 190728M1_61	B9G0003-BS4 OPR 2	29-Jul-19	01:43:06
62	62 190728M1_62	B9G0003-BS5 OPR 2	29-Jul-19	01:53:39
63	63 190728M1_63	B9G0003-BS6 OPR 2	29-Jul-19	02:04:17
64	64 190728M1_64	B9G0003-BS7 OPR 2	29-Jul-19	02:14:51
65	65 190728M1_65	B9G0260-BS2 OPR 1	29-Jul-19	02:25:29
66	66 190728M1_66	B9G0260-BS3 OPR 1	29-Jul-19	02:36:07
67	67 190728M1_67	B9G0260-BS4 OPR 1	29-Jul-19	02:46:39
68	68 190728M1_68	B9G0260-BS5 OPR 1	29-Jul-19	02:57:18

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:58:53 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:58:57 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
69	69 190728M1_69	IPA	29-Jul-19	03:07:57
70	70 190728M1_70	ST190728M1-13 PFC CS3 19G1106	29-Jul-19	03:18:29
71	71 190728M1_71	IPA	29-Jul-19	03:29:08


Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld

Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
1.451e+005




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
2.558e+004




F6:MRM of 2 channels,ES-
248.9 > 98.9
1.060e+004




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
8.606e+003




F5:MRM of 2 channels,ES-
240.9 > 116.9
4.489e+003




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
1.813e+005




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
7.085e+004




F11:MRM of 2 channels,ES-
299.0 > 99.0
2.249e+004




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
1.602e+005




F16:MRM of 2 channels,ES-
327.0 > 80.9
8.897e+004




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.448e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.762e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.639e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.639e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.762e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
7.698e+004





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld

Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time


Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld

Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time


Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld


Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time

Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNA
F34:MRM of 2 channels,ES-
463.0 > 418.8
6.459e+005




F34:MRM of 2 channels,ES-
463.0 > 219.0
1.469e+005




PFOSA
F37:MRM of 2 channels,ES-
497.9 > 77.9
1.680e+005




F37:MRM of 2 channels,ES-
497.9 > 168.9
6.587e+003




L-PFOS
F39:MRM of 2 channels,ES-
498.9 > 79.9
7.620e+004




F39:MRM of 2 channels,ES-
498.9 > 99.0
4.299e+004




9Cl-PF30NS
F51:MRM of 2 channels,ES-
530.7 > 350.8
2.175e+005




F51:MRM of 2 channels,ES-
530.7 > 82.8
1.105e+004




PFDA
F44:MRM of 2 channels,ES-
513 > 468.8
7.626e+005




F44:MRM of 2 channels,ES-
513 > 219
1.404e+005




8:2 FTS
F49:MRM of 2 channels,ES-
527.0 > 506.9
1.188e+005




F49:MRM of 2 channels,ES-
527 > 80.9
9.445e+004




13C5-PFNA
F35:MRM of 1 channel,ES-
468.2 > 422.9
6.615e+005




13C8-PFOSA
F41:MRM of 1 channel,ES-
506.1 > 77.7
1.909e+005




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.072e+005




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.072e+005



13C2-PFDA
F45:MRM of 1 channel,ES-
515.1 > 469.9
6.913e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
6.904e+004



Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld

Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time

Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106

PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
7.470e+004
F53:MRM of 2 channels,ES-
549.1 > 99.1
4.418e+004

L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
2.361e+005
F56:MRM of 2 channels,ES-
570. > 512
8.762e+004

L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
1.962e+005
F59:MRM of 2 channels,ES-
584.1 > 526
1.248e+005

PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
7.164e+005
F54:MRM of 2 channels,ES-
563.0 > 269
7.971e+004

PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
9.910e+004
F61:MRM of 2 channels,ES-
598.8 > 98.9
5.707e+004

11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
4.355e+004
F68:MRM of 2 channels,ES-
632.6 > 450.7
8.302e+003

13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.072e+005

d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
1.604e+005

d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
2.250e+005

13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
9.177e+005

13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
6.904e+004


13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.302e+005


Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld

Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time


Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld


Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time

Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-51.qld


Last Altered: Monday, July 29, 2019 09:56:13 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:56:42 Pacific Daylight Time

Name: 190728M1_51, Date: 28-Jul-2019, Time: 23:57:04, ID: ST190728M1-12 PFC CS3 19G1106, Description: PFC CS3 19G1106


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld

Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time

RK 07/30/19

Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	9037.078	9093.744	1.00	1.09	12.422	10.2	102.1	NO		
2	2	PFPrS	248.9 > 79.9	1745.175	2096.241	1.00	1.44	10.407	8.3	82.9	NO	2.530	NO
3	3	3:3 FTCA	240.9 > 176.9	535.495	15922.728	1.00	1.91	0.420	9.2	92.2	NO	1.923	NO
4	4	PFPeA	263.1 > 218.9	11767.915	15922.728	1.00	2.07	9.238	10.3	103.5	NO		
5	5	PFBS	299.0 > 79.7	3797.417	2096.241	1.00	2.37	22.644	10.2	101.5	NO	3.017	NO
6	6	4:2 FTS	327.0 > 306.9	6238.900	3213.283	1.00	2.81	24.270	10.5	104.8	NO	1.704	NO
7	47	13C3-PFBA	216.1 > 171.8	9093.744	12290.261	1.00	1.09	9.249	12.5	100.1	NO		
8	49	13C3-PFBS	302.0 > 98.8	2096.241	1831.520	1.00	2.37	14.307	12.8	102.3	NO		
9	48	13C3-PFPeA	266.0 > 221.8	15922.728	30699.004	1.00	2.07	6.483	12.5	100.0	NO		
10	48	13C3-PFPeA	266.0 > 221.8	15922.728	30699.004	1.00	2.07	6.483	12.5	100.0	NO		
11	49	13C3-PFBS	302.0 > 98.8	2096.241	1831.520	1.00	2.37	14.307	12.8	102.3	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3213.283	1831.520	1.00	2.81	21.930	12.9	102.8	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	22949.438	12100.400	1.00	2.89	9.483	10.6	106.5	NO	14.586	NO
15	8	PFPeS	349.1>80.1	2597.323	2096.241	1.00	3.10	15.488	10.1	101.2	NO	1.337	NO
16	9	HFPO-DA	285.1 > 168.9	1758.057	1646.228	1.00	3.10	5.340	10.1	100.7	NO	2.148	NO
17	10	5:3 FTCA	340.9 > 236.9	2588.445	13431.127	1.00	3.45	2.409	10.4	103.8	NO	1.518	NO
18	11	PFHpA	363.0 > 318.9	14583.976	13431.127	1.00	3.52	13.573	10.8	107.7	NO	9.238	NO
19	12	ADONA	376.8 > 250.9	35077.590	13431.127	1.00	3.63	32.646	9.7	96.9	NO	3.408	NO
20	52	13C2-PFHxA	315.0 > 270.0	12100.400	30699.004	1.00	2.89	4.927	5.0	100.9	NO		
21	49	13C3-PFBS	302.0 > 98.8	2096.241	1831.520	1.00	2.37	14.307	12.8	102.3	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1646.228	30699.004	1.00	3.10	0.670	4.7	94.7	NO		
23	53	13C4-PFHpA	367.2 > 321.8	13431.127	30699.004	1.00	3.52	5.469	12.1	96.7	NO		
24	53	13C4-PFHpA	367.2 > 321.8	13431.127	30699.004	1.00	3.52	5.469	12.1	96.7	NO		
25	53	13C4-PFHpA	367.2 > 321.8	13431.127	30699.004	1.00	3.52	5.469	12.1	96.7	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	3023.968	3927.002	1.00	3.68	9.626	10.0	100.1	NO	2.121	NO
28	15	6:2 FTS	427.0 > 406.9	6516.831	2448.347	1.00	3.99	33.272	10.7	107.1	NO	2.426	NO
29	16	L-PFOA	412.8 > 368.9	29103.141	24027.824	1.00	4.05	15.140	10.5	105.5	NO	3.713	NO
30	18	PFecHS	460.8 > 381.0	4776.940	24027.824	1.00	4.07	2.485	10.4	103.9	NO	0.953	NO
31	19	PFHpS	449.0 > 80.0	3505.812	4757.657	1.00	4.17	9.211	10.5	105.2	NO	1.954	NO
32	20	7:3 FTCA	440.9 > 336.9	3614.315	26368.406	1.00	4.49	1.713	9.5	94.7	NO	1.844	NO
33	54	13C3-PFHxS	401.8 > 79.9	3927.002	1831.520	1.00	3.68	26.802	13.0	103.7	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2448.347	4684.049	1.00	3.99	6.534	12.2	97.4	NO		
35	58	13C2-PFOA	414.9 > 369.7	24027.824	36717.219	1.00	4.05	8.180	12.0	96.3	NO		
36	58	13C2-PFOA	414.9 > 369.7	24027.824	36717.219	1.00	4.05	8.180	12.0	96.3	NO		

CaH 7/29/19

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld

Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time

Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	4757.657	4684.049	1.00	4.60	12.696	13.0	104.2	NO		
38	56	13C5-PFNA	468.2 > 422.9	26368.406	26143.410	1.00	4.50	12.608	12.7	101.6	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	25675.002	26368.406	1.00	4.50	12.171	10.3	103.4	NO	4.130	NO
41	22	PFOSA	497.9 > 77.9	7053.017	8223.924	1.00	4.57	10.720	10.1	101.5	NO	30.680	NO
42	23	L-PFOS	498.9 > 79.9	4022.136	4757.657	1.00	4.60	10.568	9.7	97.3	NO	2.160	NO
43	25	9Cl-PF30NS	530.7 > 350.8	8298.152	4757.657	1.00	4.82	21.802	10.0	100.0	NO	17.853	NO
44	26	PFDA	513 > 468.8	29964.469	27342.078	1.00	4.89	13.699	10.9	108.9	NO	5.532	NO
45	27	8:2 FTS	527.0 > 506.9	4218.961	2602.340	1.00	4.86	20.265	9.4	94.4	NO	1.104	NO
46	56	13C5-PFNA	468.2 > 422.9	26368.406	26143.410	1.00	4.50	12.608	12.7	101.6	NO		
47	57	13C8-PFOSA	506.1 > 77.7	8223.924	39827.598	1.00	4.56	2.581	12.2	97.5	NO		
48	59	13C8-PFOS	507.0 > 79.9	4757.657	4684.049	1.00	4.60	12.696	13.0	104.2	NO		
49	59	13C8-PFOS	507.0 > 79.9	4757.657	4684.049	1.00	4.60	12.696	13.0	104.2	NO		
50	60	13C2-PFDA	515.1 > 469.9	27342.078	33853.715	1.00	4.89	10.096	12.2	98.0	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2602.340	4684.049	1.00	4.86	6.945	12.4	98.8	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	2725.367	4757.657	1.00	4.96	7.160	9.8	97.8	NO	1.597	NO
54	29	L-MeFOSAA	570 > 419	11859.442	6295.158	1.00	5.06	23.549	11.7	116.9	NO	2.553	NO
55	31	L-EtFOSAA	584.1 > 419	8661.197	8612.260	1.00	5.22	12.571	10.3	103.0	NO	1.297	NO
56	33	PFUdA	563.0 > 518.9	26884.250	35832.477	1.00	5.23	9.378	10.1	101.1	NO	8.749	NO
57	34	PFDS	598.8 > 79.9	3765.934	2602.340	1.00	5.28	18.089	10.1	101.0	NO	1.682	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	1682.579	32966.902	1.00	5.45	0.638	10.7	107.1	NO	5.010	NO
59	59	13C8-PFOS	507.0 > 79.9	4757.657	4684.049	1.00	4.60	12.696	13.0	104.2	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	6295.158	39827.598	1.00	5.05	1.976	11.0	88.2	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	8612.260	39827.598	1.00	5.21	2.703	12.2	97.4	NO		
62	63	13C2-PFUdA	565 > 519.8	35832.477	39827.598	1.00	5.23	11.246	12.6	101.0	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2602.340	4684.049	1.00	4.86	6.945	12.4	98.8	NO		
64	65	13C2-PFDoA	614.7 > 569.7	32966.902	33853.715	1.00	5.52	12.173	11.7	93.3	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	5486.879	2602.340	1.00	5.51	26.356	9.5	95.0	NO	1.596	NO
67	37	PFDoA	612.9 > 569.0	31147.230	32966.902	1.00	5.52	11.810	10.7	107.4	NO	8.700	NO
68	38	N-MeFOSA	512.1 > 168.9	7285.427	17028.742	1.00	5.67	64.175	52.6	105.3	NO	1.628	NO
69	39	PFTrDA	662.9 > 618.9	33053.379	32966.902	1.00	5.78	12.533	10.6	106.2	NO	20.118	NO
70	40	PFDoS	698.8 > 79.9	3086.773	24330.678	1.00	5.81	1.586	9.6	96.2	NO	1.807	NO
71	41	PFTeDA	713.0 > 669.0	29963.336	24330.678	1.00	6.00	15.394	10.6	106.1	NO	14.067	NO
72	65	13C2-PFDoA	614.7 > 569.7	32966.902	33853.715	1.00	5.52	12.173	11.7	93.3	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld

Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time

Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	32966.902	33853.715	1.00	5.52	12.173	11.7	93.3	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	17028.742	39827.598	1.00	5.70	5.345	135.5	90.3	NO		
75	65	13C2-PFDoA	614.7 > 569.7	32966.902	33853.715	1.00	5.52	12.173	11.7	93.3	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	24330.678	39827.598	1.00	6.00	7.636	12.0	96.2	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	24330.678	39827.598	1.00	6.00	7.636	12.0	96.2	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	7601.188	21414.352	1.00	6.13	53.244	52.9	105.7	NO	1.725	NO
80	43	PFHxDA	813.1 > 768.6	15654.708	11728.749	1.00	6.37	6.674	10.5	104.6	NO	22.377	NO
81	44	PFODA	913.1 > 868.8	20932.723	11728.749	1.00	6.63	8.924	11.8	118.0	NO		
82	45	N-MeFOSE	616.1 > 58.9	5629.994	14831.118	1.00	6.35	56.941	52.3	104.5	NO		
83	46	N-EtFOSE	630.1 > 58.9	6907.330	15678.629	1.00	6.50	66.084	51.4	102.8	NO		
84	72	13C4-PFBA	217.0 > 172.0	12290.261	12290.261	1.00	1.09	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	21414.352	39827.598	1.00	6.15	6.721	146.4	97.6	NO		
86	69	13C2-PFHxDA	815 > 769.7	11728.749	39827.598	1.00	6.37	3.681	4.6	91.9	NO		
87	69	13C2-PFHxDA	815 > 769.7	11728.749	39827.598	1.00	6.37	3.681	4.6	91.9	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	14831.118	39827.598	1.00	6.34	4.655	134.5	89.6	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	15678.629	39827.598	1.00	6.49	4.921	138.3	92.2	NO		
90	73	13C5-PFHxA	318.0 > 272.9	30699.004	30699.004	1.00	2.89	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	36717.219	36717.219	1.00	4.05	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	1831.520	1831.520	1.00	3.68	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	26143.410	26143.410	1.00	4.50	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4684.049	4684.049	1.00	4.60	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	33853.715	33853.715	1.00	4.89	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	39827.598	39827.598	1.00	5.23	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:58:53 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:58:57 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190728M1_1	IPA	28-Jul-19	15:06:56
2	2	190728M1_2	IPA	28-Jul-19	15:17:30
3	3	190728M1_3	IPA	28-Jul-19	15:28:08
4	4	190728M1_4	ST190728M1-1 PFC CS-2 19G1101	28-Jul-19	15:38:41
5	5	190728M1_5	ST190728M1-2 PFC CS-1 19G1102	28-Jul-19	15:49:20
6	6	190728M1_6	ST190728M1-3 PFC CS0 19G1103	28-Jul-19	15:59:58
7	7	190728M1_7	ST190728M1-4 PFC CS1 19G1104	28-Jul-19	16:10:31
8	8	190728M1_8	ST190728M1-5 PFC CS2 19G1105	28-Jul-19	16:21:10
9	9	190728M1_9	ST190728M1-6 PFC CS3 19G1106	28-Jul-19	16:31:43
10	10	190728M1_10	ST190728M1-7 PFC CS4 19G1107	28-Jul-19	16:42:22
11	11	190728M1_11	ST190728M1-8 PFC CS5 19G1108	28-Jul-19	16:53:00
12	12	190728M1_12	ST190728M1-9 PFC CS6 19G1109	28-Jul-19	17:03:33
13	13	190728M1_13	ST190728M1-10 PFC CS7 19G1110	28-Jul-19	17:14:11
14	14	190728M1_14	IB	28-Jul-19	17:24:45
15	15	190728M1_15	ICV190728M1-1 PFC ICV 19F2422	28-Jul-19	17:35:23
16	16	190728M1_16	IPA	28-Jul-19	17:45:56
17	17	190728M1_17	B9G0228-BS1 OPR 1	28-Jul-19	17:56:35
18	18	190728M1_18	B9G0228-BSD1 LCSD 1	28-Jul-19	18:07:08
19	19	190728M1_19	B9G0228-BLK1 Method Blank 1	28-Jul-19	18:17:46
20	20	190728M1_20	B9G0228-MS1 Matrix Spike 1.18	28-Jul-19	18:28:19
21	21	190728M1_21	B9G0228-MSD1 Matrix Spike Dup 1.22	28-Jul-19	18:38:57
22	22	190728M1_22	1902048-01 B96-PFAS-SB57-6-8-070319 1.13	28-Jul-19	18:49:29
23	23	190728M1_23	1902048-02 B96-PFAS-SB36-0-2-070319 1.12	28-Jul-19	19:00:08
24	24	190728M1_24	1902048-03 B96-PFAS-SB36-6.5-8.5-070319 1.26	28-Jul-19	19:10:46
25	25	190728M1_25	1902048-04 B96-PFAS-SB73-0-2-070319 1.13	28-Jul-19	19:21:19
26	26	190728M1_26	1902048-05 B96-PFAS-SB73-7-9-070319 1.21	28-Jul-19	19:31:57
27	27	190728M1_27	1902048-06 B96-PFAS-SB29-6.5-8.5-070319 1.17	28-Jul-19	19:42:30
28	28	190728M1_28	1902048-07 B96-PFAS-SB31-6-8-070319 1.1	28-Jul-19	19:53:09
29	29	190728M1_29	1902048-08 B96-PFAS-SB74-0-2-070319 1.1	28-Jul-19	20:03:39
30	30	190728M1_30	1902048-09 B96-PFAS-SB74-6.5-8.5-070319 1.2	28-Jul-19	20:14:17
31	31	190728M1_31	1902048-11 B96-PFAS-SB48-6-8-070819 1.06	28-Jul-19	20:24:56
32	32	190728M1_32	IPA	28-Jul-19	20:35:28

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:58:53 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:58:57 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
33	33 190728M1_33	ST190728M1-11 PFC CS3 19G1106	28-Jul-19	20:46:07
34	34 190728M1_34	IPA	28-Jul-19	20:56:45
35	35 190728M1_35	1902048-12 DUP06-070819 1.12	28-Jul-19	21:07:24
36	36 190728M1_36	1902048-13 B96-PFAS-SB22-5-7-070819 1.08	28-Jul-19	21:18:02
37	37 190728M1_37	1902048-14 B96-PFAS-SB20-5-7-070819 1.05	28-Jul-19	21:28:34
38	38 190728M1_38	1902048-15 B96-PFAS-SB49-5-7-070819 1.09	28-Jul-19	21:39:13
39	39 190728M1_39	1902049-09 B96-PFAS-SB42-6.2-8.2-070919 1.24	28-Jul-19	21:49:51
40	40 190728M1_40	1902049-10 B96-PFAS-SB41-5.5-7.5-070919 1.24	28-Jul-19	22:00:24
41	41 190728M1_41	1902049-11 B96-PFAS-SB52-5-10-070919 1.18	28-Jul-19	22:11:02
42	42 190728M1_42	1902049-13 B96-PFAS-SB64-0-2-070919 1.05	28-Jul-19	22:21:40
43	43 190728M1_43	B9G0259-BS1 OPR 0.25	28-Jul-19	22:32:14
44	44 190728M1_44	B9G0259-BLK1 Method Blank 0.25	28-Jul-19	22:42:52
45	45 190728M1_45	1902093-08RE1 AS-PW-16-0719 0.27719	28-Jul-19	22:53:26
46	46 190728M1_46	B9G0251-BS1 OPR 0.125	28-Jul-19	23:04:04
47	47 190728M1_47	B9G0251-BSD1 LCSD 0.125	28-Jul-19	23:14:36
48	48 190728M1_48	B9G0251-BLK1 Method Blank 0.125	28-Jul-19	23:25:15
49	49 190728M1_49	1902189-04RE1 SAOA-B03-GW 0.11684	28-Jul-19	23:35:53
50	50 190728M1_50	IPA	28-Jul-19	23:46:25
51	51 190728M1_51	ST190728M1-12 PFC CS3 19G1106	28-Jul-19	23:57:04
52	52 190728M1_52	IPA	29-Jul-19	00:07:42
53	53 190728M1_53	1902189-05RE1 NAOA-B03-GW 0.09826	29-Jul-19	00:18:15
54	54 190728M1_54	1902189-10RE1 NON-B03-GW 0.12659	29-Jul-19	00:28:53
55	55 190728M1_55	1902189-12RE1 NAOA-B06-GW 0.12473	29-Jul-19	00:39:25
56	56 190728M1_56	1902193-01 Wastewater-19-03 0.10887	29-Jul-19	00:50:04
57	57 190728M1_57	B9G0003-BLK1 Method Blank 2	29-Jul-19	01:00:38
58	58 190728M1_58	B9G0003-BS1 OPR 2	29-Jul-19	01:11:16
59	59 190728M1_59	B9G0003-BS2 OPR 2	29-Jul-19	01:21:55
60	60 190728M1_60	B9G0003-BS3 OPR 2	29-Jul-19	01:32:28
61	61 190728M1_61	B9G0003-BS4 OPR 2	29-Jul-19	01:43:06
62	62 190728M1_62	B9G0003-BS5 OPR 2	29-Jul-19	01:53:39
63	63 190728M1_63	B9G0003-BS6 OPR 2	29-Jul-19	02:04:17
64	64 190728M1_64	B9G0003-BS7 OPR 2	29-Jul-19	02:14:51
65	65 190728M1_65	B9G0260-BS2 OPR 1	29-Jul-19	02:25:29
66	66 190728M1_66	B9G0260-BS3 OPR 1	29-Jul-19	02:36:07
67	67 190728M1_67	B9G0260-BS4 OPR 1	29-Jul-19	02:46:39
68	68 190728M1_68	B9G0260-BS5 OPR 1	29-Jul-19	02:57:18

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 29, 2019 09:58:53 Pacific Daylight Time
Printed: Monday, July 29, 2019 09:58:57 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
69	69	190728M1_69	IPA	29-Jul-19	03:07:57
70	70	190728M1_70	ST190728M1-13 PFC CS3 19G1106	29-Jul-19	03:18:29
71	71	190728M1_71	IPA	29-Jul-19	03:29:08


Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld

Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
1.473e+005




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
2.555e+004




F6:MRM of 2 channels,ES-
248.9 > 98.9
1.082e+004




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
8.221e+003




F5:MRM of 2 channels,ES-
240.9 > 116.9
4.332e+003




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
1.941e+005




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
6.474e+004




F11:MRM of 2 channels,ES-
299.0 > 99.0
2.229e+004




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
1.563e+005




F16:MRM of 2 channels,ES-
327.0 > 80.9
8.753e+004




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.450e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.855e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.574e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.574e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.855e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
7.751e+004





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld

Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time


Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld

Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time


Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld

Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time


Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld

Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time


Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld

Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time


Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld


Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time

Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-70.qld


Last Altered: Monday, July 29, 2019 10:03:15 Pacific Daylight Time
Printed: Monday, July 29, 2019 10:03:36 Pacific Daylight Time

Name: 190728M1_70, Date: 29-Jul-2019, Time: 03:18:29, ID: ST190728M1-13 PFC CS3 19G1106, Description: PFC CS3 19G1106


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_RS-07-29-19.mdb 30 Jul 2019 09:19:27
Calibration: 30 Jul 2019 09:19:54

Name: 190729M1_9, Date: 29-Jul-2019, Time: 15:15:45, ID: ST190729M1-6 PFC CS3 19G2006, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190729M1-6 PFC CS3 19G2006	1.79e4	100.0	NO
2	2	13C5-PFHxA	ST190729M1-6 PFC CS3 19G2006	3.07e4	100.0	NO
3	3	18O2-PFHxS	ST190729M1-6 PFC CS3 19G2006	1.76e3	100.0	NO
4	4	13C8-PFOA	ST190729M1-6 PFC CS3 19G2006	3.62e4	100.0	NO
5	5	13C9-PFNA	ST190729M1-6 PFC CS3 19G2006	2.55e4	100.0	NO
6	6	13C4-PFOS	ST190729M1-6 PFC CS3 19G2006	4.49e3	100.0	NO
7	7	13C6-PFDA	ST190729M1-6 PFC CS3 19G2006	3.31e4	100.0	NO
8	8	13C7-PFUdA	ST190729M1-6 PFC CS3 19G2006	4.04e4	100.0	NO

Name: 190729M1_10, Date: 29-Jul-2019, Time: 15:26:23, ID: ST190729M1-7 PFC CS4 19G2007, Description: PFC CS4 19G2007

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190729M1-7 PFC CS4 19G2007	1.83e4	102.3	NO
2	2	13C5-PFHxA	ST190729M1-7 PFC CS4 19G2007	3.02e4	98.2	NO
3	3	18O2-PFHxS	ST190729M1-7 PFC CS4 19G2007	1.82e3	103.2	NO
4	4	13C8-PFOA	ST190729M1-7 PFC CS4 19G2007	3.74e4	103.3	NO
5	5	13C9-PFNA	ST190729M1-7 PFC CS4 19G2007	2.62e4	102.9	NO
6	6	13C4-PFOS	ST190729M1-7 PFC CS4 19G2007	4.92e3	109.6	NO
7	7	13C6-PFDA	ST190729M1-7 PFC CS4 19G2007	3.35e4	101.0	NO
8	8	13C7-PFUdA	ST190729M1-7 PFC CS4 19G2007	4.08e4	101.1	NO

Name: 190729M1_11, Date: 29-Jul-2019, Time: 15:37:02, ID: ST190729M1-8 PFC CS5 19G2008, Description: PFC CS5 19G2008

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190729M1-8 PFC CS5 19G2008	1.94e4	108.5	NO
2	2	13C5-PFHxA	ST190729M1-8 PFC CS5 19G2008	3.06e4	99.6	NO
3	3	18O2-PFHxS	ST190729M1-8 PFC CS5 19G2008	2.02e3	114.9	NO
4	4	13C8-PFOA	ST190729M1-8 PFC CS5 19G2008	3.47e4	95.8	NO
5	5	13C9-PFNA	ST190729M1-8 PFC CS5 19G2008	2.60e4	102.1	NO
6	6	13C4-PFOS	ST190729M1-8 PFC CS5 19G2008	4.77e3	106.4	NO
7	7	13C6-PFDA	ST190729M1-8 PFC CS5 19G2008	3.36e4	101.4	NO
8	8	13C7-PFUdA	ST190729M1-8 PFC CS5 19G2008	4.04e4	100.2	NO

Name: 190729M1_12, Date: 29-Jul-2019, Time: 15:47:34, ID: ST190729M1-9 PFC CS6 19G2009, Description: PFC CS6 19G2009

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190729M1-9 PFC CS6 19G2009	1.82e4	101.6	NO
2	2	13C5-PFHxA	ST190729M1-9 PFC CS6 19G2009	2.67e4	86.9	NO
3	3	18O2-PFHxS	ST190729M1-9 PFC CS6 19G2009	1.66e3	94.4	NO
4	4	13C8-PFOA	ST190729M1-9 PFC CS6 19G2009	2.92e4	80.6	NO
5	5	13C9-PFNA	ST190729M1-9 PFC CS6 19G2009	2.23e4	87.3	NO
6	6	13C4-PFOS	ST190729M1-9 PFC CS6 19G2009	4.30e3	95.9	NO
7	7	13C6-PFDA	ST190729M1-9 PFC CS6 19G2009	2.92e4	88.2	NO
8	8	13C7-PFUdA	ST190729M1-9 PFC CS6 19G2009	3.48e4	86.1	NO

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_13, Date: 29-Jul-2019, Time: 15:58:13, ID: ST190729M1-10 PFC CS7 19G2010, Description: PFC CS7 19G2010

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190729M1-10 PFC CS7 19G2010	1.53e4	85.3	NO
2	2	13C5-PFHxA	ST190729M1-10 PFC CS7 19G2010	2.16e4	70.4	NO
3	3	18O2-PFHxS	ST190729M1-10 PFC CS7 19G2010	1.38e3	78.5	NO
4	4	13C8-PFOA	ST190729M1-10 PFC CS7 19G2010	2.08e4	57.4	NO
5	5	13C9-PFNA	ST190729M1-10 PFC CS7 19G2010	1.77e4	69.5	NO
6	6	13C4-PFOS	ST190729M1-10 PFC CS7 19G2010	3.40e3	75.8	NO
7	7	13C6-PFDA	ST190729M1-10 PFC CS7 19G2010	2.18e4	65.9	NO
8	8	13C7-PFUdA	ST190729M1-10 PFC CS7 19G2010	2.56e4	63.4	NO

Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IB	1.95e4	109.0	NO
2	2	13C5-PFHxA	IB	3.29e4	107.2	NO
3	3	18O2-PFHxS	IB	2.15e3	122.1	NO
4	4	13C8-PFOA	IB	4.08e4	112.7	NO
5	5	13C9-PFNA	IB	2.81e4	110.1	NO
6	6	13C4-PFOS	IB	5.20e3	115.8	NO
7	7	13C6-PFDA	IB	3.81e4	115.1	NO
8	8	13C7-PFUdA	IB	4.52e4	112.0	NO

Name: 190729M1_15, Date: 29-Jul-2019, Time: 16:19:24, ID: ICV190729M1-1 PFC ICV 19G2311, Description: PFC ICV 19G2311

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ICV190729M1-1 PFC ICV 19G2311	1.82e4	101.5	NO
2	2	13C5-PFHxA	ICV190729M1-1 PFC ICV 19G2311	3.08e4	100.3	NO
3	3	18O2-PFHxS	ICV190729M1-1 PFC ICV 19G2311	1.89e3	107.4	NO
4	4	13C8-PFOA	ICV190729M1-1 PFC ICV 19G2311	3.65e4	100.9	NO
5	5	13C9-PFNA	ICV190729M1-1 PFC ICV 19G2311	2.61e4	102.4	NO
6	6	13C4-PFOS	ICV190729M1-1 PFC ICV 19G2311	4.63e3	103.1	NO
7	7	13C6-PFDA	ICV190729M1-1 PFC ICV 19G2311	3.36e4	101.6	NO
8	8	13C7-PFUdA	ICV190729M1-1 PFC ICV 19G2311	4.06e4	100.6	NO

Name: 190729M1_16, Date: 29-Jul-2019, Time: 16:30:02, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_17, Date: 29-Jul-2019, Time: 17:38:48, ID: B9G0228-MSD1 Matrix Spike Dup 1.22, Description: Matrix Spike Dup

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0228-MSD1 Matrix Spike Dup 1.22	1.59e4	88.7	NO
2	2	13C5-PFHxA	B9G0228-MSD1 Matrix Spike Dup 1.22	2.74e4	89.3	NO
3	3	18O2-PFHxS	B9G0228-MSD1 Matrix Spike Dup 1.22	1.76e3	99.8	NO
4	4	13C8-PFOA	B9G0228-MSD1 Matrix Spike Dup 1.22	3.18e4	87.9	NO
5	5	13C9-PFNA	B9G0228-MSD1 Matrix Spike Dup 1.22	1.89e4	74.1	NO
6	6	13C4-PFOS	B9G0228-MSD1 Matrix Spike Dup 1.22	1.83e3	40.8	YES
7	7	13C6-PFDA	B9G0228-MSD1 Matrix Spike Dup 1.22	1.09e4	32.9	YES
8	8	13C7-PFUdA	B9G0228-MSD1 Matrix Spike Dup 1.22	3.13e3	7.7	YES

Name: 190729M1_18, Date: 29-Jul-2019, Time: 17:49:33, ID: 1902048-08@100X B96-PFAS-SB74-0-2-070319 1.1, Description: B96-PFAS-SB74-0-2-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-08@100X B96-PFAS-SB74-0-...	1.11e2	0.6	YES
2	2	13C5-PFHxA	1902048-08@100X B96-PFAS-SB74-0-...	2.72e2	0.9	YES
3	3	18O2-PFHxS	1902048-08@100X B96-PFAS-SB74-0-...	1.10e1	0.6	YES
4	4	13C8-PFOA	1902048-08@100X B96-PFAS-SB74-0-...	3.18e2	0.9	YES
5	5	13C9-PFNA	1902048-08@100X B96-PFAS-SB74-0-...	2.41e2	0.9	YES
6	6	13C4-PFOS	1902048-08@100X B96-PFAS-SB74-0-...	1.68e1	0.4	YES
7	7	13C6-PFDA	1902048-08@100X B96-PFAS-SB74-0-...	3.10e2	0.9	YES
8	8	13C7-PFUdA	1902048-08@100X B96-PFAS-SB74-0-...	2.99e2	0.7	YES

Name: 190729M1_19, Date: 29-Jul-2019, Time: 18:00:11, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190729M1_20, Date: 29-Jul-2019, Time: 18:10:44, ID: 1902048-08 B96-PFAS-SB74-0-2-070319 1.1, Description: B96-PFAS-SB74-0-2-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-08 B96-PFAS-SB74-0-2-0703...	1.50e4	83.7	NO
2	2	13C5-PFHxA	1902048-08 B96-PFAS-SB74-0-2-0703...	2.02e4	65.9	NO
3	3	18O2-PFHxS	1902048-08 B96-PFAS-SB74-0-2-0703...	1.57e3	89.0	NO
4	4	13C8-PFOA	1902048-08 B96-PFAS-SB74-0-2-0703...	2.53e4	69.8	NO
5	5	13C9-PFNA	1902048-08 B96-PFAS-SB74-0-2-0703...	1.77e4	69.2	NO
6	6	13C4-PFOS	1902048-08 B96-PFAS-SB74-0-2-0703...	4.33e2	9.7	YES
7	7	13C6-PFDA	1902048-08 B96-PFAS-SB74-0-2-0703...	2.26e4	68.2	NO
8	8	13C7-PFUdA	1902048-08 B96-PFAS-SB74-0-2-0703...	2.08e4	51.4	NO

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_21, Date: 29-Jul-2019, Time: 18:21:22, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190729M1_22, Date: 29-Jul-2019, Time: 18:31:56, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190729M1_23, Date: 29-Jul-2019, Time: 18:42:35, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190729M1_24, Date: 29-Jul-2019, Time: 18:53:07, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_25, Date: 29-Jul-2019, Time: 19:03:46, ID: 1902048-09 B96-PFAS-SB74-6.5-8.5-070319 1.2, Description: B96-PFAS-SB74-6.5-8.5-070319

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	1.71e4	95.8	NO
2	2	13C5-PFHxA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	2.96e4	96.3	NO
3	3	18O2-PFHxS	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	2.00e3	113.4	NO
4	4	13C8-PFOA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	3.51e4	96.8	NO
5	5	13C9-PFNA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	2.25e4	88.3	NO
6	6	13C4-PFOS	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	2.72e3	60.6	NO
7	7	13C6-PFDA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	2.34e4	70.6	NO
8	8	13C7-PFUdA	1902048-09 B96-PFAS-SB74-6.5-8.5-0...	1.56e4	38.7	YES

Name: 190729M1_26, Date: 29-Jul-2019, Time: 19:14:19, ID: 1902048-11 B96-PFAS-SB48-6-8-070819 1.06, Description: B96-PFAS-SB48-6-8-070819

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902048-11 B96-PFAS-SB48-6-8-0708...	1.62e4	90.4	NO
2	2	13C5-PFHxA	1902048-11 B96-PFAS-SB48-6-8-0708...	2.87e4	93.6	NO
3	3	18O2-PFHxS	1902048-11 B96-PFAS-SB48-6-8-0708...	1.73e3	98.2	NO
4	4	13C8-PFOA	1902048-11 B96-PFAS-SB48-6-8-0708...	3.24e4	89.4	NO
5	5	13C9-PFNA	1902048-11 B96-PFAS-SB48-6-8-0708...	1.99e4	77.9	NO
6	6	13C4-PFOS	1902048-11 B96-PFAS-SB48-6-8-0708...	2.92e3	65.1	NO
7	7	13C6-PFDA	1902048-11 B96-PFAS-SB48-6-8-0708...	1.67e4	50.4	NO
8	8	13C7-PFUdA	1902048-11 B96-PFAS-SB48-6-8-0708...	6.58e3	16.3	YES

Name: 190729M1_27, Date: 29-Jul-2019, Time: 19:24:57, ID: 1902189-12RE1@5X NAOA-B06-GW 0.12473, Description: NAOA-B06-GW

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-12RE1@5X NAOA-B06-GW 0...	2.11e3	11.8	YES
2	2	13C5-PFHxA	1902189-12RE1@5X NAOA-B06-GW 0...	3.74e3	12.2	YES
3	3	18O2-PFHxS	1902189-12RE1@5X NAOA-B06-GW 0...	2.26e2	12.8	YES
4	4	13C8-PFOA	1902189-12RE1@5X NAOA-B06-GW 0...	4.61e3	12.7	YES
5	5	13C9-PFNA	1902189-12RE1@5X NAOA-B06-GW 0...	3.40e3	13.3	YES
6	6	13C4-PFOS	1902189-12RE1@5X NAOA-B06-GW 0...	6.24e2	13.9	YES
7	7	13C6-PFDA	1902189-12RE1@5X NAOA-B06-GW 0...	4.54e3	13.7	YES
8	8	13C7-PFUdA	1902189-12RE1@5X NAOA-B06-GW 0...	5.57e3	13.8	YES

Name: 190729M1_28, Date: 29-Jul-2019, Time: 19:35:30, ID: 1902193-01 Wastewater-19-03 0.10887, Description: Wastewater-19-03

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902193-01 Wastewater-19-03 0.10887	1.42e4	79.1	NO
2	2	13C5-PFHxA	1902193-01 Wastewater-19-03 0.10887	2.83e4	92.0	NO
3	3	18O2-PFHxS	1902193-01 Wastewater-19-03 0.10887	1.87e3	106.0	NO
4	4	13C8-PFOA	1902193-01 Wastewater-19-03 0.10887	3.69e4	101.9	NO
5	5	13C9-PFNA	1902193-01 Wastewater-19-03 0.10887	2.66e4	104.3	NO
6	6	13C4-PFOS	1902193-01 Wastewater-19-03 0.10887	4.63e3	103.3	NO
7	7	13C6-PFDA	1902193-01 Wastewater-19-03 0.10887	3.37e4	101.7	NO
8	8	13C7-PFUdA	1902193-01 Wastewater-19-03 0.10887	4.09e4	101.3	NO

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_29, Date: 29-Jul-2019, Time: 19:46:08, ID: B9G0280-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0280-BS1 OPR 0.125	1.30e4	72.6	NO
2	2	13C5-PFHxA	B9G0280-BS1 OPR 0.125	2.53e4	82.5	NO
3	3	18O2-PFHxS	B9G0280-BS1 OPR 0.125	1.93e3	109.6	NO
4	4	13C8-PFOA	B9G0280-BS1 OPR 0.125	3.39e4	93.6	NO
5	5	13C9-PFNA	B9G0280-BS1 OPR 0.125	2.48e4	97.3	NO
6	6	13C4-PFOS	B9G0280-BS1 OPR 0.125	4.95e3	110.2	NO
7	7	13C6-PFDA	B9G0280-BS1 OPR 0.125	3.27e4	98.8	NO
8	8	13C7-PFUdA	B9G0280-BS1 OPR 0.125	4.05e4	100.3	NO

Name: 190729M1_30, Date: 29-Jul-2019, Time: 19:56:39, ID: B9G0280-BSD1 LCSD 0.125, Description: LCSD

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0280-BSD1 LCSD 0.125	1.34e4	74.6	NO
2	2	13C5-PFHxA	B9G0280-BSD1 LCSD 0.125	2.59e4	84.3	NO
3	3	18O2-PFHxS	B9G0280-BSD1 LCSD 0.125	1.71e3	97.2	NO
4	4	13C8-PFOA	B9G0280-BSD1 LCSD 0.125	3.38e4	93.5	NO
5	5	13C9-PFNA	B9G0280-BSD1 LCSD 0.125	2.27e4	89.1	NO
6	6	13C4-PFOS	B9G0280-BSD1 LCSD 0.125	4.12e3	91.9	NO
7	7	13C6-PFDA	B9G0280-BSD1 LCSD 0.125	3.04e4	91.7	NO
8	8	13C7-PFUdA	B9G0280-BSD1 LCSD 0.125	3.75e4	92.8	NO

Name: 190729M1_31, Date: 29-Jul-2019, Time: 20:07:17, ID: B9G0280-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0280-BLK1 Method Blank 0.125	1.25e4	69.9	NO
2	2	13C5-PFHxA	B9G0280-BLK1 Method Blank 0.125	2.48e4	80.8	NO
3	3	18O2-PFHxS	B9G0280-BLK1 Method Blank 0.125	1.75e3	99.1	NO
4	4	13C8-PFOA	B9G0280-BLK1 Method Blank 0.125	3.15e4	87.1	NO
5	5	13C9-PFNA	B9G0280-BLK1 Method Blank 0.125	2.25e4	88.3	NO
6	6	13C4-PFOS	B9G0280-BLK1 Method Blank 0.125	4.29e3	95.6	NO
7	7	13C6-PFDA	B9G0280-BLK1 Method Blank 0.125	3.00e4	90.5	NO
8	8	13C7-PFUdA	B9G0280-BLK1 Method Blank 0.125	3.62e4	89.8	NO

Name: 190729M1_32, Date: 29-Jul-2019, Time: 20:17:55, ID: 1902189-06RE1 EB-07152019-GW 0.11737, Description: EB-07152019-GW

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-06RE1 EB-07152019-GW 0.1...	1.45e4	81.2	NO
2	2	13C5-PFHxA	1902189-06RE1 EB-07152019-GW 0.1...	2.63e4	85.6	NO
3	3	18O2-PFHxS	1902189-06RE1 EB-07152019-GW 0.1...	1.95e3	110.7	NO
4	4	13C8-PFOA	1902189-06RE1 EB-07152019-GW 0.1...	3.52e4	97.1	NO
5	5	13C9-PFNA	1902189-06RE1 EB-07152019-GW 0.1...	2.54e4	99.5	NO
6	6	13C4-PFOS	1902189-06RE1 EB-07152019-GW 0.1...	4.91e3	109.3	NO
7	7	13C6-PFDA	1902189-06RE1 EB-07152019-GW 0.1...	3.36e4	101.3	NO
8	8	13C7-PFUdA	1902189-06RE1 EB-07152019-GW 0.1...	3.80e4	94.2	NO

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_33, Date: 29-Jul-2019, Time: 20:28:28, ID: 1902189-07RE1 FRB-07152019 0.11861, Description: FRB-07152019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-07RE1 FRB-07152019 0.11861	1.43e4	80.0	NO
2	2	13C5-PFHxA	1902189-07RE1 FRB-07152019 0.11861	2.92e4	94.9	NO
3	3	18O2-PFHxS	1902189-07RE1 FRB-07152019 0.11861	2.08e3	118.1	NO
4	4	13C8-PFOA	1902189-07RE1 FRB-07152019 0.11861	3.72e4	102.7	NO
5	5	13C9-PFNA	1902189-07RE1 FRB-07152019 0.11861	2.86e4	112.3	NO
6	6	13C4-PFOS	1902189-07RE1 FRB-07152019 0.11861	5.10e3	113.8	NO
7	7	13C6-PFDA	1902189-07RE1 FRB-07152019 0.11861	3.58e4	108.2	NO
8	8	13C7-PFUdA	1902189-07RE1 FRB-07152019 0.11861	4.36e4	108.0	NO

Name: 190729M1_34, Date: 29-Jul-2019, Time: 20:39:06, ID: 1902189-11RE1 EB-07162019-GW 0.1143, Description: EB-07162019-GW

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-11RE1 EB-07162019-GW 0.11..	1.67e4	93.1	NO
2	2	13C5-PFHxA	1902189-11RE1 EB-07162019-GW 0.11..	2.89e4	94.2	NO
3	3	18O2-PFHxS	1902189-11RE1 EB-07162019-GW 0.11..	1.87e3	106.1	NO
4	4	13C8-PFOA	1902189-11RE1 EB-07162019-GW 0.11..	3.45e4	95.3	NO
5	5	13C9-PFNA	1902189-11RE1 EB-07162019-GW 0.11..	2.52e4	98.8	NO
6	6	13C4-PFOS	1902189-11RE1 EB-07162019-GW 0.11..	4.52e3	100.7	NO
7	7	13C6-PFDA	1902189-11RE1 EB-07162019-GW 0.11..	3.30e4	99.6	NO
8	8	13C7-PFUdA	1902189-11RE1 EB-07162019-GW 0.11..	3.80e4	94.2	NO

Name: 190729M1_35, Date: 29-Jul-2019, Time: 20:49:39, ID: 1902189-13RE1 FRB-07162019 0.11778, Description: FRB-07162019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-13RE1 FRB-07162019 0.11778	1.50e4	83.9	NO
2	2	13C5-PFHxA	1902189-13RE1 FRB-07162019 0.11778	2.76e4	89.9	NO
3	3	18O2-PFHxS	1902189-13RE1 FRB-07162019 0.11778	2.03e3	115.3	NO
4	4	13C8-PFOA	1902189-13RE1 FRB-07162019 0.11778	3.53e4	97.4	NO
5	5	13C9-PFNA	1902189-13RE1 FRB-07162019 0.11778	2.60e4	102.1	NO
6	6	13C4-PFOS	1902189-13RE1 FRB-07162019 0.11778	5.10e3	113.8	NO
7	7	13C6-PFDA	1902189-13RE1 FRB-07162019 0.11778	3.32e4	100.1	NO
8	8	13C7-PFUdA	1902189-13RE1 FRB-07162019 0.11778	4.29e4	106.2	NO

Name: 190729M1_36, Date: 29-Jul-2019, Time: 21:00:17, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA	8.51e0	0.0	YES
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA	5.35e0	0.0	YES

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190729M1-11 PFC CS3 19G2006	1.39e4	77.7	NO
2	2	13C5-PFHxA	ST190729M1-11 PFC CS3 19G2006	3.15e4	102.6	NO
3	3	18O2-PFHxS	ST190729M1-11 PFC CS3 19G2006	1.83e3	103.9	NO
4	4	13C8-PFOA	ST190729M1-11 PFC CS3 19G2006	3.82e4	105.4	NO
5	5	13C9-PFNA	ST190729M1-11 PFC CS3 19G2006	2.78e4	109.3	NO
6	6	13C4-PFOS	ST190729M1-11 PFC CS3 19G2006	4.76e3	106.0	NO
7	7	13C6-PFDA	ST190729M1-11 PFC CS3 19G2006	3.48e4	104.9	NO
8	8	13C7-PFUdA	ST190729M1-11 PFC CS3 19G2006	4.17e4	103.2	NO

Name: 190729M1_38, Date: 29-Jul-2019, Time: 21:21:28, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190729M1_39, Date: 29-Jul-2019, Time: 21:32:01, ID: 1902189-14RE1 EB-07162019 0.11477, Description: EB-07162019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-14RE1 EB-07162019 0.11477	1.43e4	79.6	NO
2	2	13C5-PFHxA	1902189-14RE1 EB-07162019 0.11477	2.71e4	88.3	NO
3	3	18O2-PFHxS	1902189-14RE1 EB-07162019 0.11477	1.84e3	104.6	NO
4	4	13C8-PFOA	1902189-14RE1 EB-07162019 0.11477	3.35e4	92.5	NO
5	5	13C9-PFNA	1902189-14RE1 EB-07162019 0.11477	2.40e4	94.1	NO
6	6	13C4-PFOS	1902189-14RE1 EB-07162019 0.11477	4.45e3	99.3	NO
7	7	13C6-PFDA	1902189-14RE1 EB-07162019 0.11477	3.25e4	98.0	NO
8	8	13C7-PFUdA	1902189-14RE1 EB-07162019 0.11477	3.91e4	96.8	NO

Name: 190729M1_40, Date: 29-Jul-2019, Time: 21:42:32, ID: 1902189-19RE1 FRB-07172019 0.11079, Description: FRB-07172019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-19RE1 FRB-07172019 0.11079	1.45e4	81.3	NO
2	2	13C5-PFHxA	1902189-19RE1 FRB-07172019 0.11079	2.70e4	88.0	NO
3	3	18O2-PFHxS	1902189-19RE1 FRB-07172019 0.11079	1.84e3	104.5	NO
4	4	13C8-PFOA	1902189-19RE1 FRB-07172019 0.11079	3.25e4	89.8	NO
5	5	13C9-PFNA	1902189-19RE1 FRB-07172019 0.11079	2.32e4	91.2	NO
6	6	13C4-PFOS	1902189-19RE1 FRB-07172019 0.11079	4.24e3	94.6	NO
7	7	13C6-PFDA	1902189-19RE1 FRB-07172019 0.11079	2.94e4	88.7	NO
8	8	13C7-PFUdA	1902189-19RE1 FRB-07172019 0.11079	3.67e4	90.9	NO

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_41, Date: 29-Jul-2019, Time: 21:53:10, ID: 1902189-20RE1 EB-07172019 0.11706, Description: EB-07172019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-20RE1 EB-07172019 0.11706	1.53e4	85.7	NO
2	2	13C5-PFHxA	1902189-20RE1 EB-07172019 0.11706	2.92e4	94.9	NO
3	3	18O2-PFHxS	1902189-20RE1 EB-07172019 0.11706	1.82e3	103.2	NO
4	4	13C8-PFOA	1902189-20RE1 EB-07172019 0.11706	3.42e4	94.5	NO
5	5	13C9-PFNA	1902189-20RE1 EB-07172019 0.11706	2.49e4	97.6	NO
6	6	13C4-PFOS	1902189-20RE1 EB-07172019 0.11706	4.61e3	102.8	NO
7	7	13C6-PFDA	1902189-20RE1 EB-07172019 0.11706	3.38e4	102.0	NO
8	8	13C7-PFUdA	1902189-20RE1 EB-07172019 0.11706	4.04e4	100.0	NO

Name: 190729M1_42, Date: 29-Jul-2019, Time: 22:03:43, ID: 1902272-01 REEPEF1758FS 0.11496, Description: REEPEF1758FS

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902272-01 REEPEF1758FS 0.11496	1.54e4	86.3	NO
2	2	13C5-PFHxA	1902272-01 REEPEF1758FS 0.11496	2.80e4	91.3	NO
3	3	18O2-PFHxS	1902272-01 REEPEF1758FS 0.11496	1.79e3	101.4	NO
4	4	13C8-PFOA	1902272-01 REEPEF1758FS 0.11496	3.21e4	88.8	NO
5	5	13C9-PFNA	1902272-01 REEPEF1758FS 0.11496	2.29e4	90.0	NO
6	6	13C4-PFOS	1902272-01 REEPEF1758FS 0.11496	4.46e3	99.4	NO
7	7	13C6-PFDA	1902272-01 REEPEF1758FS 0.11496	2.93e4	88.4	NO
8	8	13C7-PFUdA	1902272-01 REEPEF1758FS 0.11496	3.57e4	88.4	NO

Name: 190729M1_43, Date: 29-Jul-2019, Time: 22:14:22, ID: B9G0226-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0226-BS1 OPR 0.125	1.64e4	91.7	NO
2	2	13C5-PFHxA	B9G0226-BS1 OPR 0.125	2.88e4	93.6	NO
3	3	18O2-PFHxS	B9G0226-BS1 OPR 0.125	1.76e3	100.0	NO
4	4	13C8-PFOA	B9G0226-BS1 OPR 0.125	3.25e4	89.7	NO
5	5	13C9-PFNA	B9G0226-BS1 OPR 0.125	2.10e4	82.3	NO
6	6	13C4-PFOS	B9G0226-BS1 OPR 0.125	3.39e3	75.5	NO
7	7	13C6-PFDA	B9G0226-BS1 OPR 0.125	1.86e4	56.3	NO
8	8	13C7-PFUdA	B9G0226-BS1 OPR 0.125	1.03e4	25.6	YES

Name: 190729M1_44, Date: 29-Jul-2019, Time: 22:24:55, ID: B9G0226-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0226-BLK1 Method Blank 0.125	1.62e4	90.6	NO
2	2	13C5-PFHxA	B9G0226-BLK1 Method Blank 0.125	2.85e4	92.7	NO
3	3	18O2-PFHxS	B9G0226-BLK1 Method Blank 0.125	1.77e3	100.2	NO
4	4	13C8-PFOA	B9G0226-BLK1 Method Blank 0.125	3.17e4	87.6	NO
5	5	13C9-PFNA	B9G0226-BLK1 Method Blank 0.125	1.75e4	68.8	NO
6	6	13C4-PFOS	B9G0226-BLK1 Method Blank 0.125	2.28e3	50.8	NO
7	7	13C6-PFDA	B9G0226-BLK1 Method Blank 0.125	1.33e4	40.1	YES
8	8	13C7-PFUdA	B9G0226-BLK1 Method Blank 0.125	5.80e3	14.4	YES

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_45, Date: 29-Jul-2019, Time: 22:35:33, ID: 1902161-02 Field Blank 0.11434, Description: Field Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902161-02 Field Blank 0.11434	1.54e4	85.8	NO
2	2	13C5-PFHxA	1902161-02 Field Blank 0.11434	2.68e4	87.3	NO
3	3	18O2-PFHxS	1902161-02 Field Blank 0.11434	1.72e3	97.7	NO
4	4	13C8-PFOA	1902161-02 Field Blank 0.11434	2.98e4	82.2	NO
5	5	13C9-PFNA	1902161-02 Field Blank 0.11434	1.83e4	71.8	NO
6	6	13C4-PFOS	1902161-02 Field Blank 0.11434	3.31e3	73.7	NO
7	7	13C6-PFDA	1902161-02 Field Blank 0.11434	1.63e4	49.3	YES
8	8	13C7-PFUdA	1902161-02 Field Blank 0.11434	9.19e3	22.8	YES

Name: 190729M1_46, Date: 29-Jul-2019, Time: 22:46:12, ID: 1902199-01 MW B 0.11845, Description: MW B

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902199-01 MW B 0.11845	1.68e4	93.7	NO
2	2	13C5-PFHxA	1902199-01 MW B 0.11845	2.96e4	96.3	NO
3	3	18O2-PFHxS	1902199-01 MW B 0.11845	1.95e3	110.9	NO
4	4	13C8-PFOA	1902199-01 MW B 0.11845	3.43e4	94.8	NO
5	5	13C9-PFNA	1902199-01 MW B 0.11845	2.05e4	80.3	NO
6	6	13C4-PFOS	1902199-01 MW B 0.11845	3.27e3	73.0	NO
7	7	13C6-PFDA	1902199-01 MW B 0.11845	1.81e4	54.6	NO
8	8	13C7-PFUdA	1902199-01 MW B 0.11845	8.55e3	21.2	YES

Name: 190729M1_47, Date: 29-Jul-2019, Time: 22:56:44, ID: 1902199-02 MW 1 0.10879, Description: MW 1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902199-02 MW 1 0.10879	1.44e4	80.7	NO
2	2	13C5-PFHxA	1902199-02 MW 1 0.10879	2.76e4	89.9	NO
3	3	18O2-PFHxS	1902199-02 MW 1 0.10879	1.73e3	98.1	NO
4	4	13C8-PFOA	1902199-02 MW 1 0.10879	2.99e4	82.7	NO
5	5	13C9-PFNA	1902199-02 MW 1 0.10879	1.90e4	74.6	NO
6	6	13C4-PFOS	1902199-02 MW 1 0.10879	3.03e3	67.5	NO
7	7	13C6-PFDA	1902199-02 MW 1 0.10879	1.86e4	56.2	NO
8	8	13C7-PFUdA	1902199-02 MW 1 0.10879	1.15e4	28.4	YES

Name: 190729M1_48, Date: 29-Jul-2019, Time: 23:07:23, ID: 1902199-03 MW 2 0.11618, Description: MW 2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902199-03 MW 2 0.11618	1.40e4	78.3	NO
2	2	13C5-PFHxA	1902199-03 MW 2 0.11618	2.72e4	88.6	NO
3	3	18O2-PFHxS	1902199-03 MW 2 0.11618	1.69e3	95.8	NO
4	4	13C8-PFOA	1902199-03 MW 2 0.11618	3.24e4	89.5	NO
5	5	13C9-PFNA	1902199-03 MW 2 0.11618	2.08e4	81.5	NO
6	6	13C4-PFOS	1902199-03 MW 2 0.11618	3.66e3	81.6	NO
7	7	13C6-PFDA	1902199-03 MW 2 0.11618	2.28e4	68.8	NO
8	8	13C7-PFUdA	1902199-03 MW 2 0.11618	1.70e4	42.0	YES

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_49, Date: 29-Jul-2019, Time: 23:17:55, ID: 1902200-01 114 E. Main St. 0.1209, Description: 114 E. Main St.

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902200-01 114 E. Main St. 0.1209	1.50e4	83.8	NO
2	2	13C5-PFHxA	1902200-01 114 E. Main St. 0.1209	2.74e4	89.1	NO
3	3	18O2-PFHxS	1902200-01 114 E. Main St. 0.1209	1.74e3	98.5	NO
4	4	13C8-PFOA	1902200-01 114 E. Main St. 0.1209	2.93e4	80.8	NO
5	5	13C9-PFNA	1902200-01 114 E. Main St. 0.1209	1.78e4	69.8	NO
6	6	13C4-PFOS	1902200-01 114 E. Main St. 0.1209	2.52e3	56.3	NO
7	7	13C6-PFDA	1902200-01 114 E. Main St. 0.1209	1.54e4	46.6	YES
8	8	13C7-PFUdA	1902200-01 114 E. Main St. 0.1209	7.32e3	18.1	YES

Name: 190729M1_50, Date: 29-Jul-2019, Time: 23:28:34, ID: 1902201-01 Phase I West 0.11131, Description: Phase I West

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902201-01 Phase I West 0.11131	1.37e4	76.5	NO
2	2	13C5-PFHxA	1902201-01 Phase I West 0.11131	2.56e4	83.3	NO
3	3	18O2-PFHxS	1902201-01 Phase I West 0.11131	1.72e3	97.7	NO
4	4	13C8-PFOA	1902201-01 Phase I West 0.11131	3.14e4	86.8	NO
5	5	13C9-PFNA	1902201-01 Phase I West 0.11131	2.16e4	84.7	NO
6	6	13C4-PFOS	1902201-01 Phase I West 0.11131	3.63e3	80.9	NO
7	7	13C6-PFDA	1902201-01 Phase I West 0.11131	2.28e4	68.7	NO
8	8	13C7-PFUdA	1902201-01 Phase I West 0.11131	1.70e4	42.2	YES

Name: 190729M1_51, Date: 29-Jul-2019, Time: 23:39:12, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA	1.78e1	0.0	YES

Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190729M1-12 PFC CS3 19G2006	1.41e4	78.8	NO
2	2	13C5-PFHxA	ST190729M1-12 PFC CS3 19G2006	3.30e4	107.4	NO
3	3	18O2-PFHxS	ST190729M1-12 PFC CS3 19G2006	2.14e3	121.6	NO
4	4	13C8-PFOA	ST190729M1-12 PFC CS3 19G2006	3.74e4	103.4	NO
5	5	13C9-PFNA	ST190729M1-12 PFC CS3 19G2006	2.72e4	106.8	NO
6	6	13C4-PFOS	ST190729M1-12 PFC CS3 19G2006	5.05e3	112.6	NO
7	7	13C6-PFDA	ST190729M1-12 PFC CS3 19G2006	3.54e4	106.8	NO
8	8	13C7-PFUdA	ST190729M1-12 PFC CS3 19G2006	4.06e4	100.5	NO

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_53, Date: 30-Jul-2019, Time: 00:00:23, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA	9.65e0	0.0	YES
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA	2.05e1	0.1	YES

Name: 190729M1_54, Date: 30-Jul-2019, Time: 00:10:53, ID: 1902201-02 Phase II West 0.11309, Description: Phase II West

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902201-02 Phase II West 0.11309	1.35e4	75.2	NO
2	2	13C5-PFHxA	1902201-02 Phase II West 0.11309	2.66e4	86.7	NO
3	3	18O2-PFHxS	1902201-02 Phase II West 0.11309	1.82e3	103.1	NO
4	4	13C8-PFOA	1902201-02 Phase II West 0.11309	3.20e4	88.3	NO
5	5	13C9-PFNA	1902201-02 Phase II West 0.11309	2.20e4	86.3	NO
6	6	13C4-PFOS	1902201-02 Phase II West 0.11309	3.61e3	80.4	NO
7	7	13C6-PFDA	1902201-02 Phase II West 0.11309	2.33e4	70.3	NO
8	8	13C7-PFUdA	1902201-02 Phase II West 0.11309	1.81e4	44.8	YES

Name: 190729M1_55, Date: 30-Jul-2019, Time: 00:21:32, ID: 1902201-03 Phase II East 0.1121, Description: Phase II East

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902201-03 Phase II East 0.1121	1.48e4	82.8	NO
2	2	13C5-PFHxA	1902201-03 Phase II East 0.1121	2.79e4	90.9	NO
3	3	18O2-PFHxS	1902201-03 Phase II East 0.1121	1.75e3	99.1	NO
4	4	13C8-PFOA	1902201-03 Phase II East 0.1121	3.28e4	90.5	NO
5	5	13C9-PFNA	1902201-03 Phase II East 0.1121	2.09e4	82.1	NO
6	6	13C4-PFOS	1902201-03 Phase II East 0.1121	3.43e3	76.5	NO
7	7	13C6-PFDA	1902201-03 Phase II East 0.1121	1.99e4	60.0	NO
8	8	13C7-PFUdA	1902201-03 Phase II East 0.1121	1.37e4	33.9	YES

Name: 190729M1_56, Date: 30-Jul-2019, Time: 00:32:05, ID: 1902202-01 EFF PFAS 0.11169, Description: EFF PFAS

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902202-01 EFF PFAS 0.11169	1.36e4	76.1	NO
2	2	13C5-PFHxA	1902202-01 EFF PFAS 0.11169	2.50e4	81.5	NO
3	3	18O2-PFHxS	1902202-01 EFF PFAS 0.11169	1.66e3	94.4	NO
4	4	13C8-PFOA	1902202-01 EFF PFAS 0.11169	2.78e4	76.8	NO
5	5	13C9-PFNA	1902202-01 EFF PFAS 0.11169	1.90e4	74.4	NO
6	6	13C4-PFOS	1902202-01 EFF PFAS 0.11169	3.37e3	75.2	NO
7	7	13C6-PFDA	1902202-01 EFF PFAS 0.11169	2.12e4	64.1	NO
8	8	13C7-PFUdA	1902202-01 EFF PFAS 0.11169	1.70e4	42.1	YES

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_57, Date: 30-Jul-2019, Time: 00:42:43, ID: B9G0261-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0261-BS1 OPR 1	1.44e4	80.7	NO
2	2	13C5-PFHxA	B9G0261-BS1 OPR 1	2.63e4	85.5	NO
3	3	18O2-PFHxS	B9G0261-BS1 OPR 1	1.75e3	99.1	NO
4	4	13C8-PFOA	B9G0261-BS1 OPR 1	3.32e4	91.8	NO
5	5	13C9-PFNA	B9G0261-BS1 OPR 1	2.35e4	92.0	NO
6	6	13C4-PFOS	B9G0261-BS1 OPR 1	4.31e3	96.1	NO
7	7	13C6-PFDA	B9G0261-BS1 OPR 1	2.99e4	90.1	NO
8	8	13C7-PFUdA	B9G0261-BS1 OPR 1	3.70e4	91.8	NO

Name: 190729M1_58, Date: 30-Jul-2019, Time: 00:53:16, ID: B9G0261-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0261-BLK1 Method Blank 1	1.46e4	81.6	NO
2	2	13C5-PFHxA	B9G0261-BLK1 Method Blank 1	2.61e4	85.0	NO
3	3	18O2-PFHxS	B9G0261-BLK1 Method Blank 1	1.77e3	100.5	NO
4	4	13C8-PFOA	B9G0261-BLK1 Method Blank 1	3.31e4	91.5	NO
5	5	13C9-PFNA	B9G0261-BLK1 Method Blank 1	2.30e4	90.1	NO
6	6	13C4-PFOS	B9G0261-BLK1 Method Blank 1	4.41e3	98.3	NO
7	7	13C6-PFDA	B9G0261-BLK1 Method Blank 1	3.11e4	93.9	NO
8	8	13C7-PFUdA	B9G0261-BLK1 Method Blank 1	3.63e4	89.9	NO

Name: 190729M1_59, Date: 30-Jul-2019, Time: 01:03:55, ID: 1902051-01 FBLM-1 3.16, Description: FBLM-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902051-01 FBLM-1 3.16	1.30e4	72.6	NO
2	2	13C5-PFHxA	1902051-01 FBLM-1 3.16	2.27e4	73.7	NO
3	3	18O2-PFHxS	1902051-01 FBLM-1 3.16	1.76e3	99.7	NO
4	4	13C8-PFOA	1902051-01 FBLM-1 3.16	2.98e4	82.2	NO
5	5	13C9-PFNA	1902051-01 FBLM-1 3.16	1.96e4	76.8	NO
6	6	13C4-PFOS	1902051-01 FBLM-1 3.16	3.96e3	88.3	NO
7	7	13C6-PFDA	1902051-01 FBLM-1 3.16	2.19e4	66.2	NO
8	8	13C7-PFUdA	1902051-01 FBLM-1 3.16	2.05e4	50.7	NO

Name: 190729M1_60, Date: 30-Jul-2019, Time: 01:14:27, ID: 1902051-02 FBLM-2 3.19, Description: FBLM-2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902051-02 FBLM-2 3.19	1.23e4	68.6	NO
2	2	13C5-PFHxA	1902051-02 FBLM-2 3.19	2.09e4	68.1	NO
3	3	18O2-PFHxS	1902051-02 FBLM-2 3.19	1.48e3	84.3	NO
4	4	13C8-PFOA	1902051-02 FBLM-2 3.19	2.59e4	71.7	NO
5	5	13C9-PFNA	1902051-02 FBLM-2 3.19	1.67e4	65.5	NO
6	6	13C4-PFOS	1902051-02 FBLM-2 3.19	3.34e3	74.5	NO
7	7	13C6-PFDA	1902051-02 FBLM-2 3.19	1.72e4	51.9	NO
8	8	13C7-PFUdA	1902051-02 FBLM-2 3.19	1.38e4	34.2	YES

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_61, Date: 30-Jul-2019, Time: 01:25:05, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA	8.29e0	0.0	YES

Name: 190729M1_62, Date: 30-Jul-2019, Time: 01:35:44, ID: NEW SPIKE TESTER, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	NEW SPIKE TESTER	1.01e4	56.3	NO
2	2	13C5-PFHxA	NEW SPIKE TESTER	2.40e4	78.1	NO
3	3	18O2-PFHxS	NEW SPIKE TESTER	1.48e3	84.2	NO
4	4	13C8-PFOA	NEW SPIKE TESTER	2.95e4	81.5	NO
5	5	13C9-PFNA	NEW SPIKE TESTER	2.04e4	80.0	NO
6	6	13C4-PFOS	NEW SPIKE TESTER	3.48e3	77.6	NO
7	7	13C6-PFDA	NEW SPIKE TESTER	3.28e4	99.0	NO
8	8	13C7-PFUdA	NEW SPIKE TESTER	3.10e4	76.9	NO

Name: 190729M1_63, Date: 30-Jul-2019, Time: 01:46:16, ID: B9G0281-BS1 OPR 0.25, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0281-BS1 OPR 0.25	1.48e4	82.7	NO
2	2	13C5-PFHxA	B9G0281-BS1 OPR 0.25	2.63e4	85.5	NO
3	3	18O2-PFHxS	B9G0281-BS1 OPR 0.25	1.67e3	94.8	NO
4	4	13C8-PFOA	B9G0281-BS1 OPR 0.25	3.03e4	83.7	NO
5	5	13C9-PFNA	B9G0281-BS1 OPR 0.25	1.93e4	75.7	NO
6	6	13C4-PFOS	B9G0281-BS1 OPR 0.25	3.09e3	68.8	NO
7	7	13C6-PFDA	B9G0281-BS1 OPR 0.25	1.71e4	51.6	NO
8	8	13C7-PFUdA	B9G0281-BS1 OPR 0.25	7.36e3	18.2	YES

Name: 190729M1_64, Date: 30-Jul-2019, Time: 01:56:55, ID: B9G0281-BLK1 Method Blank 0.25, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0281-BLK1 Method Blank 0.25	1.42e4	79.5	NO
2	2	13C5-PFHxA	B9G0281-BLK1 Method Blank 0.25	2.43e4	79.2	NO
3	3	18O2-PFHxS	B9G0281-BLK1 Method Blank 0.25	1.53e3	86.9	NO
4	4	13C8-PFOA	B9G0281-BLK1 Method Blank 0.25	2.82e4	77.8	NO
5	5	13C9-PFNA	B9G0281-BLK1 Method Blank 0.25	1.67e4	65.6	NO
6	6	13C4-PFOS	B9G0281-BLK1 Method Blank 0.25	2.06e3	45.8	YES
7	7	13C6-PFDA	B9G0281-BLK1 Method Blank 0.25	1.13e4	34.1	YES
8	8	13C7-PFUdA	B9G0281-BLK1 Method Blank 0.25	4.22e3	10.4	YES

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 09:19:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:20:09 Pacific Daylight Time

Name: 190729M1_65, Date: 30-Jul-2019, Time: 02:07:33, ID: 1902161-01 Digestor 1, Description: Digestor

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902161-01 Digestor 1	1.56e4	87.2	NO
2	2	13C5-PFHxA	1902161-01 Digestor 1	2.62e4	85.1	NO
3	3	18O2-PFHxS	1902161-01 Digestor 1	1.94e3	110.2	NO
4	4	13C8-PFOA	1902161-01 Digestor 1	3.60e4	99.3	NO
5	5	13C9-PFNA	1902161-01 Digestor 1	2.62e4	103.0	NO
6	6	13C4-PFOS	1902161-01 Digestor 1	4.67e3	104.1	NO
7	7	13C6-PFDA	1902161-01 Digestor 1	2.98e4	89.8	NO
8	8	13C7-PFUdA	1902161-01 Digestor 1	2.99e4	74.1	NO

Name: 190729M1_66, Date: 30-Jul-2019, Time: 02:18:06, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA	2.24e1	0.1	YES

Name: 190729M1_67, Date: 30-Jul-2019, Time: 02:28:44, ID: ST190729M1-13 PFC CS3 19G2006, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190729M1-13 PFC CS3 19G2006	1.39e4	77.8	NO
2	2	13C5-PFHxA	ST190729M1-13 PFC CS3 19G2006	3.18e4	103.4	NO
3	3	18O2-PFHxS	ST190729M1-13 PFC CS3 19G2006	1.95e3	110.8	NO
4	4	13C8-PFOA	ST190729M1-13 PFC CS3 19G2006	3.87e4	106.9	NO
5	5	13C9-PFNA	ST190729M1-13 PFC CS3 19G2006	2.71e4	106.5	NO
6	6	13C4-PFOS	ST190729M1-13 PFC CS3 19G2006	4.96e3	110.5	NO
7	7	13C6-PFDA	ST190729M1-13 PFC CS3 19G2006	3.63e4	109.6	NO
8	8	13C7-PFUdA	ST190729M1-13 PFC CS3 19G2006	4.20e4	104.0	NO

Name: 190729M1_68, Date: 30-Jul-2019, Time: 02:39:17, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld

Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time

Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8		14292.375	1.00					NO		
2	2	PFPrS	248.9 > 79.9		2206.802	1.00					NO		
3	3	3:3 FTCA	240.9 > 176.9		17477.934	1.00					NO		
4	4	PFPeA	263.1 > 218.9		17477.934	1.00					NO		
5	5	PFBS	299.0 > 79.7		2206.802	1.00					NO		
6	6	4:2 FTS	327.0 > 306.9		3809.108	1.00					NO		
7	47	13C3-PFBA	216.1 > 171.8	14292.375	19516.148	1.00	1.55	9.154	12.3	98.5	NO		
8	49	13C3-PFBS	302.0 > 98.8	2206.802	2151.240	1.00	2.81	12.823	11.7	93.5	NO		
9	48	13C3-PFPeA	266.0 > 221.8	17477.934	32940.379	1.00	2.54	6.632	12.8	102.2	NO		
10	48	13C3-PFPeA	266.0 > 221.8	17477.934	32940.379	1.00	2.54	6.632	12.8	102.2	NO		
11	49	13C3-PFBS	302.0 > 98.8	2206.802	2151.240	1.00	2.81	12.823	11.7	93.5	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3809.108	2151.240	1.00	3.22	22.133	12.5	99.8	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0		12787.078	1.00					NO		
15	8	PFPeS	349.1>80.1		2206.802	1.00					NO		
16	9	HFPO-DA	285.1 > 168.9		1933.366	1.00					NO		
17	10	5:3 FTCA	340.9 > 236.9		15875.059	1.00					NO		
18	11	PFHpA	363.0 > 318.9		15875.059	1.00					NO		
19	12	ADONA	376.8 > 250.9		15875.059	1.00					NO		
20	52	13C2-PFHxA	315.0 > 270.0	12787.078	32940.379	1.00	3.31	4.852	4.8	96.9	NO		
21	49	13C3-PFBS	302.0 > 98.8	2206.802	2151.240	1.00	2.81	12.823	11.7	93.5	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1933.366	32940.379	1.00	3.53	0.734	4.8	96.2	NO		
23	53	13C4-PFHpA	367.2 > 321.8	15875.059	32940.379	1.00	3.94	6.024	13.1	104.7	NO		
24	53	13C4-PFHpA	367.2 > 321.8	15875.059	32940.379	1.00	3.94	6.024	13.1	104.7	NO		
25	53	13C4-PFHpA	367.2 > 321.8	15875.059	32940.379	1.00	3.94	6.024	13.1	104.7	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	15.539	4248.858	1.00	4.09	0.046	0.1		NO	3.428	YES
28	15	6:2 FTS	427.0 > 406.9	12.529	2632.835	1.00	4.42	0.059	0.0		NO	1.348	NO
29	16	L-PFOA	412.8 > 368.9	354.513	26948.506	1.00	4.46	0.164	0.1		NO	8.021	YES
30	18	PFecHS	460.8 > 381.0	19.569	26948.506	1.00	4.44	0.009	0.0		NO	2.944	YES
31	19	PFHpS	449.0 > 80.0	5.099	5318.221	1.00	4.56	0.012	0.1		NO	2.294	NO
32	20	7:3 FTCA	440.9 > 336.9		29492.055	1.00					NO		
33	54	13C3-PFHxS	401.8 > 79.9	4248.858	2151.240	1.00	4.08	24.688	11.6	92.4	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2632.835	5196.414	1.00	4.41	6.333	11.7	93.8	NO		
35	58	13C2-PFOA	414.9 > 369.7	26948.506	40778.023	1.00	4.46	8.261	12.4	99.4	NO		
36	58	13C2-PFOA	414.9 > 369.7	26948.506	40778.023	1.00	4.46	8.261	12.4	99.4	NO		

CGH 7/30/2019

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld

Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time

Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	5318.221	5196.414	1.00	4.97	12.793	12.7	102.0	NO		
38	56	13C5-PFNA	468.2 > 422.9	29492.055	28053.510	1.00	4.90	13.141	12.8	102.4	NO		
39	-1												
40	21	PFNA	463.0 > 418.8		29492.055	1.00					NO		
41	22	PFOSA	497.9 > 77.9		10074.689	1.00					NO		
42	23	L-PFOS	498.9 > 79.9	44.134	5318.221	1.00	4.87	0.104	0.2		NO	13.092	YES
43	25	9Cl-PF30NS	530.7 > 350.8		5318.221	1.00					NO		
44	26	PFDA	513 > 468.8	258.938	29700.191	1.00	5.26	0.109	0.1		NO	16.440	YES
45	27	8:2 FTS	527.0 > 506.9	22.719	3173.792	1.00	5.24	0.089	0.1		NO	1.108	NO
46	56	13C5-PFNA	468.2 > 422.9	29492.055	28053.510	1.00	4.90	13.141	12.8	102.4	NO		
47	57	13C8-PFOSA	506.1 > 77.7	10074.689	45226.652	1.00	4.95	2.785	11.9	95.0	NO		
48	59	13C8-PFOS	507.0 > 79.9	5318.221	5196.414	1.00	4.97	12.793	12.7	102.0	NO		
49	59	13C8-PFOS	507.0 > 79.9	5318.221	5196.414	1.00	4.97	12.793	12.7	102.0	NO		
50	60	13C2-PFDA	515.1 > 469.9	29700.191	38124.320	1.00	5.27	9.738	11.8	94.4	NO		
51	61	13C2-8:2 FTS	529 > 79.9	3173.792	5196.414	1.00	5.24	7.635	12.6	100.9	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	5.839	5318.221	1.00	5.29	0.014			NO	0.960	NO
54	29	L-MeFOSAA	570 > 419	95.054	7542.678	1.00	5.40	0.158	0.1		NO	4.238	YES
55	31	L-EtFOSAA	584.1 > 419	41.432	10333.103	1.00	5.57	0.050	0.0		NO	1.385	NO
56	33	PFUdA	563.0 > 518.9	260.603	40673.313	1.00	5.59	0.080			NO	47.529	YES
57	34	PFDS	598.8 > 79.9		3173.792	1.00					NO		
58	35	11Cl-PF30UdS	632.6 > 452.7		38830.172	1.00					NO		
59	59	13C8-PFOS	507.0 > 79.9	5318.221	5196.414	1.00	4.97	12.793	12.7	102.0	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	7542.678	45226.652	1.00	5.41	2.085	11.7	93.8	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	10333.103	45226.652	1.00	5.57	2.856	12.2	97.4	NO		
62	63	13C2-PFUdA	565 > 519.8	40673.313	45226.652	1.00	5.59	11.242	12.5	100.4	NO		
63	61	13C2-8:2 FTS	529 > 79.9	3173.792	5196.414	1.00	5.24	7.635	12.6	100.9	NO		
64	65	13C2-PFDoA	614.7 > 569.7	38830.172	38124.320	1.00	5.87	12.731	11.6	93.1	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	37.730	3173.792	1.00	5.85	0.149	0.0		NO	1.555	NO
67	37	PFDoA	612.9 > 569.0		38830.172	1.00					NO		
68	38	N-MeFOSA	512.1 > 168.9		18123.365	1.00					NO		
69	39	PFTrDA	662.9 > 618.9	245.359	38830.172	1.00	6.11	0.079	0.0		NO	61.648	YES
70	40	PFDoS	698.8 > 79.9		27253.000	1.00					NO		
71	41	PFTeDA	713.0 > 669.0	226.271	27253.000	1.00	6.31	0.104	0.0		NO	18.637	NO
72	65	13C2-PFDoA	614.7 > 569.7	38830.172	38124.320	1.00	5.87	12.731	11.6	93.1	NO		

CGH 7/30/2019

Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld

Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time

Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	38830.172	38124.320	1.00	5.87	12.731	11.6	93.1	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	18123.365	45226.652	1.00	5.83	5.009	136.3	90.9	NO		
75	65	13C2-PFDoA	614.7 > 569.7	38830.172	38124.320	1.00	5.87	12.731	11.6	93.1	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	27253.000	45226.652	1.00	6.31	7.532	12.4	99.1	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	27253.000	45226.652	1.00	6.31	7.532	12.4	99.1	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9		22049.973	1.00					NO		
80	43	PFHxDA	813.1 > 768.6	257.612	13324.824	1.00	6.62	0.097	0.1		NO	176.568	YES
81	44	PFODA	913.1 > 868.8	166.325	13324.824	1.00	6.84	0.062	0.0		NO		
82	45	N-MeFOSE	616.1 > 58.9	50.891	14583.543	1.00	6.31	0.523	0.6		NO		
83	46	N-EtFOSE	630.1 > 58.9		15499.773	1.00					NO		
84	72	13C4-PFBA	217.0 > 172.0	19516.148	19516.148	1.00	1.55	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	22049.973	45226.652	1.00	6.19	6.094	141.7	94.5	NO		
86	69	13C2-PFHxDA	815 > 769.7	13324.824	45226.652	1.00	6.62	3.683	4.7	94.9	NO		
87	69	13C2-PFHxDA	815 > 769.7	13324.824	45226.652	1.00	6.62	3.683	4.7	94.9	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	14583.543	45226.652	1.00	6.30	4.031	127.5	85.0	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	15499.773	45226.652	1.00	6.45	4.284	128.6	85.7	NO		
90	73	13C5-PFHxA	318.0 > 272.9	32940.379	32940.379	1.00	3.31	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	40778.023	40778.023	1.00	4.46	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	2151.240	2151.240	1.00	4.08	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	28053.510	28053.510	1.00	4.90	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	5196.414	5196.414	1.00	4.97	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	38124.320	38124.320	1.00	5.27	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	45226.652	45226.652	1.00	5.59	12.500	12.5	100.0	NO		

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld

Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072919.mdb 30 Jul 2019 08:09:20
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-29-19.cdb 30 Jul 2019 08:10:04

Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld

Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time


Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld

Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time


Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld

Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time


Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld

Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time


Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld

Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time


Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld


Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time

Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-IB.qld


Last Altered: Tuesday, July 30, 2019 08:37:46 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:42:47 Pacific Daylight Time

Name: 190729M1_14, Date: 29-Jul-2019, Time: 16:08:51, ID: IB, Description: IB


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 7/30/2019

LC Calibration Standards Review Checklist Q4

			ION Ratio	Concentration	C-Cals Name	Sign Date	Correct I-Cal	Manual Integrations	N/A
Calibration ID:	ST190729MI-11	L (M) H	☑	☑	☑	☑	☑	☑	☐
Calibration ID:	-12	L (M) H	☑	☑	☑	☑	☑	☑	☐
Calibration ID:	-13	L (M) H	☑	☑	☑	☐	☑	☑	☑
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐ N/A Cal 7/30/19	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐

Full Mass Cal. Date: 07/15/19

Run Log Present: ☑

# of Samples per Sequence Checked: ☑

Instrument Blank Saved ☑

All Branches in Acquisition Window ☑

IIS Area Saved ☑

Reviewed By: JM 7/30/19
Initials/Date

Comments:

Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld

Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time

√ am 7/30/19

Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006

3 am 7/30/19 3 am 7/30/19

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	12823.247	13373.215	1.00	1.52	11.986	10.0	100.1	NO		
2	2	PFPrS	248.9 > 79.9	2466.052	2224.815	1.00	1.87	13.855	9.5	95.2	NO	2.561	NO
3	3	3:3 FTCA	240.9 > 176.9	520.726	16578.684	1.00	2.35	0.393	9.8	98.4	NO	2.072	NO
4	4	PFPeA	263.1 > 218.9	11295.901	16578.684	1.00	2.50	8.517	9.9	98.8	NO		
5	5	PFBS	299.0 > 79.7	3722.394	2224.815	1.00	2.78	20.914	9.6	95.8	NO	2.891	NO
6	6	4:2 FTS	327.0 > 306.9	6343.898	3475.004	1.00	3.18	22.820	10.0	99.6	NO	1.775	NO
7	47	13C3-PFBA	216.1 > 171.8	13373.215	18427.984	1.00	1.52	9.071	12.2	97.6	NO		
8	49	13C3-PFBS	302.0 > 98.8	2224.815	1829.873	1.00	2.78	15.198	13.9	110.8	NO		
9	48	13C3-PFPeA	266.0 > 221.8	16578.684	31534.037	1.00	2.51	6.572	12.7	101.2	NO		
10	48	13C3-PFPeA	266.0 > 221.8	16578.684	31534.037	1.00	2.51	6.572	12.7	101.2	NO		
11	49	13C3-PFBS	302.0 > 98.8	2224.815	1829.873	1.00	2.78	15.198	13.9	110.8	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3475.004	1829.873	1.00	3.18	23.738	13.4	107.1	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	21872.766	12366.655	1.00	3.27	8.843	10.3	103.2	NO	15.650	NO
15	8	PFPeS	349.1>80.1	2546.288	2224.815	1.00	3.47	14.306	9.2	91.8	NO	1.261	NO
16	9	HFPO-DA	285.1 > 168.9	2104.303	2341.340	1.00	3.49	4.494	8.1	80.6	NO	2.337	NO
17	10	5:3 FTCA	340.9 > 236.9	2658.136	14298.082	1.00	3.84	2.324	9.5	95.4	NO	1.495	NO
18	11	PFHpA	363.0 > 318.9	14027.659	14298.082	1.00	3.90	12.264	10.2	101.8	NO	8.655	NO
19	12	ADONA	376.8 > 250.9	36619.555	14298.082	1.00	4.02	32.014	9.9	99.4	NO	3.515	NO
20	52	13C2-PFHxA	315.0 > 270.0	12366.655	31534.037	1.00	3.27	4.902	4.9	97.9	NO		
21	49	13C3-PFBS	302.0 > 98.8	2224.815	1829.873	1.00	2.78	15.198	13.9	110.8	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	2341.340	31534.037	1.00	3.49	0.928	6.1	121.6	NO		
23	53	13C4-PFHpA	367.2 > 321.8	14298.082	31534.037	1.00	3.90	5.668	12.3	98.5	NO		
24	53	13C4-PFHpA	367.2 > 321.8	14298.082	31534.037	1.00	3.90	5.668	12.3	98.5	NO		
25	53	13C4-PFHpA	367.2 > 321.8	14298.082	31534.037	1.00	3.90	5.668	12.3	98.5	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	2924.600	4137.884	1.00	4.05	8.835	10.1	100.6	NO	1.971	NO
28	15	6:2 FTS	427.0 > 406.9	6163.831	2720.754	1.00	4.37	28.319	9.6	96.0	NO	2.331	NO
29	16	L-PFOA	412.8 > 368.9	29645.900	24976.160	1.00	4.42	14.837	10.2	102.3	NO	3.673	NO
30	18	PFecHS	460.8 > 381.0	4676.610	24976.160	1.00	4.44	2.341	9.8	97.6	NO	0.918	NO
31	19	PFHpS	449.0 > 80.0	3430.561	4943.911	1.00	4.53	8.674	9.8	97.6	NO	1.853	NO
32	20	7:3 FTCA	440.9 > 336.9	4169.759	26602.219	1.00	4.85	1.959	9.1	91.3	NO	1.900	NO
33	54	13C3-PFHxS	401.8 > 79.9	4137.884	1829.873	1.00	4.05	28.266	13.2	105.8	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2720.754	4756.575	1.00	4.37	7.150	13.2	106.0	NO		
35	58	13C2-PFOA	414.9 > 369.7	24976.160	38154.504	1.00	4.42	8.183	12.3	98.5	NO		
36	58	13C2-PFOA	414.9 > 369.7	24976.160	38154.504	1.00	4.42	8.183	12.3	98.5	NO		

CGH 7/30/19

Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld

Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time

Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	4943.911	4756.575	1.00	4.94	12.992	12.9	103.6	NO		
38	56	13C5-PFNA	468.2 > 422.9	26602.219	27848.664	1.00	4.86	11.941	11.6	93.0	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	24084.500	26602.219	1.00	4.86	11.317	10.1	101.1	NO	3.905	NO
41	22	PFOSA	497.9 > 77.9	7407.675	8943.518	1.00	4.91	10.353	10.6	105.8	NO	27.843	NO
42	23	L-PFOS	498.9 > 79.9	3939.310	4943.911	1.00	4.94	9.960	9.5	95.2	NO	2.019	NO
43	25	9Cl-PF30NS	530.7 > 350.8	8283.862	4943.911	1.00	5.16	20.945	9.4	93.7	NO	17.154	NO
44	26	PFDA	513 > 468.8	28747.709	27373.809	1.00	5.23	13.127	10.9	109.2	NO	5.664	NO
45	27	8:2 FTS	527.0 > 506.9	4637.580	2754.767	1.00	5.21	21.043	10.2	102.5	NO	1.210	NO
46	56	13C5-PFNA	468.2 > 422.9	26602.219	27848.664	1.00	4.86	11.941	11.6	93.0	NO		
47	57	13C8-PFOSA	506.1 > 77.7	8943.518	41680.191	1.00	4.91	2.682	11.4	91.5	NO		
48	59	13C8-PFOS	507.0 > 79.9	4943.911	4756.575	1.00	4.94	12.992	12.9	103.6	NO		
49	59	13C8-PFOS	507.0 > 79.9	4943.911	4756.575	1.00	4.94	12.992	12.9	103.6	NO		
50	60	13C2-PFDA	515.1 > 469.9	27373.809	34762.699	1.00	5.23	9.843	11.9	95.5	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2754.767	4756.575	1.00	5.21	7.239	12.0	95.6	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	2811.883	4943.911	1.00	5.29	7.109	10.1	100.7	NO	1.515	NO
54	29	L-MeFOSAA	570 > 419	11512.983	6562.778	1.00	5.38	21.929	11.1	111.2	NO	2.473	NO
55	31	L-EtFOSAA	584.1 > 419	9618.484	9644.395	1.00	5.54	12.466	10.6	105.8	NO	1.383	NO
56	33	PFUdA	563.0 > 518.9	27889.896	38145.277	1.00	5.56	9.139	10.6	106.0	NO	9.142	NO
57	34	PFDS	598.8 > 79.9	3913.779	2754.767	1.00	5.60	17.759	10.7	106.9	NO	1.914	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	1678.539	36841.961	1.00	5.76	0.570	10.1	101.4	NO	5.482	NO
59	59	13C8-PFOS	507.0 > 79.9	4943.911	4756.575	1.00	4.94	12.992	12.9	103.6	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	6562.778	41680.191	1.00	5.38	1.968	11.1	88.6	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	9644.395	41680.191	1.00	5.53	2.892	12.3	98.6	NO		
62	63	13C2-PFUdA	565 > 519.8	38145.277	41680.191	1.00	5.56	11.440	12.8	102.2	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2754.767	4756.575	1.00	5.21	7.239	12.0	95.6	NO		
64	65	13C2-PFDoA	614.7 > 569.7	36841.961	34762.699	1.00	5.83	13.248	12.1	96.9	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	6850.574	2754.767	1.00	5.82	31.085	11.3	112.5	NO	1.645	NO
67	37	PFDoA	612.9 > 569.0	31431.910	36841.961	1.00	5.83	10.664	10.3	103.2	NO	8.434	NO
68	38	N-MeFOSA	512.1 > 168.9	6570.731	17401.340	1.00	5.80	56.640	51.9	103.7	NO	1.633	NO
69	39	PFTrDA	662.9 > 618.9	32449.219	36841.961	1.00	6.08	11.010	10.0	99.9	NO	21.264	NO
70	40	PFDoS	698.8 > 79.9	2995.053	25524.551	1.00	6.10	1.467	9.3	93.4	NO	1.716	NO
71	41	PFTeDA	713.0 > 669.0	28229.906	25524.551	1.00	6.28	13.825	9.5	94.7	NO	13.356	NO
72	65	13C2-PFDoA	614.7 > 569.7	36841.961	34762.699	1.00	5.83	13.248	12.1	96.9	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld

Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time

Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	36841.961	34762.699	1.00	5.83	13.248	12.1	96.9	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	17401.340	41680.191	1.00	5.82	5.219	142.1	94.7	NO		
75	65	13C2-PFDoA	614.7 > 569.7	36841.961	34762.699	1.00	5.83	13.248	12.1	96.9	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	25524.551	41680.191	1.00	6.28	7.655	12.6	100.7	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	25524.551	41680.191	1.00	6.28	7.655	12.6	100.7	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	6732.795	21642.008	1.00	6.17	46.665	49.5	99.0	NO	1.755	NO
80	43	PFHxDA	813.1 > 768.6	15759.738	12591.921	1.00	6.59	6.258	10.4	103.6	NO	21.867	NO
81	44	PFODA	913.1 > 868.8	20160.385	12591.921	1.00	6.81	8.005	11.0	109.6	NO		
82	45	N-MeFOSE	616.1 > 58.9	5039.819	14457.933	1.00	6.30	52.288	50.1	100.3	NO		
83	46	N-EtFOSE	630.1 > 58.9	6123.299	15143.154	1.00	6.46	60.654	51.2	102.5	NO		
84	72	13C4-PFBA	217.0 > 172.0	18427.984	18427.984	1.00	1.52	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	21642.008	41680.191	1.00	6.18	6.490	150.9	100.6	NO		
86	69	13C2-PFHxDA	815 > 769.7	12591.921	41680.191	1.00	6.59	3.776	4.9	97.3	NO		
87	69	13C2-PFHxDA	815 > 769.7	12591.921	41680.191	1.00	6.59	3.776	4.9	97.3	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	14457.933	41680.191	1.00	6.29	4.336	137.2	91.5	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	15143.154	41680.191	1.00	6.45	4.541	136.3	90.9	NO		
90	73	13C5-PFHxA	318.0 > 272.9	31534.037	31534.037	1.00	3.27	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	38154.504	38154.504	1.00	4.42	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	1829.873	1829.873	1.00	4.05	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	27848.664	27848.664	1.00	4.86	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4756.575	4756.575	1.00	4.94	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	34762.699	34762.699	1.00	5.23	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	41680.191	41680.191	1.00	5.56	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 08:58:09 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:58:15 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072919.mdb 30 Jul 2019 08:09:20
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-29-19.cdb 30 Jul 2019 08:10:04

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190729M1_1	IPA	29-Jul-19	13:51:05
2	2	190729M1_2	IPA	29-Jul-19	14:01:41
3	3	190729M1_3	IPA	29-Jul-19	14:12:14
4	4	190729M1_4	ST190729M1-1 PFC CS-2 19G2001	29-Jul-19	14:22:52
5	5	190729M1_5	ST190729M1-2 PFC CS-1 19G2002	29-Jul-19	14:33:25
6	6	190729M1_6	ST190729M1-3 PFC CS0 19G2003	29-Jul-19	14:43:55
7	7	190729M1_7	ST190729M1-4 PFC CS1 19G2004	29-Jul-19	14:54:34
8	8	190729M1_8	ST190729M1-5 PFC CS2 19G2005	29-Jul-19	15:05:12
9	9	190729M1_9	ST190729M1-6 PFC CS3 19G2006	29-Jul-19	15:15:45
10	10	190729M1_10	ST190729M1-7 PFC CS4 19G2007	29-Jul-19	15:26:23
11	11	190729M1_11	ST190729M1-8 PFC CS5 19G2008	29-Jul-19	15:37:02
12	12	190729M1_12	ST190729M1-9 PFC CS6 19G2009	29-Jul-19	15:47:34
13	13	190729M1_13	ST190729M1-10 PFC CS7 19G2010	29-Jul-19	15:58:13
14	14	190729M1_14	IB	29-Jul-19	16:08:51
15	15	190729M1_15	ICV190729M1-1 PFC ICV 19G2311	29-Jul-19	16:19:24
16	16	190729M1_16	IPA	29-Jul-19	16:30:02
17	17	190729M1_17	B9G0228-MSD1 Matrix Spike Dup 1.22	29-Jul-19	17:38:48
18	18	190729M1_18	1902048-08@100X B96-PFAS-SB74-0-2-070319 1.1	29-Jul-19	17:49:33
19	19	190729M1_19	IPA	29-Jul-19	18:00:11
20	20	190729M1_20	1902048-08 B96-PFAS-SB74-0-2-070319 1.1	29-Jul-19	18:10:44
21	21	190729M1_21	IPA	29-Jul-19	18:21:22
22	22	190729M1_22	IPA	29-Jul-19	18:31:56
23	23	190729M1_23	IPA	29-Jul-19	18:42:35
24	24	190729M1_24	IPA	29-Jul-19	18:53:07
25	25	190729M1_25	1902048-09 B96-PFAS-SB74-6.5-8.5-070319 1.2	29-Jul-19	19:03:46
26	26	190729M1_26	1902048-11 B96-PFAS-SB48-6-8-070819 1.06	29-Jul-19	19:14:19
27	27	190729M1_27	1902189-12RE1@5X NAOA-B06-GW 0.12473	29-Jul-19	19:24:57
28	28	190729M1_28	1902193-01 Wastewater-19-03 0.10887	29-Jul-19	19:35:30
29	29	190729M1_29	B9G0280-BS1 OPR 0.125	29-Jul-19	19:46:08
30	30	190729M1_30	B9G0280-BSD1 LCSD 0.125	29-Jul-19	19:56:39
31	31	190729M1_31	B9G0280-BLK1 Method Blank 0.125	29-Jul-19	20:07:17
32	32	190729M1_32	1902189-06RE1 EB-07152019-GW 0.11737	29-Jul-19	20:17:55

7/30/19

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 08:58:09 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:58:15 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
33	33	190729M1_33	1902189-07RE1 FRB-07152019 0.11861	29-Jul-19	20:28:28
34	34	190729M1_34	1902189-11RE1 EB-07162019-GW 0.1143	29-Jul-19	20:39:06
35	35	190729M1_35	1902189-13RE1 FRB-07162019 0.11778	29-Jul-19	20:49:39
36	36	190729M1_36	IPA	29-Jul-19	21:00:17
37	37	190729M1_37	ST190729M1-11 PFC CS3 19G2006 (A)	29-Jul-19	21:10:50
38	38	190729M1_38	IPA	29-Jul-19	21:21:28
39	39	190729M1_39	1902189-14RE1 EB-07162019 0.11477	29-Jul-19	21:32:01
40	40	190729M1_40	1902189-19RE1 FRB-07172019 0.11079	29-Jul-19	21:42:32
41	41	190729M1_41	1902189-20RE1 EB-07172019 0.11706	29-Jul-19	21:53:10
42	42	190729M1_42	1902272-01 REEPEF1758FS 0.11496	29-Jul-19	22:03:43
43	43	190729M1_43	B9G0226-BS1 OPR 0.125	29-Jul-19	22:14:22
44	44	190729M1_44	B9G0226-BLK1 Method Blank 0.125	29-Jul-19	22:24:55
45	45	190729M1_45	1902161-02 Field Blank 0.11434	29-Jul-19	22:35:33
46	46	190729M1_46	1902199-01 MW B 0.11845	29-Jul-19	22:46:12
47	47	190729M1_47	1902199-02 MW 1 0.10879	29-Jul-19	22:56:44
48	48	190729M1_48	1902199-03 MW 2 0.11618	29-Jul-19	23:07:23
49	49	190729M1_49	1902200-01 114 E. Main St. 0.1209	29-Jul-19	23:17:55
50	50	190729M1_50	1902201-01 Phase I West 0.11131	29-Jul-19	23:28:34
51	51	190729M1_51	IPA	29-Jul-19	23:39:12
52	52	190729M1_52	ST190729M1-12 PFC CS3 19G2006 (R)	29-Jul-19	23:49:45
53	53	190729M1_53	IPA	30-Jul-19	00:00:23
54	54	190729M1_54	1902201-02 Phase II West 0.11309	30-Jul-19	00:10:53
55	55	190729M1_55	1902201-03 Phase II East 0.1121	30-Jul-19	00:21:32
56	56	190729M1_56	1902202-01 EFF PFAS 0.11169	30-Jul-19	00:32:05
57	57	190729M1_57	B9G0261-BS1 OPR 1	30-Jul-19	00:42:43
58	58	190729M1_58	B9G0261-BLK1 Method Blank 1	30-Jul-19	00:53:16
59	59	190729M1_59	1902051-01 FBLM-1 3.16	30-Jul-19	01:03:55
60	60	190729M1_60	1902051-02 FBLM-2 3.19	30-Jul-19	01:14:27
61	61	190729M1_61	IPA	30-Jul-19	01:25:05
62	62	190729M1_62	NEW SPIKE TESTER	30-Jul-19	01:35:44
63	63	190729M1_63	B9G0281-BS1 OPR 0.25	30-Jul-19	01:46:16
64	64	190729M1_64	B9G0281-BLK1 Method Blank 0.25	30-Jul-19	01:56:55
65	65	190729M1_65	1902161-01 Digestor 1	30-Jul-19	02:07:33
66	66	190729M1_66	IPA	30-Jul-19	02:18:06
67	67	190729M1_67	ST190729M1-13 PFC CS3 19G2006	30-Jul-19	02:28:44
68	68	190729M1_68	IPA	30-Jul-19	02:39:17


Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld

Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072919.mdb 30 Jul 2019 08:09:20
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-29-19.cdb 30 Jul 2019 08:10:04

Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006

PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
1.584e+005




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
3.390e+004




F6:MRM of 2 channels,ES-
248.9 > 98.9
1.337e+004

3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
1.062e+004




F5:MRM of 2 channels,ES-
240.9 > 116.9
5.300e+003

PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
2.317e+005




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
8.564e+004




F11:MRM of 2 channels,ES-
299.0 > 99.0
3.116e+004

4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
1.874e+005




F16:MRM of 2 channels,ES-
327.0 > 80.9
1.021e+005


13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.659e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
5.299e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
3.324e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
3.324e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
5.299e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
1.023e+005





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld

Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time


Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld

Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time


Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld

Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time


Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld

Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time


Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld

Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time


Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld


Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time

Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-37.qld


Last Altered: Tuesday, July 30, 2019 09:02:20 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:02:50 Pacific Daylight Time

Name: 190729M1_37, Date: 29-Jul-2019, Time: 21:10:50, ID: ST190729M1-11 PFC CS3 19G2006, Description: PFC CS3 19G2006


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld

Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time

JM 7/30/19

Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006

3 JM 7/30/19 3 JM 7/30/19

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	12906.916	13743.229	1.00	1.51	11.739	9.8	98.1	NO		
2	2	PFPrS	248.9 > 79.9	2471.642	2179.132	1.00	1.86	14.178	9.7	97.4	NO	2.467	NO
3	3	3:3 FTCA	240.9 > 176.9	503.822	16866.385	1.00	2.33	0.373	9.4	93.6	NO	1.884	NO
4	4	PFPeA	263.1 > 218.9	11200.912	16866.385	1.00	2.49	8.301	9.6	96.3	NO		
5	5	PFBS	299.0 > 79.7	3795.670	2179.132	1.00	2.77	21.773	10.0	99.7	NO	2.998	NO
6	6	4:2 FTS	327.0 > 306.9	6482.117	3538.820	1.00	3.17	22.896	10.0	99.9	NO	1.753	NO
7	47	13C3-PFBA	216.1 > 171.8	13743.229	18437.094	1.00	1.50	9.318	12.5	100.3	NO		
8	49	13C3-PFBS	302.0 > 98.8	2179.132	2142.892	1.00	2.77	12.711	11.6	92.7	NO		
9	48	13C3-PFPeA	266.0 > 221.8	16866.385	32999.359	1.00	2.49	6.389	12.3	98.4	NO		
10	48	13C3-PFPeA	266.0 > 221.8	16866.385	32999.359	1.00	2.49	6.389	12.3	98.4	NO		
11	49	13C3-PFBS	302.0 > 98.8	2179.132	2142.892	1.00	2.77	12.711	11.6	92.7	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3538.820	2142.892	1.00	3.17	20.643	11.6	93.1	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	22222.793	12547.029	1.00	3.26	8.856	10.3	103.4	NO	15.071	NO
15	8	PFPeS	349.1>80.1	2704.779	2179.132	1.00	3.46	15.515	10.0	99.5	NO	1.408	NO
16	9	HFPO-DA	285.1 > 168.9	1987.135	2188.905	1.00	3.48	4.539	8.1	81.4	NO	2.304	NO
17	10	5:3 FTCA	340.9 > 236.9	2666.700	14907.651	1.00	3.83	2.236	9.2	91.9	NO	1.492	NO
18	11	PFHpA	363.0 > 318.9	14453.891	14907.651	1.00	3.89	12.120	10.1	100.6	NO	9.672	NO
19	12	ADONA	376.8 > 250.9	37539.004	14907.651	1.00	4.01	31.476	9.8	97.8	NO	3.463	NO
20	52	13C2-PFHxA	315.0 > 270.0	12547.029	32999.359	1.00	3.26	4.753	4.7	94.9	NO		
21	49	13C3-PFBS	302.0 > 98.8	2179.132	2142.892	1.00	2.77	12.711	11.6	92.7	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	2188.905	32999.359	1.00	3.48	0.829	5.4	108.7	NO		
23	53	13C4-PFHpA	367.2 > 321.8	14907.651	32999.359	1.00	3.89	5.647	12.3	98.1	NO		
24	53	13C4-PFHpA	367.2 > 321.8	14907.651	32999.359	1.00	3.89	5.647	12.3	98.1	NO		
25	53	13C4-PFHpA	367.2 > 321.8	14907.651	32999.359	1.00	3.89	5.647	12.3	98.1	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	3151.183	4282.092	1.00	4.04	9.199	10.5	104.7	NO	2.150	NO
28	15	6:2 FTS	427.0 > 406.9	6377.413	2460.736	1.00	4.36	32.396	11.0	109.8	NO	2.137	NO
29	16	L-PFOA	412.8 > 368.9	29717.883	25479.434	1.00	4.41	14.579	10.1	100.5	NO	3.705	NO
30	18	PFecHS	460.8 > 381.0	4373.447	25479.434	1.00	4.43	2.146	8.9	89.5	NO	0.890	NO
31	19	PFHpS	449.0 > 80.0	3291.818	5108.020	1.00	4.52	8.056	9.1	90.7	NO	1.714	NO
32	20	7:3 FTCA	440.9 > 336.9	4053.005	27631.844	1.00	4.84	1.833	8.5	85.5	NO	1.915	NO
33	54	13C3-PFHxS	401.8 > 79.9	4282.092	2142.892	1.00	4.04	24.978	11.7	93.5	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2460.736	5052.365	1.00	4.36	6.088	11.3	90.2	NO		
35	58	13C2-PFOA	414.9 > 369.7	25479.434	37443.000	1.00	4.41	8.506	12.8	102.4	NO		
36	58	13C2-PFOA	414.9 > 369.7	25479.434	37443.000	1.00	4.41	8.506	12.8	102.4	NO		

CLT 7/30/19

Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld

Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time

Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	5108.020	5052.365	1.00	4.93	12.638	12.6	100.7	NO		
38	56	13C5-PFNA	468.2 > 422.9	27631.844	27229.008	1.00	4.85	12.685	12.4	98.8	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	25458.789	27631.844	1.00	4.85	11.517	10.3	102.8	NO	4.212	NO
41	22	PFOSA	497.9 > 77.9	7615.406	9297.503	1.00	4.90	10.239	10.5	104.6	NO	28.244	NO
42	23	L-PFOS	498.9 > 79.9	3744.821	5108.020	1.00	4.93	9.164	8.8	87.7	NO	1.999	NO
43	25	9Cl-PF30NS	530.7 > 350.8	8090.229	5108.020	1.00	5.14	19.798	8.9	88.6	NO	17.079	NO
44	26	PFDA	513 > 468.8	27067.033	28148.645	1.00	5.22	12.020	10.0	99.9	NO	5.287	NO
45	27	8:2 FTS	527.0 > 506.9	4763.638	2820.920	1.00	5.19	21.109	10.3	102.8	NO	1.288	NO
46	56	13C5-PFNA	468.2 > 422.9	27631.844	27229.008	1.00	4.85	12.685	12.4	98.8	NO		
47	57	13C8-PFOSA	506.1 > 77.7	9297.503	40555.840	1.00	4.90	2.866	12.2	97.7	NO		
48	59	13C8-PFOS	507.0 > 79.9	5108.020	5052.365	1.00	4.93	12.638	12.6	100.7	NO		
49	59	13C8-PFOS	507.0 > 79.9	5108.020	5052.365	1.00	4.93	12.638	12.6	100.7	NO		
50	60	13C2-PFDA	515.1 > 469.9	28148.645	35379.922	1.00	5.22	9.945	12.1	96.5	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2820.920	5052.365	1.00	5.19	6.979	11.5	92.2	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	2769.181	5108.020	1.00	5.28	6.777	9.6	96.0	NO	1.541	NO
54	29	L-MeFOSAA	570 > 419	12220.911	6897.285	1.00	5.37	22.148	11.2	112.3	NO	2.459	NO
55	31	L-EtFOSAA	584.1 > 419	9369.185	9446.546	1.00	5.52	12.398	10.5	105.2	NO	1.404	NO
56	33	PFUdA	563.0 > 518.9	27343.234	38759.047	1.00	5.54	8.818	10.2	102.3	NO	7.979	NO
57	34	PFDS	598.8 > 79.9	3777.663	2820.920	1.00	5.59	16.739	10.1	100.8	NO	1.701	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	1542.892	36833.133	1.00	5.75	0.524	9.3	93.4	NO	4.373	NO
59	59	13C8-PFOS	507.0 > 79.9	5108.020	5052.365	1.00	4.93	12.638	12.6	100.7	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	6897.285	40555.840	1.00	5.37	2.126	12.0	95.7	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	9446.546	40555.840	1.00	5.52	2.912	12.4	99.3	NO		
62	63	13C2-PFUdA	565 > 519.8	38759.047	40555.840	1.00	5.54	11.946	13.3	106.7	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2820.920	5052.365	1.00	5.19	6.979	11.5	92.2	NO		
64	65	13C2-PFDoA	614.7 > 569.7	36833.133	35379.922	1.00	5.82	13.013	11.9	95.2	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	6870.808	2820.920	1.00	5.81	30.446	11.0	110.2	NO	1.635	NO
67	37	PFDoA	612.9 > 569.0	30966.441	36833.133	1.00	5.82	10.509	10.2	101.7	NO	8.316	NO
68	38	N-MeFOSA	512.1 > 168.9	6709.251	17524.395	1.00	5.80	57.428	52.6	105.2	NO	1.599	NO
69	39	PFTrDA	662.9 > 618.9	32738.877	36833.133	1.00	6.06	11.11	10.1	100.9	NO	19.186	NO
70	40	PFDoS	698.8 > 79.9	3236.220	26262.012	1.00	6.09	1.540	9.8	98.1	NO	1.887	NO
71	41	PFTeDA	713.0 > 669.0	30220.191	26262.012	1.00	6.27	14.384	9.9	98.5	NO	14.439	NO
72	65	13C2-PFDoA	614.7 > 569.7	36833.133	35379.922	1.00	5.82	13.013	11.9	95.2	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld

Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time

Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	36833.133	35379.922	1.00	5.82	13.013	11.9	95.2	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	17524.395	40555.840	1.00	5.81	5.401	147.0	98.0	NO		
75	65	13C2-PFDoA	614.7 > 569.7	36833.133	35379.922	1.00	5.82	13.013	11.9	95.2	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	26262.012	40555.840	1.00	6.27	8.094	13.3	106.4	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	26262.012	40555.840	1.00	6.27	8.094	13.3	106.4	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	6879.397	21546.900	1.00	6.17	47.891	50.8	101.7	NO	1.674	NO
80	43	PFHxDA	813.1 > 768.6	15498.135	13304.172	1.00	6.58	5.825	9.6	96.3	NO	20.226	NO
81	44	PFODA	913.1 > 868.8	20669.541	13304.172	1.00	6.81	7.768	10.6	106.3	NO		
82	45	N-MeFOSE	616.1 > 58.9	5134.199	14283.879	1.00	6.30	53.916	51.7	103.4	NO		
83	46	N-EtFOSE	630.1 > 58.9	6149.265	15031.396	1.00	6.46	61.364	51.8	103.7	NO		
84	72	13C4-PFBA	217.0 > 172.0	18437.094	18437.094	1.00	1.50	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	21546.900	40555.840	1.00	6.18	6.641	154.4	103.0	NO		
86	69	13C2-PFHxDA	815 > 769.7	13304.172	40555.840	1.00	6.58	4.101	5.3	105.7	NO		
87	69	13C2-PFHxDA	815 > 769.7	13304.172	40555.840	1.00	6.58	4.101	5.3	105.7	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	14283.879	40555.840	1.00	6.29	4.403	139.3	92.9	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	15031.396	40555.840	1.00	6.44	4.633	139.0	92.7	NO		
90	73	13C5-PFHxA	318.0 > 272.9	32999.359	32999.359	1.00	3.26	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	37443.000	37443.000	1.00	4.41	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	2142.892	2142.892	1.00	4.04	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	27229.008	27229.008	1.00	4.85	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	5052.365	5052.365	1.00	4.93	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	35379.922	35379.922	1.00	5.22	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	40555.840	40555.840	1.00	5.54	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 08:58:09 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:58:15 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072919.mdb 30 Jul 2019 08:09:20
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-29-19.cdb 30 Jul 2019 08:10:04

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190729M1_1	IPA	29-Jul-19	13:51:05
2	2	190729M1_2	IPA	29-Jul-19	14:01:41
3	3	190729M1_3	IPA	29-Jul-19	14:12:14
4	4	190729M1_4	ST190729M1-1 PFC CS-2 19G2001	29-Jul-19	14:22:52
5	5	190729M1_5	ST190729M1-2 PFC CS-1 19G2002	29-Jul-19	14:33:25
6	6	190729M1_6	ST190729M1-3 PFC CS0 19G2003	29-Jul-19	14:43:55
7	7	190729M1_7	ST190729M1-4 PFC CS1 19G2004	29-Jul-19	14:54:34
8	8	190729M1_8	ST190729M1-5 PFC CS2 19G2005	29-Jul-19	15:05:12
9	9	190729M1_9	ST190729M1-6 PFC CS3 19G2006	29-Jul-19	15:15:45
10	10	190729M1_10	ST190729M1-7 PFC CS4 19G2007	29-Jul-19	15:26:23
11	11	190729M1_11	ST190729M1-8 PFC CS5 19G2008	29-Jul-19	15:37:02
12	12	190729M1_12	ST190729M1-9 PFC CS6 19G2009	29-Jul-19	15:47:34
13	13	190729M1_13	ST190729M1-10 PFC CS7 19G2010	29-Jul-19	15:58:13
14	14	190729M1_14	IB	29-Jul-19	16:08:51
15	15	190729M1_15	ICV190729M1-1 PFC ICV 19G2311	29-Jul-19	16:19:24
16	16	190729M1_16	IPA	29-Jul-19	16:30:02
17	17	190729M1_17	B9G0228-MSD1 Matrix Spike Dup 1.22	29-Jul-19	17:38:48
18	18	190729M1_18	1902048-08@100X B96-PFAS-SB74-0-2-070319 1.1	29-Jul-19	17:49:33
19	19	190729M1_19	IPA	29-Jul-19	18:00:11
20	20	190729M1_20	1902048-08 B96-PFAS-SB74-0-2-070319 1.1	29-Jul-19	18:10:44
21	21	190729M1_21	IPA	29-Jul-19	18:21:22
22	22	190729M1_22	IPA	29-Jul-19	18:31:56
23	23	190729M1_23	IPA	29-Jul-19	18:42:35
24	24	190729M1_24	IPA	29-Jul-19	18:53:07
25	25	190729M1_25	1902048-09 B96-PFAS-SB74-6.5-8.5-070319 1.2	29-Jul-19	19:03:46
26	26	190729M1_26	1902048-11 B96-PFAS-SB48-6-8-070819 1.06	29-Jul-19	19:14:19
27	27	190729M1_27	1902189-12RE1@5X NAOA-B06-GW 0.12473	29-Jul-19	19:24:57
28	28	190729M1_28	1902193-01 Wastewater-19-03 0.10887	29-Jul-19	19:35:30
29	29	190729M1_29	B9G0280-BS1 OPR 0.125	29-Jul-19	19:46:08
30	30	190729M1_30	B9G0280-BSD1 LCSD 0.125	29-Jul-19	19:56:39
31	31	190729M1_31	B9G0280-BLK1 Method Blank 0.125	29-Jul-19	20:07:17
32	32	190729M1_32	1902189-06RE1 EB-07152019-GW 0.11737	29-Jul-19	20:17:55

(A) JM 7/30/19

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, July 30, 2019 08:58:09 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 08:58:15 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
33	33	190729M1_33	1902189-07RE1 FRB-07152019 0.11861	29-Jul-19	20:28:28
34	34	190729M1_34	1902189-11RE1 EB-07162019-GW 0.1143	29-Jul-19	20:39:06
35	35	190729M1_35	1902189-13RE1 FRB-07162019 0.11778	29-Jul-19	20:49:39
36	36	190729M1_36	IPA	29-Jul-19	21:00:17
37	37	190729M1_37	ST190729M1-11 PFC CS3 19G2306 (A)	29-Jul-19	21:10:50
38	38	190729M1_38	IPA	29-Jul-19	21:21:28
39	39	190729M1_39	1902189-14RE1 EB-07162019 0.11477	29-Jul-19	21:32:01
40	40	190729M1_40	1902189-19RE1 FRB-07172019 0.11079	29-Jul-19	21:42:32
41	41	190729M1_41	1902189-20RE1 EB-07172019 0.11706	29-Jul-19	21:53:10
42	42	190729M1_42	1902272-01 REEPEF1758FS 0.11496	29-Jul-19	22:03:43
43	43	190729M1_43	B9G0226-BS1 OPR 0.125	29-Jul-19	22:14:22
44	44	190729M1_44	B9G0226-BLK1 Method Blank 0.125	29-Jul-19	22:24:55
45	45	190729M1_45	1902161-02 Field Blank 0.11434	29-Jul-19	22:35:33
46	46	190729M1_46	1902199-01 MW B 0.11845	29-Jul-19	22:46:12
47	47	190729M1_47	1902199-02 MW 1 0.10879	29-Jul-19	22:56:44
48	48	190729M1_48	1902199-03 MW 2 0.11618	29-Jul-19	23:07:23
49	49	190729M1_49	1902200-01 114 E. Main St. 0.1209	29-Jul-19	23:17:55
50	50	190729M1_50	1902201-01 Phase I West 0.11131	29-Jul-19	23:28:34
51	51	190729M1_51	IPA	29-Jul-19	23:39:12
52	52	190729M1_52	ST190729M1-12 PFC CS3 19G2306 (A)	29-Jul-19	23:49:45
53	53	190729M1_53	IPA	30-Jul-19	00:00:23
54	54	190729M1_54	1902201-02 Phase II West 0.11309	30-Jul-19	00:10:53
55	55	190729M1_55	1902201-03 Phase II East 0.1121	30-Jul-19	00:21:32
56	56	190729M1_56	1902202-01 EFF PFAS 0.11169	30-Jul-19	00:32:05
57	57	190729M1_57	B9G0261-BS1 OPR 1	30-Jul-19	00:42:43
58	58	190729M1_58	B9G0261-BLK1 Method Blank 1	30-Jul-19	00:53:16
59	59	190729M1_59	1902051-01 FBLM-1 3.16	30-Jul-19	01:03:55
60	60	190729M1_60	1902051-02 FBLM-2 3.19	30-Jul-19	01:14:27
61	61	190729M1_61	IPA	30-Jul-19	01:25:05
62	62	190729M1_62	NEW SPIKE TESTER	30-Jul-19	01:35:44
63	63	190729M1_63	B9G0281-BS1 OPR 0.25	30-Jul-19	01:46:16
64	64	190729M1_64	B9G0281-BLK1 Method Blank 0.25	30-Jul-19	01:56:55
65	65	190729M1_65	1902161-01 Digestor 1	30-Jul-19	02:07:33
66	66	190729M1_66	IPA	30-Jul-19	02:18:06
67	67	190729M1_67	ST190729M1-13 PFC CS3 19G2306 (K)	30-Jul-19	02:28:44
68	68	190729M1_68	IPA	30-Jul-19	02:39:17


Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld

Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072919.mdb 30 Jul 2019 08:09:20
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-29-19.cdb 30 Jul 2019 08:10:04

Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
1.622e+005




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
3.336e+004




F6:MRM of 2 channels,ES-
248.9 > 98.9
1.343e+004




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
1.088e+004




F5:MRM of 2 channels,ES-
240.9 > 116.9
5.952e+003




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
2.209e+005




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
8.947e+004




F11:MRM of 2 channels,ES-
299.0 > 99.0
2.952e+004




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
1.907e+005




F16:MRM of 2 channels,ES-
327.0 > 80.9
1.080e+005




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.634e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
5.009e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
3.426e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
3.426e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
5.009e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
1.059e+005





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld

Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time


Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld

Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time


Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld

Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time


Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld


Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time

Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
8.067e+004




F53:MRM of 2 channels,ES-
549.1 > 99.1
5.239e+004




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
3.045e+005




F56:MRM of 2 channels,ES-
570. > 512
1.098e+005




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
2.524e+005




F59:MRM of 2 channels,ES-
584.1 > 526
1.602e+005




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
8.353e+005




F54:MRM of 2 channels,ES-
563.0 > 269
1.035e+005




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
1.174e+005




F61:MRM of 2 channels,ES-
598.8 > 98.9
7.059e+004




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
4.463e+004




F68:MRM of 2 channels,ES-
632.6 > 450.7
1.021e+004




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.429e+005




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
1.893e+005




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
2.923e+005




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
1.170e+006



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
8.437e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.153e+006




Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld


Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time

Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
2.120e+005




F66:MRM of 2 channels,ES-
627.0 > 80.9
1.311e+005




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
9.650e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
1.168e+005




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
1.851e+005




F43:MRM of 2 channels,ES-
512.1 > 219
1.153e+005




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
9.707e+005




F70:MRM of 2 channels,ES-
662.9 > 319
5.059e+004




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
9.546e+004




F71:MRM of 2 channels,ES-
698.8 > 98.9
5.111e+004




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
8.614e+005




F72:MRM of 2 channels,ES-
713. > 369.0
6.004e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.153e+006




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.153e+006




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
5.002e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.153e+006



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
7.531e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
7.531e+005




Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld


Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time

Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190729M1\190729M1-52.qld


Last Altered: Tuesday, July 30, 2019 09:06:56 Pacific Daylight Time
Printed: Tuesday, July 30, 2019 09:07:40 Pacific Daylight Time

Name: 190729M1_52, Date: 29-Jul-2019, Time: 23:49:45, ID: ST190729M1-12 PFC CS3 19G2006, Description: PFC CS3 19G2006


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_RS-08-04-19.mdb 04 Aug 2019 18:34:12
Calibration: 06 Aug 2019 10:06:50

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190805M1-1 PFC CS0 19G2303	6.49e3	100.0	NO
2	2	13C5-PFHxA	ST190805M1-1 PFC CS0 19G2303	1.44e4	100.0	NO
3	3	18O2-PFHxS	ST190805M1-1 PFC CS0 19G2303	9.54e2	100.0	NO
4	4	13C8-PFOA	ST190805M1-1 PFC CS0 19G2303	2.25e4	100.0	NO
5	5	13C9-PFNA	ST190805M1-1 PFC CS0 19G2303	1.27e4	100.0	NO
6	6	13C4-PFOS	ST190805M1-1 PFC CS0 19G2303	2.25e3	100.0	NO
7	7	13C6-PFDA	ST190805M1-1 PFC CS0 19G2303	1.55e4	100.0	NO
8	8	13C7-PFUdA	ST190805M1-1 PFC CS0 19G2303	1.90e4	100.0	NO

Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IB	6.43e3	99.2	NO
2	2	13C5-PFHxA	IB	1.55e4	107.9	NO
3	3	18O2-PFHxS	IB	9.56e2	100.2	NO
4	4	13C8-PFOA	IB	2.18e4	97.2	NO
5	5	13C9-PFNA	IB	1.27e4	100.6	NO
6	6	13C4-PFOS	IB	2.34e3	104.2	NO
7	7	13C6-PFDA	IB	1.59e4	102.7	NO
8	8	13C7-PFUdA	IB	1.98e4	104.3	NO

Name: 190805M1_8, Date: 05-Aug-2019, Time: 11:43:17, ID: B9G0276-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0276-BS1 OPR 0.125	7.70e3	118.6	NO
2	2	13C5-PFHxA	B9G0276-BS1 OPR 0.125	1.18e4	82.4	NO
3	3	18O2-PFHxS	B9G0276-BS1 OPR 0.125	7.84e2	82.2	NO
4	4	13C8-PFOA	B9G0276-BS1 OPR 0.125	1.85e4	82.5	NO
5	5	13C9-PFNA	B9G0276-BS1 OPR 0.125	1.01e4	80.0	NO
6	6	13C4-PFOS	B9G0276-BS1 OPR 0.125	1.64e3	72.9	NO
7	7	13C6-PFDA	B9G0276-BS1 OPR 0.125	1.53e4	98.8	NO
8	8	13C7-PFUdA	B9G0276-BS1 OPR 0.125	1.46e4	77.1	NO

Name: 190805M1_9, Date: 05-Aug-2019, Time: 11:53:53, ID: B9G0276-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0276-BLK1 Method Blank 0.125	7.45e3	114.8	NO
2	2	13C5-PFHxA	B9G0276-BLK1 Method Blank 0.125	1.14e4	79.1	NO
3	3	18O2-PFHxS	B9G0276-BLK1 Method Blank 0.125	6.41e2	67.2	NO
4	4	13C8-PFOA	B9G0276-BLK1 Method Blank 0.125	1.71e4	76.1	NO
5	5	13C9-PFNA	B9G0276-BLK1 Method Blank 0.125	9.48e3	74.9	NO
6	6	13C4-PFOS	B9G0276-BLK1 Method Blank 0.125	1.49e3	66.3	NO
7	7	13C6-PFDA	B9G0276-BLK1 Method Blank 0.125	1.31e4	85.0	NO
8	8	13C7-PFUdA	B9G0276-BLK1 Method Blank 0.125	1.20e4	63.3	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_10, Date: 05-Aug-2019, Time: 12:04:25, ID: 1902274-01 S12-072419 0.11342, Description: S12-072419

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902274-01 S12-072419 0.11342	8.09e3	124.7	NO
2	2	13C5-PFHxA	1902274-01 S12-072419 0.11342	1.19e4	82.9	NO
3	3	18O2-PFHxS	1902274-01 S12-072419 0.11342	8.83e2	92.5	NO
4	4	13C8-PFOA	1902274-01 S12-072419 0.11342	1.82e4	81.0	NO
5	5	13C9-PFNA	1902274-01 S12-072419 0.11342	1.10e4	87.3	NO
6	6	13C4-PFOS	1902274-01 S12-072419 0.11342	1.82e3	81.0	NO
7	7	13C6-PFDA	1902274-01 S12-072419 0.11342	1.62e4	104.8	NO
8	8	13C7-PFUdA	1902274-01 S12-072419 0.11342	1.49e4	78.7	NO

Name: 190805M1_11, Date: 05-Aug-2019, Time: 12:15:04, ID: 1902274-02 DUP1-072419 0.10942, Description: DUP1-072419

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902274-02 DUP1-072419 0.10942	7.35e3	113.3	NO
2	2	13C5-PFHxA	1902274-02 DUP1-072419 0.10942	1.10e4	76.9	NO
3	3	18O2-PFHxS	1902274-02 DUP1-072419 0.10942	8.05e2	84.3	NO
4	4	13C8-PFOA	1902274-02 DUP1-072419 0.10942	1.73e4	77.0	NO
5	5	13C9-PFNA	1902274-02 DUP1-072419 0.10942	1.01e4	79.8	NO
6	6	13C4-PFOS	1902274-02 DUP1-072419 0.10942	1.65e3	73.6	NO
7	7	13C6-PFDA	1902274-02 DUP1-072419 0.10942	1.51e4	97.6	NO
8	8	13C7-PFUdA	1902274-02 DUP1-072419 0.10942	1.53e4	80.7	NO

Name: 190805M1_12, Date: 05-Aug-2019, Time: 12:25:37, ID: 1902274-03 S6-072419 0.11726, Description: S6-072419

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902274-03 S6-072419 0.11726	7.15e3	110.1	NO
2	2	13C5-PFHxA	1902274-03 S6-072419 0.11726	1.12e4	77.8	NO
3	3	18O2-PFHxS	1902274-03 S6-072419 0.11726	7.53e2	79.0	NO
4	4	13C8-PFOA	1902274-03 S6-072419 0.11726	1.65e4	73.2	NO
5	5	13C9-PFNA	1902274-03 S6-072419 0.11726	8.98e3	71.0	NO
6	6	13C4-PFOS	1902274-03 S6-072419 0.11726	1.55e3	69.2	NO
7	7	13C6-PFDA	1902274-03 S6-072419 0.11726	1.48e4	95.9	NO
8	8	13C7-PFUdA	1902274-03 S6-072419 0.11726	1.37e4	72.0	NO

Name: 190805M1_13, Date: 05-Aug-2019, Time: 12:36:16, ID: 1902274-04 P1-072419 0.11169, Description: P1-072419

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902274-04 P1-072419 0.11169	6.44e3	99.2	NO
2	2	13C5-PFHxA	1902274-04 P1-072419 0.11169	1.02e4	70.7	NO
3	3	18O2-PFHxS	1902274-04 P1-072419 0.11169	6.24e2	65.4	NO
4	4	13C8-PFOA	1902274-04 P1-072419 0.11169	1.54e4	68.4	NO
5	5	13C9-PFNA	1902274-04 P1-072419 0.11169	8.79e3	69.5	NO
6	6	13C4-PFOS	1902274-04 P1-072419 0.11169	1.51e3	67.3	NO
7	7	13C6-PFDA	1902274-04 P1-072419 0.11169	1.20e4	77.4	NO
8	8	13C7-PFUdA	1902274-04 P1-072419 0.11169	9.50e3	50.0	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_14, Date: 05-Aug-2019, Time: 12:46:54, ID: 1902274-05 S13-072419 0.1166, Description: S13-072419

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902274-05 S13-072419 0.1166	6.94e3	107.0	NO
2	2	13C5-PFHxA	1902274-05 S13-072419 0.1166	1.10e4	76.9	NO
3	3	18O2-PFHxS	1902274-05 S13-072419 0.1166	7.51e2	78.7	NO
4	4	13C8-PFOA	1902274-05 S13-072419 0.1166	1.72e4	76.6	NO
5	5	13C9-PFNA	1902274-05 S13-072419 0.1166	9.80e3	77.4	NO
6	6	13C4-PFOS	1902274-05 S13-072419 0.1166	1.60e3	71.3	NO
7	7	13C6-PFDA	1902274-05 S13-072419 0.1166	1.44e4	93.0	NO
8	8	13C7-PFUdA	1902274-05 S13-072419 0.1166	1.44e4	75.6	NO

Name: 190805M1_15, Date: 05-Aug-2019, Time: 12:57:27, ID: 1902274-06 P7-072419 0.11673, Description: P7-072419

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902274-06 P7-072419 0.11673	7.80e3	120.2	NO
2	2	13C5-PFHxA	1902274-06 P7-072419 0.11673	1.25e4	87.2	NO
3	3	18O2-PFHxS	1902274-06 P7-072419 0.11673	8.37e2	87.7	NO
4	4	13C8-PFOA	1902274-06 P7-072419 0.11673	1.90e4	84.6	NO
5	5	13C9-PFNA	1902274-06 P7-072419 0.11673	1.08e4	85.0	NO
6	6	13C4-PFOS	1902274-06 P7-072419 0.11673	1.79e3	79.5	NO
7	7	13C6-PFDA	1902274-06 P7-072419 0.11673	1.58e4	102.2	NO
8	8	13C7-PFUdA	1902274-06 P7-072419 0.11673	1.38e4	72.5	NO

Name: 190805M1_16, Date: 05-Aug-2019, Time: 13:08:05, ID: 1902274-07 EB-072419 0.11589, Description: EB-072419

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902274-07 EB-072419 0.11589	7.01e3	108.0	NO
2	2	13C5-PFHxA	1902274-07 EB-072419 0.11589	1.09e4	76.1	NO
3	3	18O2-PFHxS	1902274-07 EB-072419 0.11589	7.69e2	80.6	NO
4	4	13C8-PFOA	1902274-07 EB-072419 0.11589	1.75e4	78.1	NO
5	5	13C9-PFNA	1902274-07 EB-072419 0.11589	9.34e3	73.8	NO
6	6	13C4-PFOS	1902274-07 EB-072419 0.11589	1.57e3	69.9	NO
7	7	13C6-PFDA	1902274-07 EB-072419 0.11589	1.42e4	92.1	NO
8	8	13C7-PFUdA	1902274-07 EB-072419 0.11589	1.38e4	72.8	NO

Name: 190805M1_17, Date: 05-Aug-2019, Time: 13:18:38, ID: 1902274-08 FB-072419 0.11785, Description: FB-072419

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902274-08 FB-072419 0.11785	7.86e3	121.2	NO
2	2	13C5-PFHxA	1902274-08 FB-072419 0.11785	1.21e4	84.3	NO
3	3	18O2-PFHxS	1902274-08 FB-072419 0.11785	8.32e2	87.2	NO
4	4	13C8-PFOA	1902274-08 FB-072419 0.11785	1.82e4	80.9	NO
5	5	13C9-PFNA	1902274-08 FB-072419 0.11785	1.02e4	80.2	NO
6	6	13C4-PFOS	1902274-08 FB-072419 0.11785	1.87e3	83.4	NO
7	7	13C6-PFDA	1902274-08 FB-072419 0.11785	1.53e4	98.7	NO
8	8	13C7-PFUdA	1902274-08 FB-072419 0.11785	1.32e4	69.6	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_18, Date: 05-Aug-2019, Time: 13:29:17, ID: B9H0026-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0026-BS1 OPR 0.125	6.45e3	99.4	NO
2	2	13C5-PFHxA	B9H0026-BS1 OPR 0.125	1.01e4	70.5	NO
3	3	18O2-PFHxS	B9H0026-BS1 OPR 0.125	6.34e2	66.5	NO
4	4	13C8-PFOA	B9H0026-BS1 OPR 0.125	1.52e4	67.4	NO
5	5	13C9-PFNA	B9H0026-BS1 OPR 0.125	8.96e3	70.7	NO
6	6	13C4-PFOS	B9H0026-BS1 OPR 0.125	1.39e3	62.1	NO
7	7	13C6-PFDA	B9H0026-BS1 OPR 0.125	1.38e4	89.4	NO
8	8	13C7-PFUdA	B9H0026-BS1 OPR 0.125	1.41e4	74.4	NO

Name: 190805M1_19, Date: 05-Aug-2019, Time: 13:39:50, ID: B9H0026-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0026-BLK1 Method Blank 0.125	6.21e3	95.7	NO
2	2	13C5-PFHxA	B9H0026-BLK1 Method Blank 0.125	9.78e3	68.1	NO
3	3	18O2-PFHxS	B9H0026-BLK1 Method Blank 0.125	6.25e2	65.5	NO
4	4	13C8-PFOA	B9H0026-BLK1 Method Blank 0.125	1.51e4	67.2	NO
5	5	13C9-PFNA	B9H0026-BLK1 Method Blank 0.125	8.99e3	71.0	NO
6	6	13C4-PFOS	B9H0026-BLK1 Method Blank 0.125	1.42e3	63.3	NO
7	7	13C6-PFDA	B9H0026-BLK1 Method Blank 0.125	1.26e4	81.8	NO
8	8	13C7-PFUdA	B9H0026-BLK1 Method Blank 0.125	1.32e4	69.3	NO

Name: 190805M1_20, Date: 05-Aug-2019, Time: 13:50:29, ID: 1902290-05RE1 DPH-MW4-17 0.11115, Description: DPH-MW4-17

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902290-05RE1 DPH-MW4-17 0.11115	4.96e3	76.4	NO
2	2	13C5-PFHxA	1902290-05RE1 DPH-MW4-17 0.11115	7.84e3	54.6	NO
3	3	18O2-PFHxS	1902290-05RE1 DPH-MW4-17 0.11115	5.79e2	60.7	NO
4	4	13C8-PFOA	1902290-05RE1 DPH-MW4-17 0.11115	1.21e4	53.8	NO
5	5	13C9-PFNA	1902290-05RE1 DPH-MW4-17 0.11115	7.28e3	57.5	NO
6	6	13C4-PFOS	1902290-05RE1 DPH-MW4-17 0.11115	1.14e3	50.8	NO
7	7	13C6-PFDA	1902290-05RE1 DPH-MW4-17 0.11115	1.10e4	71.1	NO
8	8	13C7-PFUdA	1902290-05RE1 DPH-MW4-17 0.11115	1.18e4	62.3	NO

Name: 190805M1_21, Date: 05-Aug-2019, Time: 14:00:59, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190805M1-2 PFC CS3 19G2306	6.44e3	99.3	NO
2	2	13C5-PFHxA	ST190805M1-2 PFC CS3 19G2306	1.53e4	106.4	NO
3	3	18O2-PFHxS	ST190805M1-2 PFC CS3 19G2306	9.75e2	102.2	NO
4	4	13C8-PFOA	ST190805M1-2 PFC CS3 19G2306	2.23e4	99.1	NO
5	5	13C9-PFNA	ST190805M1-2 PFC CS3 19G2306	1.20e4	94.9	NO
6	6	13C4-PFOS	ST190805M1-2 PFC CS3 19G2306	2.21e3	98.5	NO
7	7	13C6-PFDA	ST190805M1-2 PFC CS3 19G2306	1.57e4	101.8	NO
8	8	13C7-PFUdA	ST190805M1-2 PFC CS3 19G2306	1.91e4	100.4	NO

Name: 190805M1_23, Date: 05-Aug-2019, Time: 14:22:16, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190805M1_24, Date: 05-Aug-2019, Time: 14:32:51, ID: B9G0264-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0264-BS1 OPR 1	7.37e3	113.6	NO
2	2	13C5-PFHxA	B9G0264-BS1 OPR 1	1.14e4	79.6	NO
3	3	18O2-PFHxS	B9G0264-BS1 OPR 1	8.90e2	93.2	NO
4	4	13C8-PFOA	B9G0264-BS1 OPR 1	1.95e4	86.6	NO
5	5	13C9-PFNA	B9G0264-BS1 OPR 1	1.06e4	84.1	NO
6	6	13C4-PFOS	B9G0264-BS1 OPR 1	1.93e3	85.8	NO
7	7	13C6-PFDA	B9G0264-BS1 OPR 1	1.65e4	106.4	NO
8	8	13C7-PFUdA	B9G0264-BS1 OPR 1	1.73e4	91.0	NO

Name: 190805M1_25, Date: 05-Aug-2019, Time: 14:43:26, ID: B9G0264-MS1 Matrix Spike 1.01, Description: Matrix Spike

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0264-MS1 Matrix Spike 1.01	7.06e3	108.8	NO
2	2	13C5-PFHxA	B9G0264-MS1 Matrix Spike 1.01	1.18e4	82.0	NO
3	3	18O2-PFHxS	B9G0264-MS1 Matrix Spike 1.01	8.19e2	85.8	NO
4	4	13C8-PFOA	B9G0264-MS1 Matrix Spike 1.01	1.77e4	78.7	NO
5	5	13C9-PFNA	B9G0264-MS1 Matrix Spike 1.01	1.01e4	80.0	NO
6	6	13C4-PFOS	B9G0264-MS1 Matrix Spike 1.01	1.86e3	82.9	NO
7	7	13C6-PFDA	B9G0264-MS1 Matrix Spike 1.01	1.65e4	106.8	NO
8	8	13C7-PFUdA	B9G0264-MS1 Matrix Spike 1.01	1.65e4	87.0	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_26, Date: 05-Aug-2019, Time: 14:54:05, ID: B9G0264-MSD1 Matrix Spike Dup 1.02, Description: Matrix Spike Dup

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0264-MSD1 Matrix Spike Dup 1.02	6.77e3	104.4	NO
2	2	13C5-PFHxA	B9G0264-MSD1 Matrix Spike Dup 1.02	1.08e4	75.3	NO
3	3	18O2-PFHxS	B9G0264-MSD1 Matrix Spike Dup 1.02	8.69e2	91.1	NO
4	4	13C8-PFOA	B9G0264-MSD1 Matrix Spike Dup 1.02	1.67e4	74.3	NO
5	5	13C9-PFNA	B9G0264-MSD1 Matrix Spike Dup 1.02	9.73e3	76.9	NO
6	6	13C4-PFOS	B9G0264-MSD1 Matrix Spike Dup 1.02	2.05e3	91.4	NO
7	7	13C6-PFDA	B9G0264-MSD1 Matrix Spike Dup 1.02	1.65e4	106.5	NO
8	8	13C7-PFUdA	B9G0264-MSD1 Matrix Spike Dup 1.02	1.67e4	87.7	NO

Name: 190805M1_27, Date: 05-Aug-2019, Time: 15:04:38, ID: B9G0264-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0264-BLK1 Method Blank 1	6.12e3	94.4	NO
2	2	13C5-PFHxA	B9G0264-BLK1 Method Blank 1	9.84e3	68.5	NO
3	3	18O2-PFHxS	B9G0264-BLK1 Method Blank 1	8.00e2	83.8	NO
4	4	13C8-PFOA	B9G0264-BLK1 Method Blank 1	1.65e4	73.4	NO
5	5	13C9-PFNA	B9G0264-BLK1 Method Blank 1	9.86e3	77.9	NO
6	6	13C4-PFOS	B9G0264-BLK1 Method Blank 1	1.70e3	75.8	NO
7	7	13C6-PFDA	B9G0264-BLK1 Method Blank 1	1.56e4	100.8	NO
8	8	13C7-PFUdA	B9G0264-BLK1 Method Blank 1	1.58e4	83.0	NO

Name: 190805M1_28, Date: 05-Aug-2019, Time: 15:15:16, ID: 1902189-01 SAOA-B03-SO-5-5.5 1.08, Description: SAOA-B03-SO-5-5.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-01 SAOA-B03-SO-5-5.5 1.08	7.87e3	121.3	NO
2	2	13C5-PFHxA	1902189-01 SAOA-B03-SO-5-5.5 1.08	1.15e4	80.4	NO
3	3	18O2-PFHxS	1902189-01 SAOA-B03-SO-5-5.5 1.08	7.45e2	78.1	NO
4	4	13C8-PFOA	1902189-01 SAOA-B03-SO-5-5.5 1.08	1.85e4	82.4	NO
5	5	13C9-PFNA	1902189-01 SAOA-B03-SO-5-5.5 1.08	1.09e4	86.2	NO
6	6	13C4-PFOS	1902189-01 SAOA-B03-SO-5-5.5 1.08	1.83e3	81.3	NO
7	7	13C6-PFDA	1902189-01 SAOA-B03-SO-5-5.5 1.08	1.66e4	107.6	NO
8	8	13C7-PFUdA	1902189-01 SAOA-B03-SO-5-5.5 1.08	1.61e4	84.6	NO

Name: 190805M1_29, Date: 05-Aug-2019, Time: 15:25:49, ID: 1902189-02 SAOA-B03-SO-20-20.5 1.21, Description: SAOA-B03-SO-20-20.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-02 SAOA-B03-SO-20-20.5 1.21	7.10e3	109.4	NO
2	2	13C5-PFHxA	1902189-02 SAOA-B03-SO-20-20.5 1.21	1.12e4	78.0	NO
3	3	18O2-PFHxS	1902189-02 SAOA-B03-SO-20-20.5 1.21	8.97e2	94.0	NO
4	4	13C8-PFOA	1902189-02 SAOA-B03-SO-20-20.5 1.21	1.82e4	80.8	NO
5	5	13C9-PFNA	1902189-02 SAOA-B03-SO-20-20.5 1.21	1.07e4	84.4	NO
6	6	13C4-PFOS	1902189-02 SAOA-B03-SO-20-20.5 1.21	1.69e3	75.0	NO
7	7	13C6-PFDA	1902189-02 SAOA-B03-SO-20-20.5 1.21	1.63e4	105.6	NO
8	8	13C7-PFUdA	1902189-02 SAOA-B03-SO-20-20.5 1.21	1.67e4	87.8	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_30, Date: 05-Aug-2019, Time: 15:36:27, ID: 1902189-03 SAOA-B03-SO-56-56.5 1.18, Description: SAOA-B03-SO-56-56.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-03 SAOA-B03-SO-56-56.5 1.18	6.91e3	106.5	NO
2	2	13C5-PFHxA	1902189-03 SAOA-B03-SO-56-56.5 1.18	1.12e4	78.1	NO
3	3	18O2-PFHxS	1902189-03 SAOA-B03-SO-56-56.5 1.18	8.76e2	91.8	NO
4	4	13C8-PFOA	1902189-03 SAOA-B03-SO-56-56.5 1.18	1.78e4	79.2	NO
5	5	13C9-PFNA	1902189-03 SAOA-B03-SO-56-56.5 1.18	1.03e4	81.4	NO
6	6	13C4-PFOS	1902189-03 SAOA-B03-SO-56-56.5 1.18	1.75e3	77.7	NO
7	7	13C6-PFDA	1902189-03 SAOA-B03-SO-56-56.5 1.18	1.57e4	101.7	NO
8	8	13C7-PFUdA	1902189-03 SAOA-B03-SO-56-56.5 1.18	1.64e4	86.2	NO

Name: 190805M1_31, Date: 05-Aug-2019, Time: 15:47:06, ID: 1902189-08 NON-B03-SO-1-1.5 1.03, Description: NON-B03-SO-1-1.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-08 NON-B03-SO-1-1.5 1.03	8.11e3	125.0	NO
2	2	13C5-PFHxA	1902189-08 NON-B03-SO-1-1.5 1.03	1.25e4	87.3	NO
3	3	18O2-PFHxS	1902189-08 NON-B03-SO-1-1.5 1.03	7.94e2	83.3	NO
4	4	13C8-PFOA	1902189-08 NON-B03-SO-1-1.5 1.03	1.98e4	88.2	NO
5	5	13C9-PFNA	1902189-08 NON-B03-SO-1-1.5 1.03	1.08e4	85.0	NO
6	6	13C4-PFOS	1902189-08 NON-B03-SO-1-1.5 1.03	1.79e3	79.9	NO
7	7	13C6-PFDA	1902189-08 NON-B03-SO-1-1.5 1.03	1.72e4	111.1	NO
8	8	13C7-PFUdA	1902189-08 NON-B03-SO-1-1.5 1.03	1.74e4	91.8	NO

Name: 190805M1_32, Date: 05-Aug-2019, Time: 15:57:38, ID: 1902189-09 NON-B03-SO-15-15.5 1.07, Description: NON-B03-SO-15-15.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-09 NON-B03-SO-15-15.5 1.07	7.79e3	120.1	NO
2	2	13C5-PFHxA	1902189-09 NON-B03-SO-15-15.5 1.07	1.20e4	83.3	NO
3	3	18O2-PFHxS	1902189-09 NON-B03-SO-15-15.5 1.07	7.43e2	77.8	NO
4	4	13C8-PFOA	1902189-09 NON-B03-SO-15-15.5 1.07	1.85e4	82.3	NO
5	5	13C9-PFNA	1902189-09 NON-B03-SO-15-15.5 1.07	1.09e4	86.3	NO
6	6	13C4-PFOS	1902189-09 NON-B03-SO-15-15.5 1.07	1.72e3	76.5	NO
7	7	13C6-PFDA	1902189-09 NON-B03-SO-15-15.5 1.07	1.68e4	109.0	NO
8	8	13C7-PFUdA	1902189-09 NON-B03-SO-15-15.5 1.07	1.71e4	90.0	NO

Name: 190805M1_33, Date: 05-Aug-2019, Time: 16:08:16, ID: 1902189-15 NAOA-B04-SO-69-69.5 1.17, Description: NAOA-B04-SO-69-69.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-15 NAOA-B04-SO-69-69.5 1.17	8.79e3	135.5	NO
2	2	13C5-PFHxA	1902189-15 NAOA-B04-SO-69-69.5 1.17	1.38e4	95.8	NO
3	3	18O2-PFHxS	1902189-15 NAOA-B04-SO-69-69.5 1.17	9.84e2	103.2	NO
4	4	13C8-PFOA	1902189-15 NAOA-B04-SO-69-69.5 1.17	2.14e4	95.2	NO
5	5	13C9-PFNA	1902189-15 NAOA-B04-SO-69-69.5 1.17	1.21e4	95.2	NO
6	6	13C4-PFOS	1902189-15 NAOA-B04-SO-69-69.5 1.17	1.87e3	83.4	NO
7	7	13C6-PFDA	1902189-15 NAOA-B04-SO-69-69.5 1.17	1.77e4	114.7	NO
8	8	13C7-PFUdA	1902189-15 NAOA-B04-SO-69-69.5 1.17	1.85e4	97.4	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_34, Date: 05-Aug-2019, Time: 16:18:55, ID: 1902189-16 SAOA-B02-SO-5-5.5 1.18, Description: SAOA-B02-SO-5-5.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-16 SAOA-B02-SO-5-5.5 1.18	8.29e3	127.8	NO
2	2	13C5-PFHxA	1902189-16 SAOA-B02-SO-5-5.5 1.18	1.25e4	87.1	NO
3	3	18O2-PFHxS	1902189-16 SAOA-B02-SO-5-5.5 1.18	7.26e2	76.1	NO
4	4	13C8-PFOA	1902189-16 SAOA-B02-SO-5-5.5 1.18	1.92e4	85.6	NO
5	5	13C9-PFNA	1902189-16 SAOA-B02-SO-5-5.5 1.18	1.01e4	79.8	NO
6	6	13C4-PFOS	1902189-16 SAOA-B02-SO-5-5.5 1.18	1.61e3	71.8	NO
7	7	13C6-PFDA	1902189-16 SAOA-B02-SO-5-5.5 1.18	1.71e4	110.7	NO
8	8	13C7-PFUdA	1902189-16 SAOA-B02-SO-5-5.5 1.18	1.69e4	89.1	NO

Name: 190805M1_35, Date: 05-Aug-2019, Time: 16:29:28, ID: 1902189-17 SAOA-B02-SO-20-20.5 1.13, Description: SAOA-B02-SO-20-20.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-17 SAOA-B02-SO-20-20.5 1.13	7.29e3	112.4	NO
2	2	13C5-PFHxA	1902189-17 SAOA-B02-SO-20-20.5 1.13	1.15e4	79.8	NO
3	3	18O2-PFHxS	1902189-17 SAOA-B02-SO-20-20.5 1.13	6.92e2	72.5	NO
4	4	13C8-PFOA	1902189-17 SAOA-B02-SO-20-20.5 1.13	1.68e4	74.9	NO
5	5	13C9-PFNA	1902189-17 SAOA-B02-SO-20-20.5 1.13	1.02e4	80.8	NO
6	6	13C4-PFOS	1902189-17 SAOA-B02-SO-20-20.5 1.13	1.47e3	65.3	NO
7	7	13C6-PFDA	1902189-17 SAOA-B02-SO-20-20.5 1.13	1.61e4	104.0	NO
8	8	13C7-PFUdA	1902189-17 SAOA-B02-SO-20-20.5 1.13	1.54e4	81.0	NO

Name: 190805M1_36, Date: 05-Aug-2019, Time: 16:40:06, ID: 1902189-18 SAOA-B02-SO-56-56.5 1.28, Description: SAOA-B02-SO-56-56.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-18 SAOA-B02-SO-56-56.5 1.28	7.36e3	113.5	NO
2	2	13C5-PFHxA	1902189-18 SAOA-B02-SO-56-56.5 1.28	1.14e4	79.3	NO
3	3	18O2-PFHxS	1902189-18 SAOA-B02-SO-56-56.5 1.28	7.95e2	83.4	NO
4	4	13C8-PFOA	1902189-18 SAOA-B02-SO-56-56.5 1.28	1.72e4	76.6	NO
5	5	13C9-PFNA	1902189-18 SAOA-B02-SO-56-56.5 1.28	1.02e4	80.6	NO
6	6	13C4-PFOS	1902189-18 SAOA-B02-SO-56-56.5 1.28	1.68e3	74.7	NO
7	7	13C6-PFDA	1902189-18 SAOA-B02-SO-56-56.5 1.28	1.59e4	103.0	NO
8	8	13C7-PFUdA	1902189-18 SAOA-B02-SO-56-56.5 1.28	1.59e4	83.5	NO

Name: 190805M1_37, Date: 05-Aug-2019, Time: 16:50:38, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190805M1-3 PFC CS3 19G2306	6.52e3	100.5	NO
2	2	13C5-PFHxA	ST190805M1-3 PFC CS3 19G2306	1.57e4	109.4	NO
3	3	18O2-PFHxS	ST190805M1-3 PFC CS3 19G2306	1.06e3	110.9	NO
4	4	13C8-PFOA	ST190805M1-3 PFC CS3 19G2306	2.31e4	102.9	NO
5	5	13C9-PFNA	ST190805M1-3 PFC CS3 19G2306	1.26e4	99.7	NO
6	6	13C4-PFOS	ST190805M1-3 PFC CS3 19G2306	2.44e3	108.8	NO
7	7	13C6-PFDA	ST190805M1-3 PFC CS3 19G2306	1.60e4	103.5	NO
8	8	13C7-PFUdA	ST190805M1-3 PFC CS3 19G2306	1.94e4	102.3	NO

Name: 190805M1_39, Date: 05-Aug-2019, Time: 17:11:49, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190805M1_40, Date: 05-Aug-2019, Time: 17:22:27, ID: B9H0005-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0005-BS1 OPR 1	8.26e3	127.3	NO
2	2	13C5-PFHxA	B9H0005-BS1 OPR 1	1.28e4	89.3	NO
3	3	18O2-PFHxS	B9H0005-BS1 OPR 1	8.64e2	90.6	NO
4	4	13C8-PFOA	B9H0005-BS1 OPR 1	2.04e4	90.7	NO
5	5	13C9-PFNA	B9H0005-BS1 OPR 1	1.12e4	88.3	NO
6	6	13C4-PFOS	B9H0005-BS1 OPR 1	1.99e3	88.5	NO
7	7	13C6-PFDA	B9H0005-BS1 OPR 1	1.81e4	117.0	NO
8	8	13C7-PFUdA	B9H0005-BS1 OPR 1	1.74e4	91.9	NO

Name: 190805M1_41, Date: 05-Aug-2019, Time: 17:33:00, ID: B9H0005-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0005-BLK1 Method Blank 1	7.39e3	114.0	NO
2	2	13C5-PFHxA	B9H0005-BLK1 Method Blank 1	1.15e4	79.9	NO
3	3	18O2-PFHxS	B9H0005-BLK1 Method Blank 1	7.80e2	81.7	NO
4	4	13C8-PFOA	B9H0005-BLK1 Method Blank 1	1.76e4	78.4	NO
5	5	13C9-PFNA	B9H0005-BLK1 Method Blank 1	9.69e3	76.6	NO
6	6	13C4-PFOS	B9H0005-BLK1 Method Blank 1	1.79e3	79.6	NO
7	7	13C6-PFDA	B9H0005-BLK1 Method Blank 1	1.58e4	102.4	NO
8	8	13C7-PFUdA	B9H0005-BLK1 Method Blank 1	1.62e4	85.1	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_42, Date: 05-Aug-2019, Time: 17:43:38, ID: 1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01, Description: IA19-DU3-03042019-10-15-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-01RE1 IA19-DU3-03042019-1...	7.83e3	120.7	NO
2	2	13C5-PFHxA	1900655-01RE1 IA19-DU3-03042019-1...	1.24e4	86.0	NO
3	3	18O2-PFHxS	1900655-01RE1 IA19-DU3-03042019-1...	9.22e2	96.7	NO
4	4	13C8-PFOA	1900655-01RE1 IA19-DU3-03042019-1...	1.89e4	84.3	NO
5	5	13C9-PFNA	1900655-01RE1 IA19-DU3-03042019-1...	1.10e4	87.0	NO
6	6	13C4-PFOS	1900655-01RE1 IA19-DU3-03042019-1...	1.89e3	84.2	NO
7	7	13C6-PFDA	1900655-01RE1 IA19-DU3-03042019-1...	1.64e4	106.2	NO
8	8	13C7-PFUdA	1900655-01RE1 IA19-DU3-03042019-1...	1.72e4	90.8	NO

Name: 190805M1_43, Date: 05-Aug-2019, Time: 17:54:11, ID: 1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03, Description: IA19-DU2-03042019-10-25-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-02RE1 IA19-DU2-03042019-1...	7.85e3	121.0	NO
2	2	13C5-PFHxA	1900655-02RE1 IA19-DU2-03042019-1...	1.30e4	90.5	NO
3	3	18O2-PFHxS	1900655-02RE1 IA19-DU2-03042019-1...	8.96e2	93.9	NO
4	4	13C8-PFOA	1900655-02RE1 IA19-DU2-03042019-1...	2.06e4	91.8	NO
5	5	13C9-PFNA	1900655-02RE1 IA19-DU2-03042019-1...	1.14e4	89.9	NO
6	6	13C4-PFOS	1900655-02RE1 IA19-DU2-03042019-1...	1.83e3	81.7	NO
7	7	13C6-PFDA	1900655-02RE1 IA19-DU2-03042019-1...	1.81e4	117.4	NO
8	8	13C7-PFUdA	1900655-02RE1 IA19-DU2-03042019-1...	1.84e4	97.1	NO

Name: 190805M1_44, Date: 05-Aug-2019, Time: 18:04:49, ID: 1900655-03RE1 IA19-DU2-03042019-10-25-2 1, Description: IA19-DU2-03042019-10-25-2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-03RE1 IA19-DU2-03042019-1...	8.20e3	126.4	NO
2	2	13C5-PFHxA	1900655-03RE1 IA19-DU2-03042019-1...	1.30e4	90.7	NO
3	3	18O2-PFHxS	1900655-03RE1 IA19-DU2-03042019-1...	9.15e2	95.9	NO
4	4	13C8-PFOA	1900655-03RE1 IA19-DU2-03042019-1...	2.02e4	90.0	NO
5	5	13C9-PFNA	1900655-03RE1 IA19-DU2-03042019-1...	1.20e4	94.9	NO
6	6	13C4-PFOS	1900655-03RE1 IA19-DU2-03042019-1...	1.91e3	85.2	NO
7	7	13C6-PFDA	1900655-03RE1 IA19-DU2-03042019-1...	1.86e4	120.4	NO
8	8	13C7-PFUdA	1900655-03RE1 IA19-DU2-03042019-1...	1.86e4	97.9	NO

Name: 190805M1_45, Date: 05-Aug-2019, Time: 18:15:28, ID: 1900655-04RE1 IA19-DU2-03042019-10-25-3 1, Description: IA19-DU2-03042019-10-25-3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-04RE1 IA19-DU2-03042019-1...	8.07e3	124.4	NO
2	2	13C5-PFHxA	1900655-04RE1 IA19-DU2-03042019-1...	1.30e4	90.7	NO
3	3	18O2-PFHxS	1900655-04RE1 IA19-DU2-03042019-1...	8.44e2	88.5	NO
4	4	13C8-PFOA	1900655-04RE1 IA19-DU2-03042019-1...	1.89e4	84.0	NO
5	5	13C9-PFNA	1900655-04RE1 IA19-DU2-03042019-1...	1.16e4	91.3	NO
6	6	13C4-PFOS	1900655-04RE1 IA19-DU2-03042019-1...	1.97e3	87.7	NO
7	7	13C6-PFDA	1900655-04RE1 IA19-DU2-03042019-1...	1.66e4	107.7	NO
8	8	13C7-PFUdA	1900655-04RE1 IA19-DU2-03042019-1...	1.78e4	93.7	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_46, Date: 05-Aug-2019, Time: 18:26:01, ID: 1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01, Description: IA2-DU3-03042019-12-40-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-05RE1 IA2-DU3-03042019-12...	7.43e3	114.5	NO
2	2	13C5-PFHxA	1900655-05RE1 IA2-DU3-03042019-12...	1.21e4	84.0	NO
3	3	18O2-PFHxS	1900655-05RE1 IA2-DU3-03042019-12...	8.06e2	84.4	NO
4	4	13C8-PFOA	1900655-05RE1 IA2-DU3-03042019-12...	1.92e4	85.4	NO
5	5	13C9-PFNA	1900655-05RE1 IA2-DU3-03042019-12...	1.04e4	81.9	NO
6	6	13C4-PFOS	1900655-05RE1 IA2-DU3-03042019-12...	1.85e3	82.2	NO
7	7	13C6-PFDA	1900655-05RE1 IA2-DU3-03042019-12...	1.64e4	106.4	NO
8	8	13C7-PFUdA	1900655-05RE1 IA2-DU3-03042019-12...	1.64e4	86.3	NO

Name: 190805M1_47, Date: 05-Aug-2019, Time: 18:36:39, ID: 1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02, Description: IA19-DU1-03042019-11-05-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-06RE1 IA19-DU1-03042019-1...	7.41e3	114.3	NO
2	2	13C5-PFHxA	1900655-06RE1 IA19-DU1-03042019-1...	1.22e4	84.7	NO
3	3	18O2-PFHxS	1900655-06RE1 IA19-DU1-03042019-1...	8.33e2	87.3	NO
4	4	13C8-PFOA	1900655-06RE1 IA19-DU1-03042019-1...	1.86e4	82.6	NO
5	5	13C9-PFNA	1900655-06RE1 IA19-DU1-03042019-1...	1.03e4	81.1	NO
6	6	13C4-PFOS	1900655-06RE1 IA19-DU1-03042019-1...	1.74e3	77.4	NO
7	7	13C6-PFDA	1900655-06RE1 IA19-DU1-03042019-1...	1.71e4	110.7	NO
8	8	13C7-PFUdA	1900655-06RE1 IA19-DU1-03042019-1...	1.66e4	87.4	NO

Name: 190805M1_48, Date: 05-Aug-2019, Time: 18:47:12, ID: 1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02, Description: IA22-DU1-10042019-12-40-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900716-03RE1 IA22-DU1-10042019-1...	7.58e3	116.9	NO
2	2	13C5-PFHxA	1900716-03RE1 IA22-DU1-10042019-1...	1.19e4	83.0	NO
3	3	18O2-PFHxS	1900716-03RE1 IA22-DU1-10042019-1...	9.19e2	96.3	NO
4	4	13C8-PFOA	1900716-03RE1 IA22-DU1-10042019-1...	1.90e4	84.7	NO
5	5	13C9-PFNA	1900716-03RE1 IA22-DU1-10042019-1...	1.04e4	82.4	NO
6	6	13C4-PFOS	1900716-03RE1 IA22-DU1-10042019-1...	1.82e3	81.0	NO
7	7	13C6-PFDA	1900716-03RE1 IA22-DU1-10042019-1...	1.75e4	113.4	NO
8	8	13C7-PFUdA	1900716-03RE1 IA22-DU1-10042019-1...	1.73e4	91.3	NO

Name: 190805M1_49, Date: 05-Aug-2019, Time: 18:57:50, ID: 1900716-04RE1 IA22-DU2-10042019-13-30-1 1, Description: IA22-DU2-10042019-13-30-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900716-04RE1 IA22-DU2-10042019-1...	8.12e3	125.1	NO
2	2	13C5-PFHxA	1900716-04RE1 IA22-DU2-10042019-1...	1.28e4	88.9	NO
3	3	18O2-PFHxS	1900716-04RE1 IA22-DU2-10042019-1...	9.35e2	98.0	NO
4	4	13C8-PFOA	1900716-04RE1 IA22-DU2-10042019-1...	2.01e4	89.3	NO
5	5	13C9-PFNA	1900716-04RE1 IA22-DU2-10042019-1...	1.16e4	91.3	NO
6	6	13C4-PFOS	1900716-04RE1 IA22-DU2-10042019-1...	1.85e3	82.3	NO
7	7	13C6-PFDA	1900716-04RE1 IA22-DU2-10042019-1...	1.77e4	114.8	NO
8	8	13C7-PFUdA	1900716-04RE1 IA22-DU2-10042019-1...	1.78e4	93.5	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_50, Date: 05-Aug-2019, Time: 19:08:22, ID: 1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02, Description: IA-1-DU7R-14062019-09-35-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-01RE1 IA-1-DU7R-14062019-...	8.05e3	124.1	NO
2	2	13C5-PFHxA	1901614-01RE1 IA-1-DU7R-14062019-...	1.24e4	86.2	NO
3	3	18O2-PFHxS	1901614-01RE1 IA-1-DU7R-14062019-...	8.87e2	93.0	NO
4	4	13C8-PFOA	1901614-01RE1 IA-1-DU7R-14062019-...	2.00e4	89.1	NO
5	5	13C9-PFNA	1901614-01RE1 IA-1-DU7R-14062019-...	1.12e4	88.4	NO
6	6	13C4-PFOS	1901614-01RE1 IA-1-DU7R-14062019-...	1.83e3	81.7	NO
7	7	13C6-PFDA	1901614-01RE1 IA-1-DU7R-14062019-...	1.76e4	113.6	NO
8	8	13C7-PFUdA	1901614-01RE1 IA-1-DU7R-14062019-...	1.81e4	95.4	NO

Name: 190805M1_51, Date: 05-Aug-2019, Time: 19:19:00, ID: 1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02, Description: IA-1-DU1R-14062019-10-50-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-02RE1 IA-1-DU1R-14062019-...	7.49e3	115.4	NO
2	2	13C5-PFHxA	1901614-02RE1 IA-1-DU1R-14062019-...	1.28e4	88.8	NO
3	3	18O2-PFHxS	1901614-02RE1 IA-1-DU1R-14062019-...	8.39e2	87.9	NO
4	4	13C8-PFOA	1901614-02RE1 IA-1-DU1R-14062019-...	1.85e4	82.2	NO
5	5	13C9-PFNA	1901614-02RE1 IA-1-DU1R-14062019-...	1.03e4	81.3	NO
6	6	13C4-PFOS	1901614-02RE1 IA-1-DU1R-14062019-...	1.67e3	74.3	NO
7	7	13C6-PFDA	1901614-02RE1 IA-1-DU1R-14062019-...	1.71e4	110.5	NO
8	8	13C7-PFUdA	1901614-02RE1 IA-1-DU1R-14062019-...	1.74e4	91.8	NO

Name: 190805M1_52, Date: 05-Aug-2019, Time: 19:29:33, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190805M1_53, Date: 05-Aug-2019, Time: 19:40:11, ID: ST190805M1-4 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190805M1-4 PFC CS3 19G2306	6.40e3	98.7	NO
2	2	13C5-PFHxA	ST190805M1-4 PFC CS3 19G2306	1.54e4	107.2	NO
3	3	18O2-PFHxS	ST190805M1-4 PFC CS3 19G2306	8.96e2	93.9	NO
4	4	13C8-PFOA	ST190805M1-4 PFC CS3 19G2306	2.20e4	98.1	NO
5	5	13C9-PFNA	ST190805M1-4 PFC CS3 19G2306	1.29e4	101.9	NO
6	6	13C4-PFOS	ST190805M1-4 PFC CS3 19G2306	2.19e3	97.6	NO
7	7	13C6-PFDA	ST190805M1-4 PFC CS3 19G2306	1.59e4	103.1	NO
8	8	13C7-PFUdA	ST190805M1-4 PFC CS3 19G2306	1.88e4	99.0	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_54, Date: 05-Aug-2019, Time: 19:50:50, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190805M1_55, Date: 05-Aug-2019, Time: 20:01:23, ID: 1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01, Description: IA-1-DU3R-14062019-12-15-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-03RE1 IA-1-DU3R-14062019-...	7.21e3	111.1	NO
2	2	13C5-PFHxA	1901614-03RE1 IA-1-DU3R-14062019-...	1.14e4	79.6	NO
3	3	18O2-PFHxS	1901614-03RE1 IA-1-DU3R-14062019-...	7.81e2	81.8	NO
4	4	13C8-PFOA	1901614-03RE1 IA-1-DU3R-14062019-...	1.77e4	78.6	NO
5	5	13C9-PFNA	1901614-03RE1 IA-1-DU3R-14062019-...	1.02e4	80.9	NO
6	6	13C4-PFOS	1901614-03RE1 IA-1-DU3R-14062019-...	1.74e3	77.5	NO
7	7	13C6-PFDA	1901614-03RE1 IA-1-DU3R-14062019-...	1.54e4	99.7	NO
8	8	13C7-PFUdA	1901614-03RE1 IA-1-DU3R-14062019-...	1.56e4	82.4	NO

Name: 190805M1_56, Date: 05-Aug-2019, Time: 20:12:01, ID: 1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01, Description: IA-1-DU3R-14062019-12-15-2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-04RE1 IA-1-DU3R-14062019-...	7.49e3	115.5	NO
2	2	13C5-PFHxA	1901614-04RE1 IA-1-DU3R-14062019-...	1.17e4	81.4	NO
3	3	18O2-PFHxS	1901614-04RE1 IA-1-DU3R-14062019-...	7.57e2	79.4	NO
4	4	13C8-PFOA	1901614-04RE1 IA-1-DU3R-14062019-...	1.84e4	82.1	NO
5	5	13C9-PFNA	1901614-04RE1 IA-1-DU3R-14062019-...	1.07e4	84.4	NO
6	6	13C4-PFOS	1901614-04RE1 IA-1-DU3R-14062019-...	1.84e3	82.1	NO
7	7	13C6-PFDA	1901614-04RE1 IA-1-DU3R-14062019-...	1.71e4	110.4	NO
8	8	13C7-PFUdA	1901614-04RE1 IA-1-DU3R-14062019-...	1.69e4	88.8	NO

Name: 190805M1_57, Date: 05-Aug-2019, Time: 20:22:34, ID: 1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02, Description: IA-1-DU3R-14062019-12-15-3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-05RE1 IA-1-DU3R-14062019-...	7.06e3	108.8	NO
2	2	13C5-PFHxA	1901614-05RE1 IA-1-DU3R-14062019-...	1.13e4	78.5	NO
3	3	18O2-PFHxS	1901614-05RE1 IA-1-DU3R-14062019-...	8.25e2	86.4	NO
4	4	13C8-PFOA	1901614-05RE1 IA-1-DU3R-14062019-...	1.75e4	77.7	NO
5	5	13C9-PFNA	1901614-05RE1 IA-1-DU3R-14062019-...	1.03e4	81.5	NO
6	6	13C4-PFOS	1901614-05RE1 IA-1-DU3R-14062019-...	1.55e3	69.2	NO
7	7	13C6-PFDA	1901614-05RE1 IA-1-DU3R-14062019-...	1.52e4	98.4	NO
8	8	13C7-PFUdA	1901614-05RE1 IA-1-DU3R-14062019-...	1.53e4	80.6	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_58, Date: 05-Aug-2019, Time: 20:33:04, ID: 1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02, Description: IA-1-DU4R-14062019-13-35-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-06RE1 IA-1-DU4R-14062019-...	7.04e3	108.5	NO
2	2	13C5-PFHxA	1901614-06RE1 IA-1-DU4R-14062019-...	1.13e4	78.4	NO
3	3	18O2-PFHxS	1901614-06RE1 IA-1-DU4R-14062019-...	7.73e2	81.0	NO
4	4	13C8-PFOA	1901614-06RE1 IA-1-DU4R-14062019-...	1.68e4	74.9	NO
5	5	13C9-PFNA	1901614-06RE1 IA-1-DU4R-14062019-...	1.02e4	80.4	NO
6	6	13C4-PFOS	1901614-06RE1 IA-1-DU4R-14062019-...	1.55e3	69.1	NO
7	7	13C6-PFDA	1901614-06RE1 IA-1-DU4R-14062019-...	1.59e4	102.9	NO
8	8	13C7-PFUdA	1901614-06RE1 IA-1-DU4R-14062019-...	1.53e4	80.9	NO

Name: 190805M1_59, Date: 05-Aug-2019, Time: 20:43:43, ID: 1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1, Description: IA-1-DU5R-14062019-15-10-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-09RE1 IA-1-DU5R-14062019-...	7.88e3	121.5	NO
2	2	13C5-PFHxA	1901614-09RE1 IA-1-DU5R-14062019-...	1.27e4	88.1	NO
3	3	18O2-PFHxS	1901614-09RE1 IA-1-DU5R-14062019-...	8.55e2	89.6	NO
4	4	13C8-PFOA	1901614-09RE1 IA-1-DU5R-14062019-...	1.96e4	87.3	NO
5	5	13C9-PFNA	1901614-09RE1 IA-1-DU5R-14062019-...	1.12e4	88.5	NO
6	6	13C4-PFOS	1901614-09RE1 IA-1-DU5R-14062019-...	1.90e3	84.5	NO
7	7	13C6-PFDA	1901614-09RE1 IA-1-DU5R-14062019-...	1.82e4	117.8	NO
8	8	13C7-PFUdA	1901614-09RE1 IA-1-DU5R-14062019-...	1.78e4	93.8	NO

Name: 190805M1_60, Date: 05-Aug-2019, Time: 20:54:15, ID: B9G0312-BS1 OPR 0.25, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0312-BS1 OPR 0.25	6.86e3	105.7	NO
2	2	13C5-PFHxA	B9G0312-BS1 OPR 0.25	1.03e4	71.7	NO
3	3	18O2-PFHxS	B9G0312-BS1 OPR 0.25	7.02e2	73.6	NO
4	4	13C8-PFOA	B9G0312-BS1 OPR 0.25	1.59e4	70.7	NO
5	5	13C9-PFNA	B9G0312-BS1 OPR 0.25	9.21e3	72.8	NO
6	6	13C4-PFOS	B9G0312-BS1 OPR 0.25	1.60e3	71.1	NO
7	7	13C6-PFDA	B9G0312-BS1 OPR 0.25	1.40e4	90.8	NO
8	8	13C7-PFUdA	B9G0312-BS1 OPR 0.25	1.43e4	75.3	NO

Name: 190805M1_61, Date: 05-Aug-2019, Time: 21:04:54, ID: B9G0312-BLK1 Method Blank 0.25, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0312-BLK1 Method Blank 0.25	7.04e3	108.5	NO
2	2	13C5-PFHxA	B9G0312-BLK1 Method Blank 0.25	1.08e4	74.9	NO
3	3	18O2-PFHxS	B9G0312-BLK1 Method Blank 0.25	7.15e2	74.9	NO
4	4	13C8-PFOA	B9G0312-BLK1 Method Blank 0.25	1.64e4	73.0	NO
5	5	13C9-PFNA	B9G0312-BLK1 Method Blank 0.25	9.67e3	76.3	NO
6	6	13C4-PFOS	B9G0312-BLK1 Method Blank 0.25	1.58e3	70.1	NO
7	7	13C6-PFDA	B9G0312-BLK1 Method Blank 0.25	1.58e4	102.4	NO
8	8	13C7-PFUdA	B9G0312-BLK1 Method Blank 0.25	1.49e4	78.4	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_62, Date: 05-Aug-2019, Time: 21:15:32, ID: 1902340-01 SB-19-C1 20-25 0.24058, Description: SB-19-C1 20-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-01 SB-19-C1 20-25 0.24058	7.30e3	112.6	NO
2	2	13C5-PFHxA	1902340-01 SB-19-C1 20-25 0.24058	1.13e4	78.7	NO
3	3	18O2-PFHxS	1902340-01 SB-19-C1 20-25 0.24058	7.95e2	83.3	NO
4	4	13C8-PFOA	1902340-01 SB-19-C1 20-25 0.24058	1.47e4	65.4	NO
5	5	13C9-PFNA	1902340-01 SB-19-C1 20-25 0.24058	9.42e3	74.4	NO
6	6	13C4-PFOS	1902340-01 SB-19-C1 20-25 0.24058	1.34e3	59.5	NO
7	7	13C6-PFDA	1902340-01 SB-19-C1 20-25 0.24058	1.56e4	100.9	NO
8	8	13C7-PFUdA	1902340-01 SB-19-C1 20-25 0.24058	1.56e4	82.2	NO

Name: 190805M1_63, Date: 05-Aug-2019, Time: 21:26:04, ID: 1902340-02 SB-19-C1 15-20 0.2413, Description: SB-19-C1 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-02 SB-19-C1 15-20 0.2413	7.58e3	116.9	NO
2	2	13C5-PFHxA	1902340-02 SB-19-C1 15-20 0.2413	1.22e4	84.7	NO
3	3	18O2-PFHxS	1902340-02 SB-19-C1 15-20 0.2413	7.93e2	83.1	NO
4	4	13C8-PFOA	1902340-02 SB-19-C1 15-20 0.2413	6.01e3	26.8	YES
5	5	13C9-PFNA	1902340-02 SB-19-C1 15-20 0.2413	6.79e3	53.6	NO
6	6	13C4-PFOS	1902340-02 SB-19-C1 15-20 0.2413	4.58e2	20.4	YES
7	7	13C6-PFDA	1902340-02 SB-19-C1 15-20 0.2413	1.65e4	107.0	NO
8	8	13C7-PFUdA	1902340-02 SB-19-C1 15-20 0.2413	1.71e4	90.1	NO

Name: 190805M1_64, Date: 05-Aug-2019, Time: 21:36:43, ID: 1902340-03 SB-19-C2 20-25 0.23794, Description: SB-19-C2 20-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-03 SB-19-C2 20-25 0.23794	7.23e3	111.4	NO
2	2	13C5-PFHxA	1902340-03 SB-19-C2 20-25 0.23794	1.17e4	81.4	NO
3	3	18O2-PFHxS	1902340-03 SB-19-C2 20-25 0.23794	7.86e2	82.4	NO
4	4	13C8-PFOA	1902340-03 SB-19-C2 20-25 0.23794	1.77e4	78.6	NO
5	5	13C9-PFNA	1902340-03 SB-19-C2 20-25 0.23794	1.01e4	79.6	NO
6	6	13C4-PFOS	1902340-03 SB-19-C2 20-25 0.23794	1.60e3	71.2	NO
7	7	13C6-PFDA	1902340-03 SB-19-C2 20-25 0.23794	1.58e4	102.1	NO
8	8	13C7-PFUdA	1902340-03 SB-19-C2 20-25 0.23794	1.58e4	83.4	NO

Name: 190805M1_65, Date: 05-Aug-2019, Time: 21:47:21, ID: 1902340-04 SB-19-C2 15-20 0.24308, Description: SB-19-C2 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-04 SB-19-C2 15-20 0.24308	7.33e3	113.0	NO
2	2	13C5-PFHxA	1902340-04 SB-19-C2 15-20 0.24308	1.19e4	83.2	NO
3	3	18O2-PFHxS	1902340-04 SB-19-C2 15-20 0.24308	8.07e2	84.6	NO
4	4	13C8-PFOA	1902340-04 SB-19-C2 15-20 0.24308	1.08e4	48.3	YES
5	5	13C9-PFNA	1902340-04 SB-19-C2 15-20 0.24308	8.38e3	66.2	NO
6	6	13C4-PFOS	1902340-04 SB-19-C2 15-20 0.24308	9.43e2	42.0	YES
7	7	13C6-PFDA	1902340-04 SB-19-C2 15-20 0.24308	1.68e4	108.8	NO
8	8	13C7-PFUdA	1902340-04 SB-19-C2 15-20 0.24308	1.66e4	87.4	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_66, Date: 05-Aug-2019, Time: 21:57:54, ID: 1902340-05 SB-19-C3 20-25 0.24596, Description: SB-19-C3 20-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-05 SB-19-C3 20-25 0.24596	7.27e3	112.1	NO
2	2	13C5-PFHxA	1902340-05 SB-19-C3 20-25 0.24596	1.19e4	82.8	NO
3	3	18O2-PFHxS	1902340-05 SB-19-C3 20-25 0.24596	7.87e2	82.4	NO
4	4	13C8-PFOA	1902340-05 SB-19-C3 20-25 0.24596	1.70e4	75.6	NO
5	5	13C9-PFNA	1902340-05 SB-19-C3 20-25 0.24596	9.82e3	77.6	NO
6	6	13C4-PFOS	1902340-05 SB-19-C3 20-25 0.24596	1.43e3	63.6	NO
7	7	13C6-PFDA	1902340-05 SB-19-C3 20-25 0.24596	1.56e4	101.0	NO
8	8	13C7-PFUdA	1902340-05 SB-19-C3 20-25 0.24596	1.60e4	84.3	NO

Name: 190805M1_67, Date: 05-Aug-2019, Time: 22:08:33, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190805M1_68, Date: 05-Aug-2019, Time: 22:19:05, ID: ST190805M1-5 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190805M1-5 PFC CS3 19G2306	6.46e3	99.6	NO
2	2	13C5-PFHxA	ST190805M1-5 PFC CS3 19G2306	1.65e4	114.7	NO
3	3	18O2-PFHxS	ST190805M1-5 PFC CS3 19G2306	9.30e2	97.5	NO
4	4	13C8-PFOA	ST190805M1-5 PFC CS3 19G2306	2.31e4	103.0	NO
5	5	13C9-PFNA	ST190805M1-5 PFC CS3 19G2306	1.26e4	99.2	NO
6	6	13C4-PFOS	ST190805M1-5 PFC CS3 19G2306	2.38e3	106.1	NO
7	7	13C6-PFDA	ST190805M1-5 PFC CS3 19G2306	1.67e4	107.8	NO
8	8	13C7-PFUdA	ST190805M1-5 PFC CS3 19G2306	1.98e4	104.1	NO

Name: 190805M1_69, Date: 05-Aug-2019, Time: 22:29:43, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_70, Date: 05-Aug-2019, Time: 22:40:16, ID: 1902340-06 SB-19-C3 15-20 0.24224, Description: SB-19-C3 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-06 SB-19-C3 15-20 0.24224	6.96e3	107.3	NO
2	2	13C5-PFHxA	1902340-06 SB-19-C3 15-20 0.24224	1.16e4	81.1	NO
3	3	18O2-PFHxS	1902340-06 SB-19-C3 15-20 0.24224	7.98e2	83.7	NO
4	4	13C8-PFOA	1902340-06 SB-19-C3 15-20 0.24224	1.26e4	56.3	NO
5	5	13C9-PFNA	1902340-06 SB-19-C3 15-20 0.24224	8.35e3	66.0	NO
6	6	13C4-PFOS	1902340-06 SB-19-C3 15-20 0.24224	5.07e2	22.6	YES
7	7	13C6-PFDA	1902340-06 SB-19-C3 15-20 0.24224	1.60e4	103.7	NO
8	8	13C7-PFUdA	1902340-06 SB-19-C3 15-20 0.24224	1.57e4	82.8	NO

Name: 190805M1_71, Date: 05-Aug-2019, Time: 22:50:54, ID: 1902340-07 SB-19-C4 20-25 0.23437, Description: SB-19-C4 20-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-07 SB-19-C4 20-25 0.23437	7.92e3	122.1	NO
2	2	13C5-PFHxA	1902340-07 SB-19-C4 20-25 0.23437	1.26e4	88.1	NO
3	3	18O2-PFHxS	1902340-07 SB-19-C4 20-25 0.23437	8.53e2	89.4	NO
4	4	13C8-PFOA	1902340-07 SB-19-C4 20-25 0.23437	1.94e4	86.5	NO
5	5	13C9-PFNA	1902340-07 SB-19-C4 20-25 0.23437	1.10e4	86.8	NO
6	6	13C4-PFOS	1902340-07 SB-19-C4 20-25 0.23437	1.97e3	87.7	NO
7	7	13C6-PFDA	1902340-07 SB-19-C4 20-25 0.23437	1.78e4	115.3	NO
8	8	13C7-PFUdA	1902340-07 SB-19-C4 20-25 0.23437	1.68e4	88.3	NO

Name: 190805M1_72, Date: 05-Aug-2019, Time: 23:01:32, ID: 1902340-08 SB-19-C4 15-20 0.24446, Description: SB-19-C4 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-08 SB-19-C4 15-20 0.24446	8.14e3	125.5	NO
2	2	13C5-PFHxA	1902340-08 SB-19-C4 15-20 0.24446	1.31e4	91.2	NO
3	3	18O2-PFHxS	1902340-08 SB-19-C4 15-20 0.24446	8.86e2	92.8	NO
4	4	13C8-PFOA	1902340-08 SB-19-C4 15-20 0.24446	1.82e4	80.8	NO
5	5	13C9-PFNA	1902340-08 SB-19-C4 15-20 0.24446	1.14e4	90.3	NO
6	6	13C4-PFOS	1902340-08 SB-19-C4 15-20 0.24446	1.69e3	75.2	NO
7	7	13C6-PFDA	1902340-08 SB-19-C4 15-20 0.24446	1.82e4	117.7	NO
8	8	13C7-PFUdA	1902340-08 SB-19-C4 15-20 0.24446	1.80e4	95.0	NO

Name: 190805M1_73, Date: 05-Aug-2019, Time: 23:12:06, ID: 1902340-09 SB-19-C1 10-15 0.23978, Description: SB-19-C1 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-09 SB-19-C1 10-15 0.23978	7.51e3	115.8	NO
2	2	13C5-PFHxA	1902340-09 SB-19-C1 10-15 0.23978	1.22e4	85.3	NO
3	3	18O2-PFHxS	1902340-09 SB-19-C1 10-15 0.23978	8.33e2	87.3	NO
4	4	13C8-PFOA	1902340-09 SB-19-C1 10-15 0.23978	1.07e4	47.8	YES
5	5	13C9-PFNA	1902340-09 SB-19-C1 10-15 0.23978	8.13e3	64.3	NO
6	6	13C4-PFOS	1902340-09 SB-19-C1 10-15 0.23978	8.60e2	38.3	YES
7	7	13C6-PFDA	1902340-09 SB-19-C1 10-15 0.23978	1.64e4	105.9	NO
8	8	13C7-PFUdA	1902340-09 SB-19-C1 10-15 0.23978	1.63e4	85.8	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_74, Date: 05-Aug-2019, Time: 23:22:44, ID: 1902340-10 SB-19-C2 10-15 0.2419, Description: SB-19-C2 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-10 SB-19-C2 10-15 0.2419	6.28e3	96.8	NO
2	2	13C5-PFHxA	1902340-10 SB-19-C2 10-15 0.2419	1.02e4	71.0	NO
3	3	18O2-PFHxS	1902340-10 SB-19-C2 10-15 0.2419	6.95e2	72.9	NO
4	4	13C8-PFOA	1902340-10 SB-19-C2 10-15 0.2419	9.61e3	42.8	YES
5	5	13C9-PFNA	1902340-10 SB-19-C2 10-15 0.2419	7.30e3	57.7	NO
6	6	13C4-PFOS	1902340-10 SB-19-C2 10-15 0.2419	5.29e2	23.6	YES
7	7	13C6-PFDA	1902340-10 SB-19-C2 10-15 0.2419	1.40e4	90.9	NO
8	8	13C7-PFUdA	1902340-10 SB-19-C2 10-15 0.2419	1.46e4	77.1	NO

Name: 190805M1_75, Date: 05-Aug-2019, Time: 23:33:17, ID: 1902340-11 SB-19-C3 10-15 0.24555, Description: SB-19-C3 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-11 SB-19-C3 10-15 0.24555	8.30e3	128.0	NO
2	2	13C5-PFHxA	1902340-11 SB-19-C3 10-15 0.24555	1.39e4	97.1	NO
3	3	18O2-PFHxS	1902340-11 SB-19-C3 10-15 0.24555	9.53e2	99.8	NO
4	4	13C8-PFOA	1902340-11 SB-19-C3 10-15 0.24555	6.87e3	30.6	YES
5	5	13C9-PFNA	1902340-11 SB-19-C3 10-15 0.24555	5.30e3	41.9	YES
6	6	13C4-PFOS	1902340-11 SB-19-C3 10-15 0.24555	1.64e2	7.3	YES
7	7	13C6-PFDA	1902340-11 SB-19-C3 10-15 0.24555	1.55e4	100.5	NO
8	8	13C7-PFUdA	1902340-11 SB-19-C3 10-15 0.24555	1.85e4	97.5	NO

Name: 190805M1_76, Date: 05-Aug-2019, Time: 23:43:55, ID: 1902340-12 SB-19-C4 10-15 0.24794, Description: SB-19-C4 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-12 SB-19-C4 10-15 0.24794	7.66e3	118.1	NO
2	2	13C5-PFHxA	1902340-12 SB-19-C4 10-15 0.24794	1.28e4	89.1	NO
3	3	18O2-PFHxS	1902340-12 SB-19-C4 10-15 0.24794	8.62e2	90.3	NO
4	4	13C8-PFOA	1902340-12 SB-19-C4 10-15 0.24794	5.74e3	25.5	YES
5	5	13C9-PFNA	1902340-12 SB-19-C4 10-15 0.24794	6.21e3	49.0	YES
6	6	13C4-PFOS	1902340-12 SB-19-C4 10-15 0.24794	3.00e2	13.4	YES
7	7	13C6-PFDA	1902340-12 SB-19-C4 10-15 0.24794	1.75e4	113.3	NO
8	8	13C7-PFUdA	1902340-12 SB-19-C4 10-15 0.24794	1.84e4	97.1	NO

Name: 190805M1_77, Date: 05-Aug-2019, Time: 23:54:29, ID: 1902340-13 SB-19-C4 10-15 DUP 0.24565, Description: SB-19-C4 10-15 DUP

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-13 SB-19-C4 10-15 DUP 0.24...	7.73e3	119.2	NO
2	2	13C5-PFHxA	1902340-13 SB-19-C4 10-15 DUP 0.24...	1.29e4	90.0	NO
3	3	18O2-PFHxS	1902340-13 SB-19-C4 10-15 DUP 0.24...	8.25e2	86.5	NO
4	4	13C8-PFOA	1902340-13 SB-19-C4 10-15 DUP 0.24...	5.93e3	26.4	YES
5	5	13C9-PFNA	1902340-13 SB-19-C4 10-15 DUP 0.24...	6.44e3	50.8	NO
6	6	13C4-PFOS	1902340-13 SB-19-C4 10-15 DUP 0.24...	2.90e2	12.9	YES
7	7	13C6-PFDA	1902340-13 SB-19-C4 10-15 DUP 0.24...	1.75e4	113.2	NO
8	8	13C7-PFUdA	1902340-13 SB-19-C4 10-15 DUP 0.24...	1.80e4	95.1	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_78, Date: 06-Aug-2019, Time: 00:05:08, ID: 1902340-14 SB-19-C4 5-10 0.24089, Description: SB-19-C4 5-10

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-14 SB-19-C4 5-10 0.24089	8.09e3	124.8	NO
2	2	13C5-PFHxA	1902340-14 SB-19-C4 5-10 0.24089	1.32e4	91.8	NO
3	3	18O2-PFHxS	1902340-14 SB-19-C4 5-10 0.24089	8.47e2	88.8	NO
4	4	13C8-PFOA	1902340-14 SB-19-C4 5-10 0.24089	1.34e4	59.7	NO
5	5	13C9-PFNA	1902340-14 SB-19-C4 5-10 0.24089	8.60e3	67.9	NO
6	6	13C4-PFOS	1902340-14 SB-19-C4 5-10 0.24089	7.88e2	35.1	YES
7	7	13C6-PFDA	1902340-14 SB-19-C4 5-10 0.24089	1.87e4	121.0	NO
8	8	13C7-PFUdA	1902340-14 SB-19-C4 5-10 0.24089	1.86e4	97.8	NO

Name: 190805M1_79, Date: 06-Aug-2019, Time: 00:15:40, ID: 1902340-15 SB-19-N1 55-60 0.25012, Description: SB-19-N1 55-60

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-15 SB-19-N1 55-60 0.25012	7.81e3	120.4	NO
2	2	13C5-PFHxA	1902340-15 SB-19-N1 55-60 0.25012	1.23e4	85.8	NO
3	3	18O2-PFHxS	1902340-15 SB-19-N1 55-60 0.25012	8.21e2	86.0	NO
4	4	13C8-PFOA	1902340-15 SB-19-N1 55-60 0.25012	1.88e4	83.7	NO
5	5	13C9-PFNA	1902340-15 SB-19-N1 55-60 0.25012	1.08e4	85.0	NO
6	6	13C4-PFOS	1902340-15 SB-19-N1 55-60 0.25012	1.73e3	77.1	NO
7	7	13C6-PFDA	1902340-15 SB-19-N1 55-60 0.25012	1.62e4	104.6	NO
8	8	13C7-PFUdA	1902340-15 SB-19-N1 55-60 0.25012	1.71e4	90.2	NO

Name: 190805M1_80, Date: 06-Aug-2019, Time: 00:26:18, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190805M1_81, Date: 06-Aug-2019, Time: 00:36:56, ID: ST190805M1-6 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190805M1-6 PFC CS3 19G2306	7.00e3	107.9	NO
2	2	13C5-PFHxA	ST190805M1-6 PFC CS3 19G2306	1.61e4	111.9	NO
3	3	18O2-PFHxS	ST190805M1-6 PFC CS3 19G2306	1.02e3	107.3	NO
4	4	13C8-PFOA	ST190805M1-6 PFC CS3 19G2306	2.27e4	101.0	NO
5	5	13C9-PFNA	ST190805M1-6 PFC CS3 19G2306	1.29e4	101.9	NO
6	6	13C4-PFOS	ST190805M1-6 PFC CS3 19G2306	2.35e3	104.8	NO
7	7	13C6-PFDA	ST190805M1-6 PFC CS3 19G2306	1.56e4	100.7	NO
8	8	13C7-PFUdA	ST190805M1-6 PFC CS3 19G2306	1.97e4	103.8	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_82, Date: 06-Aug-2019, Time: 00:47:30, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190805M1_83, Date: 06-Aug-2019, Time: 00:58:09, ID: 1902340-16 SB-19-N2 55-60 0.25388, Description: SB-19-N2 55-60

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-16 SB-19-N2 55-60 0.25388	8.11e3	125.0	NO
2	2	13C5-PFHxA	1902340-16 SB-19-N2 55-60 0.25388	1.32e4	92.1	NO
3	3	18O2-PFHxS	1902340-16 SB-19-N2 55-60 0.25388	8.51e2	89.2	NO
4	4	13C8-PFOA	1902340-16 SB-19-N2 55-60 0.25388	2.02e4	89.7	NO
5	5	13C9-PFNA	1902340-16 SB-19-N2 55-60 0.25388	1.13e4	89.0	NO
6	6	13C4-PFOS	1902340-16 SB-19-N2 55-60 0.25388	1.96e3	87.1	NO
7	7	13C6-PFDA	1902340-16 SB-19-N2 55-60 0.25388	1.75e4	113.3	NO
8	8	13C7-PFUdA	1902340-16 SB-19-N2 55-60 0.25388	1.81e4	95.4	NO

Name: 190805M1_84, Date: 06-Aug-2019, Time: 01:08:47, ID: 1902340-17 SB-19-N2 (48-53) 0.25043, Description: SB-19-N2 (48-53)

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-17 SB-19-N2 (48-53) 0.25043	8.37e3	129.0	NO
2	2	13C5-PFHxA	1902340-17 SB-19-N2 (48-53) 0.25043	1.38e4	96.4	NO
3	3	18O2-PFHxS	1902340-17 SB-19-N2 (48-53) 0.25043	8.92e2	93.5	NO
4	4	13C8-PFOA	1902340-17 SB-19-N2 (48-53) 0.25043	2.03e4	90.3	NO
5	5	13C9-PFNA	1902340-17 SB-19-N2 (48-53) 0.25043	1.20e4	94.8	NO
6	6	13C4-PFOS	1902340-17 SB-19-N2 (48-53) 0.25043	1.76e3	78.5	NO
7	7	13C6-PFDA	1902340-17 SB-19-N2 (48-53) 0.25043	1.80e4	116.7	NO
8	8	13C7-PFUdA	1902340-17 SB-19-N2 (48-53) 0.25043	1.79e4	94.3	NO

Name: 190805M1_85, Date: 06-Aug-2019, Time: 01:19:20, ID: 1902340-18 SB-19-C2 (5-10) 0.23872, Description: SB-19-C2 (5-10)

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-18 SB-19-C2 (5-10) 0.23872	7.41e3	114.3	NO
2	2	13C5-PFHxA	1902340-18 SB-19-C2 (5-10) 0.23872	1.24e4	86.1	NO
3	3	18O2-PFHxS	1902340-18 SB-19-C2 (5-10) 0.23872	8.20e2	85.9	NO
4	4	13C8-PFOA	1902340-18 SB-19-C2 (5-10) 0.23872	1.52e4	67.5	NO
5	5	13C9-PFNA	1902340-18 SB-19-C2 (5-10) 0.23872	8.58e3	67.8	NO
6	6	13C4-PFOS	1902340-18 SB-19-C2 (5-10) 0.23872	5.38e2	23.9	YES
7	7	13C6-PFDA	1902340-18 SB-19-C2 (5-10) 0.23872	1.69e4	109.3	NO
8	8	13C7-PFUdA	1902340-18 SB-19-C2 (5-10) 0.23872	1.68e4	88.5	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_86, Date: 06-Aug-2019, Time: 01:29:59, ID: 1902340-19 SB-19-C1 (5-10) 0.2458, Description: SB-19-C1 (5-10)

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-19 SB-19-C1 (5-10) 0.2458	8.38e3	129.2	NO
2	2	13C5-PFHxA	1902340-19 SB-19-C1 (5-10) 0.2458	1.34e4	93.6	NO
3	3	18O2-PFHxS	1902340-19 SB-19-C1 (5-10) 0.2458	8.64e2	90.6	NO
4	4	13C8-PFOA	1902340-19 SB-19-C1 (5-10) 0.2458	1.98e4	88.3	NO
5	5	13C9-PFNA	1902340-19 SB-19-C1 (5-10) 0.2458	1.15e4	90.7	NO
6	6	13C4-PFOS	1902340-19 SB-19-C1 (5-10) 0.2458	1.68e3	74.7	NO
7	7	13C6-PFDA	1902340-19 SB-19-C1 (5-10) 0.2458	1.79e4	116.0	NO
8	8	13C7-PFUdA	1902340-19 SB-19-C1 (5-10) 0.2458	1.86e4	97.9	NO

Name: 190805M1_87, Date: 06-Aug-2019, Time: 01:40:32, ID: 1902340-20 SB-19-N1 (48-53) 0.24852, Description: SB-19-N1 (48-53)

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-20 SB-19-N1 (48-53) 0.24852	8.46e3	130.4	NO
2	2	13C5-PFHxA	1902340-20 SB-19-N1 (48-53) 0.24852	1.34e4	93.5	NO
3	3	18O2-PFHxS	1902340-20 SB-19-N1 (48-53) 0.24852	8.97e2	94.0	NO
4	4	13C8-PFOA	1902340-20 SB-19-N1 (48-53) 0.24852	1.98e4	87.9	NO
5	5	13C9-PFNA	1902340-20 SB-19-N1 (48-53) 0.24852	1.15e4	90.6	NO
6	6	13C4-PFOS	1902340-20 SB-19-N1 (48-53) 0.24852	1.92e3	85.6	NO
7	7	13C6-PFDA	1902340-20 SB-19-N1 (48-53) 0.24852	1.88e4	121.3	NO
8	8	13C7-PFUdA	1902340-20 SB-19-N1 (48-53) 0.24852	1.89e4	99.6	NO

Name: 190805M1_88, Date: 06-Aug-2019, Time: 01:51:11, ID: B9H0013-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0013-BS1 OPR 0.125	8.42e3	129.8	NO
2	2	13C5-PFHxA	B9H0013-BS1 OPR 0.125	1.32e4	91.7	NO
3	3	18O2-PFHxS	B9H0013-BS1 OPR 0.125	1.04e3	108.6	NO
4	4	13C8-PFOA	B9H0013-BS1 OPR 0.125	2.10e4	93.3	NO
5	5	13C9-PFNA	B9H0013-BS1 OPR 0.125	1.19e4	93.8	NO
6	6	13C4-PFOS	B9H0013-BS1 OPR 0.125	2.09e3	93.2	NO
7	7	13C6-PFDA	B9H0013-BS1 OPR 0.125	1.84e4	119.1	NO
8	8	13C7-PFUdA	B9H0013-BS1 OPR 0.125	1.73e4	91.2	NO

Name: 190805M1_89, Date: 06-Aug-2019, Time: 02:01:49, ID: B9H0013-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0013-BLK1 Method Blank 0.125	7.72e3	119.1	NO
2	2	13C5-PFHxA	B9H0013-BLK1 Method Blank 0.125	1.23e4	85.9	NO
3	3	18O2-PFHxS	B9H0013-BLK1 Method Blank 0.125	9.11e2	95.4	NO
4	4	13C8-PFOA	B9H0013-BLK1 Method Blank 0.125	1.90e4	84.5	NO
5	5	13C9-PFNA	B9H0013-BLK1 Method Blank 0.125	1.04e4	82.2	NO
6	6	13C4-PFOS	B9H0013-BLK1 Method Blank 0.125	1.80e3	80.1	NO
7	7	13C6-PFDA	B9H0013-BLK1 Method Blank 0.125	1.68e4	108.9	NO
8	8	13C7-PFUdA	B9H0013-BLK1 Method Blank 0.125	1.57e4	82.7	NO

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 10:06:50 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:11:40 Pacific Daylight Time

Name: 190805M1_90, Date: 06-Aug-2019, Time: 02:12:22, ID: 1902387-03 AQA 19-11 S3 0.125, Description: AQA 19-11 S3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902387-03 AQA 19-11 S3 0.125	8.30e3	128.0	NO
2	2	13C5-PFHxA	1902387-03 AQA 19-11 S3 0.125	1.29e4	89.9	NO
3	3	18O2-PFHxS	1902387-03 AQA 19-11 S3 0.125	7.47e2	78.2	NO
4	4	13C8-PFOA	1902387-03 AQA 19-11 S3 0.125	2.07e4	91.9	NO
5	5	13C9-PFNA	1902387-03 AQA 19-11 S3 0.125	1.17e4	92.6	NO
6	6	13C4-PFOS	1902387-03 AQA 19-11 S3 0.125	1.92e3	85.4	NO
7	7	13C6-PFDA	1902387-03 AQA 19-11 S3 0.125	1.81e4	117.0	NO
8	8	13C7-PFUdA	1902387-03 AQA 19-11 S3 0.125	1.75e4	92.2	NO

Name: 190805M1_91, Date: 06-Aug-2019, Time: 02:23:00, ID: 1902387-04 AQA 19-11 S4 0.125, Description: AQA 19-11 S4

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902387-04 AQA 19-11 S4 0.125	7.51e3	115.7	NO
2	2	13C5-PFHxA	1902387-04 AQA 19-11 S4 0.125	1.23e4	85.6	NO
3	3	18O2-PFHxS	1902387-04 AQA 19-11 S4 0.125	8.67e2	90.8	NO
4	4	13C8-PFOA	1902387-04 AQA 19-11 S4 0.125	1.93e4	85.8	NO
5	5	13C9-PFNA	1902387-04 AQA 19-11 S4 0.125	1.04e4	82.5	NO
6	6	13C4-PFOS	1902387-04 AQA 19-11 S4 0.125	1.74e3	77.4	NO
7	7	13C6-PFDA	1902387-04 AQA 19-11 S4 0.125	1.66e4	107.3	NO
8	8	13C7-PFUdA	1902387-04 AQA 19-11 S4 0.125	1.60e4	84.3	NO

Name: 190805M1_92, Date: 06-Aug-2019, Time: 02:33:33, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190805M1_93, Date: 06-Aug-2019, Time: 02:44:12, ID: ST190805M1-7 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190805M1-7 PFC CS3 19G2306	7.14e3	110.1	NO
2	2	13C5-PFHxA	ST190805M1-7 PFC CS3 19G2306	1.62e4	113.0	NO
3	3	18O2-PFHxS	ST190805M1-7 PFC CS3 19G2306	1.12e3	117.8	NO
4	4	13C8-PFOA	ST190805M1-7 PFC CS3 19G2306	2.41e4	107.5	NO
5	5	13C9-PFNA	ST190805M1-7 PFC CS3 19G2306	1.30e4	102.3	NO
6	6	13C4-PFOS	ST190805M1-7 PFC CS3 19G2306	2.30e3	102.5	NO
7	7	13C6-PFDA	ST190805M1-7 PFC CS3 19G2306	1.64e4	106.0	NO
8	8	13C7-PFUdA	ST190805M1-7 PFC CS3 19G2306	1.99e4	104.7	NO

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld

Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time

Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8		3989.850	1.00					NO		
2	2	PFPrS	248.9 > 79.9		1031.291	1.00					NO		
3	3	3:3 FTCA	240.9 > 176.9		6722.016	1.00					NO		
4	4	PFPeA	263.1 > 218.9		6722.016	1.00					NO		
5	5	PFBS	299.0 > 79.7		1031.291	1.00					NO		
6	6	4:2 FTS	327.0 > 306.9		2069.185	1.00					NO		
7	47	13C3-PFBA	216.1 > 171.8	3989.850	6434.438	1.00	1.23	7.751	11.6	92.9	NO		
8	49	13C3-PFBS	302.0 > 98.8	1031.291	956.252	1.00	2.50	13.481	12.7	101.6	NO		
9	48	13C3-PFPeA	266.0 > 221.8	6722.016	15499.171	1.00	2.21	5.421	11.7	93.6	NO		
10	48	13C3-PFPeA	266.0 > 221.8	6722.016	15499.171	1.00	2.21	5.421	11.7	93.6	NO		
11	49	13C3-PFBS	302.0 > 98.8	1031.291	956.252	1.00	2.50	13.481	12.7	101.6	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	2069.185	956.252	1.00	2.91	27.048	14.0	112.3	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0		4656.295	1.00					NO		
15	8	PFPeS	349.1>80.1		1031.291	1.00					NO		
16	9	HFPO-DA	285.1 > 168.9		1343.872	1.00					NO		
17	10	5:3 FTCA	340.9 > 236.9		5755.477	1.00					NO		
18	11	PFHpA	363.0 > 318.9		5755.477	1.00					NO		
19	12	ADONA	376.8 > 250.9		5755.477	1.00					NO		
20	52	13C2-PFHxA	315.0 > 270.0	4656.295	15499.171	1.00	3.00	3.755	4.6	92.7	NO		
21	49	13C3-PFBS	302.0 > 98.8	1031.291	956.252	1.00	2.50	13.481	12.7	101.6	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1343.872	15499.171	1.00	3.21	1.084	4.8	95.3	NO		
23	53	13C4-PFHpA	367.2 > 321.8	5755.477	15499.171	1.00	3.63	4.642	12.3	98.1	NO		
24	53	13C4-PFHpA	367.2 > 321.8	5755.477	15499.171	1.00	3.63	4.642	12.3	98.1	NO		
25	53	13C4-PFHpA	367.2 > 321.8	5755.477	15499.171	1.00	3.63	4.642	12.3	98.1	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6		2484.473	1.00					NO		
28	15	6:2 FTS	427.0 > 406.9		1530.237	1.00					NO		
29	16	L-PFOA	412.8 > 368.9	35.780	11331.731	1.00	4.16	0.039	0.0		NO	5.724	YES
30	18	PFecHS	460.8 > 381.0		11331.731	1.00					NO		
31	19	PFHpS	449.0 > 80.0		2375.180	1.00					NO		
32	20	7:3 FTCA	440.9 > 336.9		12821.559	1.00					NO		
33	54	13C3-PFHxS	401.8 > 79.9	2484.473	956.252	1.00	3.78	32.477	14.2	113.2	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	1530.237	2339.830	1.00	4.10	8.175	11.7	93.6	NO		
35	58	13C2-PFOA	414.9 > 369.7	11331.731	21842.961	1.00	4.16	6.485	12.9	103.3	NO		
36	58	13C2-PFOA	414.9 > 369.7	11331.731	21842.961	1.00	4.16	6.485	12.9	103.3	NO		

CGH 8/6/2019

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld

Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time

Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	2375.180	2339.830	1.00	4.69	12.689	12.8	102.1	NO		
38	56	13C5-PFNA	468.2 > 422.9	12821.559	12736.363	1.00	4.60	12.584	12.0	96.0	NO		
39	-1												
40	21	PFNA	463.0 > 418.8		12821.559	1.00					NO		
41	22	PFOSA	497.9 > 77.9		3746.740	1.00					NO		
42	23	L-PFOS	498.9 > 79.9		2375.180	1.00					NO		
43	25	9Cl-PF30NS	530.7 > 350.8		2375.180	1.00					NO		
44	26	PFDA	513 > 468.8		9271.093	1.00					NO		
45	27	8:2 FTS	527.0 > 506.9		1499.712	1.00					NO		
46	56	13C5-PFNA	468.2 > 422.9	12821.559	12736.363	1.00	4.60	12.584	12.0	96.0	NO		
47	57	13C8-PFOSA	506.1 > 77.7	3746.740	19798.504	1.00	4.66	2.366	13.1	104.6	NO		
48	59	13C8-PFOS	507.0 > 79.9	2375.180	2339.830	1.00	4.69	12.689	12.8	102.1	NO		
49	59	13C8-PFOS	507.0 > 79.9	2375.180	2339.830	1.00	4.69	12.689	12.8	102.1	NO		
50	60	13C2-PFDA	515.1 > 469.9	9271.093	15880.050	1.00	4.98	7.298	10.3	82.2	NO		
51	61	13C2-8:2 FTS	529 > 79.9	1499.712	2339.830	1.00	4.95	8.012	11.4	91.3	NO		
52	-1												
53	28	PFNS	549.1 > 80.1		2375.180	1.00					NO		
54	29	L-MeFOSAA	570 > 419		2378.308	1.00					NO		
55	31	L-EtFOSAA	584.1 > 419		3263.022	1.00					NO		
56	33	PFUdA	563.0 > 518.9		16568.410	1.00					NO		
57	34	PFDS	598.8 > 79.9		1499.712	1.00					NO		
58	35	11Cl-PF30UdS	632.6 > 452.7		19533.605	1.00					NO		
59	59	13C8-PFOS	507.0 > 79.9	2375.180	2339.830	1.00	4.69	12.689	12.8	102.1	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	2378.308	19798.504	1.00	5.13	1.502	10.5	84.1	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	3263.022	19798.504	1.00	5.29	2.060	10.2	81.4	NO		
62	63	13C2-PFUdA	565 > 519.8	16568.410	19798.504	1.00	5.31	10.461	12.6	100.5	NO		
63	61	13C2-8:2 FTS	529 > 79.9	1499.712	2339.830	1.00	4.95	8.012	11.4	91.3	NO		
64	65	13C2-PFDoA	614.7 > 569.7	19533.605	15880.050	1.00	5.60	15.376	12.3	98.5	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9		1499.712	1.00					NO		
67	37	PFDoA	612.9 > 569.0		19533.605	1.00					NO		
68	38	N-MeFOSA	512.1 > 168.9		7137.127	1.00					NO		
69	39	PFTrDA	662.9 > 618.9		19533.605	1.00					NO		
70	40	PFDoS	698.8 > 79.9		8968.272	1.00					NO		
71	41	PFTeDA	713.0 > 669.0		8968.272	1.00					NO		
72	65	13C2-PFDoA	614.7 > 569.7	19533.605	15880.050	1.00	5.60	15.376	12.3	98.5	NO		

CGH 8/6/2019

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld

Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time

Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	19533.605	15880.050	1.00	5.60	15.376	12.3	98.5	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	7137.127	19798.504	1.00	5.72	4.506	144.9	96.6	NO		
75	65	13C2-PFDoA	614.7 > 569.7	19533.605	15880.050	1.00	5.60	15.376	12.3	98.5	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	8968.272	19798.504	1.00	6.07	5.662	12.5	100.2	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	8968.272	19798.504	1.00	6.07	5.662	12.5	100.2	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9		8307.393	1.00					NO		
80	43	PFHxDA	813.1 > 768.6	51.844	5910.098	1.00	6.42	0.044			NO	41.843	YES
81	44	PFODA	913.1 > 868.8	8.255	5910.098	1.00	6.66	0.007			NO		
82	45	N-MeFOSE	616.1 > 58.9		8229.578	1.00					NO		
83	46	N-EtFOSE	630.1 > 58.9		7795.722	1.00					NO		
84	72	13C4-PFBA	217.0 > 172.0	6434.438	6434.438	1.00	1.23	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	8307.393	19798.504	1.00	6.14	5.245	143.4	95.6	NO		
86	69	13C2-PFHxDA	815 > 769.7	5910.098	19798.504	1.00	6.42	3.731	5.2	104.5	NO		
87	69	13C2-PFHxDA	815 > 769.7	5910.098	19798.504	1.00	6.42	3.731	5.2	104.5	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	8229.578	19798.504	1.00	6.30	5.196	158.3	105.6	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	7795.722	19798.504	1.00	6.45	4.922	143.2	95.5	NO		
90	73	13C5-PFHxA	318.0 > 272.9	15499.171	15499.171	1.00	3.00	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	21842.961	21842.961	1.00	4.16	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	956.252	956.252	1.00	3.78	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	12736.363	12736.363	1.00	4.60	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	2339.830	2339.830	1.00	4.69	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	15880.050	15880.050	1.00	4.98	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	19798.504	19798.504	1.00	5.31	12.500	12.5	100.0	NO		

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld

Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld

Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time


Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld

Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time


Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld

Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time


Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld

Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time


Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld

Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time


Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld


Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time

Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-7.qld


Last Altered: Tuesday, August 06, 2019 10:03:25 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 10:03:56 Pacific Daylight Time

Name: 190805M1_7, Date: 05-Aug-2019, Time: 11:32:41, ID: IB, Description: IB


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



LC Calibration Standards Review Checklist Q24

			ION Ratio	Concentration	C-Cals Name	Sign Date	Correct I-Cal	Manual Integrations	N/A
Calibration ID:	ST190805M1-1	L M H	☑	☑	☑	☑	☑	☑	☐
Calibration ID:	-2	L M H	☑	☑	☑	☑	☑	☑	☐
Calibration ID:	-3	L M H	☑	☑	☑	☑	☑	☑	☐
Calibration ID:	-4	L M H	☑	☑ (A) Calt 8/6/19	☑	☑	☑	☑	☐
Calibration ID:	-5	L M H	☑	☑ (A)	☑	☑	☑	☑	☐
Calibration ID:	-6	L M H	☑	☑	☑	☑	☑	☑	☐
Calibration ID:	-7	L M H	☑	☑ (B)	☑	☑	☑	☑	☑
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐ N/A Calt 8/6/19	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐

Full Mass Cal. Date: 08/03/19

Run Log Present: ☑

# of Samples per Sequence Checked: ☑

Instrument Blank Saved ☑

All Branches in Acquisition Window ☑

IIS Area Saved ☑

Reviewed By: JM 8/7/19
Initials/Date

Comments:

(A) PFPeS > 130%.
(B) EtFOSAA > 130%.

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld

Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:06:27 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	PFBA	1.23	1.23			
2	PFPrS	1.58	1.58	2.628	2.628	NO
3	3:3 FTCA	2.04	2.06	1.657	1.657	NO
4	PFPeA	2.21	2.21			
5	PFBS	2.50	2.50	3.101	3.101	NO
6	4:2 FTS	2.91	2.91	1.919	1.919	NO
7	PFHxA	3.00	3.01	13.889	13.889	NO
8	PFPeS	3.21	3.21	1.511	1.511	NO
9	HFPO-DA	3.22	3.22	3.266	3.266	NO
10	5:3 FTCA	3.55	3.57	1.442	1.442	NO
11	PFHpA	3.63	3.63	4.978	4.978	NO
12	ADONA	3.75	3.75	3.199	3.199	NO
13	L-PFHxS	3.79	3.79	2.018	2.018	NO
14	6:2 FTS	4.10	4.10	2.184	2.184	NO
15	L-PFOA	4.16	4.16	3.652	3.652	NO
16	PFecHS	4.18	4.18	0.987	0.987	NO
17	PFHpS	4.27	4.27	1.889	1.889	NO
18	7:3 FTCA	4.60	4.59	2.283	2.283	NO
19	PFNA	4.61	4.61	2.848	2.848	NO
20	PFOSA	4.66	4.66	32.713	32.713	NO
21	L-PFOS	4.69	4.69	2.104	2.104	NO
22	9Cl-PF30NS	4.91	4.91	23.289	23.289	NO
23	PFDA	4.98	4.99	4.288	4.288	NO
24	8:2 FTS	4.95	4.95	1.520	1.520	NO
25	PFNS	5.05	5.05	1.607	1.607	NO
26	L-MeFOSAA	5.14	5.14	2.504	2.504	NO

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld

Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:06:43 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	L-EtFOSAA	5.29	5.30	1.379	1.379	NO
2	PFUdA	5.32	5.32	6.067	6.067	NO
3	PFDS	5.37	5.37	2.090	2.090	NO
4	11Cl-PF30UdS	5.53	5.53	3.171	3.171	NO
5	10:2 FTS	5.59	5.59	1.441	1.441	NO
6	PFDoA	5.60	5.60	7.795	7.795	NO
7	N-MeFOSA	5.70	5.70	2.010	2.010	NO
8	PFTrDA	5.86	5.86	13.179	13.179	NO
9	PFDoS	5.88	5.88	2.015	2.015	NO
10	PFTeDA	6.08	6.08	15.313	15.313	NO
11	N-EtFOSA	6.12	6.12	1.902	1.902	NO
12	PFHxDA	6.42	6.42	8.916	8.916	NO
13	PFODA	6.67	6.67			
14	N-MeFOSE	6.31	6.31			
15	N-EtFOSE	6.46	6.46			

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld

Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time

JM 8/7/19

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	401.803	3999.196	1.00	1.23	1.256	1.0	100.1	NO		
2	2	PFPrS	248.9 > 79.9	98.658	989.804	1.00	1.58	1.246	0.9	85.9	NO	2.223	NO
3	3	3:3 FTCA	240.9 > 176.9	20.615	6507.635	1.00	2.06	0.040	1.0	96.2	NO	2.017	NO
4	4	PFPeA	263.1 > 218.9	434.125	6507.635	1.00	2.20	0.834	0.9	94.3	NO		
5	5	PFBS	299.0 > 79.7	149.070	989.804	1.00	2.49	1.883	0.9	94.8	NO	2.917	NO
6	6	4:2 FTS	327.0 > 306.9	366.574	1969.897	1.00	2.91	2.326	1.0	96.4	NO	1.950	NO
7	47	13C3-PFBA	216.1 > 171.8	3999.196	6487.125	1.00	1.22	7.706	11.5	92.3	NO		
8	49	13C3-PFBS	302.0 > 98.8	989.804	954.220	1.00	2.50	12.966	12.2	97.7	NO		
9	48	13C3-PFPeA	266.0 > 221.8	6507.635	14360.493	1.00	2.20	5.665	12.2	97.8	NO		
10	48	13C3-PFPeA	266.0 > 221.8	6507.635	14360.493	1.00	2.20	5.665	12.2	97.8	NO		
11	49	13C3-PFBS	302.0 > 98.8	989.804	954.220	1.00	2.50	12.966	12.2	97.7	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	1969.897	954.220	1.00	2.91	25.805	13.4	107.2	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	1000.489	4724.423	1.00	3.00	1.059	1.0	97.5	NO	13.158	NO
15	8	PFPeS	349.1>80.1	153.786	989.804	1.00	3.21	1.942	1.3	129.3	NO	1.945	NO
16	9	HFPO-DA	285.1 > 168.9	134.048	1115.763	1.00	3.22	0.601	1.1	110.5	NO	2.717	NO
17	10	5:3 FTCA	340.9 > 236.9	130.826	5620.694	1.00	3.56	0.291	1.1	110.0	NO	1.448	NO
18	11	PFHpA	363.0 > 318.9	544.362	5620.694	1.00	3.63	1.211	1.1	106.7	NO	5.332	NO
19	12	ADONA	376.8 > 250.9	1939.726	5620.694	1.00	3.74	4.314	1.0	102.3	NO	3.219	NO
20	52	13C2-PFHxA	315.0 > 270.0	4724.423	14360.493	1.00	3.00	4.112	5.1	101.5	NO		
21	49	13C3-PFBS	302.0 > 98.8	989.804	954.220	1.00	2.50	12.966	12.2	97.7	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1115.763	14360.493	1.00	3.22	0.971	4.3	85.4	NO		
23	53	13C4-PFHpA	367.2 > 321.8	5620.694	14360.493	1.00	3.63	4.892	12.9	103.4	NO		
24	53	13C4-PFHpA	367.2 > 321.8	5620.694	14360.493	1.00	3.63	4.892	12.9	103.4	NO		
25	53	13C4-PFHpA	367.2 > 321.8	5620.694	14360.493	1.00	3.63	4.892	12.9	103.4	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	125.670	2212.163	1.00	3.78	0.710	0.8	76.8	NO	2.961	NO
28	15	6:2 FTS	427.0 > 406.9	321.833	1582.211	1.00	4.10	2.543	1.0	101.7	NO	1.543	NO
29	16	L-PFOA	412.8 > 368.9	1721.323	11337.846	1.00	4.16	1.898	1.0	100.5	NO	3.685	NO
30	18	PFecHS	460.8 > 381.0	291.012	11337.846	1.00	4.17	0.321	1.1	111.1	NO	1.064	NO
31	19	PFHpS	449.0 > 80.0	170.504	2342.011	1.00	4.27	0.910	1.2	115.8	NO	1.523	NO
32	20	7:3 FTCA	440.9 > 336.9	137.291	12378.757	1.00	4.58	0.139	0.8	84.3	NO	2.942	NO
33	54	13C3-PFHxS	401.8 > 79.9	2212.163	954.220	1.00	3.78	28.979	12.6	101.0	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	1582.211	2245.846	1.00	4.10	8.806	12.6	100.8	NO		
35	58	13C2-PFOA	414.9 > 369.7	11337.846	22472.492	1.00	4.16	6.307	12.6	100.5	NO		
36	58	13C2-PFOA	414.9 > 369.7	11337.846	22472.492	1.00	4.16	6.307	12.6	100.5	NO		

CGH 8/5/19

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld

Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	2342.011	2245.846	1.00	4.68	13.035	13.1	104.9	NO		
38	56	13C5-PFNA	468.2 > 422.9	12378.757	12660.308	1.00	4.60	12.222	11.7	93.3	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	948.512	12378.757	1.00	4.60	0.958	0.9	95.0	NO	3.012	NO
41	22	PFOSA	497.9 > 77.9	337.809	3710.832	1.00	4.66	1.138	0.9	92.1	NO	34.513	NO
42	23	L-PFOS	498.9 > 79.9	172.705	2342.011	1.00	4.68	0.922	0.9	88.5	NO	1.961	NO
43	25	9Cl-PF30NS	530.7 > 350.8	597.375	2342.011	1.00	4.91	3.188	1.1	107.7	NO	39.170	YES
44	26	PFDA	513 > 468.8	1160.135	9769.545	1.00	4.98	1.484	1.0	102.9	NO	3.711	NO
45	27	8:2 FTS	527.0 > 506.9	340.357	1544.492	1.00	4.95	2.755	1.2	124.8	NO	1.642	NO
46	56	13C5-PFNA	468.2 > 422.9	12378.757	12660.308	1.00	4.60	12.222	11.7	93.3	NO		
47	57	13C8-PFOSA	506.1 > 77.7	3710.832	18984.096	1.00	4.66	2.443	13.5	108.1	NO		
48	59	13C8-PFOS	507.0 > 79.9	2342.011	2245.846	1.00	4.68	13.035	13.1	104.9	NO		
49	59	13C8-PFOS	507.0 > 79.9	2342.011	2245.846	1.00	4.68	13.035	13.1	104.9	NO		
50	60	13C2-PFDA	515.1 > 469.9	9769.545	15455.844	1.00	4.98	7.901	11.1	89.0	NO		
51	61	13C2-8:2 FTS	529 > 79.9	1544.492	2245.846	1.00	4.95	8.596	12.2	97.9	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	160.979	2342.011	1.00	5.05	0.859	1.1	108.5	NO	2.565	YES
54	29	L-MeFOSAA	570 > 419	490.352	2367.241	1.00	5.14	2.589	1.0	97.6	NO	2.980	NO
55	31	L-EtFOSAA	584.1 > 419	344.275	3265.885	1.00	5.30	1.318	1.0	95.9	NO	1.249	NO
56	33	PFUdA	563.0 > 518.9	1092.758	16256.361	1.00	5.31	0.840	0.9	92.3	NO	7.656	NO
57	34	PFDS	598.8 > 79.9	225.093	1544.492	1.00	5.36	1.822	1.1	105.4	NO	2.034	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	85.388	18805.791	1.00	5.53	0.057	1.0	100.0	NO	19.566	YES
59	59	13C8-PFOS	507.0 > 79.9	2342.011	2245.846	1.00	4.68	13.035	13.1	104.9	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	2367.241	18984.096	1.00	5.13	1.559	10.9	87.3	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	3265.885	18984.096	1.00	5.29	2.150	10.6	85.0	NO		
62	63	13C2-PFUdA	565 > 519.8	16256.361	18984.096	1.00	5.31	10.704	12.9	102.9	NO		
63	61	13C2-8:2 FTS	529 > 79.9	1544.492	2245.846	1.00	4.95	8.596	12.2	97.9	NO		
64	65	13C2-PFDoA	614.7 > 569.7	18805.791	15455.844	1.00	5.60	15.209	12.2	97.4	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	349.050	1544.492	1.00	5.58	2.825	1.1	108.0	NO	1.796	NO
67	37	PFDoA	612.9 > 569.0	1567.747	18805.791	1.00	5.60	1.042	1.1	105.1	NO	8.078	NO
68	38	N-MeFOSA	512.1 > 168.9	213.578	7028.243	1.00	5.69	4.558	4.6	92.3	NO	1.556	NO
69	39	PFTrDA	662.9 > 618.9	1666.385	18805.791	1.00	5.85	1.108	1.0	100.8	NO	14.550	NO
70	40	PFDoS	698.8 > 79.9	169.285	8985.233	1.00	5.88	0.236	1.0	97.6	NO	1.441	NO
71	41	PFTeDA	713.0 > 669.0	1135.597	8985.233	1.00	6.07	1.580	0.8	82.3	NO	14.988	NO
72	65	13C2-PFDoA	614.7 > 569.7	18805.791	15455.844	1.00	5.60	15.209	12.2	97.4	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld

Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	18805.791	15455.844	1.00	5.60	15.209	12.2	97.4	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	7028.243	18984.096	1.00	5.72	4.628	148.8	99.2	NO		
75	65	13C2-PFDoA	614.7 > 569.7	18805.791	15455.844	1.00	5.60	15.209	12.2	97.4	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	8985.233	18984.096	1.00	6.07	5.916	13.1	104.7	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	8985.233	18984.096	1.00	6.07	5.916	13.1	104.7	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	247.018	8589.867	1.00	6.12	4.314	4.9	97.6	NO	2.401	NO
80	43	PFHxDA	813.1 > 768.6	668.726	5459.749	1.00	6.42	0.612	1.1	112.6	NO	10.500	NO
81	44	PFODA	913.1 > 868.8	928.749	5459.749	1.00	6.67	0.851	1.0	100.1	NO		
82	45	N-MeFOSE	616.1 > 58.9	232.882	8138.875	1.00	6.31	4.292	4.4	87.2	NO		
83	46	N-EtFOSE	630.1 > 58.9	304.274	7889.658	1.00	6.46	5.785	4.8	96.8	NO		
84	72	13C4-PFBA	217.0 > 172.0	6487.125	6487.125	1.00	1.22	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	8589.867	18984.096	1.00	6.14	5.656	154.6	103.1	NO		
86	69	13C2-PFHxDA	815 > 769.7	5459.749	18984.096	1.00	6.42	3.595	5.0	100.6	NO		
87	69	13C2-PFHxDA	815 > 769.7	5459.749	18984.096	1.00	6.42	3.595	5.0	100.6	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	8138.875	18984.096	1.00	6.30	5.359	163.3	108.9	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	7889.658	18984.096	1.00	6.45	5.195	151.2	100.8	NO		
90	73	13C5-PFHxA	318.0 > 272.9	14360.493	14360.493	1.00	3.00	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	22472.492	22472.492	1.00	4.16	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	954.220	954.220	1.00	3.78	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	12660.308	12660.308	1.00	4.60	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	2245.846	2245.846	1.00	4.69	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	15455.844	15455.844	1.00	4.98	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	18984.096	18984.096	1.00	5.31	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 08:46:44 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:46:59 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190805M1_1	IPA	05-Aug-19	10:29:02
2	2	190805M1_2	IPA	05-Aug-19	10:39:35
3	3	190805M1_3	IPA	05-Aug-19	10:50:20
4	4	190805M1_4	IPA	05-Aug-19	11:00:52
5	5	190805M1_5	IPA	05-Aug-19	11:11:30
6	6	190805M1_6	ST190805M1-1 PFC CS0 19G2303	05-Aug-19	11:22:04
7	7	190805M1_7	IB	05-Aug-19	11:32:41
8	8	190805M1_8	B9G0276-BS1 OPR 0.125	05-Aug-19	11:43:17
9	9	190805M1_9	B9G0276-BLK1 Method Blank 0.125	05-Aug-19	11:53:53
10	10	190805M1_10	1902274-01 S12-072419 0.11342	05-Aug-19	12:04:25
11	11	190805M1_11	1902274-02 DUP1-072419 0.10942	05-Aug-19	12:15:04
12	12	190805M1_12	1902274-03 S6-072419 0.11726	05-Aug-19	12:25:37
13	13	190805M1_13	1902274-04 P1-072419 0.11169	05-Aug-19	12:36:16
14	14	190805M1_14	1902274-05 S13-072419 0.1166	05-Aug-19	12:46:54
15	15	190805M1_15	1902274-06 P7-072419 0.11673	05-Aug-19	12:57:27
16	16	190805M1_16	1902274-07 EB-072419 0.11589	05-Aug-19	13:08:05
17	17	190805M1_17	1902274-08 FB-072419 0.11785	05-Aug-19	13:18:38
18	18	190805M1_18	B9H0026-BS1 OPR 0.125	05-Aug-19	13:29:17
19	19	190805M1_19	B9H0026-BLK1 Method Blank 0.125	05-Aug-19	13:39:50
20	20	190805M1_20	1902290-05RE1 DPH-MW4-17 0.11115	05-Aug-19	13:50:29
21	21	190805M1_21	IPA	05-Aug-19	14:00:59
22	22	190805M1_22	ST190805M1-2 PFC CS3 19G2306	05-Aug-19	14:11:37
23	23	190805M1_23	IPA	05-Aug-19	14:22:16
24	24	190805M1_24	B9G0264-BS1 OPR 1	05-Aug-19	14:32:51
25	25	190805M1_25	B9G0264-MS1 Matrix Spike 1.01	05-Aug-19	14:43:26
26	26	190805M1_26	B9G0264-MSD1 Matrix Spike Dup 1.02	05-Aug-19	14:54:05
27	27	190805M1_27	B9G0264-BLK1 Method Blank 1	05-Aug-19	15:04:38
28	28	190805M1_28	1902189-01 SAOA-B03-SO-5-5.5 1.08	05-Aug-19	15:15:16
29	29	190805M1_29	1902189-02 SAOA-B03-SO-20-20.5 1.21	05-Aug-19	15:25:49
30	30	190805M1_30	1902189-03 SAOA-B03-SO-56-56.5 1.18	05-Aug-19	15:36:27
31	31	190805M1_31	1902189-08 NON-B03-SO-1-1.5 1.03	05-Aug-19	15:47:06
32	32	190805M1_32	1902189-09 NON-B03-SO-15-15.5 1.07	05-Aug-19	15:57:38

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 08:46:44 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:46:59 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
33	33 190805M1_33	1902189-15 NAOA-B04-SO-69-69.5 1.17	05-Aug-19	16:08:16
34	34 190805M1_34	1902189-16 SAOA-B02-SO-5-5.5 1.18	05-Aug-19	16:18:55
35	35 190805M1_35	1902189-17 SAOA-B02-SO-20-20.5 1.13	05-Aug-19	16:29:28
36	36 190805M1_36	1902189-18 SAOA-B02-SO-56-56.5 1.28	05-Aug-19	16:40:06
37	37 190805M1_37	IPA	05-Aug-19	16:50:38
38	38 190805M1_38	ST190805M1-3 PFC CS3 19G2306	05-Aug-19	17:01:16
39	39 190805M1_39	IPA	05-Aug-19	17:11:49
40	40 190805M1_40	B9H0005-BS1 OPR 1	05-Aug-19	17:22:27
41	41 190805M1_41	B9H0005-BLK1 Method Blank 1	05-Aug-19	17:33:00
42	42 190805M1_42	1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01	05-Aug-19	17:43:38
43	43 190805M1_43	1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03	05-Aug-19	17:54:11
44	44 190805M1_44	1900655-03RE1 IA19-DU2-03042019-10-25-2 1	05-Aug-19	18:04:49
45	45 190805M1_45	1900655-04RE1 IA19-DU2-03042019-10-25-3 1	05-Aug-19	18:15:28
46	46 190805M1_46	1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01	05-Aug-19	18:26:01
47	47 190805M1_47	1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02	05-Aug-19	18:36:39
48	48 190805M1_48	1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02	05-Aug-19	18:47:12
49	49 190805M1_49	1900716-04RE1 IA22-DU2-10042019-13-30-1 1	05-Aug-19	18:57:50
50	50 190805M1_50	1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02	05-Aug-19	19:08:22
51	51 190805M1_51	1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02	05-Aug-19	19:19:00
52	52 190805M1_52	IPA	05-Aug-19	19:29:33
53	53 190805M1_53	ST190805M1-4 PFC CS3 19G2306	05-Aug-19	19:40:11
54	54 190805M1_54	IPA	05-Aug-19	19:50:50
55	55 190805M1_55	1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01	05-Aug-19	20:01:23
56	56 190805M1_56	1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01	05-Aug-19	20:12:01
57	57 190805M1_57	1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02	05-Aug-19	20:22:34
58	58 190805M1_58	1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02	05-Aug-19	20:33:04
59	59 190805M1_59	1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1	05-Aug-19	20:43:43
60	60 190805M1_60	B9G0312-BS1 OPR 0.25	05-Aug-19	20:54:15
61	61 190805M1_61	B9G0312-BLK1 Method Blank 0.25	05-Aug-19	21:04:54
62	62 190805M1_62	1902340-01 SB-19-C1 20-25 0.24058	05-Aug-19	21:15:32
63	63 190805M1_63	1902340-02 SB-19-C1 15-20 0.2413	05-Aug-19	21:26:04
64	64 190805M1_64	1902340-03 SB-19-C2 20-25 0.23794	05-Aug-19	21:36:43
65	65 190805M1_65	1902340-04 SB-19-C2 15-20 0.24308	05-Aug-19	21:47:21
66	66 190805M1_66	1902340-05 SB-19-C3 20-25 0.24596	05-Aug-19	21:57:54
67	67 190805M1_67	IPA	05-Aug-19	22:08:33
68	68 190805M1_68	ST190805M1-5 PFC CS3 19G2306	05-Aug-19	22:19:05

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 08:46:44 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:46:59 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
69	69 190805M1_69	IPA	05-Aug-19	22:29:43
70	70 190805M1_70	1902340-06 SB-19-C3 15-20 0.24224	05-Aug-19	22:40:16
71	71 190805M1_71	1902340-07 SB-19-C4 20-25 0.23437	05-Aug-19	22:50:54
72	72 190805M1_72	1902340-08 SB-19-C4 15-20 0.24446	05-Aug-19	23:01:32
73	73 190805M1_73	1902340-09 SB-19-C1 10-15 0.23978	05-Aug-19	23:12:06
74	74 190805M1_74	1902340-10 SB-19-C2 10-15 0.2419	05-Aug-19	23:22:44
75	75 190805M1_75	1902340-11 SB-19-C3 10-15 0.24555	05-Aug-19	23:33:17
76	76 190805M1_76	1902340-12 SB-19-C4 10-15 0.24794	05-Aug-19	23:43:55
77	77 190805M1_77	1902340-13 SB-19-C4 10-15 DUP 0.24565	05-Aug-19	23:54:29
78	78 190805M1_78	1902340-14 SB-19-C4 5-10 0.24089	06-Aug-19	00:05:08
79	79 190805M1_79	1902340-15 SB-19-N1 55-60 0.25012	06-Aug-19	00:15:40
80	80 190805M1_80	IPA	06-Aug-19	00:26:18
81	81 190805M1_81	ST190805M1-6 PFC CS3 19G2306	06-Aug-19	00:36:56
82	82 190805M1_82	IPA	06-Aug-19	00:47:30
83	83 190805M1_83	1902340-16 SB-19-N2 55-60 0.25388	06-Aug-19	00:58:09
84	84 190805M1_84	1902340-17 SB-19-N2 (48-53) 0.25043	06-Aug-19	01:08:47
85	85 190805M1_85	1902340-18 SB-19-C2 (5-10) 0.23872	06-Aug-19	01:19:20
86	86 190805M1_86	1902340-19 SB-19-C1 (5-10) 0.2458	06-Aug-19	01:29:59
87	87 190805M1_87	1902340-20 SB-19-N1 (48-53) 0.24852	06-Aug-19	01:40:32
88	88 190805M1_88	B9H0013-BS1 OPR 0.125	06-Aug-19	01:51:11
89	89 190805M1_89	B9H0013-BLK1 Method Blank 0.125	06-Aug-19	02:01:49
90	90 190805M1_90	1902387-03 AQA 19-11 S3 0.125	06-Aug-19	02:12:22
91	91 190805M1_91	1902387-04 AQA 19-11 S4 0.125	06-Aug-19	02:23:00
92	92 190805M1_92	IPA	06-Aug-19	02:33:33
93	93 190805M1_93	ST190805M1-7 PFC CS3 19G2306	06-Aug-19	02:44:12
94	94 190805M1_94	IPA	06-Aug-19	02:54:45


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld

Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld


Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003


PFHxA




PFPeS




HFPO-DA




5:3 FTCA




PFHpA




ADONA




13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld


Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003


L-PFHxS




6:2 FTS




L-PFOA




PFEChS




PFHpS




7:3 FTCA




13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld

Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time


Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld


Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
4.771e+003




F53:MRM of 2 channels,ES-
549.1 > 99.1
1.737e+003




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
1.120e+004




F56:MRM of 2 channels,ES-
570. > 512
3.028e+003




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
7.944e+003




F59:MRM of 2 channels,ES-
584.1 > 526
6.924e+003




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
3.377e+004




F54:MRM of 2 channels,ES-
563.0 > 269
4.000e+003




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
6.740e+003




F61:MRM of 2 channels,ES-
598.8 > 98.9
3.650e+003




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
2.436e+003




F68:MRM of 2 channels,ES-
632.6 > 450.7
8.854e+001




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
6.871e+004




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
6.280e+004




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
9.664e+004




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
5.000e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
4.400e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.104e+005




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld


Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
9.393e+003




F66:MRM of 2 channels,ES-
627.0 > 80.9
5.506e+003




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
4.378e+004




F62:MRM of 4 channels,ES-
612.9 > 318.8
5.095e+003




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
5.473e+003




F43:MRM of 2 channels,ES-
512.1 > 219
3.521e+003




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
4.876e+004




F70:MRM of 2 channels,ES-
662.9 > 319
3.369e+003




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
4.637e+003




F71:MRM of 2 channels,ES-
698.8 > 98.9
3.567e+003




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
3.076e+004




F72:MRM of 2 channels,ES-
713. > 369.0
2.124e+003




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.104e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.104e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
1.807e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.104e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.410e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.410e+005




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld


Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-6.qld


Last Altered: Monday, August 05, 2019 15:04:29 Pacific Daylight Time
Printed: Monday, August 05, 2019 15:05:01 Pacific Daylight Time

Name: 190805M1_6, Date: 05-Aug-2019, Time: 11:22:04, ID: ST190805M1-1 PFC CS0 19G2303, Description: PFC CS0 19G2003


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld

Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	4355.180	4101.834	1.00	1.23	13.272	9.8	98.0	NO		
2	2	PFPrS	248.9 > 79.9	1016.183	1013.114	1.00	1.58	12.538	7.8	77.9	NO	2.628	NO
3	3	3:3 FTCA	240.9 > 176.9	219.966	6806.199	1.00	2.06	0.404	9.4	94.2	NO	1.657	NO
4	4	PFPeA	263.1 > 218.9	4599.721	6806.199	1.00	2.21	8.448	9.8	97.9	NO		
5	5	PFBS	299.0 > 79.7	1733.458	1013.114	1.00	2.50	21.388	9.9	98.9	NO	3.101	NO
6	6	4:2 FTS	327.0 > 306.9	3899.989	2014.163	1.00	2.91	24.204	9.8	97.7	NO	1.919	NO
7	47	13C3-PFBA	216.1 > 171.8	4101.834	6442.949	1.00	1.23	7.958	11.9	95.3	NO		
8	49	13C3-PFBS	302.0 > 98.8	1013.114	974.946	1.00	2.50	12.989	12.2	97.9	NO		
9	48	13C3-PFPeA	266.0 > 221.8	6806.199	15284.946	1.00	2.21	5.566	12.0	96.1	NO		
10	48	13C3-PFPeA	266.0 > 221.8	6806.199	15284.946	1.00	2.21	5.566	12.0	96.1	NO		
11	49	13C3-PFBS	302.0 > 98.8	1013.114	974.946	1.00	2.50	12.989	12.2	97.9	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	2014.163	974.946	1.00	2.91	25.824	13.4	107.3	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	10760.521	4769.095	1.00	3.01	11.282	10.5	104.8	NO	13.889	NO
15	8	PFPeS	349.1>80.1	1638.864	1013.114	1.00	3.21	20.221	12.7	127.3	NO	1.511	NO
16	9	HFPO-DA	285.1 > 168.9	1668.659	1176.404	1.00	3.22	7.092	12.1	121.3	NO	3.266	NO
17	10	5:3 FTCA	340.9 > 236.9	1320.295	5834.726	1.00	3.57	2.829	10.4	104.5	NO	1.442	NO
18	11	PFHpA	363.0 > 318.9	5574.653	5834.726	1.00	3.63	11.943	9.8	97.6	NO	4.978	NO
19	12	ADONA	376.8 > 250.9	19485.947	5834.726	1.00	3.75	41.746	9.0	89.5	NO	3.199	NO
20	52	13C2-PFHxA	315.0 > 270.0	4769.095	15284.946	1.00	3.00	3.900	4.8	96.3	NO		
21	49	13C3-PFBS	302.0 > 98.8	1013.114	974.946	1.00	2.50	12.989	12.2	97.9	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1176.404	15284.946	1.00	3.22	0.962	4.2	84.6	NO		
23	53	13C4-PFHpA	367.2 > 321.8	5834.726	15284.946	1.00	3.63	4.772	12.6	100.9	NO		
24	53	13C4-PFHpA	367.2 > 321.8	5834.726	15284.946	1.00	3.63	4.772	12.6	100.9	NO		
25	53	13C4-PFHpA	367.2 > 321.8	5834.726	15284.946	1.00	3.63	4.772	12.6	100.9	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	1505.124	2358.008	1.00	3.79	7.979	8.6	86.5	NO	2.018	NO
28	15	6:2 FTS	427.0 > 406.9	3327.192	1633.139	1.00	4.10	25.466	9.6	96.1	NO	2.184	NO
29	16	L-PFOA	412.8 > 368.9	17436.463	10784.323	1.00	4.16	20.210	10.9	108.7	NO	3.652	NO
30	18	PFecHS	460.8 > 381.0	2875.128	10784.323	1.00	4.18	3.333	10.4	104.2	NO	0.987	NO
31	19	PFHpS	449.0 > 80.0	1522.960	2354.717	1.00	4.27	8.085	10.3	102.6	NO	1.889	NO
32	20	7:3 FTCA	440.9 > 336.9	2046.147	11754.653	1.00	4.59	2.176	11.4	114.3	NO	2.283	NO
33	54	13C3-PFHxS	401.8 > 79.9	2358.008	974.946	1.00	3.79	30.233	13.2	105.4	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	1633.139	2212.890	1.00	4.10	9.225	13.2	105.6	NO		
35	58	13C2-PFOA	414.9 > 369.7	10784.323	22273.496	1.00	4.16	6.052	12.1	96.4	NO		
36	58	13C2-PFOA	414.9 > 369.7	10784.323	22273.496	1.00	4.16	6.052	12.1	96.4	NO		

8/5/19

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld

Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	2354.717	2212.890	1.00	4.69	13.301	13.4	107.0	NO		
38	56	13C5-PFNA	468.2 > 422.9	11754.653	12009.634	1.00	4.61	12.235	11.7	93.4	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	9647.823	11754.653	1.00	4.61	10.260	10.3	102.8	NO	2.848	NO
41	22	PFOSA	497.9 > 77.9	3539.887	3779.774	1.00	4.66	11.707	10.3	103.1	NO	32.713	NO
42	23	L-PFOS	498.9 > 79.9	2120.546	2354.717	1.00	4.69	11.257	8.8	88.5	NO	2.104	NO
43	25	9Cl-PF30NS	530.7 > 350.8	6168.750	2354.717	1.00	4.91	32.747	11.2	112.5	NO	23.289	NO
44	26	PFDA	513 > 468.8	11668.178	9712.697	1.00	4.99	15.017	10.6	105.7	NO	4.288	NO
45	27	8:2 FTS	527.0 > 506.9	2910.692	1518.903	1.00	4.95	23.954	11.5	114.9	NO	1.520	NO
46	56	13C5-PFNA	468.2 > 422.9	11754.653	12009.634	1.00	4.61	12.235	11.7	93.4	NO		
47	57	13C8-PFOSA	506.1 > 77.7	3779.774	19054.941	1.00	4.66	2.480	13.7	109.7	NO		
48	59	13C8-PFOS	507.0 > 79.9	2354.717	2212.890	1.00	4.69	13.301	13.4	107.0	NO		
49	59	13C8-PFOS	507.0 > 79.9	2354.717	2212.890	1.00	4.69	13.301	13.4	107.0	NO		
50	60	13C2-PFDA	515.1 > 469.9	9712.697	15736.597	1.00	4.98	7.715	10.9	86.9	NO		
51	61	13C2-8:2 FTS	529 > 79.9	1518.903	2212.890	1.00	4.95	8.580	12.2	97.7	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	1563.592	2354.717	1.00	5.05	8.300	10.3	103.3	NO	1.607	NO
54	29	L-MeFOSAA	570 > 419	6119.293	2219.699	1.00	5.14	34.460	12.2	121.8	NO	2.504	NO
55	31	L-EtFOSAA	584.1 > 419	4247.279	2999.083	1.00	5.30	17.702	12.7	127.0	NO	1.379	NO
56	33	PFUdA	563.0 > 518.9	11303.122	16252.873	1.00	5.32	8.693	9.9	99.5	NO	6.067	NO
57	34	PFDS	598.8 > 79.9	2487.401	1518.903	1.00	5.37	20.470	11.2	111.9	NO	2.090	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	830.836	18761.535	1.00	5.53	0.554	8.6	86.4	NO	3.171	NO
59	59	13C8-PFOS	507.0 > 79.9	2354.717	2212.890	1.00	4.69	13.301	13.4	107.0	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	2219.699	19054.941	1.00	5.14	1.456	10.2	81.5	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	2999.083	19054.941	1.00	5.29	1.967	9.7	77.7	NO		
62	63	13C2-PFUdA	565 > 519.8	16252.873	19054.941	1.00	5.32	10.662	12.8	102.5	NO		
63	61	13C2-8:2 FTS	529 > 79.9	1518.903	2212.890	1.00	4.95	8.580	12.2	97.7	NO		
64	65	13C2-PFDoA	614.7 > 569.7	18761.535	15736.597	1.00	5.60	14.903	11.9	95.5	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	3045.348	1518.903	1.00	5.59	25.062	10.2	102.0	NO	1.441	NO
67	37	PFDoA	612.9 > 569.0	15009.097	18761.535	1.00	5.60	10.000	10.2	101.8	NO	7.795	NO
68	38	N-MeFOSA	512.1 > 168.9	2541.909	7267.327	1.00	5.70	52.466	53.4	106.9	NO	2.010	NO
69	39	PFTrDA	662.9 > 618.9	17026.773	18761.535	1.00	5.86	11.344	10.7	107.1	NO	13.179	NO
70	40	PFDoS	698.8 > 79.9	1976.191	9281.261	1.00	5.88	2.662	10.6	106.4	NO	2.015	NO
71	41	PFTeDA	713.0 > 669.0	12117.066	9281.261	1.00	6.08	16.319	9.4	93.9	NO	15.313	NO
72	65	13C2-PFDoA	614.7 > 569.7	18761.535	15736.597	1.00	5.60	14.903	11.9	95.5	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld

Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	18761.535	15736.597	1.00	5.60	14.903	11.9	95.5	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	7267.327	19054.941	1.00	5.72	4.767	153.3	102.2	NO		
75	65	13C2-PFDoA	614.7 > 569.7	18761.535	15736.597	1.00	5.60	14.903	11.9	95.5	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	9281.261	19054.941	1.00	6.08	6.088	13.5	107.8	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	9281.261	19054.941	1.00	6.08	6.088	13.5	107.8	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	2433.337	8413.769	1.00	6.12	43.381	51.3	102.6	NO	1.902	NO
80	43	PFHxDA	813.1 > 768.6	6369.567	5806.321	1.00	6.42	5.485	10.9	108.9	NO	8.916	NO
81	44	PFODA	913.1 > 868.8	9429.914	5806.321	1.00	6.67	8.120	10.0	100.3	NO		
82	45	N-MeFOSE	616.1 > 58.9	2307.646	8005.676	1.00	6.31	43.238	42.1	84.2	NO		
83	46	N-EtFOSE	630.1 > 58.9	3211.698	8072.438	1.00	6.46	59.679	48.9	97.7	NO		
84	72	13C4-PFBA	217.0 > 172.0	6442.949	6442.949	1.00	1.23	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	8413.769	19054.941	1.00	6.14	5.519	150.9	100.6	NO		
86	69	13C2-PFHxDA	815 > 769.7	5806.321	19054.941	1.00	6.42	3.809	5.3	106.6	NO		
87	69	13C2-PFHxDA	815 > 769.7	5806.321	19054.941	1.00	6.42	3.809	5.3	106.6	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	8005.676	19054.941	1.00	6.30	5.252	160.0	106.7	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	8072.438	19054.941	1.00	6.44	5.296	154.1	102.7	NO		
90	73	13C5-PFHxA	318.0 > 272.9	15284.946	15284.946	1.00	3.00	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	22273.496	22273.496	1.00	4.16	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	974.946	974.946	1.00	3.79	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	12009.634	12009.634	1.00	4.61	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	2212.890	2212.890	1.00	4.69	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	15736.597	15736.597	1.00	4.98	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	19054.941	19054.941	1.00	5.32	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 08:46:44 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:46:59 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
1	1 190805M1_1	IPA	05-Aug-19	10:29:02
2	2 190805M1_2	IPA	05-Aug-19	10:39:35
3	3 190805M1_3	IPA	05-Aug-19	10:50:20
4	4 190805M1_4	IPA	05-Aug-19	11:00:52
5	5 190805M1_5	IPA	05-Aug-19	11:11:30
6	6 190805M1_6	ST190805M1-1 PFC CS0 19G2303	05-Aug-19	11:22:04
7	7 190805M1_7	IB	05-Aug-19	11:32:41
8	8 190805M1_8	B9G0276-BS1 OPR 0.125	05-Aug-19	11:43:17
9	9 190805M1_9	B9G0276-BLK1 Method Blank 0.125	05-Aug-19	11:53:53
10	10 190805M1_10	1902274-01 S12-072419 0.11342	05-Aug-19	12:04:25
11	11 190805M1_11	1902274-02 DUP1-072419 0.10942	05-Aug-19	12:15:04
12	12 190805M1_12	1902274-03 S6-072419 0.11726	05-Aug-19	12:25:37
13	13 190805M1_13	1902274-04 P1-072419 0.11169	05-Aug-19	12:36:16
14	14 190805M1_14	1902274-05 S13-072419 0.1166	05-Aug-19	12:46:54
15	15 190805M1_15	1902274-06 P7-072419 0.11673	05-Aug-19	12:57:27
16	16 190805M1_16	1902274-07 EB-072419 0.11589	05-Aug-19	13:08:05
17	17 190805M1_17	1902274-08 FB-072419 0.11785	05-Aug-19	13:18:38
18	18 190805M1_18	B9H0026-BS1 OPR 0.125	05-Aug-19	13:29:17
19	19 190805M1_19	B9H0026-BLK1 Method Blank 0.125	05-Aug-19	13:39:50
20	20 190805M1_20	1902290-05RE1 DPH-MW4-17 0.11115	05-Aug-19	13:50:29
21	21 190805M1_21	IPA	05-Aug-19	14:00:59
22	22 190805M1_22	ST190805M1-2 PFC CS3 19G2306	05-Aug-19	14:11:37
23	23 190805M1_23	IPA	05-Aug-19	14:22:16
24	24 190805M1_24	B9G0264-BS1 OPR 1	05-Aug-19	14:32:51
25	25 190805M1_25	B9G0264-MS1 Matrix Spike 1.01	05-Aug-19	14:43:26
26	26 190805M1_26	B9G0264-MSD1 Matrix Spike Dup 1.02	05-Aug-19	14:54:05
27	27 190805M1_27	B9G0264-BLK1 Method Blank 1	05-Aug-19	15:04:38
28	28 190805M1_28	1902189-01 SAOA-B03-SO-5-5.5 1.08	05-Aug-19	15:15:16
29	29 190805M1_29	1902189-02 SAOA-B03-SO-20-20.5 1.21	05-Aug-19	15:25:49
30	30 190805M1_30	1902189-03 SAOA-B03-SO-56-56.5 1.18	05-Aug-19	15:36:27
31	31 190805M1_31	1902189-08 NON-B03-SO-1-1.5 1.03	05-Aug-19	15:47:06
32	32 190805M1_32	1902189-09 NON-B03-SO-15-15.5 1.07	05-Aug-19	15:57:38

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 08:46:44 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:46:59 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
33	33	190805M1_33	1902189-15 NAOA-B04-SO-69-69.5 1.17	05-Aug-19	16:08:16
34	34	190805M1_34	1902189-16 SAOA-B02-SO-5-5.5 1.18	05-Aug-19	16:18:55
35	35	190805M1_35	1902189-17 SAOA-B02-SO-20-20.5 1.13	05-Aug-19	16:29:28
36	36	190805M1_36	1902189-18 SAOA-B02-SO-56-56.5 1.28	05-Aug-19	16:40:06
37	37	190805M1_37	IPA	05-Aug-19	16:50:38
38	38	190805M1_38	ST190805M1-3 PFC CS3 19G2306	05-Aug-19	17:01:16
39	39	190805M1_39	IPA	05-Aug-19	17:11:49
40	40	190805M1_40	B9H0005-BS1 OPR 1	05-Aug-19	17:22:27
41	41	190805M1_41	B9H0005-BLK1 Method Blank 1	05-Aug-19	17:33:00
42	42	190805M1_42	1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01	05-Aug-19	17:43:38
43	43	190805M1_43	1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03	05-Aug-19	17:54:11
44	44	190805M1_44	1900655-03RE1 IA19-DU2-03042019-10-25-2 1	05-Aug-19	18:04:49
45	45	190805M1_45	1900655-04RE1 IA19-DU2-03042019-10-25-3 1	05-Aug-19	18:15:28
46	46	190805M1_46	1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01	05-Aug-19	18:26:01
47	47	190805M1_47	1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02	05-Aug-19	18:36:39
48	48	190805M1_48	1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02	05-Aug-19	18:47:12
49	49	190805M1_49	1900716-04RE1 IA22-DU2-10042019-13-30-1 1	05-Aug-19	18:57:50
50	50	190805M1_50	1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02	05-Aug-19	19:08:22
51	51	190805M1_51	1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02	05-Aug-19	19:19:00
52	52	190805M1_52	IPA	05-Aug-19	19:29:33
53	53	190805M1_53	ST190805M1-4 PFC CS3 19G2306	05-Aug-19	19:40:11
54	54	190805M1_54	IPA	05-Aug-19	19:50:50
55	55	190805M1_55	1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01	05-Aug-19	20:01:23
56	56	190805M1_56	1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01	05-Aug-19	20:12:01
57	57	190805M1_57	1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02	05-Aug-19	20:22:34
58	58	190805M1_58	1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02	05-Aug-19	20:33:04
59	59	190805M1_59	1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1	05-Aug-19	20:43:43
60	60	190805M1_60	B9G0312-BS1 OPR 0.25	05-Aug-19	20:54:15
61	61	190805M1_61	B9G0312-BLK1 Method Blank 0.25	05-Aug-19	21:04:54
62	62	190805M1_62	1902340-01 SB-19-C1 20-25 0.24058	05-Aug-19	21:15:32
63	63	190805M1_63	1902340-02 SB-19-C1 15-20 0.2413	05-Aug-19	21:26:04
64	64	190805M1_64	1902340-03 SB-19-C2 20-25 0.23794	05-Aug-19	21:36:43
65	65	190805M1_65	1902340-04 SB-19-C2 15-20 0.24308	05-Aug-19	21:47:21
66	66	190805M1_66	1902340-05 SB-19-C3 20-25 0.24596	05-Aug-19	21:57:54
67	67	190805M1_67	IPA	05-Aug-19	22:08:33
68	68	190805M1_68	ST190805M1-5 PFC CS3 19G2306	05-Aug-19	22:19:05

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 08:46:44 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:46:59 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
69	69	190805M1_69	IPA	05-Aug-19	22:29:43
70	70	190805M1_70	1902340-06 SB-19-C3 15-20 0.24224	05-Aug-19	22:40:16
71	71	190805M1_71	1902340-07 SB-19-C4 20-25 0.23437	05-Aug-19	22:50:54
72	72	190805M1_72	1902340-08 SB-19-C4 15-20 0.24446	05-Aug-19	23:01:32
73	73	190805M1_73	1902340-09 SB-19-C1 10-15 0.23978	05-Aug-19	23:12:06
74	74	190805M1_74	1902340-10 SB-19-C2 10-15 0.2419	05-Aug-19	23:22:44
75	75	190805M1_75	1902340-11 SB-19-C3 10-15 0.24555	05-Aug-19	23:33:17
76	76	190805M1_76	1902340-12 SB-19-C4 10-15 0.24794	05-Aug-19	23:43:55
77	77	190805M1_77	1902340-13 SB-19-C4 10-15 DUP 0.24565	05-Aug-19	23:54:29
78	78	190805M1_78	1902340-14 SB-19-C4 5-10 0.24089	06-Aug-19	00:05:08
79	79	190805M1_79	1902340-15 SB-19-N1 55-60 0.25012	06-Aug-19	00:15:40
80	80	190805M1_80	IPA	06-Aug-19	00:26:18
81	81	190805M1_81	ST190805M1-6 PFC CS3 19G2306	06-Aug-19	00:36:56
82	82	190805M1_82	IPA	06-Aug-19	00:47:30
83	83	190805M1_83	1902340-16 SB-19-N2 55-60 0.25388	06-Aug-19	00:58:09
84	84	190805M1_84	1902340-17 SB-19-N2 (48-53) 0.25043	06-Aug-19	01:08:47
85	85	190805M1_85	1902340-18 SB-19-C2 (5-10) 0.23872	06-Aug-19	01:19:20
86	86	190805M1_86	1902340-19 SB-19-C1 (5-10) 0.2458	06-Aug-19	01:29:59
87	87	190805M1_87	1902340-20 SB-19-N1 (48-53) 0.24852	06-Aug-19	01:40:32
88	88	190805M1_88	B9H0013-BS1 OPR 0.125	06-Aug-19	01:51:11
89	89	190805M1_89	B9H0013-BLK1 Method Blank 0.125	06-Aug-19	02:01:49
90	90	190805M1_90	1902387-03 AQA 19-11 S3 0.125	06-Aug-19	02:12:22
91	91	190805M1_91	1902387-04 AQA 19-11 S4 0.125	06-Aug-19	02:23:00
92	92	190805M1_92	IPA	06-Aug-19	02:33:33
93	93	190805M1_93	ST190805M1-7 PFC CS3 19G2306	06-Aug-19	02:44:12
94	94	190805M1_94	IPA	06-Aug-19	02:54:45


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld

Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
6.140e+004




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
1.661e+004




F6:MRM of 2 channels,ES-
248.9 > 98.9
6.765e+003




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
4.180e+003




F5:MRM of 2 channels,ES-
240.9 > 116.9
2.345e+003




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
8.426e+004




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
3.456e+004




F11:MRM of 2 channels,ES-
299.0 > 99.0
9.947e+003




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
1.061e+005




F16:MRM of 2 channels,ES-
327.0 > 80.9
5.663e+004




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
5.874e+004




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
1.954e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
1.245e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
1.245e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
1.954e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
5.633e+004




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld


Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006


PFHxA




PFPeS




HFPO-DA




5:3 FTCA




PFHpA




ADONA




13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld


Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006


L-PFHxS




6:2 FTS




L-PFOA




PFEChS




PFHpS




7:3 FTCA




13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld

Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time


Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld


Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
4.468e+004




F53:MRM of 2 channels,ES-
549.1 > 99.1
2.732e+004




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
1.460e+005




F56:MRM of 2 channels,ES-
570. > 512
5.469e+004




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
1.109e+005




F59:MRM of 2 channels,ES-
584.1 > 526
7.319e+004




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
3.454e+005




F54:MRM of 2 channels,ES-
563.0 > 269
5.564e+004




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
7.537e+004




F61:MRM of 2 channels,ES-
598.8 > 98.9
3.655e+004




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
2.140e+004




F68:MRM of 2 channels,ES-
632.6 > 450.7
7.613e+003




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
7.087e+004




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
5.738e+004




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
9.288e+004




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
4.938e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
4.329e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.123e+005




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld


Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
8.423e+004




F66:MRM of 2 channels,ES-
627.0 > 80.9
5.613e+004




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
4.145e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
5.165e+004




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
6.499e+004




F43:MRM of 2 channels,ES-
512.1 > 219
3.247e+004




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
4.942e+005




F70:MRM of 2 channels,ES-
662.9 > 319
3.806e+004




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
5.727e+004




F71:MRM of 2 channels,ES-
698.8 > 98.9
2.757e+004




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
3.228e+005




F72:MRM of 2 channels,ES-
713. > 369.0
2.141e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.123e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.123e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
1.876e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.123e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.472e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.472e+005




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld


Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-22.qld


Last Altered: Monday, August 05, 2019 14:58:13 Pacific Daylight Time
Printed: Monday, August 05, 2019 14:58:39 Pacific Daylight Time

Name: 190805M1_22, Date: 05-Aug-2019, Time: 14:11:37, ID: ST190805M1-2 PFC CS3 19G2306, Description: PFC CS3 19G2006


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld

Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time

JDM 8/7/19

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	4383.536	4168.546	1.00	1.24	13.145	9.7	97.1	NO		
2	2	PFPrS	248.9 > 79.9	1125.217	1091.222	1.00	1.59	12.889	8.0	80.1	NO	2.545	NO
3	3	3:3 FTCA	240.9 > 176.9	227.508	6699.060	1.00	2.06	0.425	9.9	98.9	NO	1.670	NO
4	4	PFPeA	263.1 > 218.9	4774.152	6699.060	1.00	2.21	8.908	10.3	103.3	NO		
5	5	PFBS	299.0 > 79.7	1760.520	1091.222	1.00	2.51	20.167	9.3	93.3	NO	2.734	NO
6	6	4:2 FTS	327.0 > 306.9	4246.251	2121.334	1.00	2.92	25.021	10.1	100.9	NO	1.920	NO
7	47	13C3-PFBA	216.1 > 171.8	4168.546	6342.412	1.00	1.23	8.216	12.3	98.4	NO		
8	49	13C3-PFBS	302.0 > 98.8	1091.222	1057.771	1.00	2.51	12.895	12.1	97.2	NO		
9	48	13C3-PFPeA	266.0 > 221.8	6699.060	15706.679	1.00	2.21	5.331	11.5	92.1	NO		
10	48	13C3-PFPeA	266.0 > 221.8	6699.060	15706.679	1.00	2.21	5.331	11.5	92.1	NO		
11	49	13C3-PFBS	302.0 > 98.8	1091.222	1057.771	1.00	2.51	12.895	12.1	97.2	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	2121.334	1057.771	1.00	2.91	25.068	13.0	104.1	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	10855.886	4935.625	1.00	3.01	10.997	10.2	102.1	NO	13.408	NO
15	8	PFPeS	349.1>80.1	1694.679	1091.222	1.00	3.22	19.413	12.2	122.3	NO	1.625	NO
16	9	HFPO-DA	285.1 > 168.9	1565.217	1250.371	1.00	3.22	6.259	10.7	107.1	NO	2.385	NO
17	10	5:3 FTCA	340.9 > 236.9	1354.811	5664.714	1.00	3.57	2.990	11.0	110.3	NO	1.514	NO
18	11	PFHpA	363.0 > 318.9	5340.609	5664.714	1.00	3.63	11.785	9.6	96.3	NO	4.639	NO
19	12	ADONA	376.8 > 250.9	19696.516	5664.714	1.00	3.75	43.463	9.3	93.2	NO	3.010	NO
20	52	13C2-PFHxA	315.0 > 270.0	4935.625	15706.679	1.00	3.01	3.928	4.8	97.0	NO		
21	49	13C3-PFBS	302.0 > 98.8	1091.222	1057.771	1.00	2.51	12.895	12.1	97.2	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1250.371	15706.679	1.00	3.23	0.995	4.4	87.5	NO		
23	53	13C4-PFHpA	367.2 > 321.8	5664.714	15706.679	1.00	3.63	4.508	11.9	95.3	NO		
24	53	13C4-PFHpA	367.2 > 321.8	5664.714	15706.679	1.00	3.63	4.508	11.9	95.3	NO		
25	53	13C4-PFHpA	367.2 > 321.8	5664.714	15706.679	1.00	3.63	4.508	11.9	95.3	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	1627.167	2366.485	1.00	3.79	8.595	9.3	93.1	NO	2.074	NO
28	15	6:2 FTS	427.0 > 406.9	3393.903	1649.527	1.00	4.11	25.719	9.7	97.0	NO	2.202	NO
29	16	L-PFOA	412.8 > 368.9	17424.000	11380.909	1.00	4.16	19.137	10.3	102.9	NO	3.668	NO
30	18	PFecHS	460.8 > 381.0	2952.256	11380.909	1.00	4.18	3.243	10.1	101.4	NO	0.937	NO
31	19	PFHpS	449.0 > 80.0	1512.401	2300.106	1.00	4.28	8.219	10.4	104.3	NO	1.666	NO
32	20	7:3 FTCA	440.9 > 336.9	1923.087	12642.563	1.00	4.59	1.901	10.0	100.1	NO	1.988	NO
33	54	13C3-PFHxS	401.8 > 79.9	2366.485	1057.771	1.00	3.79	27.965	12.2	97.5	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	1649.527	2443.167	1.00	4.10	8.439	12.1	96.6	NO		
35	58	13C2-PFOA	414.9 > 369.7	11380.909	23116.857	1.00	4.16	6.154	12.3	98.0	NO		
36	58	13C2-PFOA	414.9 > 369.7	11380.909	23116.857	1.00	4.16	6.154	12.3	98.0	NO		

CAH 8/6/19

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld

Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	2300.106	2443.167	1.00	4.69	11.768	11.8	94.7	NO		
38	56	13C5-PFNA	468.2 > 422.9	12642.563	12627.755	1.00	4.61	12.515	11.9	95.5	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	10119.967	12642.563	1.00	4.61	10.006	10.0	100.2	NO	2.769	NO
41	22	PFOSA	497.9 > 77.9	3739.121	3929.512	1.00	4.67	11.894	10.5	104.8	NO	32.611	NO
42	23	L-PFOS	498.9 > 79.9	2164.960	2300.106	1.00	4.69	11.766	9.2	92.4	NO	1.844	NO
43	25	9Cl-PF30NS	530.7 > 350.8	5984.670	2300.106	1.00	4.91	32.524	11.2	111.7	NO	18.608	NO
44	26	PFDA	513 > 468.8	12511.496	10047.507	1.00	4.99	15.565	11.0	109.5	NO	4.363	NO
45	27	8:2 FTS	527.0 > 506.9	3126.332	1574.154	1.00	4.95	24.825	11.9	119.1	NO	1.456	NO
46	56	13C5-PFNA	468.2 > 422.9	12642.563	12627.755	1.00	4.61	12.515	11.9	95.5	NO		
47	57	13C8-PFOSA	506.1 > 77.7	3929.512	19414.486	1.00	4.66	2.530	14.0	111.9	NO		
48	59	13C8-PFOS	507.0 > 79.9	2300.106	2443.167	1.00	4.69	11.768	11.8	94.7	NO		
49	59	13C8-PFOS	507.0 > 79.9	2300.106	2443.167	1.00	4.69	11.768	11.8	94.7	NO		
50	60	13C2-PFDA	515.1 > 469.9	10047.507	15992.372	1.00	4.99	7.853	11.1	88.4	NO		
51	61	13C2-8:2 FTS	529 > 79.9	1574.154	2443.167	1.00	4.96	8.054	11.5	91.7	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	1647.825	2300.106	1.00	5.05	8.955	11.1	111.4	NO	1.507	NO
54	29	L-MeFOSAA	570 > 419	6338.285	2401.004	1.00	5.14	32.998	11.7	116.6	NO	2.910	NO
55	31	L-EtFOSAA	584.1 > 419	4503.837	3210.802	1.00	5.30	17.534	12.6	125.8	NO	1.352	NO
56	33	PFUdA	563.0 > 518.9	11882.511	16805.854	1.00	5.32	8.838	10.1	101.1	NO	5.792	NO
57	34	PFDS	598.8 > 79.9	2537.882	1574.154	1.00	5.37	20.153	11.0	110.2	NO	1.994	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	1062.096	20604.770	1.00	5.53	0.644	10.0	100.4	NO	5.169	YES
59	59	13C8-PFOS	507.0 > 79.9	2300.106	2443.167	1.00	4.69	11.768	11.8	94.7	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	2401.004	19414.486	1.00	5.14	1.546	10.8	86.5	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	3210.802	19414.486	1.00	5.29	2.067	10.2	81.7	NO		
62	63	13C2-PFUdA	565 > 519.8	16805.854	19414.486	1.00	5.32	10.820	13.0	104.0	NO		
63	61	13C2-8:2 FTS	529 > 79.9	1574.154	2443.167	1.00	4.96	8.054	11.5	91.7	NO		
64	65	13C2-PFDoA	614.7 > 569.7	20604.770	15992.372	1.00	5.60	16.105	12.9	103.2	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	3136.663	1574.154	1.00	5.59	24.908	10.1	101.4	NO	1.532	NO
67	37	PFDoA	612.9 > 569.0	14478.511	20604.770	1.00	5.60	8.783	8.9	89.4	NO	7.397	NO
68	38	N-MeFOSA	512.1 > 168.9	2484.056	7270.296	1.00	5.70	51.251	52.2	104.4	NO	1.828	NO
69	39	PFTrDA	662.9 > 618.9	17116.076	20604.770	1.00	5.86	10.384	9.8	98.0	NO	13.777	NO
70	40	PFDoS	698.8 > 79.9	2069.622	9531.777	1.00	5.88	2.714	10.9	108.5	NO	1.826	NO
71	41	PFTeDA	713.0 > 669.0	12007.508	9531.777	1.00	6.08	15.747	9.1	90.6	NO	13.914	NO
72	65	13C2-PFDoA	614.7 > 569.7	20604.770	15992.372	1.00	5.60	16.105	12.9	103.2	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld

Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	20604.770	15992.372	1.00	5.60	16.105	12.9	103.2	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	7270.296	19414.486	1.00	5.73	4.681	150.5	100.3	NO		
75	65	13C2-PFDoA	614.7 > 569.7	20604.770	15992.372	1.00	5.60	16.105	12.9	103.2	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	9531.777	19414.486	1.00	6.08	6.137	13.6	108.6	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	9531.777	19414.486	1.00	6.08	6.137	13.6	108.6	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	2456.535	8579.458	1.00	6.12	42.949	50.8	101.5	NO	1.882	NO
80	43	PFHxDA	813.1 > 768.6	6951.487	5590.542	1.00	6.43	6.217	12.4	123.6	NO	8.894	NO
81	44	PFODA	913.1 > 868.8	9726.233	5590.542	1.00	6.67	8.699	10.7	107.5	NO		
82	45	N-MeFOSE	616.1 > 58.9	2381.702	7874.833	1.00	6.31	45.367	44.2	88.3	NO		
83	46	N-EtFOSE	630.1 > 58.9	3410.777	7882.548	1.00	6.46	64.905	53.1	106.2	NO		
84	72	13C4-PFBA	217.0 > 172.0	6342.412	6342.412	1.00	1.23	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	8579.458	19414.486	1.00	6.14	5.524	151.0	100.7	NO		
86	69	13C2-PFHxDA	815 > 769.7	5590.542	19414.486	1.00	6.42	3.599	5.0	100.8	NO		
87	69	13C2-PFHxDA	815 > 769.7	5590.542	19414.486	1.00	6.42	3.599	5.0	100.8	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	7874.833	19414.486	1.00	6.30	5.070	154.5	103.0	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	7882.548	19414.486	1.00	6.44	5.075	147.7	98.4	NO		
90	73	13C5-PFHxA	318.0 > 272.9	15706.679	15706.679	1.00	3.01	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	23116.857	23116.857	1.00	4.16	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	1057.771	1057.771	1.00	3.79	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	12627.755	12627.755	1.00	4.61	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	2443.167	2443.167	1.00	4.69	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	15992.372	15992.372	1.00	4.99	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	19414.486	19414.486	1.00	5.32	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 08:46:44 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:46:59 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190805M1_1	IPA	05-Aug-19	10:29:02
2	2	190805M1_2	IPA	05-Aug-19	10:39:35
3	3	190805M1_3	IPA	05-Aug-19	10:50:20
4	4	190805M1_4	IPA	05-Aug-19	11:00:52
5	5	190805M1_5	IPA	05-Aug-19	11:11:30
6	6	190805M1_6	ST190805M1-1 PFC CS0 19G2303	05-Aug-19	11:22:04
7	7	190805M1_7	IB	05-Aug-19	11:32:41
8	8	190805M1_8	B9G0276-BS1 OPR 0.125	05-Aug-19	11:43:17
9	9	190805M1_9	B9G0276-BLK1 Method Blank 0.125	05-Aug-19	11:53:53
10	10	190805M1_10	1902274-01 S12-072419 0.11342	05-Aug-19	12:04:25
11	11	190805M1_11	1902274-02 DUP1-072419 0.10942	05-Aug-19	12:15:04
12	12	190805M1_12	1902274-03 S6-072419 0.11726	05-Aug-19	12:25:37
13	13	190805M1_13	1902274-04 P1-072419 0.11169	05-Aug-19	12:36:16
14	14	190805M1_14	1902274-05 S13-072419 0.1166	05-Aug-19	12:46:54
15	15	190805M1_15	1902274-06 P7-072419 0.11673	05-Aug-19	12:57:27
16	16	190805M1_16	1902274-07 EB-072419 0.11589	05-Aug-19	13:08:05
17	17	190805M1_17	1902274-08 FB-072419 0.11785	05-Aug-19	13:18:38
18	18	190805M1_18	B9H0026-BS1 OPR 0.125	05-Aug-19	13:29:17
19	19	190805M1_19	B9H0026-BLK1 Method Blank 0.125	05-Aug-19	13:39:50
20	20	190805M1_20	1902290-05RE1 DPH-MW4-17 0.11115	05-Aug-19	13:50:29
21	21	190805M1_21	IPA	05-Aug-19	14:00:59
22	22	190805M1_22	ST190805M1-2 PFC CS3 19G2306	05-Aug-19	14:11:37
23	23	190805M1_23	IPA	05-Aug-19	14:22:16
24	24	190805M1_24	B9G0264-BS1 OPR 1	05-Aug-19	14:32:51
25	25	190805M1_25	B9G0264-MS1 Matrix Spike 1.01	05-Aug-19	14:43:26
26	26	190805M1_26	B9G0264-MSD1 Matrix Spike Dup 1.02	05-Aug-19	14:54:05
27	27	190805M1_27	B9G0264-BLK1 Method Blank 1	05-Aug-19	15:04:38
28	28	190805M1_28	1902189-01 SAOA-B03-SO-5-5.5 1.08	05-Aug-19	15:15:16
29	29	190805M1_29	1902189-02 SAOA-B03-SO-20-20.5 1.21	05-Aug-19	15:25:49
30	30	190805M1_30	1902189-03 SAOA-B03-SO-56-56.5 1.18	05-Aug-19	15:36:27
31	31	190805M1_31	1902189-08 NON-B03-SO-1-1.5 1.03	05-Aug-19	15:47:06
32	32	190805M1_32	1902189-09 NON-B03-SO-15-15.5 1.07	05-Aug-19	15:57:38

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 08:46:44 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:46:59 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
33	33 190805M1_33	1902189-15 NAOA-B04-SO-69-69.5 1.17	05-Aug-19	16:08:16
34	34 190805M1_34	1902189-16 SAOA-B02-SO-5-5.5 1.18	05-Aug-19	16:18:55
35	35 190805M1_35	1902189-17 SAOA-B02-SO-20-20.5 1.13	05-Aug-19	16:29:28
36	36 190805M1_36	1902189-18 SAOA-B02-SO-56-56.5 1.28	05-Aug-19	16:40:06
37	37 190805M1_37	IPA	05-Aug-19	16:50:38
38	38 190805M1_38	ST190805M1-3 PFC CS3 19G2306	05-Aug-19	17:01:16
39	39 190805M1_39	IPA	05-Aug-19	17:11:49
40	40 190805M1_40	B9H0005-BS1 OPR 1	05-Aug-19	17:22:27
41	41 190805M1_41	B9H0005-BLK1 Method Blank 1	05-Aug-19	17:33:00
42	42 190805M1_42	1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01	05-Aug-19	17:43:38
43	43 190805M1_43	1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03	05-Aug-19	17:54:11
44	44 190805M1_44	1900655-03RE1 IA19-DU2-03042019-10-25-2 1	05-Aug-19	18:04:49
45	45 190805M1_45	1900655-04RE1 IA19-DU2-03042019-10-25-3 1	05-Aug-19	18:15:28
46	46 190805M1_46	1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01	05-Aug-19	18:26:01
47	47 190805M1_47	1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02	05-Aug-19	18:36:39
48	48 190805M1_48	1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02	05-Aug-19	18:47:12
49	49 190805M1_49	1900716-04RE1 IA22-DU2-10042019-13-30-1 1	05-Aug-19	18:57:50
50	50 190805M1_50	1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02	05-Aug-19	19:08:22
51	51 190805M1_51	1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02	05-Aug-19	19:19:00
52	52 190805M1_52	IPA	05-Aug-19	19:29:33
53	53 190805M1_53	ST190805M1-4 PFC CS3 19G2306	05-Aug-19	19:40:11
54	54 190805M1_54	IPA	05-Aug-19	19:50:50
55	55 190805M1_55	1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01	05-Aug-19	20:01:23
56	56 190805M1_56	1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01	05-Aug-19	20:12:01
57	57 190805M1_57	1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02	05-Aug-19	20:22:34
58	58 190805M1_58	1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02	05-Aug-19	20:33:04
59	59 190805M1_59	1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1	05-Aug-19	20:43:43
60	60 190805M1_60	B9G0312-BS1 OPR 0.25	05-Aug-19	20:54:15
61	61 190805M1_61	B9G0312-BLK1 Method Blank 0.25	05-Aug-19	21:04:54
62	62 190805M1_62	1902340-01 SB-19-C1 20-25 0.24058	05-Aug-19	21:15:32
63	63 190805M1_63	1902340-02 SB-19-C1 15-20 0.2413	05-Aug-19	21:26:04
64	64 190805M1_64	1902340-03 SB-19-C2 20-25 0.23794	05-Aug-19	21:36:43
65	65 190805M1_65	1902340-04 SB-19-C2 15-20 0.24308	05-Aug-19	21:47:21
66	66 190805M1_66	1902340-05 SB-19-C3 20-25 0.24596	05-Aug-19	21:57:54
67	67 190805M1_67	IPA	05-Aug-19	22:08:33
68	68 190805M1_68	ST190805M1-5 PFC CS3 19G2306	05-Aug-19	22:19:05

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Tuesday, August 06, 2019 08:46:44 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:46:59 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
69	69	190805M1_69	IPA	05-Aug-19	22:29:43
70	70	190805M1_70	1902340-06 SB-19-C3 15-20 0.24224	05-Aug-19	22:40:16
71	71	190805M1_71	1902340-07 SB-19-C4 20-25 0.23437	05-Aug-19	22:50:54
72	72	190805M1_72	1902340-08 SB-19-C4 15-20 0.24446	05-Aug-19	23:01:32
73	73	190805M1_73	1902340-09 SB-19-C1 10-15 0.23978	05-Aug-19	23:12:06
74	74	190805M1_74	1902340-10 SB-19-C2 10-15 0.2419	05-Aug-19	23:22:44
75	75	190805M1_75	1902340-11 SB-19-C3 10-15 0.24555	05-Aug-19	23:33:17
76	76	190805M1_76	1902340-12 SB-19-C4 10-15 0.24794	05-Aug-19	23:43:55
77	77	190805M1_77	1902340-13 SB-19-C4 10-15 DUP 0.24565	05-Aug-19	23:54:29
78	78	190805M1_78	1902340-14 SB-19-C4 5-10 0.24089	06-Aug-19	00:05:08
79	79	190805M1_79	1902340-15 SB-19-N1 55-60 0.25012	06-Aug-19	00:15:40
80	80	190805M1_80	IPA	06-Aug-19	00:26:18
81	81	190805M1_81	ST190805M1-6 PFC CS3 19G2306	06-Aug-19	00:36:56
82	82	190805M1_82	IPA	06-Aug-19	00:47:30
83	83	190805M1_83	1902340-16 SB-19-N2 55-60 0.25388	06-Aug-19	00:58:09
84	84	190805M1_84	1902340-17 SB-19-N2 (48-53) 0.25043	06-Aug-19	01:08:47
85	85	190805M1_85	1902340-18 SB-19-C2 (5-10) 0.23872	06-Aug-19	01:19:20
86	86	190805M1_86	1902340-19 SB-19-C1 (5-10) 0.2458	06-Aug-19	01:29:59
87	87	190805M1_87	1902340-20 SB-19-N1 (48-53) 0.24852	06-Aug-19	01:40:32
88	88	190805M1_88	B9H0013-BS1 OPR 0.125	06-Aug-19	01:51:11
89	89	190805M1_89	B9H0013-BLK1 Method Blank 0.125	06-Aug-19	02:01:49
90	90	190805M1_90	1902387-03 AQA 19-11 S3 0.125	06-Aug-19	02:12:22
91	91	190805M1_91	1902387-04 AQA 19-11 S4 0.125	06-Aug-19	02:23:00
92	92	190805M1_92	IPA	06-Aug-19	02:33:33
93	93	190805M1_93	ST190805M1-7 PFC CS3 19G2306	06-Aug-19	02:44:12
94	94	190805M1_94	IPA	06-Aug-19	02:54:45

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld

Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080519.mdb 05 Aug 2019 14:58:12
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-02-19.cdb 03 Aug 2019 11:02:31

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
6.227e+004




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
1.742e+004




F6:MRM of 2 channels,ES-
248.9 > 98.9
7.089e+003




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
4.043e+003




F5:MRM of 2 channels,ES-
240.9 > 116.9
2.522e+003




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
9.022e+004




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
3.542e+004




F11:MRM of 2 channels,ES-
299.0 > 99.0
1.175e+004




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
1.178e+005




F16:MRM of 2 channels,ES-
327.0 > 80.9
6.055e+004




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
5.948e+004




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
2.181e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
1.237e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
1.237e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
2.181e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
6.161e+004





Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld

Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time


Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld


Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006


L-PFHxS




6:2 FTS




L-PFOA




PFEChS




PFHpS




7:3 FTCA




13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld


Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006


PFNA




PFOSA




L-PFOS




9Cl-PF30NS




PFDA




8:2 FTS




13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld

Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time


Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld


Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
8.396e+004




F66:MRM of 2 channels,ES-
627.0 > 80.9
5.405e+004




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
3.973e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
5.365e+004




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
6.289e+004




F43:MRM of 2 channels,ES-
512.1 > 219
3.503e+004




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
4.960e+005




F70:MRM of 2 channels,ES-
662.9 > 319
3.511e+004




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
6.038e+004




F71:MRM of 2 channels,ES-
698.8 > 98.9
3.284e+004




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
3.211e+005




F72:MRM of 2 channels,ES-
713. > 369.0
2.251e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.690e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.690e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
1.901e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
5.690e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.555e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.555e+005




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld


Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190805M1\190508M1-38.qld


Last Altered: Tuesday, August 06, 2019 08:23:29 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 08:23:38 Pacific Daylight Time

Name: 190805M1_38, Date: 05-Aug-2019, Time: 17:01:16, ID: ST190805M1-3 PFC CS3 19G2306, Description: PFC CS3 19G2006


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_RS-08-04-19.mdb 04 Aug 2019 18:34:12
Calibration: 07 Aug 2019 16:34:09

Name: 190806M1_13, Date: 06-Aug-2019, Time: 12:37:33, ID: ST190806M1-6 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-6 PFC CS3 19G2306	1.46e4	100.0	NO
2	2	13C5-PFHxA	ST190806M1-6 PFC CS3 19G2306	3.08e4	100.0	NO
3	3	18O2-PFHxS	ST190806M1-6 PFC CS3 19G2306	1.98e3	100.0	NO
4	4	13C8-PFOA	ST190806M1-6 PFC CS3 19G2306	3.71e4	100.0	NO
5	5	13C9-PFNA	ST190806M1-6 PFC CS3 19G2306	2.79e4	100.0	NO
6	6	13C4-PFOS	ST190806M1-6 PFC CS3 19G2306	4.91e3	100.0	NO
7	7	13C6-PFDA	ST190806M1-6 PFC CS3 19G2306	3.47e4	100.0	NO
8	8	13C7-PFUdA	ST190806M1-6 PFC CS3 19G2306	3.70e4	100.0	NO

Name: 190806M1_14, Date: 06-Aug-2019, Time: 12:48:12, ID: ST190806M1-7 PFC CS4 19G2307, Description: PFC CS4 19G2307

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-7 PFC CS4 19G2307	1.44e4	98.8	NO
2	2	13C5-PFHxA	ST190806M1-7 PFC CS4 19G2307	2.99e4	97.0	NO
3	3	18O2-PFHxS	ST190806M1-7 PFC CS4 19G2307	1.73e3	87.4	NO
4	4	13C8-PFOA	ST190806M1-7 PFC CS4 19G2307	3.44e4	92.7	NO
5	5	13C9-PFNA	ST190806M1-7 PFC CS4 19G2307	2.60e4	92.9	NO
6	6	13C4-PFOS	ST190806M1-7 PFC CS4 19G2307	4.31e3	87.9	NO
7	7	13C6-PFDA	ST190806M1-7 PFC CS4 19G2307	3.25e4	93.8	NO
8	8	13C7-PFUdA	ST190806M1-7 PFC CS4 19G2307	3.54e4	95.7	NO

Name: 190806M1_15, Date: 06-Aug-2019, Time: 12:58:44, ID: ST190806M1-8 PFC CS5 19G2308, Description: PFC CS5 19G2308

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-8 PFC CS5 19G2308	8.32e3	56.9	NO
2	2	13C5-PFHxA	ST190806M1-8 PFC CS5 19G2308	1.66e4	53.8	NO
3	3	18O2-PFHxS	ST190806M1-8 PFC CS5 19G2308	1.09e3	55.1	NO
4	4	13C8-PFOA	ST190806M1-8 PFC CS5 19G2308	1.93e4	51.9	NO
5	5	13C9-PFNA	ST190806M1-8 PFC CS5 19G2308	1.51e4	53.9	NO
6	6	13C4-PFOS	ST190806M1-8 PFC CS5 19G2308	2.60e3	53.0	NO
7	7	13C6-PFDA	ST190806M1-8 PFC CS5 19G2308	1.83e4	52.8	NO
8	8	13C7-PFUdA	ST190806M1-8 PFC CS5 19G2308	2.01e4	54.4	NO

Name: 190806M1_16, Date: 06-Aug-2019, Time: 13:09:22, ID: ST190806M1-9 PFC CS6 19G2309, Description: PFC CS6 19G2309

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-9 PFC CS6 19G2309	1.35e4	92.7	NO
2	2	13C5-PFHxA	ST190806M1-9 PFC CS6 19G2309	2.50e4	81.2	NO
3	3	18O2-PFHxS	ST190806M1-9 PFC CS6 19G2309	1.55e3	78.1	NO
4	4	13C8-PFOA	ST190806M1-9 PFC CS6 19G2309	2.62e4	70.5	NO
5	5	13C9-PFNA	ST190806M1-9 PFC CS6 19G2309	2.26e4	80.9	NO
6	6	13C4-PFOS	ST190806M1-9 PFC CS6 19G2309	3.81e3	77.7	NO
7	7	13C6-PFDA	ST190806M1-9 PFC CS6 19G2309	2.74e4	79.2	NO
8	8	13C7-PFUdA	ST190806M1-9 PFC CS6 19G2309	2.75e4	74.4	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_17, Date: 06-Aug-2019, Time: 13:19:56, ID: ST190806M1-10 PFC CS7 19G2310, Description: PFC CS7 19G2310

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-10 PFC CS7 19G2310	1.46e4	99.7	NO
2	2	13C5-PFHxA	ST190806M1-10 PFC CS7 19G2310	2.23e4	72.3	NO
3	3	18O2-PFHxS	ST190806M1-10 PFC CS7 19G2310	1.21e3	61.1	NO
4	4	13C8-PFOA	ST190806M1-10 PFC CS7 19G2310	2.27e4	61.2	NO
5	5	13C9-PFNA	ST190806M1-10 PFC CS7 19G2310	1.91e4	68.3	NO
6	6	13C4-PFOS	ST190806M1-10 PFC CS7 19G2310	3.27e3	66.6	NO
7	7	13C6-PFDA	ST190806M1-10 PFC CS7 19G2310	2.37e4	68.5	NO
8	8	13C7-PFUdA	ST190806M1-10 PFC CS7 19G2310	2.48e4	67.2	NO

Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IB	1.60e4	109.3	NO
2	2	13C5-PFHxA	IB	3.31e4	107.6	NO
3	3	18O2-PFHxS	IB	1.99e3	100.2	NO
4	4	13C8-PFOA	IB	3.95e4	106.4	NO
5	5	13C9-PFNA	IB	2.93e4	104.8	NO
6	6	13C4-PFOS	IB	5.23e3	106.6	NO
7	7	13C6-PFDA	IB	3.54e4	102.1	NO
8	8	13C7-PFUdA	IB	4.01e4	108.5	NO

Name: 190806M1_19, Date: 06-Aug-2019, Time: 13:41:06, ID: ICV190806M1-1 PFC ICV 19G2311, Description: PFC ICV 19G2311

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ICV190806M1-1 PFC ICV 19G2311	4.90e4	335.7	YES
2	2	13C5-PFHxA	ICV190806M1-1 PFC ICV 19G2311	1.34e5	436.7	YES
3	3	18O2-PFHxS	ICV190806M1-1 PFC ICV 19G2311	7.99e3	403.2	YES
4	4	13C8-PFOA	ICV190806M1-1 PFC ICV 19G2311	1.54e5	413.8	YES
5	5	13C9-PFNA	ICV190806M1-1 PFC ICV 19G2311	1.08e5	387.2	YES
6	6	13C4-PFOS	ICV190806M1-1 PFC ICV 19G2311	1.90e4	386.4	YES
7	7	13C6-PFDA	ICV190806M1-1 PFC ICV 19G2311	1.36e5	392.2	YES
8	8	13C7-PFUdA	ICV190806M1-1 PFC ICV 19G2311	1.47e5	396.8	YES

Name: 190806M1_20, Date: 06-Aug-2019, Time: 13:51:45, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA	9.20e0	0.0	YES
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_21, Date: 06-Aug-2019, Time: 14:02:26, ID: B9G0264-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0264-BS1 OPR 1	1.33e4	91.3	NO
2	2	13C5-PFHxA	B9G0264-BS1 OPR 1	2.44e4	79.1	NO
3	3	18O2-PFHxS	B9G0264-BS1 OPR 1	1.83e3	92.2	NO
4	4	13C8-PFOA	B9G0264-BS1 OPR 1	3.21e4	86.5	NO
5	5	13C9-PFNA	B9G0264-BS1 OPR 1	2.49e4	89.1	NO
6	6	13C4-PFOS	B9G0264-BS1 OPR 1	4.13e3	84.1	NO
7	7	13C6-PFDA	B9G0264-BS1 OPR 1	3.94e4	113.8	NO
8	8	13C7-PFUdA	B9G0264-BS1 OPR 1	3.56e4	96.1	NO

Name: 190806M1_22, Date: 06-Aug-2019, Time: 14:13:02, ID: B9G0264-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0264-BLK1 Method Blank 1	1.10e4	75.6	NO
2	2	13C5-PFHxA	B9G0264-BLK1 Method Blank 1	2.15e4	69.7	NO
3	3	18O2-PFHxS	B9G0264-BLK1 Method Blank 1	1.56e3	78.6	NO
4	4	13C8-PFOA	B9G0264-BLK1 Method Blank 1	2.85e4	76.8	NO
5	5	13C9-PFNA	B9G0264-BLK1 Method Blank 1	2.28e4	81.5	NO
6	6	13C4-PFOS	B9G0264-BLK1 Method Blank 1	3.62e3	73.7	NO
7	7	13C6-PFDA	B9G0264-BLK1 Method Blank 1	3.64e4	105.0	NO
8	8	13C7-PFUdA	B9G0264-BLK1 Method Blank 1	3.36e4	90.9	NO

Name: 190806M1_23, Date: 06-Aug-2019, Time: 14:23:35, ID: 1902189-01 SAOA-B03-SO-5-5.5 1.08, Description: SAOA-B03-SO-5-5.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-01 SAOA-B03-SO-5-5.5 1.08	1.38e4	94.7	NO
2	2	13C5-PFHxA	1902189-01 SAOA-B03-SO-5-5.5 1.08	2.52e4	82.0	NO
3	3	18O2-PFHxS	1902189-01 SAOA-B03-SO-5-5.5 1.08	1.72e3	86.6	NO
4	4	13C8-PFOA	1902189-01 SAOA-B03-SO-5-5.5 1.08	3.18e4	85.6	NO
5	5	13C9-PFNA	1902189-01 SAOA-B03-SO-5-5.5 1.08	2.35e4	84.1	NO
6	6	13C4-PFOS	1902189-01 SAOA-B03-SO-5-5.5 1.08	3.91e3	79.6	NO
7	7	13C6-PFDA	1902189-01 SAOA-B03-SO-5-5.5 1.08	3.68e4	106.3	NO
8	8	13C7-PFUdA	1902189-01 SAOA-B03-SO-5-5.5 1.08	3.38e4	91.3	NO

Name: 190806M1_24, Date: 06-Aug-2019, Time: 14:34:14, ID: 1902189-02 SAOA-B03-SO-20-20.5 1.21, Description: SAOA-B03-SO-20-20.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-02 SAOA-B03-SO-20-20.5 1.21	1.27e4	86.9	NO
2	2	13C5-PFHxA	1902189-02 SAOA-B03-SO-20-20.5 1.21	2.38e4	77.4	NO
3	3	18O2-PFHxS	1902189-02 SAOA-B03-SO-20-20.5 1.21	1.72e3	86.8	NO
4	4	13C8-PFOA	1902189-02 SAOA-B03-SO-20-20.5 1.21	3.07e4	82.7	NO
5	5	13C9-PFNA	1902189-02 SAOA-B03-SO-20-20.5 1.21	2.37e4	84.9	NO
6	6	13C4-PFOS	1902189-02 SAOA-B03-SO-20-20.5 1.21	4.16e3	84.7	NO
7	7	13C6-PFDA	1902189-02 SAOA-B03-SO-20-20.5 1.21	3.87e4	111.8	NO
8	8	13C7-PFUdA	1902189-02 SAOA-B03-SO-20-20.5 1.21	3.45e4	93.3	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_25, Date: 06-Aug-2019, Time: 14:44:47, ID: 1902189-15 NAOA-B04-SO-69-69.5 1.17, Description: NAOA-B04-SO-69-69.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-15 NAOA-B04-SO-69-69.5 1.17	1.53e4	105.0	NO
2	2	13C5-PFHxA	1902189-15 NAOA-B04-SO-69-69.5 1.17	2.72e4	88.5	NO
3	3	18O2-PFHxS	1902189-15 NAOA-B04-SO-69-69.5 1.17	1.94e3	98.0	NO
4	4	13C8-PFOA	1902189-15 NAOA-B04-SO-69-69.5 1.17	3.48e4	93.8	NO
5	5	13C9-PFNA	1902189-15 NAOA-B04-SO-69-69.5 1.17	2.62e4	93.7	NO
6	6	13C4-PFOS	1902189-15 NAOA-B04-SO-69-69.5 1.17	4.24e3	86.3	NO
7	7	13C6-PFDA	1902189-15 NAOA-B04-SO-69-69.5 1.17	4.10e4	118.3	NO
8	8	13C7-PFUdA	1902189-15 NAOA-B04-SO-69-69.5 1.17	3.76e4	101.8	NO

Name: 190806M1_26, Date: 06-Aug-2019, Time: 14:55:25, ID: 1902189-18 SAOA-B02-SO-56-56.5 1.28, Description: SAOA-B02-SO-56-56.5

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902189-18 SAOA-B02-SO-56-56.5 1.28	1.33e4	91.3	NO
2	2	13C5-PFHxA	1902189-18 SAOA-B02-SO-56-56.5 1.28	2.48e4	80.7	NO
3	3	18O2-PFHxS	1902189-18 SAOA-B02-SO-56-56.5 1.28	1.61e3	81.2	NO
4	4	13C8-PFOA	1902189-18 SAOA-B02-SO-56-56.5 1.28	3.05e4	82.3	NO
5	5	13C9-PFNA	1902189-18 SAOA-B02-SO-56-56.5 1.28	2.35e4	84.0	NO
6	6	13C4-PFOS	1902189-18 SAOA-B02-SO-56-56.5 1.28	3.63e3	73.9	NO
7	7	13C6-PFDA	1902189-18 SAOA-B02-SO-56-56.5 1.28	3.61e4	104.2	NO
8	8	13C7-PFUdA	1902189-18 SAOA-B02-SO-56-56.5 1.28	3.33e4	90.0	NO

Name: 190806M1_27, Date: 06-Aug-2019, Time: 15:05:59, ID: B9H0005-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0005-BS1 OPR 1	1.54e4	105.2	NO
2	2	13C5-PFHxA	B9H0005-BS1 OPR 1	2.69e4	87.3	NO
3	3	18O2-PFHxS	B9H0005-BS1 OPR 1	1.83e3	92.5	NO
4	4	13C8-PFOA	B9H0005-BS1 OPR 1	3.42e4	92.2	NO
5	5	13C9-PFNA	B9H0005-BS1 OPR 1	2.62e4	93.6	NO
6	6	13C4-PFOS	B9H0005-BS1 OPR 1	4.22e3	86.0	NO
7	7	13C6-PFDA	B9H0005-BS1 OPR 1	4.06e4	117.0	NO
8	8	13C7-PFUdA	B9H0005-BS1 OPR 1	3.60e4	97.4	NO

Name: 190806M1_28, Date: 06-Aug-2019, Time: 15:16:37, ID: B9H0005-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0005-BLK1 Method Blank 1	1.35e4	92.1	NO
2	2	13C5-PFHxA	B9H0005-BLK1 Method Blank 1	2.41e4	78.1	NO
3	3	18O2-PFHxS	B9H0005-BLK1 Method Blank 1	1.62e3	81.6	NO
4	4	13C8-PFOA	B9H0005-BLK1 Method Blank 1	3.04e4	81.9	NO
5	5	13C9-PFNA	B9H0005-BLK1 Method Blank 1	2.24e4	80.0	NO
6	6	13C4-PFOS	B9H0005-BLK1 Method Blank 1	3.78e3	77.0	NO
7	7	13C6-PFDA	B9H0005-BLK1 Method Blank 1	3.60e4	104.0	NO
8	8	13C7-PFUdA	B9H0005-BLK1 Method Blank 1	3.08e4	83.2	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_29, Date: 06-Aug-2019, Time: 15:27:10, ID: 1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01, Description: IA19-DU3-03042019-10-15-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-01RE1 IA19-DU3-03042019-1...	1.44e4	98.7	NO
2	2	13C5-PFHxA	1900655-01RE1 IA19-DU3-03042019-1...	2.63e4	85.4	NO
3	3	18O2-PFHxS	1900655-01RE1 IA19-DU3-03042019-1...	1.78e3	89.7	NO
4	4	13C8-PFOA	1900655-01RE1 IA19-DU3-03042019-1...	3.39e4	91.3	NO
5	5	13C9-PFNA	1900655-01RE1 IA19-DU3-03042019-1...	2.61e4	93.3	NO
6	6	13C4-PFOS	1900655-01RE1 IA19-DU3-03042019-1...	4.34e3	88.4	NO
7	7	13C6-PFDA	1900655-01RE1 IA19-DU3-03042019-1...	4.06e4	117.2	NO
8	8	13C7-PFUdA	1900655-01RE1 IA19-DU3-03042019-1...	3.71e4	100.3	NO

Name: 190806M1_30, Date: 06-Aug-2019, Time: 15:37:48, ID: 1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03, Description: IA19-DU2-03042019-10-25-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-02RE1 IA19-DU2-03042019-1...	1.50e4	103.0	NO
2	2	13C5-PFHxA	1900655-02RE1 IA19-DU2-03042019-1...	2.78e4	90.3	NO
3	3	18O2-PFHxS	1900655-02RE1 IA19-DU2-03042019-1...	2.02e3	101.8	NO
4	4	13C8-PFOA	1900655-02RE1 IA19-DU2-03042019-1...	3.55e4	95.8	NO
5	5	13C9-PFNA	1900655-02RE1 IA19-DU2-03042019-1...	2.73e4	97.6	NO
6	6	13C4-PFOS	1900655-02RE1 IA19-DU2-03042019-1...	4.45e3	90.6	NO
7	7	13C6-PFDA	1900655-02RE1 IA19-DU2-03042019-1...	4.30e4	124.1	NO
8	8	13C7-PFUdA	1900655-02RE1 IA19-DU2-03042019-1...	3.83e4	103.6	NO

Name: 190806M1_31, Date: 06-Aug-2019, Time: 15:48:21, ID: 1900655-03RE1 IA19-DU2-03042019-10-25-2 1, Description: IA19-DU2-03042019-10-25-2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-03RE1 IA19-DU2-03042019-1...	1.54e4	105.6	NO
2	2	13C5-PFHxA	1900655-03RE1 IA19-DU2-03042019-1...	2.84e4	92.1	NO
3	3	18O2-PFHxS	1900655-03RE1 IA19-DU2-03042019-1...	1.86e3	94.1	NO
4	4	13C8-PFOA	1900655-03RE1 IA19-DU2-03042019-1...	3.47e4	93.6	NO
5	5	13C9-PFNA	1900655-03RE1 IA19-DU2-03042019-1...	2.71e4	97.1	NO
6	6	13C4-PFOS	1900655-03RE1 IA19-DU2-03042019-1...	4.59e3	93.5	NO
7	7	13C6-PFDA	1900655-03RE1 IA19-DU2-03042019-1...	4.31e4	124.4	NO
8	8	13C7-PFUdA	1900655-03RE1 IA19-DU2-03042019-1...	3.84e4	104.0	NO

Name: 190806M1_32, Date: 06-Aug-2019, Time: 15:59:00, ID: 1900655-04RE1 IA19-DU2-03042019-10-25-3 1, Description: IA19-DU2-03042019-10-25-3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-04RE1 IA19-DU2-03042019-1...	1.58e4	108.3	NO
2	2	13C5-PFHxA	1900655-04RE1 IA19-DU2-03042019-1...	2.86e4	93.0	NO
3	3	18O2-PFHxS	1900655-04RE1 IA19-DU2-03042019-1...	1.90e3	96.1	NO
4	4	13C8-PFOA	1900655-04RE1 IA19-DU2-03042019-1...	3.68e4	99.1	NO
5	5	13C9-PFNA	1900655-04RE1 IA19-DU2-03042019-1...	2.76e4	98.6	NO
6	6	13C4-PFOS	1900655-04RE1 IA19-DU2-03042019-1...	4.40e3	89.7	NO
7	7	13C6-PFDA	1900655-04RE1 IA19-DU2-03042019-1...	4.31e4	124.4	NO
8	8	13C7-PFUdA	1900655-04RE1 IA19-DU2-03042019-1...	3.72e4	100.5	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_33, Date: 06-Aug-2019, Time: 16:09:38, ID: 1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01, Description: IA2-DU3-03042019-12-40-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-05RE1 IA2-DU3-03042019-12...	1.41e4	96.3	NO
2	2	13C5-PFHxA	1900655-05RE1 IA2-DU3-03042019-12...	2.57e4	83.6	NO
3	3	18O2-PFHxS	1900655-05RE1 IA2-DU3-03042019-12...	1.80e3	90.8	NO
4	4	13C8-PFOA	1900655-05RE1 IA2-DU3-03042019-12...	3.20e4	86.3	NO
5	5	13C9-PFNA	1900655-05RE1 IA2-DU3-03042019-12...	2.55e4	91.4	NO
6	6	13C4-PFOS	1900655-05RE1 IA2-DU3-03042019-12...	4.05e3	82.5	NO
7	7	13C6-PFDA	1900655-05RE1 IA2-DU3-03042019-12...	3.93e4	113.4	NO
8	8	13C7-PFUdA	1900655-05RE1 IA2-DU3-03042019-12...	3.43e4	92.8	NO

Name: 190806M1_34, Date: 06-Aug-2019, Time: 16:20:11, ID: 1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02, Description: IA19-DU1-03042019-11-05-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-06RE1 IA19-DU1-03042019-1...	1.38e4	94.6	NO
2	2	13C5-PFHxA	1900655-06RE1 IA19-DU1-03042019-1...	2.55e4	82.9	NO
3	3	18O2-PFHxS	1900655-06RE1 IA19-DU1-03042019-1...	1.73e3	87.3	NO
4	4	13C8-PFOA	1900655-06RE1 IA19-DU1-03042019-1...	3.26e4	87.8	NO
5	5	13C9-PFNA	1900655-06RE1 IA19-DU1-03042019-1...	2.37e4	85.0	NO
6	6	13C4-PFOS	1900655-06RE1 IA19-DU1-03042019-1...	3.93e3	80.1	NO
7	7	13C6-PFDA	1900655-06RE1 IA19-DU1-03042019-1...	3.83e4	110.6	NO
8	8	13C7-PFUdA	1900655-06RE1 IA19-DU1-03042019-1...	3.39e4	91.8	NO

Name: 190806M1_35, Date: 06-Aug-2019, Time: 16:30:49, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-11 PFC CS3 19G2306	1.34e4	92.0	NO
2	2	13C5-PFHxA	ST190806M1-11 PFC CS3 19G2306	3.01e4	97.9	NO
3	3	18O2-PFHxS	ST190806M1-11 PFC CS3 19G2306	1.94e3	97.6	NO
4	4	13C8-PFOA	ST190806M1-11 PFC CS3 19G2306	3.64e4	98.2	NO
5	5	13C9-PFNA	ST190806M1-11 PFC CS3 19G2306	2.69e4	96.2	NO
6	6	13C4-PFOS	ST190806M1-11 PFC CS3 19G2306	4.68e3	95.3	NO
7	7	13C6-PFDA	ST190806M1-11 PFC CS3 19G2306	3.48e4	100.5	NO
8	8	13C7-PFUdA	ST190806M1-11 PFC CS3 19G2306	3.67e4	99.2	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_37, Date: 06-Aug-2019, Time: 16:52:01, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_38, Date: 06-Aug-2019, Time: 17:02:33, ID: 1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02, Description: IA22-DU1-10042019-12-40-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900716-03RE1 IA22-DU1-10042019-1...	1.42e4	97.3	NO
2	2	13C5-PFHxA	1900716-03RE1 IA22-DU1-10042019-1...	2.55e4	82.6	NO
3	3	18O2-PFHxS	1900716-03RE1 IA22-DU1-10042019-1...	1.71e3	86.1	NO
4	4	13C8-PFOA	1900716-03RE1 IA22-DU1-10042019-1...	3.26e4	87.9	NO
5	5	13C9-PFNA	1900716-03RE1 IA22-DU1-10042019-1...	2.53e4	90.7	NO
6	6	13C4-PFOS	1900716-03RE1 IA22-DU1-10042019-1...	4.01e3	81.8	NO
7	7	13C6-PFDA	1900716-03RE1 IA22-DU1-10042019-1...	3.94e4	113.8	NO
8	8	13C7-PFUdA	1900716-03RE1 IA22-DU1-10042019-1...	3.57e4	96.5	NO

Name: 190806M1_39, Date: 06-Aug-2019, Time: 17:13:11, ID: 1900716-04RE1 IA22-DU2-10042019-13-30-1 1, Description: IA22-DU2-10042019-13-30-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900716-04RE1 IA22-DU2-10042019-1...	1.51e4	103.6	NO
2	2	13C5-PFHxA	1900716-04RE1 IA22-DU2-10042019-1...	2.66e4	86.5	NO
3	3	18O2-PFHxS	1900716-04RE1 IA22-DU2-10042019-1...	1.90e3	96.1	NO
4	4	13C8-PFOA	1900716-04RE1 IA22-DU2-10042019-1...	3.53e4	95.1	NO
5	5	13C9-PFNA	1900716-04RE1 IA22-DU2-10042019-1...	2.71e4	97.0	NO
6	6	13C4-PFOS	1900716-04RE1 IA22-DU2-10042019-1...	4.47e3	91.0	NO
7	7	13C6-PFDA	1900716-04RE1 IA22-DU2-10042019-1...	4.23e4	122.2	NO
8	8	13C7-PFUdA	1900716-04RE1 IA22-DU2-10042019-1...	3.78e4	102.2	NO

Name: 190806M1_40, Date: 06-Aug-2019, Time: 17:23:44, ID: 1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02, Description: IA-1-DU7R-14062019-09-35-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-01RE1 IA-1-DU7R-14062019-...	1.45e4	99.1	NO
2	2	13C5-PFHxA	1901614-01RE1 IA-1-DU7R-14062019-...	2.63e4	85.5	NO
3	3	18O2-PFHxS	1901614-01RE1 IA-1-DU7R-14062019-...	1.81e3	91.3	NO
4	4	13C8-PFOA	1901614-01RE1 IA-1-DU7R-14062019-...	3.33e4	89.8	NO
5	5	13C9-PFNA	1901614-01RE1 IA-1-DU7R-14062019-...	2.58e4	92.2	NO
6	6	13C4-PFOS	1901614-01RE1 IA-1-DU7R-14062019-...	4.35e3	88.6	NO
7	7	13C6-PFDA	1901614-01RE1 IA-1-DU7R-14062019-...	4.08e4	117.7	NO
8	8	13C7-PFUdA	1901614-01RE1 IA-1-DU7R-14062019-...	3.52e4	95.3	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_41, Date: 06-Aug-2019, Time: 17:34:23, ID: 1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02, Description: IA-1-DU1R-14062019-10-50-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-02RE1 IA-1-DU1R-14062019-...	1.42e4	97.2	NO
2	2	13C5-PFHxA	1901614-02RE1 IA-1-DU1R-14062019-...	2.55e4	82.7	NO
3	3	18O2-PFHxS	1901614-02RE1 IA-1-DU1R-14062019-...	1.75e3	88.5	NO
4	4	13C8-PFOA	1901614-02RE1 IA-1-DU1R-14062019-...	3.20e4	86.2	NO
5	5	13C9-PFNA	1901614-02RE1 IA-1-DU1R-14062019-...	2.41e4	86.1	NO
6	6	13C4-PFOS	1901614-02RE1 IA-1-DU1R-14062019-...	4.18e3	85.1	NO
7	7	13C6-PFDA	1901614-02RE1 IA-1-DU1R-14062019-...	3.83e4	110.5	NO
8	8	13C7-PFUdA	1901614-02RE1 IA-1-DU1R-14062019-...	3.49e4	94.5	NO

Name: 190806M1_42, Date: 06-Aug-2019, Time: 17:44:56, ID: 1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01, Description: IA-1-DU3R-14062019-12-15-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-03RE1 IA-1-DU3R-14062019-...	1.33e4	91.3	NO
2	2	13C5-PFHxA	1901614-03RE1 IA-1-DU3R-14062019-...	2.41e4	78.3	NO
3	3	18O2-PFHxS	1901614-03RE1 IA-1-DU3R-14062019-...	1.68e3	84.5	NO
4	4	13C8-PFOA	1901614-03RE1 IA-1-DU3R-14062019-...	3.11e4	83.8	NO
5	5	13C9-PFNA	1901614-03RE1 IA-1-DU3R-14062019-...	2.38e4	85.1	NO
6	6	13C4-PFOS	1901614-03RE1 IA-1-DU3R-14062019-...	3.68e3	75.0	NO
7	7	13C6-PFDA	1901614-03RE1 IA-1-DU3R-14062019-...	3.67e4	106.0	NO
8	8	13C7-PFUdA	1901614-03RE1 IA-1-DU3R-14062019-...	3.26e4	88.1	NO

Name: 190806M1_43, Date: 06-Aug-2019, Time: 17:55:35, ID: 1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01, Description: IA-1-DU3R-14062019-12-15-2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-04RE1 IA-1-DU3R-14062019-...	1.40e4	95.6	NO
2	2	13C5-PFHxA	1901614-04RE1 IA-1-DU3R-14062019-...	2.54e4	82.5	NO
3	3	18O2-PFHxS	1901614-04RE1 IA-1-DU3R-14062019-...	1.71e3	86.1	NO
4	4	13C8-PFOA	1901614-04RE1 IA-1-DU3R-14062019-...	3.26e4	87.9	NO
5	5	13C9-PFNA	1901614-04RE1 IA-1-DU3R-14062019-...	2.42e4	86.6	NO
6	6	13C4-PFOS	1901614-04RE1 IA-1-DU3R-14062019-...	4.19e3	85.4	NO
7	7	13C6-PFDA	1901614-04RE1 IA-1-DU3R-14062019-...	3.72e4	107.3	NO
8	8	13C7-PFUdA	1901614-04RE1 IA-1-DU3R-14062019-...	3.38e4	91.4	NO

Name: 190806M1_44, Date: 06-Aug-2019, Time: 18:06:07, ID: 1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02, Description: IA-1-DU3R-14062019-12-15-3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-05RE1 IA-1-DU3R-14062019-...	1.29e4	88.0	NO
2	2	13C5-PFHxA	1901614-05RE1 IA-1-DU3R-14062019-...	2.31e4	74.9	NO
3	3	18O2-PFHxS	1901614-05RE1 IA-1-DU3R-14062019-...	1.57e3	79.0	NO
4	4	13C8-PFOA	1901614-05RE1 IA-1-DU3R-14062019-...	2.91e4	78.4	NO
5	5	13C9-PFNA	1901614-05RE1 IA-1-DU3R-14062019-...	2.24e4	80.1	NO
6	6	13C4-PFOS	1901614-05RE1 IA-1-DU3R-14062019-...	3.51e3	71.4	NO
7	7	13C6-PFDA	1901614-05RE1 IA-1-DU3R-14062019-...	3.54e4	102.1	NO
8	8	13C7-PFUdA	1901614-05RE1 IA-1-DU3R-14062019-...	3.09e4	83.7	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_45, Date: 06-Aug-2019, Time: 18:16:46, ID: 1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02, Description: IA-1-DU4R-14062019-13-35-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-06RE1 IA-1-DU4R-14062019-...	1.35e4	92.6	NO
2	2	13C5-PFHxA	1901614-06RE1 IA-1-DU4R-14062019-...	2.44e4	79.2	NO
3	3	18O2-PFHxS	1901614-06RE1 IA-1-DU4R-14062019-...	1.74e3	87.6	NO
4	4	13C8-PFOA	1901614-06RE1 IA-1-DU4R-14062019-...	3.05e4	82.2	NO
5	5	13C9-PFNA	1901614-06RE1 IA-1-DU4R-14062019-...	2.26e4	80.9	NO
6	6	13C4-PFOS	1901614-06RE1 IA-1-DU4R-14062019-...	4.00e3	81.6	NO
7	7	13C6-PFDA	1901614-06RE1 IA-1-DU4R-14062019-...	3.62e4	104.5	NO
8	8	13C7-PFUdA	1901614-06RE1 IA-1-DU4R-14062019-...	3.35e4	90.7	NO

Name: 190806M1_46, Date: 06-Aug-2019, Time: 18:27:19, ID: 1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1, Description: IA-1-DU5R-14062019-15-10-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-09RE1 IA-1-DU5R-14062019-...	1.39e4	94.9	NO
2	2	13C5-PFHxA	1901614-09RE1 IA-1-DU5R-14062019-...	2.57e4	83.5	NO
3	3	18O2-PFHxS	1901614-09RE1 IA-1-DU5R-14062019-...	1.77e3	89.1	NO
4	4	13C8-PFOA	1901614-09RE1 IA-1-DU5R-14062019-...	3.20e4	86.2	NO
5	5	13C9-PFNA	1901614-09RE1 IA-1-DU5R-14062019-...	2.44e4	87.4	NO
6	6	13C4-PFOS	1901614-09RE1 IA-1-DU5R-14062019-...	3.84e3	78.2	NO
7	7	13C6-PFDA	1901614-09RE1 IA-1-DU5R-14062019-...	3.81e4	110.0	NO
8	8	13C7-PFUdA	1901614-09RE1 IA-1-DU5R-14062019-...	3.37e4	91.3	NO

Name: 190806M1_47, Date: 06-Aug-2019, Time: 18:37:57, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_48, Date: 06-Aug-2019, Time: 18:48:31, ID: ST190806M1-12 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-12 PFC CS3 19G2306	1.35e4	92.7	NO
2	2	13C5-PFHxA	ST190806M1-12 PFC CS3 19G2306	3.23e4	105.0	NO
3	3	18O2-PFHxS	ST190806M1-12 PFC CS3 19G2306	1.98e3	99.8	NO
4	4	13C8-PFOA	ST190806M1-12 PFC CS3 19G2306	3.77e4	101.5	NO
5	5	13C9-PFNA	ST190806M1-12 PFC CS3 19G2306	2.73e4	97.7	NO
6	6	13C4-PFOS	ST190806M1-12 PFC CS3 19G2306	5.01e3	102.1	NO
7	7	13C6-PFDA	ST190806M1-12 PFC CS3 19G2306	3.53e4	101.9	NO
8	8	13C7-PFUdA	ST190806M1-12 PFC CS3 19G2306	3.98e4	107.6	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_49, Date: 06-Aug-2019, Time: 18:59:10, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_50, Date: 06-Aug-2019, Time: 19:09:51, ID: B9H0013-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0013-BS1 OPR 0.125	1.39e4	95.1	NO
2	2	13C5-PFHxA	B9H0013-BS1 OPR 0.125	2.47e4	80.2	NO
3	3	18O2-PFHxS	B9H0013-BS1 OPR 0.125	1.70e3	85.6	NO
4	4	13C8-PFOA	B9H0013-BS1 OPR 0.125	3.14e4	84.6	NO
5	5	13C9-PFNA	B9H0013-BS1 OPR 0.125	2.47e4	88.3	NO
6	6	13C4-PFOS	B9H0013-BS1 OPR 0.125	3.81e3	77.7	NO
7	7	13C6-PFDA	B9H0013-BS1 OPR 0.125	4.00e4	115.4	NO
8	8	13C7-PFUdA	B9H0013-BS1 OPR 0.125	3.49e4	94.4	NO

Name: 190806M1_51, Date: 06-Aug-2019, Time: 19:20:26, ID: B9H0013-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0013-BLK1 Method Blank 0.125	1.40e4	96.0	NO
2	2	13C5-PFHxA	B9H0013-BLK1 Method Blank 0.125	2.55e4	82.9	NO
3	3	18O2-PFHxS	B9H0013-BLK1 Method Blank 0.125	1.75e3	88.2	NO
4	4	13C8-PFOA	B9H0013-BLK1 Method Blank 0.125	3.24e4	87.3	NO
5	5	13C9-PFNA	B9H0013-BLK1 Method Blank 0.125	2.34e4	83.6	NO
6	6	13C4-PFOS	B9H0013-BLK1 Method Blank 0.125	3.83e3	78.0	NO
7	7	13C6-PFDA	B9H0013-BLK1 Method Blank 0.125	3.78e4	109.1	NO
8	8	13C7-PFUdA	B9H0013-BLK1 Method Blank 0.125	3.27e4	88.5	NO

Name: 190806M1_52, Date: 06-Aug-2019, Time: 19:31:05, ID: 1902387-03 AQA 19-11 S3 0.125, Description: AQA 19-11 S3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902387-03 AQA 19-11 S3 0.125	1.51e4	103.3	NO
2	2	13C5-PFHxA	1902387-03 AQA 19-11 S3 0.125	2.71e4	88.1	NO
3	3	18O2-PFHxS	1902387-03 AQA 19-11 S3 0.125	1.70e3	85.8	NO
4	4	13C8-PFOA	1902387-03 AQA 19-11 S3 0.125	3.46e4	93.2	NO
5	5	13C9-PFNA	1902387-03 AQA 19-11 S3 0.125	2.66e4	95.1	NO
6	6	13C4-PFOS	1902387-03 AQA 19-11 S3 0.125	4.20e3	85.6	NO
7	7	13C6-PFDA	1902387-03 AQA 19-11 S3 0.125	4.12e4	118.9	NO
8	8	13C7-PFUdA	1902387-03 AQA 19-11 S3 0.125	3.82e4	103.2	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_53, Date: 06-Aug-2019, Time: 19:41:37, ID: 1902387-04 AQA 19-11 S4 0.125, Description: AQA 19-11 S4

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902387-04 AQA 19-11 S4 0.125	1.35e4	92.1	NO
2	2	13C5-PFHxA	1902387-04 AQA 19-11 S4 0.125	2.51e4	81.6	NO
3	3	18O2-PFHxS	1902387-04 AQA 19-11 S4 0.125	1.75e3	88.1	NO
4	4	13C8-PFOA	1902387-04 AQA 19-11 S4 0.125	3.29e4	88.6	NO
5	5	13C9-PFNA	1902387-04 AQA 19-11 S4 0.125	2.43e4	87.1	NO
6	6	13C4-PFOS	1902387-04 AQA 19-11 S4 0.125	3.92e3	79.8	NO
7	7	13C6-PFDA	1902387-04 AQA 19-11 S4 0.125	3.72e4	107.4	NO
8	8	13C7-PFUdA	1902387-04 AQA 19-11 S4 0.125	3.49e4	94.4	NO

Name: 190806M1_54, Date: 06-Aug-2019, Time: 19:52:16, ID: B9H0019-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0019-BS1 OPR 1	1.65e4	113.2	NO
2	2	13C5-PFHxA	B9H0019-BS1 OPR 1	3.00e4	97.4	NO
3	3	18O2-PFHxS	B9H0019-BS1 OPR 1	1.98e3	99.9	NO
4	4	13C8-PFOA	B9H0019-BS1 OPR 1	3.74e4	100.8	NO
5	5	13C9-PFNA	B9H0019-BS1 OPR 1	2.95e4	105.5	NO
6	6	13C4-PFOS	B9H0019-BS1 OPR 1	4.47e3	91.0	NO
7	7	13C6-PFDA	B9H0019-BS1 OPR 1	4.41e4	127.2	NO
8	8	13C7-PFUdA	B9H0019-BS1 OPR 1	3.97e4	107.3	NO

Name: 190806M1_55, Date: 06-Aug-2019, Time: 20:02:54, ID: B9H0019-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0019-BLK1 Method Blank 1	1.18e4	80.9	NO
2	2	13C5-PFHxA	B9H0019-BLK1 Method Blank 1	2.15e4	69.8	NO
3	3	18O2-PFHxS	B9H0019-BLK1 Method Blank 1	1.53e3	77.3	NO
4	4	13C8-PFOA	B9H0019-BLK1 Method Blank 1	2.85e4	76.9	NO
5	5	13C9-PFNA	B9H0019-BLK1 Method Blank 1	2.16e4	77.3	NO
6	6	13C4-PFOS	B9H0019-BLK1 Method Blank 1	3.74e3	76.2	NO
7	7	13C6-PFDA	B9H0019-BLK1 Method Blank 1	3.37e4	97.1	NO
8	8	13C7-PFUdA	B9H0019-BLK1 Method Blank 1	3.05e4	82.6	NO

Name: 190806M1_56, Date: 06-Aug-2019, Time: 20:13:28, ID: 1902197-01RE1 Sludge Hooksett Dewater 6.86, Description: Sludge Hooksett Dewater

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902197-01RE1 Sludge Hooksett Dewat...	1.18e4	80.5	NO
2	2	13C5-PFHxA	1902197-01RE1 Sludge Hooksett Dewat...	2.41e4	78.2	NO
3	3	18O2-PFHxS	1902197-01RE1 Sludge Hooksett Dewat...	2.02e3	101.8	NO
4	4	13C8-PFOA	1902197-01RE1 Sludge Hooksett Dewat...	3.50e4	94.4	NO
5	5	13C9-PFNA	1902197-01RE1 Sludge Hooksett Dewat...	2.51e4	89.8	NO
6	6	13C4-PFOS	1902197-01RE1 Sludge Hooksett Dewat...	4.33e3	88.3	NO
7	7	13C6-PFDA	1902197-01RE1 Sludge Hooksett Dewat...	4.05e4	116.8	NO
8	8	13C7-PFUdA	1902197-01RE1 Sludge Hooksett Dewat...	3.50e4	94.7	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_57, Date: 06-Aug-2019, Time: 20:24:06, ID: 1902295-03 July 2019 3.86, Description: July 2019

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902295-03 July 2019 3.86	9.03e3	61.8	NO
2	2	13C5-PFHxA	1902295-03 July 2019 3.86	1.58e4	51.3	NO
3	3	18O2-PFHxS	1902295-03 July 2019 3.86	1.32e3	66.8	NO
4	4	13C8-PFOA	1902295-03 July 2019 3.86	2.09e4	56.4	NO
5	5	13C9-PFNA	1902295-03 July 2019 3.86	1.45e4	51.9	NO
6	6	13C4-PFOS	1902295-03 July 2019 3.86	2.49e3	50.7	NO
7	7	13C6-PFDA	1902295-03 July 2019 3.86	2.28e4	65.8	NO
8	8	13C7-PFUdA	1902295-03 July 2019 3.86	1.59e4	43.0	YES

Name: 190806M1_58, Date: 06-Aug-2019, Time: 20:34:44, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_59, Date: 06-Aug-2019, Time: 20:45:18, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_60, Date: 06-Aug-2019, Time: 20:55:57, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_61, Date: 06-Aug-2019, Time: 21:06:34, ID: B9G0312-BS1 OPR 0.25, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0312-BS1 OPR 0.25	1.33e4	91.0	NO
2	2	13C5-PFHxA	B9G0312-BS1 OPR 0.25	2.36e4	76.6	NO
3	3	18O2-PFHxS	B9G0312-BS1 OPR 0.25	1.50e3	75.9	NO
4	4	13C8-PFOA	B9G0312-BS1 OPR 0.25	2.89e4	77.8	NO
5	5	13C9-PFNA	B9G0312-BS1 OPR 0.25	2.28e4	81.7	NO
6	6	13C4-PFOS	B9G0312-BS1 OPR 0.25	3.62e3	73.8	NO
7	7	13C6-PFDA	B9G0312-BS1 OPR 0.25	3.57e4	102.9	NO
8	8	13C7-PFUdA	B9G0312-BS1 OPR 0.25	2.99e4	80.9	NO

Name: 190806M1_62, Date: 06-Aug-2019, Time: 21:17:08, ID: B9G0312-BLK1 Method Blank 0.25, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0312-BLK1 Method Blank 0.25	1.31e4	89.6	NO
2	2	13C5-PFHxA	B9G0312-BLK1 Method Blank 0.25	2.34e4	76.1	NO
3	3	18O2-PFHxS	B9G0312-BLK1 Method Blank 0.25	1.63e3	82.0	NO
4	4	13C8-PFOA	B9G0312-BLK1 Method Blank 0.25	2.99e4	80.7	NO
5	5	13C9-PFNA	B9G0312-BLK1 Method Blank 0.25	2.30e4	82.3	NO
6	6	13C4-PFOS	B9G0312-BLK1 Method Blank 0.25	3.74e3	76.1	NO
7	7	13C6-PFDA	B9G0312-BLK1 Method Blank 0.25	3.48e4	100.5	NO
8	8	13C7-PFUdA	B9G0312-BLK1 Method Blank 0.25	3.17e4	85.7	NO

Name: 190806M1_63, Date: 06-Aug-2019, Time: 21:27:47, ID: 1902340-01 SB-19-C1 20-25 0.24058, Description: SB-19-C1 20-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-01 SB-19-C1 20-25 0.24058	1.37e4	94.1	NO
2	2	13C5-PFHxA	1902340-01 SB-19-C1 20-25 0.24058	2.48e4	80.5	NO
3	3	18O2-PFHxS	1902340-01 SB-19-C1 20-25 0.24058	1.60e3	80.9	NO
4	4	13C8-PFOA	1902340-01 SB-19-C1 20-25 0.24058	2.67e4	71.9	NO
5	5	13C9-PFNA	1902340-01 SB-19-C1 20-25 0.24058	2.35e4	84.2	NO
6	6	13C4-PFOS	1902340-01 SB-19-C1 20-25 0.24058	3.01e3	61.3	NO
7	7	13C6-PFDA	1902340-01 SB-19-C1 20-25 0.24058	3.93e4	113.4	NO
8	8	13C7-PFUdA	1902340-01 SB-19-C1 20-25 0.24058	3.35e4	90.7	NO

Name: 190806M1_64, Date: 06-Aug-2019, Time: 21:38:19, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_65, Date: 06-Aug-2019, Time: 21:48:58, ID: 1902340-01@5X SB-19-C1 20-25 0.24058, Description: SB-19-C1 20-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-01@5X SB-19-C1 20-25 0.24...	2.60e3	17.8	YES
2	2	13C5-PFHxA	1902340-01@5X SB-19-C1 20-25 0.24...	4.84e3	15.7	YES
3	3	18O2-PFHxS	1902340-01@5X SB-19-C1 20-25 0.24...	3.18e2	16.0	YES
4	4	13C8-PFOA	1902340-01@5X SB-19-C1 20-25 0.24...	5.66e3	15.3	YES
5	5	13C9-PFNA	1902340-01@5X SB-19-C1 20-25 0.24...	4.41e3	15.8	YES
6	6	13C4-PFOS	1902340-01@5X SB-19-C1 20-25 0.24...	7.49e2	15.3	YES
7	7	13C6-PFDA	1902340-01@5X SB-19-C1 20-25 0.24...	7.19e3	20.7	YES
8	8	13C7-PFUdA	1902340-01@5X SB-19-C1 20-25 0.24...	6.10e3	16.5	YES

Name: 190806M1_66, Date: 06-Aug-2019, Time: 21:59:31, ID: 1902340-03 SB-19-C2 20-25 0.23794, Description: SB-19-C2 20-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-03 SB-19-C2 20-25 0.23794	1.41e4	96.2	NO
2	2	13C5-PFHxA	1902340-03 SB-19-C2 20-25 0.23794	2.63e4	85.3	NO
3	3	18O2-PFHxS	1902340-03 SB-19-C2 20-25 0.23794	1.68e3	84.8	NO
4	4	13C8-PFOA	1902340-03 SB-19-C2 20-25 0.23794	3.16e4	85.2	NO
5	5	13C9-PFNA	1902340-03 SB-19-C2 20-25 0.23794	2.45e4	87.8	NO
6	6	13C4-PFOS	1902340-03 SB-19-C2 20-25 0.23794	3.92e3	79.8	NO
7	7	13C6-PFDA	1902340-03 SB-19-C2 20-25 0.23794	3.80e4	109.7	NO
8	8	13C7-PFUdA	1902340-03 SB-19-C2 20-25 0.23794	3.34e4	90.4	NO

Name: 190806M1_67, Date: 06-Aug-2019, Time: 22:10:10, ID: 1902340-05 SB-19-C3 20-25 0.24596, Description: SB-19-C3 20-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-05 SB-19-C3 20-25 0.24596	1.47e4	100.7	NO
2	2	13C5-PFHxA	1902340-05 SB-19-C3 20-25 0.24596	2.69e4	87.3	NO
3	3	18O2-PFHxS	1902340-05 SB-19-C3 20-25 0.24596	1.83e3	92.4	NO
4	4	13C8-PFOA	1902340-05 SB-19-C3 20-25 0.24596	3.15e4	85.0	NO
5	5	13C9-PFNA	1902340-05 SB-19-C3 20-25 0.24596	2.48e4	88.7	NO
6	6	13C4-PFOS	1902340-05 SB-19-C3 20-25 0.24596	3.18e3	64.7	NO
7	7	13C6-PFDA	1902340-05 SB-19-C3 20-25 0.24596	3.85e4	111.1	NO
8	8	13C7-PFUdA	1902340-05 SB-19-C3 20-25 0.24596	3.48e4	94.0	NO

Name: 190806M1_68, Date: 06-Aug-2019, Time: 22:20:43, ID: 1902340-07 SB-19-C4 20-25 0.23437, Description: SB-19-C4 20-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-07 SB-19-C4 20-25 0.23437	1.53e4	104.5	NO
2	2	13C5-PFHxA	1902340-07 SB-19-C4 20-25 0.23437	2.82e4	91.5	NO
3	3	18O2-PFHxS	1902340-07 SB-19-C4 20-25 0.23437	1.88e3	94.8	NO
4	4	13C8-PFOA	1902340-07 SB-19-C4 20-25 0.23437	3.41e4	92.0	NO
5	5	13C9-PFNA	1902340-07 SB-19-C4 20-25 0.23437	2.72e4	97.2	NO
6	6	13C4-PFOS	1902340-07 SB-19-C4 20-25 0.23437	4.31e3	87.8	NO
7	7	13C6-PFDA	1902340-07 SB-19-C4 20-25 0.23437	4.31e4	124.4	NO
8	8	13C7-PFUdA	1902340-07 SB-19-C4 20-25 0.23437	3.71e4	100.5	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_69, Date: 06-Aug-2019, Time: 22:31:21, ID: 1902340-08 SB-19-C4 15-20 0.24446, Description: SB-19-C4 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-08 SB-19-C4 15-20 0.24446	1.45e4	99.4	NO
2	2	13C5-PFHxA	1902340-08 SB-19-C4 15-20 0.24446	2.68e4	87.1	NO
3	3	18O2-PFHxS	1902340-08 SB-19-C4 15-20 0.24446	1.78e3	90.0	NO
4	4	13C8-PFOA	1902340-08 SB-19-C4 15-20 0.24446	3.18e4	85.8	NO
5	5	13C9-PFNA	1902340-08 SB-19-C4 15-20 0.24446	2.50e4	89.4	NO
6	6	13C4-PFOS	1902340-08 SB-19-C4 15-20 0.24446	3.56e3	72.5	NO
7	7	13C6-PFDA	1902340-08 SB-19-C4 15-20 0.24446	4.05e4	116.8	NO
8	8	13C7-PFUdA	1902340-08 SB-19-C4 15-20 0.24446	3.71e4	100.3	NO

Name: 190806M1_70, Date: 06-Aug-2019, Time: 22:41:54, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_71, Date: 06-Aug-2019, Time: 22:52:32, ID: ST190806M1-13 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-13 PFC CS3 19G2306	1.30e4	89.3	NO
2	2	13C5-PFHxA	ST190806M1-13 PFC CS3 19G2306	3.11e4	100.9	NO
3	3	18O2-PFHxS	ST190806M1-13 PFC CS3 19G2306	1.90e3	95.8	NO
4	4	13C8-PFOA	ST190806M1-13 PFC CS3 19G2306	3.81e4	102.6	NO
5	5	13C9-PFNA	ST190806M1-13 PFC CS3 19G2306	2.76e4	98.9	NO
6	6	13C4-PFOS	ST190806M1-13 PFC CS3 19G2306	4.73e3	96.3	NO
7	7	13C6-PFDA	ST190806M1-13 PFC CS3 19G2306	3.50e4	101.1	NO
8	8	13C7-PFUdA	ST190806M1-13 PFC CS3 19G2306	3.88e4	105.0	NO

Name: 190806M1_72, Date: 06-Aug-2019, Time: 23:03:05, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA	5.05e0	0.0	YES
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_73, Date: 06-Aug-2019, Time: 23:13:43, ID: 1902340-15 SB-19-N1 55-60 0.25012, Description: SB-19-N1 55-60

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-15 SB-19-N1 55-60 0.25012	1.49e4	101.9	NO
2	2	13C5-PFHxA	1902340-15 SB-19-N1 55-60 0.25012	2.71e4	88.0	NO
3	3	18O2-PFHxS	1902340-15 SB-19-N1 55-60 0.25012	1.83e3	92.1	NO
4	4	13C8-PFOA	1902340-15 SB-19-N1 55-60 0.25012	3.35e4	90.2	NO
5	5	13C9-PFNA	1902340-15 SB-19-N1 55-60 0.25012	2.59e4	92.7	NO
6	6	13C4-PFOS	1902340-15 SB-19-N1 55-60 0.25012	4.18e3	85.1	NO
7	7	13C6-PFDA	1902340-15 SB-19-N1 55-60 0.25012	4.08e4	117.7	NO
8	8	13C7-PFUdA	1902340-15 SB-19-N1 55-60 0.25012	3.62e4	97.9	NO

Name: 190806M1_74, Date: 06-Aug-2019, Time: 23:24:16, ID: 1902340-16 SB-19-N2 55-60 0.25388, Description: SB-19-N2 55-60

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-16 SB-19-N2 55-60 0.25388	1.47e4	100.3	NO
2	2	13C5-PFHxA	1902340-16 SB-19-N2 55-60 0.25388	2.67e4	86.7	NO
3	3	18O2-PFHxS	1902340-16 SB-19-N2 55-60 0.25388	1.67e3	84.3	NO
4	4	13C8-PFOA	1902340-16 SB-19-N2 55-60 0.25388	3.19e4	86.0	NO
5	5	13C9-PFNA	1902340-16 SB-19-N2 55-60 0.25388	2.56e4	91.5	NO
6	6	13C4-PFOS	1902340-16 SB-19-N2 55-60 0.25388	3.98e3	81.1	NO
7	7	13C6-PFDA	1902340-16 SB-19-N2 55-60 0.25388	4.02e4	116.0	NO
8	8	13C7-PFUdA	1902340-16 SB-19-N2 55-60 0.25388	3.47e4	93.8	NO

Name: 190806M1_75, Date: 06-Aug-2019, Time: 23:34:55, ID: 1902340-17 SB-19-N2 (48-53) 0.25043, Description: SB-19-N2 (48-53)

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-17 SB-19-N2 (48-53) 0.25043	1.55e4	106.0	NO
2	2	13C5-PFHxA	1902340-17 SB-19-N2 (48-53) 0.25043	2.91e4	94.4	NO
3	3	18O2-PFHxS	1902340-17 SB-19-N2 (48-53) 0.25043	1.92e3	96.8	NO
4	4	13C8-PFOA	1902340-17 SB-19-N2 (48-53) 0.25043	3.50e4	94.2	NO
5	5	13C9-PFNA	1902340-17 SB-19-N2 (48-53) 0.25043	2.64e4	94.5	NO
6	6	13C4-PFOS	1902340-17 SB-19-N2 (48-53) 0.25043	4.40e3	89.5	NO
7	7	13C6-PFDA	1902340-17 SB-19-N2 (48-53) 0.25043	4.18e4	120.8	NO
8	8	13C7-PFUdA	1902340-17 SB-19-N2 (48-53) 0.25043	3.81e4	103.0	NO

Name: 190806M1_76, Date: 06-Aug-2019, Time: 23:45:28, ID: 1902340-19 SB-19-C1 (5-10) 0.2458, Description: SB-19-C1 (5-10)

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-19 SB-19-C1 (5-10) 0.2458	1.59e4	108.7	NO
2	2	13C5-PFHxA	1902340-19 SB-19-C1 (5-10) 0.2458	2.87e4	93.3	NO
3	3	18O2-PFHxS	1902340-19 SB-19-C1 (5-10) 0.2458	1.95e3	98.6	NO
4	4	13C8-PFOA	1902340-19 SB-19-C1 (5-10) 0.2458	3.59e4	96.9	NO
5	5	13C9-PFNA	1902340-19 SB-19-C1 (5-10) 0.2458	2.65e4	94.9	NO
6	6	13C4-PFOS	1902340-19 SB-19-C1 (5-10) 0.2458	3.89e3	79.2	NO
7	7	13C6-PFDA	1902340-19 SB-19-C1 (5-10) 0.2458	4.24e4	122.5	NO
8	8	13C7-PFUdA	1902340-19 SB-19-C1 (5-10) 0.2458	3.93e4	106.3	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_77, Date: 06-Aug-2019, Time: 23:56:06, ID: 1902340-20 SB-19-N1 (48-53) 0.24852, Description: SB-19-N1 (48-53)

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-20 SB-19-N1 (48-53) 0.24852	1.56e4	106.7	NO
2	2	13C5-PFHxA	1902340-20 SB-19-N1 (48-53) 0.24852	2.80e4	91.0	NO
3	3	18O2-PFHxS	1902340-20 SB-19-N1 (48-53) 0.24852	1.87e3	94.1	NO
4	4	13C8-PFOA	1902340-20 SB-19-N1 (48-53) 0.24852	3.31e4	89.3	NO
5	5	13C9-PFNA	1902340-20 SB-19-N1 (48-53) 0.24852	2.70e4	96.7	NO
6	6	13C4-PFOS	1902340-20 SB-19-N1 (48-53) 0.24852	4.42e3	90.0	NO
7	7	13C6-PFDA	1902340-20 SB-19-N1 (48-53) 0.24852	4.28e4	123.6	NO
8	8	13C7-PFUdA	1902340-20 SB-19-N1 (48-53) 0.24852	3.81e4	103.1	NO

Name: 190806M1_78, Date: 07-Aug-2019, Time: 00:06:39, ID: 1902340-02 SB-19-C1 15-20 0.2413, Description: SB-19-C1 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-02 SB-19-C1 15-20 0.2413	1.47e4	100.9	NO
2	2	13C5-PFHxA	1902340-02 SB-19-C1 15-20 0.2413	2.67e4	86.6	NO
3	3	18O2-PFHxS	1902340-02 SB-19-C1 15-20 0.2413	1.84e3	92.7	NO
4	4	13C8-PFOA	1902340-02 SB-19-C1 15-20 0.2413	1.07e4	28.9	YES
5	5	13C9-PFNA	1902340-02 SB-19-C1 15-20 0.2413	1.68e4	60.2	NO
6	6	13C4-PFOS	1902340-02 SB-19-C1 15-20 0.2413	7.82e2	15.9	YES
7	7	13C6-PFDA	1902340-02 SB-19-C1 15-20 0.2413	4.09e4	117.9	NO
8	8	13C7-PFUdA	1902340-02 SB-19-C1 15-20 0.2413	3.69e4	99.8	NO

Name: 190806M1_79, Date: 07-Aug-2019, Time: 00:17:17, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_80, Date: 07-Aug-2019, Time: 00:27:48, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_81, Date: 07-Aug-2019, Time: 00:38:26, ID: 1902340-02@40X SB-19-C1 15-20 0.2413, Description: SB-19-C1 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-02@40X SB-19-C1 15-20 0.2...	2.68e2	1.8	YES
2	2	13C5-PFHxA	1902340-02@40X SB-19-C1 15-20 0.2...	6.63e2	2.2	YES
3	3	18O2-PFHxS	1902340-02@40X SB-19-C1 15-20 0.2...	2.94e1	1.5	YES
4	4	13C8-PFOA	1902340-02@40X SB-19-C1 15-20 0.2...	6.78e2	1.8	YES
5	5	13C9-PFNA	1902340-02@40X SB-19-C1 15-20 0.2...	5.66e2	2.0	YES
6	6	13C4-PFOS	1902340-02@40X SB-19-C1 15-20 0.2...	6.26e1	1.3	YES
7	7	13C6-PFDA	1902340-02@40X SB-19-C1 15-20 0.2...	7.08e2	2.0	YES
8	8	13C7-PFUdA	1902340-02@40X SB-19-C1 15-20 0.2...	8.80e2	2.4	YES

Name: 190806M1_82, Date: 07-Aug-2019, Time: 00:48:59, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_83, Date: 07-Aug-2019, Time: 00:59:37, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_84, Date: 07-Aug-2019, Time: 01:10:10, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_85, Date: 07-Aug-2019, Time: 01:20:48, ID: 1902340-04 SB-19-C2 15-20 0.24308, Description: SB-19-C2 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-04 SB-19-C2 15-20 0.24308	1.37e4	94.1	NO
2	2	13C5-PFHxA	1902340-04 SB-19-C2 15-20 0.24308	2.61e4	84.8	NO
3	3	18O2-PFHxS	1902340-04 SB-19-C2 15-20 0.24308	1.64e3	83.0	NO
4	4	13C8-PFOA	1902340-04 SB-19-C2 15-20 0.24308	2.02e4	54.3	NO
5	5	13C9-PFNA	1902340-04 SB-19-C2 15-20 0.24308	2.27e4	81.3	NO
6	6	13C4-PFOS	1902340-04 SB-19-C2 15-20 0.24308	1.89e3	38.5	YES
7	7	13C6-PFDA	1902340-04 SB-19-C2 15-20 0.24308	3.84e4	110.8	NO
8	8	13C7-PFUdA	1902340-04 SB-19-C2 15-20 0.24308	3.33e4	90.1	NO

Name: 190806M1_86, Date: 07-Aug-2019, Time: 01:31:22, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_87, Date: 07-Aug-2019, Time: 01:42:00, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_88, Date: 07-Aug-2019, Time: 01:52:32, ID: 1902340-04@10X SB-19-C2 15-20 0.24308, Description: SB-19-C2 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-04@10X SB-19-C2 15-20 0.2...	1.31e3	9.0	YES
2	2	13C5-PFHxA	1902340-04@10X SB-19-C2 15-20 0.2...	2.69e3	8.7	YES
3	3	18O2-PFHxS	1902340-04@10X SB-19-C2 15-20 0.2...	1.42e2	7.1	YES
4	4	13C8-PFOA	1902340-04@10X SB-19-C2 15-20 0.2...	3.27e3	8.8	YES
5	5	13C9-PFNA	1902340-04@10X SB-19-C2 15-20 0.2...	2.30e3	8.2	YES
6	6	13C4-PFOS	1902340-04@10X SB-19-C2 15-20 0.2...	4.26e2	8.7	YES
7	7	13C6-PFDA	1902340-04@10X SB-19-C2 15-20 0.2...	3.82e3	11.0	YES
8	8	13C7-PFUdA	1902340-04@10X SB-19-C2 15-20 0.2...	3.26e3	8.8	YES

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_89, Date: 07-Aug-2019, Time: 02:03:11, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_90, Date: 07-Aug-2019, Time: 02:13:44, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_91, Date: 07-Aug-2019, Time: 02:24:22, ID: 1902340-06 SB-19-C3 15-20 0.24224, Description: SB-19-C3 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-06 SB-19-C3 15-20 0.24224	1.33e4	90.9	NO
2	2	13C5-PFHxA	1902340-06 SB-19-C3 15-20 0.24224	2.56e4	83.0	NO
3	3	18O2-PFHxS	1902340-06 SB-19-C3 15-20 0.24224	1.65e3	83.1	NO
4	4	13C8-PFOA	1902340-06 SB-19-C3 15-20 0.24224	2.22e4	59.9	NO
5	5	13C9-PFNA	1902340-06 SB-19-C3 15-20 0.24224	2.06e4	73.5	NO
6	6	13C4-PFOS	1902340-06 SB-19-C3 15-20 0.24224	1.15e3	23.4	YES
7	7	13C6-PFDA	1902340-06 SB-19-C3 15-20 0.24224	3.62e4	104.5	NO
8	8	13C7-PFUdA	1902340-06 SB-19-C3 15-20 0.24224	3.25e4	87.9	NO

Name: 190806M1_92, Date: 07-Aug-2019, Time: 02:34:55, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_93, Date: 07-Aug-2019, Time: 02:45:34, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA	5.04e0	0.0	YES
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_94, Date: 07-Aug-2019, Time: 02:56:07, ID: ST190806M1-14 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-14 PFC CS3 19G2306	1.28e4	87.3	NO
2	2	13C5-PFHxA	ST190806M1-14 PFC CS3 19G2306	3.29e4	106.7	NO
3	3	18O2-PFHxS	ST190806M1-14 PFC CS3 19G2306	2.15e3	108.2	NO
4	4	13C8-PFOA	ST190806M1-14 PFC CS3 19G2306	3.87e4	104.4	NO
5	5	13C9-PFNA	ST190806M1-14 PFC CS3 19G2306	2.87e4	102.8	NO
6	6	13C4-PFOS	ST190806M1-14 PFC CS3 19G2306	5.02e3	102.2	NO
7	7	13C6-PFDA	ST190806M1-14 PFC CS3 19G2306	3.71e4	107.0	NO
8	8	13C7-PFUdA	ST190806M1-14 PFC CS3 19G2306	4.02e4	108.7	NO

Name: 190806M1_95, Date: 07-Aug-2019, Time: 03:06:45, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_96, Date: 07-Aug-2019, Time: 03:17:18, ID: 1902340-06@20X SB-19-C3 15-20 0.24224, Description: SB-19-C3 15-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-06@20X SB-19-C3 15-20 0.2...	5.57e2	3.8	YES
2	2	13C5-PFHxA	1902340-06@20X SB-19-C3 15-20 0.2...	1.84e3	6.0	YES
3	3	18O2-PFHxS	1902340-06@20X SB-19-C3 15-20 0.2...	1.15e2	5.8	YES
4	4	13C8-PFOA	1902340-06@20X SB-19-C3 15-20 0.2...	2.40e3	6.5	YES
5	5	13C9-PFNA	1902340-06@20X SB-19-C3 15-20 0.2...	1.88e3	6.7	YES
6	6	13C4-PFOS	1902340-06@20X SB-19-C3 15-20 0.2...	1.97e2	4.0	YES
7	7	13C6-PFDA	1902340-06@20X SB-19-C3 15-20 0.2...	3.16e3	9.1	YES
8	8	13C7-PFUdA	1902340-06@20X SB-19-C3 15-20 0.2...	2.54e3	6.9	YES

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_97, Date: 07-Aug-2019, Time: 03:27:56, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_98, Date: 07-Aug-2019, Time: 03:38:29, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_99, Date: 07-Aug-2019, Time: 03:49:07, ID: 1902340-09 SB-19-C1 10-15 0.23978, Description: SB-19-C1 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-09 SB-19-C1 10-15 0.23978	1.45e4	99.1	NO
2	2	13C5-PFHxA	1902340-09 SB-19-C1 10-15 0.23978	2.58e4	83.6	NO
3	3	18O2-PFHxS	1902340-09 SB-19-C1 10-15 0.23978	1.74e3	87.8	NO
4	4	13C8-PFOA	1902340-09 SB-19-C1 10-15 0.23978	1.92e4	51.7	NO
5	5	13C9-PFNA	1902340-09 SB-19-C1 10-15 0.23978	1.93e4	69.0	NO
6	6	13C4-PFOS	1902340-09 SB-19-C1 10-15 0.23978	1.57e3	32.0	YES
7	7	13C6-PFDA	1902340-09 SB-19-C1 10-15 0.23978	3.95e4	114.0	NO
8	8	13C7-PFUdA	1902340-09 SB-19-C1 10-15 0.23978	3.61e4	97.6	NO

Name: 190806M1_100, Date: 07-Aug-2019, Time: 03:59:41, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA	5.81e0	0.0	YES

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_101, Date: 07-Aug-2019, Time: 04:10:19, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_102, Date: 07-Aug-2019, Time: 04:20:52, ID: 1902340-09@20X SB-19-C1 10-15 0.23978, Description: SB-19-C1 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-09@20X SB-19-C1 10-15 0.2...	1.02e3	7.0	YES
2	2	13C5-PFHxA	1902340-09@20X SB-19-C1 10-15 0.2...	2.21e3	7.2	YES
3	3	18O2-PFHxS	1902340-09@20X SB-19-C1 10-15 0.2...	1.37e2	6.9	YES
4	4	13C8-PFOA	1902340-09@20X SB-19-C1 10-15 0.2...	2.64e3	7.1	YES
5	5	13C9-PFNA	1902340-09@20X SB-19-C1 10-15 0.2...	2.19e3	7.8	YES
6	6	13C4-PFOS	1902340-09@20X SB-19-C1 10-15 0.2...	2.33e2	4.7	YES
7	7	13C6-PFDA	1902340-09@20X SB-19-C1 10-15 0.2...	3.60e3	10.4	YES
8	8	13C7-PFUdA	1902340-09@20X SB-19-C1 10-15 0.2...	3.33e3	9.0	YES

Name: 190806M1_103, Date: 07-Aug-2019, Time: 04:31:31, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_104, Date: 07-Aug-2019, Time: 04:42:03, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_105, Date: 07-Aug-2019, Time: 04:52:42, ID: 1902340-10 SB-19-C2 10-15 0.2419, Description: SB-19-C2 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-10 SB-19-C2 10-15 0.2419	1.20e4	82.3	NO
2	2	13C5-PFHxA	1902340-10 SB-19-C2 10-15 0.2419	2.23e4	72.3	NO
3	3	18O2-PFHxS	1902340-10 SB-19-C2 10-15 0.2419	1.45e3	73.2	NO
4	4	13C8-PFOA	1902340-10 SB-19-C2 10-15 0.2419	1.73e4	46.7	YES
5	5	13C9-PFNA	1902340-10 SB-19-C2 10-15 0.2419	1.77e4	63.3	NO
6	6	13C4-PFOS	1902340-10 SB-19-C2 10-15 0.2419	1.02e3	20.9	YES
7	7	13C6-PFDA	1902340-10 SB-19-C2 10-15 0.2419	3.42e4	98.6	NO
8	8	13C7-PFUdA	1902340-10 SB-19-C2 10-15 0.2419	3.00e4	81.2	NO

Name: 190806M1_106, Date: 07-Aug-2019, Time: 05:03:15, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_107, Date: 07-Aug-2019, Time: 05:13:45, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_108, Date: 07-Aug-2019, Time: 05:24:23, ID: 1902340-10@50X SB-19-C2 10-15 0.2419, Description: SB-19-C2 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-10@50X SB-19-C2 10-15 0.2...	1.41e2	1.0	YES
2	2	13C5-PFHxA	1902340-10@50X SB-19-C2 10-15 0.2...	4.36e2	1.4	YES
3	3	18O2-PFHxS	1902340-10@50X SB-19-C2 10-15 0.2...	1.65e1	0.8	YES
4	4	13C8-PFOA	1902340-10@50X SB-19-C2 10-15 0.2...	5.40e2	1.5	YES
5	5	13C9-PFNA	1902340-10@50X SB-19-C2 10-15 0.2...	3.65e2	1.3	YES
6	6	13C4-PFOS	1902340-10@50X SB-19-C2 10-15 0.2...	5.19e1	1.1	YES
7	7	13C6-PFDA	1902340-10@50X SB-19-C2 10-15 0.2...	5.65e2	1.6	YES
8	8	13C7-PFUdA	1902340-10@50X SB-19-C2 10-15 0.2...	5.39e2	1.5	YES

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_109, Date: 07-Aug-2019, Time: 05:34:56, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_110, Date: 07-Aug-2019, Time: 05:45:35, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_111, Date: 07-Aug-2019, Time: 05:56:08, ID: 1902340-11 SB-19-C3 10-15 0.24555, Description: SB-19-C3 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-11 SB-19-C3 10-15 0.24555	1.54e4	105.7	NO
2	2	13C5-PFHxA	1902340-11 SB-19-C3 10-15 0.24555	2.85e4	92.6	NO
3	3	18O2-PFHxS	1902340-11 SB-19-C3 10-15 0.24555	2.00e3	101.1	NO
4	4	13C8-PFOA	1902340-11 SB-19-C3 10-15 0.24555	1.18e4	31.8	YES
5	5	13C9-PFNA	1902340-11 SB-19-C3 10-15 0.24555	1.19e4	42.7	YES
6	6	13C4-PFOS	1902340-11 SB-19-C3 10-15 0.24555	4.13e2	8.4	YES
7	7	13C6-PFDA	1902340-11 SB-19-C3 10-15 0.24555	3.61e4	104.2	NO
8	8	13C7-PFUdA	1902340-11 SB-19-C3 10-15 0.24555	3.76e4	101.6	NO

Name: 190806M1_112, Date: 07-Aug-2019, Time: 06:06:46, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_113, Date: 07-Aug-2019, Time: 06:17:24, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_114, Date: 07-Aug-2019, Time: 06:27:57, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_115, Date: 07-Aug-2019, Time: 06:38:35, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_116, Date: 07-Aug-2019, Time: 06:49:08, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_117, Date: 07-Aug-2019, Time: 06:59:46, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_118, Date: 07-Aug-2019, Time: 07:10:19, ID: 1902340-11@5X SB-19-C3 10-15 0.24555, Description: SB-19-C3 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-11@5X SB-19-C3 10-15 0.245...	3.27e3	22.4	YES
2	2	13C5-PFHxA	1902340-11@5X SB-19-C3 10-15 0.245...	6.05e3	19.6	YES
3	3	18O2-PFHxS	1902340-11@5X SB-19-C3 10-15 0.245...	3.66e2	18.4	YES
4	4	13C8-PFOA	1902340-11@5X SB-19-C3 10-15 0.245...	4.57e3	12.3	YES
5	5	13C9-PFNA	1902340-11@5X SB-19-C3 10-15 0.245...	3.97e3	14.2	YES
6	6	13C4-PFOS	1902340-11@5X SB-19-C3 10-15 0.245...	1.43e2	2.9	YES
7	7	13C6-PFDA	1902340-11@5X SB-19-C3 10-15 0.245...	8.00e3	23.1	YES
8	8	13C7-PFUdA	1902340-11@5X SB-19-C3 10-15 0.245...	8.02e3	21.7	YES

Name: 190806M1_119, Date: 07-Aug-2019, Time: 07:20:58, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_120, Date: 07-Aug-2019, Time: 07:31:31, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_121, Date: 07-Aug-2019, Time: 07:42:09, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA	5.63e0	0.0	YES
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_122, Date: 07-Aug-2019, Time: 07:52:43, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_123, Date: 07-Aug-2019, Time: 08:03:22, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_124, Date: 07-Aug-2019, Time: 08:14:00, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_125, Date: 07-Aug-2019, Time: 08:24:33, ID: 1902340-11@1000X SB-19-C3 10-15 0.24555, Description: SB-19-C3 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-11@1000X SB-19-C3 10-15 0....			NO
2	2	13C5-PFHxA	1902340-11@1000X SB-19-C3 10-15 0....	2.57e1	0.1	YES
3	3	18O2-PFHxS	1902340-11@1000X SB-19-C3 10-15 0....			NO
4	4	13C8-PFOA	1902340-11@1000X SB-19-C3 10-15 0....	1.14e1	0.0	YES
5	5	13C9-PFNA	1902340-11@1000X SB-19-C3 10-15 0....	1.69e1	0.1	YES
6	6	13C4-PFOS	1902340-11@1000X SB-19-C3 10-15 0....			NO
7	7	13C6-PFDA	1902340-11@1000X SB-19-C3 10-15 0....	2.74e1	0.1	YES
8	8	13C7-PFUdA	1902340-11@1000X SB-19-C3 10-15 0....	2.71e1	0.1	YES

Name: 190806M1_126, Date: 07-Aug-2019, Time: 08:35:11, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_127, Date: 07-Aug-2019, Time: 08:45:45, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_128, Date: 07-Aug-2019, Time: 08:56:23, ID: 1902340-12 SB-19-C4 10-15 0.24794, Description: SB-19-C4 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-12 SB-19-C4 10-15 0.24794	1.46e4	99.7	NO
2	2	13C5-PFHxA	1902340-12 SB-19-C4 10-15 0.24794	2.83e4	91.8	NO
3	3	18O2-PFHxS	1902340-12 SB-19-C4 10-15 0.24794	1.95e3	98.5	NO
4	4	13C8-PFOA	1902340-12 SB-19-C4 10-15 0.24794	1.05e4	28.2	YES
5	5	13C9-PFNA	1902340-12 SB-19-C4 10-15 0.24794	1.48e4	53.1	NO
6	6	13C4-PFOS	1902340-12 SB-19-C4 10-15 0.24794	6.51e2	13.3	YES
7	7	13C6-PFDA	1902340-12 SB-19-C4 10-15 0.24794	4.16e4	120.1	NO
8	8	13C7-PFUdA	1902340-12 SB-19-C4 10-15 0.24794	3.89e4	105.2	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_129, Date: 07-Aug-2019, Time: 09:07:02, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_130, Date: 07-Aug-2019, Time: 09:17:35, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_131, Date: 07-Aug-2019, Time: 09:29:34, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_132, Date: 07-Aug-2019, Time: 09:40:15, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_133, Date: 07-Aug-2019, Time: 09:51:21, ID: 1902340-12@50X SB-19-C4 10-15 0.24794, Description: SB-19-C4 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-12@50X SB-19-C4 10-15 0.2...	1.75e2	1.2	YES
2	2	13C5-PFHxA	1902340-12@50X SB-19-C4 10-15 0.2...	4.95e2	1.6	YES
3	3	18O2-PFHxS	1902340-12@50X SB-19-C4 10-15 0.2...	2.74e1	1.4	YES
4	4	13C8-PFOA	1902340-12@50X SB-19-C4 10-15 0.2...	5.64e2	1.5	YES
5	5	13C9-PFNA	1902340-12@50X SB-19-C4 10-15 0.2...	4.10e2	1.5	YES
6	6	13C4-PFOS	1902340-12@50X SB-19-C4 10-15 0.2...	4.70e1	1.0	YES
7	7	13C6-PFDA	1902340-12@50X SB-19-C4 10-15 0.2...	7.62e2	2.2	YES
8	8	13C7-PFUdA	1902340-12@50X SB-19-C4 10-15 0.2...	6.94e2	1.9	YES

Name: 190806M1_134, Date: 07-Aug-2019, Time: 10:01:57, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_135, Date: 07-Aug-2019, Time: 10:12:33, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_136, Date: 07-Aug-2019, Time: 10:23:12, ID: ST190806M1-15 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-15 PFC CS3 19G2306	1.24e4	84.7	NO
2	2	13C5-PFHxA	ST190806M1-15 PFC CS3 19G2306	3.17e4	103.1	NO
3	3	18O2-PFHxS	ST190806M1-15 PFC CS3 19G2306	1.97e3	99.2	NO
4	4	13C8-PFOA	ST190806M1-15 PFC CS3 19G2306	3.66e4	98.7	NO
5	5	13C9-PFNA	ST190806M1-15 PFC CS3 19G2306	2.78e4	99.3	NO
6	6	13C4-PFOS	ST190806M1-15 PFC CS3 19G2306	4.83e3	98.4	NO
7	7	13C6-PFDA	ST190806M1-15 PFC CS3 19G2306	3.52e4	101.6	NO
8	8	13C7-PFUdA	ST190806M1-15 PFC CS3 19G2306	3.81e4	103.0	NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_137, Date: 07-Aug-2019, Time: 10:33:50, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_138, Date: 07-Aug-2019, Time: 10:44:29, ID: 1902340-13 SB-19-C4 10-15 DUP 0.24565, Description: SB-19-C4 10-15 DUP

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-13 SB-19-C4 10-15 DUP 0.24...	1.40e4	95.6	NO
2	2	13C5-PFHxA	1902340-13 SB-19-C4 10-15 DUP 0.24...	2.69e4	87.3	NO
3	3	18O2-PFHxS	1902340-13 SB-19-C4 10-15 DUP 0.24...	1.74e3	87.9	NO
4	4	13C8-PFOA	1902340-13 SB-19-C4 10-15 DUP 0.24...	1.06e4	28.7	YES
5	5	13C9-PFNA	1902340-13 SB-19-C4 10-15 DUP 0.24...	1.53e4	54.8	NO
6	6	13C4-PFOS	1902340-13 SB-19-C4 10-15 DUP 0.24...	7.34e2	14.9	YES
7	7	13C6-PFDA	1902340-13 SB-19-C4 10-15 DUP 0.24...	3.99e4	115.1	NO
8	8	13C7-PFUdA	1902340-13 SB-19-C4 10-15 DUP 0.24...	3.68e4	99.4	NO

Name: 190806M1_139, Date: 07-Aug-2019, Time: 10:55:01, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_140, Date: 07-Aug-2019, Time: 11:05:40, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_141, Date: 07-Aug-2019, Time: 11:16:18, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_142, Date: 07-Aug-2019, Time: 11:26:57, ID: 1902340-13@70X SB-19-C4 10-15 DUP 0.24565, Description: SB-19-C4 10-15 DUP

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-13@70X SB-19-C4 10-15 DU...	1.16e2	0.8	YES
2	2	13C5-PFHxA	1902340-13@70X SB-19-C4 10-15 DU...	3.63e2	1.2	YES
3	3	18O2-PFHxS	1902340-13@70X SB-19-C4 10-15 DU...	2.13e1	1.1	YES
4	4	13C8-PFOA	1902340-13@70X SB-19-C4 10-15 DU...	4.12e2	1.1	YES
5	5	13C9-PFNA	1902340-13@70X SB-19-C4 10-15 DU...	3.05e2	1.1	YES
6	6	13C4-PFOS	1902340-13@70X SB-19-C4 10-15 DU...	4.55e1	0.9	YES
7	7	13C6-PFDA	1902340-13@70X SB-19-C4 10-15 DU...	4.76e2	1.4	YES
8	8	13C7-PFUdA	1902340-13@70X SB-19-C4 10-15 DU...	5.01e2	1.4	YES

Name: 190806M1_143, Date: 07-Aug-2019, Time: 11:37:35, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_144, Date: 07-Aug-2019, Time: 11:48:16, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_145, Date: 07-Aug-2019, Time: 11:58:58, ID: 1902340-14 SB-19-C4 5-10 0.24089, Description: SB-19-C4 5-10

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-14 SB-19-C4 5-10 0.24089	1.50e4	102.5	NO
2	2	13C5-PFHxA	1902340-14 SB-19-C4 5-10 0.24089	2.95e4	95.8	NO
3	3	18O2-PFHxS	1902340-14 SB-19-C4 5-10 0.24089	1.80e3	90.8	NO
4	4	13C8-PFOA	1902340-14 SB-19-C4 5-10 0.24089	2.36e4	63.6	NO
5	5	13C9-PFNA	1902340-14 SB-19-C4 5-10 0.24089	2.07e4	74.1	NO
6	6	13C4-PFOS	1902340-14 SB-19-C4 5-10 0.24089	1.65e3	33.5	YES
7	7	13C6-PFDA	1902340-14 SB-19-C4 5-10 0.24089	4.28e4	123.5	NO
8	8	13C7-PFUdA	1902340-14 SB-19-C4 5-10 0.24089	4.01e4	108.4	NO

Name: 190806M1_146, Date: 07-Aug-2019, Time: 12:09:30, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_147, Date: 07-Aug-2019, Time: 12:20:08, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_148, Date: 07-Aug-2019, Time: 12:30:47, ID: 1902340-14@20X SB-19-C4 5-10 0.24089, Description: SB-19-C4 5-10

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-14@20X SB-19-C4 5-10 0.24...	6.21e2	4.2	YES
2	2	13C5-PFHxA	1902340-14@20X SB-19-C4 5-10 0.24...	1.59e3	5.2	YES
3	3	18O2-PFHxS	1902340-14@20X SB-19-C4 5-10 0.24...	7.78e1	3.9	YES
4	4	13C8-PFOA	1902340-14@20X SB-19-C4 5-10 0.24...	1.93e3	5.2	YES
5	5	13C9-PFNA	1902340-14@20X SB-19-C4 5-10 0.24...	1.41e3	5.0	YES
6	6	13C4-PFOS	1902340-14@20X SB-19-C4 5-10 0.24...	2.06e2	4.2	YES
7	7	13C6-PFDA	1902340-14@20X SB-19-C4 5-10 0.24...	2.38e3	6.9	YES
8	8	13C7-PFUdA	1902340-14@20X SB-19-C4 5-10 0.24...	2.16e3	5.8	YES

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_149, Date: 07-Aug-2019, Time: 12:41:25, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_150, Date: 07-Aug-2019, Time: 12:52:05, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_151, Date: 07-Aug-2019, Time: 13:02:46, ID: 1902340-18 SB-19-C2 (5-10) 0.23872, Description: SB-19-C2 (5-10)

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-18 SB-19-C2 (5-10) 0.23872	1.39e4	95.3	NO
2	2	13C5-PFHxA	1902340-18 SB-19-C2 (5-10) 0.23872	2.70e4	87.8	NO
3	3	18O2-PFHxS	1902340-18 SB-19-C2 (5-10) 0.23872	1.70e3	85.6	NO
4	4	13C8-PFOA	1902340-18 SB-19-C2 (5-10) 0.23872	2.74e4	73.9	NO
5	5	13C9-PFNA	1902340-18 SB-19-C2 (5-10) 0.23872	2.12e4	75.8	NO
6	6	13C4-PFOS	1902340-18 SB-19-C2 (5-10) 0.23872	1.05e3	21.3	YES
7	7	13C6-PFDA	1902340-18 SB-19-C2 (5-10) 0.23872	4.16e4	120.1	NO
8	8	13C7-PFUdA	1902340-18 SB-19-C2 (5-10) 0.23872	3.67e4	99.1	NO

Name: 190806M1_152, Date: 07-Aug-2019, Time: 13:13:19, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA	7.27e0	0.0	YES

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_153, Date: 07-Aug-2019, Time: 13:25:08, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_154, Date: 07-Aug-2019, Time: 13:35:49, ID: 1902340-18@20X SB-19-C2 (5-10) 0.23872, Description: SB-19-C2 (5-10)

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-18@20X SB-19-C2 (5-10) 0.2...	6.32e1	0.4	YES
2	2	13C5-PFHxA	1902340-18@20X SB-19-C2 (5-10) 0.2...	2.31e2	0.8	YES
3	3	18O2-PFHxS	1902340-18@20X SB-19-C2 (5-10) 0.2...	1.61e1	0.8	YES
4	4	13C8-PFOA	1902340-18@20X SB-19-C2 (5-10) 0.2...	3.99e2	1.1	YES
5	5	13C9-PFNA	1902340-18@20X SB-19-C2 (5-10) 0.2...	2.08e2	0.7	YES
6	6	13C4-PFOS	1902340-18@20X SB-19-C2 (5-10) 0.2...	2.76e1	0.6	YES
7	7	13C6-PFDA	1902340-18@20X SB-19-C2 (5-10) 0.2...	4.61e2	1.3	YES
8	8	13C7-PFUdA	1902340-18@20X SB-19-C2 (5-10) 0.2...	5.90e2	1.6	YES

Name: 190806M1_155, Date: 07-Aug-2019, Time: 13:46:22, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_156, Date: 07-Aug-2019, Time: 13:57:00, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:34:09 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:34:24 Pacific Daylight Time

Name: 190806M1_157, Date: 07-Aug-2019, Time: 14:07:39, ID: 1902340-11@1000X STD ADD SB-19-C3 10-15 0.24555, Description: SB-19-C3 10-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902340-11@1000X STD ADD SB-19-...	1.44e3	9.8	YES
2	2	13C5-PFHxA	1902340-11@1000X STD ADD SB-19-...	4.23e3	13.7	YES
3	3	18O2-PFHxS	1902340-11@1000X STD ADD SB-19-...	5.59e2	28.2	YES
4	4	13C8-PFOA	1902340-11@1000X STD ADD SB-19-...	6.95e3	18.7	YES
5	5	13C9-PFNA	1902340-11@1000X STD ADD SB-19-...	5.31e3	19.0	YES
6	6	13C4-PFOS	1902340-11@1000X STD ADD SB-19-...	1.33e3	27.1	YES
7	7	13C6-PFDA	1902340-11@1000X STD ADD SB-19-...	9.68e3	27.9	YES
8	8	13C7-PFUdA	1902340-11@1000X STD ADD SB-19-...	9.71e3	26.3	YES

Name: 190806M1_158, Date: 07-Aug-2019, Time: 14:18:17, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190806M1_159, Date: 07-Aug-2019, Time: 14:28:58, ID: ST190806M1-16 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190806M1-16 PFC CS3 19G2306	1.94e3	13.3	YES
2	2	13C5-PFHxA	ST190806M1-16 PFC CS3 19G2306	5.77e3	18.7	YES
3	3	18O2-PFHxS	ST190806M1-16 PFC CS3 19G2306	6.95e2	35.0	YES
4	4	13C8-PFOA	ST190806M1-16 PFC CS3 19G2306	1.01e4	27.1	YES
5	5	13C9-PFNA	ST190806M1-16 PFC CS3 19G2306	6.29e3	22.5	YES
6	6	13C4-PFOS	ST190806M1-16 PFC CS3 19G2306	1.70e3	34.7	YES
7	7	13C6-PFDA	ST190806M1-16 PFC CS3 19G2306	1.03e4	29.7	YES
8	8	13C7-PFUdA	ST190806M1-16 PFC CS3 19G2306	1.26e4	34.0	YES

Name: 190806M1_160, Date: 07-Aug-2019, Time: 14:39:31, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld

Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time

Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8		11265.370	1.00					NO		
2	2	PFPrS	248.9 > 79.9		2243.938	1.00					NO		
3	3	3:3 FTCA	240.9 > 176.9		16395.564	1.00					NO		
4	4	PFPeA	263.1 > 218.9		16395.564	1.00					NO		
5	5	PFBS	299.0 > 79.7		2243.938	1.00					NO		
6	6	4:2 FTS	327.0 > 306.9		3962.797	1.00					NO		
7	47	13C3-PFBA	216.1 > 171.8	11265.370	15966.533	1.00	1.25	8.820	12.2	98.0	NO		
8	49	13C3-PFBS	302.0 > 98.8	2243.938	1985.362	1.00	2.52	14.128	12.8	102.6	NO		
9	48	13C3-PFPeA	266.0 > 221.8	16395.564	33201.531	1.00	2.23	6.173	12.0	96.1	NO		
10	48	13C3-PFPeA	266.0 > 221.8	16395.564	33201.531	1.00	2.23	6.173	12.0	96.1	NO		
11	49	13C3-PFBS	302.0 > 98.8	2243.938	1985.362	1.00	2.52	14.128	12.8	102.6	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3962.797	1985.362	1.00	2.93	24.950	13.7	109.5	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0		12976.611	1.00					NO		
15	8	PFPeS	349.1>80.1		2243.938	1.00					NO		
16	9	HFPO-DA	285.1 > 168.9		2035.856	1.00					NO		
17	10	5:3 FTCA	340.9 > 236.9		16569.082	1.00					NO		
18	11	PFHpA	363.0 > 318.9		16569.082	1.00					NO		
19	12	ADONA	376.8 > 250.9		16569.082	1.00					NO		
20	52	13C2-PFHxA	315.0 > 270.0	12976.611	33201.531	1.00	3.02	4.886	4.9	98.9	NO		
21	49	13C3-PFBS	302.0 > 98.8	2243.938	1985.362	1.00	2.52	14.128	12.8	102.6	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	2035.856	33201.531	1.00	3.24	0.766	5.2	104.1	NO		
23	53	13C4-PFHpA	367.2 > 321.8	16569.082	33201.531	1.00	3.65	6.238	12.9	102.9	NO		
24	53	13C4-PFHpA	367.2 > 321.8	16569.082	33201.531	1.00	3.65	6.238	12.9	102.9	NO		
25	53	13C4-PFHpA	367.2 > 321.8	16569.082	33201.531	1.00	3.65	6.238	12.9	102.9	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	9.142	4322.279	1.00	3.80	0.026	0.0		NO	2.220	NO
28	15	6:2 FTS	427.0 > 406.9		2951.650	1.00					NO		
29	16	L-PFOA	412.8 > 368.9	289.920	28206.791	1.00	4.18	0.128	0.1		NO	4.182	NO
30	18	PFecHS	460.8 > 381.0		28206.791	1.00					NO		
31	19	PFHpS	449.0 > 80.0		5060.746	1.00					NO		
32	20	7:3 FTCA	440.9 > 336.9		29103.756	1.00					NO		
33	54	13C3-PFHxS	401.8 > 79.9	4322.279	1985.362	1.00	3.80	27.213	12.3	98.5	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2951.650	5231.330	1.00	4.12	7.053	12.6	100.4	NO		
35	58	13C2-PFOA	414.9 > 369.7	28206.791	39492.340	1.00	4.18	8.928	12.5	100.1	NO		
36	58	13C2-PFOA	414.9 > 369.7	28206.791	39492.340	1.00	4.18	8.928	12.5	100.1	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld

Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time

Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	5060.746	5231.330	1.00	4.71	12.092	12.2	97.7	NO		
38	56	13C5-PFNA	468.2 > 422.9	29103.756	29285.904	1.00	4.62	12.422	12.3	98.0	NO		
39	-1												
40	21	PFNA	463.0 > 418.8		29103.756	1.00					NO		
41	22	PFOSA	497.9 > 77.9	16.580	8154.748	1.00	4.69	0.025			NO	14.870	NO
42	23	L-PFOS	498.9 > 79.9	1.618	5060.746	1.00	4.71	0.004	0.1		NO	0.375	YES
43	25	9Cl-PF30NS	530.7 > 350.8		5060.746	1.00					NO		
44	26	PFDA	513 > 468.8	45.884	28315.100	1.00	5.00	0.020			NO	19.533	YES
45	27	8:2 FTS	527.0 > 506.9		2827.974	1.00					NO		
46	56	13C5-PFNA	468.2 > 422.9	29103.756	29285.904	1.00	4.62	12.422	12.3	98.0	NO		
47	57	13C8-PFOSA	506.1 > 77.7	8154.748	40135.930	1.00	4.68	2.540	12.1	97.1	NO		
48	59	13C8-PFOS	507.0 > 79.9	5060.746	5231.330	1.00	4.71	12.092	12.2	97.7	NO		
49	59	13C8-PFOS	507.0 > 79.9	5060.746	5231.330	1.00	4.71	12.092	12.2	97.7	NO		
50	60	13C2-PFDA	515.1 > 469.9	28315.100	35394.926	1.00	5.01	10.000	12.8	102.3	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2827.974	5231.330	1.00	4.97	6.757	11.9	94.9	NO		
52	-1												
53	28	PFNS	549.1 > 80.1		5060.746	1.00					NO		
54	29	L-MeFOSAA	570 > 419	17.184	5657.148	1.00	5.10	0.038	0.1		NO	3.951	NO
55	31	L-EtFOSAA	584.1 > 419	24.121	8123.527	1.00	5.27	0.037	0.1		NO	4.297	YES
56	33	PFUdA	563.0 > 518.9		39663.348	1.00					NO		
57	34	PFDS	598.8 > 79.9		2827.974	1.00					NO		
58	35	11Cl-PF30UdS	632.6 > 452.7		38659.742	1.00					NO		
59	59	13C8-PFOS	507.0 > 79.9	5060.746	5231.330	1.00	4.71	12.092	12.2	97.7	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	5657.148	40135.930	1.00	5.16	1.762	11.4	91.5	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	8123.527	40135.930	1.00	5.31	2.530	12.9	103.2	NO		
62	63	13C2-PFUdA	565 > 519.8	39663.348	40135.930	1.00	5.33	12.353	12.1	97.0	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2827.974	5231.330	1.00	4.97	6.757	11.9	94.9	NO		
64	65	13C2-PFDoA	614.7 > 569.7	38659.742	35394.926	1.00	5.62	13.653	12.4	99.5	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	6.183	2827.974	1.00	5.55	0.027	0.0		NO	1.424	NO
67	37	PFDoA	612.9 > 569.0		38659.742	1.00					NO		
68	38	N-MeFOSA	512.1 > 168.9		19069.643	1.00					NO		
69	39	PFTrDA	662.9 > 618.9		38659.742	1.00					NO		
70	40	PFDoS	698.8 > 79.9		26644.813	1.00					NO		
71	41	PFTeDA	713.0 > 669.0	99.469	26644.813	1.00	6.10	0.047			NO	35.639	YES
72	65	13C2-PFDoA	614.7 > 569.7	38659.742	35394.926	1.00	5.62	13.653	12.4	99.5	NO		

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld

Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time

Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	38659.742	35394.926	1.00	5.62	13.653	12.4	99.5	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	19069.643	40135.930	1.00	5.75	5.939	134.9	89.9	NO		
75	65	13C2-PFDoA	614.7 > 569.7	38659.742	35394.926	1.00	5.62	13.653	12.4	99.5	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	26644.813	40135.930	1.00	6.09	8.298	12.1	97.0	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	26644.813	40135.930	1.00	6.09	8.298	12.1	97.0	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9		24789.801	1.00					NO		
80	43	PFHxDA	813.1 > 768.6	190.799	13762.453	1.00	6.44	0.069	0.1		NO	138.461	NO
81	44	PFODA	913.1 > 868.8	100.744	13762.453	1.00	6.68	0.037	0.0		NO		
82	45	N-MeFOSE	616.1 > 58.9		15353.705	1.00					NO		
83	46	N-EtFOSE	630.1 > 58.9	43.002	15437.210	1.00	6.46	0.418	0.2		NO		
84	72	13C4-PFBA	217.0 > 172.0	15966.533	15966.533	1.00	1.25	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	24789.801	40135.930	1.00	6.16	7.721	142.3	94.8	NO		
86	69	13C2-PFHxDA	815 > 769.7	13762.453	40135.930	1.00	6.44	4.286	4.6	92.3	NO		
87	69	13C2-PFHxDA	815 > 769.7	13762.453	40135.930	1.00	6.44	4.286	4.6	92.3	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	15353.705	40135.930	1.00	6.31	4.782	137.0	91.3	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	15437.210	40135.930	1.00	6.46	4.808	139.4	92.9	NO		
90	73	13C5-PFHxA	318.0 > 272.9	33201.531	33201.531	1.00	3.02	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	39492.340	39492.340	1.00	4.18	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	1985.362	1985.362	1.00	3.80	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	29285.904	29285.904	1.00	4.62	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	5231.330	5231.330	1.00	4.71	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	35394.926	35394.926	1.00	5.01	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	40135.930	40135.930	1.00	5.33	12.500	12.5	100.0	NO		

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld

Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080219_ICV.mdb 03 Aug 2019 11:14:30
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld

Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time


Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld

Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time


Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld

Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time


Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld

Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time


Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld

Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time


Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld


Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time

Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-IB.qld


Last Altered: Tuesday, August 06, 2019 14:52:46 Pacific Daylight Time
Printed: Tuesday, August 06, 2019 14:53:21 Pacific Daylight Time

Name: 190806M1_18, Date: 06-Aug-2019, Time: 13:30:34, ID: IB, Description: IB


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



LC Calibration Standards Review Checklist Q4

			ION Ratio	Concentration	C-Cals Name	Sign Date	Correct I-Cal	Manual Integrations	N/A
Calibration ID:	ST190806M1-11	L (M) H	☑	☐	☐	☐	☐	☐	☐
Calibration ID:	-12	L (M) H	☑	☐	☐	☐	☐	☐	☐
Calibration ID:	-13	L (M) H	☑	☐	☐	☐	☐	☐	☐
Calibration ID:	-14	L (M) H	☑	☐	☐	☐	☐	☐	☐
Calibration ID:	-15	L (M) H	☑	☐	☐	☐	☐	☐	☐
Calibration ID:	-16	L (M) H	☑	☑ (A) (B)	☐	☐	☐	☐	☑
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐ N/A CLH 8/7/19	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐

Full Mass Cal. Date: 08/03/19

Run Log Present: ☑

# of Samples per Sequence Checked: ☑

Instrument Blank Saved ☑

All Branches in Acquisition Window ☑

IIS Area Saved ☑

Reviewed By: 8/9/19
Initials/Date

Comments:

(A) HFPO-DA, 5:3 FTCA, ADONA, PFecHS, 8:2 FTS, PFDOS > 130%
(B) $^{13}C_3$-HFPO-DA < 50%

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld

Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time

Jan 8/9/19

Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	9161.784	9557.571	1.00	1.25	11.982	10.0	100.1	NO		
2	2	PFPrS	248.9 > 79.9	1914.260	2079.435	1.00	1.60	11.507	9.2	91.8	NO	2.230	NO
3	3	3:3 FTCA	240.9 > 176.9	398.777	15180.151	1.00	2.07	0.328	9.3	93.0	NO	1.850	NO
4	4	PFPeA	263.1 > 218.9	10787.611	15180.151	1.00	2.23	8.883	10.2	101.7	NO		
5	5	PFBS	299.0 > 79.7	3395.640	2079.435	1.00	2.52	20.412	9.5	94.6	NO	2.760	NO
6	6	4:2 FTS	327.0 > 306.9	6162.461	3393.150	1.00	2.93	22.702	10.3	103.4	NO	1.699	NO
7	47	13C3-PFBA	216.1 > 171.8	9557.571	13439.098	1.00	1.25	8.890	12.3	98.7	NO		
8	49	13C3-PFBS	302.0 > 98.8	2079.435	1935.351	1.00	2.52	13.431	12.2	97.5	NO		
9	48	13C3-PFPeA	266.0 > 221.8	15180.151	30135.578	1.00	2.23	6.297	12.2	98.0	NO		
10	48	13C3-PFPeA	266.0 > 221.8	15180.151	30135.578	1.00	2.23	6.297	12.2	98.0	NO		
11	49	13C3-PFBS	302.0 > 98.8	2079.435	1935.351	1.00	2.52	13.431	12.2	97.5	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3393.150	1935.351	1.00	2.93	21.916	12.0	96.2	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	20721.150	12008.121	1.00	3.02	8.628	10.5	104.6	NO	16.149	NO
15	8	PFPeS	349.1>80.1	2923.263	2079.435	1.00	3.23	17.572	10.7	107.4	NO	1.606	NO
16	9	HFPO-DA	285.1 > 168.9	1671.785	1785.603	1.00	3.24	4.681	10.6	105.7	NO	1.776	NO
17	10	5:3 FTCA	340.9 > 236.9	2033.553	14394.805	1.00	3.58	1.766	9.4	93.7	NO	1.426	NO
18	11	PFHpA	363.0 > 318.9	14368.441	14394.805	1.00	3.65	12.477	10.1	100.6	NO	10.835	NO
19	12	ADONA	376.8 > 250.9	35591.109	14394.805	1.00	3.76	30.906	9.5	95.4	NO	3.437	NO
20	52	13C2-PFHxA	315.0 > 270.0	12008.121	30135.578	1.00	3.02	4.981	5.0	100.8	NO		
21	49	13C3-PFBS	302.0 > 98.8	2079.435	1935.351	1.00	2.52	13.431	12.2	97.5	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1785.603	30135.578	1.00	3.24	0.741	5.0	100.6	NO		
23	53	13C4-PFHpA	367.2 > 321.8	14394.805	30135.578	1.00	3.65	5.971	12.3	98.5	NO		
24	53	13C4-PFHpA	367.2 > 321.8	14394.805	30135.578	1.00	3.65	5.971	12.3	98.5	NO		
25	53	13C4-PFHpA	367.2 > 321.8	14394.805	30135.578	1.00	3.65	5.971	12.3	98.5	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	2704.267	4023.625	1.00	3.80	8.401	9.9	98.9	NO	1.900	NO
28	15	6:2 FTS	427.0 > 406.9	6215.446	2638.743	1.00	4.12	29.443	10.3	102.7	NO	2.063	NO
29	16	L-PFOA	412.8 > 368.9	29101.818	24163.375	1.00	4.18	15.055	10.9	109.2	NO	3.677	NO
30	18	PFecHS	460.8 > 381.0	4300.263	24163.375	1.00	4.19	2.225	10.4	104.5	NO	0.851	NO
31	19	PFHpS	449.0 > 80.0	3288.888	4717.927	1.00	4.29	8.714	9.8	97.9	NO	1.761	NO
32	20	7:3 FTCA	440.9 > 336.9	2718.965	27281.346	1.00	4.60	1.246	9.2	92.2	NO	1.835	NO
33	54	13C3-PFHxS	401.8 > 79.9	4023.625	1935.351	1.00	3.80	25.988	11.8	94.0	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2638.743	4678.533	1.00	4.12	7.050	12.5	100.4	NO		
35	58	13C2-PFOA	414.9 > 369.7	24163.375	36434.785	1.00	4.18	8.290	11.6	92.9	NO		
36	58	13C2-PFOA	414.9 > 369.7	24163.375	36434.785	1.00	4.18	8.290	11.6	92.9	NO		

CGH
8/7/19

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld

Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time

Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	4717.927	4678.533	1.00	4.71	12.605	12.7	101.9	NO		
38	56	13C5-PFNA	468.2 > 422.9	27281.346	26896.297	1.00	4.62	12.679	12.5	100.1	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	24710.781	27281.346	1.00	4.62	11.322	10.0	99.6	NO	4.106	NO
41	22	PFOSA	497.9 > 77.9	6167.253	7014.763	1.00	4.68	10.990	10.4	104.5	NO	29.354	NO
42	23	L-PFOS	498.9 > 79.9	3599.462	4717.927	1.00	4.71	9.537	8.8	88.1	NO	1.889	NO
43	25	9Cl-PF30NS	530.7 > 350.8	7898.699	4717.927	1.00	4.93	20.927	10.2	102.3	NO	16.873	NO
44	26	PFDA	513 > 468.8	28816.611	27455.111	1.00	5.01	13.120	10.1	100.5	NO	5.973	NO
45	27	8:2 FTS	527.0 > 506.9	4104.571	2665.259	1.00	4.98	19.250	10.2	102.3	NO	1.153	NO
46	56	13C5-PFNA	468.2 > 422.9	27281.346	26896.297	1.00	4.62	12.679	12.5	100.1	NO		
47	57	13C8-PFOSA	506.1 > 77.7	7014.763	36673.281	1.00	4.68	2.391	11.4	91.4	NO		
48	59	13C8-PFOS	507.0 > 79.9	4717.927	4678.533	1.00	4.71	12.605	12.7	101.9	NO		
49	59	13C8-PFOS	507.0 > 79.9	4717.927	4678.533	1.00	4.71	12.605	12.7	101.9	NO		
50	60	13C2-PFDA	515.1 > 469.9	27455.111	34817.348	1.00	5.00	9.857	12.6	100.8	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2665.259	4678.533	1.00	4.97	7.121	12.5	100.0	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	2867.970	4717.927	1.00	5.07	7.599	10.0	99.8	NO	1.749	NO
54	29	L-MeFOSAA	570 > 419	10815.829	5328.146	1.00	5.16	25.374	9.9	99.4	NO	2.432	NO
55	31	L-EtFOSAA	584.1 > 419	7693.113	7371.367	1.00	5.32	13.046	9.3	93.4	NO	1.352	NO
56	33	PFUdA	563.0 > 518.9	25202.547	33842.797	1.00	5.33	9.309	11.0	110.2	NO	9.481	NO
57	34	PFDS	598.8 > 79.9	3729.236	2665.259	1.00	5.38	17.490	9.6	95.8	NO	1.783	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	1598.439	35757.590	1.00	5.55	0.559	9.4	94.1	NO	5.053	NO
59	59	13C8-PFOS	507.0 > 79.9	4717.927	4678.533	1.00	4.71	12.605	12.7	101.9	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	5328.146	36673.281	1.00	5.15	1.816	11.8	94.3	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	7371.367	36673.281	1.00	5.31	2.513	12.8	102.5	NO		
62	63	13C2-PFUdA	565 > 519.8	33842.797	36673.281	1.00	5.33	11.535	11.3	90.5	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2665.259	4678.533	1.00	4.97	7.121	12.5	100.0	NO		
64	65	13C2-PFDoA	614.7 > 569.7	35757.590	34817.348	1.00	5.62	12.838	11.7	93.6	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	4946.466	2665.259	1.00	5.61	23.199	10.2	102.1	NO	1.594	NO
67	37	PFDoA	612.9 > 569.0	28788.924	35757.590	1.00	5.62	10.064	9.7	96.7	NO	8.352	NO
68	38	N-MeFOSA	512.1 > 168.9	6597.032	17581.109	1.00	5.72	56.285	53.6	107.3	NO	1.533	NO
69	39	PFTrDA	662.9 > 618.9	33459.988	35757.590	1.00	5.87	11.697	10.0	99.9	NO	22.581	NO
70	40	PFDoS	698.8 > 79.9	3313.027	24620.566	1.00	5.90	1.682	10.2	102.1	NO	1.962	NO
71	41	PFTeDA	713.0 > 669.0	29564.244	24620.566	1.00	6.09	15.010	10.9	109.4	NO	14.061	NO
72	65	13C2-PFDoA	614.7 > 569.7	35757.590	34817.348	1.00	5.62	12.838	11.7	93.6	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld

Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time

Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	35757.590	34817.348	1.00	5.62	12.838	11.7	93.6	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	17581.109	36673.281	1.00	5.75	5.992	136.1	90.7	NO		
75	65	13C2-PFDoA	614.7 > 569.7	35757.590	34817.348	1.00	5.62	12.838	11.7	93.6	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	24620.566	36673.281	1.00	6.09	8.392	12.3	98.1	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	24620.566	36673.281	1.00	6.09	8.392	12.3	98.1	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	7218.420	22702.680	1.00	6.14	47.693	51.3	102.5	NO	1.691	NO
80	43	PFHxDA	813.1 > 768.6	15165.319	12961.166	1.00	6.44	5.850	10.4	103.6	NO	19.810	NO
81	44	PFODA	913.1 > 868.8	19383.883	12961.166	1.00	6.68	7.478	11.0	109.8	NO		
82	45	N-MeFOSE	616.1 > 58.9	4497.767	13904.238	1.00	6.32	48.522	46.4	92.9	NO		
83	46	N-EtFOSE	630.1 > 58.9	5866.046	13881.320	1.00	6.47	63.388	50.7	101.5	NO		
84	72	13C4-PFBA	217.0 > 172.0	13439.098	13439.098	1.00	1.25	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	22702.680	36673.281	1.00	6.16	7.738	142.6	95.1	NO		
86	69	13C2-PFHxDA	815 > 769.7	12961.166	36673.281	1.00	6.44	4.418	4.8	95.1	NO		
87	69	13C2-PFHxDA	815 > 769.7	12961.166	36673.281	1.00	6.44	4.418	4.8	95.1	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	13904.238	36673.281	1.00	6.31	4.739	135.8	90.5	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	13881.320	36673.281	1.00	6.46	4.731	137.2	91.5	NO		
90	73	13C5-PFHxA	318.0 > 272.9	30135.578	30135.578	1.00	3.02	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	36434.785	36434.785	1.00	4.18	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	1935.351	1935.351	1.00	3.80	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	26896.297	26896.297	1.00	4.62	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4678.533	4678.533	1.00	4.71	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	34817.348	34817.348	1.00	5.00	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	36673.281	36673.281	1.00	5.33	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:21:08 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:21:15 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080619.mdb 06 Aug 2019 13:58:16
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
1	1 190806M1_1	IPA	06-Aug-19	10:30:20
2	2 190806M1_2	Condition 1	06-Aug-19	10:40:53
3	3 190806M1_3	Condition 2	06-Aug-19	10:51:32
4	4 190806M1_4	Condition 3	06-Aug-19	11:02:05
5	5 190806M1_5	Condition 4	06-Aug-19	11:12:43
6	6 190806M1_6	Condition 5	06-Aug-19	11:23:16
7	7 190806M1_7	IPA	06-Aug-19	11:33:55
8	8 190806M1_8	ST190806M1-1 PFC CS-2 19G2301	06-Aug-19	11:44:33
9	9 190806M1_9	ST190806M1-2 PFC CS-1 19G2302	06-Aug-19	11:55:06
10	10 190806M1_10	ST190806M1-3 PFC CS0 19G2303	06-Aug-19	12:05:44
11	11 190806M1_11	ST190806M1-4 PFC CS1 19G2304	06-Aug-19	12:16:22
12	12 190806M1_12	ST190806M1-5 PFC CS2 19G2305	06-Aug-19	12:26:55
13	13 190806M1_13	ST190806M1-6 PFC CS3 19G2306	06-Aug-19	12:37:33
14	14 190806M1_14	ST190806M1-7 PFC CS4 19G2307	06-Aug-19	12:48:12
15	15 190806M1_15	ST190806M1-8 PFC CS5 19G2308	06-Aug-19	12:58:44
16	16 190806M1_16	ST190806M1-9 PFC CS6 19G2309	06-Aug-19	13:09:22
17	17 190806M1_17	ST190806M1-10 PFC CS7 19G2310	06-Aug-19	13:19:56
18	18 190806M1_18	IB	06-Aug-19	13:30:34
19	19 190806M1_19	ICV190806M1-1 PFC ICV 19G2311	06-Aug-19	13:41:06
20	20 190806M1_20	IPA	06-Aug-19	13:51:45
21	21 190806M1_21	B9G0264-BS1 OPR 1	06-Aug-19	14:02:26
22	22 190806M1_22	B9G0264-BLK1 Method Blank 1	06-Aug-19	14:13:02
23	23 190806M1_23	1902189-01 SAOA-B03-SO-5-5.5 1.08	06-Aug-19	14:23:35
24	24 190806M1_24	1902189-02 SAOA-B03-SO-20-20.5 1.21	06-Aug-19	14:34:14
25	25 190806M1_25	1902189-15 NAOA-B04-SO-69-69.5 1.17	06-Aug-19	14:44:47
26	26 190806M1_26	1902189-18 SAOA-B02-SO-56-56.5 1.28	06-Aug-19	14:55:25
27	27 190806M1_27	B9H0005-BS1 OPR 1	06-Aug-19	15:05:59
28	28 190806M1_28	B9H0005-BLK1 Method Blank 1	06-Aug-19	15:16:37
29	29 190806M1_29	1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01	06-Aug-19	15:27:10
30	30 190806M1_30	1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03	06-Aug-19	15:37:48
31	31 190806M1_31	1900655-03RE1 IA19-DU2-03042019-10-25-2 1	06-Aug-19	15:48:21
32	32 190806M1_32	1900655-04RE1 IA19-DU2-03042019-10-25-3 1	06-Aug-19	15:59:00

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:21:08 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:21:15 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
33	33	190806M1_33	1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01	06-Aug-19	16:09:38
34	34	190806M1_34	1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02	06-Aug-19	16:20:11
35	35	190806M1_35	IPA	06-Aug-19	16:30:49
36	36	190806M1_36	ST190806M1-11 PFC CS3 19G2306	06-Aug-19	16:41:22
37	37	190806M1_37	IPA	06-Aug-19	16:52:01
38	38	190806M1_38	1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02	06-Aug-19	17:02:33
39	39	190806M1_39	1900716-04RE1 IA22-DU2-10042019-13-30-1 1	06-Aug-19	17:13:11
40	40	190806M1_40	1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02	06-Aug-19	17:23:44
41	41	190806M1_41	1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02	06-Aug-19	17:34:23
42	42	190806M1_42	1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01	06-Aug-19	17:44:56
43	43	190806M1_43	1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01	06-Aug-19	17:55:35
44	44	190806M1_44	1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02	06-Aug-19	18:06:07
45	45	190806M1_45	1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02	06-Aug-19	18:16:46
46	46	190806M1_46	1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1	06-Aug-19	18:27:19
47	47	190806M1_47	IPA	06-Aug-19	18:37:57
48	48	190806M1_48	ST190806M1-12 PFC CS3 19G2306	06-Aug-19	18:48:31
49	49	190806M1_49	IPA	06-Aug-19	18:59:10
50	50	190806M1_50	B9H0013-BS1 OPR 0.125	06-Aug-19	19:09:51
51	51	190806M1_51	B9H0013-BLK1 Method Blank 0.125	06-Aug-19	19:20:26
52	52	190806M1_52	1902387-03 AQA 19-11 S3 0.125	06-Aug-19	19:31:05
53	53	190806M1_53	1902387-04 AQA 19-11 S4 0.125	06-Aug-19	19:41:37
54	54	190806M1_54	B9H0019-BS1 OPR 1	06-Aug-19	19:52:16
55	55	190806M1_55	B9H0019-BLK1 Method Blank 1	06-Aug-19	20:02:54
56	56	190806M1_56	1902197-01RE1 Sludge Hooksett Dewater 6.86	06-Aug-19	20:13:28
57	57	190806M1_57	1902295-03 July 2019 3.86	06-Aug-19	20:24:06
58	58	190806M1_58	IPA	06-Aug-19	20:34:44
59	59	190806M1_59	IPA	06-Aug-19	20:45:18
60	60	190806M1_60	IPA	06-Aug-19	20:55:57
61	61	190806M1_61	B9G0312-BS1 OPR 0.25	06-Aug-19	21:06:34
62	62	190806M1_62	B9G0312-BLK1 Method Blank 0.25	06-Aug-19	21:17:08
63	63	190806M1_63	1902340-01 SB-19-C1 20-25 0.24058	06-Aug-19	21:27:47
64	64	190806M1_64	IPA	06-Aug-19	21:38:19
65	65	190806M1_65	1902340-01@5X SB-19-C1 20-25 0.24058	06-Aug-19	21:48:58
66	66	190806M1_66	1902340-03 SB-19-C2 20-25 0.23794	06-Aug-19	21:59:31
67	67	190806M1_67	1902340-05 SB-19-C3 20-25 0.24596	06-Aug-19	22:10:10
68	68	190806M1_68	1902340-07 SB-19-C4 20-25 0.23437	06-Aug-19	22:20:43

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:21:08 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:21:15 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
69	69 190806M1_69	1902340-08 SB-19-C4 15-20 0.24446	06-Aug-19	22:31:21
70	70 190806M1_70	IPA	06-Aug-19	22:41:54
71	71 190806M1_71	ST190806M1-13 PFC CS3 19G2306	06-Aug-19	22:52:32
72	72 190806M1_72	IPA	06-Aug-19	23:03:05
73	73 190806M1_73	1902340-15 SB-19-N1 55-60 0.25012	06-Aug-19	23:13:43
74	74 190806M1_74	1902340-16 SB-19-N2 55-60 0.25388	06-Aug-19	23:24:16
75	75 190806M1_75	1902340-17 SB-19-N2 (48-53) 0.25043	06-Aug-19	23:34:55
76	76 190806M1_76	1902340-19 SB-19-C1 (5-10) 0.2458	06-Aug-19	23:45:28
77	77 190806M1_77	1902340-20 SB-19-N1 (48-53) 0.24852	06-Aug-19	23:56:06
78	78 190806M1_78	1902340-02 SB-19-C1 15-20 0.2413	07-Aug-19	00:06:39
79	79 190806M1_79	IPA	07-Aug-19	00:17:17
80	80 190806M1_80	IPA	07-Aug-19	00:27:48
81	81 190806M1_81	1902340-02@40X SB-19-C1 15-20 0.2413	07-Aug-19	00:38:26
82	82 190806M1_82	IPA	07-Aug-19	00:48:59
83	83 190806M1_83	IPA	07-Aug-19	00:59:37
84	84 190806M1_84	IPA	07-Aug-19	01:10:10
85	85 190806M1_85	1902340-04 SB-19-C2 15-20 0.24308	07-Aug-19	01:20:48
86	86 190806M1_86	IPA	07-Aug-19	01:31:22
87	87 190806M1_87	IPA	07-Aug-19	01:42:00
88	88 190806M1_88	1902340-04@10X SB-19-C2 15-20 0.24308	07-Aug-19	01:52:32
89	89 190806M1_89	IPA	07-Aug-19	02:03:11
90	90 190806M1_90	IPA	07-Aug-19	02:13:44
91	91 190806M1_91	1902340-06 SB-19-C3 15-20 0.24224	07-Aug-19	02:24:22
92	92 190806M1_92	IPA	07-Aug-19	02:34:55
93	93 190806M1_93	IPA	07-Aug-19	02:45:34
94	94 190806M1_94	ST190806M1-14 PFC CS3 19G2306	07-Aug-19	02:56:07
95	95 190806M1_95	IPA	07-Aug-19	03:06:45
96	96 190806M1_96	1902340-06@20X SB-19-C3 15-20 0.24224	07-Aug-19	03:17:18
97	97 190806M1_97	IPA	07-Aug-19	03:27:56
98	98 190806M1_98	IPA	07-Aug-19	03:38:29
99	99 190806M1_99	1902340-09 SB-19-C1 10-15 0.23978	07-Aug-19	03:49:07
100	100 190806M1_100	IPA	07-Aug-19	03:59:41
101	101 190806M1_101	IPA	07-Aug-19	04:10:19
102	102 190806M1_102	1902340-09@20X SB-19-C1 10-15 0.23978	07-Aug-19	04:20:52
103	103 190806M1_103	IPA	07-Aug-19	04:31:31
104	104 190806M1_104	IPA	07-Aug-19	04:42:03

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:21:08 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:21:15 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
105	105 190806M1_105	1902340-10 SB-19-C2 10-15 0.2419	07-Aug-19	04:52:42
106	106 190806M1_106	IPA	07-Aug-19	05:03:15
107	107 190806M1_107	IPA	07-Aug-19	05:13:45
108	108 190806M1_108	1902340-10@50X SB-19-C2 10-15 0.2419	07-Aug-19	05:24:23
109	109 190806M1_109	IPA	07-Aug-19	05:34:56
110	110 190806M1_110	IPA	07-Aug-19	05:45:35
111	111 190806M1_111	1902340-11 SB-19-C3 10-15 0.24555	07-Aug-19	05:56:08
112	112 190806M1_112	IPA	07-Aug-19	06:06:46
113	113 190806M1_113	IPA	07-Aug-19	06:17:24
114	114 190806M1_114	IPA	07-Aug-19	06:27:57
115	115 190806M1_115	IPA	07-Aug-19	06:38:35
116	116 190806M1_116	IPA	07-Aug-19	06:49:08
117	117 190806M1_117	IPA	07-Aug-19	06:59:46
118	118 190806M1_118	1902340-11@5X SB-19-C3 10-15 0.24555	07-Aug-19	07:10:19
119	119 190806M1_119	IPA	07-Aug-19	07:20:58
120	120 190806M1_120	IPA	07-Aug-19	07:31:31
121	121 190806M1_121	IPA	07-Aug-19	07:42:09
122	122 190806M1_122	IPA	07-Aug-19	07:52:43
123	123 190806M1_123	IPA	07-Aug-19	08:03:22
124	124 190806M1_124	IPA	07-Aug-19	08:14:00
125	125 190806M1_125	1902340-11@1000X SB-19-C3 10-15 0.24555	07-Aug-19	08:24:33
126	126 190806M1_126	IPA	07-Aug-19	08:35:11
127	127 190806M1_127	IPA	07-Aug-19	08:45:45
128	128 190806M1_128	1902340-12 SB-19-C4 10-15 0.24794	07-Aug-19	08:56:23
129	129 190806M1_129	IPA	07-Aug-19	09:07:02
130	130 190806M1_130	IPA	07-Aug-19	09:17:35
131	131 190806M1_131	IPA	07-Aug-19	09:29:34
132	132 190806M1_132	IPA	07-Aug-19	09:40:15
133	133 190806M1_133	1902340-12@50X SB-19-C4 10-15 0.24794	07-Aug-19	09:51:21
134	134 190806M1_134	IPA	07-Aug-19	10:01:57
135	135 190806M1_135	IPA	07-Aug-19	10:12:33
136	136 190806M1_136	ST190806M1-15 PFC CS3 19G2306	07-Aug-19	10:23:12
137	137 190806M1_137	IPA	07-Aug-19	10:33:50
138	138 190806M1_138	1902340-13 SB-19-C4 10-15 DUP 0.24565	07-Aug-19	10:44:29
139	139 190806M1_139	IPA	07-Aug-19	10:55:01
140	140 190806M1_140	IPA	07-Aug-19	11:05:40

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Wednesday, August 07, 2019 16:21:08 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 16:21:15 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
141	141 190806M1_141	IPA	07-Aug-19	11:16:18
142	142 190806M1_142	1902340-13@70X SB-19-C4 10-15 DUP 0.24565	07-Aug-19	11:26:57
143	143 190806M1_143	IPA	07-Aug-19	11:37:35
144	144 190806M1_144	IPA	07-Aug-19	11:48:16
145	145 190806M1_145	1902340-14 SB-19-C4 5-10 0.24089	07-Aug-19	11:58:58
146	146 190806M1_146	IPA	07-Aug-19	12:09:30
147	147 190806M1_147	IPA	07-Aug-19	12:20:08
148	148 190806M1_148	1902340-14@20X SB-19-C4 5-10 0.24089	07-Aug-19	12:30:47
149	149 190806M1_149	IPA	07-Aug-19	12:41:25
150	150 190806M1_150	IPA	07-Aug-19	12:52:05
151	151 190806M1_151	1902340-18 SB-19-C2 (5-10) 0.23872	07-Aug-19	13:02:46
152	152 190806M1_152	IPA	07-Aug-19	13:13:19
153	153 190806M1_153	IPA	07-Aug-19	13:25:08
154	154 190806M1_154	1902340-18@20X SB-19-C2 (5-10) 0.23872	07-Aug-19	13:35:49
155	155 190806M1_155	IPA	07-Aug-19	13:46:22
156	156 190806M1_156	IPA	07-Aug-19	13:57:00
157	157 190806M1_157	1902340-11@1000X STD ADD SB-19-C3 10-15 0.24555	07-Aug-19	14:07:39
158	158 190806M1_158	IPA	07-Aug-19	14:18:17
159	159 190806M1_159	ST190806M1-16 PFC CS3 19G2306	07-Aug-19	14:28:58
160	160 190806M1_160	IPA	07-Aug-19	14:39:31

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld

Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080619.mdb 06 Aug 2019 13:58:16
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld

Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time


Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld

Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time


Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld

Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time


Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld


Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time

Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
8.107e+004




F53:MRM of 2 channels,ES-
549.1 > 99.1
4.395e+004




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
2.558e+005




F56:MRM of 2 channels,ES-
570. > 512
9.610e+004




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
1.985e+005




F59:MRM of 2 channels,ES-
584.1 > 526
1.283e+005




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
7.444e+005




F54:MRM of 2 channels,ES-
563.0 > 269
7.654e+004




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
1.081e+005




F61:MRM of 2 channels,ES-
598.8 > 98.9
6.175e+004




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
4.300e+004




F68:MRM of 2 channels,ES-
632.6 > 450.7
8.348e+003




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.324e+005




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
1.398e+005




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
2.193e+005




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
9.836e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
7.657e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.714e+005




Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld


Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time

Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
1.346e+005




F66:MRM of 2 channels,ES-
627.0 > 80.9
8.387e+004




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
7.802e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
9.339e+004




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
1.688e+005




F43:MRM of 2 channels,ES-
512.1 > 219
1.104e+005




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
9.545e+005




F70:MRM of 2 channels,ES-
662.9 > 319
4.190e+004




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
9.419e+004




F71:MRM of 2 channels,ES-
698.8 > 98.9
4.767e+004




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
8.047e+005




F72:MRM of 2 channels,ES-
713. > 369.0
5.461e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.714e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.714e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
4.570e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.714e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.632e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.632e+005




Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld


Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time

Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190806M1\190806M1-36.qld


Last Altered: Wednesday, August 07, 2019 08:18:29 Pacific Daylight Time
Printed: Wednesday, August 07, 2019 08:18:35 Pacific Daylight Time

Name: 190806M1_36, Date: 06-Aug-2019, Time: 16:41:22, ID: ST190806M1-11 PFC CS3 19G2306, Description: PFC CS3 19G2306


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_RS-08-04-19.mdb 04 Aug 2019 18:34:12
Calibration: 08 Aug 2019 11:36:51

Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-3 PFC CS0 19G2303	1.91e3	100.0	NO
2	2	13C5-PFHxA	ST190807M4-3 PFC CS0 19G2303	5.95e3	100.0	NO
3	3	18O2-PFHxS	ST190807M4-3 PFC CS0 19G2303	7.17e2	100.0	NO
4	4	13C8-PFOA	ST190807M4-3 PFC CS0 19G2303	9.56e3	100.0	NO
5	5	13C9-PFNA	ST190807M4-3 PFC CS0 19G2303	6.58e3	100.0	NO
6	6	13C4-PFOS	ST190807M4-3 PFC CS0 19G2303	1.89e3	100.0	NO
7	7	13C6-PFDA	ST190807M4-3 PFC CS0 19G2303	9.55e3	100.0	NO
8	8	13C7-PFUdA	ST190807M4-3 PFC CS0 19G2303	1.22e4	100.0	NO

Name: 190807M4_6, Date: 07-Aug-2019, Time: 18:44:08, ID: ST190807M4-4 PFC CS1 19G2304, Description: PFC CS1 19G2304

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-4 PFC CS1 19G2304	1.86e3	97.6	NO
2	2	13C5-PFHxA	ST190807M4-4 PFC CS1 19G2304	5.35e3	89.8	NO
3	3	18O2-PFHxS	ST190807M4-4 PFC CS1 19G2304	6.41e2	89.5	NO
4	4	13C8-PFOA	ST190807M4-4 PFC CS1 19G2304	8.67e3	90.6	NO
5	5	13C9-PFNA	ST190807M4-4 PFC CS1 19G2304	6.01e3	91.3	NO
6	6	13C4-PFOS	ST190807M4-4 PFC CS1 19G2304	1.84e3	97.3	NO
7	7	13C6-PFDA	ST190807M4-4 PFC CS1 19G2304	1.01e4	105.5	NO
8	8	13C7-PFUdA	ST190807M4-4 PFC CS1 19G2304	1.20e4	98.3	NO

Name: 190807M4_7, Date: 07-Aug-2019, Time: 18:54:47, ID: ST190807M4-5 PFC CS2 19G2305, Description: PFC CS2 19G2305

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-5 PFC CS2 19G2305	2.00e3	104.4	NO
2	2	13C5-PFHxA	ST190807M4-5 PFC CS2 19G2305	5.51e3	92.5	NO
3	3	18O2-PFHxS	ST190807M4-5 PFC CS2 19G2305	6.44e2	89.8	NO
4	4	13C8-PFOA	ST190807M4-5 PFC CS2 19G2305	9.66e3	101.0	NO
5	5	13C9-PFNA	ST190807M4-5 PFC CS2 19G2305	6.25e3	95.0	NO
6	6	13C4-PFOS	ST190807M4-5 PFC CS2 19G2305	1.78e3	94.0	NO
7	7	13C6-PFDA	ST190807M4-5 PFC CS2 19G2305	9.35e3	98.0	NO
8	8	13C7-PFUdA	ST190807M4-5 PFC CS2 19G2305	1.18e4	96.8	NO

Name: 190807M4_8, Date: 07-Aug-2019, Time: 19:05:20, ID: ST190807M4-6 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-6 PFC CS3 19G2306	1.94e3	101.5	NO
2	2	13C5-PFHxA	ST190807M4-6 PFC CS3 19G2306	5.96e3	100.1	NO
3	3	18O2-PFHxS	ST190807M4-6 PFC CS3 19G2306	7.42e2	103.5	NO
4	4	13C8-PFOA	ST190807M4-6 PFC CS3 19G2306	9.17e3	95.8	NO
5	5	13C9-PFNA	ST190807M4-6 PFC CS3 19G2306	6.91e3	105.0	NO
6	6	13C4-PFOS	ST190807M4-6 PFC CS3 19G2306	1.92e3	101.7	NO
7	7	13C6-PFDA	ST190807M4-6 PFC CS3 19G2306	1.00e4	104.9	NO
8	8	13C7-PFUdA	ST190807M4-6 PFC CS3 19G2306	1.21e4	99.2	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_9, Date: 07-Aug-2019, Time: 19:15:59, ID: ST190807M4-7 PFC CS4 19G2307, Description: PFC CS4 19G2307

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-7 PFC CS4 19G2307	1.92e3	100.2	NO
2	2	13C5-PFHxA	ST190807M4-7 PFC CS4 19G2307	5.33e3	89.5	NO
3	3	18O2-PFHxS	ST190807M4-7 PFC CS4 19G2307	6.13e2	85.5	NO
4	4	13C8-PFOA	ST190807M4-7 PFC CS4 19G2307	8.66e3	90.6	NO
5	5	13C9-PFNA	ST190807M4-7 PFC CS4 19G2307	6.26e3	95.1	NO
6	6	13C4-PFOS	ST190807M4-7 PFC CS4 19G2307	1.63e3	86.1	NO
7	7	13C6-PFDA	ST190807M4-7 PFC CS4 19G2307	9.77e3	102.3	NO
8	8	13C7-PFUdA	ST190807M4-7 PFC CS4 19G2307	1.13e4	92.8	NO

Name: 190807M4_10, Date: 07-Aug-2019, Time: 19:26:31, ID: ST190807M4-8 PFC CS5 19G2308, Description: PFC CS5 19G2308

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-8 PFC CS5 19G2308	1.12e3	58.4	NO
2	2	13C5-PFHxA	ST190807M4-8 PFC CS5 19G2308	2.81e3	47.2	YES
3	3	18O2-PFHxS	ST190807M4-8 PFC CS5 19G2308	3.28e2	45.7	YES
4	4	13C8-PFOA	ST190807M4-8 PFC CS5 19G2308	4.61e3	48.2	YES
5	5	13C9-PFNA	ST190807M4-8 PFC CS5 19G2308	2.86e3	43.5	YES
6	6	13C4-PFOS	ST190807M4-8 PFC CS5 19G2308	1.04e3	54.8	NO
7	7	13C6-PFDA	ST190807M4-8 PFC CS5 19G2308	5.00e3	52.4	NO
8	8	13C7-PFUdA	ST190807M4-8 PFC CS5 19G2308	6.47e3	53.0	NO

Name: 190807M4_11, Date: 07-Aug-2019, Time: 19:37:10, ID: ST190807M4-9 PFC CS6 19G2309, Description: PFC CS6 19G2309

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-9 PFC CS6 19G2309	1.91e3	100.0	NO
2	2	13C5-PFHxA	ST190807M4-9 PFC CS6 19G2309	4.93e3	82.9	NO
3	3	18O2-PFHxS	ST190807M4-9 PFC CS6 19G2309	5.65e2	78.8	NO
4	4	13C8-PFOA	ST190807M4-9 PFC CS6 19G2309	7.29e3	76.2	NO
5	5	13C9-PFNA	ST190807M4-9 PFC CS6 19G2309	5.40e3	82.0	NO
6	6	13C4-PFOS	ST190807M4-9 PFC CS6 19G2309	1.45e3	76.7	NO
7	7	13C6-PFDA	ST190807M4-9 PFC CS6 19G2309	7.83e3	82.0	NO
8	8	13C7-PFUdA	ST190807M4-9 PFC CS6 19G2309	9.21e3	75.5	NO

Name: 190807M4_12, Date: 07-Aug-2019, Time: 19:47:42, ID: ST190807M4-10 PFC CS7 19G2310, Description: PFC CS7 19G2310

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-10 PFC CS7 19G2310	1.75e3	91.5	NO
2	2	13C5-PFHxA	ST190807M4-10 PFC CS7 19G2310	3.70e3	62.1	NO
3	3	18O2-PFHxS	ST190807M4-10 PFC CS7 19G2310	5.25e2	73.2	NO
4	4	13C8-PFOA	ST190807M4-10 PFC CS7 19G2310	5.33e3	55.7	NO
5	5	13C9-PFNA	ST190807M4-10 PFC CS7 19G2310	4.72e3	71.7	NO
6	6	13C4-PFOS	ST190807M4-10 PFC CS7 19G2310	1.25e3	66.0	NO
7	7	13C6-PFDA	ST190807M4-10 PFC CS7 19G2310	6.28e3	65.8	NO
8	8	13C7-PFUdA	ST190807M4-10 PFC CS7 19G2310	7.31e3	59.9	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IB	2.08e3	108.9	NO
2	2	13C5-PFHxA	IB	5.93e3	99.6	NO
3	3	18O2-PFHxS	IB	7.21e2	100.6	NO
4	4	13C8-PFOA	IB	9.80e3	102.5	NO
5	5	13C9-PFNA	IB	6.70e3	101.7	NO
6	6	13C4-PFOS	IB	1.86e3	98.5	NO
7	7	13C6-PFDA	IB	1.01e4	106.2	NO
8	8	13C7-PFUdA	IB	1.21e4	99.0	NO

Name: 190807M4_14, Date: 07-Aug-2019, Time: 20:08:59, ID: ICV190807M4-1 PFC ICV 19G2311, Description: PFC ICV 19G2311

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ICV190807M4-1 PFC ICV 19G2311	6.53e3	341.4	YES
2	2	13C5-PFHxA	ICV190807M4-1 PFC ICV 19G2311	2.27e4	381.5	YES
3	3	18O2-PFHxS	ICV190807M4-1 PFC ICV 19G2311	2.57e3	358.9	YES
4	4	13C8-PFOA	ICV190807M4-1 PFC ICV 19G2311	3.46e4	361.6	YES
5	5	13C9-PFNA	ICV190807M4-1 PFC ICV 19G2311	2.44e4	371.2	YES
6	6	13C4-PFOS	ICV190807M4-1 PFC ICV 19G2311	6.70e3	354.0	YES
7	7	13C6-PFDA	ICV190807M4-1 PFC ICV 19G2311	3.63e4	380.0	YES
8	8	13C7-PFUdA	ICV190807M4-1 PFC ICV 19G2311	4.34e4	355.9	YES

Name: 190807M4_15, Date: 07-Aug-2019, Time: 20:19:32, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190807M4_16, Date: 07-Aug-2019, Time: 20:30:10, ID: B9G0278-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0278-BS1 OPR 1	1.68e3	88.0	NO
2	2	13C5-PFHxA	B9G0278-BS1 OPR 1	3.48e3	58.5	NO
3	3	18O2-PFHxS	B9G0278-BS1 OPR 1	4.46e2	62.3	NO
4	4	13C8-PFOA	B9G0278-BS1 OPR 1	6.16e3	64.4	NO
5	5	13C9-PFNA	B9G0278-BS1 OPR 1	4.72e3	71.7	NO
6	6	13C4-PFOS	B9G0278-BS1 OPR 1	1.21e3	63.9	NO
7	7	13C6-PFDA	B9G0278-BS1 OPR 1	9.51e3	99.6	NO
8	8	13C7-PFUdA	B9G0278-BS1 OPR 1	9.26e3	75.9	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_17, Date: 07-Aug-2019, Time: 20:40:44, ID: B9G0278-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0278-BLK1 Method Blank 1	2.11e3	110.6	NO
2	2	13C5-PFHxA	B9G0278-BLK1 Method Blank 1	4.49e3	75.5	NO
3	3	18O2-PFHxS	B9G0278-BLK1 Method Blank 1	6.26e2	87.4	NO
4	4	13C8-PFOA	B9G0278-BLK1 Method Blank 1	7.59e3	79.4	NO
5	5	13C9-PFNA	B9G0278-BLK1 Method Blank 1	5.20e3	79.1	NO
6	6	13C4-PFOS	B9G0278-BLK1 Method Blank 1	1.43e3	75.4	NO
7	7	13C6-PFDA	B9G0278-BLK1 Method Blank 1	1.06e4	110.7	NO
8	8	13C7-PFUdA	B9G0278-BLK1 Method Blank 1	9.89e3	81.1	NO

Name: 190807M4_18, Date: 07-Aug-2019, Time: 20:51:22, ID: B9G0278-MS1 Matrix Spike 1.11, Description: Matrix Spike

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0278-MS1 Matrix Spike 1.11	2.14e3	112.1	NO
2	2	13C5-PFHxA	B9G0278-MS1 Matrix Spike 1.11	4.37e3	73.4	NO
3	3	18O2-PFHxS	B9G0278-MS1 Matrix Spike 1.11	5.01e2	69.8	NO
4	4	13C8-PFOA	B9G0278-MS1 Matrix Spike 1.11	7.75e3	81.0	NO
5	5	13C9-PFNA	B9G0278-MS1 Matrix Spike 1.11	5.72e3	86.9	NO
6	6	13C4-PFOS	B9G0278-MS1 Matrix Spike 1.11	1.35e3	71.1	NO
7	7	13C6-PFDA	B9G0278-MS1 Matrix Spike 1.11	1.00e4	104.8	NO
8	8	13C7-PFUdA	B9G0278-MS1 Matrix Spike 1.11	1.05e4	85.9	NO

Name: 190807M4_19, Date: 07-Aug-2019, Time: 21:01:56, ID: B9G0278-MSD1 Matrix Spike Dup 1.11, Description: Matrix Spike Dup

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0278-MSD1 Matrix Spike Dup 1.11	2.37e3	123.9	NO
2	2	13C5-PFHxA	B9G0278-MSD1 Matrix Spike Dup 1.11	5.01e3	84.2	NO
3	3	18O2-PFHxS	B9G0278-MSD1 Matrix Spike Dup 1.11	7.16e2	99.8	NO
4	4	13C8-PFOA	B9G0278-MSD1 Matrix Spike Dup 1.11	8.80e3	92.0	NO
5	5	13C9-PFNA	B9G0278-MSD1 Matrix Spike Dup 1.11	5.99e3	91.0	NO
6	6	13C4-PFOS	B9G0278-MSD1 Matrix Spike Dup 1.11	1.73e3	91.3	NO
7	7	13C6-PFDA	B9G0278-MSD1 Matrix Spike Dup 1.11	1.17e4	122.9	NO
8	8	13C7-PFUdA	B9G0278-MSD1 Matrix Spike Dup 1.11	1.24e4	101.4	NO

Name: 190807M4_20, Date: 07-Aug-2019, Time: 21:12:34, ID: 1902194-01 DRUM-14 1.29, Description: DRUM-14

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-01 DRUM-14 1.29	2.07e3	108.4	NO
2	2	13C5-PFHxA	1902194-01 DRUM-14 1.29	4.52e3	75.9	NO
3	3	18O2-PFHxS	1902194-01 DRUM-14 1.29	5.61e2	78.3	NO
4	4	13C8-PFOA	1902194-01 DRUM-14 1.29	7.56e3	79.0	NO
5	5	13C9-PFNA	1902194-01 DRUM-14 1.29	5.75e3	87.4	NO
6	6	13C4-PFOS	1902194-01 DRUM-14 1.29	1.50e3	79.2	NO
7	7	13C6-PFDA	1902194-01 DRUM-14 1.29	1.05e4	110.3	NO
8	8	13C7-PFUdA	1902194-01 DRUM-14 1.29	1.04e4	85.2	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_21, Date: 07-Aug-2019, Time: 21:23:06, ID: 1902194-02 DRUM-15 1.06, Description: DRUM-15

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-02 DRUM-15 1.06	2.62e3	136.9	NO
2	2	13C5-PFHxA	1902194-02 DRUM-15 1.06	4.99e3	83.8	NO
3	3	18O2-PFHxS	1902194-02 DRUM-15 1.06	7.13e2	99.4	NO
4	4	13C8-PFOA	1902194-02 DRUM-15 1.06	8.81e3	92.1	NO
5	5	13C9-PFNA	1902194-02 DRUM-15 1.06	6.15e3	93.5	NO
6	6	13C4-PFOS	1902194-02 DRUM-15 1.06	1.72e3	90.7	NO
7	7	13C6-PFDA	1902194-02 DRUM-15 1.06	1.19e4	124.3	NO
8	8	13C7-PFUdA	1902194-02 DRUM-15 1.06	1.12e4	91.7	NO

Name: 190807M4_22, Date: 07-Aug-2019, Time: 21:33:45, ID: 1902194-03 DRUM-16 1.04, Description: DRUM-16

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-03 DRUM-16 1.04	2.52e3	131.9	NO
2	2	13C5-PFHxA	1902194-03 DRUM-16 1.04	5.03e3	84.4	NO
3	3	18O2-PFHxS	1902194-03 DRUM-16 1.04	6.61e2	92.2	NO
4	4	13C8-PFOA	1902194-03 DRUM-16 1.04	8.55e3	89.4	NO
5	5	13C9-PFNA	1902194-03 DRUM-16 1.04	6.32e3	96.0	NO
6	6	13C4-PFOS	1902194-03 DRUM-16 1.04	1.66e3	87.7	NO
7	7	13C6-PFDA	1902194-03 DRUM-16 1.04	1.06e4	111.2	NO
8	8	13C7-PFUdA	1902194-03 DRUM-16 1.04	1.15e4	93.9	NO

Name: 190807M4_23, Date: 07-Aug-2019, Time: 21:44:23, ID: 1902194-04 DRUM-17 1.05, Description: DRUM-17

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-04 DRUM-17 1.05	2.30e3	120.2	NO
2	2	13C5-PFHxA	1902194-04 DRUM-17 1.05	4.99e3	83.8	NO
3	3	18O2-PFHxS	1902194-04 DRUM-17 1.05	6.42e2	89.6	NO
4	4	13C8-PFOA	1902194-04 DRUM-17 1.05	8.05e3	84.2	NO
5	5	13C9-PFNA	1902194-04 DRUM-17 1.05	5.73e3	87.1	NO
6	6	13C4-PFOS	1902194-04 DRUM-17 1.05	1.60e3	84.8	NO
7	7	13C6-PFDA	1902194-04 DRUM-17 1.05	1.12e4	117.7	NO
8	8	13C7-PFUdA	1902194-04 DRUM-17 1.05	1.13e4	92.7	NO

Name: 190807M4_24, Date: 07-Aug-2019, Time: 21:54:56, ID: 1902194-05 DRUM-18 1.12, Description: DRUM-18

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-05 DRUM-18 1.12	2.40e3	125.5	NO
2	2	13C5-PFHxA	1902194-05 DRUM-18 1.12	4.94e3	82.9	NO
3	3	18O2-PFHxS	1902194-05 DRUM-18 1.12	6.39e2	89.2	NO
4	4	13C8-PFOA	1902194-05 DRUM-18 1.12	7.92e3	82.8	NO
5	5	13C9-PFNA	1902194-05 DRUM-18 1.12	5.86e3	89.1	NO
6	6	13C4-PFOS	1902194-05 DRUM-18 1.12	1.48e3	78.1	NO
7	7	13C6-PFDA	1902194-05 DRUM-18 1.12	1.14e4	119.9	NO
8	8	13C7-PFUdA	1902194-05 DRUM-18 1.12	1.09e4	89.0	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_25, Date: 07-Aug-2019, Time: 22:05:35, ID: 1902194-06 DRUM-19 1.05, Description: DRUM-19

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-06 DRUM-19 1.05	2.40e3	125.8	NO
2	2	13C5-PFHxA	1902194-06 DRUM-19 1.05	4.58e3	77.0	NO
3	3	18O2-PFHxS	1902194-06 DRUM-19 1.05	6.07e2	84.7	NO
4	4	13C8-PFOA	1902194-06 DRUM-19 1.05	8.02e3	83.8	NO
5	5	13C9-PFNA	1902194-06 DRUM-19 1.05	6.08e3	92.4	NO
6	6	13C4-PFOS	1902194-06 DRUM-19 1.05	1.43e3	75.5	NO
7	7	13C6-PFDA	1902194-06 DRUM-19 1.05	1.18e4	124.1	NO
8	8	13C7-PFUdA	1902194-06 DRUM-19 1.05	1.15e4	94.2	NO

Name: 190807M4_26, Date: 07-Aug-2019, Time: 22:16:04, ID: 1902194-07 DRUM-20 1.08, Description: DRUM-20

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-07 DRUM-20 1.08	2.06e3	108.0	NO
2	2	13C5-PFHxA	1902194-07 DRUM-20 1.08	3.93e3	66.0	NO
3	3	18O2-PFHxS	1902194-07 DRUM-20 1.08	5.50e2	76.7	NO
4	4	13C8-PFOA	1902194-07 DRUM-20 1.08	6.57e3	68.6	NO
5	5	13C9-PFNA	1902194-07 DRUM-20 1.08	5.16e3	78.4	NO
6	6	13C4-PFOS	1902194-07 DRUM-20 1.08	1.35e3	71.6	NO
7	7	13C6-PFDA	1902194-07 DRUM-20 1.08	9.19e3	96.3	NO
8	8	13C7-PFUdA	1902194-07 DRUM-20 1.08	9.08e3	74.5	NO

Name: 190807M4_27, Date: 07-Aug-2019, Time: 22:26:43, ID: 1902194-08 DRUM-21 1.14, Description: DRUM-21

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-08 DRUM-21 1.14	2.47e3	129.0	NO
2	2	13C5-PFHxA	1902194-08 DRUM-21 1.14	4.82e3	81.0	NO
3	3	18O2-PFHxS	1902194-08 DRUM-21 1.14	6.37e2	88.9	NO
4	4	13C8-PFOA	1902194-08 DRUM-21 1.14	7.29e3	76.2	NO
5	5	13C9-PFNA	1902194-08 DRUM-21 1.14	5.29e3	80.3	NO
6	6	13C4-PFOS	1902194-08 DRUM-21 1.14	1.53e3	80.7	NO
7	7	13C6-PFDA	1902194-08 DRUM-21 1.14	9.79e3	102.5	NO
8	8	13C7-PFUdA	1902194-08 DRUM-21 1.14	1.07e4	87.4	NO

Name: 190807M4_28, Date: 07-Aug-2019, Time: 22:37:16, ID: 1902194-09 DRUM-22 1.11, Description: DRUM-22

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-09 DRUM-22 1.11	2.41e3	126.3	NO
2	2	13C5-PFHxA	1902194-09 DRUM-22 1.11	4.94e3	83.0	NO
3	3	18O2-PFHxS	1902194-09 DRUM-22 1.11	6.49e2	90.5	NO
4	4	13C8-PFOA	1902194-09 DRUM-22 1.11	7.20e3	75.3	NO
5	5	13C9-PFNA	1902194-09 DRUM-22 1.11	5.11e3	77.6	NO
6	6	13C4-PFOS	1902194-09 DRUM-22 1.11	1.65e3	87.4	NO
7	7	13C6-PFDA	1902194-09 DRUM-22 1.11	8.81e3	92.3	NO
8	8	13C7-PFUdA	1902194-09 DRUM-22 1.11	9.05e3	74.2	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_29, Date: 07-Aug-2019, Time: 22:47:55, ID: 1902194-10 DRUM-23 1.15, Description: DRUM-23

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-10 DRUM-23 1.15	2.25e3	117.7	NO
2	2	13C5-PFHxA	1902194-10 DRUM-23 1.15	4.69e3	78.7	NO
3	3	18O2-PFHxS	1902194-10 DRUM-23 1.15	6.12e2	85.3	NO
4	4	13C8-PFOA	1902194-10 DRUM-23 1.15	7.97e3	83.4	NO
5	5	13C9-PFNA	1902194-10 DRUM-23 1.15	5.49e3	83.5	NO
6	6	13C4-PFOS	1902194-10 DRUM-23 1.15	1.38e3	72.8	NO
7	7	13C6-PFDA	1902194-10 DRUM-23 1.15	1.09e4	113.7	NO
8	8	13C7-PFUdA	1902194-10 DRUM-23 1.15	1.09e4	89.2	NO

Name: 190807M4_30, Date: 07-Aug-2019, Time: 22:58:28, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190807M4_31, Date: 07-Aug-2019, Time: 23:09:06, ID: ST190807M4-11 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-11 PFC CS3 19G2306	1.98e3	103.5	NO
2	2	13C5-PFHxA	ST190807M4-11 PFC CS3 19G2306	5.90e3	99.1	NO
3	3	18O2-PFHxS	ST190807M4-11 PFC CS3 19G2306	7.45e2	104.0	NO
4	4	13C8-PFOA	ST190807M4-11 PFC CS3 19G2306	9.61e3	100.5	NO
5	5	13C9-PFNA	ST190807M4-11 PFC CS3 19G2306	7.12e3	108.2	NO
6	6	13C4-PFOS	ST190807M4-11 PFC CS3 19G2306	1.94e3	102.4	NO
7	7	13C6-PFDA	ST190807M4-11 PFC CS3 19G2306	1.01e4	105.6	NO
8	8	13C7-PFUdA	ST190807M4-11 PFC CS3 19G2306	1.25e4	102.7	NO

Name: 190807M4_32, Date: 07-Aug-2019, Time: 23:19:39, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_33, Date: 07-Aug-2019, Time: 23:30:18, ID: 1902194-11 DRUM-24 1.15, Description: DRUM-24

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-11 DRUM-24 1.15	2.10e3	109.6	NO
2	2	13C5-PFHxA	1902194-11 DRUM-24 1.15	4.33e3	72.8	NO
3	3	18O2-PFHxS	1902194-11 DRUM-24 1.15	6.23e2	86.9	NO
4	4	13C8-PFOA	1902194-11 DRUM-24 1.15	7.41e3	77.5	NO
5	5	13C9-PFNA	1902194-11 DRUM-24 1.15	5.73e3	87.1	NO
6	6	13C4-PFOS	1902194-11 DRUM-24 1.15	1.60e3	84.8	NO
7	7	13C6-PFDA	1902194-11 DRUM-24 1.15	1.12e4	117.2	NO
8	8	13C7-PFUdA	1902194-11 DRUM-24 1.15	1.11e4	90.8	NO

Name: 190807M4_34, Date: 07-Aug-2019, Time: 23:40:51, ID: 1902194-12 DRUM-25 1.03, Description: DRUM-25

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-12 DRUM-25 1.03	2.18e3	114.3	NO
2	2	13C5-PFHxA	1902194-12 DRUM-25 1.03	4.05e3	68.0	NO
3	3	18O2-PFHxS	1902194-12 DRUM-25 1.03	6.29e2	87.7	NO
4	4	13C8-PFOA	1902194-12 DRUM-25 1.03	8.35e3	87.3	NO
5	5	13C9-PFNA	1902194-12 DRUM-25 1.03	5.67e3	86.2	NO
6	6	13C4-PFOS	1902194-12 DRUM-25 1.03	1.54e3	81.2	NO
7	7	13C6-PFDA	1902194-12 DRUM-25 1.03	1.13e4	118.8	NO
8	8	13C7-PFUdA	1902194-12 DRUM-25 1.03	1.08e4	88.3	NO

Name: 190807M4_35, Date: 07-Aug-2019, Time: 23:51:29, ID: 1902194-13 DRUM-26 1.06, Description: DRUM-26

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-13 DRUM-26 1.06	2.48e3	129.5	NO
2	2	13C5-PFHxA	1902194-13 DRUM-26 1.06	5.09e3	85.6	NO
3	3	18O2-PFHxS	1902194-13 DRUM-26 1.06	6.61e2	92.1	NO
4	4	13C8-PFOA	1902194-13 DRUM-26 1.06	8.64e3	90.3	NO
5	5	13C9-PFNA	1902194-13 DRUM-26 1.06	6.29e3	95.5	NO
6	6	13C4-PFOS	1902194-13 DRUM-26 1.06	1.63e3	86.0	NO
7	7	13C6-PFDA	1902194-13 DRUM-26 1.06	1.25e4	130.6	NO
8	8	13C7-PFUdA	1902194-13 DRUM-26 1.06	1.18e4	96.7	NO

Name: 190807M4_36, Date: 08-Aug-2019, Time: 00:02:02, ID: 1902194-14 DRUM-27 1.04, Description: DRUM-27

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-14 DRUM-27 1.04	2.12e3	111.1	NO
2	2	13C5-PFHxA	1902194-14 DRUM-27 1.04	4.58e3	76.9	NO
3	3	18O2-PFHxS	1902194-14 DRUM-27 1.04	6.20e2	86.5	NO
4	4	13C8-PFOA	1902194-14 DRUM-27 1.04	7.67e3	80.2	NO
5	5	13C9-PFNA	1902194-14 DRUM-27 1.04	5.84e3	88.7	NO
6	6	13C4-PFOS	1902194-14 DRUM-27 1.04	1.43e3	75.8	NO
7	7	13C6-PFDA	1902194-14 DRUM-27 1.04	1.11e4	116.7	NO
8	8	13C7-PFUdA	1902194-14 DRUM-27 1.04	1.08e4	88.6	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_37, Date: 08-Aug-2019, Time: 00:12:40, ID: 1902194-15 DRUM-28 1.02, Description: DRUM-28

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-15 DRUM-28 1.02	2.54e3	133.0	NO
2	2	13C5-PFHxA	1902194-15 DRUM-28 1.02	5.34e3	89.6	NO
3	3	18O2-PFHxS	1902194-15 DRUM-28 1.02	6.79e2	94.7	NO
4	4	13C8-PFOA	1902194-15 DRUM-28 1.02	9.03e3	94.4	NO
5	5	13C9-PFNA	1902194-15 DRUM-28 1.02	6.84e3	103.9	NO
6	6	13C4-PFOS	1902194-15 DRUM-28 1.02	1.60e3	84.4	NO
7	7	13C6-PFDA	1902194-15 DRUM-28 1.02	1.21e4	126.9	NO
8	8	13C7-PFUdA	1902194-15 DRUM-28 1.02	1.20e4	98.4	NO

Name: 190807M4_38, Date: 08-Aug-2019, Time: 00:23:13, ID: 1902194-16 DRUM-29 1.37, Description: DRUM-29

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-16 DRUM-29 1.37	2.62e3	137.1	NO
2	2	13C5-PFHxA	1902194-16 DRUM-29 1.37	5.20e3	87.3	NO
3	3	18O2-PFHxS	1902194-16 DRUM-29 1.37	7.04e2	98.2	NO
4	4	13C8-PFOA	1902194-16 DRUM-29 1.37	8.63e3	90.2	NO
5	5	13C9-PFNA	1902194-16 DRUM-29 1.37	6.33e3	96.2	NO
6	6	13C4-PFOS	1902194-16 DRUM-29 1.37	1.68e3	89.0	NO
7	7	13C6-PFDA	1902194-16 DRUM-29 1.37	1.24e4	129.8	NO
8	8	13C7-PFUdA	1902194-16 DRUM-29 1.37	1.24e4	101.4	NO

Name: 190807M4_39, Date: 08-Aug-2019, Time: 00:33:51, ID: 1902194-17 DRUM-30 1.22, Description: DRUM-30

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-17 DRUM-30 1.22	2.33e3	122.1	NO
2	2	13C5-PFHxA	1902194-17 DRUM-30 1.22	4.75e3	79.8	NO
3	3	18O2-PFHxS	1902194-17 DRUM-30 1.22	6.04e2	84.2	NO
4	4	13C8-PFOA	1902194-17 DRUM-30 1.22	7.16e3	74.8	NO
5	5	13C9-PFNA	1902194-17 DRUM-30 1.22	5.60e3	85.1	NO
6	6	13C4-PFOS	1902194-17 DRUM-30 1.22	1.50e3	79.5	NO
7	7	13C6-PFDA	1902194-17 DRUM-30 1.22	1.11e4	115.9	NO
8	8	13C7-PFUdA	1902194-17 DRUM-30 1.22	1.07e4	88.1	NO

Name: 190807M4_40, Date: 08-Aug-2019, Time: 00:44:30, ID: 1902194-18 DRUM-31 1.02, Description: DRUM-31

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-18 DRUM-31 1.02	2.70e3	141.2	NO
2	2	13C5-PFHxA	1902194-18 DRUM-31 1.02	5.56e3	93.4	NO
3	3	18O2-PFHxS	1902194-18 DRUM-31 1.02	6.92e2	96.6	NO
4	4	13C8-PFOA	1902194-18 DRUM-31 1.02	8.64e3	90.3	NO
5	5	13C9-PFNA	1902194-18 DRUM-31 1.02	7.22e3	109.7	NO
6	6	13C4-PFOS	1902194-18 DRUM-31 1.02	1.71e3	90.2	NO
7	7	13C6-PFDA	1902194-18 DRUM-31 1.02	1.19e4	125.1	NO
8	8	13C7-PFUdA	1902194-18 DRUM-31 1.02	1.19e4	97.3	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_41, Date: 08-Aug-2019, Time: 00:55:02, ID: 1902194-19 DRUM-32 1.07, Description: DRUM-32

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-19 DRUM-32 1.07	2.05e3	107.5	NO
2	2	13C5-PFHxA	1902194-19 DRUM-32 1.07	4.27e3	71.8	NO
3	3	18O2-PFHxS	1902194-19 DRUM-32 1.07	4.95e2	69.1	NO
4	4	13C8-PFOA	1902194-19 DRUM-32 1.07	7.55e3	78.9	NO
5	5	13C9-PFNA	1902194-19 DRUM-32 1.07	5.58e3	84.7	NO
6	6	13C4-PFOS	1902194-19 DRUM-32 1.07	1.38e3	73.0	NO
7	7	13C6-PFDA	1902194-19 DRUM-32 1.07	9.67e3	101.3	NO
8	8	13C7-PFUdA	1902194-19 DRUM-32 1.07	9.51e3	77.9	NO

Name: 190807M4_42, Date: 08-Aug-2019, Time: 01:05:41, ID: 1902194-20 DRUM-33 1.03, Description: DRUM-33

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902194-20 DRUM-33 1.03	2.82e3	147.6	NO
2	2	13C5-PFHxA	1902194-20 DRUM-33 1.03	5.72e3	96.1	NO
3	3	18O2-PFHxS	1902194-20 DRUM-33 1.03	7.29e2	101.7	NO
4	4	13C8-PFOA	1902194-20 DRUM-33 1.03	9.60e3	100.4	NO
5	5	13C9-PFNA	1902194-20 DRUM-33 1.03	7.63e3	116.0	NO
6	6	13C4-PFOS	1902194-20 DRUM-33 1.03	2.03e3	107.3	NO
7	7	13C6-PFDA	1902194-20 DRUM-33 1.03	1.32e4	137.8	NO
8	8	13C7-PFUdA	1902194-20 DRUM-33 1.03	1.28e4	104.6	NO

Name: 190807M4_43, Date: 08-Aug-2019, Time: 01:16:19, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-12 PFC CS3 19G2306	2.05e3	107.2	NO
2	2	13C5-PFHxA	ST190807M4-12 PFC CS3 19G2306	6.22e3	104.5	NO
3	3	18O2-PFHxS	ST190807M4-12 PFC CS3 19G2306	7.80e2	108.8	NO
4	4	13C8-PFOA	ST190807M4-12 PFC CS3 19G2306	9.55e3	99.8	NO
5	5	13C9-PFNA	ST190807M4-12 PFC CS3 19G2306	6.89e3	104.7	NO
6	6	13C4-PFOS	ST190807M4-12 PFC CS3 19G2306	1.96e3	103.6	NO
7	7	13C6-PFDA	ST190807M4-12 PFC CS3 19G2306	1.08e4	113.0	NO
8	8	13C7-PFUdA	ST190807M4-12 PFC CS3 19G2306	1.22e4	99.9	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_45, Date: 08-Aug-2019, Time: 01:37:30, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190807M4_46, Date: 08-Aug-2019, Time: 01:48:02, ID: B9G0264-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0264-BS1 OPR 1	2.36e3	123.2	NO
2	2	13C5-PFHxA	B9G0264-BS1 OPR 1	5.15e3	86.5	NO
3	3	18O2-PFHxS	B9G0264-BS1 OPR 1	6.87e2	95.8	NO
4	4	13C8-PFOA	B9G0264-BS1 OPR 1	8.25e3	86.2	NO
5	5	13C9-PFNA	B9G0264-BS1 OPR 1	6.44e3	97.9	NO
6	6	13C4-PFOS	B9G0264-BS1 OPR 1	1.67e3	88.4	NO
7	7	13C6-PFDA	B9G0264-BS1 OPR 1	1.27e4	132.6	NO
8	8	13C7-PFUdA	B9G0264-BS1 OPR 1	1.27e4	103.8	NO

Name: 190807M4_47, Date: 08-Aug-2019, Time: 01:58:40, ID: B9H0005-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0005-BS1 OPR 1	2.58e3	135.2	NO
2	2	13C5-PFHxA	B9H0005-BS1 OPR 1	5.09e3	85.5	NO
3	3	18O2-PFHxS	B9H0005-BS1 OPR 1	6.22e2	86.7	NO
4	4	13C8-PFOA	B9H0005-BS1 OPR 1	8.61e3	90.1	NO
5	5	13C9-PFNA	B9H0005-BS1 OPR 1	6.30e3	95.7	NO
6	6	13C4-PFOS	B9H0005-BS1 OPR 1	1.68e3	88.6	NO
7	7	13C6-PFDA	B9H0005-BS1 OPR 1	1.22e4	127.6	NO
8	8	13C7-PFUdA	B9H0005-BS1 OPR 1	1.12e4	91.5	NO

Name: 190807M4_48, Date: 08-Aug-2019, Time: 02:09:14, ID: B9H0005-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0005-BLK1 Method Blank 1	2.41e3	126.1	NO
2	2	13C5-PFHxA	B9H0005-BLK1 Method Blank 1	5.03e3	84.6	NO
3	3	18O2-PFHxS	B9H0005-BLK1 Method Blank 1	6.60e2	92.0	NO
4	4	13C8-PFOA	B9H0005-BLK1 Method Blank 1	8.25e3	86.3	NO
5	5	13C9-PFNA	B9H0005-BLK1 Method Blank 1	5.74e3	87.2	NO
6	6	13C4-PFOS	B9H0005-BLK1 Method Blank 1	1.51e3	80.0	NO
7	7	13C6-PFDA	B9H0005-BLK1 Method Blank 1	1.14e4	119.0	NO
8	8	13C7-PFUdA	B9H0005-BLK1 Method Blank 1	1.09e4	89.7	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_49, Date: 08-Aug-2019, Time: 02:19:52, ID: 1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01, Description: IA19-DU3-03042019-10-15-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-01RE1 IA19-DU3-03042019-1...	2.48e3	129.6	NO
2	2	13C5-PFHxA	1900655-01RE1 IA19-DU3-03042019-1...	5.13e3	86.2	NO
3	3	18O2-PFHxS	1900655-01RE1 IA19-DU3-03042019-1...	6.36e2	88.7	NO
4	4	13C8-PFOA	1900655-01RE1 IA19-DU3-03042019-1...	8.47e3	88.5	NO
5	5	13C9-PFNA	1900655-01RE1 IA19-DU3-03042019-1...	6.24e3	94.8	NO
6	6	13C4-PFOS	1900655-01RE1 IA19-DU3-03042019-1...	1.66e3	87.7	NO
7	7	13C6-PFDA	1900655-01RE1 IA19-DU3-03042019-1...	1.10e4	115.3	NO
8	8	13C7-PFUdA	1900655-01RE1 IA19-DU3-03042019-1...	1.19e4	97.4	NO

Name: 190807M4_50, Date: 08-Aug-2019, Time: 02:30:24, ID: 1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03, Description: IA19-DU2-03042019-10-25-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-02RE1 IA19-DU2-03042019-1...	2.55e3	133.3	NO
2	2	13C5-PFHxA	1900655-02RE1 IA19-DU2-03042019-1...	5.57e3	93.6	NO
3	3	18O2-PFHxS	1900655-02RE1 IA19-DU2-03042019-1...	6.86e2	95.7	NO
4	4	13C8-PFOA	1900655-02RE1 IA19-DU2-03042019-1...	9.19e3	96.0	NO
5	5	13C9-PFNA	1900655-02RE1 IA19-DU2-03042019-1...	7.11e3	108.0	NO
6	6	13C4-PFOS	1900655-02RE1 IA19-DU2-03042019-1...	1.77e3	93.5	NO
7	7	13C6-PFDA	1900655-02RE1 IA19-DU2-03042019-1...	1.18e4	123.4	NO
8	8	13C7-PFUdA	1900655-02RE1 IA19-DU2-03042019-1...	1.15e4	94.3	NO

Name: 190807M4_51, Date: 08-Aug-2019, Time: 02:41:03, ID: 1900655-03RE1 IA19-DU2-03042019-10-25-2 1, Description: IA19-DU2-03042019-10-25-2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-03RE1 IA19-DU2-03042019-1...	2.64e3	138.2	NO
2	2	13C5-PFHxA	1900655-03RE1 IA19-DU2-03042019-1...	5.38e3	90.3	NO
3	3	18O2-PFHxS	1900655-03RE1 IA19-DU2-03042019-1...	7.47e2	104.2	NO
4	4	13C8-PFOA	1900655-03RE1 IA19-DU2-03042019-1...	8.56e3	89.5	NO
5	5	13C9-PFNA	1900655-03RE1 IA19-DU2-03042019-1...	6.81e3	103.4	NO
6	6	13C4-PFOS	1900655-03RE1 IA19-DU2-03042019-1...	1.81e3	95.9	NO
7	7	13C6-PFDA	1900655-03RE1 IA19-DU2-03042019-1...	1.30e4	136.1	NO
8	8	13C7-PFUdA	1900655-03RE1 IA19-DU2-03042019-1...	1.28e4	105.1	NO

Name: 190807M4_52, Date: 08-Aug-2019, Time: 02:51:41, ID: 1900655-04RE1 IA19-DU2-03042019-10-25-3 1, Description: IA19-DU2-03042019-10-25-3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-04RE1 IA19-DU2-03042019-1...	2.59e3	135.7	NO
2	2	13C5-PFHxA	1900655-04RE1 IA19-DU2-03042019-1...	5.49e3	92.1	NO
3	3	18O2-PFHxS	1900655-04RE1 IA19-DU2-03042019-1...	6.81e2	95.0	NO
4	4	13C8-PFOA	1900655-04RE1 IA19-DU2-03042019-1...	8.77e3	91.7	NO
5	5	13C9-PFNA	1900655-04RE1 IA19-DU2-03042019-1...	6.72e3	102.1	NO
6	6	13C4-PFOS	1900655-04RE1 IA19-DU2-03042019-1...	1.78e3	94.1	NO
7	7	13C6-PFDA	1900655-04RE1 IA19-DU2-03042019-1...	1.26e4	131.9	NO
8	8	13C7-PFUdA	1900655-04RE1 IA19-DU2-03042019-1...	1.26e4	103.1	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_53, Date: 08-Aug-2019, Time: 03:02:13, ID: 1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01, Description: IA2-DU3-03042019-12-40-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-05RE1 IA2-DU3-03042019-12...	2.53e3	132.2	NO
2	2	13C5-PFHxA	1900655-05RE1 IA2-DU3-03042019-12...	5.35e3	89.8	NO
3	3	18O2-PFHxS	1900655-05RE1 IA2-DU3-03042019-12...	6.56e2	91.5	NO
4	4	13C8-PFOA	1900655-05RE1 IA2-DU3-03042019-12...	8.16e3	85.3	NO
5	5	13C9-PFNA	1900655-05RE1 IA2-DU3-03042019-12...	6.08e3	92.3	NO
6	6	13C4-PFOS	1900655-05RE1 IA2-DU3-03042019-12...	1.75e3	92.6	NO
7	7	13C6-PFDA	1900655-05RE1 IA2-DU3-03042019-12...	1.16e4	121.7	NO
8	8	13C7-PFUdA	1900655-05RE1 IA2-DU3-03042019-12...	1.17e4	95.8	NO

Name: 190807M4_54, Date: 08-Aug-2019, Time: 03:12:52, ID: 1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02, Description: IA19-DU1-03042019-11-05-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900655-06RE1 IA19-DU1-03042019-1...	2.47e3	129.4	NO
2	2	13C5-PFHxA	1900655-06RE1 IA19-DU1-03042019-1...	4.95e3	83.1	NO
3	3	18O2-PFHxS	1900655-06RE1 IA19-DU1-03042019-1...	6.48e2	90.4	NO
4	4	13C8-PFOA	1900655-06RE1 IA19-DU1-03042019-1...	8.34e3	87.2	NO
5	5	13C9-PFNA	1900655-06RE1 IA19-DU1-03042019-1...	6.69e3	101.6	NO
6	6	13C4-PFOS	1900655-06RE1 IA19-DU1-03042019-1...	1.69e3	89.3	NO
7	7	13C6-PFDA	1900655-06RE1 IA19-DU1-03042019-1...	1.17e4	122.7	NO
8	8	13C7-PFUdA	1900655-06RE1 IA19-DU1-03042019-1...	1.17e4	95.8	NO

Name: 190807M4_55, Date: 08-Aug-2019, Time: 03:23:24, ID: 1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02, Description: IA22-DU1-10042019-12-40-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900716-03RE1 IA22-DU1-10042019-1...	2.36e3	123.6	NO
2	2	13C5-PFHxA	1900716-03RE1 IA22-DU1-10042019-1...	4.71e3	79.1	NO
3	3	18O2-PFHxS	1900716-03RE1 IA22-DU1-10042019-1...	6.62e2	92.3	NO
4	4	13C8-PFOA	1900716-03RE1 IA22-DU1-10042019-1...	7.66e3	80.1	NO
5	5	13C9-PFNA	1900716-03RE1 IA22-DU1-10042019-1...	5.97e3	90.8	NO
6	6	13C4-PFOS	1900716-03RE1 IA22-DU1-10042019-1...	1.64e3	86.9	NO
7	7	13C6-PFDA	1900716-03RE1 IA22-DU1-10042019-1...	1.14e4	119.9	NO
8	8	13C7-PFUdA	1900716-03RE1 IA22-DU1-10042019-1...	1.12e4	91.9	NO

Name: 190807M4_56, Date: 08-Aug-2019, Time: 03:34:02, ID: 1900716-04RE1 IA22-DU2-10042019-13-30-1 1, Description: IA22-DU2-10042019-13-30-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1900716-04RE1 IA22-DU2-10042019-1...	2.54e3	132.9	NO
2	2	13C5-PFHxA	1900716-04RE1 IA22-DU2-10042019-1...	5.10e3	85.6	NO
3	3	18O2-PFHxS	1900716-04RE1 IA22-DU2-10042019-1...	6.78e2	94.5	NO
4	4	13C8-PFOA	1900716-04RE1 IA22-DU2-10042019-1...	8.77e3	91.6	NO
5	5	13C9-PFNA	1900716-04RE1 IA22-DU2-10042019-1...	6.83e3	103.7	NO
6	6	13C4-PFOS	1900716-04RE1 IA22-DU2-10042019-1...	1.69e3	89.5	NO
7	7	13C6-PFDA	1900716-04RE1 IA22-DU2-10042019-1...	1.25e4	130.7	NO
8	8	13C7-PFUdA	1900716-04RE1 IA22-DU2-10042019-1...	1.21e4	99.2	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_57, Date: 08-Aug-2019, Time: 03:44:34, ID: 1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02, Description: IA-1-DU7R-14062019-09-35-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-01RE1 IA-1-DU7R-14062019-...	2.51e3	131.5	NO
2	2	13C5-PFHxA	1901614-01RE1 IA-1-DU7R-14062019-...	4.97e3	83.5	NO
3	3	18O2-PFHxS	1901614-01RE1 IA-1-DU7R-14062019-...	6.87e2	95.8	NO
4	4	13C8-PFOA	1901614-01RE1 IA-1-DU7R-14062019-...	8.25e3	86.3	NO
5	5	13C9-PFNA	1901614-01RE1 IA-1-DU7R-14062019-...	6.56e3	99.7	NO
6	6	13C4-PFOS	1901614-01RE1 IA-1-DU7R-14062019-...	1.49e3	78.8	NO
7	7	13C6-PFDA	1901614-01RE1 IA-1-DU7R-14062019-...	1.15e4	120.3	NO
8	8	13C7-PFUdA	1901614-01RE1 IA-1-DU7R-14062019-...	1.12e4	91.9	NO

Name: 190807M4_58, Date: 08-Aug-2019, Time: 03:55:13, ID: 1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02, Description: IA-1-DU1R-14062019-10-50-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-02RE1 IA-1-DU1R-14062019-...	2.43e3	127.2	NO
2	2	13C5-PFHxA	1901614-02RE1 IA-1-DU1R-14062019-...	5.05e3	84.8	NO
3	3	18O2-PFHxS	1901614-02RE1 IA-1-DU1R-14062019-...	6.84e2	95.5	NO
4	4	13C8-PFOA	1901614-02RE1 IA-1-DU1R-14062019-...	8.75e3	91.5	NO
5	5	13C9-PFNA	1901614-02RE1 IA-1-DU1R-14062019-...	6.49e3	98.6	NO
6	6	13C4-PFOS	1901614-02RE1 IA-1-DU1R-14062019-...	1.64e3	86.8	NO
7	7	13C6-PFDA	1901614-02RE1 IA-1-DU1R-14062019-...	1.15e4	120.6	NO
8	8	13C7-PFUdA	1901614-02RE1 IA-1-DU1R-14062019-...	1.16e4	94.8	NO

Name: 190807M4_59, Date: 08-Aug-2019, Time: 04:05:51, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-13 PFC CS3 19G2306	1.93e3	100.9	NO
2	2	13C5-PFHxA	ST190807M4-13 PFC CS3 19G2306	5.95e3	99.9	NO
3	3	18O2-PFHxS	ST190807M4-13 PFC CS3 19G2306	6.85e2	95.5	NO
4	4	13C8-PFOA	ST190807M4-13 PFC CS3 19G2306	9.59e3	100.3	NO
5	5	13C9-PFNA	ST190807M4-13 PFC CS3 19G2306	6.94e3	105.5	NO
6	6	13C4-PFOS	ST190807M4-13 PFC CS3 19G2306	1.93e3	101.8	NO
7	7	13C6-PFDA	ST190807M4-13 PFC CS3 19G2306	1.06e4	111.5	NO
8	8	13C7-PFUdA	ST190807M4-13 PFC CS3 19G2306	1.25e4	102.6	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_61, Date: 08-Aug-2019, Time: 04:27:04, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190807M4_62, Date: 08-Aug-2019, Time: 04:37:42, ID: 1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01, Description: IA-1-DU3R-14062019-12-15-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-03RE1 IA-1-DU3R-14062019-...	2.38e3	124.4	NO
2	2	13C5-PFHxA	1901614-03RE1 IA-1-DU3R-14062019-...	4.55e3	76.5	NO
3	3	18O2-PFHxS	1901614-03RE1 IA-1-DU3R-14062019-...	6.82e2	95.1	NO
4	4	13C8-PFOA	1901614-03RE1 IA-1-DU3R-14062019-...	8.61e3	90.1	NO
5	5	13C9-PFNA	1901614-03RE1 IA-1-DU3R-14062019-...	5.60e3	85.0	NO
6	6	13C4-PFOS	1901614-03RE1 IA-1-DU3R-14062019-...	1.62e3	85.8	NO
7	7	13C6-PFDA	1901614-03RE1 IA-1-DU3R-14062019-...	1.10e4	115.1	NO
8	8	13C7-PFUdA	1901614-03RE1 IA-1-DU3R-14062019-...	1.13e4	92.9	NO

Name: 190807M4_63, Date: 08-Aug-2019, Time: 04:48:14, ID: 1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01, Description: IA-1-DU3R-14062019-12-15-2

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-04RE1 IA-1-DU3R-14062019-...	2.46e3	128.7	NO
2	2	13C5-PFHxA	1901614-04RE1 IA-1-DU3R-14062019-...	5.03e3	84.4	NO
3	3	18O2-PFHxS	1901614-04RE1 IA-1-DU3R-14062019-...	6.50e2	90.7	NO
4	4	13C8-PFOA	1901614-04RE1 IA-1-DU3R-14062019-...	8.66e3	90.5	NO
5	5	13C9-PFNA	1901614-04RE1 IA-1-DU3R-14062019-...	6.28e3	95.5	NO
6	6	13C4-PFOS	1901614-04RE1 IA-1-DU3R-14062019-...	1.71e3	90.2	NO
7	7	13C6-PFDA	1901614-04RE1 IA-1-DU3R-14062019-...	1.16e4	121.7	NO
8	8	13C7-PFUdA	1901614-04RE1 IA-1-DU3R-14062019-...	1.17e4	96.1	NO

Name: 190807M4_64, Date: 08-Aug-2019, Time: 04:58:53, ID: 1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02, Description: IA-1-DU3R-14062019-12-15-3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-05RE1 IA-1-DU3R-14062019-...	2.18e3	114.2	NO
2	2	13C5-PFHxA	1901614-05RE1 IA-1-DU3R-14062019-...	4.73e3	79.4	NO
3	3	18O2-PFHxS	1901614-05RE1 IA-1-DU3R-14062019-...	5.74e2	80.0	NO
4	4	13C8-PFOA	1901614-05RE1 IA-1-DU3R-14062019-...	8.26e3	86.4	NO
5	5	13C9-PFNA	1901614-05RE1 IA-1-DU3R-14062019-...	5.70e3	86.5	NO
6	6	13C4-PFOS	1901614-05RE1 IA-1-DU3R-14062019-...	1.54e3	81.3	NO
7	7	13C6-PFDA	1901614-05RE1 IA-1-DU3R-14062019-...	1.05e4	110.4	NO
8	8	13C7-PFUdA	1901614-05RE1 IA-1-DU3R-14062019-...	1.10e4	90.4	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_65, Date: 08-Aug-2019, Time: 05:09:31, ID: 1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02, Description: IA-1-DU4R-14062019-13-35-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-06RE1 IA-1-DU4R-14062019-...	2.24e3	117.4	NO
2	2	13C5-PFHxA	1901614-06RE1 IA-1-DU4R-14062019-...	4.42e3	74.2	NO
3	3	18O2-PFHxS	1901614-06RE1 IA-1-DU4R-14062019-...	6.18e2	86.2	NO
4	4	13C8-PFOA	1901614-06RE1 IA-1-DU4R-14062019-...	7.25e3	75.8	NO
5	5	13C9-PFNA	1901614-06RE1 IA-1-DU4R-14062019-...	5.41e3	82.2	NO
6	6	13C4-PFOS	1901614-06RE1 IA-1-DU4R-14062019-...	1.44e3	76.0	NO
7	7	13C6-PFDA	1901614-06RE1 IA-1-DU4R-14062019-...	1.09e4	113.7	NO
8	8	13C7-PFUdA	1901614-06RE1 IA-1-DU4R-14062019-...	1.01e4	82.7	NO

Name: 190807M4_66, Date: 08-Aug-2019, Time: 05:20:04, ID: 1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1, Description: IA-1-DU5R-14062019-15-10-1

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1901614-09RE1 IA-1-DU5R-14062019-...	2.39e3	125.1	NO
2	2	13C5-PFHxA	1901614-09RE1 IA-1-DU5R-14062019-...	4.85e3	81.5	NO
3	3	18O2-PFHxS	1901614-09RE1 IA-1-DU5R-14062019-...	5.82e2	81.2	NO
4	4	13C8-PFOA	1901614-09RE1 IA-1-DU5R-14062019-...	8.41e3	87.9	NO
5	5	13C9-PFNA	1901614-09RE1 IA-1-DU5R-14062019-...	5.94e3	90.2	NO
6	6	13C4-PFOS	1901614-09RE1 IA-1-DU5R-14062019-...	1.47e3	77.8	NO
7	7	13C6-PFDA	1901614-09RE1 IA-1-DU5R-14062019-...	1.11e4	115.9	NO
8	8	13C7-PFUdA	1901614-09RE1 IA-1-DU5R-14062019-...	1.13e4	92.2	NO

Name: 190807M4_67, Date: 08-Aug-2019, Time: 05:30:43, ID: B9H0013-BS1 OPR 0.125, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0013-BS1 OPR 0.125	2.46e3	128.8	NO
2	2	13C5-PFHxA	B9H0013-BS1 OPR 0.125	4.75e3	79.7	NO
3	3	18O2-PFHxS	B9H0013-BS1 OPR 0.125	6.72e2	93.7	NO
4	4	13C8-PFOA	B9H0013-BS1 OPR 0.125	8.54e3	89.3	NO
5	5	13C9-PFNA	B9H0013-BS1 OPR 0.125	6.11e3	92.8	NO
6	6	13C4-PFOS	B9H0013-BS1 OPR 0.125	1.68e3	88.7	NO
7	7	13C6-PFDA	B9H0013-BS1 OPR 0.125	1.15e4	120.4	NO
8	8	13C7-PFUdA	B9H0013-BS1 OPR 0.125	1.15e4	94.5	NO

Name: 190807M4_68, Date: 08-Aug-2019, Time: 05:41:16, ID: B9H0013-BLK1 Method Blank 0.125, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9H0013-BLK1 Method Blank 0.125	2.55e3	133.5	NO
2	2	13C5-PFHxA	B9H0013-BLK1 Method Blank 0.125	5.01e3	84.1	NO
3	3	18O2-PFHxS	B9H0013-BLK1 Method Blank 0.125	6.64e2	92.6	NO
4	4	13C8-PFOA	B9H0013-BLK1 Method Blank 0.125	8.60e3	89.9	NO
5	5	13C9-PFNA	B9H0013-BLK1 Method Blank 0.125	6.65e3	101.0	NO
6	6	13C4-PFOS	B9H0013-BLK1 Method Blank 0.125	1.67e3	88.1	NO
7	7	13C6-PFDA	B9H0013-BLK1 Method Blank 0.125	1.11e4	116.0	NO
8	8	13C7-PFUdA	B9H0013-BLK1 Method Blank 0.125	1.14e4	93.1	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_69, Date: 08-Aug-2019, Time: 05:51:54, ID: 1902387-03 AQA 19-11 S3 0.125, Description: AQA 19-11 S3

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902387-03 AQA 19-11 S3 0.125	2.63e3	137.4	NO
2	2	13C5-PFHxA	1902387-03 AQA 19-11 S3 0.125	5.05e3	84.9	NO
3	3	18O2-PFHxS	1902387-03 AQA 19-11 S3 0.125	5.88e2	82.1	NO
4	4	13C8-PFOA	1902387-03 AQA 19-11 S3 0.125	8.68e3	90.7	NO
5	5	13C9-PFNA	1902387-03 AQA 19-11 S3 0.125	6.61e3	100.4	NO
6	6	13C4-PFOS	1902387-03 AQA 19-11 S3 0.125	1.61e3	84.9	NO
7	7	13C6-PFDA	1902387-03 AQA 19-11 S3 0.125	1.28e4	134.6	NO
8	8	13C7-PFUdA	1902387-03 AQA 19-11 S3 0.125	1.25e4	102.3	NO

Name: 190807M4_70, Date: 08-Aug-2019, Time: 06:02:27, ID: 1902387-04 AQA 19-11 S4 0.125, Description: AQA 19-11 S4

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902387-04 AQA 19-11 S4 0.125	2.24e3	117.3	NO
2	2	13C5-PFHxA	1902387-04 AQA 19-11 S4 0.125	4.61e3	77.4	NO
3	3	18O2-PFHxS	1902387-04 AQA 19-11 S4 0.125	5.90e2	82.2	NO
4	4	13C8-PFOA	1902387-04 AQA 19-11 S4 0.125	7.83e3	81.9	NO
5	5	13C9-PFNA	1902387-04 AQA 19-11 S4 0.125	5.96e3	90.6	NO
6	6	13C4-PFOS	1902387-04 AQA 19-11 S4 0.125	1.55e3	82.1	NO
7	7	13C6-PFDA	1902387-04 AQA 19-11 S4 0.125	1.04e4	108.8	NO
8	8	13C7-PFUdA	1902387-04 AQA 19-11 S4 0.125	1.14e4	93.2	NO

Name: 190807M4_71, Date: 08-Aug-2019, Time: 06:13:06, ID: B9G0234-BS1 OPR 1, Description: OPR

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0234-BS1 OPR 1	2.01e3	105.4	NO
2	2	13C5-PFHxA	B9G0234-BS1 OPR 1	3.94e3	66.3	NO
3	3	18O2-PFHxS	B9G0234-BS1 OPR 1	5.09e2	70.9	NO
4	4	13C8-PFOA	B9G0234-BS1 OPR 1	6.52e3	68.1	NO
5	5	13C9-PFNA	B9G0234-BS1 OPR 1	5.15e3	78.2	NO
6	6	13C4-PFOS	B9G0234-BS1 OPR 1	1.41e3	74.7	NO
7	7	13C6-PFDA	B9G0234-BS1 OPR 1	9.54e3	99.9	NO
8	8	13C7-PFUdA	B9G0234-BS1 OPR 1	8.99e3	73.7	NO

Name: 190807M4_72, Date: 08-Aug-2019, Time: 06:23:39, ID: B9G0234-BLK1 Method Blank 1, Description: Method Blank

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	B9G0234-BLK1 Method Blank 1	2.30e3	120.1	NO
2	2	13C5-PFHxA	B9G0234-BLK1 Method Blank 1	4.84e3	81.2	NO
3	3	18O2-PFHxS	B9G0234-BLK1 Method Blank 1	6.62e2	92.3	NO
4	4	13C8-PFOA	B9G0234-BLK1 Method Blank 1	7.92e3	82.8	NO
5	5	13C9-PFNA	B9G0234-BLK1 Method Blank 1	6.04e3	91.8	NO
6	6	13C4-PFOS	B9G0234-BLK1 Method Blank 1	1.44e3	76.1	NO
7	7	13C6-PFDA	B9G0234-BLK1 Method Blank 1	1.08e4	112.8	NO
8	8	13C7-PFUdA	B9G0234-BLK1 Method Blank 1	1.10e4	90.5	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_73, Date: 08-Aug-2019, Time: 06:34:18, ID: 1902196-01 SB00021907151455KE 1.11, Description: SB00021907151455KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-01 SB00021907151455KE 1.11	2.51e3	131.3	NO
2	2	13C5-PFHxA	1902196-01 SB00021907151455KE 1.11	5.10e3	85.6	NO
3	3	18O2-PFHxS	1902196-01 SB00021907151455KE 1.11	6.42e2	89.5	NO
4	4	13C8-PFOA	1902196-01 SB00021907151455KE 1.11	8.88e3	92.9	NO
5	5	13C9-PFNA	1902196-01 SB00021907151455KE 1.11	6.37e3	96.8	NO
6	6	13C4-PFOS	1902196-01 SB00021907151455KE 1.11	1.63e3	86.4	NO
7	7	13C6-PFDA	1902196-01 SB00021907151455KE 1.11	1.17e4	123.0	NO
8	8	13C7-PFUdA	1902196-01 SB00021907151455KE 1.11	1.07e4	87.6	NO

Name: 190807M4_74, Date: 08-Aug-2019, Time: 06:44:50, ID: 1902196-02 SB02041907151500KE 1.02, Description: SB02041907151500KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-02 SB02041907151500KE 1.02	2.74e3	143.3	NO
2	2	13C5-PFHxA	1902196-02 SB02041907151500KE 1.02	5.49e3	92.2	NO
3	3	18O2-PFHxS	1902196-02 SB02041907151500KE 1.02	7.42e2	103.5	NO
4	4	13C8-PFOA	1902196-02 SB02041907151500KE 1.02	9.20e3	96.2	NO
5	5	13C9-PFNA	1902196-02 SB02041907151500KE 1.02	6.98e3	106.1	NO
6	6	13C4-PFOS	1902196-02 SB02041907151500KE 1.02	1.49e3	78.7	NO
7	7	13C6-PFDA	1902196-02 SB02041907151500KE 1.02	1.21e4	126.8	NO
8	8	13C7-PFUdA	1902196-02 SB02041907151500KE 1.02	1.26e4	103.6	NO

Name: 190807M4_75, Date: 08-Aug-2019, Time: 06:55:29, ID: 1902196-03 SB04061907151550JB 1.05, Description: SB04061907151550JB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-03 SB04061907151550JB 1.05	2.38e3	124.5	NO
2	2	13C5-PFHxA	1902196-03 SB04061907151550JB 1.05	5.15e3	86.6	NO
3	3	18O2-PFHxS	1902196-03 SB04061907151550JB 1.05	6.39e2	89.2	NO
4	4	13C8-PFOA	1902196-03 SB04061907151550JB 1.05	7.67e3	80.2	NO
5	5	13C9-PFNA	1902196-03 SB04061907151550JB 1.05	5.87e3	89.2	NO
6	6	13C4-PFOS	1902196-03 SB04061907151550JB 1.05	1.43e3	75.6	NO
7	7	13C6-PFDA	1902196-03 SB04061907151550JB 1.05	1.14e4	119.2	NO
8	8	13C7-PFUdA	1902196-03 SB04061907151550JB 1.05	1.10e4	90.1	NO

Name: 190807M4_76, Date: 08-Aug-2019, Time: 07:06:07, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_77, Date: 08-Aug-2019, Time: 07:16:40, ID: ST190807M4-14 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-14 PFC CS3 19G2306	2.04e3	106.7	NO
2	2	13C5-PFHxA	ST190807M4-14 PFC CS3 19G2306	6.28e3	105.4	NO
3	3	18O2-PFHxS	ST190807M4-14 PFC CS3 19G2306	6.96e2	97.1	NO
4	4	13C8-PFOA	ST190807M4-14 PFC CS3 19G2306	9.72e3	101.6	NO
5	5	13C9-PFNA	ST190807M4-14 PFC CS3 19G2306	7.30e3	110.9	NO
6	6	13C4-PFOS	ST190807M4-14 PFC CS3 19G2306	1.83e3	96.6	NO
7	7	13C6-PFDA	ST190807M4-14 PFC CS3 19G2306	1.11e4	116.2	NO
8	8	13C7-PFUdA	ST190807M4-14 PFC CS3 19G2306	1.27e4	104.1	NO

Name: 190807M4_78, Date: 08-Aug-2019, Time: 07:27:18, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190807M4_79, Date: 08-Aug-2019, Time: 07:37:52, ID: 1902196-04 SB060819071515555KE 1.27, Description: SB060819071515555KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-04 SB060819071515555KE 1.27	2.42e3	126.7	NO
2	2	13C5-PFHxA	1902196-04 SB060819071515555KE 1.27	5.00e3	84.0	NO
3	3	18O2-PFHxS	1902196-04 SB060819071515555KE 1.27	6.61e2	92.2	NO
4	4	13C8-PFOA	1902196-04 SB060819071515555KE 1.27	7.70e3	80.5	NO
5	5	13C9-PFNA	1902196-04 SB060819071515555KE 1.27	6.24e3	94.8	NO
6	6	13C4-PFOS	1902196-04 SB060819071515555KE 1.27	1.45e3	76.6	NO
7	7	13C6-PFDA	1902196-04 SB060819071515555KE 1.27	1.12e4	117.0	NO
8	8	13C7-PFUdA	1902196-04 SB060819071515555KE 1.27	1.09e4	89.0	NO

Name: 190807M4_80, Date: 08-Aug-2019, Time: 07:48:31, ID: 1902196-05 SB081019071516005KE 1.05, Description: SB081019071516005KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-05 SB081019071516005KE 1.05	2.60e3	135.9	NO
2	2	13C5-PFHxA	1902196-05 SB081019071516005KE 1.05	4.99e3	83.8	NO
3	3	18O2-PFHxS	1902196-05 SB081019071516005KE 1.05	5.99e2	83.6	NO
4	4	13C8-PFOA	1902196-05 SB081019071516005KE 1.05	7.60e3	79.4	NO
5	5	13C9-PFNA	1902196-05 SB081019071516005KE 1.05	6.73e3	102.3	NO
6	6	13C4-PFOS	1902196-05 SB081019071516005KE 1.05	1.59e3	84.1	NO
7	7	13C6-PFDA	1902196-05 SB081019071516005KE 1.05	1.20e4	126.2	NO
8	8	13C7-PFUdA	1902196-05 SB081019071516005KE 1.05	1.21e4	99.4	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_81, Date: 08-Aug-2019, Time: 07:59:09, ID: 1902196-06 SB10121907151605KE 1.06, Description: SB10121907151605KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-06 SB10121907151605KE 1.06	2.34e3	122.5	NO
2	2	13C5-PFHxA	1902196-06 SB10121907151605KE 1.06	4.73e3	79.5	NO
3	3	18O2-PFHxS	1902196-06 SB10121907151605KE 1.06	5.93e2	82.7	NO
4	4	13C8-PFOA	1902196-06 SB10121907151605KE 1.06	7.66e3	80.1	NO
5	5	13C9-PFNA	1902196-06 SB10121907151605KE 1.06	6.19e3	94.1	NO
6	6	13C4-PFOS	1902196-06 SB10121907151605KE 1.06	1.54e3	81.6	NO
7	7	13C6-PFDA	1902196-06 SB10121907151605KE 1.06	1.09e4	114.7	NO
8	8	13C7-PFUdA	1902196-06 SB10121907151605KE 1.06	1.06e4	87.1	NO

Name: 190807M4_82, Date: 08-Aug-2019, Time: 08:09:41, ID: 1902196-07 SB12141907151610KE 1.03, Description: SB12141907151610KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-07 SB12141907151610KE 1.03	2.48e3	129.9	NO
2	2	13C5-PFHxA	1902196-07 SB12141907151610KE 1.03	5.35e3	89.8	NO
3	3	18O2-PFHxS	1902196-07 SB12141907151610KE 1.03	7.05e2	98.3	NO
4	4	13C8-PFOA	1902196-07 SB12141907151610KE 1.03	8.98e3	93.8	NO
5	5	13C9-PFNA	1902196-07 SB12141907151610KE 1.03	6.57e3	99.8	NO
6	6	13C4-PFOS	1902196-07 SB12141907151610KE 1.03	1.62e3	85.6	NO
7	7	13C6-PFDA	1902196-07 SB12141907151610KE 1.03	1.15e4	120.0	NO
8	8	13C7-PFUdA	1902196-07 SB12141907151610KE 1.03	1.14e4	93.6	NO

Name: 190807M4_83, Date: 08-Aug-2019, Time: 08:21:08, ID: 1902196-08 SB14161907151650KE 1.18, Description: SB14161907151650KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-08 SB14161907151650KE 1.18	2.30e3	120.6	NO
2	2	13C5-PFHxA	1902196-08 SB14161907151650KE 1.18	4.89e3	82.1	NO
3	3	18O2-PFHxS	1902196-08 SB14161907151650KE 1.18	6.66e2	92.9	NO
4	4	13C8-PFOA	1902196-08 SB14161907151650KE 1.18	8.26e3	86.4	NO
5	5	13C9-PFNA	1902196-08 SB14161907151650KE 1.18	6.32e3	96.0	NO
6	6	13C4-PFOS	1902196-08 SB14161907151650KE 1.18	1.66e3	87.7	NO
7	7	13C6-PFDA	1902196-08 SB14161907151650KE 1.18	1.17e4	123.0	NO
8	8	13C7-PFUdA	1902196-08 SB14161907151650KE 1.18	1.12e4	91.6	NO

Name: 190807M4_84, Date: 08-Aug-2019, Time: 08:31:41, ID: 1902196-09 SB16181907151652KE 1.19, Description: SB16181907151652KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-09 SB16181907151652KE 1.19	2.42e3	126.6	NO
2	2	13C5-PFHxA	1902196-09 SB16181907151652KE 1.19	4.46e3	74.8	NO
3	3	18O2-PFHxS	1902196-09 SB16181907151652KE 1.19	6.44e2	89.8	NO
4	4	13C8-PFOA	1902196-09 SB16181907151652KE 1.19	7.91e3	82.7	NO
5	5	13C9-PFNA	1902196-09 SB16181907151652KE 1.19	5.88e3	89.4	NO
6	6	13C4-PFOS	1902196-09 SB16181907151652KE 1.19	1.46e3	76.9	NO
7	7	13C6-PFDA	1902196-09 SB16181907151652KE 1.19	1.13e4	118.6	NO
8	8	13C7-PFUdA	1902196-09 SB16181907151652KE 1.19	1.08e4	88.4	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_85, Date: 08-Aug-2019, Time: 08:42:19, ID: 1902196-10 SB18201907151654KE 1.14, Description: SB18201907151654KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-10 SB18201907151654KE 1.14	2.32e3	121.6	NO
2	2	13C5-PFHxA	1902196-10 SB18201907151654KE 1.14	4.93e3	82.7	NO
3	3	18O2-PFHxS	1902196-10 SB18201907151654KE 1.14	6.43e2	89.7	NO
4	4	13C8-PFOA	1902196-10 SB18201907151654KE 1.14	7.84e3	82.0	NO
5	5	13C9-PFNA	1902196-10 SB18201907151654KE 1.14	6.17e3	93.8	NO
6	6	13C4-PFOS	1902196-10 SB18201907151654KE 1.14	1.60e3	84.4	NO
7	7	13C6-PFDA	1902196-10 SB18201907151654KE 1.14	1.10e4	114.8	NO
8	8	13C7-PFUdA	1902196-10 SB18201907151654KE 1.14	1.11e4	90.7	NO

Name: 190807M4_86, Date: 08-Aug-2019, Time: 08:52:53, ID: 1902196-11 SB20221907151725KE 1.15, Description: SB20221907151725KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-11 SB20221907151725KE 1.15	2.65e3	138.4	NO
2	2	13C5-PFHxA	1902196-11 SB20221907151725KE 1.15	5.42e3	91.0	NO
3	3	18O2-PFHxS	1902196-11 SB20221907151725KE 1.15	7.22e2	100.7	NO
4	4	13C8-PFOA	1902196-11 SB20221907151725KE 1.15	8.87e3	92.7	NO
5	5	13C9-PFNA	1902196-11 SB20221907151725KE 1.15	7.30e3	110.9	NO
6	6	13C4-PFOS	1902196-11 SB20221907151725KE 1.15	1.68e3	89.0	NO
7	7	13C6-PFDA	1902196-11 SB20221907151725KE 1.15	1.32e4	138.7	NO
8	8	13C7-PFUdA	1902196-11 SB20221907151725KE 1.15	1.28e4	104.8	NO

Name: 190807M4_87, Date: 08-Aug-2019, Time: 09:03:49, ID: 1902196-12 SB22241907151730KE 1.17, Description: SB22241907151730KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-12 SB22241907151730KE 1.17	2.34e3	122.4	NO
2	2	13C5-PFHxA	1902196-12 SB22241907151730KE 1.17	4.95e3	83.1	NO
3	3	18O2-PFHxS	1902196-12 SB22241907151730KE 1.17	5.97e2	83.2	NO
4	4	13C8-PFOA	1902196-12 SB22241907151730KE 1.17	7.93e3	82.9	NO
5	5	13C9-PFNA	1902196-12 SB22241907151730KE 1.17	5.75e3	87.3	NO
6	6	13C4-PFOS	1902196-12 SB22241907151730KE 1.17	1.37e3	72.3	NO
7	7	13C6-PFDA	1902196-12 SB22241907151730KE 1.17	1.06e4	110.9	NO
8	8	13C7-PFUdA	1902196-12 SB22241907151730KE 1.17	1.10e4	90.0	NO

Name: 190807M4_88, Date: 08-Aug-2019, Time: 09:14:26, ID: 1902196-13 SB24261907151735KE 1.16, Description: SB24261907151735KE

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-13 SB24261907151735KE 1.16	2.36e3	123.4	NO
2	2	13C5-PFHxA	1902196-13 SB24261907151735KE 1.16	4.73e3	79.5	NO
3	3	18O2-PFHxS	1902196-13 SB24261907151735KE 1.16	5.65e2	78.9	NO
4	4	13C8-PFOA	1902196-13 SB24261907151735KE 1.16	7.94e3	83.0	NO
5	5	13C9-PFNA	1902196-13 SB24261907151735KE 1.16	6.04e3	91.8	NO
6	6	13C4-PFOS	1902196-13 SB24261907151735KE 1.16	1.63e3	86.0	NO
7	7	13C6-PFDA	1902196-13 SB24261907151735KE 1.16	1.13e4	118.0	NO
8	8	13C7-PFUdA	1902196-13 SB24261907151735KE 1.16	1.10e4	90.0	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_89, Date: 08-Aug-2019, Time: 09:25:04, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190807M4_90, Date: 08-Aug-2019, Time: 09:35:37, ID: ST190807M4-15 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-15 PFC CS3 19G2306	2.04e3	106.6	NO
2	2	13C5-PFHxA	ST190807M4-15 PFC CS3 19G2306	5.74e3	96.5	NO
3	3	18O2-PFHxS	ST190807M4-15 PFC CS3 19G2306	6.59e2	92.0	NO
4	4	13C8-PFOA	ST190807M4-15 PFC CS3 19G2306	9.74e3	101.8	NO
5	5	13C9-PFNA	ST190807M4-15 PFC CS3 19G2306	7.00e3	106.3	NO
6	6	13C4-PFOS	ST190807M4-15 PFC CS3 19G2306	1.95e3	102.9	NO
7	7	13C6-PFDA	ST190807M4-15 PFC CS3 19G2306	9.96e3	104.3	NO
8	8	13C7-PFUdA	ST190807M4-15 PFC CS3 19G2306	1.28e4	104.5	NO

Name: 190807M4_91, Date: 08-Aug-2019, Time: 09:48:12, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Name: 190807M4_92, Date: 08-Aug-2019, Time: 09:58:47, ID: 1902196-14 SB253019071609 25JB 1.17, Description: SB253019071609 25JB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-14 SB253019071609 25JB 1.17	2.50e3	131.0	NO
2	2	13C5-PFHxA	1902196-14 SB253019071609 25JB 1.17	5.14e3	86.3	NO
3	3	18O2-PFHxS	1902196-14 SB253019071609 25JB 1.17	7.18e2	100.1	NO
4	4	13C8-PFOA	1902196-14 SB253019071609 25JB 1.17	8.36e3	87.4	NO
5	5	13C9-PFNA	1902196-14 SB253019071609 25JB 1.17	6.08e3	92.4	NO
6	6	13C4-PFOS	1902196-14 SB253019071609 25JB 1.17	1.58e3	83.3	NO
7	7	13C6-PFDA	1902196-14 SB253019071609 25JB 1.17	1.16e4	121.0	NO
8	8	13C7-PFUdA	1902196-14 SB253019071609 25JB 1.17	1.18e4	97.1	NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_93, Date: 08-Aug-2019, Time: 10:09:26, ID: 1902196-15 SB30351907160915JB 1.06, Description: SB30351907160915JB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-15 SB30351907160915JB 1.06	2.67e3	139.7	NO
2	2	13C5-PFHxA	1902196-15 SB30351907160915JB 1.06	5.52e3	92.8	NO
3	3	18O2-PFHxS	1902196-15 SB30351907160915JB 1.06	6.41e2	89.5	NO
4	4	13C8-PFOA	1902196-15 SB30351907160915JB 1.06	9.10e3	95.2	NO
5	5	13C9-PFNA	1902196-15 SB30351907160915JB 1.06	7.12e3	108.2	NO
6	6	13C4-PFOS	1902196-15 SB30351907160915JB 1.06	1.67e3	88.3	NO
7	7	13C6-PFDA	1902196-15 SB30351907160915JB 1.06	1.29e4	135.3	NO
8	8	13C7-PFUdA	1902196-15 SB30351907160915JB 1.06	1.25e4	102.2	NO

Name: 190807M4_94, Date: 08-Aug-2019, Time: 10:19:59, ID: 1902196-16 SB38401907161025JB 1.23, Description: SB38401907161025JB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-16 SB38401907161025JB 1.23	2.51e3	131.4	NO
2	2	13C5-PFHxA	1902196-16 SB38401907161025JB 1.23	5.31e3	89.2	NO
3	3	18O2-PFHxS	1902196-16 SB38401907161025JB 1.23	6.33e2	88.3	NO
4	4	13C8-PFOA	1902196-16 SB38401907161025JB 1.23	8.56e3	89.5	NO
5	5	13C9-PFNA	1902196-16 SB38401907161025JB 1.23	6.60e3	100.3	NO
6	6	13C4-PFOS	1902196-16 SB38401907161025JB 1.23	1.53e3	80.8	NO
7	7	13C6-PFDA	1902196-16 SB38401907161025JB 1.23	1.14e4	119.5	NO
8	8	13C7-PFUdA	1902196-16 SB38401907161025JB 1.23	1.18e4	96.9	NO

Name: 190807M4_95, Date: 08-Aug-2019, Time: 10:30:38, ID: 1902196-17 SB40421907161040JB 1.22, Description: SB40421907161040JB

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	1902196-17 SB40421907161040JB 1.22	2.50e3	130.6	NO
2	2	13C5-PFHxA	1902196-17 SB40421907161040JB 1.22	5.15e3	86.4	NO
3	3	18O2-PFHxS	1902196-17 SB40421907161040JB 1.22	5.97e2	83.3	NO
4	4	13C8-PFOA	1902196-17 SB40421907161040JB 1.22	8.84e3	92.4	NO
5	5	13C9-PFNA	1902196-17 SB40421907161040JB 1.22	6.20e3	94.3	NO
6	6	13C4-PFOS	1902196-17 SB40421907161040JB 1.22	1.59e3	84.2	NO
7	7	13C6-PFDA	1902196-17 SB40421907161040JB 1.22	1.22e4	127.6	NO
8	8	13C7-PFUdA	1902196-17 SB40421907161040JB 1.22	1.19e4	97.3	NO

Name: 190807M4_96, Date: 08-Aug-2019, Time: 10:41:10, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:36:51 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:37:16 Pacific Daylight Time

Name: 190807M4_97, Date: 08-Aug-2019, Time: 10:51:48, ID: ST190807M4-16 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	ST190807M4-16 PFC CS3 19G2306	1.91e3	99.9	NO
2	2	13C5-PFHxA	ST190807M4-16 PFC CS3 19G2306	6.05e3	101.7	NO
3	3	18O2-PFHxS	ST190807M4-16 PFC CS3 19G2306	8.54e2	119.1	NO
4	4	13C8-PFOA	ST190807M4-16 PFC CS3 19G2306	9.89e3	103.4	NO
5	5	13C9-PFNA	ST190807M4-16 PFC CS3 19G2306	7.33e3	111.4	NO
6	6	13C4-PFOS	ST190807M4-16 PFC CS3 19G2306	2.00e3	105.9	NO
7	7	13C6-PFDA	ST190807M4-16 PFC CS3 19G2306	1.11e4	116.5	NO
8	8	13C7-PFUdA	ST190807M4-16 PFC CS3 19G2306	1.35e4	110.9	NO

Name: 190807M4_98, Date: 08-Aug-2019, Time: 11:02:21, ID: IPA, Description: IPA

	#	Name	ID	Area	%Rec	Area Out
1	1	13C4-PFBA	IPA			NO
2	2	13C5-PFHxA	IPA			NO
3	3	18O2-PFHxS	IPA			NO
4	4	13C8-PFOA	IPA			NO
5	5	13C9-PFNA	IPA			NO
6	6	13C4-PFOS	IPA			NO
7	7	13C6-PFDA	IPA			NO
8	8	13C7-PFUdA	IPA			NO

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld

Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time

Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8		1299.727	1.00					NO		
2	2	PFPrS	248.9 > 79.9		740.938	1.00					NO		
3	3	3:3 FTCA	240.9 > 176.9		2444.587	1.00					NO		
4	4	PFPeA	263.1 > 218.9		2444.587	1.00					NO		
5	5	PFBS	299.0 > 79.7		740.938	1.00					NO		
6	6	4:2 FTS	327.0 > 306.9		1471.638	1.00					NO		
7	47	13C3-PFBA	216.1 > 171.8	1299.727	2082.061	1.00	1.23	7.803	10.8	86.7	NO		
8	49	13C3-PFBS	302.0 > 98.8	740.938	721.396	1.00	2.51	12.839	11.7	93.2	NO		
9	48	13C3-PFPeA	266.0 > 221.8	2444.587	5949.233	1.00	2.21	5.136	10.0	79.9	NO		
10	48	13C3-PFPeA	266.0 > 221.8	2444.587	5949.233	1.00	2.21	5.136	10.0	79.9	NO		
11	49	13C3-PFBS	302.0 > 98.8	740.938	721.396	1.00	2.51	12.839	11.7	93.2	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	1471.638	721.396	1.00	2.91	25.500	14.0	111.9	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0		2108.152	1.00					NO		
15	8	PFPeS	349.1>80.1		740.938	1.00					NO		
16	9	HFPO-DA	285.1 > 168.9		156.961	1.00					NO		
17	10	5:3 FTCA	340.9 > 236.9		2662.837	1.00					NO		
18	11	PFHpA	363.0 > 318.9		2662.837	1.00					NO		
19	12	ADONA	376.8 > 250.9		2662.837	1.00					NO		
20	52	13C2-PFHxA	315.0 > 270.0	2108.152	5949.233	1.00	3.01	4.429	4.5	89.7	NO		
21	49	13C3-PFBS	302.0 > 98.8	740.938	721.396	1.00	2.51	12.839	11.7	93.2	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	156.961	5949.233	1.00	3.22	0.330	2.2	44.8	YES		
23	53	13C4-PFHpA	367.2 > 321.8	2662.837	5949.233	1.00	3.63	5.595	11.5	92.3	NO		
24	53	13C4-PFHpA	367.2 > 321.8	2662.837	5949.233	1.00	3.63	5.595	11.5	92.3	NO		
25	53	13C4-PFHpA	367.2 > 321.8	2662.837	5949.233	1.00	3.63	5.595	11.5	92.3	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	5.823	1516.386	1.00	3.79	0.048	0.1		NO	2.595	NO
28	15	6:2 FTS	427.0 > 406.9		1101.164	1.00					NO		
29	16	L-PFOA	412.8 > 368.9	54.799	6075.366	1.00	4.17	0.113	0.1		NO	13.265	YES
30	18	PFecHS	460.8 > 381.0		6075.366	1.00					NO		
31	19	PFHpS	449.0 > 80.0		1910.538	1.00					NO		
32	20	7:3 FTCA	440.9 > 336.9		7049.356	1.00					NO		
33	54	13C3-PFHxS	401.8 > 79.9	1516.386	721.396	1.00	3.79	26.275	11.9	95.1	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	1101.164	1863.004	1.00	4.11	7.388	13.2	105.2	NO		
35	58	13C2-PFOA	414.9 > 369.7	6075.366	9803.818	1.00	4.16	7.746	10.9	86.8	NO		
36	58	13C2-PFOA	414.9 > 369.7	6075.366	9803.818	1.00	4.16	7.746	10.9	86.8	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld

Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time

Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	1910.538	1863.004	1.00	4.69	12.819	12.9	103.6	NO		
38	56	13C5-PFNA	468.2 > 422.9	7049.356	6695.822	1.00	4.61	13.160	13.0	103.9	NO		
39	-1												
40	21	PFNA	463.0 > 418.8		7049.356	1.00					NO		
41	22	PFOSA	497.9 > 77.9		2834.909	1.00					NO		
42	23	L-PFOS	498.9 > 79.9		1910.538	1.00					NO		
43	25	9Cl-PF30NS	530.7 > 350.8		1910.538	1.00					NO		
44	26	PFDA	513 > 468.8		6584.619	1.00					NO		
45	27	8:2 FTS	527.0 > 506.9		1091.858	1.00					NO		
46	56	13C5-PFNA	468.2 > 422.9	7049.356	6695.822	1.00	4.61	13.160	13.0	103.9	NO		
47	57	13C8-PFOSA	506.1 > 77.7	2834.909	12081.906	1.00	4.66	2.933	14.0	112.1	NO		
48	59	13C8-PFOS	507.0 > 79.9	1910.538	1863.004	1.00	4.69	12.819	12.9	103.6	NO		
49	59	13C8-PFOS	507.0 > 79.9	1910.538	1863.004	1.00	4.69	12.819	12.9	103.6	NO		
50	60	13C2-PFDA	515.1 > 469.9	6584.619	10141.007	1.00	4.99	8.116	10.4	83.0	NO		
51	61	13C2-8:2 FTS	529 > 79.9	1091.858	1863.004	1.00	4.96	7.326	12.9	102.9	NO		
52	-1												
53	28	PFNS	549.1 > 80.1		1910.538	1.00					NO		
54	29	L-MeFOSAA	570 > 419		1977.854	1.00					NO		
55	31	L-EtFOSAA	584.1 > 419		2780.864	1.00					NO		
56	33	PFUdA	563.0 > 518.9		10973.602	1.00					NO		
57	34	PFDS	598.8 > 79.9		1091.858	1.00					NO		
58	35	11Cl-PF30UdS	632.6 > 452.7		13192.098	1.00					NO		
59	59	13C8-PFOS	507.0 > 79.9	1910.538	1863.004	1.00	4.69	12.819	12.9	103.6	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	1977.854	12081.906	1.00	5.14	2.046	13.3	106.3	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	2780.864	12081.906	1.00	5.30	2.877	14.7	117.4	NO		
62	63	13C2-PFUdA	565 > 519.8	10973.602	12081.906	1.00	5.32	11.353	11.1	89.1	NO		
63	61	13C2-8:2 FTS	529 > 79.9	1091.858	1863.004	1.00	4.96	7.326	12.9	102.9	NO		
64	65	13C2-PFDoA	614.7 > 569.7	13192.098	10141.007	1.00	5.61	16.261	14.8	118.5	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9		1091.858	1.00					NO		
67	37	PFDoA	612.9 > 569.0		13192.098	1.00					NO		
68	38	N-MeFOSA	512.1 > 168.9		6093.799	1.00					NO		
69	39	PFTrDA	662.9 > 618.9		13192.098	1.00					NO		
70	40	PFDoS	698.8 > 79.9		8512.461	1.00					NO		
71	41	PFTeDA	713.0 > 669.0		8512.461	1.00					NO		
72	65	13C2-PFDoA	614.7 > 569.7	13192.098	10141.007	1.00	5.61	16.261	14.8	118.5	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld

Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time

Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	13192.098	10141.007	1.00	5.61	16.261	14.8	118.5	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	6093.799	12081.906	1.00	5.74	6.305	143.2	95.5	NO		
75	65	13C2-PFDoA	614.7 > 569.7	13192.098	10141.007	1.00	5.61	16.261	14.8	118.5	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	8512.461	12081.906	1.00	6.08	8.807	12.9	102.9	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	8512.461	12081.906	1.00	6.08	8.807	12.9	102.9	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9		8692.303	1.00					NO		
80	43	PFHxDA	813.1 > 768.6		4974.580	1.00					NO		
81	44	PFODA	913.1 > 868.8	79.771	4974.580	1.00	6.67	0.080	0.1		NO		
82	45	N-MeFOSE	616.1 > 58.9	7.645	4995.146	1.00	6.32	0.230	0.3		NO		
83	46	N-EtFOSE	630.1 > 58.9		5224.093	1.00					NO		
84	72	13C4-PFBA	217.0 > 172.0	2082.061	2082.061	1.00	1.23	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	8692.303	12081.906	1.00	6.15	8.993	165.7	110.5	NO		
86	69	13C2-PFHxDA	815 > 769.7	4974.580	12081.906	1.00	6.43	5.147	5.5	110.8	NO		
87	69	13C2-PFHxDA	815 > 769.7	4974.580	12081.906	1.00	6.43	5.147	5.5	110.8	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	4995.146	12081.906	1.00	6.31	5.168	148.1	98.7	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	5224.093	12081.906	1.00	6.46	5.405	156.7	104.5	NO		
90	73	13C5-PFHxA	318.0 > 272.9	5949.233	5949.233	1.00	3.01	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	9803.818	9803.818	1.00	4.16	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	721.396	721.396	1.00	3.79	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	6695.822	6695.822	1.00	4.61	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	1863.004	1863.004	1.00	4.69	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	10141.007	10141.007	1.00	4.99	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	12081.906	12081.906	1.00	5.32	12.500	12.5	100.0	NO		

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld

Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld

Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time


Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld

Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time


Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld

Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time


Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld

Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time


Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld

Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time


Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld


Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time

Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-IB.qld


Last Altered: Thursday, August 08, 2019 09:14:55 Pacific Daylight Time
Printed: Thursday, August 08, 2019 09:15:29 Pacific Daylight Time

Name: 190807M4_13, Date: 07-Aug-2019, Time: 19:58:21, ID: IB, Description: IB


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



LC Calibration Standards Review Checklist Q4

Calibration ID:			ION Ratio	Concentration	C-Cals Name	Sign Date	Correct I-Cal	Manual Integrations	N/A
Calibration ID:	ST190807M4 - 3	L M H	☑	☐ (B C D E F G H)	☑	☑	☑	☑	☐
Calibration ID:	-11	L M H	☑	☐ (D E F H)	☑	☑	☑	☐	☐
Calibration ID:	-12	L M H	☑	☑ (D E F)	☑	☑	☑	☐	☐
Calibration ID:	-13	L M H	☑	☑ (B D E C)	☑	☑	☑	☑	☐
Calibration ID:	-14	L M H	☑	☑ (D E F C)	☑	☑	☑	☑	☐
Calibration ID:	-15	L M H	☑	☐ (D E F)	☑	☑	☑	☑	☐
Calibration ID:	-16	L M H	☑	☑ (D E F)	☑	☑	☑	☑	☑
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐ N/A CalH 8/8/19	☐	☐	☐	☐	☐	☐
Calibration ID:		L M H	☐	☐	☐	☐	☐	☐	☐

Full Mass Cal. Date: 08/03/19

Run Log Present: ☑

# of Samples per Sequence Checked: ☑

Instrument Blank Saved ☑

All Branches in Acquisition Window ☑

IIS Area Saved ☑

Reviewed By: Un 10/9/19

Initials/Date

Comments:

(A) HFPO-DA < 70%.
(B) HFPC-DA > 130%.
(C) 13C3 HFPO-DA < 50%
(D) 5:3 FTCA > 130%.
(E) ADONA > 130%.
(F) PFecHS > 130%.
(G) 10:2 FTS > 130%.
(H) PFDoS > 130%.

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-34.qld

Last Altered: Thursday, August 08, 2019 08:37:01 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:41:53 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190807M4_31, Date: 07-Aug-2019, Time: 23:09:06, ID: ST190807M4-11 PFC CS3 19G2306, Description: PFC CS3 19G2306

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	PFBA	1.24	1.24			
2	PFPrS	1.59	1.59	2.508	2.508	NO
3	3:3 FTCA	2.04	2.06	2.007	2.007	NO
4	PFPeA	2.21	2.21			
5	PFBS	2.51	2.51	2.684	2.684	NO
6	4:2 FTS	2.92	2.92	1.757	1.757	NO
7	PFHxA	3.01	3.01	14.088	14.088	NO
8	PFPeS	3.21	3.21	1.641	1.641	NO
9	HFPO-DA	3.22	3.23	3.270	3.270	NO
10	5:3 FTCA	3.55	3.57	1.549	1.549	NO
11	PFHpA	3.63	3.63	6.514	6.514	NO
12	ADONA	3.75	3.75	3.381	3.381	NO
13	L-PFHxS	3.79	3.79	2.012	2.012	NO
14	6:2 FTS	4.11	4.11	2.109	2.109	NO
15	L-PFOA	4.16	4.16	3.095	3.095	NO
16	PFecHS	4.18	4.18	0.855	0.855	NO
17	PFHpS	4.28	4.28	2.217	2.217	NO
18	7:3 FTCA	4.60	4.59	2.132	2.132	NO
19	PFNA	4.61	4.61	3.468	3.468	NO
20	PFOSA	4.66	4.67	34.542	34.542	NO
21	L-PFOS	4.69	4.70	2.128	2.128	NO
22	9Cl-PF30NS	4.92	4.92	17.323	17.323	NO
23	PFDA	4.99	4.99	5.235	5.235	NO
24	8:2 FTS	4.96	4.96	1.317	1.317	NO
25	PFNS	5.06	5.06	1.674	1.674	NO
26	L-MeFOSAA	5.14	5.14	2.292	2.292	NO

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-34.qld

Last Altered: Thursday, August 08, 2019 08:37:01 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:42:06 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190807M4_31, Date: 07-Aug-2019, Time: 23:09:06, ID: ST190807M4-11 PFC CS3 19G2306, Description: PFC CS3 19G2306

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	L-EtFOSAA	5.30	5.31	1.376	1.376	NO
2	PFUdA	5.32	5.32	7.226	7.226	NO
3	PFDS	5.37	5.37	1.693	1.693	NO
4	11Cl-PF30UdS	5.54	5.54	5.708	5.708	NO
5	10:2 FTS	5.59	5.59	1.553	1.553	NO
6	PFDoA	5.61	5.61	7.752	7.752	NO
7	N-MeFOSA	5.71	5.71	1.652	1.652	NO
8	PFTrDA	5.86	5.86	17.982	17.982	NO
9	PFDoS	5.89	5.89	1.683	1.683	NO
10	PFTeDA	6.08	6.08	15.207	15.207	NO
11	N-EtFOSA	6.14	6.14	1.740	1.740	NO
12	PFHxDA	6.43	6.43	14.453	14.453	NO
13	PFODA	6.67	6.67			
14	N-MeFOSE	6.32	6.32			
15	N-EtFOSE	6.47	6.47			

Ⓐ HFPO-DA < 70%, $^{13}C_3$-HFPO-DA < 50%, 5:3 FTCA, ADONA, PFecHS, 10:2 FTS, PFDoS > 130%.

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld

Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time

8/10/19

Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	115.443	1307.255	1.00	1.23	1.104	1.0	101.3	NO		
2	2	PFPrS	248.9 > 79.9	50.216	734.519	1.00	1.59	0.855	0.7	74.2	NO	3.252	NO
3	3	3:3 FTCA	240.9 > 176.9	6.177	2251.036	1.00	2.07	0.034	1.1	107.3	NO	1.585	NO
4	4	PFPeA	263.1 > 218.9	162.356	2251.036	1.00	2.20	0.902	1.0	102.0	NO		
5	5	PFBS	299.0 > 79.7	112.616	734.519	1.00	2.51	1.916	0.9	92.1	NO	2.447	NO
6	6	4:2 FTS	327.0 > 306.9	223.467	1478.033	1.00	2.92	1.890	0.9	88.5	NO	1.497	NO
7	47	13C3-PFBA	216.1 > 171.8	1307.255	1911.265	1.00	1.23	8.550	11.9	95.0	NO		
8	49	13C3-PFBS	302.0 > 98.8	734.519	716.925	1.00	2.50	12.807	11.6	93.0	NO		
9	48	13C3-PFPeA	266.0 > 221.8	2251.036	5954.208	1.00	2.21	4.726	9.2	73.5	NO		
10	48	13C3-PFPeA	266.0 > 221.8	2251.036	5954.208	1.00	2.21	4.726	9.2	73.5	NO		
11	49	13C3-PFBS	302.0 > 98.8	734.519	716.925	1.00	2.50	12.807	11.6	93.0	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	1478.033	716.925	1.00	2.92	25.770	14.1	113.1	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	395.315	2008.710	1.00	3.01	0.984	1.2	116.7	NO	43.551	YES
15	8	PFPeS	349.1>80.1	113.447	734.519	1.00	3.21	1.931	1.1	114.7	NO	1.856	NO
16	9	HFPO-DA	285.1 > 168.9	4.522	150.903	1.00	3.22	0.150	0.3	33.4Ⓐ	YES	1.841	NO
17	10	5:3 FTCA	340.9 > 236.9	61.819	2453.144	1.00	3.57	0.315	1.7	171.7Ⓐ	YES	1.938	NO
18	11	PFHpA	363.0 > 318.9	285.347	2453.144	1.00	3.63	1.454	1.2	117.4	NO	6.804	NO
19	12	ADONA	376.8 > 250.9	1049.255	2453.144	1.00	3.75	5.346	1.7	170.9Ⓐ	YES	3.643	NO
20	52	13C2-PFHxA	315.0 > 270.0	2008.710	5954.208	1.00	3.00	4.217	4.3	85.4	NO		
21	49	13C3-PFBS	302.0 > 98.8	734.519	716.925	1.00	2.50	12.807	11.6	93.0	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	150.903	5954.208	1.00	3.23	0.317	2.2	43.0Ⓐ	YES		
23	53	13C4-PFHpA	367.2 > 321.8	2453.144	5954.208	1.00	3.63	5.150	10.6	85.0	NO		
24	53	13C4-PFHpA	367.2 > 321.8	2453.144	5954.208	1.00	3.63	5.150	10.6	85.0	NO		
25	53	13C4-PFHpA	367.2 > 321.8	2453.144	5954.208	1.00	3.63	5.150	10.6	85.0	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	81.201	1543.844	1.00	3.79	0.657	0.8	77.0	NO	1.433	NO
28	15	6:2 FTS	427.0 > 406.9	217.547	1020.719	1.00	4.10	2.664	0.9	92.7	NO	1.916	NO
29	16	L-PFOA	412.8 > 368.9	737.938	5303.227	1.00	4.16	1.739	1.2	123.8	NO	3.573	NO
30	18	PFecHS	460.8 > 381.0	148.279	5303.227	1.00	4.18	0.350	1.7	172.1Ⓐ	YES	0.821	NO
31	19	PFHpS	449.0 > 80.0	106.718	1882.864	1.00	4.28	0.708	0.9	85.5	NO	1.599	NO
32	20	7:3 FTCA	440.9 > 336.9	70.253	6697.674	1.00	4.60	0.131	1.1	106.8	NO	2.854	NO
33	54	13C3-PFHxS	401.8 > 79.9	1543.844	716.925	1.00	3.79	26.918	12.2	97.4	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	1020.719	1891.861	1.00	4.10	6.744	12.0	96.0	NO		
35	58	13C2-PFOA	414.9 > 369.7	5303.227	9564.639	1.00	4.16	6.931	9.7	77.7	NO		
36	58	13C2-PFOA	414.9 > 369.7	5303.227	9564.639	1.00	4.16	6.931	9.7	77.7	NO		

8/8/19

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld

Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time

Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	1882.864	1891.861	1.00	4.69	12.441	12.6	100.5	NO		
38	56	13C5-PFNA	468.2 > 422.9	6697.674	6580.939	1.00	4.61	12.722	12.6	100.4	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	604.986	6697.674	1.00	4.61	1.129	1.0	97.9	NO	3.622	NO
41	22	PFOSA	497.9 > 77.9	212.792	2903.930	1.00	4.67	0.916	0.8	84.5	NO	24.810	NO
42	23	L-PFOS	498.9 > 79.9	118.030	1882.864	1.00	4.70	0.784	0.8	76.9	NO	2.130	NO
43	25	9Cl-PF30NS	530.7 > 350.8	377.785	1882.864	1.00	4.91	2.508	1.2	123.9	NO	23.790	NO
44	26	PFDA	513 > 468.8	826.300	6487.373	1.00	4.99	1.592	1.2	116.1	NO	12.570	YES
45	27	8:2 FTS	527.0 > 506.9	168.102	1131.558	1.00	4.96	1.857	1.0	99.9	NO	1.745	NO
46	56	13C5-PFNA	468.2 > 422.9	6697.674	6580.939	1.00	4.61	12.722	12.6	100.4	NO		
47	57	13C8-PFOSA	506.1 > 77.7	2903.930	12199.978	1.00	4.66	2.975	14.2	113.7	NO		
48	59	13C8-PFOS	507.0 > 79.9	1882.864	1891.861	1.00	4.69	12.441	12.6	100.5	NO		
49	59	13C8-PFOS	507.0 > 79.9	1882.864	1891.861	1.00	4.69	12.441	12.6	100.5	NO		
50	60	13C2-PFDA	515.1 > 469.9	6487.373	9546.093	1.00	4.99	8.495	10.9	86.9	NO		
51	61	13C2-8:2 FTS	529 > 79.9	1131.558	1891.861	1.00	4.96	7.476	13.1	105.0	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	80.131	1882.864	1.00	5.05	0.532	0.7	70.9	NO	1.357	NO
54	29	L-MeFOSAA	570 > 419	409.178	1876.732	1.00	5.14	2.725	1.1	111.5	NO	2.312	NO
55	31	L-EtFOSAA	584.1 > 419	357.111	2702.357	1.00	5.30	1.652	1.2	121.9	NO	1.633	NO
56	33	PFUdA	563.0 > 518.9	744.023	10841.842	1.00	5.32	0.858	0.9	93.7	NO	12.478	YES
57	34	PFDS	598.8 > 79.9	157.979	1131.558	1.00	5.37	1.745	1.0	102.5	NO	2.280	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	61.907	12753.831	1.00	5.53	0.061	1.1	107.5	NO	172.925	YES
59	59	13C8-PFOS	507.0 > 79.9	1882.864	1891.861	1.00	4.69	12.441	12.6	100.5	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	1876.732	12199.978	1.00	5.14	1.923	12.5	99.9	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	2702.357	12199.978	1.00	5.30	2.769	14.1	113.0	NO		
62	63	13C2-PFUdA	565 > 519.8	10841.842	12199.978	1.00	5.32	11.108	10.9	87.2	NO		
63	61	13C2-8:2 FTS	529 > 79.9	1131.558	1891.861	1.00	4.96	7.476	13.1	105.0	NO		
64	65	13C2-PFDoA	614.7 > 569.7	12753.831	9546.093	1.00	5.61	16.700	15.2	121.7	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	280.059	1131.558	1.00	5.59	3.094	1.4	135.6 A	YES	2.084	NO
67	37	PFDoA	612.9 > 569.0	973.549	12753.831	1.00	5.61	0.954	0.9	92.7	NO	6.252	NO
68	38	N-MeFOSA	512.1 > 168.9	234.350	6260.789	1.00	5.71	5.615	5.3	105.3	NO	1.925	NO
69	39	PFTrDA	662.9 > 618.9	1067.189	12753.831	1.00	5.86	1.046	0.9	90.5	NO	13.462	NO
70	40	PFDoS	698.8 > 79.9	160.625	8432.940	1.00	5.89	0.238	1.4	143.9 A	YES	2.634	NO
71	41	PFTeDA	713.0 > 669.0	1038.938	8432.940	1.00	6.08	1.540	1.0	102.3	NO	15.245	NO
72	65	13C2-PFDoA	614.7 > 569.7	12753.831	9546.093	1.00	5.61	16.700	15.2	121.7	NO		

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld

Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time

Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	12753.831	9546.093	1.00	5.61	16.700	15.2	121.7	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	6260.789	12199.978	1.00	5.74	6.415	145.7	97.1	NO		
75	65	13C2-PFDoA	614.7 > 569.7	12753.831	9546.093	1.00	5.61	16.700	15.2	121.7	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	8432.940	12199.978	1.00	6.08	8.640	12.6	101.0	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	8432.940	12199.978	1.00	6.08	8.640	12.6	101.0	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	270.862	8881.760	1.00	6.14	4.574	4.9	98.6	NO	1.554	NO
80	43	PFHxDA	813.1 > 768.6	606.481	5151.669	1.00	6.43	0.589	1.0	98.3	NO	14.698	NO
81	44	PFODA	913.1 > 868.8	797.099	5151.669	1.00	6.67	0.774	1.1	109.9	NO		
82	45	N-MeFOSE	616.1 > 58.9	154.011	5058.621	1.00	6.32	4.567	4.5	89.6	NO		
83	46	N-EtFOSE	630.1 > 58.9	219.019	5317.451	1.00	6.47	6.178	4.8	96.8	NO		
84	72	13C4-PFBA	217.0 > 172.0	1911.265	1911.265	1.00	1.23	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	8881.760	12199.978	1.00	6.15	9.100	167.7	111.8	NO		
86	69	13C2-PFHxDA	815 > 769.7	5151.669	12199.978	1.00	6.43	5.278	5.7	113.6	NO		
87	69	13C2-PFHxDA	815 > 769.7	5151.669	12199.978	1.00	6.43	5.278	5.7	113.6	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	5058.621	12199.978	1.00	6.31	5.183	148.5	99.0	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	5317.451	12199.978	1.00	6.46	5.448	158.0	105.3	NO		
90	73	13C5-PFHxA	318.0 > 272.9	5954.208	5954.208	1.00	3.00	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	9564.639	9564.639	1.00	4.16	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	716.925	716.925	1.00	3.79	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	6580.939	6580.939	1.00	4.61	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	1891.861	1891.861	1.00	4.69	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	9546.093	9546.093	1.00	4.99	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	12199.978	12199.978	1.00	5.32	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:39:26 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:39:37 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190807M4_1	IPA	07-Aug-19	17:51:10
2	2	190807M4_2	IPA	07-Aug-19	18:01:46
3	3	190807M4_3	ST190807M4-1 PFC CS-2 19G2301	07-Aug-19	18:12:24
4	4	190807M4_4	ST190807M4-2 PFC CS-1 19G2302	07-Aug-19	18:23:00
5	5	190807M4_5	ST190807M4-3 PFC CS0 19G2303 (A)	07-Aug-19	18:33:36
6	6	190807M4_6	ST190807M4-4 PFC CS1 19G2304	07-Aug-19	18:44:08
7	7	190807M4_7	ST190807M4-5 PFC CS2 19G2305	07-Aug-19	18:54:47
8	8	190807M4_8	ST190807M4-6 PFC CS3 19G2306	07-Aug-19	19:05:20
9	9	190807M4_9	ST190807M4-7 PFC CS4 19G2307	07-Aug-19	19:15:59
10	10	190807M4_10	ST190807M4-8 PFC CS5 19G2308	07-Aug-19	19:26:31
11	11	190807M4_11	ST190807M4-9 PFC CS6 19G2309	07-Aug-19	19:37:10
12	12	190807M4_12	ST190807M4-10 PFC CS7 19G2310	07-Aug-19	19:47:42
13	13	190807M4_13	IB	07-Aug-19	19:58:21
14	14	190807M4_14	ICV190807M4-1 PFC ICV 19G2311	07-Aug-19	20:08:59
15	15	190807M4_15	IPA	07-Aug-19	20:19:32
16	16	190807M4_16	B9G0278-BS1 OPR 1	07-Aug-19	20:30:10
17	17	190807M4_17	B9G0278-BLK1 Method Blank 1	07-Aug-19	20:40:44
18	18	190807M4_18	B9G0278-MS1 Matrix Spike 1.11	07-Aug-19	20:51:22
19	19	190807M4_19	B9G0278-MSD1 Matrix Spike Dup 1.11	07-Aug-19	21:01:56
20	20	190807M4_20	1902194-01 DRUM-14 1.29	07-Aug-19	21:12:34
21	21	190807M4_21	1902194-02 DRUM-15 1.06	07-Aug-19	21:23:06
22	22	190807M4_22	1902194-03 DRUM-16 1.04	07-Aug-19	21:33:45
23	23	190807M4_23	1902194-04 DRUM-17 1.05	07-Aug-19	21:44:23
24	24	190807M4_24	1902194-05 DRUM-18 1.12	07-Aug-19	21:54:56
25	25	190807M4_25	1902194-06 DRUM-19 1.05	07-Aug-19	22:05:35
26	26	190807M4_26	1902194-07 DRUM-20 1.08	07-Aug-19	22:16:04
27	27	190807M4_27	1902194-08 DRUM-21 1.14	07-Aug-19	22:26:43
28	28	190807M4_28	1902194-09 DRUM-22 1.11	07-Aug-19	22:37:16
29	29	190807M4_29	1902194-10 DRUM-23 1.15	07-Aug-19	22:47:55
30	30	190807M4_30	IPA	07-Aug-19	22:58:28
31	31	190807M4_31	ST190807M4-11 PFC CS3 19G2306	07-Aug-19	23:09:06
32	32	190807M4_32	IPA	07-Aug-19	23:19:39

(A) Curve not used, CS0 fell into previous calibration. am 8/16/19

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:39:26 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:39:37 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
33	33	190807M4_33	1902194-11 DRUM-24 1.15	07-Aug-19	23:30:18
34	34	190807M4_34	1902194-12 DRUM-25 1.03	07-Aug-19	23:40:51
35	35	190807M4_35	1902194-13 DRUM-26 1.06	07-Aug-19	23:51:29
36	36	190807M4_36	1902194-14 DRUM-27 1.04	08-Aug-19	00:02:02
37	37	190807M4_37	1902194-15 DRUM-28 1.02	08-Aug-19	00:12:40
38	38	190807M4_38	1902194-16 DRUM-29 1.37	08-Aug-19	00:23:13
39	39	190807M4_39	1902194-17 DRUM-30 1.22	08-Aug-19	00:33:51
40	40	190807M4_40	1902194-18 DRUM-31 1.02	08-Aug-19	00:44:30
41	41	190807M4_41	1902194-19 DRUM-32 1.07	08-Aug-19	00:55:02
42	42	190807M4_42	1902194-20 DRUM-33 1.03	08-Aug-19	01:05:41
43	43	190807M4_43	IPA	08-Aug-19	01:16:19
44	44	190807M4_44	ST190807M4-12 PFC CS3 19G2306	08-Aug-19	01:26:52
45	45	190807M4_45	IPA	08-Aug-19	01:37:30
46	46	190807M4_46	B9G0264-BS1 OPR 1	08-Aug-19	01:48:02
47	47	190807M4_47	B9H0005-BS1 OPR 1	08-Aug-19	01:58:40
48	48	190807M4_48	B9H0005-BLK1 Method Blank 1	08-Aug-19	02:09:14
49	49	190807M4_49	1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01	08-Aug-19	02:19:52
50	50	190807M4_50	1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03	08-Aug-19	02:30:24
51	51	190807M4_51	1900655-03RE1 IA19-DU2-03042019-10-25-2 1	08-Aug-19	02:41:03
52	52	190807M4_52	1900655-04RE1 IA19-DU2-03042019-10-25-3 1	08-Aug-19	02:51:41
53	53	190807M4_53	1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01	08-Aug-19	03:02:13
54	54	190807M4_54	1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02	08-Aug-19	03:12:52
55	55	190807M4_55	1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02	08-Aug-19	03:23:24
56	56	190807M4_56	1900716-04RE1 IA22-DU2-10042019-13-30-1 1	08-Aug-19	03:34:02
57	57	190807M4_57	1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02	08-Aug-19	03:44:34
58	58	190807M4_58	1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02	08-Aug-19	03:55:13
59	59	190807M4_59	IPA	08-Aug-19	04:05:51
60	60	190807M4_60	ST190807M4-13 PFC CS3 19G2306	08-Aug-19	04:16:25
61	61	190807M4_61	IPA	08-Aug-19	04:27:04
62	62	190807M4_62	1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01	08-Aug-19	04:37:42
63	63	190807M4_63	1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01	08-Aug-19	04:48:14
64	64	190807M4_64	1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02	08-Aug-19	04:58:53
65	65	190807M4_65	1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02	08-Aug-19	05:09:31
66	66	190807M4_66	1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1	08-Aug-19	05:20:04
67	67	190807M4_67	B9H0013-BS1 OPR 0.125	08-Aug-19	05:30:43
68	68	190807M4_68	B9H0013-BLK1 Method Blank 0.125	08-Aug-19	05:41:16

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:39:26 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:39:37 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
69	69	190807M4_69	1902387-03 AQA 19-11 S3 0.125	08-Aug-19	05:51:54
70	70	190807M4_70	1902387-04 AQA 19-11 S4 0.125	08-Aug-19	06:02:27
71	71	190807M4_71	B9G0234-BS1 OPR 1	08-Aug-19	06:13:06
72	72	190807M4_72	B9G0234-BLK1 Method Blank 1	08-Aug-19	06:23:39
73	73	190807M4_73	1902196-01 SB00021907151455KE 1.11	08-Aug-19	06:34:18
74	74	190807M4_74	1902196-02 SB02041907151500KE 1.02	08-Aug-19	06:44:50
75	75	190807M4_75	1902196-03 SB04061907151550JB 1.05	08-Aug-19	06:55:29
76	76	190807M4_76	IPA	08-Aug-19	07:06:07
77	77	190807M4_77	ST190807M4-14 PFC CS3 19G2306	08-Aug-19	07:16:40
78	78	190807M4_78	IPA	08-Aug-19	07:27:18
79	79	190807M4_79	1902196-04 SB06081907151555KE 1.27	08-Aug-19	07:37:52
80	80	190807M4_80	1902196-05 SB08101907151600KE 1.05	08-Aug-19	07:48:31
81	81	190807M4_81	1902196-06 SB10121907151605KE 1.06	08-Aug-19	07:59:09
82	82	190807M4_82	1902196-07 SB12141907151610KE 1.03	08-Aug-19	08:09:41
83	83	190807M4_83	1902196-08 SB14161907151650KE 1.18	08-Aug-19	08:21:08
84	84	190807M4_84	1902196-09 SB16181907151652KE 1.19	08-Aug-19	08:31:41
85	85	190807M4_85	1902196-10 SB18201907151654KE 1.14	08-Aug-19	08:42:19
86	86	190807M4_86	1902196-11 SB20221907151725KE 1.15	08-Aug-19	08:52:53
87	87	190807M4_87	1902196-12 SB22241907151730KE 1.17	08-Aug-19	09:03:49
88	88	190807M4_88	1902196-13 SB24261907151735KE 1.16	08-Aug-19	09:14:26
89	89	190807M4_89	IPA	08-Aug-19	09:25:04
90	90	190807M4_90	ST190807M4-15 PFC CS3 19G2306	08-Aug-19	09:35:37
91	91	190807M4_91	IPA	08-Aug-19	09:48:12
92	92	190807M4_92	1902196-14 SB25301907160925JB 1.17	08-Aug-19	09:58:47
93	93	190807M4_93	1902196-15 SB30351907160915JB 1.06	08-Aug-19	10:09:26
94	94	190807M4_94	1902196-16 SB38401907161025JB 1.23	08-Aug-19	10:19:59
95	95	190807M4_95	1902196-17 SB40421907161040JB 1.22	08-Aug-19	10:30:38
96	96	190807M4_96	IPA	08-Aug-19	10:41:10
97	97	190807M4_97	ST190807M4-16 PFC CS3 19G2306	08-Aug-19	10:51:48
98	98	190807M4_98	IPA	08-Aug-19	11:02:21

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld

Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld

Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time


Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld

Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time


Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld


Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time

Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303


PFNA
F34:MRM of 2 channels,ES-
463.0 > 418.8
1.832e+004




F34:MRM of 2 channels,ES-
463.0 > 219.0
4.629e+003




PFOSA
F37:MRM of 2 channels,ES-
497.9 > 77.9
6.614e+003




F37:MRM of 2 channels,ES-
497.9 > 168.9
2.166e+002




L-PFOS
F39:MRM of 2 channels,ES-
498.9 > 79.9
2.620e+003




F39:MRM of 2 channels,ES-
498.9 > 99.0
1.350e+003




9Cl-PF30NS
F51:MRM of 2 channels,ES-
530.7 > 350.8
1.113e+004




F51:MRM of 2 channels,ES-
530.7 > 82.8
1.169e+003




PFDA
F44:MRM of 2 channels,ES-
513 > 468.8
2.437e+004




F44:MRM of 2 channels,ES-
513 > 219
1.799e+003




8:2 FTS
F49:MRM of 2 channels,ES-
527.0 > 506.9
4.987e+003




F49:MRM of 2 channels,ES-
527 > 80.9
2.320e+003




13C5-PFNA
F35:MRM of 1 channel,ES-
468.2 > 422.9
2.022e+005




13C8-PFOSA
F41:MRM of 1 channel,ES-
506.1 > 77.7
8.399e+004




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
5.357e+004




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
5.357e+004



13C2-PFDA
F45:MRM of 1 channel,ES-
515.1 > 469.9
1.875e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
3.216e+004





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld

Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time


Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld


Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time

Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
7.894e+003




F66:MRM of 2 channels,ES-
627.0 > 80.9
3.486e+003




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
2.677e+004




F62:MRM of 4 channels,ES-
612.9 > 318.8
4.320e+003




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
5.690e+003




F43:MRM of 2 channels,ES-
512.1 > 219
3.149e+003




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
2.945e+004




F70:MRM of 2 channels,ES-
662.9 > 319
2.150e+003




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
4.698e+003




F71:MRM of 2 channels,ES-
698.8 > 98.9
1.708e+003




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
2.862e+004




F72:MRM of 2 channels,ES-
713. > 369.0
1.943e+003




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
3.488e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
3.488e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
1.604e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
3.488e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.256e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.256e+005




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld


Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time

Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-5.qld


Last Altered: Thursday, August 08, 2019 08:46:29 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:47:16 Pacific Daylight Time

Name: 190807M4_5, Date: 07-Aug-2019, Time: 18:33:36, ID: ST190807M4-3 PFC CS0 19G2303, Description: PFC CS0 19G2303


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Vista Analytical Laboratory

Ⓐ 5:3 FTCA, ADONA, PFecHS > 130%.

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld

Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time

8 am 8/9/19

8/9/19

Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	1285.746	1432.876	1.00	1.23	11.216	9.4	93.8	NO		
2	2	PFPrS	248.9 > 79.9	666.260	810.444	1.00	1.58	10.276	8.2	82.1	NO	2.623	NO
3	3	3:3 FTCA	240.9 > 176.9	86.801	2432.503	1.00	2.06	0.446	12.6	125.8	NO	2.413	NO
4	4	PFPeA	263.1 > 218.9	1641.572	2432.503	1.00	2.21	8.436	9.7	96.6	NO		
5	5	PFBS	299.0 > 79.7	1347.188	810.444	1.00	2.51	20.779	9.6	96.3	NO	2.641	NO
6	6	4:2 FTS	327.0 > 306.9	2841.011	1359.980	1.00	2.92	26.113	11.9	118.9	NO	1.955	NO
7	47	13C3-PFBA	216.1 > 171.8	1432.876	2026.492	1.00	1.23	8.838	12.3	98.2	NO		
8	49	13C3-PFBS	302.0 > 98.8	810.444	779.888	1.00	2.51	12.990	11.8	94.3	NO		
9	48	13C3-PFPeA	266.0 > 221.8	2432.503	6223.683	1.00	2.21	4.886	9.5	76.0	NO		
10	48	13C3-PFPeA	266.0 > 221.8	2432.503	6223.683	1.00	2.21	4.886	9.5	76.0	NO		
11	49	13C3-PFBS	302.0 > 98.8	810.444	779.888	1.00	2.51	12.990	11.8	94.3	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	1359.980	779.888	1.00	2.92	21.798	12.0	95.7	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	3712.366	2086.953	1.00	3.01	8.894	10.8	107.8	NO	13.248	NO
15	8	PFPeS	349.1>80.1	1149.919	810.444	1.00	3.22	17.736	10.8	108.4	NO	1.706	NO
16	9	HFPO-DA	285.1 > 168.9	178.688	190.099	1.00	3.22	4.700	10.6	106.1	NO	3.634	NO
17	10	5:3 FTCA	340.9 > 236.9	619.655	2719.656	1.00	3.57	2.848	15.0	150.4Ⓐ	YES	1.543	NO
18	11	PFHpA	363.0 > 318.9	2797.047	2719.656	1.00	3.64	12.856	10.4	103.7	NO	8.122	NO
19	12	ADONA	376.8 > 250.9	10362.806	2719.656	1.00	3.75	47.629	14.7	146.7Ⓐ	YES	3.476	NO
20	52	13C2-PFHxA	315.0 > 270.0	2086.953	6223.683	1.00	3.01	4.192	4.2	84.8	NO		
21	49	13C3-PFBS	302.0 > 98.8	810.444	779.888	1.00	2.51	12.990	11.8	94.3	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	190.099	6223.683	1.00	3.22	0.382	2.6	51.8	NO		
23	53	13C4-PFHpA	367.2 > 321.8	2719.656	6223.683	1.00	3.64	5.462	11.3	90.1	NO		
24	53	13C4-PFHpA	367.2 > 321.8	2719.656	6223.683	1.00	3.64	5.462	11.3	90.1	NO		
25	53	13C4-PFHpA	367.2 > 321.8	2719.656	6223.683	1.00	3.64	5.462	11.3	90.1	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	1107.951	1692.533	1.00	3.79	8.183	9.6	96.3	NO	1.906	NO
28	15	6:2 FTS	427.0 > 406.9	2562.694	1136.933	1.00	4.11	28.176	9.8	98.2	NO	2.265	NO
29	16	L-PFOA	412.8 > 368.9	7356.544	5673.554	1.00	4.16	16.208	11.8	117.6	NO	3.715	NO
30	18	PFecHS	460.8 > 381.0	1889.223	5673.554	1.00	4.18	4.162	19.4	193.9Ⓐ	YES	0.839	NO
31	19	PFHpS	449.0 > 80.0	1305.776	2023.709	1.00	4.28	8.065	9.1	90.6	NO	1.935	NO
32	20	7:3 FTCA	440.9 > 336.9	869.940	6814.112	1.00	4.59	1.596	11.8	117.9	NO	2.236	NO
33	54	13C3-PFHxS	401.8 > 79.9	1692.533	779.888	1.00	3.79	27.128	12.3	98.2	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	1136.933	1960.196	1.00	4.11	7.250	12.9	103.2	NO		
35	58	13C2-PFOA	414.9 > 369.7	5673.554	9545.708	1.00	4.16	7.429	10.4	83.3	NO		
36	58	13C2-PFOA	414.9 > 369.7	5673.554	9545.708	1.00	4.16	7.429	10.4	83.3	NO		

CLH 8/8/19

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld

Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time

Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	2023.709	1960.196	1.00	4.70	12.905	13.0	104.3	NO		
38	56	13C5-PFNA	468.2 > 422.9	6814.112	6890.108	1.00	4.61	12.362	12.2	97.6	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	6082.454	6814.112	1.00	4.61	11.158	9.8	98.2	NO	3.500	NO
41	22	PFOSA	497.9 > 77.9	2575.119	2755.042	1.00	4.67	11.684	11.1	111.1	NO	30.417	NO
42	23	L-PFOS	498.9 > 79.9	1679.640	2023.709	1.00	4.70	10.375	9.6	95.8	NO	1.940	NO
43	25	9Cl-PF30NS	530.7 > 350.8	3832.825	2023.709	1.00	4.92	23.675	11.6	115.7	NO	19.587	NO
44	26	PFDA	513 > 468.8	8773.469	6925.191	1.00	4.99	15.836	12.1	121.5	NO	4.831	NO
45	27	8:2 FTS	527.0 > 506.9	1930.664	1148.383	1.00	4.96	21.015	11.2	111.7	NO	1.283	NO
46	56	13C5-PFNA	468.2 > 422.9	6814.112	6890.108	1.00	4.61	12.362	12.2	97.6	NO		
47	57	13C8-PFOSA	506.1 > 77.7	2755.042	12184.280	1.00	4.67	2.826	13.5	108.0	NO		
48	59	13C8-PFOS	507.0 > 79.9	2023.709	1960.196	1.00	4.70	12.905	13.0	104.3	NO		
49	59	13C8-PFOS	507.0 > 79.9	2023.709	1960.196	1.00	4.70	12.905	13.0	104.3	NO		
50	60	13C2-PFDA	515.1 > 469.9	6925.191	10785.433	1.00	4.99	8.026	10.3	82.1	NO		
51	61	13C2-8:2 FTS	529 > 79.9	1148.383	1960.196	1.00	4.96	7.323	12.9	102.9	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	1186.269	2023.709	1.00	5.06	7.327	9.6	96.2	NO	1.597	NO
54	29	L-MeFOSAA	570 > 419	4736.340	2047.459	1.00	5.14	28.916	11.3	113.2	NO	2.586	NO
55	31	L-EtFOSAA	584.1 > 419	3439.468	2899.898	1.00	5.31	14.826	10.6	106.1	NO	1.471	NO
56	33	PFUdA	563.0 > 518.9	7700.616	11451.708	1.00	5.32	8.406	9.9	99.4	NO	7.452	NO
57	34	PFDS	598.8 > 79.9	1680.157	1148.383	1.00	5.37	18.288	10.0	100.1	NO	1.992	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	697.379	12390.119	1.00	5.54	0.704	11.8	118.4	NO	3.618	NO
59	59	13C8-PFOS	507.0 > 79.9	2023.709	1960.196	1.00	4.70	12.905	13.0	104.3	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	2047.459	12184.280	1.00	5.14	2.101	13.6	109.1	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	2899.898	12184.280	1.00	5.30	2.975	15.2	121.4	NO		
62	63	13C2-PFUdA	565 > 519.8	11451.708	12184.280	1.00	5.32	11.748	11.5	92.2	NO		
63	61	13C2-8:2 FTS	529 > 79.9	1148.383	1960.196	1.00	4.96	7.323	12.9	102.9	NO		
64	65	13C2-PFDoA	614.7 > 569.7	12390.119	10785.433	1.00	5.61	14.360	13.1	104.7	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	2207.694	1148.383	1.00	5.59	24.030	10.6	105.7	NO	1.546	NO
67	37	PFDoA	612.9 > 569.0	9900.585	12390.119	1.00	5.61	9.988	9.6	96.0	NO	7.878	NO
68	38	N-MeFOSA	512.1 > 168.9	2539.914	6827.535	1.00	5.71	55.802	53.2	106.3	NO	1.696	NO
69	39	PFTrDA	662.9 > 618.9	11674.260	12390.119	1.00	5.86	11.778	10.1	100.6	NO	16.688	NO
70	40	PFDoS	698.8 > 79.9	1475.206	8864.271	1.00	5.89	2.080	12.6	126.3	NO	1.747	NO
71	41	PFTeDA	713.0 > 669.0	10667.337	8864.271	1.00	6.08	15.043	11.0	109.6	NO	13.244	NO
72	65	13C2-PFDoA	614.7 > 569.7	12390.119	10785.433	1.00	5.61	14.360	13.1	104.7	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld

Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time

Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	12390.119	10785.433	1.00	5.61	14.360	13.1	104.7	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	6827.535	12184.280	1.00	5.74	7.004	159.1	106.1	NO		
75	65	13C2-PFDoA	614.7 > 569.7	12390.119	10785.433	1.00	5.61	14.360	13.1	104.7	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	8864.271	12184.280	1.00	6.08	9.094	13.3	106.3	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	8864.271	12184.280	1.00	6.08	9.094	13.3	106.3	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	2649.424	9462.581	1.00	6.14	41.998	45.1	90.3	NO	1.694	NO
80	43	PFHxDA	813.1 > 768.6	6162.995	5368.071	1.00	6.43	5.740	10.2	101.7	NO	16.576	NO
81	44	PFODA	913.1 > 868.8	8540.558	5368.071	1.00	6.67	7.955	11.7	116.8	NO		
82	45	N-MeFOSE	616.1 > 58.9	1911.972	5275.893	1.00	6.32	54.360	52.0	104.0	NO		
83	46	N-EtFOSE	630.1 > 58.9	2228.956	5427.287	1.00	6.47	61.604	49.3	98.6	NO		
84	72	13C4-PFBA	217.0 > 172.0	2026.492	2026.492	1.00	1.23	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	9462.581	12184.280	1.00	6.16	9.708	178.9	119.3	NO		
86	69	13C2-PFHxDA	815 > 769.7	5368.071	12184.280	1.00	6.43	5.507	5.9	118.6	NO		
87	69	13C2-PFHxDA	815 > 769.7	5368.071	12184.280	1.00	6.43	5.507	5.9	118.6	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	5275.893	12184.280	1.00	6.31	5.413	155.1	103.4	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	5427.287	12184.280	1.00	6.46	5.568	161.4	107.6	NO		
90	73	13C5-PFHxA	318.0 > 272.9	6223.683	6223.683	1.00	3.01	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	9545.708	9545.708	1.00	4.16	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	779.888	779.888	1.00	3.79	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	6890.108	6890.108	1.00	4.61	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	1960.196	1960.196	1.00	4.70	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	10785.433	10785.433	1.00	4.99	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	12184.280	12184.280	1.00	5.32	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:39:26 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:39:37 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190807M4_1	IPA	07-Aug-19	17:51:10
2	2	190807M4_2	IPA	07-Aug-19	18:01:46
3	3	190807M4_3	ST190807M4-1 PFC CS-2 19G2301	07-Aug-19	18:12:24
4	4	190807M4_4	ST190807M4-2 PFC CS-1 19G2302	07-Aug-19	18:23:00
5	5	190807M4_5	ST190807M4-3 PFC CS0 19G2303 (A)	07-Aug-19	18:33:36
6	6	190807M4_6	ST190807M4-4 PFC CS1 19G2304	07-Aug-19	18:44:08
7	7	190807M4_7	ST190807M4-5 PFC CS2 19G2305	07-Aug-19	18:54:47
8	8	190807M4_8	ST190807M4-6 PFC CS3 19G2306	07-Aug-19	19:05:20
9	9	190807M4_9	ST190807M4-7 PFC CS4 19G2307	07-Aug-19	19:15:59
10	10	190807M4_10	ST190807M4-8 PFC CS5 19G2308	07-Aug-19	19:26:31
11	11	190807M4_11	ST190807M4-9 PFC CS6 19G2309	07-Aug-19	19:37:10
12	12	190807M4_12	ST190807M4-10 PFC CS7 19G2310	07-Aug-19	19:47:42
13	13	190807M4_13	IB	07-Aug-19	19:58:21
14	14	190807M4_14	ICV190807M4-1 PFC ICV 19G2311	07-Aug-19	20:08:59
15	15	190807M4_15	IPA	07-Aug-19	20:19:32
16	16	190807M4_16	B9G0278-BS1 OPR 1	07-Aug-19	20:30:10
17	17	190807M4_17	B9G0278-BLK1 Method Blank 1	07-Aug-19	20:40:44
18	18	190807M4_18	B9G0278-MS1 Matrix Spike 1.11	07-Aug-19	20:51:22
19	19	190807M4_19	B9G0278-MSD1 Matrix Spike Dup 1.11	07-Aug-19	21:01:56
20	20	190807M4_20	1902194-01 DRUM-14 1.29	07-Aug-19	21:12:34
21	21	190807M4_21	1902194-02 DRUM-15 1.06	07-Aug-19	21:23:06
22	22	190807M4_22	1902194-03 DRUM-16 1.04	07-Aug-19	21:33:45
23	23	190807M4_23	1902194-04 DRUM-17 1.05	07-Aug-19	21:44:23
24	24	190807M4_24	1902194-05 DRUM-18 1.12	07-Aug-19	21:54:56
25	25	190807M4_25	1902194-06 DRUM-19 1.05	07-Aug-19	22:05:35
26	26	190807M4_26	1902194-07 DRUM-20 1.08	07-Aug-19	22:16:04
27	27	190807M4_27	1902194-08 DRUM-21 1.14	07-Aug-19	22:26:43
28	28	190807M4_28	1902194-09 DRUM-22 1.11	07-Aug-19	22:37:16
29	29	190807M4_29	1902194-10 DRUM-23 1.15	07-Aug-19	22:47:55
30	30	190807M4_30	IPA	07-Aug-19	22:58:28
31	31	190807M4_31	ST190807M4-11 PFC CS3 19G2306	07-Aug-19	23:09:06
32	32	190807M4_32	IPA	07-Aug-19	23:19:39

(A) curve not used ICS0 fell into previous calibration. am 8/8/19

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:39:26 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:39:37 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
33	33 190807M4_33	1902194-11 DRUM-24 1.15	07-Aug-19	23:30:18
34	34 190807M4_34	1902194-12 DRUM-25 1.03	07-Aug-19	23:40:51
35	35 190807M4_35	1902194-13 DRUM-26 1.06	07-Aug-19	23:51:29
36	36 190807M4_36	1902194-14 DRUM-27 1.04	08-Aug-19	00:02:02
37	37 190807M4_37	1902194-15 DRUM-28 1.02	08-Aug-19	00:12:40
38	38 190807M4_38	1902194-16 DRUM-29 1.37	08-Aug-19	00:23:13
39	39 190807M4_39	1902194-17 DRUM-30 1.22	08-Aug-19	00:33:51
40	40 190807M4_40	1902194-18 DRUM-31 1.02	08-Aug-19	00:44:30
41	41 190807M4_41	1902194-19 DRUM-32 1.07	08-Aug-19	00:55:02
42	42 190807M4_42	1902194-20 DRUM-33 1.03	08-Aug-19	01:05:41
43	43 190807M4_43	IPA	08-Aug-19	01:16:19
44	44 190807M4_44	ST190807M4-12 PFC CS3 19G2306	08-Aug-19	01:26:52
45	45 190807M4_45	IPA	08-Aug-19	01:37:30
46	46 190807M4_46	B9G0264-BS1 OPR 1	08-Aug-19	01:48:02
47	47 190807M4_47	B9H0005-BS1 OPR 1	08-Aug-19	01:58:40
48	48 190807M4_48	B9H0005-BLK1 Method Blank 1	08-Aug-19	02:09:14
49	49 190807M4_49	1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01	08-Aug-19	02:19:52
50	50 190807M4_50	1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03	08-Aug-19	02:30:24
51	51 190807M4_51	1900655-03RE1 IA19-DU2-03042019-10-25-2 1	08-Aug-19	02:41:03
52	52 190807M4_52	1900655-04RE1 IA19-DU2-03042019-10-25-3 1	08-Aug-19	02:51:41
53	53 190807M4_53	1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01	08-Aug-19	03:02:13
54	54 190807M4_54	1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02	08-Aug-19	03:12:52
55	55 190807M4_55	1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02	08-Aug-19	03:23:24
56	56 190807M4_56	1900716-04RE1 IA22-DU2-10042019-13-30-1 1	08-Aug-19	03:34:02
57	57 190807M4_57	1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02	08-Aug-19	03:44:34
58	58 190807M4_58	1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02	08-Aug-19	03:55:13
59	59 190807M4_59	IPA	08-Aug-19	04:05:51
60	60 190807M4_60	ST190807M4-13 PFC CS3 19G2306	08-Aug-19	04:16:25
61	61 190807M4_61	IPA	08-Aug-19	04:27:04
62	62 190807M4_62	1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01	08-Aug-19	04:37:42
63	63 190807M4_63	1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01	08-Aug-19	04:48:14
64	64 190807M4_64	1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02	08-Aug-19	04:58:53
65	65 190807M4_65	1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02	08-Aug-19	05:09:31
66	66 190807M4_66	1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1	08-Aug-19	05:20:04
67	67 190807M4_67	B9H0013-BS1 OPR 0.125	08-Aug-19	05:30:43
68	68 190807M4_68	B9H0013-BLK1 Method Blank 0.125	08-Aug-19	05:41:16

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:39:26 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:39:37 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
69	69 190807M4_69	1902387-03 AQA 19-11 S3 0.125	08-Aug-19	05:51:54
70	70 190807M4_70	1902387-04 AQA 19-11 S4 0.125	08-Aug-19	06:02:27
71	71 190807M4_71	B9G0234-BS1 OPR 1	08-Aug-19	06:13:06
72	72 190807M4_72	B9G0234-BLK1 Method Blank 1	08-Aug-19	06:23:39
73	73 190807M4_73	1902196-01 SB00021907151455KE 1.11	08-Aug-19	06:34:18
74	74 190807M4_74	1902196-02 SB02041907151500KE 1.02	08-Aug-19	06:44:50
75	75 190807M4_75	1902196-03 SB04061907151550JB 1.05	08-Aug-19	06:55:29
76	76 190807M4_76	IPA	08-Aug-19	07:06:07
77	77 190807M4_77	ST190807M4-14 PFC CS3 19G2306	08-Aug-19	07:16:40
78	78 190807M4_78	IPA	08-Aug-19	07:27:18
79	79 190807M4_79	1902196-04 SB06081907151555KE 1.27	08-Aug-19	07:37:52
80	80 190807M4_80	1902196-05 SB08101907151600KE 1.05	08-Aug-19	07:48:31
81	81 190807M4_81	1902196-06 SB10121907151605KE 1.06	08-Aug-19	07:59:09
82	82 190807M4_82	1902196-07 SB12141907151610KE 1.03	08-Aug-19	08:09:41
83	83 190807M4_83	1902196-08 SB14161907151650KE 1.18	08-Aug-19	08:21:08
84	84 190807M4_84	1902196-09 SB16181907151652KE 1.19	08-Aug-19	08:31:41
85	85 190807M4_85	1902196-10 SB18201907151654KE 1.14	08-Aug-19	08:42:19
86	86 190807M4_86	1902196-11 SB20221907151725KE 1.15	08-Aug-19	08:52:53
87	87 190807M4_87	1902196-12 SB22241907151730KE 1.17	08-Aug-19	09:03:49
88	88 190807M4_88	1902196-13 SB24261907151735KE 1.16	08-Aug-19	09:14:26
89	89 190807M4_89	IPA	08-Aug-19	09:25:04
90	90 190807M4_90	ST190807M4-15 PFC CS3 19G2306	08-Aug-19	09:35:37
91	91 190807M4_91	IPA	08-Aug-19	09:48:12
92	92 190807M4_92	1902196-14 SB25301907160925JB 1.17	08-Aug-19	09:58:47
93	93 190807M4_93	1902196-15 SB30351907160915JB 1.06	08-Aug-19	10:09:26
94	94 190807M4_94	1902196-16 SB38401907161025JB 1.23	08-Aug-19	10:19:59
95	95 190807M4_95	1902196-17 SB40421907161040JB 1.22	08-Aug-19	10:30:38
96	96 190807M4_96	IPA	08-Aug-19	10:41:10
97	97 190807M4_97	ST190807M4-16 PFC CS3 19G2306	08-Aug-19	10:51:48
98	98 190807M4_98	IPA	08-Aug-19	11:02:21


Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld

Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306

PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
2.015e+004




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
1.087e+004
PFPrS
1.58
6.66e2
10725
MM
223.52




F6:MRM of 2 channels,ES-
248.9 > 98.9
4.675e+003
PFPrS
1.58
2.54e2
4563
MM
564.71

3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
1.540e+003




F5:MRM of 2 channels,ES-
240.9 > 116.9
8.375e+002

PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
3.123e+004




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
2.444e+004




F11:MRM of 2 channels,ES-
299.0 > 99.0
9.234e+003

4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
7.714e+004




F16:MRM of 2 channels,ES-
327.0 > 80.9
4.048e+004


13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
2.246e+004




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
1.529e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
4.262e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
4.262e+004



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
1.529e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
3.740e+004





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld

Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time


Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld


Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time

Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306


L-PFHxS
F23:MRM of 2 channels,ES-
398.9 > 79.6
2.574e+004




F23:MRM of 2 channels,ES-
398.9 > 99.0
1.317e+004




6:2 FTS
F29:MRM of 3 channels,ES-
427.0 > 406.9
7.254e+004




F29:MRM of 3 channels,ES-
427. > 80.9
3.130e+004




L-PFOA
F26:MRM of 2 channels,ES-
412.8 > 368.9
2.162e+005




F26:MRM of 2 channels,ES-
412.8 > 169
5.403e+004




PFEChS
F33:MRM of 2 channels,ES-
460.8 > 381.0
4.284e+004




F33:MRM of 2 channels,ES-
460.8 > 98.9
5.752e+004




PFHpS
F32:MRM of 2 channels,ES-
449.0 > 80.0
3.818e+004




F32:MRM of 2 channels,ES-
449 > 98.7
1.898e+004




7:3 FTCA
F31:MRM of 2 channels,ES-
440.9 > 336.9
2.424e+004




F31:MRM of 2 channels,ES-
440.9 > 316.9
1.069e+004




13C3-PFHxS
F24:MRM of 1 channel,ES-
401.8 > 79.9
4.709e+004




13C2-6:2 FTS
F30:MRM of 1 channel,ES-
429.0 > 79.9
3.171e+004




13C2-PFOA
F27:MRM of 1 channel,ES-
414.9 > 369.7
1.591e+005




13C2-PFOA
F27:MRM of 1 channel,ES-
414.9 > 369.7
1.591e+005



13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
6.015e+004



13C5-PFNA
F35:MRM of 1 channel,ES-
468.2 > 422.9
1.941e+005





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld

Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time


Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld

Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time


Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld


Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time

Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
5.812e+004




F66:MRM of 2 channels,ES-
627.0 > 80.9
3.769e+004




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
2.695e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
3.442e+004




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
6.477e+004




F43:MRM of 2 channels,ES-
512.1 > 219
3.842e+004




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
3.313e+005




F70:MRM of 2 channels,ES-
662.9 > 319
1.912e+004




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
4.177e+004




F71:MRM of 2 channels,ES-
698.8 > 98.9
2.333e+004




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
2.824e+005




F72:MRM of 2 channels,ES-
713. > 369.0
2.205e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
3.331e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
3.331e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
1.741e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
3.331e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.382e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
2.382e+005




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld


Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time

Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-44.qld


Last Altered: Thursday, August 08, 2019 08:51:59 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:53:19 Pacific Daylight Time

Name: 190807M4_44, Date: 08-Aug-2019, Time: 01:26:52, ID: ST190807M4-12 PFC CS3 19G2306, Description: PFC CS3 19G2306


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld

Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time

(A) HFPO-DA, 5:3 FTCA, PFecHS ≥ 130%
$^{13}C_3$-HFPO-DA < 50%.

JM 8/8/19

Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	1210.849	1319.242	1.00	1.23	11.473	9.6	95.9	NO		
2	2	PFPrS	248.9 > 79.9	617.823	747.357	1.00	1.59	10.333	8.3	82.5	NO	2.594	NO
3	3	3:3 FTCA	240.9 > 176.9	75.129	2290.086	1.00	2.06	0.410	11.6	115.8	NO	1.777	NO
4	4	PFPeA	263.1 > 218.9	1584.402	2290.086	1.00	2.21	8.648	9.9	99.0	NO		
5	5	PFBS	299.0 > 79.7	1310.557	747.357	1.00	2.51	21.920	10.2	101.5	NO	2.837	NO
6	6	4:2 FTS	327.0 > 306.9	2714.513	1353.197	1.00	2.92	25.075	11.4	114.2	NO	1.816	NO
7	47	13C3-PFBA	216.1 > 171.8	1319.242	1928.094	1.00	1.23	8.553	11.9	95.0	NO		
8	49	13C3-PFBS	302.0 > 98.8	747.357	684.831	1.00	2.51	13.641	12.4	99.1	NO		
9	48	13C3-PFPeA	266.0 > 221.8	2290.086	5951.060	1.00	2.21	4.810	9.4	74.9	NO		
10	48	13C3-PFPeA	266.0 > 221.8	2290.086	5951.060	1.00	2.21	4.810	9.4	74.9	NO		
11	49	13C3-PFBS	302.0 > 98.8	747.357	684.831	1.00	2.51	13.641	12.4	99.1	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	1353.197	684.831	1.00	2.92	24.699	13.6	108.4	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	4066.594	2174.517	1.00	3.01	9.351	11.3	113.4	NO	14.242	NO
15	8	PFPeS	349.1>80.1	1070.414	747.357	1.00	3.21	17.903	10.9	109.4	NO	1.565	NO
16	9	HFPO-DA	285.1 > 168.9	194.112	143.856	1.00	3.22	6.747	15.2	152.3(A)	YES	3.921	NO
17	10	5:3 FTCA	340.9 > 236.9	584.270	2802.750	1.00	3.57	2.606	13.8	137.8(A)	YES	1.482	NO
18	11	PFHpA	363.0 > 318.9	2625.860	2802.750	1.00	3.63	11.711	9.4	94.5	NO	5.627	NO
19	12	ADONA	376.8 > 250.9	9820.979	2802.750	1.00	3.75	43.801	13.5	135.0	YES	3.372	NO
20	52	13C2-PFHxA	315.0 > 270.0	2174.517	5951.060	1.00	3.01	4.567	4.6	92.5	NO		
21	49	13C3-PFBS	302.0 > 98.8	747.357	684.831	1.00	2.51	13.641	12.4	99.1	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	143.856	5951.060	1.00	3.22	0.302	2.1	41.0(A)	YES		
23	53	13C4-PFHpA	367.2 > 321.8	2802.750	5951.060	1.00	3.63	5.887	12.1	97.1	NO		
24	53	13C4-PFHpA	367.2 > 321.8	2802.750	5951.060	1.00	3.63	5.887	12.1	97.1	NO		
25	53	13C4-PFHpA	367.2 > 321.8	2802.750	5951.060	1.00	3.63	5.887	12.1	97.1	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	1073.897	1557.393	1.00	3.79	8.619	10.1	101.5	NO	1.750	NO
28	15	6:2 FTS	427.0 > 406.9	2666.279	1055.140	1.00	4.11	31.587	11.0	110.1	NO	2.540	NO
29	16	L-PFOA	412.8 > 368.9	6594.925	5799.742	1.00	4.16	14.214	10.3	103.1	NO	3.038	NO
30	18	PFecHS	460.8 > 381.0	1884.320	5799.742	1.00	4.18	4.061	18.9	189.3(A)	YES	0.915	NO
31	19	PFHpS	449.0 > 80.0	1356.880	1991.927	1.00	4.28	8.515	9.6	95.7	NO	2.142	NO
32	20	7:3 FTCA	440.9 > 336.9	856.116	7096.389	1.00	4.59	1.508	11.1	111.4	NO	2.228	NO
33	54	13C3-PFHxS	401.8 > 79.9	1557.393	684.831	1.00	3.79	28.427	12.9	102.9	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	1055.140	1926.471	1.00	4.11	6.846	12.2	97.5	NO		
35	58	13C2-PFOA	414.9 > 369.7	5799.742	9593.774	1.00	4.16	7.557	10.6	84.7	NO		
36	58	13C2-PFOA	414.9 > 369.7	5799.742	9593.774	1.00	4.16	7.557	10.6	84.7	NO		

CAH 8/8/19

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld

Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time

Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	1991.927	1926.471	1.00	4.69	12.925	13.1	104.5	NO		
38	56	13C5-PFNA	468.2 > 422.9	7096.389	6982.711	1.00	4.61	12.703	12.5	100.3	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	6392.892	7096.389	1.00	4.61	11.261	9.9	99.1	NO	3.845	NO
41	22	PFOSA	497.9 > 77.9	2245.249	2742.950	1.00	4.67	10.232	9.7	97.2	NO	31.174	NO
42	23	L-PFOS	498.9 > 79.9	1542.169	1991.927	1.00	4.70	9.678	8.9	89.4	NO	1.952	NO
43	25	9Cl-PF30NS	530.7 > 350.8	3768.209	1991.927	1.00	4.92	23.647	11.6	115.6	NO	17.851	NO
44	26	PFDA	513 > 468.8	8426.433	7148.790	1.00	4.99	14.734	11.3	113.0	NO	5.234	NO
45	27	8:2 FTS	527.0 > 506.9	1954.520	1034.936	1.00	4.96	23.607	12.6	125.5	NO	1.282	NO
46	56	13C5-PFNA	468.2 > 422.9	7096.389	6982.711	1.00	4.61	12.703	12.5	100.3	NO		
47	57	13C8-PFOSA	506.1 > 77.7	2742.950	12516.881	1.00	4.66	2.739	13.1	104.7	NO		
48	59	13C8-PFOS	507.0 > 79.9	1991.927	1926.471	1.00	4.69	12.925	13.1	104.5	NO		
49	59	13C8-PFOS	507.0 > 79.9	1991.927	1926.471	1.00	4.69	12.925	13.1	104.5	NO		
50	60	13C2-PFDA	515.1 > 469.9	7148.790	10643.321	1.00	4.99	8.396	10.7	85.9	NO		
51	61	13C2-8:2 FTS	529 > 79.9	1034.936	1926.471	1.00	4.96	6.715	11.8	94.3	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	1126.001	1991.927	1.00	5.05	7.066	9.3	92.8	NO	1.488	NO
54	29	L-MeFOSAA	570 > 419	4415.213	1948.909	1.00	5.14	28.318	11.1	110.9	NO	2.270	NO
55	31	L-EtFOSAA	584.1 > 419	3373.356	2846.757	1.00	5.30	14.812	10.6	106.0	NO	1.492	NO
56	33	PFUdA	563.0 > 518.9	8002.948	11266.167	1.00	5.32	8.879	10.5	105.0	NO	8.126	NO
57	34	PFDS	598.8 > 79.9	1492.150	1034.936	1.00	5.37	18.022	9.9	98.7	NO	1.665	NO
58	35	11Cl-PF30UdS	632.6 > 452.7	673.343	12334.003	1.00	5.53	0.682	11.5	114.8	NO	3.569	NO
59	59	13C8-PFOS	507.0 > 79.9	1991.927	1926.471	1.00	4.69	12.925	13.1	104.5	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	1948.909	12516.881	1.00	5.14	1.946	12.6	101.1	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	2846.757	12516.881	1.00	5.30	2.843	14.5	116.0	NO		
62	63	13C2-PFUdA	565 > 519.8	11266.167	12516.881	1.00	5.32	11.251	11.0	88.3	NO		
63	61	13C2-8:2 FTS	529 > 79.9	1034.936	1926.471	1.00	4.96	6.715	11.8	94.3	NO		
64	65	13C2-PFDoA	614.7 > 569.7	12334.003	10643.321	1.00	5.61	14.486	13.2	105.6	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9	2144.102	1034.936	1.00	5.59	25.897	11.4	114.0	NO	1.559	NO
67	37	PFDoA	612.9 > 569.0	9458.884	12334.003	1.00	5.61	9.586	9.2	92.1	NO	8.074	NO
68	38	N-MeFOSA	512.1 > 168.9	2302.154	6227.871	1.00	5.71	55.448	52.8	105.7	NO	1.551	NO
69	39	PFTrDA	662.9 > 618.9	11813.728	12334.003	1.00	5.86	11.973	10.2	102.2	NO	18.278	NO
70	40	PFDoS	698.8 > 79.9	1418.141	8600.351	1.00	5.89	2.061	12.5	125.2	NO	1.763	NO
71	41	PFTeDA	713.0 > 669.0	11190.330	8600.351	1.00	6.08	16.264	11.9	118.6	NO	15.810	NO
72	65	13C2-PFDoA	614.7 > 569.7	12334.003	10643.321	1.00	5.61	14.486	13.2	105.6	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld

Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time

Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	12334.003	10643.321	1.00	5.61	14.486	13.2	105.6	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	6227.871	12516.881	1.00	5.74	6.219	141.3	94.2	NO		
75	65	13C2-PFDoA	614.7 > 569.7	12334.003	10643.321	1.00	5.61	14.486	13.2	105.6	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	8600.351	12516.881	1.00	6.08	8.589	12.5	100.4	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	8600.351	12516.881	1.00	6.08	8.589	12.5	100.4	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9	2826.265	9069.213	1.00	6.14	46.745	50.3	100.5	NO	1.697	NO
80	43	PFHxDA	813.1 > 768.6	5682.714	5317.186	1.00	6.43	5.344	9.5	94.6	NO	15.220	NO
81	44	PFODA	913.1 > 868.8	8128.350	5317.186	1.00	6.67	7.643	11.2	112.2	NO		
82	45	N-MeFOSE	616.1 > 58.9	1834.105	4884.266	1.00	6.32	56.327	53.9	107.8	NO		
83	46	N-EtFOSE	630.1 > 58.9	2241.650	5490.822	1.00	6.47	61.238	49.0	98.0	NO		
84	72	13C4-PFBA	217.0 > 172.0	1928.094	1928.094	1.00	1.23	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	9069.213	12516.881	1.00	6.15	9.057	166.9	111.3	NO		
86	69	13C2-PFHxDA	815 > 769.7	5317.186	12516.881	1.00	6.43	5.310	5.7	114.3	NO		
87	69	13C2-PFHxDA	815 > 769.7	5317.186	12516.881	1.00	6.43	5.310	5.7	114.3	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	4884.266	12516.881	1.00	6.31	4.878	139.8	93.2	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	5490.822	12516.881	1.00	6.46	5.483	159.0	106.0	NO		
90	73	13C5-PFHxA	318.0 > 272.9	5951.060	5951.060	1.00	3.01	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	9593.774	9593.774	1.00	4.16	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	684.831	684.831	1.00	3.79	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	6982.711	6982.711	1.00	4.61	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	1926.471	1926.471	1.00	4.69	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	10643.321	10643.321	1.00	4.99	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	12516.881	12516.881	1.00	5.32	12.500	12.5	100.0	NO		

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:39:26 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:39:37 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190807M4_1	IPA	07-Aug-19	17:51:10
2	2	190807M4_2	IPA	07-Aug-19	18:01:46
3	3	190807M4_3	ST190807M4-1 PFC CS-2 19G2301	07-Aug-19	18:12:24
4	4	190807M4_4	ST190807M4-2 PFC CS-1 19G2302	07-Aug-19	18:23:00
5	5	190807M4_5	ST190807M4-3 PFC CS0 19G2303 (A)	07-Aug-19	18:33:36
6	6	190807M4_6	ST190807M4-4 PFC CS1 19G2304	07-Aug-19	18:44:08
7	7	190807M4_7	ST190807M4-5 PFC CS2 19G2305	07-Aug-19	18:54:47
8	8	190807M4_8	ST190807M4-6 PFC CS3 19G2306	07-Aug-19	19:05:20
9	9	190807M4_9	ST190807M4-7 PFC CS4 19G2307	07-Aug-19	19:15:59
10	10	190807M4_10	ST190807M4-8 PFC CS5 19G2308	07-Aug-19	19:26:31
11	11	190807M4_11	ST190807M4-9 PFC CS6 19G2309	07-Aug-19	19:37:10
12	12	190807M4_12	ST190807M4-10 PFC CS7 19G2310	07-Aug-19	19:47:42
13	13	190807M4_13	IB	07-Aug-19	19:58:21
14	14	190807M4_14	ICV190807M4-1 PFC ICV 19G2311	07-Aug-19	20:08:59
15	15	190807M4_15	IPA	07-Aug-19	20:19:32
16	16	190807M4_16	B9G0278-BS1 OPR 1	07-Aug-19	20:30:10
17	17	190807M4_17	B9G0278-BLK1 Method Blank 1	07-Aug-19	20:40:44
18	18	190807M4_18	B9G0278-MS1 Matrix Spike 1.11	07-Aug-19	20:51:22
19	19	190807M4_19	B9G0278-MSD1 Matrix Spike Dup 1.11	07-Aug-19	21:01:56
20	20	190807M4_20	1902194-01 DRUM-14 1.29	07-Aug-19	21:12:34
21	21	190807M4_21	1902194-02 DRUM-15 1.06	07-Aug-19	21:23:06
22	22	190807M4_22	1902194-03 DRUM-16 1.04	07-Aug-19	21:33:45
23	23	190807M4_23	1902194-04 DRUM-17 1.05	07-Aug-19	21:44:23
24	24	190807M4_24	1902194-05 DRUM-18 1.12	07-Aug-19	21:54:56
25	25	190807M4_25	1902194-06 DRUM-19 1.05	07-Aug-19	22:05:35
26	26	190807M4_26	1902194-07 DRUM-20 1.08	07-Aug-19	22:16:04
27	27	190807M4_27	1902194-08 DRUM-21 1.14	07-Aug-19	22:26:43
28	28	190807M4_28	1902194-09 DRUM-22 1.11	07-Aug-19	22:37:16
29	29	190807M4_29	1902194-10 DRUM-23 1.15	07-Aug-19	22:47:55
30	30	190807M4_30	IPA	07-Aug-19	22:58:28
31	31	190807M4_31	ST190807M4-11 PFC CS3 19G2306	07-Aug-19	23:09:06
32	32	190807M4_32	IPA	07-Aug-19	23:19:39

(A) Curve not used, CS0 fell into previous calibration. am 8/8/19

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:39:26 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:39:37 Pacific Daylight Time

Compound name: PFBA

	# Name	ID	Acq.Date	Acq.Time
33	33 190807M4_33	1902194-11 DRUM-24 1.15	07-Aug-19	23:30:18
34	34 190807M4_34	1902194-12 DRUM-25 1.03	07-Aug-19	23:40:51
35	35 190807M4_35	1902194-13 DRUM-26 1.06	07-Aug-19	23:51:29
36	36 190807M4_36	1902194-14 DRUM-27 1.04	08-Aug-19	00:02:02
37	37 190807M4_37	1902194-15 DRUM-28 1.02	08-Aug-19	00:12:40
38	38 190807M4_38	1902194-16 DRUM-29 1.37	08-Aug-19	00:23:13
39	39 190807M4_39	1902194-17 DRUM-30 1.22	08-Aug-19	00:33:51
40	40 190807M4_40	1902194-18 DRUM-31 1.02	08-Aug-19	00:44:30
41	41 190807M4_41	1902194-19 DRUM-32 1.07	08-Aug-19	00:55:02
42	42 190807M4_42	1902194-20 DRUM-33 1.03	08-Aug-19	01:05:41
43	43 190807M4_43	IPA	08-Aug-19	01:16:19
44	44 190807M4_44	ST190807M4-12 PFC CS3 19G2306	08-Aug-19	01:26:52
45	45 190807M4_45	IPA	08-Aug-19	01:37:30
46	46 190807M4_46	B9G0264-BS1 OPR 1	08-Aug-19	01:48:02
47	47 190807M4_47	B9H0005-BS1 OPR 1	08-Aug-19	01:58:40
48	48 190807M4_48	B9H0005-BLK1 Method Blank 1	08-Aug-19	02:09:14
49	49 190807M4_49	1900655-01RE1 IA19-DU3-03042019-10-15-1 1.01	08-Aug-19	02:19:52
50	50 190807M4_50	1900655-02RE1 IA19-DU2-03042019-10-25-1 1.03	08-Aug-19	02:30:24
51	51 190807M4_51	1900655-03RE1 IA19-DU2-03042019-10-25-2 1	08-Aug-19	02:41:03
52	52 190807M4_52	1900655-04RE1 IA19-DU2-03042019-10-25-3 1	08-Aug-19	02:51:41
53	53 190807M4_53	1900655-05RE1 IA2-DU3-03042019-12-40-1 1.01	08-Aug-19	03:02:13
54	54 190807M4_54	1900655-06RE1 IA19-DU1-03042019-11-05-1 1.02	08-Aug-19	03:12:52
55	55 190807M4_55	1900716-03RE1 IA22-DU1-10042019-12-40-1 1.02	08-Aug-19	03:23:24
56	56 190807M4_56	1900716-04RE1 IA22-DU2-10042019-13-30-1 1	08-Aug-19	03:34:02
57	57 190807M4_57	1901614-01RE1 IA-1-DU7R-14062019-09-35-1 1.02	08-Aug-19	03:44:34
58	58 190807M4_58	1901614-02RE1 IA-1-DU1R-14062019-10-50-1 1.02	08-Aug-19	03:55:13
59	59 190807M4_59	IPA	08-Aug-19	04:05:51
60	60 190807M4_60	ST190807M4-13 PFC CS3 19G2306	08-Aug-19	04:16:25
61	61 190807M4_61	IPA	08-Aug-19	04:27:04
62	62 190807M4_62	1901614-03RE1 IA-1-DU3R-14062019-12-15-1 1.01	08-Aug-19	04:37:42
63	63 190807M4_63	1901614-04RE1 IA-1-DU3R-14062019-12-15-2 1.01	08-Aug-19	04:48:14
64	64 190807M4_64	1901614-05RE1 IA-1-DU3R-14062019-12-15-3 1.02	08-Aug-19	04:58:53
65	65 190807M4_65	1901614-06RE1 IA-1-DU4R-14062019-13-35-1 1.02	08-Aug-19	05:09:31
66	66 190807M4_66	1901614-09RE1 IA-1-DU5R-14062019-15-10-1 1	08-Aug-19	05:20:04
67	67 190807M4_67	B9H0013-BS1 OPR 0.125	08-Aug-19	05:30:43
68	68 190807M4_68	B9H0013-BLK1 Method Blank 0.125	08-Aug-19	05:41:16

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Thursday, August 08, 2019 11:39:26 Pacific Daylight Time
Printed: Thursday, August 08, 2019 11:39:37 Pacific Daylight Time

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
69	69	190807M4_69	1902387-03 AQA 19-11 S3 0.125	08-Aug-19	05:51:54
70	70	190807M4_70	1902387-04 AQA 19-11 S4 0.125	08-Aug-19	06:02:27
71	71	190807M4_71	B9G0234-BS1 OPR 1	08-Aug-19	06:13:06
72	72	190807M4_72	B9G0234-BLK1 Method Blank 1	08-Aug-19	06:23:39
73	73	190807M4_73	1902196-01 SB00021907151455KE 1.11	08-Aug-19	06:34:18
74	74	190807M4_74	1902196-02 SB02041907151500KE 1.02	08-Aug-19	06:44:50
75	75	190807M4_75	1902196-03 SB04061907151550JB 1.05	08-Aug-19	06:55:29
76	76	190807M4_76	IPA	08-Aug-19	07:06:07
77	77	190807M4_77	ST190807M4-14 PFC CS3 19G2306	08-Aug-19	07:16:40
78	78	190807M4_78	IPA	08-Aug-19	07:27:18
79	79	190807M4_79	1902196-04 SB06081907151555KE 1.27	08-Aug-19	07:37:52
80	80	190807M4_80	1902196-05 SB08101907151600KE 1.05	08-Aug-19	07:48:31
81	81	190807M4_81	1902196-06 SB10121907151605KE 1.06	08-Aug-19	07:59:09
82	82	190807M4_82	1902196-07 SB12141907151610KE 1.03	08-Aug-19	08:09:41
83	83	190807M4_83	1902196-08 SB14161907151650KE 1.18	08-Aug-19	08:21:08
84	84	190807M4_84	1902196-09 SB16181907151652KE 1.19	08-Aug-19	08:31:41
85	85	190807M4_85	1902196-10 SB18201907151654KE 1.14	08-Aug-19	08:42:19
86	86	190807M4_86	1902196-11 SB20221907151725KE 1.15	08-Aug-19	08:52:53
87	87	190807M4_87	1902196-12 SB22241907151730KE 1.17	08-Aug-19	09:03:49
88	88	190807M4_88	1902196-13 SB24261907151735KE 1.16	08-Aug-19	09:14:26
89	89	190807M4_89	IPA	08-Aug-19	09:25:04
90	90	190807M4_90	ST190807M4-15 PFC CS3 19G2306	08-Aug-19	09:35:37
91	91	190807M4_91	IPA	08-Aug-19	09:48:12
92	92	190807M4_92	1902196-14 SB25301907160925JB 1.17	08-Aug-19	09:58:47
93	93	190807M4_93	1902196-15 SB30351907160915JB 1.06	08-Aug-19	10:09:26
94	94	190807M4_94	1902196-16 SB38401907161025JB 1.23	08-Aug-19	10:19:59
95	95	190807M4_95	1902196-17 SB40421907161040JB 1.22	08-Aug-19	10:30:38
96	96	190807M4_96	IPA	08-Aug-19	10:41:10
97	97	190807M4_97	ST190807M4-16 PFC CS3 19G2306	08-Aug-19	10:51:48
98	98	190807M4_98	IPA	08-Aug-19	11:02:21


Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld

Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_080719.mdb 08 Aug 2019 08:37:00
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_08-06-19.cdb 06 Aug 2019 14:25:35

Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306

PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
1.853e+004




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
1.068e+004




F6:MRM of 2 channels,ES-
248.9 > 98.9
3.909e+003

3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
1.511e+003




F5:MRM of 2 channels,ES-
240.9 > 116.9
7.446e+002

PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
2.746e+004




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
2.492e+004




F11:MRM of 2 channels,ES-
299.0 > 99.0
9.088e+003

4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
7.297e+004




F16:MRM of 2 channels,ES-
327.0 > 80.9
3.754e+004


13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.796e+004




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
1.466e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
4.199e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
4.199e+004



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
1.466e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
3.604e+004





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld

Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time


Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld

Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time


Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld

Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time


Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld

Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time


Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld

Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time


Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld


Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time

Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190807M4\190807M4-60.qld


Last Altered: Thursday, August 08, 2019 08:56:31 Pacific Daylight Time
Printed: Thursday, August 08, 2019 08:58:38 Pacific Daylight Time

Name: 190807M4_60, Date: 08-Aug-2019, Time: 04:16:25, ID: ST190807M4-13 PFC CS3 19G2306, Description: PFC CS3 19G2306


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



INITIAL CALIBRATION (ICAL)

INCLUDING ASSOCIATED

INITIAL CALIBRATION VERIFICATION (ICV) AND INSTRUMENT BLANK (IB)

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

High PE
HFPO-DA = 250
7:3 FTCA
3:3 FTCA = 100
5:3 FTCA
PFDS

Low PE
HFPO-DA = 1

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

JM 7/22/19

Compound name: PFBA
Correlation coefficient: r = 0.999866, r^2 = 0.999732
Calibration curve: 1.24607 * x + 0.00199996
Response type: Internal Std (Ref 47), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	1.15	205.691	7535.072	0.341	0.3	8.9	NO	1.000	NO	bb
2	2	190722M1_5	Standard	0.500	1.15	374.673	7667.957	0.611	0.5	-2.3	NO	1.000	NO	MM
3	3	190722M1_6	Standard	1.000	1.16	697.877	7940.078	1.099	0.9	-12.0	NO	1.000	NO	MM
4	4	190722M1_7	Standard	2.000	1.16	1497.573	7913.104	2.366	1.9	-5.2	NO	1.000	NO	MM
5	5	190722M1_8	Standard	5.000	1.16	4112.893	8268.948	6.217	5.0	-0.2	NO	1.000	NO	bb
6	6	190722M1_9	Standard	10.000	1.15	8275.571	7860.292	13.160	10.6	5.6	NO	1.000	NO	bb
7	7	190722M1_10	Standard	50.000	1.16	40213.590	7803.057	64.420	51.7	3.4	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	1.16	81006.617	7935.086	127.608	102.4	2.4	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	1.16	194562.391	7764.940	313.207	251.4	0.5	NO	1.000	NO	bb
10	10	190722M1_13	Standard	500.000	1.16	381731.438	7748.437	615.820	494.2	-1.2	NO	1.000	NO	bb

Compound name: PFPrS
Coefficient of Determination: R^2 = 0.999175
Calibration curve: 0.000485085 * x^2 + 0.946971 * x + -0.183868
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	1.52	20.361	2236.356	0.114	0.3	25.7	NO	0.999	NO	MM
2	2	190722M1_5	Standard	0.500	1.51	50.173	2328.057	0.269	0.5	-4.3	NO	0.999	NO	MM
3	3	190722M1_6	Standard	1.000	1.53	130.598	2135.009	0.765	1.0	0.1	NO	0.999	NO	MM
4	4	190722M1_7	Standard	2.000	1.52	302.588	2286.379	1.654	1.9	-3.0	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	1.52	795.707	2378.276	4.182	4.6	-8.0	NO	0.999	NO	MM
6	6	190722M1_9	Standard	10.000	1.52	1540.571	2169.553	8.876	9.5	-4.8	NO	0.999	NO	MM
7	7	190722M1_10	Standard	50.000	1.52	7635.215	2223.375	42.926	44.5	-11.0	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	1.52	16993.711	2050.346	103.603	104.1	4.1	NO	0.999	NO	MM
9	9	190722M1_12	Standard	250.000	1.52	39975.602	1839.875	271.592	254.0	1.6	NO	0.999	NO	MM
10	10	190722M1_13	Standard	500.000	1.52	79009.047	1668.475	591.926	498.2	-0.4	NO	0.999	NO	MM

CdH 7/22/19

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: 3:3 FTCA
Coefficient of Determination: R^2 = 0.999283
Calibration curve: 2.19065e-005 * x^2 + 0.034454 * x + -0.00306612
Response type: Internal Std (Ref 48), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	1.97	8.341	15615.620	0.007	0.3	13.1	NO	0.999	NO	MM
2	2	190722M1_5	Standard	0.500	1.99	17.697	15644.763	0.014	0.5	-0.2	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	1.99	38.693	15402.321	0.031	1.0	-0.0	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	1.99	82.801	16573.887	0.062	1.9	-5.0	NO	0.999	NO	MM
5	5	190722M1_8	Standard	5.000	2.00	210.851	16136.088	0.163	4.8	-3.7	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	1.99	398.344	15546.884	0.320	9.3	-6.7	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	2.00	2297.046	15661.723	1.833	51.6	3.2	NO	0.999	NO	db
8	8	190722M1_11	Standard	100.000	2.00	4508.315	15504.576	3.635	99.3	-0.7	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	2.00	11063.976	14045.382	9.847	247.1	-1.2	NO	0.999	NO	bbX
10	10	190722M1_13	Standard	500.000	1.99	4674.946	13207.372	4.425	119.4	-76.1	YES	0.999	NO	bbX

Compound name: PFPeA
Correlation coefficient: r = 0.999912, r^2 = 0.999823
Calibration curve: 0.926196 * x + -0.0150139
Response type: Internal Std (Ref 48), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	2.15	296.510	15615.620	0.237	0.3	9.0	NO	1.000	NO	MM
2	2	190722M1_5	Standard	0.500	2.15	522.050	15644.763	0.417	0.5	-6.7	NO	1.000	NO	bb
3	3	190722M1_6	Standard	1.000	2.15	1074.948	15402.321	0.872	1.0	-4.2	NO	1.000	NO	bb
4	4	190722M1_7	Standard	2.000	2.15	2381.022	16573.887	1.796	2.0	-2.2	NO	1.000	NO	bb
5	5	190722M1_8	Standard	5.000	2.15	6167.493	16136.088	4.778	5.2	3.5	NO	1.000	NO	MM
6	6	190722M1_9	Standard	10.000	2.15	11428.299	15546.884	9.189	9.9	-0.6	NO	1.000	NO	MM
7	7	190722M1_10	Standard	50.000	2.15	59268.148	15661.723	47.303	51.1	2.2	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	2.15	115296.305	15504.576	92.953	100.4	0.4	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	2.15	255015.141	14045.382	226.956	245.1	-2.0	NO	1.000	NO	bb
10	10	190722M1_13	Standard	500.000	2.15	492677.250	13207.372	466.290	503.5	0.7	NO	1.000	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: PFBS
Correlation coefficient: r = 0.999795, r^2 = 0.999590
Calibration curve: 2.27622 * x + -0.0754669
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	2.45	92.299	2236.356	0.516	0.3	3.9	NO	1.000	NO	bb
2	2	190722M1_5	Standard	0.500	2.44	193.730	2328.057	1.040	0.5	-2.0	NO	1.000	NO	bb
3	3	190722M1_6	Standard	1.000	2.45	342.157	2135.009	2.003	0.9	-8.7	NO	1.000	NO	bb
4	4	190722M1_7	Standard	2.000	2.45	815.520	2286.379	4.459	2.0	-0.4	NO	1.000	NO	bb
5	5	190722M1_8	Standard	5.000	2.45	2109.984	2378.276	11.090	4.9	-1.9	NO	1.000	NO	bb
6	6	190722M1_9	Standard	10.000	2.45	4125.201	2169.553	23.768	10.5	4.7	NO	1.000	NO	bb
7	7	190722M1_10	Standard	50.000	2.45	20523.697	2223.375	115.386	50.7	1.5	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	2.45	39162.527	2050.346	238.756	104.9	4.9	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	2.45	82227.227	1839.875	558.647	245.5	-1.8	NO	1.000	NO	bb
10	10	190722M1_13	Standard	500.000	2.45	151478.656	1668.475	1134.859	498.6	-0.3	NO	1.000	NO	bb

Compound name: 4:2 FTS
Coefficient of Determination: R^2 = 0.999884
Calibration curve: -0.000681037 * x^2 + 2.53383 * x + -0.100616
Response type: Internal Std (Ref 51), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	2.88	156.029	3670.744	0.531	0.2	-0.2	NO	1.000	NO	bb
2	2	190722M1_5	Standard	0.500	2.87	421.413	3757.099	1.402	0.6	18.6	NO	1.000	NO	bb
3	3	190722M1_6	Standard	1.000	2.88	622.423	3580.179	2.173	0.9	-10.2	NO	1.000	NO	bb
4	4	190722M1_7	Standard	2.000	2.88	1453.074	3900.635	4.657	1.9	-6.1	NO	1.000	NO	bb
5	5	190722M1_8	Standard	5.000	2.88	3772.077	3671.611	12.842	5.1	2.3	NO	1.000	NO	bb
6	6	190722M1_9	Standard	10.000	2.88	6978.543	3615.187	24.129	9.6	-4.1	NO	1.000	NO	bb
7	7	190722M1_10	Standard	50.000	2.88	32919.199	3349.761	122.842	49.2	-1.7	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	2.88	61643.371	3083.802	249.868	101.4	1.4	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	2.88	118444.344	2504.447	591.170	250.2	0.1	NO	1.000	NO	bb
10	10	190722M1_13	Standard	500.000	2.88	203093.719	2316.492	1095.912	499.7	-0.1	NO	1.000	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: PFHxA
Correlation coefficient: r = 0.999007, r^2 = 0.998015
Calibration curve: 0.876467 * x + 0.0616289
Response type: Internal Std (Ref 52), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	2.96	635.012	12177.271	0.261	0.2	-9.1	NO	0.998	NO	bb
2	2	190722M1_5	Standard	0.500	2.96	1326.920	12908.381	0.514	0.5	3.2	NO	0.998	NO	bb
3	3	190722M1_6	Standard	1.000	2.97	2297.481	11943.897	0.962	1.0	2.7	NO	0.998	NO	bb
4	4	190722M1_7	Standard	2.000	2.96	4823.463	13020.162	1.852	2.0	2.2	NO	0.998	NO	bb
5	5	190722M1_8	Standard	5.000	2.96	12505.828	13060.069	4.788	5.4	7.8	NO	0.998	NO	bb
6	6	190722M1_9	Standard	10.000	2.96	22780.172	12196.678	9.339	10.6	5.8	NO	0.998	NO	bb
7	7	190722M1_10	Standard	50.000	2.96	118417.344	12268.250	48.262	55.0	10.0	NO	0.998	NO	bb
8	8	190722M1_11	Standard	100.000	2.97	227961.234	11871.380	96.013	109.5	9.5	NO	0.998	NO	bb
9	9	190722M1_12	Standard	250.000	2.97	476333.875	11058.899	215.362	245.6	-1.7	NO	0.998	NO	bb
10	10	190722M1_13	Standard	500.000	2.97	860983.375	10046.051	428.518	488.8	-2.2	NO	0.998	NO	bb

Compound name: PFPeS
Coefficient of Determination: R^2 = 0.999023
Calibration curve: -0.000714377 * x^2 + 1.61311 * x + -0.0331084
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	3.17	65.437	2236.356	0.366	0.2	-1.1	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	3.17	137.134	2328.057	0.736	0.5	-4.6	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	3.17	239.597	2135.009	1.403	0.9	-11.0	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	3.17	564.167	2286.379	3.084	1.9	-3.3	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	3.17	1674.088	2378.276	8.799	5.5	9.8	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	3.17	3014.743	2169.553	17.370	10.8	8.4	NO	0.999	NO	bd
7	7	190722M1_10	Standard	50.000	3.17	14162.873	2223.375	79.625	50.5	1.0	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	3.17	26272.701	2050.346	160.172	104.1	4.1	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	3.17	50629.770	1839.875	343.976	238.4	-4.6	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	3.17	84613.969	1668.475	633.917	506.7	1.3	NO	0.999	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: HFPO-DA
Coefficient of Determination: R^2 = 0.991970
Calibration curve: -0.00118486 * x^2 + 0.675421 * x + -0.203895
Response type: Internal Std (Ref 50), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	3.18	34.880	1911.858	0.091	0.4	74.9	YES	0.992	NO	bbX
2	2	190722M1_5	Standard	0.500	3.17	133.862	1900.246	0.352	0.8	64.9	YES	0.992	NO	bbX
3	3	190722M1_6	Standard	1.000	3.18	122.225	1798.144	0.340	0.8	-19.4	NO	0.992	NO	bb
4	4	190722M1_7	Standard	2.000	3.17	425.952	1502.926	1.417	2.4	20.5	NO	0.992	NO	bb
5	5	190722M1_8	Standard	5.000	3.17	980.957	1823.471	2.690	4.3	-13.7	NO	0.992	NO	bb
6	6	190722M1_9	Standard	10.000	3.18	1479.204	1583.915	4.669	7.3	-26.9	NO	0.992	NO	bb
7	7	190722M1_10	Standard	50.000	3.17	10338.313	1516.116	34.095	56.4	12.7	NO	0.992	NO	bb
8	8	190722M1_11	Standard	100.000	3.18	17605.830	1625.359	54.160	97.0	-3.0	NO	0.992	NO	bb
9	9	190722M1_12	Standard	250.000	3.17	32582.572	1723.773	94.509	249.0	-0.4	NO	0.992	NO	bb
10	10	190722M1_13	Standard	500.000	3.18	59665.297	1164.100	256.272			NO	0.992	NO	bbXI

Compound name: 5:3 FTCA
Coefficient of Determination: R^2 = 0.999954
Calibration curve: 0.000276123 * x^2 + 0.182638 * x + -0.0100687
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	3.52	46.653	15466.499	0.038	0.3	4.6	NO	1.000	NO	bb
2	2	190722M1_5	Standard	0.500	3.52	103.871	16469.510	0.079	0.5	-2.7	NO	1.000	NO	bb
3	3	190722M1_6	Standard	1.000	3.52	204.981	15694.526	0.163	0.9	-5.2	NO	1.000	NO	bb
4	4	190722M1_7	Standard	2.000	3.52	468.877	16354.851	0.358	2.0	0.6	NO	1.000	NO	bb
5	5	190722M1_8	Standard	5.000	3.52	1240.769	16565.537	0.936	5.1	2.8	NO	1.000	NO	bb
6	6	190722M1_9	Standard	10.000	3.52	2221.937	15015.037	1.850	10.0	0.3	NO	1.000	NO	bb
7	7	190722M1_10	Standard	50.000	3.52	12012.357	15372.816	9.768	49.8	-0.4	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	3.52	24231.244	14399.047	21.035	100.1	0.1	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	3.52	60118.285	12478.941	60.220	241.6	-3.4	NO	1.000	NO	bbX
10	10	190722M1_13	Standard	500.000	3.52	24303.627	10512.502	28.898	132.0	-73.6	YES	1.000	NO	bbX

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: PFHpA
Correlation coefficient: r = 0.999631, r^2 = 0.999262
Calibration curve: 1.29462 * x + -0.00115138
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	3.59	400.932	15466.499	0.324	0.3	0.5	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	3.58	873.613	16469.510	0.663	0.5	2.6	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	3.59	1554.342	15694.526	1.238	1.0	-4.3	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	3.58	3381.580	16354.851	2.585	2.0	-0.1	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	3.59	8588.707	16565.537	6.481	5.0	0.1	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	3.59	15734.628	15015.037	13.099	10.1	1.2	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	3.59	79713.648	15372.816	64.817	50.1	0.1	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	3.59	152997.594	14399.047	132.819	102.6	2.6	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	3.59	309129.594	12478.941	309.651	239.2	-4.3	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	3.59	553162.063	10512.502	657.743	508.1	1.6	NO	0.999	NO	bb

Compound name: ADONA
Correlation coefficient: r = 0.998584, r^2 = 0.997170
Calibration curve: 3.57793 * x + -0.298634
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	3.70	1011.495	15466.499	0.817	0.3	24.8	NO	0.997	NO	bb
2	2	190722M1_5	Standard	0.500	3.70	2058.825	16469.510	1.563	0.5	4.0	NO	0.997	NO	bb
3	3	190722M1_6	Standard	1.000	3.70	4235.072	15694.526	3.373	1.0	2.6	NO	0.997	NO	bb
4	4	190722M1_7	Standard	2.000	3.70	8444.851	16354.851	6.454	1.9	-5.6	NO	0.997	NO	bb
5	5	190722M1_8	Standard	5.000	3.70	21530.680	16565.537	16.247	4.6	-7.5	NO	0.997	NO	bb
6	6	190722M1_9	Standard	10.000	3.70	39734.527	15015.037	33.079	9.3	-6.7	NO	0.997	NO	bb
7	7	190722M1_10	Standard	50.000	3.70	205867.641	15372.816	167.396	46.9	-6.3	NO	0.997	NO	bb
8	8	190722M1_11	Standard	100.000	3.70	396448.875	14399.047	344.162	96.3	-3.7	NO	0.997	NO	bb
9	9	190722M1_12	Standard	250.000	3.70	835964.125	12478.941	837.375	234.1	-6.4	NO	0.997	NO	bb
10	10	190722M1_13	Standard	500.000	3.70	1575840.875	10512.502	1873.770	523.8	4.8	NO	0.997	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: L-PFHxS
Coefficient of Determination: R^2 = 0.997745
Calibration curve: 0.000357574 * x^2 + 0.908432 * x + -0.00114983
Response type: Internal Std (Ref 54), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	3.74	82.299	4237.713	0.243	0.3	7.4	NO	0.998	NO	MM
2	2	190722M1_5	Standard	0.500	3.74	141.278	4295.812	0.411	0.5	-9.3	NO	0.998	NO	MM
3	3	190722M1_6	Standard	1.000	3.74	277.821	4291.999	0.809	0.9	-10.8	NO	0.998	NO	MM
4	4	190722M1_7	Standard	2.000	3.75	690.540	4626.274	1.866	2.1	2.7	NO	0.998	NO	MM
5	5	190722M1_8	Standard	5.000	3.75	1641.185	4549.954	4.509	5.0	-0.9	NO	0.998	NO	MM
6	6	190722M1_9	Standard	10.000	3.75	3159.205	4222.706	9.352	10.3	2.5	NO	0.998	NO	MM
7	7	190722M1_10	Standard	50.000	3.75	16693.316	4304.553	48.476	52.3	4.6	NO	0.998	NO	MM
8	8	190722M1_11	Standard	100.000	3.75	32262.391	3916.082	102.980	108.7	8.7	NO	0.998	NO	MM
9	9	190722M1_12	Standard	250.000	3.74	66965.891	3613.687	231.640	233.5	-6.6	NO	0.998	NO	MM
10	10	190722M1_13	Standard	500.000	3.75	125607.516	2851.692	550.583	505.5	1.1	NO	0.998	NO	MM

Compound name: 6:2 FTS
Coefficient of Determination: R^2 = 0.998968
Calibration curve: -0.00125899 * x^2 + 3.39476 * x + -0.177829
Response type: Internal Std (Ref 55), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	4.05	183.284	2786.472	0.822	0.3	17.8	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	4.06	269.130	2769.114	1.215	0.4	-17.9	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	4.06	611.911	2622.355	2.917	0.9	-8.8	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	4.06	1492.028	2784.607	6.698	2.0	1.3	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	4.06	3586.114	2891.434	15.503	4.6	-7.5	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	4.06	7000.691	2648.652	33.039	9.8	-1.8	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	4.06	32527.863	2695.782	150.828	45.2	-9.5	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	4.06	60900.770	2231.852	341.089	104.6	4.6	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	4.06	121717.750	1952.420	779.275	253.4	1.4	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	4.06	211075.703	1916.864	1376.439	497.2	-0.6	NO	0.999	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: L-PFOA
Correlation coefficient: r = 0.999592, r^2 = 0.999184
Calibration curve: 1.50207 * x + 0.037722
Response type: Internal Std (Ref 58), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	4.12	861.843	27227.115	0.396	0.2	-4.7	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	4.11	1844.344	27747.313	0.831	0.5	5.6	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	4.12	3152.319	27237.805	1.447	0.9	-6.2	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	4.11	6736.039	28255.654	2.980	2.0	-2.1	NO	0.999	NO	bd
5	5	190722M1_8	Standard	5.000	4.12	17974.145	28378.357	7.917	5.2	4.9	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	4.12	31805.338	26171.531	15.191	10.1	0.9	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	4.12	163728.203	26058.307	78.539	52.3	4.5	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	4.12	298594.438	24945.002	149.626	99.6	-0.4	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	4.12	597642.625	20788.729	359.355	239.2	-4.3	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	4.12	1048031.875	17144.352	764.123	508.7	1.7	NO	0.999	NO	bb

Compound name: PFecHS
Coefficient of Determination: R^2 = 0.999810
Calibration curve: 9.03021e-005 * x^2 + 0.229813 * x + -0.00373897
Response type: Internal Std (Ref 58), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	4.14	123.901	27227.115	0.057	0.3	5.5	NO	1.000	NO	bb
2	2	190722M1_5	Standard	0.500	4.13	236.827	27747.313	0.107	0.5	-3.9	NO	1.000	NO	bb
3	3	190722M1_6	Standard	1.000	4.13	495.991	27237.805	0.228	1.0	0.6	NO	1.000	NO	bb
4	4	190722M1_7	Standard	2.000	4.14	981.958	28255.654	0.434	1.9	-4.7	NO	1.000	NO	bb
5	5	190722M1_8	Standard	5.000	4.14	2528.496	28378.357	1.114	4.9	-2.9	NO	1.000	NO	db
6	6	190722M1_9	Standard	10.000	4.14	5000.771	26171.531	2.388	10.4	3.7	NO	1.000	NO	bd
7	7	190722M1_10	Standard	50.000	4.14	24590.592	26058.307	11.796	50.3	0.7	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	4.14	48923.926	24945.002	24.516	102.6	2.6	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	4.14	102896.813	20788.729	61.871	245.5	-1.8	NO	1.000	NO	bb
10	10	190722M1_13	Standard	500.000	4.14	189209.188	17144.352	137.953	501.5	0.3	NO	1.000	NO	dd

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: PFHpS
Coefficient of Determination: R^2 = 0.998959
Calibration curve: -7.37908e-005 * x^2 + 0.882414 * x + -0.00582201
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	4.23	84.198	4610.178	0.228	0.3	6.1	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	4.23	121.930	5023.074	0.303	0.4	-29.9	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	4.24	368.541	4689.497	0.982	1.1	12.0	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	4.24	657.160	5125.605	1.603	1.8	-8.8	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	4.24	1957.946	5130.050	4.771	5.4	8.3	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	4.24	3634.027	4812.441	9.439	10.7	7.1	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	4.24	17634.732	4677.291	47.129	53.7	7.3	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	4.24	34034.559	4807.745	88.489	101.1	1.1	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	4.23	70228.125	4240.362	207.023	239.4	-4.2	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	4.24	126428.977	3703.672	426.701	504.9	1.0	NO	0.999	NO	bb

Compound name: 7:3 FTCA
Coefficient of Determination: R^2 = 0.999889
Calibration curve: 7.49055e-005 * x^2 + 0.120249 * x + -0.0213933
Response type: Internal Std (Ref 56), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	4.55	12.665	26994.145	0.006	0.2	-9.3	NO	1.000	NO	bb
2	2	190722M1_5	Standard	0.500	4.54	107.918	28537.123	0.047	0.6	14.2	NO	1.000	NO	bb
3	3	190722M1_6	Standard	1.000	4.55	219.952	27063.857	0.102	1.0	2.2	NO	1.000	NO	bb
4	4	190722M1_7	Standard	2.000	4.55	444.789	28643.977	0.194	1.8	-10.5	NO	1.000	NO	bb
5	5	190722M1_8	Standard	5.000	4.55	1461.054	29767.006	0.614	5.3	5.3	NO	1.000	NO	bb
6	6	190722M1_9	Standard	10.000	4.55	2445.753	26302.541	1.162	9.8	-2.2	NO	1.000	NO	bb
7	7	190722M1_10	Standard	50.000	4.55	13245.152	26637.002	6.216	50.3	0.6	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	4.55	26571.656	26110.186	12.721	99.8	-0.2	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	4.54	63821.262	22971.619	34.728	250.0	0.0	NO	1.000	NO	bb
10	10	190722M1_13	Standard	500.000	4.55	24601.760	19516.545	15.757	122.0	-75.6	YES	1.000	NO	bbX

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: PFNA
Correlation coefficient: r = 0.999807, r^2 = 0.999613
Calibration curve: 1.14988 * x + 0.0288971
Response type: Internal Std (Ref 56), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	4.56	655.582	26994.145	0.304	0.2	-4.4	NO	1.000	NO	bb
2	2	190722M1_5	Standard	0.500	4.56	1454.727	28537.123	0.637	0.5	5.8	NO	1.000	NO	bb
3	3	190722M1_6	Standard	1.000	4.56	2287.259	27063.857	1.056	0.9	-10.6	NO	1.000	NO	bb
4	4	190722M1_7	Standard	2.000	4.56	5189.672	28643.977	2.265	1.9	-2.8	NO	1.000	NO	bb
5	5	190722M1_8	Standard	5.000	4.57	14142.527	29767.006	5.939	5.1	2.8	NO	1.000	NO	bb
6	6	190722M1_9	Standard	10.000	4.57	25065.055	26302.541	11.912	10.3	3.3	NO	1.000	NO	bb
7	7	190722M1_10	Standard	50.000	4.56	128361.867	26637.002	60.237	52.4	4.7	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	4.57	248376.781	26110.186	118.908	103.4	3.4	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	4.57	518254.094	22971.619	282.008	245.2	-1.9	NO	1.000	NO	bb
10	10	190722M1_13	Standard	500.000	4.56	895385.313	19516.545	573.478	498.7	-0.3	NO	1.000	NO	bb

Compound name: PFOSA
Correlation coefficient: r = 0.999693, r^2 = 0.999385
Calibration curve: 1.02057 * x + -0.0126471
Response type: Internal Std (Ref 57), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	4.62	136.594	6999.135	0.244	0.3	0.6	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	4.62	269.574	7118.328	0.473	0.5	-4.8	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	4.62	568.882	6954.864	1.022	1.0	1.4	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	4.62	1132.273	7591.014	1.864	1.8	-8.0	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	4.63	2989.764	7228.312	5.170	5.1	1.6	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	4.62	5779.850	6895.285	10.478	10.3	2.8	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	4.62	28954.313	6874.020	52.652	51.6	3.2	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	4.63	55011.758	6363.656	108.058	105.9	5.9	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	4.62	118284.742	5928.815	249.385	244.4	-2.3	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	4.62	209728.141	5158.861	508.175	497.9	-0.4	NO	0.999	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: L-PFOS
Correlation coefficient: r = 0.999829, r^2 = 0.999659
Calibration curve: 1.069 * x + -0.0197497
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	4.65	87.493	4610.178	0.237	0.2	-3.8	NO	1.000	NO	MM
2	2	190722M1_5	Standard	0.500	4.65	256.232	5023.074	0.638	0.6	23.0	NO	1.000	NO	MM
3	3	190722M1_6	Standard	1.000	4.65	328.538	4689.497	0.876	0.8	-16.2	NO	1.000	NO	MM
4	4	190722M1_7	Standard	2.000	4.65	806.201	5125.605	1.966	1.9	-7.1	NO	1.000	NO	MM
5	5	190722M1_8	Standard	5.000	4.66	2077.277	5130.050	5.062	4.8	-4.9	NO	1.000	NO	MM
6	6	190722M1_9	Standard	10.000	4.65	4085.001	4812.441	10.611	9.9	-0.6	NO	1.000	NO	MM
7	7	190722M1_10	Standard	50.000	4.65	20823.443	4677.291	55.650	52.1	4.2	NO	1.000	NO	MM
8	8	190722M1_11	Standard	100.000	4.66	40854.531	4807.745	106.221	99.4	-0.6	NO	1.000	NO	MM
9	9	190722M1_12	Standard	250.000	4.65	88769.234	4240.362	261.679	244.8	-2.1	NO	1.000	NO	MM
10	10	190722M1_13	Standard	500.000	4.65	159705.578	3703.672	539.011	504.2	0.8	NO	1.000	NO	MM

Compound name: 9Cl-PF30NS
Coefficient of Determination: R^2 = 0.999728
Calibration curve: -0.000193459 * x^2 + 2.20675 * x + -0.126796
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	4.87	208.557	4610.178	0.565	0.3	25.5	NO	1.000	NO	bb
2	2	190722M1_5	Standard	0.500	4.88	369.193	5023.074	0.919	0.5	-5.2	NO	1.000	NO	bb
3	3	190722M1_6	Standard	1.000	4.88	795.714	4689.497	2.121	1.0	1.9	NO	1.000	NO	bb
4	4	190722M1_7	Standard	2.000	4.88	1574.958	5125.605	3.841	1.8	-10.1	NO	1.000	NO	bb
5	5	190722M1_8	Standard	5.000	4.88	4053.867	5130.050	9.878	4.5	-9.3	NO	1.000	NO	bb
6	6	190722M1_9	Standard	10.000	4.88	7873.354	4812.441	20.451	9.3	-6.7	NO	1.000	NO	bb
7	7	190722M1_10	Standard	50.000	4.88	42565.520	4677.291	113.756	51.8	3.7	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	4.88	85014.930	4807.745	221.036	101.1	1.1	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	4.88	181110.500	4240.362	533.889	247.4	-1.1	NO	1.000	NO	bb
10	10	190722M1_13	Standard	500.000	4.88	313130.656	3703.672	1056.825	501.0	0.2	NO	1.000	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: PFDA
Correlation coefficient: r = 0.998937, r^2 = 0.997875
Calibration curve: 1.28827 * x + 0.00394215
Response type: Internal Std (Ref 60), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	0.250	4.94	706.530	28932.621	0.305	0.2	-6.4	NO	0.998	NO	bb
2	2 190722M1_5	Standard	0.500	4.95	1490.683	29286.775	0.636	0.5	-1.8	NO	0.998	NO	bb
3	3 190722M1_6	Standard	1.000	4.95	2814.813	28506.883	1.234	1.0	-4.5	NO	0.998	NO	bb
4	4 190722M1_7	Standard	2.000	4.95	5909.950	29915.926	2.469	1.9	-4.3	NO	0.998	NO	bb
5	5 190722M1_8	Standard	5.000	4.95	16046.202	30566.777	6.562	5.1	1.8	NO	0.998	NO	bb
6	6 190722M1_9	Standard	10.000	4.95	29158.875	27265.137	13.368	10.4	3.7	NO	0.998	NO	bb
7	7 190722M1_10	Standard	50.000	4.95	153864.938	27453.689	70.057	54.4	8.8	NO	0.998	NO	bb
8	8 190722M1_11	Standard	100.000	4.94	288292.406	27625.471	130.447	101.3	1.3	NO	0.998	NO	bb
9	9 190722M1_12	Standard	250.000	4.94	581797.875	21413.232	339.625	263.6	5.4	NO	0.998	NO	bb
10	10 190722M1_13	Standard	500.000	4.95	1051522.625	21236.443	618.938	480.4	-3.9	NO	0.998	NO	bb

Compound name: 8:2 FTS
Coefficient of Determination: R^2 = 0.998024
Calibration curve: -0.000533984 * x^2 + 2.04701 * x + -0.0915481
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	0.250	4.90	110.757	2766.790	0.500	0.3	15.7	NO	0.998	NO	bb
2	2 190722M1_5	Standard	0.500	4.91	173.893	2888.167	0.753	0.4	-17.5	NO	0.998	NO	bb
3	3 190722M1_6	Standard	1.000	4.91	385.577	2645.313	1.822	0.9	-6.5	NO	0.998	NO	bb
4	4 190722M1_7	Standard	2.000	4.91	928.443	3030.817	3.829	1.9	-4.2	NO	0.998	NO	bb
5	5 190722M1_8	Standard	5.000	4.91	2416.494	3163.601	9.548	4.7	-5.7	NO	0.998	NO	bb
6	6 190722M1_9	Standard	10.000	4.91	4479.246	2857.208	19.596	9.6	-3.6	NO	0.998	NO	bb
7	7 190722M1_10	Standard	50.000	4.91	22408.156	2815.214	99.496	49.3	-1.4	NO	0.998	NO	bb
8	8 190722M1_11	Standard	100.000	4.91	40346.457	2314.112	217.937	109.6	9.6	NO	0.998	NO	bb
9	9 190722M1_12	Standard	250.000	4.91	76411.969	2102.109	454.377	236.6	-5.4	NO	0.998	NO	bb
10	10 190722M1_13	Standard	500.000	4.91	125294.570	1743.485	898.305	505.6	1.1	NO	0.998	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:17 Pacific Daylight Time

Compound name: PFNS
Correlation coefficient: r = 0.999413, r^2 = 0.998826
Calibration curve: 0.710501 * x + 0.0578804
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	5.01	76.965	4610.178	0.209	0.2	-15.1	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	5.01	154.358	5023.074	0.384	0.5	-8.2	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	5.02	293.746	4689.497	0.783	1.0	2.1	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	5.01	569.291	5125.605	1.388	1.9	-6.4	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	5.02	1622.471	5130.050	3.953	5.5	9.7	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	5.02	2895.744	4812.441	7.522	10.5	5.0	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	5.01	14917.650	4677.291	39.867	56.0	12.1	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	5.02	28168.828	4807.745	73.238	103.0	3.0	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	5.01	60019.738	4240.362	176.930	248.9	-0.4	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	5.01	103429.375	3703.672	349.077	491.2	-1.8	NO	0.999	NO	bb

Compound name: L-MeFOSAA
Coefficient of Determination: R^2 = 0.999838
Calibration curve: -0.00045633 * x^2 + 2.17563 * x + -0.152941
Response type: Internal Std (Ref 62), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	5.10	302.604	7508.583	0.504	0.3	20.7	NO	1.000	NO	MM
2	2	190722M1_5	Standard	0.500	5.10	524.329	7723.352	0.849	0.5	-7.9	NO	1.000	NO	MM
3	3	190722M1_6	Standard	1.000	5.10	1147.273	7195.815	1.993	1.0	-1.3	NO	1.000	NO	MM
4	4	190722M1_7	Standard	2.000	5.10	2406.323	8090.056	3.718	1.8	-11.0	NO	1.000	NO	MM
5	5	190722M1_8	Standard	5.000	5.10	6349.284	7347.870	10.801	5.0	0.8	NO	1.000	NO	MM
6	6	190722M1_9	Standard	10.000	5.10	12182.312	7043.111	21.621	10.0	0.3	NO	1.000	NO	MM
7	7	190722M1_10	Standard	50.000	5.10	60937.957	7339.405	103.786	48.3	-3.5	NO	1.000	NO	MM
8	8	190722M1_11	Standard	100.000	5.10	118437.289	6841.495	216.395	101.7	1.7	NO	1.000	NO	MM!
9	9	190722M1_12	Standard	250.000	5.10	250235.344	6051.563	516.882	250.8	0.3	NO	1.000	NO	MM
10	10	190722M1_13	Standard	500.000	5.10	451872.156	5808.625	972.416	499.3	-0.1	NO	1.000	NO	MM

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Compound name: L-EtFOSAA
Correlation coefficient: r = 0.999854, r^2 = 0.999709
Calibration curve: 1.25319 * x + -0.0468414
Response type: Internal Std (Ref 64), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	0.250	5.26	209.329	9726.823	0.269	0.3	0.8	NO	1.000	NO	MM
2	2 190722M1_5	Standard	0.500	5.26	367.940	10142.089	0.453	0.4	-20.2	NO	1.000	NO	MM
3	3 190722M1_6	Standard	1.000	5.27	853.498	9553.568	1.117	0.9	-7.2	NO	1.000	NO	MM
4	4 190722M1_7	Standard	2.000	5.26	1914.901	10224.499	2.341	1.9	-4.7	NO	1.000	NO	MM
5	5 190722M1_8	Standard	5.000	5.27	5078.784	9695.443	6.548	5.3	5.2	NO	1.000	NO	MM
6	6 190722M1_9	Standard	10.000	5.27	9915.943	9396.261	13.191	10.6	5.6	NO	1.000	NO	MM
7	7 190722M1_10	Standard	50.000	5.26	49266.070	9432.823	65.285	52.1	4.3	NO	1.000	NO	MM
8	8 190722M1_11	Standard	100.000	5.26	88595.930	8632.457	128.289	102.4	2.4	NO	1.000	NO	MM
9	9 190722M1_12	Standard	250.000	5.26	179814.375	7214.774	311.538	248.6	-0.5	NO	1.000	NO	MM
10	10 190722M1_13	Standard	500.000	5.26	307620.938	6183.431	621.865	496.3	-0.7	NO	1.000	NO	MM

Compound name: PFUdA
Correlation coefficient: r = 0.999517, r^2 = 0.999034
Calibration curve: 0.909039 * x + 0.0548594
Response type: Internal Std (Ref 63), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	0.250	5.27	684.426	37046.383	0.231	0.2	-22.5	NO	0.999	NO	bb
2	2 190722M1_5	Standard	0.500	5.28	1527.451	39610.082	0.482	0.5	-6.0	NO	0.999	NO	bb
3	3 190722M1_6	Standard	1.000	5.28	2974.016	37227.707	0.999	1.0	3.8	NO	0.999	NO	bb
4	4 190722M1_7	Standard	2.000	5.28	5931.248	38478.953	1.927	2.1	3.0	NO	0.999	NO	bb
5	5 190722M1_8	Standard	5.000	5.28	15590.236	39406.758	4.945	5.4	7.6	NO	0.999	NO	bb
6	6 190722M1_9	Standard	10.000	5.28	28181.031	36519.961	9.646	10.6	5.5	NO	0.999	NO	bb
7	7 190722M1_10	Standard	50.000	5.28	142554.828	37910.305	47.004	51.6	3.3	NO	0.999	NO	bb
8	8 190722M1_11	Standard	100.000	5.28	269610.375	34466.223	97.781	107.5	7.5	NO	0.999	NO	bb
9	9 190722M1_12	Standard	250.000	5.27	540219.250	29777.729	226.772	249.4	-0.2	NO	0.999	NO	bb
10	10 190722M1_13	Standard	500.000	5.28	946828.000	26540.064	445.943	490.5	-1.9	NO	0.999	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: PFDS
Coefficient of Determination: R^2 = 0.998705
Calibration curve: 0.00481559 * x^2 + 1.65576 * x + -0.0379245
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	5.33	77.698	2766.790	0.351	0.2	-6.1	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	5.33	152.467	2888.167	0.660	0.4	-15.8	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	5.33	383.908	2645.313	1.814	1.1	11.5	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	5.33	792.289	3030.817	3.268	2.0	-0.8	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	5.33	2174.896	3163.601	8.593	5.1	2.7	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	5.33	4347.829	2857.208	19.021	11.1	11.5	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	5.33	20425.785	2815.214	90.694	48.1	-3.8	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	5.33	39900.316	2314.112	215.527	100.7	0.7	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	5.33	84654.648	2102.109	503.391	194.3	-22.3	NO	0.999	NO	bbX
10	10	190722M1_13	Standard	500.000	5.33	145620.469	1743.485	1044.033	324.4	-35.1	YES	0.999	NO	bbX

Compound name: 11Cl-PF30UdS
Coefficient of Determination: R^2 = 0.999161
Calibration curve: -1.71422e-005 * x^2 + 0.0590622 * x + -0.0125033
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	5.49	11.491	35866.102	0.004	0.3	11.8	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	5.51	29.405	37689.852	0.010	0.4	-24.6	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	5.50	164.117	35187.121	0.058	1.2	19.9	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	5.50	289.377	37205.660	0.097	1.9	-7.1	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	5.50	910.253	39748.355	0.286	5.1	1.3	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	5.50	1605.836	35560.168	0.564	9.8	-2.0	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	5.50	8178.276	36397.934	2.809	48.4	-3.1	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	5.50	16827.803	34719.320	6.059	106.1	6.1	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	5.50	35951.047	33727.715	13.324	242.9	-2.8	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	5.50	65402.414	32244.893	25.354	502.9	0.6	NO	0.999	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 10:2 FTS
Coefficient of Determination: R^2 = 0.998548
Calibration curve: -0.00085294 * x^2 + 2.4229 * x + -0.00234078
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	5.55	122.475	2766.790	0.553	0.2	-8.3	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	5.55	229.287	2888.167	0.992	0.4	-17.9	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	5.55	596.665	2645.313	2.819	1.2	16.5	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	5.55	1263.802	3030.817	5.212	2.2	7.7	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	5.55	3019.520	3163.601	11.931	4.9	-1.3	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	5.55	5627.917	2857.208	24.622	10.2	2.0	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	5.55	26066.559	2815.214	115.740	48.6	-2.8	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	5.55	46486.160	2314.112	251.102	107.7	7.7	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	5.55	88947.906	2102.109	528.921	238.3	-4.7	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	5.55	140428.281	1743.485	1006.807	505.5	1.1	NO	0.999	NO	bb

Compound name: PFDoA
Coefficient of Determination: R^2 = 0.999221
Calibration curve: -0.000477513 * x^2 + 1.06929 * x + 0.0599682
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	5.57	857.407	35866.102	0.299	0.2	-10.6	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	5.57	1682.580	37689.852	0.558	0.5	-6.8	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	5.57	3274.479	35187.121	1.163	1.0	3.2	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	5.57	6802.266	37205.660	2.285	2.1	4.2	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	5.57	17300.143	39748.355	5.441	5.0	0.9	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	5.57	32060.010	35560.168	11.270	10.5	5.3	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	5.57	159734.281	36397.934	54.857	52.5	5.0	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	5.57	289545.406	34719.320	104.245	102.1	2.1	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	5.57	616340.063	33727.715	228.425	239.1	-4.4	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	5.57	1081389.000	32244.893	419.209	506.6	1.3	NO	0.999	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: N-MeFOSA
Coefficient of Determination: R^2 = 0.998673
Calibration curve: -0.000110043 * x^2 + 1.18315 * x + 0.0436442
Response type: Internal Std (Ref 66), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	1.250	5.71	174.801	17841.740	1.470	1.2	-3.6	NO	0.999	NO	bb
2	2	190722M1_5	Standard	2.500	5.71	320.574	18678.113	2.574	2.1	-14.4	NO	0.999	NO	bb
3	3	190722M1_6	Standard	5.000	5.71	708.257	17820.547	5.962	5.0	0.1	NO	0.999	NO	bb
4	4	190722M1_7	Standard	10.000	5.71	1565.639	19170.096	12.251	10.3	3.3	NO	0.999	NO	bb
5	5	190722M1_8	Standard	25.000	5.72	4077.216	19158.625	31.922	27.0	8.0	NO	0.999	NO	bb
6	6	190722M1_9	Standard	50.000	5.72	7394.622	17939.484	61.830	52.5	5.0	NO	0.999	NO	bb
7	7	190722M1_10	Standard	250.000	5.71	37861.758	18666.406	304.251	263.6	5.4	NO	0.999	NO	bb
8	8	190722M1_11	Standard	500.000	5.72	70620.945	18195.252	582.193	516.9	3.4	NO	0.999	NO	bb
9	9	190722M1_12	Standard	1250.000	5.71	144867.422	17519.146	1240.364	1177.2	-5.8	NO	0.999	NO	bb
10	10	190722M1_13	Standard	2500.000	5.72	258953.250	16901.072	2298.256	2544.8	1.8	NO	0.999	NO	bb

Compound name: PFTrDA
Coefficient of Determination: R^2 = 0.998149
Calibration curve: -0.000612217 * x^2 + 1.14249 * x + 0.0539235
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	5.82	880.319	35866.102	0.307	0.2	-11.5	NO	0.998	NO	bb
2	2	190722M1_5	Standard	0.500	5.82	1951.640	37689.852	0.647	0.5	3.9	NO	0.998	NO	bb
3	3	190722M1_6	Standard	1.000	5.82	3383.408	35187.121	1.202	1.0	0.5	NO	0.998	NO	bb
4	4	190722M1_7	Standard	2.000	5.82	6987.166	37205.660	2.347	2.0	0.5	NO	0.998	NO	bb
5	5	190722M1_8	Standard	5.000	5.82	17986.393	39748.355	5.656	4.9	-1.7	NO	0.998	NO	bb
6	6	190722M1_9	Standard	10.000	5.82	33628.137	35560.168	11.821	10.4	3.6	NO	0.998	NO	bb
7	7	190722M1_10	Standard	50.000	5.82	166447.047	36397.934	57.162	51.4	2.8	NO	0.998	NO	bb
8	8	190722M1_11	Standard	100.000	5.82	319759.031	34719.320	115.123	106.8	6.8	NO	0.998	NO	bb
9	9	190722M1_12	Standard	250.000	5.82	628585.875	33727.715	232.963	232.9	-6.8	NO	0.998	NO	bb
10	10	190722M1_13	Standard	500.000	5.82	1093546.375	32244.893	423.922	510.8	2.2	NO	0.998	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: PFDoS
Coefficient of Determination: R^2 = 0.999315
Calibration curve: -2.75261e-005 * x^2 + 0.165938 * x + -0.00469544
Response type: Internal Std (Ref 67), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	5.85	86.251	24533.617	0.044	0.3	17.3	NO	0.999	NO	bb
2	2	190722M1_5	Standard	0.500	5.84	150.285	25057.908	0.075	0.5	-4.0	NO	0.999	NO	bb
3	3	190722M1_6	Standard	1.000	5.84	300.318	24546.381	0.153	1.0	-5.0	NO	0.999	NO	bb
4	4	190722M1_7	Standard	2.000	5.85	627.501	25520.283	0.307	1.9	-5.9	NO	0.999	NO	bb
5	5	190722M1_8	Standard	5.000	5.85	1641.982	27030.195	0.759	4.6	-7.8	NO	0.999	NO	bb
6	6	190722M1_9	Standard	10.000	5.85	3334.150	24462.900	1.704	10.3	3.1	NO	0.999	NO	bb
7	7	190722M1_10	Standard	50.000	5.84	16404.707	25008.195	8.200	49.9	-0.3	NO	0.999	NO	bb
8	8	190722M1_11	Standard	100.000	5.85	32527.031	23699.754	17.156	105.3	5.3	NO	0.999	NO	bb
9	9	190722M1_12	Standard	250.000	5.85	67222.758	21808.348	38.530	241.9	-3.2	NO	0.999	NO	bb
10	10	190722M1_13	Standard	500.000	5.85	120324.617	19652.904	76.531	503.2	0.6	NO	0.999	NO	bb

Compound name: PFTeDA
Correlation coefficient: r = 0.999147, r^2 = 0.998295
Calibration curve: 1.50077 * x + 0.138175
Response type: Internal Std (Ref 67), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	6.04	866.865	24533.617	0.442	0.2	-19.1	NO	0.998	NO	bb
2	2	190722M1_5	Standard	0.500	6.04	1744.283	25057.908	0.870	0.5	-2.5	NO	0.998	NO	bb
3	3	190722M1_6	Standard	1.000	6.04	3219.788	24546.381	1.640	1.0	0.0	NO	0.998	NO	db
4	4	190722M1_7	Standard	2.000	6.04	6134.377	25520.283	3.005	1.9	-4.5	NO	0.998	NO	bb
5	5	190722M1_8	Standard	5.000	6.04	17214.193	27030.195	7.961	5.2	4.2	NO	0.998	NO	bb
6	6	190722M1_9	Standard	10.000	6.05	32397.947	24462.900	16.555	10.9	9.4	NO	0.998	NO	bb
7	7	190722M1_10	Standard	50.000	6.04	163116.328	25008.195	81.531	54.2	8.5	NO	0.998	NO	bb
8	8	190722M1_11	Standard	100.000	6.05	308826.531	23699.754	162.885	108.4	8.4	NO	0.998	NO	bb
9	9	190722M1_12	Standard	250.000	6.04	631381.125	21808.348	361.892	241.0	-3.6	NO	0.998	NO	bb
10	10	190722M1_13	Standard	500.000	6.04	1168848.375	19652.904	743.432	495.3	-0.9	NO	0.998	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: N-EtFOSA
Coefficient of Determination: R^2 = 0.999316
Calibration curve: -4.39453e-005 * x^2 + 0.983871 * x + -0.292612
Response type: Internal Std (Ref 68), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	1.250	6.15	101.507	21304.605	0.715	1.0	-18.1	NO	0.999	NO	bb
2	2	190722M1_5	Standard	2.500	6.16	355.757	23668.131	2.255	2.6	3.6	NO	0.999	NO	bb
3	3	190722M1_6	Standard	5.000	6.15	704.680	21497.307	4.917	5.3	5.9	NO	0.999	NO	bb
4	4	190722M1_7	Standard	10.000	6.15	1535.194	23583.982	9.764	10.2	2.3	NO	0.999	NO	bb
5	5	190722M1_8	Standard	25.000	6.15	3849.927	23549.482	24.522	25.3	1.0	NO	0.999	NO	bb
6	6	190722M1_9	Standard	50.000	6.15	7349.969	22318.830	49.398	50.6	1.2	NO	0.999	NO	bb
7	7	190722M1_10	Standard	250.000	6.15	37530.723	22303.699	252.407	259.9	3.9	NO	0.999	NO	bb
8	8	190722M1_11	Standard	500.000	6.15	68166.070	20623.604	495.787	516.1	3.2	NO	0.999	NO	bb
9	9	190722M1_12	Standard	1250.000	6.15	138086.688	18540.406	1117.182	1200.1	-4.0	NO	0.999	NO	bb
10	10	190722M1_13	Standard	2500.000	6.15	240326.031	16366.620	2202.587	2523.4	0.9	NO	0.999	NO	bb

Compound name: PFHxDA
Coefficient of Determination: R^2 = 0.999962
Calibration curve: -0.00028136 * x^2 + 0.657654 * x + 0.0293459
Response type: Internal Std (Ref 69), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	6.38	513.778	11797.870	0.218	0.3	14.6	NO	1.000	NO	bb
2	2	190722M1_5	Standard	0.500	6.40	893.050	13134.137	0.340	0.5	-5.5	NO	1.000	NO	bb
3	3	190722M1_6	Standard	1.000	6.38	1684.509	12505.977	0.673	1.0	-2.0	NO	1.000	NO	bb
4	4	190722M1_7	Standard	2.000	6.38	3461.457	13630.720	1.270	1.9	-5.6	NO	1.000	NO	bb
5	5	190722M1_8	Standard	5.000	6.38	9031.181	14086.746	3.206	4.8	-3.2	NO	1.000	NO	bb
6	6	190722M1_9	Standard	10.000	6.38	16027.866	11944.516	6.709	10.2	2.0	NO	1.000	NO	bb
7	7	190722M1_10	Standard	50.000	6.38	83977.273	13095.914	32.062	49.8	-0.5	NO	1.000	NO	bb
8	8	190722M1_11	Standard	100.000	6.38	155073.625	12310.342	62.985	100.0	0.0	NO	1.000	NO	bb
9	9	190722M1_12	Standard	250.000	6.38	336614.219	11431.851	147.226	250.7	0.3	NO	1.000	NO	bb
10	10	190722M1_13	Standard	500.000	6.38	585571.063	11333.142	258.345	499.5	-0.1	NO	1.000	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: PFODA
Correlation coefficient: r = 0.997667, r^2 = 0.995340
Calibration curve: 0.760337 * x + 0.0535536
Response type: Internal Std (Ref 69), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	0.250	6.63	541.114	11797.870	0.229	0.2	-7.5	NO	0.995	NO	bb
2	2	190722M1_5	Standard	0.500	6.65	1068.658	13134.137	0.407	0.5	-7.1	NO	0.995	NO	bb
3	3	190722M1_6	Standard	1.000	6.63	2030.675	12505.977	0.812	1.0	-0.3	NO	0.995	NO	bb
4	4	190722M1_7	Standard	2.000	6.63	4374.636	13630.720	1.605	2.0	2.0	NO	0.995	NO	bb
5	5	190722M1_8	Standard	5.000	6.63	11379.397	14086.746	4.039	5.2	4.8	NO	0.995	NO	bb
6	6	190722M1_9	Standard	10.000	6.63	21262.186	11944.516	8.900	11.6	16.4	NO	0.995	NO	bb
7	7	190722M1_10	Standard	50.000	6.63	109864.828	13095.914	41.946	55.1	10.2	NO	0.995	NO	bb
8	8	190722M1_11	Standard	100.000	6.63	207847.906	12310.342	84.420	111.(	11.0	NO	0.995	NO	bb
9	9	190722M1_12	Standard	250.000	6.63	454528.688	11431.851	198.799	261.4	4.6	NO	0.995	NO	bb
10	10	190722M1_13	Standard	500.000	6.63	811311.75(	11333.142	357.938	470.7	-5.9	NO	0.995	NO	bb

Compound name: N-MeFOSE
Correlation coefficient: r = 0.999814, r^2 = 0.999627
Calibration curve: 1.11748 * x + 0.0028163
Response type: Internal Std (Ref 70), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	1.250	6.35	142.945	14114.705	1.519	1.4	8.6	NO	1.000	NO	bb
2	2	190722M1_5	Standard	2.500	6.36	275.433	15183.258	2.721	2.4	-2.7	NO	1.000	NO	bb
3	3	190722M1_6	Standard	5.000	6.35	489.998	14793.784	4.968	4.4	-11.1	NO	1.000	NO	bb
4	4	190722M1_7	Standard	10.000	6.35	1189.149	15722.974	11.345	10.1	1.5	NO	1.000	NO	bb
5	5	190722M1_8	Standard	25.000	6.35	2783.181	15649.076	26.677	23.9	-4.5	NO	1.000	NO	bb
6	6	190722M1_9	Standard	50.000	6.35	5900.228	14921.587	59.312	53.1	6.1	NO	1.000	NO	bd
7	7	190722M1_10	Standard	250.000	6.35	28270.703	14648.056	289.500	259.1	3.6	NO	1.000	NO	bb
8	8	190722M1_11	Standard	500.000	6.35	55998.887	14981.688	560.673	501.7	0.3	NO	1.000	NO	bb
9	9	190722M1_12	Standard	1250.000	6.35	130194.523	14359.571	1360.011	1217.0	-2.6	NO	1.000	NO	bb
10	10	190722M1_13	Standard	2500.000	6.35	267832.500	14262.917	2816.736	2520.6	0.8	NO	1.000	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: N-EtFOSE
Correlation coefficient: r = 0.999619, r^2 = 0.999239
Calibration curve: 1.29498 * x + -0.0851508
Response type: Internal Std (Ref 71), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	1.250	6.50	137.647	15632.325	1.321	1.1	-13.1	NO	0.999	NO	bb
2	2	190722M1_5	Standard	2.500	6.51	380.815	15954.395	3.580	2.8	13.2	NO	0.999	NO	bb
3	3	190722M1_6	Standard	5.000	6.50	642.558	15644.520	6.161	4.8	-3.5	NO	0.999	NO	bb
4	4	190722M1_7	Standard	10.000	6.50	1396.000	16621.113	12.598	9.8	-2.1	NO	0.999	NO	bb
5	5	190722M1_8	Standard	25.000	6.50	3454.849	16588.672	31.240	24.2	-3.2	NO	0.999	NO	bb
6	6	190722M1_9	Standard	50.000	6.50	6699.854	15590.012	64.463	49.8	-0.3	NO	0.999	NO	bb
7	7	190722M1_10	Standard	250.000	6.50	35302.969	15657.459	338.206	261.2	4.5	NO	0.999	NO	bb
8	8	190722M1_11	Standard	500.000	6.50	70170.711	15222.166	691.466	534.0	6.8	NO	0.999	NO	bb
9	9	190722M1_12	Standard	1250.000	6.50	156135.172	14605.532	1603.521	1238.3	-0.9	NO	0.999	NO	bb
10	10	190722M1_13	Standard	2500.000	6.50	315517.375	14811.076	3195.420	2467.6	-1.3	NO	0.999	NO	bb

Compound name: 13C3-PFBA
Response Factor: 0.733681
RRF SD: 0.0177614, Relative SD: 2.42086
Response type: Internal Std (Ref 72), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	12.500	1.15	7535.072	10850.134	8.681	11.8	-5.3	NO		NO	bb
2	2	190722M1_5	Standard	12.500	1.15	7667.957	10409.271	9.208	12.6	0.4	NO		NO	MM
3	3	190722M1_6	Standard	12.500	1.16	7940.078	10719.811	9.259	12.6	1.0	NO		NO	bb
4	4	190722M1_7	Standard	12.500	1.16	7913.104	10464.392	9.452	12.9	3.1	NO		NO	bb
5	5	190722M1_8	Standard	12.500	1.16	8268.948	11249.724	9.188	12.5	0.2	NO		NO	MM
6	6	190722M1_9	Standard	12.500	1.15	7860.292	10605.924	9.264	12.6	1.0	NO		NO	bb
7	7	190722M1_10	Standard	12.500	1.16	7803.057	10757.842	9.067	12.4	-1.1	NO		NO	bb
8	8	190722M1_11	Standard	12.500	1.16	7935.086	10641.384	9.321	12.7	1.6	NO		NO	MM
9	9	190722M1_12	Standard	12.500	1.16	7764.940	10847.547	8.948	12.2	-2.4	NO		NO	bb
10	10	190722M1_13	Standard	12.500	1.16	7748.437	10389.314	9.323	12.7	1.7	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C3-PFPeA
Response Factor: 0.498108
RRF SD: 0.0236712, Relative SD: 4.75223
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	2.14	15615.620	33051.543	5.906	11.9	-5.1	NO		NO	bb
2	2 190722M1_5	Standard	12.500	2.15	15644.763	33461.480	5.844	11.7	-6.1	NO		NO	bb
3	3 190722M1_6	Standard	12.500	2.15	15402.321	30822.049	6.246	12.5	0.3	NO		NO	bb
4	4 190722M1_7	Standard	12.500	2.15	16573.887	32740.182	6.328	12.7	1.6	NO		NO	bb
5	5 190722M1_8	Standard	12.500	2.15	16136.088	34149.691	5.906	11.9	-5.1	NO		NO	bb
6	6 190722M1_9	Standard	12.500	2.15	15546.884	31217.115	6.225	12.5	-0.0	NO		NO	MM
7	7 190722M1_10	Standard	12.500	2.15	15661.723	31695.689	6.177	12.4	-0.8	NO		NO	MM
8	8 190722M1_11	Standard	12.500	2.15	15504.576	30821.445	6.288	12.6	1.0	NO		NO	bd
9	9 190722M1_12	Standard	12.500	2.15	14045.382	26753.777	6.562	13.2	5.4	NO		NO	bb
10	10 190722M1_13	Standard	12.500	2.15	13207.372	24348.354	6.780	13.6	8.9	NO		NO	bb

Compound name: 13C3-PFBS
Response Factor: 1.05751
RRF SD: 0.0337229, Relative SD: 3.18889
Response type: Internal Std (Ref 74), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	2.45	2236.356	2116.563	13.207	12.5	-0.1	NO		NO	bb
2	2 190722M1_5	Standard	12.500	2.44	2328.057	2194.463	13.261	12.5	0.3	NO		NO	bb
3	3 190722M1_6	Standard	12.500	2.45	2135.009	2131.238	12.522	11.8	-5.3	NO		NO	bb
4	4 190722M1_7	Standard	12.500	2.45	2286.379	2123.718	13.457	12.7	1.8	NO		NO	bb
5	5 190722M1_8	Standard	12.500	2.45	2378.276	2183.460	13.615	12.9	3.0	NO		NO	bb
6	6 190722M1_9	Standard	12.500	2.45	2169.553	2036.903	13.314	12.6	0.7	NO		NO	bb
7	7 190722M1_10	Standard	12.500	2.45	2223.375	2117.294	13.126	12.4	-0.7	NO		NO	bb
8	8 190722M1_11	Standard	12.500	2.45	2050.346	2008.983	12.757	12.1	-3.5	NO		NO	bb
9	9 190722M1_12	Standard	12.500	2.45	1839.875	1777.154	12.941	12.2	-2.1	NO		NO	bb
10	10 190722M1_13	Standard	12.500	2.45	1668.475	1491.091	13.987	13.2	5.8	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C3-HFPO-DA
Response Factor: 0.133956
RRF SD: 0.014504, Relative SD: 10.8275
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	5.000	3.17	1911.858	33051.543	0.723	5.4	8.0	NO		NO	bb
2	2 190722M1_5	Standard	5.000	3.18	1900.246	33461.480	0.710	5.3	6.0	NO		NO	bb
3	3 190722M1_6	Standard	5.000	3.17	1798.144	30822.049	0.729	5.4	8.9	NO		NO	bb
4	4 190722M1_7	Standard	5.000	3.17	1502.926	32740.182	0.574	4.3	-14.3	NO		NO	bb
5	5 190722M1_8	Standard	5.000	3.17	1823.471	34149.691	0.667	5.0	-0.3	NO		NO	bb
6	6 190722M1_9	Standard	5.000	3.17	1583.915	31217.115	0.634	4.7	-5.3	NO		NO	bb
7	7 190722M1_10	Standard	5.000	3.17	1516.116	31695.689	0.598	4.5	-10.7	NO		NO	bb
8	8 190722M1_11	Standard	5.000	3.17	1625.359	30821.445	0.659	4.9	-1.6	NO		NO	bb
9	9 190722M1_12	Standard	5.000	3.17	1723.773	26753.777	0.805	6.0	20.2	NO		NO	bb
10	10 190722M1_13	Standard	5.000	3.18	1164.100	24348.354	0.598	4.5	-10.8	NO		NO	bb

Compound name: 13C2-4:2 FTS
Response Factor: 1.64992
RRF SD: 0.128404, Relative SD: 7.78244
Response type: Internal Std (Ref 74), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	2.88	3670.744	2116.563	21.679	13.1	5.1	NO		NO	bb
2	2 190722M1_5	Standard	12.500	2.88	3757.099	2194.463	21.401	13.0	3.8	NO		NO	bb
3	3 190722M1_6	Standard	12.500	2.88	3580.179	2131.238	20.998	12.7	1.8	NO		NO	bb
4	4 190722M1_7	Standard	12.500	2.88	3900.635	2123.718	22.959	13.9	11.3	NO		NO	bb
5	5 190722M1_8	Standard	12.500	2.88	3671.611	2183.460	21.019	12.7	1.9	NO		NO	bb
6	6 190722M1_9	Standard	12.500	2.88	3615.187	2036.903	22.186	13.4	7.6	NO		NO	bb
7	7 190722M1_10	Standard	12.500	2.88	3349.761	2117.294	19.776	12.0	-4.1	NO		NO	bb
8	8 190722M1_11	Standard	12.500	2.88	3083.802	2008.983	19.188	11.6	-7.0	NO		NO	bb
9	9 190722M1_12	Standard	12.500	2.88	2504.447	1777.154	17.616	10.7	-14.6	NO		NO	bb
10	10 190722M1_13	Standard	12.500	2.88	2316.492	1491.091	19.419	11.8	-5.8	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C2-PFHxA
Response Factor: 0.97768
RRF SD: 0.0341838, Relative SD: 3.49642
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	5.000	2.96	12177.271	33051.543	4.605	4.7	-5.8	NO		NO	bb
2	2	190722M1_5	Standard	5.000	2.96	12908.381	33461.480	4.822	4.9	-1.4	NO		NO	bb
3	3	190722M1_6	Standard	5.000	2.97	11943.897	30822.049	4.844	5.0	-0.9	NO		NO	bb
4	4	190722M1_7	Standard	5.000	2.96	13020.162	32740.182	4.971	5.1	1.7	NO		NO	bb
5	5	190722M1_8	Standard	5.000	2.96	13060.069	34149.691	4.780	4.9	-2.2	NO		NO	bb
6	6	190722M1_9	Standard	5.000	2.96	12196.678	31217.115	4.884	5.0	-0.1	NO		NO	bb
7	7	190722M1_10	Standard	5.000	2.96	12268.250	31695.689	4.838	4.9	-1.0	NO		NO	bb
8	8	190722M1_11	Standard	5.000	2.97	11871.380	30821.445	4.815	4.9	-1.5	NO		NO	bb
9	9	190722M1_12	Standard	5.000	2.96	11058.899	26753.777	5.167	5.3	5.7	NO		NO	bb
10	10	190722M1_13	Standard	5.000	2.97	10046.051	24348.354	5.157	5.3	5.5	NO		NO	bb

Compound name: 13C4-PFHpA
Response Factor: 0.478533
RRF SD: 0.021691, Relative SD: 4.53282
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	12.500	3.58	15466.499	33051.543	5.849	12.2	-2.2	NO		NO	bb
2	2	190722M1_5	Standard	12.500	3.58	16469.510	33461.480	6.152	12.9	2.9	NO		NO	bb
3	3	190722M1_6	Standard	12.500	3.58	15694.526	30822.049	6.365	13.3	6.4	NO		NO	bb
4	4	190722M1_7	Standard	12.500	3.58	16354.851	32740.182	6.244	13.0	4.4	NO		NO	bb
5	5	190722M1_8	Standard	12.500	3.59	16565.537	34149.691	6.064	12.7	1.4	NO		NO	bb
6	6	190722M1_9	Standard	12.500	3.59	15015.037	31217.115	6.012	12.6	0.5	NO		NO	bd
7	7	190722M1_10	Standard	12.500	3.58	15372.816	31695.689	6.063	12.7	1.4	NO		NO	bb
8	8	190722M1_11	Standard	12.500	3.59	14399.047	30821.445	5.840	12.2	-2.4	NO		NO	bb
9	9	190722M1_12	Standard	12.500	3.59	12478.941	26753.777	5.830	12.2	-2.5	NO		NO	bb
10	10	190722M1_13	Standard	12.500	3.59	10512.502	24348.354	5.397	11.3	-9.8	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C3-PFHxS
Response Factor: 2.02371
RRF SD: 0.0767424, Relative SD: 3.79216
Response type: Internal Std (Ref 74), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	3.74	4237.713	2116.563	25.027	12.4	-1.1	NO		NO	bb
2	2 190722M1_5	Standard	12.500	3.74	4295.812	2194.463	24.470	12.1	-3.3	NO		NO	bb
3	3 190722M1_6	Standard	12.500	3.74	4291.999	2131.238	25.173	12.4	-0.5	NO		NO	bb
4	4 190722M1_7	Standard	12.500	3.74	4626.274	2123.718	27.230	13.5	7.6	NO		NO	bb
5	5 190722M1_8	Standard	12.500	3.75	4549.954	2183.460	26.048	12.9	3.0	NO		NO	bb
6	6 190722M1_9	Standard	12.500	3.75	4222.706	2036.903	25.914	12.8	2.4	NO		NO	bb
7	7 190722M1_10	Standard	12.500	3.74	4304.553	2117.294	25.413	12.6	0.5	NO		NO	bb
8	8 190722M1_11	Standard	12.500	3.75	3916.082	2008.983	24.366	12.0	-3.7	NO		NO	bb
9	9 190722M1_12	Standard	12.500	3.74	3613.687	1777.154	25.418	12.6	0.5	NO		NO	bb
10	10 190722M1_13	Standard	12.500	3.75	2851.692	1491.091	23.906	11.8	-5.5	NO		NO	bb

Compound name: 13C2-6:2 FTS
Response Factor: 0.536222
RRF SD: 0.0352734, Relative SD: 6.57812
Response type: Internal Std (Ref 77), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.05	2786.472	4991.087	6.979	13.0	4.1	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.06	2769.114	5000.113	6.923	12.9	3.3	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.06	2622.355	4901.221	6.688	12.5	-0.2	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.06	2784.607	5073.991	6.860	12.8	2.3	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.06	2891.434	5015.092	7.207	13.4	7.5	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.06	2648.652	4731.726	6.997	13.0	4.4	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.06	2695.782	4823.493	6.986	13.0	4.2	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.06	2231.852	4686.748	5.953	11.1	-11.2	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.06	1952.420	4103.574	5.947	11.1	-11.3	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.06	1916.864	3692.703	6.489	12.1	-3.2	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C5-PFNA
Response Factor: 1.00185
RRF SD: 0.0211068, Relative SD: 2.10677
Response type: Internal Std (Ref 76), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.56	26994.145	28154.537	11.985	12.0	-4.3	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.56	28537.123	28146.664	12.673	12.6	1.2	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.56	27063.857	27420.799	12.337	12.3	-1.5	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.56	28643.977	28130.104	12.728	12.7	1.6	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.57	29767.006	29337.896	12.683	12.7	1.3	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.56	26302.541	26887.838	12.228	12.2	-2.4	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.56	26637.002	26248.543	12.685	12.7	1.3	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.57	26110.186	25464.787	12.817	12.8	2.3	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.57	22971.619	22748.998	12.622	12.6	0.8	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.56	19516.545	19558.701	12.473	12.4	-0.4	NO		NO	bb

Compound name: 13C8-PFOSA
Response Factor: 0.167568
RRF SD: 0.00800781, Relative SD: 4.77885
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.62	6999.135	43120.508	2.029	12.1	-3.1	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.62	7118.328	43671.777	2.037	12.2	-2.7	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.62	6954.864	42805.195	2.031	12.1	-3.0	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.62	7591.014	42829.859	2.215	13.2	5.8	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.62	7228.312	44973.254	2.009	12.0	-4.1	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.62	6895.285	41544.137	2.075	12.4	-1.0	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.62	6874.020	42856.988	2.005	12.0	-4.3	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.62	6363.656	38711.184	2.055	12.3	-1.9	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.62	5928.815	33419.641	2.218	13.2	5.9	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.62	5158.861	28382.182	2.272	13.6	8.5	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C2-PFOA
Response Factor: 0.681271
RRF SD: 0.0136294, Relative SD: 2.00058
Response type: Internal Std (Ref 75), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.11	27227.115	40893.055	8.323	12.2	-2.3	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.11	27747.313	40528.070	8.558	12.6	0.5	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.12	27237.805	38705.680	8.796	12.9	3.3	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.12	28255.654	40013.352	8.827	13.0	3.7	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.12	28378.357	41990.711	8.448	12.4	-0.8	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.12	26171.531	39024.754	8.383	12.3	-1.6	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.12	26058.307	38312.750	8.502	12.5	-0.2	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.12	24945.002	37224.391	8.377	12.3	-1.6	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.12	20788.729	30588.471	8.495	12.5	-0.2	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.12	17144.352	25360.734	8.450	12.4	-0.8	NO		NO	bb

Compound name: 13C8-PFOS
Response Factor: 0.996704
RRF SD: 0.0353208, Relative SD: 3.54376
Response type: Internal Std (Ref 77), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.65	4610.178	4991.087	11.546	11.6	-7.3	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.65	5023.074	5000.113	12.557	12.6	0.8	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.65	4689.497	4901.221	11.960	12.0	-4.0	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.65	5125.605	5073.991	12.627	12.7	1.4	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.66	5130.050	5015.092	12.787	12.8	2.6	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.65	4812.441	4731.726	12.713	12.8	2.0	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.65	4677.291	4823.493	12.121	12.2	-2.7	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.65	4807.745	4686.748	12.823	12.9	2.9	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.65	4240.362	4103.574	12.917	13.0	3.7	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.65	3703.672	3692.703	12.537	12.6	0.6	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C2-PFDA
Response Factor: 0.819019
RRF SD: 0.0323728, Relative SD: 3.95263
Response type: Internal Std (Ref 78), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.94	28932.621	36615.000	9.877	12.1	-3.5	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.95	29286.775	35343.969	10.358	12.6	1.2	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.95	28506.883	33592.953	10.607	13.0	3.6	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.95	29915.926	35678.215	10.481	12.8	2.4	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.95	30566.777	37235.199	10.261	12.5	0.2	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.95	27265.137	34106.059	9.993	12.2	-2.4	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.94	27453.689	34011.199	10.090	12.3	-1.4	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.95	27625.471	33321.129	10.363	12.7	1.2	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.94	21413.232	28304.783	9.457	11.5	-7.6	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.95	21236.443	24376.801	10.890	13.3	6.4	NO		NO	bb

Compound name: 13C2-8:2 FTS
Response Factor: 0.556548
RRF SD: 0.0515422, Relative SD: 9.26104
Response type: Internal Std (Ref 77), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.91	2766.790	4991.087	6.929	12.5	-0.4	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.91	2888.167	5000.113	7.220	13.0	3.8	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.91	2645.313	4901.221	6.747	12.1	-3.0	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.91	3030.817	5073.991	7.467	13.4	7.3	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.91	3163.601	5015.092	7.885	14.2	13.3	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.91	2857.208	4731.726	7.548	13.6	8.5	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.91	2815.214	4823.493	7.296	13.1	4.9	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.91	2314.112	4686.748	6.172	11.1	-11.3	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.91	2102.109	4103.574	6.403	11.5	-8.0	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.91	1743.485	3692.703	5.902	10.6	-15.2	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: d3-N-MeFOSAA
Response Factor: 0.177461
RRF SD: 0.0119369, Relative SD: 6.72646
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	5.09	7508.583	43120.508	2.177	12.3	-1.9	NO		NO	bb
2	2 190722M1_5	Standard	12.500	5.10	7723.352	43671.777	2.211	12.5	-0.3	NO		NO	bb
3	3 190722M1_6	Standard	12.500	5.10	7195.815	42805.195	2.101	11.8	-5.3	NO		NO	bb
4	4 190722M1_7	Standard	12.500	5.10	8090.056	42829.859	2.361	13.3	6.4	NO		NO	bb
5	5 190722M1_8	Standard	12.500	5.10	7347.870	44973.254	2.042	11.5	-7.9	NO		NO	bb
6	6 190722M1_9	Standard	12.500	5.10	7043.111	41544.137	2.119	11.9	-4.5	NO		NO	bb
7	7 190722M1_10	Standard	12.500	5.10	7339.405	42856.988	2.141	12.1	-3.5	NO		NO	bb
8	8 190722M1_11	Standard	12.500	5.10	6841.495	38711.184	2.209	12.4	-0.4	NO		NO	bb
9	9 190722M1_12	Standard	12.500	5.10	6051.563	33419.641	2.263	12.8	2.0	NO		NO	bb
10	10 190722M1_13	Standard	12.500	5.10	5808.625	28382.182	2.558	14.4	15.3	NO		NO	bb

Compound name: 13C2-PFUdA
Response Factor: 0.889058
RRF SD: 0.0213149, Relative SD: 2.39747
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	5.28	37046.383	43120.508	10.739	12.1	-3.4	NO		NO	bb
2	2 190722M1_5	Standard	12.500	5.28	39610.082	43671.777	11.337	12.8	2.0	NO		NO	bb
3	3 190722M1_6	Standard	12.500	5.28	37227.707	42805.195	10.871	12.2	-2.2	NO		NO	bb
4	4 190722M1_7	Standard	12.500	5.28	38478.953	42829.859	11.230	12.6	1.1	NO		NO	bb
5	5 190722M1_8	Standard	12.500	5.28	39406.758	44973.254	10.953	12.3	-1.4	NO		NO	bb
6	6 190722M1_9	Standard	12.500	5.28	36519.961	41544.137	10.988	12.4	-1.1	NO		NO	bb
7	7 190722M1_10	Standard	12.500	5.28	37910.305	42856.988	11.057	12.4	-0.5	NO		NO	bb
8	8 190722M1_11	Standard	12.500	5.28	34466.223	38711.184	11.129	12.5	0.1	NO		NO	bb
9	9 190722M1_12	Standard	12.500	5.27	29777.729	33419.641	11.138	12.5	0.2	NO		NO	bb
10	10 190722M1_13	Standard	12.500	5.28	26540.064	28382.182	11.689	13.1	5.2	NO		NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: d5-N-EtFOSAA
Response Factor: 0.223832
RRF SD: 0.00732405, Relative SD: 3.27212
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	5.26	9726.823	43120.508	2.820	12.6	0.8	NO		NO	bb
2	2 190722M1_5	Standard	12.500	5.26	10142.089	43671.777	2.903	13.0	3.8	NO		NO	bb
3	3 190722M1_6	Standard	12.500	5.26	9553.568	42805.195	2.790	12.5	-0.3	NO		NO	bb
4	4 190722M1_7	Standard	12.500	5.26	10224.499	42829.859	2.984	13.3	6.7	NO		NO	bb
5	5 190722M1_8	Standard	12.500	5.26	9695.443	44973.254	2.695	12.0	-3.7	NO		NO	bb
6	6 190722M1_9	Standard	12.500	5.26	9396.261	41544.137	2.827	12.6	1.0	NO		NO	bb
7	7 190722M1_10	Standard	12.500	5.26	9432.823	42856.988	2.751	12.3	-1.7	NO		NO	bb
8	8 190722M1_11	Standard	12.500	5.26	8632.457	38711.184	2.787	12.5	-0.4	NO		NO	bb
9	9 190722M1_12	Standard	12.500	5.26	7214.774	33419.641	2.699	12.1	-3.6	NO		NO	bb
10	10 190722M1_13	Standard	12.500	5.26	6183.431	28382.182	2.723	12.2	-2.7	NO		NO	bb

Compound name: 13C2-PFDoA
Response Factor: 1.08728
RRF SD: 0.0981349, Relative SD: 9.02572
Response type: Internal Std (Ref 78), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	5.57	35866.102	36615.000	12.244	11.3	-9.9	NO		NO	bb
2	2 190722M1_5	Standard	12.500	5.57	37689.852	35343.969	13.330	12.3	-1.9	NO		NO	bb
3	3 190722M1_6	Standard	12.500	5.57	35187.121	33592.953	13.093	12.0	-3.7	NO		NO	bb
4	4 190722M1_7	Standard	12.500	5.57	37205.660	35678.215	13.035	12.0	-4.1	NO		NO	bb
5	5 190722M1_8	Standard	12.500	5.57	39748.355	37235.199	13.344	12.3	-1.8	NO		NO	bb
6	6 190722M1_9	Standard	12.500	5.57	35560.168	34106.059	13.033	12.0	-4.1	NO		NO	bb
7	7 190722M1_10	Standard	12.500	5.56	36397.934	34011.199	13.377	12.3	-1.6	NO		NO	bb
8	8 190722M1_11	Standard	12.500	5.57	34719.320	33321.129	13.025	12.0	-4.2	NO		NO	bb
9	9 190722M1_12	Standard	12.500	5.57	33727.715	28304.783	14.895	13.7	9.6	NO		NO	bb
10	10 190722M1_13	Standard	12.500	5.57	32244.893	24376.801	16.535	15.2	21.7	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: d3-N-MeFOSA
Response Factor: 0.0382371
RRF SD: 0.00483988, Relative SD: 12.6575
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	150.000	5.74	17841.740	43120.508	5.172	135.3	-9.8	NO		NO	bb
2	2	190722M1_5	Standard	150.000	5.74	18678.113	43671.777	5.346	139.8	-6.8	NO		NO	bb
3	3	190722M1_6	Standard	150.000	5.74	17820.547	42805.195	5.204	136.1	-9.3	NO		NO	bb
4	4	190722M1_7	Standard	150.000	5.74	19170.096	42829.859	5.595	146.3	-2.5	NO		NO	bb
5	5	190722M1_8	Standard	150.000	5.75	19158.625	44973.254	5.325	139.3	-7.2	NO		NO	bb
6	6	190722M1_9	Standard	150.000	5.75	17939.484	41544.137	5.398	141.2	-5.9	NO		NO	bb
7	7	190722M1_10	Standard	150.000	5.74	18666.406	42856.988	5.444	142.4	-5.1	NO		NO	bb
8	8	190722M1_11	Standard	150.000	5.75	18195.252	38711.184	5.875	153.7	2.4	NO		NO	bb
9	9	190722M1_12	Standard	150.000	5.75	17519.146	33419.641	6.553	171.4	14.2	NO		NO	bd
10	10	190722M1_13	Standard	150.000	5.75	16901.072	28382.182	7.444	194.7	29.8	NO		NO	bb

Compound name: 13C2-PFTeDA
Response Factor: 0.604264
RRF SD: 0.0395048, Relative SD: 6.53767
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	12.500	6.04	24533.617	43120.508	7.112	11.8	-5.8	NO		NO	bb
2	2	190722M1_5	Standard	12.500	6.04	25057.908	43671.777	7.172	11.9	-5.0	NO		NO	bb
3	3	190722M1_6	Standard	12.500	6.04	24546.381	42805.195	7.168	11.9	-5.1	NO		NO	bb
4	4	190722M1_7	Standard	12.500	6.04	25520.283	42829.859	7.448	12.3	-1.4	NO		NO	bb
5	5	190722M1_8	Standard	12.500	6.04	27030.195	44973.254	7.513	12.4	-0.5	NO		NO	bb
6	6	190722M1_9	Standard	12.500	6.05	24462.900	41544.137	7.361	12.2	-2.6	NO		NO	bb
7	7	190722M1_10	Standard	12.500	6.04	25008.195	42856.988	7.294	12.1	-3.4	NO		NO	bb
8	8	190722M1_11	Standard	12.500	6.05	23699.754	38711.184	7.653	12.7	1.3	NO		NO	bb
9	9	190722M1_12	Standard	12.500	6.04	21808.348	33419.641	8.157	13.5	8.0	NO		NO	bb
10	10	190722M1_13	Standard	12.500	6.04	19652.904	28382.182	8.655	14.3	14.6	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: d5-N-ETFOSA
Response Factor: 0.0444529
RRF SD: 0.00205939, Relative SD: 4.63274
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	150.000	6.16	21304.605	43120.508	6.176	138.9	-7.4	NO		NO	bb
2	2	190722M1_5	Standard	150.000	6.18	23668.131	43671.777	6.774	152.4	1.6	NO		NO	bb
3	3	190722M1_6	Standard	150.000	6.17	21497.307	42805.195	6.278	141.2	-5.9	NO		NO	bb
4	4	190722M1_7	Standard	150.000	6.16	23583.982	42829.859	6.883	154.8	3.2	NO		NO	bb
5	5	190722M1_8	Standard	150.000	6.17	23549.482	44973.254	6.545	147.2	-1.8	NO		NO	bb
6	6	190722M1_9	Standard	150.000	6.17	22318.830	41544.137	6.715	151.1	0.7	NO		NO	bb
7	7	190722M1_10	Standard	150.000	6.16	22303.699	42856.988	6.505	146.3	-2.4	NO		NO	bb
8	8	190722M1_11	Standard	150.000	6.17	20623.604	38711.184	6.659	149.8	-0.1	NO		NO	bb
9	9	190722M1_12	Standard	150.000	6.16	18540.406	33419.641	6.935	156.0	4.0	NO		NO	bb
10	10	190722M1_13	Standard	150.000	6.17	16366.620	28382.182	7.208	162.2	8.1	NO		NO	bb

Compound name: 13C2-PFHxDA
Response Factor: 0.787613
RRF SD: 0.0879779, Relative SD: 11.1702
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	5.000	6.38	11797.870	43120.508	3.420	4.3	-13.2	NO		NO	bb
2	2	190722M1_5	Standard	5.000	6.40	13134.137	43671.777	3.759	4.8	-4.5	NO		NO	bb
3	3	190722M1_6	Standard	5.000	6.38	12505.977	42805.195	3.652	4.6	-7.3	NO		NO	bb
4	4	190722M1_7	Standard	5.000	6.38	13630.720	42829.859	3.978	5.1	1.0	NO		NO	bb
5	5	190722M1_8	Standard	5.000	6.38	14086.746	44973.254	3.915	5.0	-0.6	NO		NO	bb
6	6	190722M1_9	Standard	5.000	6.38	11944.516	41544.137	3.594	4.6	-8.7	NO		NO	bb
7	7	190722M1_10	Standard	5.000	6.38	13095.914	42856.988	3.820	4.8	-3.0	NO		NO	bb
8	8	190722M1_11	Standard	5.000	6.38	12310.342	38711.184	3.975	5.0	0.9	NO		NO	bb
9	9	190722M1_12	Standard	5.000	6.38	11431.851	33419.641	4.276	5.4	8.6	NO		NO	bb
10	10	190722M1_13	Standard	5.000	6.38	11333.142	28382.182	4.991	6.3	26.7	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: d7-N-MeFOSE
Response Factor: 0.0312988
RRF SD: 0.00442916, Relative SD: 14.1512
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	150.000	6.34	14114.705	43120.508	4.092	130.7	-12.8	NO		NO	bb
2	2	190722M1_5	Standard	150.000	6.36	15183.258	43671.777	4.346	138.9	-7.4	NO		NO	bb
3	3	190722M1_6	Standard	150.000	6.34	14793.784	42805.195	4.320	138.0	-8.0	NO		NO	bb
4	4	190722M1_7	Standard	150.000	6.34	15722.974	42829.859	4.589	146.6	-2.3	NO		NO	bb
5	5	190722M1_8	Standard	150.000	6.34	15649.076	44973.254	4.350	139.0	-7.4	NO		NO	bb
6	6	190722M1_9	Standard	150.000	6.34	14921.587	41544.137	4.490	143.4	-4.4	NO		NO	bb
7	7	190722M1_10	Standard	150.000	6.33	14648.056	42856.988	4.272	136.5	-9.0	NO		NO	bb
8	8	190722M1_11	Standard	150.000	6.34	14981.688	38711.184	4.838	154.6	3.0	NO		NO	bb
9	9	190722M1_12	Standard	150.000	6.34	14359.571	33419.641	5.371	171.6	14.4	NO		NO	bb
10	10	190722M1_13	Standard	150.000	6.34	14262.917	28382.182	6.282	200.7	33.8	NO		NO	bb

Compound name: d9-N-EtFOSE
Response Factor: 0.0328581
RRF SD: 0.0041816, Relative SD: 12.7262
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	150.000	6.49	15632.325	43120.508	4.532	137.9	-8.1	NO		NO	bb
2	2	190722M1_5	Standard	150.000	6.50	15954.395	43671.777	4.567	139.0	-7.3	NO		NO	bb
3	3	190722M1_6	Standard	150.000	6.49	15644.520	42805.195	4.569	139.0	-7.3	NO		NO	bb
4	4	190722M1_7	Standard	150.000	6.49	16621.113	42829.859	4.851	147.6	-1.6	NO		NO	bb
5	5	190722M1_8	Standard	150.000	6.49	16588.672	44973.254	4.611	140.3	-6.5	NO		NO	bb
6	6	190722M1_9	Standard	150.000	6.49	15590.012	41544.137	4.691	142.8	-4.8	NO		NO	bb
7	7	190722M1_10	Standard	150.000	6.49	15657.459	42856.988	4.567	139.0	-7.3	NO		NO	bb
8	8	190722M1_11	Standard	150.000	6.49	15222.166	38711.184	4.915	149.6	-0.3	NO		NO	bb
9	9	190722M1_12	Standard	150.000	6.49	14605.532	33419.641	5.463	166.3	10.8	NO		NO	bb
10	10	190722M1_13	Standard	150.000	6.49	14811.076	28382.182	6.523	198.5	32.3	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C4-PFBA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 72), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	12.500	1.15	10850.134	10850.134	12.500	12.5	0.0	NO		NO	MM
2	2	190722M1_5	Standard	12.500	1.15	10409.271	10409.271	12.500	12.5	0.0	NO		NO	bb
3	3	190722M1_6	Standard	12.500	1.16	10719.811	10719.811	12.500	12.5	0.0	NO		NO	bb
4	4	190722M1_7	Standard	12.500	1.16	10464.392	10464.392	12.500	12.5	0.0	NO		NO	bb
5	5	190722M1_8	Standard	12.500	1.16	11249.724	11249.724	12.500	12.5	0.0	NO		NO	bb
6	6	190722M1_9	Standard	12.500	1.16	10605.924	10605.924	12.500	12.5	0.0	NO		NO	bb
7	7	190722M1_10	Standard	12.500	1.16	10757.842	10757.842	12.500	12.5	0.0	NO		NO	MM
8	8	190722M1_11	Standard	12.500	1.16	10641.384	10641.384	12.500	12.5	0.0	NO		NO	bb
9	9	190722M1_12	Standard	12.500	1.16	10847.547	10847.547	12.500	12.5	0.0	NO		NO	bb
10	10	190722M1_13	Standard	12.500	1.16	10389.314	10389.314	12.500	12.5	0.0	NO		NO	bb

Compound name: 13C5-PFHxA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	12.500	2.96	33051.543	33051.543	12.500	12.5	0.0	NO		NO	bb
2	2	190722M1_5	Standard	12.500	2.96	33461.480	33461.480	12.500	12.5	0.0	NO		NO	bb
3	3	190722M1_6	Standard	12.500	2.96	30822.049	30822.049	12.500	12.5	0.0	NO		NO	bb
4	4	190722M1_7	Standard	12.500	2.96	32740.182	32740.182	12.500	12.5	0.0	NO		NO	bb
5	5	190722M1_8	Standard	12.500	2.96	34149.691	34149.691	12.500	12.5	0.0	NO		NO	bb
6	6	190722M1_9	Standard	12.500	2.96	31217.115	31217.115	12.500	12.5	0.0	NO		NO	bb
7	7	190722M1_10	Standard	12.500	2.96	31695.689	31695.689	12.500	12.5	0.0	NO		NO	bb
8	8	190722M1_11	Standard	12.500	2.96	30821.445	30821.445	12.500	12.5	0.0	NO		NO	bb
9	9	190722M1_12	Standard	12.500	2.97	26753.777	26753.777	12.500	12.5	0.0	NO		NO	bb
10	10	190722M1_13	Standard	12.500	2.96	24348.354	24348.354	12.500	12.5	0.0	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 18O2-PFHxS
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 74), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	3.74	2116.563	2116.563	12.500	12.5	0.0	NO		NO	bb
2	2 190722M1_5	Standard	12.500	3.74	2194.463	2194.463	12.500	12.5	0.0	NO		NO	bb
3	3 190722M1_6	Standard	12.500	3.74	2131.238	2131.238	12.500	12.5	0.0	NO		NO	bb
4	4 190722M1_7	Standard	12.500	3.74	2123.718	2123.718	12.500	12.5	0.0	NO		NO	bb
5	5 190722M1_8	Standard	12.500	3.75	2183.460	2183.460	12.500	12.5	0.0	NO		NO	bb
6	6 190722M1_9	Standard	12.500	3.75	2036.903	2036.903	12.500	12.5	0.0	NO		NO	bb
7	7 190722M1_10	Standard	12.500	3.74	2117.294	2117.294	12.500	12.5	0.0	NO		NO	bb
8	8 190722M1_11	Standard	12.500	3.75	2008.983	2008.983	12.500	12.5	0.0	NO		NO	bb
9	9 190722M1_12	Standard	12.500	3.74	1777.154	1777.154	12.500	12.5	0.0	NO		NO	bb
10	10 190722M1_13	Standard	12.500	3.75	1491.091	1491.091	12.500	12.5	0.0	NO		NO	bb

Compound name: 13C8-PFOA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 75), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.11	40893.055	40893.055	12.500	12.5	0.0	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.11	40528.070	40528.070	12.500	12.5	0.0	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.12	38705.680	38705.680	12.500	12.5	0.0	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.11	40013.352	40013.352	12.500	12.5	0.0	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.12	41990.711	41990.711	12.500	12.5	0.0	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.12	39024.754	39024.754	12.500	12.5	0.0	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.12	38312.750	38312.750	12.500	12.5	0.0	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.12	37224.391	37224.391	12.500	12.5	0.0	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.12	30588.471	30588.471	12.500	12.5	0.0	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.12	25360.734	25360.734	12.500	12.5	0.0	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C9-PFNA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 76), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.56	28154.537	28154.537	12.500	12.5	0.0	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.56	28146.664	28146.664	12.500	12.5	0.0	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.56	27420.799	27420.799	12.500	12.5	0.0	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.56	28130.104	28130.104	12.500	12.5	0.0	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.57	29337.896	29337.896	12.500	12.5	0.0	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.56	26887.838	26887.838	12.500	12.5	0.0	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.56	26248.543	26248.543	12.500	12.5	0.0	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.56	25464.787	25464.787	12.500	12.5	0.0	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.56	22748.998	22748.998	12.500	12.5	0.0	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.56	19558.701	19558.701	12.500	12.5	0.0	NO		NO	bb

Compound name: 13C4-PFOS
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 77), Area * (IS Conc. / IS Area)
Curve type: RF

	# Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1 190722M1_4	Standard	12.500	4.65	4991.087	4991.087	12.500	12.5	0.0	NO		NO	bb
2	2 190722M1_5	Standard	12.500	4.65	5000.113	5000.113	12.500	12.5	0.0	NO		NO	bb
3	3 190722M1_6	Standard	12.500	4.65	4901.221	4901.221	12.500	12.5	0.0	NO		NO	bb
4	4 190722M1_7	Standard	12.500	4.65	5073.991	5073.991	12.500	12.5	0.0	NO		NO	bb
5	5 190722M1_8	Standard	12.500	4.66	5015.092	5015.092	12.500	12.5	0.0	NO		NO	bb
6	6 190722M1_9	Standard	12.500	4.65	4731.726	4731.726	12.500	12.5	0.0	NO		NO	bb
7	7 190722M1_10	Standard	12.500	4.65	4823.493	4823.493	12.500	12.5	0.0	NO		NO	bb
8	8 190722M1_11	Standard	12.500	4.65	4686.748	4686.748	12.500	12.5	0.0	NO		NO	bb
9	9 190722M1_12	Standard	12.500	4.65	4103.574	4103.574	12.500	12.5	0.0	NO		NO	bb
10	10 190722M1_13	Standard	12.500	4.65	3692.703	3692.703	12.500	12.5	0.0	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:26:38 Pacific Daylight Time

Compound name: 13C6-PFDA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 78), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	12.500	4.94	36615.000	36615.000	12.500	12.5	0.0	NO		NO	bb
2	2	190722M1_5	Standard	12.500	4.95	35343.969	35343.969	12.500	12.5	0.0	NO		NO	bb
3	3	190722M1_6	Standard	12.500	4.95	33592.953	33592.953	12.500	12.5	0.0	NO		NO	bb
4	4	190722M1_7	Standard	12.500	4.95	35678.215	35678.215	12.500	12.5	0.0	NO		NO	bb
5	5	190722M1_8	Standard	12.500	4.95	37235.199	37235.199	12.500	12.5	0.0	NO		NO	bb
6	6	190722M1_9	Standard	12.500	4.95	34106.059	34106.059	12.500	12.5	0.0	NO		NO	bb
7	7	190722M1_10	Standard	12.500	4.94	34011.199	34011.199	12.500	12.5	0.0	NO		NO	bb
8	8	190722M1_11	Standard	12.500	4.95	33321.129	33321.129	12.500	12.5	0.0	NO		NO	bb
9	9	190722M1_12	Standard	12.500	4.94	28304.783	28304.783	12.500	12.5	0.0	NO		NO	bb
10	10	190722M1_13	Standard	12.500	4.95	24376.801	24376.801	12.500	12.5	0.0	NO		NO	bb

Compound name: 13C7-PFUdA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190722M1_4	Standard	12.500	5.27	43120.508	43120.508	12.500	12.5	0.0	NO		NO	bb
2	2	190722M1_5	Standard	12.500	5.28	43671.777	43671.777	12.500	12.5	0.0	NO		NO	bb
3	3	190722M1_6	Standard	12.500	5.28	42805.195	42805.195	12.500	12.5	0.0	NO		NO	bb
4	4	190722M1_7	Standard	12.500	5.28	42829.859	42829.859	12.500	12.5	0.0	NO		NO	bb
5	5	190722M1_8	Standard	12.500	5.28	44973.254	44973.254	12.500	12.5	0.0	NO		NO	bb
6	6	190722M1_9	Standard	12.500	5.28	41544.137	41544.137	12.500	12.5	0.0	NO		NO	bb
7	7	190722M1_10	Standard	12.500	5.28	42856.988	42856.988	12.500	12.5	0.0	NO		NO	bb
8	8	190722M1_11	Standard	12.500	5.28	38711.184	38711.184	12.500	12.5	0.0	NO		NO	bb
9	9	190722M1_12	Standard	12.500	5.27	33419.641	33419.641	12.500	12.5	0.0	NO		NO	bb
10	10	190722M1_13	Standard	12.500	5.28	28382.182	28382.182	12.500	12.5	0.0	NO		NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:31:21 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101

	#	Name	IS#	CoD	CoD Flag	%RSD
1	1	PFBA	47	0.9997	NO	
2	2	PFPrS	49	0.9992	NO	
3	3	3:3 FTCA	48	0.9993	NO	
4	4	PFPeA	48	0.9998	NO	
5	5	PFBS	49	0.9996	NO	
6	6	4:2 FTS	51	0.9999	NO	
7	7	PFHxA	52	0.9980	NO	
8	8	PFPeS	49	0.9990	NO	
9	9	HFPO-DA	50	0.9920	NO	
10	10	5:3 FTCA	53	1.0000	NO	
11	11	PFHpA	53	0.9993	NO	
12	12	ADONA	53	0.9972	NO	
13	13	L-PFHxS	54	0.9977	NO	
14	15	6:2 FTS	55	0.9990	NO	
15	16	L-PFOA	58	0.9992	NO	
16	18	PFecHS	58	0.9998	NO	
17	19	PFHpS	59	0.9990	NO	
18	20	7:3 FTCA	56	0.9999	NO	
19	21	PFNA	56	0.9996	NO	
20	22	PFOSA	57	0.9994	NO	
21	23	L-PFOS	59	0.9997	NO	
22	25	9Cl-PF30NS	59	0.9997	NO	
23	26	PFDA	60	0.9979	NO	
24	27	8:2 FTS	61	0.9980	NO	
25	28	PFNS	59	0.9988	NO	
26	29	L-MeFOSAA	62	0.9998	NO	

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:31:31 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101

	#	Name	IS#	CoD	CoD Flag	%RSD
1	31	L-EtFOSAA	64	0.9997	NO	
2	33	PFUdA	63	0.9990	NO	
3	34	PFDS	61	0.9987	NO	
4	35	11Cl-PF30UdS	65	0.9992	NO	
5	36	10:2 FTS	61	0.9985	NO	
6	37	PFDoA	65	0.9992	NO	
7	38	N-MeFOSA	66	0.9987	NO	
8	39	PFTrDA	65	0.9981	NO	
9	40	PFDoS	67	0.9993	NO	
10	41	PFTeDA	67	0.9983	NO	
11	42	N-EtFOSA	68	0.9993	NO	
12	43	PFHxDA	69	1.0000	NO	
13	44	PFODA	69	0.9953	NO	
14	45	N-MeFOSE	70	0.9996	NO	
15	46	N-EtFOSE	71	0.9992	NO	
16	47	13C3-PFBA	72		NO	2.421
17	48	13C3-PFPeA	73		NO	4.752
18	49	13C3-PFBS	74		NO	3.189
19	50	13C3-HFPO-DA	73		NO	10.828
20	51	13C2-4:2 FTS	74		NO	7.782
21	52	13C2-PFHxA	73		NO	3.496
22	53	13C4-PFHpA	73		NO	4.533
23	54	13C3-PFHxS	74		NO	3.792
24	55	13C2-6:2 FTS	77		NO	6.578
25	56	13C5-PFNA	76		NO	2.107
26	57	13C8-PFOSA	79		NO	4.779
27	58	13C2-PFOA	75		NO	2.001
28	59	13C8-PFOS	77		NO	3.544
29	60	13C2-PFDA	78		NO	3.953
30	61	13C2-8:2 FTS	77		NO	9.261
31	62	d3-N-MeFOSAA	79		NO	6.726
32	63	13C2-PFUdA	79		NO	2.397

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:31:31 Pacific Daylight Time

Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101

	#	Name	IS#	CoD	CoD Flag	%RSD
33	64	d5-N-EtFOSAA	79		NO	3.272
34	65	13C2-PFDoA	78		NO	9.026
35	66	d3-N-MeFOSA	79		NO	12.658
36	67	13C2-PFTeDA	79		NO	6.538
37	68	d5-N-ETFOSA	79		NO	4.633
38	69	13C2-PFHxDA	79		NO	11.170
39	70	d7-N-MeFOSE	79		NO	14.151
40	71	d9-N-EtFOSE	79		NO	12.726
41	72	13C4-PFBA	72		NO	0.000
42	73	13C5-PFHxA	73		NO	0.000
43	74	18O2-PFHxS	74		NO	0.000
44	75	13C8-PFOA	75		NO	0.000
45	76	13C9-PFNA	76		NO	0.000
46	77	13C4-PFOS	77		NO	0.000
47	78	13C6-PFDA	78		NO	0.000
48	79	13C7-PFUdA	79		NO	0.000

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:33:08 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	PFBA	1.15	1.15			
2	PFPrS	1.52	1.52	2.586	2.586	NO
3	3:3 FTCA	2.01	1.99	2.003	2.003	NO
4	PFPeA	2.15	2.15			
5	PFBS	2.45	2.45	3.211	3.211	NO
6	4:2 FTS	2.88	2.88	1.727	1.727	NO
7	PFHxA	2.96	2.96	15.186	15.186	NO
8	PFPeS	3.17	3.17	1.506	1.506	NO
9	HFPO-DA	3.17	3.18	1.803	1.803	NO
10	5:3 FTCA	3.51	3.52	1.508	1.508	NO
11	PFHpA	3.59	3.59	9.441	9.441	NO
12	ADONA	3.70	3.70	3.494	3.494	NO
13	L-PFHxS	3.75	3.75	2.079	2.079	NO
14	6:2 FTS	4.06	4.06	2.153	2.153	NO
15	L-PFOA	4.12	4.12	3.932	3.932	NO
16	PFecHS	4.14	4.14	0.991	0.991	NO
17	PFHpS	4.24	4.24	1.767	1.767	NO
18	7:3 FTCA	4.55	4.55	1.941	1.941	NO
19	PFNA	4.56	4.57	4.083	4.083	NO
20	PFOSA	4.62	4.62	28.891	28.891	NO
21	L-PFOS	4.65	4.65	2.063	2.063	NO
22	9Cl-PF30NS	4.88	4.88	15.835	15.835	NO
23	PFDA	4.95	4.95	5.518	5.518	NO
24	8:2 FTS	4.91	4.91	1.148	1.148	NO
25	PFNS	5.02	5.02	1.631	1.631	NO
26	L-MeFOSAA	5.10	5.10	2.463	2.463	NO

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:33:39 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	L-EtFOSAA	5.26	5.27	1.423	1.423	NO
2	PFUdA	5.28	5.28	9.202	9.202	NO
3	PFDS	5.33	5.33	1.987	1.987	NO
4	11Cl-PF30UdS	5.50	5.50	4.568	4.568	NO
5	10:2 FTS	5.55	5.55	1.560	1.560	NO
6	PFDoA	5.57	5.57	8.441	8.441	NO
7	N-MeFOSA	5.72	5.72	1.572	1.572	NO
8	PFTrDA	5.82	5.82	18.945	18.945	NO
9	PFDoS	5.85	5.85	1.847	1.847	NO
10	PFTeDA	6.05	6.05	14.484	14.484	NO
11	N-EtFOSA	6.15	6.15	1.577	1.577	NO
12	PFHxDA	6.38	6.38	19.231	19.231	NO
13	PFODA	6.63	6.63			
14	N-MeFOSE	6.35	6.35			
15	N-EtFOSE	6.50	6.50			

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Monday, July 22, 2019 13:37:06 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:37:12 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190722M1_1	IPA	22-Jul-19	09:54:51
2	2	190722M1_2	IPA	22-Jul-19	10:05:26
3	3	190722M1_3	IPA	22-Jul-19	10:16:04
4	4	190722M1_4	ST190722M1-1 PFC CS-2 19G1101	22-Jul-19	10:26:37
5	5	190722M1_5	ST190722M1-2 PFC CS-1 19G1102	22-Jul-19	10:37:15
6	6	190722M1_6	ST190722M1-3 PFC CS0 19G1103	22-Jul-19	10:47:48
7	7	190722M1_7	ST190722M1-4 PFC CS1 19G1104	22-Jul-19	10:58:26
8	8	190722M1_8	ST190722M1-5 PFC CS2 19G1105	22-Jul-19	11:09:04
9	9	190722M1_9	ST190722M1-6 PFC CS3 19G1106	22-Jul-19	11:19:37
10	10	190722M1_10	ST190722M1-7 PFC CS4 19G1107	22-Jul-19	11:30:15
11	11	190722M1_11	ST190722M1-8 PFC CS5 19G1108	22-Jul-19	11:40:48
12	12	190722M1_12	ST190722M1-9 PFC CS6 19G1109	22-Jul-19	11:51:27
13	13	190722M1_13	ST190722M1-10 PFC CS7 19G1110	22-Jul-19	12:02:00
14	14	190722M1_14	IB	22-Jul-19	12:12:38
15	15	190722M1_15	ICV190722M1-1 PFC ICV 19F2422	22-Jul-19	12:23:11
16	16	190722M1_16	IPA	22-Jul-19	12:33:49


Vista Analytical Laboratory Q1

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Compound name: PFBA
Correlation coefficient: r = 0.999866, r^2 = 0.999732
Calibration curve: 1.24607 * x + 0.00199996
Response type: Internal Std (Ref 47), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: PFPrS
Coefficient of Determination: R^2 = 0.999175
Calibration curve: 0.000485085 * x^2 + 0.946971 * x + -0.183868
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: 3:3 FTCA
Coefficient of Determination: R^2 = 0.999283
Calibration curve: 2.19065e-005 * x^2 + 0.034454 * x + -0.00306612
Response type: Internal Std (Ref 48), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: PFPeA
Correlation coefficient: r = 0.999912, r^2 = 0.999823
Calibration curve: 0.926196 * x + -0.0150139
Response type: Internal Std (Ref 48), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: PFBS
Correlation coefficient: r = 0.999795, r^2 = 0.999590
Calibration curve: 2.27622 * x + -0.0754669
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: 4:2 FTS
Coefficient of Determination: R^2 = 0.999884
Calibration curve: -0.000681037 * x^2 + 2.53383 * x + -0.100616
Response type: Internal Std (Ref 51), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: PFHxA
Correlation coefficient: r = 0.999007, r^2 = 0.998015
Calibration curve: 0.876467 * x + 0.0616289
Response type: Internal Std (Ref 52), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: PFPeS
Coefficient of Determination: R^2 = 0.999023
Calibration curve: -0.000714377 * x^2 + 1.61311 * x + -0.0331084
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: HFPO-DA
Coefficient of Determination: R^2 = 0.991970
Calibration curve: -0.00118486 * x^2 + 0.675421 * x + -0.203895
Response type: Internal Std (Ref 50), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: 5:3 FTCA
Coefficient of Determination: R^2 = 0.999954
Calibration curve: 0.000276123 * x^2 + 0.182638 * x + -0.0100687
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: PFHpA
Correlation coefficient: r = 0.999631, r^2 = 0.999262
Calibration curve: 1.29462 * x + -0.00115138
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: ADONA
Correlation coefficient: r = 0.998584, r^2 = 0.997170
Calibration curve: 3.57793 * x + -0.298634
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: L-PFHxS
Coefficient of Determination: R^2 = 0.997745
Calibration curve: 0.000357574 * x^2 + 0.908432 * x + -0.00114983
Response type: Internal Std (Ref 54), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: 6:2 FTS
Coefficient of Determination: R^2 = 0.998968
Calibration curve: -0.00125899 * x^2 + 3.39476 * x + -0.177829
Response type: Internal Std (Ref 55), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: L-PFOA
Correlation coefficient: r = 0.999592, r^2 = 0.999184
Calibration curve: 1.50207 * x + 0.037722
Response type: Internal Std (Ref 58), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: PFecHS
Coefficient of Determination: R^2 = 0.999810
Calibration curve: 9.03021e-005 * x^2 + 0.229813 * x + -0.00373897
Response type: Internal Std (Ref 58), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: PFHpS
Coefficient of Determination: R^2 = 0.998959
Calibration curve: -7.37908e-005 * x^2 + 0.882414 * x + -0.00582201
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: 7:3 FTCA
Coefficient of Determination: R^2 = 0.999889
Calibration curve: 7.49055e-005 * x^2 + 0.120249 * x + -0.0213933
Response type: Internal Std (Ref 56), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: PFNA
Correlation coefficient: r = 0.999807, r^2 = 0.999613
Calibration curve: 1.14988 * x + 0.0288971
Response type: Internal Std (Ref 56), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: PFOSA
Correlation coefficient: r = 0.999693, r^2 = 0.999385
Calibration curve: 1.02057 * x + -0.0126471
Response type: Internal Std (Ref 57), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: L-PFOS
Correlation coefficient: r = 0.999829, r^2 = 0.999659
Calibration curve: 1.069 * x + -0.0197497
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: 9Cl-PF30NS
Coefficient of Determination: R^2 = 0.999728
Calibration curve: -0.000193459 * x^2 + 2.20675 * x + -0.126796
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: PFDA
Correlation coefficient: r = 0.998937, r^2 = 0.997875
Calibration curve: 1.28827 * x + 0.00394215
Response type: Internal Std (Ref 60), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None



Compound name: 8:2 FTS
Coefficient of Determination: R^2 = 0.998024
Calibration curve: -0.000533984 * x^2 + 2.04701 * x + -0.0915481
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:16 Pacific Daylight Time

Compound name: PFNS
Correlation coefficient: r = 0.999413, r^2 = 0.998826
Calibration curve: 0.710501 * x + 0.0578804
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None



Compound name: L-MeFOSAA
Coefficient of Determination: R^2 = 0.999838
Calibration curve: -0.00045633 * x^2 + 2.17563 * x + -0.152941
Response type: Internal Std (Ref 62), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:30 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Compound name: L-EtFOSAA
Correlation coefficient: r = 0.999854, r^2 = 0.999709
Calibration curve: 1.25319 * x + -0.0468414
Response type: Internal Std (Ref 64), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: PFUdA
Correlation coefficient: r = 0.999517, r^2 = 0.999034
Calibration curve: 0.909039 * x + 0.0548594
Response type: Internal Std (Ref 63), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:30 Pacific Daylight Time

Compound name: PFDS
Coefficient of Determination: R^2 = 0.998705
Calibration curve: 0.00481559 * x^2 + 1.65576 * x + -0.0379245
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: 11Cl-PF30UdS
Coefficient of Determination: R^2 = 0.999161
Calibration curve: -1.71422e-005 * x^2 + 0.0590622 * x + -0.0125033
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:30 Pacific Daylight Time

Compound name: 10:2 FTS
Coefficient of Determination: R^2 = 0.998548
Calibration curve: -0.00085294 * x^2 + 2.4229 * x + -0.00234078
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None



Compound name: PFDoA
Coefficient of Determination: R^2 = 0.999221
Calibration curve: -0.000477513 * x^2 + 1.06929 * x + 0.0599682
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:30 Pacific Daylight Time

Compound name: N-MeFOSA
Coefficient of Determination: R^2 = 0.998673
Calibration curve: -0.000110043 * x^2 + 1.18315 * x + 0.0436442
Response type: Internal Std (Ref 66), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: PFTrDA
Coefficient of Determination: R^2 = 0.998149
Calibration curve: -0.000612217 * x^2 + 1.14249 * x + 0.0539235
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:30 Pacific Daylight Time

Compound name: PFDoS
Coefficient of Determination: R^2 = 0.999315
Calibration curve: -2.75261e-005 * x^2 + 0.165938 * x + -0.00469544
Response type: Internal Std (Ref 67), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None



Compound name: PFTeDA
Correlation coefficient: r = 0.999147, r^2 = 0.998295
Calibration curve: 1.50077 * x + 0.138175
Response type: Internal Std (Ref 67), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:30 Pacific Daylight Time

Compound name: N-EtFOSA
Coefficient of Determination: R^2 = 0.999316
Calibration curve: -4.39453e-005 * x^2 + 0.983871 * x + -0.292612
Response type: Internal Std (Ref 68), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None



Compound name: PFHxDA
Coefficient of Determination: R^2 = 0.999962
Calibration curve: -0.00028136 * x^2 + 0.657654 * x + 0.0293459
Response type: Internal Std (Ref 69), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:30 Pacific Daylight Time

Compound name: PFODA
Correlation coefficient: r = 0.997667, r^2 = 0.995340
Calibration curve: 0.760337 * x + 0.0535536
Response type: Internal Std (Ref 69), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: N-MeFOSE
Correlation coefficient: r = 0.999814, r^2 = 0.999627
Calibration curve: 1.11748 * x + 0.0028163
Response type: Internal Std (Ref 70), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None



Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:35:30 Pacific Daylight Time

Compound name: N-EtFOSE
Correlation coefficient: r = 0.999619, r^2 = 0.999239
Calibration curve: 1.29498 * x + -0.0851508
Response type: Internal Std (Ref 71), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
4.019e+003




F66:MRM of 2 channels,ES-
627.0 > 80.9
2.165e+003




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
2.409e+004




F62:MRM of 4 channels,ES-
612.9 > 318.8
2.573e+003




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
4.790e+003




F43:MRM of 2 channels,ES-
512.1 > 219
2.262e+003




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
2.377e+004




F70:MRM of 2 channels,ES-
662.9 > 319
5.856e+002




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
2.134e+003




F71:MRM of 2 channels,ES-
698.8 > 98.9
8.946e+002




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
2.351e+004




F72:MRM of 2 channels,ES-
713. > 369.0
1.300e+003




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
7.063e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.026e+006




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
4.250e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.026e+006



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.536e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.536e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_4, Date: 22-Jul-2019, Time: 10:26:37, ID: ST190722M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_5, Date: 22-Jul-2019, Time: 10:37:15, ID: ST190722M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_5, Date: 22-Jul-2019, Time: 10:37:15, ID: ST190722M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_5, Date: 22-Jul-2019, Time: 10:37:15, ID: ST190722M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_5, Date: 22-Jul-2019, Time: 10:37:15, ID: ST190722M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_5, Date: 22-Jul-2019, Time: 10:37:15, ID: ST190722M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_5, Date: 22-Jul-2019, Time: 10:37:15, ID: ST190722M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
6.724e+003




F66:MRM of 2 channels,ES-
627.0 > 80.9
6.065e+003




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
4.602e+004




F62:MRM of 4 channels,ES-
612.9 > 318.8
6.255e+003




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
6.919e+003




F43:MRM of 2 channels,ES-
512.1 > 219
6.066e+003




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
5.158e+004




F70:MRM of 2 channels,ES-
662.9 > 319
2.288e+003




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
4.378e+003




F71:MRM of 2 channels,ES-
698.8 > 98.9
2.620e+003




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
4.573e+004




F72:MRM of 2 channels,ES-
713. > 369.0
2.383e+003




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
7.385e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.075e+006




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
4.452e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.075e+006



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.601e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.601e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_5, Date: 22-Jul-2019, Time: 10:37:15, ID: ST190722M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_5, Date: 22-Jul-2019, Time: 10:37:15, ID: ST190722M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_6, Date: 22-Jul-2019, Time: 10:47:48, ID: ST190722M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_6, Date: 22-Jul-2019, Time: 10:47:48, ID: ST190722M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFHxA
F13:MRM of 2 channels,ES-
313.0 > 269.0
6.026e+004
PFHxA
2.97
2.30e3
59973
bb
1329.97




F13:MRM of 2 channels,ES-
313 > 118.9
3.124e+003
PFHxA
2.96
1.24e2
3124
bb
3124.00




PFPeS
F19:MRM of 2 channels,ES-
349.1 > 80.1
6.366e+003




F19:MRM of 2 channels,ES-
349.1 > 99
5.017e+003




HFPO-DA
F9:MRM of 3 channels,ES-
285.1 > 168.9
2.967e+003




F9:MRM of 3 channels,ES-
285.1 > 184.9
1.366e+003




5:3 FTCA
F18:MRM of 2 channels,ES-
340.9 > 236.9
5.275e+003




F18:MRM of 2 channels,ES-
340.9 > 216.9
3.541e+003




PFHpA
F20:MRM of 2 channels,ES-
363.0 > 318.9
4.344e+004




F20:MRM of 2 channels,ES-
363.0 > 169.0
4.890e+003




ADONA
F22:MRM of 2 channels,ES-
376.8 > 250.9
1.111e+005




F22:MRM of 2 channels,ES-
376.8 > 85.0
2.912e+004




13C2-PFHxA
F14:MRM of 1 channel,ES-
315.0 > 270.0
2.988e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.745e+004




13C3-HFPO-DA
F10:MRM of 2 channels,ES-
287.0 > 168.9
4.308e+004




13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
4.210e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
4.210e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
4.210e+005





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_6, Date: 22-Jul-2019, Time: 10:47:48, ID: ST190722M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_6, Date: 22-Jul-2019, Time: 10:47:48, ID: ST190722M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_6, Date: 22-Jul-2019, Time: 10:47:48, ID: ST190722M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
7.458e+003




F53:MRM of 2 channels,ES-
549.1 > 99.1
6.097e+003




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
2.604e+004




F56:MRM of 2 channels,ES-
570. > 512
1.231e+004




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
2.150e+004




F59:MRM of 2 channels,ES-
584.1 > 526
1.424e+004




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
7.864e+004




F54:MRM of 2 channels,ES-
563.0 > 269
7.843e+003




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
9.759e+003




F61:MRM of 2 channels,ES-
598.8 > 98.9
5.807e+003




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
5.196e+003




F68:MRM of 2 channels,ES-
632.6 > 450.7
9.033e+002




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.192e+005




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
1.841e+005




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
2.530e+005




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
9.805e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
6.934e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.924e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_6, Date: 22-Jul-2019, Time: 10:47:48, ID: ST190722M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
1.716e+004




F66:MRM of 2 channels,ES-
627.0 > 80.9
9.659e+003




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
9.214e+004




F62:MRM of 4 channels,ES-
612.9 > 318.8
8.596e+003




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
1.713e+004




F43:MRM of 2 channels,ES-
512.1 > 219
1.207e+004




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
8.980e+004




F70:MRM of 2 channels,ES-
662.9 > 319
4.333e+003




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
8.199e+003




F71:MRM of 2 channels,ES-
698.8 > 98.9
5.150e+003




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
8.432e+004




F72:MRM of 2 channels,ES-
713. > 369.0
4.492e+003




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
6.934e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.924e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
4.213e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.924e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.526e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.526e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_6, Date: 22-Jul-2019, Time: 10:47:48, ID: ST190722M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_6, Date: 22-Jul-2019, Time: 10:47:48, ID: ST190722M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_7, Date: 22-Jul-2019, Time: 10:58:26, ID: ST190722M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_7, Date: 22-Jul-2019, Time: 10:58:26, ID: ST190722M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_7, Date: 22-Jul-2019, Time: 10:58:26, ID: ST190722M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_7, Date: 22-Jul-2019, Time: 10:58:26, ID: ST190722M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_7, Date: 22-Jul-2019, Time: 10:58:26, ID: ST190722M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
1.506e+004




F53:MRM of 2 channels,ES-
549.1 > 99.1
7.030e+003




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
5.719e+004




F56:MRM of 2 channels,ES-
570. > 512
2.264e+004




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
4.319e+004




F59:MRM of 2 channels,ES-
584.1 > 526
2.686e+004




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
1.555e+005




F54:MRM of 2 channels,ES-
563.0 > 269
1.477e+004




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
2.246e+004




F61:MRM of 2 channels,ES-
598.8 > 98.9
1.231e+004




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
8.326e+003




F68:MRM of 2 channels,ES-
632.6 > 450.7
1.759e+003




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.303e+005




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
2.019e+005




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
2.684e+005




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
1.033e+006



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
7.740e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.045e+006




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_7, Date: 22-Jul-2019, Time: 10:58:26, ID: ST190722M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
3.545e+004




F66:MRM of 2 channels,ES-
627.0 > 80.9
2.105e+004




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
1.964e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
1.982e+004




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
3.781e+004




F43:MRM of 2 channels,ES-
512.1 > 219
2.407e+004




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
1.873e+005




F70:MRM of 2 channels,ES-
662.9 > 319
8.843e+003




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
1.747e+004




F71:MRM of 2 channels,ES-
698.8 > 98.9
9.757e+003




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
1.581e+005




F72:MRM of 2 channels,ES-
713. > 369.0
1.393e+004




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
7.740e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.045e+006




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
4.580e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.045e+006



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.651e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.651e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_7, Date: 22-Jul-2019, Time: 10:58:26, ID: ST190722M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_7, Date: 22-Jul-2019, Time: 10:58:26, ID: ST190722M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


13C8-PFOA
F28:MRM of 1 channel,ES-
420.9 > 376.0
1.050e+006




18O2-PFHxS
F25:MRM of 1 channel,ES-
403.0 > 102.6
5.508e+004




13C9-PFNA
F36:MRM of 1 channel,ES-
472.2 > 426.9
6.863e+005




13C4-PFOS
F40:MRM of 1 channel,ES-
503 > 79.9
1.310e+005



13C6-PFDA
F47:MRM of 1 channel,ES-
519.1 > 473.7
9.109e+005



13C7-PFUdA
F57:MRM of 1 channel,ES-
570.1 > 524.8
1.155e+006




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_8, Date: 22-Jul-2019, Time: 11:09:04, ID: ST190722M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
6.216e+004




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
1.247e+004




F6:MRM of 2 channels,ES-
248.9 > 98.9
5.452e+003




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
3.325e+003




F5:MRM of 2 channels,ES-
240.9 > 116.9
1.626e+003




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
1.005e+005




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
3.581e+004




F11:MRM of 2 channels,ES-
299.0 > 99.0
1.244e+004




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
9.156e+004




F16:MRM of 2 channels,ES-
327.0 > 80.9
5.119e+004




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.286e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
4.154e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.618e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.618e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
4.154e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
8.884e+004




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_8, Date: 22-Jul-2019, Time: 11:09:04, ID: ST190722M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


PFHxA
F13:MRM of 2 channels,ES-
313.0 > 269.0
3.198e+005




F13:MRM of 2 channels,ES-
313 > 118.9
1.979e+004




PFPeS
F19:MRM of 2 channels,ES-
349.1 > 80.1
4.358e+004




F19:MRM of 2 channels,ES-
349.1 > 99
2.589e+004




HFPO-DA
F9:MRM of 3 channels,ES-
285.1 > 168.9
2.450e+004




F9:MRM of 3 channels,ES-
285.1 > 184.9
1.088e+004




5:3 FTCA
F18:MRM of 2 channels,ES-
340.9 > 236.9
3.336e+004




F18:MRM of 2 channels,ES-
340.9 > 216.9
2.141e+004




PFHpA
F20:MRM of 2 channels,ES-
363.0 > 318.9
2.381e+005




F20:MRM of 2 channels,ES-
363.0 > 169.0
2.439e+004




ADONA
F22:MRM of 2 channels,ES-
376.8 > 250.9
5.639e+005




F22:MRM of 2 channels,ES-
376.8 > 85.0
1.633e+005




13C2-PFHxA
F14:MRM of 1 channel,ES-
315.0 > 270.0
3.261e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
4.154e+004




13C3-HFPO-DA
F10:MRM of 2 channels,ES-
287.0 > 168.9
4.110e+004




13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
4.481e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
4.481e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
4.481e+005





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_8, Date: 22-Jul-2019, Time: 11:09:04, ID: ST190722M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_8, Date: 22-Jul-2019, Time: 11:09:04, ID: ST190722M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_8, Date: 22-Jul-2019, Time: 11:09:04, ID: ST190722M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_8, Date: 22-Jul-2019, Time: 11:09:04, ID: ST190722M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
8.137e+004




F66:MRM of 2 channels,ES-
627.0 > 80.9
5.060e+004




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
4.903e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
5.699e+004




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
9.578e+004




F43:MRM of 2 channels,ES-
512.1 > 219
6.103e+004




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
4.833e+005




F70:MRM of 2 channels,ES-
662.9 > 319
2.260e+004




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
4.325e+004




F71:MRM of 2 channels,ES-
698.8 > 98.9
2.538e+004




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
4.505e+005




F72:MRM of 2 channels,ES-
713. > 369.0
3.170e+004




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
8.128e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.139e+006




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
4.609e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.139e+006



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
7.075e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
7.075e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_8, Date: 22-Jul-2019, Time: 11:09:04, ID: ST190722M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_8, Date: 22-Jul-2019, Time: 11:09:04, ID: ST190722M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
7.470e+004




F53:MRM of 2 channels,ES-
549.1 > 99.1
4.379e+004




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
2.742e+005




F56:MRM of 2 channels,ES-
570. > 512
9.725e+004




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
2.247e+005




F59:MRM of 2 channels,ES-
584.1 > 526
1.445e+005




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
7.432e+005




F54:MRM of 2 channels,ES-
563.0 > 269
7.861e+004




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
1.172e+005




F61:MRM of 2 channels,ES-
598.8 > 98.9
5.663e+004




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
4.053e+004




F68:MRM of 2 channels,ES-
632.6 > 450.7
1.018e+004




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.225e+005




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
1.725e+005




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
2.420e+005




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
9.761e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
7.513e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.005e+006




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
1.606e+005




F66:MRM of 2 channels,ES-
627.0 > 80.9
1.018e+005




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
9.034e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
1.043e+005




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
1.785e+005




F43:MRM of 2 channels,ES-
512.1 > 219
1.136e+005




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
9.021e+005




F70:MRM of 2 channels,ES-
662.9 > 319
4.762e+004




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
9.069e+004




F71:MRM of 2 channels,ES-
698.8 > 98.9
4.840e+004




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
8.475e+005




F72:MRM of 2 channels,ES-
713. > 369.0
5.855e+004




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
7.513e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.005e+006




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
4.335e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.005e+006



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.421e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
6.421e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_9, Date: 22-Jul-2019, Time: 11:19:37, ID: ST190722M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_10, Date: 22-Jul-2019, Time: 11:30:15, ID: ST190722M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
6.006e+005




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
1.252e+005




F6:MRM of 2 channels,ES-
248.9 > 98.9
5.240e+004




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
3.479e+004




F5:MRM of 2 channels,ES-
240.9 > 116.9
1.657e+004




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
9.535e+005




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
3.492e+005




F11:MRM of 2 channels,ES-
299.0 > 99.0
1.170e+005




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
7.698e+005




F16:MRM of 2 channels,ES-
327.0 > 80.9
4.423e+005




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.189e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.820e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.523e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.523e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.820e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
7.639e+004




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_10, Date: 22-Jul-2019, Time: 11:30:15, ID: ST190722M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


PFHxA
F13:MRM of 2 channels,ES-
313.0 > 269.0
2.969e+006




F13:MRM of 2 channels,ES-
313 > 118.9
1.911e+005




PFPeS
F19:MRM of 2 channels,ES-
349.1 > 80.1
3.454e+005




F19:MRM of 2 channels,ES-
349.1 > 99
2.207e+005




HFPO-DA
F9:MRM of 3 channels,ES-
285.1 > 168.9
2.572e+005




F9:MRM of 3 channels,ES-
285.1 > 184.9
9.692e+004




5:3 FTCA
F18:MRM of 2 channels,ES-
340.9 > 236.9
3.125e+005




F18:MRM of 2 channels,ES-
340.9 > 216.9
2.069e+005




PFHpA
F20:MRM of 2 channels,ES-
363.0 > 318.9
2.121e+006




F20:MRM of 2 channels,ES-
363.0 > 169.0
2.209e+005




ADONA
F22:MRM of 2 channels,ES-
376.8 > 250.9
5.314e+006




F22:MRM of 2 channels,ES-
376.8 > 85.0
1.496e+006




13C2-PFHxA
F14:MRM of 1 channel,ES-
315.0 > 270.0
3.037e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.820e+004




13C3-HFPO-DA
F10:MRM of 2 channels,ES-
287.0 > 168.9
3.345e+004




13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
4.066e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
4.066e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
4.066e+005





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_10, Date: 22-Jul-2019, Time: 11:30:15, ID: ST190722M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_10, Date: 22-Jul-2019, Time: 11:30:15, ID: ST190722M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_10, Date: 22-Jul-2019, Time: 11:30:15, ID: ST190722M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
3.801e+005




F53:MRM of 2 channels,ES-
549.1 > 99.1
2.264e+005




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
1.358e+006




F56:MRM of 2 channels,ES-
570. > 512
5.054e+005




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
1.096e+006




F59:MRM of 2 channels,ES-
584.1 > 526
7.023e+005




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
3.787e+006




F54:MRM of 2 channels,ES-
563.0 > 269
4.300e+005




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
5.373e+005




F61:MRM of 2 channels,ES-
598.8 > 98.9
3.142e+005




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
2.176e+005




F68:MRM of 2 channels,ES-
632.6 > 450.7
4.537e+004




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.214e+005




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
1.833e+005




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
2.512e+005




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
1.000e+006



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
7.248e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
1.024e+006





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_10, Date: 22-Jul-2019, Time: 11:30:15, ID: ST190722M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-8:2 FTS




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_10, Date: 22-Jul-2019, Time: 11:30:15, ID: ST190722M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_10, Date: 22-Jul-2019, Time: 11:30:15, ID: ST190722M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_11, Date: 22-Jul-2019, Time: 11:40:48, ID: ST190722M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
1.200e+006




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
2.461e+005




F6:MRM of 2 channels,ES-
248.9 > 98.9
1.026e+005




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
7.026e+004




F5:MRM of 2 channels,ES-
240.9 > 116.9
3.465e+004




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
1.861e+006




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
6.752e+005




F11:MRM of 2 channels,ES-
299.0 > 99.0
2.202e+005




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
1.484e+006




F16:MRM of 2 channels,ES-
327.0 > 80.9
8.616e+005




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.174e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.436e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.473e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.473e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.436e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
7.192e+004





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_11, Date: 22-Jul-2019, Time: 11:40:48, ID: ST190722M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_11, Date: 22-Jul-2019, Time: 11:40:48, ID: ST190722M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


L-PFHxS




6:2 FTS




L-PFOA




PFEChS




PFHpS




7:3 FTCA




13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_11, Date: 22-Jul-2019, Time: 11:40:48, ID: ST190722M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_11, Date: 22-Jul-2019, Time: 11:40:48, ID: ST190722M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_11, Date: 22-Jul-2019, Time: 11:40:48, ID: ST190722M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
1.274e+006




F66:MRM of 2 channels,ES-
627.0 > 80.9
8.325e+005




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
7.999e+006




F62:MRM of 4 channels,ES-
612.9 > 318.8
9.826e+005




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
1.679e+006




F43:MRM of 2 channels,ES-
512.1 > 219
1.087e+006




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
8.544e+006




F70:MRM of 2 channels,ES-
662.9 > 319
4.033e+005




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
8.761e+005




F71:MRM of 2 channels,ES-
698.8 > 98.9
4.500e+005




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
8.016e+006




F72:MRM of 2 channels,ES-
713. > 369.0
5.578e+005




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
5.891e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.704e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
4.340e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.704e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.904e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.904e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_11, Date: 22-Jul-2019, Time: 11:40:48, ID: ST190722M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_11, Date: 22-Jul-2019, Time: 11:40:48, ID: ST190722M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_12, Date: 22-Jul-2019, Time: 11:51:27, ID: ST190722M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_12, Date: 22-Jul-2019, Time: 11:51:27, ID: ST190722M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


PFHxA
F13:MRM of 2 channels,ES-
313.0 > 269.0
1.203e+007




F13:MRM of 2 channels,ES-
313 > 118.9
7.822e+005




PFPeS
F19:MRM of 2 channels,ES-
349.1 > 80.1
1.194e+006




F19:MRM of 2 channels,ES-
349.1 > 99
8.049e+005




HFPO-DA
F9:MRM of 3 channels,ES-
285.1 > 168.9
7.402e+005




F9:MRM of 3 channels,ES-
285.1 > 184.9
3.463e+005




5:3 FTCA
F18:MRM of 2 channels,ES-
340.9 > 236.9
1.592e+006




F18:MRM of 2 channels,ES-
340.9 > 216.9
1.054e+006




PFHpA
F20:MRM of 2 channels,ES-
363.0 > 318.9
7.942e+006




F20:MRM of 2 channels,ES-
363.0 > 169.0
8.357e+005




ADONA
F22:MRM of 2 channels,ES-
376.8 > 250.9
2.134e+007




F22:MRM of 2 channels,ES-
376.8 > 85.0
5.985e+006




13C2-PFHxA
F14:MRM of 1 channel,ES-
315.0 > 270.0
2.766e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.263e+004




13C3-HFPO-DA
F10:MRM of 2 channels,ES-
287.0 > 168.9
4.354e+004




13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.276e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.276e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.276e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_12, Date: 22-Jul-2019, Time: 11:51:27, ID: ST190722M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


L-PFHxS
F23:MRM of 2 channels,ES-
398.9 > 79.6
1.331e+006




F23:MRM of 2 channels,ES-
398.9 > 99.0
6.959e+005




6:2 FTS
F29:MRM of 3 channels,ES-
427.0 > 406.9
2.981e+006




F29:MRM of 3 channels,ES-
427. > 80.9
1.394e+006




L-PFOA
F26:MRM of 2 channels,ES-
412.8 > 368.9
1.548e+007




F26:MRM of 2 channels,ES-
412.8 > 169
4.156e+006




PFEChS
F33:MRM of 2 channels,ES-
460.8 > 381.0
2.354e+006




F33:MRM of 2 channels,ES-
460.8 > 98.9
2.579e+006




PFHpS
F32:MRM of 2 channels,ES-
449.0 > 80.0
1.700e+006




F32:MRM of 2 channels,ES-
449 > 98.7
9.738e+005




7:3 FTCA
F31:MRM of 2 channels,ES-
440.9 > 336.9
1.570e+006




F31:MRM of 2 channels,ES-
440.9 > 316.9
8.089e+005




13C3-PFHxS
F24:MRM of 1 channel,ES-
401.8 > 79.9
9.186e+004




13C2-6:2 FTS
F30:MRM of 1 channel,ES-
429.0 > 79.9
4.568e+004




13C2-PFOA
F27:MRM of 1 channel,ES-
414.9 > 369.7
5.383e+005




13C2-PFOA
F27:MRM of 1 channel,ES-
414.9 > 369.7
5.383e+005



13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.069e+005



13C5-PFNA
F35:MRM of 1 channel,ES-
468.2 > 422.9
5.486e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_12, Date: 22-Jul-2019, Time: 11:51:27, ID: ST190722M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


PFNA
F34:MRM of 2 channels,ES-
463.0 > 418.8
1.227e+007




F34:MRM of 2 channels,ES-
463.0 > 219.0
3.101e+006




PFOSA
F37:MRM of 2 channels,ES-
497.9 > 77.9
2.986e+006




F37:MRM of 2 channels,ES-
497.9 > 168.9
1.064e+005




L-PFOS
F39:MRM of 2 channels,ES-
498.9 > 79.9
1.678e+006




F39:MRM of 2 channels,ES-
498.9 > 99.0
8.813e+005




9Cl-PF30NS
F51:MRM of 2 channels,ES-
530.7 > 350.8
4.716e+006




F51:MRM of 2 channels,ES-
530.7 > 82.8
2.547e+005




PFDA
F44:MRM of 2 channels,ES-
513 > 468.8
1.389e+007




F44:MRM of 2 channels,ES-
513 > 219
2.693e+006




8:2 FTS
F49:MRM of 2 channels,ES-
527.0 > 506.9
1.969e+006




F49:MRM of 2 channels,ES-
527 > 80.9
1.654e+006




13C5-PFNA
F35:MRM of 1 channel,ES-
468.2 > 422.9
5.486e+005




13C8-PFOSA
F41:MRM of 1 channel,ES-
506.1 > 77.7
1.528e+005




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.069e+005




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.069e+005



13C2-PFDA
F45:MRM of 1 channel,ES-
515.1 > 469.9
4.936e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
5.467e+004




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_12, Date: 22-Jul-2019, Time: 11:51:27, ID: ST190722M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
1.475e+006




F53:MRM of 2 channels,ES-
549.1 > 99.1
9.098e+005




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
5.528e+006




F56:MRM of 2 channels,ES-
570. > 512
2.029e+006




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
3.803e+006




F59:MRM of 2 channels,ES-
584.1 > 526
2.510e+006




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
1.374e+007




F54:MRM of 2 channels,ES-
563.0 > 269
1.522e+006




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
2.193e+006




F61:MRM of 2 channels,ES-
598.8 > 98.9
1.222e+006




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
9.509e+005



F68:MRM of 2 channels,ES-
632.6 > 450.7
1.978e+005




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
1.069e+005




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
1.517e+005




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
1.858e+005




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
7.722e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
5.467e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.119e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_12, Date: 22-Jul-2019, Time: 11:51:27, ID: ST190722M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
2.417e+006




F66:MRM of 2 channels,ES-
627.0 > 80.9
1.574e+006




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
1.669e+007




F62:MRM of 4 channels,ES-
612.9 > 318.8
1.965e+006




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
3.312e+006




F43:MRM of 2 channels,ES-
512.1 > 219
2.167e+006




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
1.683e+007




F70:MRM of 2 channels,ES-
662.9 > 319
8.432e+005




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
1.773e+006




F71:MRM of 2 channels,ES-
698.8 > 98.9
9.589e+005




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
1.631e+007




F72:MRM of 2 channels,ES-
713. > 369.0
1.156e+006




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
5.467e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.119e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
4.224e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
9.119e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.509e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.509e+005




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_12, Date: 22-Jul-2019, Time: 11:51:27, ID: ST190722M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_12, Date: 22-Jul-2019, Time: 11:51:27, ID: ST190722M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_13, Date: 22-Jul-2019, Time: 12:02:00, ID: ST190722M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_13, Date: 22-Jul-2019, Time: 12:02:00, ID: ST190722M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


PFHxA
F13:MRM of 2 channels,ES-
313.0 > 269.0
2.045e+007




F13:MRM of 2 channels,ES-
313 > 118.9
1.365e+006




PFPeS
F19:MRM of 2 channels,ES-
349.1 > 80.1
1.892e+006




F19:MRM of 2 channels,ES-
349.1 > 99
1.234e+006




HFPO-DA
F9:MRM of 3 channels,ES-
285.1 > 168.9
1.322e+006




F9:MRM of 3 channels,ES-
285.1 > 184.9
6.020e+005




5:3 FTCA
F18:MRM of 2 channels,ES-
340.9 > 236.9
6.515e+005




F18:MRM of 2 channels,ES-
340.9 > 216.9
4.202e+005




PFHpA
F20:MRM of 2 channels,ES-
363.0 > 318.9
1.367e+007




F20:MRM of 2 channels,ES-
363.0 > 169.0
1.392e+006




ADONA
F22:MRM of 2 channels,ES-
376.8 > 250.9
3.902e+007




F22:MRM of 2 channels,ES-
376.8 > 85.0
1.090e+007




13C2-PFHxA
F14:MRM of 1 channel,ES-
315.0 > 270.0
2.408e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
2.775e+004




13C3-HFPO-DA
F10:MRM of 2 channels,ES-
287.0 > 168.9
2.528e+004




13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
2.601e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
2.601e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
2.601e+005





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_13, Date: 22-Jul-2019, Time: 12:02:00, ID: ST190722M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_13, Date: 22-Jul-2019, Time: 12:02:00, ID: ST190722M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_13, Date: 22-Jul-2019, Time: 12:02:00, ID: ST190722M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld

Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time


Name: 190722M1_13, Date: 22-Jul-2019, Time: 12:02:00, ID: ST190722M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-8:2 FTS




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_13, Date: 22-Jul-2019, Time: 12:02:00, ID: ST190722M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-CRV.qld


Last Altered: Monday, July 22, 2019 13:13:35 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:14:27 Pacific Daylight Time

Name: 190722M1_13, Date: 22-Jul-2019, Time: 12:02:00, ID: ST190722M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld

Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time

Ⓐ Not in ICV. am 7/22/19

√ am 7/22/19

Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8	5885.253	7293.780	1.00	1.16	10.086	8.1	80.9	NO		
2	2	PFPrS	248.9 > 79.9		2119.419	1.00				Ⓐ	NO		
3	3	3:3 FTCA	240.9 > 176.9		15295.130	1.00				↓	NO		
4	4	PFPeA	263.1 > 218.9	8974.616	15295.130	1.00	2.15	7.335	7.9	79.4	NO		
5	5	PFBS	299.0 > 79.7	2634.274	2119.419	1.00	2.45	15.537	6.9	77.6	NO	3.018	NO
6	6	4:2 FTS	327.0 > 306.9	4613.261	3495.006	1.00	2.88	16.499	6.6	70.1	NO	1.768	NO
7	47	13C3-PFBA	216.1 > 171.8	7293.780	10457.095	1.00	1.15	8.719	11.9	95.1	NO		
8	49	13C3-PFBS	302.0 > 98.8	2119.419	2062.495	1.00	2.45	12.845	12.1	97.2	NO		
9	48	13C3-PFPeA	266.0 > 221.8	15295.130	31027.588	1.00	2.15	6.162	12.4	99.0	NO		
10	48	13C3-PFPeA	266.0 > 221.8	15295.130	31027.588	1.00	2.15	6.162	12.4	99.0	NO		
11	49	13C3-PFBS	302.0 > 98.8	2119.419	2062.495	1.00	2.45	12.845	12.1	97.2	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3495.006	2062.495	1.00	2.88	21.182	12.8	102.7	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0	18502.215	12247.888	1.00	2.97	7.553	8.5	85.5	NO	15.871	NO
15	8	PFPeS	349.1>80.1	2062.867	2119.419	1.00	3.17	12.166	7.6	75.9	NO	1.549	NO
16	9	HFPO-DA	285.1 > 168.9		1668.646	1.00				Ⓐ	NO		
17	10	5:3 FTCA	340.9 > 236.9		14865.786	1.00				↓	NO		
18	11	PFHpA	363.0 > 318.9	11995.425	14865.786	1.00	3.59	10.086	7.8	77.9	NO	9.958	NO
19	12	ADONA	376.8 > 250.9		14865.786	1.00				Ⓐ	NO		
20	52	13C2-PFHxA	315.0 > 270.0	12247.888	31027.588	1.00	2.97	4.934	5.0	100.9	NO		
21	49	13C3-PFBS	302.0 > 98.8	2119.419	2062.495	1.00	2.45	12.845	12.1	97.2	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1668.646	31027.588	1.00	3.18	0.672	5.0	100.4	NO		
23	53	13C4-PFHpA	367.2 > 321.8	14865.786	31027.588	1.00	3.58	5.989	12.5	100.1	NO		
24	53	13C4-PFHpA	367.2 > 321.8	14865.786	31027.588	1.00	3.58	5.989	12.5	100.1	NO		
25	53	13C4-PFHpA	367.2 > 321.8	14865.786	31027.588	1.00	3.58	5.989	12.5	100.1	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6	2166.916	4112.836	1.00	3.75	6.586	7.2	79.3	NO	1.987	NO
28	15	6:2 FTS	427.0 > 406.9	5098.015	2671.291	1.00	4.06	23.856	7.1	74.6	NO	2.236	NO
29	16	L-PFOA	412.8 > 368.9	23680.609	26262.436	1.00	4.12	11.271	7.5	74.8	NO	3.786	NO
30	18	PFecHS	460.8 > 381.0		26262.436	1.00				Ⓐ	NO		
31	19	PFHpS	449.0 > 80.0	2342.036	4801.937	1.00	4.24	6.097	6.9	72.7	NO	1.790	NO
32	20	7:3 FTCA	440.9 > 336.9		27080.490	1.00				Ⓐ	NO		
33	54	13C3-PFHxS	401.8 > 79.9	4112.836	2062.495	1.00	3.75	24.926	12.3	98.5	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2671.291	4721.010	1.00	4.06	7.073	13.2	105.5	NO		
35	58	13C2-PFOA	414.9 > 369.7	26262.436	37707.742	1.00	4.12	8.706	12.8	102.2	NO		
36	58	13C2-PFOA	414.9 > 369.7	26262.436	37707.742	1.00	4.12	8.706	12.8	102.2	NO		

CG H 7/22/19

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld

Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time

Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	4801.937	4721.010	1.00	4.65	12.714	12.8	102.1	NO		
38	56	13C5-PFNA	468.2 > 422.9	27080.490	26355.076	1.00	4.56	12.844	12.8	102.6	NO		
39	-1												
40	21	PFNA	463.0 > 418.8	20120.248	27080.490	1.00	4.57	9.287	8.1	80.5	NO	3.967	NO
41	22	PFOSA	497.9 > 77.9	4313.999	6760.520	1.00	4.62	7.976	7.8	78.3	NO	29.945	NO
42	23	L-PFOS	498.9 > 79.9	3069.618	4801.937	1.00	4.65	7.991	7.5	81.1	NO	2.323	NO
43	25	9Cl-PF30NS	530.7 > 350.8		4801.937	1.00				(A)	NO		
44	26	PFDA	513 > 468.8	22746.180	26558.148	1.00	4.95	10.706	8.3	83.1	NO	5.476	NO
45	27	8:2 FTS	527.0 > 506.9	3092.541	2730.731	1.00	4.91	14.156	7.0	72.6	NO	1.189	NO
46	56	13C5-PFNA	468.2 > 422.9	27080.490	26355.076	1.00	4.56	12.844	12.8	102.6	NO		
47	57	13C8-PFOSA	506.1 > 77.7	6760.520	41415.102	1.00	4.62	2.040	12.2	97.4	NO		
48	59	13C8-PFOS	507.0 > 79.9	4801.937	4721.010	1.00	4.65	12.714	12.8	102.1	NO		
49	59	13C8-PFOS	507.0 > 79.9	4801.937	4721.010	1.00	4.65	12.714	12.8	102.1	NO		
50	60	13C2-PFDA	515.1 > 469.9	26558.148	33583.023	1.00	4.95	9.885	12.1	96.6	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2730.731	4721.010	1.00	4.91	7.230	13.0	103.9	NO		
52	-1												
53	28	PFNS	549.1 > 80.1	1992.607	4801.937	1.00	5.01	5.187	7.2	75.2	NO	1.703	NO
54	29	L-MeFOSAA	570 > 419	10354.914	7529.787	1.00	5.10	17.190	8.0	79.8	NO	2.632	NO
55	31	L-EtFOSAA	584.1 > 419	8840.546	9362.071	1.00	5.27	11.804	9.5	94.6	NO	1.526	NO
56	33	PFUdA	563.0 > 518.9	22042.572	35757.984	1.00	5.28	7.705	8.4	84.2	NO	8.688	NO
57	34	PFDS	598.8 > 79.9	2769.991	2730.731	1.00	5.33	12.680	7.5	78.0	NO	1.639	NO
58	35	11Cl-PF30UdS	632.6 > 452.7		35147.676	1.00				(A)	NO		
59	59	13C8-PFOS	507.0 > 79.9	4801.937	4721.010	1.00	4.65	12.714	12.8	102.1	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	7529.787	41415.102	1.00	5.10	2.273	12.8	102.5	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	9362.071	41415.102	1.00	5.26	2.826	12.6	101.0	NO		
62	63	13C2-PFUdA	565 > 519.8	35757.984	41415.102	1.00	5.28	10.793	12.1	97.1	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2730.731	4721.010	1.00	4.91	7.230	13.0	103.9	NO		
64	65	13C2-PFDoA	614.7 > 569.7	35147.676	33583.023	1.00	5.57	13.082	12.0	96.3	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9		2730.731	1.00				(A)	NO		
67	37	PFDoA	612.9 > 569.0	24860.330	35147.676	1.00	5.57	8.841	8.2	82.4	NO	8.995	NO
68	38	N-MeFOSA	512.1 > 168.9		17756.953	1.00				(A)	NO		
69	39	PFTrDA	662.9 > 618.9	25488.238	35147.676	1.00	5.82	9.065	7.9	79.2	NO	20.547	NO
70	40	PFDoS	698.8 > 79.9		24285.611	1.00				(A)	NO		
71	41	PFTeDA	713.0 > 669.0	23946.617	24285.611	1.00	6.04	12.326	8.1	81.2	NO	14.136	NO
72	65	13C2-PFDoA	614.7 > 569.7	35147.676	33583.023	1.00	5.57	13.082	12.0	96.3	NO		

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld

Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time

Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	35147.676	33583.023	1.00	5.57	13.082	12.0	96.3	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	17756.953	41415.102	1.00	5.75	5.359	140.2	93.4	NO		
75	65	13C2-PFDoA	614.7 > 569.7	35147.676	33583.023	1.00	5.57	13.082	12.0	96.3	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	24285.611	41415.102	1.00	6.04	7.330	12.1	97.0	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	24285.611	41415.102	1.00	6.04	7.330	12.1	97.0	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9		21070.906	1.00					NO		
80	43	PFHxDA	813.1 > 768.6		12230.875	1.00					NO		
81	44	PFODA	913.1 > 868.8		12230.875	1.00					NO		
82	45	N-MeFOSE	616.1 > 58.9		14150.497	1.00					NO		
83	46	N-EtFOSE	630.1 > 58.9		15211.849	1.00					NO		
84	72	13C4-PFBA	217.0 > 172.0	10457.095	10457.095	1.00	1.16	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	21070.906	41415.102	1.00	6.17	6.360	143.1	95.4	NO		
86	69	13C2-PFHxDA	815 > 769.7	12230.875	41415.102	1.00	6.38	3.692	4.7	93.7	NO		
87	69	13C2-PFHxDA	815 > 769.7	12230.875	41415.102	1.00	6.38	3.692	4.7	93.7	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	14150.497	41415.102	1.00	6.34	4.271	136.5	91.0	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	15211.849	41415.102	1.00	6.49	4.591	139.7	93.2	NO		
90	73	13C5-PFHxA	318.0 > 272.9	31027.588	31027.588	1.00	2.97	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	37707.742	37707.742	1.00	4.12	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	2062.495	2062.495	1.00	3.75	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	26355.076	26355.076	1.00	4.56	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4721.010	4721.010	1.00	4.65	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	33583.023	33583.023	1.00	4.95	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	41415.102	41415.102	1.00	5.28	12.500	12.5	100.0	NO		

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld

Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219_ICV.mdb 22 Jul 2019 13:39:56
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld

Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time


Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA




Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld

Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time


Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld

Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time


Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld

Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time


Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld

Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time


Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld


Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time

Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-ICV.qld


Last Altered: Monday, July 22, 2019 13:39:58 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:40:39 Pacific Daylight Time

Name: 190722M1_15, Date: 22-Jul-2019, Time: 12:23:11, ID: ICV190722M1-1 PFC ICV 19F2422, Description: PFC ICV 19F2422


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld

Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time

Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
1	1	PFBA	213.0 > 168.8		7501.880	1.00					NO		
2	2	PFPrS	248.9 > 79.9		2239.359	1.00					NO		
3	3	3:3 FTCA	240.9 > 176.9		15758.199	1.00					NO		
4	4	PFPeA	263.1 > 218.9		15758.199	1.00					NO		
5	5	PFBS	299.0 > 79.7		2239.359	1.00					NO		
6	6	4:2 FTS	327.0 > 306.9		3672.193	1.00					NO		
7	47	13C3-PFBA	216.1 > 171.8	7501.880	10359.297	1.00	1.16	9.052	12.3	98.7	NO		
8	49	13C3-PFBS	302.0 > 98.8	2239.359	2017.515	1.00	2.45	13.874	13.1	105.0	NO		
9	48	13C3-PFPeA	266.0 > 221.8	15758.199	32014.930	1.00	2.15	6.153	12.4	98.8	NO		
10	48	13C3-PFPeA	266.0 > 221.8	15758.199	32014.930	1.00	2.15	6.153	12.4	98.8	NO		
11	49	13C3-PFBS	302.0 > 98.8	2239.359	2017.515	1.00	2.45	13.874	13.1	105.0	NO		
12	51	13C2-4:2 FTS	329.0 >79.9	3672.193	2017.515	1.00	2.88	22.752	13.8	110.3	NO		
13	-1												
14	7	PFHxA	313.0 > 269.0		12146.366	1.00					NO		
15	8	PFPeS	349.1>80.1		2239.359	1.00					NO		
16	9	HFPO-DA	285.1 > 168.9		1687.480	1.00					NO		
17	10	5:3 FTCA	340.9 > 236.9		15326.061	1.00					NO		
18	11	PFHpA	363.0 > 318.9		15326.061	1.00					NO		
19	12	ADONA	376.8 > 250.9		15326.061	1.00					NO		
20	52	13C2-PFHxA	315.0 > 270.0	12146.366	32014.930	1.00	2.97	4.742	4.9	97.0	NO		
21	49	13C3-PFBS	302.0 > 98.8	2239.359	2017.515	1.00	2.45	13.874	13.1	105.0	NO		
22	50	13C3-HFPO-DA	287.0 > 168.9	1687.480	32014.930	1.00	3.18	0.659	4.9	98.4	NO		
23	53	13C4-PFHpA	367.2 > 321.8	15326.061	32014.930	1.00	3.59	5.984	12.5	100.0	NO		
24	53	13C4-PFHpA	367.2 > 321.8	15326.061	32014.930	1.00	3.59	5.984	12.5	100.0	NO		
25	53	13C4-PFHpA	367.2 > 321.8	15326.061	32014.930	1.00	3.59	5.984	12.5	100.0	NO		
26	-1												
27	13	L-PFHxS	398.9 > 79.6		4156.333	1.00					NO		
28	15	6:2 FTS	427.0 > 406.9		2859.432	1.00					NO		
29	16	L-PFOA	412.8 > 368.9	166.629	26409.393	1.00	4.11	0.079	0.0		NO	9.522	YES
30	18	PFecHS	460.8 > 381.0		26409.393	1.00					NO		
31	19	PFHpS	449.0 > 80.0		4842.980	1.00					NO		
32	20	7:3 FTCA	440.9 > 336.9		26906.500	1.00					NO		
33	54	13C3-PFHxS	401.8 > 79.9	4156.333	2017.515	1.00	3.75	25.752	12.7	101.8	NO		
34	55	13C2-6:2 FTS	429.0 >79.9	2859.432	4717.761	1.00	4.06	7.576	14.1	113.0	NO		
35	58	13C2-PFOA	414.9 > 369.7	26409.393	39508.000	1.00	4.12	8.356	12.3	98.1	NO		
36	58	13C2-PFOA	414.9 > 369.7	26409.393	39508.000	1.00	4.12	8.356	12.3	98.1	NO		

CGH 7/22/2019

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld

Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time

Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
37	59	13C8-PFOS	507.0 > 79.9	4842.980	4717.761	1.00	4.65	12.832	12.9	103.0	NO		
38	56	13C5-PFNA	468.2 > 422.9	26906.500	27847.467	1.00	4.56	12.078	12.1	96.4	NO		
39	-1												
40	21	PFNA	463.0 > 418.8		26906.500	1.00					NO		
41	22	PFOSA	497.9 > 77.9	8.148	6887.840	1.00	4.61	0.015	0.0		NO	5.678	YES
42	23	L-PFOS	498.9 > 79.9		4842.980	1.00					NO		
43	25	9Cl-PF30NS	530.7 > 350.8		4842.980	1.00					NO		
44	26	PFDA	513 > 468.8		28506.688	1.00					NO		
45	27	8:2 FTS	527.0 > 506.9		2708.716	1.00					NO		
46	56	13C5-PFNA	468.2 > 422.9	26906.500	27847.467	1.00	4.56	12.078	12.1	96.4	NO		
47	57	13C8-PFOSA	506.1 > 77.7	6887.840	40970.465	1.00	4.62	2.101	12.5	100.3	NO		
48	59	13C8-PFOS	507.0 > 79.9	4842.980	4717.761	1.00	4.65	12.832	12.9	103.0	NO		
49	59	13C8-PFOS	507.0 > 79.9	4842.980	4717.761	1.00	4.65	12.832	12.9	103.0	NO		
50	60	13C2-PFDA	515.1 > 469.9	28506.688	34616.977	1.00	4.95	10.294	12.6	100.5	NO		
51	61	13C2-8:2 FTS	529 > 79.9	2708.716	4717.761	1.00	4.91	7.177	12.9	103.2	NO		
52	-1												
53	28	PFNS	549.1 > 80.1		4842.980	1.00					NO		
54	29	L-MeFOSAA	570 > 419	26.518	7441.581	1.00	5.11	0.045	0.1		NO	4.592	YES
55	31	L-EtFOSAA	584.1 > 419	12.900	9624.488	1.00	5.27	0.017	0.1		NO	8.710	YES
56	33	PFUdA	563.0 > 518.9		36902.512	1.00					NO		
57	34	PFDS	598.8 > 79.9		2708.716	1.00					NO		
58	35	11Cl-PF30UdS	632.6 > 452.7		35732.961	1.00					NO		
59	59	13C8-PFOS	507.0 > 79.9	4842.980	4717.761	1.00	4.65	12.832	12.9	103.0	NO		
60	62	d3-N-MeFOSAA	573.3 > 419	7441.581	40970.465	1.00	5.10	2.270	12.8	102.4	NO		
61	64	d5-N-EtFOSAA	589.3 > 419	9624.488	40970.465	1.00	5.26	2.936	13.1	105.0	NO		
62	63	13C2-PFUdA	565 > 519.8	36902.512	40970.465	1.00	5.28	11.259	12.7	101.3	NO		
63	61	13C2-8:2 FTS	529 > 79.9	2708.716	4717.761	1.00	4.91	7.177	12.9	103.2	NO		
64	65	13C2-PFDoA	614.7 > 569.7	35732.961	34616.977	1.00	5.57	12.903	11.9	94.9	NO		
65	-1												
66	36	10:2 FTS	627.0 > 606.9		2708.716	1.00					NO		
67	37	PFDoA	612.9 > 569.0	88.353	35732.961	1.00	5.55	0.031			NO	72.243	YES
68	38	N-MeFOSA	512.1 > 168.9		18006.295	1.00					NO		
69	39	PFTrDA	662.9 > 618.9		35732.961	1.00					NO		
70	40	PFDoS	698.8 > 79.9		25005.998	1.00					NO		
71	41	PFTeDA	713.0 > 669.0		25005.998	1.00					NO		
72	65	13C2-PFDoA	614.7 > 569.7	35732.961	34616.977	1.00	5.57	12.903	11.9	94.9	NO		

CGH 7/22/2019

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld

Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time

Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB

	#	Name	Trace	Area	IS Area	wt/vol	RT	Response	Conc.	%Rec	Recovery ...	Ion Ratio	Ratio Out?
73	65	13C2-PFDoA	614.7 > 569.7	35732.961	34616.977	1.00	5.57	12.903	11.9	94.9	NO		
74	66	d3-N-MeFOSA	515.2 > 168.9	18006.295	40970.465	1.00	5.75	5.494	143.7	95.8	NO		
75	65	13C2-PFDoA	614.7 > 569.7	35732.961	34616.977	1.00	5.57	12.903	11.9	94.9	NO		
76	67	13C2-PFTeDA	715.1 > 669.7	25005.998	40970.465	1.00	6.04	7.629	12.6	101.0	NO		
77	67	13C2-PFTeDA	715.1 > 669.7	25005.998	40970.465	1.00	6.04	7.629	12.6	101.0	NO		
78	-1												
79	42	N-EtFOSA	526.1 > 168.9		21538.303	1.00					NO		
80	43	PFHxDA	813.1 > 768.6	194.032	12818.789	1.00	6.38	0.076	0.1		NO	39.720	YES
81	44	PFODA	913.1 > 868.8	169.569	12818.789	1.00	6.63	0.066	0.0		NO		
82	45	N-MeFOSE	616.1 > 58.9		14477.269	1.00					NO		
83	46	N-EtFOSE	630.1 > 58.9		15601.422	1.00					NO		
84	72	13C4-PFBA	217.0 > 172.0	10359.297	10359.297	1.00	1.16	12.500	12.5	100.0	NO		
85	68	d5-N-ETFOSA	531.1 > 168.9	21538.303	40970.465	1.00	6.16	6.571	147.8	98.6	NO		
86	69	13C2-PFHxDA	815 > 769.7	12818.789	40970.465	1.00	6.38	3.911	5.0	99.3	NO		
87	69	13C2-PFHxDA	815 > 769.7	12818.789	40970.465	1.00	6.38	3.911	5.0	99.3	NO		
88	70	d7-N-MeFOSE	623.1 > 58.9	14477.269	40970.465	1.00	6.34	4.417	141.1	94.1	NO		
89	71	d9-N-EtFOSE	639.2 > 58.8	15601.422	40970.465	1.00	6.49	4.760	144.9	96.6	NO		
90	73	13C5-PFHxA	318.0 > 272.9	32014.930	32014.930	1.00	2.96	12.500	12.5	100.0	NO		
91	-1												
92	75	13C8-PFOA	420.9 > 376.0	39508.000	39508.000	1.00	4.12	12.500	12.5	100.0	NO		
93	74	18O2-PFHxS	403.0 > 102.6	2017.515	2017.515	1.00	3.75	12.500	12.5	100.0	NO		
94	76	13C9-PFNA	472.2 > 426.9	27847.467	27847.467	1.00	4.56	12.500	12.5	100.0	NO		
95	77	13C4-PFOS	503 > 79.9	4717.761	4717.761	1.00	4.65	12.500	12.5	100.0	NO		
96	78	13C6-PFDA	519.1 > 473.7	34616.977	34616.977	1.00	4.95	12.500	12.5	100.0	NO		
97	79	13C7-PFUdA	570.1 > 524.8	40970.465	40970.465	1.00	5.28	12.500	12.5	100.0	NO		

CGH 7/22/2019

Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld

Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072219.mdb 22 Jul 2019 13:12:22
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-22-19.cdb 22 Jul 2019 13:13:35

Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS




CGH 7/22/2019


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld

Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time


Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld

Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time


Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA



CGH 7/22/2019


Vista Analytical Laboratory


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld

Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time


Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




CGH 7/22/2019


Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld

Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time


Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld

Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time


Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-PFDoA




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld


Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time

Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190722M1\190722M1-IB.qld


Last Altered: Monday, July 22, 2019 13:50:22 Pacific Daylight Time
Printed: Monday, July 22, 2019 13:50:37 Pacific Daylight Time

Name: 190722M1_14, Date: 22-Jul-2019, Time: 12:12:38, ID: IB, Description: IB


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA



CGH 7/22/2019

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:54:47 Pacific Daylight Time

high pt
8:3FTCA = 100
5:3FTCA
7:3FTCA
PFDS

no low pts dropped.

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Compound name: PFBA
Correlation coefficient: r = 0.999641, r^2 = 0.999282
Calibration curve: 1.21919 * x + -0.0270697
Response type: Internal Std (Ref 47), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

7/2 9/19

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	1.09	216.239	9736.728	0.278	0.2	-0.0	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	1.08	443.285	9741.358	0.569	0.5	-2.2	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	1.08	887.362	9855.268	1.125	0.9	-5.5	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	1.08	1849.161	10250.277	2.255	1.9	-6.4	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	1.08	4792.306	9701.447	6.175	5.1	1.7	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	1.08	9814.171	9706.613	12.639	10.4	3.9	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	1.08	51224.352	10055.120	63.679	52.3	4.5	NO	0.999	NO	MM
8	8	190728M1_11	Standard	100.000	1.09	100162.258	9805.491	127.686	104.8	4.8	NO	0.999	NO	MM
9	9	190728M1_12	Standard	250.000	1.08	230212.453	9304.693	309.269	253.7	1.5	NO	0.999	NO	MM
10	10	190728M1_13	Standard	500.000	1.09	406426.344	8521.432	596.183	489.0	-2.2	NO	0.999	NO	bb

Compound name: PFPrS
Coefficient of Determination: R^2 = 0.999340
Calibration curve: 0.000273279 * x^2 + 1.27077 * x + -0.151801
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	1.43	39.950	1919.197	0.260	0.3	29.7	NO	0.999	NO	MM
2	2	190728M1_5	Standard	0.500	1.43	79.497	1863.464	0.533	0.5	7.8	NO	0.999	NO	MM
3	3	190728M1_6	Standard	1.000	1.43	156.211	1865.541	1.047	0.9	-5.7	NO	0.999	NO	MM
4	4	190728M1_7	Standard	2.000	1.43	345.760	2010.472	2.150	1.8	-9.5	NO	0.999	NO	MM
5	5	190728M1_8	Standard	5.000	1.43	873.739	1969.569	5.545	4.5	-10.4	NO	0.999	NO	MM
6	6	190728M1_9	Standard	10.000	1.43	1797.026	1999.487	11.234	8.9	-10.6	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	1.43	9713.515	1915.087	63.401	49.5	-1.0	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	1.43	19346.365	1923.876	125.699	97.0	-3.0	NO	0.999	NO	MM
9	9	190728M1_12	Standard	250.000	1.43	44936.848	1621.320	346.453	258.4	3.4	NO	0.999	NO	MM

Calt 7/29/19

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:54:47 Pacific Daylight Time

Compound name: PFPrS

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
10	10	190728M1_13	Standard	500.000	1.43	81389.063	1456.437	698.529	496.7	-0.7	NO	0.999	NO	MM

Compound name: 3:3 FTCA
Coefficient of Determination: R^2 = 0.999860
Calibration curve: 4.49374e-005 * x^2 + 0.0454881 * x + -0.0028412
Response type: Internal Std (Ref 48), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	1.89	10.662	14579.512	0.009	0.3	5.3	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	1.90	18.963	13645.277	0.017	0.4	-11.2	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	1.91	50.924	14436.878	0.044	1.0	3.1	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	1.90	105.542	14926.317	0.088	2.0	0.1	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	1.90	272.869	14378.947	0.237	5.3	5.0	NO	1.000	NO	bd
6	6	190728M1_9	Standard	10.000	1.90	519.131	14549.979	0.446	9.8	-2.3	NO	1.000	NO	MM
7	7	190728M1_10	Standard	50.000	1.90	2848.740	14949.327	2.382	50.0	-0.1	NO	1.000	NO	MM
8	8	190728M1_11	Standard	100.000	1.90	5777.408	14452.828	4.997	100.0	0.0	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	1.90	2859.080	13596.506	2.629	54.9	-78.1	YES	1.000	NO	bbX
10	10	190728M1_13	Standard	500.000	1.90	5781.173	12072.144	5.986	117.9	-76.4	YES	1.000	NO	bbX

Compound name: PFPeA
Correlation coefficient: r = 0.999803, r^2 = 0.999605
Calibration curve: 0.890929 * x + 0.0174527
Response type: Internal Std (Ref 48), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	2.06	283.391	14579.512	0.243	0.3	1.3	NO	1.000	NO	bd
2	2	190728M1_5	Standard	0.500	2.06	491.425	13645.277	0.450	0.5	-2.9	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	2.06	977.464	14436.878	0.846	0.9	-7.0	NO	1.000	NO	MM
4	4	190728M1_7	Standard	2.000	2.06	2025.809	14926.317	1.697	1.9	-5.8	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	2.06	5269.894	14378.947	4.581	5.1	2.5	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	2.06	11017.499	14549.979	9.465	10.6	6.0	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	2.06	55079.965	14949.327	46.056	51.7	3.3	NO	1.000	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:54:47 Pacific Daylight Time

Compound name: PFPeA

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
8	8	190728M1_11	Standard	100.000	2.06	107530.781	14452.828	93.002	104.4	4.4	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	2.06	239615.797	13596.506	220.292	247.2	-1.1	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	2.06	426952.844	12072.144	442.085	496.2	-0.8	NO	1.000	NO	bb

Compound name: PFBS
Correlation coefficient: r = 0.999889, r^2 = 0.999778
Calibration curve: 2.24008 * x + -0.101161
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	2.35	81.306	1919.197	0.530	0.3	12.6	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	2.37	142.877	1863.464	0.958	0.5	-5.4	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	2.37	295.507	1865.541	1.980	0.9	-7.1	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	2.36	704.173	2010.472	4.378	2.0	-0.0	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	2.37	1655.230	1969.569	10.505	4.7	-5.3	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	2.37	3615.651	1999.487	22.604	10.1	1.4	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	2.37	17777.354	1915.087	116.035	51.8	3.7	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	2.37	34346.145	1923.876	223.157	99.7	-0.3	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	2.37	73705.758	1621.320	568.254	253.7	1.5	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	2.37	129176.063	1456.437	1108.665	495.0	-1.0	NO	1.000	NO	bb

Compound name: 4:2 FTS
Coefficient of Determination: R^2 = 0.999425
Calibration curve: -0.000215325 * x^2 + 2.31459 * x + 0.0385692
Response type: Internal Std (Ref 51), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	2.80	139.114	3107.770	0.560	0.2	-10.0	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	2.80	282.071	2884.299	1.222	0.5	2.3	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	2.80	552.266	2930.770	2.355	1.0	0.1	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	2.80	1164.088	3256.043	4.469	1.9	-4.3	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	2.80	2878.904	3001.934	11.988	5.2	3.3	NO	0.999	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:54:47 Pacific Daylight Time

Compound name: 4:2 FTS

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
6	6	190728M1_9	Standard	10.000	2.80	6066.486	3129.496	24.231	10.5	4.6	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	2.80	28126.232	2919.879	120.408	52.3	4.5	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	2.80	52349.887	2793.867	234.218	102.1	2.1	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	2.80	102670.250	2351.747	545.713	241.2	-3.5	NO	0.999	NO	bb
10	10	190728M1_13	Standard	500.000	2.80	176007.969	1978.961	1111.745	503.9	0.8	NO	0.999	NO	bb

Compound name: PFHxA
Correlation coefficient: r = 0.999175, r^2 = 0.998350
Calibration curve: 0.885806 * x + 0.0514582
Response type: Internal Std (Ref 52), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	2.89	579.012	11055.088	0.262	0.2	-5.0	NO	0.998	NO	bb
2	2	190728M1_5	Standard	0.500	2.89	1022.389	10436.295	0.490	0.5	-1.0	NO	0.998	NO	bb
3	3	190728M1_6	Standard	1.000	2.89	2095.599	11108.523	0.943	1.0	0.7	NO	0.998	NO	bb
4	4	190728M1_7	Standard	2.000	2.89	4255.054	11379.875	1.870	2.1	2.6	NO	0.998	NO	bb
5	5	190728M1_8	Standard	5.000	2.89	10191.940	11339.071	4.494	5.0	0.3	NO	0.998	NO	bb
6	6	190728M1_9	Standard	10.000	2.89	22144.852	11205.463	9.881	11.1	11.0	NO	0.998	NO	bb
7	7	190728M1_10	Standard	50.000	2.89	104786.039	10578.007	49.530	55.9	11.7	NO	0.998	NO	bb
8	8	190728M1_11	Standard	100.000	2.89	206990.672	11149.969	92.821	104.7	4.7	NO	0.998	NO	bb
9	9	190728M1_12	Standard	250.000	2.89	441890.750	9862.257	224.031	252.9	1.1	NO	0.998	NO	bb
10	10	190728M1_13	Standard	500.000	2.89	747894.563	8695.916	430.026	485.4	-2.9	NO	0.998	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: PFPeS
Coefficient of Determination: R^2 = 0.999534
Calibration curve: -0.000690007 * x^2 + 1.53983 * x + -0.017662
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	3.09	55.574	1919.197	0.362	0.2	-1.4	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	3.09	105.047	1863.464	0.705	0.5	-6.2	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	3.10	227.346	1865.541	1.523	1.0	0.1	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	3.09	454.157	2010.472	2.824	1.8	-7.7	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	3.09	1311.807	1969.569	8.325	5.4	8.6	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	3.09	2537.677	1999.487	15.865	10.4	3.6	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	3.09	12178.632	1915.087	79.491	52.9	5.8	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	3.09	22275.971	1923.876	144.734	98.3	-1.7	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	3.09	43592.145	1621.320	336.085	245.2	-1.9	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	3.09	69942.109	1456.437	600.284	503.4	0.7	NO	1.000	NO	bb

Compound name: HFPO-DA
Coefficient of Determination: R^2 = 0.998819
Calibration curve: -0.000191614 * x^2 + 0.537982 * x + -0.0593258
Response type: Internal Std (Ref 50), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	3.09	29.237	1651.767	0.089	0.3	9.9	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	3.09	51.912	1667.753	0.156	0.4	-20.1	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	3.10	128.715	1712.755	0.376	0.8	-19.1	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	3.09	395.617	1941.375	1.019	2.0	0.3	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	3.09	885.582	1597.251	2.772	5.3	5.5	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	3.09	1837.519	1404.792	6.540	12.3	23.2	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	3.09	7269.056	1331.558	27.295	51.8	3.6	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	3.09	16769.875	1640.978	51.097	98.5	-1.5	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	3.10	30810.668	1289.140	119.501	243.3	-2.7	NO	0.999	NO	bb
10	10	190728M1_13	Standard	500.000	3.10	56332.895	1265.718	222.533	504.4	0.9	NO	0.999	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: 5:3 FTCA
Coefficient of Determination: R^2 = 0.999709
Calibration curve: 0.000585152 * x^2 + 0.226178 * x + -0.000918545
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	3.44	52.621	13143.233	0.050	0.2	-9.9	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	3.44	109.899	12221.702	0.112	0.5	0.1	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	3.44	228.672	13006.150	0.220	1.0	-2.7	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	3.44	533.005	13850.272	0.481	2.1	6.0	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	3.44	1284.958	13376.584	1.201	5.2	4.8	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	3.44	2588.648	13498.864	2.397	10.3	3.3	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	3.44	13215.075	13221.530	12.494	49.0	-1.9	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	3.44	27345.770	11953.563	28.596	100.4	0.4	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	3.44	13529.034	10583.072	15.980	61.0	-75.6	YES	1.000	NO	bbX
10	10	190728M1_13	Standard	500.000	3.44	27467.822	9332.134	36.792	123.3	-75.3	YES	1.000	NO	bbX

Compound name: PFHpA
Correlation coefficient: r = 0.999846, r^2 = 0.999693
Calibration curve: 1.26117 * x + -0.00968306
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	3.52	282.302	13143.233	0.268	0.2	-11.8	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	3.51	607.127	12221.702	0.621	0.5	0.0	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	3.51	1273.221	13006.150	1.224	1.0	-2.2	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	3.51	2945.979	13850.272	2.659	2.1	5.8	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	3.51	6692.299	13376.584	6.254	5.0	-0.7	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	3.51	14316.133	13498.864	13.257	10.5	5.2	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	3.51	67135.648	13221.530	63.472	50.3	0.7	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	3.51	125982.477	11953.563	131.742	104.5	4.5	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	3.51	264758.813	10583.072	312.715	248.0	-0.8	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	3.51	467646.906	9332.134	626.393	496.7	-0.7	NO	1.000	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: ADONA
Correlation coefficient: r = 0.999853, r^2 = 0.999706
Calibration curve: 3.39369 * x + -0.230779
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	3.62	787.277	13143.233	0.749	0.3	15.5	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	3.62	1596.227	12221.702	1.633	0.5	9.8	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	3.62	3198.814	13006.150	3.074	1.0	-2.6	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	3.62	6720.117	13850.272	6.065	1.9	-7.2	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	3.62	16380.617	13376.584	15.307	4.6	-8.4	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	3.62	34833.527	13498.864	32.256	9.6	-4.3	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	3.62	169978.547	13221.530	160.702	47.4	-5.2	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	3.63	331697.188	11953.563	346.860	102.3	2.3	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	3.62	717060.188	10583.072	846.942	249.6	-0.1	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	3.62	1270705.500	9332.134	1702.056	501.6	0.3	NO	1.000	NO	bb

Compound name: L-PFHxS
Coefficient of Determination: R^2 = 0.999317
Calibration curve: -1.80179e-005 * x^2 + 0.964898 * x + -0.027662
Response type: Internal Std (Ref 54), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	3.67	71.012	3637.521	0.244	0.3	12.6	NO	0.999	NO	MM
2	2	190728M1_5	Standard	0.500	3.67	99.742	3358.914	0.371	0.4	-17.3	NO	0.999	NO	MM
3	3	190728M1_6	Standard	1.000	3.68	231.601	3531.779	0.820	0.9	-12.2	NO	0.999	NO	MM
4	4	190728M1_7	Standard	2.000	3.68	521.834	3701.096	1.762	1.9	-7.2	NO	0.999	NO	MM
5	5	190728M1_8	Standard	5.000	3.67	1417.133	3411.210	5.193	5.4	8.2	NO	0.999	NO	MM
6	6	190728M1_9	Standard	10.000	3.67	2904.429	3654.382	9.935	10.3	3.3	NO	0.999	NO	MM
7	7	190728M1_10	Standard	50.000	3.67	14206.419	3740.522	47.475	49.3	-1.4	NO	0.999	NO	MM
8	8	190728M1_11	Standard	100.000	3.67	27195.471	3359.151	101.199	105.1	5.1	NO	0.999	NO	MM
9	9	190728M1_12	Standard	250.000	3.67	58541.688	3145.043	232.674	242.3	-3.1	NO	0.999	NO	MM
10	10	190728M1_13	Standard	500.000	3.67	104102.836	2707.109	480.692	502.9	0.6	NO	0.999	NO	MM

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: 6:2 FTS
Coefficient of Determination: R^2 = 0.999162
Calibration curve: -0.00100477 * x^2 + 3.10884 * x + 0.0953618
Response type: Internal Std (Ref 55), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	3.99	178.398	2488.247	0.896	0.3	3.0	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	3.99	291.002	2171.143	1.675	0.5	1.7	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	3.99	549.433	2345.186	2.929	0.9	-8.8	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	3.99	1311.079	2478.611	6.612	2.1	4.9	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	3.99	2900.681	2299.354	15.769	5.0	1.0	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	3.99	6290.663	2360.413	33.313	10.7	7.2	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	3.99	28742.238	2272.584	158.092	51.7	3.4	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	3.99	55990.836	2254.193	310.482	103.3	3.3	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	3.99	110340.773	2012.710	685.275	238.8	-4.5	NO	0.999	NO	bb
10	10	190728M1_13	Standard	500.000	3.99	192099.891	1825.385	1315.475	505.8	1.2	NO	0.999	NO	bb

Compound name: L-PFOA
Correlation coefficient: r = 0.999552, r^2 = 0.999104
Calibration curve: 1.42574 * x + 0.101179
Response type: Internal Std (Ref 58), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.05	757.906	22994.963	0.412	0.2	-12.8	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	4.05	1348.933	22236.543	0.758	0.5	-7.8	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	4.05	2713.106	22122.271	1.533	1.0	0.4	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	4.05	5730.729	23474.295	3.052	2.1	3.5	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	4.05	13577.177	22726.066	7.468	5.2	3.3	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	4.05	28313.826	22409.762	15.793	11.0	10.1	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	4.05	130607.938	22712.236	71.882	50.3	0.7	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	4.05	255812.281	21154.102	151.160	106.0	6.0	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	4.05	507574.406	18470.006	343.513	240.9	-3.7	NO	0.999	NO	bb
10	10	190728M1_13	Standard	500.000	4.05	845333.688	14771.558	715.339	501.7	0.3	NO	0.999	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: PFecHS
Coefficient of Determination: R^2 = 0.999273
Calibration curve: 9.85643e-005 * x^2 + 0.239046 * x + -0.00942895
Response type: Internal Std (Ref 58), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.08	110.492	22994.963	0.060	0.3	16.3	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	4.07	159.802	22236.543	0.090	0.4	-17.0	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	4.07	424.167	22122.271	0.240	1.0	4.2	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	4.08	767.913	23474.295	0.409	1.7	-12.6	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	4.07	2219.154	22726.066	1.221	5.1	2.7	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	4.07	4485.670	22409.762	2.502	10.5	4.6	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	4.07	21825.834	22712.236	12.012	49.3	-1.4	NO	0.999	NO	bd
8	8	190728M1_11	Standard	100.000	4.07	44660.746	21154.102	26.390	105.8	5.8	NO	0.999	NO	bd
9	9	190728M1_12	Standard	250.000	4.07	94056.922	18470.006	63.655	242.2	-3.1	NO	0.999	NO	bb
10	10	190728M1_13	Standard	500.000	4.07	171346.000	14771.558	144.997	502.5	0.5	NO	0.999	NO	bb

Compound name: PFHpS
Correlation coefficient: r = 0.999479, r^2 = 0.998958
Calibration curve: 0.880933 * x + -0.0588278
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.16	39.505	4173.769	0.118	0.2	-19.6	NO	0.999	NO	MM
2	2	190728M1_5	Standard	0.500	4.17	147.048	4015.332	0.458	0.6	17.3	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	4.17	260.199	4156.214	0.783	1.0	-4.5	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	4.17	557.520	4301.655	1.620	1.9	-4.7	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	4.17	1471.378	4496.762	4.090	4.7	-5.8	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	4.17	3231.741	4349.828	9.287	10.6	6.1	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	4.17	15783.687	4201.052	46.963	53.4	6.8	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	4.17	30716.945	4083.566	94.026	106.8	6.8	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	4.17	66201.703	3779.765	218.935	248.6	-0.6	NO	0.999	NO	bb
10	10	190728M1_13	Standard	500.000	4.17	113575.352	3282.607	432.489	491.0	-1.8	NO	0.999	NO	MM

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: 7:3 FTCA
Coefficient of Determination: R^2 = 0.999184
Calibration curve: 0.000162981 * x^2 + 0.181538 * x + -0.0195467
Response type: Internal Std (Ref 56), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.48	25.550	24370.584	0.013	0.2	-28.1	NO	0.999	NO	bd
2	2	190728M1_5	Standard	0.500	4.49	162.562	23199.773	0.088	0.6	18.0	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	4.49	337.771	24300.021	0.174	1.1	6.4	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	4.48	654.869	25644.320	0.319	1.9	-6.9	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	4.48	1915.224	23823.389	1.005	5.6	12.3	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	4.48	3665.502	25350.867	1.807	10.0	-0.3	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	4.48	18082.912	24362.092	9.278	49.1	-1.9	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	4.48	37626.430	23691.129	19.853	100.4	0.4	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	4.48	17562.168	20748.678	10.580	55.6	-77.8	YES	0.999	NO	bbX
10	10	190728M1_13	Standard	500.000	4.48	32935.773	17790.674	23.141	115.6	-76.9	YES	0.999	NO	bbX

Compound name: PFNA
Correlation coefficient: r = 0.999946, r^2 = 0.999892
Calibration curve: 1.17499 * x + 0.0233596
Response type: Internal Std (Ref 56), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.50	587.046	24370.584	0.301	0.2	-5.4	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	4.50	1043.110	23199.773	0.562	0.5	-8.3	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	4.50	2297.341	24300.021	1.182	1.0	-1.4	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	4.50	4979.146	25644.320	2.427	2.0	2.3	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	4.50	12115.007	23823.389	6.357	5.4	7.8	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	4.50	24861.928	25350.867	12.259	10.4	4.1	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	4.50	117063.531	24362.092	60.064	51.1	2.2	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	4.50	221421.406	23691.129	116.827	99.4	-0.6	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	4.50	483727.531	20748.678	291.421	248.0	-0.8	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	4.50	837375.375	17790.674	588.353	500.7	0.1	NO	1.000	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: PFOSA
Correlation coefficient: r = 0.999980, r^2 = 0.999960
Calibration curve: 1.04969 * x + 0.0678178
Response type: Internal Std (Ref 57), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.56	214.718	7342.718	0.366	0.3	13.4	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	4.56	294.637	6971.908	0.528	0.4	-12.3	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	4.57	670.111	7522.264	1.114	1.0	-0.4	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	4.57	1330.894	7951.857	2.092	1.9	-3.6	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	4.56	3459.944	8173.734	5.291	5.0	-0.5	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	4.56	7034.583	8058.794	10.911	10.3	3.3	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	4.56	33057.941	7814.070	52.882	50.3	0.6	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	4.57	64134.965	7667.511	104.556	99.5	-0.5	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	4.56	140091.938	6699.121	261.400	249.0	-0.4	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	4.56	236558.859	5622.302	525.939	501.0	0.2	NO	1.000	NO	bb

Compound name: L-PFOS
Correlation coefficient: r = 0.999837, r^2 = 0.999675
Calibration curve: 1.0928 * x + -0.0602577
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.59	72.257	4173.769	0.216	0.3	1.3	NO	1.000	NO	MM
2	2	190728M1_5	Standard	0.500	4.60	128.305	4015.332	0.399	0.4	-15.9	NO	1.000	NO	MM
3	3	190728M1_6	Standard	1.000	4.59	334.160	4156.214	1.005	1.0	-2.5	NO	1.000	NO	MM
4	4	190728M1_7	Standard	2.000	4.60	740.142	4301.655	2.151	2.0	1.2	NO	1.000	NO	MM
5	5	190728M1_8	Standard	5.000	4.60	1777.252	4496.762	4.940	4.6	-8.5	NO	1.000	NO	MM
6	6	190728M1_9	Standard	10.000	4.59	3752.616	4349.828	10.784	9.9	-0.8	NO	1.000	NO	MM
7	7	190728M1_10	Standard	50.000	4.59	18518.928	4201.052	55.102	50.5	1.0	NO	1.000	NO	MM
8	8	190728M1_11	Standard	100.000	4.60	37052.625	4083.566	113.420	103.8	3.8	NO	1.000	NO	MM
9	9	190728M1_12	Standard	250.000	4.60	81110.609	3779.765	268.240	245.5	-1.8	NO	1.000	NO	MM
10	10	190728M1_13	Standard	500.000	4.60	143686.031	3282.607	547.149	500.7	0.1	NO	1.000	NO	MM

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: 9Cl-PF30NS
Coefficient of Determination: R^2 = 0.999830
Calibration curve: 4.97417e-005 * x^2 + 2.18722 * x + -0.0678809
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.82	193.442	4173.769	0.579	0.3	18.4	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	4.82	337.308	4015.332	1.050	0.5	2.2	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	4.83	684.277	4156.214	2.058	1.0	-2.8	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	4.83	1407.072	4301.655	4.089	1.9	-5.0	NO	1.000	NO	bd
5	5	190728M1_8	Standard	5.000	4.82	3480.204	4496.762	9.674	4.5	-10.9	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	4.82	7252.391	4349.828	20.841	9.6	-4.4	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	4.82	37314.953	4201.052	111.029	50.7	1.5	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	4.83	72887.477	4083.566	223.112	101.8	1.8	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	4.82	164852.438	3779.765	545.181	247.9	-0.8	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	4.82	290809.875	3282.607	1107.389	500.6	0.1	NO	1.000	NO	bb

Compound name: PFDA
Correlation coefficient: r = 0.998499, r^2 = 0.997000
Calibration curve: 1.24957 * x + 0.0872793
Response type: Internal Std (Ref 60), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.89	759.109	25886.045	0.367	0.2	-10.6	NO	0.997	NO	bb
2	2	190728M1_5	Standard	0.500	4.89	1314.041	24626.148	0.667	0.5	-7.2	NO	0.997	NO	bb
3	3	190728M1_6	Standard	1.000	4.89	2621.391	26119.930	1.254	0.9	-6.6	NO	0.997	NO	bb
4	4	190728M1_7	Standard	2.000	4.90	5474.526	26492.463	2.583	2.0	-0.1	NO	0.997	NO	bb
5	5	190728M1_8	Standard	5.000	4.89	13302.800	25881.555	6.425	5.1	1.4	NO	0.997	NO	bb
6	6	190728M1_9	Standard	10.000	4.89	28457.717	26667.648	13.339	10.6	6.1	NO	0.997	NO	bb
7	7	190728M1_10	Standard	50.000	4.89	139126.359	25961.756	66.986	53.5	7.1	NO	0.997	NO	bb
8	8	190728M1_11	Standard	100.000	4.89	256409.109	22629.803	141.632	113.3	13.3	NO	0.997	NO	bb
9	9	190728M1_12	Standard	250.000	4.89	548728.375	21876.102	313.543	250.9	0.3	NO	0.997	NO	bb
10	10	190728M1_13	Standard	500.000	4.89	891440.875	18506.416	602.116	481.8	-3.6	NO	0.997	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: 8:2 FTS
Coefficient of Determination: R^2 = 0.998613
Calibration curve: -0.00102721 * x^2 + 2.16048 * x + -0.0477495
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.86	104.451	2646.026	0.493	0.3	0.2	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	4.85	194.956	2498.070	0.976	0.5	-5.3	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	4.86	365.860	2544.062	1.798	0.9	-14.6	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	4.86	920.146	2768.545	4.154	1.9	-2.7	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	4.86	2108.800	2400.615	10.981	5.1	2.3	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	4.86	4491.779	2458.214	22.841	10.6	6.5	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	4.86	20340.977	2313.478	109.905	52.2	4.4	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	4.86	37249.824	2170.024	214.570	104.5	4.5	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	4.86	73902.672	2046.559	451.384	235.3	-5.9	NO	0.999	NO	bb
10	10	190728M1_13	Standard	500.000	4.86	117472.992	1761.977	833.389	508.9	1.8	NO	0.999	NO	bb

Compound name: PFNS
Correlation coefficient: r = 0.999256, r^2 = 0.998513
Calibration curve: 0.743437 * x + -0.109566
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	4.95	19.921	4173.769	0.060	0.2	-8.9	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	4.96	73.023	4015.332	0.227	0.5	-9.4	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	4.96	226.094	4156.214	0.680	1.1	6.2	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	4.96	414.784	4301.655	1.205	1.8	-11.6	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	4.96	1311.327	4496.762	3.645	5.1	1.0	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	4.96	2806.511	4349.828	8.065	11.0	10.0	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	4.96	13396.343	4201.052	39.860	53.8	7.5	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	4.96	25917.061	4083.566	79.333	106.9	6.9	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	4.96	56859.453	3779.765	188.039	253.1	1.2	NO	0.999	NO	bb
10	10	190728M1_13	Standard	500.000	4.96	94755.070	3282.607	360.822	485.5	-2.9	NO	0.999	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:39:23 Pacific Daylight Time

Compound name: L-MeFOSAA
Coefficient of Determination: R^2 = 0.999709
Calibration curve: -0.000283396 * x^2 + 2.0177 * x + -0.00805876
Response type: Internal Std (Ref 62), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	5.05	247.276	6156.675	0.502	0.3	1.1	NO	1.000	NO	MM
2	2	190728M1_5	Standard	0.500	5.05	505.890	6143.061	1.029	0.5	2.8	NO	1.000	NO	MM
3	3	190728M1_6	Standard	1.000	5.05	1023.198	6470.942	1.977	1.0	-1.6	NO	1.000	NO	MM
4	4	190728M1_7	Standard	2.000	5.06	2133.300	7072.330	3.771	1.9	-6.3	NO	1.000	NO	MM
5	5	190728M1_8	Standard	5.000	5.05	5208.145	6297.553	10.338	5.1	2.6	NO	1.000	NO	MM
6	6	190728M1_9	Standard	10.000	5.05	10708.071	6821.875	19.621	9.7	-2.6	NO	1.000	NO	MM
7	7	190728M1_10	Standard	50.000	5.05	51959.578	6149.103	105.624	52.7	5.5	NO	1.000	NO	MM
8	8	190728M1_11	Standard	100.000	5.05	103224.938	6499.222	198.533	99.8	-0.2	NO	1.000	NO	MM
9	9	190728M1_12	Standard	250.000	5.05	218591.688	5710.100	478.520	245.6	-1.7	NO	1.000	NO	MM
10	10	190728M1_13	Standard	500.000	5.05	376225.594	4994.337	941.630	502.1	0.4	NO	1.000	NO	MM

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:56:14 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Compound name: L-EtFOSAA
Correlation coefficient: r = 0.999551, r^2 = 0.999101
Calibration curve: 1.22455 * x + -0.0394388
Response type: Internal Std (Ref 64), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	5.22	161.282	8675.089	0.232	0.2	-11.2	NO	0.999	NO	MM
2	2	190728M1_5	Standard	0.500	5.22	318.808	7822.467	0.509	0.4	-10.4	NO	0.999	NO	MM
3	3	190728M1_6	Standard	1.000	5.22	809.849	8748.603	1.157	1.0	-2.3	NO	0.999	NO	MM
4	4	190728M1_7	Standard	2.000	5.22	1566.009	8683.477	2.254	1.9	-6.3	NO	0.999	NO	MM
5	5	190728M1_8	Standard	5.000	5.22	4224.223	8587.641	6.149	5.1	1.1	NO	0.999	NO	MM
6	6	190728M1_9	Standard	10.000	5.22	8643.169	8454.503	12.779	10.5	4.7	NO	0.999	NO	MM
7	7	190728M1_10	Standard	50.000	5.22	41163.594	7709.217	66.744	54.5	9.1	NO	0.999	NO	MM
8	8	190728M1_11	Standard	100.000	5.22	76303.445	7485.527	127.418	104.1	4.1	NO	0.999	NO	MM
9	9	190728M1_12	Standard	250.000	5.21	157998.109	6428.668	307.214	250.9	0.4	NO	0.999	NO	MM
10	10	190728M1_13	Standard	500.000	5.21	250603.031	5219.150	600.201	490.2	-2.0	NO	0.999	NO	MM

Compound name: PFUdA
Correlation coefficient: r = 0.999312, r^2 = 0.998625
Calibration curve: 0.920592 * x + 0.072824
Response type: Internal Std (Ref 63), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	5.23	686.163	33348.730	0.257	0.2	-19.9	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	5.23	1361.966	31596.668	0.539	0.5	1.2	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	5.23	2473.372	32985.176	0.937	0.9	-6.1	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	5.23	5354.519	34561.063	1.937	2.0	1.2	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	5.23	13019.371	32948.953	4.939	5.3	5.7	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	5.23	26419.055	33309.789	9.914	10.7	6.9	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	5.23	124535.063	30938.773	50.315	54.6	9.2	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	5.23	234902.344	31398.598	93.516	101.5	1.5	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	5.23	497172.375	26138.838	237.756	258.2	3.3	NO	0.999	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:56:14 Pacific Daylight Time

Compound name: PFUdA

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
10	10	190728M1_13	Standard	500.000	5.23	847798.125	23739.230	446.412	484.8	-3.0	NO	0.999	NO	bb

Compound name: PFDS
Coefficient of Determination: R^2 = 0.999413
Calibration curve: 0.00270882 * x^2 + 1.77165 * x + -0.0767289
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	5.28	79.423	2646.026	0.375	0.3	2.0	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	5.28	150.067	2498.070	0.751	0.5	-6.6	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	5.28	333.478	2544.062	1.639	1.0	-3.3	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	5.28	746.333	2768.545	3.370	1.9	-3.0	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	5.28	1936.127	2400.615	10.081	5.7	13.7	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	5.28	3462.666	2458.214	17.608	9.8	-1.7	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	5.28	17380.729	2313.478	93.910	49.3	-1.3	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	5.28	35559.332	2170.024	204.833	100.3	0.3	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	5.28	77677.227	2046.559	474.438	204.1	-18.3	NO	0.999	NO	bbX
10	10	190728M1_13	Standard	500.000	5.28	133435.484	1761.977	946.632	348.6	-30.3	YES	0.999	NO	bbX

Compound name: 11Cl-PF30UdS
Coefficient of Determination: R^2 = 0.999710
Calibration curve: -9.64062e-006 * x^2 + 0.0604718 * x + -0.0082961
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	5.45	9.430	31049.766	0.004	0.2	-20.0	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	5.45	64.538	29916.670	0.027	0.6	16.6	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	5.45	147.878	30879.104	0.060	1.1	12.7	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	5.45	263.233	31528.670	0.104	1.9	-6.8	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	5.45	726.254	31086.613	0.292	5.0	-0.6	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	5.45	1468.381	32573.092	0.563	9.5	-5.3	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	5.45	7902.550	32006.357	3.086	51.6	3.2	NO	1.000	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:56:14 Pacific Daylight Time

Compound name: 11Cl-PF30UdS

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
8	8	190728M1_11	Standard	100.000	5.46	15049.599	31149.150	6.039	101.7	1.7	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	5.45	33959.934	29801.533	14.244	245.3	-1.9	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	5.45	61772.156	27655.164	27.921	502.0	0.4	NO	1.000	NO	bb

Compound name: 10:2 FTS
Coefficient of Determination: R^2 = 0.998755
Calibration curve: -0.00160989 * x^2 + 2.77986 * x + 0.104731
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	5.51	164.848	2646.026	0.779	0.2	-3.0	NO	0.999	NO	bb
2	2	190728M1_5	Standard	0.500	5.50	288.131	2498.070	1.442	0.5	-3.8	NO	0.999	NO	bb
3	3	190728M1_6	Standard	1.000	5.51	556.296	2544.062	2.733	0.9	-5.4	NO	0.999	NO	bb
4	4	190728M1_7	Standard	2.000	5.51	1216.093	2768.545	5.491	1.9	-3.0	NO	0.999	NO	bb
5	5	190728M1_8	Standard	5.000	5.51	2831.857	2400.615	14.745	5.3	5.7	NO	0.999	NO	bb
6	6	190728M1_9	Standard	10.000	5.51	5771.211	2458.214	29.347	10.6	5.8	NO	0.999	NO	bb
7	7	190728M1_10	Standard	50.000	5.51	25856.295	2313.478	139.705	51.8	3.5	NO	0.999	NO	bb
8	8	190728M1_11	Standard	100.000	5.51	47292.852	2170.024	272.421	104.3	4.3	NO	0.999	NO	bb
9	9	190728M1_12	Standard	250.000	5.51	92588.633	2046.559	565.514	235.5	-5.8	NO	0.999	NO	bb
10	10	190728M1_13	Standard	500.000	5.50	140879.609	1761.977	999.443	510.3	2.1	NO	0.999	NO	bb

Compound name: PFDoA
Coefficient of Determination: R^2 = 0.999801
Calibration curve: -0.000495186 * x^2 + 1.10249 * x + 0.0305623
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	5.52	718.612	31049.766	0.289	0.2	-6.1	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	5.52	1373.095	29916.670	0.574	0.5	-1.4	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	5.52	2900.000	30879.104	1.174	1.0	3.8	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	5.52	5398.998	31528.670	2.141	1.9	-4.2	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	5.52	14084.594	31086.613	5.663	5.1	2.4	NO	1.000	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:56:14 Pacific Daylight Time

Compound name: PFDoA

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
6	6	190728M1_9	Standard	10.000	5.52	30045.629	32573.092	11.530	10.5	4.8	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	5.52	138913.016	32006.357	54.252	50.3	0.6	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	5.52	266692.313	31149.150	107.022	101.7	1.7	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	5.52	572788.250	29801.533	240.251	244.8	-2.1	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	5.52	949835.438	27655.164	429.321	503.0	0.6	NO	1.000	NO	bb

Compound name: N-MeFOSA
Coefficient of Determination: R^2 = 0.999104
Calibration curve: -0.000135263 * x^2 + 1.2231 * x + 0.164985
Response type: Internal Std (Ref 66), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	1.250	5.67	194.028	15537.523	1.873	1.4	11.7	NO	0.999	NO	bb
2	2	190728M1_5	Standard	2.500	5.67	333.739	15072.089	3.321	2.6	3.3	NO	0.999	NO	bb
3	3	190728M1_6	Standard	5.000	5.67	650.441	16370.635	5.960	4.7	-5.2	NO	0.999	NO	bb
4	4	190728M1_7	Standard	10.000	5.67	1322.825	16998.680	11.673	9.4	-5.8	NO	0.999	NO	bb
5	5	190728M1_8	Standard	25.000	5.67	3399.616	16712.180	30.513	24.9	-0.5	NO	0.999	NO	bb
6	6	190728M1_9	Standard	50.000	5.67	7097.217	16961.658	62.764	51.5	2.9	NO	0.999	NO	bb
7	7	190728M1_10	Standard	250.000	5.67	34540.023	16698.338	310.271	261.1	4.4	NO	0.999	NO	bb
8	8	190728M1_11	Standard	500.000	5.68	66667.016	16779.004	595.986	516.7	3.3	NO	0.999	NO	bb
9	9	190728M1_12	Standard	1250.000	5.67	138459.500	16430.730	1264.029	1189.9	-4.8	NO	0.999	NO	bb
10	10	190728M1_13	Standard	2500.000	5.67	233410.969	15669.132	2234.434	2540.5	1.6	NO	0.999	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: PFTrDA
Coefficient of Determination: R^2 = 0.999635
Calibration curve: -0.00058026 * x^2 + 1.18368 * x + 0.030986
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	5.78	778.581	31049.766	0.313	0.2	-4.5	NO	1.000	NO	db
2	2	190728M1_5	Standard	0.500	5.78	1428.690	29916.670	0.597	0.5	-4.4	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	5.78	3002.923	30879.104	1.216	1.0	0.1	NO	1.000	NO	bd
4	4	190728M1_7	Standard	2.000	5.78	6288.420	31528.670	2.493	2.1	4.1	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	5.78	14841.845	31086.613	5.968	5.0	0.6	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	5.78	31179.684	32573.092	11.965	10.1	1.3	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	5.78	152223.688	32006.357	59.451	51.5	3.0	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	5.78	285853.781	31149.150	114.712	102.0	2.0	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	5.78	602651.438	29801.533	252.777	242.3	-3.1	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	5.78	994844.750	27655.164	449.665	504.8	1.0	NO	1.000	NO	bb

Compound name: PFDoS
Coefficient of Determination: R^2 = 0.999742
Calibration curve: -3.75659e-005 * x^2 + 0.166754 * x + -0.0150944
Response type: Internal Std (Ref 67), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	5.80	43.395	21905.791	0.025	0.2	-4.4	NO	1.000	NO	MM
2	2	190728M1_5	Standard	0.500	5.81	139.477	21204.717	0.082	0.6	16.7	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	5.81	271.509	22885.816	0.148	1.0	-2.0	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	5.81	573.671	23444.639	0.306	1.9	-3.7	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	5.81	1472.639	22518.459	0.817	5.0	-0.0	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	5.81	2933.046	23283.268	1.575	9.6	-4.5	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	5.81	14850.515	23662.514	7.845	47.6	-4.7	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	5.81	29274.541	22056.266	16.591	101.9	1.9	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	5.81	64681.148	20376.383	39.679	252.4	1.0	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	5.81	112431.883	19050.520	73.772	498.5	-0.3	NO	1.000	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: PFTeDA
Correlation coefficient: r = 0.998457, r^2 = 0.996916
Calibration curve: 1.43497 * x + 0.170906
Response type: Internal Std (Ref 67), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	6.01	789.839	21905.791	0.451	0.2	-22.0	NO	0.997	NO	bb
2	2	190728M1_5	Standard	0.500	6.01	1330.728	21204.717	0.784	0.4	-14.5	NO	0.997	NO	bb
3	3	190728M1_6	Standard	1.000	6.01	2948.896	22885.816	1.611	1.0	0.3	NO	0.997	NO	bb
4	4	190728M1_7	Standard	2.000	6.01	5750.026	23444.639	3.066	2.0	0.9	NO	0.997	NO	bb
5	5	190728M1_8	Standard	5.000	6.00	14253.949	22518.459	7.912	5.4	7.9	NO	0.997	NO	bb
6	6	190728M1_9	Standard	10.000	6.00	30192.752	23283.268	16.209	11.2	11.8	NO	0.997	NO	bb
7	7	190728M1_10	Standard	50.000	6.00	145246.781	23662.514	76.728	53.4	6.7	NO	0.997	NO	bb
8	8	190728M1_11	Standard	100.000	6.01	279857.531	22056.266	158.604	110.4	10.4	NO	0.997	NO	db
9	9	190728M1_12	Standard	250.000	6.00	603291.875	20376.383	370.093	257.8	3.1	NO	0.997	NO	bb
10	10	190728M1_13	Standard	500.000	6.00	1043401.188	19050.520	684.628	477.0	-4.6	NO	0.997	NO	bb

Compound name: N-EtFOSA
Coefficient of Determination: R^2 = 0.999711
Calibration curve: -6.59208e-005 * x^2 + 1.01513 * x + -0.237465
Response type: Internal Std (Ref 68), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	1.250	6.13	127.654	19209.691	0.997	1.2	-2.7	NO	1.000	NO	bb
2	2	190728M1_5	Standard	2.500	6.13	235.314	18365.283	1.922	2.1	-14.9	NO	1.000	NO	bb
3	3	190728M1_6	Standard	5.000	6.13	674.995	19640.598	5.155	5.3	6.3	NO	1.000	NO	bb
4	4	190728M1_7	Standard	10.000	6.14	1474.622	20247.580	10.924	11.0	10.0	NO	1.000	NO	bb
5	5	190728M1_8	Standard	25.000	6.13	3301.857	20014.461	24.746	24.7	-1.4	NO	1.000	NO	bb
6	6	190728M1_9	Standard	50.000	6.13	7006.383	20952.096	50.160	49.8	-0.4	NO	1.000	NO	bb
7	7	190728M1_10	Standard	250.000	6.13	34381.445	19813.127	260.293	261.1	4.4	NO	1.000	NO	bb
8	8	190728M1_11	Standard	500.000	6.13	63517.012	19387.146	491.437	500.6	0.1	NO	1.000	NO	bb
9	9	190728M1_12	Standard	1250.000	6.13	136193.313	17851.227	1144.403	1225.0	-2.0	NO	1.000	NO	bb
10	10	190728M1_13	Standard	2500.000	6.13	225120.750	15816.403	2135.006	2513.8	0.6	NO	1.000	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: PFHxDA
Coefficient of Determination: R^2 = 0.999533
Calibration curve: -0.000230672 * x^2 + 0.634092 * x + 0.0646736
Response type: Internal Std (Ref 69), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	6.37	472.572	10841.256	0.218	0.2	-3.3	NO	1.000	NO	bb
2	2	190728M1_5	Standard	0.500	6.37	789.305	10497.078	0.376	0.5	-1.8	NO	1.000	NO	bb
3	3	190728M1_6	Standard	1.000	6.37	1460.158	11461.589	0.637	0.9	-9.7	NO	1.000	NO	bb
4	4	190728M1_7	Standard	2.000	6.37	3045.110	11215.092	1.358	2.0	2.0	NO	1.000	NO	bb
5	5	190728M1_8	Standard	5.000	6.37	7293.780	10755.463	3.391	5.3	5.1	NO	1.000	NO	bb
6	6	190728M1_9	Standard	10.000	6.37	15077.327	11191.087	6.736	10.6	5.6	NO	1.000	NO	bb
7	7	190728M1_10	Standard	50.000	6.37	72092.328	11312.037	31.865	51.1	2.2	NO	1.000	NO	bb
8	8	190728M1_11	Standard	100.000	6.37	144062.375	11521.690	62.518	102.3	2.3	NO	1.000	NO	bb
9	9	190728M1_12	Standard	250.000	6.37	315319.531	11271.132	139.879	241.8	-3.3	NO	1.000	NO	bb
10	10	190728M1_13	Standard	500.000	6.37	547390.063	10476.670	261.242	504.5	0.9	NO	1.000	NO	bb

Compound name: PFODA
Correlation coefficient: r = 0.997967, r^2 = 0.995939
Calibration curve: 0.749925 * x + 0.0751295
Response type: Internal Std (Ref 69), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	0.250	6.63	485.682	10841.256	0.224	0.2	-20.6	NO	0.996	NO	bb
2	2	190728M1_5	Standard	0.500	6.62	879.421	10497.078	0.419	0.5	-8.3	NO	0.996	NO	bb
3	3	190728M1_6	Standard	1.000	6.63	1892.873	11461.589	0.826	1.0	0.1	NO	0.996	NO	bb
4	4	190728M1_7	Standard	2.000	6.63	3972.982	11215.092	1.771	2.3	13.1	NO	0.996	NO	bb
5	5	190728M1_8	Standard	5.000	6.62	9626.645	10755.463	4.475	5.9	17.3	NO	0.996	NO	bb
6	6	190728M1_9	Standard	10.000	6.63	19663.443	11191.087	8.785	11.6	16.1	NO	0.996	NO	bb
7	7	190728M1_10	Standard	50.000	6.63	99796.313	11312.037	44.111	58.7	17.4	NO	0.996	NO	bb
8	8	190728M1_11	Standard	100.000	6.63	190638.859	11521.690	82.730	110.2	10.2	NO	0.996	NO	bb
9	9	190728M1_12	Standard	250.000	6.62	414143.750	11271.132	183.719	244.9	-2.0	NO	0.996	NO	bb
10	10	190728M1_13	Standard	500.000	6.63	759945.813	10476.670	362.685	483.5	-3.3	NO	0.996	NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: N-MeFOSE
Correlation coefficient: r = 0.999280, r^2 = 0.998561
Calibration curve: 1.08645 * x + 0.16244
Response type: Internal Std (Ref 70), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	1.250	6.35	133.971	13711.738	1.466	1.2	-4.0	NO	0.999	NO	bb
2	2	190728M1_5	Standard	2.500	6.35	251.830	13150.193	2.873	2.5	-0.2	NO	0.999	NO	bb
3	3	190728M1_6	Standard	5.000	6.35	496.353	14181.722	5.250	4.7	-6.3	NO	0.999	NO	bb
4	4	190728M1_7	Standard	10.000	6.35	1038.097	15051.109	10.346	9.4	-6.3	NO	0.999	NO	bd
5	5	190728M1_8	Standard	25.000	6.35	2490.433	14121.464	26.454	24.2	-3.2	NO	0.999	NO	bb
6	6	190728M1_9	Standard	50.000	6.35	5670.822	14613.526	58.208	53.4	6.9	NO	0.999	NO	bb
7	7	190728M1_10	Standard	250.000	6.35	28568.928	14411.125	297.363	273.6	9.4	NO	0.999	NO	bb
8	8	190728M1_11	Standard	500.000	6.35	56894.625	15007.402	568.666	523.3	4.7	NO	0.999	NO	bb
9	9	190728M1_12	Standard	1250.000	6.35	130949.953	14151.327	1388.032	1277.4	2.2	NO	0.999	NO	bb
10	10	190728M1_13	Standard	2500.000	6.35	255614.266	14557.408	2633.858	2424.1	-3.0	NO	0.999	NO	bb

Compound name: N-EtFOSE
Correlation coefficient: r = 0.999877, r^2 = 0.999755
Calibration curve: 1.2854 * x + 0.0160377
Response type: Internal Std (Ref 71), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	1.250	6.51	149.126	13919.844	1.607	1.2	-1.0	NO	1.000	NO	bd
2	2	190728M1_5	Standard	2.500	6.50	293.980	13803.022	3.195	2.5	-1.1	NO	1.000	NO	bb
3	3	190728M1_6	Standard	5.000	6.50	679.312	14905.282	6.836	5.3	6.1	NO	1.000	NO	bb
4	4	190728M1_7	Standard	10.000	6.50	1241.891	15371.287	12.119	9.4	-5.8	NO	1.000	NO	bb
5	5	190728M1_8	Standard	25.000	6.50	3056.832	14798.599	30.984	24.1	-3.6	NO	1.000	NO	bb
6	6	190728M1_9	Standard	50.000	6.50	6529.497	15202.418	64.426	50.1	0.2	NO	1.000	NO	bb
7	7	190728M1_10	Standard	250.000	6.50	33694.293	14974.384	337.519	262.6	5.0	NO	1.000	NO	bb
8	8	190728M1_11	Standard	500.000	6.50	66649.109	15533.570	643.597	500.7	0.1	NO	1.000	NO	bb
9	9	190728M1_12	Standard	1250.000	6.50	157600.969	14560.312	1623.602	1263.1	1.0	NO	1.000	NO	bb
10	10	190728M1_13	Standard	2500.000	6.50	301289.031	14207.002	3181.062	2474.8	-1.0	NO	1.000	NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C3-PFBA
Response Factor: 0.739017
RRF SD: 0.0116009, Relative SD: 1.56977
Response type: Internal Std (Ref 72), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	1.08	9736.728	13432.803	9.061	12.3	-1.9	NO		NO	MM
2	2	190728M1_5	Standard	12.500	1.09	9741.358	13495.418	9.023	12.2	-2.3	NO		NO	MM
3	3	190728M1_6	Standard	12.500	1.09	9855.268	13441.498	9.165	12.4	-0.8	NO		NO	MM
4	4	190728M1_7	Standard	12.500	1.08	10250.277	13470.026	9.512	12.9	3.0	NO		NO	MM
5	5	190728M1_8	Standard	12.500	1.09	9701.447	13227.563	9.168	12.4	-0.8	NO		NO	MM
6	6	190728M1_9	Standard	12.500	1.09	9706.613	12973.298	9.352	12.7	1.2	NO		NO	MM
7	7	190728M1_10	Standard	12.500	1.09	10055.120	13607.736	9.237	12.5	-0.0	NO		NO	MM
8	8	190728M1_11	Standard	12.500	1.09	9805.491	13172.267	9.305	12.6	0.7	NO		NO	bb
9	9	190728M1_12	Standard	12.500	1.09	9304.693	12607.475	9.225	12.5	-0.1	NO		NO	bb
10	10	190728M1_13	Standard	12.500	1.09	8521.432	11417.658	9.329	12.6	1.0	NO		NO	MM

Compound name: 13C3-PFPeA
Response Factor: 0.518805
RRF SD: 0.0256609, Relative SD: 4.94615
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	2.06	14579.512	30370.072	6.001	11.6	-7.5	NO		NO	bb
2	2	190728M1_5	Standard	12.500	2.06	13645.277	27267.705	6.255	12.1	-3.5	NO		NO	bb
3	3	190728M1_6	Standard	12.500	2.06	14436.878	28579.416	6.314	12.2	-2.6	NO		NO	bb
4	4	190728M1_7	Standard	12.500	2.06	14926.317	28691.830	6.503	12.5	0.3	NO		NO	bb
5	5	190728M1_8	Standard	12.500	2.06	14378.947	28276.365	6.356	12.3	-2.0	NO		NO	bb
6	6	190728M1_9	Standard	12.500	2.06	14549.979	28706.799	6.336	12.2	-2.3	NO		NO	bb
7	7	190728M1_10	Standard	12.500	2.06	14949.327	28404.080	6.579	12.7	1.4	NO		NO	MM
8	8	190728M1_11	Standard	12.500	2.06	14452.828	27871.434	6.482	12.5	-0.0	NO		NO	MM
9	9	190728M1_12	Standard	12.500	2.06	13596.506	24421.102	6.959	13.4	7.3	NO		NO	bb
10	10	190728M1_13	Standard	12.500	2.06	12072.144	21358.656	7.065	13.6	8.9	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C3-PFBS
Response Factor: 1.11908
RRF SD: 0.0539685, Relative SD: 4.82259
Response type: Internal Std (Ref 74), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	2.37	1919.197	1682.950	14.255	12.7	1.9	NO		NO	bb
2	2	190728M1_5	Standard	12.500	2.37	1863.464	1558.897	14.942	13.4	6.8	NO		NO	bb
3	3	190728M1_6	Standard	12.500	2.37	1865.541	1739.257	13.408	12.0	-4.2	NO		NO	bb
4	4	190728M1_7	Standard	12.500	2.37	2010.472	1707.363	14.719	13.2	5.2	NO		NO	bb
5	5	190728M1_8	Standard	12.500	2.37	1969.569	1735.800	14.183	12.7	1.4	NO		NO	bb
6	6	190728M1_9	Standard	12.500	2.37	1999.487	1878.225	13.307	11.9	-4.9	NO		NO	bb
7	7	190728M1_10	Standard	12.500	2.37	1915.087	1714.100	13.966	12.5	-0.2	NO		NO	bb
8	8	190728M1_11	Standard	12.500	2.37	1923.876	1636.253	14.697	13.1	5.1	NO		NO	bb
9	9	190728M1_12	Standard	12.500	2.37	1621.320	1541.987	13.143	11.7	-6.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	2.37	1456.437	1372.501	13.264	11.9	-5.2	NO		NO	bb

Compound name: 13C3-HFPO-DA
Response Factor: 0.141592
RRF SD: 0.015348, Relative SD: 10.8396
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	5.000	3.09	1651.767	30370.072	0.680	4.8	-4.0	NO		NO	bb
2	2	190728M1_5	Standard	5.000	3.09	1667.753	27267.705	0.765	5.4	8.0	NO		NO	bb
3	3	190728M1_6	Standard	5.000	3.10	1712.755	28579.416	0.749	5.3	5.8	NO		NO	bb
4	4	190728M1_7	Standard	5.000	3.09	1941.375	28691.830	0.846	6.0	19.5	NO		NO	bb
5	5	190728M1_8	Standard	5.000	3.09	1597.251	28276.365	0.706	5.0	-0.3	NO		NO	bb
6	6	190728M1_9	Standard	5.000	3.09	1404.792	28706.799	0.612	4.3	-13.6	NO		NO	bb
7	7	190728M1_10	Standard	5.000	3.10	1331.558	28404.080	0.586	4.1	-17.2	NO		NO	bb
8	8	190728M1_11	Standard	5.000	3.10	1640.978	27871.434	0.736	5.2	4.0	NO		NO	bb
9	9	190728M1_12	Standard	5.000	3.09	1289.140	24421.102	0.660	4.7	-6.8	NO		NO	bb
10	10	190728M1_13	Standard	5.000	3.09	1265.718	21358.656	0.741	5.2	4.6	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C2-4:2 FTS
Response Factor: 1.70625
RRF SD: 0.14378, Relative SD: 8.42666
Response type: Internal Std (Ref 74), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	2.80	3107.770	1682.950	23.083	13.5	8.2	NO		NO	bb
2	2	190728M1_5	Standard	12.500	2.80	2884.299	1558.897	23.128	13.6	8.4	NO		NO	bb
3	3	190728M1_6	Standard	12.500	2.80	2930.770	1739.257	21.063	12.3	-1.2	NO		NO	bb
4	4	190728M1_7	Standard	12.500	2.80	3256.043	1707.363	23.838	14.0	11.8	NO		NO	bd
5	5	190728M1_8	Standard	12.500	2.80	3001.934	1735.800	21.618	12.7	1.4	NO		NO	bb
6	6	190728M1_9	Standard	12.500	2.80	3129.496	1878.225	20.827	12.2	-2.3	NO		NO	bb
7	7	190728M1_10	Standard	12.500	2.80	2919.879	1714.100	21.293	12.5	-0.2	NO		NO	bb
8	8	190728M1_11	Standard	12.500	2.80	2793.867	1636.253	21.343	12.5	0.1	NO		NO	bb
9	9	190728M1_12	Standard	12.500	2.80	2351.747	1541.987	19.064	11.2	-10.6	NO		NO	bb
10	10	190728M1_13	Standard	12.500	2.80	1978.961	1372.501	18.023	10.6	-15.5	NO		NO	bb

Compound name: 13C2-PFHxA
Response Factor: 0.976713
RRF SD: 0.0352175, Relative SD: 3.60572
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	5.000	2.89	11055.088	30370.072	4.550	4.7	-6.8	NO		NO	bb
2	2	190728M1_5	Standard	5.000	2.89	10436.295	27267.705	4.784	4.9	-2.0	NO		NO	bb
3	3	190728M1_6	Standard	5.000	2.89	11108.523	28579.416	4.859	5.0	-0.5	NO		NO	bb
4	4	190728M1_7	Standard	5.000	2.89	11379.875	28691.830	4.958	5.1	1.5	NO		NO	bb
5	5	190728M1_8	Standard	5.000	2.89	11339.071	28276.365	5.013	5.1	2.6	NO		NO	bb
6	6	190728M1_9	Standard	5.000	2.89	11205.463	28706.799	4.879	5.0	-0.1	NO		NO	bb
7	7	190728M1_10	Standard	5.000	2.89	10578.007	28404.080	4.655	4.8	-4.7	NO		NO	bb
8	8	190728M1_11	Standard	5.000	2.89	11149.969	27871.434	5.001	5.1	2.4	NO		NO	bb
9	9	190728M1_12	Standard	5.000	2.89	9862.257	24421.102	5.048	5.2	3.4	NO		NO	bb
10	10	190728M1_13	Standard	5.000	2.89	8695.916	21358.656	5.089	5.2	4.2	NO		NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C4-PFHpA
Response Factor: 0.452674
RRF SD: 0.0194375, Relative SD: 4.29392
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	3.51	13143.233	30370.072	5.410	12.0	-4.4	NO		NO	bb
2	2	190728M1_5	Standard	12.500	3.51	12221.702	27267.705	5.603	12.4	-1.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	3.51	13006.150	28579.416	5.689	12.6	0.5	NO		NO	bb
4	4	190728M1_7	Standard	12.500	3.51	13850.272	28691.830	6.034	13.3	6.6	NO		NO	bb
5	5	190728M1_8	Standard	12.500	3.51	13376.584	28276.365	5.913	13.1	4.5	NO		NO	bb
6	6	190728M1_9	Standard	12.500	3.51	13498.864	28706.799	5.878	13.0	3.9	NO		NO	bb
7	7	190728M1_10	Standard	12.500	3.51	13221.530	28404.080	5.818	12.9	2.8	NO		NO	bb
8	8	190728M1_11	Standard	12.500	3.51	11953.563	27871.434	5.361	11.8	-5.3	NO		NO	bb
9	9	190728M1_12	Standard	12.500	3.51	10583.072	24421.102	5.417	12.0	-4.3	NO		NO	bb
10	10	190728M1_13	Standard	12.500	3.51	9332.134	21358.656	5.462	12.1	-3.5	NO		NO	bb

Compound name: 13C3-PFHxS
Response Factor: 2.06724
RRF SD: 0.0920884, Relative SD: 4.45464
Response type: Internal Std (Ref 74), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	3.67	3637.521	1682.950	27.017	13.1	4.6	NO		NO	bb
2	2	190728M1_5	Standard	12.500	3.67	3358.914	1558.897	26.933	13.0	4.2	NO		NO	bb
3	3	190728M1_6	Standard	12.500	3.67	3531.779	1739.257	25.383	12.3	-1.8	NO		NO	bb
4	4	190728M1_7	Standard	12.500	3.68	3701.096	1707.363	27.097	13.1	4.9	NO		NO	bb
5	5	190728M1_8	Standard	12.500	3.67	3411.210	1735.800	24.565	11.9	-4.9	NO		NO	bb
6	6	190728M1_9	Standard	12.500	3.67	3654.382	1878.225	24.321	11.8	-5.9	NO		NO	bb
7	7	190728M1_10	Standard	12.500	3.67	3740.522	1714.100	27.278	13.2	5.6	NO		NO	bb
8	8	190728M1_11	Standard	12.500	3.67	3359.151	1636.253	25.662	12.4	-0.7	NO		NO	bb
9	9	190728M1_12	Standard	12.500	3.67	3145.043	1541.987	25.495	12.3	-1.3	NO		NO	bb
10	10	190728M1_13	Standard	12.500	3.67	2707.109	1372.501	24.655	11.9	-4.6	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C2-6:2 FTS
Response Factor: 0.536795
RRF SD: 0.0203123, Relative SD: 3.78399
Response type: Internal Std (Ref 77), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	3.99	2488.247	4416.154	7.043	13.1	5.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	3.99	2171.143	4173.605	6.503	12.1	-3.1	NO		NO	bb
3	3	190728M1_6	Standard	12.500	3.99	2345.186	4400.991	6.661	12.4	-0.7	NO		NO	bb
4	4	190728M1_7	Standard	12.500	3.99	2478.611	4333.873	7.149	13.3	6.5	NO		NO	bb
5	5	190728M1_8	Standard	12.500	3.99	2299.354	4130.122	6.959	13.0	3.7	NO		NO	bb
6	6	190728M1_9	Standard	12.500	3.99	2360.413	4458.009	6.618	12.3	-1.4	NO		NO	bb
7	7	190728M1_10	Standard	12.500	3.99	2272.584	4245.788	6.691	12.5	-0.3	NO		NO	bb
8	8	190728M1_11	Standard	12.500	3.99	2254.193	4349.032	6.479	12.1	-3.4	NO		NO	bb
9	9	190728M1_12	Standard	12.500	3.99	2012.710	3928.000	6.405	11.9	-4.5	NO		NO	bb
10	10	190728M1_13	Standard	12.500	3.99	1825.385	3461.582	6.592	12.3	-1.8	NO		NO	bb

Compound name: 13C5-PFNA
Response Factor: 0.992617
RRF SD: 0.0351083, Relative SD: 3.53694
Response type: Internal Std (Ref 76), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.50	24370.584	25771.451	11.821	11.9	-4.7	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.50	23199.773	23444.926	12.369	12.5	-0.3	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.50	24300.021	25060.934	12.120	12.2	-2.3	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.50	25644.320	24676.652	12.990	13.1	4.7	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.50	23823.389	25052.742	11.887	12.0	-4.2	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.50	25350.867	25690.422	12.335	12.4	-0.6	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.50	24362.092	23029.307	13.223	13.3	6.6	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.50	23691.129	23589.561	12.554	12.6	1.2	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.50	20748.678	20896.285	12.412	12.5	0.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.50	17790.674	17982.934	12.366	12.5	-0.3	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C8-PFOSA
Response Factor: 0.211825
RRF SD: 0.0102687, Relative SD: 4.84771
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.56	7342.718	37857.918	2.424	11.4	-8.4	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.56	6971.908	34751.539	2.508	11.8	-5.3	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.56	7522.264	37229.582	2.526	11.9	-4.6	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.56	7951.857	37984.398	2.617	12.4	-1.2	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.56	8173.734	36563.523	2.794	13.2	5.5	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.56	8058.794	36859.945	2.733	12.9	3.2	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.56	7814.070	37047.590	2.636	12.4	-0.4	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.56	7667.511	35626.707	2.690	12.7	1.6	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.56	6699.121	30201.582	2.773	13.1	4.7	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.56	5622.302	25308.838	2.777	13.1	4.9	NO		NO	bb

Compound name: 13C2-PFOA
Response Factor: 0.679777
RRF SD: 0.0145257, Relative SD: 2.13683
Response type: Internal Std (Ref 75), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.05	22994.963	34200.707	8.404	12.4	-1.1	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.05	22236.543	31938.324	8.703	12.8	2.4	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.05	22122.271	32746.982	8.444	12.4	-0.6	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.05	23474.295	34172.688	8.587	12.6	1.1	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.05	22726.066	34024.000	8.349	12.3	-1.7	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.05	22409.762	34227.535	8.184	12.0	-3.7	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.05	22712.236	32689.480	8.685	12.8	2.2	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.05	21154.102	31280.986	8.453	12.4	-0.5	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.05	18470.006	26356.115	8.760	12.9	3.1	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.05	14771.558	21975.049	8.402	12.4	-1.1	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C8-PFOS
Response Factor: 0.974763
RRF SD: 0.044264, Relative SD: 4.541
Response type: Internal Std (Ref 77), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.59	4173.769	4416.154	11.814	12.1	-3.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.59	4015.332	4173.605	12.026	12.3	-1.3	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.59	4156.214	4400.991	11.805	12.1	-3.1	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.60	4301.655	4333.873	12.407	12.7	1.8	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.59	4496.762	4130.122	13.610	14.0	11.7	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.59	4349.828	4458.009	12.197	12.5	0.1	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.59	4201.052	4245.788	12.368	12.7	1.5	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.60	4083.566	4349.032	11.737	12.0	-3.7	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.59	3779.765	3928.000	12.028	12.3	-1.3	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.59	3282.607	3461.582	11.854	12.2	-2.7	NO		NO	MM

Compound name: 13C2-PFDA
Response Factor: 0.82434
RRF SD: 0.0296119, Relative SD: 3.59219
Response type: Internal Std (Ref 78), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.89	25886.045	32824.520	9.858	12.0	-4.3	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.89	24626.148	29983.930	10.266	12.5	-0.4	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.89	26119.930	31900.506	10.235	12.4	-0.7	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.89	26492.463	30055.463	11.018	13.4	6.9	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.89	25881.555	30464.521	10.620	12.9	3.1	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.89	26667.648	32292.252	10.323	12.5	0.2	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.89	25961.756	31240.355	10.388	12.6	0.8	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.89	22629.803	29259.262	9.668	11.7	-6.2	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.89	21876.102	26344.637	10.380	12.6	0.7	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.89	18506.416	22486.645	10.287	12.5	-0.2	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C2-8:2 FTS
Response Factor: 0.562113
RRF SD: 0.0448594, Relative SD: 7.98049
Response type: Internal Std (Ref 77), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.86	2646.026	4416.154	7.490	13.3	6.6	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.86	2498.070	4173.605	7.482	13.3	6.5	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.86	2544.062	4400.991	7.226	12.9	2.8	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.86	2768.545	4333.873	7.985	14.2	13.6	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.86	2400.615	4130.122	7.266	12.9	3.4	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.86	2458.214	4458.009	6.893	12.3	-1.9	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.85	2313.478	4245.788	6.811	12.1	-3.1	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.86	2170.024	4349.032	6.237	11.1	-11.2	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.86	2046.559	3928.000	6.513	11.6	-7.3	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.86	1761.977	3461.582	6.363	11.3	-9.4	NO		NO	bb

Compound name: d3-N-MeFOSAA
Response Factor: 0.179152
RRF SD: 0.0108164, Relative SD: 6.03759
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	5.05	6156.675	37857.918	2.033	11.3	-9.2	NO		NO	bb
2	2	190728M1_5	Standard	12.500	5.05	6143.061	34751.539	2.210	12.3	-1.3	NO		NO	bb
3	3	190728M1_6	Standard	12.500	5.05	6470.942	37229.582	2.173	12.1	-3.0	NO		NO	bb
4	4	190728M1_7	Standard	12.500	5.05	7072.330	37984.398	2.327	13.0	3.9	NO		NO	bb
5	5	190728M1_8	Standard	12.500	5.05	6297.553	36563.523	2.153	12.0	-3.9	NO		NO	bb
6	6	190728M1_9	Standard	12.500	5.05	6821.875	36859.945	2.313	12.9	3.3	NO		NO	bb
7	7	190728M1_10	Standard	12.500	5.05	6149.103	37047.590	2.075	11.6	-7.4	NO		NO	bb
8	8	190728M1_11	Standard	12.500	5.05	6499.222	35626.707	2.280	12.7	1.8	NO		NO	bb
9	9	190728M1_12	Standard	12.500	5.05	5710.100	30201.582	2.363	13.2	5.5	NO		NO	bb
10	10	190728M1_13	Standard	12.500	5.05	4994.337	25308.838	2.467	13.8	10.2	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C2-PFUdA
Response Factor: 0.89107
RRF SD: 0.0281961, Relative SD: 3.1643
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	5.23	33348.730	37857.918	11.011	12.4	-1.1	NO		NO	bb
2	2	190728M1_5	Standard	12.500	5.23	31596.668	34751.539	11.365	12.8	2.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	5.23	32985.176	37229.582	11.075	12.4	-0.6	NO		NO	bb
4	4	190728M1_7	Standard	12.500	5.23	34561.063	37984.398	11.373	12.8	2.1	NO		NO	bb
5	5	190728M1_8	Standard	12.500	5.23	32948.953	36563.523	11.264	12.6	1.1	NO		NO	bb
6	6	190728M1_9	Standard	12.500	5.23	33309.789	36859.945	11.296	12.7	1.4	NO		NO	bb
7	7	190728M1_10	Standard	12.500	5.23	30938.773	37047.590	10.439	11.7	-6.3	NO		NO	bb
8	8	190728M1_11	Standard	12.500	5.23	31398.598	35626.707	11.017	12.4	-1.1	NO		NO	bb
9	9	190728M1_12	Standard	12.500	5.23	26138.838	30201.582	10.818	12.1	-2.9	NO		NO	bb
10	10	190728M1_13	Standard	12.500	5.23	23739.230	25308.838	11.725	13.2	5.3	NO		NO	bb

Compound name: d5-N-EtFOSAA
Response Factor: 0.221936
RRF SD: 0.0113551, Relative SD: 5.11641
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	5.21	8675.089	37857.918	2.864	12.9	3.3	NO		NO	bb
2	2	190728M1_5	Standard	12.500	5.21	7822.467	34751.539	2.814	12.7	1.4	NO		NO	bb
3	3	190728M1_6	Standard	12.500	5.21	8748.603	37229.582	2.937	13.2	5.9	NO		NO	bb
4	4	190728M1_7	Standard	12.500	5.21	8683.477	37984.398	2.858	12.9	3.0	NO		NO	bb
5	5	190728M1_8	Standard	12.500	5.21	8587.641	36563.523	2.936	13.2	5.8	NO		NO	bb
6	6	190728M1_9	Standard	12.500	5.21	8454.503	36859.945	2.867	12.9	3.3	NO		NO	bb
7	7	190728M1_10	Standard	12.500	5.21	7709.217	37047.590	2.601	11.7	-6.2	NO		NO	bb
8	8	190728M1_11	Standard	12.500	5.21	7485.527	35626.707	2.626	11.8	-5.3	NO		NO	bb
9	9	190728M1_12	Standard	12.500	5.21	6428.668	30201.582	2.661	12.0	-4.1	NO		NO	bb
10	10	190728M1_13	Standard	12.500	5.21	5219.150	25308.838	2.578	11.6	-7.1	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C2-PFDoA
Response Factor: 1.044
RRF SD: 0.083208, Relative SD: 7.97013
Response type: Internal Std (Ref 78), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	5.52	31049.766	32824.520	11.824	11.3	-9.4	NO		NO	bb
2	2	190728M1_5	Standard	12.500	5.52	29916.670	29983.930	12.472	11.9	-4.4	NO		NO	bb
3	3	190728M1_6	Standard	12.500	5.52	30879.104	31900.506	12.100	11.6	-7.3	NO		NO	bb
4	4	190728M1_7	Standard	12.500	5.52	31528.670	30055.463	13.113	12.6	0.5	NO		NO	bb
5	5	190728M1_8	Standard	12.500	5.52	31086.613	30464.521	12.755	12.2	-2.3	NO		NO	bb
6	6	190728M1_9	Standard	12.500	5.52	32573.092	32292.252	12.609	12.1	-3.4	NO		NO	bb
7	7	190728M1_10	Standard	12.500	5.52	32006.357	31240.355	12.806	12.3	-1.9	NO		NO	bb
8	8	190728M1_11	Standard	12.500	5.53	31149.150	29259.262	13.307	12.7	2.0	NO		NO	bb
9	9	190728M1_12	Standard	12.500	5.52	29801.533	26344.637	14.140	13.5	8.4	NO		NO	bb
10	10	190728M1_13	Standard	12.500	5.52	27655.164	22486.645	15.373	14.7	17.8	NO		NO	bb

Compound name: d3-N-MeFOSA
Response Factor: 0.0394454
RRF SD: 0.0051618, Relative SD: 13.0859
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	150.000	5.70	15537.523	37857.918	5.130	130.1	-13.3	NO		NO	bb
2	2	190728M1_5	Standard	150.000	5.71	15072.089	34751.539	5.421	137.4	-8.4	NO		NO	bb
3	3	190728M1_6	Standard	150.000	5.71	16370.635	37229.582	5.497	139.3	-7.1	NO		NO	bb
4	4	190728M1_7	Standard	150.000	5.71	16998.680	37984.398	5.594	141.8	-5.5	NO		NO	bb
5	5	190728M1_8	Standard	150.000	5.70	16712.180	36563.523	5.713	144.8	-3.4	NO		NO	bb
6	6	190728M1_9	Standard	150.000	5.70	16961.658	36859.945	5.752	145.8	-2.8	NO		NO	bb
7	7	190728M1_10	Standard	150.000	5.70	16698.338	37047.590	5.634	142.8	-4.8	NO		NO	bb
8	8	190728M1_11	Standard	150.000	5.71	16779.004	35626.707	5.887	149.2	-0.5	NO		NO	bb
9	9	190728M1_12	Standard	150.000	5.71	16430.730	30201.582	6.800	172.4	14.9	NO		NO	bb
10	10	190728M1_13	Standard	150.000	5.70	15669.132	25308.838	7.739	196.2	30.8	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C2-PFTeDA
Response Factor: 0.635349
RRF SD: 0.047838, Relative SD: 7.5294
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	6.00	21905.791	37857.918	7.233	11.4	-8.9	NO		NO	bb
2	2	190728M1_5	Standard	12.500	6.01	21204.717	34751.539	7.627	12.0	-4.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	6.01	22885.816	37229.582	7.684	12.1	-3.2	NO		NO	bb
4	4	190728M1_7	Standard	12.500	6.01	23444.639	37984.398	7.715	12.1	-2.9	NO		NO	bb
5	5	190728M1_8	Standard	12.500	6.00	22518.459	36563.523	7.698	12.1	-3.1	NO		NO	bb
6	6	190728M1_9	Standard	12.500	6.00	23283.268	36859.945	7.896	12.4	-0.6	NO		NO	bb
7	7	190728M1_10	Standard	12.500	6.00	23662.514	37047.590	7.984	12.6	0.5	NO		NO	bb
8	8	190728M1_11	Standard	12.500	6.01	22056.266	35626.707	7.739	12.2	-2.6	NO		NO	bb
9	9	190728M1_12	Standard	12.500	6.01	20376.383	30201.582	8.433	13.3	6.2	NO		NO	bb
10	10	190728M1_13	Standard	12.500	6.00	19050.520	25308.838	9.409	14.8	18.5	NO		NO	bb

Compound name: d5-N-ETFOSA
Response Factor: 0.0458941
RRF SD: 0.00291017, Relative SD: 6.34106
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	150.000	6.15	19209.691	37857.918	6.343	138.2	-7.9	NO		NO	bb
2	2	190728M1_5	Standard	150.000	6.15	18365.283	34751.539	6.606	143.9	-4.0	NO		NO	bb
3	3	190728M1_6	Standard	150.000	6.15	19640.598	37229.582	6.594	143.7	-4.2	NO		NO	bb
4	4	190728M1_7	Standard	150.000	6.16	20247.580	37984.398	6.663	145.2	-3.2	NO		NO	bb
5	5	190728M1_8	Standard	150.000	6.15	20014.461	36563.523	6.842	149.1	-0.6	NO		NO	bb
6	6	190728M1_9	Standard	150.000	6.15	20952.096	36859.945	7.105	154.8	3.2	NO		NO	bb
7	7	190728M1_10	Standard	150.000	6.15	19813.127	37047.590	6.685	145.7	-2.9	NO		NO	bb
8	8	190728M1_11	Standard	150.000	6.15	19387.146	35626.707	6.802	148.2	-1.2	NO		NO	bb
9	9	190728M1_12	Standard	150.000	6.16	17851.227	30201.582	7.388	161.0	7.3	NO		NO	bb
10	10	190728M1_13	Standard	150.000	6.16	15816.403	25308.838	7.812	170.2	13.5	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C2-PFHxDA
Response Factor: 0.801301
RRF SD: 0.102164, Relative SD: 12.7497
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	5.000	6.37	10841.256	37857.918	3.580	4.5	-10.7	NO		NO	bb
2	2	190728M1_5	Standard	5.000	6.37	10497.078	34751.539	3.776	4.7	-5.8	NO		NO	bb
3	3	190728M1_6	Standard	5.000	6.37	11461.589	37229.582	3.848	4.8	-3.9	NO		NO	bb
4	4	190728M1_7	Standard	5.000	6.37	11215.092	37984.398	3.691	4.6	-7.9	NO		NO	bb
5	5	190728M1_8	Standard	5.000	6.37	10755.463	36563.523	3.677	4.6	-8.2	NO		NO	bb
6	6	190728M1_9	Standard	5.000	6.37	11191.087	36859.945	3.795	4.7	-5.3	NO		NO	bb
7	7	190728M1_10	Standard	5.000	6.37	11312.037	37047.590	3.817	4.8	-4.7	NO		NO	bb
8	8	190728M1_11	Standard	5.000	6.37	11521.690	35626.707	4.043	5.0	0.9	NO		NO	bb
9	9	190728M1_12	Standard	5.000	6.37	11271.132	30201.582	4.665	5.8	16.4	NO		NO	bb
10	10	190728M1_13	Standard	5.000	6.37	10476.670	25308.838	5.174	6.5	29.2	NO		NO	bb

Compound name: d7-N-MeFOSE
Response Factor: 0.0346202
RRF SD: 0.0052746, Relative SD: 15.2356
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	150.000	6.34	13711.738	37857.918	4.527	130.8	-12.8	NO		NO	bb
2	2	190728M1_5	Standard	150.000	6.34	13150.193	34751.539	4.730	136.6	-8.9	NO		NO	bb
3	3	190728M1_6	Standard	150.000	6.34	14181.722	37229.582	4.762	137.5	-8.3	NO		NO	bb
4	4	190728M1_7	Standard	150.000	6.34	15051.109	37984.398	4.953	143.1	-4.6	NO		NO	bb
5	5	190728M1_8	Standard	150.000	6.34	14121.464	36563.523	4.828	139.4	-7.0	NO		NO	bb
6	6	190728M1_9	Standard	150.000	6.34	14613.526	36859.945	4.956	143.1	-4.6	NO		NO	bb
7	7	190728M1_10	Standard	150.000	6.34	14411.125	37047.590	4.862	140.4	-6.4	NO		NO	bb
8	8	190728M1_11	Standard	150.000	6.34	15007.402	35626.707	5.266	152.1	1.4	NO		NO	bb
9	9	190728M1_12	Standard	150.000	6.34	14151.327	30201.582	5.857	169.2	12.8	NO		NO	bb
10	10	190728M1_13	Standard	150.000	6.34	14557.408	25308.838	7.190	207.7	38.5	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: d9-N-EtFOSE
Response Factor: 0.0355895
RRF SD: 0.00464885, Relative SD: 13.0624
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	150.000	6.49	13919.844	37857.918	4.596	129.1	-13.9	NO		NO	bb
2	2	190728M1_5	Standard	150.000	6.49	13803.022	34751.539	4.965	139.5	-7.0	NO		NO	bb
3	3	190728M1_6	Standard	150.000	6.49	14905.282	37229.582	5.005	140.6	-6.3	NO		NO	bb
4	4	190728M1_7	Standard	150.000	6.49	15371.287	37984.398	5.058	142.1	-5.2	NO		NO	bb
5	5	190728M1_8	Standard	150.000	6.49	14798.599	36563.523	5.059	142.2	-5.2	NO		NO	bb
6	6	190728M1_9	Standard	150.000	6.49	15202.418	36859.945	5.155	144.9	-3.4	NO		NO	bb
7	7	190728M1_10	Standard	150.000	6.49	14974.384	37047.590	5.052	142.0	-5.4	NO		NO	bb
8	8	190728M1_11	Standard	150.000	6.49	15533.570	35626.707	5.450	153.1	2.1	NO		NO	bb
9	9	190728M1_12	Standard	150.000	6.49	14560.312	30201.582	6.026	169.3	12.9	NO		NO	bb
10	10	190728M1_13	Standard	150.000	6.49	14207.002	25308.838	7.017	197.2	31.4	NO		NO	bb

Compound name: 13C4-PFBA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 72), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	1.08	13432.803	13432.803	12.500	12.5	0.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	1.08	13495.418	13495.418	12.500	12.5	0.0	NO		NO	MM
3	3	190728M1_6	Standard	12.500	1.08	13441.498	13441.498	12.500	12.5	0.0	NO		NO	MM
4	4	190728M1_7	Standard	12.500	1.08	13470.026	13470.026	12.500	12.5	0.0	NO		NO	MM
5	5	190728M1_8	Standard	12.500	1.09	13227.563	13227.563	12.500	12.5	0.0	NO		NO	MM
6	6	190728M1_9	Standard	12.500	1.08	12973.298	12973.298	12.500	12.5	0.0	NO		NO	bb
7	7	190728M1_10	Standard	12.500	1.08	13607.736	13607.736	12.500	12.5	0.0	NO		NO	MM
8	8	190728M1_11	Standard	12.500	1.09	13172.267	13172.267	12.500	12.5	0.0	NO		NO	bb
9	9	190728M1_12	Standard	12.500	1.08	12607.475	12607.475	12.500	12.5	0.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	1.09	11417.658	11417.658	12.500	12.5	0.0	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C5-PFHxA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 73), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	2.89	30370.072	30370.072	12.500	12.5	0.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	2.89	27267.705	27267.705	12.500	12.5	0.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	2.89	28579.416	28579.416	12.500	12.5	0.0	NO		NO	bb
4	4	190728M1_7	Standard	12.500	2.89	28691.830	28691.830	12.500	12.5	0.0	NO		NO	bb
5	5	190728M1_8	Standard	12.500	2.89	28276.365	28276.365	12.500	12.5	0.0	NO		NO	bb
6	6	190728M1_9	Standard	12.500	2.89	28706.799	28706.799	12.500	12.5	0.0	NO		NO	bb
7	7	190728M1_10	Standard	12.500	2.89	28404.080	28404.080	12.500	12.5	0.0	NO		NO	bb
8	8	190728M1_11	Standard	12.500	2.89	27871.434	27871.434	12.500	12.5	0.0	NO		NO	bb
9	9	190728M1_12	Standard	12.500	2.89	24421.102	24421.102	12.500	12.5	0.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	2.89	21358.656	21358.656	12.500	12.5	0.0	NO		NO	bb

Compound name: 18O2-PFHxS
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 74), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	3.67	1682.950	1682.950	12.500	12.5	0.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	3.67	1558.897	1558.897	12.500	12.5	0.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	3.67	1739.257	1739.257	12.500	12.5	0.0	NO		NO	bb
4	4	190728M1_7	Standard	12.500	3.67	1707.363	1707.363	12.500	12.5	0.0	NO		NO	bb
5	5	190728M1_8	Standard	12.500	3.67	1735.800	1735.800	12.500	12.5	0.0	NO		NO	bb
6	6	190728M1_9	Standard	12.500	3.67	1878.225	1878.225	12.500	12.5	0.0	NO		NO	bb
7	7	190728M1_10	Standard	12.500	3.67	1714.100	1714.100	12.500	12.5	0.0	NO		NO	bb
8	8	190728M1_11	Standard	12.500	3.67	1636.253	1636.253	12.500	12.5	0.0	NO		NO	bb
9	9	190728M1_12	Standard	12.500	3.67	1541.987	1541.987	12.500	12.5	0.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	3.67	1372.501	1372.501	12.500	12.5	0.0	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C8-PFOA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 75), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.05	34200.707	34200.707	12.500	12.5	0.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.05	31938.324	31938.324	12.500	12.5	0.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.05	32746.982	32746.982	12.500	12.5	0.0	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.05	34172.688	34172.688	12.500	12.5	0.0	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.05	34024.000	34024.000	12.500	12.5	0.0	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.05	34227.535	34227.535	12.500	12.5	0.0	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.05	32689.480	32689.480	12.500	12.5	0.0	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.05	31280.986	31280.986	12.500	12.5	0.0	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.05	26356.115	26356.115	12.500	12.5	0.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.05	21975.049	21975.049	12.500	12.5	0.0	NO		NO	bd

Compound name: 13C9-PFNA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 76), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.50	25771.451	25771.451	12.500	12.5	0.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.50	23444.926	23444.926	12.500	12.5	0.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.50	25060.934	25060.934	12.500	12.5	0.0	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.50	24676.652	24676.652	12.500	12.5	0.0	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.50	25052.742	25052.742	12.500	12.5	0.0	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.50	25690.422	25690.422	12.500	12.5	0.0	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.50	23029.307	23029.307	12.500	12.5	0.0	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.50	23589.561	23589.561	12.500	12.5	0.0	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.50	20896.285	20896.285	12.500	12.5	0.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.50	17982.934	17982.934	12.500	12.5	0.0	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C4-PFOS
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 77), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.59	4416.154	4416.154	12.500	12.5	0.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.59	4173.605	4173.605	12.500	12.5	0.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.60	4400.991	4400.991	12.500	12.5	0.0	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.60	4333.873	4333.873	12.500	12.5	0.0	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.59	4130.122	4130.122	12.500	12.5	0.0	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.59	4458.009	4458.009	12.500	12.5	0.0	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.59	4245.788	4245.788	12.500	12.5	0.0	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.60	4349.032	4349.032	12.500	12.5	0.0	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.60	3928.000	3928.000	12.500	12.5	0.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.59	3461.582	3461.582	12.500	12.5	0.0	NO		NO	bb

Compound name: 13C6-PFDA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 78), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	4.89	32824.520	32824.520	12.500	12.5	0.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	4.89	29983.930	29983.930	12.500	12.5	0.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	4.89	31900.506	31900.506	12.500	12.5	0.0	NO		NO	bb
4	4	190728M1_7	Standard	12.500	4.89	30055.463	30055.463	12.500	12.5	0.0	NO		NO	bb
5	5	190728M1_8	Standard	12.500	4.89	30464.521	30464.521	12.500	12.5	0.0	NO		NO	bb
6	6	190728M1_9	Standard	12.500	4.89	32292.252	32292.252	12.500	12.5	0.0	NO		NO	bb
7	7	190728M1_10	Standard	12.500	4.89	31240.355	31240.355	12.500	12.5	0.0	NO		NO	bb
8	8	190728M1_11	Standard	12.500	4.89	29259.262	29259.262	12.500	12.5	0.0	NO		NO	bb
9	9	190728M1_12	Standard	12.500	4.89	26344.637	26344.637	12.500	12.5	0.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	4.89	22486.645	22486.645	12.500	12.5	0.0	NO		NO	bb

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:51:35 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:51:58 Pacific Daylight Time

Compound name: 13C7-PFUdA
Response Factor: 1
RRF SD: 0, Relative SD: 0
Response type: Internal Std (Ref 79), Area * (IS Conc. / IS Area)
Curve type: RF

	#	Name	Type	Std. Conc	RT	Area	IS Area	Response	Conc.	%Dev	Conc. Flag	CoD	CoD Flag	x=excluded
1	1	190728M1_4	Standard	12.500	5.23	37857.918	37857.918	12.500	12.5	0.0	NO		NO	bb
2	2	190728M1_5	Standard	12.500	5.23	34751.539	34751.539	12.500	12.5	0.0	NO		NO	bb
3	3	190728M1_6	Standard	12.500	5.23	37229.582	37229.582	12.500	12.5	0.0	NO		NO	bb
4	4	190728M1_7	Standard	12.500	5.23	37984.398	37984.398	12.500	12.5	0.0	NO		NO	bb
5	5	190728M1_8	Standard	12.500	5.23	36563.523	36563.523	12.500	12.5	0.0	NO		NO	bb
6	6	190728M1_9	Standard	12.500	5.23	36859.945	36859.945	12.500	12.5	0.0	NO		NO	bb
7	7	190728M1_10	Standard	12.500	5.23	37047.590	37047.590	12.500	12.5	0.0	NO		NO	bb
8	8	190728M1_11	Standard	12.500	5.23	35626.707	35626.707	12.500	12.5	0.0	NO		NO	bb
9	9	190728M1_12	Standard	12.500	5.23	30201.582	30201.582	12.500	12.5	0.0	NO		NO	bb
10	10	190728M1_13	Standard	12.500	5.23	25308.838	25308.838	12.500	12.5	0.0	NO		NO	bb

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:45:30 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:32:01

Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106

	#	Name	IS#	CoD	CoD Flag	%RSD
1	1	PFBA	47	0.9993	NO	
2	2	PFPrS	49	0.9993	NO	
3	3	3:3 FTCA	48	0.9999	NO	
4	4	PFPeA	48	0.9996	NO	
5	5	PFBS	49	0.9998	NO	
6	6	4:2 FTS	51	0.9994	NO	
7	7	PFHxA	52	0.9984	NO	
8	8	PFPeS	49	0.9995	NO	
9	9	HFPO-DA	50	0.9988	NO	
10	10	5:3 FTCA	53	0.9997	NO	
11	11	PFHpA	53	0.9997	NO	
12	12	ADONA	53	0.9997	NO	
13	13	L-PFHxS	54	0.9993	NO	
14	15	6:2 FTS	55	0.9992	NO	
15	16	L-PFOA	58	0.9991	NO	
16	18	PFecHS	58	0.9993	NO	
17	19	PFHpS	59	0.9990	NO	
18	20	7:3 FTCA	56	0.9992	NO	
19	21	PFNA	56	0.9999	NO	
20	22	PFOSA	57	1.0000	NO	
21	23	L-PFOS	59	0.9997	NO	
22	25	9Cl-PF30NS	59	0.9998	NO	
23	26	PFDA	60	0.9970	NO	
24	27	8:2 FTS	61	0.9986	NO	
25	28	PFNS	59	0.9985	NO	
26	29	L-MeFOSAA	62	0.9997	NO	

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:57:42 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101

	#	Name	IS#	CoD	CoD Flag	%RSD
1	31	L-EtFOSAA	64	0.9991	NO	
2	33	PFUdA	63	0.9986	NO	
3	34	PFDS	61	0.9994	NO	
4	35	11Cl-PF30UdS	65	0.9997	NO	
5	36	10:2 FTS	61	0.9988	NO	
6	37	PFDoA	65	0.9998	NO	
7	38	N-MeFOSA	66	0.9991	NO	
8	39	PFTrDA	65	0.9996	NO	
9	40	PFDoS	67	0.9997	NO	
10	41	PFTeDA	67	0.9969	NO	
11	42	N-EtFOSA	68	0.9997	NO	
12	43	PFHxDA	69	0.9995	NO	
13	44	PFODA	69	0.9959	NO	
14	45	N-MeFOSE	70	0.9986	NO	
15	46	N-EtFOSE	71	0.9998	NO	
16	47	13C3-PFBA	72		NO	1.570
17	48	13C3-PFPeA	73		NO	4.946
18	49	13C3-PFBS	74		NO	4.823
19	50	13C3-HFPO-DA	73		NO	10.840
20	51	13C2-4:2 FTS	74		NO	8.427
21	52	13C2-PFHxA	73		NO	3.606
22	53	13C4-PFHpA	73		NO	4.294
23	54	13C3-PFHxS	74		NO	4.455
24	55	13C2-6:2 FTS	77		NO	3.784
25	56	13C5-PFNA	76		NO	3.537
26	57	13C8-PFOSA	79		NO	4.848
27	58	13C2-PFOA	75		NO	2.137
28	59	13C8-PFOS	77		NO	4.541
29	60	13C2-PFDA	78		NO	3.592
30	61	13C2-8:2 FTS	77		NO	7.980
31	62	d3-N-MeFOSAA	79		NO	6.038

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:57:42 Pacific Daylight Time

Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101

	#	Name	IS#	CoD	CoD Flag	%RSD
32	63	13C2-PFUdA	79		NO	3.164
33	64	d5-N-EtFOSAA	79		NO	5.116
34	65	13C2-PFDoA	78		NO	7.970
35	66	d3-N-MeFOSA	79		NO	13.086
36	67	13C2-PFTeDA	79		NO	7.529
37	68	d5-N-ETFOSA	79		NO	6.341
38	69	13C2-PFHxDA	79		NO	12.750
39	70	d7-N-MeFOSE	79		NO	15.236
40	71	d9-N-EtFOSE	79		NO	13.062
41	72	13C4-PFBA	72		NO	0.000
42	73	13C5-PFHxA	73		NO	0.000
43	74	18O2-PFHxS	74		NO	0.000
44	75	13C8-PFOA	75		NO	0.000
45	76	13C9-PFNA	76		NO	0.000
46	77	13C4-PFOS	77		NO	0.000
47	78	13C6-PFDA	78		NO	0.000
48	79	13C7-PFUdA	79		NO	0.000

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:45:57 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:32:01

Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	PFBA	1.09	1.08			
2	PFPrS	1.43	1.43	2.323	2.323	NO
3	3:3 FTCA	1.93	1.90	1.931	1.931	NO
4	PFPeA	2.06	2.06			
5	PFBS	2.37	2.37	2.976	2.976	NO
6	4:2 FTS	2.80	2.80	1.756	1.756	NO
7	PFHxA	2.89	2.89	16.074	16.074	NO
8	PFPeS	3.09	3.09	1.461	1.461	NO
9	HFPO-DA	3.09	3.09	2.468	2.468	NO
10	5:3 FTCA	3.44	3.44	1.526	1.526	NO
11	PFHpA	3.51	3.51	10.931	10.931	NO
12	ADONA	3.62	3.62	3.500	3.500	NO
13	L-PFHxS	3.67	3.67	2.080	2.080	NO
14	6:2 FTS	3.99	3.99	2.334	2.334	NO
15	L-PFOA	4.05	4.05	3.709	3.709	NO
16	PFecHS	4.07	4.07	0.868	0.868	NO
17	PFHpS	4.17	4.17	1.717	1.717	NO
18	7:3 FTCA	4.49	4.48	2.059	2.059	NO
19	PFNA	4.50	4.50	4.081	4.081	NO
20	PFOSA	4.56	4.56	29.794	29.794	NO
21	L-PFOS	4.59	4.59	2.109	2.109	NO
22	9Cl-PF30NS	4.82	4.82	14.861	14.861	NO
23	PFDA	4.89	4.89	6.064	6.064	NO
24	8:2 FTS	4.86	4.86	1.255	1.255	NO
25	PFNS	4.96	4.96	1.808	1.808	NO
26	L-MeFOSAA	5.05	5.05	2.447	2.447	NO

Vista Analytical Laboratory

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:46:23 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:32:01

Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106

	Name	Pred.RT	RT	Pred. Ratio	Ion Ratio	Ratio out?
1	L-EtFOSAA	5.21	5.22	1.371	1.371	NO
2	PFUdA	5.23	5.23	9.089	9.089	NO
3	PFDS	5.28	5.28	1.754	1.754	NO
4	11Cl-PF30UdS	5.45	5.45	4.913	4.913	NO
5	10:2 FTS	5.51	5.51	1.649	1.649	NO
6	PFDoA	5.52	5.52	8.478	8.478	NO
7	N-MeFOSA	5.67	5.67	1.534	1.534	NO
8	PFTrDA	5.78	5.78	22.161	22.161	NO
9	PFDoS	5.81	5.81	1.660	1.660	NO
10	PFTeDA	6.00	6.00	13.833	13.833	NO
11	N-EtFOSA	6.13	6.13	1.610	1.610	NO
12	PFHxDA	6.37	6.37	21.808	21.808	NO
13	PFODA	6.63	6.63			
14	N-MeFOSE	6.35	6.35			
15	N-EtFOSE	6.50	6.50			

Vista Analytical Laboratory

Dataset: Untitled

Last Altered: Sunday, July 28, 2019 20:02:44 Pacific Daylight Time
Printed: Sunday, July 28, 2019 20:03:01 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Compound name: PFBA

	#	Name	ID	Acq.Date	Acq.Time
1	1	190728M1_3	IPA	28-Jul-19	15:28:08
2	2	190728M1_4	ST190728M1-1 PFC CS-2 19G1101	28-Jul-19	15:38:41
3	3	190728M1_5	ST190728M1-2 PFC CS-1 19G1102	28-Jul-19	15:49:20
4	4	190728M1_6	ST190728M1-3 PFC CS0 19G1103	28-Jul-19	15:59:58
5	5	190728M1_7	ST190728M1-4 PFC CS1 19G1104	28-Jul-19	16:10:31
6	6	190728M1_8	ST190728M1-5 PFC CS2 19G1105	28-Jul-19	16:21:10
7	7	190728M1_9	ST190728M1-6 PFC CS3 19G1106	28-Jul-19	16:31:43
8	8	190728M1_10	ST190728M1-7 PFC CS4 19G1107	28-Jul-19	16:42:22
9	9	190728M1_11	ST190728M1-8 PFC CS5 19G1108	28-Jul-19	16:53:00
10	10	190728M1_12	ST190728M1-9 PFC CS6 19G1109	28-Jul-19	17:03:33
11	11	190728M1_13	ST190728M1-10 PFC CS7 19G1110	28-Jul-19	17:14:11
12	12	190728M1_14	IB	28-Jul-19	17:24:45
13	13	190728M1_15	ICV190728M1-1 PFC ICV 19F2422	28-Jul-19	17:35:23
14	14	190728M1_16	IPA	28-Jul-19	17:45:56


Vista Analytical Laboratory Q1

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:58:50 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:54:16

Compound name: PFBA
Correlation coefficient: r = 0.999641, r^2 = 0.999282
Calibration curve: 1.21919 * x + -0.0270697
Response type: Internal Std (Ref 47), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None



Compound name: PFPrS
Coefficient of Determination: R^2 = 0.999340
Calibration curve: 0.000273279 * x^2 + 1.27077 * x + -0.151801
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1


Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: 3:3 FTCA
Coefficient of Determination: R^2 = 0.999860
Calibration curve: 4.49374e-005 * x^2 + 0.0454881 * x + -0.0028412
Response type: Internal Std (Ref 48), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: PFPeA
Correlation coefficient: r = 0.999803, r^2 = 0.999605
Calibration curve: 0.890929 * x + 0.0174527
Response type: Internal Std (Ref 48), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: PFBS
Correlation coefficient: r = 0.999889, r^2 = 0.999778
Calibration curve: 2.24008 * x + -0.101161
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: 4:2 FTS
Coefficient of Determination: R^2 = 0.999425
Calibration curve: -0.000215325 * x^2 + 2.31459 * x + 0.0385692
Response type: Internal Std (Ref 51), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: PFHxA
Correlation coefficient: r = 0.999175, r^2 = 0.998350
Calibration curve: 0.885806 * x + 0.0514582
Response type: Internal Std (Ref 52), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None



Compound name: PFPeS
Coefficient of Determination: R^2 = 0.999534
Calibration curve: -0.000690007 * x^2 + 1.53983 * x + -0.017662
Response type: Internal Std (Ref 49), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1


Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: HFPO-DA
Coefficient of Determination: R^2 = 0.998819
Calibration curve: -0.000191614 * x^2 + 0.537982 * x + -0.0593258
Response type: Internal Std (Ref 50), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: 5:3 FTCA
Coefficient of Determination: R^2 = 0.999709
Calibration curve: 0.000585152 * x^2 + 0.226178 * x + -0.000918545
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: PFHpA
Correlation coefficient: r = 0.999846, r^2 = 0.999693
Calibration curve: 1.26117 * x + -0.00968306
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: ADONA
Correlation coefficient: r = 0.999853, r^2 = 0.999706
Calibration curve: 3.39369 * x + -0.230779
Response type: Internal Std (Ref 53), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: L-PFHxS
Coefficient of Determination: R^2 = 0.999317
Calibration curve: -1.80179e-005 * x^2 + 0.964898 * x + -0.027662
Response type: Internal Std (Ref 54), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: 6:2 FTS
Coefficient of Determination: R^2 = 0.999162
Calibration curve: -0.00100477 * x^2 + 3.10884 * x + 0.0953618
Response type: Internal Std (Ref 55), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: L-PFOA
Correlation coefficient: r = 0.999552, r^2 = 0.999104
Calibration curve: 1.42574 * x + 0.101179
Response type: Internal Std (Ref 58), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None



Compound name: PFecHS
Coefficient of Determination: R^2 = 0.999273
Calibration curve: 9.85643e-005 * x^2 + 0.239046 * x + -0.00942895
Response type: Internal Std (Ref 58), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1


Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: PFHpS
Correlation coefficient: r = 0.999479, r^2 = 0.998958
Calibration curve: 0.880933 * x + -0.0588278
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: 7:3 FTCA
Coefficient of Determination: R^2 = 0.999184
Calibration curve: 0.000162981 * x^2 + 0.181538 * x + -0.0195467
Response type: Internal Std (Ref 56), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: PFNA
Correlation coefficient: r = 0.999946, r^2 = 0.999892
Calibration curve: 1.17499 * x + 0.0233596
Response type: Internal Std (Ref 56), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: PFOSA
Correlation coefficient: r = 0.999980, r^2 = 0.999960
Calibration curve: 1.04969 * x + 0.0678178
Response type: Internal Std (Ref 57), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: L-PFOS
Correlation coefficient: r = 0.999837, r^2 = 0.999675
Calibration curve: 1.0928 * x + -0.0602577
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: 9Cl-PF30NS
Coefficient of Determination: R^2 = 0.999830
Calibration curve: 4.97417e-005 * x^2 + 2.18722 * x + -0.0678809
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: PFDA
Correlation coefficient: r = 0.998499, r^2 = 0.997000
Calibration curve: 1.24957 * x + 0.0872793
Response type: Internal Std (Ref 60), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: 8:2 FTS
Coefficient of Determination: R^2 = 0.998613
Calibration curve: -0.00102721 * x^2 + 2.16048 * x + -0.0477495
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:12 Pacific Daylight Time

Compound name: PFNS
Correlation coefficient: r = 0.999256, r^2 = 0.998513
Calibration curve: 0.743437 * x + -0.109566
Response type: Internal Std (Ref 59), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None



Compound name: L-MeFOSAA
Coefficient of Determination: R^2 = 0.999709
Calibration curve: -0.000283396 * x^2 + 2.0177 * x + -0.00805876
Response type: Internal Std (Ref 62), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1

Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:59 Pacific Daylight Time

Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:32:01

Compound name: L-EtFOSAA
Correlation coefficient: r = 0.999551, r^2 = 0.999101
Calibration curve: 1.22455 * x + -0.0394388
Response type: Internal Std (Ref 64), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: PFUdA
Correlation coefficient: r = 0.999312, r^2 = 0.998625
Calibration curve: 0.920592 * x + 0.072824
Response type: Internal Std (Ref 63), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:54:16 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:58:50 Pacific Daylight Time

Compound name: PFDS
Coefficient of Determination: R^2 = 0.999413
Calibration curve: 0.00270882 * x^2 + 1.77165 * x + -0.0767289
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: 11Cl-PF30UdS
Coefficient of Determination: R^2 = 0.999710
Calibration curve: -9.64062e-006 * x^2 + 0.0604718 * x + -0.0082961
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:59 Pacific Daylight Time

Compound name: 10:2 FTS
Coefficient of Determination: R^2 = 0.998755
Calibration curve: -0.00160989 * x^2 + 2.77986 * x + 0.104731
Response type: Internal Std (Ref 61), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: PFDoA
Coefficient of Determination: R^2 = 0.999801
Calibration curve: -0.000495186 * x^2 + 1.10249 * x + 0.0305623
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:59 Pacific Daylight Time

Compound name: N-MeFOSA
Coefficient of Determination: R^2 = 0.999104
Calibration curve: -0.000135263 * x^2 + 1.2231 * x + 0.164985
Response type: Internal Std (Ref 66), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Include, Weighting: 1/x, Axis trans: None



Compound name: PFTrDA
Coefficient of Determination: R^2 = 0.999635
Calibration curve: -0.00058026 * x^2 + 1.18368 * x + 0.030986
Response type: Internal Std (Ref 65), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Vista Analytical Laboratory Q1


Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:59 Pacific Daylight Time

Compound name: PFDoS
Coefficient of Determination: R^2 = 0.999742
Calibration curve: -3.75659e-005 * x^2 + 0.166754 * x + -0.0150944
Response type: Internal Std (Ref 67), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: PFTeDA
Correlation coefficient: r = 0.998457, r^2 = 0.996916
Calibration curve: 1.43497 * x + 0.170906
Response type: Internal Std (Ref 67), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:59 Pacific Daylight Time

Compound name: N-EtFOSA
Coefficient of Determination: R^2 = 0.999711
Calibration curve: -6.59208e-005 * x^2 + 1.01513 * x + -0.237465
Response type: Internal Std (Ref 68), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Compound name: PFHxDA
Coefficient of Determination: R^2 = 0.999533
Calibration curve: -0.000230672 * x^2 + 0.634092 * x + 0.0646736
Response type: Internal Std (Ref 69), Area * (IS Conc. / IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:59 Pacific Daylight Time

Compound name: PFODA
Correlation coefficient: r = 0.997967, r^2 = 0.995939
Calibration curve: 0.749925 * x + 0.0751295
Response type: Internal Std (Ref 69), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Include, Weighting: 1/x, Axis trans: None




Compound name: N-MeFOSE
Correlation coefficient: r = 0.999280, r^2 = 0.998561
Calibration curve: 1.08645 * x + 0.16244
Response type: Internal Std (Ref 70), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None



Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:38:59 Pacific Daylight Time

Compound name: N-EtFOSE
Correlation coefficient: r = 0.999877, r^2 = 0.999755
Calibration curve: 1.2854 * x + 0.0160377
Response type: Internal Std (Ref 71), Area * (IS Conc. / IS Area)
Curve type: Linear, Origin: Exclude, Weighting: 1/x, Axis trans: None




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Method: F:\Projects\PFAS.PRO\MethDB\PFAS_FULL_80C_072819.mdb 28 Jul 2019 19:34:01
Calibration: F:\Projects\PFAS.PRO\CurveDB\C18_VAL-PFAS_Q4_07-28-19.cdb 28 Jul 2019 19:32:01

Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
4.012e+003




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
7.627e+002




F6:MRM of 2 channels,ES-
248.9 > 98.9
1.763e+002




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
1.785e+002




F5:MRM of 2 channels,ES-
240.9 > 116.9
2.426e+002




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
4.956e+003




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
1.349e+003




F11:MRM of 2 channels,ES-
299.0 > 99.0
6.927e+002




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
3.764e+003




F16:MRM of 2 channels,ES-
327.0 > 80.9
1.319e+003




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.501e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.633e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.437e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.437e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.633e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
8.038e+004




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


PFHxA
F13:MRM of 2 channels,ES-
313.0 > 269.0
1.475e+004




F13:MRM of 2 channels,ES-
313 > 118.9
1.159e+003




PFPeS
F19:MRM of 2 channels,ES-
349.1 > 80.1
1.454e+003




F19:MRM of 2 channels,ES-
349.1 > 99
7.500e+002




HFPO-DA
F9:MRM of 3 channels,ES-
285.1 > 168.9
7.359e+002




F9:MRM of 3 channels,ES-
285.1 > 184.9
2.263e+002




5:3 FTCA
F18:MRM of 2 channels,ES-
340.9 > 236.9
1.219e+003




F18:MRM of 2 channels,ES-
340.9 > 216.9
7.341e+002




PFHpA
F20:MRM of 2 channels,ES-
363.0 > 318.9
6.495e+003




F20:MRM of 2 channels,ES-
363.0 > 169.0
PFHpA5.496e+002




ADONA
F22:MRM of 2 channels,ES-
376.8 > 250.9
1.939e+004




F22:MRM of 2 channels,ES-
376.8 > 85.0
5.939e+003




13C2-PFHxA
F14:MRM of 1 channel,ES-
315.0 > 270.0
2.764e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.633e+004




13C3-HFPO-DA
F10:MRM of 2 channels,ES-
287.0 > 168.9
4.112e+004




13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.475e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.475e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.475e+005





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
4.610e+003




F66:MRM of 2 channels,ES-
627.0 > 80.9
3.187e+003




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
1.813e+004




F62:MRM of 4 channels,ES-
612.9 > 318.8
2.377e+003




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
4.189e+003




F43:MRM of 2 channels,ES-
512.1 > 219
2.478e+003




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
2.017e+004




F70:MRM of 2 channels,ES-
662.9 > 319
4.447e+002




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
8.791e+002




F71:MRM of 2 channels,ES-
698.8 > 98.9
7.492e+002




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
2.031e+004




F72:MRM of 2 channels,ES-
713. > 369.0
1.357e+003




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
6.846e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.603e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
3.633e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.603e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.616e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.616e+005




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_4, Date: 28-Jul-2019, Time: 15:38:41, ID: ST190728M1-1 PFC CS-2 19G1101, Description: PFC CS-2 19G1101


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_5, Date: 28-Jul-2019, Time: 15:49:20, ID: ST190728M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_5, Date: 28-Jul-2019, Time: 15:49:20, ID: ST190728M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_5, Date: 28-Jul-2019, Time: 15:49:20, ID: ST190728M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_5, Date: 28-Jul-2019, Time: 15:49:20, ID: ST190728M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_5, Date: 28-Jul-2019, Time: 15:49:20, ID: ST190728M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
1.504e+003




F53:MRM of 2 channels,ES-
549.1 > 99.1
1.661e+003




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
1.142e+004




F56:MRM of 2 channels,ES-
570. > 512
4.102e+003




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
8.530e+003




F59:MRM of 2 channels,ES-
584.1 > 526
5.337e+003




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
3.526e+004




F54:MRM of 2 channels,ES-
563.0 > 269
3.161e+003




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
3.881e+003




F61:MRM of 2 channels,ES-
598.8 > 98.9
1.639e+003




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
1.971e+003




F68:MRM of 2 channels,ES-
632.6 > 450.7
5.47 1.104e+002




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
9.917e+004




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
1.518e+005




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
2.010e+005




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
8.310e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
6.670e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.376e+005





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_5, Date: 28-Jul-2019, Time: 15:49:20, ID: ST190728M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-8:2 FTS




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_5, Date: 28-Jul-2019, Time: 15:49:20, ID: ST190728M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_5, Date: 28-Jul-2019, Time: 15:49:20, ID: ST190728M1-2 PFC CS-1 19G1102, Description: PFC CS-1 19G1102


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_6, Date: 28-Jul-2019, Time: 15:59:58, ID: ST190728M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
1.517e+004




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
2.338e+003




F6:MRM of 2 channels,ES-
248.9 > 98.9
7.849e+002




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
9.170e+002




F5:MRM of 2 channels,ES-
240.9 > 116.9
3.165e+002




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
1.867e+004




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
5.736e+003




F11:MRM of 2 channels,ES-
299.0 > 99.0
1.504e+003




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
1.397e+004




F16:MRM of 2 channels,ES-
327.0 > 80.9
7.805e+003




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.501e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.576e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.447e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.447e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.576e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
7.158e+004





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_6, Date: 28-Jul-2019, Time: 15:59:58, ID: ST190728M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_6, Date: 28-Jul-2019, Time: 15:59:58, ID: ST190728M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_6, Date: 28-Jul-2019, Time: 15:59:58, ID: ST190728M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFNA




PFOSA




L-PFOS




9Cl-PF30NS




PFDA




8:2 FTS




13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_6, Date: 28-Jul-2019, Time: 15:59:58, ID: ST190728M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_6, Date: 28-Jul-2019, Time: 15:59:58, ID: ST190728M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
1.451e+004




F66:MRM of 2 channels,ES-
627.0 > 80.9
9.848e+003




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
8.044e+004




F62:MRM of 4 channels,ES-
612.9 > 318.8
9.738e+003




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
1.433e+004




F43:MRM of 2 channels,ES-
512.1 > 219
8.854e+003




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
8.174e+004




F70:MRM of 2 channels,ES-
662.9 > 319
3.188e+003




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
7.616e+003




F71:MRM of 2 channels,ES-
698.8 > 98.9
4.598e+003




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
7.708e+004




F72:MRM of 2 channels,ES-
713. > 369.0
4.573e+003




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
6.631e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.578e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
3.843e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.578e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.908e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.908e+005




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_6, Date: 28-Jul-2019, Time: 15:59:58, ID: ST190728M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_6, Date: 28-Jul-2019, Time: 15:59:58, ID: ST190728M1-3 PFC CS0 19G1103, Description: PFC CS0 19G1103


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_7, Date: 28-Jul-2019, Time: 16:10:31, ID: ST190728M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_7, Date: 28-Jul-2019, Time: 16:10:31, ID: ST190728M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_7, Date: 28-Jul-2019, Time: 16:10:31, ID: ST190728M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_7, Date: 28-Jul-2019, Time: 16:10:31, ID: ST190728M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_7, Date: 28-Jul-2019, Time: 16:10:31, ID: ST190728M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_7, Date: 28-Jul-2019, Time: 16:10:31, ID: ST190728M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-8:2 FTS




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_7, Date: 28-Jul-2019, Time: 16:10:31, ID: ST190728M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_7, Date: 28-Jul-2019, Time: 16:10:31, ID: ST190728M1-4 PFC CS1 19G1104, Description: PFC CS1 19G1104


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_8, Date: 28-Jul-2019, Time: 16:21:10, ID: ST190728M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_8, Date: 28-Jul-2019, Time: 16:21:10, ID: ST190728M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_8, Date: 28-Jul-2019, Time: 16:21:10, ID: ST190728M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_8, Date: 28-Jul-2019, Time: 16:21:10, ID: ST190728M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


PFNA




PFOSA




L-PFOS




9Cl-PF30NS




PFDA




8:2 FTS




13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_8, Date: 28-Jul-2019, Time: 16:21:10, ID: ST190728M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_8, Date: 28-Jul-2019, Time: 16:21:10, ID: ST190728M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
7.729e+004




F66:MRM of 2 channels,ES-
627.0 > 80.9
4.870e+004




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
3.896e+005




F62:MRM of 4 channels,ES-
612.9 > 318.8
4.604e+004




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
8.206e+004




F43:MRM of 2 channels,ES-
512.1 > 219
5.287e+004




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
3.931e+005




F70:MRM of 2 channels,ES-
662.9 > 319
1.787e+004




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
3.905e+004




F71:MRM of 2 channels,ES-
698.8 > 98.9
2.144e+004




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
3.754e+005




F72:MRM of 2 channels,ES-
713. > 369.0
2.212e+004




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
6.465e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.836e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
3.925e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.836e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.881e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.881e+005




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_8, Date: 28-Jul-2019, Time: 16:21:10, ID: ST190728M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_8, Date: 28-Jul-2019, Time: 16:21:10, ID: ST190728M1-5 PFC CS2 19G1105, Description: PFC CS2 19G1105


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFHxA
F13:MRM of 2 channels,ES-
313.0 > 269.0
5.639e+005




F13:MRM of 2 channels,ES-
313 > 118.9
3.248e+004




PFPeS
F19:MRM of 2 channels,ES-
349.1 > 80.1
6.385e+004




F19:MRM of 2 channels,ES-
349.1 > 99
4.340e+004




HFPO-DA
F9:MRM of 3 channels,ES-
285.1 > 168.9
5.247e+004




F9:MRM of 3 channels,ES-
285.1 > 184.9
2.140e+004




5:3 FTCA
F18:MRM of 2 channels,ES-
340.9 > 236.9
6.557e+004




F18:MRM of 2 channels,ES-
340.9 > 216.9
4.272e+004




PFHpA
F20:MRM of 2 channels,ES-
363.0 > 318.9
3.768e+005




F20:MRM of 2 channels,ES-
363.0 > 169.0
3.276e+004




ADONA
F22:MRM of 2 channels,ES-
376.8 > 250.9
8.915e+005




F22:MRM of 2 channels,ES-
376.8 > 85.0
2.532e+005




13C2-PFHxA
F14:MRM of 1 channel,ES-
315.0 > 270.0
2.835e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.811e+004




13C3-HFPO-DA
F10:MRM of 2 channels,ES-
287.0 > 168.9
3.426e+004




13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.615e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.615e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.615e+005





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNA







PFOSA







L-PFOS







9CI-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-8:2 FTS




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_9, Date: 28-Jul-2019, Time: 16:31:43, ID: ST190728M1-6 PFC CS3 19G1106, Description: PFC CS3 19G1106


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_10, Date: 28-Jul-2019, Time: 16:42:22, ID: ST190728M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_10, Date: 28-Jul-2019, Time: 16:42:22, ID: ST190728M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_10, Date: 28-Jul-2019, Time: 16:42:22, ID: ST190728M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_10, Date: 28-Jul-2019, Time: 16:42:22, ID: ST190728M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_10, Date: 28-Jul-2019, Time: 16:42:22, ID: ST190728M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_10, Date: 28-Jul-2019, Time: 16:42:22, ID: ST190728M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-8:2 FTS




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_10, Date: 28-Jul-2019, Time: 16:42:22, ID: ST190728M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_10, Date: 28-Jul-2019, Time: 16:42:22, ID: ST190728M1-7 PFC CS4 19G1107, Description: PFC CS4 19G1107


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_11, Date: 28-Jul-2019, Time: 16:53:00, ID: ST190728M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
1.470e+006




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
2.402e+005




F6:MRM of 2 channels,ES-
248.9 > 98.9
1.028e+005




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
9.573e+004




F5:MRM of 2 channels,ES-
240.9 > 116.9
4.722e+004




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
1.764e+006




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
6.196e+005




F11:MRM of 2 channels,ES-
299.0 > 99.0
2.066e+005




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
1.251e+006




F16:MRM of 2 channels,ES-
327.0 > 80.9
7.320e+005




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.462e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.407e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.292e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
2.292e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.407e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
6.799e+004




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_11, Date: 28-Jul-2019, Time: 16:53:00, ID: ST190728M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


PFHxA
F13:MRM of 2 channels,ES-
313.0 > 269.0
5.100e+006




F13:MRM of 2 channels,ES-
313 > 118.9
3.239e+005




PFPeS
F19:MRM of 2 channels,ES-
349.1 > 80.1
5.416e+005




F19:MRM of 2 channels,ES-
349.1 > 99
3.562e+005




HFPO-DA
F9:MRM of 3 channels,ES-
285.1 > 168.9
4.301e+005




F9:MRM of 3 channels,ES-
285.1 > 184.9
1.921e+005




5:3 FTCA
F18:MRM of 2 channels,ES-
340.9 > 236.9
6.867e+005




F18:MRM of 2 channels,ES-
340.9 > 216.9
4.454e+005




PFHpA
F20:MRM of 2 channels,ES-
363.0 > 318.9
3.198e+006




F20:MRM of 2 channels,ES-
363.0 > 169.0
3.281e+005




ADONA
F22:MRM of 2 channels,ES-
376.8 > 250.9
8.352e+006




F22:MRM of 2 channels,ES-
376.8 > 85.0
2.332e+006




13C2-PFHxA
F14:MRM of 1 channel,ES-
315.0 > 270.0
2.756e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
3.407e+004




13C3-HFPO-DA
F10:MRM of 2 channels,ES-
287.0 > 168.9
4.399e+004




13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.075e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.075e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
3.075e+005





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_11, Date: 28-Jul-2019, Time: 16:53:00, ID: ST190728M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_11, Date: 28-Jul-2019, Time: 16:53:00, ID: ST190728M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_11, Date: 28-Jul-2019, Time: 16:53:00, ID: ST190728M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


PFNS
F53:MRM of 2 channels,ES-
549.1 > 80.1
6.679e+005




F53:MRM of 2 channels,ES-
549.1 > 99.1
4.186e+005




L-MeFOSAA
F56:MRM of 2 channels,ES-
570 > 419
2.223e+006




F56:MRM of 2 channels,ES-
570. > 512
8.324e+005




L-EtFOSAA
F59:MRM of 2 channels,ES-
584.1 > 419
1.682e+006




F59:MRM of 2 channels,ES-
584.1 > 526
1.106e+006




PFUdA
F54:MRM of 2 channels,ES-
563.0 > 518.9
6.026e+006




F54:MRM of 2 channels,ES-
563.0 > 269
6.832e+005




PFDS
F61:MRM of 2 channels,ES-
598.8 > 79.9
9.415e+005




F61:MRM of 2 channels,ES-
598.8 > 98.9
5.372e+005




11Cl-PF30UdS
F68:MRM of 2 channels,ES-
632.6 > 452.7
3.733e+005




F68:MRM of 2 channels,ES-
632.6 > 450.7
7.863e+004




13C8-PFOS
F42:MRM of 1 channel,ES-
507.0 > 79.9
9.886e+004




d3-N-MeFOSAA
F58:MRM of 1 channel,ES-
573.3 > 419
1.581e+005




d5-N-EtFOSAA
F60:MRM of 1 channel,ES-
589.3 > 419
1.935e+005




13C2-PFUdA
F55:MRM of 1 channel,ES-
565 > 519.8
8.160e+005



13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
5.842e+004



13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.647e+005





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_11, Date: 28-Jul-2019, Time: 16:53:00, ID: ST190728M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-8:2 FTS




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_11, Date: 28-Jul-2019, Time: 16:53:00, ID: ST190728M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_11, Date: 28-Jul-2019, Time: 16:53:00, ID: ST190728M1-8 PFC CS5 19G1108, Description: PFC CS5 19G1108


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_12, Date: 28-Jul-2019, Time: 17:03:33, ID: ST190728M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


PFBA




PFPrS




3:3 FTCA




PFPeA




PFBS




4:2 FTS




13C3-PFBA




13C3-PFBS




13C3-PFPeA




13C3-PFPeA



13C3-PFBS



13C2-4:2 FTS




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_12, Date: 28-Jul-2019, Time: 17:03:33, ID: ST190728M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


PFHxA
F13:MRM of 2 channels,ES-
313.0 > 269.0
1.073e+007




F13:MRM of 2 channels,ES-
313 > 118.9
6.684e+005




PFPeS
F19:MRM of 2 channels,ES-
349.1 > 80.1
1.019e+006




F19:MRM of 2 channels,ES-
349.1 > 99
6.752e+005




HFPO-DA
F9:MRM of 3 channels,ES-
285.1 > 168.9
7.332e+005




F9:MRM of 3 channels,ES-
285.1 > 184.9
3.446e+005




5:3 FTCA
F18:MRM of 2 channels,ES-
340.9 > 236.9
3.389e+005




F18:MRM of 2 channels,ES-
340.9 > 216.9
2.224e+005




PFHpA
F20:MRM of 2 channels,ES-
363.0 > 318.9
6.644e+006




F20:MRM of 2 channels,ES-
363.0 > 169.0
6.990e+005




ADONA
F22:MRM of 2 channels,ES-
376.8 > 250.9
1.778e+007




F22:MRM of 2 channels,ES-
376.8 > 85.0
5.126e+006




13C2-PFHxA
F14:MRM of 1 channel,ES-
315.0 > 270.0
2.468e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
2.779e+004




13C3-HFPO-DA
F10:MRM of 2 channels,ES-
287.0 > 168.9
3.166e+004




13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
2.629e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
2.629e+005



13C4-PFHpA
F21:MRM of 1 channel,ES-
367.2 > 321.8
2.629e+005





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_12, Date: 28-Jul-2019, Time: 17:03:33, ID: ST190728M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


L-PFHxS







6:2 FTS







L-PFOA







PFEChS







PFHpS






7:3 FTCA







13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_12, Date: 28-Jul-2019, Time: 17:03:33, ID: ST190728M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_12, Date: 28-Jul-2019, Time: 17:03:33, ID: ST190728M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_12, Date: 28-Jul-2019, Time: 17:03:33, ID: ST190728M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


10:2 FTS
F66:MRM of 2 channels,ES-
627.0 > 606.9
2.501e+006




F66:MRM of 2 channels,ES-
627.0 > 80.9
1.501e+006




PFDoA
F62:MRM of 4 channels,ES-
612.9 > 569.0
1.582e+007




F62:MRM of 4 channels,ES-
612.9 > 318.8
1.813e+006




N-MeFOSA
F43:MRM of 2 channels,ES-
512.1 > 168.9
3.140e+006




F43:MRM of 2 channels,ES-
512.1 > 219
2.021e+006




PFTrDA
F70:MRM of 2 channels,ES-
662.9 > 618.9
1.593e+007




F70:MRM of 2 channels,ES-
662.9 > 319
7.374e+005




PFDoS
F71:MRM of 2 channels,ES-
698.8 > 79.9
1.707e+006




F71:MRM of 2 channels,ES-
698.8 > 98.9
9.091e+005




PFTeDA
F72:MRM of 2 channels,ES-
713.0 > 669.0
1.522e+007




F72:MRM of 2 channels,ES-
713. > 369.0
1.008e+006




13C2-8:2 FTS
F50:MRM of 1 channel,ES-
529 > 79.9
5.529e+004




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.033e+005




d3-N-MeFOSA
F46:MRM of 1 channel,ES-
515.2 > 168.9
3.894e+005




13C2-PFDoA
F63:MRM of 1 channel,ES-
614.7 > 569.7
8.033e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.155e+005



13C2-PFTeDA
F73:MRM of 2 channels,ES-
715.1 > 669.7
5.155e+005




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_12, Date: 28-Jul-2019, Time: 17:03:33, ID: ST190728M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_12, Date: 28-Jul-2019, Time: 17:03:33, ID: ST190728M1-9 PFC CS6 19G1109, Description: PFC CS6 19G1109


13C8-PFOA




18O2-PFHxS




13C9-PFNA




13C4-PFOS



13C6-PFDA



13C7-PFUdA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_13, Date: 28-Jul-2019, Time: 17:14:11, ID: ST190728M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


PFBA
F2:MRM of 1 channel,ES-
213.0 > 168.8
5.357e+006




PFPrS
F6:MRM of 2 channels,ES-
248.9 > 79.9
9.170e+005




F6:MRM of 2 channels,ES-
248.9 > 98.9
3.946e+005




3:3 FTCA
F5:MRM of 2 channels,ES-
240.9 > 176.9
9.553e+004




F5:MRM of 2 channels,ES-
240.9 > 116.9
4.819e+004




PFPeA
F7:MRM of 1 channel,ES-
263.1 > 218.9
6.165e+006




PFBS
F11:MRM of 2 channels,ES-
299.0 > 79.7
2.105e+006




F11:MRM of 2 channels,ES-
299.0 > 99.0
7.130e+005




4:2 FTS
F16:MRM of 2 channels,ES-
327.0 > 306.9
3.929e+006




F16:MRM of 2 channels,ES-
327.0 > 80.9
2.231e+006




13C3-PFBA
F3:MRM of 1 channel,ES-
216.1 > 171.8
1.136e+005




13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
2.289e+004




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
1.833e+005




13C3-PFPeA
F8:MRM of 1 channel,ES-
266.0 > 221.8
1.833e+005



13C3-PFBS
F12:MRM of 1 channel,ES-
302.0 > 98.8
2.289e+004



13C2-4:2 FTS
F17:MRM of 2 channels,ES-
329.0 > 79.9
4.476e+004





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_13, Date: 28-Jul-2019, Time: 17:14:11, ID: ST190728M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


PFHxA







PFPeS







HFPO-DA







5:3 FTCA







PFHpA






ADONA







13C2-PFHxA




13C3-PFBS




13C3-HFPO-DA




13C4-PFHpA



13C4-PFHpA



13C4-PFHpA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_13, Date: 28-Jul-2019, Time: 17:14:11, ID: ST190728M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


L-PFHxS




6:2 FTS




L-PFOA




PFEChS




PFHpS




7:3 FTCA




13C3-PFHxS




13C2-6:2 FTS




13C2-PFOA




13C2-PFOA



13C8-PFOS



13C5-PFNA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_13, Date: 28-Jul-2019, Time: 17:14:11, ID: ST190728M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


PFNA







PFOSA







L-PFOS







9Cl-PF30NS







PFDA






8:2 FTS







13C5-PFNA




13C8-PFOSA




13C8-PFOS




13C8-PFOS



13C2-PFDA



13C2-8:2 FTS





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_13, Date: 28-Jul-2019, Time: 17:14:11, ID: ST190728M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


PFNS







L-MeFOSAA







L-EtFOSAA







PFUdA







PFDS






11Cl-PF30UdS







13C8-PFOS




d3-N-MeFOSAA




d5-N-EtFOSAA




13C2-PFUdA



13C2-8:2 FTS



13C2-PFDoA





Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld

Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time


Name: 190728M1_13, Date: 28-Jul-2019, Time: 17:14:11, ID: ST190728M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


10:2 FTS







PFDoA







N-MeFOSA







PFTrDA







PFDoS






PFTeDA







13C2-8:2 FTS




13C2-PFDoA




d3-N-MeFOSA




13C2-PFDoA



13C2-PFTeDA



13C2-PFTeDA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_13, Date: 28-Jul-2019, Time: 17:14:11, ID: ST190728M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


N-EtFOSA




PFHxDA




PFODA




N-MeFOSE




N-EtFOSE




13C4-PFBA




d5-N-ETFOSA




13C2-PFHxDA




13C2-PFHxDA




d7-N-MeFOSE



d9-N-EtFOSE



13C5-PFHxA




Dataset: F:\Projects\PFAS.PRO\Results\190728M1\190728M1-CRV.qld


Last Altered: Sunday, July 28, 2019 19:34:02 Pacific Daylight Time
Printed: Sunday, July 28, 2019 19:34:33 Pacific Daylight Time

Name: 190728M1_13, Date: 28-Jul-2019, Time: 17:14:11, ID: ST190728M1-10 PFC CS7 19G1110, Description: PFC CS7 19G1110


13C8-PFOA




18O2-PFHxS




13C9-PFNA



13C4-PFOS



13C6-PFDA



13C7-PFUdA

