年 月 日 Year/Month/Day

報告者 From

事前調査の結果について、大気汚染防止法第18条の15第6項の規定により、次のとおり報告します。 The results of the preliminary survey are reported as follows pursuant to Article 18-15, Paragraph 6 of the Air Pollution Prevention Act

解体等工事の発注者の氏名 又は名称及び住所並びに法人 にあつては、その代表者の氏名	1. Origi	nal busii	ness op	erato	r							
解体等工事の場所	Construction site address     Construction title											
解体等工事の名称												
解体等工事の概要	4. Const	4. Construction outline										
解体等工事の実施の期間 5. Construction dates	<u>a</u> Start	年	月	日		※整理番号	*Prefecture reference number					
	至 End	年	月	日		※受理年月日	*Prefecture date of acceptance					
建築物などの設置の工事に着手し た年月日 6. Facility build	date	年	月	В		特定粉じん排出	等作業の開始時期 7. Start 年date 月as	sbestos remov				
	耐火: Firep 構造: Struct 延べ面積: Fl	ure (	esults of examination									
建築物等の概要 8. Building outline	階層(地上/地	ries (abo	ovegrou			rground)						
解体の作業の対象となる床面積の合 計	9. Demolit	ion area	l		mi	※備 考 *Prefecture	romarks					
解体、改造又は補修の作業の請負代 金の合計	10. Cost	億	-	万円		Trefecture	Temarks					
事前調査を終了した年月日	11. Prelimi	nary <sub>t</sub> sur	veyĦdat	е в		1						
	氏 名 Name of asbestos surveyor											
書面による調査及び目視による調 <u>物</u> を 行つた 者 Persons conducting survey	満習実施機関の名称 ( Name of training organization )											
分析による調査を行つた箇所	13. Sampling locations											
分析による調査を行つた者の氏名 及び所属する機関又は法人の名 称	14. Name o	of analyt	tical lab	orato	ory							

Preliminary survey results

- -Asbestos
- -Suspected asbestos
- -Asbestos-free

## Basis for determination

	busis for determination															
	事前	調査の	) 結果	特定及	建築	築材料	1=	該当し	ti	い場	合	の	判	断(	り根	拠
建 築 材 料 の 種 類 Type of building materials	石綿有	みなし	石綿無	①目視 ③分析		設計図書等 建築材料				月 ⑤建氰	築木	オ料	の製	造年	月日	
吹付け材 Sprayed materials				1		2		1 (3	) [	1	4			(5)		
保温材 Thermal insulation				1		(2)		J (3	) C	l	4			(5)		
煙突断熱材 Chimney insulation				1		2		1 (3	) [	1	4			(5)		_
屋根用折版断熱材 Roof insulation				1		2		I (3	) [	ı	4			(5)		
耐火被覆材(吹付け材を除き、けい 酸カルシウム 板 第2種を含む。 Fireproof coating				1		2		1 3	) [	1	4			(5)		
仕上塗材 Finish coating				1		2		] (3	) [		4			(5)		
スレート波板 Corrugated slate				1		2		3	) C	l	4			(5)		
スレートボード Slate board				1		(2)		] (3	) [	l	4			(5)		
屋根用化粧スレート Roof slate				0		(2)		1 (3	) [	l	4			(5)		
けい酸カルシウム板第1種 Silicates				1		(2)		] (3	) [		4			(5)		
押出成形セメント板 Cement board			0	①		2		] (3	) [	l	4			(5)		
パルプセメント板Pulp cement board				1		2		3	) [	l	4			(5)		
ピニル床タイル Vinyl floor tile				1		2		3	) [	ĺ	4			(5)		_
窯業系サイディング Ceramic siding				1		2		3	) [	l	4			(5)		
石膏ボード Gypsum board				1		2		I ( <u>3</u>	) [	ĺ	4			(5)		
ロックウール吸音天井板 Ceiling board	l 👝		D	1		2		1 (3	) [	1	4			(5)		
その他の材料 Other materials				1		2		1 (3	) [	1	4			(5)		

- 備考 1 解体の作業の対象となる床面積の合計の欄は建築物の解体作業を伴う建設工事の場合、解体、改造又は補修の作業の請負代金の合計の欄は建築物の改造若しくは補修作業を伴う建設工事又は工作物の解体、改造若しくは補修作業を伴う建設工事の場合に記載すること。
  - 2 講習実施機関の名称の欄には、書面による調査及び目視による調査を行わせた者が、建築物石綿含有建材調査者講習登録規程(平成30年厚生労働省・国土交通省・環境省告示第1号)第2条第2項に規定する一般建築物石綿含有建材調査者に該当する場合は一般、同条第3項に規定する特定建築物石綿含有建材調査者に該当する場合は一戸建て等に印を付すとともに、同規程に基づく講習の実施機関の名称を記載し、一般建築物石綿含有建材調査者及び特定建築物石綿含有建材調査者と同等以上の能力を有する者と認められる者に該当する場合は、その他に記しを付すとともに、これを明らかにする事項を記載すること。
  - 3 事前調査の結果及び特定建築材料に該当しない場合の事前調査の方法の欄は、解体等工事の対象となる建築物等に使用されている全ての建築材料について該当箇所に印を付すこと。
  - 4 事前調査の結果の欄は、大気汚染防止法施行規則第 16 条の5第3号の規定により解体等工事が特定工事に該当するものとみなして、大気汚染防止法及びこれに基づく命令中の特定工事に関する措置を講ずる場合についてはみなしの箇所に印を付すこと。
  - 5 特定建築材料に該当しない場合の事前調査の方法の欄は、該当する事前調査の 方法が複数ある場合は、その全ての箇所に印を付すこと。
  - 6 ※印の欄には、記載しないこと。
  - 7 報告書の用紙の大きさは、図面、表等やむを得ないものを除き、日本産業規格 A4とすること。

- 1. Visual
- 2. Design documents
- 3. Analysis
- 4. Material manufacturer
- 5. Date of manufacture

## Remarks

- The column for the total floor area subject to demolition work shall be entered in the case of
  construction work involving demolition of buildings, and the column for the total contract price
  for demolition, alteration or repair work shall be entered in the case of construction work
  involving alteration or repair work on buildings or construction work involving demolition,
  alteration, or repair work on structures.
- In the column for the name of the training provider, the name of the person who had the person 2. conduct the documentary and visual inspections shall be listed in the "Registration Rules for Training Courses for Surveyors of Building Materials Containing Asbestos" (Ministry of Health, Labor and Welfare, Ministry of Land, Infrastructure, Transport and Tourism, Ministry of the Environment Notification No. 1 of 2018), as stipulated in Article 2, Paragraph 2. If the person falls under the category of a surveyor of building materials containing asbestos for single-family dwellings, etc., mark "single-family dwellings, etc." and state the name of the organization conducting the training based on the same provision, and if the person falls under the category of a person who is recognized as having abilities equivalent or superior to those of surveyors of building materials containing asbestos for general buildings and surveyors of building materials containing asbestos for specified buildings, mark "Other" and clearly state the matter. If the person is a person who is recognized as having abilities equivalent or superior to those of general building asbestos containing building material surveyors and specific building asbestos containing building material surveyors, the name of the organization shall be indicated in "Other" and matters clarifying this shall be described.
- 3. In the columns for "Results of prior investigation" and "Method of prior investigation in the case that the building material is not classified as specified building material," mark the appropriate boxes for all building materials used in the building to be dismantled, etc.
- 4. In the column for "Result of Prior Survey," the construction work for demolition, etc. shall be deemed to fall under the specified construction work under the provisions of Article 16-5, Item 3 of the Enforcement Regulations of the Air Pollution Control Law and the Air Pollution Control Law and the orders based on the Law. 4. In the column of "Preliminary Survey Results," mark "Deemed" to indicate that the demolition work is deemed to fall under the specified construction work under the provisions of Article 16-5, Item 3 of the Air Pollution Control Law Enforcement Regulations.
- 5. In the column of "Method of preliminary investigation when not applicable to specified building materials," if there are multiple applicable methods of preliminary investigation, mark all of them.
- 6. The column marked with \* shall not be indicated.
- 7. The paper size of the report shall be Japan Industrial Standard A4, except for drawings, tables, and other unavoidable items.