



DEPARTMENT OF THE NAVY
NAVAL FACILITIES ENGINEERING COMMAND, ATLANTIC
6506 HAMPTON BLVD
NORFOLK VA 23508-1278

IN REPLY REFER TO:

5090
Ser EV31KRC/467
November 8, 2010

Mr. David M. Bernhart
Assistant Regional Administrator for Protected Resources
National Marine Fisheries Service
263 13th Avenue South
St. Petersburg, Florida 33701-5505

Dear Mr. Bernhart:

The Navy is pleased to submit one hardcopy and one CD of the Draft Work Plan for Bahia Icacos Waterway Barrier Installation Biological Assessment, Former Vieques Naval Training Range, Vieques, Puerto Rico. Additional copies of the document have been sent to the individuals listed below. We are requesting your review and comments by December 3, 2010.

Should you have any questions, please do not hesitate to contact Mr. Kevin Cloe at (757) 322-4736 or e-mail: kevin.cloe@navy.mil.

Sincerely,

R. D. CURFMAN
Environmental Business Line Manager
By direction of the Commander

Enclosure

- Copy to:
- NMFS (Ms. Lisamarie Carrubba)
 - PRDNER (Mr. Craig Lilyestrom)
 - NOAA (Ms. Diane Wehner)
 - CH2M HILL (Mr. John Tomik, Mr. Tunch Orsoy)
 - EPA (Mr. Daniel Rodriguez)
 - FWS (Mr. Rich Henry, Ms. Susan Silander, Mr. Mike Barandiaran)
 - PREQB (Ms. Wilmarie Rivera)