

N69321.AR.003701
VIEQUES EAST
5090.3a

TRANSMITTAL LETTER REGARDING THE FINAL ENGINEERING EVALUATION COST
ANALYSIS FOR A NON TIME CRITICAL INTERIM REMOVAL ACTION UNEXPLODED
ORDNANCE 15 (UXO 15) PHOTO IDENTIFIED 9 (PI 9) EAST AND ADJACENT
UNEXPLODED ORDNANCE 16 (UXO 16) ENCRUSTED MUNITIONS ATLANTIC FLEET
WEAPONS TRAINING AREA FORMER VIEQUES NAVAL TRAINING RANGE VIEQUES
ISLAND PUERTO RICO
07/27/2015
NAVFAC ATLANTIC



DEPARTMENT OF THE NAVY
NAVAL FACILITIES ENGINEERING COMMAND, ATLANTIC
6506 HAMPTON BLVD
NORFOLK VA 23508-1278

5090 IN REPLY REFER TO:
Ser EV31DRH/00286
July 27, 2015

Mr. Daniel Rodriguez
Remedial Program Manager
Caribbean Environmental Protection Division
U.S. Environmental Protection Agency
Vieques Office Park
Carr. 200, Km 0.4
Vieques, PR 00765-1537

Dear Mr. Rodriguez:

The Navy is pleased to submit one hardcopy and one CD of the Final Engineering Evaluation/Cost Analysis for a Non-Time Critical Interim Removal Action, UXO 15 PI 9 East and Adjacent UXO 16 Encrusted Munitions, Atlantic Fleet Weapons Training Area - Vieques, Former Vieques Naval Training Range, Vieques, Puerto Rico. Additional hardcopies have also been provided for your office as a repository during the public comment period.

Should you have any questions, please do not hesitate to contact Mr. Daniel Hood at (757) 322-4630 or e-mail: daniel.r.hood@navy.mil.

Sincerely,

A handwritten signature in black ink, appearing to read "J. R. Cirvello".

J. R. CIRVELLO, P.E.
Environmental Business Line Manager
By direction of the Commander

Enclosure: Final UXO 15 PI 9 East and Adjacent UXO 16 Encrusted
Munitions EE/CA

Copy to: (w/encl)
Environmental Protection Agency (Mr. Julio Vazquez, Ms. Angela Carpenter)
Puerto Rico Environmental Quality Board (Ms. Wilmarie Rivera)
U.S. Fish and Wildlife Service (Ms. Susan Silander)
Puerto Rico Department of Natural and Environmental Resources (Mr. Craig Lilyestrom)

Copy to: (w/o encl)
Environmental Protection Agency (Mr. Jose Font)
Puerto Rico Environmental Quality Board (Mr. Weldín F. Ortíz Franco)