11/18/02-02567

Final
Expanded Preliminary Assessment/ Site Investigation Phase II Seven Sites

Former U.S. Naval Ammunition Support Detachment
Vieques Island, Puerto Rico

Prepared for

Department of the Navy
Atlantic Division
Naval Facilities Engineering Command

Under the
LANTDIV CLEAN II Program
Contract No. N62470-95-D-6007
CTO-031

Prepared by

CH2MHILL

Tampa, Florida

November 18, 2002

E092002009TPA

Final

Expanded Preliminary Assessment/ Site Investigation Phase II Seven Sites

Former U.S. Naval Ammunition Support Detachment

Vieques Island, Puerto Rico

Contract Task Order 031

Prepared for:

Department of the Navy
Atlantic Division
Naval Facilities Engineering Command
Under the
LANTDIV CLEAN II Program
Contract N62470-95-D-6007

Prepared by:

CH2MHILL
4350 W. Cypress Street
Suite 600
Tampa, FL 33607-4155

November 18, 2002

Contents

Section		Page
iiList of Acronyms		**viii**
Executive Summary		**ES-1**
	AOC B – Wastewater Treatment Plant	ES-2
	AOC H – Power Plant	ES-2
	AOC I - Asphalt Plant	ES-2
	AOC J - Former Staging Area Disposal Site	ES-3
	AOC K – Water Well	ES-3
	AOC L – Former Septic Vault	ES-3
	AOC R – Construction Staging Area	ES-4
	Summary	ES-4
	Point-of-Contact Information	ES-4
	U.S. Environmental Protection Agency	ES-4
	Puerto Rico Environmental Quality Board	ES-5
	U.S. Navy	ES-5
1	**Introduction**	**1-1**
1.1	Background	1-1
1.2	Objectives of the Investigations	1-2
1.3	Organization of the Report	1-2
1.4	NASD Description	1-2
1.5	Previous Investigations	1-4
1.6	Physical Characteristics of the Study Area	1-6
1.6.1	Site Description	1-6
1.6.2	Land Use	1-6
1.6.3	Climate	1-7
1.6.4	Topography and Surface Water	1-7
1.6.5	Local Geology and Hydrogeology	1-7
2	**Field Investigation Procedures**	**2-1**
2.1	Decontamination of Sampling Equipment	2-1
2.2	Monitoring Well Installation	2-1
2.3	Monitoring Well Development	2-2
2.4	Monitoring Well Purging and Sampling	2-2
2.5	Groundwater Elevation Measurements	2-4
2.6	Surface Soil Sampling	2-4
2.7	Subsurface Soil Sampling	2-5
2.8	Surface Water and Sediment Sampling	2-5
2.9	Surveying	2-5
2.10	Qualitative Ecological Survey	2-5
2.11	Unexploded Ordnance Avoidance Survey	2-11

2.12 Risk-Based Criteria Screening Procedure 2-11
2.13 Data Quality Evaluation 2-14
2.13.1 Purpose and Background 2-14
2.13.2 Introduction 2-14
2.13.3 Holding Times 2-16
2.13.4 Calibration 2-16
2.13.5 Method Accuracy 2-16
2.13.6 Potential Field Sampling and Laboratory Contamination 2-16
2.13.7 Matrix Effects 2-18
2.13.8 Sample Results for Metals Near the MDL 2-20
2.13.9 Data Quality Summary and Conclusions 2-21

3 AOC B – Wastewater Treatment Plant 3-1
3.1 Objectives 3-1
3.2 Site Description 3-1
3.2.1 Summary of Qualitative Ecological Survey 3-1
3.3 Previous Investigation Results 3-2
3.4 Expanded PA/SI Field Investigations 3-2
3.4.1 Soil Sampling 3-3
3.5 Laboratory Analytical Results 3-3
3.5.1 Surface Soil Results 3-3
3.5.2 Subsurface Soil Results 3-3
3.6 Conclusions and Recommendations 3-6
3.6.1 Surface Soil 3-6
3.6.2 Subsurface Soil 3-6
3.6.3 Recommendation 3-6

4 AOC H-Power Plant 4-1
4.1 Objectives 4-1
4.2 Site Description 4-1
4.2.1 Summary of Qualitative Ecological Survey 4-1
4.3 Previous Investigations 4-2
4.4 Expanded PA/SI Field Investigations 4-2
4.4.1 Groundwater Sampling and Direction of Groundwater Flow 4-3
4.4.2 Soil Sampling 4-3
4.5 Field Screening Results 4-3
4.6 Laboratory Analytical Results 4-3
4.6.1 Surface Soil Results 4-6
4.6.2 Subsurface Soil Results 4-9
4.6.3 Groundwater Sampling Results 4-9
4.7 Conclusions and Recommendations 4-13
4.7.1 Surface Soil 4-13
4.7.2 Subsurface Soil 4-13
4.7.3 Groundwater 4-13
4.7.4 Recommendation 4-13

5 **AOC I – Asphalt Plant** **5-1**
5.1 Objectives 5-1
5.2 Site Description 5-1
5.2.1 Summary of Qualitative Ecological Survey 5-1
5.3 Previous Investigation Results 5-2
5.4 Expanded PA/SI Field Investigation 5-2
5.5 Field Screening Results 5-4
5.6 Laboratory Analytical Results 5-4
5.6.1 Surface Soil Results 5-4
5.6.2 Subsurface Soil Results 5-8
5.7 Conclusion and Recommendations 5-8
5.7.1 Surface Soil 5-8
5.7.2 Subsurface Soil 5-8
5.7.3 Recommendation 5-8

6 **AOC J – Former Staging and Disposal Site** **6-1**
6.1 Objectives 6-1
6.2 Site Description 6-1
6.2.1 Summary of Qualitative Ecological Survey 6-1
6.3 Previous Investigation Results 6-2
6.4 Expanded PA/SI Field Investigations 6-2
6.4.1 Groundwater Sampling and Direction of Groundwater Flow 6-2
6.4.2 Surface and Subsurface Soil Sampling 6-3
6.4.3 Surface Water and Sediment Sampling 6-3
6.5 Field Screening Results 6-3
6.6 Laboratory Analytical Results 6-3
6.6.1 Groundwater Results 6-4
6.6.2 Surface Water Results 6-7
6.6.3 Surface Soil Results 6-7
6.6.4 Subsurface Soil Results 6-8
6.6.5 Sediment Results 6-8
6.7 Conclusions and Recommendations 6-8
6.7.1 Groundwater 6-8
6.7.2 Surface Water 6-12
6.7.3 Surface Soil 6-12
6.7.4 Subsurface Soil 6-12
6.7.5 Sediment 6-12
6.7.6 Recommendation 6-12

7 **AOC K – Water Well at Public Works** **7-1**
7.1 Objectives 7-1
7.2 Site Description 7-1
7.2.1 Summary of Qualitative Ecological Survey 7-1
7.3 Previous Investigation Results 7-2
7.4 Expanded PA/SI Field Investigations 7-2
7.4.1 Groundwater Sampling and Direction of Groundwater Flow 7-2

7.5 Field Screening Results 7-2
7.6 Laboratory Analytical Results 7-5
7.6.1 Groundwater Results 7-5
7.7 Conclusions and Recommendations 7-5
7.7.1 Groundwater 7-7
7.7.2 Recommendation 7-7

8 AOC L – Septic Vault 8-1
8.1 Objectives 8-1
8.2 Site Description 8-1
8.2.1 Summary of Qualitative Ecological Survey 8-1
8.3 Previous Investigation Results 8-2
8.4 Expanded PA/SI Field Investigations 8-2
8.4.1 Soil Sampling 8-2
8.5 Field Screening Results 8-2
8.6 Laboratory Analytical Results 8-2
8.6.1 Surface Soil Results 8-4
8.6.2 Subsurface Soil Results 8-4
8.7 Conclusions and Recommendations 8-4
8.7.1 Surface Soil 8-4
8.7.2 Subsurface Soil 8-4
8.7.3 Recommendation 8-5

9 AOC R – Former Construction Staging Area 9-1
9.1 Objectives 9-1
9.2 Site Description 9-1
9.2.1 Summary of Qualitative Ecological Survey 9-1
9.3 Previous Investigation Results 9-2
9.4 PA/SI Field Investigations 9-2
9.4.1 Surface Soil Sampling 9-2
9.5 Field Screening Results 9-2
9.6 Laboratory Analytical Results 9-4
9.6.1 Surface Soil Results 9-4
9.7 Conclusions and Recommendations 9-5
9.7.1 Surface Soil 9-5
9.7.2 Recommendation 9-5

10 References 10-1

List of Appendices

Appendix A: Soil Boring Logs
Appendix B: Well Construction Diagrams
Appendix C: Well Development Records
Appendix D: Monitoring Well Purging and Sampling Logs
Appendix E: Surface Water Sampling Logs
Appendix F: Qualitative Ecological Survey
Appendix G: UXO Reports
Appendix H: Laboratory Data
Appendix I: Data Quality Evaluation
Appendix J: Comments and Responses

List of Tables

Number		Page
ES-1	Constituent Concentrations Exceeding Screening Criteria	ES-6
2-1	Summary of Well Construction Details	2-3
2-2	Summary of Well Development Records	2-3
2-3	Summary of Water Level Measurements	2-4
2-4	AOC H Monitoring Wells Survey Summary	2-6
2-5	AOC I Soil Boring Survey Summary	2-6
2-6A	AOC J Sediment Sample Survey Summary	2-7
2-6B	AOC J Soil Boring and Monitoring Wells Survey Summary	2-7
2-7	AOC K Monitoring Wells Survey Summary	2-8
2-8	AOC L Soil Boring Survey Summary	2-8
2-9	AOC R Soil Boring Survey Summary	2-9
2-10	Federally Listed Species Occurring or Potentially Occurring at NASD Vieques	2-10
3-1	AOC B Surface Soil Analytical Data Summary	3-7
3-2	AOC B Subsurface Soil Analytical Data Summary	3-8
4-1	AOC H Surface Soil Analytical Data Detection Summary	4-7
4-2	AOC H Soil Boring Analytical Data Detection Summary	4-10
4-3	AOC H Groundwater Analytical Data Detection Summary	4-11
5-1	AOC I Surface Soil Analytical Data Detection Summary	5-5
5-2	AOC I Soil Boring Analytical Data Detection Summary	5-9
6-1	AOC J Groundwater Analytical Data Detection Summary	6-13
6-2	AOC J Surface Water Analytical Data Detection Summary	6-14
6-3	AOC J Surface Soil Analytical Data Detection Summary	6-15
6-4	AOC J Soil Boring Analytical Data Detection Summary	6-16
6-5	AOC J Sediment Analytical Data Detection Summary	6-17

7-1 AOC K Groundwater Analytical Data Detection Summary 7-8

8-1 AOC L Surface Soil Analytical Data Detection Summary 8-7
8-2 AOC L Soil Boring Analytical Data Detection Summary 8-8

9-1 AOC R Surface Soil Analytical Data Detection Summary 9-7

List of Figures

Number Page

1-1 Site Location Map 1-3
1-2 Site Location and Topography Map 1-5

2-1 Decision Process for Screening Site Data 2-13
3-1 AOC B Soil Sampling Locations 3-4
3-2 AOC B Surface Soil Detections Above Screening Criteria 3-5

4-1 AOC H Sample Location Map 4-4
4-2 AOC H Groundwater Flow Map 4-5
4-3 AOC H Surface Soil Exceedences 4-7
4-4 AOC H Groundwater Exceedences 4-12

5-1 AOC I Sample Location Map 5-3
5-2 AOC I Surface Soil Exceedances 5-7
5-3 AOC I Subsurface Soil Exceedences 5-11

6-1 AOC J Sample Location Map 6-5
6-2 AOC J Groundwater Flow Map 6-6
6-3 AOC J Groundwater Exceedances 6-9
6-4 AOC J Surface Water Exceedances 6-10
6-5 Surface Soil Concentration Exceedences 6-11

7-1 AOC K Sample Location Map 7-3
7-2 AOC K Groundwater Flow Map 7-4
7-3 AOC K Groundwater Exceedances 7-6

8-1 AOC L Sample Location Map 8-3
8-2 AOC L Surface Soil Exceedances 8-6

9-1 AOC R Sample Location Map 9-3
9-2 AOC R Surface Soil Exceedances 9-6

List of Acronyms

AFWTF	Atlantic Fleet Weapons Training Facility
AOC	Area of Concern
AST	Aboveground Storage Tank
ATG	Air-to-Ground Ordnance
bls	below land surface
BEHP	Bis(2-ethylhexyl)phthalate
BTAG	Biological Technical Assistance Group
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
COC	Contaminant of concern
COPC	Chemicals of potential concern
CRDL	Contract Required Detection Limits
DRO	Diesel Range Organics
EBS	Environmental Baseline Survey
ECOSD	Ecological Comparison Criteria for Sediment
EM	Enlisted Men
EMA	Eastern Maneuver Area
EOD	Explosive Ordnance Demolition
ERB	Equipment Rinsate Blank
GPS	Global Positioning Satellite
GRO	Gasoline Range Organics
HQ	Hazard quotient
IAS	Initial Assessment Study
ICR	Incremental lifetime cancer risk
IDL	Instrument Detection Limit
IR	Installation Restoration
IRFNA	Inhibited red fuming nitric acid
IRIS	Integrated Risk Information System
LCS	Laboratory Control Sample
MCL	Maximum Contaminant Level

MDL	Method Detection Limit
mg/kg	Milligrams per kilogram
mg/L	Milligrams per liter
MS/MSD	Matrix Spike/Matrix Spike Duplicate
msl	Mean sea level
NASD	Naval Ammunition Support Detachment
NFA	No further action
NGFS	Naval Gunfire Support
NPL	National Priority List
NSRR	Naval Station Roosevelt Roads
OVM	Organic vapor meter
ORP	Oxygen Reduction Potential
PA/SI	Preliminary Assessment/Site Investigation
PCB	Polychlorinated biphenyl
PCOC	Potential contaminant of concern
PID	Photo-Ionization Detector
PPM	Parts per million
PQL	Practical Quantitation Limit
PRE	Preliminary Risk Evaluation
PRG	Preliminary Remediation Goal
PREQB	Puerto Rico Environmental Quality Board
PRASA	Puerto Rico Aqueduct and Sewer Authority
PVC	Polyvinyl chloride
QA/QC	Quality assurance/quality control
RAGS	Risk Assessment Guidance
RBC	Risk-Based Concentration
RI	Remedial Investigation
RL	Reporting Limit
RPD	Relative Percent Difference
SDG	Sample Delivery Group
SVOC	Semi-volatile organic compound
SWMU	Solid Waste Management Unit
TM	Technical Memorandum

TPH	Total petroleum hydrocarbon
USEPA	U.S. Environmental Protection Agency
USFWS	U.S. Fish and Wildlife Service
USGS	U.S. Geological Survey
UST	Underground storage tank
UXO	Unexploded ordnance
VOC	Volatile organic compound
WWTP	Wastewater Treatment Plant
μg/L	Micrograms per liter

Executive Summary

This report presents the findings of the Phase II Expanded Preliminary Assessment/Site Investigation (PA/SI) completed at seven sites located within the Former Naval Ammunition Support Detachment (NASD) on Vieques Island, Puerto Rico. An initial Expanded PA/SI was completed in 2000 (CH2M HILL, 2000) to assess the environmental conditions at 10 additional sites at the Former NASD facility The Phase II Expanded PA/SI was conducted by CH2M HILL for the Atlantic Division, Naval Facilities Engineering Command, under the Navy's Installation Restoration (IR) Program.

While the seven sites are not on the National Priority List (NPL), the investigations of the seven sites are being conducted under the auspices of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) process. These seven sites were identified during the Environmental Baseline Survey (EBS) conducted by ERM in August 2000, and include the following Areas of Concern (AOCs):

- AOC B – Wastewater Treatment Plant
- AOC H – Power Plant
- AOC I – Asphalt Plant
- AOC J – Former Staging Area Disposal Site
- AOC K – Water Well
- AOC L – Former Septic Vault
- AOC R – Construction Staging Area

Previous studies at these sites include preliminary environmental sampling at AOC K by the U.S. Geological Survey (USGS) in 1996, environmental sampling during the EBS at AOCs H, I, and J by ERM in April 2000, and environmental sampling at AOC B by CH2M HILL in June 2000. No previous studies or environmental sampling have been performed at AOCs L and R.

The scope of the field program was designed to meet the following objectives:

- Assess the environmental suitability of the property for transfer to the Municipality of Vieques, as mandated by former President Clinton's directive on January 31, 2000.
- Determine whether a release of hazardous materials has occurred at each of the seven sites by sampling appropriate environmental media (soil, groundwater, surface water, or sediment) and comparing the analytical results to regulatory criteria and background levels.
- Recommend the sites either for additional investigations to assess environmental impacts or for no further field investigations.

The scope of the investigation included field sampling and analysis of surface soil, subsurface soil, groundwater, surface water, and sediment. In addition, an unexploded ordnance (UXO) avoidance survey was conducted at AOC J (former staging area disposal site).

Laboratory results from field sampling efforts were compared to the following current U.S. Environmental Protection Agency (USEPA) Region IX screening criteria for each matrix: residential and industrial risk-based concentrations (preliminary remediation goals [PRGs]) and leachability criteria for soil (SSLD20); tap water PRGs and drinking water Maximum

Contaminant Levels (MCLs) for groundwater; Region IV ecological criteria for surface water; and Region IV ecological criteria for sediment. Site data were screened against the background data from the recently completed background investigation for metals at the Former NASD. The results of the screening analysis and recommendations for the seven AOCs are presented in Sections 3 through 9, summarized in the following sections and in Table ES-1.

AOC B – Wastewater Treatment Plant

Four surface soil samples and four subsurface soil samples were collected as part of PA/SI activities at AOC B. Analysis of laboratory data identified five metals in surface soils at concentrations above the residential PRGs, but below the background values for each metal. Subsurface soil data were all either below screening criteria or below the analytical detection limits.

No further action (NFA) is recommended at AOC B based on results of the analysis and screening activities conducted as part of PA/SI activities. However, a risk assessment is recommended at AOC B to assess whether the metals detected in the surface soils, above the residential PRGs, pose an unacceptable risk to human health or the environment.

AOC H – Power Plant

A total of 36 soil samples (20 surface soil samples and 16 subsurface soil samples) were collected for analysis at AOC H under the PA/SI. Four monitoring wells were installed at the site and groundwater samples were collected for analysis. Results of laboratory analysis identified five metals at concentrations above residential PRGs in surface soils. Two semi-volatile organic compounds (SVOCs) and an explosive (2,6-dinitrotoluene) were identified in surface soils at levels above applicable screening criteria. In addition, two pesticides were also identified in surface soils at levels above the residential PRGs.

All subsurface soil results were either below screening criteria or below the analytical detection limits.

Laboratory results from unfiltered groundwater samples identified eight metals that exceeded the maximum contaminant level (MCL), tap water PRGs, or both. Three metals (aluminum, antimony, and arsenic) also exceeded background values. However, none of the dissolved metals were detected at levels exceeding the tap water PRGs or MCLs. One pesticide (p,p′ DDD) was identified in MW02 at levels above the tap water PRG.

A Remedial Investigation/Feasibility Study (RI/FS) is recommended at AOC H to delineate the extent of explosives, pesticides, and SVOCs identified in surface soils at the site at concentrations above Region IX screening criteria. A risk assessment is also recommended for AOC H to assess whether the site poses an unacceptable risk to human health and the environment.

AOC I – Asphalt Plant

Twenty-six soil borings (26 surface soil samples and 26 subsurface soil samples) were completed at AOC I. Total petroleum hydrocarbons (TPH) were identified at concentrations above the Puerto Rico Environmental Quality Board (PREQB) criteria of 100 milligrams per kilogram (mg/kg) at 14 surface soil sampling locations, ranging from 103 mg/kg to 1,200 mg/kg. Six metals were also detected at levels above either the residential PRGs or the soil screening level in surface soils at AOC I. Chromium was detected at concentrations above the

NASD background value at two locations while iron and vanadium were detected above the NASD background values at one location each.

Even though TPH was identified in surface soils, no TPH was found at levels above the PREQB criterion in any subsurface soil samples collected under this program. Chromium was detected at levels above the leachability PRG in subsurface soil at 23 locations.

A RI/FS is recommended at AOC I to delineate the extent of surface soil impacts from TPH at the site. A risk assessment is also recommended for AOC I.

AOC J – Former Staging Area Disposal Site

Five surface soil samples and five subsurface soil samples, five sediment samples and five surface water samples, and four groundwater samples were collected for analysis at AOC J. A UXO avoidance survey was completed at AOC J prior to any intrusive investigatory activities. Laboratory results identified five metals in surface soil at concentrations above the residential PRGs. One of these metals, manganese, was also identified at levels above the NASD background value. No exceedances of any analyte were detected in subsurface soil at AOC J. No exceedances were noted in site sediments above the ecological comparison criteria for sediments (ECOSD).

Seven metals were identified in unfiltered groundwater samples at levels above applicable PRGs or MCLs at AOC J. Five of these metals also equaled or exceeded their respective NASD background values. However, none of the dissolved metals were detected at levels exceeding the tap water PRGs or MCLs. Perchlorate was detected above the tap water PRG at one groundwater sampling location. Copper was detected in surface water at two locations and mercury was detected above the surface water criterion at one location.

A RI/FS is recommended at AOC J to further define the extent and evaluate the risk of perchlorate and metals identified in groundwater above the Region IX PRGs.

AOC K – Water Well

Five monitoring wells were installed at AOC K for the PA/SI. Unfiltered groundwater samples collected from these monitoring wells identified six metals above the tap water PRGs and drinking water MCLs. Aluminum and iron were identified above the NASD background value at one sampling location (MW04). No detections for filtered (dissolved) metals were observed above the applicable screening criteria. In addition, one SVOC, bis(2-ethylhexyl)phthalate (BEHP), was detected at levels above the tap water PRG.

NFA is recommended based on the results of the groundwater sampling program and laboratory data. A risk assessment is recommended, however, to assess whether the unfiltered metals detected in the groundwater pose an unacceptable risk to human health or the environment.

AOC L – Former Septic Vault

Four complete soil borings were collected. From these borings, four surface soil samples and four subsurface soil samples were collected from AOC L and analyzed for the PA/SI investigation. Results of the soil sampling program at AOC L detected four metals in surface soils at concentrations above the residential PRGs but below NASD background values. All

subsurface soil results were either below the screening criteria or below the analytical detection limits.

NFA is recommended for this site based on results of soil analytical data. A risk assessment is recommended, however, to assess whether the elevated metals concentrations pose an unacceptable risk to human health or the environment.

AOC R – Construction Staging Area

Thirty-four surface soil samples were collected at AOC R for the PA/SI. Seven metals were identified at levels above the industrial, residential, or leachability criteria at one of the sample locations. Iron and manganese exceeded the residential criteria at all 34 sample locations. Arsenic, chromium, iron, lead, and vanadium were also identified at levels above the NASD background values for those metals. Five SVOCs were also identified in surface soils at AOC R at concentrations above the industrial and residential PRGs.

An RI/FS, including a risk assessment, is recommended for AOC R to further evaluate the extent of SVOC exceedances in site soils. In addition, the RI will assess whether the SVOCs pose an unacceptable risk to human health and the environment.

Summary

During implementation of the Phase II PA/SI at the seven sites, no exceedances of the applicable criteria for volatile organic compounds (VOCs) or polychlorinated biphenyls (PCBs) were noted in any of the site-sampled media.

Based on the sampling, laboratory analysis, and data interpretation completed under this program, the following sites are recommended for further action including the completion of an RI/FS:

- AOC H – Power Plant
- AOC I - Asphalt Plant
- AOC J - Former Staging Area Disposal Site
- AOC R- Former Operations Area

NFA is recommended for AOCs B, K, and L. Risk assessments are recommended for these three sites to evaluate the risk to human health and the environment. In addition, a UXO investigation is recommended at AOC J.

Point-of-Contact Information

U.S. Environmental Protection Agency

Mr. Robert Wing
Chief, Federal Facilities Section
290 Broadway
E.R.R.D.
New York, NY 10007-1866
Telephone: 212-637-4337
E-mail: Wing.Bob@epamail.epa.gov

Puerto Rico Environmental Quality Board

Ms. Yarissa Martinez or Mr. Eugene Scott
National Plaza Building, Office 225
431 Ponce de Leon
Hato Rey, PR 00917
Telephone: 787-767-8181
E-mail: YarissaMartinezLeon@jca.gobierno.pr

U.S. Navy

Mr. Christopher T. Penny
Remedial Project Manager
Atlantic Division, Code EV23
1510 Gilbert Street
Norfolk, VA 23511-2699
Telephone: 757-322-4815
E-mail: PennyCT@efdlant.navfac.navy.mil

Mrs. Madeline Rivera
Environmental Engineering Division
Public Works Department Bldg. 31
U.S. Naval Station Roosevelt Roads
Ceiba, PR 00735
Telephone: 787-865-5337
E-mail: RiveraMad@navstarr.navy.mil

TABLE ES-1
Constituent Concentrations Exceeding Screening Criteria
Phase II PA/SI, Seven Sites
NASD, Vieques Island, Puerto Rico

Media Sampled	AOC B (b)	AOC H (a)	AOC I (a)	AOC J (a)	AOC K (b)	AOC L (b)	AOC R (C)
Surface Soil - Metals	Al, As, Fe, Mn, V **(b)**	Al, As, Fe, Cr, Pb, V, **(b)**	Al, As, Cr, Fe, Mn, V **(b)**	Al, As, Fe, Mn, V **(b)**	NS	Al, As, Fe, Mn **(b)**	Al, As, Cr, Fe, Mn, Pb, V **(b)**
Surface Soil - Organics	NONE	Benzo(a)pyrene, n-nitrosodi-n-propylamine (a)	TPH **(a)**	NONE	NS	NONE	3,3' dichlorobenzidine, benzo(a)anthracene, benzo(b)fluoranthene, benzo(a)pyrene, indeno(1,2,3-c,d)pyrene, dibenz(a,h)anthracene **(c)**
Surface Soil - Pesticides	NONE	DDE, DDT **(a)**	NONE	NONE	NS	NONE	NONE
Subsurface Soil - Metals	NONE	NONE	Cr **(b)**	NONE	NS	NONE	NS
Groundwater - Total Metals	NS	Al, As, Ba, Fe, Mn, Ta, V **(b)**	NS	Al, As, Ba, Cd, Fe, Mn, V, Pb **(b)**	Al, Ba, Fe, Mn, Tl, V **(b)**	NS	NS
Groundwater – Organics	NS	NONE	NS	NONE	bis(2)(ethlyhexyl) phthalate **(b)**	NS	NS
Groundwater – Pesticides	NS	DDD **(a)**		NONE		NS	NS
Surface Water – Metals	NS	NS	NS	Cu, Hg	NS	NS	NS
Surface Soil - Explosives	NS	2,6-dinitrotoluene **(a)**	NS	Perchlorate **(a)**	NS	NONE	NS

Notes:

VOCs, PCBs and Pesticides were not detected above applicable comparison criteria in sampled media at any of the seven sites

NS = Not Sampled

NONE = Below Screening Criteria or Instrument Detection Limits

Legend:
(a) Full RI/FS Recommended
(b) NFA and Conduct Preliminary Risk Evaluation
(c) Full Risk Assessment Recommended

SECTION 1

Introduction

1.1 Background

On January 31, 2000, President Clinton issued a directive to the Secretary of Defense stipulating that the Navy shall submit legislation to Congress to transfer the Former Naval Ammunition Support Detachment (NASD) on Vieques Island, Puerto Rico, to the Commonwealth of Puerto Rico for the benefit of the Municipality of Vieques. The transfer excludes approximately 100 acres of land on which the Relocatable Over The Horizon Radar (ROTHR) and Mount Pirata telecommunications sites are located. A Phase I Expanded Preliminary Assessment/Site Investigation (PA/SI) was completed for 10 sites in June 2000. Results of this investigation were included in a Phase I PA/SI report in October 2000 (CH2M HILL, October 2000). Congress passed legislation on October 12, 2000, instructing the Secretary of the Navy to convey or transfer most of the real property that comprises the Former NASD to the Municipality of Vieques, the Puerto Rico Conservation Trust, and the Department of Interior no later than May 1, 2001. The Former NASD property was transferred on April 30, 2001.

Through an Environmental Baseline Survey (EBS), the Navy has identified seven potentially contaminated properties , in addition to the 10 sites identified in the Phase I PA/SI, on the Former NASD site. The sites include the following seven Areas of Concern (AOCs):

- AOC B – Wastewater Treatment Plant
- AOC H – Former Power Plant
- AOC I – Former Asphalt Plant
- AOC J – Former Staging Area Disposal Site
- AOC K – Water Well
- AOC L – Former Septic Vault
- AOC R – Former Construction Staging Area

As part of the EBS and Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) process, the Navy has taken a conservative approach to the identification and delineation of potentially contaminated areas. As such, areas where a potential release of a hazardous substance may exist have been considered to be potentially contaminated. These areas have undergone further investigation under the Navy's Installation Restoration (IR) Program.

This document presents the results of the Expanded PA/SI completed in November and December 2000 for the seven sites. CH2M HILL completed the work under contract number N62470-95-D-6007, Navy CLEAN II Program, for the Atlantic Division of the Naval Facilities Engineering Command.

This expanded PA/SI was conducted to investigate sites needing further investigation before the property was transferred to the Puerto Rican government on April 30, 2001, as mandated by the President's directive and ratified by Congress.

1.2 Objectives of the Investigations

The scope of the field program was designed to meet the following objectives:

- Assess the environmental suitability of the property for transfer to the Municipality of Vieques, as mandated by former President Clinton's directive on January 31, 2000.
- Determine whether a release of hazardous materials has occurred at each of the seven sites by sampling appropriate environmental media (soil, groundwater, surface water, or sediment) and comparing the analytical results to regulatory criteria and background levels.
- Recommend sites either for further investigation or for no further action (NFA).

1.3 Organization of the Report

This PA/SI Report is organized as follows:

Section 1, Introduction, provides background information regarding the PA/SI, summarizes the purpose of the investigation, describes the location and environmental history of the facility, discusses previous investigations, and provides information concerning the physical setting of the facility.

Section 2, Field Investigation Procedures, summarizes the field investigation activities, data quality, and screening procedures used.

Sections 3 through 9 summarize by AOC the investigations performed at the seven AOCs at NASD during November and December 2000. Each section includes the objectives of the Expanded PA/SI, a site description, results of previous investigations, summary of field activities, summary of laboratory and screening results, and conclusions and recommendations.

The draft report was reviewed by the U.S. Environmental Protection Agency (USEPA), Puerto Rico Environmental Quality Board (PREQB), and the Technical Assistance for Public Participation (TAPP). Their comments and responses are included in Appendix J. The comment responses have also been incorporated into this Final Report.

1.4 NASD Description

Vieques Island lies approximately 7 miles southeast of U.S. Naval Station Roosevelt Roads (NSRR), Puerto Rico (Figure 1-1). Vieques is the largest offshore island of Puerto Rico, with a surface area of approximately 51 square miles. The U.S. Navy occupies approximately 22,600 acres of the 33,000 acres that comprise Vieques Island. The 22,600 acres consist of the following:

- The Former NASD, which consists of 8,000 acres along the western third of the island
- The Eastern Maneuver Area (EMA), which consists of 11,000 acres located in the east-central portion of the island
- The Atlantic Fleet Weapons Training Facility (AFWTF), which consists of 3,600 acres along the eastern portion of the island

The background investigation for this report addresses the background conditions for the Former NASD.



Figure 1-1
Site Location Map
Former NASD, Vieques Island, Puerto Rico

CH2MHILL

1.5 Previous Investigations

In September 1984, Greenleaf/Telesca Planners, Engineers, and Architects, Inc., prepared the *Initial Assessment Study, Naval Station Roosevelt Roads, Puerto Rico* (Greenleaf/Telesca, 1984).

In May 1986, Environmental Science & Engineering, Inc. (ESE) conducted the *Confirmation Study to Determine Possible Dispersion and Migration of Specific Chemicals – U.S. Naval Station, Roosevelt Roads, Puerto Rico, and U.S. Naval Ammunition Facility (NASD), Vieques: Evaluation of Data from First Round of Verification Sample Collection and Analysis* (ESE, 1986).

In October 1988, A.T. Kearney, Inc., and K.W. Brown & Associates, Inc., prepared the *Phase II RCRA Facility Assessment of the Naval Ammunition Facility (NASD), Vieques Island, Puerto Rico* (Kearney/Brown & Associates, 1988).

In October 1992, Baker Environmental, Inc., prepared the *Final Preliminary Assessment Narrative Report, Site Inspection Forms and PA Score, Sites 1, 2, and 3 (NASD), U.S. Naval Station, Roosevelt Roads, Puerto Rico* (Baker, 1992).

In November 1999, Baker Environmental, Inc., prepared the *Positive Detection Summary in Groundwater, Vieques Sites (NASD), Puerto Rico* (Baker, November 15, 1999) and *Results of the Hydrogeologic Investigation, Vieques Island, Puerto Rico* (Baker, November 4, 1999).

In April 2000, ERM completed an EBS which addressed the seven sites being investigated under this program (ERM, 2000). In October 2000, CH2M HILL prepared a *Final Phase 1 Expanded Preliminary Assessment/Site Investigation, U.S. Naval Ammunition Storage Detachment, Vieques Island, Puerto Rico* (CH2M HILL, October 2000).

In November 2000, CH2M HILL conducted a site investigation and prepared a *Site Investigation Report for Underground Injection Control Facilities at Building 2023 and WWTP Lagoon System, U.S. Naval Ammunition Storage Detachment, Vieques, Puerto Rico* (CH2M HILL, November 2000).

The Site-Specific Work Plan for NASD (CH2M HILL, December 2000) presented a detailed description of the field investigations for the Phase 2 Expanded PA/SI Seven Sites.

In October 2002, CH2M HILL prepared the Final Soil, Groundwater, Surface Water, and Sediment Background Investigation Report for NASD (CH2M HILL, October 2002).



T:\Environmental\Puerto Rico Drawings\Vieques\160403 – NASD Phase 2\Figure 1–2.dwg

Figure 1-2
LOCATION MAP OF PHASE II PA/SI SITES AT NASD
Vieques Island, Puerto Rico

CH2MHILL

1.6 Physical Characteristics of the Study Area

This section summarizes the environmental setting of the Former NASD, including site description, land use, climate, topography, surface water, geology, and hydrogeology.

1.6.1 Site Description

The majority of the site is undeveloped and heavily vegetated with trees, low-lying brush, and tall grasses. The southwestern portion of the site is the least developed. The east-central portion of the site was utilized for munitions magazines, which were scattered throughout the area. The northeastern portion of the site was the most developed, containing facilities for the main support compound. The southeastern portion of the site contains the recently completed ROTHR station and associated facilities.

Paved and dirt roads traverse the site. Access is limited to a single guarded security gate. The main gate to the site is located at the extreme northeast end of the site near the Vieques Municipal Airport. The approximate coordinates of the center of the site are 18 degrees 7 minutes north latitude and 65 degrees 33 minutes west longitude.

1.6.1.1 Structures, Roads, and Other Site Improvements

The central and northeastern portions of the site were the most developed, containing munitions storage magazines and installation support facilities. Paved roads are present along the north and east boundaries of the site, in the main support compound, and among the inactive munitions magazines. The road to the Mount Pirata communications facility is also paved. The remainder of the site is a patchwork of dirt and paved roads, most of which are overgrown with vegetation.

1.6.1.2 Vicinity Characteristics

The site is bounded by water on three sides: Vieques Sound to the north, Vieques Passage to the west, and the Caribbean Sea to the south. The east land-based border is controlled by the Puerto Rico Department of Natural Resources, the Puerto Rico Port Authority, and private landowners. The Vieques Municipal Airport property lies adjacent to the northeast portion of the site where the abutting property provides the runway approach clear zone. South of the airport property is undeveloped land managed by the Puerto Rico Department of Natural Resources. This property is used primarily for cattle grazing. Farther south lies the area known as the "South La Hueca" parcel. This area is inhabited by individual landowners with private homes, small pastures, and farms.

1.6.2 Land Use

The Former NASD occupied approximately 8,000 acres, most of which was undeveloped and leased to local landowners for cattle grazing. The Former NASD operated a 625-foot ammunition handling pier known as Mosquito Pier. Power on the Former NASD was received from Puerto Rico via underwater transmission lines. Therefore, no power production units other than emergency generators were located at the Former NASD. Significant facilities at the Former NASD included the Transportation Shop (Buildings 2015 and 2016), the Carpentry Shop, and the Sewage Treatment Plant. These operations are now closed, and most of the facilities were decommissioned after operations ceased. The Former NASD currently is inactive.

1.6.3 Climate

The climate of Vieques is tropical-marine. Temperatures are nearly constant, with an annual average of approximately 79 degrees Fahrenheit (°F). August is the warmest month (82°F) and February the coolest (76°F). Vieques lies directly in the path of the prevailing easterly trade winds that regulate the climate of Puerto Rico. The trade winds result in a rainfall pattern characterized by a dry season from December through July and a rainy season from August to November. Heavy precipitation may be induced by tropical storms from June to November. The western part of the island, where the site is located, averages approximately 50 inches of rainfall per year, 50 percent of which occurs during the rainy season (United States Geological Survey [USGS], 1989).

1.6.4 Topography and Surface Water

The topography of the site is characterized by a series of low hills and small valleys. The most elevated areas occur along a west-to-east axis near the center of the site. The highest point is Mount Pirata, approximately 987 feet above sea level. In general, the slope of the site tapers gradually down from the center to the coastal areas, with the exception of steep slopes in the vicinity of Mount Pirata.

Surface water present on the site consists of several lagoons and intermittent streams. The Arenas, El Pobre, and Kiani Lagoons are located at the northwestern end of the site, and the Playa Grande Lagoon is located at the southeast end of the site. These lagoons are generally very shallow with large concentrations of mangrove trees. Most streams on the site are ephemeral, flowing only for a short period of time after precipitation events. These natural storm drainage channels, dry most of the year, are located throughout the site, generally running in a northerly or southerly direction downward from the central elevated portions of the site. No lakes, rivers, or flowing springs are present on the site (USGS, 1989).

1.6.5 Local Geology and Hydrogeology

The geology of Vieques is characterized by volcanic rocks generally overlain by alluvial deposits and patches of limestone. Volcanic andesites, deposited in a marine environment, were intruded by a quartz-diorite plutonic complex that is exposed over a large percentage of the island. A gradual change in texture from coarse to fine-grained quartz-diorite has been observed from west to east. Limestone occurs in sectors of the north, south, and eastern parts of the island. The most extensive areas of limestone are found on the south coast peninsulas. The limestone is generally soft, yellowish, and well-indurated where exposed to the atmosphere. The sedimentary deposits consist of a mixture of sand, silt, and clay. The floodplains consist of beach and dune deposits formed by calcite, quartz, volcanic rock fragments, and minor magnetite (USGS, 1989).

The U.S. Department of Agriculture (USDA) Soil Conservation Service *Soil Survey of Humacao Area of Eastern Puerto Rico* (USDA, January 1977) identified four soil types on the western end of Vieques. These soil types included:

1. Coastal beach deposits (Qb)
2. Swamp and marsh deposits (Qs)
3. Alluvial deposits (Qa)
4. Plutonic rock made up largely of granidiorite and quartz diorite (KTd)

The groundwater in this general area is from a single aquifer identified as the Resolución Valley aquifer, occurring only in a small portion of the western part of Vieques Island, located near the Navy water supply wells area. The valley slopes from Mount Pirata toward the Vieques Passage and receives more rainfall than any other area of Vieques. No perennial streams are present in the valley. The geology of the Resolución Valley aquifer consists of sedimentary deposits that overlie a layer of saprolite derived from plutonic rocks. Geophysical surveys show that the average thickness of alluvial deposits is approximately 30 feet (USGS, 1989).

SECTION 2

Field Investigation Procedures

The PA/SI field investigations at the Former NASD included monitoring well installation and sampling, surface and subsurface soil sampling, surface water sampling, sediment sampling, groundwater elevation monitoring and surveying, and qualitative ecological surveys. The initial field investigation for the seven sites was conducted from November 27, 2000, through December 22, 2000.

Data generated from the investigation were expected to meet the quality levels established in regulatory standards and guidelines. To achieve this goal, the data was collected in accordance with the standard operating procedures presented in the *Master Work Plan for the U.S. Naval Ammunition Support Detachment, Vieques, Puerto Rico* (CH2M HILL, May 2000) and with the Field Sampling Plan checklist presented in the *Site-Specific Work Plan for the U.S. Naval Ammunition Support Detachment, Vieques, Puerto Rico* (CH2M HILL, December 2000). The Master Work Plan and Site-Specific Work plan were approved by USEPA. Brief descriptions of the field procedures used during the Expanded PA/SI are provided in the following subsections. Detailed descriptions of the field investigations can be found in the Site-Specific Work Plan for the Former NASD (CH2M HILL, December 2000).

2.1 Decontamination of Sampling Equipment

Drill rigs and auger flights were decontaminated by washing with potable water using a high-pressure cleaner before use and between borings. Sampling equipment including pumps, sampling spoons, split-spoons, hand augers, and bowls were decontaminated between each sample location using the following procedure:

- Rinse with potable water to remove most of the soil
- Wash with scrub brush using potable water and Alconox (non-phosphate soap)
- Rinse with potable water
- Rinse with isopropyl alcohol
- Rinse with laboratory grade deionized water
- Air dry

2.2 Monitoring Well Installation

Thirteen monitoring wells (four at AOC H, four at AOC J, and five at AOC K) were installed as a part of the PA/SI. The monitoring wells were constructed of 2-inch-diameter, Schedule 40 polyvinyl chloride (PVC) well casing and well screen. The annular space between the well screen and borehole was filled with a silica sand pack that extends above the well screen. A bentonite seal was installed above the sand pack and the annular space above the bentonite seal was filled with a cement/bentonite grout. Each monitoring well was equipped with a protective surface casing, concrete pad, and locking cap to minimize unauthorized access to the wells.

The monitoring wells at AOC K were installed at the first encountered groundwater within the bedrock using downhole hammer drilling methods. Monitoring wells at sites AOC J and AOC H were installed using the hollow stem auger drilling technique. During the drilling of the boreholes for these monitoring wells, drill cuttings were collected at approximately 5-foot intervals or at changes in drilling conditions. The cuttings were examined for lithology. All wells were logged in the field during drilling. The soil boring logs are included in Appendix A. In addition, soil samples were screened in the field with an Organic Vapor Meter (OVM). OVM reading were recorded on the soil boring logs (Appendix A). Table 2-1 summarizes well construction details. Appendix B presents well construction diagrams.

Drill cuttings generated during monitoring well installation were collected and stored onsite in 55-gallon drums. The disposal method for these cuttings was determined based on results of the soil and groundwater analyses as specified in the *Investigation-Derived Waste Management Plan* (CH2M HILL, May 2000). The drums were transported to NSRR for proper disposal.

2.3 Monitoring Well Development

Monitoring well development was performed using a combination of pumping and swabbing with a stainless steel Grundfos® submersible pump, a Geopump® peristaltic pump, or a Teflon® bailer.

The submersible pump was placed at the bottom of the screen and the well was pumped until clear water (minimal turbidity) was produced. The pump was then moved up and down (swabbed) through the screened interval to force water in and out of the screen. The turbidity would increase when the pump was moved up to a new portion of the screen. Pumping and swabbing continued until clear, sediment-free water was generated.

Table 2-2 summarizes well development records. Appendix C provides detailed well development documentation.

2.4 Monitoring Well Purging and Sampling

The wells were either purged and sampled with a stainless steel Grundfos® submersible pump, a bailer, or a peristaltic pump, depending on the depth to water and the water recharge rate of the well.

Prior to sampling, a minimum of three well volumes of water were purged from each well. The wells were pumped at a rate of approximately 0.2 to 0.5 gallons per minute. Water quality data including temperature, conductivity, Redox potential, dissolved oxygen, salinity, and pH were monitored during purging and the well was sampled after the parameters stabilized (less than 10 percent fluctuation). After purging, the wells were sampled using the submersible pump or other method. New separate Tygon® tubing was used for each well. The pump and cables were decontaminated between wells by washing with Alconox and potable water and rinsing with potable water. Potable water was pumped through the submersible pump during rinsing. Appendix D includes monitoring well purging and sampling logs.

TABLE 2-1
Summary of Well Construction Details
Phase II PA/SI, Seven Sites
Former NASD, Vieques Island, Puerto Rico

Well ID	Date Installed	Ground Elevation (ft amsl)	Boring Depth (ft bls)	Well Depth (ft bls)	Screen Interval Depth (ft bls)	Depth to Bentonite (ft bls)	Depth to Sandpack (ft bls)
AOCJMW01	12/13/2000	1.52	12	11.75	2-12	2	1
AOCJMW02	12/12/2000	6.85	18	18.85	8-18	4	6
AOCJMW03	12/12/2000	7.38	21	22.95	11-21	7	9
AOCJMW04	12/12/2000	4.19	16	17.65	6-16	2	4
AOCKMW01	12/1/2000	56.44	64	64	54-64	46	48
AOCKMW02	12/4/2000	51.78	66	65.7	56-66	52	54
AOCKMW03	12/8/2000	61.96	69	69.8	59-69	55	57
AOCKMWO4	12/9/2000	52.15	70	69.45	60-70	52	54
AOCKMW05	12/12/2000	48.39	55	55.15	45-55	41	43
AOCHMW01	12/6/2000	8.97	20	20.1	10-20	6	8
AOCHMW02	12/6/2000	3.37	18	20.75	8-18	4	6
AOCHMW03	12/6/2000	2.86	18	21.9	8-18	4	6
AOCHMW04	12/7/2000	4.23	20	22.1	10-20	6	8

Notes: amsl = Above Mean Sea Level, BLS = Below Land Surface

TABLE 2-2
Summary of Well Development Records
Phase II PA/SI, Seven Sites
Former NASD, Vieques Island, Puerto Rico

Well ID	Development Method	Development Completion Date	Approximate Gallons Developed	Number of Volumes Developed
AOC H-MW01	Teflon Bailer	12/9/2000	29.00	17.2
AOC H-MW02	Teflon Bailer/Peristaltic Pump	12/9/2000	20.00	8.9
AOC H-MW03	Teflon Bailer/Peristaltic Pump	12/7/2000	25.00	10.1
AOC H-MW04	Peristaltic Pump/GEOPUMP	12/8/2000	7.00	2.9
AOC J-MW01	Peristaltic Pump/GEOPUMP	12/14/2000	7.50	6.6
AOC J-MW02	Peristaltic Pump/GEOPUMP	12/14/2000	5.00	3.5
AOC J-MW03	Peristaltic Pump/GEOPUMP	12/14/2000	0.75	0.4
AOC J-MW04	Peristaltic Pump/GEOPUMP	12/14/2000	6.40	3.8
AOC K-MW01	Teflon Bailer	12/3/2000	66.00	32.1
AOC K-MW02	Teflon Bailer	12/5/2000	47.35	15.9
AOC K-MW03	Teflon Bailer	12/8/2000	3.00	1.2
AOC K-MW04	Teflon Bailer	12/12/2000	10.00	2.8
AOC K-MW05	Teflon Bailer	12/18/2000	25.00	14.2

2.5 Groundwater Elevation Measurements

Groundwater elevation measurements were obtained from all monitoring wells on December 21, 2000. An electronic water level meter was used to measure the depth to water from the top of casing of each monitoring well. Table 2-3 summarizes the results of these measurements.

TABLE 2-3
Summary of Water Level Measurements
Phase II PA/SI, Seven Sites
Former NASD, Vieques Island, Puerto Rico

Well ID	Date	Top of PVC Elevation (ft amsl)	Depth to Water (ft)	Groundwater Level (ft amsl)
AOC H-MW01	12/21/00	9.08	9.75	-0.67
AOC H-MW02	12/21/00	6.12	7.00	-0.88
AOC H-MW03	12/21/00	5.75	6.70	-0.95
AOC H-MW04	12/21/00	6.70	7.55	-0.85
AOC J-MW01	12/21/00	4.16	4.80	-0.64
AOC J-MW02	12/21/00	9.64	10.20	-0.56
AOC J-MW03	12/21/00	10.18	10.65	-0.47
AOC J-MW04	12/21/00	6.78	7.35	-0.57
AOC K-MW01	12/21/00	56.64	51.40	5.24
AOC K-MW02	12/21/00	51.77	47.40	4.37
AOC K-MW03	12/21/00	61.90	54.85	7.05
AOC K-MW04	12/21/00	52.26	47.65	4.61
AOC K-MW05	12/21/00	48.35	44.40	3.95

Notes: AMSL = Above Mean Sea Level

2.6 Surface Soil Sampling

Surface soil samples were collected from the surface to 6 inches below land surface (bls). The top layer of grass and soil (approximately 1 inch) was scraped away before sampling began. Surface soil samples were collected using a stainless steel spoon, a hand auger, or both. The soil was placed in a stainless steel bowl. Samples for volatile organic compound (VOC) analysis were collected first using an Encore™ sampling device/then samples for semi-volatile organic compounds (SVOCs), metals, pesticides, polychlorinated biphenyls (PCBs), and explosives were transferred to appropriate laboratory glass jars.

2.7 Subsurface Soil Sampling

Subsurface soil samples were collected using hand augers, a split-spoon sampler with an auger drilling rig, or using the direct-push method. A hole was advanced to a depth of 4 feet bls using a 4.25-inch-diameter auger. All soil borings were logged in the field during drilling. Appendix A includes soil boring logs. To collect a sufficient amount of soil for all of the analyses, a 3-inch-diameter split-spoon was driven from 4 to 6 feet bls. The split-spoon was removed from the hole, opened, and the VOC sample was collected immediately using the Encore™ sampling device. After the VOC sample was collected, the soil was removed from the split-spoon and placed in a stainless steel bowl. Samples for SVOCs, metals, pesticides, PCBs, and explosives were transferred to appropriate laboratory glass jars.

2.8 Surface Water and Sediment Sampling

Surface water samples were collected at AOC J either from the shore in water approximately 4 feet deep or by wading in as far as 5 feet into the stream. Surface water samples were collected by submerging the sampling container directly into the surface water body. Appendix E includes surface water sampling logs.

Sediment samples were collected at the locations of the surface water samples at AOC J after collection of the surface water sample to ensure that any sediment disturbed during the sediment sampling did not enter the surface water sampling container. The sediment samples were collected using a stainless-steel hand auger or stainless steel trowel.

2.9 Surveying

The monitoring well locations and sampling locations (surface soil, soil borings, surface water, and sediment) were surveyed in the field using Global Positioning System (GPS) techniques. The survey established the latitude and longitude coordinates for each of the locations. In addition, the elevation in feet above mean sea level (MSL) was established to the nearest 0.01 foot for top of casing of the monitoring wells using traditional surveying techniques for sites in the public works area and GPS techniques for remote sites. Tables 2-4 through 2-9 provide the survey data. Surveying was not conducted at AOC B.

2.10 Qualitative Ecological Survey

A habitat characterization was conducted at five of the AOCs (AOCs H, I, J, L, and R) as part of the Phase II PA/SI. In addition, a habitat characterization was conducted during the Phase I investigation in the Public Work Area which includes AOC B and AOC K.

The objectives of the habitat characterization were as follows:

- Identify terrestrial (upland), wetland (palustrine and estuarine), and marine habitat within and contiguous to each AOC
- Identify the dominant plant species and plant health within each AOC habitat
- Identify wildlife species residing within or utilizing each AOC habitat and vicinity

TABLE 2-4
AOC H Monitoring Well Survey Summary
Phase II PA/SI, Seven Sites
Former NASD, Vieques Island, Puerto Rico

Well #	Northing	Easting	Top PVC (ft amsl)	Top Casing (ft amsl)	Ground (ft amsl)
MW-01	763481.0126	972470.4086	9.08	9.27	8.98
MW-02	763591.1400	972394.1613	6.12	6.10	3.37
MW-03	763637.8222	972401.5663	5.75	5.77	2.86
MW-04	763610.4120	972441.0499	6.70	6.71	4.23

Notes: amsl = Above Mean Sea Level

TABLE 2-5
AOC I Soil Boring Survey Summary
Phase II PA/SI, Seven Sites
Former NASD, Vieques Island, Puerto Rico

Boring #	Northing	Easting	Elevation (ft amsl)
SB-01	764438.3119	976318.5783	32.46
5B-02	764427.5631	976321.3968	32.27
SB-03	764418.0262	976343.4673	32.45
SB-04	764420.6449	9763S7.2S32	32.13
SB-05	764425.0748	976374.7290	31.53
SB-06	764426.9263	976383.1719	31.21
SB-07	764430.0288	976393.2647	30.89
SB-08	764431.6063	976401.7406	30.61
SB-09	764433.2437	976410.7175	30.35
SB-10	764434.9831	976417.9904	30.16
SB-11	764437.011S	976425.4983	30.12
SB-12	764439.0828	976432.0082	30.04
SB-13	764444.5212	976438.9219	29.93
SB-14	7644SS.4086	976446.0044	29.82
SB-1S	764462.8S7S	976445.2880	29.88
SB-16	764469.8482	976437.8446	30.19
SB-17	764467.9384	976422.7077	30.43
SB-18	764463.4645	976406.9419	30.31
SB-19	764471.5179	976394.7365	30.26
SB-20	764475.0231	976379.OS23	30.57
SB-21	764481.5776	976388.2980	30.67
SB-22	764484.6311	976399.0898	30.70
Se-23	764489.4676	976428.1146	29.80
SB-24	764517.4202	976420.3571	29.73
SB-2S	764S36.879S	976406.2361	29.42
SB-26	764527.2041	976360.3696	30.86

Notes: amsl = Above Mean Sea Level

TABLE 2-6A
AOC J Sediment Sample Survey Summary
Phase II PA/SI, Seven Sites
Former NASD, Vieques Island, Puerto Rico

Sample #	Northing	Easting	Elevation (ft amsl)
SW-01	760440.2875	962391.9961	-0.55
SW-02	760489.0079	962398.1024	-2.55
SW-03	760586.6254	962374.9780	-2.45
SW-04	760653.6289	962360.6182	-1.50
SW-05	760717.2625	962346.1641	-1.24

Notes: amsl = Above Mean Sea Level

TABLE 2-6B
AOC J Soil Boring and Monitoring Well Survey Summary
Phase II PA/SI, Seven Sites
Former NASD, Vieques Island, Puerto Rico

Boring/ Well #	Northing	Easting	Ground Elevation (ft amsl)	Top of PVC (ft amsl)	Top of Outer Casing (ft amsl)
SS/SB-01	760583.9293	962338.5737	1.45	NA	NA
SS/SB-02	760485.0821	962368.3239	5.23	NA	NA
SS/SB-03	760468.8787	962372.0052	6.19	NA	NA
SS/SB-04	760431.1850	962369.1051	6.88	NA	NA
SS/SB-05	760429.3922	962321.6679	7.37	NA	NA
MW-01	760575.3578	962352.3527	1.52	4.16	4.17
MW-02	760431.9831	962368.0352	6.85	9.64	9.66
MW-03	760403.8131	962340.6861	7.38	10.18	10.24
MW-04	760510.5351	962368.2507	4.19	6.78	6.76

Notes: amsl = Above Mean Sea Level

TABLE 2-7
AOC K Monitoring Well Survey Summary
Phase II PA/SI, Seven Sites
Former NASD, Vieques Island, Puerto Rico

Well #	Northing	Easting	Top PVC (ft amsl)	Top Casing (ft amsl)	Ground (ft amsl)
MW-01	761865.9234	971824.3817	56.48	56.641	56.44
MW-02	762019.6128	971784.3533	51.77	51.928	51.78
MW-03	761679.7045	971801.1434	61.90	62.133	61.96
MW-04	762014.7703	971677.5095	52.26	52.364	52.15
MW-05	762149.6207	971685.6798	48.35	48.531	48.39
OLD PRODUCTION WELL	761914.8940	971814.1406	56.72	SS.69S	54.34

Notes: amsl = Above Mean Sea Level

TABLE 2-8
AOC L Soil Boring Survey Summary
Phase II PA/SI, Seven Sites
NASD, Vieques Island, Puerto Rico

Boring #	Northing	Easting	Elevation (ft amsl)
SB-01	763507.9481	971476.7570	3.73
58-02	763495.0326	971501.6722	6.31
SB-03	763473.3022	971478.2797	10.39
SB-04	763488.6947	971457.7064	5.14

Notes: amsl = Above Mean Sea Level

TABLE 2-9
AOC R Soil Boring Survey Summary
Phase II PA/SI, Seven Sites
NASD, Vieques Island, Puerto Rico

Sample #	Northing	Easting	Elevation (amsl)
SS-01	759703.6413	963095.6480	18.81
SS-02	759721.7727	963129.4834	17.65
SS-03	759736.2483	963160.9895	17.71
SS-04	759751.5808	963194.1976	17.93
SS-05	759771.9894	963226.1612	17.35
SS-06	759788.6778	963261.4055	17.49
SS-07	759804.6694	963292.1037	17.44
SS-08	759823.3095	963330.8711	17.27
SS-09	759841.2088	963365.9524	17.50
SS-10	759859.9774	963398.2178	17.43
SS-11	759883.5776	963448.4896	17.60
SS-12	759915.0941	963468.1330	17.92
SS-13	759928.3149	963457.6510	18.06
SS-14	759936.1023	963425.6006	15.28
SS-15	759915.8217	963380.4771	15.94
SS-16	759886.8213	963333.8909	16.19
SS-17	759864.2702	963295.2562	16.24
SS-18	759849.6309	963259.5201	16.51
SS-19	759824.7809	963220.1312	16.29
SS-20	759809.2832	963189.6590	16.63
SS-21	759790.9949	963154.2846	16.84
SS-22	759771.4968	963114.9972	16.98
SS-23	759753.9160	963073.4758	16.85
SS-24	759726.7464	963080.8738	19.24
SS-25	759903.4057	963037.7231	15.43
SS-26	759930.3548	963049.6942	16.85
SS-27	759949.6173	963055.9946	16.67
SS-28	759976.7844	963067.9607	15.37
SS-29	759949.9122	963070.9236	15.27
SS-30	759928.5072	963070.6030	15.49
SS-31	759913.8721	963058.7569	15.96
SS-32	759885.5990	963086.1118	15.98
SS-33	759941.8147	963037.9380	16.06
SS-34	759941.2343	963095.9770	15.32

Notes: amsl = Above Mean Sea Level

TABLE 2-10
Federally Listed Species Occurring or Potentially Occurring at NASD
Phase II PA/SI, Seven Sites
NASD, Vieques Island, Puerto Rico

Scientific Name (Common Name)	Federal Status
Plants	
Chaemacrista glandulosa var. *mirabilis* (Herb)	Endangered
Stahlia monosperma (Cobana negra)	Threatened
Calyptranthes thomasiana (Tree)	Endangered
Eugenia woodburyana (Evergreen tree)	Endangered
Goetzea elegans (Beautiful goetzea)	Endangered
Reptiles and Amphibians	
Chelonia mydas (Green sea turtle)	Threatened
Dermochelys coriacea (Leatherback sea turtle)	Endangered
Caretta caretta (Loggerhead sea turtle)	
Eretmochelys imbricata (Hawksbill sea turtle)	Endangered
Birds	
Falco peregrinus tundrius (Arctic peregrine falcon)	Threatened
Pelecanus occidentalis occidentalis (Brown pelican)	Endangered
Sterna dougalli dougalli (Roseate tern)	Endangered
Mammals	
Physeter macrocephalus (Sperm whale)	Endangered
Balaenoptera physalus (Fin whale)	Endangered
Megaptera novaeangliae (Humpback whale)	Endangered
Trichechus manatus (West Indian manatee)	Endangered

Source: Geo-Marine, Inc. 2001

- Identify any critical habitat for federally designated threatened and endangered species within and adjacent to each AOC

Prior to field reconnaissance, vegetation communities were characterized into broad community types based on color signatures from true-color aerial photographs flown on November 4, 1999, and produced at a scale of 1 inch equals 500 feet. Community types were verified in the field by walking the perimeter and the interior of each site. Most plant species were identified in the field; however, some specimens were collected for identification using taxonomic references (Acevedo-Rodriguez, 1996; Liogier, 1982, 1985, 1988, 1994, 1995, 1997; Little and Wadsworth, 1964; Little et al., 1964). Qualitative observations were made of relative dominance and species structure at each community and adjacent community types.

During the field surveys, visual observations of plant health were also conducted at the AOC sites. Indicators of stressed plant communities such as chlorotic leaves, epinasty (deformities of leaves and stems), patches of altered plant growth, absence of plants (bare ground), and changes in species composition were noted when appropriate.

Wildlife species such as birds, mammals, and reptiles that were observed residing within or utilizing each AOC habitat were identified during the field surveys. Wildlife species were identified in the field through visual observation with binoculars and reference guides (Raffaele, 1989; Raffaele et al., 1998).

Several terrestrial and marine species that occur on or around Vieques are listed as protected by the U.S. Fish and Wildlife Service (USFWS). Sixteen federally listed species are known to occur or have the potential to occur within the NASD (Table 2-10). Before conducting the field work, a literature search was conducted for each federally-protected species. During the January 2-4, 2001, surveys, biologists walked transects through each site and noted the presence or absence of potential habitat for any federally-protected species.

Appendix F includes the detailed qualitative ecological survey report.

2.11 Unexploded Ordnance Avoidance Survey

An unexploded ordnance (UXO) avoidance survey was conducted by USA Environmental at AOC J to clear sites for sampling and drilling. Before mobilizing to the field, USA Environmental prepared a UXO avoidance plan that described the procedures to clear sites for environmental investigations. During November and December 2000, for the field investigation, USA Environmental, Inc., performed a visual surface sweep for ordnance and explosives ahead of the site clearing operations. Appendix G includes the UXO report.

2.12 Risk-Based Criteria Screening Procedure

The screening of each site is based upon validated analytical results obtained from investigations conducted from April through June, 2000. This data provides the rationale for a recommendation of NFA or further investigation for each site.

Concentrations of detected chemicals at each site were compared to the following current USEPA Region IX screening criteria for each matrix: residential and industrial risk-based concentrations (preliminary remediation goals [PRGs]) and leachability criteria for soil

(SSLD20); tap water PRGs and drinking water Maximum Contaminant Levels (MCLs) for groundwater; Region IX surface water criteria; and Region IX ecological comparison criteria (ECOSD) for sediment. In addition, site data also were screened against background data generated from the recently completed metals background investigation at the Former NASD.

Figure 2-1 shows a decision flow chart. Constituents below risk-based screening criteria were dropped out. However, all constituents exceeding screening criteria or background levels will be evaluated in a risk assessment that will be included within a separate document.

A background sampling program was conducted at NASD to determine the naturally occurring concentrations of metals (inorganic constituents) in surface soil, subsurface soil, groundwater, surface water, and sediments at the site. Samples were collected from areas of NASD that had not been previously disturbed. Undisturbed sample locations were selected based on an analysis of aerial photographs from 1936 to 1999. The appropriate number of samples (for the range of 75 to 95 percent confidence level of the results) were collected. Background values of Upper Tolerance Limit (UTL) 95 percent were developed for detected constituents in each media.

A statistical approach was used as the primary method for developing the background concentrations. This approach was supported by a graphical method that showed similar background concentrations.

The background concentrations that were developed can be used as reliable indications of the commonly occurring inorganic constituents at NASD and can be used to evaluate whether constituents detected during investigations are to the result of commonly occurring activities or to activities related to a specific site. If the site data are below the UTL of the background concentrations, it can be assumed that these constituents are not related to site activities.



RPRG = Residential Preliminary Remediation Goal
MCL = Maximum Contaminant Level
NFA = No Further Action
RI/FS = Remedial Investigation/Risk Assessment
COPC = Chemical of Potential Concern

* NASD Background values as agreed upon by NASD CERCLA Technical Team

FIGURE 2-1
Decision Process for Screening Site Data
NASD, Vieques Island, Puerto Rico

CH2MHILL

Level I – Used for field screening. The only Level I data collected as part of this PA/SI were OVM screening and water quality data collected during well purging and surface water sampling. Water quality data include pH, conductivity, temperature, and turbidity, dissolved oxygen (DO), and oxidation reduction potential (ORP).

Level IV – Level IV data were considered definitive data and were required to undergo additional data validation processes external to the laboratory. Level IV data were obtained for all media samples to satisfy requirements for site characterization.

Surface soil, subsurface soil, surface water, sediment, and groundwater samples collected for analyses were placed on ice and shipped via overnight courier (FedEx) to Progress Environmental Laboratories located in Tampa, Florida. The samples were analyzed for VOCs, SVOCs, metals, pesticides, and PCBs. All samples from AOCs J and H were also analyzed for explosives using USEPA Method 8330. Groundwater and surface water samples from AOC J also included analysis for perchlorate. Appendix H provides a summary of laboratory data and chain-of-custody forms for the samples collected.

Quality assurance/quality control (QA/QC) samples were also collected as follows:

- Duplicates – Field duplicate soil samples were collected at a frequency of 10 percent per sample matrix.
- Field Blank – A field blank was prepared by collecting a sample of analyte-free water in the area that soil sampling occurred.
- Equipment Blank – Equipment blanks were collected at a frequency of one per day.
- Matrix Spike and Matrix Spike Duplicate (MS/MSD) – MS/MSDs were collected at a frequency of one per 20 field samples per matrix and submitted for analysis.

2.13 Data Quality Evaluation

A Technical Memorandum (TM) summarizing results of the data quality evaluation process is presented in Appendix I.

2.13.1 Purpose and Background

The purpose of the data quality evaluation process is to assess the effect of the overall analytical process on the usability of the data. The two major categories of data evaluation are laboratory performance and matrix interferences. Evaluation of laboratory performance is a check for compliance with the method requirements; either the laboratory did, or did not, analyze the samples within the limits of the analytical method. Evaluation of matrix interferences is more subtle and involves the analysis of several areas of results including surrogate spike recoveries, matrix spike recoveries, and duplicate sample results.

2.13.2 Introduction

Samples were collected from November 28, 2000, through December 20, 2000. Field QC samples collected included field duplicates, field blanks, and equipment blanks. Table 1 in Appendix I lists the number of each type of sample by analytical method. The samples were analyzed for the following analytical fractions:

- VOCs by Contract Laboratory Program (CLP) SOW OLMO4.2
- SVOCs by CLP SOW OLMO4.2
- Organochlorine Pesticides and PCBs by CLP SOW OLMO4.2
- Total Petroleum Hydrocarbons (TPH) by FLO-PRO
- Anions by Ion Chromatography, USEPA 300.0
- Mercury by CLP SOW ILM04.0, USEPA 245.2M and 245.5M
- Explosives by SW846 method 8330

Before the analytical results were released by the laboratory, both the sample and QC data were carefully reviewed to verify sample identity, instrument calibration, detection limits, dilution factors, numerical computations, accuracy of transcriptions, and chemical interpretations. In addition, the QC data were reduced and the resulting data were reviewed to ascertain whether they were within the laboratory-defined limits for accuracy and precision. Any non-conforming data were discussed in the data package cover letter and case narrative.

The hardcopy data packages were reviewed by the project data validation subcontractor (Heartland Environmental Services, Inc.) using the process outlined in the USEPA Region II's *Functional Guidelines for Data Review* (Organic and Inorganic) SOPs (USEPA, January 1993; USEPA, February 1994). Data validation checklists specified by EPA Region II were used. Areas of review (when applicable to the SOW) included: holding time compliance, calibration verification, blank results, matrix spike precision and accuracy, method accuracy as demonstrated by laboratory control samples (LCSs), field duplicate results, and interference checks. The Region II data review worksheet was completed for each data package and any non-conformance was documented. This data review and validation process was independent of the laboratory's checks and focuses on the usability of the data to support the project data interpretation and decision-making processes.

Data that were not within the acceptance limits were appended with a qualifying flag, which consisted of a single or double-letter abbreviation that reflected a problem with the data. Although the qualifying flags were appended to data records during the database query process, they were also included in the final data summary tables deliverable so that the data would not be used indiscriminately. These also included secondary flags, or the two-digit "sub-qualifier" flags that are entered into the comments field of the database. The secondary qualifiers provided the reasoning behind the assignment of a specific qualifier to the data. The sub-qualifiers are presented and defined in Attachment I in Appendix I. The following primary flags were used to qualify the data:

- **U** - Undetected. Analyte was analyzed for but not detected above the method detection limit (MDL).
- **UJ** - Detection limit estimated. Analyte was analyzed for, and qualified as not detected. The result is estimated.
- **J** - Estimated. The analyte was present, but the reported value may not be accurate or precise.
- **R** - Rejected. The data are unusable. (NOTE: Analyte/compound may or may not be present.)

Numerical sample results that are greater than the MDL or inorganic instrument detection limit (IDL) but less than the contract-required reporting limit (CRDL) were qualified with a "J" for estimated as required by the USEPA *Functional Guidelines for Evaluating Data Quality* (USEPA, January 1993).

The entire database was queried for frequency of detection in blanks and field samples, detailed detections reported in all blank types, MS/MSD results, field duplicate precision, and preparation and analysis dates pertaining to holding times. The queries were then manipulated to calculate necessary statistics for evaluation of the data.

Once the data review and validation process was completed, the entire data set was reviewed for target analyte frequencies of detection, dilution factors that might affect data usability, and patterns of target analyte distribution. The data set was also evaluated to identify potential data limitations, uncertainties, or both in the analytical results. Attachment A to Appendix I lists the changes in data qualifiers as a result of the validation processes. Attachment H to Appendix I presents all data that were rejected.

2.13.3 Holding Times

The holding times for each parameter were evaluated according to USEPA Region II validation procedures. The laboratory prepared and analyzed samples under standard USEPA SW846 holding time requirements. Application of SW846 holding times to this data would result in zero holding times missed. However, the data validation was performed following USEPA Region II's Data Validation Standard Operating Procedures. Attachment J to Appendix I indicates that 3,364 records were qualified as estimated (J or UJ) because of missed USEPA Region II holding times. These holding times are shorter than the standard SW846 holding times.

Although several records were qualified as estimated because of the exceedance of holding times, no data were rejected as unusable because of holding time exceedances.

2.13.4 Calibration

Attachment A in Appendix I indicates that 736 records were qualified because of initial or continuing calibration deficiencies. A total of 345 results were rejected as a result of these deficiencies. The rejected data applied to two known common VOC contaminants, acetone and 2-butanone (MEK). All other data were qualified as estimated (J or UJ).

2.13.5 Method Accuracy

The LCS reflects method accuracy. The LCS consists of de-ionized water spiked with target compounds or elements and processed through the entire method of preparation and analysis. Nine zinc records were qualified as estimated (J or UJ) because of LCS recoveries outside of criteria. All other LCS recoveries met control limit criteria for these data, indicating that the analytical method was in control.

2.13.6 Potential Field Sampling and Laboratory Contamination

Four types of blank samples were used to monitor potential contamination introduced during field sampling, sample handling, and shipping activities, as well as sample preparation and analysis in the laboratory. Types of blank samples included:

- **Trip Blank (TB)**: A sample of ASTM Type II water that is prepared in the laboratory prior to the sampling event. The water is stored in VOC sample containers, is not opened in the field, and travels back to the laboratory with the other samples for VOC analysis. This blank is used to monitor the potential for sample contamination during the sample container trip. One trip blank was to be included in each sample cooler that contained samples for VOC analysis. Eighteen trip blanks were submitted to the laboratory with these samples.
- **Equipment Rinsate Blank (ERB)**: A sample of the target-free water used for the final rinse during the equipment decontamination process. This blank sample is collected by rinsing the sampling equipment after decontamination, and is analyzed for the same analytical parameters as the corresponding samples. This blank is used to monitor potential contamination caused by incomplete equipment decontamination. One equipment blank should be collected per day of sampling, per type of sampling equipment. Depending on the method, up to 13 equipment blanks were submitted to the laboratory for this field effort.
- **Field Blank or Ambient Blank (FB or AB)**: The field blank is an aliquot of the source water used for equipment decontamination. This blank monitors contamination that may be introduced from the water used for decontamination. One field blank should be collected from each source of decontamination water and analyzed for the same parameters as the associated samples. Depending on the method, up to three field blanks were collected during this sampling event for selected methods.
- **Laboratory Method Blank or Method Blank (MB)**: A laboratory method blank is ASTM Type II water that is treated as a sample in that it undergoes the same analytical process as the corresponding field samples. Method blanks are used to monitor laboratory performance and contamination introduced during the analytical procedure. One method blank was prepared and analyzed for every 20 samples or per analytical batch, whichever was more frequent.

According to the USEPA's *Functional Guidelines* (USEPA, February 1994), concentrations of common organic contaminants detected in samples at less than 10 times the concentration of the associated blanks can be attributed to field sampling and laboratory contamination rather than environmental contamination from site activities. Common organic contaminants include acetone, methylene chloride, 2-butanone, and the phthalates. For other inorganic and organic contaminants, five times the concentration detected in the associated blanks (rather than 10 times) is used to qualify results as potential field and/or laboratory contamination rather than environmental contamination. The "10 times rule" was applied on a sample delivery group (SDG) by SDG basis and not globally. Global application, however, would account for anomalous data which should also be attributed to laboratory or field blank contamination. USEPA Region II direction, however, does not provide for the validation contractor to use any blank value determined below the CRDL, as do traditional USEPA *Functional Guidelines*. In addition, use of field blank data is left to the validation contractor's discretion and is generally not applied, as was the case with this data set.

Attachment G in Appendix I contrasts the frequency and magnitude of detection of targets common between normal field samples and blanks. Moreover, many results reported in blanks (especially metals) are well below any practical quantitation limit (PQL) and may represent Type I or II errors when associated with a matrix. A Type I (or alpha error) occurs when the value reported is dismissed as a biased high (or false positive) result and a Type II (or beta error) is considered as a biased low (or false negative) result.

Detections in the samples at levels less than the action levels (the 5 or 10 times rules) were qualified as not detected. Attachment A in Appendix I (Change in Qualifiers) lists all changes in qualifiers resulting from data validation and blank contamination (345 total results as a result of blanks). A comprehensive list of all detects in each blank is provided in Attachment B in Appendix I. Table 2 in Appendix I compiles the blank detections into a "frequency of detection" by target parameter. In addition, Attachment F in Appendix I compiles frequency of detection by target parameter for all field samples after validation.

Four SVOCs were reported in blanks. Phthalates are used as plasticizers. The most common phthalates are bis(2-ethylhexyl)phthalate (BEHP), Di-n-butylphthalate, and Diethyl phthalate. Phthalates are often introduced into samples during handling. For example, the gloves often used when handling sampling equipment such as pumps, hoses, split spoons, dredges and bailers and the gloves used by laboratory chemists when handling samples and extracts are coated with plasticizers such as BEHP to facilitate release of the gloves from the skin. Attachment B in Appendix I indicates that BEHP was detected in a single ambient blank. Six samples were qualified as non-detects because of blank contamination by BEHP. Di-n-octylphthalate was reported in one equipment blank and one laboratory blank, which resulted in six samples being qualified. Di-ethyl phthalate was detected in two laboratory blanks but resulted in no samples being qualified. Pentachlorophenol was detected in a single ambient blank, but did not result in any sample qualifications.

A single equipment blank (NDE132EB3) reported 10 organochlorine pesticide target analytes at sub-part per-billion concentrations. No field samples were qualified for blank contamination for these compounds.

Thirteen VOCs were reported in laboratory and/or field blanks. Methylene chloride and acetone are used as extraction solvents and are common laboratory contaminants. Methylene chloride was found in equipment, laboratory, and trip blanks at concentrations less than the reporting limit of 10 micrograms per liter (µg/L). Twenty-nine samples were qualified as not detected for methylene chloride because of blank contamination. Table 2 in Appendix I indicates that acetone was detected in equipment and laboratory blank types. Ten samples were qualified as not detected because of acetone contamination. 1,2-Dichloroethane was reported in equipment and laboratory blanks. Six field samples were qualified as not detected. Chloroform, a trihalomethane (THM) and disinfection by-product was detected in ambient and equipment blanks, resulting in three field samples being qualified as non-detects. Toluene was detected in all blank types, and 23 field samples were qualified for blank contamination. Trichloroethylene (TCE) was reported in laboratory blanks, resulting in seven samples being qualified. Benzene, bromodichloromethane, carbon disulfide, m,p-xylene, o-xylene, total xylene, and 2-butanone were also detected in blanks, but their detections did not result in any field sample qualification.

2.13.7 Matrix Effects

Surrogate Spike Recovery

Surrogate spike compounds were added to every sample analyzed for the organic parameters including field and laboratory blanks as well as field environment samples. Surrogate spikes consist of organic compounds that are similar to the method targets in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

Surrogate spike recoveries were used to monitor both laboratory performance and matrix interference. Surrogate spike recoveries from field and laboratory blanks were used to evaluate laboratory performance because the blanks should represent an ideal sample matrix. Surrogate spike recoveries for field samples were used to evaluate the potential for matrix interference. According to USEPA's Functional Guidelines, data are not qualified with respect to surrogate recoveries unless one or more VOC surrogates are out of specifications. SVOCs are not qualified unless two or more surrogates within the same fraction (base/neutral or acid fraction) are out of specification.

Attachment C in Appendix I presents all reported surrogate spike recoveries for field and QC samples, organized by each analytical fraction. Attachment A in Appendix I indicates that 2,971 records were qualified as estimated because of surrogate recoveries outside of criteria. No data were rejected. The majority of surrogate recoveries were well within method acceptance ranges, as reflected by Attachment C in Appendix I. The recoveries indicated that the matrix did not significantly influence the analytical method or the final analytical result.

MS/MSD Precision and Accuracy

An MS is an aliquot of sample spiked with a known concentration of target analyte(s). The spiking occurs prior to sample preparation and analysis. An MS is used to document the bias of a method in a given sample matrix. The MSD is an intra-laboratory-split sample spiked with identical concentrations of target analyte(s). The spiking occurs prior to sample preparation and analysis. The MS/MSD is used to document the precision and bias of a method in a given sample matrix. For the MS/MSD measurement, three aliquots of a single sample are analyzed: one native sample and two spiked with target analytes or compounds. Matrix accuracy is evaluated from the spike recoveries, while matrix precision is evaluated from comparison of the percent recoveries of the MS and MSD. Another method of measuring precision typically associated with inorganic results is the native duplicate. A second aliquot of a native sample is digested and analyzed. Results from the native sample and the duplicate sample are compared and the relative percent difference (RPD) is calculated for this precision measurement.

Organic results are not qualified upon the results of MS/MSD results alone. Evaluation is in conjunction with surrogate, LCS, and internal standard results, if applicable. In addition, many MS/MSD samples require dilution; thus, the spike compounds added are diluted and therefore cannot be evaluated.

Inorganic results may be qualified solely upon the results of the MS/MSD precision and accuracy. Instances where the native sample concentration for a given element exceeds the spike added concentration by a factor of four or more are not evaluated because the spike added would be masked by the native concentration. According to the USEPA *Functional Guidelines* (USEPA, February 1994), metals recoveries of greater than 30 percent and outside the 75 to 125 percent recovery control limits are required to be flagged as estimated. Precision requirements for waters are at 20 RPD. Attachment D in Appendix I lists all MS/MSD precision and accuracy results. Moreover, Attachment A in Appendix I indicates which samples and what targets were qualified (283 records). Of these records qualified for precision and accuracy measurement outside criteria, none were rejected. All of these records were estimated (J or UJ). As Attachment D in Appendix I indicates, the majority of the accuracy and precision results were well within established criteria, indicating that the specific sample matrix did not greatly influence the overall analytical process or the final numerical sample result.

Attachment E in Appendix I lists all laboratory duplicate precision statistics. No data were qualified as a result of laboratory duplicate precision outside of criteria. This data confirms that the laboratories' method precision was in control and that the matrices were generally homogenous.

Field Duplicate Sample Results

Field duplicate analyses measure both field and laboratory precision and can also be affected by the homogeneity of the samples. The results, therefore, may have more variability than laboratory duplicates, which measure only laboratory performance. According to the USEPA *Functional Guidelines* (USEPA, February 1994), no qualification criteria exist for field duplicate precision.

Depending on the method, up to four sets of field duplicates were collected during this field effort. Native and duplicate samples were analyzed for the same parameters.

An aqueous control limit of ± 20 percent for the RPD was used for original and duplicate sample values greater than or equal to five times the reporting limit (RL). Solid samples utilized a control limit of 35 RPD. A control limit of ± the RL for waters and two times the RL for soils was used if either the sample or the duplicate value was less than five times the RL. In the cases where only one result is more than five times the RL level and the other is below, the ± RL criteria were applied. Attachment K in Appendix I includes a summary of the field duplicate measurements and their associated precision statistic.

The attachment reflects 58 of 523 measurable results (11 percent) outside of established criteria. Thus, the data were within the defined control limits. These precision data indicate that matrix heterogeneity and sampling technique did not greatly influence the final numerical result.

Total versus Dissolved Metals

Attachment L in Appendix I compares the dissolved metals to total metals. Criteria for evaluation of the data include data that is at least five times the RL and where the difference between results is less than 10 percent of the dissolved concentration. These comparisons revealed that the dissolved concentration was greater than the total concentration in only two of 507 results (less than 0.5 percent).

2.13.8 Sample Results for Metals Near the MDL

The MDL is defined as the minimum concentration of an analyte that can be identified, measured, and reported with 99 percent confidence that the analyte concentration is greater than zero. However, sample results at or near the MDL reported in blanks (especially metals) may represent Type I or II errors. This phenomenon is compounded when measurements are associated with a matrix. A Type I (or alpha error) occurs when the value reported is dismissed as a biased high (or false positive) result. A Type II (or beta error) is considered a biased low (or false negative) result. Thus, some values at the lower levels of detection may be false positives caused by instrument noise or low-level background shifts rather than a true analyte signal. In addition, concentrations near the MDL should be considered as not necessarily accurate or precise.

Precision, Accuracy, Representativeness, Completeness, and Comparability (PARCCs)

Precision is defined as the agreement between duplicate results, and was estimated by comparing native laboratory duplicates and field duplicate sample results. Laboratory duplicate precision was documented as well within control limit criteria for most samples and targets. Other than the documented exceptions, the precision between native and field duplicate sample results were within acceptable criteria for the majority of the measurements, indicating that sample matrix did not significantly interfere with the overall analytical process.

Accuracy is a measure of the agreement between an experimental determination and the true value of the parameter being measured. For inorganic analyses, an MS and an LCS were spiked with a known reference material before preparation. The MS provides a measure of the matrix effects on the analytical accuracy. The LCS results demonstrate accuracy of the method. Matrix spike and LCS recoveries were within the method acceptance limits for the majority of the measurements; therefore, other than the documented exceptions, there was no evidence of significant matrix interferences that would affect the usability of the data.

Representativeness is a qualitative measure of the degree to which sample data accurately and precisely represent a characteristic environmental condition. Representativeness is a subjective parameter and is used to evaluate the efficacy of the sampling plan design. Representativeness was demonstrated by providing full descriptions of the sampling techniques and the rationale used for selecting sampling locations in the project scoping documents.

Completeness is defined as the percentage of measurements that are judged to be valid compared to the to total number of measurements made. Other than the 34 non-detected acrolein results rejected for poor continuing calibration statistics, no other data were rejected. A goal of 90 percent usable data was established in the project scoping document; 98.6 percent (29,173 of 29,593 records) of the data were determined to be valid.

Comparability is another qualitative measure designed to express the confidence with which one data set may be compared to another. Factors that affect comparability are sample collection and handling techniques, sample matrix type, and analytical method. Comparability is limited by the other PARCC parameters because data sets can be compared with confidence only when precision and accuracy are known. Data from this investigation are comparable with other data collected at the site because only USEPA methods were used to analyze the samples, and USEPA Level III QC data are available to support the quality of the data.

2.13.9 Data Quality Summary and Conclusions

Conclusions of the data quality evaluation process include the following:

- Although several records were qualified as estimated because of exceedances of USEPA Region II holding times, all the records met the holding time criteria for USEPA Method SW-846. Furthermore, no data were rejected as unusable as a result of holding time exceedances.
- The laboratory analyzed the samples according to the USEPA methods stated in the work plan, as demonstrated by the deliverable summaries and analytical run sequences.
- Sample results at or near the MDL reported in blanks (especially metals) may represent Type I or II errors. This phenomenon is compounded when measurements are associated with a matrix. A Type I (or alpha error) occurs when the value reported is dismissed as a

biased high (or false positive) result. A Type II (or beta error) is considered as a biased low (or false negative) result. Thus, some values at the lower levels of detection may be false positives caused by instrument noise or low-level background shifts rather than a true analyte signal.

- Spike recoveries and duplicate sample results (other than the exceptions documented in the text and attachments) indicated that the specific sample matrix did not significantly interfere with the analytical process or the final numerical result.
- The project objectives or PARCCs were met, and the data can be used in the project decision-making process as qualified by the data quality evaluation process.

Appendix I includes tables and attachments from the Data Validation Summary.

SECTION 3

AOC B – Wastewater Treatment Plant

This section presents the results of the Expanded PA/SI performed at AOC B – Wastewater Treatment Plant at the Former NASD. The field sampling activities associated with this investigation were performed by CH2M HILL in November and December 2000.

This section also includes a description of the objectives of the Expanded PA/SI, a site description, results of previous investigations, a summary of field activities, a summary of laboratory results, and conclusions and recommendations. To evaluate the potential for environmental impacts, data were compared to applicable USEPA Region IX regulatory screening criteria and background data for NASD. Section 2.11 of this report described the environmental screening process.

3.1 Objectives

The specific objectives of this investigation were to:

- Assess the environmental suitability of the property for transfer to the Municipality of Vieques, as mandated by former President Clinton's directive on January 31, 2000.
- Determine whether a release of hazardous materials has occurred at the site as a result of site-related activities.
- Recommend the site either for additional investigations to assess environmental impacts or for no further investigations.

3.2 Site Description

The wastewater treatment plant (WWTP), operating since 1983, is located at the southwest end of the main compound and serves as the primary treatment system for the site. Effluent from the WWTP drains into a series of four lagoons with no discharge point (AOC B). According to the EBS Report (ERM, 2000), "disposal of hazardous constituents may have occurred at the WWTP during past operations." However, the historical archive research and site data do not provide any evidence that hazardous waste was likely to have been disposed of at the site.

According to the EBS report, disposal of hazardous constituents may have occurred at the WWTP during past operations.

On previous visits to the site, vegetation was observed growing inside the lagoons. No wastewater leaks were observed from the dikes during site reconnaissance efforts. The soil borings drilled through the lagoons indicated that the lagoons were unlined.

3.2.1 Summary of Qualitative Ecological Survey

A qualitative ecological survey was completed at AOC B during implementation of the Phase I Expanded PA/SI (CH2M HILL, October 2000). Results of this effort are provided in Appendix I of the Phase I Expanded PA/SI report and is summarized in the following paragraphs.

The plant community at this site is dominated by herbaceous species because of ongoing grounds maintenance activities (mowing) within the Public Works area. A few scattered shrubs and palm trees are present in the area. The herbaceous plant community was dominated by several species including *Bothriochloa ishaemum, Digitaria ciliaris, Cynodon dactylon,* and *Commelina erecta. Cynodon dactylon* was more abundant at this site than at other sites within the Public Works area. *Cynodon dactylon* is an exotic and invasive grass species that can tolerate variable growing conditions. The decumbent growth form of this species indicates that this area had been compacted from heavy vehicles driving or parking on the site. The soil compaction may also limit the species diversity of the site. It appears that the site is used as a parking lot or vehicle staging area.

Wildlife observed at these sites is typical for developed areas on Vieques. Horse and mongoose were observed utilizing this site during the field survey. A few birds including a red-tailed hawk and killdeer were present during the surveys and may be expected to use portions of the habitat for feeding. Other birds that could potentially use this area include the common ground dove, scaley-naped pigeon, snowy egret, Puerto Rico woodpecker, northern mockingbird, greater antillean grackle, gray kingbird, black-whiskered vireo, white-winged dove, and zenaida dove.

No federally-protected species or preferred habitat were observed at this site. Although the Arctic peregrine falcon has been observed at NSRR and on the Puerto Rico mainland within these types of grassed areas, the proximity of this habitat to buildings and human disturbance creates unfavorable conditions for the potential occurrence of this falcon.

3.3 Previous Investigation Results

As described in the Site-Specific Work Plan (CH2M HILL, December 2000), a site investigation was performed at the WWTP by CH2M HILL in June 2000. One sludge sample was collected from the secondary clarifier and one effluent discharge sample was collected from the secondary clarifier to determine whether any industrial waste was present in the sludge or in the discharge to the lagoon. In addition, four soil samples were also collected, one at the center of each of the four evaporation/percolation cells. Laboratory data are included in Appendix H.

Low levels of copper, 1,4-dichlorobenzene, and toluene were detected in an effluent sample collected at Building 2030. Dichlorobenzene is a byproduct of disinfectants used in WWTPs, and toluene is a petroleum-derived constituent. No exceedances of the regulations for sewage sludge were found. For this reason, no additional sampling for sludge was conducted for the PA/SI for this site.

3.4 Expanded PA/SI Field Investigations

The Expanded PA/SI for AOC B was conducted in November and December 2000 and April 2001. Activities included the field collection of surface soil and subsurface soil samples from 16 boring locations at the facility. A site map with the AOC B soil sampling locations is provided as Figure 3-1. All surface soil samples were analyzed for metals, pesticides/PCBs, SVOCs, and VOCs.

3.4.1 Soil Sampling

Sixteen soil borings were completed at the site as shown in Figure 3-1, with four soil borings performed at approximately the same locations as the previous investigation (WWTP SS/SB0001 through WWTP SS/SB004). One surface soil sample and one subsurface soil sample were collected from each of the 16 soil boring locations.

3.5 Laboratory Analytical Results

This section presents the interpretation of the analytical data from the AOC B Expanded PA/SI. The discussion includes the identification of screening and regulatory criteria exceedances, as well as exceedances for the individual media sampled. Section 3.6 presents conclusions and recommendations, organized by media.

Concentrations of detected chemicals were compared to the current USEPA Region IX residential and industrial PRGs and leachability criteria for surface soils (SSLD20). Appendix H contains a compilation of the concentrations for all chemicals for which samples were analyzed. Appendix I contains a data quality evaluation summary.

3.5.1 Surface Soil Results

Table 3-1 summarizes the surface soil detections at AOC B. Surface soil detections exceeding comparison criteria are presented in Figure 3-2. Analytical results indicated detections of aluminum, arsenic, manganese, lead, and vanadium in surface soil samples at concentrations above the residential PRGs but below the NASD background values. The exceedances are listed and described in the following paragraphs.

Metals

- Two exceedances of aluminum ranging from 9,300 to 14,000 mg/kg [PRG-R (R) of 7,614 mg/kg], but below NASD background levels of 29,000 mg/kg
- One exceedance of arsenic at 1.1J mg/kg [PRG-R (R) value of 0.39 mg/kg]
- Three exceedances of manganese ranging from 180J to 640J mg/kg [PRG-R (R) of 176.24 mg/kg]
- Four exceedances of lead ranging from 2.3 to 4.7 mg/kg [PRG-R (R) of 0 mg/kg, PRG-I (I) of 0.01 mg/kg]
- Two exceedances of vanadium ranging from 61 to 73 mg/kg [PRG-R (R) of 54.75 mg/kg]

Pesticides/PCBs, SVOCs, and VOCs were either not detected, or were detected at concentrations below applicable screening criteria.

3.5.2 Subsurface Soil Results

All subsurface soil sample metals results were either below PRG comparison criteria or below analytical detection limits for all parameters for which samples were analyzed. In addition, the subsurface metal concentrations were below background levels. Table 3-2 summarizes the subsurface soil results at AOC B.



T:\Puerto Rico Drawings\Vieques\SMP17SITES\AOC-B.DWG

Figure 3-1
AOC B WWTP Sample Locations
Former NASD, Vieques Island, Puerto Rico

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-BSS.dwg

Figure 3-2 AOC-B
Surface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

3.6 Conclusions and Recommendations

This section summarizes the results of the expanded PA/SI activities at AOC B by media, and provides recommendations for the site.

3.6.1 Surface Soil

Analytical results of surface soil samples indicated detections of metals above the residential Region IX PRG criteria. These metals concentrations were below the background values established for these metals at NASD.

All other parameters for which samples were analyzed were either not detected, or were detected below their applicable screening criteria.

Based on the interpretation of results, no evidence exists to suggest that a release of hazardous materials to surface soil has occurred at this site as a results of site-related activities.

3.6.2 Subsurface Soil

No constituents were detected above risk-based criteria in subsurface soils. Therefore, no evidence exists to indicate that a release of hazardous materials to subsurface soil has occurred as a result of site-related activities.

3.6.3 Recommendation

Based on the results of the PA/SI investigation, no additional investigations are recommended. However, a risk assessment is recommended to assess whether the levels of metals detected above the PRGs pose an unacceptable risk to human health and the environment.

Table 3-1
Surface Soil Analytical Data Summary
AOC - B WWTP, NASD, Vieques, PR

					StationID	WWTPSB001	WWTPSB002	WWTPSB003	WWTPSB004
					SampleID	NDE188	NDE190	NDE192	NDE194
					Collection Depth	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5
					Date Collected	12/04/2000 9:05	12/04/2000 9:10	12/04/2000 9:30	12/04/2000 9:50
Parameter	**Units**	**BKG**	**PRG-I (I)**	**PRG-R (R)**	**SSLD20 (L)**				
Metals									
ALUMINUM	mg/kg	29000	100000	7614.20		5800 =	14000 = - R -	9300 = - R -	4300 =
ANTIMONY	mg/kg	2.30	81.76	3.13	5	0.48 J	0.7 J	0.53 J	0.73 J
ARSENIC	mg/kg	2.2	2.73	0.39	29	0.33 U	0.34 U	0.33 U	1.1 J - R -
BARIUM	mg/kg	320	100000	537.49	1600	52 =	95 =	53 =	54 =
BERYLLIUM	mg/kg	0.45	2241.59	15.44	63	0.11 J	0.28 J	0.13 J	0.042 U
CALCIUM	mg/kg	210000				1300 =	2600 =	2400 =	1200 J
CHROMIUM, TOTAL	mg/kg	74	448.32	210.68	38	7.3 =	13 =	15 =	6.4 =
COBALT	mg/kg	25	100000	469.28		6.7 J	11 J	9.5 J	5.1 J
COPPER	mg/kg	68	7590.85	290.51		19 =	33 =	35 =	16 =
IRON	mg/kg	37531	100000	2346.32		14000 = - R -	26000 = - R -	22000 = - R -	11000 = - R -
MAGNESIUM	mg/kg	12834				1400 =	3300 =	4300 =	1100 J
MANGANESE	mg/kg	1167	3225.02	176.24		180 J - R -	640 J - R -	470 J - R -	150 J
LEAD	mg/kg	6.9	100.00	40.00		2.8 =	2.3 =	4.7 =	4.1 =
MERCURY	mg/kg	0.031	61.32	2.35		0.023 J	0.03 J	0.06 =	0.0099 J
NICKEL	mg/kg	40.00	4087.67	156.43	130	3.4 J	6.9 J	8.5 J	2.7 J
POTASSIUM	mg/kg	1700				870 J	1200 =	1500 =	680 J
SELENIUM	mg/kg	2.00	1021.98	39.11	5	1 J	1 J	1.2 =	0.59 U
SODIUM	mg/kg	6300				69 J	160 J	100 J	52 J
THALLIUM	mg/kg	0.67				0.51 J	0.68 J	0.38 U	0.44 U
VANADIUM	mg/kg	130	1430.76	54.75	6000	40 =	73 = - R -	61 = - R -	35 =
ZINC	mg/kg	65	100000	2346.32	12000	30 =	40 =	58 =	29 =
Semi-Volatiles									
BENZO(g,h,i)PERYLENE	mg/kg					0.409 U	0.418 U	0.037 J	0.455 U
Volatiles									
METHYL ETHYL KETONE	mg/kg		2771.45	732.54		0.011 UJ	0.01 R	0.01 J	0.01 R

Data Flags:

U - Undetected; analyte was analyzed but not detected above the MDL.
UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.
J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B - Analyte was detected in the associated method blank.
R - Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria

PRG-I - Region IX Preliminary Remediation Goals - Industrial Soil (I)
PRG-R - Region IX Preliminary Remediation Goals - Residential Soil (R)
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20) (L)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Table 3-2
Subsurface Soil Analytical Data Detection Summary
AOC - B WWTP, NASD, Vieques, PR

			StationID	WWTPSB001	WWTPSB002	WWTPSB003	WWTPSB004
			SampleID	NDE189	NDE191	NDE193	NDE196
			Collection Depth	4.5 To 5.5	5 To 6	4.5 To 5.5	4.8 To 5.6
			Date Collected	12/04/2000 9:15	12/04/2000 9:20	12/04/2000 9:40	12/04/2000 10:10
Parameter	**Units**	**BKG**	**SSLD20 (L)**				
Metals							
ALUMINUM	mg/kg	29000		4700 =	5100 =	5900 =	5300 =
ANTIMONY	mg/kg	2.3	5	0.38 J	0.27 UJ	0.43 J	0.33 J
ARSENIC	mg/kg	2.5	29	0.32 U	0.33 U	0.62 J	0.32 U
BARIUM	mg/kg	320	1600	31 J	52 =	76 =	36 J
BERYLLIUM	mg/kg	0.45	63	0.037 U	0.038 U	0.13 J	0.036 U
CALCIUM	mg/kg	210000		1200 =	1500 =	2100 =	1600 =
CHROMIUM, TOTAL	mg/kg	74	38	8.9 =	7 =	12 =	9.7 =
COBALT	mg/kg	25		3.6 J	5.9 J	7.8 J	4.9 J
COPPER	mg/kg	68		17 =	21 =	21 =	16 =
IRON	mg/kg	37531		14000 =	14000 =	16000 =	12000 =
MAGNESIUM	mg/kg	12834		1800 =	2300 =	2800 =	2000 =
MANGANESE	mg/kg	1167		95 J	320 J	670 J	210 J
LEAD	mg/kg	6.9		0.93 =	1.2 =	1.8 =	0.65 =
MERCURY	mg/kg	0.031		0.005 J	0.0071 J	0.0065 J	0.0033 J
NICKEL	mg/kg	40	130	3.1 J	3 J	6.9 J	4.1 J
POTASSIUM	mg/kg	1700		1000 J	830 J	950 J	810 J
SELENIUM	mg/kg	2	5	0.67 J	0.93 J	0.92 J	0.5 U
SODIUM	mg/kg	6300		40 J	66 J	65 J	63 J
THALLIUM	mg/kg	0.67		0.38 U	0.39 U	0.38 U	0.4 J
VANADIUM	mg/kg	130	6000	40 =	41 =	47 =	35 =
ZINC	mg/kg	65	12000	23 =	20 =	21 =	28 =

Data Flags:
U - Undetected; analyte was analyzed but not detected above the MDL.
UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.
J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B - Analyte was detected in the associated method blank.
R - Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria
PRG-I - Region IX Preliminary Remediation Goals - Industrial Soil (I)
PRG-R - Region IX Preliminary Remediation Goals - Residential Soil (R)
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20) (L)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

SECTION 4

AOC H-Power Plant

This section presents the results of the Expanded PA/SI performed at AOC H – Power Plant at the Former NASD. The field sampling activities associated with this investigation were performed by CH2M HILL in November and December 2000.

This section includes a description of the objectives of the Expanded PA/SI, a site description, results of previous investigations, a summary of field activities, a summary of laboratory results, and conclusions and recommendations. To evaluate the potential for environmental impacts from the site, data were compared to applicable regulatory screening criteria. Section 2.11 of this report described the environmental screening process.

Groundwater samples were analyzed for total and dissolved metals, pesticides/PCBs, SVOCs, VOCs, and explosives. Surface and subsurface soil samples were analyzed for explosives, total metals, pesticides/PCBs, SVOCs and VOCs.

4.1 Objectives

The specific objectives of this investigation were to:

- Assess the environmental suitability of the property for transfer to the Municipality of Vieques, as mandated by former President Clinton's directive on January 31, 2000.
- Assess whether or not a release of hazardous materials has occurred at the site as a result of site-related activities.
- Recommend the site either for additional investigations to assess environmental impacts or for no further field investigations.

4.2 Site Description

AOC H is an abandoned building that operated as a power plant from 1941 to 1943. The building is thought to have formerly stored power generation equipment and housed large diesel generators to provide electricity, with associated aboveground storage tanks (ASTs) for storing the fuel. The tanks, located on the western side of the building, had an estimated capacity of 2,000 to 3,000 gallons.

According to interviews conducted during the Environmental Baseline Survey from the 1960s to the 1980s, the building was used for fire-training operations by igniting diesel fuel over rubber tires inside the building to simulate a structure fire (ERM, 2000).

4.2.1 Summary of Qualitative Ecological Survey

The former power plant building is located just north of Highway 200. Vegetation immediately around the structure had been cleared for the installation of monitoring wells prior to the survey. The area to the east consists of dense thorn scrub. West of the building, a mixed thorn scrub and coastal forest exists that transitions to a quebrada/lagoonal area that drains to the

north to the ocean. Water quality within the quebrada was brackish during the survey. To the north, a densely mixed thorn scrub and coastal forest is present.

Dominant shrubs identified on the site included tantan (*Leucaena leucocephala*), Christmas tree (*Randia aculeata*), and *Erythroxylum brevipes*. The sandy ground was covered with tantan seedlings. The dominant herbs observed on the site include *Melochia nodiflora* and better man better (*Achyrantes aspera*). Hurricane grass (*Bothriochloa pertusa*) was observed on the southern boundary of the site. This AOC is bordered to the south by the grassy road shoulder which is maintained frequently.

During the wildlife surveys, several species were observed utilizing the abandoned power plant building and adjacent habitat. The exterior of the building provides shade, foraging areas, and cover for an abundant number of lizards such as the garden lizard (*Anolis pulchellus*), common lizard (*Anolis cristatellus*), and spotted lizard (*Anolis stratulus*). A ground lizard, *Ameiva exsul*, was seen immediately adjacent to the site among thorn scrub. In addition, the building provides a roosting place for a population of approximately 150 West Indian fruit bats (*Artibeus jamaicensis*). Numerous seeds from bat droppings littered the floor of the building. Fruits collected in the building included the moca tree (*Andira inermis*), quenepa plant (*Melicoccus bijugatus*), and the Indian almond tree (*Terminalia catappa*).

Bird species observed near the power plant building included gray kingbird (*Tyrannus dominicensis*), Adelaide warbler (*Dendroica adelaidae*), and common ground doves (*Columbina passerina*). No evidence existed to indicate that the AOC has had a negative impact on wildlife diversity or its habitat. The recently cleared vegetation may have reduced structural diversity, but recovery of vegetation would be expected to occur.

No endangered or threatened species were observed within the AOC H area. Appendix F includes a detailed ecological survey report.

4.3 Previous Investigations

In June 2000, ERM conducted an EBS to investigate possible contamination at different AOCs at the Former NASD for the Atlantic Division, Naval Facilities Engineering Command. The objective of this EBS was to determine whether specific toxic or hazardous materials had contaminated the environment as a result of Navy activities.

The EBS (ERM, 2000)included an investigation of PCB contamination on the floor of the power plant. Five concrete wipe samples were collected and analyzed for PCBs. The study found no PCB contamination. No further investigations were carried out for other pollutants. No soil borings or wells were installed at this AOC during the EBS.

4.4 Expanded PA/SI Field Investigations

CH2M HILL collected 16 surface soil samples and 16 subsurface soil samples around the perimeter of the building, collected four surface soil samples from inside the building, and installed four monitoring wells (one upgradient well and three downgradient wells). Figure 4-1 is a site map of AOC H, including the soil and groundwater sampling locations.

4.4.1 Groundwater Sampling and Direction of Groundwater Flow

As proposed in the Site-Specific Work Plan (CH2M HILL, December 2000), a total of four groundwater monitoring wells were installed around the power plant building at AOC H. One well was placed upgradient, and three wells were placed downgradient. The four wells were surveyed in to existing horizontal and vertical datums.

Groundwater samples were collected from the four wells and analyzed for total and dissolved metals, pesticides/PCBs, SVOCs, and VOCs.

Prior to sampling, depth to groundwater was measured using an electronic water level indicator. This data was used in conjunction with the survey data to determine elevations of groundwater at the monitoring wells. As shown in Figure 4-2, the groundwater contours show a groundwater flow direction to the north-northwest. Tables 2-1 and 2-4 (presented previously) list the top of casing elevations for the monitoring wells. Because of the proximity to the ocean, tidal effects may contribute to slight changes in groundwater elevations. Monitoring well MW-01 serves as the upgradient well and monitoring wells MW-02, MW-03, and MW-04 are situated hydraulically downgradient to the site.

4.4.2 Soil Sampling

CH2M HILL completed 16 soil borings along the perimeter of the power plant building. In addition, four surface soil samples were collected for analysis from inside the former power plant as illustrated in Figure 4-1. The samples were screened in the field using an OVM and submitted to the laboratory for analysis. Samples were analyzed for explosives, total metals, pesticides/PCBs, SVOCs, and VOCs.

4.5 Field Screening Results

Soil samples were screened in the field for VOCs using an OVM/photo ionization detector (PID). This field screening method provides a qualitative evaluation of potential organic constituents in soil. The OVM results are included in the soil boring logs in Appendix A.

4.6 Laboratory Analytical Results

This section presents the interpretation of the analytical data from the AOC H Expanded PA/SI. The discussion includes the identification of screening/regulatory criteria exceedances. Concentrations of chemicals detected in soil were compared to current USEPA Region IX residential and industrial PRGs and leachability criteria. Appendix H contains a compilation of the concentrations for all chemicals for which samples were analyzed. Appendix I contains a data validation summary.



T:\...onmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\...-H2.dwg

Figure 4-1
AOC-H Power Plant Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



LEGEND

GROUNDWATER CONTOUR LINE	
MONITORING WELL LOCATION WITH GROUNDWATER ELEVATION IN FEET MSL	MW-01 GW ELEV=0.88
SURFACE/SUBSURFACE SOIL	SS/SB-01
SURFACE SOIL	SS-001
APPROXIMATE GROUNDWATER FLOW DIRECTION	

N

40' 0 40' 80'

GRAPHIC SCALE IN FEET
1" = 40'

Figure 4-2
Groundwater Contour Map AOC-H
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

.onmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-200 -Hgwc.dwg

4.6.1 Surface Soil Results

Metals exceedances of PRGs were observed at 19 individual locations. Analytical results indicate metals exceedances at all 16 boring locations outside the building, except for SS/SB-08. Metals exceedances were also detected at all four borings inside the building (SS-01 through SS-04). Benzo(a)pyrene was detected above residential Region IX PRGs at two locations (SS/SB-04 and SS-02). Other SVOCs were also detected above comparison criteria at SS/SB-11, SS/SB-12, and SS/SB-13. Explosives (2,6-dinitrotoluene) were detected above the leachability criteria of 0.0007 mg/kg at two locations (SS/SB–11 and SS/SB–13). However, the groundwater analytical results reveal that no explosives were detected, indicating that explosives have not leached into the groundwater. Two pesticides, DDE and DDT, were also identified in site surface soils above the residential PRG. The exceedances for surface soil are summarized in the following paragraphs.

Table 4-1 summarizes the constituents detected in surface soil. Figure 4-3 illustrates the surface soil concentration exceedances.

Metals

- Eight exceedances of aluminum ranging from 8,100 to 11,000 mg/kg [PRG-R (R) of 7,614 mg/kg]
- One exceedance for antimony at 6.3J mg/kg [PRG-R of 3.13 mg/kg and SSLD20 (L) of 5 mg/kg]
- Nineteen exceedances for arsenic ranging from 0.54 to 67 mg/kg [PRG-R (R) value of 0.39 mg/kg]
- Two exceedances of chromium (total) from 46 to 50 mg/kg [SSLD20 (L) of 38 mg/kg]
- Three exceedances of vanadium ranging from 55 to 63 mg/kg [PRG-R (R) of 54.75 mg/kg]

Explosives

- Two exceedances of 2,6-dinitrotoluene ranging from 1.21 to 1.23 mg/kg [SSDL20 (L) of 0.0007 mg/kg]

Pesticides

- Two exceedances of p,p'-DDE ranging from 2.66J to 3.99J mg/kg [PRG-R (R) of 1.72 mg/kg]
- One exceedance of p,p'-DDT at 1.94J mg/kg [PRG-R (R) of 1.72 mg/kg]

SVOCs

- Three exceedances of n-nitrosodi-n-propylamine ranging from 0.562 to 0.717 mg/kg [PRG-R of 0.07 mg/kg and PRG-I of 0.35 mg/kg]
- Two exceedances of benzo(a)pyrene from 0.074J to 0.12J mg/kg [PRG-R of 0.06 mg/kg]

VOCs and PCBs were either not detected, or were detected at concentrations below applicable screening criteria.

Table 4-1
rface Soil Analytical Data Detection Summary
C - H, Vieques, PR

Parameter	Units	BKG	PRG-I (I)	PRG-R (R)	SSLD20 (L)	AOCHSB001	AOCHSB002	AOCHSB003	AOCHSB004	AOCHSB005	AOCHSB006	AOCHSB007	AOCHSB009	AOCHSB010	AOCHSB011	AOCHSB012
Station ID						AOCHSB001	AOCHSB002	AOCHSB003	AOCHSB004	AOCHSB005	AOCHSB006	AOCHSB007	AOCHSB009	AOCHSB010	AOCHSB011	AOCHSB012
Sample ID						NDE004	NDE007	NDE009	NDE011	NDE013	NDE015	NDE017	NDE021	NDE023	NDE026	NDE028
Collection Depth						0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5
Date Collected						12/05/2000 8:30	12/05/2000 8:35	12/05/2000 8:55	12/05/2000 8:40	12/05/2000 8:58	12/05/2000 9:00	12/05/2000 9:08	12/05/2000 9:36	12/05/2000 9:40	12/05/2000 9:45	12/05/2000 9:47
Metals																
ALUMINUM	mg/kg	29000	100000	7614		9700 = R	9900 = - R -	5600 =	8400 = - R -	9900 = - R -	11000 = - R -	9300 = - R -	6600 =	7100 =	8100 J - R -	7100 J
ANTIMONY	mg/kg	2.30	82	3	5	1.6 J	0.86 J	0.68 J	0.77 J	1.2 J	2 J	1.2 J	0.77 J	0.47 J	0.27 UJ	0.27 UJ
ARSENIC	mg/kg	2.20	3	0.390	29	1.4 J R	2.3 = - R -	33 = I R L	2.4 = - R -	3.5 = I R -	2.2 = - R -	1.9 J - R -	6.2 = I R -	67 = I R L	1.3 J - R -	1.7 J - R -
BARIUM	mg/kg	320	100000	537	1600	60 J	54 J	130 J	130 J	140 J	50 J	110 J	76 J	290 J	57 =	52 =
BERYLLIUM	mg/kg	0.45	2242	15	63	0.11 J	0.036 U	0.038 U	0.038 U	0.12 J	0.035 U	0.036 U	0.18 J	0.26 J	0.11 J	0.038 U
CADMIUM	mg/kg	0.04	81	4	8	0.029 U	0.029 U	0.031 U	0.029 U	0.029 U	0.029 U	0.03 U	0.031 U	0.029 U	0.03 U	0.031 U
CALCIUM	mg/kg	210000				8800 =	12000 =	32000 =	21000 =	16000 =	33000 =	17000 =	15000 =	9000 =	7300 =	8100 =
CHROMIUM, TOTAL	mg/kg	74	448	211	38	20 J	20 J	10 J	18 J	14 J	36 J	20 J	17 J	16 J	13 =	12 =
COBALT	mg/kg	25	100000	469		9 J	8.3 J	4 J	8.2 J	8.6 J	9.1 J	7.2 J	6.7 J	9 J	7.6 J	7.1 J
COPPER	mg/kg	68	7591	291		31 =	29 =	100 =	41 =	28 =	34 =	42 =	36 =	87 =	26 =	19 =
IRON	mg/kg	37531	100000	2346		18000 = R	17000 = - R -	12000 = - R -	19000 = - R -	23000 = - R -	19000 = - R -	17000 = - R -	17000 = - R -	21000 = - R -	18000 = - R -	17000 = - R -
MAGNESIUM	mg/kg	12834				4300 =	4900 =	8400 =	5000 =	5900 =	7700 =	5600 =	2900 =	2800 =	3800 =	3600 =
MANGANESE	mg/kg	1167	3225	176		490 = R	440 = - R -	510 = - R -	580 = - R -	560 = - R -	390 = - R -	390 = - R -	370 = - R -	720 = - R -	410 = - R -	370 = - R -
LEAD	mg/kg	6.9	100	40		20 =	22 =	45 = - R -	52 = - R -	21 =	43 = - R -	47 = - R -	63 = - R -	29 =	11 =	12 =
MERCURY	mg/kg	0.031	61	2.35		0.027 J	0.04 J	0.024 J	0.032 J	0.037 J	0.021 J	0.025 J	0.051 =	0.035 J	0.043 J	0.041 J
NICKEL	mg/kg	40	4088	156	130	8.4 J	9.7 =	4.7 J	9.3 =	7.4 J	16 =	10 =	8.4 J	7.2 J	6.2 J	6.1 J
POTASSIUM	mg/kg	1700				1400 =	1400 =	3400 =	1900 =	1500 =	1200 =	1200 =	1600 =	1600 =	1500 J	1200 J
SELENIUM	mg/kg	2	1022	39	5	1 J	0.83 J	0.65 J	0.8 J	1.4 =	0.98 J	1.1 J	0.62 J	0.82 J	0.52 UJ	0.53 UJ
SILVER	mg/kg	0.084	1022	39	34	0.062 U	0.062 U	0.066 U	0.062 U	0.06 U	0.06 U	0.17 J	0.064 U	0.062 U	0.064 U	0.065 U
SODIUM	mg/kg	6300				230 J	210 J	590 J	460 J	260 J	300 J	270 J	260 J	130 J	110 J	140 J
VANADIUM	mg/kg	130	1431	55	6000	52 =	45 =	29 =	45 =	55 = - R -	54 =	41 =	36 =	62 = - R -	49 =	46 =
ZINC	mg/kg	65	100000	2348	12000	81 =	93 =	110 =	140 =	97 =	130 =	130 =	140 =	95 =	50 =	51 =
Pesticides																
p,p'-DDE	mg/kg		12.06	1.72	54	3.99 J R	2.66 J - R -	0.05 J	0.041 J	0.014 J	0.01 J	0.126 J	0.0078 J	0.0035 UJ	0.0037 UJ	0.0037 UJ
p,p'-DDD	mg/kg		17.08	2.44	16	0.0035 UJ	0.0035 UJ	0.0024 J	0.0029 J	0.0034 UJ	0.0034 UJ	0.0036 UJ	0.0037 UJ	0.0035 UJ	0.0037 UJ	0.0037 UJ
p,p'-DDT	mg/kg		12.06	1.72	32	1.94 J R	1.09 J	0.014 UJ	0.017 J	0.01 J	0.011 J	0.075 J	0.0067 J	0.0035 UJ	0.0037 UJ	0.0037 UJ
Semi-Volatiles																
N-NITROSODI-n-PROPYLAMIN	mg/kg		0.352	0.069	0.00005	0.475 U	0.455 U	0.556 U	0.48 U	0.439 U	0.416 U	0.488 U	0.531 U	0.517 U	0.658 = I R L	0.562 J I R L
ISOPHORONE	mg/kg		2596	512	1	0.475 U	0.455 U	0.556 U	0.48 U	0.439 U	0.416 U	0.488 U	0.531 U	0.517 U	0.106 J	0.112 J
NAPHTHALENE	mg/kg		19	6	84	0.475 U	0.455 U	0.556 U	0.48 U	0.439 U	0.416 U	0.488 U	0.069 J	0.517 U	0.559 U	0.594 U
2-METHYLNAPHTHALENE	mg/kg					0.475 U	0.455 U	0.556 U	0.055 J	0.028 J	0.416 U	0.488 U	0.19 J	0.036 J	0.559 U	0.594 U
2,6-DINITROTOLUENE	mg/kg		88	6.11	0.0007	0.475 U	0.455 U	0.556 U	0.48 U	0.439 U	0.416 U	0.488 U	0.531 U	0.517 U	1.21 = - - L	0.594 U
3-NITROANILINE	mg/kg					1.42 U	1.37 U	1.67 U	1.44 U	1.32 U	1.25 U	1.46 U	1.59 U	1.55 U	1.68 U	1.78 U
DENZOFURAN	mg/kg		506	29		0.475 U	0.455 U	0.556 U	0.48 U	0.439 U	0.416 U	0.488 U	0.038 J	0.517 U	0.559 U	0.594 U
ROMOPHENYL PHENYL ET	mg/kg					0.475 U	0.455 U	0.556 U	0.48 U	0.439 U	0.416 U	0.488 U	0.531 U	0.517 U	0.238 J	0.217 J
ENANTHRENE	mg/kg					0.475 U	0.455 U	0.556 U	0.083 J	0.439 U	0.032 J	0.034 J	0.092 J	0.037 J	0.559 U	0.594 U
FLUORANTHENE	mg/kg		3010	229	4300	0.056 J	0.455 U	0.556 U	0.187 J	0.439 U	0.082 J	0.069 J	0.04 J	0.033 J	0.559 U	0.594 U
PYRENE	mg/kg		5422	231	4200	0.057 J	0.455 U	0.556 U	0.168 J	0.439 U	0.078 J	0.066 J	0.049 J	0.032 J	0.559 U	0.594 U
BENZO(a)ANTHRACENE	mg/kg		2.89	0.62	2	0.032 J	0.455 U	0.556 U	0.112 J	0.439 U	0.049 J	0.488 U	0.531 U	0.029 J	0.559 U	0.594 U
CHRYSENE	mg/kg		289	62	160	0.057 J	0.029 J	0.556 U	0.155 J	0.439 U	0.068 J	0.05 J	0.059 J	0.517 U	0.559 U	0.594 U
BENZO(b)FLUORANTHENE	mg/kg		2.89	0.62	5	0.072 J	0.455 U	0.556 U	0.133 J	0.439 U	0.065 J	0.062 J	0.05 J	0.517 U	0.559 U	0.594 U
BENZO(k)FLUORANTHENE	mg/kg		29	6.21	49	0.054 J	0.455 U	0.556 U	0.124 J	0.439 U	0.066 J	0.044 J	0.044 J	0.517 U	0.559 U	0.594 U
BENZO(a)PYRENE	mg/kg		0.289	0.062	8	0.043 J	0.455 U	0.556 U	0.12 J - R -	0.439 U	0.053 J	0.488 U	0.037 J	0.517 U	0.559 U	0.594 U
INDENO(1,2,3-c,d)PYRENE	mg/kg		2.89	0.62	14	0.026 J	0.455 U	0.556 U	0.054 J	0.439 U	0.416 U	0.488 U	0.531 U	0.517 U	0.559 U	0.594 U
BENZO(g,h,i)PERYLENE	mg/kg					0.475 U	0.455 U	0.556 U	0.48 U	0.439 U	0.416 U	0.488 U	0.531 U	0.517 U	0.559 U	0.594 U
Volatiles																
1,1-DICHLOROETHENE	mg/kg		0.119	0.054	0.06	0.01 UJ	0.01 UJ	0.015 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.00078 J	0.01 U	0.01 UJ	0.011 UJ
M,P-XYLENE (SUM OF ISOMEI	mg/kg					0.01 UJ	0.01 UJ	0.015 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.013 UJ	0.01 U	0.01 UJ	0.011 UJ
O-XYLENE (1,2-DIMETHYLBEN	mg/kg					0.01 UJ	0.01 UJ	0.015 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.013 UJ	0.01 U	0.01 UJ	0.011 UJ
XYLENES, TOTAL	mg/kg		210	210	210	0.01 UJ	0.01 UJ	0.015 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.013 UJ	0.01 U	0.01 UJ	0.011 UJ
O-XYLENE	mg/kg					0.01 UJ	0.01 UJ	0.015 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.013 UJ	0.01 U	0.01 UJ	0.011 UJ
XYLENES, TOTAL	mg/kg		210	210	210	0.01 UJ	0.01 UJ	0.015 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.013 UJ	0.01 U	0.01 UJ	0.011 UJ

Parameter	AOCHSB013	AOCHSB014	AOCHSB015	AOCHSB016	AOCHSS001	AOCHSS002	AOCHSS003	AOCHSS004
Station ID	AOCHSB013	AOCHSB014	AOCHSB015	AOCHSB016	AOCHSS001	AOCHSS002	AOCHSS003	AOCHSS004
Sample ID	NDE030	NDE032	NDE034	NDE037	NDE176	NDE177	NDE178	NDE179
Collection Depth	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5
Date Collected	12/05/2000 10:00	12/05/2000 10:04	12/05/2000 10:20	12/05/2000 10:25	12/05/2000 10:40	12/05/2000 10:45	12/05/2000 11:00	12/05/2000 11:05
Metals								
ALUMINUM	6700 J	5900 J	6200 J	7300 J	11000 J - R -	5600 J	4600 J	3400 J
ANTIMONY	0.27 UJ	0.28 UJ	0.26 UJ	0.25 UJ	1 J	0.26 UJ	6.3 J - R L	0.61 J
ARSENIC	1.5 J - R	1.1 J - R -	1 J - R	4.7 = I R	0.88 J - R -	0.89 J - R -	2 J - R -	0.54 J - R -
BARIUM	52 =	51 =	50 =	66 =	59 =	42 J	69 =	23 J
BERYLLIUM	0.037 U	0.039 U	0.035 U	0.11 J	0.15 J	0.12 J	0.037 U	0.035 U
CADMIUM	0.03 U	0.032 U	0.029 U	0.028 U	0.21 J	0.029 U	0.03 U	0.028 U
CALCIUM	8200 =	8900 =	20000 =	13000 =	31000 =	30000 =	30000 =	34000 =
CHROMIUM, TOTAL	11 =	13 =	13 =	14 =	50 = - - L	18 =	46 = - - L	12 =
COBALT	6.8 J	5.9 J	6.3 J	7.1 J	9.1 J	5.3 J	6.3 J	3.2 J
COPPER	19 =	20 =	19 =	23 =	34 =	21 =	48 =	12 =
IRON	16000 = - R	20000 = - R -	17000 = - R	15000 = - R	19000 = - R -	14000 = - R -	39000 = - R -	7700 = - R -
MAGNESIUM	3300 =	2700 =	2900 =	3800 =	5800 =	2800 =	2600 =	2000 =
MANGANESE	360 = - R	340 = - R -	340 = - R	410 = - R	350 = - R -	290 = - R -	390 = - R -	140 =
LEAD	11 =	15 =	13 =	16 =	27 =	13 =	18 =	8.3 =
MERCURY	0.05 =	0.029 J	0.019 J	0.04 J	0.02 J	0.052 =	0.014 J	0.0049 J
NICKEL	5.5 J	5.5 J	4.8 J	7 J	15 =	5.9 J	26 =	3.9 J
POTASSIUM	1200 J	1200 J	1300 J	1300 J	2000 J	1400 J	1100 J	860 J
SELENIUM	0.52 UJ	0.54 UJ	0.49 UJ	0.48 UJ	0.5 UJ	0.5 UJ	0.52 UJ	0.48 UJ
SILVER	0.064 U	0.067 U	0.061 U	0.06 U	0.062 U	0.062 U	0.064 U	0.06 U
SODIUM	130 J	110 J	220 J	200 J	460 J	340 J	310 J	360 J
VANADIUM	44 =	48 =	51 =	43 =	63 = - R -	33 =	27 =	21 =
ZINC	49 =	68 =	88 =	62 =	170 =	170 =	260 =	100 =
Pesticides								
p,p'-DDE	0.0037 UJ	0.0039 UJ	0.0035 UJ	0.041 J	0.0036 UJ	0.0036 UJ	0.0037 UJ	0.0035 UJ
p,p'-DDD	0.0037 UJ	0.0039 UJ	0.0035 UJ	0.0048 J	0.0036 UJ	0.0036 UJ	0.0037 UJ	0.0035 UJ
p,p'-DDT	0.0037 UJ	0.0039 UJ	0.0035 UJ	0.029 J	0.0036 UJ	0.0036 UJ	0.0037 UJ	0.0035 UJ
Semi-Volatiles								
N-NITROSODI-n-PROPYLAMIN	0.717 = I R	0.575 U	0.551 U	0.518 U	28.2 U	0.521 U	11.5 U	0.884 U
ISOPHORONE	0.567 U	0.575 U	0.551 U	0.518 U	28.2 U	0.521 U	11.5 U	0.884 U
NAPHTHALENE	0.567 U	0.575 U	0.551 U	0.518 U	28.2 U	0.521 U	11.5 U	0.884 U
2-METHYLNAPHTHALENE	0.567 U	0.575 U	0.551 U	0.518 U	28.2 U	0.521 U	11.5 U	0.884 U
2,6-DINITROTOLUENE	1.23 = - -	0.575 U	0.551 U	0.518 U	28.2 U	0.521 U	11.5 U	0.884 U
3-NITROANILINE	0.048 J	1.73 U	1.65 U	1.55 U	84.5 U	1.56 U	34.4 U	2.65 U
DENZOFURAN	0.567 U	0.575 U	0.551 U	0.518 U	28.2 U	0.521 U	11.5 U	0.884 U
ROMOPHENYL PHENYL ET	0.267 J	0.575 U	0.551 U	0.518 U	28.2 U	0.521 U	11.5 U	0.884 U
ENANTHRENE	0.567 U	0.575 U	0.551 U	0.518 U	28.2 U	0.521 U	11.5 U	0.884 U
FLUORANTHENE	0.567 U	0.575 U	0.551 U	0.053 J	28.2 U	0.521 U	11.5 U	0.884 U
PYRENE	0.567 U	0.575 U	0.551 U	0.058 J	1.9 J	0.521 U	11.5 U	0.884 U
BENZO(a)ANTHRACENE	0.567 U	0.575 U	0.551 U	0.029 J	28.2 U	0.521 U	11.5 U	0.884 U
CHRYSENE	0.567 U	0.575 U	0.551 U	0.054 J	28.2 U	0.521 U	11.5 U	0.884 U
BENZO(b)FLUORANTHENE	0.04 J	0.575 U	0.551 U	0.058 J	28.2 U	0.521 U	11.5 U	0.884 U
BENZO(k)FLUORANTHENE	0.567 U	0.575 U	0.551 U	0.053 J	28.2 U	0.521 U	11.5 U	0.884 U
BENZO(a)PYRENE	0.567 U	0.575 U	0.551 U	0.05 J	28.2 U	0.074 J - R -	11.5 U	0.884 U
INDENO(1,2,3-c,d)PYRENE	0.037 J	0.575 U	0.551 U	0.518 U	28.2 U	0.521 U	11.5 U	0.884 U
BENZO(g,h,i)PERYLENE	0.567 U	0.575 U	0.551 U	0.518 U	28.2 U	0.06 J	11.5 U	0.884 U
Volatiles								
1,1-DICHLOROETHENE	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.948 U	0.01 UJ	0.011 UJ	0.012 UJ
M,P-XYLENE (SUM OF ISOMEI	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.058 J	0.01 UJ	0.011 UJ	0.012 UJ
O-XYLENE (1,2-DIMETHYLBEN	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.024 J	0.01 UJ	0.011 UJ	0.012 UJ
XYLENES, TOTAL	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.082 J	0.01 UJ	0.011 UJ	0.012 UJ
O-XYLENE	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.024 J	0.01 UJ	0.011 UJ	0.012 UJ
XYLENES, TOTAL	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.082 J	0.01 UJ	0.011 UJ	0.012 UJ

Data Flags:

U = Undetected; analyte was analyzed but not detected above the MDL.

UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.

J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B = Analyte was detected in the associated method blank.

R = Data was unusable.

= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data

Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria

PRG-I - Region IX Preliminary Remediation Goals - Industrial Soil (I)

PRG-R - Region IX Preliminary Remediation Goals - Residential Soil (R)

SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20) (L)

BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

4.6.2 Subsurface Soil Results

No constituents were detected above PRG screening criteria in subsurface soils. Table 4-2 summarizes the subsurface soil results.

4.6.3 Groundwater Sampling Results

Analytical results indicated total metals exceedances above PRGs at all four monitor well locations. Aluminum exceeded the background concentration of 3,500 μg/L. One pesticide (p,p'-DDD) was also detected above the tap water PRG at MW02. The exceedances are described in the following paragraphs.

Table 4-3 summarizes the constituent concentrations detected in groundwater. Figure 4-4 shows groundwater concentration exceedances.

Total Metals

- Four exceedances of aluminum from 130J to 9,100 μg/L [MCL of 50.00 μg/L]
- One exceedance of antimony at 5.4J μg/L [PRG-T (T) of 1.46 μg/L]
- One exceedance of arsenic at 6.3J μg/L [PRG-T (T) of 0.04 μg/L]
- Three exceedances of barium from 300 to 490 μg/L [PRG-T (T) of 255.5 μg/L]
- Three exceedances of iron from 4,500 to 11,000 μg/L [MCL of 300 μg/L]
- Four exceedances of manganese from 250 to 8,300 μg/L [MCL of 5 μg/L and PRG-T (T) of 87.6 μg/L]
- Three exceedances of thallium from 6.6J to 10 μg/L [MCL of 2 μg/L]
- Three exceedances of vanadium ranging from 28J to 70 μg/L [PRG-T (T) of 25.5 μg/L]

Dissolved metals were either not detected, or were detected at concentrations below applicable screening criteria.

Soil analytical results indicated that the unfiltered metals that exceeded PRGs in the groundwater occur within the background soils. In addition, these metals were detected below PRGs in the filtered groundwater samples. Therefore, the presence of these constituents may be a result of suspended soil particles within the groundwater samples rather than constituents that have been dissolved within the groundwater.

Pesticides

- One exceedance of p,p'-DDD at 0.42J mg/kg [PRG-T (T) of 0.28 mg/kg]

Table 4-2
Soil Boring Analytical Data Detection Summary
AOC - H, Vieques, PR

Parameter	Units	BKG	SSLD20 (L)	AOCHSB001	AOCHSB002	AOCHSB003	AOCHSB004	AOCHSB005	AOCHSB006	AOCHSB007	AOCHSB008	AOCHSB008	AOCHSB009	AOCHSB009	AOCHSB009	AOCHSB010	AOCHSB011	AOCHSB012	AOCHSB013	AOCHSB014	AOCHSB015	AOCHSB018
			SampleID	NDE006	NDE008	NDE010	NDE012	NDE014	NDE016	NDE018	NDE019	NDE020	NDE022	NDE203	NDE204	NDE025	NDE027	NDE029	NDE031	NDE033	NDE035	NDE038
			Collection Depth	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	8 To 10	10 To 12	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6
			Date Collected	12/05/2000 13:25	12/05/2000 13:50	12/05/2000 14:30	12/05/2000 14:51	12/05/2000 15:15	12/06/2000 9:21	12/06/2000 9:49	12/05/2000 9:10	12/06/2000 10:10	12/05/2000 10:25	12/06/2000 11:14	12/06/2000 13:33	12/06/2000 14:03	12/06/2000 14:28	12/06/2000 15:12	12/06/2000 15:34	12/07/2000 9:08	12/07/2000 9:31	12/07/2000 10:20
Metals																						
ALUMINUM	mg/kg	29000		5900 =	2500 =	6900 =	4200 =	2900 =	3100 =	4300 =	5300 =	4200 =	5200 =	9700 =	11000 =	5200 =	4000 =	5000 =	3200 =	7000 =	8900 =	9400 =
ANTIMONY	mg/kg	2.30	5	0.9 J	0.25 UJ	0.59 J	0.44 J	0.25 UJ	0.38 J	0.44 J	0.36 J	0.27 UJ	0.27 UJ	0.44 J	0.49 J	0.28 UJ	0.27 UJ	0.28 UJ	0.26 UJ	0.27 UJ	0.27 UJ	0.44 J
ARSENIC	mg/kg	2.50	29	24 =	0.78 J	10 =	0.69 J	0.3 U	0.31 U	0.31 U	1.4 J	0.64 J	0.32 U	0.76 J	0.35 U	1.1 J	0.32 U	0.34 U	0.32 U	0.32 U	0.33 U	0.88 J
BARIUM	mg/kg	320	1600	44 J	26 J	87 J	160 J	23 J	20 J	200 =	110 J	86 =	63 =	69 =	120 =	74 =	60 =	57 =	29 J	85 =	98 =	81 =
BERYLLIUM	mg/kg	0.45	63	0.039 U	0.035 U	0.035 U	0.035 U	0.035 U	0.035 U	0.15 J	0.15 J	0.15 J	0.22 J	0.48 J	0.42 J	0.18 J	0.16 J	0.19 J	0.17 J	0.21 J	0.24 J	0.26 J
CALCIUM	mg/kg	210000		4800 =	1400 =	5200 =	2100 =	1900 =	2700 =	2700 =	34000 =	8400 =	1800 =	1800 =	3000 =	2000 =	2900 =	3900 =	1700 =	6200 J	4100 J	3300 J
CHROMIUM, TOTAL	mg/kg	74	38	16 J	3.6 J	10 J	5.3 J	3.6 J	6.4 =	13 =	7.9 J	8.9 =	5.7 =	23 =	27 =	6.7 =	6.4 =	8.1 =	3.3 =	8.9 J	11 J	10 J
COBALT	mg/kg	25		5.9 J	2.2 J	6.9 J	7.9 J	2.4 J	3.1 J	16 =	4.2 J	4.2 J	5.1 J	8.4 J	15 =	5.8 J	5.5 J	6.1 J	4.1 J	7 J	9 J	9 J
COPPER	mg/kg	68		17 =	7 =	31 =	15 =	7.7 =	10 =	16 =	50 =	16 =	14 =	23 =	30 =	16 =	10 =	15 =	17 =	23 =	28 =	25 =
IRON	mg/kg	37531		16000 =	6900 =	19000 =	12000 =	7800 =	9300 =	15000 =	12000 =	11000 =	15000 =	22000 =	28000 =	18000 =	13000 =	17000 =	11000 =	19000 =	20000 =	22000 =
MAGNESIUM	mg/kg	12834		2300 =	840 J	3600 =	1600 =	980 J	1400 =	3100 =	3600 =	2500 =	2000 =	3000 =	4200 =	2000 =	1600 =	2000 =	1400 =	2500 =	2800 =	3000 =
MANGANESE	mg/kg	1167		310 =	160 =	370 =	680 =	110 =	150 =	1000 =	390 =	520 =	600 =	420 =	850 =	960 =	290 =	300 =	160 =	350 =	560 =	420 =
LEAD	mg/kg	6.90		7.5 =	1.8 =	8.6 =	2.5 =	2 =	5.7 =	4.4 =	48 =	5.9 =	1.2 =	2.1 =	2.2 =	1.1 =	1.2 =	1.1 =	0.92 =	12 =	1.7 =	1.9 =
MERCURY	mg/kg	0.031		0.013 J	0.0026 U	0.011 J	0.0038 J	0.0032 J	0.0026 U	0.0026 U	0.041 J	0.0028 U	0.0034 J	0.0029 U	0.003 U	0.0029 U	0.0041 J	0.0094 J	0.0027 U	0.015 J	0.014 J	0.0088 J
NICKEL	mg/kg	40	130	5.5 J	1.2 J	4.2 J	2.7 J	1.2 J	3.1 J	3.4 J	4 J	7.5 J	2.9 J	6.9 J	9.2 J	2.5 J	2.3 J	2.7 J	1.7 J	3.7 J	4.3 J	4.2 J
POTASSIUM	mg/kg	1700		1100 J	440 J	2700 =	980 J	650 J	560 J	970 J	2600 =	1300 =	1000 J	630 J	840 J	1000 J	830 J	1100 J	700 J	1300 =	1600 =	1800 =
SELENIUM	mg/kg	2	5	0.91 J	0.48 U	1.3 =	0.84 J	0.55 J	0.79 J	0.57 J	0.5 UJ	0.51 U	0.76 J	0.9 J	0.89 J	1.2 J	0.61 J	0.65 J	0.5 U	1.2 =	0.99 J	1 J
SODIUM	mg/kg	6300		140 J	43 J	200 J	48 J	60 J	59 J	46 J	420 J	240 J	170 J	590 J	850 J	290 J	130 J	310 J	180 J	230 J	110 J	190 J
THALLIUM	mg/kg	0.67		0.41 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.37 U	0.38 U	0.38 U	0.43 J	0.41 U	0.39 U	0.38 U	0.4 U	0.37 U	0.38 U	0.39 U	0.38 U
VANADIUM	mg/kg	130	6000	44 =	20 =	52 =	36 =	22 =	27 =	40 =	29 =	31 =	36 =	79 =	75 =	46 =	34 =	54 =	37 =	51 =	61 =	65 =
ZINC	mg/kg	65	12000	33 =	8.8 =	41 =	16 =	13 =	20 J	26 J	130 =	27 J	17 J	20 J	28 J	16 J	15 J	18 J	15 J	48 =	30 =	28 =
Pesticides																						
p,p'-DDE	mg/kg		54	0.764 J	0.124 J	0.0039 J	0.0016 J	0.0087 J	0.002 J	0.0045 =	0.0016 J	0.0037 U	0.0036 U	0.0039 U	0.0039 U	0.0015 J	0.419 =	0.024 =	0.0017 J	0.0037 UJ	0.0038 UJ	0.0038 J
p,p'-DDD	mg/kg		16	0.0039 UJ	0.0035 UJ	0.0035 J	0.0035 UJ	0.0035 UJ	0.0035 U	0.0035 U	0.0036 UJ	0.0037 U	0.0036 U	0.0039 U	0.0039 U	0.0038 U	0.0049 =	0.013 =	0.0025 J	0.0037 UJ	0.0038 UJ	0.0037 UJ
p,p'-DDT	mg/kg		32	0.928 J	0.022 J	0.0035 UJ	0.0035 UJ	0.0076 J	0.0015 J	0.0025 J	0.0036 UJ	0.0037 U	0.0036 UJ	0.0039 UJ	0.0039 UJ	0.0009 J	0.0037 U	0.0038 U	0.0036 U	0.0037 UJ	0.0038 UJ	0.0037 UJ
Semi-Volatiles																						
NAPHTHALENE	mg/kg		84	0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.09 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
2-METHYLNAPHTHALENE	mg/kg			0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.176 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
DIBENZOFURAN	mg/kg			0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.051 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
PHENANTHRENE	mg/kg			0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.144 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
FLUORANTHENE	mg/kg		4300	0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.089 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
PYRENE	mg/kg		4200	0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.097 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
BENZO(a)ANTHRACENE	mg/kg		2	0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.068 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
CHRYSENE	mg/kg		160	0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.121 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
BENZO(b)FLUORANTHENE	mg/kg		5	0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.104 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
BENZO(k)FLUORANTHENE	mg/kg		49	0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.088 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
BENZO(a)PYRENE	mg/kg		8	0.576 U	0.493 U	0.468 U	0.474 U	0.403 U	0.464 U	0.461 U	0.071 J	0.461 U	0.576 U	0.485 U	0.603 U	0.595 U	0.58 U	0.571 U	0.608 U	2.8 U	2.96 U	0.553 U
Volatiles																						
1,1-DICHLOROETHENE	mg/kg		0.06	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.00045 J	0.00055 J	0.012 UJ	0.00052 J	0.01 UJ	0.00078 J	0.012 UJ	0.00059 J	0.01 UJ	0.01 UJ	0.011 UJ	0.01 U	0.01 U	0.01 U
METHYLENE CHLORIDE	mg/kg		0.02	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.00058 J	0.01 U	0.012 UJ	0.01 U	0.01 UJ	0.01 U	0.012 U	0.01 U	0.01 U	0.01 UJ	0.011 UJ	0.01 U	0.01 U	0.01 U
1,2-DICHLOROETHANE	mg/kg		0.02	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.012 UJ	0.01 U	0.01 UJ	0.01 UJ	0.012 UJ	0.01 U	0.01 UJ	0.01 UJ	0.011 UJ	0.01 U	0.002 J	0.01 U
TRICHLOROETHYLENE (TI	mg/kg		0.06	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.012 UJ	0.01 U	0.01 UJ	0.01 UJ	0.012 UJ	0.01 U	0.00034 J	0.01 UJ	0.011 UJ	0.01 U	0.01 U	0.01 U
TOLUENE	mg/kg		12.0	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.012 UJ	0.01 U	0.01 UJ	0.01 UJ	0.012 UJ	0.01 U	0.0004 J	0.01 UJ	0.011 UJ	0.01 U	0.01 U	0.01 U
TETRACHLOROETHYLENE	mg/kg		0.06	0.012 UJ	0.01 UJ	0.0016 J	0.01 UJ	0.00031 J	0.01 UJ	0.01 U	0.012 UJ	0.01 U	0.01 UJ	0.01 UJ	0.012 UJ	0.01 U	0.01 UJ	0.01 UJ	0.011 UJ	0.01 U	0.01 U	0.01 U

Screening Criteria:

SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)

BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Data Flags:

U - Undetected; analyte was analyzed but not detected above the MDL

UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected

J - Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B - Analyte was detected in the associated method blank.

R - Data was unusable.

= - Detected value as shown

Exceeds regulatory screening criteria and (if applicable) background data

Exceeds regulatory screening criteria but does not exceed background data



AOC-H SS/SB-09

Metals		
Arsenic	6.2	I R
Manganese	370	R

AOC-H SS/SB-10

Metals		
Arsenic	67	I R L
Manganese	720	R
Vanadium	62	R

AOC-H SS/SB-11

Metals		
Arsenic	1.3 J	R
2-6 Dinitrotoluene	1.21	L
Manganese	410	R
Semi-Volatiles		
N-Nitrosodi-n-Propylamine	0.658	I R L
2-6 Dinitrotoluene	1.21	L

AOC-H SS/SB-12

Metals		
Arsenic	1.7 J	R
Manganese	370	R
Semi-Volatiles		
N-Nitrosodi-n-Propylamine	0.562 J	R

AOC-H SS/SB-13

Metals		
Arsenic	1.5 J	R
2-6 Dinitrotoluene	1.23	L
Manganese	360	R
Semi-Volatiles		
N-Nitrosodi-n-Propylamine	0.717	I R L
2-6 Dinitrotoluene	1.23	L

AOC-H SS/SB-14

Metals		
Arsenic	1.1 J	R
Manganese	344	R

AOC-H SS/SB-15

Metals		
Arsenic	1 J	R
Manganese	340	R

AOC-H SS/SB-16

Metals		
Arsenic	4.7	I R
Manganese	410	R

AOC-H SS-02

Metals		
Arsenic	0.89 J	R
Manganese	290	R
Semi-Volatiles		
Benzo (a) Pyrene	0.074 J	R

AOC-H SS/SB-07

Metals		
Arsenic	1.9	R
Manganese	390	R

AOC-H SS/SB-06

Metals		
Arsenic	2.2	R
Manganese	390	R

AOC-H SS-03

Metals		
Antimony	6.3 J	R
Arsenic	2.0 J	R
Chromium Total	46	L
Manganese	390	R

AOC-H SS/SB-05

Metals		
Arsenic	3.5	I R
Manganese	560	R
Vanadium	55	R

AOC-H SS/SB-04

Metals		
Arsenic	2.4	R
Manganese	580	R
Semi-Volatiles		
Benzo (a) Pyrene	0.12 J	R

AOC-H SS/SB-03

Metals		
Arsenic	33	I R L
Manganese	510	R

AOC-H SS-04

Metals		
Arsenic	0.54 J	R

AOC-H SS/SB-02

Metals		
Arsenic	2.3	R
Manganese	440	R

AOC-H SS/SB-01

Metals		
Arsenic	1.4 J	R
Manganese	490	R

AOC-H SS-01

Metals		
Arsenic	0.86 J	R
Chromium Total	50	L
Manganese	350	R
Vanadium	63	R

LEGEND

MONITORING WELL — MW-01

SURFACE/SUBSURFACE SOIL — SS/SB-01

SURFACE SOIL — SS-01

CONCENTRATIONS IN MILLIGRAMS PER KILOGRAM — Mg/Kg

SCREENING CRITERIA

I – EXCEEDS INDUSTRIAL PRG

L – EXCEEDS REGION IX SOIL SCREENING LEVELS FOR MIGRATION TO GROUNDWATER

R – EXCEEDS RESIDENTIAL PRG

T:\E ...mental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\A SS.dwg

Figure 4-3 AOC-H
Surface Soil Detections Above Screening Critera
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

Table 4-3
Groundwater Analytical Data Detection Summary
AOC - H, Vieques, PR

				StationID	AOC-H-MW01			AOC-H-MW02			AOC-H-MW03			AOC-H-MW04		
				SampleID	NDE213			NDE214			NDE215			NDE217		
				Date Collected	12/19/2000 17:40			12/19/2000 19:40			12/19/2000 15:10			12/19/2000		
Parameter	**Units**	**BKG**	**MCL (M)**	**PRG-T (T)**												
Dissolved Metals																
ALUMINUM, DISSOLVED	µg/L	--			95	U		95	U		95	U		130	J	
ANTIMONY, DISSOLVED	µg/L	9			2.4	U		2.4	U		2.4	U		5.4	J	
BARIUM, DISSOLVED	µg/L	870			51	J		460	=		190	J		400	=	
CALCIUM, DISSOLVED	µg/L	660000			24000	=		270000	=		180000	=		340000	=	
IRON, DISSOLVED	µg/L	490			120	=		25	U		25	U		25	U	
MAGNESIUM, DISSOLVED	µg/L	310000			13000	=		220000	=		97000	=		280000	=	
MANGANESE, DISSOLVED	µg/L	18000			150	=		5800	=		92	=		1800	=	
NICKEL, DISSOLVED	µg/L	12			7.7	J		0.93	U		0.93	U		0.93	U	
POTASSIUM, DISSOLVED	µg/L	400000			4100	J		56000	J		12000	J		12000	J	
SODIUM, DISSOLVED	µg/L	360000			280000	=		980000	=		830000	=		1200000	=	
THALLIUM, DISSOLVED	µg/L	16			9	J		3.4	U		3.4	U		3.4	U	
VANADIUM, DISSOLVED	µg/L	32			20	J		2.8	J		9.6	J		6	J	
Total Metals																
ALUMINUM	µg/L	3500	50.00	3649.87	6000	=	M T	9100	=	M T	3800	=	M T	130	J	M -
ANTIMONY	µg/L	5.20	6.00	1.46	2.4	U		2.4	U		2.4	U		5.4	J	- T
ARSENIC	µg/L	--	50	0.04	2.9	U		6.3	J	- T	2.9	U		2.9	U	
BARIUM	µg/L	960	2000	255.50	86	J		490	=	- T	300	=	- T	400	=	- T
CALCIUM	µg/L	660000			35000	=		320000	=		200000	=		340000	=	
CHROMIUM, TOTAL	µg/L	6.8	100		11	=		15	=		5.2	J		0.87	U	
COBALT	µg/L	20		219.00	5.1	J		22	J		12	J		0.43	U	
COPPER	µg/L	15	1000	135.57	17	J		25	=		16	J		0.8	U	
IRON	µg/L	4800	300	1094.99	8200	=	M T	11000	=	M T	4500	=	M T	25	U	
MAGNESIUM	µg/L	290000			19000	=		220000	=		110000	=		280000	=	
MANGANESE	µg/L	17000	50	87.60	250	=	M T	8300	=	M T	1100	=	M T	1800	=	M T
NICKEL	µg/L	19	100	73.00	22	J		59	=		9	J		0.93	U	
POTASSIUM	µg/L	490000			4600	J		54000	J		13000	J		12000	J	
SODIUM	µg/L	350000			290000	=		940000	=		890000	=		1200000	=	
THALLIUM	µg/L	18	2		10	=	M -	6.6	J	M -	10	=	M -	3.4	U	
VANADIUM	µg/L	75		25.55	43	J	- T	70	=	- T	28	J	- T	6	J	
ZINC	µg/L	60	5000	1094.99	19	J		33	=		19	J		5	U	
Pesticides																
p,p'-DDE	µg/L			0.20	0.028	U		0.022	J		0.021	UJ		0.021	UJ	
p,p'-DDD	µg/L			0.28	0.028	U		0.42	J	- T	0.021	UJ		0.021	UJ	
p,p'-DDT	µg/L			0.20	0.028	U		0.023	UJ		0.021	UJ		0.028	J	
Volatiles																
TOLUENE	µg/L		1000.00	72.34	1.3	=		1.3	=		0.43	J		1	=	

Data Flags:

U - Undetected; analyte was analyzed but not detected above the MDL.
UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected
J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B - Analyte was detected in the associated method blank.
R - Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria

MCL - Maximum Contaminant Level, *Drinking Water Standards and Health Advisories*, USEPA, 2000 **(M)**
PRG-T - Region IX Preliminary Remediation Goals - Tap Water Values, November 2000 **(T)**
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)



T:\E...onmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-HGW.dwg

Figure 4-4
AOC H Groundwater Detections Above Screening Criteria
Former NASD, Vieques Island, Puerto Rico

CH2MHILL

4.7 Conclusions and Recommendations

This section summarizes the results of the Expanded PA/SI activities at AOC H by media and provides recommendations for the site.

4.7.1 Surface Soil

Metals, benzo(a)pyrene and other SVOCs, pesticides, and explosives were detected at levels above screening criteria in surface soils. Antimony, arsenic, iron, and lead also exceeded the background data established for NASD. Although detections of explosives (2,6-dinitrotoluene) were observed above the leachability criteria, all detections were within acceptable risk-based screening criteria. Further, the groundwater analysis results for this site confirmed that explosives have not leached from the soils to groundwater.

4.7.2 Subsurface Soil

No constituents were detected above risk-based criteria in subsurface soils. No evidence exists to indicate that a release of hazardous materials to subsurface soil has occurred as a result of site-related activities.

4.7.3 Groundwater

Analytical results from the unfiltered groundwater samples indicated total metals exceedances at all four monitoring well locations above either the MCLs or tap water PRGs. Three metals, aluminum, antimony, and arsenic also exceeded the NASD background values. Dissolved metals were not detected at levels above either the MCLs or the tap water PRGs in filtered groundwater samples. One pesticide (p,p'-DDD) was also detected above the tap water PRG.

4.7.4 Recommendation

Based on the results of the PA/SI investigation, an RI is recommended to assess the extent of the constituents detected at concentrations above screening criteria in the surface soils and groundwater. In addition, collection of surface water and sediment samples is recommended as part of the RI to assess potential impacts to the drainage swale to the west of the site. A risk assessment is also recommended for AOC H to assess whether the site poses an unacceptable risk to human health and the environment.

SECTION 5

AOC I – Asphalt Plant

This section presents the results of the Expanded PA/SI performed at AOC I – the former Asphalt Plant at the Former NASD. This section also includes a description of the objectives of the Expanded PA/SI, a site description, results of previous investigations, a summary of field activities, a summary of laboratory results, and conclusions and recommendations. To evaluate the potential for environmental impacts from the site, data were compared to applicable regulatory screening criteria. Section 2.11 of this report described the environmental screening process.

The Expanded PA/SI field investigation for AOC I was conducted in November and December 2000. Activities included collection of 26 surface soil samples and 26 subsurface soil (above the water table) samples. The samples were analyzed for metals, pesticides, PCBs, VOCs, SVOCs, petroleum hydrocarbons (TPH-Diesel Range Organics [DRO] and TPH-Gasoline Range Organics [GRO]), and benzene, toluene, ethylbenzene, and xylenes (BTEX).

5.1 Objectives

The specific objectives of this investigation were to:

- Assess the environmental suitability of the property for transfer to the Municipality of Vieques, as mandated by former President Clinton's directive on January 31, 2000.
- Determine whether a release of hazardous materials has occurred at the site as a result of site-related activities.
- Recommend the site either for additional investigations to assess environmental impacts or for no further field investigations.

5.2 Site Description

The area of the former asphalt plant is located just south of the Mosquito Pier next to the quarry. The plant was in operation from the 1960s to 1988. The areas of concern are two concrete-bermed parking or loading containment areas and two diesel ASTs. Both parking containment areas have sump pumps.

5.2.1 Summary of Qualitative Ecological Survey

AOC I consists of a raised gravel ramp supported by large wood beams, several grassy areas, bare ground covered with gravel, a concrete pad, and a depressed concrete docking bay partially filled with water. The site is surrounded by an abandoned gravel parking area with gravel roads leading east and south. Approximately 80 percent of the site consists of bare ground, concrete, and gravel mixed with scattered weeds and grasses. Hurricane grass was the most abundant species observed. In the adjacent shrub community, bitter bush (*Eupatorium odoratum*), button sage (*Lantana involucrata*), giant milkweed (*Calotropis procera*), *Sesbania sericea*, and tantan were present in approximately 20 percent of the vegetated area.

Several tree species such as the white fig (*Ficus citrifolia*) and gumbo limbo have recently invaded the area.

Very few wildlife species were observed utilizing the abandoned asphalt plant site. Wildlife species were seen in the adjacent thorn scrub. A few species of birds including bananaquit (*Coerba flaveola*), black-faced grassquit (Tiaris bicolor), northern mockingbird (*Mimus polyglottus*), and common ground doves were observed onsite. Common ground doves, gray kingbirds, and bananaquits were the most common birds in the adjacent areas. In addition, mongoose (*Herpestes auropunctatus*) and horse tracks were seen at the site. The ramp provided shade, foraging areas, and cover for a few common anoles. At least five marine toads (*Bufo marinus*) and approximately 500 marine toad tadpoles were observed in the water-filled concrete structure.

No federally-protected species or preferred habitat were observed at AOC I. Appendix F includes a detailed ecological survey report.

5.3 Previous Investigation Results

In April 2000, ERM collected surface soil samples from the areas around the AST and containment areas. No other sampling was conducted at this site. During the ERM soil sampling investigation, three surface soil samples and one duplicate sample were collected. The samples were collected from the area adjacent to the two containment areas at the location with the most staining of asphalt, and from the former location of two ASTs where staining was evident. The samples were analyzed for TPH-DRO, TPH-GRO, and BTEX. TPH-DRO was detected in sample AOC-I-S2 at a concentration of 630 mg/kg, which is above the PREQB criterion of 100 mg/kg for TPH. The PREQB criterion of 100 mg/kg is a indicator of a petroleum release, but does not serve as a risk-based criterion to assess risk to human health.

5.4 Expanded PA/SI Field Investigation

A total of 26 surface soil samples and 26 subsurface soil samples were collected around the perimeter of the containment area. The purpose of the soil sampling was to determine whether a release of hazardous materials had occurred. Analyses were conducted for metals, pesticides, PCBs, VOCs, SVOCs, TPH-DRO, TPH-GRO, and BTEX. Figure 5-1 shows the soil sample locations.

One surface soil sample and one subsurface soil sample were collected from each of the 26 soil borings at this site. Eight of these borings were installed in the area of the initial magnetometer survey.



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-I2.dwg

Figure 5-1
AOC-I Asphalt Plant Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

5.5 Field Screening Results

Soil samples were screened in the field for VOCs using an OVM PID. This field screening method provides a qualitative evaluation of potential organic constituents in soil. The soil boring logs in Appendix A include the OVM results for the site.

5.6 Laboratory Analytical Results

This section presents the interpretation of the analytical data from the AOC I Expanded PA/SI. The discussion includes the identification of screening/regulatory criteria exceedances. Section 5.7 presents conclusions and recommendations and is organized by media.

5.6.1 Surface Soil Results

Analytical results indicated detections of aluminum, arsenic, iron, manganese, and vanadium above the USEPA Region IX residential PRGs. Total chromium was detected above the leachability criteria (SSLD20). Total chromium, iron, and vanadium were identified above the NASD background values. TPH was also detected above the PREQB criterion of 100 mg/kg, indicating that a petroleum release had occurred. However, no petroleum-derived hazardous constituents: (VOCs, SVOCs, BTEX) were detected at levels above their respective risk-based USEPA Region IX residential RBCs in soil samples collected at the site.

No pesticides or PCBs were detected at levels above their respective screening criteria. Exceedances are described in the following paragraphs.

Metals

- Twenty-six exceedances of aluminum ranging from 14,000 to 25,000 mg/kg [PRG-R (R) value of 7,614 mg/kg], background level is 29,000 mg/kg
- Twenty-six exceedances of arsenic ranging from 0.775J to 2J mg/kg [PRG-R (R) value of 0.39 mg/kg], background level is 2.2 mg/kg
- Eighteen exceedances of chromium (total) ranging from 39 to 110 mg/kg [SSLD20 (L) of 38 mg/kg], background level is 74 mg/kg
- Twenty-six exceedances of iron ranging from 22,000 to 44,000 mg/kg [PRG-R (R) of 2,346 mg/kg], background level is 37,531 mg/kg
- Twenty-six exceedances of manganese ranging from 440 to 780 mg/kg [PRG-R (R) of 176.4 mg/kg], background level is 1,167 mg/kg
- Twenty-six exceedances of vanadium ranging from 69 to 140 mg/kg kg [PRG-R (R) of 54.75 mg/kg], background level is 130 mg/kg

Petroleum Hydrocarbons

TPH was detected in 14 surface soil samples at levels ranging from 103 to 1,200 mg/kg, which exceeded the PREQB criteria of 100 mg/kg. Table 5-1 summarizes the surface soil detections. Figure 5-2 presents the surface soil exceedances.

Table 5-1
Surface Soil Analytical Data Detection Summary
AOC - I NASD, Vieques, PR

Parameter	Units	BKG	PRG-I (I)	PRG-R (R)	SSLD20 (L)	AOCISB001	AOCISB002	AOCISB003	AOCISB004	AOCISB005	AOCISB006	AOCISB007	AOCISB008	AOCISB009	AOCISB010	AOCISB011	AOCISB012	AOCISB013	AOCISB014	AOCISB015	AOCISB016
					StationID	AOCISB001	AOCISB002	AOCISB003	AOCISB004	AOCISB005	AOCISB006	AOCISB007	AOCISB008	AOCISB009	AOCISB010	AOCISB011	AOCISB012	AOCISB013	AOCISB014	AOCISB015	AOCISB016
					SampleID	NDE043	NDE045	NDE047	NDE049	NDE051	NDE053	NDE055	NDE057	NDE059	NDE061	NDE064	NDE066	NDE068	NDE070	NDE072	NDE075
					Collection Depth	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5
					Date Collected	11/29/2000 14:00	11/29/2000 14:20	11/29/2000 14:45	11/29/2000 15:05	11/29/2000 15:20	11/30/2000 9:25	11/30/2000 10:00	11/30/2000 10:05	11/30/2000 10:16	11/30/2000 11:05	11/30/2000 13:00	11/30/2000 13:28	11/30/2000 13:40	11/30/2000 13:47	11/30/2000 13:55	11/30/2000 14:11
Petroleum Hydrocarbons																					
PETROLEUM HYDROCARBONS	mg/kg					121 J	17 U	108 J	88 =	160 J	103 J	118 =	443 J	636 =	1200 =	889 =	71 J	31 J	11 J	56 J	66 J
Metals																					
ALUMINUM	mg/kg	29000	100000	7614		17700 = - R -	15600 = - R -	18200 = - R -	14400 = - R -	16700 = - R -	21000 = - R -	17000 = - R -	14000 = - R -	15000 = - R -	20000 = - R -	18000 = - R -	17000 = - R -	17000 = - R -	17000 = - R -	18000 = - R -	15000 =
ANTIMONY	mg/kg	2.30	82	3.13	5	1.1 J	1 J	1.5 J	1.1 J	1.3 J	1.4 J	1.3 J	0.86 J	0.99 J	1.4 J	1.1 J	1.5 J	1.2 J	1.3 J	1 J	1.2 J
ARSENIC	mg/kg	2.50	3	0.39	29	1.1 J - R -	1.2 J - R -	0.86 J - R -	0.91 J - R -	1.1 J - R -	2 J - R -	1.6 J - R -	0.77 J - R -	0.8 J - R -	1.2 J - R -	1.1 J - R -	1.3 J - R -	1.6 J - R -	1.8 J - R -	1.4 J - R -	1.4 J
BARIUM	mg/kg	320	100000	537	1600	39 J	30 J	39 J	40 J	35 J	62 =	42 J	26 J	28 J	42 =	39 J	39 J	47 =	51 =	40 J	37 J
BERYLLIUM	mg/kg	0.45	2242	15	63	0.15 J	0.11 J	0.15 J	0.11 J	0.14 J	0.26 J	0.14 J	0.035 U	0.035 U	0.14 J	0.11 J	0.18 J	0.17 J	0.2 J	0.14 J	0.19 J
CADMIUM	mg/kg	0.04	81	3.70	8	0.029 U	0.028 U	0.029 U	0.028 U	0.028 U	0.03 U	0.11 U	0.028 U	0.029 U	0.029 U	0.028 U	0.029 U	0.03 U	0.03 U	0.029 U	0.029 U
CALCIUM	mg/kg	210000				20800 =	15100 =	18700 =	18400 =	13700 =	16000 =	14000 =	15000 =	14000 =	20000 =	17000 =	17000 =	17000 =	16000 =	15000 =	52000 =
CHROMIUM, TOTAL	mg/kg	74	448	211	38	34 =	33 =	47 = - - L	31 =	55 = - - L	77 = - - L	57 = - - L	40 = - - L	35 =	47 = - - L	45 = - - L	42 = - - L	52 = - - L	63 = - - L	48 = - - L	42 =
COBALT	mg/kg	25	100000	469		16 =	15 =	17 =	13 =	16 =	27 =	19 =	12 =	14 =	18 =	17 =	15 =	18 =	19 =	18 =	14 =
COPPER	mg/kg	68	7591	291		70 =	55 =	77 =	48 =	103 =	68 =	59 =	40 =	62 =	55 =	52 =	49 =	46 =	43 =	48 =	48 =
IRON	mg/kg	37531	100000	2346		29600 = - R -	26300 = - R -	29800 = - R -	23400 = - R -	28000 = - R -	37000 = - R -	30000 = - R -	22000 = - R -	24000 = - R -	31000 = - R -	29000 = - R -	28000 = - R -	28000 = - R -	29000 = - R -	30000 = - R -	25000 =
MAGNESIUM	mg/kg	12834				13500 =	12700 =	13900 =	10600 =	13200 =	14000 =	13000 =	11000 =	12000 =	15000 =	14000 =	12000 =	12000 =	10000 =	14000 =	12000 =
MANGANESE	mg/kg	1167	3225	176		593 = - R -	490 = - R -	574 = - R -	465 = - R -	530 = - R -	980 = - R -	680 = - R -	440 = - R -	490 = - R -	670 = - R -	640 = - R -	570 = - R -	660 = - R -	730 = - R -	670 = - R -	520 =
LEAD	mg/kg	6.9	100	40		1 =	0.47 J	0.96 =	0.98 =	0.91 =	1.5 =	0.85 =	1.7 =	1.8 =	1.8 =	1.9 =	1.7 =	1.2 =	2.1 =	2.3 =	3.2 =
MERCURY	mg/kg	0.031	61	2.35		0.004 J	0.006 J	0.006 J	0.003 J	0.0026 U	0.016 J	0.005 J	0.0026 UJ	0.0035 J	0.0026 UJ	0.0039 J	0.0026 U	0.0028 U	0.0039 J	0.0041 J	0.0027 U
NICKEL	mg/kg	40	4088	156	130	23 =	21 =	27 =	19 =	32 =	49 =	34 =	21 =	24 =	30 =	26 =	25 =	32 =	37 =	29 =	22 =
POTASSIUM	mg/kg	1700				785 J	644 J	754 J	594 J	529 J	530 J	610 J	480 J	560 J	740 J	710 J	680 J	580 J	460 J	530 J	660 J
SELENIUM	mg/kg	2	1022	39	5	0.5 U	0.91 J	0.97 J	0.62 J	0.76 J	1.3 J	1.1 J	0.77 J	0.73 J	0.75 J	0.6 J	1.1 J	1.4 J	1 J	1 J	0.66 J
SILVER	mg/kg	0.084	1022	39	34	0.11 J	0.085 J	0.086 J	0.081 J	0.075 J	0.12 J	0.11 U	0.06 U	0.06 U	0.06 U	0.06 U	0.12 J	0.063 U	0.064 U	0.062 U	0.061 U
SODIUM	mg/kg	6300				527 J	389 J	460 J	447 J	475 J	720 J	490 J	400 J	490 J	560 J	500 J	420 J	460 J	400 J	390 J	380 J
THALLIUM	mg/kg	0.67				0.37 U	0.35 U	0.36 U	0.35 U	0.36 U	0.38 U	0.33 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.38 U	0.38 U	0.37 U	0.36 U
VANADIUM	mg/kg	130	1431	55	6000	87 = - R -	70 = - R -	89 = - R -	73 = - R -	87 = - R -	120 = - R -	86 = - R -	64 = - R -	76 = - R -	96 = - R -	88 = - R -	85 = - R -	85 = - R -	95 = - R -	88 = - R -	69 =
ZINC	mg/kg	65	100000	2346	12000	44 =	36 =	42 =	33 =	35 =	47 =	40 =	31 =	35 =	42 =	41 =	39 =	42 =	37 =	44 =	42 =
Semi-Volatiles																					
bis(2-ETHYLHEXYL) PHTHALATE	mg/kg		176	35		0.364 U	0.331 U	0.344 U	0.34 U	0.363 U	0.408 U	0.376 U	0.356 U	0.353 U	0.344 U	3.88 J	0.379 U	0.448 U	0.408 U	0.43 U	0.392 U
Volatiles																					
1,1-DICHLOROETHENE	mg/kg		0.12	0.05	0.06	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 U	0.00043 J	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
ACETONE	mg/kg		622	157	16	0.01 R	0.01 R	0.011 R	0.012 R	0.013 R	0.016 R	0.016 R	0.014 R	0.03 R	0.019 R	0.01 R	0.01 R	0.01 R	0.0067 J	0.01 R	0.01 R
METHYLENE CHLORIDE	mg/kg		21	8.9	0.02	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
BENZENE	mg/kg		1.46	0.67	0.03	0.01 U	0.01 U	0.0012 J	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
1,2-DICHLOROETHANE	mg/kg		0.76	0.35	0.02	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
METHYL ETHYL KETONE (2-BUTANONE)	mg/kg		2771	733		0.01 R	0.01 R	0.01 R	0.01 R	0.005 J	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R	0.01 UJ
TRICHLOROETHYLENE (TCE)	mg/kg		6.12	2.77	0.06	0.01 U	0.01 U	0.01 U	0.00031 J	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
TOLUENE	mg/kg		520	520	12	0.01 U	0.01 U	0.016 =	0.01 U	0.025 =	0.0014 J	0.0017 J	0.00059 J	0.0003 J	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
ETHYLBENZENE	mg/kg		230	230	13	0.01 U	0.01 U	0.0037 J	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
METHYL ISOBUTYL KETONE (4-METHYL-2-PENTANONE)	mg/kg					0.01 U	0.0028 J	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
M,P-XYLENE (SUM OF ISOMERS)	mg/kg					0.01 U	0.01 U	0.019 =	0.01 U	0.01 U	0.01 U	0.01 UJ	0.00065 J	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	mg/kg					0.01 U	0.01 U	0.0078 J	0.01 U	0.01 U	0.01 U	0.01 UJ	0.00018 J	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
TETRACHLOROETHYLENE(PCE)	mg/kg		18.67	5.69	0.06	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
XYLENES, TOTAL	mg/kg		210	210	210	0.01 U	0.01 U	0.027 =	0.01 U	0.01 U	0.01 U	0.01 UJ	0.00083 J	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ

Data Flags:
U = Undetected; analyte was analyzed but not detected above the MDL.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria
PRG-I - Region IX Preliminary Remediation Goals - Industrial Soil (I)
PRG-R - Region IX Preliminary Remediation Goals - Residential Soil (R)
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Table 5-1
Surface Soil Analytical Data Detection Summary
AOC - I NASD, Vieques, PR

Parameter	Units	BKG	PRG-I (I)	PRG-R (R)	SSLD20 (L)	AOCISB017	AOCISB018	AOCISB019	AOCISB020	AOCISB021	AOCISB022	AOCISB023	AOCISB024	AOCISB025	AOCISB026
					SampleID	NDE077	NDE079	NDE081	NDE083	NDE086	NDE088	NDE090	NDE093	NDE095	NDE097
					Collection Depth	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5
					Date Collected	11/30/2000 14:15	12/01/2000 8:35	12/01/2000 8:45	12/01/2000 8:51	12/01/2000 9:21	12/01/2000 9:32	12/01/2000 10:09	12/01/2000 10:25	12/01/2000 11:02	12/01/2000 11:05
Petroleum Hydrocarbons															
PETROLEUM HYDROCARBONS	mg/kg					57 J	130 J	18 J	19 J	377 J	154 =	17 J	70 J	339 J	248 J
Metals															
ALUMINUM	mg/kg	29000	100000	7614		- R - 16000 = - R -	15000 = - R -	20000 = - R -	25000 = - R -	16000 = - R -	18000 = - R -	16000 = - R -	17000 = - R -	18000 = - R -	15000 = - R -
ANTIMONY	mg/kg	2.30	82	3.13	5	1.2 J	1.1 J	1.4 J	1.4 J	0.86 J	1.2 J	0.8 J	1.2 J	1.1 J	0.97 J
ARSENIC	mg/kg	2.50	3	0.39	29	- R - 1.1 J - R -	1.7 J - R -	2 J - R -	1.8 J - R -	1.2 J - R -	1.5 J - R -	1 J - R -	1.3 J - R -	1.9 J - R -	1.1 J - R -
BARIUM	mg/kg	320	100000	537	1600	30 J	41 J	45 =	65 =	47 =	47 J	35 J	51 =	38 J	30 J
BERYLLIUM	mg/kg	0.45	2242	15	63	0.13 J	0.18 J	0.18 J	0.42 J	0.13 J	0.22 J	0.13 J	0.22 J	0.12 J	0.035 U
CADMIUM	mg/kg	0.04	81	3.70	8	0.028 U	0.029 U	0.029 U	0.033 U	0.029 U	0.52 J	0.03 U	0.028 U	0.03 U	0.028 U
CALCIUM	mg/kg	210000				21000 =	16000 =	30000 =	7200 =	16000 =	13000 =	9500 =	45000 =	18000 =	14000 =
CHROMIUM, TOTAL	mg/kg	74	448	211	38	- - L 39 = - - L	32 J	63 J - - L	110 J - - L	34 J	57 J - - L	41 J - - L	36 J	48 J - - L	35 J
COBALT	mg/kg	25	100000	469		16 =	14 =	20 =	26 =	15 =	18 =	15 =	17 =	16 =	13 =
COPPER	mg/kg	68	7591	291		53 =	51 =	55 =	70 =	53 =	69 =	61 J	55 J	56 J	45 J
IRON	mg/kg	37531	100000	2346		- R - 29000 = - R -	27000 = - R -	32000 = - R -	44000 = - R -	26000 = - R -	30000 = - R -	30000 = - R -	28000 = - R -	30000 = - R -	25000 = - R -
MAGNESIUM	mg/kg	12834				14000 =	11000 =	15000 =	9700 =	11000 =	13000 =	12000 =	13000 =	15000 =	12000 =
MANGANESE	mg/kg	1167	3225	176		- R - 600 = - R -	570 = - R -	650 = - R -	780 = - R -	630 = - R -	630 = - R -	660 = - R -	670 = - R -	590 = - R -	500 = - R -
LEAD	mg/kg	6.9	100	40		1.4 =	1.7 =	1.2 =	1.6 =	2.4 =	22 =	0.81 J	8.8 J	9.9 J	2.3 J
MERCURY	mg/kg	0.031	61	2.35		0.0026 U	0.0032 U	0.0032 U	0.014 J	0.0032 U	0.0036 U	0.0028 UJ	0.0055 J	0.0028 J	0.0026 UJ
NICKEL	mg/kg	40	4088	156	130	25 =	20 J	38 J	57 J	21 J	31 J	20 =	24 =	27 =	20 =
POTASSIUM	mg/kg	1700				550 J	700 J	650 J	600 J	790 J	910 J	440 J	620 J	690 J	590 J
SELENIUM	mg/kg	2	1022	39	5	0.89 J	0.49 U	0.49 U	0.57 U	0.5 U	0.55 U	1.6 J	0.48 U	1.3 J	1 J
SILVER	mg/kg	0.084	1022	39	34	0.06 U	0.061 U	0.11 J	0.07 U	0.061 U	0.068 U	0.064 U	0.06 U	0.063 U	0.12 J
SODIUM	mg/kg	6300				290 J	360 J	830 J	670 J	570 J	510 J	410 J	290 J	370 J	420 J
THALLIUM	mg/kg	0.67				0.36 U	0.36 U	0.36 U	0.73 J	0.37 U	0.4 U	0.38 U	0.36 U	0.37 U	0.36 U
VANADIUM	mg/kg	130	1431	55	6000	- R - 79 = - R -	77 = - R -	100 = - R -	140 = - R -	73 = - R -	90 = - R -	84 J - R -	83 J - R -	91 J - R -	69 J - R -
ZINC	mg/kg	65	100000	2346	12000	43 =	40 =	46 =	48 =	59 =	55 =	40 J	44 J	43 J	40 J
Semi-Volatiles															
bis(2-ETHYLHEXYL) PHTHALATE	mg/kg		176	35		0.368 U	0.451 UJ	0.42 UJ	0.604 UJ	0.44 UJ	0.598 UJ	0.486 U	0.468 U	0.946 U	0.803 U
Volatiles															
1,1-DICHLOROETHENE	mg/kg		0.12	0.05	0.06	0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
ACETONE	mg/kg		622	157	16	0.01 U	0.01 R	0.022 R	0.014 R	0.016 R	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R
METHYLENE CHLORIDE	mg/kg		21	8.9	0.02	0.01 U	0.01 UJ	0.011 U	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.00034 J	0.00036 J	0.01 UJ
BENZENE	mg/kg		1.46	0.67	0.03	0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.00027 J	0.01 UJ
1,2-DICHLOROETHANE	mg/kg		0.76	0.35	0.02	0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.001 J	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
METHYL ETHYL KETONE (2-BUTANONE)	mg/kg		2771	733		0.01 R	0.01 UJ	0.01 R	0.012 R	0.01 R	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 R
TRICHLOROETHYLENE (TCE)	mg/kg		6.12	2.77	0.06	0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
TOLUENE	mg/kg		520	520	12	0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
ETHYLBENZENE	mg/kg		230	230	13	0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
METHYL ISOBUTYL KETONE (4-METHYL-2-PENTANONE)	mg/kg					0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
M,P-XYLENE (SUM OF ISOMERS)	mg/kg					0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.0014 J	0.01 UJ	0.0002 J	0.01 UJ	0.01 UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	mg/kg					0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.00062 J	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
TETRACHLOROETHYLENE(PCE)	mg/kg		18.67	5.69	0.06	0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.00027 J	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
XYLENES, TOTAL	mg/kg		210	210	210	0.01 U	0.01 UJ	0.01 U	0.012 UJ	0.01 UJ	0.002 J	0.01 UJ	0.0002 J	0.01 UJ	0.01 UJ

Data Flags:
U = Undetected; analyte was analyzed but not detected above the MDL.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria
PRG-I - Region IX Preliminary Remediation Goals - Industrial Soil (I)
PRG-R - Region IX Preliminary Remediation Goals - Residential Soil (R)
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)



Figure 5-2 AOC-I
Surface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

T:\E ...mental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\A ...35.dwg

5.6.2 Subsurface Soil Results

Chromium was detected in 23 subsurface soil samples above the leachability criterion at concentrations ranging from 39 to 160 mg/kg [SSLD20 (L) of 38 mg/kg].

Table 5-2 summarizes subsurface soil results. Figure 5-3 presents the exceedances for subsurface soils.

5.7 Conclusion and Recommendations

This section summarizes the results of the Expanded PA/SI activities by media, and provides recommendations for each media sampled.

5.7.1 Surface Soil

Analytical results indicated detections of metals and TPH in surface soil samples at concentrations exceeding the residential PRG and the PREQB criterion, respectively. Three metals, total chromium, iron, and vanadium were present at levels above the background values established for NASD, indicating that the majority of metal detections are likely indicative of background conditions and may not be site-related. The detected TPH concentrations are likely the result of site-related activities. However, no petroleum-derived hazardous constituents (VOCs, SVOCs, BTEX) were detected at levels that exceeded their respective risk-based residential PRG criteria in soil samples collected at the site.

Pesticides/PCBs were either not detected, or were detected at concentrations below the USEPA residential PRG criteria.

Evidence indicates that a release of site-related materials to surface soil has occurred as a result of site-related activities.

5.7.2 Subsurface Soil

Chromium was detected in 23 subsurface soil samples above the leachability criterion. However, all exceedances will be addressed through a focused risk evaluation that incorporates appropriate procedures as outlined in the Risk Assessment Guidance for Superfund and Dr. Singh's comments (July 2, 2001).

VOCs, SVOCs, pesticides, PCBs, TPH, and BTEX were either not detected, or were detected at concentrations below applicable screening criteria in subsurface soils. No evidence exists to indicate that a release to subsurface soil has occurred as a result of site-related activities. Therefore, no further sampling of subsurface soil is recommended.

5.7.3 Recommendation

Based on the results of the PA/SI investigation, an RI is recommended to assess the extent of the TPH constituents detected at concentrations above screening criteria in the surface soils. In addition, a risk assessment is recommended to be conducted as part of the RI to assess whether the petroleum hydrocarbons and metals detected pose an unacceptable risk to human health or the environment.

Table 5-2
Soil Boring Analytical Data Detection Summary
AOC - I NASD, Vieques, PR

Parameter	Units	BKG	SSLD20 (L)	AOCISB001	AOCISB002	AOCISB003	AOCISB004	AOCISB005	AOCISB006	AOCISB007	AOCISB008	AOCISB009	AOCISB010	AOCISB011	AOCISB012	AOCISB013	AOCISB014	AOCISB015	AOCISB016
			SampleID	NDE044	NDE046	NDE048	NDE050	NDE052	NDE054	NDE056	NDE058	NDE060	NDE063	NDE065	NDE067	NDE069	NDE071	NDE073	NDE076
			Collection Depth	5 To 6	5 To 6	4 To 5	5 To 6	4.5 To 5.5	4 To 6	3 To 4.5	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6
			Date Collected	11/29/2000 14:15	11/29/2000 14:40	11/29/2000 15:00	11/29/2000 15:15	11/29/2000 15:35	11/30/2000 9:30	11/30/2000 10:14	11/30/2000 10:25	11/30/2000 11:00	11/30/2000 11:20	11/30/2000 13:13	11/30/2000 13:43	11/30/2000 14:02	11/30/2000 14:18	11/30/2000 14:30	11/30/2000 14:49
Petroleum Hydrocarbons																			
PETROLEUM HYDROCARBONS	mg/kg			21 U	20 UJ	18 U	19 U	16 UJ	16 UJ	16 UJ	23 J	75 J	25 J	78 U	16 U	11 J	16 UJ	16 U	16 =
Metals																			
ALUMINUM	mg/kg	29000		32600 =	27600 =	27000 =	25400 =	22100 =	18000 =	15000 =	21000 =	18000 =	18000 =	18000 =	16000 =	13000 =	17000 J	23000 =	20000 =
ANTIMONY	mg/kg	2.3	5	1.8 J	1.7 J	2.3 J	2.8 J	2.3 J	1.9 J	1.3 J	1.3 J	1.1 J	1.2 J	0.98 J	0.96 J	0.9 J	1.1 J	1.7 J	1.3 J
ARSENIC	mg/kg	2.5	29	1.9 J	0.85 J	1.2 J	1.2 J	1.3 J	1.1 J	1.3 J	1.7 J	1.6 J	1.2 J	1.1 J	1.2 J	0.59 J	1.2 J	1.6 J	1.3 J
BARIUM	mg/kg	320	1600	88 =	42 J	60 =	50 =	22 J	14 J	20 J	57 =	65 =	41 J	41 J	38 J	23 J	40 J	43 J	49 =
BERYLLIUM	mg/kg	0.45	63	0.33 J	0.22 J	0.16 J	0.22 J	0.11 J	0.12 J	0.13 J	0.21 J	0.21 J	0.14 J	0.15 J	0.18 J	0.11 J	0.17 J	0.19 J	0.19 J
CALCIUM	mg/kg	210000		4650 =	5520 =	5410 =	6090 =	6900 =	5600 =	7600 =	21000 =	13000 =	17000 =	20000 =	23000 =	24000 =	38000 =	28000 =	22000 =
CHROMIUM, TOTAL	mg/kg	74	38	96 = L	71 = L	105 = L	156 = L	106 = L	110 = L	50 = L	47 = L	69 = L	43 = L	38 =	41 = L	40 = L	36 =	64 = L	46 = L
COBALT	mg/kg	25		27 =	28 =	29 =	31 =	26 =	23 =	24 =	21 =	21 =	18 =	16 =	15 =	12 =	15 =	24 =	18 =
COPPER	mg/kg	68		225 =	18 =	67 =	45 =	40 =	69 =	77 =	70 =	52 =	74 =	53 =	49 =	31 =	51 =	85 =	59 =
IRON	mg/kg	37531		62500 =	40000 =	51700 =	47000 =	38300 =	32000 =	26000 =	35000 =	31000 =	30000 =	28000 =	26000 =	20000 =	27000 =	42000 =	31000 =
MAGNESIUM	mg/kg	12834		18900 J	23200 =	23600 =	23300 =	21600 =	18000 =	14000 =	16000 =	9400 =	15000 =	14000 =	13000 =	10000 =	13000 =	21000 =	17000 =
MANGANESE	mg/kg	1167		898 =	802 =	972 =	938 =	786 =	680 =	760 =	750 =	1100 =	620 =	660 =	620 =	460 =	710 =	750 =	730 =
LEAD	mg/kg	6.9		0.48 J	0.18 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	1.3 =	1.5 =	0.43 J	0.45 J	0.5 J	0.51 J	1.8 =	1.8 =	0.82 =
MERCURY	mg/kg	0.031		0.009 J	0.005 J	0.004 J	0.0027 U	0.0027 U	0.0026 UJ	0.0027 UJ	0.0038 J	0.0057 J	0.0053 J	0.006 J	0.0026 U	0.0027 U	0.0027 U	0.0027 U	0.0027 U
NICKEL	mg/kg	40	130	71 =	61 =	64 =	84 =	66 =	60 =	38 =	37 =	38 =	31 =	25 =	24 =	22 =	23 =	37 =	30 =
POTASSIUM	mg/kg	1700		702 J	203 J	241 J	266 J	450 J	150 J	120 J	690 J	570 J	640 J	730 J	770 J	440 J	730 J	790 J	670 J
SELENIUM	mg/kg	2	5	1.4 J	0.78 J	1.2 J	0.76 J	1.2 =	1.2 J	0.91 J	0.94 J	1.5 J	0.96 J	0.88 J	0.62 J	0.77 J	0.88 J	1.1 J	0.94 J
SILVER	mg/kg	0.084	34	0.092 J	0.083 J	0.087 J	0.081 J	0.064 J	0.06 U	0.061 U	0.067 U	0.06 U	0.061 U	0.06 U	0.06 U	0.061 U	0.061 U	0.11 J	0.061 U
SODIUM	mg/kg	6300		2650 =	1230 =	1550 =	1580 =	21 U	760 J	780 J	360 J	330 J	370 J	360 J	350 J	250 J	440 J	450 J	470 J
VANADIUM	mg/kg	130	6000	188 =	136 =	162 =	143 =	112 =	89 =	82 =	98 =	100 =	84 =	82 =	77 =	53 =	81 =	120 =	89 =
ZINC	mg/kg	65	12000	55 =	51 =	57 =	57 =	48 =	43 =	40 =	50 =	40 =	40 =	39 =	38 =	32 =	34 =	52 =	43 =
Semi-Volatiles																			
NAPHTHALENE	mg/kg		84	0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
2-METHYLNAPHTHALENE	mg/kg			0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
ACENAPHTHENE	mg/kg		570	0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
DIBENZOFURAN	mg/kg			0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
FLUORENE	mg/kg		560	0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
PHENANTHRENE	mg/kg			0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
FLUORANTHENE	mg/kg		4300	0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
PYRENE	mg/kg		4200	0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
CHRYSENE	mg/kg		160	0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
BENZO(b)FLUORANTHENE	mg/kg		5	0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
BENZO(k)FLUORANTHENE	mg/kg		49	0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
CARBAZOLE	mg/kg		0.6	0.469 U	0.416 U	0.347 U	0.41 U	0.353 U	0.354 U	0.364 U	0.448 U	0.358 U	0.386 U	0.371 U	0.382 U	0.371 U	0.397 U	0.397 U	0.365 U
Volatiles																			
1,1-DICHLOROETHENE	mg/kg		0.06	0.011 U	0.011 U	0.01 U	0.011 U	0.01 U	0.012 U	0.01 U	0.00042 J	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
1,2-DICHLOROETHANE	mg/kg		0.02	0.011 U	0.011 U	0.01 U	0.011 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
METHYL ETHYL KETONE	mg/kg			0.011 R	0.011 R	0.01 R	0.011 R	0.01 R	0.012 R	0.01 R	0.0041 R	0.0041 J	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R	0.01 R
TRICHLOROETHYLENE (TCE)	mg/kg		0.06	0.00037 J	0.011 U	0.01 U	0.011 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
TOLUENE	mg/kg		12	0.011 U	0.011 U	0.01 U	0.011 U	0.01 U	0.00067 J	0.00078 J	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
ETHYLBENZENE	mg/kg		13	0.011 U	0.011 U	0.01 U	0.011 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.00089 J	0.01 UJ	0.01 UJ
METHYL ISOBUTYL KETONE	mg/kg			0.011 U	0.011 U	0.01 U	0.011 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ	0.01 UJ
M,P-XYLENE (SUM OF ISOMERS)	mg/kg			0.011 U	0.011 U	0.01 U	0.011 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.0036 J	0.01 UJ	0.01 UJ
O-XYLENE	mg/kg			0.011 U	0.011 U	0.01 U	0.011 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.0012 J	0.01 UJ	0.01 UJ
TETRACHLOROETHYLENE(PCE)	mg/kg		0.06	0.011 U	0.011 U	0.01 U	0.011 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.00029 J	0.01 UJ	0.01 UJ
XYLENES, TOTAL	mg/kg		210	0.011 U	0.011 U	0.01 U	0.011 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.0048 J	0.01 UJ	0.01 UJ

Screening Criteria:
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Data Flags:
U - Undetected, analyte was analyzed but not detected above the MDL.
UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.
J- Estimated value; compounds detected at concentrations between
the reporting limit and the method detection limit.
B - Analyte was detected in the associated method blank.
R - Data was unusable.
= Detected value as shown.
Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Table 5-2
Soil Boring Analytical Data Detection Summary
AOC - I NASD, Vieques, PR

			StationID	AOCISB017	AOCISB018	AOCISB019	AOCISB020	AOCISB021	AOCISB021	AOCISB022	AOCISB023	AOCISB024	AOCISB025	AOCISB026
			SampleID	NDE078	NDE080	NDE082	NDE085	NDE087	NDE087DL1	NDE089	NDE092	NDE094	NDE096	NDE098
			Collection Depth	4 To 6	5 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6	4 To 6
			Date Collected	11/30/2000 15:12	12/01/2000 8:40	12/01/2000 9:00	12/01/2000 9:15	12/01/2000 9:40	12/01/2000	12/01/2000 10:07	12/01/2000 10:31	12/01/2000 11:00	12/01/2000 11:18	12/01/2000 11:40
Parameter	**Units**	**BKG**	**SSLD20 (L)**											
Petroleum Hydrocarbons														
PETROLEUM HYDROCARBONS	mg/kg			16 U	16 J	11 J	11 J	232 J		17 J	20 J	40 J	22 J	16 UJ
Metals														
ALUMINUM	mg/kg	29000		15000 =	24000 =	26000 =	28000 =	23000 =		25000 =	17000 =	19000 =	20000 =	14800 =
ANTIMONY	mg/kg	2.3	5	0.91 J	1.7 J	2.9 J	2.2 J	2 J		2.1 J	1.4 J	1.4 J	1.2 J	2 J
ARSENIC	mg/kg	2.5	29	1.3 J	2 J	2.1 =	2.1 J	1.9 J		2.6 =	2.1 J	1.4 J	1.6 J	1.7 J
BARIUM	mg/kg	320	1600	54 =	57 =	44 =	26 J	40 J		47 J	41 J	59 =	66 =	52 =
BERYLLIUM	mg/kg	0.45	63	0.14 J	0.32 J	0.23 J	0.27 J	0.32 J		0.29 J	0.22 J	0.26 J	0.21 J	0.14 J
CALCIUM	mg/kg	210000		18000 =	9900 =	6500 =	6200 =	5700 =		17000 =	20000 =	41000 =	30000 =	10200 =
CHROMIUM, TOTAL	mg/kg	74	38	39 = L	87 J L	160 J L	130 J L	110 J L		130 J L	68 J L	38 J	40 J L	86 J L
COBALT	mg/kg	25		15 =	27 =	31 =	29 =	26 =		25 =	18 =	19 =	21 =	25 =
COPPER	mg/kg	68		53 =	84 =	43 =	49 =	59 =		80 =	43 J	70 J	72 J	20 J
IRON	mg/kg	37531		27000 =	41000 =	48000 R	61000 =	41000 =		39000 =	28000 =	33000 =	34000 =	26100 =
MAGNESIUM	mg/kg	12834		12000 =	19000 =	26000 =	26000 =	23000 =		17000 =	12000 =	14000 =	15000 =	12000 =
MANGANESE	mg/kg	1167		590 =	850 =	1100 =	900 =	840 =		810 =	600 =	790 =	860 =	694 =
LEAD	mg/kg	6.9		0.26 J	1.6 =	0.17 U	0.17 U	14 =		1.3 =	1.7 J	7.5 J	4.6 J	1.3 J
MERCURY	mg/kg	0.031		0.0027 U	0.0047 J	0.0032 U	0.0033 U	0.0032 U		0.0089 J	0.0097 J	0.0028 J	0.0028 UJ	0.0027 UJ
NICKEL	mg/kg	40	130	24 =	56 J	83 J	78 J	66 J		60 J	43 =	26 =	27 =	65 =
POTASSIUM	mg/kg	1700		510 J	380 J	400 J	220 J	390 J		550 J	460 J	570 J	650 J	77 J
SELENIUM	mg/kg	2	5	1.1 J	0.59 U	0.49 U	0.5 U	0.49 U		0.56 U	0.76 J	0.8 J	1.2 J	1.2 J
SILVER	mg/kg	0.084	34	0.061 U	0.073 U	0.11 J	0.062 U	0.12 J		0.069 U	0.063 U	0.063 U	0.064 U	0.061 U
SODIUM	mg/kg	6300		360 J	140 J	1400 =	1200 =	1400 =		310 J	470 J	320 J	300 J	21.4 B
VANADIUM	mg/kg	130	6000	75 =	130 =	170 =	140 =	130 =		130 =	90 J	94 J	100 J	65 J
ZINC	mg/kg	65	12000	35 =	58 =	60 =	55 =	52 =		52 =	40 J	47 J	47 J	39 J
Semi-Volatiles														
NAPHTHALENE	mg/kg		84	0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	2.55 J	2.57 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
2-METHYLNAPHTHALENE	mg/kg			0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	4.66 R	4.63 J	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
ACENAPHTHENE	mg/kg		570	0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	0.331 J	0.333 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
DIBENZOFURAN	mg/kg			0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	0.663 J	0.68 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
FLUORENE	mg/kg		560	0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	0.893 J	0.939 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
PHENANTHRENE	mg/kg			0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	2.62 J	2.66 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
FLUORANTHENE	mg/kg		4300	0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	0.969 J	0.952 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
PYRENE	mg/kg		4200	0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	0.469 J	0.421 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
CHRYSENE	mg/kg		160	0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	0.129 J	0.122 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
BENZO(b)FLUORANTHENE	mg/kg		5	0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	0.039 J	0.833 R	0.512 UJ	0.031 J	0.468 U	0.505 U	0.429 U
BENZO(k)FLUORANTHENE	mg/kg		49	0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	0.032 J	0.833 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
CARBAZOLE	mg/kg		0.6	0.372 U	0.517 UJ	0.433 UJ	0.436 UJ	0.158 J	0.145 R	0.512 UJ	0.484 U	0.468 U	0.505 U	0.429 U
Volatiles														
1,1-DICHLOROETHENE	mg/kg		0.06	0.01 UJ	0.011 UJ	0.01 UJ	0.01 UJ	0.012 UJ	0.973 R	0.011 U	0.01 UJ	0.01 UJ	0.011 U	0.01 U
1,2-DICHLOROETHANE	mg/kg		0.02	0.01 UJ	0.011 UJ	0.01 UJ	0.01 UJ	0.012 UJ	0.973 R	0.011 U	0.01 UJ	0.01 UJ	0.011 U	0.0012 J
METHYL ETHYL KETONE	mg/kg			0.01 R	0.011 UJ	0.01 R	0.01 UJ	0.0029 J	0.973 R	0.011 R	0.01 UJ	0.01 R	0.011 R	0.01 R
TRICHLOROETHYLENE (TCE)	mg/kg		0.06	0.01 UJ	0.011 UJ	0.01 UJ	0.01 UJ	0.012 UJ	0.973 R	0.011 U	0.01 UJ	0.01 UJ	0.011 U	0.01 U
TOLUENE	mg/kg		12	0.01 UJ	0.011 UJ	0.01 UJ	0.01 UJ	0.012 UJ	0.973 R	0.011 U	0.01 UJ	0.01 UJ	0.011 U	0.00033 J
ETHYLBENZENE	mg/kg		13	0.01 UJ	0.011 UJ	0.01 UJ	0.01 UJ	0.096 J	0.212 R	0.011 U	0.01 UJ	0.01 UJ	0.011 U	0.01 U
METHYL ISOBUTYL KETONE	mg/kg			0.01 UJ	0.011 UJ	0.01 UJ	0.00079 J	0.053 J	0.973 R	0.011 U	0.01 UJ	0.01 UJ	0.011 U	0.01 U
M,P-XYLENE (SUM OF ISOMERS)	mg/kg			0.01 UJ	0.011 UJ	0.01 UJ	0.01 UJ	1.08 R	2.97 J	0.00079 J	0.01 UJ	0.01 UJ	0.011 U	0.01 U
O-XYLENE	mg/kg			0.01 UJ	0.011 UJ	0.01 UJ	0.01 UJ	0.538 R	1.5 J	0.00023 J	0.01 UJ	0.01 UJ	0.011 U	0.01 U
TETRACHLOROETHYLENE(PCE)	mg/kg		0.06	0.01 UJ	0.011 UJ	0.01 UJ	0.01 UJ	0.012 UJ	0.973 R	0.011 U	0.01 UJ	0.01 UJ	0.011 U	0.01 U
XYLENES, TOTAL	mg/kg		210	0.01 UJ	0.011 UJ	0.01 UJ	0.01 UJ	1.62 R	4.46 J	0.001 J	0.01 UJ	0.01 UJ	0.011 U	0.01 U

Screening Criteria:
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Data Flags:
U - Undetected; analyte was analyzed but not detected above the MDL.
UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.
J- Estimated value; compounds detected at concentrations between
the reporting limit and the method detection limit.
B - Analyte was detected in the associated method blank.
R - Data was unusable.
Detected value as shown.
Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data



Figure 5-3 AOC-I
Subsurface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

SECTION 6

AOC J – Former Staging and Disposal Site

The Expanded PA/SI field investigation for AOC J was conducted in November and December 2000. Activities included installation and sampling of four new monitoring wells, surface and subsurface soil sampling at five locations, and sediment and surface water sampling at five locations. The samples were analyzed for metals, VOCs, SVOCs, pesticides, PCBs, and explosives.

This section also includes a description of the objectives of the Expanded PA/SI, a site description, results of previous investigations, a summary of field activities, a summary of laboratory results, and conclusions and recommendations. To evaluate the potential for environmental impacts from the site, data were compared to applicable regulatory screening criteria. Section 2.11 of this report described the environmental screening process.

6.1 Objectives

The specific objectives of this investigation were to:

- Assess the environmental suitability of the property for transfer to the Municipality of Vieques, as mandated by former President Clinton's directive on January 31, 2000.
- Determine whether a release of hazardous materials has occurred at the site as a result of site-related activities.
- Recommend the site either for additional investigations to assess environmental impacts or for no further field investigations.

6.2 Site Description

AOC J encompasses an area of approximately 1.2 acres. The area was used as a solid waste disposal site associated with construction staging activities. It was used between the mid-1960s and 1973, after which the waste was removed from the site and placed in a municipal landfill off-base. No records were kept as to where the solid waste was taken. The types of waste taken from the site are unknown. A site inspection in December 2000 indicated waste was not completely removed and extended over an area of approximately 1 acre. The inspection also identified two 106 mm shell casings, one flash tube, one 106 mm cartridge base, and six cartridge canisters.

6.2.1 Summary of Qualitative Ecological Survey

AOC J is located within a thorn scrub forest near the coast. The site had been cleared recently for the installation of several monitoring wells. A small stand of undisturbed brush and trees remains within the clearing. To the north, a coastal forest extends to the ocean with a quebrada/mangrove swamp area immediately to the northeast. Remnant vegetation consists of mesquite (*Prosopis julifora*), gumbo limbo, *Lonchocarpus heptaphyllus*, and yellow prickle (*Zanthoxylum monophyllum*). The shrub stratum was dominated by Christmas tree,

broomstick (*Trichilia hirta*), and brisselet (*Erythroxylum brevipes*). A few species of herbs (but no grasses) were observed in the lowest stratum. Along the ocean, coconut palm trees (*Cocus nucifera*) were observed.

During the wildlife survey, woody debris piles along the edges of the site were observed to attract large numbers of lizards (*Anolis pulchellus, Anolis cristatellus*, and *Anolis stratulus*) and provided perches for birds. A mature green iguana (*Iguana iguana*) was observed on the opposite side of the lagoon to the east of the site. Land crab (*Geocarina lateralis*) was the only invertebrate observed at the northern end of site, as evidenced by the presence of multiple burrows. The bare ground and small, isolated patch of shrubs and trees provided limited habitat for birds. Species observed onsite included Caribbean elaenia (*Elaenia martinica*), Adelaide's warbler, greater Antillean grackle (*Quiscalis niger*), gray kingbird, common ground dove, and bananaquit. The great Antillean grackle and gray kingbird were the most common birds in the vicinity.

No federally-protected species or preferred habitat were observed directly on the site. Two brown pelicans were observed flying over adjacent habitat toward the north (in the direction of the Caribbean Sea) but were not seen at AOC J. Although *Cobana negra* has been found at NASD (on the boundary between black mangrove communities, salt flats, and the upland communities), the habitat at AOC J was primarily upland thorn scrub. The adjacent lagoon had a small fringe of mixed mangrove habitat, but no *Cobana negra* was present.

6.3 Previous Investigation Results

As part of the EBS (ERM, 2000), two soil samples were collected at 3 to 4 feet bls adjacent to the visible remains of the disposal site. The pit was excavated using a backhoe. Samples were collected with a stainless steel spoon. The samples were analyzed for VOCs, SVOCs, pesticides, PCBs, and metals. Analytical results from soil samples indicated no elevated levels of any of these constituents above USEPA Region IX PRG criteria.

6.4 Expanded PA/SI Field Investigations

Five surface soil samples and five subsurface soil samples were collected in the area of debris to determine whether a release of hazardous materials had occurred. Five surface water/sediment samples were collected in the quebrada. One surface water/sediment sample was collected upstream of the disposal site, two samples were collected adjacent to the debris pile, and two samples were collected downstream of the disposal area. Four monitoring wells were installed at the site. One upgradient well, one well west of the disposal area, and two wells adjacent to the disposal area near the quebrada were installed. Figure 6-1 shows the sampling locations. Analyses were conducted for metals, VOCs, SVOCs, pesticides, PCBs, and explosives. A UXO survey was conducted to clear the soil boring and monitoring well drilling sites before any intrusive work. Appendix G contains the UXO survey report.

6.4.1 Groundwater Sampling and Direction of Groundwater Flow

As described in the Site-Specific Work Plan (CH2M HILL, December 2000), a total of four groundwater monitoring wells were installed.

Prior to sampling, depth to groundwater was measured using an electronic water level indicator. These data were used in conjunction with the survey data to determine elevations of groundwater at the monitoring wells. As shown in Figure 6-2, the groundwater contours show a groundwater flow direction to the northeast toward the quebrada. Tables 2-1 and 2-6 (presented previously) list the top of casing elevations for the monitor wells. The groundwater elevation data confirmed that monitoring well MW-03 was the upgradient well, and that monitoring wells MW-01 and MW-04 were downgradient wells.

6.4.2 Surface and Subsurface Soil Sampling

Five surface soil samples and five subsurface soil samples were collected at the locations shown on Figure 6-1. Two of these samples, SS/SB-03 and SS/SB-04, were collected near the soil sample locations from the previous investigation.

6.4.3 Surface Water and Sediment Sampling

Five surface water samples and five sediment samples were collected within the quebrada at the locations shown on Figure 6-1. The samples were collected following procedures described in Section 2.7.

6.5 Field Screening Results

Soil sample locations were cleared in the field for UXO. Personnel from USA Environmental Inc. were onsite to clear all areas to be bored or augered. UXO was also cleared at depth for the first 12 inches and every 18 inches thereafter. Appendix G includes a copy of the UXO Report for AOC J.

Soil samples were screened in the field for VOCs using an OVM PID. This field screening method provides a qualitative evaluation of potential organic constituents in soil. The soil boring logs presented in Appendix A include the OVM results.

6.6 Laboratory Analytical Results

This section presents the interpretation of the analytical data from AOC J Expanded PA/SI. The discussion includes the identification of screening/regulatory criteria exceedances. Section 6.7 presents conclusions and recommendations, organized by media.

Concentrations of detected chemicals were compared to the following current USEPA Region IX screening criteria for each matrix:

- Residential and industrial Region IX PRGs and leachability (SSDL20) criteria for soil
- Tap water PRGs (PRG - T) and drinking water MCLs, for groundwater and Surface Water Criteria (SWC)
- Ecological screening values for sediment (ECOSD)

Appendix H contains a compilation of the concentrations for all constituents for which samples were analyzed. Appendix I contains a data validation summary.

6.6.1 Groundwater Results

Analytical results from unfiltered groundwater samples for total metals indicated detections of aluminum, arsenic, barium, cadmium, iron, manganese, and vanadium at concentrations exceeding the MCLs and or the tap water PRGs. Soil analytical results indicated that these constituents occur naturally within the soils. Therefore, the presence of these constituents may be a result of suspended soil particles within the groundwater samples rather than constituents that have been dissolved within the groundwater. This is supported by the analytical results, which indicated no detections for filtered (dissolved) metals above the applicable screening criteria. However, all metals that exceeded MCLs will be evaluated in the risk assessment conducted for the RI.



Figure 6-1
AOC-J Former Staging and Disposal Site Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



Figure 6-2
AOC J Groundwater Flow Map
Former NASD, Vieques Island, Puerto Rico

CH2MHILL

...onmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-200 ~Jgwc.dwg

Total Metals

- Four exceedances of aluminum from 210 to 72,000 μg/L [MCL of 50 μg/L and PRG-T (T) of 3,649 μg/L]
- One exceedance of arsenic at 5J μg/L [PRG-T(T) of 0.4 μg/L]
- Four exceedances of barium ranging from 430 to 770 μg/L [PRG-T (T) of 255.5 μg/L]
- One exceedance of cadmium at 3.9J μg/L [PRG-T (T) of 1.83 μg/L]
- Four exceedances of iron from 440 to 68,000 μg/L [MCL of 300 μg/L]
- Four exceedances of manganese from 9,300J to 17,000J μg/L [MCL of 50 μg/L and PRG-T (T) of 87.6 μg/L]
- Three exceedances of vanadium ranging from 39J to 330 μg/L [PRG-T (T) of 25.5 μg/L]

Explosives

- One exceedance of Perchlorate at 48J μg/L [PRG-T (T) of 1.83 μg/L]

VOCs, SVOCs, pesticides, and PCBs were either not detected, or were detected at concentrations below applicable screening criteria. Table 6-1 summarizes groundwater detections. Figure 6-3 presents groundwater exceedances.

6.6.2 Surface Water Results

Copper and mercury were detected at concentrations above USEPA Region IX surface water criteria in SW-001 and copper was detected above the criteria in SW-004. The detected concentration of copper, however, was below the background concentration. The exceedances are described in the following paragraphs.

Metals

- Two exceedances of copper from 3J to 3.1 J μg/L [SWC (S) of 2.90 μg/L]
- One exceedance of mercury at 0.049J [SWC (S) of 0.03 μg/L]

VOCs, SVOCs, pesticides, PCBs, and explosives were either not detected, or were detected at concentrations below applicable screening criteria. Table 6-2 summarizes surface water detections. Figure 6-4 presents surface water exceedances.

6.6.3 Surface Soil Results

Analytical results indicated detections of aluminum, arsenic, iron, manganese, and vanadium at levels above residential PRGs. These detections, however, were all below background concentrations with the exception of manganese. Manganese was detected at a concentration of 1,200 mg/kg, which slightly exceeded the background concentration of 1,167 mg/Kg. The surface soil exceedances are described in the following paragraphs.

- One exceedance of aluminum at 8,900 mg/kg [PRG-R (R) of 7,614 mg/kg]
- Two exceedances of arsenic from 0.63J to 0.91J mg/kg [PRG-R (R) of 0.39 μg/L]
- Five exceedances of iron ranging from 13,000 to 19,000 mg/kg [PRG-R (R) of 2,346 mg/kg]

- Five exceedances of manganese from 450 to 1,200 mg/kg [PRG-R (R) of 176.4 mg/kg]
- Two exceedances of vanadium ranging from 55 to 67 mg/kg [PRG-R (R) of 54.75 mg/kg]

VOCs, SVOCs, pesticides, PCBs, and explosives were either not detected, or were detected at concentrations below applicable screening criteria. Table 6-3 summarizes surface soil detections. Figure 6-5 presents surface soil concentration exceedances.

6.6.4 Subsurface Soil Results

No detections in subsurface soils exceeded the PRG screening criteria. Table 6-4 summarizes subsurface soil results.

6.6.5 Sediment Results

No detections in sediment exceeded the ecological screening criteria.

Table 6-5 summarizes sediment results.

6.7 Conclusions and Recommendations

This section summarizes the results of the Expanded PA/SI activities by media, and provides recommendations for future actions.

6.7.1 Groundwater

Metals were detected in unfiltered groundwater samples at concentrations above applicable MCLs or PRGs. Six of the seven metals identified at the site also exceeded the NASD background values for those metals. The presence of these constituents may be a result of suspended soil particles within the groundwater samples rather than constituents that have been dissolved within the groundwater. This is supported by the analytical results which show that no detections for filtered (dissolved) metals were detected at levels above the applicable screening criteria.

Perchlorate, an explosive compound, was detected in groundwater at monitoring well MW-01. All other parameters were either not detected, or were detected at levels below applicable screening criteria. Because explosive compounds were observed, evidence exists to suggest that a release of hazardous materials to groundwater has occurred at this site as a result of site-related activities. Based on these results, further groundwater investigations are recommended as part of a RI/FS. In addition, a comprehensive risk assessment should be conducted for constituents detected in the groundwater at levels above risk-based criteria.



AOC-J MW-03			
Total Metals			
Aluminum	2,100		M
Barium	570		T
Iron	1,500		M
Manganese	9,300	J	M T
Vanadium	39	J	T

AOC-J MW-04			
Total Metals			
Aluminum	30,000		M
Barium	480		T
Arsenic	5	J	T
Iron	15,000		M
Manganese	17,000	J	M T
Vanadium	160		T

AOC-J MW-02			
Total Metals			
Aluminum	72,000		M
Barium	770		T
Cadmium	3.9	J	T
Iron	68,000		M
Manganese	15,000	J	M T
Vanadium	330		T

AOC-J MW-01			
Explosives			
Perchlorate	48	J	R
Total Metals			
Aluminum	210		M
Barium	430		T
Iron	440		M
Manganese	1,400	J	M T

Figure 6-3 AOC-J
Groundwater Detections Above screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

onmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-200 -JGW.dwg



Figure 6-4 AOC-J
Surface Water Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



Figure 6-5 AOC-J
Surface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

.onmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-200 -JSS.dwg

6.7.2 Surface Water

Copper and mercury were detected in surface water samples at concentrations above surface water criteria. Copper, however, was detected below the background concentration.

6.7.3 Surface Soil

Metals were detected in surface soil samples at concentrations above residential PRGs. Only manganese was detected at surface soil sample SB 005 at levels above the background metals value for NASD. No evidence exists, however, to indicate that a release to surface soil has occurred as a result of site-related activities.

6.7.4 Subsurface Soil

No constituents were detected above comparison criteria.

6.7.5 Sediment

No constituents were detected above USEPA Region IX ecological comparison criteria.

6.7.6 Recommendation

Based on the results of the PA/SI investigation an RI is recommended to assess the extent of the constituents detected above screening criteria in the surface soils, groundwater, and surface water. In addition, a risk assessment is recommended to be conducted as part of the RI to assess whether the constituents detected pose an unacceptable risk to human health or the environment.

Tables 6-1
Groundwater Analytical Data Detection Summary
AOC - J NASD, Vieques, PR

				StationID	AOC-J-MW01	AOC-J-MW02	AOC-J-MW03	AOC-J-MW04
				SampleID	NDE228	NDE230	NDE231	NDE232
				Date Collected	12/18/2000 10:50	12/18/2000 14:30	12/18/2000 15:45	12/18/2000 13:15
Paramater Name	**Units**	**BKG**	**MCL (M)**	**PRG-T (T)**				
Explosives								
PERCHLORATE	µg/L			1.83	**48 J -T**	8 U	4 U	8 U
Dissolved Metals								
ARSENIC, DISSOLVED	µg/L	5.50			2.9 U	6.4 J	2.9 U	2.9 U
BARIUM, DISSOLVED	µg/L	870			370 =	530 =	580 =	260 =
CALCIUM, DISSOLVED	µg/L	660000			450000 =	630000 =	360000 =	580000 =
CHROMIUM, DISSOLVED	µg/L	5			3.2 J	3 J	2.4 J	5.5 J
COBALT, DISSOLVED	µg/L	11			5.8 J	18 J	12 J	0.43 U
IRON, DISSOLVED	µg/L	490			270 =	25 U	25 U	25 U
MAGNESIUM, DISSOLVED	µg/L	310000			1000000 =	680000 =	290000 =	690000 =
MANGANESE, DISSOLVED	µg/L	18000			13000 =	12000 =	9100 =	3700 =
POTASSIUM, DISSOLVED	µg/L	400000			370000 J	43000 J	21000 J	130000 J
SILVER, DISSOLVED	µg/L	--			1.2 J	0.57 U	0.57 U	0.57 U
SODIUM, DISSOLVED	µg/L	360000			7100000 =	3000000 =	1600000 =	4000000 =
VANADIUM, DISSOLVED	µg/L	32			6.5 J	6.3 J	6.1 J	3.8 J
Total Metals								
ALUMINUM	µg/L	3500.00	50	3650	**210 = M -**	**72000 = M T**	**2100 = M -**	**30000 = M T**
ARSENIC	µg/L	--	50	0.045	2.9 U	2.9 U	2.9 U	**5 J -T**
BARIUM	µg/L	960.00	2000	255	**430 = -T**	**770 = -T**	**570 = -T**	**480 = -T**
BERYLLIUM	µg/L	1.80	4	7.30	0.33 U	0.33 U	0.33 U	1.6 J
CADMIUM	µg/L	1.00	5	1.83	0.27 U	**3.9 J -T**	0.27 U	1.4 J
CALCIUM	µg/L	660000			460000 =	570000 =	370000 =	830000 =
CHROMIUM, TOTAL	µg/L	6.8	100		3.3 J	26 =	2.5 J	43 =
COBALT	µg/L	20		219	6.5 J	63 =	15 J	53 =
COPPER	µg/L	15.00	1000	136	0.8 U	130 =	12 J	48 =
IRON	µg/L	4800	300	1095	**440 = M -**	**68000 = M T**	**1500 = M T**	**15000 = M T**
MAGNESIUM	µg/L	290000			950000 =	590000 =	300000 =	740000 =
MANGANESE	µg/L	17000	50	88	**14000 J M T**	**15000 J M T**	**9300 J M T**	**17000 J M T**
LEAD	µg/L	--	15		1.6 U	**12 =**	1.6 U	**6.9 =**
MERCURY	µg/L	--	2.00	1.10	0.025 U	0.076 J	0.033 J	0.065 J
NICKEL	µg/L	19	100	73	0.93 U	18 J	0.93 U	25 J
POTASSIUM	µg/L	490000			320000 J	52000 J	22000 J	130000 J
SILVER	µg/L	--	100	18	1.2 J	0.57 U	0.57 U	0.57 U
SODIUM	µg/L	350000			6600000 =	2900000 =	1700000 =	4100000 =
VANADIUM	µg/L	75		26	6.8 J	**330 = -T**	**39 J -T**	**160 = -T**
ZINC	µg/L	60	5000	1095	20 U	94 =	5 U	33 =
Semi-Volatiles								
bis(2-ETHYLHEXYL) PHTHALATE	µg/L			5	5.4 U	5.5 U	1.2 J	5.3 U
Volatiles								
TOLUENE	µg/L		1000	72	0.66 J	0.41 J	1 U	0.93 J
M,P-XYLENE (SUM OF ISOMERS)	µg/L		10000		1 U	0.78 J	1 U	1 U
O-XYLENE (1,2-DIMETHYLBENZENE)	µg/L		10000		1 U	0.41 J	1 U	1 U
XYLENES, TOTAL	µg/L		10000	143	1 U	1.2 =	1 U	1 U

Data Flags:

U - Undetected; analyte was analyzed but not detected above the MDL.
UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.
J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B - Analyte was detected in the associated method blank.
R - Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria

MCL - Max. Contaminant Level, *Drinking Water Standard and Health Advisories,* USEPA, 2000 (**M**)
PRG-T - Region IX Preliminary Remediation Goals - Tap Water Values, November 2000 (**T**)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Tables 6-2

Surface Water Analytical Data Detection Summary

AOC - J NASD, Vieques, PR

Parameter	Units	SWC (S)	AOCJSW001	AOCJSW002	AOCJSW003	AOCJSW004	AOCJSW005
		StationID	AOCJSW001	AOCJSW002	AOCJSW003	AOCJSW004	AOCJSW005
		SampleID	NDE171	NDE173	NDE174	NDE175	NDE225
		Date Collected	12/12/2000 15:10	12/12/2000 15:20	12/12/2000 15:30	12/12/2000 15:40	12/12/2000 15:50
Explosives							
PERCHLORATE	µg/L		12.5 =	12.5 =	12.5 =	12.5 =	12.5 =
Metals							
ALUMINUM	µg/L		300 =	110 J	95 U	95 U	95 U
BARIUM	µg/L		300 =	300 =	290 =	280 =	300 =
CALCIUM	µg/L		220000 =	220000 =	220000 =	220000 =	240000 =
COPPER	µg/L	2.90	3 J	2.7 J	2.4 J	3.1 J	2.5 J
IRON	µg/L		200 =	50 J	25 U	94 J	110 =
MAGNESIUM	µg/L		500000 =	520000 =	520000 =	520000 =	550000 =
MANGANESE	µg/L		2300 =	1900 =	1600 =	1500 =	1800 =
MERCURY	µg/L	0.03	0.049 J	0.025 U	0.025 U	0.025 U	0.025 U
NICKEL	µg/L	8.30	2.8 J	2.6 J	3.1 J	4.1 J	2.9 J
POTASSIUM	µg/L		240000 =	250000 =	250000 =	250000 =	270000 =
SODIUM	µg/L		3400000 J	3600000 J	3500000 J	3700000 J	3700000 J
THALLIUM	µg/L	21.30	17 =	8.6 J	9 J	7.2 J	7.5 J
VANADIUM	µg/L		1.5 J	0.7 U	0.7 U	1.2 J	1.5 J
Semi-Volatiles							
bis(2-ETHYLHEXYL) PHTHALATE	µg/L		10 U	11 U	11 U	1 J	11 U
Volatiles							
VINYL CHLORIDE	µg/L		10 U	10 U	10 U	10 U	0.54 J

Data Flags:

U = Undetected; analyte was analyzed but not detected above the MDL.

UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.

J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B = Analyte was detected in the associated method blank.

R = Data was unusable.

Screening Criteria

SWC- Ecological Surface Water Criteria: EPA Amended Guidance on Ecological Risk Assessments at Military Base: Process Considerations, Timing of Activities, and Inclusion of Stakeholders, Region IV Office of Technical Services, June 2000

Exceeds Region IX Surface Water Criteria

Tables 6-3

Surface Soil Analytical Data Detection Summary

AOC - J NASD, Vieques, PR

					StationID	AOCJSB001	AOCJSB002	AOCJSB003	AOCJSB004	AOCJSB005
					SampleID	NDE102	NDE104	NDE106	NDE108	NDE110
					Collection Depth	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5
					Date Collected	12/08/2000 11:40	12/08/2000 11:55	12/08/2000 11:45	12/08/2000 14:15	12/08/2000 14:20
Parameter	**Units**	**BKG**	**PRG-I (I)**	**PRG-R (R)**	**SSLD20 (L)**					
Metals										
ALUMINUM	mg/kg	29000	100000	7614		4500 =	5200 =	5500 =	**8900 = - R -**	6700 =
ANTIMONY	mg/kg	2.30	82	3	5	0.4 J	0.25 UJ	0.48 J	0.35 UJ	0.37 J
ARSENIC	mg/kg	2.20	3	0	29	0.3 U	0.3 U	**0.91 J - R -**	0.43 U	**0.63 J - R -**
BARIUM	mg/kg	320	100000	537	1600	67 =	87 =	49 =	84 =	120 =
BERYLLIUM	mg/kg	0.45	2242	15	63	0.14 J	0.2 J	0.17 J	0.32 J	0.23 J
CADMIUM	mg/kg	0.04	81	4	8	0.028 U	0.028 U	2.7 =	0.04 U	0.033 U
CALCIUM	mg/kg	210000				4700 =	1800 =	5100 =	3100 =	2700 =
CHROMIUM, TOTAL	mg/kg	74	448	211	38	3.3 =	3.5 =	5.1 =	5.2 =	3.9 =
COBALT	mg/kg	25	100000	469		5.8 J	9.2 J	5.8 J	13 J	14 =
COPPER	mg/kg	68	7591	291		14 =	15 =	21 =	23 =	20 =
IRON	mg/kg	37531	100000	2346		**13000 = - R -**	**13000 = - R -**	**19000 = - R -**	**18000 = - R -**	**16000 = - R -**
MAGNESIUM	mg/kg	12834				1600 =	1300 =	1600 =	2300 =	1600 =
MANGANESE	mg/kg	1167	3225	176		**480 = - R -**	**750 = - R -**	**450 = - R -**	**910 = - R -**	**1200 = - R -**
LEAD	mg/kg	6.9	100	40		2.5 =	5.3 =	22 =	9.1 =	6 =
MERCURY	mg/kg	0.031	61	2.35		0.013 J	0.021 J	0.03 J	0.036 J	0.028 J
NICKEL	mg/kg	40	4088	156	130	1.9 J	3.2 J	3.6 J	3 J	2.7 J
POTASSIUM	mg/kg	1700				620 J	420 J	720 J	970 J	720 J
SELENIUM	mg/kg	2	1022	39	5	0.71 J	1 =	0.98 J	1.6 =	0.98 J
SODIUM	mg/kg	6300				200 J	170 J	120 J	620 J	130 J
THALLIUM	mg/kg	0.67				0.35 U	0.65 J	0.55 J	0.6 J	0.75 J
VANADIUM	mg/kg	130	1431	55	6000	47 =	45 =	36 =	**67 = - R -**	**55 = - R -**
ZINC	mg/kg	65	100000	2346	12000	18 =	21 =	220 =	31 =	26 =
Pesticides										
ALDRIN	mg/kg		0.145	0.029	12000	0.0018 UJ	0.0018 UJ	0.00073 J	0.0025 UJ	0.0021 UJ
Volatiles										
CARBON DISULFIDE	mg/kg		720	36	32	0.00061 J	0.0098 U	0.012 U	0.013 U	0.012 UJ
METHYLENE CHLORIDE	mg/kg		20.53	8.88	0.02	0.00074 J	0.00066 J	0.012 U	0.0009 J	0.00065 J
2-HEXANONE	mg/kg					0.01 U	0.0098 U	0.012 U	0.013 U	0.0032 J
1,1,2,2-TETRACHLOROETHANE	mg/kg		0.898	0.384	0.003	0.01 U	0.00069 J	0.012 U	0.013 UJ	0.012 UJ

Data Flags:

U - Undetected; analyte was analyzed but not detected above the MDL.

UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.

J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B - Analyte was detected in the associated method blank.

R - Data was unusable.

= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data

Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria

PRG-I - Region IX Preliminary Remediation Goals - Industrial Soil **(I)**

PRG-R - Region IX Preliminary Remediation Goals - Residential Soil **(R)**

SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)

BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Tables 6-4
Soil Boring Analytical Data Detection Summary
AOC - J NASD, Vieques, PR

			StationID	AOCJSB001	AOCJSB002	AOCJSB003	AOCJSB004	AOCJSB005
			SampleID	NDE103	NDE105	NDE107	NDE109	NDE112
			Collection Depth	4 To 6	4 To 6	4 To 6	4 To 6	5 To 6
			Date Collected	12/12/2000 10:15	12/12/2000 10:30	12/12/2000 10:35	12/12/2000 10:50	12/12/2000 10:15
Parameter	**Units**	**BKG**	**SSLD20 (L)**					
Metals								
ALUMINUM	mg/kg	29000		8400 =	12000 =	8100 =	7600 =	9700 =
ANTIMONY	mg/kg	2.30	5	0.31 UJ	0.54 J	0.36 J	0.44 J	0.27 UJ
ARSENIC	mg/kg	2.50	29	0.88 J	0.33 U	0.33 U	0.33 U	0.33 U
BARIUM	mg/kg	320	1600	110 =	57 =	82 =	130 =	110 =
BERYLLIUM	mg/kg	0.45	63	0.26 J	0.27 J	0.17 J	0.3 J	0.038 U
CALCIUM	mg/kg	210000		3700 =	1000 J	1200 =	930 J	5900 =
CHROMIUM, TOTAL	mg/kg	74	38	4.1 =	4.6 =	4.9 =	5.2 =	5.5 =
COBALT	mg/kg	25		9.2 J	9.7 J	8.2 J	9.9 J	4.9 J
COPPER	mg/kg	68		26 =	29 =	23 =	22 =	13 =
IRON	mg/kg	37531		14000 =	25000 =	18000 =	22000 =	13000 =
MAGNESIUM	mg/kg	12834		2900 =	2400 =	1700 =	1700 =	2000 =
MANGANESE	mg/kg	1167		390 =	790 =	930 =	1200 =	530 =
LEAD	mg/kg	6.9		3.6 =	3.7 =	3.7 =	4.4 =	2.9 =
MERCURY	mg/kg	0.031		0.02 J	0.0066 J	0.0081 J	0.0042 J	0.0029 U
NICKEL	mg/kg	40	130	3.6 J	3.2 J	4 J	3.8 J	2.2 J
POTASSIUM	mg/kg	1700		1200 J	500 J	400 J	430 J	930 J
SELENIUM	mg/kg	2	5	1.1 J	0.94 J	1.2 =	0.75 J	0.52 U
SODIUM	mg/kg	6300		3200 =	2400 =	1900 =	1900 =	1900 =
THALLIUM	mg/kg	0.67		0.44 U	0.76 J	0.41 J	1 J	0.39 U
VANADIUM	mg/kg	130	6000	59 =	87 =	68 =	82 =	38 =
ZINC	mg/kg	65	12000	26 =	26 =	19 =	23 =	17 =
Semi-Volatiles								
DI-n-BUTYL PHTHALATE	mg/kg		2300	0.036 J	0.481 U	0.488 U	0.5 U	0.513 U
Volatiles								
CARBON DISULFIDE	mg/kg		32	0.0019 J	0.01 U	0.01 UJ	0.01 U	0.011 U
METHYL ISOBUTYL KETONE	mg/kg			0.01 U	0.01 U	0.01 UJ	0.00095 J	0.011 U
M,P-XYLENE (SUM OF ISOMERS)	mg/kg			0.01 U	0.01 U	0.01 UJ	0.00054 J	0.011 U
O-XYLENE (1,2-DIMETHYLBENZENE)	mg/kg			0.01 U	0.01 U	0.01 UJ	0.00049 J	0.011 U
XYLENES, TOTAL	mg/kg		210	0.01 U	0.01 U	0.01 UJ	0.001 J	0.011 U

Data Flags:
U - Undetected; analyte was analyzed but not detected above the MDL.
UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.
J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B - Analyte was detected in the associated method blank.
R - Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20) **(L)**
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Tables 6-5
Sediment Analytical Data Detection Summary
AOC - J NASD, Vieques, PR

			StationID	AOCJSD001	AOCJSD002	AOCJSD003	AOCJSD004	AOCJSD005
			SampleID	NDE114	NDE115	NDE116	NDE117	NDE118
			Collection Depth	0 To 0	0 To 0	0 To 0	0 To 0	0 To 0
			Date Collected	12/12/2000 15:15	12/13/2000 11:00	12/13/2000 11:10	12/13/2000 11:55	12/13/2000 11:30
Parameter	**Units**	**BKG**	**ECOSD (E)**					
Metals								
ALUMINUM	mg/kg	10000		3200 =	11000 =	2300 =	4800 =	1500 =
BARIUM	mg/kg	69	200	29 J	77 =	15 J	58 J	7.2 J
BERYLLIUM	mg/kg	0.24		0.045 U	0.31 J	0.064 U	0.086 U	0.046 U
CALCIUM	mg/kg	160000		1000 J	2300 =	2200 =	2600 J	5400 =
CHROMIUM, TOTAL	mg/kg	7.8	52	3 =	5.4 =	2.2 J	4.3 J	1.9 J
COBALT	mg/kg	4.7	20	3 J	7.7 J	3.9 J	7.8 J	3 J
COPPER	mg/kg	26	19	9.8 =	18 =	10 =	18 =	6.1 J
IRON	mg/kg	14000		11000 =	18000 =	10000 =	18000 =	6300 =
MAGNESIUM	mg/kg	14000		990 J	2500 =	1000 J	2300 J	910 J
MANGANESE	mg/kg	350		93 =	510 J	400 J	320 J	250 J
LEAD	mg/kg	8	30	2.5 =	4.6 =	1.4 =	3.8 =	1.1 =
MERCURY	mg/kg	2	0.13	0.0034 U	0.022 J	0.015 J	0.0083 J	0.013 J
NICKEL	mg/kg	4.1	16	1.3 J	2.5 J	1.2 J	2.4 J	0.89 J
POTASSIUM	mg/kg	5200		520 J	1000 J	580 J	1300 J	410 J
SELENIUM	mg/kg	1.10		0.74 J	1.3 J	1.6 J	1.2 U	0.64 U
SODIUM	mg/kg	67000		1700 =	2800 =	1900 J	4900 =	1600 =
THALLIUM	mg/kg	1.80		0.47 U	0.84 J	0.66 U	0.89 U	0.47 U
VANADIUM	mg/kg	40		44 =	63 =	29 =	64 =	20 =
ZINC	mg/kg	48	124	14 =	25 =	9.8 =	25 =	7.5 =
Volatiles								
CARBON DISULFIDE	mg/kg			0.0018 J	0.016 U	0.018 J	0.0063 J	0.0057 J
METHYLENE CHLORIDE	mg/kg			0.002 J	0.016 U	0.0029 J	0.0036 J	0.0011 J
METHYL ETHYL KETONE (2-BUTANONE)	mg/kg			0.0079 J	0.016 R	0.011 J	0.0088 J	0.012 R

Data Flags:

U - Undetected; analyte was analyzed but not detected above the MDL.

UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.

J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B - Analyte was detected in the associated method blank.

R - Data was unusable.

= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data

Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria

BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

ECOSD - Ecological Screening Values from USEPA Region IV memo, *EPA Amended Guidance on Ecological Risk Assessment at Military Bases: Process Considerations, Timing of Activities and Inclusion of Stakeholders,* Region IV Office of Technical Services, June 2000

SECTION 7

AOC K – Water Well at Public Works

This section presents the results of the Expanded PA/SI performed at AOC K - Water Well Site at the Former NASD. The field sampling activities associated with this investigation were performed by CH2M HILL in November and December 2000.

This section includes a description of the objectives of the Expanded PA/SI, a site description, results of previous investigations, a summary of field activities, a summary of laboratory results, and conclusions and recommendations. To evaluate the potential for environmental impacts from the site, data were compared to applicable regulatory screening criteria. Section 2.11 of this report described the environmental screening process.

The Expanded PA/SI field investigations at AOC K included the installation and sampling of five groundwater monitoring wells. The groundwater samples were analyzed for metals, VOCs, SVOCs, pesticides, and PCBs.

7.1 Objectives

The specific objectives of this investigation were to:

- Assess the environmental suitability of the property for transfer to the Municipality of Vieques, as mandated by former President Clinton's directive on January 31, 2000.
- Determine whether a release of hazardous materials has occurred at the site as a result of site-related activities.
- Recommend the site either for additional investigations to assess environmental impacts or for no further field investigations.

7.2 Site Description

AOC K consists of an open area within the Public Works Compound of NASD. The water well is located next to a tree northeast of the barracks at the Public Works Compound (Figure 7-1). It was used from approximately 1941 to 1979 as a potable water supply well. The well is not currently used as a source of water for the facilities or for emergency purposes. The well was plugged and abandoned in December 2000.

A records search was conducted regarding the details of the construction of the water supply well, but no such records were located. A report prepared by the USGS in 1995 showed that the well was constructed with an 8-inch steel casing, had a total depth of 69 feet, and a depth to groundwater of 51 feet. A raised concrete pad protected the well and provided space for the uptake piping.

7.2.1 Summary of Qualitative Ecological Survey

Grass and herbaceous species dominate this site because of ongoing grounds maintenance activities (mowing) within the Public Works area. A few scattered shrubs are present in the

area, but the ground cover was approximately 70 to 85 percent. The herbaceous plant community was dominated by *Digitaria ciliaris, Commelina erecta, Cynodon dactylon,* and *Bothriochloa ishaemum.*

Wildlife observed at this site are typical for developed grassed areas on Vieques. This site is very small and offers limited habitat for any wildlife species. Occasional common passerine birds may frequent this area, but only to a limited extent.

7.3 Previous Investigation Results

The USGS performed a study of 14 water wells in the NASD area in 1996, including the well at AOC K. The report indicated that the well at AOC K contained benzene at a concentration of 21 µg/L, which was above the Federal MCL of 5 µg/L.

7.4 Expanded PA/SI Field Investigations

Five groundwater samples were collected from five monitoring well locations to determine whether a release of hazardous materials had occurred. Figure 7-1 shows the sampling locations. Analyses were conducted for metals, VOCs, SVOCs, pesticides, and PCBs to provide verification of previous study results at this site. In addition, the AOC K water supply well was sampled for BTEX constituents on November 29, 2000. All BTEX concentrations were below laboratory detection limits. Water well AOC K was plugged and abandoned shortly after it was sampled.

7.4.1 Groundwater Sampling and Direction of Groundwater Flow

As described in the Site-Specific Work Plan (CH2M HILL, December 2000), a total of five groundwater monitoring wells were installed.

Prior to sampling, depth to groundwater was measured using an electronic water level indicator. These data were used in conjunction with the survey data to determine elevations of groundwater at the monitoring wells. As shown in Figure 7-2, the groundwater contours show a groundwater flow direction to the north toward the ocean. Table 2-7 (presented previously) lists the top of casing elevations for the monitoring wells. Based on this information, monitoring well MW-03 was used as the up-gradient well and monitoring well MW-05 was the most hydraulically down-gradient.

7.5 Field Screening Results

Soil cutting samples from drilling of the monitor wells were screened in the field for VOCs using an OVM PID. This field screening method provides a qualitative evaluation of potential organic constituents in soil during monitor well installation. The soil boring logs in Appendix A include the OVM results.



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\A 2.dwg

Figure 7-1
AOC-K Water Well at Public Works Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

File Path: t:\environmental\navy clean ii_vieques_ pr\former nasd\gis\mw location and gw flow.apr



Figure 7-2
Groundwater Contour Map AOC-K
Naval Ammunition Support Detachment,Vieques Island

CH2MHILL

7.6 Laboratory Analytical Results

This section presents the interpretation of the analytical data from the PA/SI at AOC K. The discussion includes the identification of screening/regulatory criteria exceedances. Section 7.7 presents conclusions and recommendations, organized by media.

Concentrations of detected chemicals were compared to the tap water PRGs (PRG-T) and drinking water MCLs for groundwater.

Appendix H contains a compilation of the concentrations for all constituents for which samples were analyzed. Appendix I contains a data validation summary.

7.6.1 Groundwater Results

Six metals were detected in the unfiltered groundwater samples at levels above MCL and/or PRG-T screening criteria at all five monitoring wells. Aluminum and iron from well MW04 exceeded the NASD background value for those metals. Furthermore, the detected metals may be a result of suspended soil particles within the groundwater samples rather than metals that have been dissolved within the groundwater. This is supported by the dissolved metal results, which indicated detections of filtered (dissolved) metals below the applicable screening criteria. Therefore, it is likely that the metals detected within the groundwater occur naturally and are not site-related.

The SVOC BEHP was detected above the PRG-T. This is a common laboratory artifact. The exceedances are presented as follows.

Metals (Total)

- Four exceedances of aluminum from 680 to 9,100 μg/L [MCL of 50 μg/L, PRG-T (T) of 3,649 μg/L]
- One exceedance of barium at 390 μg/L [PRG-T (T) of 255.5 μg/L]
- Four exceedances of iron from 790 to 9,600 μg/L [MCL of 300 μg/L]
- Three exceedances of manganese from 230 to 1,300 μg/L [MCL of 50 μg/L and PRG-T (T) of 87.6 μg/L]
- Two exceedances of thallium from 8J to 9.3J μg/L [MCL of 2 μg/L]
- One exceedance of vanadium at 64 μg/L [PRG-T (T) of 25.5 μg/L]

SVOCs

- One exceedance of BEHP at 19 μg/L [PRG-T (T) of 4.8 μg/L]

Table 7-1 summarizes groundwater detections. Figure 7-3 presents groundwater concentration exceedances.

7.7 Conclusions and Recommendations

This section summarizes the results of the Expanded PA/SI activities by media, and provides recommendations for each media sampled.



Figure 7-3
AOC K Groundwater Detections Above Screening Criteria
Former NASD, Vieques Island, Puerto Rico

CH2MHILL

FIGURE 7-3 AOC K GROUNDWATER EXCEEDANCES

7.7.1 Groundwater

Several metals were detected in the unfiltered groundwater samples at concentrations above MCLs or PRGs. Aluminum and iron from well MW04 exceeded the NASD background value for those metals. Therefore, the detections are likely to be the result of background conditions, and no evidence exists to indicate that a release to groundwater has occurred as a result of site-related activities.

The concentration of BEHP in groundwater (at monitoring well MW05) exceeded the PRG-T criteria. This constituent, however, is a common laboratory artifact. Therefore, its presence is not believed to be site-related.

7.7.2 Recommendation

Based on the interpretation of the results of the PA/SI, no further investigations are recommended at AOC K. However, a risk assessment is recommended to assess the potential risk to human health from metals that were detected above the PRG and background screening criteria in the unfiltered groundwater samples.

Table 7-1
Groundwater Analytical Data Detection Summary
AOC - K NASD, Vieques, PR

Parameter	Units	BKG	MCL (M)	PRG-T (T)	AOC-K-MW01	AOC-K-MW02	AOC-K-MW03	AOC-K-MW04	AOC-K-MW05
				StationID	AOC-K-MW01	AOC-K-MW02	AOC-K-MW03	AOC-K-MW04	AOC-K-MW05
				SampleID	NDE218	NDE219	NDE220	NDE221	NDE223
				Date Collected	12/19/2000 13:50	12/19/2000 12:30	12/19/2000 13:10	12/19/2000 10:40	12/19/2000 8:35
Dissolved Metals									
BARIUM, DISSOLVED	µg/L	870			110 J	92 J	200 =	150 J	160 J
CALCIUM, DISSOLVED	µg/L	660000			110000 =	82000 =	110000 =	64000 =	71000 =
COBALT, DISSOLVED	µg/L	11			0.43 U	0.43 U	0.43 U	0.43 U	1.1 J
COPPER, DISSOLVED	µg/L	--			0.8 U	3.2 J	0.8 U	2.8 J	4 J
MAGNESIUM, DISSOLVED	µg/L	310000			58000 =	51000 =	71000 =	42000 =	48000 =
MANGANESE, DISSOLVED	µg/L	18000			0.33 U	7.4 J	190 =	370 =	210 =
NICKEL, DISSOLVED	µg/L	12			0.93 U	2.8 J	0.93 U	3.9 J	7 J
POTASSIUM, DISSOLVED	µg/L	400000			8800 J	6100 J	5800 J	4700 J	5600 J
SELENIUM, DISSOLVED	µg/L	--			4.6 U	4.6 U	4.6 U	6.4 =	4.6 U
SODIUM, DISSOLVED	µg/L	360000			180000 =	170000 =	200000 =	170000 =	160000 =
THALLIUM, DISSOLVED	µg/L	16			3.4 U	5.3 J	3.4 U	3.4 U	6.4 J
VANADIUM, DISSOLVED	µg/L	32			6.2 J	8 J	4.9 J	8.2 J	8.2 J
ZINC, DISSOLVED	µg/L	15			5 U	5 U	5 U	5 U	9.7 J
Total Metals									
ALUMINUM	µg/L	3500	50	3650	95 U	**910 = M -**	**2000 = M -**	**9100 = M T**	**680 = M -**
BARIUM	µg/L	960	2000	255	110 J	94 J	250 =	**390 = - T**	180 J
CALCIUM	µg/L	660000			120000 =	82000 =	120000 =	79000 =	76000 =
CHROMIUM, TOTAL	µg/L	6.8	100		0.87 U	0.87 U	4.9 J	19 =	4.8 J
COBALT	µg/L	20		219	0.43 U	0.43 U	5.4 J	23 J	0.43 U
COPPER	µg/L	15	1000	136	0.8 U	5.1 J	12 J	26 =	6.3 J
IRON	µg/L	4800	300	1095	86 J	**1100 = M T**	**3800 = M T**	**9600 = M T**	**790 = M -**
MAGNESIUM	µg/L	290000			59000 =	51000 =	76000 =	49000 =	51000 =
MANGANESE	µg/L	17000	50	88	18 =	22 J	**400 = M T**	**1300 J M T**	**230 J M T**
NICKEL	µg/L	19	100	73	0.93 U	0.93 U	9.2 J	30 J	12 J
POTASSIUM	µg/L	490000			8500 J	6200 J	6000 J	5100 J	5900 J
SODIUM	µg/L	350000			180000 =	170000 =	210000 =	160000 =	170000 =
THALLIUM	µg/L	18	2		**9.3 J M -**	3.4 U	**8 J M -**	3.4 U	3.4 U
VANADIUM	µg/L	75		26	6.9 J	12 J	20 J	**64 = - T**	13 J
ZINC	µg/L	60	5000	1095	5 U	5 U	5 U	28 =	22 =
Semi-Volatiles									
bis(2-ETHYLHEXYL) PHTHALATE	µg/L			5	5.4 U	5.2 U	5 U	5.1 U	**19 = - T**
Volatiles									
TOLUENE	µg/L		1000	72	0.62 J	1 U	0.43 J	1 U	0.75 J

Data Flags:

U - Undetected; analyte was analyzed but not detected above the MDL.

UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.

J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B - Analyte was detected in the associated method blank.

R - Data was unusable.

= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data

Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria

MCL - Max. Contaminant Level, *Drinking Water Standard and Health Advisories, USEPA 2000* **(M)**

PRG-T - Region IX Preliminary Remediation Goals - Tap Water **Values, November 2000 (T)**

BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

SECTION 8

AOC L – Septic Vault

This section presents the results of the Expanded PA/SI performed at AOC L – Septic Vault at the Former NASD. The field sampling activities associated with this investigation were performed by CH2M HILL in November and December 2000.

This section also includes a description of the objectives of the Expanded PA/SI, a site description, results of previous investigations, a summary of field activities, a summary of laboratory results, and conclusions and recommendations. To evaluate the potential for environmental impacts from the site, data were compared to applicable regulatory screening criteria. Section 2.11 of this report described the environmental screening process.

8.1 Objectives

The specific objectives of this investigation were to:

- Assess the environmental suitability of the property for transfer to the Municipality of Vieques, as mandated by former President Clinton's directive on January 31, 2000.
- Determine whether a release of hazardous materials has occurred at the site as a result of site-related activities.
- Recommend the site either for additional investigations to assess environmental impacts or for no further field investigations.

8.2 Site Description

This site is located near the beach in front of the NASD Public Works Area. It consists of a 25-foot by 40-foot concrete vault with separate compartments, and is located north of the Main Operations Area. The time of use is unknown, but has been estimated to be circa 1940 for the treatment and disposal of the installation's sewage. No drainage field was present (ERM, 2000). The septic vault was empty at the time of sampling and, therefore, no samples were collected from within the vault. A spill overflow was present at the northeast corner of the vault. Although no drainage fields were identified, soil samples were collected at a depth below the base of the vault.

8.2.1 Summary of Qualitative Ecological Survey

AOC L consists of a partially aboveground, concrete, former septic vault and a grassy bank. Several grates covered openings in the top of the vault. The plant community at this site is dominated by hurricane grass, which covers approximately 70 percent of the ground. Several vines were observed, including pudding vine (*Cissus verticillata*) which was the dominant species. This species was observed growing over the septic vault. Several small trees were growing next to the concrete structure. The vegetation surrounding the septic vault is subjected to regular disturbance from mowing and ground maintenance. No vegetation stresses were observed at the AOC L.

The ground maintenance activities have generally limited the presence of any wildlife habitat at this site. No birds or lizards were observed utilizing the habitat at the septic vault. Horses regularly graze in the vicinity. Several brown pelicans were observed flying over the adjacent marine habitat, but were not present at AOC L. In addition, two common terns (*Sterna hirundo*) and a spotted sandpiper (*Actitis macularia*) were observed along the beach north of the site. No federally-protected plant or animal species or preferred habitat were observed at this site.

Appendix F includes a detailed ecological survey report.

8.3 Previous Investigation Results

No previous sampling has been conducted at this site.

8.4 Expanded PA/SI Field Investigations

The PA/SI at AOC L included the collection of four surface soil samples and four subsurface soil samples (5 to 6 feet bls). Any releases from the vault would likely have resulted from an overflow of the vault. Surface and subsurface soil samples were collected near the outfall of the vault at SB-02. In addition, soil samples were collected around the perimeter of the vault. Figure 8-1 shows the sampling locations at AOC L. Analyses were conducted for metals, VOCs, SVOCs, pesticides, and PCBs.

8.4.1 Soil Sampling

Four surface soil samples and four subsurface soil samples were collected around the perimeter of the septic vault to evaluate whether a release of hazardous materials to site soils had occurred.

8.5 Field Screening Results

Soil samples were screened in the field for VOCs using an OVM PID. This field screening method provides a qualitative evaluation of potential organic constituents in soil. The soil boring logs in Appendix A include the OVM results for the site. The OVM readings were non-detect for soil samples collected at AOC L, indicating that no release of volatile organic constituents had occurred at this site.

8.6 Laboratory Analytical Results

This section presents the interpretation of the analytical data from the AOC L Expanded PA/SI. The discussion includes the identification of screening/regulatory criteria exceedances. Section 8.7 presents conclusions and recommendations, organized by media.

Concentrations of detected chemicals were compared to the current USEPA Region IX residential and industrial PRGs and leachability criteria for soil.

Appendix H contains a compilation of the concentrations for all constituents for which samples were analyzed. Appendix I contains a data validation summary.



Figure 8-1
AOC-L Septic Vault Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

T:\L...onmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\...-L2.dwg

8.6.1 Surface Soil Results

Analytical results indicated detections of aluminum, arsenic, iron, and manganese in surface soil at concentrations above the industrial/residential PRGs and/or leachability screening criteria (SSDL20). None of these metals exceeded the background values for these metals established for NASD. Based on these data, the metals concentrations that exceeded the criteria are likely to have resulted from background conditions and are not site-related. The metals exceedances are presented in the following paragraphs.

Metals

- Two exceedances of aluminum ranging from 8,180 to 9,150 mg/kg [PRG-R (R) of 7,614 mg/kg]
- Three exceedances of arsenic ranging from 0.46J to 1.0J mg/kg [PRG-R (R) value of 0.39 mg/kg]
- Four exceedances of iron ranging from 12,600 to 17,700 mg/kg [PRG-R (R) of 2,346 mg/kg]
- Four exceedances of manganese ranging from 333 to 472 mg/kg [PRG-R (R) of 176.24 mg/kg]

VOCs, SVOCs, pesticides, and PCBs were either not detected or were detected at concentrations below applicable screening criteria. Table 8-1 summarizes the surface soil detections. Figure 8-2 presents surface soil exceedances.

8.6.2 Subsurface Soil Results

No metals were detected at concentrations above comparison criteria for subsurface soil.

VOCs, SVOCs, pesticides, and PCBs were either not detected or were detected at concentrations below applicable screening criteria. Table 8-2 summarizes the subsurface soil results.

8.7 Conclusions and Recommendations

This section summarizes the results of the Expanded PA/SI activities by media, and provides recommendations .for future activities.

8.7.1 Surface Soil

Metals were detected in surface soil samples at concentrations above the USEPA Region IX PRG criteria, but are indicative of site background levels. All other parameters were either not detected, or were detected below applicable screening criteria. Based on these results, no evidence exists to suggest that a release of hazardous materials to surface soil has occurred at this site as a result of site-related activities. Therefore, no further investigation is recommended for surface soil at this site.

8.7.2 Subsurface Soil

No constituents were detected at concentrations above comparison criteria. Therefore, no additional subsurface soil sampling is recommended.

8.7.3 Recommendation

Based on the interpretation of the results of the PA/SI , no further investigations are recommended at AOC L. However, a risk assessment is recommended to assess the potential risk to human health from metals that were detected above the PRG screening criteria in the soils.



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-LSS.dwg

Figure 8-2 AOC-L
Surface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

Table 8-1
Surface Soil Analytical Data Detection Summary
AOC - L NASD, Vieques, PR

					StationID	AOCLSB001	AOCLSB002	AOCLSB003	AOCLSB004
					SampleID	NDE121	NDE123	NDE125	NDE127
					Collection Depth	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5
					Date Collected	11/29/2000 9:45	11/29/2000 10:15	11/29/2000 11:20	11/29/2000 10:50
Parameter	**Units**	**BKG**	**PRG-I (I)**	**PRG-R (R)**	**SSLD20 (L)**				
Metals									
ALUMINUM	mg/kg	29000	100000	7614		7310 =	9150 = - R -	8180 = - R -	6350 =
ANTIMONY	mg/kg	2.30	82	3	5	0.62 J	0.71 J	0.5 J	0.5 J
ARSENIC	mg/kg	2.20	3	0.39	29	1 J - R -	0.46 J - R -	0.33 U	0.51 J - R -
BARIUM	mg/kg	320	100000	537	1600	113 =	66 =	62 =	40 J
BERYLLIUM	mg/kg	0.45	2242	15	63	0.14 J	0.13 J	0.11 J	0.14 J
CALCIUM	mg/kg	210000				36500 =	4300 =	4880 =	7280 =
CHROMIUM, TOTAL	mg/kg	74	448	211	38	8.5 =	11 =	7.4 =	7.3 =
COBALT	mg/kg	25	100000	469		5.3 J	8.1 J	6.9 J	5.8 J
COPPER	mg/kg	68	7591	291		18 =	34 =	22 =	20 =
IRON	mg/kg	37531	100000	2346		14100 = - R -	17700 = - R -	13800 = - R -	12600 = - R -
MAGNESIUM	mg/kg	12834				3250 =	3430 =	1750 =	1810 =
MANGANESE	mg/kg	1167	3225	176		332 = - R -	444 = - R -	472 = - R -	340 = - R -
LEAD	mg/kg	6.9	100	40		9.9 =	8 =	8.6 =	7.8 =
MERCURY	mg/kg	0.031	61	2.346		0.071 =	0.037 J	0.044 J	0.033 J
NICKEL	mg/kg	40	4088	156	130	3.5 J	7.2 J	3.8 J	3.4 J
POTASSIUM	mg/kg	1700				1100 J	1350 =	849 J	1320 =
SELENIUM	mg/kg	2	1022	39	5	0.84 J	1.2 J	0.95 J	0.78 J
SODIUM	mg/kg	6300				275 J	61 J	85 J	91 J
VANADIUM	mg/kg	130	1431	55	6000	42 =	51 =	36 =	36 =
ZINC	mg/kg	65	100000	2346	12000	82 =	57 =	54 =	57 =
Pesticides									
p,p'-DDE	mg/kg		12.06	1.72	54	0.0038 U	0.0016 J	0.0038 U	0.0023 J
p,p'-DDT	mg/kg		12.06	1.72	32	0.0038 U	0.0091 =	0.0038 U	0.0012 J
Volatiles									
2-HEXANONE	mg/kg					0.01 U	0.00087 J	0.01 U	0.0012 J

Data Flags:
U - Undetected; analyte was analyzed but not detected above the MDL.
UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.
J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B - Analyte was detected in the associated method blank.
R - Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria
PRG-I - Region IX Preliminary Remediation Goals - Industrial Soil **(I)**
PRG-R - Region IX Preliminary Remediation Goals - Residential Soil **(R)**
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Table 8-2
Soil Boring Analytical Data Detection Summary
AOC - L NASD, Vieques, PR

			StationID	AOCLSB001	AOCLSB002	AOCLSB003	AOCLSB004
			SampleID	NDE122	NDE124	NDE126	NDE129
			Collection Depth	5 To 6	5 To 6	5 To 6	5 To 6
			Date Collected	11/29/2000 10:00	11/29/2000 10:30	11/29/2000 11:35	11/29/2000 11:10
Parameter	**Units**	**BKG**	**SSLD20 (L)**				
Metals							
ALUMINUM	mg/kg	29000		1970 =	4560 =	6980 =	5900 =
ANTIMONY	mg/kg	2.30	5	0.71 J	0.68 J	0.3 J	0.46 J
ARSENIC	mg/kg	2.5	29	1.4 J	1.7 J	0.32 U	1.5 J
BARIUM	mg/kg	320	1600	27 J	43 J	57 =	48 =
BERYLLIUM	mg/kg	0.45	63	0.27 J	0.31 J	0.13 J	0.22 J
CADMIUM	mg/kg	0.04	8	0.049 J	0.13 J	0.03 U	0.032 U
CALCIUM	mg/kg	210000		185000 =	177000 =	2230 =	100000 =
CHROMIUM, TOTAL	mg/kg	74	38	9 =	8.2 =	6.4 =	8.2 =
COBALT	mg/kg	25		1.5 J	2.7 J	5.2 J	3.5 J
COPPER	mg/kg	68		3.7 J	7.5 =	18 =	11 =
IRON	mg/kg	37531		5100 =	7370 =	12500 =	9600 =
MAGNESIUM	mg/kg	12834		8980 =	9460 =	1940 =	6800 =
MANGANESE	mg/kg	1167		87 =	216 =	324 =	200 =
LEAD	mg/kg	6.9		0.9 =	1.1 =	1.3 =	5.2 =
MERCURY	mg/kg	0.031		0.006 J	0.008 J	0.014 J	0.1 =
NICKEL	mg/kg	40	130	1.2 J	1.6 J	3.5 J	2.2 J
POTASSIUM	mg/kg	1700		328 J	813 J	898 J	920 J
SELENIUM	mg/kg	2	5	0.58 U	0.5 U	0.79 J	0.54 U
SODIUM	mg/kg	6300		1480 =	1390 =	130 J	1400 =
VANADIUM	mg/kg	130	6000	21 =	25 =	35 =	30 =
ZINC	mg/kg	65	12000	6.8 =	12 =	22 =	39 =
Volatiles							
ETHYLBENZENE	mg/kg		13	0.011 U	0.011 U	0.002 J	0.01 U
M,P-XYLENE (SUM OF ISOMERS)	mg/kg			0.011 U	0.011 U	0.009 J	0.01 U
O-XYLENE (1,2-DIMETHYLBENZENE)	mg/kg			0.011 U	0.011 U	0.0031 J	0.01 U
XYLENES, TOTAL	mg/kg		210	0.011 U	0.011 U	0.012 =	0.01 U

Data Flags:

U - Undetected; analyte was analyzed but not detected above the MDL.

UJ - Detection limit was estimated; analyte was analyzed and qualified as undetected.

J- Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B - Analyte was detected in the associated method blank.

R - Data was unusable.

= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data

Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria

SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)

BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

SECTION 9

AOC R – Former Construction Staging Area

This section presents the results of the Expanded PA/SI performed at AOC R - Former Construction Staging Area at the Former NASD. The field sampling activities associated with this investigation were performed by CH2M HILL November and December, 2000.

This section includes a description of the objectives of the Expanded PA/SI, a site description, results of previous investigations, summary of field activities, summary of laboratory results, and conclusions and recommendations. To evaluate the potential for environmental impacts from the site, data were compared to applicable regulatory screening criteria. Section 2.11 of this report described the environmental screening process.

9.1 Objectives

The specific objectives of this investigation were to:

- Assess the environmental suitability of the property for transfer to the Municipality of Vieques, as mandated by former President Clinton's directive on January 31, 2000.
- Determine whether a release of hazardous materials has occurred at the site as a result of site-related activities.
- Recommend the site either for additional investigations to assess environmental impacts or for no further field investigations.

9.2 Site Description

AOC R was used as a construction staging area and public works operational area from approximately 1965 to 1971. The large concrete pad at the site was present before the Navy owned the area, and can be seen in 1937 aerial photographs. In the late 1960s, a carpentry shop and enlisted club were located on the pad. Light vehicle maintenance activities, such as oil changes, were conducted near the pad to the northwest. In addition, a large AST was once located near Building 401.

9.2.1 Summary of Qualitative Ecological Survey

AOC R contains a large concrete pad which extends the full width of the site. The vegetation immediately surrounding the concrete pad had recently been cleared for soil sampling. The concrete pad was dominated by a sparse cover of herbaceous plants. A total of six vine species were recorded at AOC R; this was the highest number found at any of the AOCs surveyed. Shrubs and trees were found mostly along the edge of the concrete pad and the immediate surroundings. The dominant shrub species was tantan. Sweet acacia (*Acacia farnesiana*), red manjack (*Cordia collococca*), Rauvolfia sp., and papaya (*Carica papaya*) were also observed but at lower densities. A few species of herbaceous plants observed in the cleared area included garlic weed (*Petiveria alliacea*), better man better (*Achyrantes aspera*),

Melochia nodiflora, and *Jatropha* sp. The composition of this site prior to clearing was probably very similar to the adjacent scrub forest.

Many wildlife species were observed utilizing the vegetated areas, concrete pad, edges of the cleared areas, and the adjacent habitat. The sides of the concrete pad provided shade, foraging areas, and cover for the common, garden and spotted anoles, which were abundant. A mongoose was observed crossing the trail that led to the northern cleared area. Habitat for birds included thorn scrub and coastal forest adjacent to the concrete pad. Many birds were observed using the edges of the cleared area around the concrete pad, trails, and brush piles for perches. The most common birds at the site were gray kingbirds, bananaquits, and greater Antillean grackles. Bird species included those that would typically be found in coastal forest and thorn scrub habitat. An osprey (*Pandion haliaetus*) was observed flying northward toward the ocean over the adjacent vegetation.

No federally-protected species or preferred habitats were observed at this upland site.

Appendix K includes detailed ecological survey report.

9.3 Previous Investigation Results

No previous sampling has been conducted at this site.

9.4 PA/SI Field Investigations

PA/SI field investigations at AOC R included the collection of 34 surface soil samples. The samples were analyzed for metals, VOCs, SVOCs, pesticides, and PCBs. Figure 9-1 shows the soil sampling locations for AOC R.

9.4.1 Surface Soil Sampling

A total of 34 surface soil samples were collected at AOC R; 10 of these samples were collected around the vehicle operations area, and 24 samples spaced approximately every 50 feet were collected from around the perimeter of the concrete pad.

9.5 Field Screening Results

Soil samples were screened in the field for VOCs using an OVM. This field screening method provides a qualitative evaluation of potential organic constituents in soil. The soil boring logs in Appendix A include the OVM results.

File Path: t:\environmental\navy clean ii_vieques_ pr\former nasd\gis\aoc r.apr



N

0 100 200 Feet

Figure 9-1
AOC-R Former Operations/Staging Area
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

9.6 Laboratory Analytical Results

This section presents the interpretation of the analytical data from the AOC R Expanded PA/SI. The discussion includes the identification of screening/regulatory criteria exceedances. Section 9.7 presents conclusions and recommendations, organized by media.

Concentrations of detected chemicals were compared to the current USEPA Region IX screening criteria for residential and industrial PRGs and leachability criteria for soil.

Appendix H contains a compilation of the concentrations for all chemicals for which samples were analyzed. Appendix I contains a data validation summary.

9.6.1 Surface Soil Results

Aluminum, arsenic, chromium, iron, manganese, and vanadium were detected in surface soil samples at concentrations exceeding the industrial or residential PRGs and/or leachability screening criteria (SSDL20). Of these, arsenic, chromium, iron, lead, and vanadium were also identified above the background metals values established for NASD.

Several SVOC concentrations exceeded industrial and residential PRGs. These constituents are typically associated with asphalt, and may have originated from previously paved areas at the former public works area.

The exceedances are listed in the following paragraphs.

Metals

- Twenty-six exceedances of aluminum ranging from 7,800 to 26,000 mg/kg [PRG-R (R) of 7,614 mg/kg], background level is 29,000 mg/kg
- Twenty-five exceedance of arsenic at .55 mg/kg to 3.6 mg/kg [PRG-R (R) value of 0.39 mg/kg], background level is 2.2 mg/kg
- Thirty-four exceedances of iron ranging from 9,700 to 40,000 mg/kg [PRG-R (R) of 2,346 mg/kg], background level is 37,531 mg/kg
- Two exceedances of lead ranging from 75 to 150 mg/kg [PRG-R (R) of 40 mg/kg and PRG-I (I) of 100 mg/kg], background level is 6.9 mg/kg
- Thirty-four exceedances of manganese ranging from 420 to 930 mg/kg [PRG-R (R) of 176.4 mg/kg], background level is 1,167 mg/kg
- Seven exceedances of chromium ranging from 40 to 82 mg/kg [SSLD20 (L) of 38 mg/kg], background level is 74 mg/kg
- Nineteen exceedances of vanadium ranging from 56 to 140 mg/kg [PRG-R (R) of 54.75 mg/kg], background level is 130 mg/kg

SVOCs

- One exceedance of 3,3' dichlorobenzidine at 0.049 mg/kg [PRG-R of 1.08 mg/kg; PRG-I of 5.48 mg/kg; SSLD20 at 0.01 mg/kg]
- Four exceedances of benzo(a)anthracene ranging from 0.793 to 5.93 mg/kg [PRG-R 0.62 mg/kg; PRG-I 2.89 mg/kg; and SSLD20 at 2.00 mg/kg]

- Five exceedances of benzo(b)fluoranthene ranging from 0.902 to 8.82 mg/kg [PRG-I of 2.89 mg/kg; and SSLD20 at 5.00mg/kg]
- Eleven exceedances of benzo(a)pyrene ranging from 0.06 to 4.93 mg/kg [PRG-R of 0.06 mg/kg; and PRG-I of 0.29 mg/kg]
- Two exceedances of indeno(1,2,3-c,d)pyrene ranging from 0.775 to 1.52 mg/kg [PRG-R of 0.62 mg/kg]
- Five exceedances of dibenzo(a,h)anthracene ranging from 0.083 to 0.565 mg/kg [PRG-R of 0.06 mg/kg; PRG-I of 0.29 mg/kg]

VOCs, pesticides, and PCBs were either not detected or were detected at concentrations below applicable screening criteria. Table 9-1 summarizes surface soil screening results. Figure 9-2 illustrates the concentrations exceeding comparison criteria.

9.7 Conclusions and Recommendations

This section summarizes the results of the Expanded PA/SI activities by media, and provides recommendations for each media sampled.

9.7.1 Surface Soil

Metals were detected in surface soil samples above both the applicable PRGs and the background values established for NASD.

Several SVOC concentrations were also detected above comparison criteria. These constituents listed are derived mostly from asphalt material. All other parameters for which samples were analyzed were either not detected, or were detected below applicable screening criteria.

9.7.2 Recommendation

Based on the interpretation of the results, an RI is recommended to delineate the extent of SVOCs in the soils and to determine whether the elevated SVOC concentrations are from former asphalt paved areas. The RI will include a risk assessment to address human health risk potential associated with the SVOC exceedances and metals observed above background values.



T:\ to Rico Drawings\Vieques\06-25\2001\AOC-RSS.DWG

Figure 9-2 AOC-R
Surface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

Tables 9-1
Surface Soil Analytical Data Detection Summary
DC - R, NASD, Vieques, PR

Parameter	Units	BKG	PRG-I (I)	PRG-R (R)	SSLD20 (L)	AOCRSS001	AOCRSS002	AOCRSS003	AOCRSS004	AOCRSS005	AOCRSS006	AOCRSS007	AOCRSS008	AOCRSS009	AOCRSS010	AOCRSS011	AOCRSS012	AOCRSS013	AOCRSS014	AOCRSS015	AOCRSS016	AOCRSS017	AOCRSS018
SampleID						NDE133	NDE134	NDE135	NDE136	NDE137	NDE138	NDE139	NDE140	NDE141	NDE142	NDE144	NDE145	NDE146	NDE147	NDE148	NDE149	NDE150	NDE151
Collection Depth						0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5	0 To 0.5
Date Collected						11/28/2000 10:40	11/28/2000 10:45	11/28/2000 11:10	11/28/2000 11:15	11/28/2000 12:35	11/28/2000 12:30	11/28/2000 12:45	11/28/2000 12:50	11/28/2000 13:15	11/28/2000 13:10	11/28/2000 14:00	11/28/2000 14:10	11/28/2000 14:20	11/28/2000 14:35	11/28/2000 14:40	11/28/2000 14:55	11/28/2000 15:00	11/29/2000 9:00
Metals																							
ALUMINUM	mg/kg	29000	100000	7614		14000 = - R	26000 = - R	9300 = - R	21000 = - R	11000 = - R	10000 = - R	11000 = - R	16000 = - R	18000 = - R	14000 = - R	24000 = - R	19000 = - R	15000 = - R	21000 = - R	26000 = - R	24000 = - R	10000 = - R	17000 = - R
ANTIMONY	mg/kg	2.30	81.76	3.13	5	0.83 J	1.7 J	0.4 J	1.5 J	0.98 J	0.9 J	0.8 J	1.1 J	1.3 J	1.5 J	1.6 J	2.1 J	1.2 J	2.5 J	2.8 J	2.8 J	1.2 J	0.99 J
ARSENIC	mg/kg	2.20	2.73	0.39	29	0.64 J - R	1.2 J - R	0.63 J - R	0.32 U	0.95 J - R	0.33 U	0.35 U	0.58 J - R	1.4 J - R	1.4 J - R	1.2 J - R	1.8 J - R	0.87 J - R	1.9 J - R	1.8 J - R	2 J - R	1 J - R	0.89 J - R
BARIUM	mg/kg	320	100000	537	1600	69 =	87 =	75 =	51 =	44 J	25 J	24 J	32 J	38 J	47 =	78 =	51 =	49 =	59 =	98 =	75 =	55 =	62 =
BERYLLIUM	mg/kg	0.45	2242	15	63	0.25 J	0.36 J	0.27 J	0.21 J	0.16 J	0.19 J	0.2 J	0.2 J	0.26 J	0.24 J	0.35 J	0.23 J	0.16 J	0.16 J	0.22 J	0.24 J	0.18 J	0.12 J
CADMIUM	mg/kg	0.04	81	4	8	0.03 U	0.033 U	0.033 U	0.03 U	0.032 U	0.03 U	0.033 U	0.031 U	0.031 U	0.03 U	0.03 U	0.029 U	0.03 U	0.032 U	0.034 U	0.033 U	0.031 U	0.03 U
CALCIUM	mg/kg	210000				26000 =	38000 =	5100 =	8100 =	8900 =	6900 =	11000 =	9600 =	20000 =	30000 =	36000 =	55000 =	13000 =	8000 =	8500 =	11000 =	16000 =	17000 =
CHROMIUM, TOTAL	mg/kg	74	448	211	38	19 J	40 J - - L	9.6 J	50 J - - L	21 J	1.2 J	2.9 J	35 J	32 J	24 J	36 J	64 J - - L	33 J	82 J - - L	70 J - - L	82 J - - L	12 J	20 =
COBALT	mg/kg	25	100000	469		12 =	24 =	9 J	19 =	9.5 J	12 =	11 J	14 =	14 =	12 =	22 =	16 =	14 =	19 =	26 =	19 =	8.5 J	12 =
COPPER	mg/kg	68	7591	291		44 =	90 =	24 =	100 =	54 =	80 =	88 =	52 =	55 =	45 =	81 =	67 =	65 =	69 =	67 =	77 =	46 =	66 =
IRON	mg/kg	37531	100000	2346		21000 = - R	39000 = - R	17000 = - R	36000 = - R	18000 = - R	22000 = - R	19000 = - R	21000 = - R	24000 = - R	23000 = - R	36000 = - R	26000 = - R	25000 = - R	36000 = - R	37000 = - R	40000 = - R	19000 = - R	21000 = - R
MAGNESIUM	mg/kg	12834				6700 =	19000 =	2600 =	19000 =	5600 =	5900 =	6200 =	7600 =	12000 =	9100 =	18000 =	14000 =	7900 =	8800 =	7000 =	7400 =	2500 =	8000 =
MANGANESE	mg/kg	1167	3225	176		580 = - R	1000 = - R	580 = - R	590 = - R	480 = - R	580 = - R	520 = - R	430 = - R	540 = - R	580 = - R	940 = - R	600 = - R	510 = - R	510 = - R	920 = - R	530 = - R	500 = - R	570 = - R
LEAD	mg/kg	6.9	100	40		14 J	3.8 J	2.8 J	1.4 J	4.1 J	1.1 J	2 J	1.7 J	150 J I R	23 J	3.5 J	75 J - R	7.6 J	3.5 J	18 J	12 J	11 J	9 =
MERCURY	mg/kg	0.031	61	2		0.012 J	0.017 J	0.02 J	0.0028 J	0.013 J	0.0028 U	0.003 U	0.0066 J	0.0094 J	0.014 J	0.02 J	0.0051 J	0.013 J	0.0069 J	0.023 J	0.053 =	0.03 J	0.013 J
NICKEL	mg/kg	40	4088	156	130	13 =	29 =	5.1 J	28 =	7.1 J	1.7 J	2.3 J	22 =	24 =	14 =	27 =	26 =	18 =	31 =	32 =	31 =	6 J	14 =
POTASSIUM	mg/kg	1700				770 J	800 J	590 J	640 J	470 J	360 J	520 J	390 J	510 J	700 J	720 J	790 J	1100 =	360 J	660 J	690 J	730 J	830 J
SELENIUM	mg/kg	2	1022	39	5	0.8 J	0.55 U	0.56 U	0.76 J	0.74 J	0.52 U	0.56 U	0.53 U	0.64 J	0.72 J	0.51 U	0.49 U	0.86 J	0.54 U	0.57 U	0.56 U	0.53 U	0.71 J
SODIUM	mg/kg	6300				590 J	600 J	92 J	520 J	510 J	22 U	69 J	810 J	360 J	270 J	550 J	490 J	310 J	24 U	34 J	260 J	200 J	890 J
VANADIUM	mg/kg	130	1431	55	6000	62 = - R	100 = - R	50 =	100 = - R	45 =	57 = - R	49 =	72 = - R	64 = - R	57 = - R	96 = - R	79 = - R	78 = - R	120 = - R	140 = - R	140 = - R	54 =	61 = - R
ZINC	mg/kg	65	100000	2346	12000	45 =	71 =	28 =	55 =	45 =	41 =	39 =	30 =	46 =	58 =	64 =	42 =	63 =	43 =	44 =	59 =	43 =	56 =
Pesticides																							
p,p'-DDE	mg/kg		12.06	1.72	54	0.046 =	0.00066 J	0.004 U	0.0015 J	0.043 =	0.0037 U	0.00085 J	0.0011 J	0.022 =	0.049 =	0.05 =	0.083 =	0.048 =	0.0024 J	0.057 =	0.054 =	0.01 =	0.07 =
p,p'-DDD	mg/kg		17.08	2.44	16	0.012 J	0.004 U	0.004 U	0.0037 U	0.0074 J	0.0037 U	0.004 U	0.0008 J	0.0021 J	0.0022 J	0.0035 J	0.014 J	0.0064 J	0.0038 U	0.0094 J	0.004 U	0.0038 U	0.004 J
p,p'-DDT	mg/kg		12.06	1.72	32	0.034 J	0.004 UJ	0.004 UJ	0.0007 J	0.019 J	0.0037 UJ	0.004 UJ	0.0005 J	0.0076 J	0.0092 J	0.022 J	0.098 R	0.044 J	0.0038 UJ	0.032 =	0.019 J	0.0066 J	0.034 =
Semi-Volatiles																							
NAPHTHALENE	mg/kg		18.86	5.59	84	0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.451 U	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.445 U
2-METHYLNAPHTHALEN	mg/kg					0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.451 U	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.445 U
ACENAPHTHYLENE	mg/kg					0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.451 U	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.151 J
ACENAPHTHENE	mg/kg		3836	368	570	0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.451 U	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.445 U
DIBENZOFURAN	mg/kg		506	29		0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.451 U	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.445 U
FLUORENE	mg/kg		3313	264	560	0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.451 U	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.445 U
PHENANTHRENE	mg/kg					0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.451 U	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.049 J
ANTHRACENE	mg/kg		100000	2190	12000	0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.451 U	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.184 J
FLUORANTHENE	mg/kg		3010	229	4300	0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.148 J	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.076 J	0.758 =
PYRENE	mg/kg		5422	231	4200	0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.164 J	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.115 J	1.04 =
3,3'-DICHLOROBENZIDIN	mg/kg		5.481	1.081	0.007	0.913 U	1.24 U	1.2 U	1.1 U	1.11 U	0.951 U	0.996 U	0.995 U	0.816 U	0.887 U	0.903 U	0.833 U	0.895 U	1.02 U	1.05 U	1.04 U	1.02 U	0.891 U
BENZO(a)ANTHRACENE	mg/kg		2.886	0.621	2.00	0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.205 J	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.062 J	0.569 =
CHRYSENE	mg/kg		289	62	160	0.066 J	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.264 J	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.078 J	1.01 =
BENZO(b)FLUORANTHE	mg/kg		2.886	0.621	5.00	0.144 J	0.619 U	0.599 U	0.55 U	0.048 J	0.475 U	0.498 U	0.497 U	0.408 U	0.04 J	0.399 J	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.093 J	0.902 = - R
BENZO(k)FLUORANTHE	mg/kg		29	6	49	0.086 J	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.276 J	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.071 J	0.755 =
BENZO(a)PYRENE	mg/kg		0.289	0.062	8	0.067 J - R	0.619 U	0.599 U	0.55 U	0.042 J	0.475 U	0.498 U	0.497 U	0.408 U	0.032 J	0.288 J - R	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.075 J - R	0.458 = I R
INDENO(1,2,3-c,d)PYRE	mg/kg		2.886	0.621	14	0.156 J	0.619 U	0.599 U	0.55 U	0.032 J	0.475 U	0.498 U	0.497 U	0.408 U	0.024 J	0.268 J	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.069 J	0.398 J
DIBENZ(a,h)ANTHRACE	mg/kg		0.289	0.062	2	0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.062 J	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.163 J - R
BENZO(g,h,i)PERYLENE	mg/kg					0.193 J	0.619 U	0.599 U	0.55 U	0.038 J	0.475 U	0.498 U	0.497 U	0.408 U	0.027 J	0.253 J	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.066 J	0.398 J
CARBAZOLE	mg/kg		123	24	0.60	0.457 U	0.619 U	0.599 U	0.55 U	0.555 U	0.475 U	0.498 U	0.497 U	0.408 U	0.443 U	0.451 U	0.416 U	0.447 U	0.512 U	0.527 U	0.519 U	0.512 U	0.068 J
Volatiles																							
1,1-DICHLOROETHENE	mg/kg		0.119	0.054	0.060	0.01 U	0.011 U	0.011 U	0.01 U	0.019 U	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
METHYLENE CHLORIDE	mg/kg		20.526	8.881	0.020	0.01 U	0.011 U	0.011 U	0.01 U	0.019 U	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
TRICHLOROETHYLENE	mg/kg		6.116	2.770	0.060	0.01 U	0.011 U	0.011 U	0.01 U	0.00062 J	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.00029 J	0.00036 J	0.01 U	0.0025 J	0.0013 J	0.01 U	0.01 U
TOLUENE	mg/kg		520	520	12	0.01 U	0.011 U	0.011 U	0.01 U	0.019 U	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
METHYL ISOBUTYL KET	mg/kg					0.01 U	0.011 U	0.011 U	0.01 U	0.019 U	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
M,P-XYLENE (SUM OF IS	mg/kg					0.01 U	0.011 U	0.011 U	0.01 U	0.019 U	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
O-XYLENE	mg/kg					0.01 U	0.011 U	0.011 U	0.01 U	0.019 U	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
TETRACHLOROETHYLEI	mg/kg		19	6	0.060	0.01 U	0.011 U	0.011 U	0.01 U	0.019 U	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.01 U	0.012 U	0.01 U	0.00027 J	0.01 U	0.01 U	0.01 U
2-HEXANONE	mg/kg					0.01 U	0.011 U	0.011 U	0.01 U	0.019 U	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
XYLENES, TOTAL	mg/kg		210	210	210	0.01 U	0.011 U	0.011 U	0.01 U	0.019 U	0.01 UJ	0.015 U	0.01 U	0.01 UJ	0.011 UJ	0.012 U	0.01 U	0.012 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U

Data Flags:
U = Undetected; analyte was analyzed but not detected above the MDL.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria
MCL - Region III Drinking water standard (maximum contaminant level) (M)
PRG-I - Region IX Preliminary Remediation Goals - Industrial Soil (I)
PRG-R - Region IX Preliminary Remediation Goals - Residential Soil (R)
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

Tables 9-1
Surface Soil Analytical Data Detection Summary
OC - R, NASD, Vieques, PR

Parameter	Units	BKG	PRG-I (I)	PRG-R (R)	SSLD20 (L)	AOCRSS019 NDE152 0 To 0.5 11/29/2000 9:35	AOCRSS020 NDE153 0 To 0.5 11/29/2000 9:40	AOCRSS021 NDE155 0 To 0.5 11/29/2000 10:30	AOCRSS022 NDE154 0 To 0.5 11/29/2000 10:25	AOCRSS023 NDE157 0 To 0.5 11/29/2000 10:40	AOCRSS024 NDE158 0 To 0.5 11/29/2000 11:10	AOCRSS025 NDE159 0 To 0.5 12/01/2000 14:25	AOCRSS026 NDE160 0 To 0.5 12/01/2000 14:35	AOCRSS027 NDE161 0 To 0.5 12/01/2000 15:05	AOCRSS028 NDE162 0 To 0.5 12/01/2000 15:10	AOCRSS029 NDE163 0 To 0.5 12/01/2000 14:55	AOCRSS030 NDE164 0 To 0.5 12/01/2000 14:45	AOCRSS031 NDE166 0 To 0.5 12/01/2000 14:30	AOCRSS032 NDE167 0 To 0.5 12/01/2000 14:37	AOCRSS033 NDE168 0 To 0.5 12/01/2000 14:20	AOCRSS034 NDE169 0 To 0.5 12/01/2000 14:50
Metals																					
ALUMINUM	mg/kg	29000	100000	7614		11000 = - R	11000 = - R	10000 = - R	11000 = - R	10000 = - R	17000 = - R	3600 =	5800 =	12000 = - R	4000 =	5000 =	6500 =	7800 = - R -	6600 =	5100 =	7500 =
ANTIMONY	mg/kg	2.30	81.76	3.13	5	0.76 J	0.82 J	1.6 J	0.82 J	0.76 J	1.1 J	0.26 UJ	0.38 J	0.62 J	0.26 UJ	0.31 UJ	0.61 J	0.61 J	0.4 J	0.35 J	0.67 J
ARSENIC	mg/kg	2.20	2.73	0.39	29	0.32 U	0.81 J - R	0.86 J - R	0.55 J - R	6.3 = I R	0.32 U	0.32 U	0.91 J - R	1.2 J - R	0.31 U	0.37 U	15 = I R	3.6 = I R -	0.75 J - R	0.31 U	0.74 J - R -
BARIUM	mg/kg	320	100000	537	1600	51 =	54 =	34 J	48 =	48 =	47 =	55 =	54 =	85 =	38 J	85 =	52 =	60 =	62 =	59 =	52 =
BERYLLIUM	mg/kg	0.45	2242	15	63	0.13 J	0.17 J	0.038 U	0.037 U	0.035 U	0.18 J	0.036 U	0.037 U	0.28 J	0.036 U	0.14 J	0.19 J	0.21 J	0.17 J	0.12 J	0.17 J
CADMIUM	mg/kg	0.04	81	4	8	0.03 U	0.03 U	0.031 U	0.03 U	0.029 U	0.03 U	0.029 U	0.03 U	0.031 U	0.029 U	0.034 U	0.029 U	0.18 J	0.032 U	0.029 U	0.032 U
CALCIUM	mg/kg	210000				9100 =	16000 =	6800 =	19000 =	6500 =	6400 =	2500 =	10000 =	39000 =	1800 =	3200 =	17000 =	37000 =	5100 =	4300 =	4100 =
CHROMIUM, TOTAL	mg/kg	74	448	211	38	15 =	20 =	18 =	25 =	3.8 =	51 = - - L	4 J	7.5 J	10 J	2.5 J	4.1 J	10 J	12 J	9.1 J	5.5 J	38 J
COBALT	mg/kg	25	100000	469		10 J	10 J	12 =	10 J	13 =	21 =	5 J	6.7 J	9.1 J	4.8 J	7 J	7.5 J	8 J	7.7 J	6.6 J	7.2 J
COPPER	mg/kg	68	7591	291		40 =	41 =	59 =	46 =	98 =	72 =	12 J	21 J	30 J	12 J	20 J	26 =	29 =	26 =	19 =	18 =
IRON	mg/kg	37531	100000	2346		19000 = - R	19000 = - R	20000 = - R	18000 = - R	25000 = - R	30000 = - R	9700 = - R	21000 = - R	20000 = - R	9800 = - R -	12000 = - R	13000 = - R	16000 = - R -	15000 = - R	13000 = - R	14000 = - R -
MAGNESIUM	mg/kg	12834				5700 =	5800 =	6200 =	6800 =	6500 =	11000 =	1200 =	2100 =	3800 =	1000 B	1500 =	2600 =	3700 =	2400 =	1600 =	1500 =
MANGANESE	mg/kg	1167	3225	176		570 = - R	580 = - R	510 = - R	600 = - R	630 = - R	600 = - R	440 = - R	630 = - R	630 = - R	420 = - R -	680 = - R	520 = - R	550 = - R -	620 = - R	580 = - R	610 = - R -
LEAD	mg/kg	6.9	100	40		5.3 =	5.2 =	12 =	19 =	1.8 =	0.18 U	3 J	7.2 J	14 J	6.2 J	3.8 J	20 =	33 =	11 =	5.8 =	3.7 =
MERCURY	mg/kg	0.031	61	2		0.015 J	0.011 J	0.011 J	0.01 J	0.0027 U	0.0058 J	0.0038 J	0.011 J	0.011 J	0.012 J	0.021 UJ	0.018 J	0.021 J	0.016 J	0.01 J	0.016 J
NICKEL	mg/kg	40	4088	156	130	9.5 =	12 =	12 =	16 =	3.2 J	30 =	2.2 J	4.6 J	5.2 J	1.5 J	2.7 J	5.2 J	6.8 J	5.5 J	2.9 J	7.9 J
POTASSIUM	mg/kg	1700				650 J	680 J	470 J	680 J	930 J	570 J	760 J	840 J	1100 J	650 J	800 J	750 J	1100 J	580 J	750 J	870 J
SELENIUM	mg/kg	2	1022	39	5	0.82 J	0.95 J	1.4 J	0.97 J	1.1 J	0.99 J	0.71 J	1.6 J	1.2 J	0.88 J	0.58 U	0.5 U	0.55 U	0.55 U	0.49 U	1.3 =
SODIUM	mg/kg	6300				140 J	220 J	110 J	300 J	21 U	240 J	41 J	110 J	430 J	27 J	52 J	210 J	450 J	99 J	96 J	140 J
VANADIUM	mg/kg	130	1431	55	6000	57 = - R	59 = - R	56 = - R	50 =	57 = - R	110 = - R	29 J	36 J	54 J	28 J	32 J	40 =	42 =	42 =	38 =	42 =
ZINC	mg/kg	65	100000	2346	12000	40 =	40 =	80 =	43 =	65 =	46 =	20 J	36 J	42 J	19 J	25 J	42 =	63 =	36 =	26 =	23 =
Pesticides																					
p,p'-DDE	mg/kg		12.06	1.72	54	0.018 =	0.048 J	0.328 =	0.045 =	0.161 =	0.0037 U	0.0036 U	0.019 J	0.0094 J	0.001 J	0.0042 U	0.083 J	0.076 J	0.157 J	0.0049 J	0.006 J
p,p'-DDD	mg/kg		17.08	2.44	16	0.0037 U	0.0037 U	0.018 =	0.0037 U	0.0035 U	0.0037 U	0.0036 U	0.0037 U	0.0077 UJ	0.0035 UJ	0.0042 U	0.0036 UJ	0.004 UJ	0.0039 UJ	0.0036 UJ	0.0039 UJ
p,p'-DDT	mg/kg		12.06	1.72	32	0.012 =	0.032 J	0.111 J	0.046 =	0.042 =	0.0037 U	0.0036 U	0.0089 J	0.0087 J	0.0035 J	0.0042 U	0.082 J	0.089 J	0.054 J	0.0036 J	0.0039 UJ
Semi-Volatiles																					
NAPHTHALENE	mg/kg		18.86	5.59	84	0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.526 U	0.834 =	0.468 U	0.623 U	0.482 UJ	0.587 UJ	0.509 UJ	0.446 UJ	0.51 UJ
2-METHYLNAPHTHALEN	mg/kg					0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.526 U	1.13 =	0.468 U	0.623 U	0.482 UJ	0.587 UJ	0.509 UJ	0.446 UJ	0.51 UJ
ACENAPHTHYLENE	mg/kg					0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.165 J	0.69 =	0.468 U	0.623 U	0.331 J	0.134 J	0.509 UJ	0.446 UJ	0.51 UJ
ACENAPHTHENE	mg/kg		3836	368	570	0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.526 U	1.04 =	0.468 U	0.623 U	0.482 UJ	0.587 UJ	0.509 UJ	0.446 UJ	0.51 UJ
DIBENZOFURAN	mg/kg		506	29		0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.526 U	1.01 =	0.468 U	0.623 U	0.482 UJ	0.587 UJ	0.509 UJ	0.446 UJ	0.51 UJ
FLUORENE	mg/kg		3313	264	560	0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.526 U	0.965 =	0.468 U	0.623 U	0.482 UJ	0.587 UJ	0.509 UJ	0.446 UJ	0.51 UJ
PHENANTHRENE	mg/kg					0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.046 J	4.4 =	0.468 U	0.623 U	0.093 J	0.044 J	0.509 UJ	0.446 UJ	0.079 J
ANTHRACENE	mg/kg		100000	2190	12000	0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.14 J	1.23 =	0.468 U	0.623 U	0.289 J	0.107 J	0.03 J	0.446 UJ	0.51 UJ
FLUORANTHENE	mg/kg		3010	229	4300	0.031 J	0.044 J	0.112 J	0.419 U	0.394 U	0.448 U	0.42 U	0.747 =	8.82 =	0.146 J	0.06 J	1.54 J	0.75 J	0.21 J	0.129 J	0.782 J
PYRENE	mg/kg		5422	231	4200	0.047 J	0.046 J	0.094 J	0.419 U	0.394 U	0.448 U	0.42 U	0.962 =	9.79 =	0.159 J	0.082 J	1.8 J	1.03 J	0.256 J	0.151 J	0.72 J
1,3-DICHLOROBENZIDIN	mg/kg		5.481	1.081	0.007	0.895 U	0.841 U	0.872 U	0.838 U	0.789 U	0.896 U	0.839 U	0.049 J - - L	0.989 U	0.936 U	1.25 U	0.964 UJ	1.17 UJ	1.02 UJ	0.891 UJ	1.02 UJ
BENZO(a)ANTHRACENE	mg/kg		2.886	0.621	2.00	0.035 J	0.031 J	0.048 J	0.419 U	0.394 U	0.448 U	0.42 U	0.861 = - R	5.23 = I R	0.067 J	0.052 J	2.17 J - R	0.793 J - R -	0.164 J	0.131 J	0.16 J
CHRYSENE	mg/kg		289	62	160	0.061 J	0.069 J	0.091 J	0.419 U	0.394 U	0.448 U	0.42 U	1.18 =	6.5 R	0.116 J	0.077 J	2.64 J	1.11 J	0.303 J	0.223 J	0.484 J
BENZO(b)FLUORANTHE	mg/kg		2.886	0.621	5.00	0.06 J	0.088 J	0.078 J	0.419 U	0.394 U	0.448 U	0.025 J	1.91 = - R	8.82 = I R	0.115 J	0.078 J	3.78 J I R	1.38 J - R -	0.44 J	0.27 J	0.313 J
BENZO(k)FLUORANTHE	mg/kg		29	6	49	0.051 J	0.07 J	0.09 J	0.419 U	0.394 U	0.448 U	0.42 U	1.01 =	4.75 =	0.11 J	0.074 J	2.73 J	1.25 J	0.278 J	0.186 J	0.285 J
BENZO(a)PYRENE	mg/kg		0.289	0.062	8	0.036 J	0.056 J	0.062 J	0.419 U	0.394 U	0.448 U	0.42 U	1.13 = I R	4.93 = I R	0.081 J - R -	0.057 J	2.04 J I R	1 J I R -	0.26 J - R	0.182 J - R	0.2 J - R -
INDENO(1,2,3-c,d)PYRE	mg/kg		2.886	0.621	14	0.037 J	0.059 J	0.04 J	0.419 U	0.394 U	0.448 U	0.42 U	0.403 J	1.52 = - R -	0.024 J	0.623 U	0.755 J - R	0.38 J	0.108 J	0.184 J	0.193 J
DIBENZ(a,h)ANTHRACE	mg/kg		0.289	0.062	2	0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.133 J - R	0.565 = I R -	0.468 U	0.623 U	0.224 J - R	0.083 J - R -	0.509 UJ	0.044 J	0.035 J
BENZO(g,h,i)PERYLENE	mg/kg					0.039 J	0.07 J	0.04 J	0.419 U	0.394 U	0.448 U	0.42 U	0.334 J	1.21 =	0.468 U	0.623 U	0.515 J	0.276 J	0.08 J	0.162 J	0.17 J
CARBAZOLE	mg/kg		123	24	0.60	0.447 U	0.42 U	0.436 U	0.419 U	0.394 U	0.448 U	0.42 U	0.067 J	0.561 =	0.468 U	0.623 U	0.16 J	0.051 J	0.509 UJ	0.446 UJ	0.088 J
Volatiles																					
1,1-DICHLOROETHENE	mg/kg		0.119	0.054	0.060	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.00047 J	0.01 U	0.00042 J	0.00043 J	0.01 UJ	0.00085 J	0.01 UJ	0.00074 J	0.00051 J	0.01 U	0.011 UJ
METHYLENE CHLORIDE	mg/kg		20.526	8.881	0.020	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.00048 J	0.01 U	0.01 U	0.01 UJ	0.01 U	0.01 UJ	0.012 UJ	0.01 UJ	0.01 U	0.011 UJ
TRICHLOROETHYLENE	mg/kg		6.116	2.770	0.060	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 U	0.01 UJ	0.012 UJ	0.01 UJ	0.01 U	0.011 UJ
TOLUENE	mg/kg		520	520	12	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.00027 J	0.00024 J	0.01 U	0.0011 J	0.00059 J	0.01 UJ	0.012 UJ	0.01 UJ	0.01 U	0.011 UJ
METHYL ISOBUTYL KET	mg/kg					0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.0015 J	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 U	0.01 UJ	0.012 UJ	0.01 UJ	0.01 U	0.011 UJ
M,P-XYLENE (SUM OF IS	mg/kg					0.01 U	0.00035 J	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 U	0.00042 J	0.012 UJ	0.01 UJ	0.01 U	0.011 UJ
O-XYLENE	mg/kg					0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 U	0.01 J	0.012 UJ	0.01 UJ	0.01 U	0.011 UJ
TETRACHLOROETHYLEI	mg/kg		19	6	0.060	0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 U	0.01 UJ	0.012 UJ	0.01 UJ	0.01 U	0.011 UJ
2-HEXANONE	mg/kg					0.01 U	0.01 U	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 U	0.00067 J	0.01 UJ	0.0011 J	0.01 UJ	0.012 UJ	0.01 UJ	0.01 U	0.011 UJ
XYLENES, TOTAL	mg/kg		210	210	210	0.01 U	0.00035 J	0.01 UJ	0.01 UJ	0.01 UJ	0.01 U	0.01 U	0.01 U	0.01 U	0.01 UJ	0.01 U	0.00059 J	0.012 UJ	0.01 UJ	0.01 U	0.011 UJ

Data Flags:
U = Undetected; analyte was analyzed but not detected above the MDL.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Data was unusable.
= - Detected value as shown.

Exceeds regulatory screening criteria and (if applicable) background data
Exceeds regulatory screening criteria but does not exceed background data

Screening Criteria
MCL - Region III Drinking water standard (maximum contaminant level) (M)
PRG-I - Region IX Preliminary Remediation Goals - Industrial Soil (I)
PRG-R - Region IX Preliminary Remediation Goals - Residential Soil (R)
SSLD20 - Region IX Soil Screening Level (Migration to Ground Water - DAF 20)
BKG -Background Values, NASD Background Analysis (CH2M Hill, June 2001)

SECTION 10

References

A.T. Kearney, Inc. and K.W. Brown & Associates, Inc. *Phase II RCRA Facility Assessment of the Naval Ammunition Facility, Vieques Island, Puerto Rico*. October 1988.

Acevedo-Rodriguez, P. *Flora of St. John; U.S. Virgin Islands*. The New York Botanical Garden. Bronx, New York. 1996.

Baker Environmental, Inc. *Final Preliminary Assessment Narrative Report Site Inspection Forms and PA Score, Sites 1, 2 and 3, US Naval Station, Roosevelt Roads, Puerto Rico*. October 1992.

Baker Environmental, Inc. *Positive Detection Summary in Groundwater, Vieques Site, Puerto Rico*. November 15, 1999.

Baker Environmental, Inc. *Results of the Hydrogeologic Investigation, Vieques, Puerto Rico*. November 4, 1999.

CH2M HILL. *Final Soil, Groundwater, Surface Water, and Sediment Background Investigation Report for NASD* (CH2M HILL, October 2002).

CH2M HILL. *Investigation-Derived Waste Management Plan for the U.S. Naval Ammunition Storage Detachment. Vieques, Puerto Rico*. May 2000.

CH2M HILL. *Master Work Plan for the U.S. Naval Ammunition Storage Detachment, Vieques, Puerto Rico*. May 2000.

CH2M HILL. *Phase I Expanded Preliminary Assessment/Site Investigation, U.S. Naval Ammunition Support Detachment, Vieques Island, Puerto Rico*. October 2000

CH2M HILL. *Site Investigation Report for Underground Injection Control Facilities at Building 2023 and WWTP Lagoon System. U.S. Naval Ammunition Storage Detachment, Vieques, Puerto Rico*. November 2000.

CH2M HILL. *Site-Specific Work Plan for the U.S. Naval Ammunition Storage Detachment, Vieques, Puerto Rico*. April 2000.

Environmental Science and Engineering, Inc. *Confirmation Study to Determine Possible Dispersion and Migration of Specific Chemicals - US Naval Station, Roosevelt Roads, Puerto Rico and US Naval Ammunition Facility, Vieques: Evaluation of Data from First and Second Rounds of Verification Sample Collection and Analysis*. May 1986.

ERM. Environmental Baseline Survey; Final Draft. October 2000.

Greenleaf/Telesca Planners, Engineers, Architects, Inc. and Ecology and Environment, Inc. *Initial Assessment Study, Naval Station Roosevelt Roads, Puerto Rico*. September 1984.

Liogier, H.A. and L.F. Wadsworth. *Flora of Puerto Rico and Adjacent Islands: A Systematic Synopsis*. Editorial de la Universidad de Puerto Rico. Rio Piedras, Puerto Rico. 1982.

Liogier, H.A. *Descriptive Flora of Puerto Rico and Adjacent Islands; Spermatophyta*. Vol. 2 Leguminosae to Anacardiaceae. Editorial de la Universidad de Puerto Rico. Rio Piedras, Puerto Rico. 1988.

Liogier, H.A. *Descriptive Flora of Puerto Rico and Adjacent Islands; Spermatophyta*. Vol. 3 Leguminosae to Anacardiaceae. Editorial de la Universidad de Puerto Rico. Rio Piedras, Puerto Rico. 1994.

Liogier, H.A. *Descriptive Flora of Puerto Rico and Adjacent Islands; Spermatophyta*. Vol. 4 Leguminosae to Anacardiaceae. Editorial de la Universidad de Puerto Rico. Rio Piedras, Puerto Rico. 1995.

Liogier, H.A. *Descriptive Flora of Puerto Rico and Adjacent Islands; Spermatophyta*. Vol. 5 Leguminosae to Anacardiaceae. Editorial de la Universidad de Puerto Rico. Rio Piedras, Puerto Rico. 1997.

Little, E.L., and F.H. Wadsworth. *Common Trees of Puerto Rico and the Virgin Islands*. Agriculture Handbook No. 249. U.S. Department of Agriculture, Forest Service, Washington, D.C. 1964.

Little, E.L., R. Woodbury, and F.H. Wadsworth. *Trees of Puerto Rico and the Virgin Islands*. Vol. 2. Agriculture Handbook No. 449. U.S. Department of Agriculture, Forest Service, Washington, D.C. 1964.

Raffaele, H., J. Wiley, O. Garrido, A. Keith, and J. Raffaele. *A Guide to Birds of the West Indies*. Princeton University Press. Princeton, N.J. 1998.

Raffaele, H.A. *A Guide to the Birds of Puerto Rico and the Virgin Islands*. Princeton University Press. Princeton, N.J. 1989.

U.S. Navy. *Final Report, Survey of Potential Habitat for Yellow-Shouldered Blackbird on U.S. Naval Station Roosevelt Roads, Puerto Rico*. Legacy Resource Management Program, Atlantic Division, Naval Facilities Engineering Command, Norfolk Va. And U.S. Naval Station Roosevelt Roads, Ceiba, Puerto Rico. 15 p. 1996.

United States Geological Survey. Water Resources Investigations. *Reconnaissance of the Groundwater Resources of Vieques Island, Puerto Rico*. Report 86-4100 (by Sigfredo Torres-Gonzalez). 1989.

United States Geological Survey. *Water Wells on Isla de Vieques, Puerto Rico*. Open-file Report 95-368. (by Gregory S. Cherry and Juan Ramos). 1995

U.S. Environmental Protection Agency. Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses. USEPA. January 1993.

U.S. Environmental Protection Agency. Contract Laboratory Program National Functional Guidelines for Organic Data Review. USEPA. February 1994.

U.S. Environmental Protection Agency. *Determination of Background Concentrations of Inorganics in Soils and Sediments at Hazardous Waste Sites*. EPA/540/S-96/500. December 1995.

Appendix A
Soil Boring Logs

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-B-SB01 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, VIEQUES LOCATION : AOC-B WASTEWATER TREATMENT PLANT
ELEVATION : DRILLING CONTRACTOR : NA
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER
WATER LEVELS : NA START : 12/04/00 END : 12/04/00 LOGGER : K. KARVAZY / J. HAYES

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-12"	10			Moderate brown sandy silt (sat'd) with dark organic matter. Less than 5% reddish brown clay	0	0
5	4.5'-5.5'	12			Light brown, silty sand. Well graded, medium to coarse sand. Moist with some cohesion.	0	0
					BOTTOM OF EXPLORATION @ 5.5'		
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-B-SB03 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, VIEQUES LOCATION : AOC-B WASTEWATER TREATMENT PLANT

ELEVATION : DRILLING CONTRACTOR :

DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER

WATER LEVELS : START : 12/04/00 END : 12/04/00 LOGGER : K. KARVAZY / J. HAYES

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-12"	10			Dark grey silty sand mixed with <5% gravel, <1/2 cm. Moist, cohesive	0	0
5	4.5'-5.5'	12			Dark grey silty sand. Moist, cohesive	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-B-SB04 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, VIEQUES
LOCATION : AOC-B WASTEWATER TREATMENT PLANT
ELEVATION :
DRILLING CONTRACTOR :
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER
WATER LEVELS :
START : 12/04/00
END : 12/04/00
LOGGER : K. KARVAZY / J. HAYES

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-12"	12			Moderate brown silty sand, slightly cohesive medium to coarse. Some roots and organics.	0	0
5	4'6"-5.5'	10			Reddish brown silty sand, moist, slightly cohesive with some gravel 1/2 cm. No clay	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SS01 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, VIEQUES LOCATION : AOC-H POWER PLANT (INSIDE BUILDING)
ELEVATION : DRILLING CONTRACTOR :
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER
WATER LEVELS : NA START : 12/05/00 END : 12/05/00 LOGGER : H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS. TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-3"	3			Medium light brown poorly graded sandy silt. Several chunks of tar mixed in sample Some gravel <1/4" D. No Encores collected	0 / 0
5						
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SS02 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, VIEQUES LOCATION : AOC-H POWER PLANT (INSIDE BUILDING)
ELEVATION : DRILLING CONTRACTOR :
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER
WATER LEVELS : NA START : 12/05/00 END : 12/05/00 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone 0 Above Hole 0
	0-3"	3			Medium light brown poorly graded sandy silt. Several chunks of tar mixed in sample Some gravel <1/4" D.	
5						
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SS03 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, VIEQUES
LOCATION : AOC-H POWER PLANT (INSIDE BUILDING)
ELEVATION :
DRILLING CONTRACTOR :
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER
WATER LEVELS : NA
START : 12/05/00 END : 12/05/00 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-3"	3			Medium light brown poorly graded sandy silt. Several chunks of tar mixed in sample Some gravel <1/4" D.	0 / 0
5						
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SS04 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, VIEQUES LOCATION : AOC-H POWER PLANT (INSIDE BUILDING)
ELEVATION : DRILLING CONTRACTOR :
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER
WATER LEVELS : NA START : 12/05/00 END : 12/05/00 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-2"	2			Medium light brown poorly graded sandy silt. Some gravel <1/4" D.	0 / 0
5						
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB001 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, VIEQUES
ELEVATION : LOCATION : AOC-H POWER PLANT
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG DRILLING CONTRACTOR GEOWORKS
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/05/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"	4			FINE GRAINED SANDY SILT WITH SOME ROOTS WELL GRADED UNIFORM MEDIUM BROWN COLOR	0 / 0 SAMPLE TIME 0830 (0-6") SAMPLE ID NDE005FDI
5	4'-6'	24		11-14-14-16	Silty sand, fine/med grain brown	0 / 0
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB002 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, VIEQUES
LOCATION : AOC-H POWER PLANT
ELEVATION :
DRILLING CONTRACTOR GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/05/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				FINE GRAINED SANDY SILT WITH SOME ROOTS WELL GRADED UNIFORM MEDIUM BROWN COLOR	0	0
5	4'-5'	6		6-8-9-11	4'-5' Silty sand, fine/med grain. Brown 5'-6' sandy silt, coarse grain, light brown	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB003 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION : DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/05/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-5'				Sandy silt (fine to medium grain sand) some large gravel (<1%), 1/4" D, roots and organic pieces also present. Medium browr	0	0
5	4'-5'	24		14-18-14-14	4'-5' Silty sand, fine grain, olive browr 5'-6' light tanish brown med grain, sandy silt	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB004 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION :
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG DRILLING CONTRACTOF GEOWORKS
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/05/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				FINE GRAINED SANDY SILT WITH SOME ROOTS WELL GRADED UNIFORM MEDIUM BROWN COLOR, some large gravel (approx. 3 cm)	0	0
5	4'-5'	24		9-11-12-10	4'-4.5' Silty sand, fine, dark brown 4.5'-6' medium to coarse sandy silt, light brown	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB005 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES
ELEVATION :
LOCATION : AOC-H POWER PLANT
DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/05/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				Medium brown sandy silt with <5% gravel (<1 cm D). Some root/organic matter.	0	0
5	4'-5'	24		7-6-7-9	4'-4.5' Silty sand, fine, dark brown 4.5'-6' medium to coarse sandy silt, light brown	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB006 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION : DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/06/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				Medium brown sandy silt with <5% gravel (<1 cm D). Some root/organic matter.	0	0
5	4'-6'	18		11-10-11-12	Fine to med grain, sandy silt, orangish/brown color, no odor present, well graded	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB007 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES
LOCATION : AOC-H POWER PLANT
ELEVATION :
DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : –11' BLS START : 12/05/00 END : 12/06/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				Medium brown sandy silt with <5% gravel (<1 cm D). Some root/organic matter.	0	0
5	4'-5'	18		9-11-13-13	4'-4'8" Silty sand, fine grain, dark brown 4'8"-5' medium to coarse sandy silt, orange/brown color, well graded, moist	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB008 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION : DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/06/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				Light brown silty sand mixed with gravel <1/4" D.	0	0
5	4'-5'	24		11-12-18-16	4'-5' Silty sand, fine grain. dark brown 5'-6' medium to coarse sandy silt, orange/brown color, moist	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB009 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION : DRILLING CONTRACTOR GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/06/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				Med. Brown sandy silt with some root interspaced with gravel <1/4"	0	0
5	4'-5'	19		9-9-8-9	Light brown silty sand mixed with gravel <1/4" D.	0	0
10	10'-12'	23		14-21-50	10-11' muddy, silty layer, wellowish brown 11-12' sandy silt mod grain, olive grey, saturated	0	0
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB010 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT

ELEVATION : DRILLING CONTRACTOR GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG

WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/06/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				Reddish brown sandy silt with <5% gravel <1/4" D. Well graded	0	0
5	4'-6'	17		7-10-10-10	4.5'-6' moist, sandy silt, light brown Last 2 inches, saturated, olive color No odor	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB011 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION : DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : -11' BLS START : 12/05/00 END : 12/06/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				FINE GRAINED SANDY SILT WITH SOME ROOTS WELL GRADED UNIFORM MEDIUM BROWN COLOR	0	0
5	4'-6'	20		10-8-8-8	4'-6' sandy silt mix	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB012 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION : DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/06/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				FINE GRAINED SANDY SILT WITH SOME ROOTS WELL GRADED UNIFORM MEDIUM BROWN COLOR	0	0
5	4'-5'	20		7-5-5-4	4'-5'10" sandy silt, fine/med grain, dark browr no odor 5'10"-6' olive color saturated	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB013 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION : DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/05/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-5"				FINE GRAINED SANDY SILT WITH SOME ROOTS WELL GRADED UNIFORM MEDIUM BROWN COLOR	0	0
5	4'-5'	20		9-9-9-11	4'-5'10" sandy silt, fine/med grain, dark browr no odor, moist Last 1/2" saturated	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB014 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT

ELEVATION : DRILLING CONTRACTOF GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG

WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/07/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				FINE GRAINED SANDY SILT WITH SOME ROOTS WELL GRADED UNIFORM MEDIUM BROWN COLOR	0	0
5	4'-5'	21		5-6-5-4	Brown, sandy silt, fine grain no odor present, moist	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-H-SB015 SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION : DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/07/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				FINE GRAINED SANDY SILT WITH SOME ROOTS WELL GRADED UNIFORM MEDIUM BROWN COLOR	0 / 0
5	4'-6'	24		5-6-6-7	4'-6' Silty sand, fine, brown, moist 5'-6' sandy silt fine/med mix light brown no odor, moist	0 / 0
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-H-SB016	SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, VIEQUES LOCATION : AOC-H POWER PLANT
ELEVATION : DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : SS HAND AUGER / MOBILE DRILL / SS SPLIT SPOON 2" DIA 2 FT LONG
WATER LEVELS : ~11' BLS START : 12/05/00 END : 12/07/00 LOGGER : K. KARVAZY / H. HERNANDEZ

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-6"				Medium brown silty sand, medium to coarse with approx. 5% gravel, poorly graded	0	0
5	4'-6'	24		9-10-9-6	4'-5' Silty sand, fine, brown, moist 5'-6' sandy silt, fine/med mix, light brown, no odor, moist	0	0
10							
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-001	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD
LOCATION : AOC-I-SS01/SB01
ELEVATION :
DRILLING CONTRACTOR : IPSI (Abraham Nuñes)
DRILLING METHOD AND EQUIPMENT USED : Hand auger/direct push
WATER LEVELS : START : 1400 END : 1415 LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Greenish gray silty sand, low moisture mixed with gravel.	0 / 0 Sample collected 0-6"
	3				Light brown sandy silt	
5	4'-6'				Light brown sandy silt End direct push @ 6' bls	0 / 0 4'-6' sample collected
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-I-002 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : AOC-I-SS02/SB02

ELEVATION : DRILLING CONTRACTOR : IPSI (Abraham Nuñes)

DRILLING METHOD AND EQUIPMENT USED : Hand auger/direct push

WATER LEVELS : START : 1415 END : 1440 LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Greenish gray silty sand, mixed with gravel backfill	0 / 0 Sample collected @ 1420 0-6"
					Greenish grey sandy silt. No gravel.	
					Light brown sandy silt	
5	4'-6'				Yellowish orange sandy-clayed silt Light brown sandy silt	0 / 0 Sample collected 5"-6" @ 1440
					End direct push @ 6' bls	
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-003	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : AOC-I-SS03/SB03

ELEVATION : DRILLING CONTRACTOR : IPSI (Abraham Nuñes)

DRILLING METHOD AND EQUIPMENT USED : Hand auger/direct push

WATER LEVELS : START : 1445 END : 1500 LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Greenish gray silty sand, mixed with poorly graded gravel. Light yellowish orange silty sand with some gravel.	0 / 0 0-6" sample collected @ 1445
5	4'-5'				Drilling stops-can not penetrate past 5'.	0 / 0 Sample collected 4'-5' @ 1500
10						
15						
20						
25						

NASD-AOC-.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-004	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD
LOCATION : AOC-I-SS04/SB04
ELEVATION :
DRILLING CONTRACTOR : IPSI (Abraham Nuñez)
DRILLING METHOD AND EQUIPMENT USED : Hand auger/direct push
WATER LEVELS :
START : 1500
END : 1515
LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Same as SS03	0 / 0 1505 0-6" collected
					also mixed througnout soil column.	
5	4'-6'				Yellowish orange sandy silt with fines of gravel also mixed througnout soil column. End direct push @ 6' bls	0 / 0 1515 Sample collected b/w 5' and 6'
10						
15						
20						
25						

NASD-AOC-.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-005	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : AOC-I-SS05/SB05

ELEVATION : DRILLING CONTRACTOR : IPSI (Abraham Nuñes)

DRILLING METHOD AND EQUIPMENT USED : Hand auger/direct push

WATER LEVELS : START : 1520 END : 1540 LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Yellowish orange (light) silty sand mixed with gravel (poorly graded) (1-3 cm)	0 / 0 1520 sample collected 0-6"
5	4.5'-5.5'				Light brown sandy silt mixed with gravel (1-2 cm) End direct push @ 6' bls	0 / 0 1535 Sample collected
10						
15						
20						
25						

NASD-AOC-.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-006	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD

ELEVATION : NA DRILLING CONTRACTOR : IPSI (Inland Pollution Services Inc.)

DRILLING METHOD AND EQUIPMENT USED : Stainless Steel Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : NA START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				gravel (1-3 cm) mixed with light brown silty sand Fine/Med.	0 / 0 Sample @ 0925 w/auger
5	4'-6'	4 ft			Light brown. Fine/Medium silty sand mix with 50% (0.5-3cm) gravel End of boring @ 6 ft. bls.	0 / 0 Sample 0930 w/ss split spoon (Macrocore Liner)
10						
15						
20						
25						

NASD-AOC-.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-007	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : None START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface gravel (0.1-3 cm) 50% gravel (0.5-3 cm) mixed w/brown fine/med. Mix silty soil, moist.	0 / 0 Sample @ 1000 0-6' ID # NDE055 W/SS hand auger.
5	2-4.5	3 ft.			50% Gravel Light brown to brown Fine/Medium silty sand, volcanic sandstone @ 4'-5' Refusal @ 4.5 ft bls	0 / 0 1014 Sample 2-4.5' ID # NDE056 4' Macrocore 4' Liner
10						
15						
20						
25						

NASD-AOC-I.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-OO8	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : None START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface gravel (0.5)-(3 cm) Turning to brown silty soil fine/med mix 50% gravel (0.5-3 cm) irregular/angular.	0 / 0 1005 collect surface soil Sample w/ hand auger ID # NDEO57
5	4'-6'	4 ft.			Light brown/yellowish orange silty sand fine/med. Mix 30% gravel, irregular/angular turning to olive/light gray, no volcanic sandstone, soft clay.	0 / 0 ID # NDEO58 Sample Time 1025 Sampled with Macrocore and Macrocore Liner
					End of boring @ 8 ft bls	
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-009	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : NA START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY. SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6'				Surface: crushed gravel (0.5-3 cm) angular irreg. Moist olive brown fine/med mix silty sand.	0 / 0 Sample @ 1016 0-6' sample ID # NDE059 with hand auger
5	4'-6'	4 ft.			Light brown/yellowish orange silty sand fine/med. Mix 30% gravel, irregular/angular turning to olive/light gray, no volcanic sandstone, soft clay.	0 / 0 Sample @ 1100 4-6 ft bls Sample ID # NDE060 W Macrocore and macrocore liner
					End of boring @ 6 ft bls	
10						
15						
20						
25						

NASD-AOC-I.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-O10	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation
LOCATION : AOC-I NASD VIEQUES
ELEVATION : NA
DRILLING CONTRACTOR : IPSI
DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096
WATER LEVELS : NA
START : 11/30/00
END : 11/30/00
LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6'				Surface: gravel (0.5-2 cm) Turning to gravel very angular Irregular mix (50%) very olive/brown moist medium/fine silty sand.	0 / 0 Sample ID # NDE061 Sample time: 1105 Sample w/ss hand auger
5	3'-6'	3 ft.			Gravel (0.5-3 cm) 50% angular silty clay sand fine/med. Grain. Light brown/olive mix. Clayey portion (10%) light brown silty sand olive color.	0 / 0 Sample ID # NDE063 Sample time: 1120 Composite from 3-6 ft bls w/ macrocore and macrocore sampler
10					End of boring @ 6 ft bls	
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-O11	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : NA START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: crushed gravel (0.5-4 cm) angular 2' 50% Gravel, angular 50% brown silty sand fine/medium grain.	0 / 0 Sample time: 1300 Sample ID # NDE062 FDI NDE064 w/ss hand auger
5	4'-6'	3 ft			To 4' gravel (0.5-4cm) mixed 50% with brown silty sand fine medium, moist. 5' Turning gravel (0.5-4 cm) 50% with moist medium soft clay color; olive/brown rock in sample broken up. End of boring @ 6 ft bls.	0 / 0 Sample time: 1313 Sample ID # NDE065 W/ macrocore and macrocore liner.
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-I-O12 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : NA START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: crushed gravel, angular (0.5-3 cm) olive brown silty sand, moist fine med grain.	0 / 0 Sample ID # NDE066 Sample time: 1328 w/hand auger
5	4'-6'	2 ft.			Rock/gravel (0.5-4cm) angular sand/silty/grayed mix sand coarse to med. Reddish brown olive gray.	0 / 0 Sample time: 1343 Sample ID # NDE067 W/ macrocore liner.
					End of boring @ 6 ft bls.	
10						
15						
20						
25						

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-I-013 SHEET 1 OF 1

CH2MHILL

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : NA START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: crushed angular gravel, mixed with fine/ medium sandy silt brown, moist (50%) crushed angular gravel (50%) (0.5-3 cm)	0 / 0 Sample time: 1340 (0-6") Sample ID # NDE068 w/ss hand auger
5	4'-6'	3 ft.			2'3' mostly very angular gravel (0.5-4 cm) 80%, 20% silty clayed sand fine grain. 3'-6" 50% Very angular gravel 50% light brown moist with, yellow/orange areas in between mixed End of boring @ 6 ft bls.	0 / 0 Sample time: 1402 (4'-6") Sample ID # NDE069 W/ macrocore and macrocore liner.
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-O14	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : NA START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: angular gravel, (0.5-4cm) some grass 1' Dark brown med soft (moist) silty clay 80% with 20% (0-2 cm) angular gravel mix. Clay has some pockets of yellow/orange	0 / 0 Sample time: 1347 (0-6") Sample ID # NDE070 w/ss hand auger
					2'-3' Reddish brown silty fine sand mix with angular gravel (0.5-1 cm)	
5	4'-6'	3 ft.			3' larger pieces of angular rock/gravel mixed with silty. Clayey sand (fine) reddish brown/olive gray mix gravel (0.5-5cm)	0 / 0 Sample time: 1418 (4'-6') Sample ID # NDE071 W/ macrocore and macrocore liner.
					5' gravel same as above 50% brownish/red med. soft clay	
					End of boring @ 6 ft bls.	
10						
15						
20						
25						

NASD-AOC-I.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-O15	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : NA START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface; grass some angular gravel (0.5-2 cm) 1' brown clayey silt, medium soft 70%, 10% fine sand, 20% angular gravel. Same pockets up yellow/orange	0 / 0 Sample time: 1355 (0-6") Sample ID # NDE072 w/ss hand auger
5	4'-6'	3.5 ft.			To 6' angular gravel (0.5-5 cm) 50% mixed with brownish red/olive mix colors silty sand (fine)	0 / 0 Sample time: 1430 (4'-6') Sample ID # NDE073 W/ macrocore and macrocore liner.
					End of boring @ 6 ft bls.	
10						
15						
20						
25						

NASD-AOC-I.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-I-O16 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION . AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : NA START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: angular gravel (0.5-3 cm) 0.5' Angular gravel (0.5-6cm) mixed with olive/ brown silty sand fine to med. grain.	0 / 0 Sample time: 1411 (0-6") Sample ID # NDE075 w/ss hand auger
5	4'-6'	3 ft.			4-6 Olive gray to med brown silty clay angular gravel 50% (0.5-4 cm)	0 / 0 Sample time: 1449 (4'-6') Sample ID # NDE076 W/ macrocore and macrocore liner.
					End of boring @ 6 ft bls.	
10						
15						
20						
25						

NASD-AOC-.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-O17	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : AOC Investigation LOCATION : AOC-I NASD VIEQUES

ELEVATION : NA DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS Hand auger/Geoprobe GH 40 Model 5096

WATER LEVELS : NA START : 11/30/00 END : 11/30/00 LOGGER : H. Hernandez

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6'				Surface: Grass, gravel/angular (0.5-2 cm) 1' Olive brown silty soil fine grain, Moist mix with 30% (0.5-1.5 cm) gravel angular	0 / 0 Sample time: 1415 (0-6') Sample ID # NDE077
5	4'-6'	3 ft			80% Rock & gravel (0.5-4 cm) 20% silty clayey mix fine olive brown	0 / 0 Sample time: 1512 (4'-6') Sample ID # NDE078
	4'-6'	4 ft			50% Rock & Gravel (0.5-4 cm) 50% Silty Clayey mix Will combine to have sufficient sample.	0 / 0
10					End of boring @ 6 ft bls	
15						
20						
25						

NASD-AOC-.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-018	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : AOC-1 SS/BP 18

ELEVATION : DRILLING CONTRACTOR :

DRILLING METHOD AND EQUIPMENT USED : Direct Push - Geoprobe/SS Handauger

WATER LEVELS : START : END : LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Silty sand, moist, some root and gravel (1-2 cm) brown	0 / 0 Sample collected/FD 0-6' @ 0835 NDE074FDI NDE079
5	4'-6' end dpt				Silty sand mixed with 50% gravel Redish brown clay	0 / 0 Sample Collected 5'-6' @ 840 AM (NDE080)
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-O19	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-I SS/SB 19

ELEVATION : DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS stainless steel hand auger/Geoprobe

WATER LEVELS : START : END : LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6'				Surface: gravel and overgrown grass 0-3' Olive brown sandy silt mixed with gravel 0-1 cm. 3-6" redish brown clay medium soft	0 / 0 0845 NDE061 SAMPLE COLLECTED 0-6
5	4'-6'				Light brown sandy silt with <5% gravel (<1 cm)	0 / 0 Sample collected 4'-6' 0900 NDE082 (ID)
	end direct push					
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-I-O20 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : AOC-I SS/SB 20

ELEVATION : DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : Geoprobe (direct push) / handauger

WATER LEVELS : START : END : LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: gravel and grass 0-3" brown sandy silt 3"-6" brown clay	0 / 0 Sample collected/w/FD 0-6" @ 8:51 ID, NDE083 NDE084FDI
5	4'-6'				Olive gray - greenish gray sandy silt with <5% gravel (< 1 cm). Yellowish orange clay also present ~15%	0 / 0 Sample collected 0915 (NDE085) 4'-6'
	end direct push					
10						
15						
20						
25						

NASD-AOC-I.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-021	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-I SS/SB 21

ELEVATION : DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : Geoprobe/handauger

WATER LEVELS : START : END : LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				0-3" light brown silty sand 3"-6" brown clay mixed with sand and gravel (1-3 cm)	0 / 0 921 sample collected 0-6" NDE086
5	4'-6'				Yellowish orange silty sand mixed with gravel (1-3 cm)	20 / 125 940 Sample collected 4'-6' solvent odor very strong .125 ppm Sample ID: NDE087
	end geoprobe direct push					
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-O22	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : LOCATION : NASD AOC-I SS/SB 22

ELEVATION : DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED :

WATER LEVELS : START : END : LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0'6"				0-3" Olive gray silty sand with gravel (1-2 cm)(10%) 3-6" olive gray silty sand mixed with & reddish brown clay and some gravel (<1 cm)	0 / 0 Sample collected @ 932, 0-6' NDE088 Soil staining on surface
5	4'-6'				Olive gray sandy silt mixed with gravel (1-4 cm)(<5%)	0 / 0 Sample collected @ 1007 4'-6' no odor DE089. No reading on PID despite soil stains.
	end direct push					
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-I-023 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : AOC-I SS/SB 23

ELEVATION : DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : Geoprobe/S.S. Handauger

WATER LEVELS : START : 1015 END : LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: Over grown grass/ 1/4" gravel 0-6" Light brown sandy silt with <5% gravel	0 / 0 NDE090 NDE091 FDI collected @ 1009, 0-6"
5	4'-6'				Reddish-brown firm clay mixed with gravel (1-4 cm)	0 / 0 Sample collected @ 1031 NDE092 4'-6'
	end direct push					
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-024	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD
LOCATION : AOC-I SS/SB 24
ELEVATION :
DRILLING CONTRACTOR : IPSI
DRILLING METHOD AND EQUIPMENT USED : Handauger/Geoprobe
WATER LEVELS : START : 1015 END : LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: 1/4" gravel/Over grown grass 0-6" Medium brown sandy silt mixed with some gravel (5%)(1-2 cm) moist, soft.	0 / 0 Sample collected 1025 AM 0-6" NDE093
5	4'-6' end direct push				Greenish gray silty sand mixed with gravel (angular, 1-4 cm)	0 / 0 Sample collected @ 1100 AM 4'-6' NDE094
10						
15						
20						
25						

NASD-AOC-.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-025	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : AOC-I SS/SB 25

ELEVATION : DRILLING CONTRACTOR : IPSI

DRILLING METHOD AND EQUIPMENT USED : SS auger/Geoprobe

WATER LEVELS : START : END : LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: 1/4 inch gravel brown sandy silt mixed with gravel (1-3 cm) moist	0 / 0 1102 AM SS025 w/MS/MSD NDE095
5	4'-6'				Redish brown/olive gray sandy silt and sandy clay mixed gravel (1-4 cm)	0 / 0 1118 Sudsurface 4'-6' collected NDE096
	end geoprobe					
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-I-026	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD
LOCATION : AOC-I SS/SB 26
ELEVATION :
DRILLING CONTRACTOR : IPSI
DRILLING METHOD AND EQUIPMENT USED : Handauger/Geoprobe
WATER LEVELS :
START : 1015
END :
LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Surface: 1/4" gravel 0-6" Dark grey sandy silt mixed with gravel surface: 1/4" gravel(5%)(1-2 cm) Light brown clayey/sandy silt w/<5% gravel	0 / 0 1105 Sample collected w/Field dup, 0-6" NDE097 NDE099FDI
5	4'-6' end				Light gray sandy silt w/<5% gravel (1-2 cm)	0 / 0 Sample collected 4'-6' NDE098 AT 1140
10						
15						
20						
25						

NASD-AOC-.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-J SB001	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD 7 AOC SITES LOCATION : AOC-J

ELEVATION : DRILLING CONTRACTOR Geoworks

DRILLING METHOD AND EQUIPMENT USED Hand Auger

WATER LEVELS 3.5' START : 12/08/2000 END : 12/12/00 LOGGER : A. Chang

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone 0, Above Hole 0
	0-0.5'				Sandy silt, brown, moist. Small pieces of glass present	Sample @ 0.5' / sample ID: NDE 102
					Sandy, gray clay, very wet.	Water @ 3.5' Sample @ 5' Sample ID: NDE 103
5						
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-J SB002	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD 7 AOC SITES
LOCATION : AOC-J
ELEVATION :
DRILLING CONTRACTOR Geoworks
DRILLING METHOD AND EQUIPMENT USED Hand Auger
WATER LEVELS :
START : 12/08/2000 END : 12/12/00 LOGGER : K. Swanson/A. Chang

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Sandy silt, med. brown, dry	0 / 0 Took Sample @ 0.5' Sample ID: NDE 104
5	4'-6'				Med orange-brown, clayey gravel w/ sand. Moist	0 / 0 Took Sample @ 5' Sample ID: NDE 105
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-J SB003	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD 7 AOC SITES LOCATION : AOC-J

ELEVATION : DRILLING CONTRACTOR Geoworks

DRILLING METHOD AND EQUIPMENT USED Hand Auger

WATER LEVELS : START : 12/08/2000 END : 12/12/00 LOGGER : K. Swanson/A. Chang

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Sandy silt, brown, slightly moist, glass shards and roots present.	0 / 0 Took Sample @ 0.5' Sample ID: NDE 106
5	4'-6'				Orange-brown, clay w/gravel and sand. Moist partially unconsolidated.	0 / 0 Took Sample @ 5' Sample ID: NDE 107
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-J SB004	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD 7 AOC SITES LOCATION : AOC-J

ELEVATION : DRILLING CONTRACTOR Geoworks

DRILLING METHOD AND EQUIPMENT USED Hand Auger

WATER LEVELS : START : 12/08/2000 END : 12/12/00 LOGGER : A. Chang

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Med brown clay w/silt, moist	0 / 0 Collected Sample @ 0.5' Sample ID: NDE 108
5	4'-6'				Orange-brown, clayey silt w/sand and small gravel.	0 / 0 Sample collected @ 5' Sample ID: NDE 109
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.F1.ZZ	AOC-J SB005	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD 7 AOC SITES LOCATION : AOC-J
ELEVATION : DRILLING CONTRACTOR Geoworks
DRILLING METHOD AND EQUIPMENT USED Hand Auger
WATER LEVELS : START : 12/08/2000 END : 12/12/00 LOGGER : K. Swanson/A. Chang

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Silty sand, medium brown, dry, shells and roots present.	0 / 0 Took Sample @ 0.5' Sample ID: NDE 110
5	4'-6'				Light gray brown clayey sand w/ silt. Slightly moist.	0 / 0 Took Sample between 5'-6' Sample ID: NDE 112 Also took MS, MSD, FD @ this location ar depth.
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-J MW-4	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD Phase II LOCATION : AOC-J @ debris

ELEVATION : DRILLING CONTRACTOR Geoworks

DRILLING METHOD AND EQUIPMENT USED HSA B-61

WATER LEVELS : 8.0 ft START : 12/13/2000 END : 12/13/00 LOGGER : M. Clasen

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-4'	NA	Hand auger	NA	Silty clay, med. Brown, moist, trace rock fragments	0	0
5							
	6-8'	22"	SS-1	7-13-24-28	Silty clay, light brown w/ orange mottling and iron oxide staining, trace gravel, dry, soft	0	0
10	10-12'	16"	SS-2	7-13-24-23	Silty clay, light brown w/ orange mottling and iron oxide staining, trace gravel, wet @ 8'	0	0
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-J MW03	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD Phase II LOCATION : AOC-J MW-3

ELEVATION : DRILLING CONTRACTOF Geoworks

DRILLING METHOD AND EQUIPMENT USED HSA B-61

WATER LEVELS 12.5 ft START : 12/12/2000 END : LOGGER : M. Clasen

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-4'	NA	Hand auger	NA	Silty clay, dark brown, soft, moist, trace rock fragments	0	0
5							
	6-8'	18"	SS-1	14-17-20-24	Clay, reddish brown w/ orange mottling iron oxide stainings, soft, trace rock fragments	0	0
10	10-12	18"	SS-2	8-14-23-25	Sandy, silty clay, medium brown, soft, moist, iron oxide stainings, trace rock fragments.	10' 0	2.6
						12' 0	0
						TD 21 ft Set 10' screen 11-12 ft	
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-J MW02	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD Phase II LOCATION : AOC-J

ELEVATION : DRILLING CONTRACTOR Geoworks

DRILLING METHOD AND EQUIPMENT USED HSA B-61

WATER LEVELS : 10.0 ft START : 12/12/2000 END : 12-13-00 LOGGER : M. Clasen

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-4'	NA	Hand auger	NA	Dark brown, silty clay, soft, moist, trace rock fragments	0	0
5	4-6	NA	auger	NA	4-6' Lt. Brown, silty clay, soft, trace rock fragments	0	11
	6-8	22"	SS-1	13-17-20-25	6-7' Clayey sand, tan, 20% gravel 7-8' Clay, reddish brown, dense, trace gravel	0	0
10	10-12	22"	SS-2	10-15-23-27	10-12' Silty clay, soft, wet @ 10', trace gravel	0	0
15						18' TD Set well 10' screen 8-18'	
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOC-J MW01	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD Phase II LOCATION : AOC-J downgradient
ELEVATION : DRILLING CONTRACTOR Geoworks
DRILLING METHOD AND EQUIPMENT USED HAS B-61
WATER LEVELS 3.0 ft START : 12/13/2000 END : 12-13-00 LOGGER : M. Clasen

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-3	NA	Hand auger	NA	Clay, dark grey, soft, wet, trace gravel, wet.	0	0
	3-5	18"	SS-1	3-3-4-3	Clay, dark grey, soft, trace gravel, wet.	0	0.2
5							
	09-Jul	16"	SS-2	11-15-23-33	Clay, light brown, w/ orange mottling, iron oxide staining, trace rock fragments, wet.	0	0
10							
						TD 12' Set 10' screen 2-12'	
15							
20							
25							

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	MW-1 SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NAVY CLEAN NASD LOCATION : VIEQUES P.R. AOC-K

ELEVATION : DRILLING CONTRACTOR GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : MOBILE DRILL 6" DIAM. AIR HAMMER

WATER LEVELS : -52 BLS START : 1330 11/29/00 END : LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone 0 Above Hole 0
					SAND AND GRAVEL ORANGISH BROWM; TO REDDISH BROWM, SOME SILT AND SOME CLAY FINE TO COARSE SAND AND FINE TO MED GRAVEL. (UP TO 1/4" DIAM.). DRY	
5						
10						
15						
						NO CUTTINGS USING HSA
20						
25						

NASD-AOC-K.xls

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	MW-1 SHEET 2 OF 3

SOIL BORING LOG

PROJECT : NAVY CLEAN NASD LOCATION : VIEQUES P.R. AOC-K

ELEVATION : DRILLING CONTRACTOR :

DRILLING METHOD AND EQUIPMENT USED :

WATER LEVELS : START : END : LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
						NO CUTTINGS USING HSA
35					COARSE SILT SAND, ORANGISH BROWN. MAYBE SOME MOISTURE DUE TO CUTTINGS LOOKING LIKE CLAY BALLS. ZONES OF LIMESTONE ENCOUNTERED. LIGHT TAN AND HARD. MINOR GASTROPOD SHELLS.	
40						ZONES OF LS ARE DRILLED THROUGH WITH AUGERS. AUGERS ARE SMOKING.
45						
50						SWITCHED TO AIR HAMMER 4" DIAM. THROUGH AUGERS.
55						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	MW-1 SHEET 3 OF 3

SOIL BORING LOG

PROJECT : NAVY CLEAN NASD LOCATION : VIEQUES P.R. AOC-K

ELEVATION : DRILLING CONTRACTOR GEOWORKS

DRILLING METHOD AND EQUIPMENT USED :

WATER LEVELS : START : END : 1500 11/30/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
					SAND & GRAVEL AS ABOVE	
65						
					LIMESTONE, BLUISH TO GREENISH GRAY, MODERATELY HARD.	
70						AIR HAMMER RESISTING.
					HARD ROCK TO 74' BLS	
75						
80						
85						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-2 SHEET 1 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K (DOWNGRADIENT)

ELEVATION : DRILLING CONTRACTOR GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : HAS (8.5" DIA.) & AIR HAMMER

WATER LEVELS : ~52 BLS START : 1310 12/04/00 END : 1500 12/04/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone 0, Above Hole 0
					SAND AND GRAVEL, DARK ORANGISH RED, FINE TO COARSE SAND, FINE TO MED GRAVEL, LOOSE, DRY.	
						8.5" DIAM. AIR HAMMER
5						
10						
15					SAND WITH MINOR GRAVEL MED. ORANGISH RED, FINE TO MED. SAND . FINE GRAVEL , LOOSE, DF	
						NO CUTTINGS USING HSA.
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-2 SHEET 2 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K (DOWNGRADIENT)
ELEVATION : DRILLING CONTRACTOR GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : HAS (8.5" DIA.) & AIR HAMMER
WATER LEVELS : ~52 BLS START : 12/04/00 END : 1500 12/04/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
35					SAND WITH CLAY AND SILT. LOOSE, EVIDENCE OF MINOR MOISTURE CONTENT.	CLAY BALLS COMING OUT OF BOREHOLE. MINOR WATER
40						
45					SAND WITH MINOR CLAY. ORANGISH RED, V.FINE TO FINE GRAINS. MICA GRAINS EVIDENT (MUSCOVITE), NO EVIDENCE OF LS.	
50						WATER ENCOUNTERED E
55						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-2 SHEET 3 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K (DOWNGRADIENT)

ELEVATION : DRILLING CONTRACTOF GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : HAS (8.5" DIA.) & AIR HAMMER

WATER LEVELS : ~52 BLS START : 1310 12/04/00 END : 1500 12/04/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
65						
					SAND WITH MINOR GRAVEL INTERMITTENT LS. GRAY	
70						
					TD = 74' BLS	
75						
80						
85						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-3 SHEET 1 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K (UPGRADIENT)
ELEVATION : DRILLING CONTRACTOF GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : 8.25" DIA. HAS
WATER LEVELS : -52 BLS START : 1100 12/07/00 END : 1030 12/08/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
					SILTY SAND (SM), DARK REDDISH BROWN, MINOR CLAY CONTENT LOOSE DRY. MINOR GRAVEL	0 / 0
5						
					SAND (SP) WITH SOME GRAVEL , MED BROWN, LOOSE, MINOR CLAY.	
10						HOT AUGERS
					SAND (SP) AS ABOVE SOME CLAY BASIS	
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-3 SHEET 2 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K (UPGRADIENT)

ELEVATION : DRILLING CONTRACTOF GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : 8.25" DIA. HSA & AIR HAMMER

WATER LEVELS : ~52 BLS START : 12/07/00 END : 1500 12/04/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
35						
40						
45						
50					SAND (SP) SOME MINOR GRAVEL, FINE, LOOSE DRY	
55						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-3 SHEET 3 OF 3

SOIL BORING LOG

PROJECT : LOCATION : AOC-K UPGRADIENT

ELEVATION : DRILLING CONTRACTOR :

DRILLING METHOD AND EQUIPMENT USED :

WATER LEVELS : ~52 BLS START : END : 1030 12/08/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
65						WATER
70						
75					TD = 76' BLS	
80						
85						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-4 SHEET 1 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K (DOWNGRADIENT)

ELEVATION : DRILLING CONTRACTOF GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : 8.25" DIA HAS & AIR HAMMER

WATER LEVELS : ~52 BLS START : 1530 12/08/00 END : 1100 12/09/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
					FINE SAND & CLAY, RED BROWN, 5% MOISTURE CONTENT, LOOSELY PACKED EDING TO DRY.	0 / 0
5					FINE SAND & CLAY VERY HARD & DRY MEDIAM BROWN.	
10					FINE SAND & CLAY VERY HARD & DRY MEDIAM BROWN.	
15					FINE SAND & CLAY VERY HARD & DRY MEDIAM BROWN.	
20					FINE SAND & CLAY VERY HARD & DRY MEDIAM BROWN.	
25					FINE SAND & CLAY VERY HARD & DRY MEDIAM BROWN.	

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-4 SHEET 2 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K DOWNGRADIENT

ELEVATION : DRILLING CONTRACTOR GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : 8.25" DIA. HSA & AIR HAMMER

WATER LEVELS : START : 1530 12/08/00 END : 1100 12/09/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
					FINE SAND & CLAY VERY HARD & DRY MEDIAM BROWN.	
35						
40					SILTY SAND WITH SOME CLAY, ORANGISH BRO DRY, HARD.	
45						
50						WATER
55						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-4 SHEET 3 OF 3

SOIL BORING LOG

PROJECT : LOCATION : AOC-K UPGRADIENT

ELEVATION : DRILLING CONTRACTOR :

DRILLING METHOD AND EQUIPMENT USED :

WATER LEVELS : ~52 BLS START : END : 1100 12/09/00 LOGGER : MLW

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
65						
70					TD = 71' BLS	
75						
80						
85						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-5 SHEET 1 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K (DOWNGRADIENT)

ELEVATION : DRILLING CONTRACTOF GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : 8.25" OD HAS & 4" DIA. AIR HAMMER

WATER LEVELS : ~48 BLS START : 1200 12/09/00 END : 1100 12/11/00 LOGGER : MLW / A. CHANG

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone 0, Above Hole 0
					SILTY SAND WITH CLAY AND SOME GRAVEL LOOSE TO SEMI COMPACT, DRY.	
5						
						HAS
10						
15						
20						
						AIR HAMMER
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.FI.ZZ	AOC-K-MW-5 SHEET 2 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K DOWNGRADIENT

ELEVATION : DRILLING CONTRACTOF GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : 8.25" DIA. HSA & AIR HAMMER

WATER LEVELS : ~48' START : 12/09/00 END : 12/11/00 LOGGER : MLW / A. CHANG

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
35						
40					SAME AS LOGGED ABOVE	STOPPED ON 12/09/00 RIG BROKE DOWN. RESUMED DRILLING ON 12/11/00 @ 0900
45						
						WET CUTTINGS @ ~48'
50					SAME AS LOGGED ABOVE	
55						

CH2MHILL

PROJECT NUMBER	BORING NUMBER
160403.F1.ZZ	AOC-K-MW-5 SHEET 3 OF 3

SOIL BORING LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-K DOWNGRADIENT

ELEVATION : DRILLING CONTRACTOR GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : 8.25" DIA. HSA & AIR HAMMER

WATER LEVELS : ~48' BLS START : 12/09/00 END : LOGGER : MLW / A. CHANG

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone Above Hole
					SAME AS LOGGED ABOVE	
65						
						BORE HOLE COLLAPSED @ 70' WHILE TRYING TO PULL OUT EXTENSIONS @ 1515.
70						
75						
80						
85						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS01/SB01	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : SB/SS01, AOC L

ELEVATION : DRILLING CONTRACTOR IPSI (Abraham Nunez)

DRILLING METHOD AND EQUIPMENT USED SS Hand Auger / Geoprobe GH 40 Model number 5096 Macrocore and Macrocore liner

WATER LEVELS : START : 11/29/2000 END : 11/29/2000 LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-12"				Brown silty sand, well graded with some organic material	0 / 0 Sample collected 6"-10" @ 0945
5	4'-6'				Wet/saturated well graded light brown silty sand	0 / 0 Sample collected 5'-6' @ 1000
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS02/SB02	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD
LOCATION : SB/SS02, AOC L
ELEVATION :
DRILLING CONTRACTOR IPSI (Abraham Nunez)
DRILLING METHOD AND EQUIPMENT USED SS Hand Auger / Geoprobe GH 40 Model number 5096 Macrocore and Macrocore liner
WATER LEVELS :
START : 11/29/2000 END : 11/29/2000 LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Medium brown sandy silt with <5% clay fines. Moist with ssome organic material. Moist	0 / 0 sample collected 0-6" at 1015
	4'-6'				Slightly moist silty sand	0 / 0 sample collected 5'-6' at 1030
5						
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS03/SB03	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : SB/SS02, AOC L

ELEVATION : DRILLING CONTRACTOR IPSI (Abraham Nunez)

DRILLING METHOD AND EQUIPMENT USED SS Hand Auger / Geoprobe GH 40 Model number 5096 Macrocore and Macrocore liner

WATER LEVELS : START : 11/29/2000 END : 11/29/2000 LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Moist, brown sandy silt. Exhibits some cohesion and plasticity. Roots, organic materials interspersed. No gravel.	0 / 0 sample collected 0-6" at 1120
	3.5					
5	4'-6'				Reddish-medium brown sandy clayey silt. Exhibits plastic characteristics. Moist. Sand is poorly graded. All < 1mm Diameter	0 / 0 sample collected 5-6' @ 1135
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160.403.FI.ZZ	SS04/SB04	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD LOCATION : SB/SS02, AOC L

ELEVATION : DRILLING CONTRACTOR IPSI (Abraham Nunez)

DRILLING METHOD AND EQUIPMENT USED SS Hand Auger / Geoprobe GH 40 Model number 5096 Macrocore and Macrocore liner

WATER LEVELS : START : 11/29/2000 END : 11/29/2000 LOGGER : K. Karvazy

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				Moist medium brown sandy silty, poorly graded though no gravel-just sand particles.	0 / 0 sample collected at 1050 (MS/MSD)
	3'				Band of gravel at 3' mixed with sandy silt	
5						
	4'-6'				Saturation at approx. 5.5 feet. Light medium brown sandy silt with bands of clay. Cohesive/plastic properties.	0 / 0 sample collected at 1110 at 5-6'
10						
15						
20						
25						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS01	SHEET 1 OF 1

SOIL BORING LOG

PROJEC NASD, PHASE II LOCATION : NASD - AOC-R SSO1

ELEVATION : DRILLING CONTRACTOF NA

DRILLING METHOD AND EQUIPMENT USEC HAND AUGER, SS SPOON, SS BOWL

WATER LEVELS : START : 10:40 11/28/2000 END : 10:40 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-3"				REDDISH BROWN CLAYEY SAND WITH ROCK, ROOT	0 / 0
0.5	3-6"				BROWN CLAYEY SAND	SAMPLE TAKEN AT 6"-7"
1.0						
1.5						
2.0						
2.5					* NOTE: TOP 3 INCHES HAS CRUSHED GRAVEL BACKFILL	

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS02	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SSO2

ELEVATION : DRILLING CONTRACTOF CH2M HILL

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : START : 10:40 11/28/2000 END : 10:40 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				CRUSHED ROCK MIXED WITH ORGANIC SILTY CLAYEY SOIL.BROWN, SOME ROOT ORGANIC	0 / 0
0.5	6"				SAME AS ABOVE- NO ROOT, NO ROCKS	
1.0						
1.5						
2.0						
2.5					* NOTE: TOP 3 INCHES HAS CRUSHED GRAVEL BACKFILL	

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS03	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS03

ELEVATION : DRILLING CONTRACTOF NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : START : 11:00 11/28/2000 END : 11:10 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				SAME AS SS02. MORE ROCKY	0 / 0
0.5						
	6"-9"				CONTINUED GRAVEL. ROCKS WITH BROWN CLAYEY SOIL	
	9"-1'				BROWN CLAYEY SOIL, NO ROCKS. SAMPLE COLLECTED.	SAMPLE COLLECTED 1110
1.0						
1.5						
2.0						
2.5						
					ROCKS APPEAR TO BE GRAVEL BACKFILL	

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS04	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS04

ELEVATION : DRILLING CONTRACTOR :

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 11:00 11/28/2000 END : 11:15 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-8"				ROCKY, BROWN, CLAYEY SOIL. GRAVEL ALL THE WAY TO 8"	0 / 0
0.5						
	8"-10"				LESS GRAVEL, BROWNISH GREEN SOIL SAMPLE COLLECTED	SAMPLE COLLECTED 1115
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS05	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SSO5

ELEVATION : DRILLING CONTRACTOR NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 11/28/2000 END : LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				DARK BROWN, CLAYEY SAND MIXED WITH GRAVEL 1-3 CM D	0 / 0
0.5	6"-9"				SAME AS ABOVE. LESS GRAVEL	SAMPLE COLLECTED 1235
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS06	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SSO6

ELEVATION : DRILLING CONTRACTOF NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 12:15 END : 12:30 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-3"				BROWN, SANDY SILT AND GRAVEL	0 / 0
0.5	3"-7"				LIGHT BROWN SILTY-COARSE SAND. BROKEN ROCK < 1CM D. SPECKLED WHITE AND BROWN-COLORED ROCK	SAMPLE COLLECTED 1230
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS07	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SSO7

ELEVATION : DRILLING CONTRACTOR NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 11/28/2000 END : LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				LIGHT BROWN WITH SOME GRAVEL BACKFILL (1-3 CM)	0 / 0
0.5	6"-9"				COARSE SILTY SAND, LIGHT BROWN/OLIVE	SAMPLE COLLECTED 1245
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS08	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SSO8

ELEVATION : DRILLING CONTRACTOF NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 11/26/2000 END : LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				LIGHT BROWN (SAME AS SS07) GRAVEL EXTREMELY ROCKY FROM GRAVEL BACKFILL	0 / 0
0.5	6"-9"				SAME AS ABOVE, LESS GRAVEL	SAMPLE COLLECTED 1250
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS09	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SSO9

ELEVATION : DRILLING CONTRACTOF NA

DRILLING METHOD AND EQUIPMENT USEC HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 1305 END : 1315 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				LIGHT BROWN/OLIVE, SILTY SAND INTERSPARSED WITH BACKFILL GRAVEL	0 / 0
0.5	6"-9"				SAME AS BEFORE, LESS GRAVEL REPLACED WITH SILTY SAND	1315 SAMPLE COLLECTED
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS10	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS10

ELEVATION : DRILLING CONTRACTOR NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 11/28/00 END : LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				SAME AS SS07	0 / 0
0.5	6"-9"				SAME AS SS07	SAMPLE W/F.D. COLLECTED 1310
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS11	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS11

ELEVATION : DRILLING CONTRACTOR NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS . NA START : 11/28/00 END : LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				MEDIUM BROWN SILTY COARSE SAND MIXED WITH GRAVEL BACKFILL	0 / 0
0.5	6"-9"				SAME	SAMPLE COLLECTED 1400
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS12	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS12

ELEVATION : DRILLING CONTRACTOR NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 1400 END : 1410 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				BROWN-GREY SAND WITH SOME SILT AND GRAVEL BACKFILL	0 / 0
0.5	6"-9"				BROWNISH GREY SILTY SAND INTERSPARSED WITH CRUSHED ROCK < 1 CM.	SAMPLE COLLECTED 1410
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS13	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS13

ELEVATION : DRILLING CONTRACTOF NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 11/28/00 END : LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				LIGHT BROWN/OLIVE SAND INTERMIXED WITH COARSE GRAVEL AND ROCK	0 / 0
0.5	6"-9"				SAME AS ABOVE	1420 SAMPLE COLLECTED
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS14	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS14

ELEVATION : DRILLING CONTRACTOR NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 1425 END : 1435 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				BROWN SILTY CLAY WITH LESS THAN 5% COARSE SAND	0 / 0
0.5	0"-9"					SAMPLE COLLECTED 1435
						* NOTE: SAMPLE COLLECTION POINT AT A LOW AREA WITH MORE SEDIMEN THAN SURROUNDING POINTS.
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS15	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS15

ELEVATION : DRILLING CONTRACTOR NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 1425 11/28/2000 END : 1440 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				BROWN SILTY CLAY WITH SMALL QUANTITY (<5%) COARSE SAND AND GRAVEL	0 / 0
0.5	6"-9"				SAME	SAMPLE COLLECTED @ 1440
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS16	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS16

ELEVATION : DRILLING CONTRACTOF NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 11/28/2000 END : 1440 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-3"				BROWN CLAYEY SILT WITH ROCKS	0 / 0
0.5	3"-9"				<5" COARSE SAND, BROWN CLAYEY SILT	SAMPLE COLLECTED 6"-9" AT 1455 BY JH
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS17	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R SS17

ELEVATION : DRILLING CONTRACTOR NA

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 11/28/2000 END : 1500 LOGGER : K. KARVAZY

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-3"				SAME AS SS16	0 / 0
0.5	3"-9"				SAME AS SS16	SAMPLE COLLECTED 6"-9" @ 1500 BY JH
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOCRSS18	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R NASD

ELEVATION : DRILLING CONTRACTOR : N/A

DRILLING METHOD AND EQUIPMENT USED : HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 11/29/2000 END : 0900 LOGGER : E. ISERN

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				FILL ROCK - ANGULAR 0.5 CM- 1 CM	0 / 0
0.5						
	7"-12"				DARK BROWN, COARSE GRAVEL 1/2" W/BIGGER 1-2 CM ON THE SURFACE SOME CLAY	7"-12" SAMPLE COLLECTED AT 0900
					END OF BORING	
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	AOCRSS19	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R NASD

ELEVATION : DRILLING CONTRACTOF N/A

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 930 11/29/2000 END : 0935 LOGGER : E. ISERN

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS. TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				ROCKS 2-3 CM , ANGULAR WITH FILL MATERIAL, DARK BROWN, COARSE SANDY CLAY, SOME COHESION	0 / 0
0.5						
	7"-12"				SAMPLE, COARSE SANDY CLAY DARK BROWN , MOSTLY CLAY	7"-12" SAMPLE COLLECTED AT 0935
					END OF BORING	
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS20	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOCR-SS020

ELEVATION : DRILLING CONTRACTOF N/A

DRILLING METHOD AND EQUIPMENT USEC HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 11/29/2000 END : 0940 LOGGER : E. ISERN

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-3"				FILL ROCK	0 / 0
0.5	6"-9"				FILL ROCK W/DARK BROWN SILTY SAND TOOK SAMPLE	
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS21	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOC-R NASD

ELEVATION : DRILLING CONTRACTOF N/A

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 11/29/2000 END : 1030 LOGGER : E. ISERN

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-6"				FILL MATERIAL COARSE GRAVEL-FRAGMENTED ROCK 0.5-1.5 CM, SANDY CLAY, SOME SILT SOME ROOTS	0 / 0
0.5						
	7"-12"				COARSE SAND, DARK BROWN 0.5-1 CM PEBBLES	COLLECTED SAMPLE AT 1030
					END OF BORING	
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS22	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOCR-022

ELEVATION : DRILLING CONTRACTOR N/A

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 11/29/2000 END : 1025 LOGGER : JH

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-3"				FILL DIRT W/ROCK, (2-3 CM)	0 / 0
0.5	6"-9"				SAMPLED, REDDISH BROWN SILTY SAND W/HIGH ROCK CONTENT	
1.0						
1.5						
2.0						
2.5						

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS23	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOCR-023

ELEVATION : DRILLING CONTRACTOF N/A

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS NA START : 11/29/2000 END : 1040 LOGGER : JH

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone	Above Hole
	0-3"				FILL DIRT W/ROCK, SMALLER DIAMETER	0	0
0.5	6"-9"				REDDISH BROWN SAND FULL OF 1/2 CM ROCKS		
1.0							
1.5							
2.0							
2.5							

CH2MHILL

PROJECT NUMBER	BORING NUMBER	
160403.FI.ZZ	SS24	SHEET 1 OF 1

SOIL BORING LOG

PROJECT : NASD, PHASE II LOCATION : AOCR-024

ELEVATION : DRILLING CONTRACTOF N/A

DRILLING METHOD AND EQUIPMENT USED HAND AUGER, SS BOWL, SS SPOON

WATER LEVELS : NA START : 11/29/2000 END : 1110 LOGGER : JH

DEPTH BELOW SURFACE (FT)	INTERVAL (FT)	RECOVERY (IN)	#/TYPE	STANDARD PENETRATION TEST RESULTS 6"-6"-6"-6" (N)	CORE DESCRIPTION: SOIL NAME, USCS GROUP SYMBOL, COLOR, MOISTURE CONTENT, RELATIVE DENSITY, OR CONSISTENCY, SOIL STRUCTURE, MINERALOGY.	COMMENTS: DEPTH OF CASING, DRILLING RATE, DRILLING FLUID LOSS, TESTS, AND INSTRUMENTATION. OVM (ppm): Breathing Zone / Above Hole
	0-3"				FILL ROCK, GREYISH RED	0 / 0
0.5	6"-9"				REDDISH BROWN SAND 1/2 CM ROCKS. LARGER ROCKS, ALSO	
1.0						
1.5						
2.0						
2.5						

Appendix B
Well Construction Diagrams

PROJECT NUMBER	WELL NUMBER
160403.FI.ZZ	AOC-H MW-1 SHEET 1 OF 1

CH2MHILL

WELL COMPLETION DIAGRAM

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-H UPGRADIENT
DRILLING CONTRACTOR : GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : 8.25" ID HAS
WATER LEVELS : 10.1' BLS 12/5/00 START : 0830 12/6/00 END : 0950 12/6/00 LOGGER : MLW



1- Ground elevation at well: 8.976 FT AMSL

2- Top of casing elevation: 9.267 FT AMSL

3- Wellhead protection cover type: FLUSH MOUNT 8" DIAM.
a) drain tube?: NO
b) concrete pad dimensions: 2.5' X 2.5' X 4"

4- Dia./type of well casing: 2" PVC SCH 40

5- Type/slot size of screen: 2" DIAM. PVC SCH 40 10 SLOT

6- Type screen filter: WASHED BEACH SAND
a) Quantity used:

7- Type of seal: ENVIRO PLUG SODIUM BENT
a) Quantity used:

8- Grout
a) Grout mix used: CEMENT W/SAND
b) Method of placement: POUR
c) Vol. of well casing grout:

Development method: SEE WD LOG

Development time:

Estimated purge volume:

Comments:

TD = 20.1

PROJECT NUMBER	WELL NUMBER AOC-H-MW-2 SHEET 1 OF 1

CH2MHILL

WELL COMPLETION DIAGRAM

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-H DOWNGRADIENT
DRILLING CONTRACTOR : GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : 6.25" HAS
WATER LEVELS : 9' BLS START : 1320 12/6/00 END : 1420 12/6 LOGGER : MLW



1- Ground elevation at well: 3.371 FT AMSL

2- Top of casing elevation: 6.095 FT AMSL
a) vent hole?: NO

3- Wellhead protection cover type:
a) weep hole?: NO
b) concrete pad dimensions: 2.5' X 2.5' X 4"

4- Dia./type of well casing: 2" DIA. PVC SCH 40

5- Type/slot size of screen: 2" DIA. PVC SCH 40 10-SLOT

6- Type screen filter: WASHED BEACH SAND
a) Quantity used: 9 - 30 # BAGS

7- Type of seal: ENVIROPLUG SODIUM BENTONITE
a) Quantity used: 1/2 - 50 # BAG

8- Grout
a) Grout mix used: CEMENT W/ SAND
b) Method of placement: POUR
c) Vol. of well casing grout:

Development method: SEE WD LOG

Development time:

Estimated purge volume:

Comments:

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-H-MW-3	SHEET 1 OF 1

WELL COMPLETION DIAGRAM

PROJECT : NASD VIEQUES P.R.
LOCATION : AOC-H DOWNGRADIENT
DRILLING CONTRACTOR : GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : 8.2" OD HAS
WATER LEVELS : ~9 FT BTOC
START : 1130 12/6/00
END : 1600 12/7
LOGGER : MLW



1- Ground elevation at well	2.859 FT AMSL
2- Top of casing elevation	5.771 FT AMSL
a) vent hole?	NO
3- Wellhead protection cover type	
a) weep hole?	NO
b) concrete pad dimensions	2.5' X 2.5' X 4'
4- Dia./type of well casing	2" DIA. PVC SCH 40
5- Type/slot size of screen	2" DIA. PVC SCH 40 10-SLOT
6- Type screen filter	WASHED BEACH SAND
a) Quantity used	10 - 30 # BAGS
7- Type of seal	ENVIROPLUG SODIUM BENTONITE
a) Quantity used	1/2 - 50 # BAG
8- Grout	
a) Grout mix used	CEMENT W/ SAND
b) Method of placement	POUR
c) Vol. of well casing grout	
Development method	
Development time	
Estimated purge volume	
Comments	

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-H-MW-4	SHEET 1 OF 1

CH2MHILL

WELL COMPLETION DIAGRAM

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-H DOWNGRADIENT

DRILLING CONTRACTOR : GEOWORKS

DRILLING METHOD AND EQUIPMENT USED : 8.25" DIA. OD HAS

WATER LEVELS : ~11' BLS START : 0800 12/7/00 END : 1600 12/7 LOGGER : MLW



1- Ground elevation at well	4,294 FT AMSL
2- Top of casing elevation	6.71 FT AMSL
a) vent hole?	NO
3- Wellhead protection cover type	
a) weep hole?	NO
b) concrete pad dimensions	2.5' X 2.5' X 4"
4- Dia./type of well casing	2" DIA. SCH 40 PVC
5- Type/slot size of screen	2" DIA. SCH 40 PVC 10-SLOT
6- Type screen filter	WASHED SAND
a) Quantity used	
7- Type of seal	ENVIROPLUG SODIUM BENTONITE
a) Quantity used	
8- Grout	
a) Grout mix used	CEMENT W/ SAND
b) Method of placement	POUR
c) Vol. of well casing grout	
Development method	
Development time	
Estimated purge volume	

Comments

PROJECT NUMBER	WELL NUMBER
160403.FI.ZZ	AOC-J MW-1 SHEET 1 OF 1

CH2MHILL

WELL COMPLETION DIAGRAM

PROJECT : NASD Phase II
LOCATION : AOC-J MW-1 downgradient
DRILLING CONTRACTOR : Geoworks
DRILLING METHOD AND EQUIPMENT USED : HAS B-61
WATER LEVELS : 3.0 FT
START : 12/13/2000
END : 12-13-00
LOGGER : M. Clasen



1- Ground elevation at well: 1.519 FT AMSL

2- Top of casing elevation: 4.17 FT AMSL
a) vent hole?

3- Wellhead protection cover type: Steel above ground
a) weep hole?: no
b) concrete pad dimensions: 2.5 ft x 2.5 ft

4- Dia./type of well casing: 2" diameter SCH 40 PVC

5- Type/slot size of screen: 0.010 slot

6- Type screen filter: Washed sand & gravel
a) Quantity used: 4 bags

7- Type of seal: Enviro plug, sodium bentonite
a) Quantity used: 1/2 bag

8- Grout
a) Grout mix used: Cement w/ sand
b) Method of placement: pour
c) Vol. of well casing grout

Development method

Development time

Estimated purge volume

Comments: No sump on well

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-J MW-2	SHEET 1 OF 1

WELL COMPLETION DIAGRAM

PROJECT : NASD Phase II LOCATION : AOC-J Upgradient
DRILLING CONTRACTOR : Geoworks
DRILLING METHOD AND EQUIPMENT USED : HAS B-61
WATER LEVELS : 10.0 ft bls START : 12/12/2000 END : 12-12-00 LOGGER : M. Clasen



1- Ground elevation at well: 6.847 FT AMSL

2- Top of casing elevation: 9.657 FT AMSL
a) vent hole?

3- Wellhead protection cover type: Steel above ground
a) weep hole?: no
b) concrete pad dimensions: 2.5 ft x 2.5 ft

4- Dia./type of well casing: 2" diameter SCH 40 PVC

5- Type/slot size of screen: 2" diameter SCH 40 PVC
0.010 slot

6- Type screen filter: Washed sand & gravel
a) Quantity used: 4 bags

7- Type of seal: Enviro plug, sodium bentonite
a) Quantity used: 1/2 bag

8- Grout
a) Grout mix used: Cement w/ sand
b) Method of placement: pour
c) Vol. of well casing grout

Development method

Development time

Estimated purge volume

Comments: No sump on well

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-J MW-3	SHEET 1 OF 1

WELL COMPLETION DIAGRAM

PROJECT : NASD Phase II LOCATION : AOC-J
DRILLING CONTRACTOR : Geoworks
DRILLING METHOD AND EQUIPMENT USED : HAS B-61
WATER LEVELS : 12.55 ft bls START : 12/12/2000 END : 12-12-00 LOGGER : M. Clasen



1- Ground elevation at well: 7.39 FT AMSL

2- Top of casing elevation: 10.242 FT AMSL
a) vent hole?

3- Wellhead protection cover type: Steel above ground
a) weep hole?: no
b) concrete pad dimensions: 2.5 ft x 2.5 ft

4- Dia./type of well casing: 2" diameter SCH 40 PVC

5- Type/slot size of screen: 2" diameter SCH 40 PVC
0.010 slot

6- Type screen filter: Washed sand & gravel
a) Quantity used: 4 bags

7- Type of seal: Enviro plug, sodium bentonite
a) Quantity used: 1/2 bag

8- Grout
a) Grout mix used: Cement w/ sand
b) Method of placement: pour
c) Vol. of well casing grout

Development method

Development time

Estimated purge volume

Comments: No sump on well

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-J MW-4	SHEET 1 OF 1

WELL COMPLETION DIAGRAM

PROJECT : NASD Phase II LOCATION : AOC-J adjacent to waste
DRILLING CONTRACTOR : Geoworks
DRILLING METHOD AND EQUIPMENT USED : HAS B-61
WATER LEVELS : 8.0 ft bls START : END : LOGGER : M. Clasen



1- Ground elevation at well: 4.187 FT AMSL

2- Top of casing elevation: 6.759 FT AMSL
a) vent hole?

3- Wellhead protection cover type: Steel above ground
a) weep hole?: no
b) concrete pad dimensions: 2.5 ft x 2.5 ft

4- Dia./type of well casing: 2" diameter SCH 40 PVC

5- Type/slot size of screen: 2" diameter SCH 40 PVC
0.010 slot

6- Type screen filter: Washed sand & gravel
a) Quantity used: 4 bags

7- Type of seal: Enviro plug, sodium bentonite
a) Quantity used: 1/2 bag

8- Grout
a) Grout mix used: Cement w/ sand
b) Method of placement: pour
c) Vol. of well casing grout

Development method

Development time

Estimated purge volume

Comments: No sump on well

PROJECT NUMBER	WELL NUMBER
160403.FI.ZZ	MW-1 SHEET 1 OF 1

CH2MHILL

WELL COMPLETION DIAGRAM

PROJECT : NASD P.R. LOCATION : AOC-K VIEQUES P.R.
DRILLING CONTRACTOR : GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : HSA AIR ROTARY
WATER LEVELS : 51.7 BLS 12/1/2000 START : 0945 12/1/00 END : 1300 12/1/00 LOGGER : MLW



1- Ground elevation at well	56.444 FT AMSL
2- Top of casing elevation	56.641 FT AMSL
3- Wellhead protection cover type	FLUSH MOUNT 8" DIAM.
a) drain tube?	NO
b) concrete pad dimensions	2.5' X 2.5' X 4"
4- Dia./type of well casing	2" DIAM. SCH 40 PVC
5- Type/slot size of screen	2" DIAM. SCH 40 PVC 10 SLOT
6- Type screen filter	WASHED BEACH SAND
a) Quantity used	1 GAL (2.5 FT. CUBIC)
7- Type of seal	ENVIRO PLUG SODIUM BENT
a) Quantity used	1/4 50# BAG
8- Grout	
a) Grout mix used	NEAT CEMENT
b) Method of placement	POUR
c) Vol. of well casing grout	
Development method	
Development time	
Estimated purge volume	
Comments	

CH2MHILL

PROJECT NUMBER	WELL NUMBER
160403.FI.ZZ	AOC-K-MW-2 SHEET 1 OF 1

WELL COMPLETION DIAGRAM

PROJECT : NASD - VIEQUES P.R.
LOCATION : AOC-K DOWNGRADIENT
DRILLING CONTRACTOR : GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : 8.5 DIA. AIR HAMMER
WATER LEVELS :
START : 1500 12/4/00 END : 1600 12/4/00 LOGGER : MLW



1- Ground elevation at well	51.777 FFT AMSL
2- Top of casing elevation	51.928 FT AMSL
3- Wellhead protection cover type	FLUSH MOUNT 8" DIAM.
a) drain tube?	NO
b) concrete pad dimensions	2.5' X 2.5' X 4"
4- Dia./type of well casing	2" DIAM. SCH 40 PVC
5- Type/slot size of screen	2" DIAM. SCH 40 PVC 10 SLOT
6- Type screen filter	WASHED BEACH SAND
a) Quantity used	35 GAL (4.7 FT. CUBIC)
7- Type of seal	ENVIRO PLUG PELLETS
a) Quantity used	1/2 50# BAG
8- Grout	
a) Grout mix used	NEAT
b) Method of placement	POUR
c) Vol. of well casing grout	
Development method	BAILING AND PUMPING
Development time	
Estimated purge volume	

Comments

CH2MHILL

PROJECT NUMBER	WELL NUMBER
160403.FI.ZZ	AOC-K-MW-3 SHEET 1 OF 1

WELL COMPLETION DIAGRAM

PROJECT : NASD - VIEQUES P.R.
LOCATION : AOC-K
DRILLING CONTRACTOR : GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : 8.5 DIA. HAS
WATER LEVELS :
START : 1110 12/8/00 END : 1500 12/8/00 LOGGER : MLW



1- Ground elevation at well	61.956 FT AMSL
2- Top of casing elevation	62.133 FT AMSL
3- Wellhead protection cover type	8" DIA. FLUSH MOUNT
a) drain tube?	NO
b) concrete pad dimensions	2.5' X 2.5'
4- Dia./type of well casing	2" DIA. SCH 40 PVC
5- Type/slot size of screen	2" DIA. SCH 40 PVC 10 SLOT
6- Type screen filter	WASHED SAND AND GRAVEL
a) Quantity used	10 BAGS
7- Type of seal	ENVIRO PLUG SODIUM BENTONITE
a) Quantity used	1/2 50# BAG
8- Grout	
a) Grout mix used	CEMENT W/SAND
b) Method of placement	
c) Vol. of well casing grout	
Development method	
Development time	
Estimated purge volume	

Comments

CH2MHILL

PROJECT NUMBER	WELL NUMBER
160403.FI.ZZ	AOC-K-MW-4 SHEET 1 OF 1

WELL COMPLETION DIAGRAM

PROJECT : NASD - VIEQUES P.R.
LOCATION : AOC-K DOWNGRADIENT
DRILLING CONTRACTOR : GEOWORKS
DRILLING METHOD AND EQUIPMENT USED : 8.5 DIA. HAS
WATER LEVELS :
START : 1110 12/09/00 END : 1500 12/09/00 LOGGER : MLW



1- Ground elevation at well	52.152 FT AMSL
2- Top of casing elevation	52.364 FT AMSL
3- Wellhead protection cover type	8" DIA. FLUSH MOUNT
a) drain tube?	NO
b) concrete pad dimensions	2.5' X 2.5' X 4"
4- Dia./type of well casing	2" DIA. SCH 40 PVC
5- Type/slot size of screen	2" DIA. SCH 40 PVC 10 SLOT
6- Type screen filter	WASHED SAND AND GRAVEL
a) Quantity used	10 - 30 # BAGS
7- Type of seal	ENVIRO PLUG SODIUM BENTONITE
a) Quantity used	1/2 50# BAG
8- Grout	
a) Grout mix used	
b) Method of placement	
c) Vol. of well casing grout	
Development method	
Development time	
Estimated purge volume	

Comments

CH2MHILL

PROJECT NUMBER	WELL NUMBER
160403.FI.ZZ	AOC-K-MW-5 SHEET 1 OF 1

WELL COMPLETION DIAGRAM

PROJECT : NASD - VIEQUES P.R.
DRILLING CONTRACTOR : GEOWORKS
LOCATION : AOC-K DOWNGRADIENT
DRILLING METHOD AND EQUIPMENT USED : MOBILE DRILL 8.25" DIA. HAS W/AIR HAMMER
WATER LEVELS : NA
START : 12/11/2000 END : 12/12/00 LOGGER : MLW / A.CHANG



1- Ground elevation at well: 48.393 FT AMSL

2- Top of casing elevation: 48.531 FT AMSL

3- Wellhead protection cover type: 8" DIA. FLUSH MOUNT
a) drain tube?: NO
b) concrete pad dimensions: 2.5' X 2.5' X 4'

4- Dia./type of well casing: 2" DIA. SCH 40 PVC

5- Type/slot size of screen: 2" DIA. SCH 40 PVC 10 SLOT

6- Type screen filter: WASHED SAND AND GRAVEL
a) Quantity used: 10 - 30 # BAGS

7- Type of seal: ENVIRO PLUG SODIUM BENTONITE
a) Quantity used: 1/2 50# BAG

8- Grout
a) Grout mix used
b) Method of placement
c) Vol. of well casing grout

Development method

Development time

Estimated purge volume

Comments

Appendix C
Well Development Records

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-H MW-1	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-H UPGRADIENT
DEVELOPMENT CONTRACTOR : CH2MHILL
DEVELOPMENT METHOD AND EQUIPMENT USED : TEFLON BAILER
START WATER LEVELS : ~10' BLS START : 1550 12/06/00 END : 1618 12/9 LOGGER : MLW

MAXIMUM DRAWDOWN DURING PUMPING: NA
RANGE AND AVERAGE DISCHARGE RATE: 0.1 GPM → 0.5 GPM
TOTAL QUANTITY OF WATER DISCHARGED: 29 GAL
DISPOSITION OF DISCHARGE WATER: SEMI CLEAR

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
12/6 1550	0	~10' BLS					START BAILER
1630	15/15	DRY					STOP
12/7 910	0/15	10.37 BTOC					START BAILER
935	10/25	DRY					STOP
12/9 1225	0/25		560	30.5	8.06	1462	START PERISTALTIC
1250	0/27	DRY		31.3	8	1435	
1610	0/27		1593	30.12	8.35	1814	START/SLIGHT TURBIDITY
1615			1387	30.13	8.43	1795	CLEARING UP/
1618	2/29	DRY					STOP
		COMPLETED					

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-H MW-2	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD VIEQUES P.R LOCATION : AOC-H UPGRADIENT

DEVELOPMENT CONTRACTOR : CH2MHILL

DEVELOPMENT METHOD AND EQUIPMENT USED : BAILER PERISTATIC PUMP

START WATER LEVELS : ~7' BLS START : 1340 12/08/00 END : 1530 12/9 LOGGER : MLW

MAXIMUM DRAWDOWN DURING PUMPING: NA

RANGE AND AVERAGE DISCHARGE RATE: 0.1 GPM → 0.5 GPM

TOTAL QUANTITY OF WATER DISCHARGED: 20 GAL

DISPOSITION OF DISCHARGE WATER: SEMI CLEAR TO CLEAR

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
12/8 1345	0						START BAILER MED ODOR
1400	10/10 DRY						
12/9 1450	0/10		560	30.5	8.06	1462	START PERISTATIC PUMP
1515			560	30.5	8.06	1462	
1530	10/20		560	30.5	8.06	1462	STOP CLEAR
		COMPLETED					

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-H MW-3	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-H DOWNGRADIENT

DEVELOPMENT CONTRACTOR : CH2MHILL

DEVELOPMENT METHOD AND EQUIPMENT USED : BAILER AND PERISTATIC PUMP

START WATER LEVELS : 8.8 FT BTOC START : 0900 12/07/00 END : 1416 12/7 LOGGER : MLW

MAXIMUM DRAWDOWN DURING PUMPING: NA

RANGE AND AVERAGE DISCHARGE RATE: NA

TOTAL QUANTITY OF WATER DISCHARGED: 25 GAL

DISPOSITION OF DISCHARGE WATER: SEMI CLEAR

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
12/7/00 0900	0						START BAILER
0935	10/10						STOP
12/8/00 1430							START BAILER
1500	10/20 DRY						STOP TURBID
12/9/00 1411			1582	27.6	7.58	6702	START PERISTATIC PUMP
1420			1582	27.56	7.55	6433	
1440			1580	27.31	7.55	6115	
1446	5/25 DRY		1209	27.37	7.53	6012	STOP: SEMI CLEAR

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-H MW-4	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD VIEQUES P.R. LOCATION : AOC-H-MW-4 DOWNGRADIENT

DEVELOPMENT CONTRACTOR : CH2MHILL

DEVELOPMENT METHOD AND EQUIPMENT USED : PERISTATIC PUMP / GEOPUMP

START WATER LEVELS : 7.66 FT BTOC START : 1530 12/08/00 END : LOGGER : MLW

MAXIMUM DRAWDOWN DURING PUMPING: NA

RANGE AND AVERAGE DISCHARGE RATE: NA

TOTAL QUANTITY OF WATER DISCHARGED: 7 GAL

DISPOSITION OF DISCHARGE WATER: SEMI CLEAR TO TURBID

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
12/8/00 1530	0						START BAILING
1600	5/5 DRY						STOP TURBID
12/9/00 1300							START PERISTATIC PUMP
1315	1/6 DRY		1584	28.2	7.34	13,279	STOP
12/9/00 1530			1584	28.5	7.4	14,813	START PERISTATIC PUMP
1535			1583	27.9	7.34	14,920	APPARIANCE BROWN, MURKY
1540	1/7 DRY		1582	27.8	7.4	10,640	STOP SEMI CLEAR TO TURBID

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-J-MW-1	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD, Vieques LOCATION : AOC-J

DEVELOPMENT CONTRACTOR : NA

DEVELOPMENT METHOD AND EQUIPMENT USED : Geopump

START WATER LEVELS : START : 1453 12/14/00 END : 1505 12/14/00 LOGGER : ELC

MAXIMUM DRAWDOWN DURING PUMPING:

RANGE AND AVERAGE DISCHARGE RATE 0.2 gal/min

TOTAL QUANTITY OF WATER DISCHARGE 0.75 gals

DISPOSITION OF DISCHARGE WATER: Red color.

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
1711	0.2		1558.4	26.48	7.49	35444	
1721	2.2		1556.9	25.35	7.46	39233	
1726	3.2		1462	25.9	7.56	39114	
1732	4.4		318	25.6	7.58	37343	
1737	5.4		291.1	25.2	7.58	39303	Red color. Well purged dry.
1740	6		Finish Developing				
			Purge rate - 20 gals/min				

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-J-MW-2	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD, Vieques LOCATION : AOC-J
DEVELOPMENT CONTRACTOR :
DEVELOPMENT METHOD AND EQUIPMENT USED : Geopump
START WATER LEVELS : START : 1440 12/14/00 END : 1510 12/14/ LOGGER : J. Hayes

MAXIMUM DRAWDOWN DURING PUMPING NA
RANGE AND AVERAGE DISCHARGE RATE 0.2 gal/min
TOTAL QUANTITY OF WATER DISCHARGE 5 gals
DISPOSITION OF DISCHARGE WATER: Clear on surface, reddish color as you go down closer to ground level, purged dry.

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
1445	0.5		1554.1	27.63	7.67	15729	Red color (clay)
1507	4.4		1566.8	27.69	7.64	16383	Red color (clay)

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-J-MW-3	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD, Vieques LOCATION : AOC-J

DEVELOPMENT CONTRACTOR :

DEVELOPMENT METHOD AND EQUIPMENT USED : Geopump

START WATER LEVELS : START : 1453 12/14/00 END : 1505 12/14/ LOGGER : ELC

MAXIMUM DRAWDOWN DURING PUMPING:

RANGE AND AVERAGE DISCHARGE RATE 0.2 gal/min

TOTAL QUANTITY OF WATER DISCHARGE 0.75 gals

DISPOSITION OF DISCHARGE WATER: Red color. Well purged dry.

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
1453	0.5						Red color/clay sediment

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-J-MW4	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD, Vieques LOCATION : AOC-J
DEVELOPMENT CONTRACTOR : CH2M HILL
DEVELOPMENT METHOD AND EQUIPMENT USED : Geopump
START WATER LEVELS : START : 1530 12/14/00 END : 1602 12/14/ LOGGER : J. Hayes

MAXIMUM DRAWDOWN DURING PUMPING:
RANGE AND AVERAGE DISCHARGE RATE 0.2 gal/min
TOTAL QUANTITY OF WATER DISCHARGE 6.4 gallons
DISPOSITION OF DISCHARGE WATER: Clearing at end

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
1530	0.4		1565.3	27.79	7.37	25701	Red color, clay content
1540	2		1561.8	27.65	7.48	26331	
1544	2.8		1564.1	27.6	7.45	26281	
1548	3.6		458.1	27.64	7.42	26130	
1550	4		465.4	27.84	7.49	25710	
1556	5.2		110.1	27.88	7.54	25531	
1600	6		83.1	27.9	7.52	25562	
1602	6.4		78.1	27.25	7.43	25448	

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	MW-1	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD LOCATION : AOC-K VIEQUES P.R.

DEVELOPMENT CONTRACTOR : CH2MHILL

DEVELOPMENT METHOD AND EQUIPMENT USED : TEFLON BAILER

START WATER LEVELS : 51.63 FT. BLS START : 1110 12/03/00 END : LOGGER : MLW

MAXIMUM DRAWDOWN DURING PUMPING: NA

RANGE AND AVERAGE DISCHARGE RATE: 0.5 GPM

TOTAL QUANTITY OF WATER DISCHARGED: 66 GAL

DISPOSITION OF DISCHARGE WATER: VERY SANDY AND TURBID AT START OF BAILING

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
12/04/2000 0940	MORNING WL	51.63' BLS					
1110	START 0						
1200	STOP 5/5						5 GALLONS SILTY
1330	START 5/5						
1600	STOP 20/25						20 GALLONS SLIGHTLY SILTY
12/05/2000 0730	START						
0845	STOP 2/45						20 GALLONS TURBID SL. SILTY
1000	START						
1030	STOP 10/55						10 GALLONS
1320	START						
1355	STOP 6/61	COLLECT BTEX SAMPLE					
12/07/2000 1600							START BAILER
1645	5/66						STOP TURBID W/ MINOR SILT.
							12/09/2000

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	MW-2	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD VIEQUES, P.R. LOCATION : AOC-K VIEQUES P.R.
DEVELOPMENT CONTRACTOR : CH2MHILL
DEVELOPMENT METHOD AND EQUIPMENT USED : BAILER (TEFLON)
START WATER LEVELS : 51.63 FT. BLS START : 1200 12/05/00 END : LOGGER : MLW

MAXIMUM DRAWDOWN DURING PUMPING: NA
RANGE AND AVERAGE DISCHARGE RATE: NA
TOTAL QUANTITY OF WATER DISCHARGED: 47.35 GAL
DISPOSITION OF DISCHARGE WATER: TURBID

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
12/05/2000 1200	START						
1415	STOP	COLLECT SCREENING BTEX					15 GALLONS BROWN & TURBID
12/06/2000 945	47.35						START BAILING

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-K-MW-3	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD VIEQUES, P.R. LOCATION : AOC-K VIEQUES P.R.

DEVELOPMENT CONTRACTOR : CH2MHILL

DEVELOPMENT METHOD AND EQUIPMENT USED : BAILER

START WATER LEVELS : 51.63 FT. BLS START : 1630 12/08/00 END : LOGGER : MLW

MAXIMUM DRAWDOWN DURING PUMPING: NA

RANGE AND AVERAGE DISCHARGE RATE: NA

TOTAL QUANTITY OF WATER DISCHARGED: 3 GAL

DISPOSITION OF DISCHARGE WATER: NA

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
12/08/2000 1630	0						START BAILING
1700	3/3 DRY						STOP

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-K-MW-4	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD VIEQUES, P.R. LOCATION : AOC-K VIEQUES P.R.
DEVELOPMENT CONTRACTOR : CH2MHILL
DEVELOPMENT METHOD AND EQUIPMENT USED : BAILER
START WATER LEVELS : 51.63 FT. BLS START : 12/12/00 END : LOGGER : A. CHANG

MAXIMUM DRAWDOWN DURING PUMPING: NA
RANGE AND AVERAGE DISCHARGE RATE: NA
TOTAL QUANTITY OF WATER DISCHARGED: 10 GAL
DISPOSITION OF DISCHARGE WATER: CONTINUE FROM DEVELOPMENT PERFORMED BY M. WEATHERBY

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
1130	1 GAL		—	—	—	—	OPAQUE BROWN, HEAVY
1140	2 GAL						W/ SEDIMENT
1150	3 GAL						
1200	4 GAL						
1215	5 GAL						
1230	6 GAL						
1240	7 GAL						
1250	8 GAL						
1300	9 GAL						
1310	10 GAL						

* NOTE: DID NOT TAKE READINGS BECAUSE DID NOT WANT TO DAMAGE A MEMBRANE ON YSI. ALSO, H2O WAS HEAVY W/ SILT AND SEDIMENT. WATER DID NOT CLEAR UP AFTER DEVELOPMENT.

CH2MHILL

PROJECT NUMBER	WELL NUMBER	
160403.FI.ZZ	AOC-K-MW-5	SHEET 1 OF 1

WELL DEVELOPMENT LOG

PROJECT : NASD VIEQUES, P.R. LOCATION : AOC-K, VIEQUES P.R.
DEVELOPMENT CONTRACTOR : CH2MHILL
DEVELOPMENT METHOD AND EQUIPMENT USED : BAILER
START WATER LEVELS : 51.63 FT. BLS START : 12/18/00 END : 12/18/00 LOGGER : E. ISERN

MAXIMUM DRAWDOWN DURING PUMPING: NA
RANGE AND AVERAGE DISCHARGE RATE: NA
TOTAL QUANTITY OF WATER DISCHARGED: 25 GAL
DISPOSITION OF DISCHARGE WATER: CONTINUE FROM DEVELOPMENT PERFORMED BY M. WEATHERBY

Time	Water Volume Discharged (gal)	Water Level (ft BTOC)	Turbidity (NTU)	Temperature (°C)	pH	Conductivity (µmhos/cm)	Remarks (color, odor, sheen, sediment, etc.)
0900	1 GAL		—	—	—	—	OPAQUE LIGHT BROWN, HEAVY
920	5 GAL		↓	↓	↓	↓	W/ SEDIMENT
940	10 GAL		↓	↓	↓	↓	↓
1000	15 GAL		↓	↓	↓	↓	↓
1020	20 GAL		↓	↓	↓	↓	↓
1040	25 GAL		↓	↓	↓	↓	↓
* NOTE: DID NOT TAKE READINGS BECAUSE DID NOT WANT TO DAMAGE A MEMBRANE ON YSI. ALSO, H2O WAS HEAVY W/ SILT AND SEDIMENT. WATER DID NOT CLEAR UP AFTER DEVELOPMENT.							

Appendix D
Monitoring Well Purging and Sampling Logs

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER: AOC-H-MW01	SITE: AOC-H POWER PLANT
FIELD CREW: ALLYIE CHANG	(leave blank if on previous page)

		CASING DIA		GAL/FT OF CASING	
DEPTH TO WATER (FT):	9.55				
WELL DEPTH (FT):	-20.1	2 IN.		0.1632	
WATER COLUMN (FT):	= 10.55	4 IN.		0.6528	
GAL/FT OF CASING	x .1632	6 IN.		1.4688	
CASING VOLUME (GAL)	= 1.72	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x 3	10 IN.		4.0797	
PURGE VOLUME (GAL)	= 5	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. PERIST.	OTHER:	BAILER : TEFLON, SS ,OTHER:	
TIME ON: 1730		BAILER VOL.. (gal)	.25 / .33
FLOW RATE (gpm): 0.2 GPM		REQUIRED PULLS:	
PUMP TIME (min): 11 MIN.		VOL. PURGED (gals):	
VOL. PURGED (gals): 5 GAL		OTHER:	

FIELD PARAMETERS	FIELD MEASUREMENTS					WITHIN10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1800	1810				
VOL. (gal)	3.5	5				
pH (s.units)	8.07	8.08				
ORP (mV)	-80.6	-49.3				
TEMP.(C)	29.19	28.85				
Salinity (ppt)	——	——			PURGED DRY	
DO (mg/L)	0.15	0.17				
Turbidity (NTU)	114.1	227.5				
COND.(umhos/cm)	1443	1454				

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE) : VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,**0.45um**, OTHER:

OBSERVATIONS

COLOR: **CLEAR** , AMBER , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: **NONE** , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: **NONE** , LOW , MEDIUM , HIGH , VERY TURBID. HEAVY SILTS

COMMENTS:

COLLECTED DISS. METALS ONLY. WILL COME BACK AND SAMPLE REST OF PARAMETERS TOMORROW AND ALLOW WELL TO RECHARGE.

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT **SEE BACK OF SHT** Y / N.

Q.C. SAMPLE TYPE: DUPUCATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/16/2000 / @ 1815

SIGNED/SAMPLER: BA CHANG

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER: AOC-H-MW01	SITE: AOC-H
FIELD CREW:	(leave blank if on previous page)

		CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):	10.1				
WELL DEPTH (FT):	-20.1	2 IN.		0.1632	
WATER COLUMN (FT):	= 10	4 IN.		0.6528	
GAL/FT OF CASING	x 0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	= 1.6	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x NA	10 IN.		4.0797	
PURGE VOLUME (GAL)	= 1.8	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. PERIST.	OTHER:	BAILER : TEFLON, SS ,OTHER:
TIME ON: 1705		BAILER VOL.. (gal) .25 / .33
FLOW RATE (gpm): 0.2 GPM		REQUIRED PULLS:
PUMP TIME (min): 35		VOL. PURGED (gals):
VOL. PURGED (gals): 1.8 GAL		OTHER:

FIELD PARAMETERS	FIELD MEASUREMENTS					WITHIN10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1715	1730	1740			
VOL. (gal)	0.5	1.0	1.8			
pH (s.units)	8.04	8.12	8.07			
ORP (mV)	107.0	131.7	141.5			
TEMP.(C)	28.99	28.89	28.9			
Salinity (ppt)	——	——	——			
DO (mg/L)	3.14	2.33	2.57			
Turbidity (NTU)	203.9	187.0	110.8			
COND.(umhos/cm)	1542.0	1490.0	1549.0			

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE) :VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , TAN , BROWN , GREY , MILKY WHITE ,**OTHER: SLIGHTLY CLOUDY**

ODOR: **NONE** , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , **LOW** , MEDIUM , HIGH , VERY TURBID. HEAVY SILTS

COMMENTS: **WELL PURGED DRY YESTERDAY (12/18/00). WILL NOT PURGE THREE VOLUMES BUT WILL COLLECT SAMPLE.**
COLLECTED VOC, SVDC5, PEST/PCBS, METS.

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. **SEE BACK OF SHT** Y / N.

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/19/2000 / @ 1740

SIGNED/SAMPLER: BA CHANG

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER: AOC-H-MW02	SITE: AOC-H POWER PLANT
FIELD CREW: ALLYIE CHANG	(leave blank if on previous page)

		CASING D.A.		GAL/FT OF CASING	
DEPTH TO WATER (FT):	7.05				
WELL DEPTH (FT):	-20.75	2 IN.		0.1632	
WATER COLUMN (FT):	= 13.70	4 IN.		0.6528	
GAL/FT OF CASING	x .1632	6 IN.		1.4688	
CASING VOLUME (GAL)	= 2.23	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x 3	10 IN.		4.0797	
PURGE VOLUME (GAL)	= 6	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. **PERIST.**	**OTHER:**	**BAILER** : TEFLON, SS ,OTHER:
TIME ON: 1830		BAILER VOL.. (gal) .25 / .33
FLOW RATE (gpm): 0.2		REQUIRED PULLS:
PUMP TIME (min): 105 MIN (ON/OFF)		VOL. PURGED (gals):
VOL. PURGED (gals): 6 GAL		OTHER:

FIELD PARAMETERS	FIELD MEASUREMENTS					WITHIN±0% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1845	1910	1935			
VOL (gal)	2.5	4	6			
pH (s.units)	7.32	7.23	7.4			
ORP (mV)	153	3.8	27.8	PURGED DRY		
TEMP.(C)	26.47	26.28	26.26			
Salinity (ppt)	—	—	—			
DO (mg/L)	0.26	0.69	3.94			
Turbidity (NTU)	26.0	53.2	15.4			
COND.(umhos/cm)	7400.0	7563.0	7105.0			

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE) : VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , **TAN** , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: **NONE** , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , LOW , **MEDIUM** , HIGH , VERY TURBID. HEAVY SILTS

COMMENTS:

SAMPLES SLIGHTLY CLOUDY, WELL PURGED DRY WHILE SAMPLING.
WAS ABLE TO FINISH TAKING SAMPLES AFTER LETTING WELL RECHARGE.

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ETC. **SEE BACK OF SHT Y / N.**

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/19/2000 / @ 1940

SIGNED/SAMPLER: BA CHANG

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER: AOC-H-MW03	SITE: AOC-H POWER PLANT
FIELD CREW: E. ISERN, E. CABALE	(leave blank if on previous page)

		CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):	6.48				
WELL DEPTH (FT):	-22.02	2 IN.		0.1632	
WATER COLUMN (FT):	= 16.54	4 IN.		0.6528	
GAL/FT OF CASING	x .1632	6 IN.		1.4688	
CASING VOLUME (GAL)	= 2.699	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x 3	10 IN.		4.0797	
PURGE VOLUME (GAL)	= 8.2	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. PERIST.	**OTHER:**	**BAILER** : TEFLON, SS ,OTHER:
TIME ON: 1608		BAILER VOL.. (gal) .25 / .33
FLOW RATE (gpm): 0.2		REQUIRED PULLS:
PUMP TIME (min): 50 MIN		VOL. PURGED (gals):
VOL. PURGED (gals): 8.2 GAL		OTHER:

FIELD PARAMETERS	FIELD MEASUREMENTS					WITHIN 10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1618	1628	1638	1648	1658	
VOL. (gal)	1.6	3.2	4.2	5.8	8.2	
pH (s.units)	7.83	7.5	7.85	7.74	7.83	
ORP (mV)	285.3	290.3	275.5	265.6	250.8	
TEMP.(C)	26.66	26.48	26.76	26.45	26.52	
Salinity (ppt)	4949	4853	4464	4815	5127	
DO (mg/L)	10.21	8.39	10.09	5.15	8.37	
Turbidity (NTU)	1575.7	1222.4	760.0	1574.5	1573.6	
COND.(umhos/cm)	5085	5015	5266	4946	5284	

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE) : VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,**0.45um**, OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , **TAN** , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: **NONE** , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , **LOW** , MEDIUM , HIGH , VERY TURBID. HEAVY SILTS

COMMENTS:

WELL DRIED OUT TAKING SAMPLES. WAITED 1 HOUR FOR RECHARGE AND FINISHED SAMPLING.

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. **SEE BACK OF SHT** Y / **N.**

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER : MS, MSD, FD

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/19/2000 / @ 1600

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER: AOC-H-MW04	SITE: AOC-H POWER PLANT
FIELD CREW: E. ISERN, E. CABALE	(leave blank if on previous page)

		CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):	7.4				
WELL DEPTH (FT):	-22.26	2 IN.		0.1632	
WATER COLUMN (FT):	= 14.86	4 IN.		0.6528	
GAL/FT OF CASING	x .1632	6 IN.		1.4688	
CASING VOLUME (GAL)	= 2.425	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x 2.4	10 IN.		4.0797	
PURGE VOLUME (GAL)	= 5.8	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. PERIST.		OTHER:	BAILER : TEFLON, SS ,OTHER:	
TIME ON:	1752		BAILER VOL. (gal)	.25 / .33
FLOW RATE (gpm):	0.2		REQUIRED PULLS:	
PUMP TIME (min):	65 MIN		VOL. PURGED (gals):	
VOL. PURGED (gals):	5.8		OTHER:	

FIELD PARAMETERS	FIELD MEASUREMENTS					WITHIN10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1802	1812	1817			
VOL. (gal)	2.4	4.8	5.8			
pH (s.units)	7.53	7.56	7.74		PURGED DRY	
ORP (mV)	242.5	235.8	258			
TEMP.(C)	26.48	26.49	26.48			
Salinity (ppt)	8551	8555	8883			
DO (mg/L)	7.09	4.54	8.37			
Turbidity (NTU)	1574.3	678.2	1574.5			
COND.(umhos/cm)	8844	8854	9138			

SAMPLE PARAMETERS (GRAB OR COMPOSITE): VOC, SVOC, PEST, PCB, MET, FLT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: NONE , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , LOW , MEDIUM , HIGH , VERY TURBID, HEAVY SILTS

COMMENTS:

AN OILY SHEEN WAS OBSERVED IN THE RECEIVING DRUM. NO ODOR WAS DETECTED.
COULD ONLY PURGE 5.8 GAL BEFORE RUNNING WELL DRY.

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. SEE BACK OF SHT Y / N.

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER : MS, MSD, FD

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/19/2000 / @ 1830

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT#____160403.FI.ZZ

WELL NUMBER:	MW01	**SITE:**	AOC-J Disposal Site
FIELD CREW:	E. Isern, E. Cabale		(leave blank if on previous page)

			CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):	=	4.64				
WELL DEPTH (FT):	-	11.58	2 IN.		0.1632	
WATER COLUMN (FT):	=	6.94	4 IN.		0.6528	
GAL/FT OF CASING	x	0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	=	1.133	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x	2.6	10 IN.		4.0797	
PURGE VOLUME (GAL)	=	3	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. **PERIST.**		**OTHER:**	**BAILER** : TEFLON, SS, OTHER:
TIME ON:	1031		BAILER VOL. (gal) .25 / .33
FLOW RATE (gpm):	0.2 GPM		REQUIRED PULLS:
PUMP TIME (min):	15 MIN		VOL. PURGED (gals):
VOL. PURGED (gals):	3 GAL		OTHER:

FIELD PARAMETERS	**FIELD MEASUREMENTS**					WITHIN10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1038	1042	1044			
VOL (gal)	0.3	2.6	3			
pH (s.units)	6.7	6.67	6.63			
ORP (mV)	273.1	194.9	167.4			
TEMP.(C)	27.1	26.88	26.37			
Salinity (ppt)	37284	36940	37027			
DO (mg/L)	6.54	8.41	7.84			
Turbidity (NTU)	6.66	55	40.6			
COND.(umhos/cm)	38645	38332	38227			

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE) : VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , TAN , BROWN , GREY , MILKY WHITE , **OTHER: LIGHT GREY**

ODOR: **NONE** , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , **LOW** , MEDIUM , HIGH , VERY TURBID. HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. **SEE BACK OF SHT** Y / N.

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/18/2000 / @ 1050

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FLZZ

WELL NUMBER:	MW02	**SITE:**	AOC-J Disposal Site
FIELD CREW:	E. Isern, E. Cabale		(leave blank if on previous page)

			CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):	=	10.14				
WELL DEPTH (FT):		21.34	2 IN.		0.1632	
WATER COLUMN (FT):	=	11.2	4 IN.		0.6528	
GAL/FT OF CASING	x	0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	=	1.83	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x	1.3	10 IN.		4.0797	
PURGE VOLUME (GAL)	=	2.4	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. **PERIST.**		**OTHER:**	**BAILER :** TEFLON, SS , OTHER:
TIME ON:	1411		BAILER VOL.. (gal) .25 / .33
FLOW RATE (gpm):	0.2 GPM		REQUIRED PULLS:
PUMP TIME (min):	15 MIN		VOL. PURGED (gals):
VOL. PURGED (gals):	2.4 GAL		OTHER:

FIELD PARAMETERS	FIELD MEASUREMENTS					WITHIN10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1414	1417	1421			
VOL. (gal)	0.7	1.3	2			
pH (s.units)	7.39	6.99	6.88			
ORP (mV)	23.7	-39.1	-57.7			
TEMP.(C)	34.15	29.33	27.78			
Salinity (ppt)	17038	18757	19855			
DO (mg/L)	5.68	9.77	8.67			
Turbidity (NTU)	1589.9	760.7	565.4			
COND.(umhos/cm)	18849	19719	19814			

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE) : VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , TAN , BROWN , GREY , MILKY WHITE , **OTHER: LIGHT BROWN**

ODOR: **NONE** , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , LOW , MEDIUM , HIGH , **VERY TURBID.** HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. **SEE BACK OF SHT Y / N.**

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/18/2000 / @ 1430

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER:	MW03	**SITE:**	AOC-J Disposal Site
FIELD CREW:	E. Isern, E. Cabale		(leave blank if on previous page)

		CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):	= 10.62				
WELL DEPTH (FT):	23.05	2 IN.		0.1632	
WATER COLUMN (FT):	= 12.4	4 IN.		0.6528	
GAL/FT OF CASING	x 0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	= 2.03	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x 1.1	10 IN.		4.0797	
PURGE VOLUME (GAL)	= 2.3	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. **PERIST.**	**OTHER:**	**BAILER** : TEFLON, SS ,OTHER:
TIME ON: 1525		BAILER VOL.. (gal) .25 / .33
FLOW RATE (gpm): 0.2 GPM		REQUIRED PULLS:
PUMP TIME (min): 17 MIN		VOL. PURGED (gals):
VOL. PURGED (gals): 2.3 GAL		OTHER:

FIELD PARAMETERS	FIELD MEASUREMENTS 1st	2nd	3rd	4th	5th	WITHIN10% Y / N 6th
TIME	1530	1533	1540			
VOL. (gal)	1	1.5	2.2			
pH (s.units)	7.07	7.05	7.01			
ORP (mV)	206.5	203.1	203.5			
TEMP.(C)	27.18	26.53	25.92			
Salinity (ppt)	12422	11878	11599			
DO (mg/L)	8.31	11.21	10.22			
Turbidity (NTU)	1578.5	1280	564.1			
COND.(umhos/cm)	12948	12320	11983			

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE) : VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,**0.45um**, OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , TAN , BROWN , GREY , MILKY WHITE ,**OTHER: LIGHT BROWN**

ODOR: NONE , **LOW** , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , LOW , MEDIUM , HIGH , **VERY TURBID.** HEAVY SILTS

COMMENTS: Turning odorless.

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. **SEE BACK OF SHT Y / N.**

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/18/2000 / @ 1545

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER:	MW04	**SITE:**	AOC-J Disposal Site
FIELD CREW:	E. Isern, E. Cabale		(leave blank if on previous page)

			CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):	=	7.36				
WELL DEPTH (FT):		17.84	2 IN.		0.1632	
WATER COLUMN (FT):	=	10.4	4 IN.		0.6528	
GAL/FT OF CASING	x	0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	=	1.71	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x	1.2	10 IN.		4.0797	
PURGE VOLUME (GAL)	=	2.1	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. **PERIST.**		**OTHER:**	**BAILER** : TEFLON, SS ,OTHER:
TIME ON:	1300		BAILER VOL.. (gal) .25 / .33
FLOW RATE (gpm):	0.2 GPM		REQUIRED PULLS:
PUMP TIME (min):	13 MIN		VOL. PURGED (gals):
VOL PURGED (gals):	2.1 GAL		OTHER:

FIELD PARAMETERS	**FIELD MEASUREMENTS**					WITHIN10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1302	1305	1312			
VOL (gal)	0.66	1.24	1.97			
pH (s.units)	6.75	7.07	7.01			
ORP (mV)	60	-33.6	70.3			
TEMP.(C)	28.23	27.44	27.89			
Salinity (ppt)	22620	22511	22216			
DO (mg/L)	4.58	6.64	7.8			
Turbidity (NTU)	364	468.5	304.8			
COND.(umhos/cm)	23139	23740	23479			

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE): VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um 0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , TAN , BROWN , **GREY** , MILKY WHITE , **OTHER: TURNING BROWN**

ODOR: NONE , **LOW** , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , LOW , **MEDIUM** , HIGH , VERY TURBID, HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. **SEE BACK OF SHT Y / N.**

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/18/2000 / @ 1315

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER:MW-1		**SITE:**	**AOC-K**		
FIELD CREW:	E. ISERN, E. CABALE				(leave blank if on previous page)
DEPTH TO WATER (FT):	51.26	CASING DIA.		GAL/FT OF CASING	
WELL DEPTH (FT):	-63.64	2 IN.		0.1632	
WATER COLUMN (FT):	= 12.38	4 IN.		0.6528	
GAL/FT OF CASING	x 0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	= 2.02	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x 7.8	10 IN.		4.0797	
PURGE VOLUME (GAL)	= 15.9	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. **CENT.** PERIST.	**OTHER:**	**BAILER** : TEFLON, SS ,OTHER:
TIME ON: 1337		BAILER VOL. (gal) .25 / .33
FLOW RATE (gpm): 1.4 GPM		REQUIRED PULLS:
PUMP TIME (min): 10 MIN.		VOL PURGED (gals):
VOL PURGED (gals): 15.9 GAL		OTHER:

FIELD PARAMETERS	**FIELD MEASUREMENTS**					WITHIN 10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1342	1344	1347			
VOL (gal)	7.9	10.6	14.8			
pH (s.units)	6.73	6.92	6.92			
ORP (mV)	333.8	340.2	346.1			
TEMP.(C)	27.11	27.31	27.27			
Salinity (ppt)	1727	1755	1713			
DO (mg/L)	8.11	9.05	8.97			
Turbidity (NTU)	196.9	117.3	37			
COND.(umhos/cm)	1793	1795	1778			

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE): VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: **CLEAR** , AMBER , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: **NONE** , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: **NONE** , LOW , MEDIUM , HIGH , VERY TURBID, HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. **SEE BACK OF SHT** Y / N.

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/19/2000 / @ 1350

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER: AOC-K-MW-2	SITE: WATER WELL - PUBLIC WORKS
FIELD CREW: E. ISERN, E. CABALE	(leave blank if on previous page)

			CASING DIA.		GAL/F OF CASING	
DEPTH TO WATER (FT):		47.73				
WELL DEPTH (FT):		65.85	2 IN.		0.1632	
WATER COLUMN (FT):	=	18.12	4 IN.		0.6528	
GAL/FT OF CASING	x	0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	=	2.96	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x	5.4	10 IN.		4.0797	
PURGE VOLUME (GAL)	=	15.9	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. PERIST.	OTHER:	BAILER : TEFLON, SS ,OTHER:
TIME ON: 1216		BAILER VOL. (gal) .25 / .33
FLOW RATE (gpm): 1.2 GPM		REQUIRED PULLS:
PUMP TIME (min): 12 MIN.		VOL. PURGED (gals):
VOL. PURGED (gals): 15.9 GAL		OTHER:

FIELD PARAMETERS	FIELD MEASUREMENTS					WITHIN10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1222	1223	1226	1228		
VOL. (gal)	7.9	10.6	13.2	15.9		
pH (s.units)	6.89	6.99	7.00	7.01		
ORP (mV)	332.4	338.4	345.6	348.1		
TEMP.(C)	27.54	27.55	27.53	27.53		
Salinity (ppt)	1509	1488.0	1444.0	1454.0		
DO (mg/L)	6.37	7.08	8.54	7.75		
Turbidity (NTU)	32.0	72.0	64.4	41.4		
COND.(umhos/cm)	1786.0	1528.0	1534.0	1518.0		

SAMPLE PARAMETERS (GRAB OR COMPOSITE): VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um. OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: NONE , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , LOW , MEDIUM , HIGH , VERY TURBID, HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. SEE BACK OF SHT Y / N.

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/19/2000 / @ 1350

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER: AOC-K-MW-3 | **SITE: WATER WELL - PUBLIC WORKS**

FIELD CREW: E. ISERN, E. CABALE (leave blank if on previous page)

			CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):		54.68				
WELL DEPTH (FT):		-68.88	2 IN.		0.1632	
WATER COLUMN (FT):	=	14.20	4 IN.		0.6528	
GAL/FT OF CASING	x	0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	=	2.317	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x	8	10 IN.		4.0797	
PURGE VOLUME (GAL)	=	18.5	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. **CENT.** PERIST.	**OTHER:**	**BAILER** : TEFLON, SS ,OTHER:
TIME ON: 1216		BAILER VOL.. (gal) .25 / .33
FLOW RATE (gpm): 0.8 GPM		REQUIRED PULLS:
PUMP TIME (min): 21 MIN.		VOL. PURGED (gals):
VOL. PURGED (gals): 18.5 GAL		OTHER:

FIELD PARAMETERS	FIELD MEASUREMENTS 1st	2nd	3rd	4th	5th	WITHIN 10% Y / N 6th
TIME	1500	1502	1504	1507		
VOL. (gal)	7.9	9.5	10.6	13.2		
pH (s.units)	6.01	6.85	6.90	6.93		
ORP (mV)	183.6	143.5	148.8	153.1		
TEMP.(C)	27.57	27.49	27.48	27.45		
Salinity (ppt)	1840	1831	1836	1840		
DO (mg/L)	5.26	4.46	6.29	10.46		
Turbidity (NTU)	1580.9	1580.7	1580.6	749.6		
COND.(umhos/cm)	1931.0	1922	1912	1928		

SAMPLE PARAMETERS (**GRAB** OR COMPOSITE) : VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um.**0.45um.** OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , **TAN** , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: **NONE** , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , LOW , MEDIUM , HIGH , **VERY TURBID.** HEAVY SILTS

COMMENTS: Pumped for 10 mins. before taking readings in order to see if water cleared, but did not.

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. **SEE BACK OF SHT** Y / N.

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/19/2000 / @ 1510

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER: AOC-K-MW-4	SITE: WATER WELL - PUBLIC WORKS
FIELD CREW: E. ISERN, E. CABALE	(leave blank if on previous page)

			CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):		47.6				
WELL DEPTH (FT):		68.24	2 IN.		0.1632	
WATER COLUMN (FT):	=	20.64	4 IN.		0.6528	
GAL/FT OF CASING	x	0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	=	3.368	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x	3.5	10 IN.		4.0797	
PURGE VOLUME (GAL)	=	12	12 IN.		5.8748	

METHOD OF PURGING (circle one)

PUMP: SUB. CENT. PERIST.		OTHER:	BAILER : TEFLON, SS ,OTHER:
TIME ON:	1024		BAILER VOL.. (gal) .25 / .33
FLOW RATE (gpm):	0.92 GPM		REQUIRED PULLS:
PUMP TIME (min):	12 MIN.		VOL. PURGED (gals):
VOL PURGED (gals):	12 GAL		OTHER:

FIELD PARAMETERS	FIELD MEASUREMENTS					WITHIN10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	1030	1033	1036			
VOL (gal)	8.7	11	12			
pH (s.units)	7.18	7.17	7.15			
ORP (mV)	-71.2	17.5	56.4			
TEMP.(C)	28.2	28.26	28.09			
Salinity (ppt)	1296	1302	1305.0			
DO (mg/L)	5.99	6.70	7.06			
Turbidity (NTU)	1583.7	1584.2	1583.7			
COND.(umhos/cm)	1383.0	1380	1378			

SAMPLE PARAMETERS (GRAB OR COMPOSITE): VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um.0.45um. OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: NONE , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , LOW , MEDIUM , HIGH , VERY TURBID. HEAVY SILTS

COMMENTS: WATER DID NOT CLEAR UP.

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. SEE BACK OF SHT Y / N.

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/19/2000 / @ 1040

SIGNED/SAMPLER: E ISERN

CH2M HILL
WELL SAMPLING FIELD SHEET

PROJECT# 160403.FI.ZZ

WELL NUMBER: AOC-K-MW-5	SITE: WATER WELL - PUBLIC WORKS
FIELD CREW: E. ISERN, E. CABALE	(leave blank if on previous page)

			CASING DIA.		GAL/FT OF CASING	
DEPTH TO WATER (FT):		45.55				
WELL DEPTH (FT):		-55.32	2 IN.		0.1632	
WATER COLUMN (FT):	=	9.77	4 IN.		0.6528	
GAL/FT OF CASING	x	0.1632	6 IN.		1.4688	
CASING VOLUME (GAL)	=	1.59	8 IN.		2.611	
NO. OF VOLUMES min.(3)	x	2.5	10 IN.		4.0797	
PURGE VOLUME (GAL)	=	4	12 IN.		5.8748	

GRUNDFOS — METHOD OF PURGING (circle one)

PUMP: SUB. CENT. PERIST.		OTHER:	BAILER : TEFLON, SS ,OTHER:	
TIME ON:	812		BAILER VOL.. (gal)	.25 / .33
FLOW RATE (gpm):	0.2 GPM		REQUIRED PULLS:	
PUMP TIME (min):	25 MIN		VOL. PURGED (gals):	
VOL. PURGED (gals):	4 GAL		OTHER:	

FIELD PARAMETERS	FIELD MEASUREMENTS					WITHIN 10% Y / N
	1st	2nd	3rd	4th	5th	6th
TIME	814	820	823	827	832	
VOL. (gal)	1.3	2.2	2.6	3.2	4	
pH (s.units)	7.47	7.49	7.48	7.45	7.41	
ORP (mV)	-186.1	-111.5	-87.3	-76.5	-70.4	PURGED DRY
TEMP.(C)	28.19	29.39	30.64	31.84	32.23	
Salinity (ppt)	1387	1410	1422	1434	1449	
DO (mg/L)	3.39	5.08	5.71	6.17	6.41	
Turbidity (NTU)	1582.0	671.1	273.9	96.9	103.3	
COND.(umhos/cm)	1469.0	1541	1579	1627	1652	

SAMPLE PARAMETERS (GRAB OR COMPOSITE) : VOC, SVOC, PEST, PCB, MET, FILT METS.

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , AMBER , TAN , BROWN , GREY , MILKY WHITE , OTHER: TURNING CLEAR

ODOR: NONE , LOW , MEDIUM , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , LOW , MEDIUM , HIGH , VERY TURBID. HEAVY SILTS

COMMENTS: PURGED DRY AND ALLOWED 30 MINUTES FOR RECHARGE.

OTHER: PLEASE USE BACK OF SHT.FOR SKETCHING MAPS ,WELL LOCATION NOTES ECT. SEE BACK OF SHT Y / N.

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

Q.C. PARAMETERS:

SAMPLE DATE/ TIME: 12/19/2000 / @ 835

SIGNED/SAMPLER: E ISERN

Appendix E
Surface Water Sampling Logs

CH2MHILL

Surface Water Quality Sampling Field Data

SITE: AOC-J SW05

FIELD CREW: J. HAYES, E. ISERN

DATE: 12/12/2000 CLOUD COVER: SUNNY TO PARTLY CLOUDY

TIME: 1550 ANTECEDENT RAIN: NONE

DEPTH OF WATER (FT): 5 FT AMBIENT TEMPERATURE: 85 DEG. F

FLOW VELOCITY AND DIRECTION: STAGNANT, NO FLOW

FIELD MEASUREMENTS

Time	Conductivity (µmhos)	DO (mg/L)	Salinity (ppt)	Temperature (°C)	pH (su)	ORP	Turbidity (NTU)	

SAMPLE PARAMETERS (GRAB OR COMPOSITE) : PERCH_W, VOC_WG, MET_W, SVOC_WG, PEST_WG, EXP_WG, PCB_WG

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , **AMBER** , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: NONE , LOW , **MEDIUM** , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , **LOW** , MEDIUM , HIGH , VERY TURBID, HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHEET FOR SKETCHING MAPS , **SEE BACK OF SHT Y / N.**

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

SIGNED/SAMPLER:

CH2MHILL

Surface Water Quality Sampling Field Data

SITE: AOC-J SW04

FIELD CREW: J. HAYES, E. ISERN

DATE: 12/12/2000 CLOUD COVER: SUNNY TO PARTLY CLOUDY

TIME: 1540 ANTECEDENT RAIN: NONE

DEPTH OF WATER (FT): 5 FT AMBIENT TEMPERATURE: 85 DEG. F

FLOW VELOCITY AND DIRECTION: STAGNANT, NO FLOW

FIELD MEASUREMENTS

Time	Conductivity (umhos)	DO (mg/L)	Salinity (ppt)	Temperature (°C)	pH (su)	ORP	Turbidity (NTU)	

SAMPLE PARAMETERS (GRAB OR COMPOSITE) : PERCH_W, VOC_WG, MET_W, SVOC_WG, PEST_WG, EXP_WG, PCB_WG

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , **AMBER** , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: NONE , LOW , **MEDIUM** , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , **LOW** , MEDIUM , HIGH , VERY TURBID, HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHEET FOR SKETCHING MAPS . **SEE BACK OF SHT Y / N.**

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

SIGNED/SAMPLER:

CH2MHILL

Surface Water Quality Sampling Field Data

SITE: AOC-J SW03

FIELD CREW: J. HAYES, E. ISERN

DATE: 12/12/2000 CLOUD COVER: SUNNY TO PARTLY CLOUDY

TIME: 1530 ANTECEDENT RAIN: NONE

DEPTH OF WATER (FT): 5 FT AMBIENT TEMPERATURE: 85 DEG. F

FLOW VELOCITY AND DIRECTION: STAGNANT, NO FLOW

FIELD MEASUREMENTS

Time	Conductivity (µmhos)	DO (mg/L)	Salinity (ppt)	Temperature (°C)	pH (SU)	ORP	Turbidity (NTU)	

SAMPLE PARAMETERS (GRAB OR COMPOSITE): PERCH_W, VOC_WG, MET_W, SVOC_WG, PEST_WG, EXP_WG, PCB_WG

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , **AMBER** , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: NONE , LOW , **MEDIUM** , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , **LOW** , MEDIUM , HIGH , VERY TURBID, HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHEET FOR SKETCHING MAPS. **SEE BACK OF SHT Y / N.**

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

SIGNED/SAMPLER:

CH2MHILL

Surface Water Quality Sampling Field Data

SITE: AOC-J SW02

FIELD CREW: J. HAYES, E. ISERN

DATE: 12/12/2000 CLOUD COVER: SUNNY TO PARTLY CLOUDY

TIME: 1520 ANTECEDENT RAIN: NONE

DEPTH OF WATER (FT): 5 FT AMBIENT TEMPERATURE: 65 DEG. F

FLOW VELOCITY AND DIRECTION: STAGNANT, NO FLOW

FIELD MEASUREMENTS

Time	Conductivity (µmhos)	DO (mg/L)	Salinity (ppt)	Temperature (°C)	pH (SU)	ORP	Turbidity (NTU)	

SAMPLE PARAMETERS (GRAB OR COMPOSITE) : PERCH_W, VOC_WG, MET_W, SVOC_WG, PEST_WG, EXP_WG, PCB_WG

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , **AMBER** , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: NONE , LOW , **MEDIUM** , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , **LOW** , MEDIUM , HIGH , VERY TURBID, HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHEET FOR SKETCHING MAPS , **SEE BACK OF SHT** Y / N.

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

SIGNED/SAMPLER:

CH2MHILL

Surface Water Quality Sampling Field Data

SITE: AOC-J SW01

FIELD CREW: J. HAYES, E. ISERN

DATE: 12/12/2000 CLOUD COVER: SUNNY TO PARTLY CLOUDY

TIME: 1510 ANTECEDENT RAIN: NONE

DEPTH OF WATER (FT): 5 FT AMBIENT TEMPERATURE: 85 DEG. F

FLOW VELOCITY AND DIRECTION: STAGNANT, NO FLOW

FIELD MEASUREMENTS

Time	Conductivity (µmhos)	DO (mg/L)	Salinity (ppt)	Temperature (°C)	pH (su)	ORP	Turbidity (NTU)	

SAMPLE PARAMETERS (GRAB OR COMPOSITE) : PERCH_W, VOC_WG, MET_W, SVOC_WG, PEST_WG, EXP_WG, PCB_WG

FILTERED METALS COLLECTED: Y / N 1.0um,0.45um, OTHER:

OBSERVATIONS

COLOR: CLEAR , **AMBER** , TAN , BROWN , GREY , MILKY WHITE , OTHER:

ODOR: NONE , LOW , **MEDIUM** , HIGH , VERY STRONG , H2S , FUEL LIKE , CHEMICAL ?, UNKNOWN

TURBIDITY: NONE , **LOW** , MEDIUM , HIGH , VERY TURBID. HEAVY SILTS

COMMENTS:

OTHER: PLEASE USE BACK OF SHEET FOR SKETCHING MAPS , **SEE BACK OF SHT Y / N**

Q.C. SAMPLE TYPE: DUPLICATE , EQUIPMENT BLANK , OTHER :

SIGNED/SAMPLER:

Appendix F
Qualitative Ecological Survey

TABLE OF CONTENTS

Page

1.0 INTRODUCTION 1

2.0 SITE LOCATION 1

3.0 METHODS 1

4.0 RESULTS AND DISCUSSION 5

4.1 Natural Habitat Description 5

4.2 AOC-H (Former Power Plant) 6

4.2.1 Site Description 6
4.2.2 Vegetation Community Description 9
4.2.3 Plant Community Health 9
4.2.4 Wildlife Description 9
4.2.5 Protected Species 11
4.2.6 Food Web 12

4.3 AOC-I (Asphalt Plant) 12

4.3.1 Site Description 12
4.3.2 Vegetation Community Description 15
4.3.3 Plant Community Health 15
4.3.4 Wildlife Description 15
4.3.5 Protected Species 17
4.3.6 Food Web 17

4.4 AOC-J (Former Staging Area Disposal Site) 18

4.4.1 Site Description 18
4.4.2 Vegetation Community Description 18
4.4.3 Plant Community Health 18
4.4.4 Wildlife Description 21
4.4.5 Protected Species 23
4.4.6 Food Web 23

4.5 AOC-L (Former Septic Vault 23

4.5.1 Site Description 23
4.5.2 Vegetation Community Description 23
4.5.3 Plant Community Health 26
4.5.4 Wildlife Description 27
4.5.5 Protected Species 27
4.5.6 Food Web 28

4.6 AOC-R (Former Construction Staging Area) 28

4.6.1 Site Description 28
4.6.2 Vegetation Community Description 28
4.6.3 Plant Community Health 32
4.6.4 Wildlife Description 33
4.6.5 Protected Species 34
4.6.6 Food Web 34

5.0 CONCLUSION 34

6.0 LITERATURE CITED 35

APPENDIX A A-1

APPENDIX B B-1

LIST OF FIGURES

No.		Page
1	General Location of Vieques and the Naval Ammunition Support Detachment (NASD), Puerto Rico	2
2	Location of Five Areas of Concern (AOC) Sites within the NASD, Vieques Puerto Rico	3
3	Location of AOC-H, Former Power Plant Site within the NASD, Puerto Rico	7
4	AOC-H. North View from Highway 200 Showing Cleared Areas.	8
5	AOC-H. South view showing the rear side of the building.	8
6	AOC-H. West Side of a Cleared Area with Mixed Scrub/Coastel Forest to the Left in the Picture	8
7	AOC-H. Western View along Highway 200.with the Refrence Site (thorn scrub) to the Right	8
8	AOC-H. Fruit Seeds are the Small Dark Objects Scattered on the Floor of the Building Interior	8
9	AOC-H. Photo of an Anole (Anolis Cristatellus) using the Building	8
10	AOC-I. Asphalt Plant Site within the NASD, Puerto Rico	13
11	AOC-I. West View Looking Towards the Concrete Pad, Gravel Area, and Raised Ramp in the Distance	14
12	AOC-I. North View of the Reference Site	14
13	AOC-I. Stained Soil and Gravel	14
14	AOC-I. Marine Toads (Bufo marinus) using the Water in the Concrete Depression	14
15	AOC-I. East View of Adjacent Vegetation with Quarry Activity (gray areas).	14
16	AOC-I. Typical Site Ground Cover including Invertebrate (butterfly).	14
17	AOC-J. Former Staging Area Disposal Site NASD, Puerto Rico.	19
18	AOC-J. North View Showing Western Edge of Site with No Trespassing Sign, Disturbed Soil, and Monitoring Wells (yellow poles).	20
19	AOC-J. Adjacent Vegetation to Northwest of Site with Tall Palm Trees Indicating the Coastline.	20
20	AOC-J. North View of AOC-J and Reference Sites. Refrence Site is Located to the Right of the Photo	20
21	AOC-J. Southern View of the Refrence Site to the Left of the Trail..	20
21	AOC-J. Northernmost Portion of the Site. The Mangrove Habitat is Beyond the Farthest Fence Line.	20
23	AOC-J. Female Anole (Anolis cristatellus) Using Felled Wood for Foraging	20
24	AOC-L. Former Septic Vault Site within the NASD, Puerto Rico.	24
25	AOC-L. North View of Site with the Caribbean Sea in the Background.	25
26	AOC-L. North View of the Adjacent Beach Habitat.	25
27	AOC-L. Vines Covering the Vault Grates and Adjacent Off-site Brush	25
28	AOC-L. East View of Reference Site	25
29	AOC-L. Southwest View of the Site	25
30	AOC-L. Brown Pelican (Pelicanus Occidentalis) Flying Over the Water of Adjacent Habitat	25
31	AOC-R. Former Construction Staging Area Site within the NASD, Puerto Rico.	29
32	AOC-R. entrance from Highway 200	30
33	AOC-R. typical thorn scrub vegetation	30
34	AOC-R. concrete pad	30
35	AOC-R. Trail along Western Portion of the Site with the Reference Site to the Left of the Trail	30

LIST OF FIGURES (Continued)

No.		Page
36	AOC-R. Northern View with Single Tree in Middle of Cleared Area.	30
37	AOC-R. Juvenile Great Blue Heron (Ardea herodias) found Resting under a Culvert	30

LIST OF TABLES

No.		Page
1	Federally Listed Species Occurring or Potentially Occurring at NASD Vieques	5
2	Vegetation Observed at AOC-H, Reference Site, and the Quebrada/Lagoon Area West of AOC-H	10
3	Wildlife Observed at AOC-H, Adjacent Habitat and/or Reference Site	10
4	Vegetation Observed AOC-I, Reference Site, and Adjacent/Surronding Thorn Scrub Habitat	16
5	Wildlife Observed at AOC-I,Adjacent Habitat, and the Reference Sites	17
6	Vegetation Observed in the AOC-J, Quebrada/Mangrove Swamp Adjacent to AOC-J, and the Adjacent Mixed Coastal Forest/Thorn Scrub (includes Reference Site) Habitat	21
7	Wildlife Observed at AOC-J, Adjacent Habitat, and the Reference Sites	22
8	Vegetation Observed at AOC-L, Reference Site, and in the Recreation Area (Beachfront) and Sandy Beach Area	26
9	Wildlife Observed at AOC-L, Adjacent Habitat, and Reference Sites	27
10	Vegetation Observed at AOC-R, Northern Cleared Area, and Thorn Scrub Habitat including the Reference Sites	31
11	Wildlife Observed at AOC-R, Adjacent Habitat, and in the Reference Sites	33

1.0 INTRODUCTION

Ecological risk assessments were conducted at five Areas of Concern (AOC) as part of a Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Phase II Expanded Preliminary Assessment/Site Investigation at the Naval Ammunition Support Detachment (NASD), Vieques Island, Puerto Rico. An ecological habitat characterization was conducted at each AOC in order to determine the presence of plant and animal species, and to determine whether preferred habitat was present for any federally endangered or threatened plant and/or animal species.

2.0 SITE LOCATION

Puerto Rico is located on the Antillean Island Arc separating the Caribbean Sea from the Atlantic Ocean. The island of Vieques is located approximately 6 miles (mi) southeast of Puerto Rico (Figure 1). It is approximately 21 mi long (east to west) and 4.5 mi wide (north to south), encompassing a total of 32,986 acres (ac). There are two towns on the island, Esperanza on the south side and Isabel Segunda on the north side. The Navy administers approximately 22,437 ac on the west and east ends of the island. The NASD is located on the western side of Vieques and encompasses 8,265 ac.

The NASD (approximately 8,265 ac) is operated by Naval Station Roosevelt Roads (NSRR) Weapons Department and is located on the western end of Vieques. This report covers five AOC sites located within the NASD (Figure 2). The five sites included AOC-H (former power plant), AOC-I (asphalt plant), AOC-J (former staging area disposal site), AOC-L (former septic vault), and AOC-R (former construction staging area).

3.0 METHODS

To support the ecological risk assessments, a habitat characterization was conducted at each of the five AOCs. The objectives of the habitat characterization are listed below:

1. Identify terrestrial (upland), wetland (palustrine and estuarine), and marine habitat units, including subunits within and contiguous to each AOC;
2. Identify the dominant and subdominant plant species within each AOC habitat unit and contiguous habitat units and, where applicable, identify any vegetative gradients;
3. Identify wildlife species residing within or utilizing each AOC habitat unit and contiguous habitat units, as well as species relative abundance;
4. Identify any critical habitat for federally designated threatened and endangered species within and contiguous to each AOC;

5. Determine the known occurrences of federally designated threatened or endangered species, as well as the identification of habitat that may potentially support federally designated threatened and endangered species within and contiguous to each AOC;
6. Identify any obvious impact that may potentially be related to previous waste management activities (e.g., stressed vegetation); and
7. Identify reference sites that exhibit physical and biological attributes similar to the AOC habitat units.

Prior to field reconnaissance, vegetation communities were characterized into broad community types based on color signatures from true-color aerial photographs (November 4, 1999: scale, 1 inch equal 500 feet [ft]). Before conducting the fieldwork, a literature search was conducted for each federally protected species. During the January 2-4, 2001 surveys, biologists walked transects through each site and identified any federally protected species seen and noted the presence or absence of preferred habitat for the species. Community types were verified in the field by walking the perimeter and the interior of the sites. Most plant species were identified in the field; however, some specimens were collected for identification using taxonomic references (Acevedo-Rodriguez 1996; Liogier 1982, 1985, 1988, 1994, 1995, 1997; Little and Wadsworth 1964; Little et al. 1964;). Relative dominance and species structure were determined qualitative from visual observations at each community and adjacent community types.

Wildlife species such as birds, mammals, and lizards that were found residing within or utilizing each AOC habitat were identified during the field surveys. Wildlife habitat was also identified. A wildlife biologist characterized the habitats and determined the types of wildlife that could potentially inhabit the plant communities or AOC sites. Any wildlife species observed, were identified in the field with the aid of 8 x 40 binoculars and reference guides (Raffaele 1989; Raffaele et al. 1998).

Several terrestrial and marine species that occur on or around Vieques are listed as protected by the U.S. Fish and Wildlife Service (USFWS). Sixteen federally listed species are known to occur or have the potential to occur within the NASD (Table 1).

During the field surveys, visual observations were conducted to characterize the health of the plants in the AOC sites. Indications of altered plant communities include chlorotic leaves, epinasty (deformities of leaves and stems), patches of altered plant growth, absence of plants (bare ground), and changes in species composition. To determine if the AOC sites contained altered plant communities, a nearby representative site was selected as a reference site. When altered plant communities were identified, biologists attempted to determine and record the probable cause (i.e., chemical, soil compaction, natural causes, etc.).

Table 1

Federally Listed Species Occurring or Potentially Occurring at NASD Vieques

Scientific Name (Common Name)	Federal Status
Plants	
Chaemacrista glandulosa var. *mirabilis* (Herb)	Endangered
Stahlia monosperma (Cobana negra)	Threatened
Calyptranthes thomasiana (Tree)	Endangered
Eugenia woodburyana (Evergreen tree)	Endangered
Goetzea elegans (Beautiful goetzea)	Endangered
Reptiles and Amphibians	
Chelonia mydas (Green sea turtle)	Threatened
Dermochelys coriacea (Leatherback sea turtle)	Endangered
Caretta caretta (Loggerhead sea turtle)	
Eretmochelys imbricata (Hawksbill sea turtle)	Endangered
Birds	
Falco peregrinus tundrius (Arctic peregrine falcon)	Threatened
Pelecanus occidentalis occidentalis (Brown pelican)	Endangered
Sterna dougalli dougalli (Roseate tern)	Endangered
Mammals	
Physeter macrocephalus (Sperm whale)	Endangered
Balaenoptera physalus (Fin whale)	Endangered
Megaptera novaeangliae (Humpback whale)	Endangered
Trichechas manatus (West Indian manatee)	Endangered

Source: Geo-Marine, Inc. 2001

In addition to identification of wildlife in the field, existing literature sources were used to identify any additional species that may have occurred on the AOC sites but were not observed. Most of the wildlife that occurs in the area are bird and lizard species (Appendix A). Species information based upon the literature review and field data were used to generate a simplified food web for the sites. A food web is an interlocking pattern of several to many food chains that is helpful in determining ecosystem processes. Food webs are presented in Appendix B.

This report includes figures of each AOC showing the habitat units and subunits, landscaped areas, roadways, and structures where applicable. For each site, a list of plant species observed within the habitat unit is given, as well as a list of observed wildlife species. The location of known federally designated threatened and endangered species is given. Where applicable, a descriptive comparison of wildlife utilization between the AOC habitat and reference site habitat is given with a generalized food web applicable to each habitat unit.

4.0 RESULTS AND DISCUSSION

4.1 NATURAL HABITAT DESCRIPTION

Mean annual precipitation on Vieques is 45 inches, with the wet season extending from May to November and the dry season from December to April. Relative humidity in Vieques averages about 75 percent.

Mean annual temperature is about 79.8 °F with a record low of 60 °F and a high of 98 °F. The western part of the island is wetter than the eastern portion. Vegetation on the western part, where this survey took place, is mesic in nature.

Vieques lies within the subtropical dry forest life zone, covering about 66 percent of the island and the subtropical moist forest life zone at the higher elevations (Ewel and Whitmore 1973). Nine vegetation types have been identified on Vieques: (1) sandy beach; (2) beach scrub; (3) dry evergreen beach woodland; (4) mixed dry evergreen and deciduous woodland of the rocky coastal slopes; (5) ucar forest; (6) seasonal forests of high moisture areas such as ravines and drainage areas; (7) moist deciduous formation of the inner hills and slopes; (8) thorn scrub; and (9) mangroves. The vast majority of Navy land at Vieques is undeveloped and supports a variety of habitat types with thorn scrub communities the most common and interspersed with forested quebradas (ravines) and other upland forest types. Mangrove swamps, lagoons, coconut flats, and salt/sand flats occur along coastal areas.

The dominant habitat where the surveys took place was subtropical dry forest with subunits of thorn scrub, sandy beach, and mixed forests along the coast referred to as "coastal forest." Small subunits of mixed mangrove and seasonal forests were present near lagoons. In addition, there were man-made, highly impacted areas at some of the AOC sites that included buildings, roadways, parking areas, trails, and grassy areas.

4.2 AOC-H (Former Power Plant)

4.2.1 Site Description

AOC-H, Former Power Plant site, was located approximately 1,000 ft east of the entrance to the NASD Public Works Area (PWA), just north of Highway 200, and was about 2 ac in area (Figure 3). The abandoned power plant (approximately 78 ft long by 27 ft wide) is a concrete structure, which was previously surrounded by dense vegetation (Figure 4). Vegetation around the structure had been cleared to the ground and monitoring wells had been installed prior to the survey. Highway 200 and a grassy maintained area were located to the immediate south of the building. The eastern boundary consisted of dense thorn scrub. The western boundary was adjacent to mixed thorn scrub and coastal forest (Figure 5), beyond which was a quebrada/lagoonal area that emptied into the ocean. The water present was brackish and the area evaluated consisted of a strip of woody vegetation approximately 10 to 12 ft wide on both sides of the bank. The northern boundary of the AOC was densely mixed thorn scrub and coastal forest. Photos of the area are shown in Figures 4 through 9.

4.2.2 Vegetation Community Description

Most of the vegetation had been cleared at the time of the survey. The previous existing plant community was described based on: (1) plants that were not eliminated, (2) plants that had resprouted, and/or (3) recently germinated.

From the amount of debris left after clearing, it was apparent that the area had been completely overgrown with vines, shrubs, and trees. The vegetation observed at AOC-H, the reference site (thorn scrub habitat to the east), and the quebrada/lagoonal area to the west is presented in Table 2. Dominant shrubs identified on the site included tantan (*Leucaena leucocephala*), Christmas tree (*Randia aculeata*), and *Erythroxylum brevipes*. A gumbo limbo (*Bursera simaruba*) tree had been growing over the roof of the building. Another tree partly on top of the building and much bigger in size had died. The sandy ground was covered with tantan seedlings. The dominant herbs observed in the site include *Melochia nodiflora* and better man better (*Achyrantes aspera*). Hurricane grass (*Bothriochloa pertusa*) was observed on the southern boundary of the site. This AOC was located adjacent to the grassy road shoulder that is maintained as low grassland.

The vegetation at this site was similar to the adjacent thorn scrub forest of the adjacent reference site. The thorn scrub forest consisted of two canopy layers (shrub and tree), which provide little sunlight for an herbaceous layer. The only herb recorded in the reference site was the exotic orchid (*Oeceoclades maculata)*.

4.2.3 Plant Community Health

It was difficult to determine the condition of the previous plant communities since the area had been cleared at the time of the survey. However, based on adjacent vegetation and the reference site, there appeared to have been little impact from the building structure on the surrounding vegetation prior to the clearing. The building would have created an opening in the canopy and provided shade for some species. The reference site was selected immediately east of the site consisted of thorn scrub. No differences in the vegetation communities were identified with the exception that the west side of the building was adjacent to the quebrada/lagoon. Other than the presence of the concrete building and cleared area, there was little evidence of past military activities.

4.2.4 Wildlife Description

During the wildlife surveys, several species were observed utilizing the abandoned power plant building and the adjacent habitat. The exterior of the building provided shade, foraging areas, and hiding

Table 2

Vegetation Observed at AOC-H, Reference Site, and the Quebrada/Lagoon Area West of AOC-H

		STRATUM		
Common Name	**Scientific Name**	**AOC-H**	**Reference Site**	**Quebrada/Lagoon**
Better Man Better	*Achyrantes aspera*	H		T/S
Hurricane Grass	*Bothriochloa pertusa*	G		
Gumbo Limbo	*Bursera simaruba*	T/S	T/S	
Papaya	*Carica papaya*			T/S
Wild Coffee	*Casearia guianensis*			T/S
Pudding Vine	*Cissus verticillata*	V		V
Coconut Palm	*Cocos nucifera*		T/S	
Manjack	*Cordia obliqua*		T/S	T/S
Brisselet	*Erythroxylum brevipes*	T/S		T/S
Black Mampoo	*Guapira fragans*			T/S
Jasmine	*Jasminum fluminense*	V	V	V
White Mangrove	*Laguncularia racemosa*		T/S	
Tantan, Wild Tamarind	*Leucaena leucocephala*	T/S	T/S	T/S
None	*Lonchocarpus heptaphyllus*		T/S	
Quenepa	*Melicoccus bijugatus*	T/S	T/S	
None	*Melochia nodiflora*	H		
None	*Oeceoclades maculata*			H
None	*Paullinia pinnata*			V
Black Wattle	*Piper amalago*	T/S		T/S
Christmas Tree	*Randia aculeata*	T/S		
Bitter Bush species	*Rauvolfia* sp.	T/S		
Red Mangrove	*Rhizophora mangle*		T/S	
Rain Tree, Licorice	*Samanea saman*			T/S
Basket Withe	*Serjania polyhphylla*		V	
Indian Almond	*Terminalia catappa*		T/S	
Broomstick	*Trichilia hirta*		T/S	T/S
Basket Wiss	*Trichostigma octandrum*	V		V
Indian Jujube	*Ziziphus mauritiana*	T/S	T/S	T/S

T/S = tree or shrub
H = herbaceous
V = vine
G = grass

places for an abundant number of lizards such as the garden lizard (*Anolis pulchellus*), common lizard (*Anolis cristatellus*), and spotted lizard (*Anolis stratulus*). A ground lizard, *Ameiva exsul*, was seen immediately adjacent to the site among thorn scrub. Invertebrates using the structure included wasps and bees. In addition, the building provided a roosting place for a population of approximately 150 West Indian fruit bats (*Artibeus jamaicensis*). Numerous seeds from bat droppings littered the floor of the building. Fruits collected in the building included the moca tree (*Andira inermis*), quenepa plant (*Melicoccus bijugatus*), and the Indian almond tree (*Terminalia catappa*).

Habitat for birds at the site was restricted to bare ground and a few remaining tree branches and vines on top of the building. Bird species observed using the tree branches on top of the power plant building included the gray kingbird (*Tyrannus dominicensis*) and the Adelaide warbler (*Dendroica adelaidae*). Several gray kingbirds flew over the site' and two common ground doves (*Columbina passerina*) were

observed on the site. An additional six species (Table 3) were observed adjacent to the site or in the reference site and included birds typically found in coastal forest, thorn scrub habitat, or quebrada/lagoon areas.

Table 3

Wildlife Observed at AOC-H, Adjacent Habitat and/or Reference Sites

Common Name	Scientific Name	AOC-H	Adjacent Habitat/ Reference Site
Mammals			
West Indian Fruit Bats	*Artibeus jamaicensis*	✓	
Reptiles and Amphibians			
Ground Lizard	*Ameiva exsul*		✓
Anole (Common Lizard)	*Anolis cristatellus*	✓	
Grass Anole (Garden Lizard)	*Anolis pulchellus*	✓	
Anole (Spotted Lizard)	*Anolis stratulus*	✓	
Birds			
Bananaquit	*Coereba flaveola*		✓
Common ground Dove	*Columbina passerina*	✓	✓
Adelaide Warbler	*Dendroica adelaidae*	✓	✓
Northern Mockingbird	*Mimus polyglottos*		✓
Greater Antillean Grackle	*Quiscalus niger*		✓
Louisiana Waterthrush	*Seiurus motacilla*		✓
Gray Kingbird	*Tyrannus dominicensis*	✓	✓
Zenaida Dove	*Zenaida aurita*		✓

There was no evidence that the AOC site had a negative impact on the wildlife diversity or its habitat; however, the recently cleared vegetation reduced the structural diversity, which would reduce bird diversity. The abandoned building provided a positive habitat effect for the fruit bats. Wildlife that was observed at AOC-H, habitat adjacent to the site, and in the reference site is presented in Table 3.

Due to the dense vegetation in the reference site, it was difficult to cover as much ground or to spot birds and wildlife. Since the surrounding areas contained similar vegetation, additional wildlife observed in the reference site and along the borders outside of the AOC are included in one table for each AOC throughout the report. In all cases, species abundance and diversity were higher in the bordering (edge) vegetation and reference areas than the AOC sites because of the clearing activities.

4.2.5 Protected Species

Cobana negra (*Stahlia monosperma*), a federally threatened tree, has been found between the boundary of black mangrove (*Avicennia germinans*) communities, salt flats, and the upland communities at NASD. This species is also known to occur in coastal forests of southeastern Puerto Rico (Little and Wadsworth 1964). Based on recent surveys conducted within the NASD by Geo-Marine, Inc, there are only two

locations where cobana negra is found (Wilkinson and Cubina 2000). The preferred habitat for cobana negra was not present at this site.

The threatened Arctic peregrine falcon (*Falco peregrinus tundrius*) has been observed at NSRR (GMI 1998). This species utilizes open grassland areas for potential feeding areas. This habitat type was present immediately adjacent to the site. The brown pelican (*Pelecanus occidentalis occidentalis*) and the roseate tern (*Sterna dougalli dougallii*) are not likely to utilize this terrestrial site but may be seen nearby due to the proximity of nearby marine habitat.

4.2.6 Food Web

The information in a food web is very important when considering the potential for contaminants existing in the ecosystem. Many contaminants are passed from one trophic level to the next. A contaminant at the soil surface goes through a different process than a contaminant that has leached into the soil. The surface contaminant may be ingested by a decomposer such as a hermit crab and then passed on to the secondary consumer (i.e., a carnivorous bird). Leached contaminants are picked up by the primary producers and then passed through in the food chain.

Two generalized food webs are presented in Appendix B. Food web 1 is presented for mixed habitat (coastal forest, thorn scrub, and grasslands). This type of food web is representative of partially developed grassland sites and forested sites (before clearing), which were not adjacent to a quebrada/lagoonal (AOC-I, AOC-L, and AOC-R). Food web 2 represents mixed habitats (forested uplands) located adjacent to a quebrada or lagoonal area, such as AOC-H and AOC-J. The abundance within each of the food groups is represented by the size of the food group polygon. Dominant species are listed in each of the food groups except for plants, which were provided previously in this section.

4.3 AOC-I (ASPHALT PLANT)

4.3.1 Site Description

AOC-I, the Asphalt Plant, located near the quarry, south of Highway 200 and Mosquito Pier, was approximately 2 ac (Figure 10). The site, located on level ground, was surrounded by an abandoned gravel parking area with gravel roads leading east and south. The site consisted of a raised gravel ramp supported by large wood beams, several grassy areas, bare ground covered with gravel, a concrete pad, and a depressed concrete docking bay partially filled with water. The raised gravel ramp supported a few shrubs, but approximately 80 percent of the site consisted of bare ground, concrete, and gravel mix with scattered weeds and grasses (Figures 11 through 16). A large area of gravel-covered ground was

immediately to the west of the site. Slightly hilly ground with some shrubs was to the south. Open ground with similar characteristics as the site was located to the North. A gravel road, cut ditch, and thorn scrub habitat were located to the east.

4.3.2 Vegetation Community Description

The plant community was dominated by herbaceous vegetation due to the impact of the human activities that took place in the area. The vegetation observed at AOC-I, adjacent and surrounding thorn scrub habitat, and within the reference site north of AOC-I, is presented in Table 4. The herbaceous vegetation had the highest diversity of any vegetation layer observed at AOC-I, but hurricane grass was most abundant. A shrub community consisting of bitter bush (*Eupatorium odoratum*), button sage (*Lantana involucrata*), giant milkweed (*Calotropis procera*), *Sesbania sericea*, and tantan was established in approximately 20 percent of the vegetated area. Several tree species such as the white fig (*Ficus citrifolia*) and gumbo limbo had recently invaded the area.

4.3.3 Plant Community Health

The reference site for AOC-I was located to the north with similar topography as well as a sunken concrete structure partially filled with water. The AOC-I and reference sites were highly disturbed by mowing, and deposition of gravel for parking. Evidence of soil staining was present at the AOC site (see Figure 13). Two soil-stained patches were noted in a mostly gravel-covered area that had already been disturbed by deposition of gravel. No direct evidence was visible that the soil stain had affected the local weeds and grasses.

The reference site was bounded on two sides by thorn scrub (see Figure 15) and had a higher percentage of ground cover and shrubs with more soil present. Both the AOC-I site and the reference site had been compacted from heavy vehicles driving or parking on the site. The soil compaction may also have limited the plant species diversity of the site by excluding establishment of woody vegetation. Although no horses (*Equus caballus*) were observed within the reference site, there was sufficient evidence (manure) to indicate that they frequent this habitat and had caused trampling and some disturbance to vegetation by grazing at both the AOC-I site and the reference site.

4.3.4 Wildlife Description

A few species were observed utilizing the abandoned asphalt plant site. Additional species were seen in the adjacent thorn scrub and in the reference site bordered by thorn scrub. At the AOC-I site, the

Table 4

Vegetation Observed at AOC-I, Reference Site, and Adjacent/Surrounding Thorn Scrub Habitat

Common Name	Scientific Name	STRATUM		
		AOC-I	Reference Site	Adjacent/Surrounding Thorn Scrub Habitat
Sweet Acacia	*Acacia farnesiana*	T/S	T/S	T/S
Better Man Better	*Achyrantes aspera*	H	H	
Hurricane Grass	*Bothriochloa pertusa*	G	G	
None	*None*			T/S
Gumbo Limbo	*Bursera simaruba*	T/S		T/S
Giant Milkweed	*Calotropis procera*	T/S	T/S	T/S
Milkweed	*Chamaesyce hirta*	H	H	
Mexican Blue Grass	*Chloris inflata*	G	G	
Old Woman's Bitter	*Citharexylum fruticosum*			T/S
None	*Cleome viscosa*	H	H	
None	*Corchorus aestuans*	H	H	
None	*Corchorus hirtus*	H	H	
Red Manjack	*Cordia collococca*			T/S
Manjack	*Cordia obliqua*			T/S
Bitter Bush, Geritoo	*Eupatorium odoratum*	T/S		
White Fig	*Ficus citrifolia*	T/S		
Jazmín Oloroso	*Jasminum fluminense*		V	
Button Sage	*Lantana involucrata*	T/S		
Tantan, Wild Tamarind	*Leucaena leucocephala*	T/S		T/S
Wild Bush Bean	*Macroptilium lathyroides*	H	H	
None	*Melochia nodiflora*	H	H	
None	*Melochia pyramidata*	H	H	
None	*Merremia quinquefolia*		V	
None	*Merremia umbellata*	V	V	
Sensitive Plant	*Mimosa pudica*	H	H	
None	*Phyllantus* sp.	H	H	
Mesquite	*Prosopis juliflora*		T/S	T/S
None	*Rauvolfia* sp.			T/S
Rain Tree, Licorice	*Samanea saman*		T/S	T/S
None	*Sesbania sericea*	T/S		
None	*Sida* sp.	H	H	
Donkey Weed	*Stylosanthes hamata*	H	H	
None	*Tournefortia angiospermii*	H	H	
None	*Tridax procumbens*	H	H	
None	*Vernonia cinerea*	H	H	
Indian Jujube	*Ziziphus mauritiana*		T/S	T/S

T/S = tree or shrub
H = herbaceous
V = vine
G = grass

exterior of the ramp provided shade, foraging areas, and hiding places for a few common anoles. At least five marine toads (*Bufo marinus*) and approximately 500 marine toad tadpoles were observed in the water-filled concrete structure (see Figure 15). Invertebrates using the site included diving beetles, dragonflies, bees, and butterflies (see Figure 16). Evidence of horses (manure) was present on the site.

Bird habitats were restricted to bare ground, some grassy areas, and a few shrubs growing out from the ramp. A few species of birds were seen on the site–one bananaquit (*Coerba flaveola*), one black-faced

grassquit (*Tiaris bicolor*), one northern mockingbird (*Mimus polyglottus*), and five common ground doves. Four additional species were observed in the adjacent thorn scrub and on the reference site. Common ground doves, gray kingbirds, and bananaquits were the most common birds in the area. Birds observed in this area are typical of coastal forest or thorn scrub habitats. In addition, mongoose (*Herpestes auropunctatus*) tracks and horse signs were seen at the reference site.

Since the AOC-I site was developed, it has had a general negative effect on the potential habitat and was not supportive of many wildlife species. Wildlife that was observed at AOC-I, adjacent habitat to the site, and in the reference site is presented in Table 5.

Table 5

Wildlife Observed at AOC-I, Adjacent Habitat, and the Reference Sites

Common Name	Scientific Name	AOC-I	Adjacent Habitat/ Reference Site
Mammals			
Horse	*Equus caballus*	✓	✓
Mongoose	*Herpestes auropunctatus*		✓
Reptiles and Amphibians			
Anole (Common Lizard)	*Anolis cristatellus*	✓	
Marine Toad	*Bufo marinus*	✓	
Birds			
Mangrove Cuckoo	*Coccyzus minor*		✓
Bananaquit	*Coereba flaveola*	✓	✓
Common ground Dove	*Columbina passerina*	✓	✓
Adelaide's Warbler	*Dendroica adelaidae*		✓
Northern Mockingbird	*Mimus polyglottos*	✓	✓
Black-faced Grassquit	*Tiaris bicolor*	✓	✓
Loggerhead Kingbird	*Tyrannus caudifasciatus*		✓
Gray Kingbird	*Tyrannus dominicensis*		✓

4.3.5 Protected Species

There were no federally protected species or preferred habitat observed at the AOC-I or reference site.

4.3.6 Food Web

A generalized food web for this type of grassland/disturbed community is presented in Appendix B under Food Web 1.

4.4 AOC-J (Former Staging Area Disposal Site)

4.4.1 Site Description

AOC-J, the Former Staging Area Disposal site, was located approximately 1 mi west of the entrance to the PWA, north of Highway 200 near the coast, and was about 1.5 ac in size (Figure 17). A dirt/gravel trail recently cleared by bulldozing led from Highway 200 to the site. The entire AOC-J site, roughly triangular in shape, had been cleared and was bounded on the south and west by a barbed wire fence (Figures 18 through 23).

Dirt and brush had been pushed to the northeast, a plastic fence was in place, and there were several monitoring wells installed. There was a small patch of undisturbed brush and trees. However, approximately 75 percent of the AOC-J site and boundary edges was cleared.

AOC-J was situated within a thorn scrub forest. A coastal forest existed with the ocean to the north and a quebrada/mangrove swamp area immediately to the northeast. Personnel did not enter the AOC site because it was posted (see Figure 18).

4.4.2 Vegetation Community Description

The vegetation community had three strata based on the remnant vegetation found in the AOC-J site. The tree stratum consisted of four species: mesquite (*Prosopis julifora*), gumbo limbo, *Lonchocarpus heptaphyllus,* and yellow prickle (*Zanthoxylum monophyllum*). The shrub stratum was represented by Christmas tree, broomstick (*Trichilia hirta*), and brisselet (*Erythroxylum brevipes*). There were a few species of herbs but no grasses were present in the lowest stratum. This plant community is representative of the coastal scrub forest and did not differ significantly from the reference site. The vegetation recorded at AOC-J, observed in the quebrada/mangrove swamp area, and observed in the nearby mixed coastal forest/thorn scrub habitat (including the reference site) is presented in Table 6.

4.4.3 Plant Community Health

A reference site was selected along the southern boundary of the AOC-J site for plant community comparisons (see Figure 22). It was difficult to determine the condition of the previous plant community at AOC-J since the area had been cleared prior to the survey. These sites (reference vs. AOC-J) were probably similar prior to the clearing of AOC-J. The only difference was that the northern end of the AOC-J slopes towards a low area that leads to the ocean and had more coconut palm trees (*Cocus nucifera*) (see Figure 20).

Table 6

Vegetation Observed in the AOC-J, Quebrada/Mangrove Swamp Adjacent to AOC-J, and the Adjacent Mixed Coastal Forest/Thorn Scrub (includes Reference Site) Habitat

		STRATUM		
Common Name	**Scientific Name**	**AOC-J**	**Adjacent Quebrada Mangrove Swamp**	**Coastal Forest/ Thorn Scrub Habitat**
Sweet Acacia	*Acacia farnesiana*		T/S	T/S
Catch and Keep	*Acacia retusa*			V
Black Mangrove	*Avicennia germinans*		T/S	
None	*Blechum* sp.		H	H
Oxhorn bucida	*Bucida buceras*		T/S	T/S
Gumbo Limbo	*Bursera simaruba*	T/S		
Wild Coffee	*Casearia guianensis*			T/S
Old Woman's Bitter	*Citharexylum fruticsum*			T/S
Sea Grape	*Coccoloba uvifera*		T/S	
Coconut Palm	*Cocos nucifera*		T/S	
Red Manjack	*Cordia collococca*		T/S	
Purple Allamanda	*Cryptostegia grandiflora*			V
Brisselet	*Erythroxylum brevipes*	T/S	T/S	
Black Rod-wood	*Eugenia biflora*			T/S
Black Mampoo	*Guapira fragans*		T/S	T/S
Jazmín Oloroso	*Jasminum fluminense*	V		
None	*Justicia sphaerosperma*			H
White Mangrove	*Laguncularia racemosa*		T/S	
Tantan, Wild Tamarind	*Leucaena leucocephala*			T/S
None	*Lonchocarpus heptaphyllus*	T/S	T/S	T/S
Wild Balsam Apple	*Momardica charantia*			V
None	*Paullinia pinnata*		V	V
Garlic Weed	*Petiveria alliacea*	H		H
Mesquite	*Prosopis juliflora*	T/S	T/S	T/S
Christmas Tree	*Randia aculeata*	T/S	T/S	T/S
Red Mangrove	*Rhizophora mangle*		T/S	
None	*Ruellia* sp.	H		
Mother-in-law Tongue	*Sansevieria trifasciata*			H
Tamarind	*Tamarindus indica*		T/S	
Indian Almond	*Terminalia catappa*		T/S	
Spanish Cork	*Thespesia populnea*		T/S	
Broomstick	*Trichilia hirta*	T/S		T/S
Basket Wiss	*Trichostigma octandrum*		V	
Yellow Prickle	*Zanthoxylum monophyllum*	T/S		

4.4.4 Wildlife Description

During the wildlife surveys many species were observed utilizing the cleared disposal site and the adjacent habitat (Table 7). The woody debris piles along the edges of the site attracted large numbers of lizards (*Anolis pulchellus*, *Anolis cristatellus*, and *Anolis stratulus*) and provided perches for birds. Numerous lizards were present along the trail leading to the site, among the adjacent vegetation, and

within the reference site (see Figure 23). A large green iguana (*Iguana iguana*) 2 to 3 ft long was observed on the opposite side of the lagoon to the east of the site. The only Invertebrate present at the site was land crabs (*Geocarina lateralis*) which were evident by their many crab holes at the northern end of the site.

Habitat for birds at the site had been restricted to bare ground and the small, isolated patch of shrubs and trees. Wildlife that was observed at AOC-J, adjacent habitat to the site, and in the reference site is presented in Table 7. Six different species of birds (two to three individuals each) were seen on the site—Caribbean elaenia (*Elaenia martinica*), Adelaide's warbler, greater Antillean grackle (*Quiscalis niger*), gray kingbird, common ground dove, and bananaquit (see Table 7). An additional eight bird species were observed in the adjacent vegetation and reference site (see Table 7). The great Antillean grackle and gray kingbird were the most common birds in the area.

Table 7

Wildlife Observed at AOC-J, Adjacent Habitat, and the Reference Sites

Common Name	Scientific Name	AOC-J	Adjacent Habitat/ Reference Site
Reptiles and Amphibians			
Anole (Common Lizard)	*Anolis cristatellus*	✓	✓
Grass Anole (Garden Lizard)	*Anolis pulchellus*	✓	✓
Anole (Spotted Lizard)	*Anolis stratulus*	✓	✓
Green Iguana	*Iguana iguana*		✓
Birds			
Belted Kingfisher	*Ceryle alcyon*		✓
Bananaquit	*Coereba flaveola*	✓	✓
Common ground Dove	*Columbina passerina*	✓	✓
Adelaide's Warbler	*Dendroica adelaidae*	✓	✓
Yellow Warbler	*Dendroica petechia*		✓
Caribbean Elaenia	*Elaenia martinica*	✓	✓
Magnificant Frigatebird	*Fregata magnificens*		✓
Common Moorhen	*Gallinula chloropus*		✓
Puerto Rico Woodpecker	*Melanerpes portoricensis*		✓
Brown Pelican	*Pelecanus occidentalis*		✓
Greater Antillean Grackle	*Quiscalus niger*	✓	✓
Louisiana Waterthrush	*Seiurus motacilla*		✓
Yellow-faced Grassquit	*Tiaris olivacea*		✓
Gray Kingbird	*Tyrannus dominicensis*	✓	✓

Two brown pelicans were observed flying over adjacent habitat towards the ocean to the north but were not seen at the AOC-J site. The birds observed were those typical of coastal forest, thorn scrub habitat, or lagoonal areas.

4.4.5 Protected Species

There were no federally protected species or preferred habitat observed directly on the site. Two brown pelicans were observed flying over adjacent habitat towards the north (in the direction of the Caribbean Sea) but were not seen at the AOC-J site. One of the two known cobana negra populations is located on the eastern boundary of Laguna Kiani which is approximately a mile to the east of AOC-J. No individuals of cobana negra were found along the lagoon near AOC-J. Although cobana negra has been found at NASD (on the boundary between black mangrove communities, salt flats, and the upland communities), the habitat at the AOC-J was primarily upland thorn scrub. The adjacent lagoon had a small fringe of mixed mangrove habitat but no cobana negra was present.

4.4.6 Food Web

A generalized food web for the mixed thorn scrub, coastal forest, and mangrove community type found near AOC-J is presented in Appendix B under Food Web 2, Mixed Habitat.

4.5 AOC-L (Former Septic Vault

4.5.1 Site Description

AOC-L, the Former Septic Vault site, was located just north of the entrance to the PWA and was approximately 0.10 ac in size (Figure 24). The septic vault was approximately 90 ft north of Highway 200 and approximately 180 ft from the beach. The site consisted of a partially aboveground, concrete, unused septic tank and a grassy bank. There were several grates that covered openings in the top of the vault. The northern side of the vault had a drop-off of several feet to the ground, while the south side of the vault was flush with the ground (Figures 25 through 30).

4.5.2 Vegetation Community Description

Herbaceous plants dominated the plant community. Habitat in the immediate area included open grasslands, large shade trees, and the beach area. Vegetation observed at AOC-L, the reference site to the east, and in the recreation area (beachfront) and sandy beach area is presented in Table 8. Hurricane grass dominated the site, covering approximately 70 percent of the ground. The herbaceous plants were not only the most abundant group but the most diverse as well. There were a total of eight species of grasses and herbs (excluding vines) compared to four species of woody plants. Several vines were recorded from the site; pudding vine (*Cissus verticillata*) was the dominant species. This species was observed growing over the septic vault. Several small trees were growing next to the concrete structure.

Table 8

Vegetation Observed at AOC-L, Reference Site, and in the Recreation Area (Beachfront) and Sandy Beach Area

		STRATUM		
Common Name	**Scientific Name**	**AOC-J**	**Reference Site**	**Recreation and Sandy Beach Areas**
Sweet Acacia	*Acacia farnesiana*	T/S	T/S	T/S
Better Man Better	*Achyrantes aspera*		H	
Hurricane Grass	*Bothriochloa pertusa*	G	G	G
Gumbo Limbo	*Bursera simaruba*			T/S
Giant Milkweed*	*Calotropis procera*		T/S	
Bur Grass	*Cenchrus echinatus*			G
Velvet Leaf	*Cissampelos pareira*	V		
Pudding Vine	*Cissus verticillata*	V		
Old Woman's Bitter	*Citharexylum fruticosum*			T/S
Lemon	*Citrus limon*			T/S
None	*Commelina* sp.	H		
Manjack	*Cordia obliqua*			T/S
None	*Digitaria bicornis*			G
Beach Vine	*Ipomea* sp.			V
Jazmín Oloroso	*Jasminum fluminense*	V		
Wild Bush Bean	*Macroptilium lathyroides*	H	H	
None	*Merremia umbellata*	V		
Sensitive Plant	*Mimosa pudica*	H		
Black Wattle	*Piper amalago*	T/S		
None	*Rauvolfia* sp.	T/S		
None	*Sida* sp.		H	
Verbain	*Stachytarpheta jamaicensis*	H		H
Donkey Weed	*Stylosanthes hamata*	H		
Cerbatana	*Synedrella nodiflora*	H		
Indian Almond	*Terminalia catappa*			T/S
Basket Wiss	*Trichostigma octandrum*			V
None	*Vernonia cinerea*	H		
Indian Jujube	*Ziziphus mauritiana*	T/S	T/S	T/S

T/S = tree or shrub
H = herbaceous
V = vine
G = grass
*juvenile

They seemed to have become established recently; hence, none had established dominance. Vegetation of the control site was less diverse than the AOC-L site, but had the same dominants.

4.5.3 Plant Community Health

The vegetation surrounding the septic vault had experienced regular disturbance from mowing resulting in a grassland community. Ground maintenance is the primary factor affecting the species composition and structure of this site. The reference site was located to the east of the septic vault on the other side of a clump of bushes. The plant community at AOC-L was very similar to the reference site and had a similar slope. The species composition and structure were similar between AOC-L and reference sites. No vegetation stresses were observed at the AOC-L. There was a small amount of less densely covered

grassy area with some open patches at AOC-L compared to the reference site. This was probably due to the shade from a large Indian almond tree and compaction from vehicles driving close to the site.

4.5.4 Wildlife Description

The only sign of wildlife at AOC-L was the presence of a rat hole (*Rattus* sp.) on the east side of the vault and evidence of horse grazing (Table 9). No birds or lizards were observed utilizing the habitat at the septic vault. Several other additional species were observed in the adjacent beach habitat and reference site. One cattle egret (*Egreta alba*) and a bananaquit were observed at the reference site. A herd of horses was observed grazing on the adjacent grasslands (see Table 9).

Several brown pelicans were observed flying over the adjacent marine habitat but were not present at the AOC-L (see Table 9). In addition, two common terns (*Sterna hirundo*) and a spotted sandpiper (*Actitis macularia*) were seen along the beach north of the site (see Table 9). Cattle egrets in association with the horse herd and brown pelicans (see Figure 30) along the beach were the most common birds in the area (see Table 9). The bird species observed at this habitat type consisted of coastal forest and shore species due to the close proximity to the Caribbean Sea.

There was no evidence that the AOC-L site had an impact on the wildlife or habitat in the area. Ground maintenance is the primary factor affecting the plant and animal species composition and structure at this site.

Table 9

Wildlife Observed at AOC-L, Adjacent Habitat, and Reference Sites

Common Name	Scientific Name	AOC-L	Adjacent Habitat	Reference Site
Mammals				
Rat	*Rattus* sp.	✓		
Horse	*Equus caballos*		✓	
Birds				
Spotted Sandpiper	*Actitis macularia*		✓	
Cattle Egret	*Bubulcus ibis*		✓	✓
Bananaquit	*Coereba flaveola*		✓	✓
Brown Pelican	*Pelecanus occidentalis*		✓	
Common Tern	*Sterna hirundo*		✓	

4.5.5 Protected Species

Federally endangered marine birds such as the brown pelican and the roseate tern would not utilize this small man-made site. However, brown pelicans were observed flying over the adjacent marine habitat but

not at the AOC-L. There were no federally protected plant or animal species or preferred habitat observed at this site. However, The threatened Arctic peregrine falcon has been observed at NSRR (GMI 1998) and utilizes the open grassland this site provides for potential feeding.

4.5.6 Food Web

A generalized food web for the grassland community type found at AOC-L is presented in Appendix A under Food Web 1.

4.6 AOC-R (Former Construction Staging Area)

4.6.1 Site Description

AOC-R, the Former Construction Staging Area, located north of Highway 200 near a pump station was approximately 12 ac in size (Figure 31). Photographs of the site are presented in Figures 32 through 37. There were two dirt trails leading to the site; one ran along the western edge of the site (see Figure 35) and one ran diagonally along the eastern edge of the site. Several habitats and man-made structure components were present. The southern boundary of the site was adjacent to a grassy mowed area along Highway 200 (Figure 32). A pump station was inset about midway along the road. Behind the grassy area was a dense, scrubby, brushy area. A large concrete pad was located north of this scrub and extended the full width of the 12-ac site (see Figure 34). The pad appeared completely vegetated in the 1999 aerial photographs but at the time of the survey the pad was sparsely covered with vines and weeds. The vegetation surrounding the concrete pad had been cleared. The western dirt path led past the concrete pad to another cleared area to the north (northern cleared area) was separated from the pad by dense thorn scrub and coastal forest.

The northern cleared area to the east of the dirt path was less than one acre in size and had been totally cleared except for one tree. Brush, dead trees, dirt, and rubber tires (some covered with a tar substance) had been pushed to the edges of this part of the site. Additional cleared area existed to the west of the trail. The dirt trail continued to the north towards the beach.

4.6.2 Vegetation Community Description

Although the concrete pad area had been cleared, a large number of weeds and vines were observed growing on top of the concrete pad and its surroundings. The northern cleared area had recently been bulldozed and fewer species were observed.

The concrete pad was dominated by herbaceous plants, none of which were abundant at the time. A total of six vine species were recorded at AOC-R, the highest number found of all AOC sites surveyed. Shrubs and trees were mostly found along the edge of the concrete pad and the immediate surroundings. The dominant shrub species was tantan. Sweet acacia (*Acacia farnesiana*), red manjack (*Cordia collococca*), *Rauvolfia* sp., and papaya (*Carica papaya*) were also observed but at lower densities. The vegetation observed at the AOC-R, including the concrete pad, northern cleared area, and surrounding thorn scrub habitat, including the reference, site is presented in Table 10.

Table 10

Vegetation Observed at AOC-R, Northern Cleared Area, and Thorn Scrub Habitat including the Reference Sites

		STRATUM		
Common Name	**Scientific Name**	**AOC-R**	**Northern Cleared Area**	**Thorn Scru Habitat/ Reference Site**
Sweet Acacia	*Acacia farnesiana*	T/S		T/S
Better Man Better	*Achyrantes aspera*	H	H	
Casha	*Acacia tortuosa*			T/S
Hurricane Grass	*Bothriochloa pertusa*	G		
Gumbo Limbo	*Bursera simaruba*			T/S
Papaya	*Carica papaya*	T/S		T/S
Wild Coffee	*Casearia guianensis*			T/S
None	*Casearia sylvestris*			T/S
Butterfly Pea	*Centrosema pubescens*	V		V
None	*Chaemaesyce hypericifolia*	H		
Velvet Leaf	*Cissampelos pareira*	V		
Pudding Vine	*Cissus verticillata*	V		
Old Woman's Bitter	*Citharexylum fruticosum*			T/S
None	*Citrus* sp.			T/S
Lemon	*Citrus limon*			
None	*Commelina* sp.	H		
None	*Corchorus aestuans*	H		
Broom Weed	*Corchorus siliquosus*	H		
Red Manjack	*Cordia collococca*	T/S		
Manjack	*Cordia obliqua*			T/S
Purple Allamanda	*Cryptostegia grandiflora*	V		
None	*Desmanthus virgatus*	H		
None	*Digitaria bicornis*			
Brisselet	*Erythroxylum brevipes*		T/S	
Black Rod-wood	*Eugenia biflora*			T/S
Bastard Cedar	*Guazuma ulmifolia*			T/S
Beach Vine	*Ipomea* sp.			
Jazmin Oloroso	*Jasminum fluminense*	V	V	V
None	*Jatropha* sp.	H	H	
Tantan, Wild Tamarind	*Leucaena leucocephala*	T/S		T/S
Wild Bush Bean	*Macroptilium lathyroides*	H		
None	*Melochia nodiflora*	H	H	
None	*Merremia umbellata*	V		

Table 10 (Continued)

Vegetation Observed at AOC-R, Surrounding Thorn Scrub Habitat and in the Reference Sites

Common Name	Scientific Name	STRATUM		
		AOC-R	Northern Cleared Area	Thorn Scru Habitat/ Reference Site
Sensitive Plant	*Mimosa pudica*	H		
Wild Balsam Apple	*Momardica charantia*			V
Garlic Weed	*Petiveria alliacea*	H	H	H
None	*Physalis* sp.	H		
Black Wattle	*Piper amalago*	T/S		
Christmas Tree	*Randia aculeata*		T/S	T/S
None	*Rauvolfia* sp.	T/S		
Rain Tree, Licorice	*Samanea saman*		T/S	T/S
None	*Sida* sp.		H	
Hog Plum	*Spondias mombin*			T/S
Verbain	*Stachytarpheta jamaicensis*	H		
Bull Wiss	*Stigmaphyllon floribundum*	V		
Donkey Weed	*Stylosanthes hamata*	H		
Cerbatana	*Synedrella nodiflora*	H		
Indian Almond	*Terminalia catappa*			
None	*Tournefortia angiospermii*	H	V	
Broomstick	*Trichilia hirta*			T/S
Basket Wiss	*Trichostigma octandrum*	V	V	V
None	*Vernonia cinerea*	H		
Yellow Prickle	*Zanhoxylum monophyllum*			T/S
Indian Jujube	*Ziziphus mauritiana*			T/S

T/S = tree or shrub
H = herbaceous
V = vine
G = grass
*juvenile

There was only one rain tree (*Samanea saman*) in the northern cleared area. Two species of shrubs were recorded at the site—Christmas tree and brisselet. The few species of herbaceous plants observed in the cleared area included garlic weed (*Petiveria alliacea*), better man better, *Melochia nodiflora,* and *Jatropha* sp. The composition of this site prior to clearing was probably very similar to the adjacent scrub forest.

4.6.3 Plant Community Health

It was difficult to determine the condition of the previous plant communities since parts of the area had been cleared at the time of the survey and vegetation had been cleared from the concrete pad. However, based on adjacent vegetation and the reference site, there appeared to have been minimal impacts from military activities on the surrounding vegetation prior to the clearing. Some debris was found at the northern cleared area of AOC-R as well as along the eastern trail near the concrete pad. The concrete pad created an opening in the canopy and would have altered the species composition of vines and weeds directly over and next to the pad.

The reference site was selected in the vegetation immediately to the west of the site. This vegetation was a thorn scrub and coastal forest community. With the exception of the concrete pad, no differences in the vegetation communities were observed or anticipated. There were some indications from openings in the plant communities and from worn trails that horses occasionally graze throughout the site. No other plant stresses were observed at AOC-R.

4.6.4 Wildlife Description

Many wildlife species were observed utilizing the vegetated areas, concrete pad, edges of the cleared areas, and the adjacent habitat. The sides of the concrete pad provided shade, foraging areas, and hiding places for the common, garden and spotted anoles, which were abundant. A mongoose was seen crossing the trail which led to the northern cleared area. Wildlife that was observed at AOC-R, and adjacent to the site, including the reference site, is presented in Table 11.

Table 11

Wildlife Observed at AOC-R, Adjacent Habitat, and in the Reference Site

Common Name	Scientific Name	AOC-R	Adjacent Habitat/ Reference Site
Mammals			
Mongoose	*Herpestes auropunctatus*	✓	
Reptiles and Amphibians			
Anole (Common Lizard)	*Anolis cristatellus*	✓	✓
Grass Anole (Garden Lizard)	*Anolis pulchellus*	✓	✓
Anole (Spotted Lizard)	*Anolis stratulus*	✓	✓
Birds			
Great Egret	*Ardea alba*		✓
Great Blue Heron	*Ardea herodias*		✓
Mangrove Cuckoo	*Coccyzus minor*		✓
Bananaquit	*Coereba flaveola*	✓	✓
Common ground Dove	*Columbina passerina*	✓	✓
Smooth-billed Ani	*Crotophaga ani*	✓	
Adelaide's Warbler	*Dendroica adelaidae*	✓	✓
Caribbean Elaenia	*Elaenia martinica*		✓
Puerto Rico Woodpecker	*Melanerpes portoricensis*	✓	✓
Puerto Rican Flycatcher	*Myiarchus antillarum*		✓
Antillean-crested Hummingbird	*Orthorhyncus cristatus*	✓	
Osprey	*Pandion haliaetus*		✓
Greater Antillean Grackle	*Quiscalus niger*	✓	✓
Puerto Rican Lizard Cuckoo	*Saurothera vieilloti*		✓
Black-faced Grassquit	*Tiaris bicolor*	✓	
Yellow-faced Grassquit	*Tiaris olivacea*		✓
Loggerhead Kingbird	*Tyrannus caudifasciatus*	✓	✓
Gray Kingbird	*Tyrannus dominicensis*	✓	✓
Pin-tailed Whydah	*Vidua macroura*	✓	
Zenaida Dove	*Zenaida aurita*	✓	✓

Habitat for birds included thorn scrub and coastal forest. Many birds were seen along the edges of the cleared area around the concrete pad, along the trails, and were using the brush piles and vegetation associated with the concrete pad for perches. A total of 12 species of birds were seen at the AOC-R site. An additional eight species were found in the adjacent vegetation and reference site. The most common birds at the site were gray kingbirds, bananaquits, and greater Antillean grackles. Bird species included those that would typically be found in coastal forest and thorn scrub habitat. An osprey (*Pandion haliaetus*) was observed flying northward over the adjacent vegetation toward the ocean.

AOC-R had higher numbers of birds and a greater species diversity than other sites, possibily due to its proximity to an established conservation zone to the west, its larger size (approximately 12 ac), and contained a large uncleared area. There was no evidence that AOC-R had a negative impact on the wildlife diversity or its habitat. The concrete pad would have provided a clearing for species preferring more open areas.

4.6.5 Protected Species

The site was located within thorn scrub and mixed coastal forest habitat. There were no federally protected species or preferred habitats observed at this upland site.

4.6.6 Food Web

A generalized food web for this AOC is found in Appendix B under Food Web 1.

5.0 CONCLUSION

In all cases, species abundance and diversity were higher in the bordering vegetation and reference areas than the AOC sites because of recent or past clearing activities. The past activities at all of the AOC sites presented in this report have some degree of impacts on the ecosystems that were in place prior to construction or use of the sites. However, these impacts appear to be limited to changes in species composition based on physical disturbances. The construction of roads, buildings, and ground maintenance are the only disturbances that caused noticeable differences. The recent clearing activity at several of the sites has created a temporary shift in animal species that prefer closed forest systems to those preferring open habitat. However, the opening in the canopy also created temporary habitat for species such as the ground dove that prefer open spaces. The vegetation that was removed by the clearing activities was mostly thorn scrub, the most abundant widespread vegetation on the NASD. As such, the introduction of temporary clearings will not impact wildlife or overall habitat availability on the

NASD. Wildlife adjacent to the sites appeared healthy and utilized the habitats to their fullest extent. No federally protected species were observed directly utilizing these sites.

6.0 LITERATURE CITED

Acevedo-Rodriguez, P. 1996. Flora of St. John; U.S. Virgin Islands. The New York Botanical Garden. Bronx, New York.

Ewel, J.S. and J.L. Whitmore. 1973. Ecological Life Zones of Puerto Rico and the U.S. Virgin Islands. U.S. Department of Agriculture – Forest Service Research Paper ITF – 18. 72 p.

Geo-Marine, Inc. 2000. Biological Assessment for Continuing Training Activities on the Inner Range, Vieques, Puerto Rico. Atlantic Division, Naval Facilities Engineering Command, Norfolk, Virginia.

Geo-Marine, Inc. 1998. Final Integrated Natural Resource Management Plan for U.S. Naval Station Roosevelt Roads, Puerto Rico. Atlantic Division, Naval Facilities Engineering Command, Norfolk, Virginia.

Geo-Marine, Inc. 1996. Land Use Management Plan for U.S. Naval Facilities Vieques, Puerto Rico. Atlantic Division, Naval Facilities Engineering Command, Norfolk, Virginia and U.S. Naval Station Roosevelt Roads, Ceiba, Puerto Rico.

Liogier, H.A. 1985. Descriptive Flora of Puerto Rico and Adjacent Islands; Spermatophyta. Vol. 1 Casuarinacae to Connaraceae. Editorial de la Universidad de Puerto Rico, Rio Piedras, Puerto Rico.

Liogier, H.A. 1988. Descriptive Flora of Puerto Rico and Adjacent Islands; Spermatophyta. Vol. 2 Leguminosae to Anacardiaceae. Editorial de la Universidad de Puerto Rico, Rio Piedras, Puerto Rico.

Liogier, H.A. 1994. Descriptive Flora of Puerto Rico and Adjacent Islands; Spermatophyta. Vol. 3. Cyrillaceae to Myrtaceae. Editorial de la Universidad de Puerto Rico, Rio Piedras, Puerto Rico.

Liogier, H.A. 1995. Descriptive Flora of Puerto Rico and Adjacent Islands; Spermatophyta. Vol. 4. Melastomataceae to Lentibulariaceae. Editorial de la Universidad de Puerto Rico, Rio Piedras, Puerto Rico.

Liogier, H.A. 1997. Descriptive Flora of Puerto Rico and Adjacent Islands; Spermatophyta. Vol. 5. Acanthaceae to Compositae. Editorial de la Universidad de Puerto Rico, Rio Piedras, Puerto Rico.

Liogier, H.A. and L.F. Wadsworth. 1982. Flora of Puerto Rico and Adjacent Islands: A Systematic Synopsis. Editorial de la Universidad de Puerto Rico, Rio Piedras, Puerto Rico.

Little, E.L., and F.H. Wadsworth. 1964. Common Trees of Puerto Rico and the Virgin Islands. Agriculture Handbook No. 249. U.S. Department of Agriculture, Forest Service, Washington, D.C.

Little, E.L., R. Woodbury, and F.H. Wadsworth. 1964. Trees of Puerto Rico and the Virgin Islands. Vol. 2. Agriculture Handbook No. 449. U.S. Department of Agriculture, Forest Service, Washington, D.C.

Raffaele, H. A. 1989. A Guide to the Birds of Puerto Rico and the Virgin Islands. Princeton University Press, Princeton, New Jersey.

Raffaele, H., J. Wiley, O. Garrido, A. Keith, and J. Raffaele. 1998. A Guide to the Birds of the West Indies. Princeton University Press. Princeton, New Jersey.



Figure 1. General Location of Vieques Island and the Naval Ammunition Support Detachment (NASD), Puerto Rico.



Figure 2. Location of Five Areas of Concern (AOC) within the NASD, Vieques, Puerto Rico.



Figure 3. Location of AOC-H, Former Power Plant Site within the NASD, Puerto Rico.

Figure 4. AOC-H. North View from Highway 200 Showing Cleared Areas.

Figure 5. AOC-H. South View showing the rear side of the building.

Figure 6. AOC-H. West Side of a Cleared Area with Mixed Scrub/Coastal Forest to the left in the picture.

Figure 7. AOC-H. Western View along Highway 200 with the Reference Site (thorn scrub) to the right.

Figure 8. AOC-H. Fruit seeds are the small dark objects scattered on the floor of the building interior.

Figure 9. AOC-H. Photo of an anole (*Anolis cristatellus*) using the building.



Figure 10. Location of AOC-I, Asphalt Plant Site within the NASD, Puerto Rico.

Figure 11. AOC-I. West View looking towards the Concrete Pad, Gravel Area, and Raised Ramp in the Distance.

Figure 12. AOC-I. North View of the Reference Site.

Figure 13. AOC-I. Stained Soil and Gravel.



Figure 14. AOC-I. Marine Toads (*Bufo marinus*) using the Water in the Concrete Depression.



Figure 15. AOC-I. East View of Adjacent Vegetation with quarry activity (gray areas).

Figure 16. AOC-I. Typical Site Ground Cover including Invertebrate (butterfly).



Figure 17. Location of AOC-J, Former Staging Area Disposal Site within the NASD, Puerto Rico.

Figure 18. AOC-J. North View showing western edge of site with no trespassing sign, disturbed soil, and monitoring wells (yellow poles).

Figure 19. AOC-J. Adjacent vegetation to northwest of site with tall palm trees indicating the coastline.



Figure 20. AOC-J. North view of AOC-J and reference sites. Reference site is located to the right of the photo.



Figure 21. AOC-J Southern View of the reference site to the left of the trail.



Figure 22. AOC-J. Northernmost portion of the site. The mangrove habitat is beyond the farthest fence line.



Figure 23. AOC-J. Female anole (*Anolis cristatellus*) using felled wood for foraging.



Figure 24. Location of AOC-L, Former Septic Vault Site within the NASD, Puerto Rico.

Figure 25. AOC-L. North View of Site with the Caribbean Sea in the background.

Figure 26. AOC-L. North View of the Adjacent Beach Habitat.

Figure 27. AOC-L. Vines Covering the Vault Grates and Adjacent Off-site Brush

Figure 28. AOC-L. East View of Reference Site.

Figure 29. AOC-L. Southwest view of the site.

Figure 30. AOC-L. Brown pelican (*Pelicanus occidentalis*) flying over the water of Adjacent Habitat.

Figure 31. Location of AOC-R, Former Contruction Staging Area Site within the NASD, Puerto Rico.

Figure 32. AOC-R Southern Boundary Entrance from Highway 200.

Figure 33. AOC-R Thorn Scrub Vegetation.

Figure 34. AOC-R. View of Partial Vine-covered Concrete Pad looking to the East.

Figure 35. AOC-R. Trail along Western Portion of the Site with the Reference Site to the Left of the Trail.

Figure 36. AOC-R. Northern View with Single Tree in Middle of Cleared Area.

Figure 37. AOC-R. Juvenile Great Blue Heron (*Ardea herodias*) found Resting under a Culvert.

Appendix G
UXO Reports

December 26, 2000

CH2MHILL
Attn: Mr. Martin J. Clasen
4350 West Cypress
Suite 600
Tampa, Florida 33607

Subject: Final Removal Report, for Ordnance and Explosives (OE) Support Services at Phase II NASD Vieques Island, Puerto Rico

Dear Mr. Clasen,

USA Environmental, Inc. (USA) has completed the Ordnance and Explosive (OE) avoidance support during soil borings and monitoring well installation at the Area of Concern (AOC) J Former Staging Area and Disposal Site.

USA mobilized two UXO qualified personnel to Vieques Island on the 11th of December 2000 and demobilized on the 15th of December. On the 11th USA's Senior UXO Supervisor (SUXOS) Frank Santino contacted the Project Manager (PM) from both the Navy and CH2M Hill, assessed the site and assembled and tested the equipment.

Operations began on the 12th of December and were completed on the 13th. A total of eight (8) soil sample borings and four (4) monitoring wells were installed in accordance with the Statement of Work (SOW). No UXO was encountered.

A request was made by the Navy's PM and approved by the CH2M Hill PM to have USA conduct a UXO surface sweep of the area outside the fence line of the Open Burn/Open Detonation (OB/OD) fence. On the 14th of December USA conducted a magnetometer assisted UXO surface sweep beginning at the east end of the OB/OD fence from the high water mark inland approximately 20 feet wide and continuing along the beach approximately 7,000 feet to the cliffs at the west end. No live UXO was encountered, although 5 pieces of ordnance (see Daily Journals, Attachment 1) related scrap were flagged to assist in the relocation and surveying of the items.

Lessoned Learned

Upon conducting the site assessment at the beginning of the project USA's SUXO identified some ordnance related scrap in the area of the boring's and the wells. This site had been cleared using a bulldozer. It would be recommended to have UXO support during any intrusive operation in an area that has the potential for ordnance being present.

Sincerely,

George R. Spencer
Operations Manager

Attachments:
Attachment 1 – Daily Journals
Attachment 2 – Site Photographs

DAILY OPERATIONS JOURNAL

DATE: 11-Dec-00 Page 1 of 4 Pages

LOCATION: SWMU-4 NASD Vieques Island PR

WEATHER CONDITIONS: Sunny 80°

1. WORK SUMMARY:

a. Work Planned: Assemble MK 26 for down hole monitoring, and test MK-26 and other magnetometers

b. Work Accomplished: All of the above

c. Discrepancies:

d. Inspection Results:

2. INSTRUCTIONS RECEIVED FROM CUSTOMER REPRESENTATIVE(S):

Be Ready to start soil sampling in 5 holes in former disposal site.

Attachment - 1

b. Demolition Supplies Expended:

TYPE	QUANTITY

c. Scrap Generation/Deposition:

QUANTITY	WEIGHT	TYPE (OE/NON-OE)
2 Pices		106 MM CARTRIDGE CASE
1		FLASH TUBE
1		106 MM CARTRIDGE BASE
6 Pices		CARTRIDGE CANASTER

4. PERSONNEL/EQUIPMENT UTILIZATION:

a. Personnel On-Site:

NUMBER	MAN-HOURS	DESCRIPTION
		Project Manager
		Site Safety/Quality Control Officer
		Senior UXO Supervisor
1	8	UXO Supervisor
		UXO Specialist
		UXO Assistant
		Laborers
		Administrative Personnel
		Security Guard
		Visitors
		Sub-Contractor Personnel (List By Category)

b. Equipment Utilization:

QUANTITY	HOURS	DESCRIPTION
		Backhoe
		Front End Loader
		Magnetometers:
		Schonstedt
		Other
		Radio (Hand held)
		Radio (Mobile)
		Truck (Heavy)
1	8	Truck (Light)
		Rental Cars
		GPS
		Other Equipment (List)
1	8	Cell Phone

5. REMARKS: MET WITH CHRISS PENNY THE NAVY PROJECT MANAGER AND CH2M HILL PROJECT MANAGER ALL EQUIPMENT WAS CHECKED AND IS READY

6. SIGNATURE/DATE:

Project Manager	Date:
Frank Sentuno	11-Dec-00

DAILY OPERATIONS JOURNAL

DATE: 12 Dec 00

LOCATION: SWMU-4 NASD Vieques ISLAND PR

WEATHER CONDITIONS: Sunny 80°

1. WORK SUMMARY:

a. Work Planned HAND Bore Soil Sample Holes AND Wells To 4'

b. Work Accomplished: HAND Bored All Holes To 4' FT AND Took Soil Samples From 5 OF Them AND DRILLED 2 Wells AND Set Them

c. Discrepancies:

d. Inspection Results:

2. INSTRUCTIONS RECEIVED FROM CUSTOMER REPRESENTATIVE(S):

HAND Bore 8 Holes IN Disposal Site To 4'

4. PERSONNEL/EQUIPMENT UTILIZATION:

a. Personnel On-Site:

NUMBER	MAN-HOURS	DESCRIPTION
		Project Manager
		Site Safety/Quality Control Officer
1	11	Senior UXO Supervisor
		UXO Supervisor
1	11	UXO Specialist
		UXO Assistant
		Laborers
		Administrative Personnel
		Security Guard
		Visitors
		Sub-Contractor Personnel (List By Category)

b. Equipment Utilization:

QUANTITY	HOURS	DESCRIPTION
		Backhoe
		Front End Loader
2	22	Magnetometers:
		Schonstedt
		Other
		Radio (Hand held)
		Radio (Mobile)
		Truck (Heavy)
1	11	Truck (Light)
		Rental Cars
		GPS
		Other Equipment (List)
1	11	Cell Phone

5. REMARKS: NONE

6. SIGNATURE/DATE:

Project Manager	Date:
Frank SANTINO	12 DEC 00

DAILY OPERATIONS JOURNAL

DATE: 13 Dec 00

LOCATION: SWMU-4 NASD Vieques Island PR

WEATHER CONDITIONS: Sunny 80°

1. WORK SUMMARY:

a. Work Planned Complet LAST 2 Wells in Disposal Area

b. Work Accomplished: 2 Wells Completed AND Set

c. Discrepancies:

d. Inspection Results:

2. INSTRUCTIONS RECEIVED FROM CUSTOMER REPRESENTATIVE(S):

Finsh Wells in Disposal Site

4. PERSONNEL/EQUIPMENT UTILIZATION:

a. Personnel On-Site:

NUMBER	MAN-HOURS	DESCRIPTION
		Project Manager
		Site Safety/Quality Control Officer
1	9	Senior UXO Supervisor
		UXO Supervisor
1	9	UXO Specialist
		UXO Assistant
		Laborers
		Administrative Personnel
		Security Guard
		Visitors
		Sub-Contractor Personnel (List By Category)

b. Equipment Utilization:

QUANTITY	HOURS	DESCRIPTION
		Backhoe
		Front End Loader
2	18	Magnetometers:
		Schonstedt
		Other
		Radio (Hand held)
		Radio (Mobile)
		Truck (Heavy)
1	9	Truck (Light)
		Rental Cars
		GPS
		Other Equipment (List)
1	9	Cell Phone

5. REMARKS: None

6. SIGNATURE/DATE:

Project Manager	Date:
Frank Santino	13 Dec 00

DAILY OPERATIONS JOURNAL

DATE: 14 Dec 00

LOCATION: SWMU-4 NASD Vieques ISLAND PR

WEATHER CONDITIONS: RAIN 88°

1. WORK SUMMARY:

a. Work Planned: Survey Beach From Where Fence STARTS AT THE EAST END TO THE ~~CHAPES~~ CHIEF ON THE West End ABOUT 7,000 ~~yds~~ FT FOR UXO AND OE SCRAP, SURFACE ONLY

b. Work Accomplished: Completed Survey of Beach AND WATER ALONG Shore

c. Discrepancies:

d. Inspection Results:

2. INSTRUCTIONS RECEIVED FROM CUSTOMER REPRESENTATIVE(S):

Recon Beach AREA OUT SIDE OF OB/OD Fence FOR UXO OR OE SCRAP

b. Demolition Supplies Expended:

TYPE	QUANTITY

c. Scrap Generation/Deposition:

QUANTITY	WEIGHT	TYPE (OE/NON-OE)
1		4" X 12" OF SCRAP
2		BASE OF FLARES
1		7.62 BLANK
1		FLARE CASE

4. PERSONNEL/EQUIPMENT UTILIZATION:

a. Personnel On-Site:

NUMBER	MAN-HOURS	DESCRIPTION
		Project Manager
		Site Safety/Quality Control Officer
1	10	Senior UXO Supervisor
		UXO Supervisor
1	9	UXO Specialist
		UXO Assistant
		Laborers
		Administrative Personnel
		Security Guard
		Visitors
		Sub-Contractor Personnel (List By Category)

b. Equipment Utilization:

QUANTITY	HOURS	DESCRIPTION
		Backhoe
		Front End Loader
~~2~~	~~16~~	Magnetometers:
2	16	Schonstedt
		Other
		Radio (Hand held)
		Radio (Mobile)
		Truck (Heavy)
1	10	Truck (Light)
		Rental Cars
		GPS
		Other Equipment (List)
1	10	Cell Phone

5. REMARKS: Surveyed Beach Area out side of Fence in 6B/6D Area About 20' wide By 7,000 FT long did not find any UXO But 06 scrap listed Chriss Perry The Navy Project Manager was Real Aggrichtive Becuse This was not in our Scope of Work

6. SIGNATURE/DATE:

Project Manager	Date:
Frank Santino	12-14-00

Road To Landfill area

Landfill area Cleared

Where Soil Samples
Taken in Landfill -
Sample #1

Soil Sample #2+3

Well #1

Well #2

Well # 3

Well #4


Drilling Wells

106mm Scrap
Landfill
IN

106mm Scrap IN
Landfil

Landfil Scrap


East End of Beach
Survey for UXO


Midway of Beach
by Lagoon


West End of Beach
Towards Cliffs

OE Scrap found on
East End of Beach

Scrap on East Beach

Appendix H
Laboratory Data

WWTP Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	WWTP		WWTP		WWTP		WWTP	
	StationID	WWTPSB001		WWTPSB002		WWTPSB003		WWTPSB004	
	SampleID	NDE188		NDE190		NDE192		NDE194	
	DateCollected	12/04/2000		12/04/2000		12/04/2000		12/04/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**								
METALS									
ALUMINUM	MG/KG	5800	=	14000	=	9300	=	4300	=
ANTIMONY	MG/KG	0.48	J	0.7	J	0.53	J	0.73	J
ARSENIC	MG/KG	0.33	U	0.34	U	0.33	U	1.1	J
BARIUM	MG/KG	52	=	95	=	53	=	54	=
BERYLLIUM	MG/KG	0.11	J	0.28	J	0.13	J	0.042	U
CADMIUM	MG/KG	0.031	U	0.032	U	0.031	U	0.035	U
CALCIUM	MG/KG	1300	=	2600	=	2400	=	1200	J
CHROMIUM, TOTAL	MG/KG	7.3	=	13	=	15	=	6.4	=
COBALT	MG/KG	6.7	J	11	J	9.5	J	5.1	J
COPPER	MG/KG	19	=	33	=	35	=	16	=
IRON	MG/KG	14000	=	26000	=	22000	=	11000	=
MAGNESIUM	MG/KG	1400	=	3300	=	4300	=	1100	J
MANGANESE	MG/KG	160	J	840	J	470	J	150	J
LEAD	MG/KG	2.8	=	2.3	=	4.7	=	4.1	=
MERCURY	MG/KG	0.023	J	0.03	J	0.06	=	0.0099	J
NICKEL	MG/KG	3.4	J	6.9	J	8.5	J	2.7	J
POTASSIUM	MG/KG	870	J	1200	=	1500	=	680	J
SELENIUM	MG/KG	1	J	1	J	1.2	=	0.59	U
SILVER	MG/KG	0.065	U	0.067	U	0.064	U	0.073	U
SODIUM	MG/KG	69	J	160	J	100	J	52	J
THALLIUM	MG/KG	0.51	J	0.68	J	0.38	U	0.44	U
VANADIUM	MG/KG	40	=	73	=	61	=	35	=
ZINC	MG/KG	30	=	40	=	58	=	29	=
PESTICIDES									
ALPHA BHC	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ
BETA BHC	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ
DELTA BHC	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ
GAMMA BHC (LINDANE)	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ
HEPTACHLOR	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ
ALDRIN	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ
HEPTACHLOR EPOXIDE	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ
DIELDRIN	UG/KG	3.7	UJ	3.9	UJ	3.8	UJ	4.2	UJ
p,p'-DDE	UG/KG	3.7	UJ	3.9	UJ	3.8	UJ	4.2	UJ
ENDRIN	UG/KG	3.7	UJ	3.9	UJ	3.8	UJ	4.2	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.7	UJ	3.9	UJ	3.8	UJ	4.2	UJ
p,p'-DDD	UG/KG	3.7	UJ	3.9	UJ	3.8	UJ	4.2	UJ
ENDOSULFAN SULFATE	UG/KG	3.7	UJ	3.9	UJ	3.8	UJ	4.2	UJ
p,p'-DDT	UG/KG	3.7	UJ	3.9	UJ	3.8	UJ	4.2	UJ
METHOXYCHLOR	UG/KG	19	UJ	20	UJ	19	UJ	22	UJ
ENDRIN ALDEHYDE	UG/KG	3.7	UJ	3.9	UJ	3.8	UJ	4.2	UJ
ALPHA-CHLORDANE	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ

WWTP Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	WWTP		WWTP		WWTP		WWTP	
	StationID	WWTPSB001		WWTPSB002		WWTPSB003		WWTPSB004	
	SampleID	NDE188		NDE190		NDE192		NDE194	
	DateCollected	12/04/2000		12/04/2000		12/04/2000		12/04/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**								
GAMMA-CHLORDANE	UG/KG	1.9	UJ	2	UJ	1.9	UJ	2.2	UJ
ENDRIN KETONE	UG/KG	3.7	UJ	3.9	UJ	3.8	UJ	4.2	UJ
TOXAPHENE	UG/KG	193	UJ	203	UJ	194	UJ	219	UJ
PCB									
PCB-1016 (AROCHLOR 1016)	UG/KG	37	UJ	39	UJ	38	UJ	42	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	37	UJ	39	UJ	38	UJ	42	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	76	UJ	79	UJ	76	UJ	86	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	37	UJ	39	UJ	38	UJ	42	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	37	UJ	39	UJ	38	UJ	42	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	37	UJ	39	UJ	38	UJ	42	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	37	UJ	39	UJ	38	UJ	42	UJ
SEMI-VOLATILES									
bis(2-CHLOROETHYL) ETHER	UG/KG	409	U	418	U	390	U	455	U
PHENOL	UG/KG	409	U	418	U	390	U	455	U
2-CHLOROPHENOL	UG/KG	409	U	418	U	390	U	455	U
1,3-DICHLOROBENZENE	UG/KG	409	U	418	U	390	U	455	U
1,4-DICHLOROBENZENE	UG/KG	409	U	418	U	390	U	455	U
1,2-DICHLOROBENZENE	UG/KG	409	U	418	U	390	U	455	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	409	U	418	U	390	U	455	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	409	U	418	U	390	U	455	U
HEXACHLOROETHANE	UG/KG	409	U	418	U	390	U	455	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	409	U	418	U	390	U	455	U
CRESOLS, m & p	UG/KG	409	U	418	U	390	U	455	U
NITROBENZENE	UG/KG	409	U	418	U	390	U	455	U
ISOPHORONE	UG/KG	409	U	418	U	390	U	455	U
2-NITROPHENOL	UG/KG	409	U	418	U	390	U	455	U
2,4-DIMETHYLPHENOL	UG/KG	409	U	418	U	390	U	455	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	409	U	418	U	390	U	455	U
2,4-DICHLOROPHENOL	UG/KG	409	U	418	U	390	U	455	U
1,2,4-TRICHLOROBENZENE	UG/KG	409	U	418	U	390	U	455	U
NAPHTHALENE	UG/KG	409	U	418	U	390	U	455	U
4-CHLOROANILINE	UG/KG	409	U	418	U	390	U	455	U
2-METHYLNAPHTHALENE	UG/KG	409	U	418	U	390	U	455	U
HEXACHLOROBUTADIENE	UG/KG	409	U	418	U	390	U	455	U
4-CHLORO-3-METHYLPHENOL	UG/KG	409	U	418	U	390	U	455	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	409	U	418	U	390	U	455	U
2,4,6-TRICHLOROPHENOL	UG/KG	409	U	418	U	390	U	455	U
2,4,5-TRICHLOROPHENOL	UG/KG	1230	U	1250	U	1170	U	1370	U
2-CHLORONAPHTHALENE	UG/KG	409	U	418	U	390	U	455	U
2-NITROANILINE	UG/KG	1230	U	1250	U	1170	U	1370	U
ACENAPHTHYLENE	UG/KG	409	U	418	U	390	U	455	U
DIMETHYL PHTHALATE	UG/KG	409	U	418	U	390	U	455	U
2,6-DINITROTOLUENE	UG/KG	409	U	418	U	390	U	455	U

WWTP Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

Site		WWTP		WWTP		WWTP		WWTP	
StationID		WWTPSB001		WWTPSB002		WWTPSB003		WWTPSB004	
SampleID		NDE188		NDE190		NDE192		NDE194	
DateCollected		12/04/2000		12/04/2000		12/04/2000		12/04/2000	
Depth		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**								
ACENAPHTHENE	UG/KG	409	U	418	U	390	U	455	U
3-NITROANILINE	UG/KG	1230	U	1250	U	1170	U	1370	U
2,4-DINITROPHENOL	UG/KG	1230	U	1250	U	1170	U	1370	U
DIBENZOFURAN	UG/KG	409	U	418	U	390	U	455	U
2,4-DINITROTOLUENE	UG/KG	409	U	418	U	390	U	455	U
4-NITROPHENOL	UG/KG	1230	U	1250	U	1170	U	1370	U
FLUORENE	UG/KG	409	U	418	U	390	U	455	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	409	U	418	U	390	U	455	U
DIETHYL PHTHALATE	UG/KG	409	U	418	U	390	U	455	U
4-NITROANILINE	UG/KG	1230	U	1250	U	1170	U	1370	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1230	U	1250	U	1170	U	1370	U
N-NITROSODIPHENYLAMINE	UG/KG	409	U	418	U	390	U	455	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	409	U	418	U	390	U	455	U
HEXACHLOROBENZENE	UG/KG	409	U	418	U	390	U	455	U
PENTACHLOROPHENOL	UG/KG	1230	U	1250	U	1170	U	1370	U
PHENANTHRENE	UG/KG	409	U	418	U	390	U	455	U
ANTHRACENE	UG/KG	409	U	418	U	390	U	455	U
DI-n-BUTYL PHTHALATE	UG/KG	409	U	418	U	390	U	455	U
FLUORANTHENE	UG/KG	409	U	418	U	390	U	455	U
PYRENE	UG/KG	409	U	418	U	390	U	455	U
BENZYL BUTYL PHTHALATE	UG/KG	409	U	418	U	390	U	455	U
3,3'-DICHLOROBENZIDINE	UG/KG	818	U	835	U	780	U	910	U
BENZO(a)ANTHRACENE	UG/KG	409	U	418	U	390	U	455	U
CHRYSENE	UG/KG	409	U	418	U	390	U	455	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	409	U	418	U	390	U	455	U
DI-n-OCTYLPHTHALATE	UG/KG	409	U	418	U	390	U	455	U
BENZO(b)FLUORANTHENE	UG/KG	409	U	418	U	390	U	455	U
BENZO(k)FLUORANTHENE	UG/KG	409	U	418	U	390	U	455	U
BENZO(a)PYRENE	UG/KG	409	U	418	U	390	U	455	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	409	U	418	U	390	U	455	U
DIBENZ(a,h)ANTHRACENE	UG/KG	409	U	418	U	390	U	455	U
BENZO(g,h,i)PERYLENE	UG/KG	409	U	418	U	37	J	455	U
CARBAZOLE	UG/KG	409	U	418	U	390	U	455	U
VOLATILES									
CHLOROMETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U
BROMOMETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U
VINYL CHLORIDE	UG/KG	11	UJ	10	UJ	10	U	10	U
CHLOROETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U
1,1-DICHLOROETHENE	UG/KG	11	UJ	10	UJ	10	U	10	U
CARBON DISULFIDE	UG/KG	11	UJ	10	UJ	10	U	10	U
1,1-DICHLOROETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U
ACETONE	UG/KG	11	UJ	16	UJ	50	U	19	U
CHLOROFORM	UG/KG	11	UJ	10	UJ	10	U	10	U

WWTP Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	WWTP		WWTP		WWTP		WWTP	
	StationID	WWTPSB001		WWTPSB002		WWTPSB003		WWTPSB004	
	SampleID	NDE188		NDE190		NDE192		NDE194	
	DateCollected	12/04/2000		12/04/2000		12/04/2000		12/04/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**								
METHYLENE CHLORIDE	UG/KG	11	UJ	10	UJ	10	U	10	U
CARBON TETRACHLORIDE	UG/KG	11	UJ	10	UJ	10	U	10	U
BENZENE	UG/KG	11	UJ	10	UJ	10	U	10	U
1,2-DICHLOROETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	11	UJ	10	R	10	J	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	11	UJ	10	UJ	10	U	10	U
1,2-DICHLOROPROPANE	UG/KG	11	UJ	10	UJ	10	U	10	U
1,1,1-TRICHLOROETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U
BROMODICHLOROMETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U
cis-1,3-DICHLOROPROPENE	UG/KG	11	UJ	10	UJ	10	U	10	U
TOLUENE	UG/KG	11	UJ	10	UJ	10	U	10	U
trans-1,3-DICHLOROPROPENE	UG/KG	11	UJ	10	UJ	10	U	10	U
DIBROMOCHLOROMETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U
CHLOROBENZENE	UG/KG	11	UJ	10	UJ	10	U	10	U
ETHYLBENZENE	UG/KG	11	UJ	10	UJ	10	U	10	U
METHYL ISOBUTYL KETONE	UG/KG	11	UJ	10	UJ	10	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	11	UJ	10	UJ	10	U	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	11	UJ	10	UJ	10	U	10	U
1,1,2-TRICHLOROETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	11	UJ	10	UJ	10	U	10	U
2-HEXANONE	UG/KG	11	UJ	10	UJ	10	U	10	U
XYLENES, TOTAL	UG/KG	11	UJ	10	UJ	10	U	10	U
STYRENE	UG/KG	11	UJ	10	UJ	10	U	10	U
BROMOFORM	UG/KG	11	UJ	10	UJ	10	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	11	UJ	10	UJ	10	U	10	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.

UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.

J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B = Analyte was detected in the associated method blank.

R = Date was unusable.

WWTP Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

Site		WWTP		WWTP		WWTP		WWTP		WWTP	
StationID		WWTPSB001		WWTPSB002		WWTPSB003		WWTPSB004		WWTPSB004	
SampleID		NDE189		NDE191		NDE193		NDE195FD1		NDE196	
DateCollected		12/04/2000		12/04/2000		12/04/2000		12/04/2000		12/04/2000	
Depth		4.5 to 5.5		5 to 6		4.5 to 5.5		4.8 to 5.6		4.8 to 5.6	
Parameter	**Units**										
METALS											
ALUMINUM	MG/KG	4700	=	5100	=	5900	=	4200	=	5300	=
ANTIMONY	MG/KG	0.38	J	0.27	UJ	0.43	J	0.38	J	0.33	J
ARSENIC	MG/KG	0.32	U	0.33	U	0.62	J	0.31	U	0.32	U
BARIUM	MG/KG	31	J	52	=	76	=	40	J	36	J
BERYLLIUM	MG/KG	0.037	U	0.038	U	0.13	J	0.036	U	0.036	U
CADMIUM	MG/KG	0.03	U	0.031	U	0.03	U	0.029	U	0.029	U
CALCIUM	MG/KG	1200	=	1500	=	2100	=	1300	=	1600	=
CHROMIUM, TOTAL	MG/KG	8.9	=	7	=	12	=	8.8	=	9.7	=
COBALT	MG/KG	3.6	J	5.9	J	7.8	J	5	J	4.9	J
COPPER	MG/KG	17	=	21	=	21	=	13	=	16	=
IRON	MG/KG	14000	=	14000	=	16000	=	11000	=	12000	=
MAGNESIUM	MG/KG	1800	=	2300	=	2800	=	1400	=	2000	=
MANGANESE	MG/KG	95	J	320	J	670	J	270	J	210	J
LEAD	MG/KG	0.93	=	1.2	=	1.8	=	0.98	=	0.65	=
MERCURY	MG/KG	0.005	J	0.0071	J	0.0065	J	0.0061	J	0.0033	J
NICKEL	MG/KG	3.1	J	3	J	6.9	J	2.9	J	4.1	J
POTASSIUM	MG/KG	1000	J	830	J	950	J	630	J	810	J
SELENIUM	MG/KG	0.67	J	0.93	J	0.92	J	0.5	U	0.5	U
SILVER	MG/KG	0.063	U	0.065	U	0.064	U	0.062	U	0.062	U
SODIUM	MG/KG	40	J	66	J	65	J	63	J	63	J
THALLIUM	MG/KG	0.38	U	0.39	U	0.38	U	0.37	U	0.4	J
VANADIUM	MG/KG	40	=	41	=	47	=	31	=	35	=
ZINC	MG/KG	23	=	20	=	21	=	18	=	28	=
PESTICIDES											
ALPHA BHC	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ
BETA BHC	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ
DELTA BHC	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ
GAMMA BHC (LINDANE)	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ
HEPTACHLOR	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ
ALDRIN	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ
HEPTACHLOR EPOXIDE	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ
DIELDRIN	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.6	UJ	3.6	UJ
p,p'-DDE	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.6	UJ	3.6	UJ
ENDRIN	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.6	UJ	3.6	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.6	UJ	3.6	UJ
p,p'-DDD	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.6	UJ	3.6	UJ
ENDOSULFAN SULFATE	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.6	UJ	3.6	UJ
p,p'-DDT	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.6	UJ	3.6	UJ
METHOXYCHLOR	UG/KG	19	UJ	20	UJ	19	UJ	19	UJ	19	UJ
ENDRIN ALDEHYDE	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.6	UJ	3.6	UJ
ALPHA-CHLORDANE	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ

WWTP Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	WWTP		WWTP		WWTP		WWTP		WWTP	
	StationID	WWTPSB001		WWTPSB002		WWTPSB003		WWTPSB004		WWTPSB004	
	SampleID	NDE189		NDE191		NDE193		NDE195FD1		NDE196	
	DateCollected	12/04/2000		12/04/2000		12/04/2000		12/04/2000		12/04/2000	
	Depth	4.5 to 5.5		5 to 6		4.5 to 5.5		4.8 to 5.6		4.8 to 5.6	
Parameter	**Units**										
GAMMA-CHLORDANE	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ
ENDRIN KETONE	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.6	UJ	3.6	UJ
TOXAPHENE	UG/KG	189	UJ	197	UJ	194	UJ	185	UJ	187	UJ
PCB											
PCB-1016 (AROCHLOR 1016)	UG/KG	37	UJ	38	UJ	37	UJ	36	UJ	36	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	37	UJ	38	UJ	37	UJ	36	UJ	36	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	74	UJ	77	UJ	76	UJ	72	UJ	73	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	37	UJ	38	UJ	37	UJ	36	UJ	36	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	37	UJ	38	UJ	37	UJ	36	UJ	36	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	37	UJ	38	UJ	37	UJ	36	UJ	36	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	37	UJ	38	UJ	37	UJ	36	UJ	36	UJ
SEMI-VOLATILES											
bis(2-CHLOROETHYL) ETHER	UG/KG	394	U	417	U	396	U	370	U	384	U
PHENOL	UG/KG	394	U	417	U	396	U	370	U	384	U
2-CHLOROPHENOL	UG/KG	394	U	417	U	396	U	370	U	384	U
1,3-DICHLOROBENZENE	UG/KG	394	U	417	U	396	U	370	U	384	U
1,4-DICHLOROBENZENE	UG/KG	394	U	417	U	396	U	370	U	384	U
1,2-DICHLOROBENZENE	UG/KG	394	U	417	U	396	U	370	U	384	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	394	U	417	U	396	U	370	U	384	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	394	U	417	U	396	U	370	U	384	U
HEXACHLOROETHANE	UG/KG	394	U	417	U	396	U	370	U	384	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	394	U	417	U	396	U	370	U	384	U
CRESOLS, m & p	UG/KG	394	U	417	U	396	U	370	U	384	U
NITROBENZENE	UG/KG	394	U	417	U	396	U	370	U	384	U
ISOPHORONE	UG/KG	394	U	417	U	396	U	370	U	384	U
2-NITROPHENOL	UG/KG	394	U	417	U	396	U	370	U	384	U
2,4-DIMETHYLPHENOL	UG/KG	394	U	417	U	396	U	370	U	384	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	394	U	417	U	396	U	370	U	384	U
2,4-DICHLOROPHENOL	UG/KG	394	U	417	U	396	U	370	U	384	U
1,2,4-TRICHLOROBENZENE	UG/KG	394	U	417	U	396	U	370	U	384	U
NAPHTHALENE	UG/KG	394	U	417	U	396	U	370	U	384	U
4-CHLOROANILINE	UG/KG	394	U	417	U	396	U	370	U	384	U
2-METHYLNAPHTHALENE	UG/KG	394	U	417	U	396	U	370	U	384	U
HEXACHLOROBUTADIENE	UG/KG	394	U	417	U	396	U	370	U	384	U
4-CHLORO-3-METHYLPHENOL	UG/KG	394	U	417	U	396	U	370	U	384	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	394	U	417	U	396	U	370	U	384	U
2,4,6-TRICHLOROPHENOL	UG/KG	394	U	417	U	396	U	370	U	384	U
2,4,5-TRICHLOROPHENOL	UG/KG	1180	U	1250	U	1190	U	1110	U	1150	U
2-CHLORONAPHTHALENE	UG/KG	394	U	417	U	396	U	370	U	384	U
2-NITROANILINE	UG/KG	1180	U	1250	U	1190	U	1110	U	1150	U
ACENAPHTHYLENE	UG/KG	394	U	417	U	396	U	370	U	384	U
DIMETHYL PHTHALATE	UG/KG	394	U	417	U	396	U	370	U	384	U
2,6-DINITROTOLUENE	UG/KG	394	U	417	U	396	U	370	U	384	U

WWTP Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	WWTP		WWTP		WWTP		WWTP		WWTP	
	StationID	WWTPSB001		WWTPSB002		WWTPSB003		WWTPSB004		WWTPSB004	
	SampleID	NDE189		NDE191		NDE193		NDE195FD1		NDE196	
	DateCollected	12/04/2000		12/04/2000		12/04/2000		12/04/2000		12/04/2000	
	Depth	4.5 to 5.5		5 to 6		4.5 to 5.5		4.8 to 5.6		4.8 to 5.6	
Parameter	**Units**										
ACENAPHTHENE	UG/KG	394	U	417	U	396	U	370	U	384	U
3-NITROANILINE	UG/KG	1180	U	1250	U	1190	U	1110	U	1150	U
2,4-DINITROPHENOL	UG/KG	1180	U	1250	U	1190	U	1110	U	1150	U
DIBENZOFURAN	UG/KG	394	U	417	U	396	U	370	U	384	U
2,4-DINITROTOLUENE	UG/KG	394	U	417	U	396	U	370	U	384	U
4-NITROPHENOL	UG/KG	1180	U	1250	U	1190	U	1110	U	1150	U
FLUORENE	UG/KG	394	U	417	U	396	U	370	U	384	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	394	U	417	U	396	U	370	U	384	U
DIETHYL PHTHALATE	UG/KG	394	U	417	U	396	U	370	U	384	U
4-NITROANILINE	UG/KG	1180	U	1250	U	1190	U	1110	U	1150	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1180	U	1250	U	1190	U	1110	U	1150	U
N-NITROSODIPHENYLAMINE	UG/KG	394	U	417	U	396	U	370	U	384	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	394	U	417	U	396	U	370	U	384	U
HEXACHLOROBENZENE	UG/KG	394	U	417	U	396	U	370	U	384	U
PENTACHLOROPHENOL	UG/KG	1180	U	1250	U	1190	U	1110	U	1150	U
PHENANTHRENE	UG/KG	394	U	417	U	396	U	370	U	384	U
ANTHRACENE	UG/KG	394	U	417	U	396	U	370	U	384	U
DI-n-BUTYL PHTHALATE	UG/KG	394	U	417	U	396	U	370	U	384	U
FLUORANTHENE	UG/KG	394	U	417	U	396	U	370	U	384	U
PYRENE	UG/KG	394	U	417	U	396	U	370	U	384	U
BENZYL BUTYL PHTHALATE	UG/KG	394	U	417	U	396	U	370	U	384	U
3,3'-DICHLOROBENZIDINE	UG/KG	788	U	834	U	792	U	740	U	768	U
BENZO(a)ANTHRACENE	UG/KG	394	U	417	U	396	U	370	U	384	U
CHRYSENE	UG/KG	394	U	417	U	396	U	370	U	384	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	394	U	417	U	396	U	370	U	384	U
DI-n-OCTYLPHTHALATE	UG/KG	394	U	417	U	396	U	370	U	384	U
BENZO(b)FLUORANTHENE	UG/KG	394	U	417	U	396	U	370	U	384	U
BENZO(k)FLUORANTHENE	UG/KG	394	U	417	U	396	U	370	U	384	U
BENZO(a)PYRENE	UG/KG	394	U	417	U	396	U	370	U	384	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	394	U	417	U	396	U	370	U	384	U
DIBENZ(a,h)ANTHRACENE	UG/KG	394	U	417	U	396	U	370	U	384	U
BENZO(g,h,i)PERYLENE	UG/KG	394	U	417	U	396	U	370	U	384	U
CARBAZOLE	UG/KG	394	U	417	U	396	U	370	U	384	U
VOLATILES											
CHLOROMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
BROMOMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
VINYL CHLORIDE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
CHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
1,1-DICHLOROETHENE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
CARBON DISULFIDE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
1,1-DICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
ACETONE	UG/KG	18	UJ	17	UJ	10	UJ	57	U	59	U
CHLOROFORM	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U

WWTP Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	WWTP		WWTP		WWTP		WWTP		WWTP	
	StationID	WWTPSB001		WWTPSB002		WWTPSB003		WWTPSB004		WWTPSB004	
	SampleID	NDE189		NDE191		NDE193		NDE195FD1		NDE196	
	DateCollected	12/04/2000		12/04/2000		12/04/2000		12/04/2000		12/04/2000	
	Depth	4.5 to 5.5		5 to 6		4.5 to 5.5		4.8 to 5.6		4.8 to 5.6	
Parameter	**Units**										
METHYLENE CHLORIDE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
CARBON TETRACHLORIDE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
BENZENE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
1,2-DICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	10	R	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
1,2-DICHLOROPROPANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
1,1,1-TRICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
BROMODICHLOROMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
cis-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
TOLUENE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
trans-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
DIBROMOCHLOROMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
CHLOROBENZENE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
ETHYLBENZENE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
METHYL ISOBUTYL KETONE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
1,1,2-TRICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
2-HEXANONE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
XYLENES, TOTAL	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
STYRENE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
BROMOFORM	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	U	10	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.

UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.

J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B = Analyte was detected in the associated method blank.

R = Date was unusable.

AOC H Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOC-H-MW01		AOC-H-MW02		AOC-H-MW03		AOC-H-MW03		AOC-H-MW04	
	SampleID	NDE213		NDE214		NDE215		NDE216FD1		NDE217	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**										
DISSOLVED METALS											
ALUMINUM, DISSOLVED	UG/L	95	U	95	U	95	U	100	J	130	J
ANTIMONY, DISSOLVED	UG/L	2.4	U	2.4	U	2.4	U	2.4	U	5.4	J
ARSENIC, DISSOLVED	UG/L	2.9	U	2.9	U	2.9	U	2.9	U	2.9	U
BARIUM, DISSOLVED	UG/L	51	J	460	=	190	J	210	=	400	=
BERYLLIUM, DISSOLVED	UG/L	0.33	U	0.33	U	0.33	U	0.33	U	0.33	U
CALCIUM, DISSOLVED	UG/L	24000	=	270000	=	180000	=	180000	=	340000	=
CADMIUM, DISSOLVED	UG/L	0.27	U	0.27	U	0.27	U	0.27	U	0.27	U
CHROMIUM, DISSOLVED	UG/L	0.87	U	0.87	U	0.87	U	0.87	U	0.87	U
COBALT, DISSOLVED	UG/L	0.43	U	0.43	U	0.43	U	0.43	U	0.43	U
COPPER, DISSOLVED	UG/L	0.8	U	0.8	U	0.8	U	0.8	U	0.8	U
IRON, DISSOLVED	UG/L	120	=	25	U	25	U	25	U	25	U
LEAD, DISSOLVED	UG/L	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
MAGNESIUM, DISSOLVED	UG/L	13000	=	220000	=	97000	=	100000	=	280000	=
MANGANESE, DISSOLVED	UG/L	150	=	5800	=	92	=	110	=	1800	=
MERCURY, DISSOLVED	UG/L	0.025	U	0.025	U	0.025	U	0.025	U	0.025	U
NICKEL, DISSOLVED	UG/L	7.7	J	0.93	U	0.93	U	0.93	U	0.93	U
POTASSIUM, DISSOLVED	UG/L	4100	J	56000	J	12000	J	12000	J	12000	J
SELENIUM, DISSOLVED	UG/L	4.6	U	4.6	U	4.6	U	4.6	U	4.6	U
SILVER, DISSOLVED	UG/L	0.57	U	0.57	U	0.57	U	0.57	U	0.57	U
SODIUM, DISSOLVED	UG/L	280000	=	980000	=	830000	=	890000	=	1200000	=
THALLIUM, DISSOLVED	UG/L	9	J	3.4	U	3.4	U	3.4	U	3.4	U
VANADIUM, DISSOLVED	UG/L	20	J	2.8	J	9.6	J	10	J	6	J
ZINC, DISSOLVED	UG/L	5	U	5	U	5	U	5	U	5	U
TOTAL METALS											
ALUMINUM	UG/L	6000	=	9100	=	3800	=	100	J	130	J
ANTIMONY	UG/L	2.4	U	2.4	U	2.4	U	2.4	U	5.4	J
ARSENIC	UG/L	2.9	U	6.3	J	2.9	U	2.9	U	2.9	U
BARIUM	UG/L	86	J	490	=	300	=	210	=	400	=
BERYLLIUM	UG/L	0.33	U	0.33	U	0.33	U	0.33	U	0.33	U
CADMIUM	UG/L	0.27	U	0.27	U	0.27	U	0.27	U	0.27	U
CALCIUM	UG/L	35000	=	320000	=	200000	=	170000	=	340000	=
CHROMIUM, TOTAL	UG/L	11	=	15	=	5.2	J	3.2	J	0.87	U
COBALT	UG/L	5.1	J	22	J	12	J	9.3	J	0.43	U
COPPER	UG/L	17	J	25	=	16	J	10	J	0.8	U
IRON	UG/L	8200	=	11000	=	4500	=	2900	=	25	U
MAGNESIUM	UG/L	19000	=	220000	=	110000	=	98000	=	280000	=
MANGANESE	UG/L	250	=	8300	=	1100	=	1100	=	1800	=
LEAD	UG/L	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
MERCURY	UG/L	0.025	U	0.025	U	0.025	U	0.025	U	0.025	U
NICKEL	UG/L	22	J	59	=	9	J	7.6	J	0.93	U
POTASSIUM	UG/L	4600	J	54000	J	13000	J	12000	J	12000	J
SELENIUM	UG/L	4.6	U	4.6	U	4.6	U	4.6	U	4.6	U
SILVER	UG/L	0.57	U	0.57	U	0.57	U	0.57	U	0.57	U

AOC H Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOC-H-MW01		AOC-H-MW02		AOC-H-MW03		AOC-H-MW03		AOC-H-MW04	
	SampleID	NDE213		NDE214		NDE215		NDE216FD1		NDE217	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**										
SODIUM	UG/L	290000	=	940000	=	890000	=	850000	=	1200000	=
THALLIUM	UG/L	10	=	6.6	J	10	=	8	J	3.4	U
VANADIUM	UG/L	43	J	70	=	28	J	24	J	6	J
ZINC	UG/L	19	J	33	=	19	J	11	J	5	U
PESTICIDES											
ALPHA BHC	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.021	UJ
BETA BHC	UG/L	0.014	U	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ
DELTA BHC	UG/L	0.014	U	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ
GAMMA BHC (LINDANE)	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.021	UJ
HEPTACHLOR	UG/L	0.014	U	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ
ALDRIN	UG/L	0.014	U	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ
HEPTACHLOR EPOXIDE	UG/L	0.014	U	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.021	UJ
DIELDRIN	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.021	UJ
p,p'-DDE	UG/L	0.028	U	0.022	J	0.021	UJ	0.022	UJ	0.021	UJ
ENDRIN	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.021	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.021	UJ
p,p'-DDD	UG/L	0.028	U	0.42	J	0.021	UJ	0.022	UJ	0.021	UJ
ENDOSULFAN SULFATE	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.021	UJ
p,p'-DDT	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.028	J
METHOXYCHLOR	UG/L	0.141	U	0.116	UJ	0.107	UJ	0.108	UJ	0.105	UJ
ENDRIN ALDEHYDE	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.021	UJ
ALPHA-CHLORDANE	UG/L	0.014	U	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ
GAMMA-CHLORDANE	UG/L	0.014	U	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ
ENDRIN KETONE	UG/L	0.028	U	0.023	UJ	0.021	UJ	0.022	UJ	0.021	UJ
TOXAPHENE	UG/L	1.4	U	1.2	UJ	1.1	UJ	1.1	UJ	1.1	UJ
PCB											
PCB-1016 (AROCHLOR 1016)	UG/L	0.282	U	0.233	UJ	0.214	UJ	0.215	UJ	0.211	UJ
PCB-1260 (AROCHLOR 1260)	UG/L	0.282	U	0.233	UJ	0.214	UJ	0.215	UJ	0.211	UJ
PCB-1221 (AROCHLOR 1221)	UG/L	0.563	U	0.465	UJ	0.428	UJ	0.43	UJ	0.421	UJ
PCB-1232 (AROCHLOR 1232)	UG/L	0.282	U	0.233	UJ	0.214	UJ	0.215	UJ	0.211	UJ
PCB-1242 (AROCHLOR 1242)	UG/L	0.282	U	0.233	UJ	0.214	UJ	0.215	UJ	0.211	UJ
PCB-1248 (AROCHLOR 1248)	UG/L	0.282	U	0.233	UJ	0.214	UJ	0.215	UJ	0.211	UJ
PCB-1254 (AROCHLOR 1254)	UG/L	0.282	U	0.233	UJ	0.214	UJ	0.215	UJ	0.211	UJ
SEMI-VOLATILES											
bis(2-CHLOROETHYL) ETHER	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
PHENOL	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2-CHLOROPHENOL	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
bis(2-CHLOROISOPROPYL) ETHER	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2-METHYLPHENOL (o-CRESOL)	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
HEXACHLOROETHANE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
N-NITROSODI-n-PROPYLAMINE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
CRESOLS, m & p	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
NITROBENZENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U

AOC H Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOC-H-MW01		AOC-H-MW02		AOC-H-MW03		AOC-H-MW03		AOC-H-MW04	
	SampleID	NDE213		NDE214		NDE215		NDE216FD1		NDE217	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**										
ISOPHORONE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2-NITROPHENOL	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2,4-DIMETHYLPHENOL	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
bis(2-CHLOROETHOXY) METHANE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2,4-DICHLOROPHENOL	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
NAPHTHALENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
4-CHLOROANILINE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2-METHYLNAPHTHALENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
HEXACHLOROBUTADIENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
4-CHLORO-3-METHYLPHENOL	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
HEXACHLOROCYCLOPENTADIENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2,4,6-TRICHLOROPHENOL	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2,4,5-TRICHLOROPHENOL	UG/L	22	U	21	U	21	U	21	U	22	U
2-CHLORONAPHTHALENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2-NITROANILINE	UG/L	22	U	21	U	21	U	21	U	22	U
ACENAPHTHYLENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
DIMETHYL PHTHALATE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2,6-DINITROTOLUENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
ACENAPHTHENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
3-NITROANILINE	UG/L	22	U	21	U	21	U	21	U	22	U
2,4-DINITROPHENOL	UG/L	22	U	21	U	21	U	21	U	22	U
DIBENZOFURAN	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
2,4-DINITROTOLUENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
4-NITROPHENOL	UG/L	22	U	21	U	21	U	21	U	22	U
FLUORENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
4-CHLOROPHENYL PHENYL ETHER	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
DIETHYL PHTHALATE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
4-NITROANILINE	UG/L	22	U	21	U	21	U	21	U	22	U
4,6-DINITRO-2-METHYLPHENOL	UG/L	22	U	21	U	21	U	21	U	22	U
N-NITROSODIPHENYLAMINE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
4-BROMOPHENYL PHENYL ETHER	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
HEXACHLOROBENZENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
PENTACHLOROPHENOL	UG/L	22	U	21	U	21	U	21	U	22	U
PHENANTHRENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
ANTHRACENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
DI-n-BUTYL PHTHALATE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
FLUORANTHENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
PYRENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
BENZYL BUTYL PHTHALATE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
3,3'-DICHLOROBENZIDINE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
BENZO(a)ANTHRACENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
CHRYSENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/L	5.4	U	6.2	U	5.2	U	5.2	U	5.4	U
DI-n-OCTYLPHTHALATE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U

AOC H Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOC-H-MW01		AOC-H-MW02		AOC-H-MW03		AOC-H-MW03		AOC-H-MW04	
	SampleID	NDE213		NDE214		NDE215		NDE216FD1		NDE217	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**										
BENZO(b)FLUORANTHENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
BENZO(k)FLUORANTHENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
BENZO(a)PYRENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
INDENO(1,2,3-c,d)PYRENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
DIBENZ(a,h)ANTHRACENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
BENZO(g,h,i)PERYLENE	UG/L	5.4	U	5.2	U	5.2	U	5.2	U	5.4	U
VOLATILES											
CHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
BROMOMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
VINYL CHLORIDE	UG/L	1	U	1	U	1	U	1	U	1	U
1,3-DICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
CHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
1,1-DICHLOROETHENE	UG/L	1	U	1	U	1	U	1	U	1	U
1,4-DICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
1,2-DICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
CARBON DISULFIDE	UG/L	1	U	1	U	1	U	1	U	1	U
1,1-DICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
ACETONE	UG/L	5	R	5	R	5	R	5	R	5	R
CHLOROFORM	UG/L	1	U	1	U	1	U	1	U	1	U
METHYLENE CHLORIDE	UG/L	2	U	2	U	2	U	2	U	2	U
CARBON TETRACHLORIDE	UG/L	1	U	1	U	1	U	1	U	1	U
BENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
1,2-DICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/L	5	R	5	R	5	R	5	R	5	R
TRICHLOROETHYLENE (TCE)	UG/L	1	U	1	U	1	U	1	U	1	U
1,2-DICHLOROPROPANE	UG/L	1	U	1	U	1	U	1	U	1	U
1,1,1-TRICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
1,2,4-TRICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
BROMODICHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
cis-1,3-DICHLOROPROPENE	UG/L	1	U	1	U	1	U	1	U	1	U
TOLUENE	UG/L	1.3	=	1.3	=	0.43	J	1	J	1	=
trans-1,3-DICHLOROPROPENE	UG/L	1	U	1	U	1	U	1	U	1	U
DIBROMOCHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
CHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
ETHYLBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
METHYL ISOBUTYL KETONE	UG/L	5	U	5	U	5	U	5	U	5	U
M,P-XYLENE (SUM OF ISOMERS)	UG/L	1	U	1	U	1	U	1	U	1	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/L	1	U	1	U	1	U	1	U	1	U
1,1,2-TRICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
TETRACHLOROETHYLENE(PCE)	UG/L	1	U	1	U	1	U	1	U	1	U
2-HEXANONE	UG/L	5	U	5	U	5	U	5	U	5	U
XYLENES, TOTAL	UG/L	1	U	1	U	1	U	1	U	1	U
BROMOCHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	1	U	1	U	1	U	1	U	1	U

AOC H Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOC-H-MW01		AOC-H-MW02		AOC-H-MW03		AOC-H-MW03		AOC-H-MW04	
	SampleID	NDE213		NDE214		NDE215		NDE216FD1		NDE217	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**										
STYRENE	UG/L	1	U	1	U	1	U	1	U	1	U
BROMOFORM	UG/L	1	U	1	U	1	U	1	U	1	U
1,1,2,2-TETRACHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
cis-1,2-DICHLOROETHYLENE	UG/L	1	U	1	U	1	U	1	U	1	U
trans-1,2-DICHLOROETHENE	UG/L	1	U	1	U	1	U	1	U	1	U
ETHYLENE DIBROMIDE (1,2-DIBROMOETHANE)	UG/L	1	U	1	U	1	U	1	U	1	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.

UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.

J = Estimated value; compounds detected at concentrations between the reporting limit and the MDL

B = Analyte was detected in the associated method blank.

R = Date was unusable.

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB001		AOCHSB001		AOCHSB002		AOCHSB003		AOCHSB004		AOCHSB005		AOCHSB006		AOCHSB007	
	SampleID	NDE004		NDE005FD1		NDE007		NDE009		NDE011		NDE013		NDE015		NDE017	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METALS																	
ALUMINUM	MG/KG	9700	=	9000	=	9900	=	5600	=	8400	=	9900	=	11000	=	9300	=
ANTIMONY	MG/KG	1.6	J	1.5	J	0.86	J	0.68	J	0.77	J	1.2	J	2	J	1.2	J
ARSENIC	MG/KG	1.4	J	1.5	J	2.3	=	33	=	2.4	=	3.5	=	2.2	=	1.9	J
BARIUM	MG/KG	60	J	51	J	54	J	130	J	130	J	140	J	50	J	110	J
BERYLLIUM	MG/KG	0.11	J	0.036	U	0.036	U	0.038	U	0.038	U	0.12	J	0.035	U	0.036	U
CADMIUM	MG/KG	0.029	U	0.029	U	0.029	U	0.031	U	0.029	U	0.029	U	0.029	U	0.03	U
CALCIUM	MG/KG	8800	=	7400	=	12000	=	32000	=	21000	=	16000	=	33000	=	17000	=
CHROMIUM, TOTAL	MG/KG	20	J	20	J	20	J	10	J	18	J	14	J	36	J	20	J
COBALT	MG/KG	9	J	8.1	J	8.3	J	4	J	8.2	J	8.6	J	9.1	J	7.2	J
COPPER	MG/KG	31	=	28	=	29	=	100	=	41	=	28	=	34	=	42	=
IRON	MG/KG	18000	=	17000	=	17000	=	12000	=	19000	=	23000	=	19000	=	17000	=
MAGNESIUM	MG/KG	4300	=	4200	=	4900	=	8400	=	5000	=	5900	=	7700	=	5600	=
MANGANESE	MG/KG	490	=	410	=	440	=	510	=	580	=	560	=	390	=	390	=
LEAD	MG/KG	20	=	19	=	22	=	45	=	52	=	21	=	43	=	47	=
MERCURY	MG/KG	0.027	J	0.026	J	0.04	J	0.024	J	0.032	J	0.037	J	0.021	J	0.025	J
NICKEL	MG/KG	8.4	J	8.1	J	9.7	=	4.7	J	9.3	=	7.4	J	16	=	10	=
POTASSIUM	MG/KG	1400	=	1300	=	1400	=	3400	=	1900	=	1500	=	1200	=	1200	=
SELENIUM	MG/KG	1	J	0.86	J	0.83	J	0.65	J	0.8	J	1.4	=	0.98	J	1.1	J
SILVER	MG/KG	0.062	U	0.062	U	0.062	U	0.066	U	0.062	U	0.06	U	0.06	U	0.17	J
SODIUM	MG/KG	230	J	180	J	210	J	590	J	460	J	260	J	300	J	270	J
THALLIUM	MG/KG	0.37	U	0.37	U	0.37	U	0.4	U	0.37	U	0.36	U	0.36	U	0.37	U
VANADIUM	MG/KG	52	=	49	=	45	=	29	=	45	=	55	=	54	=	41	=
ZINC	MG/KG	81	=	76	=	93	=	110	=	140	=	97	=	130	=	130	=
PESTICIDES																	
ALPHA BHC	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
BETA BHC	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
DELTA BHC	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
GAMMA BHC (LINDANE)	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
HEPTACHLOR	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
ALDRIN	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
HEPTACHLOR EPOXIDE	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
DIELDRIN	UG/KG	3.5	UJ	3.6	UJ	3.5	UJ	3.8	UJ	3.6	UJ	3.4	UJ	3.4	UJ	3.6	UJ
p,p'-DDE	UG/KG	3990	J	3440	J	2660	J	50	J	41	J	14	J	10	J	126	J
ENDRIN	UG/KG	3.5	UJ	3.6	UJ	3.5	UJ	3.8	UJ	3.6	UJ	3.4	UJ	3.4	UJ	3.6	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.5	UJ	3.6	UJ	3.5	UJ	3.8	UJ	3.6	UJ	3.4	UJ	3.4	UJ	3.6	UJ
p,p'-DDD	UG/KG	3.5	UJ	3.6	UJ	3.5	UJ	2.4	J	2.9	J	3.4	UJ	3.4	UJ	3.6	UJ
ENDOSULFAN SULFATE	UG/KG	3.5	UJ	3.6	UJ	3.5	UJ	3.8	UJ	3.6	UJ	3.4	UJ	3.4	UJ	3.6	UJ
p,p'-DDT	UG/KG	1940	J	2190	J	1090	J	14	UJ	17	J	10	J	11	J	75	J
METHOXYCHLOR	UG/KG	18	UJ	18	UJ	18	UJ	20	UJ	18	UJ	18	UJ	18	UJ	18	UJ
ENDRIN ALDEHYDE	UG/KG	3.5	UJ	3.6	UJ	3.5	UJ	3.8	UJ	3.6	UJ	3.4	UJ	3.4	UJ	3.6	UJ
ALPHA-CHLORDANE	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB009		AOCHSB010		AOCHSB010		AOCHSB011		AOCHSB012		AOCHSB013		AOCHSB014		AOCHSB015	
	SampleID	NDE021		NDE023		NDE024FD1		NDE026		NDE028		NDE030		NDE032		NDE034	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METALS																	
ALUMINUM	MG/KG	6600	=	7100	=	7700	J	8100	J	7100	J	6700	J	5900	J	6200	J
ANTIMONY	MG/KG	0.77	J	0.47	J	0.27	UJ	0.27	UJ	0.27	UJ	0.27	UJ	0.28	UJ	0.26	UJ
ARSENIC	MG/KG	6.2	=	67	=	43	=	1.3	J	1.7	J	1.5	J	1.1	J	1	J
BARIUM	MG/KG	76	J	290	J	63	=	57	=	52	=	52	=	51	=	50	=
BERYLLIUM	MG/KG	0.18	J	0.26	J	0.17	J	0.11	J	0.038	U	0.037	U	0.039	U	0.035	U
CADMIUM	MG/KG	0.031	U	0.029	U	0.031	U	0.03	U	0.031	U	0.03	U	0.032	U	0.029	U
CALCIUM	MG/KG	15000	=	9000	=	11000	=	7300	=	8100	=	8200	=	8900	=	20000	=
CHROMIUM, TOTAL	MG/KG	17	J	16	J	8.1	=	13	=	12	=	11	=	13	=	13	=
COBALT	MG/KG	6.7	J	9	J	6.9	J	7.6	J	7.1	J	6.8	J	5.9	J	6.3	J
COPPER	MG/KG	36	=	87	=	110	=	26	=	19	=	19	=	20	=	19	=
IRON	MG/KG	17000	=	21000	=	17000	=	18000	=	17000	=	16000	=	20000	=	17000	=
MAGNESIUM	MG/KG	2900	=	2800	=	2100	=	3800	=	3600	=	3300	=	2700	=	2900	=
MANGANESE	MG/KG	370	=	720	=	360	=	410	=	370	=	360	=	340	=	340	=
LEAD	MG/KG	63	=	29	=	24	=	11	=	12	=	11	=	15	=	13	=
MERCURY	MG/KG	0.051	=	0.035	J	0.033	J	0.043	J	0.041	J	0.05	=	0.029	J	0.019	J
NICKEL	MG/KG	8.4	J	7.2	J	4.4	J	6.2	J	6.1	J	5.5	J	5.5	J	4.8	J
POTASSIUM	MG/KG	1600	=	1600	=	1500	J	1500	J	1200	J	1200	J	1200	J	1300	J
SELENIUM	MG/KG	0.62	J	0.82	J	0.53	UJ	0.52	UJ	0.53	UJ	0.52	UJ	0.54	UJ	0.49	UJ
SILVER	MG/KG	0.064	U	0.062	U	0.065	U	0.064	U	0.065	U	0.064	U	0.067	U	0.061	U
SODIUM	MG/KG	260	J	130	J	230	J	110	J	140	J	130	J	110	J	220	J
THALLIUM	MG/KG	0.38	U	0.37	U	0.39	U	0.38	U	0.39	U	0.38	U	0.4	U	0.36	U
VANADIUM	MG/KG	36	=	62	=	46	=	49	=	46	=	44	=	48	=	51	=
ZINC	MG/KG	140	=	95	=	88	=	50	=	51	=	49	=	68	=	88	=
PESTICIDES																	
ALPHA BHC	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ
BETA BHC	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ
DELTA BHC	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ
GAMMA BHC (LINDANE)	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ
HEPTACHLOR	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ
ALDRIN	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ
HEPTACHLOR EPOXIDE	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ
DIELDRIN	UG/KG	3.7	UJ	3.5	UJ	3.8	UJ	3.7	UJ	3.7	UJ	3.7	UJ	3.9	UJ	3.5	UJ
p,p'-DDE	UG/KG	7.8	J	3.5	UJ	3.8	UJ	3.7	UJ	3.7	UJ	3.7	UJ	3.9	UJ	3.5	UJ
ENDRIN	UG/KG	3.7	UJ	3.5	UJ	3.8	UJ	3.7	UJ	3.7	UJ	3.7	UJ	3.9	UJ	3.5	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.7	UJ	3.5	UJ	3.8	UJ	3.7	UJ	3.7	UJ	3.7	UJ	3.9	UJ	3.5	UJ
p,p'-DDD	UG/KG	3.7	UJ	3.5	UJ	3.8	UJ	3.7	UJ	3.7	UJ	3.7	UJ	3.9	UJ	3.5	UJ
ENDOSULFAN SULFATE	UG/KG	3.7	UJ	3.5	UJ	3.8	UJ	3.7	UJ	3.7	UJ	3.7	UJ	3.9	UJ	3.5	UJ
p,p'-DDT	UG/KG	6.7	J	3.5	UJ	3.8	UJ	3.7	UJ	3.7	UJ	3.7	UJ	3.9	UJ	3.5	UJ
METHOXYCHLOR	UG/KG	19	UJ	18	UJ	20	UJ	19	UJ	19	UJ	19	UJ	20	UJ	18	UJ
ENDRIN ALDEHYDE	UG/KG	3.7	UJ	3.5	UJ	3.8	UJ	3.7	UJ	3.7	UJ	3.7	UJ	3.9	UJ	3.5	UJ
ALPHA-CHLORDANE	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB016		AOCHSS001		AOCHSS002		AOCHSS003		AOCHSS004	
	SampleID	NDE037		NDE176		NDE177		NDE178		NDE179	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
METALS											
ALUMINUM	MG/KG	7300	J	11000	J	5600	J	4600	J	3400	J
ANTIMONY	MG/KG	0.25	UJ	1	J	0.26	UJ	6.3	J	0.61	J
ARSENIC	MG/KG	4.7	=	0.86	J	0.89	J	2	J	0.54	J
BARIUM	MG/KG	66	=	59	=	42	J	69	=	23	J
BERYLLIUM	MG/KG	0.11	J	0.15	J	0.12	J	0.037	U	0.035	U
CADMIUM	MG/KG	0.028	U	0.21	J	0.029	U	0.03	U	0.028	U
CALCIUM	MG/KG	13000	=	31000	=	30000	=	30000	=	34000	=
CHROMIUM, TOTAL	MG/KG	14	=	50	=	18	=	46	=	12	=
COBALT	MG/KG	7.1	J	9.1	J	5.3	J	6.3	J	3.2	J
COPPER	MG/KG	23	=	34	=	21	=	48	=	12	=
IRON	MG/KG	15000	=	19000	=	14000	=	39000	=	7700	=
MAGNESIUM	MG/KG	3800	=	5800	=	2800	=	2600	=	2000	=
MANGANESE	MG/KG	410	=	350	=	290	=	390	=	140	=
LEAD	MG/KG	16	=	27	=	13	=	18	=	8.3	=
MERCURY	MG/KG	0.04	J	0.02	J	0.052	=	0.014	J	0.0049	J
NICKEL	MG/KG	7	J	15	=	5.9	J	26	=	3.9	J
POTASSIUM	MG/KG	1300	J	2000	J	1400	J	1100	J	860	J
SELENIUM	MG/KG	0.48	UJ	0.5	UJ	0.5	UJ	0.52	UJ	0.48	UJ
SILVER	MG/KG	0.06	U	0.062	U	0.062	U	0.064	U	0.06	U
SODIUM	MG/KG	200	J	460	J	340	J	310	J	360	J
THALLIUM	MG/KG	0.36	U	0.37	U	0.37	U	0.38	U	0.36	U
VANADIUM	MG/KG	43	=	63	=	33	=	27	=	21	=
ZINC	MG/KG	62	=	170	=	170	=	260	=	100	=
PESTICIDES											
ALPHA BHC	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ
BETA BHC	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ
DELTA BHC	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ
GAMMA BHC (LINDANE)	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ
HEPTACHLOR	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ
ALDRIN	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ
HEPTACHLOR EPOXIDE	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ
DIELDRIN	UG/KG	3.5	UJ	3.6	UJ	3.6	UJ	3.7	UJ	3.5	UJ
p,p'-DDE	UG/KG	41	J	3.6	UJ	3.6	UJ	3.7	UJ	3.5	UJ
ENDRIN	UG/KG	3.5	UJ	3.6	UJ	3.6	UJ	3.7	UJ	3.5	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.5	UJ	3.6	UJ	3.6	UJ	3.7	UJ	3.5	UJ
p,p'-DDD	UG/KG	4.8	J	3.6	UJ	3.6	UJ	3.7	UJ	3.5	UJ
ENDOSULFAN SULFATE	UG/KG	3.5	UJ	3.6	UJ	3.6	UJ	3.7	UJ	3.5	UJ
p,p'-DDT	UG/KG	29	J	3.6	UJ	3.6	UJ	3.7	UJ	3.5	UJ
METHOXYCHLOR	UG/KG	18	UJ	18	UJ	18	UJ	19	UJ	18	UJ
ENDRIN ALDEHYDE	UG/KG	3.5	UJ	3.6	UJ	3.6	UJ	3.7	UJ	3.5	UJ
ALPHA-CHLORDANE	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB001		AOCHSB001		AOCHSB002		AOCHSB003		AOCHSB004		AOCHSB005		AOCHSB006		AOCHSB007	
	SampleID	NDE004		NDE005FD1		NDE007		NDE009		NDE011		NDE013		NDE015		NDE017	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
GAMMA-CHLORDANE	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
ENDRIN KETONE	UG/KG	3.5	UJ	3.6	UJ	3.5	UJ	3.8	UJ	3.6	UJ	3.4	UJ	3.4	UJ	3.6	UJ
TOXAPHENE	UG/KG	182	UJ	185	UJ	182	UJ	196	UJ	184	UJ	177	UJ	178	UJ	185	UJ
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	35	UJ	36	UJ	35	UJ	38	UJ	36	UJ	34	UJ	34	UJ	36	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	35	UJ	36	UJ	35	UJ	38	UJ	36	UJ	34	UJ	34	UJ	36	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	72	UJ	73	UJ	72	UJ	77	UJ	72	UJ	70	UJ	70	UJ	73	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	35	UJ	36	UJ	35	UJ	38	UJ	36	UJ	34	UJ	34	UJ	36	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	35	UJ	36	UJ	35	UJ	38	UJ	36	UJ	34	UJ	34	UJ	36	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	35	UJ	36	UJ	35	UJ	38	UJ	36	UJ	34	UJ	34	UJ	36	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	35	UJ	36	UJ	35	UJ	38	UJ	36	UJ	34	UJ	34	UJ	36	UJ
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
PHENOL	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2-CHLOROPHENOL	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
1,3-DICHLOROBENZENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
1,4-DICHLOROBENZENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
1,2-DICHLOROBENZENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
HEXACHLOROETHANE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
CRESOLS, m & p	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
NITROBENZENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
ISOPHORONE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2-NITROPHENOL	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2,4-DIMETHYLPHENOL	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2,4-DICHLOROPHENOL	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
1,2,4-TRICHLOROBENZENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
NAPHTHALENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
4-CHLOROANILINE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2-METHYLNAPHTHALENE	UG/KG	475	U	471	U	455	U	556	U	55	J	28	J	416	U	488	U
HEXACHLOROBUTADIENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
4-CHLORO-3-METHYLPHENOL	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2,4,6-TRICHLOROPHENOL	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2,4,5-TRICHLOROPHENOL	UG/KG	1420	U	1410	U	1370	U	1670	U	1440	U	1320	U	1250	U	1460	U
2-CHLORONAPHTHALENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2-NITROANILINE	UG/KG	1420	U	1410	U	1370	U	1670	U	1440	U	1320	U	1250	U	1460	U
ACENAPHTHYLENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
DIMETHYL PHTHALATE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2,6-DINITROTOLUENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB009		AOCHSB010		AOCHSB010		AOCHSB011		AOCHSB012		AOCHSB013		AOCHSB014		AOCHSB015	
	SampleID	NDE021		NDE023		NDE024FD1		NDE026		NDE028		NDE030		NDE032		NDE034	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
GAMMA-CHLORDANE	UG/KG	1.9	UJ	1.8	UJ	2	UJ	1.9	UJ	1.9	UJ	1.9	UJ	2	UJ	1.8	UJ
ENDRIN KETONE	UG/KG	3.7	UJ	3.5	UJ	3.8	UJ	3.7	UJ	3.7	UJ	3.7	UJ	3.9	UJ	3.5	UJ
TOXAPHENE	UG/KG	192	UJ	182	UJ	195	UJ	190	UJ	192	UJ	190	UJ	199	UJ	180	UJ
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	37	UJ	35	UJ	38	UJ	37	UJ	37	UJ	37	UJ	39	UJ	35	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	37	UJ	35	UJ	38	UJ	37	UJ	37	UJ	37	UJ	39	UJ	35	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	76	UJ	72	UJ	77	UJ	75	UJ	76	UJ	75	UJ	79	UJ	71	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	37	UJ	35	UJ	38	UJ	37	UJ	37	UJ	37	UJ	39	UJ	35	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	37	UJ	35	UJ	38	UJ	37	UJ	37	UJ	37	UJ	39	UJ	35	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	37	UJ	35	UJ	38	UJ	37	UJ	37	UJ	37	UJ	39	UJ	35	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	37	UJ	35	UJ	38	UJ	37	UJ	37	UJ	37	UJ	39	UJ	35	UJ
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
PHENOL	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2-CHLOROPHENOL	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
1,3-DICHLOROBENZENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
1,4-DICHLOROBENZENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
1,2-DICHLOROBENZENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
HEXACHLOROETHANE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	531	U	517	U	595	=	658	=	562	J	717	=	575	U	551	U
CRESOLS, m & p	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
NITROBENZENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
ISOPHORONE	UG/KG	531	U	517	U	108	J	106	J	112	J	567	U	575	U	551	U
2-NITROPHENOL	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2,4-DIMETHYLPHENOL	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2,4-DICHLOROPHENOL	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
1,2,4-TRICHLOROBENZENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
NAPHTHALENE	UG/KG	69	J	517	U	561	U	559	U	594	U	567	U	575	U	551	U
4-CHLOROANILINE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2-METHYLNAPHTHALENE	UG/KG	190	J	36	J	561	U	559	U	594	U	567	U	575	U	551	U
HEXACHLOROBUTADIENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
4-CHLORO-3-METHYLPHENOL	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2,4,6-TRICHLOROPHENOL	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2,4,5-TRICHLOROPHENOL	UG/KG	1590	U	1550	U	1680	U	1680	U	1780	U	1700	U	1730	U	1650	U
2-CHLORONAPHTHALENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2-NITROANILINE	UG/KG	1590	U	1550	U	1680	U	1680	U	1780	U	1700	U	1730	U	1650	U
ACENAPHTHYLENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
DIMETHYL PHTHALATE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2,6-DINITROTOLUENE	UG/KG	531	U	517	U	1220	=	1210	=	594	U	1230	=	575	U	551	U

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB016		AOCHSS001		AOCHSS002		AOCHSS003		AOCHSS004	
	SampleID	NDE037		NDE176		NDE177		NDE178		NDE179	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
GAMMA-CHLORDANE	UG/KG	1.8	UJ	1.8	UJ	1.8	UJ	1.9	UJ	1.8	UJ
ENDRIN KETONE	UG/KG	3.5	UJ	3.6	UJ	3.6	UJ	3.7	UJ	3.5	UJ
TOXAPHENE	UG/KG	178	UJ	185	UJ	184	UJ	189	UJ	179	UJ
PCB											
PCB-1016 (AROCHLOR 1016)	UG/KG	35	UJ	36	UJ	36	UJ	37	UJ	35	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	35	UJ	36	UJ	36	UJ	37	UJ	35	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	70	UJ	73	UJ	72	UJ	75	UJ	70	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	35	UJ	36	UJ	36	UJ	37	UJ	35	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	35	UJ	36	UJ	36	UJ	37	UJ	35	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	35	UJ	36	UJ	36	UJ	37	UJ	35	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	35	UJ	36	UJ	36	UJ	37	UJ	35	UJ
SEMI-VOLATILES											
bis(2-CHLOROETHYL) ETHER	UG/KG	518	U	28200	U	521	U	11500	U	884	U
PHENOL	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2-CHLOROPHENOL	UG/KG	518	U	28200	U	521	U	11500	U	884	U
1,3-DICHLOROBENZENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
1,4-DICHLOROBENZENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
1,2-DICHLOROBENZENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	518	U	28200	U	521	U	11500	U	884	U
HEXACHLOROETHANE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
CRESOLS, m & p	UG/KG	518	U	28200	U	521	U	11500	U	884	U
NITROBENZENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
ISOPHORONE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2-NITROPHENOL	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2,4-DIMETHYLPHENOL	UG/KG	518	U	28200	U	521	U	11500	U	884	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2,4-DICHLOROPHENOL	UG/KG	518	U	28200	U	521	U	11500	U	884	U
1,2,4-TRICHLOROBENZENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
NAPHTHALENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
4-CHLOROANILINE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2-METHYLNAPHTHALENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
HEXACHLOROBUTADIENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
4-CHLORO-3-METHYLPHENOL	UG/KG	518	U	28200	U	521	U	11500	U	884	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2,4,6-TRICHLOROPHENOL	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2,4,5-TRICHLOROPHENOL	UG/KG	1550	U	84500	U	1560	U	34400	U	2650	U
2-CHLORONAPHTHALENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2-NITROANILINE	UG/KG	1550	U	84500	U	1560	U	34400	U	2650	U
ACENAPHTHYLENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
DIMETHYL PHTHALATE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2,6-DINITROTOLUENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB001		AOCHSB001		AOCHSB002		AOCHSB003		AOCHSB004		AOCHSB005		AOCHSB006		AOCHSB007	
	SampleID	NDE004		NDE005FD1		NDE007		NDE009		NDE011		NDE013		NDE015		NDE017	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
ACENAPHTHENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
3-NITROANILINE	UG/KG	1420	U	1410	U	1370	U	1670	U	1440	U	1320	U	1250	U	1460	U
2,4-DINITROPHENOL	UG/KG	1420	U	1410	U	1370	U	1670	U	1440	U	1320	U	1250	U	1460	U
DIBENZOFURAN	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
2,4-DINITROTOLUENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
4-NITROPHENOL	UG/KG	1420	U	1410	U	1370	U	1670	U	1440	U	1320	U	1250	U	1460	U
FLUORENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
DIETHYL PHTHALATE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
4-NITROANILINE	UG/KG	1420	U	1410	U	1370	U	1670	U	1440	U	1320	U	1250	U	1460	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1420	U	1410	U	1370	U	1670	U	1440	U	1320	U	1250	U	1460	U
N-NITROSODIPHENYLAMINE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
HEXACHLOROBENZENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
PENTACHLOROPHENOL	UG/KG	1420	U	1410	U	1370	U	1670	U	1440	U	1320	U	1250	U	1460	U
PHENANTHRENE	UG/KG	475	U	36	J	455	U	556	U	83	J	439	U	32	J	34	J
ANTHRACENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
DI-n-BUTYL PHTHALATE	UG/KG	475	U	49	J	455	U	556	U	480	U	439	U	416	U	488	U
FLUORANTHENE	UG/KG	56	J	111	J	455	U	556	U	187	J	439	U	82	J	69	J
PYRENE	UG/KG	57	J	92	J	455	U	556	U	168	J	439	U	76	J	68	J
BENZYL BUTYL PHTHALATE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
3,3'-DICHLOROBENZIDINE	UG/KG	949	U	942	U	910	U	1110	U	961	U	878	U	831	U	976	U
BENZO(a)ANTHRACENE	UG/KG	32	J	30	J	455	U	556	U	112	J	439	U	49	J	488	U
CHRYSENE	UG/KG	57	J	83	J	29	J	556	U	155	J	439	U	68	J	50	J
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
DI-n-OCTYLPHTHALATE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
BENZO(b)FLUORANTHENE	UG/KG	72	J	84	J	455	U	556	U	133	J	439	U	65	J	62	J
BENZO(k)FLUORANTHENE	UG/KG	54	J	72	J	455	U	556	U	124	J	439	U	66	J	44	J
BENZO(a)PYRENE	UG/KG	43	J	41	J	455	U	556	U	120	J	439	U	53	J	488	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	26	J	471	U	455	U	556	U	54	J	439	U	416	U	488	U
DIBENZ(a,h)ANTHRACENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
BENZO(g,h,i)PERYLENE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
CARBAZOLE	UG/KG	475	U	471	U	455	U	556	U	480	U	439	U	416	U	488	U
VOLATILES																	
CHLOROMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BROMOMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
VINYL CHLORIDE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB009		AOCHSB010		AOCHSB010		AOCHSB011		AOCHSB012		AOCHSB013		AOCHSB014		AOCHSB015	
	SampleID	NDE021		NDE023		NDE024FD1		NDE026		NDE028		NDE030		NDE032		NDE034	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
ACENAPHTHENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
3-NITROANILINE	UG/KG	1590	U	1550	U	1680	U	1680	U	1780	U	48	J	1730	U	1650	U
2,4-DINITROPHENOL	UG/KG	1590	U	1550	U	1680	U	1680	U	1780	U	1700	U	1730	U	1650	U
DIBENZOFURAN	UG/KG	38	J	517	U	561	U	559	U	594	U	567	U	575	U	551	U
2,4-DINITROTOLUENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
4-NITROPHENOL	UG/KG	1590	U	1550	U	1680	U	1680	U	1780	U	1700	U	1730	U	1650	U
FLUORENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
DIETHYL PHTHALATE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
4-NITROANILINE	UG/KG	1590	U	1550	U	1680	U	1680	U	1780	U	1700	U	1730	U	1650	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1590	U	1550	U	1680	U	1680	U	1780	U	1700	U	1730	U	1650	U
N-NITROSODIPHENYLAMINE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	531	U	517	U	228	J	238	J	217	J	267	J	575	U	551	U
HEXACHLOROBENZENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
PENTACHLOROPHENOL	UG/KG	1590	U	1550	U	1680	U	1680	U	1780	U	1700	U	1730	U	1650	U
PHENANTHRENE	UG/KG	92	J	37	J	561	U	559	U	594	U	567	U	575	U	551	U
ANTHRACENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
DI-n-BUTYL PHTHALATE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
FLUORANTHENE	UG/KG	40	J	33	J	561	U	559	U	594	U	567	U	575	U	551	U
PYRENE	UG/KG	49	J	32	J	561	U	559	U	594	U	567	U	575	U	551	U
BENZYL BUTYL PHTHALATE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
3,3'-DICHLOROBENZIDINE	UG/KG	1060	U	1030	U	1120	U	1120	U	1190	U	1130	U	1150	U	1100	U
BENZO(a)ANTHRACENE	UG/KG	531	U	29	J	561	U	559	U	594	U	567	U	575	U	551	U
CHRYSENE	UG/KG	59	J	517	U	561	U	559	U	594	U	567	U	575	U	551	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
DI-n-OCTYLPHTHALATE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
BENZO(b)FLUORANTHENE	UG/KG	50	J	517	U	561	U	559	U	594	U	40	J	575	U	551	U
BENZO(k)FLUORANTHENE	UG/KG	44	J	517	U	561	U	559	U	594	U	567	U	575	U	551	U
BENZO(a)PYRENE	UG/KG	37	J	517	U	561	U	559	U	594	U	567	U	575	U	551	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	531	U	517	U	561	U	559	U	594	U	37	J	575	U	551	U
DIBENZ(a,h)ANTHRACENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
BENZO(g,h,i)PERYLENE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
CARBAZOLE	UG/KG	531	U	517	U	561	U	559	U	594	U	567	U	575	U	551	U
VOLATILES																	
CHLOROMETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
BROMOMETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
VINYL CHLORIDE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
CHLOROETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB016		AOCHSS001		AOCHSS002		AOCHSS003		AOCHSS004	
	SampleID	NDE037		NDE176		NDE177		NDE178		NDE179	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
ACENAPHTHENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
3-NITROANILINE	UG/KG	1550	U	84500	U	1560	U	34400	U	2650	U
2,4-DINITROPHENOL	UG/KG	1550	U	84500	U	1560	U	34400	U	2650	U
DIBENZOFURAN	UG/KG	518	U	28200	U	521	U	11500	U	884	U
2,4-DINITROTOLUENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
4-NITROPHENOL	UG/KG	1550	U	84500	U	1560	U	34400	U	2650	U
FLUORENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	518	U	28200	U	521	U	11500	U	884	U
DIETHYL PHTHALATE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
4-NITROANILINE	UG/KG	1550	U	84500	U	1560	U	34400	U	2650	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1550	U	84500	U	1560	U	34400	U	2650	U
N-NITROSODIPHENYLAMINE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	518	U	28200	U	521	U	11500	U	884	U
HEXACHLOROBENZENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
PENTACHLOROPHENOL	UG/KG	1550	U	84500	U	1560	U	34400	U	2650	U
PHENANTHRENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
ANTHRACENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
DI-n-BUTYL PHTHALATE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
FLUORANTHENE	UG/KG	53	J	28200	U	521	U	11500	U	884	U
PYRENE	UG/KG	58	J	1900	J	521	U	11500	U	884	U
BENZYL BUTYL PHTHALATE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
3,3'-DICHLOROBENZIDINE	UG/KG	1040	U	56300	U	1040	U	22900	U	1770	U
BENZO(a)ANTHRACENE	UG/KG	29	J	28200	U	521	U	11500	U	884	U
CHRYSENE	UG/KG	54	J	28200	U	521	U	11500	U	884	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
DI-n-OCTYLPHTHALATE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
BENZO(b)FLUORANTHENE	UG/KG	58	J	28200	U	521	U	11500	U	884	U
BENZO(k)FLUORANTHENE	UG/KG	53	J	28200	U	521	U	11500	U	884	U
BENZO(a)PYRENE	UG/KG	50	J	28200	U	74	J	11500	U	884	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
DIBENZ(a,h)ANTHRACENE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
BENZO(g,h,i)PERYLENE	UG/KG	518	U	28200	U	60	J	11500	U	884	U
CARBAZOLE	UG/KG	518	U	28200	U	521	U	11500	U	884	U
VOLATILES											
CHLOROMETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
BROMOMETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
VINYL CHLORIDE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
CHLOROETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB001		AOCHSB001		AOCHSB002		AOCHSB003		AOCHSB004		AOCHSB005		AOCHSB006		AOCHSB007	
	SampleID	NDE004		NDE005FD1		NDE007		NDE009		NDE011		NDE013		NDE015		NDE017	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
1,1-DICHLOROETHENE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CARBON DISULFIDE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1-DICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
ACETONE	UG/KG	10	R	10	R	10	R	15	R	10	R	10	R	21	R	19	R
CHLOROFORM	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
METHYLENE CHLORIDE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CARBON TETRACHLORIDE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BENZENE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,2-DICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	10	R	10	R	15	R	10	R	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,2-DICHLOROPROPANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BROMODICHLOROMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
TOLUENE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CHLOROBENZENE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
ETHYLBENZENE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
METHYL ISOBUTYL KETONE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1,2-TRICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
2-HEXANONE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
XYLENES, TOTAL	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
STYRENE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BROMOFORM	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	15	UJ	10	UJ	10	UJ	10	UJ	10	UJ

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB009		AOCHSB010		AOCHSB010		AOCHSB011		AOCHSB012		AOCHSB013		AOCHSB014		AOCHSB015	
	SampleID	NDE021		NDE023		NDE024FD1		NDE026		NDE028		NDE030		NDE032		NDE034	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
1,1-DICHLOROETHENE	UG/KG	0.78	J	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
CARBON DISULFIDE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
1,1-DICHLOROETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
ACETONE	UG/KG	21	R	10	R	11	R	10	R	11	R	32	R	30	R	38	R
CHLOROFORM	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
METHYLENE CHLORIDE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
CARBON TETRACHLORIDE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
BENZENE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
1,2-DICHLOROETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	13	R	10	R	11	R	10	R	11	R	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
1,2-DICHLOROPROPANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
1,1,1-TRICHLOROETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
BROMODICHLOROMETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
TOLUENE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
DIBROMOCHLOROMETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
CHLOROBENZENE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
ETHYLBENZENE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
METHYL ISOBUTYL KETONE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
1,1,2-TRICHLOROETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
2-HEXANONE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
XYLENES, TOTAL	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
STYRENE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
BROMOFORM	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	13	UJ	10	U	11	UJ	10	UJ	11	UJ	10	UJ	10	UJ	10	UJ

AOC H Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB016		AOCHSS001		AOCHSS002		AOCHSS003		AOCHSS004	
	SampleID	NDE037		NDE176		NDE177		NDE178		NDE179	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
1,1-DICHLOROETHENE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
CARBON DISULFIDE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
1,1-DICHLOROETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
ACETONE	UG/KG	10	R	948	R	10	R	11	R	12	R
CHLOROFORM	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
METHYLENE CHLORIDE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
CARBON TETRACHLORIDE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
BENZENE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
1,2-DICHLOROETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	948	R	10	R	11	R	12	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
1,2-DICHLOROPROPANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
BROMODICHLOROMETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
TOLUENE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
CHLOROBENZENE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
ETHYLBENZENE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
METHYL ISOBUTYL KETONE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	UJ	58	J	10	UJ	11	UJ	12	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	UJ	24	J	10	UJ	11	UJ	12	UJ
1,1,2-TRICHLOROETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
2-HEXANONE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
XYLENES, TOTAL	UG/KG	10	UJ	82	J	10	UJ	11	UJ	12	UJ
STYRENE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
BROMOFORM	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	UJ	948	U	10	UJ	11	UJ	12	UJ

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the MDL
B = Analyte was detected in the associated method blank.
R = Date was unusable.

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB001		AOCHSB002		AOCHSB003		AOCHSB004		AOCHSB005		AOCHSB006		AOCHSB007		AOCHSB008	
	SampleID	NDE006		NDE008		NDE010		NDE012		NDE014		NDE016		NDE018		NDE019	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/06/2000		12/06/2000		12/05/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																
METALS																	
ALUMINUM	MG/KG	5900	=	2500	=	6900	=	4200	=	2900	=	3100	=	4300	=	5300	=
ANTIMONY	MG/KG	0.9	J	0.25	UJ	0.59	J	0.44	J	0.25	UJ	0.38	J	0.44	J	0.36	J
ARSENIC	MG/KG	24	=	0.78	J	10	=	0.69	J	0.3	U	0.31	U	0.31	U	1.4	J
BARIUM	MG/KG	44	J	26	J	87	J	160	J	23	J	20	J	200	=	110	J
BERYLLIUM	MG/KG	0.039	U	0.035	U	0.035	U	0.035	U	0.035	U	0.035	U	0.15	J	0.15	J
CADMIUM	MG/KG	0.032	U	0.028	U	0.029	U	0.029	U	0.028	U	0.028	U	0.029	U	0.03	U
CALCIUM	MG/KG	4800	=	1400	=	5200	=	2100	=	1900	=	2700	=	2700	=	34000	=
CHROMIUM, TOTAL	MG/KG	16	J	3.6	J	10	J	5.3	J	3.6	J	6.4	=	13	=	7.9	J
COBALT	MG/KG	5.9	J	2.2	J	6.9	J	7.9	J	2.4	J	3.1	J	16	=	4.2	J
COPPER	MG/KG	17	=	7	=	31	=	15	=	7.7	=	10	=	16	=	50	=
IRON	MG/KG	16000	=	6900	=	19000	=	12000	=	7800	=	9300	=	15000	=	12000	=
MAGNESIUM	MG/KG	2300	=	840	J	3600	=	1600	=	980	J	1400	=	3100	=	3600	=
MANGANESE	MG/KG	310	=	160	=	370	=	680	=	110	=	150	=	1000	=	390	=
LEAD	MG/KG	7.5	=	1.8	=	8.6	=	2.5	=	2	=	5.7	=	4.4	=	48	=
MERCURY	MG/KG	0.013	J	0.0026	U	0.011	J	0.0038	J	0.0032	J	0.0026	U	0.0026	U	0.041	J
NICKEL	MG/KG	5.5	J	1.2	J	4.2	J	2.7	J	1.2	J	3.1	J	3.4	J	4	J
POTASSIUM	MG/KG	1100	J	440	J	2700	=	980	J	650	J	560	J	970	J	2600	=
SELENIUM	MG/KG	0.91	J	0.48	U	1.3	=	0.84	J	0.55	J	0.79	J	0.57	J	0.5	UJ
SILVER	MG/KG	0.068	U	0.06	U	0.061	U	0.061	U	0.06	U	0.06	U	0.06	U	0.063	U
SODIUM	MG/KG	140	J	43	J	200	J	48	J	60	J	59	J	46	J	420	J
THALLIUM	MG/KG	0.41	U	0.36	U	0.36	U	0.36	U	0.36	U	0.36	U	0.36	U	0.37	U
VANADIUM	MG/KG	44	=	20	=	52	=	36	=	22	=	27	=	40	=	29	=
ZINC	MG/KG	33	=	8.8	=	41	=	16	=	13	=	20	J	26	J	130	=
PESTICIDES																	
ALPHA BHC	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
BETA BHC	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
DELTA BHC	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
GAMMA BHC (LINDANE)	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
HEPTACHLOR	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
ALDRIN	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
HEPTACHLOR EPOXIDE	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
DIELDRIN	UG/KG	3.9	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	U	3.5	U	3.6	UJ
p,p'-DDE	UG/KG	764	J	124	J	3.9	J	1.6	J	8.7	J	2	J	4.5	=	1.6	J
ENDRIN	UG/KG	3.9	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	U	3.5	U	3.6	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.9	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	U	3.5	U	3.6	UJ
p,p'-DDD	UG/KG	3.9	UJ	3.5	UJ	3.5	J	3.5	UJ	3.5	UJ	3.5	U	3.5	U	3.6	UJ
ENDOSULFAN SULFATE	UG/KG	3.9	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	U	3.5	U	3.6	UJ
p,p'-DDT	UG/KG	928	J	22	J	3.5	UJ	3.5	UJ	7.6	J	1.5	J	2.5	J	3.6	UJ
METHOXYCHLOR	UG/KG	20	UJ	18	UJ	18	UJ	18	UJ	18	UJ	18	U	18	U	19	UJ
ENDRIN ALDEHYDE	UG/KG	3.9	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	U	3.5	U	3.6	UJ
ALPHA-CHLORDANE	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
GAMMA-CHLORDANE	UG/KG	2	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	U	1.8	U	1.9	UJ
ENDRIN KETONE	UG/KG	3.9	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	UJ	3.5	U	3.5	U	3.6	UJ

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB008		AOCHSB009		AOCHSB009		AOCHSB009		AOCHSB010		AOCHSB011		AOCHSB012		AOCHSB013	
	SampleID	NDE020		NDE022		NDE203		NDE204		NDE025		NDE027		NDE029		NDE031	
	DateCollected	12/06/2000		12/05/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000	
	Depth	4 to 6		4 to 6		8 to 10		10 to 12		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																
METALS																	
ALUMINUM	MG/KG	4200	=	5200	=	9700	=	11000	=	5200	=	4000	=	5000	=	3200	=
ANTIMONY	MG/KG	0.27	UJ	0.27	UJ	0.44	J	0.49	J	0.28	UJ	0.27	UJ	0.28	UJ	0.26	UJ
ARSENIC	MG/KG	0.64	J	0.32	U	0.76	J	0.35	U	1.1	J	0.32	U	0.34	U	0.32	U
BARIUM	MG/KG	86	=	63	=	69	=	120	=	74	=	60	=	57	=	29	J
BERYLLIUM	MG/KG	0.15	J	0.22	J	0.48	J	0.42	J	0.18	J	0.16	J	0.19	J	0.17	J
CADMIUM	MG/KG	0.03	U	0.03	U	0.032	U	0.033	U	0.031	U	0.03	U	0.032	U	0.029	U
CALCIUM	MG/KG	8400	=	1800	=	1800	=	3000	=	2000	=	2900	=	3900	=	1700	=
CHROMIUM, TOTAL	MG/KG	8.9	=	5.7	=	23	=	27	=	6.7	=	6.4	=	8.1	=	3.3	=
COBALT	MG/KG	4.2	J	5.1	J	8.4	J	15	=	5.8	J	5.5	J	6.1	J	4.1	J
COPPER	MG/KG	16	=	14	=	23	=	30	=	16	=	10	=	15	=	17	=
IRON	MG/KG	11000	=	15000	=	22000	=	28000	=	18000	=	13000	=	17000	=	11000	=
MAGNESIUM	MG/KG	2500	=	2000	=	3000	=	4200	=	2000	=	1600	=	2000	=	1400	=
MANGANESE	MG/KG	520	=	600	=	420	=	850	=	960	=	290	=	300	=	160	=
LEAD	MG/KG	5.9	=	1.2	=	2.1	=	2.2	=	1.1	=	1.2	=	1.1	=	0.92	=
MERCURY	MG/KG	0.0028	U	0.0034	J	0.0029	U	0.003	U	0.0029	U	0.0041	J	0.0094	J	0.0027	U
NICKEL	MG/KG	7.5	J	2.9	J	6.9	J	9.2	J	2.5	J	2.3	J	2.7	J	1.7	J
POTASSIUM	MG/KG	1300	=	1000	J	630	J	840	J	1000	J	830	J	1100	J	700	J
SELENIUM	MG/KG	0.51	U	0.76	J	0.9	J	0.89	J	1.2	J	0.61	J	0.65	J	0.5	U
SILVER	MG/KG	0.064	U	0.064	U	0.067	U	0.069	U	0.066	U	0.064	U	0.067	U	0.062	U
SODIUM	MG/KG	240	J	170	J	590	J	850	J	290	J	130	J	310	J	180	J
THALLIUM	MG/KG	0.38	U	0.38	U	0.43	J	0.41	U	0.39	U	0.38	U	0.4	U	0.37	U
VANADIUM	MG/KG	31	=	36	=	79	=	75	=	46	=	34	=	54	=	37	=
ZINC	MG/KG	27	J	17	J	20	J	28	J	16	J	15	J	18	J	15	J
PESTICIDES																	
ALPHA BHC	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
BETA BHC	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
DELTA BHC	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
GAMMA BHC (LINDANE)	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
HEPTACHLOR	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
ALDRIN	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
HEPTACHLOR EPOXIDE	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
DIELDRIN	UG/KG	3.7	U	3.6	U	3.9	U	3.9	U	3.8	U	3.7	U	3.8	U	3.6	U
p,p'-DDE	UG/KG	3.7	U	3.6	U	3.9	U	3.9	U	1.5	J	419	=	24	=	1.7	J
ENDRIN	UG/KG	3.7	U	3.6	U	3.9	U	3.9	U	3.8	U	3.7	U	3.8	U	3.6	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.7	U	3.6	U	3.9	U	3.9	U	3.8	U	3.7	U	3.8	U	3.6	U
p,p'-DDD	UG/KG	3.7	U	3.6	U	3.9	U	3.9	U	3.8	U	4.9	=	13	=	2.5	J
ENDOSULFAN SULFATE	UG/KG	3.7	U	3.6	U	3.9	U	3.9	U	3.8	U	3.7	U	3.8	U	3.6	U
p,p'-DDT	UG/KG	3.7	U	3.6	UJ	3.9	UJ	3.9	UJ	0.9	J	3.7	U	3.8	U	3.6	U
METHOXYCHLOR	UG/KG	19	U	19	UJ	20	UJ	20	UJ	20	U	19	U	20	U	18	U
ENDRIN ALDEHYDE	UG/KG	3.7	U	3.6	U	3.9	U	3.9	U	3.8	U	3.7	U	3.8	U	3.6	U
ALPHA-CHLORDANE	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
GAMMA-CHLORDANE	UG/KG	1.9	U	1.9	U	2	U	2	U	2	U	1.9	U	2	U	1.8	U
ENDRIN KETONE	UG/KG	3.7	U	3.6	U	3.9	U	3.9	U	3.8	U	3.7	U	3.8	U	3.6	U

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB014		AOCHSB015		AOCHSB015		AOCHSB016		AOCHSB016	
	SampleID	NDE033		NDE035		NDE036FD1		NDE038		NDE039FD1	
	DateCollected	12/07/2000		12/07/2000		12/07/2000		12/07/2000		12/07/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**										
METALS											
ALUMINUM	MG/KG	7000	=	8900	=	8500	=	9400	=	8900	=
ANTIMONY	MG/KG	0.27	UJ	0.27	UJ	0.27	UJ	0.44	J	0.55	J
ARSENIC	MG/KG	0.32	U	0.33	U	0.32	U	0.88	J	2.4	=
BARIUM	MG/KG	85	=	98	=	84	=	81	=	75	=
BERYLLIUM	MG/KG	0.21	J	0.24	J	0.23	J	0.26	J	0.24	J
CADMIUM	MG/KG	0.03	U	0.031	U	0.03	U	0.03	U	0.03	U
CALCIUM	MG/KG	6200	J	4100	J	5200	J	3300	J	2900	J
CHROMIUM, TOTAL	MG/KG	8.9	J	11	J	9.5	J	10	J	10	J
COBALT	MG/KG	7	J	9	J	8.5	J	9	J	9.2	J
COPPER	MG/KG	23	=	28	=	24	=	25	=	25	=
IRON	MG/KG	19000	=	20000	=	19000	=	22000	=	23000	=
MAGNESIUM	MG/KG	2500	=	2800	=	2700	=	3000	=	3100	=
MANGANESE	MG/KG	350	=	560	=	500	=	420	=	400	=
LEAD	MG/KG	12	=	1.7	=	2.1	=	1.9	=	1.5	=
MERCURY	MG/KG	0.015	J	0.014	J	0.011	J	0.0088	J	0.0093	J
NICKEL	MG/KG	3.7	J	4.3	J	3.9	J	4.2	J	4	J
POTASSIUM	MG/KG	1300	=	1600	=	1500	=	1800	=	1800	=
SELENIUM	MG/KG	1.2	=	0.99	J	0.9	J	1	J	1	J
SILVER	MG/KG	0.064	U	0.065	U	0.063	U	0.064	U	0.063	U
SODIUM	MG/KG	230	J	110	J	130	J	190	J	210	J
THALLIUM	MG/KG	0.38	U	0.39	U	0.38	U	0.38	U	0.38	U
VANADIUM	MG/KG	51	=	61	=	54	=	65	=	68	=
ZINC	MG/KG	48	=	30	=	27	=	28	=	27	=
PESTICIDES											
ALPHA BHC	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
BETA BHC	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
DELTA BHC	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
GAMMA BHC (LINDANE)	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
HEPTACHLOR	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
ALDRIN	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
HEPTACHLOR EPOXIDE	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
DIELDRIN	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.7	U	3.7	UJ
p,p'-DDE	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.8	J	3.7	UJ
ENDRIN	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.7	U	3.7	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.7	U	3.7	UJ
p,p'-DDD	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.7	U	3.7	UJ
ENDOSULFAN SULFATE	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.7	U	3.7	UJ
p,p'-DDT	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.7	U	3.7	UJ
METHOXYCHLOR	UG/KG	19	UJ	20	UJ	19	UJ	19	U	19	UJ
ENDRIN ALDEHYDE	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.7	U	3.7	UJ
ALPHA-CHLORDANE	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
GAMMA-CHLORDANE	UG/KG	1.9	UJ	2	UJ	1.9	UJ	1.9	U	1.9	UJ
ENDRIN KETONE	UG/KG	3.7	UJ	3.8	UJ	3.7	UJ	3.7	U	3.7	UJ

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB001		AOCHSB002		AOCHSB003		AOCHSB004		AOCHSB005		AOCHSB006		AOCHSB007		AOCHSB008	
	SampleID	NDE006		NDE008		NDE010		NDE012		NDE014		NDE016		NDE018		NDE019	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/06/2000		12/06/2000		12/05/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																
TOXAPHENE	UG/KG	202	UJ	178	UJ	183	UJ	179	UJ	178	UJ	179	U	181	U	186	UJ
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	39	UJ	35	UJ	35	UJ	35	UJ	35	UJ	35	U	35	U	36	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	39	UJ	35	UJ	35	UJ	35	UJ	35	UJ	35	U	35	U	36	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	80	UJ	70	UJ	72	UJ	71	UJ	70	UJ	70	U	71	U	73	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	39	UJ	35	UJ	35	UJ	35	UJ	35	UJ	35	U	35	U	36	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	39	UJ	35	UJ	35	UJ	35	UJ	35	UJ	35	U	35	U	36	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	39	UJ	35	UJ	35	UJ	35	UJ	35	UJ	35	U	35	U	36	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	39	UJ	35	UJ	35	UJ	35	UJ	35	UJ	35	U	35	U	36	UJ
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
PHENOL	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2-CHLOROPHENOL	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
1,3-DICHLOROBENZENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
1,4-DICHLOROBENZENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
1,2-DICHLOROBENZENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
HEXACHLOROETHANE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
CRESOLS, m & p	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
NITROBENZENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
ISOPHORONE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2-NITROPHENOL	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2,4-DIMETHYLPHENOL	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2,4-DICHLOROPHENOL	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
1,2,4-TRICHLOROBENZENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
NAPHTHALENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	90	J
4-CHLOROANILINE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2-METHYLNAPHTHALENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	176	J
HEXACHLOROBUTADIENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
4-CHLORO-3-METHYLPHENOL	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2,4,6-TRICHLOROPHENOL	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2,4,5-TRICHLOROPHENOL	UG/KG	1730	U	1480	U	1400	U	1420	U	1210	U	1390	U	1380	U	1530	U
2-CHLORONAPHTHALENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2-NITROANILINE	UG/KG	1730	U	1480	U	1400	U	1420	U	1210	U	1390	U	1380	U	1530	U
ACENAPHTHYLENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
DIMETHYL PHTHALATE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
2,6-DINITROTOLUENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
ACENAPHTHENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
3-NITROANILINE	UG/KG	1730	U	1480	U	1400	U	1420	U	1210	U	1390	U	1380	U	1530	U
2,4-DINITROPHENOL	UG/KG	1730	U	1480	U	1400	U	1420	U	1210	U	1390	U	1380	U	1530	U
DIBENZOFURAN	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	51	J

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB008		AOCHSB009		AOCHSB009		AOCHSB009		AOCHSB010		AOCHSB011		AOCHSB012		AOCHSB013	
	SampleID	NDE020		NDE022		NDE203		NDE204		NDE025		NDE027		NDE029		NDE031	
	DateCollected	12/06/2000		12/05/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000	
	Depth	4 to 6		4 to 6		8 to 10		10 to 12		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																
TOXAPHENE	UG/KG	188	U	188	U	199	U	203	U	198	U	190	U	198	U	183	U
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	37	U	36	U	39	U	39	U	38	U	37	U	38	U	36	U
PCB-1260 (AROCHLOR 1260)	UG/KG	37	U	36	U	39	U	39	U	38	U	37	U	38	U	36	U
PCB-1221 (AROCHLOR 1221)	UG/KG	74	U	74	U	78	U	80	U	78	U	75	U	78	U	72	U
PCB-1232 (AROCHLOR 1232)	UG/KG	37	U	36	U	39	U	39	U	38	U	37	U	38	U	36	U
PCB-1242 (AROCHLOR 1242)	UG/KG	37	U	36	U	39	U	39	U	38	U	37	U	38	U	36	U
PCB-1248 (AROCHLOR 1248)	UG/KG	37	U	36	U	39	U	39	U	38	U	37	U	38	U	36	U
PCB-1254 (AROCHLOR 1254)	UG/KG	37	U	36	U	39	U	39	U	38	U	37	U	38	U	36	U
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
PHENOL	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2-CHLOROPHENOL	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
1,3-DICHLOROBENZENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
1,4-DICHLOROBENZENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
1,2-DICHLOROBENZENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
HEXACHLOROETHANE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
CRESOLS, m & p	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
NITROBENZENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
ISOPHORONE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2-NITROPHENOL	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2,4-DIMETHYLPHENOL	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2,4-DICHLOROPHENOL	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
1,2,4-TRICHLOROBENZENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
NAPHTHALENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
4-CHLOROANILINE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2-METHYLNAPHTHALENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
HEXACHLOROBUTADIENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
4-CHLORO-3-METHYLPHENOL	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2,4,6-TRICHLOROPHENOL	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2,4,5-TRICHLOROPHENOL	UG/KG	1380	U	1730	U	1450	U	1810	U	1790	U	1740	U	1710	U	1830	U
2-CHLORONAPHTHALENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2-NITROANILINE	UG/KG	1380	U	1730	U	1450	U	1810	U	1790	U	1740	U	1710	U	1830	U
ACENAPHTHYLENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
DIMETHYL PHTHALATE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
2,6-DINITROTOLUENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
ACENAPHTHENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
3-NITROANILINE	UG/KG	1380	U	1730	U	1450	U	1810	U	1790	U	1740	U	1710	U	1830	U
2,4-DINITROPHENOL	UG/KG	1380	U	1730	U	1450	U	1810	U	1790	U	1740	U	1710	U	1830	U
DIBENZOFURAN	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB014		AOCHSB015		AOCHSB015		AOCHSB016		AOCHSB016	
	SampleID	NDE033		NDE035		NDE036FD1		NDE038		NDE039FD1	
	DateCollected	12/07/2000		12/07/2000		12/07/2000		12/07/2000		12/07/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**										
TOXAPHENE	UG/KG	193	UJ	196	UJ	191	UJ	194	U	191	UJ
PCB											
PCB-1016 (AROCHLOR 1016)	UG/KG	37	UJ	38	UJ	37	UJ	37	U	37	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	37	UJ	38	UJ	37	UJ	37	U	37	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	75	UJ	77	UJ	75	UJ	76	U	75	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	37	UJ	38	UJ	37	UJ	37	U	37	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	37	UJ	38	UJ	37	UJ	37	U	37	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	37	UJ	38	UJ	37	UJ	37	U	37	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	37	UJ	38	UJ	37	UJ	37	U	37	UJ
SEMI-VOLATILES											
bis(2-CHLOROETHYL) ETHER	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
PHENOL	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
2-CHLOROPHENOL	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
1,3-DICHLOROBENZENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
1,4-DICHLOROBENZENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
1,2-DICHLOROBENZENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
HEXACHLOROETHANE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	2800	U	2960	U	603	=	553	U	2840	U
CRESOLS, m & p	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
NITROBENZENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
ISOPHORONE	UG/KG	2800	U	2960	U	90	J	553	U	2840	U
2-NITROPHENOL	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
2,4-DIMETHYLPHENOL	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
2,4-DICHLOROPHENOL	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
1,2,4-TRICHLOROBENZENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
NAPHTHALENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
4-CHLOROANILINE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
2-METHYLNAPHTHALENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
HEXACHLOROBUTADIENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
4-CHLORO-3-METHYLPHENOL	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
2,4,6-TRICHLOROPHENOL	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
2,4,5-TRICHLOROPHENOL	UG/KG	8390	U	8880	U	1480	U	1660	U	8530	U
2-CHLORONAPHTHALENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
2-NITROANILINE	UG/KG	8390	U	8880	U	1480	U	1660	U	8530	U
ACENAPHTHYLENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
DIMETHYL PHTHALATE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
2,6-DINITROTOLUENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
ACENAPHTHENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
3-NITROANILINE	UG/KG	8390	U	8880	U	1480	U	1660	U	8530	U
2,4-DINITROPHENOL	UG/KG	8390	U	8880	U	1480	U	1660	U	8530	U
DIBENZOFURAN	UG/KG	2800	U	2960	U	495	U	553	U	2840	U

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB001		AOCHSB002		AOCHSB003		AOCHSB004		AOCHSB005		AOCHSB006		AOCHSB007		AOCHSB008	
	SampleID	NDE006		NDE008		NDE010		NDE012		NDE014		NDE016		NDE018		NDE019	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/06/2000		12/06/2000		12/05/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																
2,4-DINITROTOLUENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
4-NITROPHENOL	UG/KG	1730	U	1480	U	1400	U	1420	U	1210	U	1390	U	1380	U	1530	U
FLUORENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
DIETHYL PHTHALATE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
4-NITROANILINE	UG/KG	1730	U	1480	U	1400	U	1420	U	1210	U	1390	U	1380	U	1530	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1730	U	1480	U	1400	U	1420	U	1210	U	1390	U	1380	U	1530	U
N-NITROSODIPHENYLAMINE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
HEXACHLOROBENZENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
PENTACHLOROPHENOL	UG/KG	1730	U	1480	U	1400	U	1420	U	1210	U	1390	U	1380	U	1530	U
PHENANTHRENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	144	J
ANTHRACENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
DI-n-BUTYL PHTHALATE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
FLUORANTHENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	89	J
PYRENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	97	J
BENZYL BUTYL PHTHALATE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
3,3'-DICHLOROBENZIDINE	UG/KG	1150	U	987	U	937	U	948	U	807	U	928	U	921	U	1020	U
BENZO(a)ANTHRACENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	68	J
CHRYSENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	121	J
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
DI-n-OCTYLPHTHALATE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
BENZO(b)FLUORANTHENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	104	J
BENZO(k)FLUORANTHENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	88	J
BENZO(a)PYRENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	71	J
INDENO(1,2,3-c,d)PYRENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
DIBENZ(a,h)ANTHRACENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
BENZO(g,h,i)PERYLENE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
CARBAZOLE	UG/KG	576	U	493	U	468	U	474	U	403	U	464	U	461	U	511	U
VOLATILES																	
CHLOROMETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
BROMOMETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
VINYL CHLORIDE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
CHLOROETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
1,1-DICHLOROETHENE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	0.45	J	0.55	J	12	UJ
CARBON DISULFIDE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
1,1-DICHLOROETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
ACETONE	UG/KG	12	R	10	R	10	R	10	R	22	R	21	U	17	U	20	R
CHLOROFORM	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
METHYLENE CHLORIDE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	0.58	J	10	U	12	UJ
CARBON TETRACHLORIDE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
BENZENE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
1,2-DICHLOROETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	12	R	10	R	10	R	10	R	10	R	10	R	10	R	12	R
TRICHLOROETHYLENE (TCE)	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB008		AOCHSB009		AOCHSB009		AOCHSB009		AOCHSB010		AOCHSB011		AOCHSB012		AOCHSB013	
	SampleID	NDE020		NDE022		NDE203		NDE204		NDE025		NDE027		NDE029		NDE031	
	DateCollected	12/06/2000		12/05/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000	
	Depth	4 to 6		4 to 6		8 to 10		10 to 12		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																
2,4-DINITROTOLUENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
4-NITROPHENOL	UG/KG	1380	U	1730	U	1450	U	1810	U	1790	U	1740	U	1710	U	1830	U
FLUORENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
DIETHYL PHTHALATE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
4-NITROANILINE	UG/KG	1380	U	1730	U	1450	U	1810	U	1790	U	1740	U	1710	U	1830	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1380	U	1730	U	1450	U	1810	U	1790	U	1740	U	1710	U	1830	U
N-NITROSODIPHENYLAMINE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
HEXACHLOROBENZENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
PENTACHLOROPHENOL	UG/KG	1380	U	1730	U	1450	U	1810	U	1790	U	1740	U	1710	U	1830	U
PHENANTHRENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
ANTHRACENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
DI-n-BUTYL PHTHALATE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
FLUORANTHENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
PYRENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
BENZYL BUTYL PHTHALATE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
3,3'-DICHLOROBENZIDINE	UG/KG	923	U	1150	U	969	U	1210	U	1190	U	1160	U	1140	U	1220	U
BENZO(a)ANTHRACENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
CHRYSENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
DI-n-OCTYLPHTHALATE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
BENZO(b)FLUORANTHENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
BENZO(k)FLUORANTHENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
BENZO(a)PYRENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
DIBENZ(a,h)ANTHRACENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
BENZO(g,h,i)PERYLENE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
CARBAZOLE	UG/KG	461	U	576	U	485	U	603	U	595	U	580	U	571	U	608	U
VOLATILES																	
CHLOROMETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
BROMOMETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
VINYL CHLORIDE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
CHLOROETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
1,1-DICHLOROETHENE	UG/KG	0.52	J	10	UJ	0.78	J	12	UJ	0.59	J	10	UJ	10	UJ	11	UJ
CARBON DISULFIDE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
1,1-DICHLOROETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
ACETONE	UG/KG	25	U	10	R	10	R	13	R	24	U	10	R	10	R	12	R
CHLOROFORM	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
METHYLENE CHLORIDE	UG/KG	10	U	10	UJ	10	U	12	U	10	U	10	U	10	UJ	11	UJ
CARBON TETRACHLORIDE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
BENZENE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
1,2-DICHLOROETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	10	R	10	R	12	R	10	R	10	R	10	R	11	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	0.34	J	10	UJ	11	UJ

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB014		AOCHSB015		AOCHSB015		AOCHSB016		AOCHSB016	
	SampleID	NDE033		NDE035		NDE036FD1		NDE038		NDE039FD1	
	DateCollected	12/07/2000		12/07/2000		12/07/2000		12/07/2000		12/07/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**										
2,4-DINITROTOLUENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
4-NITROPHENOL	UG/KG	8390	U	8880	U	1480	U	1660	U	8530	U
FLUORENE	UG/KG	2800	U	2960	U	76	J	553	U	2840	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
DIETHYL PHTHALATE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
4-NITROANILINE	UG/KG	8390	U	8880	U	1480	U	1660	U	8530	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	8390	U	8880	U	1480	U	1660	U	8530	U
N-NITROSODIPHENYLAMINE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	2800	U	2960	U	236	J	553	U	2840	U
HEXACHLOROBENZENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
PENTACHLOROPHENOL	UG/KG	8390	U	8880	U	1480	U	1660	U	8530	U
PHENANTHRENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
ANTHRACENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
DI-n-BUTYL PHTHALATE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
FLUORANTHENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
PYRENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
BENZYL BUTYL PHTHALATE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
3,3'-DICHLOROBENZIDINE	UG/KG	5590	U	5920	U	989	U	1110	U	5690	U
BENZO(a)ANTHRACENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
CHRYSENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
DI-n-OCTYLPHTHALATE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
BENZO(b)FLUORANTHENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
BENZO(k)FLUORANTHENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
BENZO(a)PYRENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
DIBENZ(a,h)ANTHRACENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
BENZO(g,h,i)PERYLENE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
CARBAZOLE	UG/KG	2800	U	2960	U	495	U	553	U	2840	U
VOLATILES											
CHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
BROMOMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
VINYL CHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U
CHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
1,1-DICHLOROETHENE	UG/KG	10	U	10	U	10	U	10	U	10	U
CARBON DISULFIDE	UG/KG	10	U	10	U	10	U	10	U	0.91	J
1,1-DICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
ACETONE	UG/KG	10	R	10	R	10	R	10	R	10	R
CHLOROFORM	UG/KG	10	U	10	U	10	U	10	U	10	U
METHYLENE CHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U
CARBON TETRACHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U
BENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U
1,2-DICHLOROETHANE	UG/KG	10	U	2	J	10	U	10	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	10	R	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	10	U	10	U	10	U	10	U

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB001		AOCHSB002		AOCHSB003		AOCHSB004		AOCHSB005		AOCHSB006		AOCHSB007		AOCHSB008	
	SampleID	NDE006		NDE008		NDE010		NDE012		NDE014		NDE016		NDE018		NDE019	
	DateCollected	12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/05/2000		12/06/2000		12/06/2000		12/05/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																
1,2-DICHLOROPROPANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
1,1,1-TRICHLOROETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
BROMODICHLOROMETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
TOLUENE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
DIBROMOCHLOROMETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
CHLOROBENZENE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
ETHYLBENZENE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
METHYL ISOBUTYL KETONE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
1,1,2-TRICHLOROETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	12	UJ	10	UJ	1.6	J	10	UJ	0.31	J	10	UJ	10	U	12	UJ
2-HEXANONE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
XYLENES, TOTAL	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
STYRENE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
BROMOFORM	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	12	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U	12	UJ

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB008		AOCHSB009		AOCHSB009		AOCHSB009		AOCHSB010		AOCHSB011		AOCHSB012		AOCHSB013	
	SampleID	NDE020		NDE022		NDE203		NDE204		NDE025		NDE027		NDE029		NDE031	
	DateCollected	12/06/2000		12/05/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000		12/06/2000	
	Depth	4 to 6		4 to 6		8 to 10		10 to 12		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																
1,2-DICHLOROPROPANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
BROMODICHLOROMETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
TOLUENE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	0.4	J	10	UJ	11	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
CHLOROBENZENE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
ETHYLBENZENE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
METHYL ISOBUTYL KETONE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
1,1,2-TRICHLOROETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
2-HEXANONE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
XYLENES, TOTAL	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
STYRENE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
BROMOFORM	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	10	UJ	10	UJ	12	UJ	10	U	10	UJ	10	UJ	11	UJ

AOC H Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Building	AOC-H		AOC-H		AOC-H		AOC-H		AOC-H	
	StationID	AOCHSB014		AOCHSB015		AOCHSB015		AOCHSB016		AOCHSB016	
	SampleID	NDE033		NDE035		NDE036FD1		NDE038		NDE039FD1	
	DateCollected	12/07/2000		12/07/2000		12/07/2000		12/07/2000		12/07/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**										
1,2-DICHLOROPROPANE	UG/KG	10	U	10	U	10	U	10	U	10	U
1,1,1-TRICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
BROMODICHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	U	10	U	10	U
TOLUENE	UG/KG	10	U	10	U	10	U	10	U	10	U
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	U	10	U	10	U
DIBROMOCHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
CHLOROBENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U
ETHYLBENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U
METHYL ISOBUTYL KETONE	UG/KG	10	U	10	U	10	U	10	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	10	U	10	U	10	U	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	10	U	10	U	10	U	10	U
1,1,2-TRICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	10	U	10	U	10	U	10	U
2-HEXANONE	UG/KG	10	U	10	U	10	U	10	U	10	U
XYLENES, TOTAL	UG/KG	10	U	10	U	10	U	10	U	10	U
STYRENE	UG/KG	10	U	10	U	10	U	10	U	10	U
BROMOFORM	UG/KG	10	U	10	U	10	U	10	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.

UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.

J = Estimated value; compounds detected at concentrations between the reporting limit and the MDL.

B = Analyte was detected in the associated method blank.

R = Data was unusable.

AOC I Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB001		AOCISB002		AOCISB003		AOCISB004		AOCISB005		AOCISB006		AOCISB007		AOCISB008	
	SampleID	NDE043		NDE045		NDE047		NDE049		NDE051		NDE053		NDE055		NDE057	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
PETROLEUM HYDROCARBONS																	
PETROLEUM HYDROCARBONS	MG/KG	121	J	17	U	108	J	88	=	160	J	103	J	118	=	443	J
METALS																	
ALUMINUM	MG/KG	17700	=	15600	=	18200	=	14400	=	16700	=	21000	=	17000	=	14000	=
ANTIMONY	MG/KG	1.1	J	1	J	1.5	J	1.1	J	1.3	J	1.4	J	1.3	J	0.86	J
ARSENIC	MG/KG	1.1	J	1.2	J	0.86	J	0.91	J	1.1	J	2	J	1.6	J	0.77	J
BARIUM	MG/KG	39	J	30	J	39	J	40	J	35	J	62	=	42	J	26	J
BERYLLIUM	MG/KG	0.15	J	0.11	J	0.15	J	0.11	J	0.14	J	0.26	J	0.14	J	0.035	U
CADMIUM	MG/KG	0.029	U	0.028	U	0.029	U	0.028	U	0.028	U	0.03	U	0.11	U	0.028	U
CALCIUM	MG/KG	20800	=	15100	=	18700	=	18400	=	13700	=	15000	=	14000	=	15000	=
CHROMIUM, TOTAL	MG/KG	34	=	33	=	47	=	31	=	55	=	77	=	57	=	40	=
COBALT	MG/KG	16	=	15	=	17	=	13	=	16	=	27	=	19	=	12	=
COPPER	MG/KG	70	=	55	=	77	=	48	=	103	=	68	=	59	=	40	=
IRON	MG/KG	29600	=	26300	=	29800	=	23400	=	28000	=	37000	=	30000	=	22000	=
MAGNESIUM	MG/KG	13500	=	12700	=	13900	=	10600	=	13200	=	14000	=	13000	=	11000	=
MANGANESE	MG/KG	593	=	490	=	574	=	465	=	530	=	980	=	680	=	440	=
LEAD	MG/KG	1	=	0.47	J	0.96	=	0.98	=	0.91	=	1.5	=	0.85	=	1.7	=
MERCURY	MG/KG	0.004	J	0.006	J	0.006	J	0.003	J	0.0026	U	0.016	J	0.005	J	0.0026	UJ
NICKEL	MG/KG	23	=	21	=	27	=	19	=	32	=	49	=	34	=	21	=
POTASSIUM	MG/KG	785	J	644	J	754	J	594	J	529	J	530	J	610	J	480	J
SELENIUM	MG/KG	0.5	U	0.91	J	0.97	J	0.62	J	0.76	J	1.3	J	1.1	J	0.77	J
SILVER	MG/KG	0.11	J	0.085	J	0.086	J	0.081	J	0.075	J	0.12	J	0.11	U	0.06	U
SODIUM	MG/KG	527	J	389	J	460	J	447	J	475	J	720	J	490	J	400	J
THALLIUM	MG/KG	0.37	U	0.35	U	0.36	U	0.35	U	0.36	U	0.38	U	0.33	U	0.36	U
VANADIUM	MG/KG	87	=	70	=	89	=	73	=	87	=	120	=	86	=	64	=
ZINC	MG/KG	44	=	36	=	42	=	33	=	35	=	47	=	40	=	31	=
PESTICIDES																	
ALPHA BHC	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
BETA BHC	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
DELTA BHC	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
GAMMA BHC (LINDANE)	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
HEPTACHLOR	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
ALDRIN	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
HEPTACHLOR EPOXIDE	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
ALPHA ENDOSULFAN	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
DIELDRIN	UG/KG	3.6	U	3.4	U	3.5	U	3.4	U	3.4	U	3.7	U	3.6	U	3.5	U
p,p'-DDE	UG/KG	3.6	U	3.4	U	3.5	U	3.4	U	3.4	U	3.7	U	3.6	U	3.5	U
ENDRIN	UG/KG	3.6	U	3.4	U	3.5	U	3.4	U	3.4	U	3.7	U	3.6	U	3.5	U
BETA ENDOSULFAN	UG/KG	3.6	U	3.4	U	3.5	U	3.4	U	3.4	U	3.7	U	3.6	U	3.5	U
p,p'-DDD	UG/KG	3.6	U	3.4	U	3.5	U	3.4	U	3.4	U	3.7	U	3.6	U	3.5	U
ENDOSULFAN SULFATE	UG/KG	3.6	U	3.4	U	3.5	U	3.4	U	3.4	U	3.7	U	3.6	U	3.5	U
p,p'-DDT	UG/KG	3.6	U	3.4	U	3.5	U	3.4	U	3.4	U	3.7	U	3.6	U	3.5	U
METHOXYCHLOR	UG/KG	19	U	17	U	18	U	18	U	18	U	19	U	19	U	18	U
ENDRIN ALDEHYDE	UG/KG	3.6	U	3.4	U	3.5	U	3.4	U	3.4	U	3.7	U	3.6	U	3.5	U
ALPHA-CHLORDANE	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
GAMMA-CHLORDANE	UG/KG	1.9	U	1.7	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
ENDRIN KETONE	UG/KG	3.6	U	3.4	U	3.5	U	3.4	U	3.4	U	3.7	U	3.6	U	3.5	U

AOC I Analytical Dat mary - Surface Soil
Phase II Exp. ed PA/SI
NASD, Vieques, Puerto Rico

Site		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
StationID		AOCISB009		AOCISB010		AOCISB011		AOCISB011		AOCISB012		AOCISB013		AOCISB014		AOCISB015	
SampleID		NDE059		NDE061		NDE062FD1		NDE064		NDE066		NDE068		NDE070		NDE072	
DateCollected		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000	
Depth		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
PETROLEUM HYDROCARBONS																	
PETROLEUM HYDROCARBONS	MG/KG	636	=	1200	=	945	=	889	=	71	J	31	J	11	J	56	J
METALS																	
ALUMINUM	MG/KG	15000	=	20000	=	18000	=	18000	=	17000	=	17000	=	17000	=	18000	=
ANTIMONY	MG/KG	0.99	J	1.4	J	0.95	J	1.1	J	1.5	J	1.2	J	1.3	J	1	J
ARSENIC	MG/KG	0.8	J	1.2	J	0.97	J	1.1	J	1.3	J	1.6	J	1.8	J	1.4	J
BARIUM	MG/KG	28	J	42	=	31	J	39	J	39	J	47	=	51	=	40	J
BERYLLIUM	MG/KG	0.035	U	0.14	J	0.035	U	0.11	J	0.18	J	0.17	J	0.2	J	0.14	J
CADMIUM	MG/KG	0.029	U	0.029	U	0.029	U	0.028	U	0.029	U	0.03	U	0.03	U	0.029	U
CALCIUM	MG/KG	14000	=	20000	=	15000	=	17000	=	17000	=	17000	=	16000	=	15000	=
CHROMIUM, TOTAL	MG/KG	35	=	47	=	36	=	45	=	42	=	52	=	63	=	48	=
COBALT	MG/KG	14	=	18	=	16	=	17	=	15	=	18	=	19	=	18	=
COPPER	MG/KG	62	=	55	=	51	=	52	=	49	=	46	=	43	=	48	=
IRON	MG/KG	24000	=	31000	=	28000	=	29000	=	28000	=	28000	=	29000	=	30000	=
MAGNESIUM	MG/KG	12000	=	15000	=	14000	=	14000	=	12000	=	12000	=	10000	=	14000	=
MANGANESE	MG/KG	490	=	670	=	590	=	640	=	570	=	660	=	730	=	670	=
LEAD	MG/KG	1.8	=	1.8	=	1.1	=	1.9	=	1.7	=	1.2	=	2.1	=	2.3	=
MERCURY	MG/KG	0.0035	J	0.0026	UJ	0.0027	UJ	0.0039	J	0.0026	U	0.0028	U	0.0039	J	0.0041	J
NICKEL	MG/KG	24	=	30	=	25	=	26	=	25	=	32	=	37	=	29	=
POTASSIUM	MG/KG	560	J	740	J	610	J	710	J	680	J	580	J	460	J	530	J
SELENIUM	MG/KG	0.73	J	0.75	J	0.83	J	0.6	J	1.1	J	1.4	J	1	J	1	J
SILVER	MG/KG	0.06	U	0.06	U	0.061	U	0.06	U	0.12	J	0.063	U	0.064	U	0.062	U
SODIUM	MG/KG	490	J	560	J	460	J	500	J	420	J	460	J	400	J	390	J
THALLIUM	MG/KG	0.36	U	0.36	U	0.36	U	0.36	U	0.36	U	0.38	U	0.38	U	0.37	U
VANADIUM	MG/KG	76	=	96	=	81	=	88	=	85	=	85	=	95	=	88	=
ZINC	MG/KG	35	=	42	=	40	=	41	=	39	=	42	=	37	=	44	=
PESTICIDES																	
ALPHA BHC	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
BETA BHC	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
DELTA BHC	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
GAMMA BHC (LINDANE)	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
HEPTACHLOR	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
ALDRIN	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
HEPTACHLOR EPOXIDE	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
ALPHA ENDOSULFAN	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
DIELDRIN	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.7	U	3.7	U	3.6	U
p,p'-DDE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.7	U	3.7	U	3.6	U
ENDRIN	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.7	U	3.7	U	3.6	U
BETA ENDOSULFAN	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.7	U	3.7	U	3.6	U
p,p'-DDD	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.7	U	3.7	U	3.6	U
ENDOSULFAN SULFATE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.7	U	3.7	U	3.6	U
p,p'-DDT	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	3.7	UJ	3.7	UJ	3.6	UJ
METHOXYCHLOR	UG/KG	18	U	18	U	18	U	18	U	18	U	19	U	19	U	18	U
ENDRIN ALDEHYDE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.7	U	3.7	U	3.6	U
ALPHA-CHLORDANE	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
GAMMA-CHLORDANE	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.9	U	1.9	U	1.8	U
ENDRIN KETONE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.7	U	3.7	U	3.6	U

AOC I Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB016		AOCISB017		AOCISB018		AOCISB018		AOCISB019		AOCISB020		AOCISB020		AOCISB021	
	SampleID	NDE075		NDE077		NDE074FD1		NDE079		NDE081		NDE083		NDE084FD1		NDE086	
	DateCollected	11/30/2000		11/30/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
PETROLEUM HYDROCARBONS																	
PETROLEUM HYDROCARBONS	MG/KG	66	J	57	J	196	J	130	J	18	J	19	J	40	J	377	J
METALS																	
ALUMINUM	MG/KG	15000	=	16000	=	18000	=	15000	=	20000	=	25000	=	23000	=	16000	=
ANTIMONY	MG/KG	1.2	J	1.2	J	1.2	J	1.1	J	1.4	J	1.4	J	1.1	J	0.86	J
ARSENIC	MG/KG	1.4	J	1.1	J	1.9	J	1.7	J	2	J	1.8	J	2.3	J	1.2	J
BARIUM	MG/KG	37	J	30	J	40	J	41	J	45	=	65	=	62	=	47	=
BERYLLIUM	MG/KG	0.19	J	0.13	J	0.21	J	0.18	J	0.18	J	0.42	J	0.32	J	0.13	J
CADMIUM	MG/KG	0.029	U	0.028	U	0.029	U	0.029	U	0.029	U	0.033	U	0.035	U	0.029	U
CALCIUM	MG/KG	52000	=	21000	=	21000	=	16000	=	30000	=	7200	=	23000	=	16000	=
CHROMIUM, TOTAL	MG/KG	42	=	39	=	34	J	32	J	63	J	110	J	71	J	34	J
COBALT	MG/KG	14	=	16	=	15	=	14	=	20	=	26	=	20	=	15	=
COPPER	MG/KG	48	=	53	=	63	=	51	=	55	=	70	=	62	=	53	=
IRON	MG/KG	25000	=	29000	=	31000	=	27000	=	32000	=	44000	=	36000	=	26000	=
MAGNESIUM	MG/KG	12000	=	14000	=	13000	=	11000	=	15000	=	9700	=	10000	=	11000	=
MANGANESE	MG/KG	520	=	600	=	590	=	570	=	650	=	780	=	810	=	630	=
LEAD	MG/KG	3.2	=	1.4	=	2.1	=	1.7	=	1.2	=	1.6	=	8.7	=	2.4	=
MERCURY	MG/KG	0.0027	U	0.0026	U	0.0041	J	0.0032	U	0.0032	U	0.014	J	0.034	J	0.0032	U
NICKEL	MG/KG	22	=	25	=	21	J	20	J	38	J	57	J	38	J	21	J
POTASSIUM	MG/KG	660	J	550	J	840	J	700	J	650	J	600	J	690	J	790	J
SELENIUM	MG/KG	0.66	J	0.89	J	0.49	U	0.49	U	0.49	U	0.57	U	0.59	U	0.5	U
SILVER	MG/KG	0.061	U	0.06	U	0.061	U	0.061	U	0.11	J	0.07	U	0.073	U	0.061	U
SODIUM	MG/KG	380	J	290	J	520	J	360	J	830	J	670	J	450	J	570	J
THALLIUM	MG/KG	0.36	U	0.36	U	0.93	J	0.36	U	0.36	U	0.73	J	0.58	J	0.37	U
VANADIUM	MG/KG	69	=	79	=	85	=	77	=	100	=	140	=	120	=	73	=
ZINC	MG/KG	42	=	43	=	42	=	40	=	46	=	48	=	51	=	59	=
PESTICIDES																	
ALPHA BHC	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
BETA BHC	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
DELTA BHC	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
GAMMA BHC (LINDANE)	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
HEPTACHLOR	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
ALDRIN	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
HEPTACHLOR EPOXIDE	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
ALPHA ENDOSULFAN	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
DIELDRIN	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	4.1	UJ	4.3	UJ	3.6	UJ
p,p'-DDE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	4.1	UJ	4.3	UJ	3.6	UJ
ENDRIN	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	4.1	UJ	4.3	UJ	3.6	UJ
BETA ENDOSULFAN	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	4.1	UJ	4.3	UJ	3.6	UJ
p,p'-DDD	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	4.1	UJ	4.3	UJ	3.6	UJ
ENDOSULFAN SULFATE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	4.1	UJ	4.3	UJ	3.6	UJ
p,p'-DDT	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	4.1	UJ	4.3	UJ	3.6	UJ
METHOXYCHLOR	UG/KG	18	U	18	U	18	U	18	U	18	UJ	21	UJ	22	UJ	19	UJ
ENDRIN ALDEHYDE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	4.1	UJ	4.3	UJ	3.6	UJ
ALPHA-CHLORDANE	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
GAMMA-CHLORDANE	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	UJ	2.1	UJ	2.2	UJ	1.9	UJ
ENDRIN KETONE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	UJ	4.1	UJ	4.3	UJ	3.6	UJ

AOC I Analytical Da\ \mary - Surface Soil
Phase II Exp...ded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB022		AOCISB023		AOCISB023		AOCISB024		AOCISB025		AOCISB026		AOCISB026	
	SampleID	NDE088		NDE090		NDE091FD1		NDE093		NDE095		NDE097		NDE099FD1	
	DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**														
PETROLEUM HYDROCARBONS															
PETROLEUM HYDROCARBONS	MG/KG	154	=	17	J	15	J	70	J	339	J	248	J	406	J
METALS															
ALUMINUM	MG/KG	18000	=	16000	=	18000	=	17000	=	18000	=	15000	=	17000	=
ANTIMONY	MG/KG	1.2	J	0.8	J	1.3	J	1.2	J	1.1	J	0.97	J	1	J
ARSENIC	MG/KG	1.5	J	1	J	1.3	J	1.3	J	1.9	J	1.1	J	1.1	J
BARIUM	MG/KG	47	J	35	J	50	=	51	=	38	J	30	J	30	B
BERYLLIUM	MG/KG	0.22	J	0.13	J	0.2	J	0.22	J	0.12	J	0.035	U	0.035	J
CADMIUM	MG/KG	0.52	J	0.03	U	0.032	U	0.028	U	0.03	U	0.028	U	0.028	U
CALCIUM	MG/KG	13000	=	9500	=	16000	=	45000	=	18000	=	14000	=	17000	=
CHROMIUM, TOTAL	MG/KG	57	J	41	J	59	J	36	J	48	J	35	J	32	J
COBALT	MG/KG	18	=	15	=	21	=	17	=	16	=	13	=	15	=
COPPER	MG/KG	69	=	61	J	82	J	55	J	56	J	45	J	45	J
IRON	MG/KG	30000	=	30000	=	31000	=	28000	=	30000	=	25000	=	28000	=
MAGNESIUM	MG/KG	13000	=	12000	=	13000	=	13000	=	15000	=	12000	=	13000	=
MANGANESE	MG/KG	630	=	660	=	790	=	670	=	590	=	500	=	540	=
LEAD	MG/KG	22	=	0.81	J	1.5	J	8.8	J	9.9	J	2.3	J	5.1	J
MERCURY	MG/KG	0.0036	U	0.0028	UJ	0.0029	UJ	0.0055	J	0.0028	J	0.0026	UJ	0.0026	UJ
NICKEL	MG/KG	31	J	20	=	38	=	24	=	27	=	20	=	21	=
POTASSIUM	MG/KG	910	J	440	J	580	J	620	J	690	J	590	J	670	J
SELENIUM	MG/KG	0.55	U	1.6	J	0.97	J	0.48	U	1.3	J	1	J	0.96	J
SILVER	MG/KG	0.068	U	0.064	U	0.067	U	0.06	U	0.063	U	0.12	J	0.06	U
SODIUM	MG/KG	510	J	410	J	640	J	290	J	370	J	420	J	510	J
THALLIUM	MG/KG	0.4	U	0.38	U	0.4	U	0.36	U	0.37	U	0.36	U	0.36	U
VANADIUM	MG/KG	90	=	84	J	96	J	83	J	91	J	69	J	76	J
ZINC	MG/KG	55	=	40	J	47	J	44	J	43	J	40	J	43	J
PESTICIDES															
ALPHA BHC	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
BETA BHC	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
DELTA BHC	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
GAMMA BHC (LINDANE)	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
HEPTACHLOR	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
ALDRIN	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
HEPTACHLOR EPOXIDE	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
ALPHA ENDOSULFAN	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
DIELDRIN	UG/KG	4	UJ	3.7	U	3.8	U	3.4	U	3.3	U	3.3	U	3.3	U
p,p'-DDE	UG/KG	4	UJ	3.7	U	3.8	U	3.4	U	3.3	U	3.3	U	3.3	U
ENDRIN	UG/KG	4	UJ	3.7	U	3.8	U	3.4	U	3.3	U	3.3	U	3.3	U
BETA ENDOSULFAN	UG/KG	4	UJ	3.7	U	3.8	U	3.4	U	3.3	U	3.3	U	3.3	U
p,p'-DDD	UG/KG	4	UJ	3.7	U	3.8	U	3.4	U	3.3	U	3.3	U	3.3	U
ENDOSULFAN SULFATE	UG/KG	4	UJ	3.7	U	3.8	U	3.4	U	3.3	U	3.3	U	3.3	U
p,p'-DDT	UG/KG	4	UJ	3.7	U	3.8	U	3.4	U	3.3	UJ	3.3	UJ	3.3	UJ
METHOXYCHLOR	UG/KG	20	UJ	19	U	20	U	18	U	17	UJ	17	UJ	17	UJ
ENDRIN ALDEHYDE	UG/KG	4	UJ	3.7	U	3.8	U	3.4	U	3.3	U	3.3	U	3.3	U
ALPHA-CHLORDANE	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
GAMMA-CHLORDANE	UG/KG	2	UJ	1.9	U	2	U	1.8	U	1.7	U	1.7	U	1.7	U
ENDRIN KETONE	UG/KG	4	UJ	3.7	U	3.8	U	3.4	U	3.3	U	3.3	U	3.3	U

AOC I Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB001		AOCISB002		AOCISB003		AOCISB004		AOCISB005		AOCISB006		AOCISB007		AOCISB008	
	SampleID	NDE043		NDE045		NDE047		NDE049		NDE051		NDE053		NDE055		NDE057	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
TOXAPHENE	UG/KG	186	U	174	U	180	U	176	U	178	U	191	U	188	U	181	U
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	36	U	34	U	35	U	34	U	34	U	37	U	36	U	35	U
PCB-1260 (AROCHLOR 1260)	UG/KG	36	U	34	U	35	U	34	U	34	U	37	U	36	U	35	U
PCB-1221 (AROCHLOR 1221)	UG/KG	73	U	68	U	70	U	69	U	70	U	75	U	74	U	71	U
PCB-1232 (AROCHLOR 1232)	UG/KG	36	U	34	U	35	U	34	U	34	U	37	U	36	U	35	U
PCB-1242 (AROCHLOR 1242)	UG/KG	36	U	34	U	35	U	34	U	34	U	37	U	36	U	35	U
PCB-1248 (AROCHLOR 1248)	UG/KG	36	U	34	U	35	U	34	U	34	U	37	U	36	U	35	U
PCB-1254 (AROCHLOR 1254)	UG/KG	36	U	34	U	35	U	34	U	34	U	37	U	36	U	35	U
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
PHENOL	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2-CHLOROPHENOL	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
1,3-DICHLOROBENZENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
1,4-DICHLOROBENZENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
1,2-DICHLOROBENZENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
HEXACHLOROETHANE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
CRESOLS, m & p	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
NITROBENZENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
ISOPHORONE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2-NITROPHENOL	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2,4-DIMETHYLPHENOL	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2,4-DICHLOROPHENOL	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
1,2,4-TRICHLOROBENZENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
NAPHTHALENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
4-CHLOROANILINE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2-METHYLNAPHTHALENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
HEXACHLOROBUTADIENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
4-CHLORO-3-METHYLPHENOL	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2,4,6-TRICHLOROPHENOL	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2,4,5-TRICHLOROPHENOL	UG/KG	1090	U	994	U	1030	U	1020	U	1090	U	1220	U	1130	U	1070	U
2-CHLORONAPHTHALENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2-NITROANILINE	UG/KG	1090	U	994	U	1030	U	1020	U	1090	U	1220	U	1130	U	1070	U
ACENAPHTHYLENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
DIMETHYL PHTHALATE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2,6-DINITROTOLUENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
ACENAPHTHENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
3-NITROANILINE	UG/KG	1090	U	994	U	1030	U	1020	U	1090	U	1220	U	1130	U	1070	U
2,4-DINITROPHENOL	UG/KG	1090	U	994	U	1030	U	1020	U	1090	U	1220	U	1130	U	1070	U
DIBENZOFURAN	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
2,4-DINITROTOLUENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
4-NITROPHENOL	UG/KG	1090	U	994	U	1030	U	1020	U	1090	U	1220	U	1130	U	1070	U

AOC I Analytical Da mary - Surface Soil
Phase II Ex ded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB009		AOCISB010		AOCISB011		AOCISB011		AOCISB012		AOCISB013		AOCISB014		AOCISB015	
	SampleID	NDE059		NDE061		NDE062FD1		NDE064		NDE066		NDE068		NDE070		NDE072	
	DateCollected	11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
TOXAPHENE	UG/KG	181	U	182	U	183	U	181	U	179	U	189	U	189	U	184	U
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	35	U	35	U	35	U	35	U	35	U	37	U	37	U	36	U
PCB-1260 (AROCHLOR 1260)	UG/KG	35	U	35	U	35	U	35	U	35	U	37	U	37	U	36	U
PCB-1221 (AROCHLOR 1221)	UG/KG	71	U	71	U	72	U	71	U	71	U	74	U	74	U	73	U
PCB-1232 (AROCHLOR 1232)	UG/KG	35	U	35	U	35	U	35	U	35	U	37	U	37	U	36	U
PCB-1242 (AROCHLOR 1242)	UG/KG	35	U	35	U	35	U	35	U	35	U	37	U	37	U	36	U
PCB-1248 (AROCHLOR 1248)	UG/KG	35	U	35	U	35	U	35	U	35	U	37	U	37	U	36	U
PCB-1254 (AROCHLOR 1254)	UG/KG	35	U	35	U	35	U	35	U	35	U	37	U	37	U	36	U
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
PHENOL	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2-CHLOROPHENOL	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
1,3-DICHLOROBENZENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
1,4-DICHLOROBENZENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
1,2-DICHLOROBENZENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
HEXACHLOROETHANE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
CRESOLS, m & p	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
NITROBENZENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
ISOPHORONE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2-NITROPHENOL	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2,4-DIMETHYLPHENOL	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2,4-DICHLOROPHENOL	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
1,2,4-TRICHLOROBENZENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
NAPHTHALENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
4-CHLOROANILINE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2-METHYLNAPHTHALENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
HEXACHLOROBUTADIENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
4-CHLORO-3-METHYLPHENOL	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2,4,6-TRICHLOROPHENOL	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2,4,5-TRICHLOROPHENOL	UG/KG	1060	U	1030	U	1130	U	1060	U	1140	U	1340	U	1230	U	1290	U
2-CHLORONAPHTHALENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2-NITROANILINE	UG/KG	1060	U	1030	U	1130	U	1060	U	1140	U	1340	U	1230	U	1290	U
ACENAPHTHYLENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
DIMETHYL PHTHALATE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2,6-DINITROTOLUENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
ACENAPHTHENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
3-NITROANILINE	UG/KG	1060	U	1030	U	1130	U	1060	U	1140	U	1340	U	1230	U	1290	U
2,4-DINITROPHENOL	UG/KG	1060	U	1030	U	1130	U	1060	U	1140	U	1340	U	1230	U	1290	U
DIBENZOFURAN	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
2,4-DINITROTOLUENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
4-NITROPHENOL	UG/KG	1060	U	1030	U	1130	U	1060	U	1140	U	1340	U	1230	U	1290	U

AOC I Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB016		AOCISB017		AOCISB018		AOCISB018		AOCISB019		AOCISB020		AOCISB020		AOCISB021	
	SampleID	NDE075		NDE077		NDE074FD1		NDE079		NDE081		NDE083		NDE084FD1		NDE086	
	DateCollected	11/30/2000		11/30/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
TOXAPHENE	UG/KG	181	U	178	U	182	U	182	U	183	UJ	210	UJ	222	UJ	185	UJ
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	35	U	35	U	35	U	35	U	35	UJ	41	UJ	43	UJ	36	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	35	U	35	U	35	U	35	U	35	UJ	41	UJ	43	UJ	36	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	71	U	71	U	71	U	71	U	71	UJ	82	UJ	87	UJ	72	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	35	U	35	U	35	U	35	U	35	UJ	41	UJ	43	UJ	36	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	35	U	35	U	35	U	35	U	35	UJ	41	UJ	43	UJ	36	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	35	U	35	U	35	U	35	U	35	UJ	41	UJ	43	UJ	36	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	35	U	35	U	35	U	35	U	35	UJ	41	UJ	43	UJ	36	UJ
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
PHENOL	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2-CHLOROPHENOL	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
1,3-DICHLOROBENZENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
1,4-DICHLOROBENZENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
1,2-DICHLOROBENZENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2-METHYLPHENOL (o-CRESOL)	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
HEXACHLOROETHANE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
N-NITROSODI-n-PROPYLAMINE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
CRESOLS, m & p	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
NITROBENZENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
ISOPHORONE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2-NITROPHENOL	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2,4-DIMETHYLPHENOL	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
bis(2-CHLOROETHOXY) METHANE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2,4-DICHLOROPHENOL	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
1,2,4-TRICHLOROBENZENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
NAPHTHALENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
4-CHLOROANILINE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2-METHYLNAPHTHALENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
HEXACHLOROBUTADIENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
4-CHLORO-3-METHYLPHENOL	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
HEXACHLOROCYCLOPENTADIENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2,4,6-TRICHLOROPHENOL	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2,4,5-TRICHLOROPHENOL	UG/KG	1170	U	1100	U	1290	UJ	1350	UJ	1260	UJ	1810	UJ	1590	UJ	1320	UJ
2-CHLORONAPHTHALENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2-NITROANILINE	UG/KG	1170	U	1100	U	1290	UJ	1350	UJ	1260	UJ	1810	UJ	1590	UJ	1320	UJ
ACENAPHTHYLENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
DIMETHYL PHTHALATE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2,6-DINITROTOLUENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
ACENAPHTHENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
3-NITROANILINE	UG/KG	1170	U	1100	U	1290	UJ	1350	UJ	1260	UJ	1810	UJ	1590	UJ	1320	UJ
2,4-DINITROPHENOL	UG/KG	1170	U	1100	U	1290	UJ	1350	UJ	1260	UJ	1810	UJ	1590	UJ	1320	UJ
DIBENZOFURAN	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
2,4-DINITROTOLUENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
4-NITROPHENOL	UG/KG	1170	U	1100	U	1290	UJ	1350	UJ	1260	UJ	1810	UJ	1590	UJ	1320	UJ

AOC I Analytical Da mary - Surface Soil
Phase II Exp. ded PA/SI
NASD, Vieques, Puerto Rico

Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
StationID	AOCISB022		AOCISB023		AOCISB023		AOCISB024		AOCISB025		AOCISB026		AOCISB026	
SampleID	NDE088		NDE090		NDE091FD1		NDE093		NDE095		NDE097		NDE099FD1	
DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**													
TOXAPHENE	UG/KG	205	UJ	191	U	198	U	176	U	170	U	170	U	170	U
PCB														
PCB-1016 (AROCHLOR 1016)	UG/KG	40	UJ	37	U	38	U	34	U	33	U	33	U	33	U
PCB-1260 (AROCHLOR 1260)	UG/KG	40	UJ	37	U	38	U	34	U	33	U	33	U	33	U
PCB-1221 (AROCHLOR 1221)	UG/KG	80	UJ	75	U	78	U	69	U	67	U	67	U	67	U
PCB-1232 (AROCHLOR 1232)	UG/KG	40	UJ	37	U	38	U	34	U	33	U	33	U	33	U
PCB-1242 (AROCHLOR 1242)	UG/KG	40	UJ	37	U	38	U	34	U	33	U	33	U	33	U
PCB-1248 (AROCHLOR 1248)	UG/KG	40	UJ	37	U	38	U	34	U	33	U	33	U	33	U
PCB-1254 (AROCHLOR 1254)	UG/KG	40	UJ	37	U	38	U	34	U	33	U	33	U	33	U
SEMI-VOLATILES														
bis(2-CHLOROETHYL) ETHER	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
PHENOL	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2-CHLOROPHENOL	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
1,3-DICHLOROBENZENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
1,4-DICHLOROBENZENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
1,2-DICHLOROBENZENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
HEXACHLOROETHANE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
CRESOLS, m & p	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
NITROBENZENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
ISOPHORONE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2-NITROPHENOL	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2,4-DIMETHYLPHENOL	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2,4-DICHLOROPHENOL	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
1,2,4-TRICHLOROBENZENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
NAPHTHALENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
4-CHLOROANILINE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2-METHYLNAPHTHALENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
HEXACHLOROBUTADIENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
4-CHLORO-3-METHYLPHENOL	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2,4,6-TRICHLOROPHENOL	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2,4,5-TRICHLOROPHENOL	UG/KG	1790	UJ	1460	U	1400	U	1400	U	2840	U	2410	U	2420	U
2-CHLORONAPHTHALENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2-NITROANILINE	UG/KG	1790	UJ	1460	U	1400	U	1400	U	2840	U	2410	U	2420	U
ACENAPHTHYLENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
DIMETHYL PHTHALATE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2,6-DINITROTOLUENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
ACENAPHTHENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
3-NITROANILINE	UG/KG	1790	UJ	1460	U	1400	U	1400	U	2840	U	2410	U	2420	U
2,4-DINITROPHENOL	UG/KG	1790	UJ	1460	U	1400	U	1400	U	2840	U	2410	U	2420	U
DIBENZOFURAN	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
2,4-DINITROTOLUENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
4-NITROPHENOL	UG/KG	1790	UJ	1460	U	1400	U	1400	U	2840	U	2410	U	2420	U

AOC I Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB001		AOCISB002		AOCISB003		AOCISB004		AOCISB005		AOCISB006		AOCISB007		AOCISB008	
	SampleID	NDE043		NDE045		NDE047		NDE049		NDE051		NDE053		NDE055		NDE057	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
FLUORENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
DIETHYL PHTHALATE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
4-NITROANILINE	UG/KG	1090	U	994	U	1030	U	1020	U	1090	U	1220	U	1130	U	1070	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1090	U	994	U	1030	U	1020	U	1090	U	1220	U	1130	U	1070	U
N-NITROSODIPHENYLAMINE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
HEXACHLOROBENZENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
PENTACHLOROPHENOL	UG/KG	1090	U	994	U	1030	U	1020	U	1090	U	1220	U	1130	U	1070	U
PHENANTHRENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
ANTHRACENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
DI-n-BUTYL PHTHALATE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
FLUORANTHENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
PYRENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
BENZYL BUTYL PHTHALATE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
3,3'-DICHLOROBENZIDINE	UG/KG	729	U	662	U	689	U	679	U	725	U	815	U	752	U	711	U
BENZO(a)ANTHRACENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
CHRYSENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
DI-n-OCTYLPHTHALATE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
BENZO(b)FLUORANTHENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
BENZO(k)FLUORANTHENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
BENZO(a)PYRENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
DIBENZ(a,h)ANTHRACENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
BENZO(g,h,i)PERYLENE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
CARBAZOLE	UG/KG	364	U	331	U	344	U	340	U	363	U	408	U	376	U	356	U
VOLATILES																	
CHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
BROMOMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
VINYL CHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
CHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
1,1-DICHLOROETHENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
CARBON DISULFIDE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
1,1-DICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
ACETONE	UG/KG	10	R	10	R	11	R	12	R	13	R	16	R	16	R	14	R
CHLOROFORM	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
METHYLENE CHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
CARBON TETRACHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
BENZENE	UG/KG	10	U	10	U	1.2	J	10	U	10	U	10	U	10	UJ	10	UJ
1,2-DICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
METHYL ETHYL KETONE	UG/KG	10	R	10	R	10	R	10	R	5	J	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	10	U	10	U	0.31	J	10	U	10	U	10	UJ	10	UJ
1,2-DICHLOROPROPANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
BROMODICHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ

AOC I Analytical Da mary - Surface Soil
Phase II Ex ded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB009		AOCISB010		AOCISB011		AOCISB011		AOCISB012		AOCISB013		AOCISB014		AOCISB015	
	SampleID	NDE059		NDE061		NDE062FD1		NDE064		NDE066		NDE068		NDE070		NDE072	
	DateCollected	11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
FLUORENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
DIETHYL PHTHALATE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
4-NITROANILINE	UG/KG	1060	U	1030	U	1130	U	1060	U	1140	U	1340	U	1230	U	1290	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1060	U	1030	U	1130	U	1060	U	1140	U	1340	U	1230	U	1290	U
N-NITROSODIPHENYLAMINE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
HEXACHLOROBENZENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
PENTACHLOROPHENOL	UG/KG	1060	U	1030	U	1130	U	1060	U	1140	U	1340	U	1230	U	1290	U
PHENANTHRENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
ANTHRACENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
DI-n-BUTYL PHTHALATE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
FLUORANTHENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
PYRENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
BENZYL BUTYL PHTHALATE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
3,3'-DICHLOROBENZIDINE	UG/KG	707	U	687	U	752	U	706	U	758	U	896	U	817	U	861	U
BENZO(a)ANTHRACENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
CHRYSENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	353	U	344	U	376	UJ	3880	J	379	U	448	U	408	U	430	U
DI-n-OCTYLPHTHALATE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
BENZO(b)FLUORANTHENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
BENZO(k)FLUORANTHENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
BENZO(a)PYRENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
DIBENZ(a,h)ANTHRACENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
BENZO(g,h,i)PERYLENE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
CARBAZOLE	UG/KG	353	U	344	U	376	U	353	U	379	U	448	U	408	U	430	U
VOLATILES																	
CHLOROMETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BROMOMETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
VINYL CHLORIDE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1-DICHLOROETHENE	UG/KG	10	U	0.43	J	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CARBON DISULFIDE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1-DICHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
ACETONE	UG/KG	30	R	19	R	10	R	10	R	10	R	10	R	6.7	J	10	R
CHLOROFORM	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
METHYLENE CHLORIDE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CARBON TETRACHLORIDE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BENZENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,2-DICHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
METHYL ETHYL KETONE	UG/KG	10	R	10	R	10	R	10	R	10	R	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,2-DICHLOROPROPANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BROMODICHLOROMETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ

AOC I Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB016		AOCISB017		AOCISB018		AOCISB018		AOCISB019		AOCISB020		AOCISB020		AOCISB021	
	SampleID	NDE075		NDE077		NDE074FD1		NDE079		NDE081		NDE083		NDE084FD1		NDE086	
	DateCollected	11/30/2000		11/30/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
FLUORENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
4-CHLOROPHENYL PHENYL ETHER	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
DIETHYL PHTHALATE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
4-NITROANILINE	UG/KG	1170	U	1100	U	1290	UJ	1350	UJ	1260	UJ	1810	UJ	1590	UJ	1320	UJ
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1170	U	1100	U	1290	UJ	1350	UJ	1260	UJ	1810	UJ	1590	UJ	1320	UJ
N-NITROSODIPHENYLAMINE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
4-BROMOPHENYL PHENYL ETHER	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
HEXACHLOROBENZENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
PENTACHLOROPHENOL	UG/KG	1170	U	1100	U	1290	UJ	1350	UJ	1260	UJ	1810	UJ	1590	UJ	1320	UJ
PHENANTHRENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
ANTHRACENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
DI-n-BUTYL PHTHALATE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
FLUORANTHENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
PYRENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
BENZYL BUTYL PHTHALATE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
3,3'-DICHLOROBENZIDINE	UG/KG	783	U	736	U	857	UJ	902	UJ	841	UJ	1210	UJ	1060	UJ	880	UJ
BENZO(a)ANTHRACENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
CHRYSENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
DI-n-OCTYLPHTHALATE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
BENZO(b)FLUORANTHENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
BENZO(k)FLUORANTHENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
BENZO(a)PYRENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
INDENO(1,2,3-c,d)PYRENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
DIBENZ(a,h)ANTHRACENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
BENZO(g,h,i)PERYLENE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
CARBAZOLE	UG/KG	392	U	368	U	428	UJ	451	UJ	420	UJ	604	UJ	531	UJ	440	UJ
VOLATILES																	
CHLOROMETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
BROMOMETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
VINYL CHLORIDE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
CHLOROETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
1,1-DICHLOROETHENE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
CARBON DISULFIDE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
1,1-DICHLOROETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
ACETONE	UG/KG	10	R	10	U	10	R	10	R	22	R	14	R	12	R	16	R
CHLOROFORM	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
METHYLENE CHLORIDE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	11	U	12	UJ	12	UJ	10	UJ
CARBON TETRACHLORIDE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
BENZENE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
1,2-DICHLOROETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
METHYL ETHYL KETONE	UG/KG	10	UJ	10	R	10	UJ	10	UJ	10	R	12	R	12	UJ	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
1,2-DICHLOROPROPANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
BROMODICHLOROMETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ

AOC I Analytical Dat ımary - Surface Soil
Phase II Ex, ded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB022		AOCISB023		AOCISB023		AOCISB024		AOCISB025		AOCISB026		AOCISB026	
	SampleID	NDE088		NDE090		NDE091FD1		NDE093		NDE095		NDE097		NDE099FD1	
	DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**														
FLUORENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
DIETHYL PHTHALATE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
4-NITROANILINE	UG/KG	1790	UJ	1460	U	1400	U	1400	U	2840	U	2410	U	2420	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1790	UJ	1460	U	1400	U	1400	U	2840	U	2410	U	2420	U
N-NITROSODIPHENYLAMINE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
HEXACHLOROBENZENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
PENTACHLOROPHENOL	UG/KG	1790	UJ	1460	U	1400	U	1400	U	2840	U	2410	U	2420	U
PHENANTHRENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
ANTHRACENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
DI-n-BUTYL PHTHALATE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
FLUORANTHENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
PYRENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
BENZYL BUTYL PHTHALATE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
3,3'-DICHLOROBENZIDINE	UG/KG	1200	UJ	971	U	936	U	935	U	1890	U	1610	U	1620	U
BENZO(a)ANTHRACENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
CHRYSENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
DI-n-OCTYLPHTHALATE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
BENZO(b)FLUORANTHENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
BENZO(k)FLUORANTHENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
BENZO(a)PYRENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
DIBENZ(a,h)ANTHRACENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
BENZO(g,h,i)PERYLENE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
CARBAZOLE	UG/KG	598	UJ	486	U	468	U	468	U	946	U	803	U	808	U
VOLATILES															
CHLOROMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
BROMOMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
VINYL CHLORIDE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
CHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
1,1-DICHLOROETHENE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	0.47	J
CARBON DISULFIDE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
1,1-DICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
ACETONE	UG/KG	10	R	10	R	34	R	10	R	10	R	10	R	25	R
CHLOROFORM	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
METHYLENE CHLORIDE	UG/KG	10	UJ	10	UJ	10	UJ	0.34	J	0.36	J	10	UJ	0.56	J
CARBON TETRACHLORIDE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
BENZENE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	0.27	J	10	UJ	10	U
1,2-DICHLOROETHANE	UG/KG	1	J	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
METHYL ETHYL KETONE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
1,2-DICHLOROPROPANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
1,1,1-TRICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
BROMODICHLOROMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
cis-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U

AOC I Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB001		AOCISB002		AOCISB003		AOCISB004		AOCISB005		AOCISB006		AOCISB007		AOCISB008	
	SampleID	NDE043		NDE045		NDE047		NDE049		NDE051		NDE053		NDE055		NDE057	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
TOLUENE	UG/KG	10	U	10	U	16	=	10	U	25	=	1.4	J	1.7	J	0.59	J
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
CHLOROBENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
ETHYLBENZENE	UG/KG	10	U	10	U	3.7	J	10	U	10	U	10	U	10	UJ	10	UJ
METHYL ISOBUTYL KETONE	UG/KG	10	U	2.8	J	10	U	10	U	10	U	10	U	10	UJ	10	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	10	U	19	=	10	U	10	U	10	U	10	UJ	0.65	J
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	10	U	7.8	J	10	U	10	U	10	U	10	UJ	0.18	J
1,1,2-TRICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
2-HEXANONE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
XYLENES, TOTAL	UG/KG	10	U	10	U	27	=	10	U	10	U	10	U	10	UJ	0.83	J
STYRENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
BROMOFORM	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	UJ

AOC I Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB009		AOCISB010		AOCISB011		AOCISB011		AOCISB012		AOCISB013		AOCISB014		AOCISB015	
	SampleID	NDE059		NDE061		NDE062FD1		NDE064		NDE066		NDE068		NDE070		NDE072	
	DateCollected	11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
TOLUENE	UG/KG	0.3	J	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CHLOROBENZENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
ETHYLBENZENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
METHYL ISOBUTYL KETONE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1,2-TRICHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
2-HEXANONE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
XYLENES, TOTAL	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
STYRENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BROMOFORM	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ

AOC I Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB016		AOCISB017		AOCISB018		AOCISB018		AOCISB019		AOCISB020		AOCISB020		AOCISB021	
	SampleID	NDE075		NDE077		NDE074FD1		NDE079		NDE081		NDE083		NDE084FD1		NDE086	
	DateCollected	11/30/2000		11/30/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
TOLUENE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
CHLOROBENZENE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
ETHYLBENZENE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
METHYL ISOBUTYL KETONE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
1,1,2-TRICHLOROETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	0.27	J
2-HEXANONE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
XYLENES, TOTAL	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
STYRENE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
BROMOFORM	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	UJ	10	U	10	UJ	10	UJ	10	U	12	UJ	12	UJ	10	UJ

AOC I Analytical Dat ımary - Surface Soil
Phase II Ex, ıled PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB022		AOCISB023		AOCISB023		AOCISB024		AOCISB025		AOCISB026		AOCISB026	
	SampleID	NDE088		NDE090		NDE091FD1		NDE093		NDE095		NDE097		NDE099FD1	
	DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**														
TOLUENE	UG/KG	10	UJ	10	UJ	0.87	J	10	UJ	10	UJ	10	UJ	1.5	J
trans-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
DIBROMOCHLOROMETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
CHLOROBENZENE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
ETHYLBENZENE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
METHYL ISOBUTYL KETONE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	1.4	J	10	UJ	1	J	0.2	J	10	UJ	10	UJ	0.22	J
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	0.62	J	10	UJ	0.34	J	10	UJ	10	UJ	10	UJ	10	U
1,1,2-TRICHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
2-HEXANONE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
XYLENES, TOTAL	UG/KG	2	J	10	UJ	1.4	J	0.2	J	10	UJ	10	UJ	0.22	J
STYRENE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
BROMOFORM	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.

UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.

J = Estimated value; compounds detected at concentrations between the reporting limit and the MDL

B = Analyte was detected in the associated method blank.

R = Date was unusable.

AOC I Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

Site		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
StationID		AOCISB001		AOCISB002		AOCISB003		AOCISB004		AOCISB005		AOCISB006		AOCISB007		AOCISB008	
SampleID		NDE044		NDE045		NDE048		NDE050		NDE052		NDE054		NDE056		NDE058	
DateCollected		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/30/2000		11/30/2000		11/30/2000	
Depth		5 to 6		5 to 6		4 to 5		5 to 6		4.5 to 5.5		4 to 6		3 to 4.5		4 to 6	
Parameter	**Units**																
PETROLEUM HYDROCARBONS																	
PETROLEUM HYDROCARBONS	MG/KG	21	U	20	UJ	18	U	19	U	16	UJ	16	UJ	16	UJ	23	J
METALS																	
ALUMINUM	MG/KG	32600	=	27600	=	27000	=	25400	=	22100	=	18000	=	15000	=	21000	=
ANTIMONY	MG/KG	1.8	J	1.7	J	2.3	J	2.8	J	2.3	J	1.9	J	1.3	J	1.3	J
ARSENIC	MG/KG	1.9	J	0.85	J	1.2	J	1.2	J	1.3	J	1.1	J	1.3	J	1.7	J
BARIUM	MG/KG	88	=	42	J	60	=	50	=	22	J	14	J	20	J	57	=
BERYLLIUM	MG/KG	0.33	J	0.22	J	0.16	J	0.22	J	0.11	J	0.12	J	0.13	J	0.21	J
CADMIUM	MG/KG	0.034	U	0.03	U	0.029	U	0.029	U	0.029	U	0.028	U	0.029	U	0.032	U
CALCIUM	MG/KG	4650	=	5520	=	5410	=	6090	=	6900	=	5600	=	7600	=	21000	=
CHROMIUM, TOTAL	MG/KG	96	=	71	=	105	=	156	=	106	=	110	=	50	=	47	=
COBALT	MG/KG	27	=	28	=	29	=	31	=	26	=	23	=	24	=	21	=
COPPER	MG/KG	225	=	18	=	67	=	45	=	40	=	69	=	77	=	70	=
IRON	MG/KG	62500	=	40000	=	51700	=	47000	=	38300	=	32000	=	26000	=	35000	=
MAGNESIUM	MG/KG	18900	J	23200	=	23600	=	23300	=	21600	=	18000	=	14000	=	16000	=
MANGANESE	MG/KG	898	=	802	=	972	=	938	=	786	=	680	=	760	=	750	=
LEAD	MG/KG	0.48	J	0.18	U	0.17	U	0.17	U	0.17	U	0.17	U	0.17	U	1.3	=
MERCURY	MG/KG	0.009	J	0.005	J	0.004	J	0.0027	U	0.0027	U	0.0026	UJ	0.0027	UJ	0.0038	J
NICKEL	MG/KG	71	=	61	=	64	=	84	=	66	=	60	=	38	=	37	=
POTASSIUM	MG/KG	702	J	203	J	241	J	266	J	450	J	150	J	120	J	690	J
SELENIUM	MG/KG	1.4	J	0.78	J	1.2	J	0.76	J	1.2	=	1.2	J	0.91	J	0.94	J
SILVER	MG/KG	0.092	J	0.083	J	0.087	J	0.081	J	0.064	J	0.06	U	0.061	U	0.067	U
SODIUM	MG/KG	2650	=	1230	=	1550	=	1580	=	21	U	760	J	780	J	360	J
THALLIUM	MG/KG	0.42	U	0.38	U	0.36	U	0.37	U	0.37	U	0.36	U	0.36	U	0.4	U
VANADIUM	MG/KG	188	=	136	=	162	=	143	=	112	=	89	=	82	=	98	=
ZINC	MG/KG	55	=	51	=	57	=	57	=	48	=	43	=	40	=	50	=
PESTICIDES																	
ALPHA BHC	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
BETA BHC	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
DELTA BHC	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
GAMMA BHC (LINDANE)	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
HEPTACHLOR	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
ALDRIN	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
HEPTACHLOR EPOXIDE	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
DIELDRIN	UG/KG	4	U	3.7	U	3.5	U	3.6	U	3.6	U	3.5	U	3.5	U	3.9	U
p,p'-DDE	UG/KG	4	U	3.7	U	3.5	U	3.6	U	3.6	U	3.5	U	3.5	U	3.9	U
ENDRIN	UG/KG	4	U	3.7	U	3.5	U	3.6	U	3.6	U	3.5	U	3.5	U	3.9	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	4	U	3.7	U	3.5	U	3.6	U	3.6	U	3.5	U	3.5	U	3.9	U
p,p'-DDD	UG/KG	4	U	3.7	U	3.5	U	3.6	U	3.6	U	3.5	U	3.5	U	3.9	U
ENDOSULFAN SULFATE	UG/KG	4	U	3.7	U	3.5	U	3.6	U	3.6	U	3.5	U	3.5	U	3.9	U
p,p'-DDT	UG/KG	4	U	3.7	U	3.5	U	3.6	U	3.6	U	3.5	U	3.5	U	3.9	U
METHOXYCHLOR	UG/KG	21	U	19	U	18	U	19	U	18	U	18	U	18	U	20	U
ENDRIN ALDEHYDE	UG/KG	4	U	3.7	U	3.5	U	3.6	U	3.6	U	3.5	U	3.5	U	3.9	U
ALPHA-CHLORDANE	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
GAMMA-CHLORDANE	UG/KG	2.1	U	1.9	U	1.8	U	1.9	U	1.8	U	1.8	U	1.8	U	2	U
ENDRIN KETONE	UG/KG	4	U	3.7	U	3.5	U	3.6	U	3.6	U	3.5	U	3.5	U	3.9	U
TOXAPHENE	UG/KG	209	U	192	U	180	U	185	U	185	U	180	U	182	U	201	U
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	40	U	37	U	35	U	36	U	36	U	35	U	35	U	39	U

AOC I Analytical Data ary - Sub-Surface Soil
Phase II Ex, ded PA/SI
NASD, Vieques, Puerto Rico

Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
StationID	AOCISB009		AOCISB010		AOCISB011		AOCISB012		AOCISB013		AOCISB014		AOCISB015		AOCISB016		AOCISB017	
SampleID	NDE060		NDE063		NDE065		NDE067		NDE069		NDE071		NDE073		NDE076		NDE078	
DateCollected	11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000	
Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																	
PETROLEUM HYDROCARBONS																		
PETROLEUM HYDROCARBONS	MG/KG	75	J	25	J	78	U	16	U	11	J	16	UJ	16	U	16	=	16	U
METALS																		
ALUMINUM	MG/KG	18000	=	18000	=	18000	=	16000	=	13000	=	17000	J	23000	=	20000	=	15000	=
ANTIMONY	MG/KG	1.1	J	1.2	J	0.98	J	0.96	J	0.9	J	1.1	J	1.7	J	1.3	J	0.91	J
ARSENIC	MG/KG	1.6	J	1.2	J	1.1	J	1.2	J	0.59	J	1.2	J	1.6	J	1.3	J	1.3	J
BARIUM	MG/KG	65	=	41	J	41	J	38	J	23	J	40	J	43	J	49	=	54	=
BERYLLIUM	MG/KG	0.21	J	0.14	J	0.15	J	0.18	J	0.11	J	0.17	J	0.19	J	0.19	J	0.14	J
CADMIUM	MG/KG	0.029	U	0.029	U	0.028	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U
CALCIUM	MG/KG	13000	=	17000	=	20000	=	23000	=	24000	=	38000	=	28000	=	22000	=	18000	=
CHROMIUM, TOTAL	MG/KG	69	=	43	=	38	=	41	=	40	=	36	=	64	=	46	=	39	=
COBALT	MG/KG	21	=	18	=	16	=	15	=	12	=	15	=	24	=	18	=	15	=
COPPER	MG/KG	52	=	74	=	53	=	49	=	31	=	51	=	85	=	59	=	53	=
IRON	MG/KG	31000	=	30000	=	28000	=	26000	=	20000	=	27000	=	42000	=	31000	=	27000	=
MAGNESIUM	MG/KG	9400	=	15000	=	14000	=	13000	=	10000	=	13000	=	21000	=	17000	=	12000	=
MANGANESE	MG/KG	1100	=	620	=	660	=	620	=	460	=	710	=	750	=	730	=	590	=
LEAD	MG/KG	1.5	=	0.43	J	0.45	J	0.5	J	0.51	J	1.8	=	1.8	=	0.82	=	0.26	J
MERCURY	MG/KG	0.0057	J	0.0053	J	0.006	J	0.0026	U	0.0027	U	0.0027	U	0.0027	U	0.0027	U	0.0027	U
NICKEL	MG/KG	38	=	31	=	25	=	24	=	22	=	23	=	37	=	30	=	24	=
POTASSIUM	MG/KG	570	J	640	J	730	J	770	J	440	J	730	J	790	J	670	J	510	J
SELENIUM	MG/KG	1.5	J	0.96	J	0.88	J	0.62	J	0.77	J	0.88	J	1.1	J	0.94	J	1.1	J
SILVER	MG/KG	0.06	U	0.061	U	0.06	U	0.06	U	0.061	U	0.061	U	0.11	J	0.061	U	0.061	U
SODIUM	MG/KG	330	J	370	J	360	J	350	J	250	J	440	J	450	J	470	J	360	J
THALLIUM	MG/KG	0.36	U	0.37	U	0.36	U	0.36	U	0.36	U	0.36	U	0.37	U	0.36	U	0.36	U
VANADIUM	MG/KG	100	=	84	=	82	=	77	=	53	=	81	=	120	=	89	=	75	=
ZINC	MG/KG	40	=	40	=	39	=	38	=	32	=	34	=	52	=	43	=	35	=
PESTICIDES																		
ALPHA BHC	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
BETA BHC	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
DELTA BHC	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
GAMMA BHC (LINDANE)	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
HEPTACHLOR	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
ALDRIN	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
HEPTACHLOR EPOXIDE	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
DIELDRIN	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.6	U	3.5	U	3.5	U
p,p'-DDE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.6	U	3.5	U	3.5	U
ENDRIN	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.6	U	3.5	U	3.5	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.6	U	3.5	U	3.5	U
p,p'-DDD	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.6	U	3.5	U	3.5	U
ENDOSULFAN SULFATE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.6	U	3.5	U	3.5	U
p,p'-DDT	UG/KG	3.5	U	3.5	U	3.5	U	3.5	UJ	3.5	UJ	3.5	UJ	3.6	UJ	3.5	U	3.5	U
METHOXYCHLOR	UG/KG	18	U	18	U	18	U	18	U	18	U	18	U	18	U	18	U	18	U
ENDRIN ALDEHYDE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.6	U	3.5	U	3.5	U
ALPHA-CHLORDANE	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
GAMMA-CHLORDANE	UG/KG	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
ENDRIN KETONE	UG/KG	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.6	U	3.5	U	3.5	U
TOXAPHENE	UG/KG	181	U	184	U	180	U	180	U	180	U	180	U	184	U	180	U	179	U
PCB																		
PCB-1016 (AROCHLOR 1016)	UG/KG	35	U	35	U	35	U	35	U	35	U	35	U	36	U	35	U	35	U

AOC I Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB018		AOCISB019		AOCISB020		AOCISB021		AOCISB022		AOCISB023		AOCISB024		AOCISB025		AOCISB026	
	SampleID	NDE080		NDE082		NDE085		NDE087		NDE089		NDE092		NDE094		NDE096		NDE098	
	DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	5 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																		
PETROLEUM HYDROCARBONS																			
PETROLEUM HYDROCARBONS	MG/KG	16	J	11	J	11	J	232	J	17	J	20	J	40	J	22	J	16	UJ
METALS																			
ALUMINUM	MG/KG	24000	=	26000	=	28000	=	23000	=	25000	=	17000	=	19000	=	20000	=	14800	=
ANTIMONY	MG/KG	1.7	J	2.9	J	2.2	J	2	J	2.1	J	1.4	J	1.4	J	1.2	J	2	J
ARSENIC	MG/KG	2	J	2.1	=	2.1	J	1.9	J	2.6	=	2.1	J	1.4	J	1.6	J	1.7	J
BARIUM	MG/KG	57	=	44	=	26	J	40	J	47	J	41	J	59	=	66	=	52	=
BERYLLIUM	MG/KG	0.32	J	0.23	J	0.27	J	0.32	J	0.29	J	0.22	J	0.26	J	0.21	J	0.14	J
CADMIUM	MG/KG	0.034	U	0.029	U	0.029	U	0.029	U	0.033	U	0.03	U	0.03	U	0.03	U	0.029	U
CALCIUM	MG/KG	9900	=	6500	=	6200	=	5700	=	17000	=	20000	=	41000	=	30000	=	10200	=
CHROMIUM, TOTAL	MG/KG	87	J	160	J	130	J	110	J	130	J	68	J	38	J	40	J	86	J
COBALT	MG/KG	27	=	31	=	29	=	26	=	25	=	18	=	19	=	21	=	25	=
COPPER	MG/KG	84	=	43	=	49	=	59	=	80	=	43	J	70	J	72	J	20	J
IRON	MG/KG	41000	=	60000	=	61000	=	41000	=	39000	=	28000	=	33000	=	34000	=	26100	=
MAGNESIUM	MG/KG	19000	=	26000	=	26000	=	23000	=	17000	=	12000	=	14000	=	15000	=	12000	=
MANGANESE	MG/KG	850	=	1100	=	900	=	840	=	810	=	600	=	790	=	860	=	694	=
LEAD	MG/KG	1.6	=	0.17	U	0.17	U	14	=	1.3	=	1.7	J	7.5	J	4.6	J	1.3	J
MERCURY	MG/KG	0.0047	J	0.0032	U	0.0033	U	0.0032	U	0.0089	J	0.0097	J	0.0028	J	0.0028	UJ	0.0027	UJ
NICKEL	MG/KG	56	J	83	J	78	J	66	J	60	J	43	=	26	=	27	=	65	=
POTASSIUM	MG/KG	380	J	400	J	220	J	390	J	550	J	460	J	570	J	650	J	77	J
SELENIUM	MG/KG	0.59	U	0.49	U	0.5	U	0.49	U	0.56	U	0.76	J	0.8	J	1.2	J	1.2	J
SILVER	MG/KG	0.073	U	0.11	J	0.062	U	0.12	J	0.069	U	0.063	U	0.063	U	0.064	U	0.061	U
SODIUM	MG/KG	140	J	1400	=	1200	=	1400	=	310	J	470	J	320	J	300	J	21.4	B
THALLIUM	MG/KG	0.43	U	0.36	U	0.37	U	0.36	U	0.41	U	0.38	U	0.38	U	0.38	U	0.36	U
VANADIUM	MG/KG	130	=	170	=	140	=	130	=	130	=	90	J	94	J	100	J	65	J
ZINC	MG/KG	58	=	60	=	55	=	52	=	52	=	40	J	47	J	47	J	39	J
PESTICIDES																			
ALPHA BHC	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
BETA BHC	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
DELTA BHC	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
GAMMA BHC (LINDANE)	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
HEPTACHLOR	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
ALDRIN	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
HEPTACHLOR EPOXIDE	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
DIELDRIN	UG/KG	4.2	UJ	3.5	UJ	3.6	UJ	3.5	UJ	4	UJ	3.6	U	3.6	U	3.3	U	3.5	U
p,p'-DDE	UG/KG	4.2	UJ	3.5	UJ	3.6	UJ	3.5	UJ	4	UJ	3.6	U	3.6	U	3.3	U	3.5	U
ENDRIN	UG/KG	4.2	UJ	3.5	UJ	3.6	UJ	3.5	UJ	4	UJ	3.6	U	3.6	U	3.3	U	3.5	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	4.2	UJ	3.5	UJ	3.6	UJ	3.5	UJ	4	UJ	3.6	U	3.6	U	3.3	U	3.5	U
p,p'-DDD	UG/KG	4.2	UJ	3.5	UJ	3.6	UJ	3.5	UJ	4	UJ	3.6	U	3.6	U	3.3	U	3.5	U
ENDOSULFAN SULFATE	UG/KG	4.2	UJ	3.5	UJ	3.6	UJ	3.5	UJ	4	UJ	3.6	U	3.6	U	3.3	U	3.5	U
p,p'-DDT	UG/KG	4.2	UJ	3.5	UJ	3.6	UJ	3.5	UJ	4	UJ	3.6	U	3.6	U	3.3	UJ	3.5	U
METHOXYCHLOR	UG/KG	22	UJ	18	UJ	19	UJ	18	UJ	21	UJ	19	U	18	U	17	UJ	18	U
ENDRIN ALDEHYDE	UG/KG	4.2	UJ	3.5	UJ	3.6	UJ	3.5	UJ	4	UJ	3.6	U	3.6	U	3.3	U	3.5	U
ALPHA-CHLORDANE	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
GAMMA-CHLORDANE	UG/KG	2.2	UJ	1.8	UJ	1.9	UJ	1.8	UJ	2.1	UJ	1.9	U	1.8	U	1.7	U	1.8	U
ENDRIN KETONE	UG/KG	4.2	UJ	3.5	UJ	3.6	UJ	3.5	UJ	4	UJ	3.6	U	3.6	U	3.3	U	3.5	U
TOXAPHENE	UG/KG	218	UJ	180	UJ	186	UJ	182	UJ	209	UJ	188	U	185	U	170	U	182	U
PCB																			
PCB-1016 (AROCHLOR 1016)	UG/KG	42	UJ	35	UJ	36	UJ	35	UJ	40	UJ	36	U	36	U	33	U	35	U

AOC I Analytical Data ary - Sub-Surface Soil
Phase II Ex ded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB001		AOCISB002		AOCISB003		AOCISB004		AOCISB005		AOCISB006		AOCISB007		AOCISB008	
	SampleID	NDE044		NDE046		NDE048		NDE050		NDE052		NDE054		NDE056		NDE058	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	5 to 6		5 to 6		4 to 5		5 to 6		4.5 to 5.5		4 to 6		3 to 4.5		4 to 6	
Parameter	**Units**																
PCB-1260 (AROCHLOR 1260)	UG/KG	40	U	37	U	35	U	36	U	36	U	35	U	35	U	39	U
PCB-1221 (AROCHLOR 1221)	UG/KG	82	U	75	U	70	U	72	U	72	U	70	U	71	U	79	U
PCB-1232 (AROCHLOR 1232)	UG/KG	40	U	37	U	35	U	36	U	36	U	35	U	35	U	39	U
PCB-1242 (AROCHLOR 1242)	UG/KG	40	U	37	U	35	U	36	U	36	U	35	U	35	U	39	U
PCB-1248 (AROCHLOR 1248)	UG/KG	40	U	37	U	35	U	36	U	36	U	35	U	35	U	39	U
PCB-1254 (AROCHLOR 1254)	UG/KG	40	U	37	U	35	U	36	U	36	U	35	U	35	U	39	U
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
PHENOL	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2-CHLOROPHENOL	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
1,3-DICHLOROBENZENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
1,4-DICHLOROBENZENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
1,2-DICHLOROBENZENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
HEXACHLOROETHANE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
CRESOLS, m & p	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
NITROBENZENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
ISOPHORONE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2-NITROPHENOL	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2,4-DIMETHYLPHENOL	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2,4-DICHLOROPHENOL	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
1,2,4-TRICHLOROBENZENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
NAPHTHALENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
4-CHLOROANILINE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2-METHYLNAPHTHALENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
HEXACHLOROBUTADIENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
4-CHLORO-3-METHYLPHENOL	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2,4,6-TRICHLOROPHENOL	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2,4,5-TRICHLOROPHENOL	UG/KG	1410	U	1250	U	1040	U	1230	U	1060	U	1060	U	1090	U	1340	U
2-CHLORONAPHTHALENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2-NITROANILINE	UG/KG	1410	U	1250	U	1040	U	1230	U	1060	U	1060	U	1090	U	1340	U
ACENAPHTHYLENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
DIMETHYL PHTHALATE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2,6-DINITROTOLUENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
ACENAPHTHENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
3-NITROANILINE	UG/KG	1410	U	1250	U	1040	U	1230	U	1060	U	1060	U	1090	U	1340	U
2,4-DINITROPHENOL	UG/KG	1410	U	1250	U	1040	U	1230	U	1060	U	1060	U	1090	U	1340	U
DIBENZOFURAN	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
2,4-DINITROTOLUENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
4-NITROPHENOL	UG/KG	1410	U	1250	U	1040	U	1230	U	1060	U	1060	U	1090	U	1340	U
FLUORENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
DIETHYL PHTHALATE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
4-NITROANILINE	UG/KG	1410	U	1250	U	1040	U	1230	U	1060	U	1060	U	1090	U	1340	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1410	U	1250	U	1040	U	1230	U	1060	U	1060	U	1090	U	1340	U
N-NITROSODIPHENYLAMINE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U

AOC I Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB009		AOCISB010		AOCISB011		AOCISB012		AOCISB013		AOCISB014		AOCISB015		AOCISB016		AOCISB017	
	SampleID	NDE060		NDE063		NDE065		NDE067		NDE069		NDE071		NDE073		NDE076		NDE078	
	DateCollected	11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																		
PCB-1260 (AROCHLOR 1260)	UG/KG	35	U	35	U	35	U	35	U	35	U	35	U	36	U	35	U	35	U
PCB-1221 (AROCHLOR 1221)	UG/KG	71	U	72	U	70	U	71	U	71	U	71	U	72	U	71	U	70	U
PCB-1232 (AROCHLOR 1232)	UG/KG	35	U	35	U	35	U	35	U	35	U	35	U	36	U	35	U	35	U
PCB-1242 (AROCHLOR 1242)	UG/KG	35	U	35	U	35	U	35	U	35	U	35	U	36	U	35	U	35	U
PCB-1248 (AROCHLOR 1248)	UG/KG	35	U	35	U	35	U	35	U	35	U	35	U	36	U	35	U	35	U
PCB-1254 (AROCHLOR 1254)	UG/KG	35	U	35	U	35	U	35	U	35	U	35	U	36	U	35	U	35	U
SEMI-VOLATILES																			
bis(2-CHLOROETHYL) ETHER	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
PHENOL	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2-CHLOROPHENOL	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
1,3-DICHLOROBENZENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
1,4-DICHLOROBENZENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
1,2-DICHLOROBENZENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
HEXACHLOROETHANE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
CRESOLS, m & p	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
NITROBENZENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
ISOPHORONE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2-NITROPHENOL	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2,4-DIMETHYLPHENOL	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2,4-DICHLOROPHENOL	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
1,2,4-TRICHLOROBENZENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
NAPHTHALENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
4-CHLOROANILINE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2-METHYLNAPHTHALENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
HEXACHLOROBUTADIENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
4-CHLORO-3-METHYLPHENOL	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2,4,6-TRICHLOROPHENOL	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2,4,5-TRICHLOROPHENOL	UG/KG	1080	U	1160	U	1110	U	1150	U	1110	U	1190	U	1190	U	1100	U	1120	U
2-CHLORONAPHTHALENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2-NITROANILINE	UG/KG	1080	U	1160	U	1110	U	1150	U	1110	U	1190	U	1190	U	1100	U	1120	U
ACENAPHTHYLENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
DIMETHYL PHTHALATE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2,6-DINITROTOLUENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
ACENAPHTHENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
3-NITROANILINE	UG/KG	1080	U	1160	U	1110	U	1150	U	1110	U	1190	U	1190	U	1100	U	1120	U
2,4-DINITROPHENOL	UG/KG	1080	U	1160	U	1110	U	1150	U	1110	U	1190	U	1190	U	1100	U	1120	U
DIBENZOFURAN	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
2,4-DINITROTOLUENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
4-NITROPHENOL	UG/KG	1080	U	1160	U	1110	U	1150	U	1110	U	1190	U	1190	U	1100	U	1120	U
FLUORENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
DIETHYL PHTHALATE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
4-NITROANILINE	UG/KG	1080	U	1160	U	1110	U	1150	U	1110	U	1190	U	1190	U	1100	U	1120	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1080	U	1160	U	1110	U	1150	U	1110	U	1190	U	1190	U	1100	U	1120	U
N-NITROSODIP' ''NYLAMINE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U

AOC I Analytical Data ary - Sub-Surface Soil
Phase II Ex. ded PA/SI
NASD, Vieques, Puerto Rico

Site		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
StationID		AOCISB018		AOCISB019		AOCISB020		AOCISB021		AOCISB022		AOCISB023		AOCISB024		AOCISB025		AOCISB026	
SampleID		NDE080		NDE082		NDE085		NDE087		NDE089		NDE092		NDE094		NDE096		NDE098	
DateCollected		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
Depth		5 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																		
PCB-1260 (AROCHLOR 1260)	UG/KG	42	UJ	35	UJ	36	UJ	35	UJ	40	UJ	36	U	36	U	33	U	35	U
PCB-1221 (AROCHLOR 1221)	UG/KG	85	UJ	71	UJ	73	UJ	71	UJ	82	UJ	74	U	73	U	67	U	72	U
PCB-1232 (AROCHLOR 1232)	UG/KG	42	UJ	35	UJ	36	UJ	35	UJ	40	UJ	36	U	36	U	33	U	35	U
PCB-1242 (AROCHLOR 1242)	UG/KG	42	UJ	35	UJ	36	UJ	35	UJ	40	UJ	36	U	36	U	33	U	35	U
PCB-1248 (AROCHLOR 1248)	UG/KG	42	UJ	35	UJ	36	UJ	35	UJ	40	UJ	36	U	36	U	33	U	35	U
PCB-1254 (AROCHLOR 1254)	UG/KG	42	UJ	35	UJ	36	UJ	35	UJ	40	UJ	36	U	36	U	33	U	35	U
SEMI-VOLATILES																			
bis(2-CHLOROETHYL) ETHER	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
PHENOL	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2-CHLOROPHENOL	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
1,3-DICHLOROBENZENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
1,4-DICHLOROBENZENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
1,2-DICHLOROBENZENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
HEXACHLOROETHANE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
CRESOLS, m & p	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
NITROBENZENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
ISOPHORONE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2-NITROPHENOL	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2,4-DIMETHYLPHENOL	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2,4-DICHLOROPHENOL	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
1,2,4-TRICHLOROBENZENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
NAPHTHALENE	UG/KG	517	UJ	433	UJ	436	UJ	2550	J	512	UJ	484	U	468	U	505	U	429	U
4-CHLOROANILINE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2-METHYLNAPHTHALENE	UG/KG	517	UJ	433	UJ	436	UJ	4630	J	512	UJ	484	U	468	U	505	U	429	U
HEXACHLOROBUTADIENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
4-CHLORO-3-METHYLPHENOL	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2,4,6-TRICHLOROPHENOL	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2,4,5-TRICHLOROPHENOL	UG/KG	1550	UJ	1300	UJ	1310	UJ	1250	UJ	1540	UJ	1450	U	1400	U	1510	U	1290	U
2-CHLORONAPHTHALENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2-NITROANILINE	UG/KG	1550	UJ	1300	UJ	1310	UJ	1250	UJ	1540	UJ	1450	U	1400	U	1510	U	1290	U
ACENAPHTHYLENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
DIMETHYL PHTHALATE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
2,6-DINITROTOLUENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
ACENAPHTHENE	UG/KG	517	UJ	433	UJ	436	UJ	331	J	512	UJ	484	U	468	U	505	U	429	U
3-NITROANILINE	UG/KG	1550	UJ	1300	UJ	1310	UJ	1250	UJ	1540	UJ	1450	U	1400	U	1510	U	1290	U
2,4-DINITROPHENOL	UG/KG	1550	UJ	1300	UJ	1310	UJ	1250	UJ	1540	UJ	1450	U	1400	U	1510	U	1290	U
DIBENZOFURAN	UG/KG	517	UJ	433	UJ	436	UJ	663	J	512	UJ	484	U	468	U	505	U	429	U
2,4-DINITROTOLUENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
4-NITROPHENOL	UG/KG	1550	UJ	1300	UJ	1310	UJ	1250	UJ	1540	UJ	1450	U	1400	U	1510	U	1290	U
FLUORENE	UG/KG	517	UJ	433	UJ	436	UJ	893	J	512	UJ	484	U	468	U	505	U	429	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
DIETHYL PHTHALATE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
4-NITROANILINE	UG/KG	1550	UJ	1300	UJ	1310	UJ	1250	UJ	1540	UJ	1450	U	1400	U	1510	U	1290	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1550	UJ	1300	UJ	1310	UJ	1250	UJ	1540	UJ	1450	U	1400	U	1510	U	1290	U
N-NITROSODIPHENYLAMINE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U

AOC I Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB001		AOCISB002		AOCISB003		AOCISB004		AOCISB005		AOCISB006		AOCISB007		AOCISB008	
	SampleID	NDE044		NDE046		NDE048		NDE050		NDE052		NDE054		NDE056		NDE058	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	5 to 6		5 to 6		4 to 5		5 to 6		4.5 to 5.5		4 to 6		3 to 4.5		4 to 6	
Parameter	**Units**																
4-BROMOPHENYL PHENYL ETHER	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
HEXACHLOROBENZENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
PENTACHLOROPHENOL	UG/KG	1410	U	1250	U	1040	U	1230	U	1060	U	1060	U	1090	U	1340	U
PHENANTHRENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
ANTHRACENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
DI-n-BUTYL PHTHALATE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
FLUORANTHENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
PYRENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
BENZYL BUTYL PHTHALATE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
3,3'-DICHLOROBENZIDINE	UG/KG	938	U	833	U	695	U	820	U	705	U	709	U	729	U	896	U
BENZO(a)ANTHRACENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
CHRYSENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
DI-n-OCTYLPHTHALATE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
BENZO(b)FLUORANTHENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
BENZO(k)FLUORANTHENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
BENZO(a)PYRENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
DIBENZ(a,h)ANTHRACENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
BENZO(g,h,i)PERYLENE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
CARBAZOLE	UG/KG	469	U	416	U	347	U	410	U	353	U	354	U	364	U	448	U
VOLATILES																	
CHLOROMETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
BROMOMETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
VINYL CHLORIDE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
CHLOROETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
1,1-DICHLOROETHENE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	0.42	J
CARBON DISULFIDE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U

AOC I Analytical Data S ry - Sub-Surface Soil
Phase II Exp. ed PA/SI
NASD, Vieques, Puerto Rico

Site		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
StationID		AOCISB009		AOCISB010		AOCISB011		AOCISB012		AOCISB013		AOCISB014		AOCISB015		AOCISB016		AOCISB017	
SampleID		NDE060		NDE063		NDE065		NDE067		NDE069		NDE071		NDE073		NDE076		NDE078	
DateCollected		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000	
Depth		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																		
4-BROMOPHENYL PHENYL ETHER	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
HEXACHLOROBENZENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
PENTACHLOROPHENOL	UG/KG	1080	U	1160	U	1110	U	1150	U	1110	U	1190	U	1190	U	1100	U	1120	U
PHENANTHRENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
ANTHRACENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
DI-n-BUTYL PHTHALATE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
FLUORANTHENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
PYRENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
BENZYL BUTYL PHTHALATE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
3,3'-DICHLOROBENZIDINE	UG/KG	717	U	771	U	743	U	764	U	743	U	795	U	793	U	731	U	745	U
BENZO(a)ANTHRACENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
CHRYSENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
DI-n-OCTYLPHTHALATE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
BENZO(b)FLUORANTHENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
BENZO(k)FLUORANTHENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
BENZO(a)PYRENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
DIBENZ(a,h)ANTHRACENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
BENZO(g,h,i)PERYLENE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
CARBAZOLE	UG/KG	358	U	386	U	371	U	382	U	371	U	397	U	397	U	365	U	372	U
VOLATILES																			
CHLOROMETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BROMOMETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
VINYL CHLORIDE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1-DICHLOROETHENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CARBON DISULFIDE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ

AOC I Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB018		AOCISB019		AOCISB020		AOCISB021		AOCISB022		AOCISB023		AOCISB024		AOCISB025		AOCISB026	
	SampleID	NDE080		NDE082		NDE085		NDE087		NDE089		NDE092		NDE094		NDE096		NDE098	
	DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	5 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																		
4-BROMOPHENYL PHENYL ETHER	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
HEXACHLOROBENZENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
PENTACHLOROPHENOL	UG/KG	1550	UJ	1300	UJ	1310	UJ	1250	UJ	1540	UJ	1450	U	1400	U	1510	U	1290	U
PHENANTHRENE	UG/KG	517	UJ	433	UJ	436	UJ	2620	J	512	UJ	484	U	468	U	505	U	429	U
ANTHRACENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
DI-n-BUTYL PHTHALATE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
FLUORANTHENE	UG/KG	517	UJ	433	UJ	436	UJ	969	J	512	UJ	484	U	468	U	505	U	429	U
PYRENE	UG/KG	517	UJ	433	UJ	436	UJ	469	J	512	UJ	484	U	468	U	505	U	429	U
BENZYL BUTYL PHTHALATE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
3,3'-DICHLOROBENZIDINE	UG/KG	1030	UJ	866	UJ	873	UJ	833	UJ	1020	UJ	967	U	936	U	1010	U	857	U
BENZO(a)ANTHRACENE	UG/KG	517	UJ	433	UJ	436	UJ	27	UJ	512	UJ	484	U	468	U	505	U	429	U
CHRYSENE	UG/KG	517	UJ	433	UJ	436	UJ	129	J	512	UJ	484	U	468	U	505	U	429	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
DI-n-OCTYLPHTHALATE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
BENZO(b)FLUORANTHENE	UG/KG	517	UJ	433	UJ	436	UJ	39	J	512	UJ	31	J	468	U	505	U	429	U
BENZO(k)FLUORANTHENE	UG/KG	517	UJ	433	UJ	436	UJ	32	J	512	UJ	484	U	468	U	505	U	429	U
BENZO(a)PYRENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
DIBENZ(a,h)ANTHRACENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
BENZO(g,h,i)PERYLENE	UG/KG	517	UJ	433	UJ	436	UJ	416	UJ	512	UJ	484	U	468	U	505	U	429	U
CARBAZOLE	UG/KG	517	UJ	433	UJ	436	UJ	158	J	512	UJ	484	U	468	U	505	U	429	U
VOLATILES																			
CHLOROMETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
BROMOMETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
VINYL CHLORIDE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
CHLOROETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
1,1-DICHLOROETHENE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
CARBON DISULFIDE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U

AOC I Analytical Data . ry - Sub-Surface Soil
Phase II Exp. ed PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB001		AOCISB002		AOCISB003		AOCISB004		AOCISB005		AOCISB006		AOCISB007		AOCISB008	
	SampleID	NDE044		NDE046		NDE048		NDE050		NDE052		NDE054		NDE056		NDE058	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	5 to 6		5 to 6		4 to 5		5 to 6		4.5 to 5.5		4 to 6		3 to 4.5		4 to 6	
Parameter	**Units**																
1,1-DICHLOROETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
ACETONE	UG/KG	11	R	17	R	11	R	12	R	11	R	27	R	18	R	56	R
CHLOROFORM	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
METHYLENE CHLORIDE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
CARBON TETRACHLORIDE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
BENZENE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
1,2-DICHLOROETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	11	R	11	R	10	R	11	R	10	R	12	R	10	R	4.1	R
TRICHLOROETHYLENE (TCE)	UG/KG	0.37	J	11	U	10	U	11	U	10	U	12	U	10	U	10	U
1,2-DICHLOROPROPANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
1,1,1-TRICHLOROETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
BROMODICHLOROMETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
cis-1,3-DICHLOROPROPENE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
TOLUENE	UG/KG	11	U	11	U	10	U	11	U	10	U	0.67	J	0.78	J	10	U
trans-1,3-DICHLOROPROPENE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
DIBROMOCHLOROMETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
CHLOROBENZENE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
ETHYLBENZENE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
METHYL ISOBUTYL KETONE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
1,1,2-TRICHLOROETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
2-HEXANONE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
XYLENES, TOTAL	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
STYRENE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
BROMOFORM	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	11	U	11	U	10	U	11	U	10	U	12	U	10	U	10	U

AOC I Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
	StationID	AOCISB009		AOCISB010		AOCISB011		AOCISB012		AOCISB013		AOCISB014		AOCISB015		AOCISB016		AOCISB017	
	SampleID	NDE060		NDE063		NDE065		NDE067		NDE069		NDE071		NDE073		NDE076		NDE078	
	DateCollected	11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000		11/30/2000	
	Depth	4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																		
1,1-DICHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
ACETONE	UG/KG	38	R	11	R	15	R	10	R	15	R	10	R	10	R	29	UJ	31	UJ
CHLOROFORM	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
METHYLENE CHLORIDE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CARBON TETRACHLORIDE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BENZENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,2-DICHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	4.1	J	10	R	10	R	10	R	10	R	10	R	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,2-DICHLOROPROPANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BROMODICHLOROMETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
TOLUENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
CHLOROBENZENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
ETHYLBENZENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	0.89	J	10	UJ	10	UJ	10	UJ
METHYL ISOBUTYL KETONE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	3.6	J	10	UJ	10	UJ	10	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	1.2	J	10	UJ	10	UJ	10	UJ
1,1,2-TRICHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	0.29	J	10	UJ	10	UJ	10	UJ
2-HEXANONE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
XYLENES, TOTAL	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	4.8	J	10	UJ	10	UJ	10	UJ
STYRENE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
BROMOFORM	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	10	U	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ

AOC I Analytical Data . ary - Sub-Surface Soil
Phase II Ex .ed PA/SI
NASD, Vieques, Puerto Rico

Site		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I		AOC-I	
StationID		AOCISB018		AOCISB019		AOCISB020		AOCISB021		AOCISB022		AOCISB023		AOCISB024		AOCISB025		AOCISB026	
SampleID		NDE080		NDE082		NDE085		NDE087		NDE089		NDE092		NDE094		NDE096		NDE098	
DateCollected		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
Depth		5 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6		4 to 6	
Parameter	**Units**																		
1,1-DICHLOROETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
ACETONE	UG/KG	11	R	10	R	10	R	15	R	11	R	10	R	25	R	34	R	19	R
CHLOROFORM	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
METHYLENE CHLORIDE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
CARBON TETRACHLORIDE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
BENZENE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
1,2-DICHLOROETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	1.2	J
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	11	UJ	10	R	10	UJ	2.9	J	11	R	10	UJ	10	R	11	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
1,2-DICHLOROPROPANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
1,1,1-TRICHLOROETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
BROMODICHLOROMETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
cis-1,3-DICHLOROPROPENE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
TOLUENE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	0.33	J
trans-1,3-DICHLOROPROPENE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
DIBROMOCHLOROMETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
CHLOROBENZENE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
ETHYLBENZENE	UG/KG	11	UJ	10	UJ	10	UJ	96	J	11	U	10	UJ	10	UJ	11	U	10	U
METHYL ISOBUTYL KETONE	UG/KG	11	UJ	10	UJ	0.79	J	53	J	11	U	10	UJ	10	UJ	11	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	11	UJ	10	UJ	10	UJ	2970	J	0.79	J	10	UJ	10	UJ	11	U	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	11	UJ	10	UJ	10	UJ	1500	J	0.23	J	10	UJ	10	UJ	11	U	10	U
1,1,2-TRICHLOROETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
2-HEXANONE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
XYLENES, TOTAL	UG/KG	11	UJ	10	UJ	10	UJ	4460	J	1	J	10	UJ	10	UJ	11	U	10	U
STYRENE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
BROMOFORM	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	11	UJ	10	UJ	10	UJ	12	UJ	11	U	10	UJ	10	UJ	11	U	10	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value: compounds detected at concentrations between the reporting limit and the MDL
B = Analyte was detected in the associated method blank.
R = Date was unusable.

AOC J Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J		AOC-J		AOC-J	
	StationID	AOC-J-MW01		AOC-J-MW01		AOC-J-MW02		AOC-J-MW03		AOC-J-MW04	
	SampleID	NDE228		NDE229FD1		NDE230		NDE231		NDE232	
	DateCollected	12/18/2000		12/18/2000		12/18/2000		12/18/2000		12/18/2000	
Parameter	**Units**										
DISSOLVED METALS											
ALUMINUM, DISSOLVED	UG/L	95	U	95	U	95	U	95	U	95	U
ANTIMONY, DISSOLVED	UG/L	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U
ARSENIC, DISSOLVED	UG/L	2.9	U	2.9	U	6.4	J	2.9	U	2.9	U
BARIUM, DISSOLVED	UG/L	370	=	360	=	530	=	580	=	260	=
BERYLLIUM, DISSOLVED	UG/L	0.33	U	0.33	U	0.33	U	0.33	U	0.33	U
CALCIUM, DISSOLVED	UG/L	450000	=	440000	=	630000	=	360000	=	580000	=
CADMIUM, DISSOLVED	UG/L	0.27	U	0.27	U	0.27	U	0.27	U	0.27	U
CHROMIUM, DISSOLVED	UG/L	3.2	J	3.3	J	3	J	2.4	J	5.5	J
COBALT, DISSOLVED	UG/L	5.8	J	5.4	J	18	J	12	J	0.43	U
COPPER, DISSOLVED	UG/L	0.8	U	0.8	U	0.8	U	0.8	U	0.8	U
IRON, DISSOLVED	UG/L	270	=	190	=	25	U	25	U	25	U
LEAD, DISSOLVED	UG/L	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
MAGNESIUM, DISSOLVED	UG/L	1000000	=	990000	=	680000	=	290000	=	690000	=
MANGANESE, DISSOLVED	UG/L	13000	=	13000	=	12000	=	9100	=	3700	=
MERCURY, DISSOLVED	UG/L	0.025	U	0.025	U	0.025	U	0.025	U	0.025	U
NICKEL, DISSOLVED	UG/L	0.93	U	0.93	U	0.93	U	0.93	U	0.93	U
POTASSIUM, DISSOLVED	UG/L	370000	J	360000	J	43000	J	21000	J	130000	J
SELENIUM, DISSOLVED	UG/L	4.6	U	4.6	U	4.6	U	4.6	U	4.6	U
SILVER, DISSOLVED	UG/L	1.2	J	1.4	J	0.57	U	0.57	U	0.57	U
SODIUM, DISSOLVED	UG/L	7100000	=	6900000	=	3000000	=	1600000	=	4000000	=
THALLIUM, DISSOLVED	UG/L	3.4	U	3.4	U	3.4	U	3.4	U	3.4	U
VANADIUM, DISSOLVED	UG/L	6.5	J	6.7	J	6.3	J	6.1	J	3.8	J
ZINC, DISSOLVED	UG/L	20	U	20	U	20	U	5	U	20	U
EXPLOSIVES											
PERCHLORATE	UG/L	48	J	8	U	8	U	4	U	8	U
2,6-DINITROTOLUENE	UG/L	5	U	5	U	5	U	5	U	5	U
OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TETRAZOCINE	UG/L	5	U	5	U	5	U	5	U	5	U
HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	UG/L	5	U	5	U	5	U	5	U	5	U
1,3,5-TRINITROBENZENE	UG/L	5	U	5	U	5	U	5	U	5	U
1,3-DINITROBENZENE	UG/L	5	U	5	U	5	U	5	U	5	U
METHYL-2,4,6-TRINITROPHENYLNITRAMINE	UG/L	5	U	5	U	5	U	5	U	5	U
NITROBENZENE	UG/L	5	U	5	U	5	U	5	U	5	U
2,4,6-TRINITROTOLUENE	UG/L	5	U	5	U	5	U	5	U	5	U
2,4-DINITROTOLUENE	UG/L	5	U	5	U	5	U	5	U	5	U
2-NITROTOLUENE	UG/L	5	U	5	U	5	U	5	U	5	U
4-NITROTOLUENE	UG/L	5	U	5	U	5	U	5	U	5	U
3-NITROTOLUENE	UG/L	5	U	5	U	5	U	5	U	5	U
TOTAL METALS											
ALUMINUM	UG/L	210	=	190	J	72000	=	2100	=	30000	=
ANTIMONY	UG/L	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U
ARSENIC	UG/L	2.9	U	5.4	J	2.9	U	2.9	U	5	J

AOC J Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J		AOC-J		AOC-J	
	StationID	AOC-J-MW01		AOC-J-MW01		AOC-J-MW02		AOC-J-MW03		AOC-J-MW04	
	SampleID	NDE228		NDE229FD1		NDE230		NDE231		NDE232	
	DateCollected	12/18/2000		12/18/2000		12/18/2000		12/18/2000		12/18/2000	
Parameter	**Units**										
BARIUM	UG/L	430	=	420	=	770	=	570	=	480	=
BERYLLIUM	UG/L	0.33	U	0.33	U	0.33	U	0.33	U	1.6	J
CADMIUM	UG/L	0.27	U	0.27	U	3.9	J	0.27	U	1.4	J
CALCIUM	UG/L	460000	=	460000	=	570000	=	370000	=	830000	=
CHROMIUM, TOTAL	UG/L	3.3	J	2.9	J	26	=	2.5	J	43	=
COBALT	UG/L	6.5	J	6.3	J	63	=	15	J	53	=
COPPER	UG/L	0.8	U	0.8	U	130	=	12	J	48	=
IRON	UG/L	440	=	380	=	68000	=	1500	=	15000	=
MAGNESIUM	UG/L	950000	=	980000	=	590000	=	300000	=	740000	=
MANGANESE	UG/L	14000	J	14000	J	15000	J	9300	J	17000	J
LEAD	UG/L	1.6	U	1.6	U	12	=	1.6	U	6.9	=
MERCURY	UG/L	0.025	U	0.025	U	0.076	J	0.033	J	0.065	J
NICKEL	UG/L	0.93	U	0.93	U	18	J	0.93	U	25	J
POTASSIUM	UG/L	320000	J	330000	J	52000	J	22000	J	130000	J
SELENIUM	UG/L	4.6	U	4.6	U	4.6	U	4.6	U	4.6	U
SILVER	UG/L	1.2	J	1.3	J	0.57	U	0.57	U	0.57	U
SODIUM	UG/L	6600000	=	6700000	=	2900000	=	1700000	=	4100000	=
THALLIUM	UG/L	3.4	U	3.4	U	3.4	U	3.4	U	3.4	U
VANADIUM	UG/L	6.8	J	7.1	J	330	=	39	J	160	=
ZINC	UG/L	20	U	20	U	94	=	5	U	33	=
PESTICIDES											
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	UG/L	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ	0.011	UJ
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	UG/L	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ	0.011	UJ
GAMMA BHC (LINDANE)	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
HEPTACHLOR	UG/L	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ	0.011	UJ
ALDRIN	UG/L	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ	0.011	UJ
HEPTACHLOR EPOXIDE	UG/L	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ	0.011	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
DIELDRIN	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
p,p'-DDE	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
ENDRIN	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
p,p'-DDD	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
ENDOSULFAN SULFATE	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
p,p'-DDT	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
METHOXYCHLOR	UG/L	0.116	UJ	0.111	UJ	0.106	UJ	0.112	UJ	0.114	UJ
ENDRIN ALDEHYDE	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
ALPHA-CHLORDANE	UG/L	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ	0.011	UJ
GAMMA-CHLORDANE	UG/L	0.012	UJ	0.011	UJ	0.011	UJ	0.011	UJ	0.011	UJ
ENDRIN KETONE	UG/L	0.023	UJ	0.022	UJ	0.021	UJ	0.022	UJ	0.023	UJ
TOXAPHENE	UG/L	1.2	UJ	1.1	UJ	1.1	UJ	1.1	UJ	1.1	UJ

AOC J Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J		AOC-J		AOC-J	
	StationID	AOC-J-MW01		AOC-J-MW01		AOC-J-MW02		AOC-J-MW03		AOC-J-MW04	
	SampleID	NDE228		NDE229FD1		NDE230		NDE231		NDE232	
	DateCollected	12/18/2000		12/18/2000		12/18/2000		12/18/2000		12/18/2000	
Parameter	**Units**										
PCB											
PCB-1016 (AROCHLOR 1016)	UG/L	0.233	UJ	0.222	UJ	0.213	UJ	0.225	UJ	0.229	UJ
PCB-1260 (AROCHLOR 1260)	UG/L	0.233	UJ	0.222	UJ	0.213	UJ	0.225	UJ	0.229	UJ
PCB-1221 (AROCHLOR 1221)	UG/L	0.465	UJ	0.444	UJ	0.426	UJ	0.449	UJ	0.457	UJ
PCB-1232 (AROCHLOR 1232)	UG/L	0.233	UJ	0.222	UJ	0.213	UJ	0.225	UJ	0.229	UJ
PCB-1242 (AROCHLOR 1242)	UG/L	0.233	UJ	0.222	UJ	0.213	UJ	0.225	UJ	0.229	UJ
PCB-1248 (AROCHLOR 1248)	UG/L	0.233	UJ	0.222	UJ	0.213	UJ	0.225	UJ	0.229	UJ
PCB-1254 (AROCHLOR 1254)	UG/L	0.233	UJ	0.222	UJ	0.213	UJ	0.225	UJ	0.229	UJ
SEMI-VOLATILES											
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHER)	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
PHENOL	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2-CHLOROPHENOL	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
bis(2-CHLOROISOPROPYL) ETHER	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2-METHYLPHENOL (o-CRESOL)	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
HEXACHLOROETHANE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
N-NITROSODI-n-PROPYLAMINE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
CRESOLS, m & p	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
NITROBENZENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
ISOPHORONE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2-NITROPHENOL	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2,4-DIMETHYLPHENOL	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
bis(2-CHLOROETHOXY) METHANE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2,4-DICHLOROPHENOL	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
NAPHTHALENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
4-CHLOROANILINE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2-METHYLNAPHTHALENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
HEXACHLOROBUTADIENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
4-CHLORO-3-METHYLPHENOL	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
HEXACHLOROCYCLOPENTADIENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2,4,6-TRICHLOROPHENOL	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2,4,5-TRICHLOROPHENOL	UG/L	22	U	22	U	22	U	22	U	21	U
2-CHLORONAPHTHALENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2-NITROANILINE	UG/L	22	U	22	U	22	U	22	U	21	U
ACENAPHTHYLENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
DIMETHYL PHTHALATE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2,6-DINITROTOLUENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
ACENAPHTHENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
3-NITROANILINE	UG/L	22	U	22	U	22	U	22	U	21	U
2,4-DINITROPHENOL	UG/L	22	U	22	U	22	U	22	U	21	U
DIBENZOFURAN	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
2,4-DINITROTOLUENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
4-NITROPHENOL	UG/L	22	U	22	U	22	U	22	U	21	U

AOC J Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J		AOC-J		AOC-J	
	StationID	AOC-J-MW01		AOC-J-MW01		AOC-J-MW02		AOC-J-MW03		AOC-J-MW04	
	SampleID	NDE228		NDE229FD1		NDE230		NDE231		NDE232	
	DateCollected	12/18/2000		12/18/2000		12/18/2000		12/18/2000		12/18/2000	
Parameter	**Units**										
FLUORENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
4-CHLOROPHENYL PHENYL ETHER	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
DIETHYL PHTHALATE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
4-NITROANILINE	UG/L	22	U	22	U	22	U	22	U	21	U
4,6-DINITRO-2-METHYLPHENOL	UG/L	22	U	22	U	22	U	22	U	21	U
N-NITROSODIPHENYLAMINE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
4-BROMOPHENYL PHENYL ETHER	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
HEXACHLOROBENZENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
PENTACHLOROPHENOL	UG/L	22	U	22	U	22	U	22	U	21	U
PHENANTHRENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
ANTHRACENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
DI-n-BUTYL PHTHALATE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
FLUORANTHENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
PYRENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
BENZYL BUTYL PHTHALATE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
3,3'-DICHLOROBENZIDINE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
BENZO(a)ANTHRACENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
CHRYSENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/L	5.4	U	5.4	U	5.5	U	1.2	J	5.3	U
DI-n-OCTYLPHTHALATE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
BENZO(b)FLUORANTHENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
BENZO(k)FLUORANTHENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
BENZO(a)PYRENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
INDENO(1,2,3-c,d)PYRENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
DIBENZ(a,h)ANTHRACENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
BENZO(g,h,i)PERYLENE	UG/L	5.4	U	5.4	U	5.5	U	5.6	U	5.3	U
VOLATILES											
CHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
BROMOMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
VINYL CHLORIDE	UG/L	1	U	1	U	1	U	1	U	1	U
1,3-DICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
CHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
1,1-DICHLOROETHENE	UG/L	1	U	1	U	1	U	1	U	1	U
1,4-DICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
1,2-DICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
CARBON DISULFIDE	UG/L	1	U	1	U	1	U	1	U	1	U
1,1-DICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
ACETONE	UG/L	5	R	5	R	5	R	5	R	5	R
CHLOROFORM	UG/L	1	U	1	U	1	U	1	U	1	U
METHYLENE CHLORIDE	UG/L	2	U	2	U	2	U	2	U	2	U
CARBON TETRACHLORIDE	UG/L	1	U	1	U	1	U	1	U	1	U
BENZENE	UG/L	1	U	1	U	1	U	1	U	1	U

AOC J Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J		AOC-J		AOC-J	
	StationID	AOC-J-MW01		AOC-J-MW01		AOC-J-MW02		AOC-J-MW03		AOC-J-MW04	
	SampleID	NDE228		NDE229FD1		NDE230		NDE231		NDE232	
	DateCollected	12/18/2000		12/18/2000		12/18/2000		12/18/2000		12/18/2000	
Parameter	**Units**										
1,2-DICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/L	5	R	5	R	5	R	5	R	5	R
TRICHLOROETHYLENE (TCE)	UG/L	1	U	1	U	1	U	1	U	1	U
1,2-DICHLOROPROPANE	UG/L	1	U	1	U	1	U	1	U	1	U
1,1,1-TRICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
1,2,4-TRICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
BROMODICHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
cis-1,3-DICHLOROPROPENE	UG/L	1	U	1	U	1	U	1	U	1	U
TOLUENE	UG/L	0.66	J	0.53	J	0.41	J	1	U	0.93	J
trans-1,3-DICHLOROPROPENE	UG/L	1	U	1	U	1	U	1	U	1	U
DIBROMOCHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
CHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
ETHYLBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U
METHYL ISOBUTYL KETONE (4-METHYL-2-PENTANONE)	UG/L	5	U	5	U	5	U	5	U	5	U
M,P-XYLENE (SUM OF ISOMERS)	UG/L	1	U	1	U	0.78	J	1	U	1	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/L	1	U	1	U	0.41	J	1	U	1	U
1,1,2-TRICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
TETRACHLOROETHYLENE(PCE)	UG/L	1	U	1	U	1	U	1	U	1	U
2-HEXANONE	UG/L	5	U	5	U	5	U	5	U	5	U
XYLENES, TOTAL	UG/L	1	U	1	U	1.2	=	1	U	1	U
BROMOCHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	1	U	1	U	1	U	1	U	1	U
STYRENE	UG/L	1	U	1	U	1	U	1	U	1	U
BROMOFORM	UG/L	1	U	1	U	1	U	1	U	1	U
1,1,2,2-TETRACHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U
cis-1,2-DICHLOROETHYLENE	UG/L	1	U	1	U	1	U	1	U	1	U
trans-1,2-DICHLOROETHENE	UG/L	1	U	1	U	1	U	1	U	1	U
ETHYLENE DIBROMIDE (1,2-DIBROMOETHANE)	UG/L	1	U	1	U	1	U	1	U	1	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Date was unusable.

AOC J Analytical Data Summary - Surface Water
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSW001		AOCJSW001		AOCJSW002	
	SampleID	NDE171		NDE172FD1		NDE173	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
Parameter	**Units**						
EXPLOSIVES							
PERCHLORATE	UG/L	12.5	=	82.2	J	12.5	=
2,6-DINITROTOLUENE	UG/L	5	U	5	U	5	U
OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TETRAZOCINE	UG/L	5	U	5	U	5	U
HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	UG/L	5	U	5	U	5	U
1,3,5-TRINITROBENZENE	UG/L	5	U	5	U	5	U
1,3-DINITROBENZENE	UG/L	5	U	5	U	5	U
METHYL-2,4,6-TRINITROPHENYLNITRAMINE	UG/L	5	U	5	U	5	U
NITROBENZENE	UG/L	5	U	5	U	5	U
2,4,6-TRINITROTOLUENE	UG/L	5	U	5	U	5	U
2,4-DINITROTOLUENE	UG/L	5	U	5	U	5	U
2-NITROTOLUENE	UG/L	5	U	5	U	5	U
4-NITROTOLUENE	UG/L	5	U	5	U	5	U
3-NITROTOLUENE	UG/L	5	U	5	U	5	U
METALS							
ALUMINUM	UG/L	300	=	320	=	110	J
ANTIMONY	UG/L	2.4	U	3	J	2.4	U
ARSENIC	UG/L	2.9	U	2.9	U	2.9	U
BARIUM	UG/L	300	=	320	=	300	=
BERYLLIUM	UG/L	0.33	U	0.33	U	0.33	U
CADMIUM	UG/L	0.27	U	0.27	U	0.27	U
CALCIUM	UG/L	220000	=	230000	=	220000	=
CHROMIUM, TOTAL	UG/L	0.87	U	0.87	U	0.87	U
COBALT	UG/L	0.43	U	0.43	U	0.43	U
COPPER	UG/L	3	J	3.2	J	2.7	J
IRON	UG/L	200	=	230	=	50	J
MAGNESIUM	UG/L	500000	=	530000	=	520000	=
MANGANESE	UG/L	2300	=	2600	=	1900	=
LEAD	UG/L	1.6	U	1.6	U	1.6	U
MERCURY	UG/L	0.049	J	0.025	U	0.025	U
NICKEL	UG/L	2.8	J	3.1	J	2.6	J
POTASSIUM	UG/L	240000	=	250000	=	250000	=
SELENIUM	UG/L	4.6	U	4.6	U	4.6	U
SILVER	UG/L	0.57	U	0.57	U	0.57	U
SODIUM	UG/L	3400000	J	3600000	J	3600000	J
THALLIUM	UG/L	17	=	10	=	8.6	J
VANADIUM	UG/L	1.5	J	1.5	J	0.7	U
ZINC	UG/L	5	U	5	U	5	U
PESTICIDES							
ALPHA BHC	UG/L	0.053	U	0.052	U	0.053	U
BETA BHC	UG/L	0.053	U	0.052	U	0.053	U
DELTA BHC	UG/L	0.053	U	0.052	U	0.053	U
GAMMA BHC (LINDANE)	UG/L	0.053	U	0.052	U	0.053	U
HEPTACHLOR	UG/L	0.053	U	0.052	U	0.053	U
ALDRIN	UG/L	0.053	U	0.052	U	0.053	U

AOC J Analytical Data Summary - Surface Water
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSW003		AOCJSW004		AOCJSW005	
	SampleID	NDE174		NDE175		NDE225	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
Parameter	**Units**						
EXPLOSIVES							
PERCHLORATE	UG/L	12.5	=	12.5	=	12.5	=
2,6-DINITROTOLUENE	UG/L	5	U	5	U	5	U
OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TETRAZOCINE	UG/L	5	U	5	U	5	U
HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	UG/L	5	U	5	U	5	U
1,3,5-TRINITROBENZENE	UG/L	5	U	5	U	5	U
1,3-DINITROBENZENE	UG/L	5	U	5	U	5	U
METHYL-2,4,6-TRINITROPHENYLNITRAMINE	UG/L	5	U	5	U	5	U
NITROBENZENE	UG/L	5	U	5	U	5	U
2,4,6-TRINITROTOLUENE	UG/L	5	U	5	U	5	U
2,4-DINITROTOLUENE	UG/L	5	U	5	U	5	U
2-NITROTOLUENE	UG/L	5	U	5	U	5	U
4-NITROTOLUENE	UG/L	5	U	5	U	5	U
3-NITROTOLUENE	UG/L	5	U	5	U	5	U
METALS							
ALUMINUM	UG/L	95	U	95	U	95	U
ANTIMONY	UG/L	2.4	U	2.4	U	2.4	U
ARSENIC	UG/L	2.9	U	2.9	U	2.9	U
BARIUM	UG/L	290	=	280	=	300	=
BERYLLIUM	UG/L	0.33	U	0.33	U	0.33	U
CADMIUM	UG/L	0.27	U	0.27	U	0.27	U
CALCIUM	UG/L	220000	=	220000	=	240000	=
CHROMIUM, TOTAL	UG/L	0.87	U	0.87	U	0.87	U
COBALT	UG/L	0.43	U	0.43	U	0.43	U
COPPER	UG/L	2.4	J	3.1	J	2.5	J
IRON	UG/L	25	U	94	J	110	=
MAGNESIUM	UG/L	520000	=	520000	=	550000	=
MANGANESE	UG/L	1600	=	1500	=	1800	=
LEAD	UG/L	1.6	U	1.6	U	1.6	U
MERCURY	UG/L	0.025	U	0.025	U	0.025	U
NICKEL	UG/L	3.1	J	4.1	J	2.9	J
POTASSIUM	UG/L	250000	=	250000	=	270000	=
SELENIUM	UG/L	4.6	U	4.6	U	4.6	U
SILVER	UG/L	0.57	U	0.57	U	0.57	U
SODIUM	UG/L	3500000	J	3700000	J	3700000	J
THALLIUM	UG/L	9	J	7.2	J	7.5	J
VANADIUM	UG/L	0.7	U	1.2	J	1.5	J
ZINC	UG/L	5	U	5	U	5	U
PESTICIDES							
ALPHA BHC	UG/L	0.052	U	0.056	UJ	0.053	UJ
BETA BHC	UG/L	0.052	U	0.056	UJ	0.053	UJ
DELTA BHC	UG/L	0.052	U	0.056	UJ	0.053	UJ
GAMMA BHC (LINDANE)	UG/L	0.052	U	0.056	UJ	0.053	UJ
HEPTACHLOR	UG/L	0.052	U	0.056	UJ	0.053	UJ
ALDRIN	UG/L	0.052	U	0.056	UJ	0.053	UJ

AOC J Analytical Data Summary - Surface Water
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSW001		AOCJSW001		AOCJSW002	
	SampleID	NDE171		NDE172FD1		NDE173	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
Parameter	**Units**						
HEPTACHLOR EPOXIDE	UG/L	0.053	U	0.052	U	0.053	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/L	0.053	U	0.052	U	0.053	U
DIELDRIN	UG/L	0.106	U	0.103	U	0.106	U
p,p'-DDE	UG/L	0.106	U	0.103	U	0.106	U
ENDRIN	UG/L	0.106	U	0.103	U	0.106	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/L	0.106	U	0.103	U	0.106	U
p,p'-DDD	UG/L	0.106	U	0.103	U	0.106	U
ENDOSULFAN SULFATE	UG/L	0.106	U	0.103	U	0.106	U
p,p'-DDT	UG/L	0.106	U	0.103	U	0.106	U
METHOXYCHLOR	UG/L	0.532	U	0.515	U	0.532	U
ENDRIN ALDEHYDE	UG/L	0.106	U	0.103	U	0.106	U
ALPHA-CHLORDANE	UG/L	0.053	U	0.052	U	0.053	U
GAMMA-CHLORDANE	UG/L	0.053	U	0.052	U	0.053	U
ENDRIN KETONE	UG/L	0.106	U	0.103	U	0.106	U
TOXAPHENE	UG/L	5.3	U	5.2	U	5.3	U
PCB							
PCB-1016 (AROCHLOR 1016)	UG/L	1.1	U	1	U	1.1	U
PCB-1260 (AROCHLOR 1260)	UG/L	1.1	U	1	U	1.1	U
PCB-1221 (AROCHLOR 1221)	UG/L	2.1	U	2.1	U	2.1	U
PCB-1232 (AROCHLOR 1232)	UG/L	1.1	U	1	U	1.1	U
PCB-1242 (AROCHLOR 1242)	UG/L	1.1	U	1	U	1.1	U
PCB-1248 (AROCHLOR 1248)	UG/L	1.1	U	1	U	1.1	U
PCB-1254 (AROCHLOR 1254)	UG/L	1.1	U	1	U	1.1	U
SEMI-VOLATILES							
bis(2-CHLOROETHYL) ETHER	UG/L	10	U	10	U	11	U
PHENOL	UG/L	10	U	10	U	11	U
2-CHLOROPHENOL	UG/L	10	U	10	U	11	U
1,3-DICHLOROBENZENE	UG/L	10	U	10	U	11	U
1,4-DICHLOROBENZENE	UG/L	10	U	10	U	11	U
1,2-DICHLOROBENZENE	UG/L	10	U	10	U	11	U
bis(2-CHLOROISOPROPYL) ETHER	UG/L	10	U	10	U	11	U
2-METHYLPHENOL (o-CRESOL)	UG/L	10	U	10	U	11	U
HEXACHLOROETHANE	UG/L	10	U	10	U	11	U
N-NITROSODI-n-PROPYLAMINE	UG/L	10	U	10	U	11	U
CRESOLS, m & p	UG/L	10	U	10	U	11	U
NITROBENZENE	UG/L	10	U	10	U	11	U
ISOPHORONE	UG/L	10	U	10	U	11	U
2-NITROPHENOL	UG/L	10	U	10	U	11	U
2,4-DIMETHYLPHENOL	UG/L	10	U	10	U	11	U
bis(2-CHLOROETHOXY) METHANE	UG/L	10	U	10	U	11	U
2,4-DICHLOROPHENOL	UG/L	10	U	10	U	11	U
1,2,4-TRICHLOROBENZENE	UG/L	10	U	10	U	11	U
NAPHTHALENE	UG/L	10	U	10	U	11	U
4-CHLOROANILINE	UG/L	10	U	10	U	11	U
2-METHYLNAPHTHALENE	UG/L	10	U	10	U	11	U

AOC J Analytical Data Summary - Surface Water
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSW003		AOCJSW004		AOCJSW005	
	SampleID	NDE174		NDE175		NDE225	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
Parameter	**Units**						
HEPTACHLOR EPOXIDE	UG/L	0.052	U	0.056	UJ	0.053	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/L	0.052	U	0.056	UJ	0.053	UJ
DIELDRIN	UG/L	0.104	U	0.111	UJ	0.105	UJ
p,p'-DDE	UG/L	0.104	U	0.111	UJ	0.105	UJ
ENDRIN	UG/L	0.104	U	0.111	UJ	0.105	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/L	0.104	U	0.111	UJ	0.105	UJ
p,p'-DDD	UG/L	0.104	U	0.111	UJ	0.105	UJ
ENDOSULFAN SULFATE	UG/L	0.104	U	0.111	UJ	0.105	UJ
p,p'-DDT	UG/L	0.104	U	0.111	UJ	0.105	UJ
METHOXYCHLOR	UG/L	0.521	U	0.556	UJ	0.526	UJ
ENDRIN ALDEHYDE	UG/L	0.104	U	0.111	UJ	0.105	UJ
ALPHA-CHLORDANE	UG/L	0.052	U	0.056	UJ	0.053	UJ
GAMMA-CHLORDANE	UG/L	0.052	U	0.056	UJ	0.053	UJ
ENDRIN KETONE	UG/L	0.104	U	0.111	UJ	0.105	UJ
TOXAPHENE	UG/L	5.2	U	5.6	UJ	5.3	UJ
PCB							
PCB-1016 (AROCHLOR 1016)	UG/L	1	U	1.1	UJ	1.1	UJ
PCB-1260 (AROCHLOR 1260)	UG/L	1	U	1.1	UJ	1.1	UJ
PCB-1221 (AROCHLOR 1221)	UG/L	2.1	U	2.2	UJ	2.1	UJ
PCB-1232 (AROCHLOR 1232)	UG/L	1	U	1.1	UJ	1.1	UJ
PCB-1242 (AROCHLOR 1242)	UG/L	1	U	1.1	UJ	1.1	UJ
PCB-1248 (AROCHLOR 1248)	UG/L	1	U	1.1	UJ	1.1	UJ
PCB-1254 (AROCHLOR 1254)	UG/L	1	U	1.1	UJ	1.1	UJ
SEMI-VOLATILES							
bis(2-CHLOROETHYL) ETHER	UG/L	11	U	10	U	11	U
PHENOL	UG/L	11	U	10	U	11	U
2-CHLOROPHENOL	UG/L	11	U	10	U	11	U
1,3-DICHLOROBENZENE	UG/L	11	U	10	U	11	U
1,4-DICHLOROBENZENE	UG/L	11	U	10	U	11	U
1,2-DICHLOROBENZENE	UG/L	11	U	10	U	11	U
bis(2-CHLOROISOPROPYL) ETHER	UG/L	11	U	10	U	11	U
2-METHYLPHENOL (o-CRESOL)	UG/L	11	U	10	U	11	U
HEXACHLOROETHANE	UG/L	11	U	10	U	11	U
N-NITROSODI-n-PROPYLAMINE	UG/L	11	U	10	U	11	U
CRESOLS, m & p	UG/L	11	U	10	U	11	U
NITROBENZENE	UG/L	11	U	10	U	11	U
ISOPHORONE	UG/L	11	U	10	U	11	U
2-NITROPHENOL	UG/L	11	U	10	U	11	U
2,4-DIMETHYLPHENOL	UG/L	11	U	10	U	11	U
bis(2-CHLOROETHOXY) METHANE	UG/L	11	U	10	U	11	U
2,4-DICHLOROPHENOL	UG/L	11	U	10	U	11	U
1,2,4-TRICHLOROBENZENE	UG/L	11	U	10	U	11	U
NAPHTHALENE	UG/L	11	U	10	U	11	U
4-CHLOROANILINE	UG/L	11	U	10	U	11	U
2-METHYLNAPHTHALENE	UG/L	11	U	10	U	11	U

AOC J Analytical Data Summary - Surface Water
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSW001		AOCJSW001		AOCJSW002	
	SampleID	NDE171		NDE172FD1		NDE173	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
Parameter	**Units**						
HEXACHLOROBUTADIENE	UG/L	10	U	10	U	11	U
4-CHLORO-3-METHYLPHENOL	UG/L	10	U	10	U	11	U
HEXACHLOROCYCLOPENTADIENE	UG/L	10	U	10	U	11	U
2,4,6-TRICHLOROPHENOL	UG/L	10	U	10	U	11	U
2,4,5-TRICHLOROPHENOL	UG/L	52	U	51	U	53	U
2-CHLORONAPHTHALENE	UG/L	10	U	10	U	11	U
2-NITROANILINE	UG/L	52	U	51	U	53	U
ACENAPHTHYLENE	UG/L	10	U	10	U	11	U
DIMETHYL PHTHALATE	UG/L	10	U	10	U	11	U
2,6-DINITROTOLUENE	UG/L	10	U	10	U	11	U
ACENAPHTHENE	UG/L	10	U	10	U	11	U
3-NITROANILINE	UG/L	52	U	51	U	53	U
2,4-DINITROPHENOL	UG/L	52	U	51	U	53	U
DIBENZOFURAN	UG/L	10	U	10	U	11	U
2,4-DINITROTOLUENE	UG/L	10	U	10	U	11	U
4-NITROPHENOL	UG/L	52	U	51	U	53	U
FLUORENE	UG/L	10	U	10	U	11	U
4-CHLOROPHENYL PHENYL ETHER	UG/L	10	U	10	U	11	U
DIETHYL PHTHALATE	UG/L	10	U	10	U	11	U
4-NITROANILINE	UG/L	52	U	51	U	53	U
4,6-DINITRO-2-METHYLPHENOL	UG/L	52	U	51	U	53	U
N-NITROSODIPHENYLAMINE	UG/L	10	U	10	U	11	U
4-BROMOPHENYL PHENYL ETHER	UG/L	10	U	10	U	11	U
HEXACHLOROBENZENE	UG/L	10	U	10	U	11	U
PENTACHLOROPHENOL	UG/L	52	U	51	U	53	U
PHENANTHRENE	UG/L	10	U	10	U	11	U
ANTHRACENE	UG/L	10	U	10	U	11	U
DI-n-BUTYL PHTHALATE	UG/L	10	U	10	U	11	U
FLUORANTHENE	UG/L	10	U	10	U	11	U
PYRENE	UG/L	10	U	10	U	11	U
BENZYL BUTYL PHTHALATE	UG/L	10	U	10	U	11	U
3,3'-DICHLOROBENZIDINE	UG/L	21	U	20	U	21	U
BENZO(a)ANTHRACENE	UG/L	10	U	10	U	11	U
CHRYSENE	UG/L	10	U	10	U	11	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/L	10	U	10	U	11	U
DI-n-OCTYLPHTHALATE	UG/L	10	U	10	U	11	U
BENZO(b)FLUORANTHENE	UG/L	10	U	10	U	11	U
BENZO(k)FLUORANTHENE	UG/L	10	U	10	U	11	U
BENZO(a)PYRENE	UG/L	10	U	10	U	11	U
INDENO(1,2,3-c,d)PYRENE	UG/L	10	U	10	U	11	U
DIBENZ(a,h)ANTHRACENE	UG/L	10	U	10	U	11	U
BENZO(g,h,i)PERYLENE	UG/L	10	U	10	U	11	U
CARBAZOLE	UG/L	10	U	10	U	11	U
VOLATILES							
CHLOROMETHANE	UG/L	10	U	10	U	10	U

AOC J Analytical Data Summary - Surface Water
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSW003		AOCJSW004		AOCJSW005	
	SampleID	NDE174		NDE175		NDE225	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
Parameter	**Units**						
HEXACHLOROBUTADIENE	UG/L	11	U	10	U	11	U
4-CHLORO-3-METHYLPHENOL	UG/L	11	U	10	U	11	U
HEXACHLOROCYCLOPENTADIENE	UG/L	11	U	10	U	11	U
2,4,6-TRICHLOROPHENOL	UG/L	11	U	10	U	11	U
2,4,5-TRICHLOROPHENOL	UG/L	53	U	52	U	53	U
2-CHLORONAPHTHALENE	UG/L	11	U	10	U	11	U
2-NITROANILINE	UG/L	53	U	52	U	53	U
ACENAPHTHYLENE	UG/L	11	U	10	U	11	U
DIMETHYL PHTHALATE	UG/L	11	U	10	U	11	U
2,6-DINITROTOLUENE	UG/L	11	U	10	U	11	U
ACENAPHTHENE	UG/L	11	U	10	U	11	U
3-NITROANILINE	UG/L	53	U	52	U	53	U
2,4-DINITROPHENOL	UG/L	53	U	52	U	53	U
DIBENZOFURAN	UG/L	11	U	10	U	11	U
2,4-DINITROTOLUENE	UG/L	11	U	10	U	11	U
4-NITROPHENOL	UG/L	53	U	52	U	53	U
FLUORENE	UG/L	11	U	10	U	11	U
4-CHLOROPHENYL PHENYL ETHER	UG/L	11	U	10	U	11	U
DIETHYL PHTHALATE	UG/L	11	U	10	U	11	U
4-NITROANILINE	UG/L	53	U	52	U	53	U
4,6-DINITRO-2-METHYLPHENOL	UG/L	53	U	52	U	53	U
N-NITROSODIPHENYLAMINE	UG/L	11	U	10	U	11	U
4-BROMOPHENYL PHENYL ETHER	UG/L	11	U	10	U	11	U
HEXACHLOROBENZENE	UG/L	11	U	10	U	11	U
PENTACHLOROPHENOL	UG/L	53	U	52	U	53	U
PHENANTHRENE	UG/L	11	U	10	U	11	U
ANTHRACENE	UG/L	11	U	10	U	11	U
DI-n-BUTYL PHTHALATE	UG/L	11	U	10	U	11	U
FLUORANTHENE	UG/L	11	U	10	U	11	U
PYRENE	UG/L	11	U	10	U	11	U
BENZYL BUTYL PHTHALATE	UG/L	11	U	10	U	11	U
3,3'-DICHLOROBENZIDINE	UG/L	21	U	21	U	21	U
BENZO(a)ANTHRACENE	UG/L	11	U	10	U	11	U
CHRYSENE	UG/L	11	U	10	U	11	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/L	11	U	1	J	11	U
DI-n-OCTYLPHTHALATE	UG/L	11	U	10	U	11	U
BENZO(b)FLUORANTHENE	UG/L	11	U	10	U	11	U
BENZO(k)FLUORANTHENE	UG/L	11	U	10	U	11	U
BENZO(a)PYRENE	UG/L	11	U	10	U	11	U
INDENO(1,2,3-c,d)PYRENE	UG/L	11	U	10	U	11	U
DIBENZ(a,h)ANTHRACENE	UG/L	11	U	10	U	11	U
BENZO(g,h,i)PERYLENE	UG/L	11	U	10	U	11	U
CARBAZOLE	UG/L	11	U	10	U	11	U
VOLATILES							
CHLOROMETHANE	UG/L	10	U	10	U	10	U

AOC J Analytical Data S_ mary - Surface Water
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSW001		AOCJSW001		AOCJSW002	
	SampleID	NDE171		NDE172FD1		NDE173	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
Parameter	**Units**						
BROMOMETHANE	UG/L	10	U	10	U	10	U
VINYL CHLORIDE	UG/L	10	U	10	U	10	U
CHLOROETHANE	UG/L	10	U	10	U	10	U
1,1-DICHLOROETHENE	UG/L	10	U	10	U	10	U
CARBON DISULFIDE	UG/L	10	U	10	U	10	U
1,1-DICHLOROETHANE	UG/L	10	U	10	U	10	U
ACETONE	UG/L	10	R	10	R	10	R
CHLOROFORM	UG/L	10	U	10	U	10	U
METHYLENE CHLORIDE	UG/L	10	U	10	U	10	U
CARBON TETRACHLORIDE	UG/L	10	U	10	U	10	U
BENZENE	UG/L	10	U	10	U	10	U
1,2-DICHLOROETHANE	UG/L	10	U	10	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/L	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/L	10	U	10	U	10	U
1,2-DICHLOROPROPANE	UG/L	10	U	10	U	10	U
1,1,1-TRICHLOROETHANE	UG/L	10	U	10	U	10	U
BROMODICHLOROMETHANE	UG/L	10	U	10	U	10	U
cis-1,3-DICHLOROPROPENE	UG/L	10	U	10	U	10	U
TOLUENE	UG/L	10	U	10	U	10	U
trans-1,3-DICHLOROPROPENE	UG/L	10	U	10	U	10	U
DIBROMOCHLOROMETHANE	UG/L	10	U	10	U	10	U
CHLOROBENZENE	UG/L	10	U	10	U	10	U
ETHYLBENZENE	UG/L	10	U	10	U	10	U
METHYL ISOBUTYL KETONE A30	UG/L	10	U	10	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/L	10	U	10	U	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/L	10	U	10	U	10	U
1,1,2-TRICHLOROETHANE	UG/L	10	U	10	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/L	10	U	10	U	10	U
2-HEXANONE	UG/L	10	U	10	U	10	U
XYLENES, TOTAL	UG/L	10	U	10	U	10	U
STYRENE	UG/L	10	U	10	U	10	U
BROMOFORM	UG/L	10	U	10	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/L	10	U	10	U	10	U

AOC J Analytical Data Summary - Surface Water
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSW003		AOCJSW004		AOCJSW005	
	SampleID	NDE174		NDE175		NDE225	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
Parameter	**Units**						
BROMOMETHANE	UG/L	10	U	10	U	10	U
VINYL CHLORIDE	UG/L	10	U	10	U	0.54	J
CHLOROETHANE	UG/L	10	U	10	U	10	U
1,1-DICHLOROETHENE	UG/L	10	U	10	U	10	U
CARBON DISULFIDE	UG/L	10	U	10	U	10	U
1,1-DICHLOROETHANE	UG/L	10	U	10	U	10	U
ACETONE	UG/L	10	R	10	R	10	R
CHLOROFORM	UG/L	10	U	10	U	10	U
METHYLENE CHLORIDE	UG/L	10	U	10	U	10	U
CARBON TETRACHLORIDE	UG/L	10	U	10	U	10	U
BENZENE	UG/L	10	U	10	U	10	U
1,2-DICHLOROETHANE	UG/L	10	U	10	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/L	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/L	10	U	10	U	10	U
1,2-DICHLOROPROPANE	UG/L	10	U	10	U	10	U
1,1,1-TRICHLOROETHANE	UG/L	10	U	10	U	10	U
BROMODICHLOROMETHANE	UG/L	10	U	10	U	10	U
cis-1,3-DICHLOROPROPENE	UG/L	10	U	10	U	10	U
TOLUENE	UG/L	10	U	10	U	10	U
trans-1,3-DICHLOROPROPENE	UG/L	10	U	10	U	10	U
DIBROMOCHLOROMETHANE	UG/L	10	U	10	U	10	U
CHLOROBENZENE	UG/L	10	U	10	U	10	U
ETHYLBENZENE	UG/L	10	U	10	U	10	U
METHYL ISOBUTYL KETONE A30	UG/L	10	U	10	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/L	10	U	10	U	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/L	10	U	10	U	10	U
1,1,2-TRICHLOROETHANE	UG/L	10	U	10	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/L	10	U	10	U	10	U
2-HEXANONE	UG/L	10	U	10	U	10	U
XYLENES, TOTAL	UG/L	10	U	10	U	10	U
STYRENE	UG/L	10	U	10	U	10	U
BROMOFORM	UG/L	10	U	10	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/L	10	U	10	U	10	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Date was unusable.

AOC J Analytical Data Su. .ary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB001		AOCJSB002		AOCJSB003	
	SampleID	NDE103		NDE105		NDE107	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
	Depth	4 to 6		4 to 6		4 to 6	
Parameter	**Units**						
EXPLOSIVES							
2,6-DINITROTOLUENE	UG/KG	320	U	284	U	274	U
OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TETRAZOCINE	UG/KG	320	U	284	U	274	U
HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	UG/KG	320	U	284	U	274	U
1,3,5-TRINITROBENZENE	UG/KG	320	U	284	U	274	U
1,3-DINITROBENZENE	UG/KG	320	U	284	U	274	U
METHYL-2,4,6-TRINITROPHENYLNITRAMINE	UG/KG	320	U	284	U	274	U
NITROBENZENE	UG/KG	320	U	284	U	274	U
2,4,6-TRINITROTOLUENE	UG/KG	320	U	284	U	274	U
2,4-DINITROTOLUENE	UG/KG	320	U	284	U	274	U
2-NITROTOLUENE	UG/KG	320	U	284	U	274	U
4-NITROTOLUENE	UG/KG	320	U	284	U	274	U
3-NITROTOLUENE	UG/KG	320	U	284	U	274	U
METALS							
ALUMINUM	MG/KG	8400	=	12000	=	8100	=
ANTIMONY	MG/KG	0.31	UJ	0.54	J	0.36	J
ARSENIC	MG/KG	0.88	J	0.33	U	0.33	U
BARIUM	MG/KG	110	=	57	=	82	=
BERYLLIUM	MG/KG	0.26	J	0.27	J	0.17	J
CADMIUM	MG/KG	0.035	U	0.031	U	0.03	U
CALCIUM	MG/KG	3700	=	1000	J	1200	=
CHROMIUM, TOTAL	MG/KG	4.1	=	4.6	=	4.9	=
COBALT	MG/KG	9.2	J	9.7	J	8.2	J
COPPER	MG/KG	26	=	29	=	23	=
IRON	MG/KG	14000	=	25000	=	18000	=
MAGNESIUM	MG/KG	2900	=	2400	=	1700	=
MANGANESE	MG/KG	390	=	790	=	930	=
LEAD	MG/KG	3.6	=	3.7	=	3.7	=
MERCURY	MG/KG	0.02	J	0.0066	J	0.0081	J
NICKEL	MG/KG	3.6	J	3.2	J	4	J
POTASSIUM	MG/KG	1200	J	500	J	400	J
SELENIUM	MG/KG	1.1	J	0.94	J	1.2	=
SILVER	MG/KG	0.073	U	0.065	U	0.064	U
SODIUM	MG/KG	3200	=	2400	=	1900	=
THALLIUM	MG/KG	0.44	U	0.76	J	0.41	J
VANADIUM	MG/KG	59	=	87	=	68	=
ZINC	MG/KG	26	=	26	=	19	=
PESTICIDES							
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	UG/KG	2.2	UJ	2	UJ	1.9	UJ
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	UG/KG	2.2	U	2	U	1.9	U
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	UG/KG	2.2	U	2	U	1.9	U
GAMMA BHC (LINDANE)	UG/KG	2.2	U	2	U	1.9	U
HEPTACHLOR	UG/KG	2.2	U	2	U	1.9	U
ALDRIN	UG/KG	2.2	U	2	U	1.9	U

AOC J Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB004		AOCJSB005		AOCJSB005	
	SampleID	NDE109		NDE111FD1		NDE112	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
	Depth	4 to 6		5 to 6		5 to 6	
Parameter	**Units**						
EXPLOSIVES							
2,6-DINITROTOLUENE	UG/KG	283	U	284	U	285	U
OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TETRAZOCINE	UG/KG	283	U	284	U	285	U
HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	UG/KG	283	U	284	U	285	U
1,3,5-TRINITROBENZENE	UG/KG	283	U	284	U	285	U
1,3-DINITROBENZENE	UG/KG	283	U	284	U	285	U
METHYL-2,4,6-TRINITROPHENYLNITRAMINE	UG/KG	283	U	284	U	285	U
NITROBENZENE	UG/KG	283	U	284	U	285	U
2,4,6-TRINITROTOLUENE	UG/KG	283	U	284	U	285	U
2,4-DINITROTOLUENE	UG/KG	283	U	284	U	285	U
2-NITROTOLUENE	UG/KG	283	U	284	U	285	U
4-NITROTOLUENE	UG/KG	283	U	284	U	285	U
3-NITROTOLUENE	UG/KG	283	U	284	U	285	U
METALS							
ALUMINUM	MG/KG	7600	=	11000	=	9700	=
ANTIMONY	MG/KG	0.44	J	0.54	J	0.27	UJ
ARSENIC	MG/KG	0.33	U	0.33	U	0.33	U
BARIUM	MG/KG	130	=	160	=	110	=
BERYLLIUM	MG/KG	0.3	J	0.23	J	0.038	U
CADMIUM	MG/KG	0.031	U	0.031	U	0.031	U
CALCIUM	MG/KG	930	J	11000	=	5900	=
CHROMIUM, TOTAL	MG/KG	5.2	=	5.1	=	5.5	=
COBALT	MG/KG	9.9	J	7.3	J	4.9	J
COPPER	MG/KG	22	=	15	=	13	=
IRON	MG/KG	22000	=	14000	=	13000	=
MAGNESIUM	MG/KG	1700	=	2400	=	2000	=
MANGANESE	MG/KG	1200	=	650	=	530	=
LEAD	MG/KG	4.4	=	3.6	=	2.9	=
MERCURY	MG/KG	0.0042	J	0.0034	J	0.0029	U
NICKEL	MG/KG	3.8	J	2.6	J	2.2	J
POTASSIUM	MG/KG	430	J	980	J	930	J
SELENIUM	MG/KG	0.75	J	0.69	J	0.52	U
SILVER	MG/KG	0.064	U	0.065	U	0.065	U
SODIUM	MG/KG	1900	=	2200	=	1900	=
THALLIUM	MG/KG	1	J	0.39	U	0.39	U
VANADIUM	MG/KG	82	=	49	=	38	=
ZINC	MG/KG	23	=	19	=	17	=
PESTICIDES							
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	UG/KG	1.9	UJ	1.7	UJ	1.7	UJ
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	UG/KG	1.9	U	1.7	U	1.7	U
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	UG/KG	1.9	U	1.7	U	1.7	U
GAMMA BHC (LINDANE)	UG/KG	1.9	U	1.7	U	1.7	U
HEPTACHLOR	UG/KG	1.9	U	1.7	U	1.7	U
ALDRIN	UG/KG	1.9	U	1.7	U	1.7	U

AOC J Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB001		AOCJSB002		AOCJSB003	
	SampleID	NDE103		NDE105		NDE107	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
	Depth	4 to 6		4 to 6		4 to 6	
Parameter	**Units**						
HEPTACHLOR EPOXIDE	UG/KG	2.2	U	2	U	1.9	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2.2	U	2	U	1.9	U
DIELDRIN	UG/KG	4.3	U	3.8	U	3.7	U
p,p'-DDE	UG/KG	4.3	U	3.8	U	3.7	U
ENDRIN	UG/KG	4.3	U	3.8	U	3.7	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	4.3	U	3.8	U	3.7	U
p,p'-DDD	UG/KG	4.3	U	3.8	U	3.7	U
ENDOSULFAN SULFATE	UG/KG	4.3	U	3.8	U	3.7	U
p,p'-DDT	UG/KG	4.3	U	3.8	U	3.7	U
METHOXYCHLOR	UG/KG	22	U	20	U	19	U
ENDRIN ALDEHYDE	UG/KG	4.3	U	3.8	U	3.7	U
ALPHA-CHLORDANE	UG/KG	2.2	U	2	U	1.9	U
GAMMA-CHLORDANE	UG/KG	2.2	U	2	U	1.9	U
ENDRIN KETONE	UG/KG	4.3	U	3.8	U	3.7	U
TOXAPHENE	UG/KG	222	U	197	U	193	U
PCB							
PCB-1016 (AROCHLOR 1016)	UG/KG	43	U	38	U	37	U
PCB-1260 (AROCHLOR 1260)	UG/KG	43	U	38	U	37	U
PCB-1221 (AROCHLOR 1221)	UG/KG	87	U	77	U	75	U
PCB-1232 (AROCHLOR 1232)	UG/KG	43	U	38	U	37	U
PCB-1242 (AROCHLOR 1242)	UG/KG	43	U	38	U	37	U
PCB-1248 (AROCHLOR 1248)	UG/KG	43	U	38	U	37	U
PCB-1254 (AROCHLOR 1254)	UG/KG	43	U	38	U	37	U
SEMI-VOLATILES							
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHER)	UG/KG	580	U	481	U	488	U
PHENOL	UG/KG	580	U	481	U	488	U
2-CHLOROPHENOL	UG/KG	580	U	481	U	488	U
1,3-DICHLOROBENZENE	UG/KG	580	U	481	U	488	U
1,4-DICHLOROBENZENE	UG/KG	580	U	481	U	488	U
1,2-DICHLOROBENZENE	UG/KG	580	U	481	U	488	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	580	U	481	U	488	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	580	U	481	U	488	U
HEXACHLOROETHANE	UG/KG	580	U	481	U	488	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	580	U	481	U	488	U
CRESOLS, m & p	UG/KG	580	U	481	U	488	U
NITROBENZENE	UG/KG	580	U	481	U	488	U
ISOPHORONE	UG/KG	580	U	481	U	488	U
2-NITROPHENOL	UG/KG	580	U	481	U	488	U
2,4-DIMETHYLPHENOL	UG/KG	580	U	481	U	488	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	580	U	481	U	488	U
2,4-DICHLOROPHENOL	UG/KG	580	U	481	U	488	U
1,2,4-TRICHLOROBENZENE	UG/KG	580	U	481	U	488	U
NAPHTHALENE	UG/KG	580	U	481	U	488	U
4-CHLOROANILINE	UG/KG	580	U	481	U	488	U

AOC J Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB004		AOCJSB005		AOCJSB005	
	SampleID	NDE109		NDE111FD1		NDE112	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
	Depth	4 to 6		5 to 6		5 to 6	
Parameter	**Units**						
HEPTACHLOR EPOXIDE	UG/KG	1.9	U	1.7	U	1.7	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.9	U	1.7	U	1.7	U
DIELDRIN	UG/KG	3.8	U	3.3	U	3.3	U
p,p'-DDE	UG/KG	3.8	U	3.3	U	3.3	U
ENDRIN	UG/KG	3.8	U	3.3	U	3.3	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.8	U	3.3	U	3.3	U
p,p'-DDD	UG/KG	3.8	U	3.3	U	3.3	U
ENDOSULFAN SULFATE	UG/KG	3.8	U	3.3	U	3.3	U
p,p'-DDT	UG/KG	3.8	U	3.3	U	3.3	U
METHOXYCHLOR	UG/KG	19	U	17	U	17	U
ENDRIN ALDEHYDE	UG/KG	3.8	U	3.3	U	3.3	U
ALPHA-CHLORDANE	UG/KG	1.9	U	1.7	U	1.7	U
GAMMA-CHLORDANE	UG/KG	1.9	U	1.7	U	1.7	U
ENDRIN KETONE	UG/KG	3.8	U	3.3	U	3.3	U
TOXAPHENE	UG/KG	194	U	172	U	170	U
PCB							
PCB-1016 (AROCHLOR 1016)	UG/KG	38	U	33	U	33	U
PCB-1260 (AROCHLOR 1260)	UG/KG	38	U	33	U	33	U
PCB-1221 (AROCHLOR 1221)	UG/KG	76	U	67	U	67	U
PCB-1232 (AROCHLOR 1232)	UG/KG	38	U	33	U	33	U
PCB-1242 (AROCHLOR 1242)	UG/KG	38	U	33	U	33	U
PCB-1248 (AROCHLOR 1248)	UG/KG	38	U	33	U	33	U
PCB-1254 (AROCHLOR 1254)	UG/KG	38	U	33	U	33	U
SEMI-VOLATILES							
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHER)	UG/KG	500	U	462	U	513	U
PHENOL	UG/KG	500	U	462	U	513	U
2-CHLOROPHENOL	UG/KG	500	U	462	U	513	U
1,3-DICHLOROBENZENE	UG/KG	500	U	462	U	513	U
1,4-DICHLOROBENZENE	UG/KG	500	U	462	U	513	U
1,2-DICHLOROBENZENE	UG/KG	500	U	462	U	513	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	500	U	462	U	513	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	500	U	462	U	513	U
HEXACHLOROETHANE	UG/KG	500	U	462	U	513	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	500	U	462	U	513	U
CRESOLS, m & p	UG/KG	500	U	462	U	513	U
NITROBENZENE	UG/KG	500	U	462	U	513	U
ISOPHORONE	UG/KG	500	U	462	U	513	U
2-NITROPHENOL	UG/KG	500	U	462	U	513	U
2,4-DIMETHYLPHENOL	UG/KG	500	U	462	U	513	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	500	U	462	U	513	U
2,4-DICHLOROPHENOL	UG/KG	500	U	462	U	513	U
1,2,4-TRICHLOROBENZENE	UG/KG	500	U	462	U	513	U
NAPHTHALENE	UG/KG	500	U	462	U	513	U
4-CHLOROANILINE	UG/KG	500	U	462	U	513	U

AOC J Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB001		AOCJSB002		AOCJSB003	
	SampleID	NDE103		NDE105		NDE107	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
	Depth	4 to 6		4 to 6		4 to 6	
Parameter	**Units**						
2-METHYLNAPHTHALENE	UG/KG	580	U	481	U	488	U
HEXACHLOROBUTADIENE	UG/KG	580	U	481	U	488	U
4-CHLORO-3-METHYLPHENOL	UG/KG	580	U	481	U	488	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	580	U	481	U	488	U
2,4,6-TRICHLOROPHENOL	UG/KG	580	U	481	U	488	U
2,4,5-TRICHLOROPHENOL	UG/KG	1740	U	1440	U	1460	U
2-CHLORONAPHTHALENE	UG/KG	580	U	481	U	488	U
2-NITROANILINE	UG/KG	1740	U	1440	U	1460	U
ACENAPHTHYLENE	UG/KG	580	U	481	U	488	U
DIMETHYL PHTHALATE	UG/KG	580	U	481	U	488	U
2,6-DINITROTOLUENE	UG/KG	580	U	481	U	488	U
ACENAPHTHENE	UG/KG	580	U	481	U	488	U
3-NITROANILINE	UG/KG	1740	U	1440	U	1460	U
2,4-DINITROPHENOL	UG/KG	1740	U	1440	U	1460	U
DIBENZOFURAN	UG/KG	580	U	481	U	488	U
2,4-DINITROTOLUENE	UG/KG	580	U	481	U	488	U
4-NITROPHENOL	UG/KG	1740	U	1440	U	1460	U
FLUORENE	UG/KG	580	U	481	U	488	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	580	U	481	U	488	U
DIETHYL PHTHALATE	UG/KG	580	U	481	U	488	U
4-NITROANILINE	UG/KG	1740	U	1440	U	1460	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1740	U	1440	U	1460	U
N-NITROSODIPHENYLAMINE	UG/KG	580	U	481	U	488	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	580	U	481	U	488	U
HEXACHLOROBENZENE	UG/KG	580	U	481	U	488	U
PENTACHLOROPHENOL	UG/KG	1740	U	1440	U	1460	U
PHENANTHRENE	UG/KG	580	U	481	U	488	U
ANTHRACENE	UG/KG	580	U	481	U	488	U
DI-n-BUTYL PHTHALATE	UG/KG	36	J	481	U	488	U
FLUORANTHENE	UG/KG	580	U	481	U	488	U
PYRENE	UG/KG	580	U	481	U	488	U
BENZYL BUTYL PHTHALATE	UG/KG	580	U	481	U	488	U
3,3'-DICHLOROBENZIDINE	UG/KG	1160	U	961	U	976	U
BENZO(a)ANTHRACENE	UG/KG	580	U	481	U	488	U
CHRYSENE	UG/KG	580	U	481	U	488	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	580	U	481	U	488	U
DI-n-OCTYLPHTHALATE	UG/KG	580	U	481	U	488	U
BENZO(b)FLUORANTHENE	UG/KG	580	U	481	U	488	U
BENZO(k)FLUORANTHENE	UG/KG	580	U	481	U	488	U
BENZO(a)PYRENE	UG/KG	580	U	481	U	488	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	580	U	481	U	488	U
DIBENZ(a,h)ANTHRACENE	UG/KG	580	U	481	U	488	U
BENZO(g,h,i)PERYLENE	UG/KG	580	U	481	U	488	U
CARBAZOLE	UG/KG	580	U	481	U	488	U

AOC J Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB004		AOCJSB005		AOCJSB005	
	SampleID	NDE109		NDE111FD1		NDE112	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
	Depth	4 to 6		5 to 6		5 to 6	
Parameter	**Units**						
2-METHYLNAPHTHALENE	UG/KG	500	U	462	U	513	U
HEXACHLOROBUTADIENE	UG/KG	500	U	462	U	513	U
4-CHLORO-3-METHYLPHENOL	UG/KG	500	U	462	U	513	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	500	U	462	U	513	U
2,4,6-TRICHLOROPHENOL	UG/KG	500	U	462	U	513	U
2,4,5-TRICHLOROPHENOL	UG/KG	1500	U	1380	U	1540	U
2-CHLORONAPHTHALENE	UG/KG	500	U	462	U	513	U
2-NITROANILINE	UG/KG	1500	U	1380	U	1540	U
ACENAPHTHYLENE	UG/KG	500	U	462	U	513	U
DIMETHYL PHTHALATE	UG/KG	500	U	462	U	513	U
2,6-DINITROTOLUENE	UG/KG	500	U	462	U	513	U
ACENAPHTHENE	UG/KG	500	U	462	U	513	U
3-NITROANILINE	UG/KG	1500	U	1380	U	1540	U
2,4-DINITROPHENOL	UG/KG	1500	U	1380	U	1540	U
DIBENZOFURAN	UG/KG	500	U	462	U	513	U
2,4-DINITROTOLUENE	UG/KG	500	U	462	U	513	U
4-NITROPHENOL	UG/KG	1500	U	1380	U	1540	U
FLUORENE	UG/KG	500	U	462	U	513	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	500	U	462	U	513	U
DIETHYL PHTHALATE	UG/KG	652	U	462	U	513	U
4-NITROANILINE	UG/KG	1500	U	1380	U	1540	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1500	U	1380	U	1540	U
N-NITROSODIPHENYLAMINE	UG/KG	500	U	462	U	513	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	500	U	462	U	513	U
HEXACHLOROBENZENE	UG/KG	500	U	462	U	513	U
PENTACHLOROPHENOL	UG/KG	1500	U	1380	U	1540	U
PHENANTHRENE	UG/KG	500	U	462	U	513	U
ANTHRACENE	UG/KG	500	U	462	U	513	U
DI-n-BUTYL PHTHALATE	UG/KG	500	U	462	U	513	U
FLUORANTHENE	UG/KG	500	U	462	U	513	U
PYRENE	UG/KG	500	U	462	U	513	U
BENZYL BUTYL PHTHALATE	UG/KG	500	U	462	U	513	U
3,3'-DICHLOROBENZIDINE	UG/KG	1000	U	923	U	1030	U
BENZO(a)ANTHRACENE	UG/KG	500	U	462	U	513	U
CHRYSENE	UG/KG	500	U	462	U	513	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	500	U	462	U	513	U
DI-n-OCTYLPHTHALATE	UG/KG	500	U	462	U	513	U
BENZO(b)FLUORANTHENE	UG/KG	500	U	462	U	513	U
BENZO(k)FLUORANTHENE	UG/KG	500	U	462	U	513	U
BENZO(a)PYRENE	UG/KG	500	U	462	U	513	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	500	U	462	U	513	U
DIBENZ(a,h)ANTHRACENE	UG/KG	500	U	462	U	513	U
BENZO(g,h,i)PERYLENE	UG/KG	500	U	462	U	513	U
CARBAZOLE	UG/KG	500	U	462	U	513	U

AOC J Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB001		AOCJSB002		AOCJSB003	
	SampleID	NDE103		NDE105		NDE107	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
	Depth	4 to 6		4 to 6		4 to 6	
Parameter	**Units**						
VOLATILES							
CHLOROMETHANE	UG/KG	10	U	10	U	10	UJ
BROMOMETHANE	UG/KG	10	U	10	U	10	UJ
VINYL CHLORIDE	UG/KG	10	U	10	U	10	UJ
CHLOROETHANE	UG/KG	10	U	10	U	10	UJ
1,1-DICHLOROETHENE	UG/KG	10	U	10	U	10	UJ
CARBON DISULFIDE	UG/KG	1.9	J	10	U	10	UJ
1,1-DICHLOROETHANE	UG/KG	10	U	10	U	10	UJ
ACETONE	UG/KG	22	R	10	R	10	R
CHLOROFORM	UG/KG	10	U	10	U	10	UJ
METHYLENE CHLORIDE	UG/KG	10	U	10	U	10	UJ
CARBON TETRACHLORIDE	UG/KG	10	U	10	U	10	UJ
BENZENE	UG/KG	10	U	10	U	10	UJ
1,2-DICHLOROETHANE	UG/KG	10	U	10	U	10	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	10	U	10	UJ
1,2-DICHLOROPROPANE	UG/KG	10	U	10	U	10	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	U	10	U	10	UJ
BROMODICHLOROMETHANE	UG/KG	10	U	10	U	10	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	UJ
TOLUENE	UG/KG	10	U	10	U	10	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	U	10	U	10	UJ
CHLOROBENZENE	UG/KG	10	U	10	U	10	UJ
ETHYLBENZENE	UG/KG	10	U	10	U	10	UJ
METHYL ISOBUTYL KETONE (4-METHYL-2-PENTANONE)	UG/KG	10	U	10	U	10	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	10	U	10	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	10	U	10	UJ
1,1,2-TRICHLOROETHANE	UG/KG	10	U	10	U	10	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	10	U	10	UJ
2-HEXANONE	UG/KG	10	U	10	U	10	UJ
XYLENES, TOTAL	UG/KG	10	U	10	U	10	UJ
STYRENE	UG/KG	10	U	10	U	10	UJ
BROMOFORM	UG/KG	10	U	10	U	10	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	10	U	10	UJ

AOC J Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB004		AOCJSB005		AOCJSB005	
	SampleID	NDE109		NDE111FD1		NDE112	
	DateCollected	12/12/2000		12/12/2000		12/12/2000	
	Depth	4 to 6		5 to 6		5 to 6	
Parameter	**Units**						
VOLATILES							
CHLOROMETHANE	UG/KG	10	U	10	U	11	U
BROMOMETHANE	UG/KG	10	U	10	U	11	U
VINYL CHLORIDE	UG/KG	10	U	10	U	11	U
CHLOROETHANE	UG/KG	10	U	10	U	11	U
1,1-DICHLOROETHENE	UG/KG	10	U	10	U	11	U
CARBON DISULFIDE	UG/KG	10	U	10	U	11	U
1,1-DICHLOROETHANE	UG/KG	10	U	10	U	11	U
ACETONE	UG/KG	10	R	10	R	12	R
CHLOROFORM	UG/KG	10	U	10	U	11	U
METHYLENE CHLORIDE	UG/KG	10	U	10	U	11	U
CARBON TETRACHLORIDE	UG/KG	10	U	10	U	11	U
BENZENE	UG/KG	10	U	10	U	11	U
1,2-DICHLOROETHANE	UG/KG	10	U	10	U	11	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	10	R	11	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	10	U	11	U
1,2-DICHLOROPROPANE	UG/KG	10	U	10	U	11	U
1,1,1-TRICHLOROETHANE	UG/KG	10	U	10	U	11	U
BROMODICHLOROMETHANE	UG/KG	10	U	10	U	11	U
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	11	U
TOLUENE	UG/KG	10	U	10	U	11	U
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	11	U
DIBROMOCHLOROMETHANE	UG/KG	10	U	10	U	11	U
CHLOROBENZENE	UG/KG	10	U	10	U	11	U
ETHYLBENZENE	UG/KG	10	U	10	U	11	U
METHYL ISOBUTYL KETONE (4-METHYL-2-PENTANONE)	UG/KG	0.95	J	10	U	11	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	0.54	J	10	U	11	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	0.49	J	10	U	11	U
1,1,2-TRICHLOROETHANE	UG/KG	10	U	10	U	11	U
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	10	U	11	U
2-HEXANONE	UG/KG	10	U	10	U	11	U
XYLENES, TOTAL	UG/KG	1	J	10	U	11	U
STYRENE	UG/KG	10	U	10	U	11	U
BROMOFORM	UG/KG	10	U	10	U	11	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	10	U	11	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Date was unusable.

Summary face Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB001		AOCJSB002		AOCJSB003	
	SampleID	NDE102		NDE104		NDE106	
	DateCollected	12/08/2000		12/08/2000		12/08/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**						
EXPLOSIVES							
2,6-DINITROTOLUENE	UG/KG	250	U	253	U	292	U
OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TETRAZOCINE	UG/KG	250	U	253	U	292	U
HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	UG/KG	250	U	253	U	292	U
1,3,5-TRINITROBENZENE	UG/KG	250	U	253	U	292	U
1,3-DINITROBENZENE	UG/KG	250	U	253	U	292	U
METHYL-2,4,6-TRINITROPHENYLNITRAMINE	UG/KG	250	U	253	U	292	U
NITROBENZENE	UG/KG	250	U	253	U	292	U
2,4,6-TRINITROTOLUENE	UG/KG	250	U	253	U	292	U
2,4-DINITROTOLUENE	UG/KG	250	U	253	U	292	U
2-NITROTOLUENE	UG/KG	250	U	253	U	292	U
4-NITROTOLUENE	UG/KG	250	U	253	U	292	U
3-NITROTOLUENE	UG/KG	250	U	253	U	292	U
METALS							
ALUMINUM	MG/KG	4500	=	5200	=	5500	=
ANTIMONY	MG/KG	0.4	J	0.25	UJ	0.48	J
ARSENIC	MG/KG	0.3	U	0.3	U	0.91	J
BARIUM	MG/KG	67	=	87	=	49	=
BERYLLIUM	MG/KG	0.14	J	0.2	J	0.17	J
CADMIUM	MG/KG	0.028	U	0.028	U	2.7	=
CALCIUM	MG/KG	4700	=	1800	=	5100	=
CHROMIUM, TOTAL	MG/KG	3.3	=	3.5	=	5.1	=
COBALT	MG/KG	5.8	J	9.2	J	5.8	J
COPPER	MG/KG	14	=	15	=	21	=
IRON	MG/KG	13000	=	13000	=	19000	=
MAGNESIUM	MG/KG	1600	=	1300	=	1600	=
MANGANESE	MG/KG	480	=	750	=	450	=
LEAD	MG/KG	2.5	=	5.3	=	22	=
MERCURY	MG/KG	0.013	J	0.021	J	0.03	J
NICKEL	MG/KG	1.9	J	3.2	J	3.6	J
POTASSIUM	MG/KG	620	J	420	J	720	J
SELENIUM	MG/KG	0.71	J	1	=	0.98	J
SILVER	MG/KG	0.058	U	0.058	U	0.068	U
SODIUM	MG/KG	200	J	170	J	120	J
THALLIUM	MG/KG	0.35	U	0.65	J	0.55	J
VANADIUM	MG/KG	47	=	45	=	36	=
ZINC	MG/KG	18	=	21	=	220	=
PESTICIDES							
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	UG/KG	1.8	UJ	1.8	UJ	2	UJ
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	UG/KG	1.8	UJ	1.8	UJ	2	UJ
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	UG/KG	1.8	UJ	1.8	UJ	2	UJ
GAMMA BHC (LINDANE)	UG/KG	1.8	UJ	1.8	UJ	2	UJ
HEPTACHLOR	UG/KG	1.8	UJ	1.8	UJ	2	UJ
ALDRIN	UG/KG	1.8	UJ	1.8	UJ	0.73	J

Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J	
	StationID	AOCJSB004		AOCJSB005	
	SampleID	NDE108		NDE110	
	DateCollected	12/08/2000		12/08/2000	
	Depth	0 to 0.5		0 to 0.5	
Parameter	**Units**				
EXPLOSIVES					
2,6-DINITROTOLUENE	UG/KG	363	U	306	U
OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TETRAZOCINE	UG/KG	363	U	306	U
HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	UG/KG	363	U	306	U
1,3,5-TRINITROBENZENE	UG/KG	363	U	306	U
1,3-DINITROBENZENE	UG/KG	363	U	306	U
METHYL-2,4,6-TRINITROPHENYLNITRAMINE	UG/KG	363	U	306	U
NITROBENZENE	UG/KG	363	U	306	U
2,4,6-TRINITROTOLUENE	UG/KG	363	U	306	U
2,4-DINITROTOLUENE	UG/KG	363	U	306	U
2-NITROTOLUENE	UG/KG	363	U	306	U
4-NITROTOLUENE	UG/KG	363	U	306	U
3-NITROTOLUENE	UG/KG	363	U	306	U
METALS					
ALUMINUM	MG/KG	8900	=	6700	=
ANTIMONY	MG/KG	0.35	UJ	0.37	J
ARSENIC	MG/KG	0.43	U	0.63	J
BARIUM	MG/KG	84	=	120	=
BERYLLIUM	MG/KG	0.32	J	0.23	J
CADMIUM	MG/KG	0.04	U	0.033	U
CALCIUM	MG/KG	3100	=	2700	=
CHROMIUM, TOTAL	MG/KG	5.2	=	3.9	=
COBALT	MG/KG	13	J	14	=
COPPER	MG/KG	23	=	20	=
IRON	MG/KG	18000	=	16000	=
MAGNESIUM	MG/KG	2300	=	1600	=
MANGANESE	MG/KG	910	=	1200	=
LEAD	MG/KG	9.1	=	6	=
MERCURY	MG/KG	0.036	J	0.028	J
NICKEL	MG/KG	3	J	2.7	J
POTASSIUM	MG/KG	970	J	720	J
SELENIUM	MG/KG	1.6	=	0.98	J
SILVER	MG/KG	0.084	U	0.07	U
SODIUM	MG/KG	620	J	130	J
THALLIUM	MG/KG	0.6	J	0.75	J
VANADIUM	MG/KG	67	=	55	=
ZINC	MG/KG	31	=	26	=
PESTICIDES					
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	UG/KG	2.5	UJ	2.1	UJ
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	UG/KG	2.5	UJ	2.1	UJ
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	UG/KG	2.5	UJ	2.1	UJ
GAMMA BHC (LINDANE)	UG/KG	2.5	UJ	2.1	UJ
HEPTACHLOR	UG/KG	2.5	UJ	2.1	UJ
ALDRIN	UG/KG	2.5	UJ	2.1	UJ

Summary /face Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB001		AOCJSB002		AOCJSB003	
	SampleID	NDE102		NDE104		NDE106	
	DateCollected	12/08/2000		12/08/2000		12/08/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**						
HEPTACHLOR EPOXIDE	UG/KG	1.8	UJ	1.8	UJ	2	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.8	UJ	1.8	UJ	2	UJ
DIELDRIN	UG/KG	3.4	UJ	3.4	UJ	3.9	UJ
p,p'-DDE	UG/KG	3.4	UJ	3.4	UJ	3.9	UJ
ENDRIN	UG/KG	3.4	UJ	3.4	UJ	3.9	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.4	UJ	3.4	UJ	3.9	UJ
p,p'-DDD	UG/KG	3.4	UJ	3.4	UJ	3.9	UJ
ENDOSULFAN SULFATE	UG/KG	3.4	UJ	3.4	UJ	3.9	UJ
p,p'-DDT	UG/KG	3.4	UJ	3.4	UJ	3.9	UJ
METHOXYCHLOR	UG/KG	18	UJ	18	UJ	20	UJ
ENDRIN ALDEHYDE	UG/KG	3.4	UJ	3.4	UJ	3.9	UJ
ALPHA-CHLORDANE	UG/KG	1.8	UJ	1.8	UJ	2	UJ
GAMMA-CHLORDANE	UG/KG	1.8	UJ	1.8	UJ	2	UJ
ENDRIN KETONE	UG/KG	3.4	UJ	3.4	UJ	3.9	UJ
TOXAPHENE	UG/KG	176	UJ	175	UJ	202	UJ
PCB							
PCB-1016 (AROCHLOR 1016)	UG/KG	34	UJ	34	UJ	39	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	34	UJ	34	UJ	39	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	69	UJ	69	UJ	79	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	34	UJ	34	UJ	39	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	34	UJ	34	UJ	39	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	34	UJ	34	UJ	39	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	34	UJ	34	UJ	39	UJ
SEMI-VOLATILES							
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHER)	UG/KG	519	U	484	U	540	U
PHENOL	UG/KG	519	U	484	U	540	U
2-CHLOROPHENOL	UG/KG	519	U	484	U	540	U
1,3-DICHLOROBENZENE	UG/KG	519	U	484	U	540	U
1,4-DICHLOROBENZENE	UG/KG	519	U	484	U	540	U
1,2-DICHLOROBENZENE	UG/KG	519	U	484	U	540	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	519	U	484	U	540	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	519	U	484	U	540	U
HEXACHLOROETHANE	UG/KG	519	U	484	U	540	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	519	U	484	U	540	U
CRESOLS, m & p	UG/KG	519	U	484	U	540	U
NITROBENZENE	UG/KG	519	U	484	U	540	U
ISOPHORONE	UG/KG	519	U	484	U	540	U
2-NITROPHENOL	UG/KG	519	U	484	U	540	U
2,4-DIMETHYLPHENOL	UG/KG	519	U	484	U	540	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	519	U	484	U	540	U
2,4-DICHLOROPHENOL	UG/KG	519	U	484	U	540	U
1,2,4-TRICHLOROBENZENE	UG/KG	519	U	484	U	540	U
NAPHTHALENE	UG/KG	519	U	484	U	540	U
4-CHLOROANILINE	UG/KG	519	U	484	U	540	U

Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J	
	StationID	AOCJSB004		AOCJSB005	
	SampleID	NDE108		NDE110	
	DateCollected	12/08/2000		12/08/2000	
	Depth	0 to 0.5		0 to 0.5	
Parameter	**Units**				
HEPTACHLOR EPOXIDE	UG/KG	2.5	UJ	2.1	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2.5	UJ	2.1	UJ
DIELDRIN	UG/KG	4.9	UJ	4.1	UJ
p,p'-DDE	UG/KG	4.9	UJ	4.1	UJ
ENDRIN	UG/KG	4.9	UJ	4.1	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	4.9	UJ	4.1	UJ
p,p'-DDD	UG/KG	4.9	UJ	4.1	UJ
ENDOSULFAN SULFATE	UG/KG	4.9	UJ	4.1	UJ
p,p'-DDT	UG/KG	4.9	UJ	4.1	UJ
METHOXYCHLOR	UG/KG	25	UJ	21	UJ
ENDRIN ALDEHYDE	UG/KG	4.9	UJ	4.1	UJ
ALPHA-CHLORDANE	UG/KG	2.5	UJ	2.1	UJ
GAMMA-CHLORDANE	UG/KG	2.5	UJ	2.1	UJ
ENDRIN KETONE	UG/KG	4.9	UJ	4.1	UJ
TOXAPHENE	UG/KG	252	UJ	213	UJ
PCB					
PCB-1016 (AROCHLOR 1016)	UG/KG	49	UJ	41	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	49	UJ	41	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	99	UJ	83	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	49	UJ	41	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	49	UJ	41	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	49	UJ	41	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	49	UJ	41	UJ
SEMI-VOLATILES					
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHER)	UG/KG	714	U	604	U
PHENOL	UG/KG	714	U	604	U
2-CHLOROPHENOL	UG/KG	714	U	604	U
1,3-DICHLOROBENZENE	UG/KG	714	U	604	U
1,4-DICHLOROBENZENE	UG/KG	714	U	604	U
1,2-DICHLOROBENZENE	UG/KG	714	U	604	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	714	U	604	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	714	U	604	U
HEXACHLOROETHANE	UG/KG	714	U	604	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	714	U	604	U
CRESOLS, m & p	UG/KG	714	U	604	U
NITROBENZENE	UG/KG	714	U	604	U
ISOPHORONE	UG/KG	714	U	604	U
2-NITROPHENOL	UG/KG	714	U	604	U
2,4-DIMETHYLPHENOL	UG/KG	714	U	604	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	714	U	604	U
2,4-DICHLOROPHENOL	UG/KG	714	U	604	U
1,2,4-TRICHLOROBENZENE	UG/KG	714	U	604	U
NAPHTHALENE	UG/KG	714	U	604	U
4-CHLOROANILINE	UG/KG	714	U	604	U

Summary face Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB001		AOCJSB002		AOCJSB003	
	SampleID	NDE102		NDE104		NDE106	
	DateCollected	12/08/2000		12/08/2000		12/08/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**						
2-METHYLNAPHTHALENE	UG/KG	519	U	484	U	540	U
HEXACHLOROBUTADIENE	UG/KG	519	U	484	U	540	U
4-CHLORO-3-METHYLPHENOL	UG/KG	519	U	484	U	540	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	519	U	484	U	540	U
2,4,6-TRICHLOROPHENOL	UG/KG	519	U	484	U	540	U
2,4,5-TRICHLOROPHENOL	UG/KG	1560	U	1450	U	1620	U
2-CHLORONAPHTHALENE	UG/KG	519	U	484	U	540	U
2-NITROANILINE	UG/KG	1560	U	1450	U	1620	U
ACENAPHTHYLENE	UG/KG	519	U	484	U	540	U
DIMETHYL PHTHALATE	UG/KG	519	U	484	U	540	U
2,6-DINITROTOLUENE	UG/KG	519	U	484	U	540	U
ACENAPHTHENE	UG/KG	519	U	484	U	540	U
3-NITROANILINE	UG/KG	1560	U	1450	U	1620	U
2,4-DINITROPHENOL	UG/KG	1560	U	1450	U	1620	U
DIBENZOFURAN	UG/KG	519	U	484	U	540	U
2,4-DINITROTOLUENE	UG/KG	519	U	484	U	540	U
4-NITROPHENOL	UG/KG	1560	U	1450	U	1620	U
FLUORENE	UG/KG	519	U	484	U	540	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	519	U	484	U	540	U
DIETHYL PHTHALATE	UG/KG	519	U	484	U	540	U
4-NITROANILINE	UG/KG	1560	U	1450	U	1620	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1560	U	1450	U	1620	U
N-NITROSODIPHENYLAMINE	UG/KG	519	U	484	U	540	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	519	U	484	U	540	U
HEXACHLOROBENZENE	UG/KG	519	U	484	U	540	U
PENTACHLOROPHENOL	UG/KG	1560	U	1450	U	1620	U
PHENANTHRENE	UG/KG	519	U	484	U	540	U
ANTHRACENE	UG/KG	519	U	484	U	540	U
DI-n-BUTYL PHTHALATE	UG/KG	519	U	484	U	540	U
FLUORANTHENE	UG/KG	519	U	484	U	540	U
PYRENE	UG/KG	519	U	484	U	540	U
BENZYL BUTYL PHTHALATE	UG/KG	519	U	484	U	540	U
3,3'-DICHLOROBENZIDINE	UG/KG	1040	U	968	U	1080	U
BENZO(a)ANTHRACENE	UG/KG	519	U	484	U	540	U
CHRYSENE	UG/KG	519	U	484	U	540	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	519	U	484	U	540	U
DI-n-OCTYLPHTHALATE	UG/KG	519	U	484	U	540	U
BENZO(b)FLUORANTHENE	UG/KG	519	U	484	U	540	U
BENZO(k)FLUORANTHENE	UG/KG	519	U	484	U	540	U
BENZO(a)PYRENE	UG/KG	519	U	484	U	540	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	519	U	484	U	540	U
DIBENZ(a,h)ANTHRACENE	UG/KG	519	U	484	U	540	U
BENZO(g,h,i)PERYLENE	UG/KG	519	U	484	U	540	U
CARBAZOLE	UG/KG	519	U	484	U	540	U

Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J	
	StationID	AOCJSB004		AOCJSB005	
	SampleID	NDE108		NDE110	
	DateCollected	12/08/2000		12/08/2000	
	Depth	0 to 0.5		0 to 0.5	
Parameter	**Units**				
2-METHYLNAPHTHALENE	UG/KG	714	U	604	U
HEXACHLOROBUTADIENE	UG/KG	714	U	604	U
4-CHLORO-3-METHYLPHENOL	UG/KG	714	U	604	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	714	U	604	U
2,4,6-TRICHLOROPHENOL	UG/KG	714	U	604	U
2,4,5-TRICHLOROPHENOL	UG/KG	2140	U	1810	U
2-CHLORONAPHTHALENE	UG/KG	714	U	604	U
2-NITROANILINE	UG/KG	2140	U	1810	U
ACENAPHTHYLENE	UG/KG	714	U	604	U
DIMETHYL PHTHALATE	UG/KG	714	U	604	U
2,6-DINITROTOLUENE	UG/KG	714	U	604	U
ACENAPHTHENE	UG/KG	714	U	604	U
3-NITROANILINE	UG/KG	2140	U	1810	U
2,4-DINITROPHENOL	UG/KG	2140	U	1810	U
DIBENZOFURAN	UG/KG	714	U	604	U
2,4-DINITROTOLUENE	UG/KG	714	U	604	U
4-NITROPHENOL	UG/KG	2140	U	1810	U
FLUORENE	UG/KG	714	U	604	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	714	U	604	U
DIETHYL PHTHALATE	UG/KG	714	U	604	U
4-NITROANILINE	UG/KG	2140	U	1810	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	2140	U	1810	U
N-NITROSODIPHENYLAMINE	UG/KG	714	U	604	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	714	U	604	U
HEXACHLOROBENZENE	UG/KG	714	U	604	U
PENTACHLOROPHENOL	UG/KG	2140	U	1810	U
PHENANTHRENE	UG/KG	714	U	604	U
ANTHRACENE	UG/KG	714	U	604	U
DI-n-BUTYL PHTHALATE	UG/KG	714	U	604	U
FLUORANTHENE	UG/KG	714	U	604	U
PYRENE	UG/KG	714	U	604	U
BENZYL BUTYL PHTHALATE	UG/KG	714	U	604	U
3,3'-DICHLOROBENZIDINE	UG/KG	1430	U	1210	U
BENZO(a)ANTHRACENE	UG/KG	714	U	604	U
CHRYSENE	UG/KG	714	U	604	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	714	U	604	U
DI-n-OCTYLPHTHALATE	UG/KG	714	U	604	U
BENZO(b)FLUORANTHENE	UG/KG	714	U	604	U
BENZO(k)FLUORANTHENE	UG/KG	714	U	604	U
BENZO(a)PYRENE	UG/KG	714	U	604	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	714	U	604	U
DIBENZ(a,h)ANTHRACENE	UG/KG	714	U	604	U
BENZO(g,h,i)PERYLENE	UG/KG	714	U	604	U
CARBAZOLE	UG/KG	714	U	604	U

Summary /face Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J	
	StationID	AOCJSB001		AOCJSB002		AOCJSB003	
	SampleID	NDE102		NDE104		NDE106	
	DateCollected	12/08/2000		12/08/2000		12/08/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**						
VOLATILES							
CHLOROMETHANE	UG/KG	10	U	9.8	U	12	U
BROMOMETHANE	UG/KG	10	U	9.8	U	12	U
VINYL CHLORIDE	UG/KG	10	U	9.8	U	12	U
CHLOROETHANE	UG/KG	10	U	9.8	U	12	U
1,1-DICHLOROETHENE	UG/KG	10	U	9.8	U	12	U
CARBON DISULFIDE	UG/KG	0.61	J	9.8	U	12	U
1,1-DICHLOROETHANE	UG/KG	10	U	9.8	U	12	U
ACETONE	UG/KG	13	R	34	R	12	R
CHLOROFORM	UG/KG	10	U	9.8	U	12	U
METHYLENE CHLORIDE	UG/KG	0.74	J	0.66	J	12	U
CARBON TETRACHLORIDE	UG/KG	10	U	9.8	U	12	U
BENZENE	UG/KG	10	U	9.8	U	12	U
1,2-DICHLOROETHANE	UG/KG	10	U	9.8	U	12	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	9.8	R	12	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	9.8	U	12	U
1,2-DICHLOROPROPANE	UG/KG	10	U	9.8	U	12	U
1,1,1-TRICHLOROETHANE	UG/KG	10	U	9.8	U	12	U
BROMODICHLOROMETHANE	UG/KG	10	U	9.8	U	12	U
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	9.8	U	12	U
TOLUENE	UG/KG	10	U	9.8	U	12	U
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	9.8	U	12	U
DIBROMOCHLOROMETHANE	UG/KG	10	U	9.8	U	12	U
CHLOROBENZENE	UG/KG	10	U	9.8	U	12	U
ETHYLBENZENE	UG/KG	10	U	9.8	U	12	U
METHYL ISOBUTYL KETONE (4-METHYL-2-PENTANONE)	UG/KG	10	U	9.8	U	12	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	9.8	U	12	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	9.8	U	12	U
1,1,2-TRICHLOROETHANE	UG/KG	10	U	9.8	U	12	U
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	9.8	U	12	U
2-HEXANONE	UG/KG	10	U	9.8	U	12	U
XYLENES, TOTAL	UG/KG	10	U	9.8	U	12	U
STYRENE	UG/KG	10	U	9.8	U	12	U
BROMOFORM	UG/KG	10	U	9.8	U	12	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	0.69	J	12	U

Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J	
	StationID	AOCJSB004		AOCJSB005	
	SampleID	NDE108		NDE110	
	DateCollected	12/08/2000		12/08/2000	
	Depth	0 to 0.5		0 to 0.5	
Parameter	**Units**				
VOLATILES					
CHLOROMETHANE	UG/KG	13	U	12	UJ
BROMOMETHANE	UG/KG	13	U	12	UJ
VINYL CHLORIDE	UG/KG	13	U	12	UJ
CHLOROETHANE	UG/KG	13	U	12	UJ
1,1-DICHLOROETHENE	UG/KG	13	U	12	UJ
CARBON DISULFIDE	UG/KG	13	U	12	UJ
1,1-DICHLOROETHANE	UG/KG	13	U	12	UJ
ACETONE	UG/KG	24	R	25	R
CHLOROFORM	UG/KG	13	U	12	UJ
METHYLENE CHLORIDE	UG/KG	0.9	J	0.65	J
CARBON TETRACHLORIDE	UG/KG	13	U	12	UJ
BENZENE	UG/KG	13	U	12	UJ
1,2-DICHLOROETHANE	UG/KG	13	U	12	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	13	R	12	R
TRICHLOROETHYLENE (TCE)	UG/KG	13	U	12	UJ
1,2-DICHLOROPROPANE	UG/KG	13	U	12	UJ
1,1,1-TRICHLOROETHANE	UG/KG	13	U	12	UJ
BROMODICHLOROMETHANE	UG/KG	13	U	12	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	13	U	12	UJ
TOLUENE	UG/KG	13	U	12	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	13	U	12	UJ
DIBROMOCHLOROMETHANE	UG/KG	13	U	12	UJ
CHLOROBENZENE	UG/KG	13	U	12	UJ
ETHYLBENZENE	UG/KG	13	U	12	UJ
METHYL ISOBUTYL KETONE (4-METHYL-2-PENTANONE)	UG/KG	13	U	12	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	13	U	12	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	13	U	12	UJ
1,1,2-TRICHLOROETHANE	UG/KG	13	U	12	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	13	U	12	UJ
2-HEXANONE	UG/KG	13	U	3.2	J
XYLENES, TOTAL	UG/KG	13	U	12	UJ
STYRENE	UG/KG	13	U	12	UJ
BROMOFORM	UG/KG	13	U	12	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	13	UJ	12	UJ

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Date was unusable.

AOC J Analytical Data Summary - Sediment
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J		AOC-J		AOC-J		AOC-J	
	StationID	AOCJSD001		AOCJSD002		AOCJSD003		AOCJSD004		AOCJSD005		AOCJSD005	
	SampleID	NDE114		NDE115		NDE116		NDE117		NDE118		NDE119FD1	
	DateCollected	12/12/2000		12/13/2000		12/13/2000		12/13/2000		12/13/2000		12/13/2000	
	Depth	0 to 0		0 to 0		0 to 0		0 to 0		0 to 0		0 to 0	
Parameter	**Units**												
EXPLOSIVES													
2,6-DINITROTOLUENE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TETRAZOCINE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
1,3,5-TRINITROBENZENE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
1,3-DINITROBENZENE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
METHYL-2,4,6-TRINITROPHENYLNITRAMINE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
NITROBENZENE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
2,4,6-TRINITROTOLUENE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
2,4-DINITROTOLUENE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
2-NITROTOLUENE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
4-NITROTOLUENE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
3-NITROTOLUENE	UG/KG	340	U	370	U	485	U	635	U	337	U	344	U
METALS													
ALUMINUM	MG/KG	3200	=	11000	=	2300	=	4800	=	1500	=	1600	=
ANTIMONY	MG/KG	0.33	UJ	0.36	U	0.47	U	0.62	U	0.33	U	0.33	U
ARSENIC	MG/KG	0.4	U	0.43	U	0.57	U	0.76	U	0.4	U	0.4	U
BARIUM	MG/KG	29	J	77	=	15	J	58	J	7.2	J	6.2	J
BERYLLIUM	MG/KG	0.045	U	0.31	J	0.064	U	0.086	U	0.046	U	0.046	U
CADMIUM	MG/KG	0.037	U	0.04	U	0.053	U	0.07	U	0.037	U	0.037	U
CALCIUM	MG/KG	1000	J	2300	=	2200	=	2600	J	5400	=	1600	=
CHROMIUM, TOTAL	MG/KG	3	=	5.4	=	2.2	J	4.3	J	1.9	J	1.8	J
COBALT	MG/KG	3	J	7.7	J	3.9	J	7.8	J	3	J	3.3	J
COPPER	MG/KG	9.8	=	18	=	10	=	18	=	6.1	J	6.5	J
IRON	MG/KG	11000	=	18000	=	10000	=	18000	=	6300	=	7300	=
MAGNESIUM	MG/KG	990	J	2500	=	1000	J	2300	J	910	J	690	J
MANGANESE	MG/KG	93	=	510	J	400	J	320	J	250	J	110	J
LEAD	MG/KG	2.5	=	4.6	=	1.4	=	3.8	=	1.1	=	1.3	=
MERCURY	MG/KG	0.0034	U	0.022	J	0.015	J	0.0083	J	0.013	J	0.0035	U
NICKEL	MG/KG	1.3	J	2.5	J	1.2	J	2.4	J	0.89	J	0.85	J
POTASSIUM	MG/KG	520	J	1000	J	580	J	1300	J	410	J	420	J
SELENIUM	MG/KG	0.74	J	1.3	J	1.6	J	1.2	U	0.64	U	0.64	U
SILVER	MG/KG	0.078	U	0.085	U	0.11	U	0.15	U	0.079	U	0.079	U
SODIUM	MG/KG	1700	=	2800	=	1900	J	4900	=	1600	=	1200	J
THALLIUM	MG/KG	0.47	U	0.84	J	0.66	U	0.89	U	0.47	U	0.47	U
VANADIUM	MG/KG	44	=	63	=	29	=	64	=	20	=	23	=
ZINC	MG/KG	14	=	25	=	9.8	=	25	=	7.5	=	7.3	=
PESTICIDES													
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	UG/KG	2.3	UJ	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	UG/KG	2.3	U	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	UG/KG	2.3	U	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ
GAMMA BHC (LINDANE)	UG/KG	2.3	U	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ
HEPTACHLOR	UG/KG	2.3	U	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ
ALDRIN	UG/KG	2.3	U	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ

AOC J Analytical Data Summary - Sediment
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J		AOC-J		AOC-J		AOC-J	
	StationID	AOCJSD001		AOCJSD002		AOCJSD003		AOCJSD004		AOCJSD005		AOCJSD005	
	SampleID	NDE114		NDE115		NDE116		NDE117		NDE118		NDE119FD1	
	DateCollected	12/12/2000		12/13/2000		12/13/2000		12/13/2000		12/13/2000		12/13/2000	
	Depth	0 to 0		0 to 0		0 to 0		0 to 0		0 to 0		0 to 0	
Parameter	**Units**												
HEPTACHLOR EPOXIDE	UG/KG	2.3	U	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2.3	U	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ
DIELDRIN	UG/KG	4.5	U	4.9	UJ	6.4	UJ	8.6	UJ	4.6	UJ	4.6	UJ
p,p'-DDE	UG/KG	4.5	U	4.9	UJ	6.4	UJ	8.6	UJ	4.6	UJ	4.6	UJ
ENDRIN	UG/KG	4.5	U	4.9	UJ	6.4	UJ	8.6	UJ	4.6	UJ	4.6	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	4.5	U	4.9	UJ	6.4	UJ	8.6	UJ	4.6	UJ	4.6	UJ
p,p'-DDD	UG/KG	4.5	U	4.9	UJ	6.4	UJ	8.6	UJ	4.6	UJ	4.6	UJ
ENDOSULFAN SULFATE	UG/KG	4.5	U	4.9	UJ	6.4	UJ	8.6	UJ	4.6	UJ	4.6	UJ
p,p'-DDT	UG/KG	4.5	U	4.9	UJ	6.4	UJ	8.6	UJ	4.6	UJ	4.6	UJ
METHOXYCHLOR	UG/KG	23	U	25	UJ	33	UJ	45	UJ	24	UJ	24	UJ
ENDRIN ALDEHYDE	UG/KG	4.5	U	4.9	UJ	6.4	UJ	8.6	UJ	4.6	UJ	4.6	UJ
ALPHA-CHLORDANE	UG/KG	2.3	U	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ
GAMMA-CHLORDANE	UG/KG	2.3	U	2.5	UJ	3.3	UJ	4.5	UJ	2.4	UJ	2.4	UJ
ENDRIN KETONE	UG/KG	4.5	U	4.9	UJ	6.4	UJ	8.6	UJ	4.6	UJ	4.6	UJ
TOXAPHENE	UG/KG	234	U	254	UJ	334	UJ	447	UJ	237	UJ	236	UJ
PCB													
PCB-1016 (AROCHLOR 1016)	UG/KG	45	U	49	UJ	64	UJ	86	UJ	46	UJ	46	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	45	U	49	UJ	64	UJ	86	UJ	46	UJ	46	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	91	U	99	UJ	131	UJ	175	UJ	93	UJ	93	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	45	U	49	UJ	64	UJ	86	UJ	46	UJ	46	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	45	U	49	UJ	64	UJ	86	UJ	46	UJ	46	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	45	U	49	UJ	64	UJ	86	UJ	46	UJ	46	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	45	U	49	UJ	64	UJ	86	UJ	46	UJ	46	UJ
SEMI-VOLATILES													
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHER)	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
PHENOL	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2-CHLOROPHENOL	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
1,3-DICHLOROBENZENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
1,4-DICHLOROBENZENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
1,2-DICHLOROBENZENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
HEXACHLOROETHANE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
CRESOLS, m & p	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
NITROBENZENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
ISOPHORONE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2-NITROPHENOL	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2,4-DIMETHYLPHENOL	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2,4-DICHLOROPHENOL	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
1,2,4-TRICHLOROBENZENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
NAPHTHALENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
4-CHLOROANILINE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U

AOC J Analytical Dat. ummary - Sediment
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J		AOC-J		AOC-J		AOC-J	
	StationID	AOCJSD001		AOCJSD002		AOCJSD003		AOCJSD004		AOCJSD005		AOCJSD005	
	SampleID	NDE114		NDE115		NDE116		NDE117		NDE118		NDE119FD1	
	DateCollected	12/12/2000		12/13/2000		12/13/2000		12/13/2000		12/13/2000		12/13/2000	
	Depth	0 to 0		0 to 0		0 to 0		0 to 0		0 to 0		0 to 0	
Parameter	**Units**												
2-METHYLNAPHTHALENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
HEXACHLOROBUTADIENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
4-CHLORO-3-METHYLPHENOL	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2,4,6-TRICHLOROPHENOL	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2,4,5-TRICHLOROPHENOL	UG/KG	2180	U	1940	U	2690	U	4130	U	2120	U	2050	U
2-CHLORONAPHTHALENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2-NITROANILINE	UG/KG	2180	U	1940	U	2690	U	4130	U	2120	U	2050	U
ACENAPHTHYLENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
DIMETHYL PHTHALATE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2,6-DINITROTOLUENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
ACENAPHTHENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
3-NITROANILINE	UG/KG	2180	U	1940	U	2690	U	4130	U	2120	U	2050	U
2,4-DINITROPHENOL	UG/KG	2180	U	1940	U	2690	U	4130	U	2120	U	2050	U
DIBENZOFURAN	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
2,4-DINITROTOLUENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
4-NITROPHENOL	UG/KG	2180	U	1940	U	2690	U	4130	U	2120	U	2050	U
FLUORENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
DIETHYL PHTHALATE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
4-NITROANILINE	UG/KG	2180	U	1940	U	2690	U	4130	U	2120	U	2050	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	2180	U	1940	U	2690	U	4130	U	2120	U	2050	U
N-NITROSODIPHENYLAMINE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
HEXACHLOROBENZENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
PENTACHLOROPHENOL	UG/KG	2180	U	1940	U	2690	U	4130	U	2120	U	2050	U
PHENANTHRENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
ANTHRACENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
DI-n-BUTYL PHTHALATE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
FLUORANTHENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
PYRENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
BENZYL BUTYL PHTHALATE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
3,3'-DICHLOROBENZIDINE	UG/KG	1450	U	1300	U	1800	U	2750	U	1410	U	1370	U
BENZO(a)ANTHRACENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
CHRYSENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
DI-n-OCTYLPHTHALATE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
BENZO(b)FLUORANTHENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
BENZO(k)FLUORANTHENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
BENZO(a)PYRENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
DIBENZ(a,h)ANTHRACENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
BENZO(g,h,i)PERYLENE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U
CARBAZOLE	UG/KG	725	U	648	U	898	U	1380	U	706	U	683	U

AOC J Analytical Data Summary - Sediment
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-J		AOC-J		AOC-J		AOC-J		AOC-J		AOC-J	
	StationID	AOCJSD001		AOCJSD002		AOCJSD003		AOCJSD004		AOCJSD005		AOCJSD005	
	SampleID	NDE114		NDE115		NDE116		NDE117		NDE118		NDE119FD1	
	DateCollected	12/12/2000		12/13/2000		12/13/2000		12/13/2000		12/13/2000		12/13/2000	
	Depth	0 to 0		0 to 0		0 to 0		0 to 0		0 to 0		0 to 0	
Parameter	**Units**												
VOLATILES													
CHLOROMETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
BROMOMETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
VINYL CHLORIDE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
CHLOROETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
1,1-DICHLOROETHENE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
CARBON DISULFIDE	UG/KG	1.8	J	16	U	18	J	6.3	J	5.7	J	5.1	J
1,1-DICHLOROETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
ACETONE	UG/KG	44	R	50	R	54	R	73	R	24	R	33	R
CHLOROFORM	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
METHYLENE CHLORIDE	UG/KG	2	J	16	U	2.9	J	3.6	J	1.1	J	14	U
CARBON TETRACHLORIDE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
BENZENE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
1,2-DICHLOROETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	7.9	J	16	R	11	J	8.8	J	12	R	2.6	J
TRICHLOROETHYLENE (TCE)	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
1,2-DICHLOROPROPANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
1,1,1-TRICHLOROETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
BROMODICHLOROMETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
cis-1,3-DICHLOROPROPENE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
TOLUENE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
trans-1,3-DICHLOROPROPENE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
DIBROMOCHLOROMETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
CHLOROBENZENE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
ETHYLBENZENE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
METHYL ISOBUTYL KETONE (4-METHYL-2-PENTANONE)	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
1,1,2-TRICHLOROETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
TETRACHLOROETHYLENE(PCE)	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
2-HEXANONE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
XYLENES, TOTAL	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
STYRENE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
BROMOFORM	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	18	U	16	U	21	U	34	U	12	U	14	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.

UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.

J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B = Analyte was detected in the associated method blank.

R = Date was unusable.

AOC K Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-K		AOC-K		AOC-K		AOC-K		AOC-K		AOC-K	
	StationID	AOC-K-MW01		AOC-K-MW02		AOC-K-MW03		AOC-K-MW04		AOC-K-MW05		AOC-K-MW05	
	SampleID	NDE218		NDE219		NDE220		NDE221		NDE222FD1		NDE223	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**												
DISSOLVED METALS													
ALUMINUM, DISSOLVED	UG/L	95	U	95	U	95	U	95	U	95	U	95	U
ANTIMONY, DISSOLVED	UG/L	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U
ARSENIC, DISSOLVED	UG/L	2.9	U	2.9	U	2.9	U	2.9	U	2.9	U	2.9	U
BARIUM, DISSOLVED	UG/L	110	J	92	J	200	=	150	J	170	J	160	J
BERYLLIUM, DISSOLVED	UG/L	0.33	U	0.33	U	0.33	U	0.33	U	0.33	U	0.33	U
CALCIUM, DISSOLVED	UG/L	110000	=	82000	=	110000	=	64000	=	73000	=	71000	=
CADMIUM, DISSOLVED	UG/L	0.27	U	0.27	U	0.27	U	0.27	U	0.27	U	0.27	U
CHROMIUM, DISSOLVED	UG/L	0.87	U	0.87	U	0.87	U	0.87	U	0.87	U	0.87	U
COBALT, DISSOLVED	UG/L	0.43	U	0.43	U	0.43	U	0.43	U	0.43	U	1.1	J
COPPER, DISSOLVED	UG/L	0.8	U	3.2	J	0.8	U	2.8	J	3.2	J	4	J
IRON, DISSOLVED	UG/L	25	U	25	U	25	U	25	U	25	U	25	U
LEAD, DISSOLVED	UG/L	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
MAGNESIUM, DISSOLVED	UG/L	58000	=	51000	=	71000	=	42000	=	49000	=	48000	=
MANGANESE, DISSOLVED	UG/L	0.33	U	7.4	J	190	=	370	=	230	=	210	=
MERCURY, DISSOLVED	UG/L	0.025	U	0.025	U	0.025	U	0.025	U	0.025	U	0.025	U
NICKEL, DISSOLVED	UG/L	0.93	U	2.8	J	0.93	U	3.9	J	7.1	J	7	J
POTASSIUM, DISSOLVED	UG/L	8800	J	6100	J	5800	J	4700	J	5900	J	5600	J
SELENIUM, DISSOLVED	UG/L	4.6	U	4.6	U	4.6	U	6.4	=	4.6	U	4.6	U
SILVER, DISSOLVED	UG/L	0.57	U	0.57	U	0.57	U	0.57	U	0.57	U	0.57	U
SODIUM, DISSOLVED	UG/L	180000	=	170000	=	200000	=	170000	=	160000	=	160000	=
THALLIUM, DISSOLVED	UG/L	3.4	U	5.3	J	3.4	U	3.4	U	3.4	U	6.4	J
VANADIUM, DISSOLVED	UG/L	6.2	J	8	J	4.9	J	8.2	J	8.1	J	8.2	J
ZINC, DISSOLVED	UG/L	5	U	5	U	5	U	5	U	5	U	9.7	J
TOTAL METALS													
ALUMINUM	UG/L	95	U	910	=	2000	=	9100	=	990	=	680	=
ANTIMONY	UG/L	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U
ARSENIC	UG/L	2.9	U	2.9	U	2.9	U	2.9	U	2.9	U	2.9	U
BARIUM	UG/L	110	J	94	J	250	=	390	=	190	J	180	J
BERYLLIUM	UG/L	0.33	U	0.33	U	0.33	U	0.33	U	0.33	U	0.33	U
CADMIUM	UG/L	0.27	U	0.27	U	0.27	U	0.27	U	0.27	U	0.27	U
CALCIUM	UG/L	120000	=	82000	=	120000	=	79000	=	78000	=	76000	=
CHROMIUM, TOTAL	UG/L	0.87	U	0.87	U	4.9	J	19	=	6.2	J	4.8	J
COBALT	UG/L	0.43	U	0.43	U	5.4	J	23	J	0.43	U	0.43	U
COPPER	UG/L	0.8	U	5.1	J	12	J	26	=	9	J	6.3	J
IRON	UG/L	86	J	1100	=	3800	=	9600	=	1200	=	790	=
MAGNESIUM	UG/L	59000	=	51000	=	76000	=	49000	=	53000	=	51000	=
MANGANESE	UG/L	18	=	22	J	400	=	1300	J	290	J	230	J
LEAD	UG/L	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
MERCURY	UG/L	0.025	U	0.025	U	0.025	U	0.025	U	0.025	U	0.025	U
NICKEL	UG/L	0.93	U	0.93	U	9.2	J	30	J	16	J	12	J
POTASSIUM	UG/L	8500	J	6200	J	6000	J	5100	J	6300	J	5900	J
SELENIUM	UG/L	4.6	U	4.6	U	4.6	U	4.6	U	4.6	U	4.6	U
SILVER	UG/L	0.57	U	0.57	U	0.57	U	0.57	U	0.57	U	0.57	U

AOC K Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-K		AOC-K		AOC-K		AOC-K		AOC-K		AOC-K	
	StationID	AOC-K-MW01		AOC-K-MW02		AOC-K-MW03		AOC-K-MW04		AOC-K-MW05		AOC-K-MW05	
	SampleID	NDE218		NDE219		NDE220		NDE221		NDE222FD1		NDE223	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**												
SODIUM	UG/L	180000	=	170000	=	210000	=	160000	=	170000	=	170000	=
THALLIUM	UG/L	9.3	J	3.4	U	8	J	3.4	U	3.4	U	3.4	U
VANADIUM	UG/L	6.9	J	12	J	20	J	64	=	15	J	13	J
ZINC	UG/L	5	U	5	U	5	U	28	=	5	U	22	=
PESTICIDES													
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	UG/L	0.011	U	0.01	U	0.01	UJ	0.01	UJ	0.011	UJ	0.01	UJ
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	UG/L	0.011	U	0.01	U	0.01	UJ	0.01	UJ	0.011	UJ	0.01	UJ
GAMMA BHC (LINDANE)	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
HEPTACHLOR	UG/L	0.011	U	0.01	U	0.01	UJ	0.01	UJ	0.011	UJ	0.01	UJ
ALDRIN	UG/L	0.011	U	0.01	U	0.01	UJ	0.01	UJ	0.011	UJ	0.01	UJ
HEPTACHLOR EPOXIDE	UG/L	0.011	U	0.01	U	0.01	UJ	0.01	UJ	0.011	UJ	0.01	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
DIELDRIN	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
p,p'-DDE	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
ENDRIN	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
p,p'-DDD	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
ENDOSULFAN SULFATE	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
p,p'-DDT	UG/L	0.022	U	0.02	UJ	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
METHOXYCHLOR	UG/L	0.108	U	0.1	U	0.102	UJ	0.103	UJ	0.114	UJ	0.101	UJ
ENDRIN ALDEHYDE	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
ALPHA-CHLORDANE	UG/L	0.011	U	0.01	U	0.01	UJ	0.01	UJ	0.011	UJ	0.01	UJ
GAMMA-CHLORDANE	UG/L	0.011	U	0.01	U	0.01	UJ	0.01	UJ	0.011	UJ	0.01	UJ
ENDRIN KETONE	UG/L	0.022	U	0.02	U	0.02	UJ	0.021	UJ	0.023	UJ	0.02	UJ
TOXAPHENE	UG/L	1.1	U	1	U	1	UJ	1	UJ	1.1	UJ	1	UJ
PCB													
PCB-1016 (AROCHLOR 1016)	UG/L	0.216	U	0.2	U	0.204	UJ	0.206	UJ	0.229	UJ	0.201	UJ
PCB-1260 (AROCHLOR 1260)	UG/L	0.216	U	0.2	U	0.204	UJ	0.206	UJ	0.229	UJ	0.201	UJ
PCB-1221 (AROCHLOR 1221)	UG/L	0.432	U	0.4	U	0.408	UJ	0.412	UJ	0.457	UJ	0.402	UJ
PCB-1232 (AROCHLOR 1232)	UG/L	0.216	U	0.2	U	0.204	UJ	0.206	UJ	0.229	UJ	0.201	UJ
PCB-1242 (AROCHLOR 1242)	UG/L	0.216	U	0.2	U	0.204	UJ	0.206	UJ	0.229	UJ	0.201	UJ
PCB-1248 (AROCHLOR 1248)	UG/L	0.216	U	0.2	U	0.204	UJ	0.206	UJ	0.229	UJ	0.201	UJ
PCB-1254 (AROCHLOR 1254)	UG/L	0.216	U	0.2	U	0.204	UJ	0.206	UJ	0.229	UJ	0.201	UJ
SEMI-VOLATILES													
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYL ETHER)	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
PHENOL	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2-CHLOROPHENOL	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
bis(2-CHLOROISOPROPYL) ETHER	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2-METHYLPHENOL (o-CRESOL)	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
HEXACHLOROETHANE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
N-NITROSODI-n-PROPYLAMINE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
CRESOLS, m & p	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
NITROBENZENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U

AOC K Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-K		AOC-K		AOC-K		AOC-K		AOC-K		AOC-K	
	StationID	AOC-K-MW01		AOC-K-MW02		AOC-K-MW03		AOC-K-MW04		AOC-K-MW05		AOC-K-MW05	
	SampleID	NDE218		NDE219		NDE220		NDE221		NDE222FD1		NDE223	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**												
ISOPHORONE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2-NITROPHENOL	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2,4-DIMETHYLPHENOL	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
bis(2-CHLOROETHOXY) METHANE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2,4-DICHLOROPHENOL	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
NAPHTHALENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
4-CHLOROANILINE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2-METHYLNAPHTHALENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
HEXACHLOROBUTADIENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
4-CHLORO-3-METHYLPHENOL	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
HEXACHLOROCYCLOPENTADIENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2,4,6-TRICHLOROPHENOL	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2,4,5-TRICHLOROPHENOL	UG/L	22	U	21	U	20	U	21	U	24	U	21	U
2-CHLORONAPHTHALENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2-NITROANILINE	UG/L	22	U	21	U	20	U	21	U	24	U	21	U
ACENAPHTHYLENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
DIMETHYL PHTHALATE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2,6-DINITROTOLUENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
ACENAPHTHENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
3-NITROANILINE	UG/L	22	U	21	U	20	U	21	U	24	U	21	U
2,4-DINITROPHENOL	UG/L	22	U	21	U	20	U	21	U	24	U	21	U
DIBENZOFURAN	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
2,4-DINITROTOLUENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
4-NITROPHENOL	UG/L	22	U	21	U	20	U	21	U	24	U	21	U
FLUORENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
4-CHLOROPHENYL PHENYL ETHER	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
DIETHYL PHTHALATE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
4-NITROANILINE	UG/L	22	U	21	U	20	U	21	U	24	U	21	U
4,6-DINITRO-2-METHYLPHENOL	UG/L	22	U	21	U	20	U	21	U	24	U	21	U
N-NITROSODIPHENYLAMINE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
4-BROMOPHENYL PHENYL ETHER	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
HEXACHLOROBENZENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
PENTACHLOROPHENOL	UG/L	22	U	21	U	20	U	21	U	24	U	21	U
PHENANTHRENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
ANTHRACENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
DI-n-BUTYL PHTHALATE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
FLUORANTHENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
PYRENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
BENZYL BUTYL PHTHALATE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
3,3'-DICHLOROBENZIDINE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
BENZO(a)ANTHRACENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
CHRYSENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/L	5.4	U	5.2	U	5	U	5.1	U	15	=	19	=
DI-n-OCTYLPHTHALATE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U

AOC K Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-K		AOC-K		AOC-K		AOC-K		AOC-K		AOC-K	
	StationID	AOC-K-MW01		AOC-K-MW02		AOC-K-MW03		AOC-K-MW04		AOC-K-MW05		AOC-K-MW05	
	SampleID	NDE218		NDE219		NDE220		NDE221		NDE222FD1		NDE223	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**												
BENZO(b)FLUORANTHENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
BENZO(k)FLUORANTHENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
BENZO(a)PYRENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
INDENO(1,2,3-c,d)PYRENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
DIBENZ(a,h)ANTHRACENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
BENZO(g,h,i)PERYLENE	UG/L	5.4	U	5.2	U	5	U	5.1	U	5.9	U	5.3	U
VOLATILES													
CHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
BROMOMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
VINYL CHLORIDE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,3-DICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
CHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,1-DICHLOROETHENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,4-DICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,2-DICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
CARBON DISULFIDE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,1-DICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
ACETONE	UG/L	5	R	5	R	5	R	5	R	5	R	5	R
CHLOROFORM	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
METHYLENE CHLORIDE	UG/L	2	U	2	U	2	U	2	U	2	U	2	U
CARBON TETRACHLORIDE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
BENZENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,2-DICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/L	5	R	5	R	5	R	5	R	5	R	5	R
TRICHLOROETHYLENE (TCE)	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,2-DICHLOROPROPANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,1,1-TRICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,2,4-TRICHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
BROMODICHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
cis-1,3-DICHLOROPROPENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
TOLUENE	UG/L	0.62	J	1	U	0.43	J	1	U	1	U	0.75	J
trans-1,3-DICHLOROPROPENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
DIBROMOCHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
CHLOROBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
ETHYLBENZENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
METHYL ISOBUTYL KETONE (4-METHYL-2-PENTANONE)	UG/L	5	U	5	U	5	U	5	U	5	U	5	U
M,P-XYLENE (SUM OF ISOMERS)	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,1,2-TRICHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
TETRACHLOROETHYLENE(PCE)	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
2-HEXANONE	UG/L	5	U	5	U	5	U	5	U	5	U	5	U
XYLENES, TOTAL	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
BROMOCHLOROMETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U

AOC K Analytical Data Summary - Groundwater
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-K		AOC-K		AOC-K		AOC-K		AOC-K		AOC-K	
	StationID	AOC-K-MW01		AOC-K-MW02		AOC-K-MW03		AOC-K-MW04		AOC-K-MW05		AOC-K-MW05	
	SampleID	NDE218		NDE219		NDE220		NDE221		NDE222FD1		NDE223	
	DateCollected	12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000		12/19/2000	
Parameter	**Units**												
STYRENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
BROMOFORM	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
1,1,2,2-TETRACHLOROETHANE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
cis-1,2-DICHLOROETHYLENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
trans-1,2-DICHLOROETHENE	UG/L	1	U	1	U	1	U	1	U	1	U	1	U
ETHYLENE DIBROMIDE (1,2-DIBROMOETHANE)	UG/L	1	U	1	U	1	U	1	U	1	U	1	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Date was unusable.

AOC L Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-L		AOC-L		AOC-L		AOC-L		AOC-L	
	StationID	AOCLSB001		AOCLSB002		AOCLSB003		AOCLSB004		AOCLSB004	
	SampleID	NDE121		NDE123		NDE125		NDE127		NDE128FD1	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
METALS											
ALUMINUM	MG/KG	7310	=	9150	=	8180	=	6350	=	7900	=
ANTIMONY	MG/KG	0.62	J	0.71	J	0.5	J	0.5	J	0.91	J
ARSENIC	MG/KG	1	J	0.46	J	0.33	U	0.51	J	0.58	J
BARIUM	MG/KG	113	=	66	=	62	=	40	J	52	=
BERYLLIUM	MG/KG	0.14	J	0.13	J	0.11	J	0.14	J	0.17	J
CADMIUM	MG/KG	0.031	U	0.031	U	0.031	U	0.03	U	0.03	U
CALCIUM	MG/KG	36500	=	4300	=	4880	=	7280	=	8300	=
CHROMIUM, TOTAL	MG/KG	8.5	=	11	=	7.4	=	7.3	=	8.9	=
COBALT	MG/KG	5.3	J	8.1	J	6.9	J	5.8	J	7	J
COPPER	MG/KG	18	=	34	=	22	=	20	=	23	=
IRON	MG/KG	14100	=	17700	=	13800	=	12600	=	15000	=
MAGNESIUM	MG/KG	3250	=	3430	=	1750	=	1810	=	2300	=
MANGANESE	MG/KG	332	=	444	=	472	=	340	=	410	=
LEAD	MG/KG	9.9	=	8	=	8.6	=	7.8	=	8.5	=
MERCURY	MG/KG	0.071	=	0.037	J	0.044	J	0.033	J	0.0028	U
NICKEL	MG/KG	3.5	J	7.2	J	3.8	J	3.4	J	4.3	J
POTASSIUM	MG/KG	1100	J	1350	=	849	J	1320	=	1400	=
SELENIUM	MG/KG	0.84	J	1.2	J	0.95	J	0.78	J	0.66	J
SILVER	MG/KG	0.066	U	0.065	U	0.065	U	0.064	U	0.064	U
SODIUM	MG/KG	275	J	61	J	85	J	91	J	130	J
THALLIUM	MG/KG	0.39	U	0.39	U	0.39	U	0.38	U	0.38	U
VANADIUM	MG/KG	42	=	51	=	36	=	36	=	40	=
ZINC	MG/KG	82	=	57	=	54	=	57	=	93	=
PESTICIDES											
ALPHA BHC	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
BETA BHC	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
DELTA BHC	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
GAMMA BHC	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
HEPTACHLOR	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
ALDRIN	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
HEPTACHLOR EPOXIDE	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
DIELDRIN	UG/KG	3.8	U	3.8	U	3.8	U	3.7	U	3.7	U
p,p'-DDE	UG/KG	3.8	U	1.6	J	3.8	U	2.3	J	0.74	J
ENDRIN	UG/KG	3.8	U	3.8	U	3.8	U	3.7	U	3.7	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.8	U	3.8	U	3.8	U	3.7	U	3.7	U
p,p'-DDD	UG/KG	3.8	U	3.8	U	3.8	U	3.7	U	3.7	U
ENDOSULFAN SULFATE	UG/KG	3.8	U	3.8	U	3.8	U	3.7	U	3.7	U
p,p'-DDT	UG/KG	3.8	U	9.1	=	3.8	U	1.2	J	0.59	J
METHOXYCHLOR	UG/KG	20	U	19	U	20	U	19	U	19	U
ENDRIN ALDEHYDE	UG/KG	3.8	U	3.8	U	3.8	U	3.7	U	3.7	U
ALPHA-CHLORDANE	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
GAMMA-CHLORDANE	UG/KG	2	U	1.9	U	2	U	1.9	U	1.9	U
ENDRIN KETONE	UG/KG	3.8	U	3.8	U	3.8	U	3.7	U	3.7	U
TOXAPHENE	UG/KG	196	U	195	U	195	U	190	U	192	U

AOC L Analytical Da mmary - Surface Soil
Phase II Ex, ded PA/SI
NASD, Vieques, Puerto Rico

Site	AOC-L		AOC-L		AOC-L		AOC-L		AOC-L	
StationID	AOCLSB001		AOCLSB002		AOCLSB003		AOCLSB004		AOCLSB004	
SampleID	NDE121		NDE123		NDE125		NDE127		NDE128FD1	
DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000	
Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**									
PCB										
PCB-1016 (AROCHLOR 1016)	UG/KG	38	U	38	U	38	U	37	U	37	U
PCB-1260 (AROCHLOR 1260)	UG/KG	38	U	38	U	38	U	37	U	37	U
PCB-1221 (AROCHLOR 1221)	UG/KG	77	U	76	U	76	U	74	U	75	U
PCB-1232 (AROCHLOR 1232)	UG/KG	38	U	38	U	38	U	37	U	37	U
PCB-1242 (AROCHLOR 1242)	UG/KG	38	U	38	U	38	U	37	U	37	U
PCB-1248 (AROCHLOR 1248)	UG/KG	38	U	38	U	38	U	37	U	37	U
PCB-1254 (AROCHLOR 1254)	UG/KG	38	U	38	U	38	U	37	U	37	U
SEMI-VOLATILES										
bis(2-CHLOROETHYL) ETHER (2-CHLOROETHYI	UG/KG	440	U	444	U	500	U	427	U	496	U
PHENOL	UG/KG	440	U	444	U	500	U	427	U	496	U
2-CHLOROPHENOL	UG/KG	440	U	444	U	500	U	427	U	496	U
1,3-DICHLOROBENZENE	UG/KG	440	U	444	U	500	U	427	U	496	U
1,4-DICHLOROBENZENE	UG/KG	440	U	444	U	500	U	427	U	496	U
1,2-DICHLOROBENZENE	UG/KG	440	U	444	U	500	U	427	U	496	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	440	U	444	U	500	U	427	U	496	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	440	U	444	U	500	U	427	U	496	U
HEXACHLOROETHANE	UG/KG	440	U	444	U	500	U	427	U	496	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	440	U	444	U	500	U	427	U	496	U
CRESOLS, m & p	UG/KG	440	U	444	U	500	U	427	U	496	U
NITROBENZENE	UG/KG	440	U	444	U	500	U	427	U	496	U
ISOPHORONE	UG/KG	440	U	444	U	500	U	427	U	496	U
2-NITROPHENOL	UG/KG	440	U	444	U	500	U	427	U	496	U
2,4-DIMETHYLPHENOL	UG/KG	440	U	444	U	500	U	427	U	496	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	440	U	444	U	500	U	427	U	496	U
2,4-DICHLOROPHENOL	UG/KG	440	U	444	U	500	U	427	U	496	U
1,2,4-TRICHLOROBENZENE	UG/KG	440	U	444	U	500	U	427	U	496	U
NAPHTHALENE	UG/KG	440	U	444	U	500	U	427	U	496	U
4-CHLOROANILINE	UG/KG	440	U	444	U	500	U	427	U	496	U
2-METHYLNAPHTHALENE	UG/KG	440	U	444	U	500	U	427	U	496	U
HEXACHLOROBUTADIENE	UG/KG	440	U	444	U	500	U	427	U	496	U
4-CHLORO-3-METHYLPHENOL	UG/KG	440	U	444	U	500	U	427	U	496	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	440	U	444	U	500	U	427	U	496	U
2,4,6-TRICHLOROPHENOL	UG/KG	440	U	444	U	500	U	427	U	496	U
2,4,5-TRICHLOROPHENOL	UG/KG	1320	U	1330	U	1500	U	1280	U	1490	U
2-CHLORONAPHTHALENE	UG/KG	440	U	444	U	500	U	427	U	496	U
2-NITROANILINE	UG/KG	1320	U	1330	U	1500	U	1280	U	1490	U
ACENAPHTHYLENE	UG/KG	440	U	444	U	500	U	427	U	496	U
DIMETHYL PHTHALATE	UG/KG	440	U	444	U	500	U	427	U	496	U
2,6-DINITROTOLUENE	UG/KG	440	U	444	U	500	U	427	U	496	U
ACENAPHTHENE	UG/KG	440	U	444	U	500	U	427	U	496	U
3-NITROANILINE	UG/KG	1320	U	1330	U	1500	U	1280	U	1490	U
2,4-DINITROPHENOL	UG/KG	1320	U	1330	U	1500	U	1280	U	1490	U
DIBENZOFURAN	UG/KG	440	U	444	U	500	U	427	U	496	U
2,4-DINITROTOLUENE	UG/KG	440	U	444	U	500	U	427	U	496	U
4-NITROPHENOL	UG/KG	1320	U	1330	U	1500	U	1280	U	1490	U

AOC L Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-L		AOC-L		AOC-L		AOC-L		AOC-L	
	StationID	AOCLSB001		AOCLSB002		AOCLSB003		AOCLSB004		AOCLSB004	
	SampleID	NDE121		NDE123		NDE125		NDE127		NDE128FD1	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
FLUORENE	UG/KG	440	U	444	U	500	U	427	U	496	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	440	U	444	U	500	U	427	U	496	U
DIETHYL PHTHALATE	UG/KG	440	U	444	U	500	U	427	U	496	U
4-NITROANILINE	UG/KG	1320	U	1330	U	1500	U	1280	U	1490	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1320	U	1330	U	1500	U	1280	U	1490	U
N-NITROSODIPHENYLAMINE	UG/KG	440	U	444	U	500	U	427	U	496	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	440	U	444	U	500	U	427	U	496	U
HEXACHLOROBENZENE	UG/KG	440	U	444	U	500	U	427	U	496	U
PENTACHLOROPHENOL	UG/KG	1320	U	1330	U	1500	U	1280	U	1490	U
PHENANTHRENE	UG/KG	440	U	444	U	500	U	427	U	496	U
ANTHRACENE	UG/KG	440	U	444	U	500	U	427	U	496	U
DI-n-BUTYL PHTHALATE	UG/KG	440	U	444	U	500	U	427	U	496	U
FLUORANTHENE	UG/KG	440	U	444	U	500	U	427	U	496	U
PYRENE	UG/KG	440	U	444	U	500	U	427	U	496	U
BENZYL BUTYL PHTHALATE	UG/KG	440	U	444	U	500	U	427	U	496	U
3,3'-DICHLOROBENZIDINE	UG/KG	880	U	888	U	1000	U	855	U	992	U
BENZO(a)ANTHRACENE	UG/KG	440	U	444	U	500	U	427	U	496	U
CHRYSENE	UG/KG	440	U	444	U	500	U	427	U	496	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	440	U	444	U	500	U	427	U	496	U
DI-n-OCTYLPHTHALATE	UG/KG	440	U	444	U	500	U	427	U	496	U
BENZO(b)FLUORANTHENE	UG/KG	440	U	444	U	500	U	427	U	496	U
BENZO(k)FLUORANTHENE	UG/KG	440	U	444	U	500	U	427	U	496	U
BENZO(a)PYRENE	UG/KG	440	U	444	U	500	U	427	U	496	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	440	U	444	U	500	U	427	U	496	U
DIBENZ(a,h)ANTHRACENE	UG/KG	440	U	444	U	500	U	427	U	496	U
BENZO(g,h,i)PERYLENE	UG/KG	440	U	444	U	500	U	427	U	496	U
CARBAZOLE	UG/KG	440	U	444	U	500	U	427	U	496	U
VOLATILES											
CHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
BROMOMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
VINYL CHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U
CHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
1,1-DICHLOROETHENE	UG/KG	10	U	10	U	10	U	10	U	10	U
CARBON DISULFIDE	UG/KG	10	U	10	U	10	U	10	U	10	U
1,1-DICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
ACETONE	UG/KG	18	R	18	R	23	R	10	R	27	R
CHLOROFORM	UG/KG	10	U	10	U	10	U	10	U	10	U
METHYLENE CHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U
CARBON TETRACHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U
BENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U
1,2-DICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	10	R	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	10	U	10	U	10	U	10	U
1,2-DICHLOROPROPANE	UG/KG	10	U	10	U	10	U	10	U	10	U
1,1,1-TRICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
BROMODICHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U

AOC L Analytical Da ımary - Surface Soil
Phase II Ex ıed PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-L		AOC-L		AOC-L		AOC-L		AOC-L	
	StationID	AOCLSB001		AOCLSB002		AOCLSB003		AOCLSB004		AOCLSB004	
	SampleID	NDE121		NDE123		NDE125		NDE127		NDE128FD1	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	U	10	U	10	U
TOLUENE	UG/KG	10	U	10	U	10	U	10	U	10	U
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	U	10	U	10	U
DIBROMOCHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
CHLOROBENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U
ETHYLBENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U
METHYL ISOBUTYL KETONE (4-METHYL-2-PENT	UG/KG	10	U	10	U	10	U	10	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	10	U	10	U	10	U	0.27	J
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	10	U	10	U	10	U	10	U
1,1,2-TRICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	10	U	10	U	10	U	10	U
2-HEXANONE	UG/KG	10	U	0.87	J	10	U	1.2	J	1.2	J
XYLENES, TOTAL	UG/KG	10	U	10	U	10	U	10	U	0.27	J
STYRENE	UG/KG	10	U	10	U	10	U	10	U	10	U
BROMOFORM	UG/KG	10	U	10	U	10	U	10	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Date was unusable.

AOC L Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-L		AOC-L		AOC-L		AOC-L	
	StationID	AOCLSB001		AOCLSB002		AOCLSB003		AOCLSB004	
	SampleID	NDE122		NDE124		NDE126		NDE129	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	5 to 6		5 to 6		5 to 6		5 to 6	
Parameter	**Units**								
METALS									
ALUMINUM	MG/KG	1970	=	4560	=	6980	=	5900	=
ANTIMONY	MG/KG	0.71	J	0.68	J	0.3	J	0.46	J
ARSENIC	MG/KG	1.4	J	1.7	J	0.32	U	1.5	J
BARIUM	MG/KG	27	J	43	J	57	=	48	=
BERYLLIUM	MG/KG	0.27	J	0.31	J	0.13	J	0.22	J
CADMIUM	MG/KG	0.049	J	0.13	J	0.03	U	0.032	U
CALCIUM	MG/KG	185000	=	177000	=	2230	=	100000	=
CHROMIUM, TOTAL	MG/KG	9	=	8.2	=	6.4	=	8.2	=
COBALT	MG/KG	1.5	J	2.7	J	5.2	J	3.5	J
COPPER	MG/KG	3.7	J	7.5	=	18	=	11	=
IRON	MG/KG	5100	=	7370	=	12500	=	9600	=
MAGNESIUM	MG/KG	8980	=	9460	=	1940	=	6800	=
MANGANESE	MG/KG	87	=	216	=	324	=	200	=
LEAD	MG/KG	0.9	=	1.1	=	1.3	=	5.2	=
MERCURY	MG/KG	0.006	J	0.008	J	0.014	J	0.1	=
NICKEL	MG/KG	1.2	J	1.6	J	3.5	J	2.2	J
POTASSIUM	MG/KG	328	J	813	J	898	J	920	J
SELENIUM	MG/KG	0.58	U	0.5	U	0.79	J	0.54	U
SILVER	MG/KG	0.072	U	0.062	U	0.062	U	0.067	U
SODIUM	MG/KG	1480	=	1390	=	130	J	1400	=
THALLIUM	MG/KG	0.43	U	0.37	U	0.37	U	0.4	U
VANADIUM	MG/KG	21	=	25	=	35	=	30	=
ZINC	MG/KG	6.8	=	12	=	22	=	39	=
PESTICIDES									
ALPHA BHC	UG/KG	2.2	U	1.8	U	1.9	U	2	U
BETA BHC	UG/KG	2.2	U	1.8	U	1.9	U	2	U
DELTA BHC	UG/KG	2.2	U	1.8	U	1.9	U	2	U
GAMMA BHC	UG/KG	2.2	U	1.8	U	1.9	U	2	U
HEPTACHLOR	UG/KG	2.2	U	1.8	U	1.9	U	2	U
ALDRIN	UG/KG	2.2	U	1.8	U	1.9	U	2	U
HEPTACHLOR EPOXIDE	UG/KG	2.2	U	1.8	U	1.9	U	2	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2.2	U	1.8	U	1.9	U	2	U
DIELDRIN	UG/KG	4.2	U	3.6	U	3.6	U	3.9	U
p,p'-DDE	UG/KG	4.2	U	3.6	U	3.6	U	3.9	U
ENDRIN	UG/KG	4.2	U	3.6	U	3.6	U	3.9	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	4.2	U	3.6	U	3.6	U	3.9	U
p,p'-DDD	UG/KG	4.2	U	3.6	U	3.6	U	3.9	U
ENDOSULFAN SULFATE	UG/KG	4.2	U	3.6	U	3.6	U	3.9	U
p,p'-DDT	UG/KG	4.2	U	3.6	U	3.6	U	3.9	U
METHOXYCHLOR	UG/KG	22	U	18	U	19	U	20	U
ENDRIN ALDEHYDE	UG/KG	4.2	U	3.6	U	3.6	U	3.9	U
ALPHA-CHLORDANE	UG/KG	2.2	U	1.8	U	1.9	U	2	U
GAMMA-CHLORDANE	UG/KG	2.2	U	1.8	U	1.9	U	2	U
ENDRIN KETONE	UG/KG	4.2	U	3.6	U	3.6	U	3.9	U
TOXAPHENE	UG/KG	219	U	185	U	188	U	204	U

AOC L Analytical Data ary - Sub-Surface Soil
Phase II Ex ed PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-L		AOC-L		AOC-L		AOC-L	
	StationID	AOCLSB001		AOCLSB002		AOCLSB003		AOCLSB004	
	SampleID	NDE122		NDE124		NDE126		NDE129	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	5 to 6		5 to 6		5 to 6		5 to 6	
Parameter	**Units**								
PCB									
PCB-1016 (AROCHLOR 1016)	UG/KG	42	U	36	U	36	U	39	U
PCB-1260 (AROCHLOR 1260)	UG/KG	42	U	36	U	36	U	39	U
PCB-1221 (AROCHLOR 1221)	UG/KG	86	U	72	U	73	U	80	U
PCB-1232 (AROCHLOR 1232)	UG/KG	42	U	36	U	36	U	39	U
PCB-1242 (AROCHLOR 1242)	UG/KG	42	U	36	U	36	U	39	U
PCB-1248 (AROCHLOR 1248)	UG/KG	42	U	36	U	36	U	39	U
PCB-1254 (AROCHLOR 1254)	UG/KG	42	U	36	U	36	U	39	U
SEMI-VOLATILES									
bis(2-CHLOROETHYL) ETHER	UG/KG	501	U	387	U	405	U	498	U
PHENOL	UG/KG	501	U	387	U	405	U	498	U
2-CHLOROPHENOL	UG/KG	501	U	387	U	405	U	498	U
1,3-DICHLOROBENZENE	UG/KG	501	U	387	U	405	U	498	U
1,4-DICHLOROBENZENE	UG/KG	501	U	387	U	405	U	498	U
1,2-DICHLOROBENZENE	UG/KG	501	U	387	U	405	U	498	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	501	U	387	U	405	U	498	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	501	U	387	U	405	U	498	U
HEXACHLOROETHANE	UG/KG	501	U	387	U	405	U	498	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	501	U	387	U	405	U	498	U
CRESOLS, m & p	UG/KG	501	U	387	U	405	U	498	U
NITROBENZENE	UG/KG	501	U	387	U	405	U	498	U
ISOPHORONE	UG/KG	501	U	387	U	405	U	498	U
2-NITROPHENOL	UG/KG	501	U	387	U	405	U	498	U
2,4-DIMETHYLPHENOL	UG/KG	501	U	387	U	405	U	498	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	501	U	387	U	405	U	498	U
2,4-DICHLOROPHENOL	UG/KG	501	U	387	U	405	U	498	U
1,2,4-TRICHLOROBENZENE	UG/KG	501	U	387	U	405	U	498	U
NAPHTHALENE	UG/KG	501	U	387	U	405	U	498	U
4-CHLOROANILINE	UG/KG	501	U	387	U	405	U	498	U
2-METHYLNAPHTHALENE	UG/KG	501	U	387	U	405	U	498	U
HEXACHLOROBUTADIENE	UG/KG	501	U	387	U	405	U	498	U
4-CHLORO-3-METHYLPHENOL	UG/KG	501	U	387	U	405	U	498	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	501	U	387	U	405	U	498	U
2,4,6-TRICHLOROPHENOL	UG/KG	501	U	387	U	405	U	498	U
2,4,5-TRICHLOROPHENOL	UG/KG	1500	U	1160	U	1210	U	1490	U
2-CHLORONAPHTHALENE	UG/KG	501	U	387	U	405	U	498	U
2-NITROANILINE	UG/KG	1500	U	1160	U	1210	U	1490	U
ACENAPHTHYLENE	UG/KG	501	U	387	U	405	U	498	U
DIMETHYL PHTHALATE	UG/KG	501	U	387	U	405	U	498	U
2,6-DINITROTOLUENE	UG/KG	501	U	387	U	405	U	498	U
ACENAPHTHENE	UG/KG	501	U	387	U	405	U	498	U
3-NITROANILINE	UG/KG	1500	U	1160	U	1210	U	1490	U
2,4-DINITROPHENOL	UG/KG	1500	U	1160	U	1210	U	1490	U
DIBENZOFURAN	UG/KG	501	U	387	U	405	U	498	U
2,4-DINITROTOLUENE	UG/KG	501	U	387	U	405	U	498	U
4-NITROPHENOL	UG/KG	1500	U	1160	U	1210	U	1490	U

AOC L Analytical Data Summary - Sub-Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-L		AOC-L		AOC-L		AOC-L	
	StationID	AOCLSB001		AOCLSB002		AOCLSB003		AOCLSB004	
	SampleID	NDE122		NDE124		NDE126		NDE129	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	5 to 6		5 to 6		5 to 6		5 to 6	
Parameter	**Units**								
FLUORENE	UG/KG	501	U	387	U	405	U	498	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	501	U	387	U	405	U	498	U
DIETHYL PHTHALATE	UG/KG	501	U	387	U	405	U	498	U
4-NITROANILINE	UG/KG	1500	U	1160	U	1210	U	1490	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1500	U	1160	U	1210	U	1490	U
N-NITROSODIPHENYLAMINE	UG/KG	501	U	387	U	405	U	498	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	501	U	387	U	405	U	498	U
HEXACHLOROBENZENE	UG/KG	501	U	387	U	405	U	498	U
PENTACHLOROPHENOL	UG/KG	1500	U	1160	U	1210	U	1490	U
PHENANTHRENE	UG/KG	501	U	387	U	405	U	498	U
ANTHRACENE	UG/KG	501	U	387	U	405	U	498	U
DI-n-BUTYL PHTHALATE	UG/KG	501	U	387	U	405	U	498	U
FLUORANTHENE	UG/KG	501	U	387	U	405	U	498	U
PYRENE	UG/KG	501	U	387	U	405	U	498	U
BENZYL BUTYL PHTHALATE	UG/KG	501	U	387	U	405	U	498	U
3,3'-DICHLOROBENZIDINE	UG/KG	1000	U	774	U	810	U	996	U
BENZO(a)ANTHRACENE	UG/KG	501	U	387	U	405	U	498	U
CHRYSENE	UG/KG	501	U	387	U	405	U	498	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	501	U	387	U	405	U	498	U
DI-n-OCTYLPHTHALATE	UG/KG	501	U	387	U	405	U	498	U
BENZO(b)FLUORANTHENE	UG/KG	501	U	387	U	405	U	498	U
BENZO(k)FLUORANTHENE	UG/KG	501	U	387	U	405	U	498	U
BENZO(a)PYRENE	UG/KG	501	U	387	U	405	U	498	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	501	U	387	U	405	U	498	U
DIBENZ(a,h)ANTHRACENE	UG/KG	501	U	387	U	405	U	498	U
BENZO(g,h,i)PERYLENE	UG/KG	501	U	387	U	405	U	498	U
CARBAZOLE	UG/KG	501	U	387	U	405	U	498	U
VOLATILES									
CHLOROMETHANE	UG/KG	11	U	11	U	10	U	10	U
BROMOMETHANE	UG/KG	11	U	11	U	10	U	10	U
VINYL CHLORIDE	UG/KG	11	U	11	U	10	U	10	U
CHLOROETHANE	UG/KG	11	U	11	U	10	U	10	U
1,1-DICHLOROETHENE	UG/KG	11	U	11	U	10	U	10	U
CARBON DISULFIDE	UG/KG	11	U	11	U	10	U	10	U
1,1-DICHLOROETHANE	UG/KG	11	U	11	U	10	U	10	U
ACETONE	UG/KG	17	R	27	R	10	R	82	R
CHLOROFORM	UG/KG	11	U	11	U	10	U	10	U
METHYLENE CHLORIDE	UG/KG	11	U	11	U	10	U	10	U
CARBON TETRACHLORIDE	UG/KG	11	U	11	U	10	U	10	U
BENZENE	UG/KG	11	U	11	U	10	U	10	U
1,2-DICHLOROETHANE	UG/KG	11	U	11	U	10	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	11	R	11	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	11	U	11	U	10	U	10	U
1,2-DICHLOROPROPANE	UG/KG	11	U	11	U	10	U	10	U
1,1,1-TRICHLOROETHANE	UG/KG	11	U	11	U	10	U	10	U
BROMODICHLOROMETHANE	UG/KG	11	U	11	U	10	U	10	U

AOC L Analytical Data . ary - Sub-Surface Soil
Phase II Ex. ued PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-L		AOC-L		AOC-L		AOC-L	
	StationID	AOCLSB001		AOCLSB002		AOCLSB003		AOCLSB004	
	SampleID	NDE122		NDE124		NDE126		NDE129	
	DateCollected	11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	5 to 6		5 to 6		5 to 6		5 to 6	
Parameter	**Units**								
cis-1,3-DICHLOROPROPENE	UG/KG	11	U	11	U	10	U	10	U
TOLUENE	UG/KG	11	U	11	U	10	U	10	U
trans-1,3-DICHLOROPROPENE	UG/KG	11	U	11	U	10	U	10	U
DIBROMOCHLOROMETHANE	UG/KG	11	U	11	U	10	U	10	U
CHLOROBENZENE	UG/KG	11	U	11	U	10	U	10	U
ETHYLBENZENE	UG/KG	11	U	11	U	2	J	10	U
METHYL ISOBUTYL KETONE	UG/KG	11	U	11	U	10	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	11	U	11	U	9	J	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	11	U	11	U	3.1	J	10	U
1,1,2-TRICHLOROETHANE	UG/KG	11	U	11	U	10	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	11	U	11	U	10	U	10	U
2-HEXANONE	UG/KG	11	U	11	U	10	U	10	U
XYLENES, TOTAL	UG/KG	11	U	11	U	12	=	10	U
STYRENE	UG/KG	11	U	11	U	10	U	10	U
BROMOFORM	UG/KG	11	U	11	U	10	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	11	U	11	U	10	U	10	U

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.
UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.
J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.
B = Analyte was detected in the associated method blank.
R = Date was unusable.

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS001		AOCRSS002		AOCRSS003		AOCRSS004		AOCRSS005		AOCRSS006		AOCRSS007		AOCRSS008	
	SampleID	NDE133		NDE134		NDE135		NDE136		NDE137		NDE138		NDE139		NDE140	
	DateCollected	11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METALS																	
ALUMINUM	MG/KG	14000	=	26000	=	9300	=	21000	=	11000	=	10000	=	11000	=	16000	=
ANTIMONY	MG/KG	0.83	J	1.7	J	0.4	J	1.5	J	0.98	J	0.9	J	0.8	J	1.1	J
ARSENIC	MG/KG	0.64	J	1.2	J	0.63	J	0.32	U	0.95	J	0.33	U	0.35	U	0.58	J
BARIUM	MG/KG	69	=	87	=	75	=	51	=	44	J	25	J	24	J	32	J
BERYLLIUM	MG/KG	0.25	J	0.36	J	0.27	J	0.21	J	0.16	J	0.19	J	0.2	J	0.2	J
CADMIUM	MG/KG	0.03	U	0.033	U	0.033	U	0.03	U	0.032	U	0.03	U	0.033	U	0.031	U
CALCIUM	MG/KG	26000	=	38000	=	5100	=	8100	=	8900	=	6900	=	11000	=	9600	=
CHROMIUM, TOTAL	MG/KG	19	J	40	J	9.6	J	50	J	21	J	1.2	J	2.9	J	35	J
COBALT	MG/KG	12	=	24	=	9	J	19	=	9.5	J	12	=	11	J	14	=
COPPER	MG/KG	44	=	90	=	24	=	100	=	54	=	80	=	88	=	52	=
IRON	MG/KG	21000	=	39000	=	17000	=	36000	=	18000	=	22000	=	19000	=	21000	=
MAGNESIUM	MG/KG	6700	=	19000	=	2600	=	19000	=	5800	=	5900	=	6200	=	7600	=
MANGANESE	MG/KG	580	=	1000	=	580	=	590	=	480	=	580	=	520	=	430	=
LEAD	MG/KG	14	J	3.8	J	2.8	J	1.4	J	4.1	J	1.1	J	2	J	1.7	J
MERCURY	MG/KG	0.012	J	0.017	J	0.02	J	0.0028	J	0.013	J	0.0028	U	0.003	U	0.0066	J
NICKEL	MG/KG	13	=	29	=	5.1	J	28	=	7.1	J	1.7	J	2.3	J	22	=
POTASSIUM	MG/KG	770	J	800	J	590	J	640	J	470	J	360	J	520	J	390	J
SELENIUM	MG/KG	0.8	J	0.55	U	0.56	U	0.76	J	0.74	J	0.52	U	0.56	U	0.53	U
SILVER	MG/KG	0.064	U	0.069	U	0.07	U	0.064	U	0.067	U	0.064	U	0.069	U	0.065	U
SODIUM	MG/KG	590	J	600	J	92	J	520	J	510	J	22	U	69	J	810	J
THALLIUM	MG/KG	0.38	U	0.41	U	0.41	U	0.38	U	0.4	U	0.38	U	0.41	U	0.39	U
VANADIUM	MG/KG	62	=	100	=	50	=	100	=	45	=	57	=	49	=	72	=
ZINC	MG/KG	45	=	71	=	28	=	55	=	45	=	41	=	39	=	30	=
PESTICIDES																	
ALPHA BHC	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U
BETA BHC	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U
DELTA BHC	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U
GAMMA BHC (LINDANE)	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U
HEPTACHLOR	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U
ALDRIN	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U
HEPTACHLOR EPOXIDE	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U
DIELDRIN	UG/KG	3.7	U	4	U	4	U	3.7	U	3.8	U	3.7	U	4	U	3.8	U
p,p'-DDE	UG/KG	46	=	0.66	J	4	U	1.5	J	43	=	3.7	U	0.85	J	1.1	J
ENDRIN	UG/KG	3.7	U	4	U	4	U	3.7	U	3.8	U	3.7	U	4	U	3.8	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.7	U	4	U	4	U	3.7	U	3.8	U	3.7	U	4	U	3.8	U
p,p'-DDD	UG/KG	12	J	4	U	4	U	3.7	U	7.4	J	3.7	U	4	U	0.8	J
ENDOSULFAN SULFATE	UG/KG	3.7	U	4	U	4	U	3.7	U	3.8	U	3.7	U	4	U	3.8	U
p,p'-DDT	UG/KG	34	J	4	UJ	4	UJ	0.7	J	19	J	3.7	UJ	4	UJ	0.5	J
METHOXYCHLOR	UG/KG	19	UJ	21	UJ	21	UJ	19	UJ	20	UJ	19	UJ	21	UJ	20	UJ
ENDRIN ALDEHYDE	UG/KG	3.7	U	4	U	4	U	3.7	U	3.8	U	3.7	U	4	U	3.8	U
ALPHA-CHLORDANE	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS009		AOCRSS010		AOCRSS010		AOCRSS011		AOCRSS012		AOCRSS013		AOCRSS014		AOCRSS015	
	SampleID	NDE141		NDE142		NDE143FD1		NDE144		NDE145		NDE146		NDE147		NDE148	
	DateCollected	11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METALS																	
ALUMINUM	MG/KG	18000	=	14000	=	15000	=	24000	=	19000	=	15000	=	21000	=	26000	=
ANTIMONY	MG/KG	1.3	J	1.5	J	2	J	1.6	J	2.1	J	1.2	J	2.5	J	2.8	J
ARSENIC	MG/KG	1.4	J	1.4	J	1.2	J	1.2	J	1.8	J	0.87	J	1.9	J	1.8	J
BARIUM	MG/KG	38	J	47	=	51	=	78	=	51	=	49	=	59	=	98	=
BERYLLIUM	MG/KG	0.26	J	0.24	J	0.24	J	0.35	J	0.23	J	0.16	J	0.16	J	0.22	J
CADMIUM	MG/KG	0.031	U	0.03	U	0.03	U	0.03	U	0.029	U	0.03	U	0.032	U	0.034	U
CALCIUM	MG/KG	20000	=	30000	=	27000	=	36000	=	55000	=	13000	=	8000	=	8500	=
CHROMIUM, TOTAL	MG/KG	32	J	24	J	30	J	36	J	64	J	33	J	82	J	70	J
COBALT	MG/KG	14	=	12	=	13	=	22	=	16	=	14	=	19	=	26	=
COPPER	MG/KG	55	=	45	=	49	=	81	=	67	=	65	=	69	=	67	=
IRON	MG/KG	24000	=	23000	=	22000	=	36000	=	26000	=	25000	=	36000	=	37000	=
MAGNESIUM	MG/KG	12000	=	9100	=	9000	=	18000	=	14000	=	7900	=	8800	=	7000	=
MANGANESE	MG/KG	540	=	580	=	530	=	940	=	600	=	510	=	510	=	920	=
LEAD	MG/KG	150	J	23	J	28	J	3.5	J	75	J	7.6	J	3.5	J	18	J
MERCURY	MG/KG	0.0094	J	0.014	J	0.014	J	0.02	J	0.0051	J	0.013	J	0.0069	J	0.023	J
NICKEL	MG/KG	24	=	14	=	16	=	27	=	26	=	18	=	31	=	32	=
POTASSIUM	MG/KG	510	J	700	J	570	J	720	J	790	J	1100	=	360	J	660	J
SELENIUM	MG/KG	0.64	J	0.72	J	0.52	U	0.51	U	0.49	U	0.86	J	0.54	U	0.57	U
SILVER	MG/KG	0.065	U	0.064	U	0.064	U	0.063	U	0.061	U	0.063	U	0.067	U	0.071	U
SODIUM	MG/KG	360	J	270	J	400	J	550	J	490	J	310	J	24	U	34	J
THALLIUM	MG/KG	0.39	U	0.38	U	0.38	U	0.38	U	0.36	U	0.38	U	0.4	U	0.42	U
VANADIUM	MG/KG	64	=	57	=	59	=	96	=	79	=	78	=	120	=	140	=
ZINC	MG/KG	46	=	58	=	64	=	64	=	42	=	63	=	43	=	44	=
PESTICIDES																	
ALPHA BHC	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U
BETA BHC	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U
DELTA BHC	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U
GAMMA BHC (LINDANE)	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U
HEPTACHLOR	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U
ALDRIN	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U
HEPTACHLOR EPOXIDE	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U
DIELDRIN	UG/KG	3.8	U	3.6	U	3.7	U	3.6	U	3.5	U	3.7	U	3.8	U	4.1	U
p,p'-DDE	UG/KG	22	=	49	=	52	=	50	=	83	=	48	=	2.4	J	57	=
ENDRIN	UG/KG	3.8	U	3.6	U	3.7	U	3.6	U	3.5	U	3.7	U	3.8	U	4.1	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.8	U	3.6	U	3.7	U	3.6	U	3.5	U	3.7	U	3.8	U	4.1	U
p,p'-DDD	UG/KG	2.1	J	2.2	J	2.6	J	3.5	J	14	J	6.4	J	3.8	U	9.4	J
ENDOSULFAN SULFATE	UG/KG	3.8	U	3.6	U	3.7	U	3.6	U	3.5	U	3.7	U	3.8	U	4.1	U
p,p'-DDT	UG/KG	7.6	J	9.2	J	11	J	22	J	48	J	44	J	3.8	UJ	32	=
METHOXYCHLOR	UG/KG	20	UJ	19	UJ	19	UJ	19	UJ	18	UJ	19	UJ	20	UJ	21	U
ENDRIN ALDEHYDE	UG/KG	3.8	U	3.6	U	3.7	U	3.6	U	3.5	U	3.7	U	3.8	U	4.1	U
ALPHA-CHLORDANE	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS016		AOCRSS017		AOCRSS018		AOCRSS019		AOCRSS020		AOCRSS020		AOCRSS021		AOCRSS022	
	SampleID	NDE149		NDE150		NDE151		NDE152		NDE153		NDE154FD1		NDE155		NDE156	
	DateCollected	11/28/2000		11/28/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METALS																	
ALUMINUM	MG/KG	24000	=	10000	=	17000	=	11000	=	11000	=	15000	=	10000	=	11000	=
ANTIMONY	MG/KG	2.8	J	1.2	J	0.99	J	0.76	J	0.82	J	1.2	J	1.6	J	0.82	J
ARSENIC	MG/KG	2	J	1	J	0.89	J	0.32	U	0.81	J	0.86	J	0.86	J	0.55	J
BARIUM	MG/KG	75	=	55	=	62	=	51	=	54	=	36	J	34	J	48	=
BERYLLIUM	MG/KG	0.24	J	0.18	J	0.12	J	0.13	J	0.17	J	0.13	J	0.038	U	0.037	U
CADMIUM	MG/KG	0.033	U	0.031	U	0.03	U	0.03	U	0.03	U	0.03	U	0.031	U	0.03	U
CALCIUM	MG/KG	11000	=	16000	=	17000	=	9100	=	16000	=	13000	=	6800	=	19000	=
CHROMIUM, TOTAL	MG/KG	82	J	12	J	20	=	15	=	20	=	24	=	18	=	25	=
COBALT	MG/KG	19	=	8.5	J	12	=	10	J	10	J	13	=	12	=	10	J
COPPER	MG/KG	77	=	46	=	66	=	40	=	41	=	69	=	59	=	46	=
IRON	MG/KG	40000	=	19000	=	21000	=	19000	=	19000	=	22000	=	20000	=	18000	=
MAGNESIUM	MG/KG	7400	=	2500	=	8000	=	5700	=	5800	=	8600	=	6200	=	6800	=
MANGANESE	MG/KG	530	=	500	=	570	=	570	=	580	=	500	=	510	=	600	=
LEAD	MG/KG	12	J	11	J	9	=	5.3	=	5.2	=	12	=	12	=	19	=
MERCURY	MG/KG	0.053	=	0.03	J	0.013	J	0.015	J	0.011	J	0.0061	J	0.011	J	0.01	J
NICKEL	MG/KG	31	=	6	J	14	=	9.5	=	12	=	18	=	12	=	16	=
POTASSIUM	MG/KG	690	J	730	J	830	J	650	J	680	J	560	J	470	J	680	J
SELENIUM	MG/KG	0.56	U	0.53	U	0.71	J	0.82	J	0.95	J	0.95	J	1.4	J	0.97	J
SILVER	MG/KG	0.07	U	0.066	U	0.064	U	0.063	U	0.064	U	0.064	U	0.065	U	0.064	U
SODIUM	MG/KG	260	J	200	J	890	J	140	J	220	J	330	J	110	J	300	J
THALLIUM	MG/KG	0.42	U	0.39	U	0.38	U	0.38	U	0.38	U	0.38	U	0.39	U	0.38	U
VANADIUM	MG/KG	140	=	54	=	61	=	57	=	59	=	67	=	56	=	50	=
ZINC	MG/KG	59	=	43	=	56	=	40	=	40	=	54	=	80	=	43	=
PESTICIDES																	
ALPHA BHC	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
BETA BHC	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
DELTA BHC	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
GAMMA BHC (LINDANE)	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
HEPTACHLOR	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
ALDRIN	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
HEPTACHLOR EPOXIDE	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
DIELDRIN	UG/KG	4	U	3.8	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U
p,p'-DDE	UG/KG	54	=	10	=	70	=	18	=	48	J	89	J	328	=	45	=
ENDRIN	UG/KG	4	U	3.8	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	4	U	3.8	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U
p,p'-DDD	UG/KG	4	U	3.8	U	4	J	3.7	U	3.7	U	3.7	U	18	=	3.7	U
ENDOSULFAN SULFATE	UG/KG	4	U	3.8	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U
p,p'-DDT	UG/KG	19	J	6.6	J	34	=	12	=	32	J	27	=	111	J	46	=
METHOXYCHLOR	UG/KG	21	UJ	19	UJ	19	U	19	U	19	U	19	U	19	U	19	U
ENDRIN ALDEHYDE	UG/KG	4	U	3.8	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U
ALPHA-CHLORDANE	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS023		AOCRSS024		AOCRSS025		AOCRSS026		AOCRSS027		AOCRSS028		AOCRSS029		AOCRSS030	
	SampleID	NDE157		NDE158		NDE159		NDE160		NDE161		NDE162		NDE163		NDE164	
	DateCollected	11/29/2000		11/29/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METALS																	
ALUMINUM	MG/KG	10000	=	17000	=	3600	=	5800	=	12000	=	4000	=	5000	=	6500	=
ANTIMONY	MG/KG	0.76	J	1.1	J	0.26	UJ	0.38	J	0.62	J	0.26	UJ	0.31	UJ	0.61	J
ARSENIC	MG/KG	6.3	=	0.32	U	0.32	U	0.91	J	1.2	J	0.31	U	0.37	U	15	=
BARIUM	MG/KG	48	=	47	=	55	=	54	=	85	=	38	J	85	=	52	=
BERYLLIUM	MG/KG	0.035	U	0.18	J	0.036	U	0.037	U	0.28	J	0.036	U	0.14	J	0.19	J
CADMIUM	MG/KG	0.029	U	0.03	U	0.029	U	0.03	U	0.031	U	0.029	U	0.034	U	0.029	U
CALCIUM	MG/KG	6500	=	6400	=	2500	=	10000	=	39000	=	1800	=	3200	=	17000	=
CHROMIUM, TOTAL	MG/KG	3.8	=	51	=	4	J	7.5	J	10	J	2.5	J	4.1	J	10	J
COBALT	MG/KG	13	=	21	=	5	J	6.7	J	9.1	J	4.8	J	7	J	7.5	J
COPPER	MG/KG	98	=	72	=	12	J	21	J	30	J	12	J	20	J	26	=
IRON	MG/KG	25000	=	30000	=	9700	=	21000	=	20000	=	9800	=	12000	=	13000	=
MAGNESIUM	MG/KG	6500	=	11000	=	1200	=	2100	=	3800	=	1000	B	1500	=	2600	=
MANGANESE	MG/KG	630	=	600	=	440	=	630	=	630	=	420	=	680	=	520	=
LEAD	MG/KG	1.8	=	0.18	U	3	J	7.2	J	14	J	6.2	J	3.8	J	20	=
MERCURY	MG/KG	0.0027	U	0.0058	J	0.0038	J	0.011	J	0.011	J	0.012	J	0.021	UJ	0.018	J
NICKEL	MG/KG	3.2	J	30	=	2.2	J	4.6	J	5.2	J	1.5	J	2.7	J	5.2	J
POTASSIUM	MG/KG	930	J	570	J	760	J	840	J	1100	J	650	J	800	J	750	J
SELENIUM	MG/KG	1.1	J	0.99	J	0.71	J	1.6	J	1.2	J	0.88	J	0.58	U	0.5	U
SILVER	MG/KG	0.061	U	0.063	U	0.062	U	0.064	U	0.066	U	0.061	U	0.073	U	0.062	U
SODIUM	MG/KG	21	U	240	J	41	J	110	J	430	J	27	J	52	J	210	J
THALLIUM	MG/KG	0.36	U	0.38	U	0.37	U	0.38	U	0.39	U	0.37	U	0.43	U	0.37	U
VANADIUM	MG/KG	57	=	110	=	29	J	36	J	54	J	28	J	32	J	40	=
ZINC	MG/KG	65	=	46	=	20	J	36	J	42	J	19	J	25	J	42	=
PESTICIDES																	
ALPHA BHC	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ
BETA BHC	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ
DELTA BHC	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ
GAMMA BHC (LINDANE)	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ
HEPTACHLOR	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ
ALDRIN	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ
HEPTACHLOR EPOXIDE	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ
DIELDRIN	UG/KG	3.5	U	3.7	U	3.6	U	3.7	U	7.7	UJ	3.5	UJ	4.2	U	3.6	UJ
p,p'-DDE	UG/KG	161	=	3.7	U	3.6	U	19	J	9.4	J	1	J	4.2	U	83	J
ENDRIN	UG/KG	3.5	U	3.7	U	3.6	U	3.7	U	7.7	UJ	3.5	UJ	4.2	U	3.6	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.5	U	3.7	U	3.6	U	3.7	U	7.7	UJ	3.5	UJ	4.2	U	3.6	UJ
p,p'-DDD	UG/KG	3.5	U	3.7	U	3.6	U	3.7	U	7.7	UJ	3.5	UJ	4.2	U	3.6	UJ
ENDOSULFAN SULFATE	UG/KG	3.5	U	3.7	U	3.6	U	3.7	U	7.7	UJ	3.5	UJ	4.2	U	3.6	UJ
p,p'-DDT	UG/KG	42	=	3.7	U	3.6	U	8.9	J	8.7	J	3.5	J	4.2	U	82	J
METHOXYCHLOR	UG/KG	18	U	19	U	18	U	19	U	39	UJ	18	UJ	21	U	19	UJ
ENDRIN ALDEHYDE	UG/KG	3.5	U	3.7	U	3.6	U	3.7	U	7.7	UJ	3.5	UJ	4.2	U	3.6	UJ
ALPHA-CHLORDANE	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS030		AOCRSS031		AOCRSS032		AOCRSS033		AOCRSS034	
	SampleID	NDE165FD1		NDE166		NDE167		NDE168		NDE169	
	DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
METALS											
ALUMINUM	MG/KG	7100	=	7800	=	6600	=	5100	=	7500	=
ANTIMONY	MG/KG	0.88	J	0.61	J	0.4	J	0.35	J	0.67	J
ARSENIC	MG/KG	11	=	3.6	=	0.75	J	0.31	U	0.74	J
BARIUM	MG/KG	50	=	60	=	62	=	59	=	52	=
BERYLLIUM	MG/KG	0.14	J	0.21	J	0.17	J	0.12	J	0.17	J
CADMIUM	MG/KG	0.031	U	0.18	J	0.032	U	0.029	U	0.032	U
CALCIUM	MG/KG	23000	=	37000	=	5100	=	4300	=	4100	=
CHROMIUM, TOTAL	MG/KG	16	J	12	J	9.1	J	5.5	J	38	J
COBALT	MG/KG	7.3	J	8	J	7.7	J	6.6	J	7.2	J
COPPER	MG/KG	29	=	29	=	26	=	19	=	18	=
IRON	MG/KG	17000	=	16000	=	15000	=	13000	=	14000	=
MAGNESIUM	MG/KG	3400	=	3700	=	2400	=	1600	=	1500	=
MANGANESE	MG/KG	480	=	550	=	620	=	580	=	610	=
LEAD	MG/KG	29	=	33	=	11	=	5.8	=	3.7	=
MERCURY	MG/KG	0.014	J	0.021	J	0.016	J	0.01	J	0.016	J
NICKEL	MG/KG	7.4	J	6.8	J	5.5	J	2.9	J	7.9	J
POTASSIUM	MG/KG	740	J	1100	J	580	J	750	J	870	J
SELENIUM	MG/KG	0.53	U	0.55	U	0.55	U	0.49	U	1.3	=
SILVER	MG/KG	0.065	U	0.069	U	0.068	U	0.061	U	0.067	U
SODIUM	MG/KG	290	J	450	J	99	J	96	J	140	J
THALLIUM	MG/KG	0.39	U	0.41	U	0.4	U	0.36	U	0.4	U
VANADIUM	MG/KG	42	=	42	=	42	=	38	=	42	=
ZINC	MG/KG	47	=	63	=	36	=	26	=	23	=
PESTICIDES											
ALPHA BHC	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ
BETA BHC	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ
DELTA BHC	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ
GAMMA BHC (LINDANE)	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ
HEPTACHLOR	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ
ALDRIN	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ
HEPTACHLOR EPOXIDE	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ
ALPHA ENDOSULFAN (ENDOSULFAN I)	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ
DIELDRIN	UG/KG	3.8	UJ	4	UJ	3.9	UJ	3.6	UJ	3.9	UJ
p,p'-DDE	UG/KG	85	J	76	J	157	J	4.9	J	6	J
ENDRIN	UG/KG	3.8	UJ	4	UJ	3.9	UJ	3.6	UJ	3.9	UJ
BETA ENDOSULFAN (ENDOSULFAN II)	UG/KG	3.8	UJ	4	UJ	3.9	UJ	3.6	UJ	3.9	UJ
p,p'-DDD	UG/KG	3.8	UJ	4	UJ	3.9	UJ	3.6	UJ	3.9	UJ
ENDOSULFAN SULFATE	UG/KG	3.8	UJ	4	UJ	3.9	UJ	3.6	UJ	3.9	UJ
p,p'-DDT	UG/KG	61	J	89	J	42	R	3.6	J	3.9	UJ
METHOXYCHLOR	UG/KG	20	UJ	21	UJ	20	UJ	18	UJ	20	UJ
ENDRIN ALDEHYDE	UG/KG	3.8	UJ	4	UJ	3.9	UJ	3.6	UJ	3.9	UJ
ALPHA-CHLORDANE	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS001		AOCRSS002		AOCRSS003		AOCRSS004		AOCRSS005		AOCRSS006		AOCRSS007		AOCRSS008	
	SampleID	NDE133		NDE134		NDE135		NDE136		NDE137		NDE138		NDE139		NDE140	
	DateCollected	11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
GAMMA-CHLORDANE	UG/KG	1.9	U	2.1	U	2.1	U	1.9	U	2	U	1.9	U	2.1	U	2	U
ENDRIN KETONE	UG/KG	3.7	U	4	U	4	U	3.7	U	3.8	U	3.7	U	4	U	3.8	U
TOXAPHENE	UG/KG	193	U	207	U	207	U	192	U	198	U	192	U	207	U	196	U
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	37	U	40	U	40	U	37	U	38	U	37	U	40	U	38	U
PCB-1260 (AROCHLOR 1260)	UG/KG	37	U	40	U	40	U	37	U	38	U	37	U	40	U	38	U
PCB-1221 (AROCHLOR 1221)	UG/KG	75	U	81	U	81	U	75	U	78	U	75	U	81	U	77	U
PCB-1232 (AROCHLOR 1232)	UG/KG	37	U	40	U	40	U	37	U	38	U	37	U	40	U	38	U
PCB-1242 (AROCHLOR 1242)	UG/KG	37	U	40	U	40	U	37	U	38	U	37	U	40	U	38	U
PCB-1248 (AROCHLOR 1248)	UG/KG	37	U	40	U	40	U	37	U	38	U	37	U	40	U	38	U
PCB-1254 (AROCHLOR 1254)	UG/KG	37	U	40	U	40	U	37	U	38	U	37	U	40	U	38	U
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
PHENOL	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2-CHLOROPHENOL	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
1,3-DICHLOROBENZENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
1,4-DICHLOROBENZENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
1,2-DICHLOROBENZENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
HEXACHLOROETHANE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
CRESOLS, m & p	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
NITROBENZENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
ISOPHORONE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2-NITROPHENOL	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2,4-DIMETHYLPHENOL	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2,4-DICHLOROPHENOL	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
1,2,4-TRICHLOROBENZENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
NAPHTHALENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
4-CHLOROANILINE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2-METHYLNAPHTHALENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
HEXACHLOROBUTADIENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
4-CHLORO-3-METHYLPHENOL	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2,4,6-TRICHLOROPHENOL	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2,4,5-TRICHLOROPHENOL	UG/KG	1370	U	1860	U	1800	U	1650	U	1660	U	1430	U	1490	U	1490	U
2-CHLORONAPHTHALENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2-NITROANILINE	UG/KG	1370	U	1860	U	1800	U	1650	U	1660	U	1430	U	1490	U	1490	U
ACENAPHTHYLENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
DIMETHYL PHTHALATE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2,6-DINITROTOLUENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS009		AOCRSS010		AOCRSS010		AOCRSS011		AOCRSS012		AOCRSS013		AOCRSS014		AOCRSS015	
	SampleID	NDE141		NDE142		NDE143FD1		NDE144		NDE145		NDE146		NDE147		NDE148	
	DateCollected	11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
GAMMA-CHLORDANE	UG/KG	2	U	1.9	U	1.9	U	1.9	U	1.8	U	1.9	U	2	U	2.1	U
ENDRIN KETONE	UG/KG	3.8	U	3.6	U	3.7	U	3.6	U	3.5	U	3.7	U	3.8	U	4.1	U
TOXAPHENE	UG/KG	195	U	188	U	190	U	188	U	180	U	190	U	197	U	214	U
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	38	U	36	U	37	U	36	U	35	U	37	U	38	U	41	U
PCB-1260 (AROCHLOR 1260)	UG/KG	38	U	36	U	37	U	36	U	35	U	37	U	38	U	41	U
PCB-1221 (AROCHLOR 1221)	UG/KG	76	U	74	U	74	U	74	U	70	U	74	U	77	U	84	U
PCB-1232 (AROCHLOR 1232)	UG/KG	38	U	36	U	37	U	36	U	35	U	37	U	38	U	41	U
PCB-1242 (AROCHLOR 1242)	UG/KG	38	U	36	U	37	U	36	U	35	U	37	U	38	U	41	U
PCB-1248 (AROCHLOR 1248)	UG/KG	38	U	36	U	37	U	36	U	35	U	37	U	38	U	41	U
PCB-1254 (AROCHLOR 1254)	UG/KG	38	U	36	U	37	U	36	U	35	U	37	U	38	U	41	U
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
PHENOL	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2-CHLOROPHENOL	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
1,3-DICHLOROBENZENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
1,4-DICHLOROBENZENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
1,2-DICHLOROBENZENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
HEXACHLOROETHANE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
CRESOLS, m & p	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
NITROBENZENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
ISOPHORONE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2-NITROPHENOL	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2,4-DIMETHYLPHENOL	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2,4-DICHLOROPHENOL	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
1,2,4-TRICHLOROBENZENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
NAPHTHALENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
4-CHLOROANILINE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2-METHYLNAPHTHALENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
HEXACHLOROBUTADIENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
4-CHLORO-3-METHYLPHENOL	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2,4,6-TRICHLOROPHENOL	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2,4,5-TRICHLOROPHENOL	UG/KG	1220	U	1330	U	1330	U	1350	U	1250	U	1340	U	1540	U	1580	U
2-CHLORONAPHTHALENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2-NITROANILINE	UG/KG	1220	U	1330	U	1330	U	1350	U	1250	U	1340	U	1540	U	1580	U
ACENAPHTHYLENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
DIMETHYL PHTHALATE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2,6-DINITROTOLUENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS016		AOCRSS017		AOCRSS018		AOCRSS019		AOCRSS020		AOCRSS020		AOCRSS021		AOCRSS022	
	SampleID	NDE149		NDE150		NDE151		NDE152		NDE153		NDE154FD1		NDE155		NDE156	
	DateCollected	11/28/2000		11/28/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
GAMMA-CHLORDANE	UG/KG	2.1	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
ENDRIN KETONE	UG/KG	4	U	3.8	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U	3.7	U
TOXAPHENE	UG/KG	209	U	195	U	192	U	190	U	194	U	191	U	194	U	192	U
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	40	U	38	U	37	U	37	U	37	U	37	U	37	U	37	U
PCB-1260 (AROCHLOR 1260)	UG/KG	40	U	38	U	37	U	37	U	37	U	37	U	37	U	37	U
PCB-1221 (AROCHLOR 1221)	UG/KG	82	U	76	U	75	U	74	U	76	U	75	U	76	U	75	U
PCB-1232 (AROCHLOR 1232)	UG/KG	40	U	38	U	37	U	37	U	37	U	37	U	37	U	37	U
PCB-1242 (AROCHLOR 1242)	UG/KG	40	U	38	U	37	U	37	U	37	U	37	U	37	U	37	U
PCB-1248 (AROCHLOR 1248)	UG/KG	40	U	38	U	37	U	37	U	37	U	37	U	37	U	37	U
PCB-1254 (AROCHLOR 1254)	UG/KG	40	U	38	U	37	U	37	U	37	U	37	U	37	U	37	U
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
PHENOL	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2-CHLOROPHENOL	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
1,3-DICHLOROBENZENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
1,4-DICHLOROBENZENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
1,2-DICHLOROBENZENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2-METHYLPHENOL (o-CRESOL)	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
HEXACHLOROETHANE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
N-NITROSODI-n-PROPYLAMINE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
CRESOLS, m & p	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
NITROBENZENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
ISOPHORONE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2-NITROPHENOL	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2,4-DIMETHYLPHENOL	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
bis(2-CHLOROETHOXY) METHANE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2,4-DICHLOROPHENOL	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
1,2,4-TRICHLOROBENZENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
NAPHTHALENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
4-CHLOROANILINE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2-METHYLNAPHTHALENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
HEXACHLOROBUTADIENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
4-CHLORO-3-METHYLPHENOL	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
HEXACHLOROCYCLOPENTADIENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2,4,6-TRICHLOROPHENOL	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2,4,5-TRICHLOROPHENOL	UG/KG	1560	U	1540	U	1340	U	1340	U	1260	U	1360	U	1310	U	1260	U
2-CHLORONAPHTHALENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2-NITROANILINE	UG/KG	1560	U	1540	U	1340	U	1340	U	1260	U	1360	U	1310	U	1260	U
ACENAPHTHYLENE	UG/KG	519	U	512	U	151	J	447	U	420	U	453	U	436	U	419	U
DIMETHYL PHTHALATE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2,6-DINITROTOLUENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS023		AOCRSS024		AOCRSS025		AOCRSS026		AOCRSS027		AOCRSS028		AOCRSS029		AOCRSS030	
	SampleID	NDE157		NDE158		NDE159		NDE160		NDE161		NDE162		NDE163		NDE164	
	DateCollected	11/29/2000		11/29/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
GAMMA-CHLORDANE	UG/KG	1.8	U	1.9	U	1.8	U	1.9	U	3.9	UJ	1.8	UJ	2.1	U	1.9	UJ
ENDRIN KETONE	UG/KG	3.5	U	3.7	U	3.6	U	3.7	U	7.7	UJ	3.5	UJ	4.2	U	3.6	UJ
TOXAPHENE	UG/KG	184	U	190	U	184	U	188	U	395	UJ	182	UJ	215	U	187	UJ
PCB																	
PCB-1016 (AROCHLOR 1016)	UG/KG	35	U	37	U	36	U	37	U	77	UJ	35	UJ	42	U	36	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	35	U	37	U	36	U	37	U	77	UJ	35	UJ	42	U	36	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	72	U	74	U	73	U	74	U	156	UJ	72	UJ	85	U	73	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	35	U	37	U	36	U	37	U	77	UJ	35	UJ	42	U	36	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	35	U	37	U	36	U	37	U	77	UJ	35	UJ	42	U	36	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	35	U	37	U	36	U	37	U	77	UJ	35	UJ	42	U	36	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	35	U	37	U	36	U	37	U	77	UJ	35	UJ	42	U	36	UJ
SEMI-VOLATILES																	
bis(2-CHLOROETHYL) ETHER	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
PHENOL	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2-CHLOROPHENOL	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
1,3-DICHLOROBENZENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
1,4-DICHLOROBENZENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
1,2-DICHLOROBENZENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2-METHYLPHENOL (o-CRESOL)	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
HEXACHLOROETHANE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
N-NITROSODI-n-PROPYLAMINE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
CRESOLS, m & p	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
NITROBENZENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
ISOPHORONE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2-NITROPHENOL	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2,4-DIMETHYLPHENOL	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
bis(2-CHLOROETHOXY) METHANE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2,4-DICHLOROPHENOL	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
1,2,4-TRICHLOROBENZENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
NAPHTHALENE	UG/KG	394	U	448	U	420	U	526	U	834	=	468	U	623	U	482	UJ
4-CHLOROANILINE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2-METHYLNAPHTHALENE	UG/KG	394	U	448	U	420	U	526	U	1130	=	468	U	623	U	482	UJ
HEXACHLOROBUTADIENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
4-CHLORO-3-METHYLPHENOL	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
HEXACHLOROCYCLOPENTADIENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2,4,6-TRICHLOROPHENOL	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2,4,5-TRICHLOROPHENOL	UG/KG	1180	U	1340	U	1260	U	1580	U	1480	U	1400	U	1870	U	1450	UJ
2-CHLORONAPHTHALENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2-NITROANILINE	UG/KG	1180	U	1340	U	1260	U	1580	U	1480	U	1400	U	1870	U	1450	UJ
ACENAPHTHYLENE	UG/KG	394	U	448	U	420	U	165	J	690	=	468	U	623	U	331	J
DIMETHYL PHTHALATE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
2,6-DINITROTOLUENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS030		AOCRSS031		AOCRSS032		AOCRSS033		AOCRSS034	
	SampleID	NDE165FD1		NDE166		NDE167		NDE168		NDE169	
	DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
GAMMA-CHLORDANE	UG/KG	2	UJ	2.1	UJ	2	UJ	1.8	UJ	2	UJ
ENDRIN KETONE	UG/KG	3.8	UJ	4	UJ	3.9	UJ	3.6	UJ	3.9	UJ
TOXAPHENE	UG/KG	197	UJ	207	UJ	204	UJ	184	UJ	203	UJ
PCB											
PCB-1016 (AROCHLOR 1016)	UG/KG	38	UJ	40	UJ	39	UJ	36	UJ	39	UJ
PCB-1260 (AROCHLOR 1260)	UG/KG	38	UJ	40	UJ	39	UJ	36	UJ	39	UJ
PCB-1221 (AROCHLOR 1221)	UG/KG	77	UJ	81	UJ	80	UJ	72	UJ	79	UJ
PCB-1232 (AROCHLOR 1232)	UG/KG	38	UJ	40	UJ	39	UJ	36	UJ	39	UJ
PCB-1242 (AROCHLOR 1242)	UG/KG	38	UJ	40	UJ	39	UJ	36	UJ	39	UJ
PCB-1248 (AROCHLOR 1248)	UG/KG	38	UJ	40	UJ	39	UJ	36	UJ	39	UJ
PCB-1254 (AROCHLOR 1254)	UG/KG	38	UJ	40	UJ	39	UJ	36	UJ	39	UJ
SEMI-VOLATILES											
bis(2-CHLOROETHYL) ETHER	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
PHENOL	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2-CHLOROPHENOL	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
1,3-DICHLOROBENZENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
1,4-DICHLOROBENZENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
1,2-DICHLOROBENZENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
bis(2-CHLOROISOPROPYL) ETHER	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2-METHYLPHENOL (o-CRESOL)	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
HEXACHLOROETHANE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
N-NITROSODI-n-PROPYLAMINE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
CRESOLS, m & p	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
NITROBENZENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
ISOPHORONE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2-NITROPHENOL	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2,4-DIMETHYLPHENOL	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
bis(2-CHLOROETHOXY) METHANE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2,4-DICHLOROPHENOL	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
1,2,4-TRICHLOROBENZENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
NAPHTHALENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
4-CHLOROANILINE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2-METHYLNAPHTHALENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
HEXACHLOROBUTADIENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
4-CHLORO-3-METHYLPHENOL	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
HEXACHLOROCYCLOPENTADIENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2,4,6-TRICHLOROPHENOL	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2,4,5-TRICHLOROPHENOL	UG/KG	1490	UJ	1760	UJ	1530	UJ	1340	UJ	1530	UJ
2-CHLORONAPHTHALENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2-NITROANILINE	UG/KG	1490	UJ	1760	UJ	1530	UJ	1340	UJ	1530	UJ
ACENAPHTHYLENE	UG/KG	208	J	134	J	509	UJ	446	UJ	510	UJ
DIMETHYL PHTHALATE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2,6-DINITROTOLUENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS001		AOCRSS002		AOCRSS003		AOCRSS004		AOCRSS005		AOCRSS006		AOCRSS007		AOCRSS008	
	SampleID	NDE133		NDE134		NDE135		NDE136		NDE137		NDE138		NDE139		NDE140	
	DateCollected	11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
ACENAPHTHENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
3-NITROANILINE	UG/KG	1370	U	1860	U	1800	U	1650	U	1660	U	1430	U	1490	U	1490	U
2,4-DINITROPHENOL	UG/KG	1370	U	1860	U	1800	U	1650	U	1660	U	1430	U	1490	U	1490	U
DIBENZOFURAN	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
2,4-DINITROTOLUENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
4-NITROPHENOL	UG/KG	1370	U	1860	U	1800	U	1650	U	1660	U	1430	U	1490	U	1490	U
FLUORENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
DIETHYL PHTHALATE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
4-NITROANILINE	UG/KG	1370	U	1860	U	1800	U	1650	U	1660	U	1430	U	1490	U	1490	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1370	U	1860	U	1800	U	1650	U	1660	U	1430	U	1490	U	1490	U
N-NITROSODIPHENYLAMINE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
HEXACHLOROBENZENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
PENTACHLOROPHENOL	UG/KG	1370	U	1860	U	1800	U	1650	U	1660	U	1430	U	1490	U	1490	U
PHENANTHRENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
ANTHRACENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
DI-n-BUTYL PHTHALATE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
FLUORANTHENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
PYRENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
BENZYL BUTYL PHTHALATE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
3,3'-DICHLOROBENZIDINE	UG/KG	913	U	1240	U	1200	U	1100	U	1110	U	951	U	996	U	995	U
BENZO(a)ANTHRACENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
CHRYSENE	UG/KG	66	J	619	U	599	U	550	U	555	U	475	U	498	U	497	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
DI-n-OCTYLPHTHALATE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
BENZO(b)FLUORANTHENE	UG/KG	144	J	619	U	599	U	550	U	48	J	475	U	498	U	497	U
BENZO(k)FLUORANTHENE	UG/KG	86	J	619	U	599	U	550	U	555	U	475	U	498	U	497	U
BENZO(a)PYRENE	UG/KG	67	J	619	U	599	U	550	U	42	J	475	U	498	U	497	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	156	J	619	U	599	U	550	U	32	J	475	U	498	U	497	U
DIBENZ(a,h)ANTHRACENE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
BENZO(g,h,i)PERYLENE	UG/KG	193	J	619	U	599	U	550	U	38	J	475	U	498	U	497	U
CARBAZOLE	UG/KG	457	U	619	U	599	U	550	U	555	U	475	U	498	U	497	U
VOLATILES																	
CHLOROMETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
BROMOMETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
VINYL CHLORIDE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
CHLOROETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
1,1-DICHLOROETHENE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
CARBON DISULFIDE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
1,1-DICHLOROETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
ACETONE	UG/KG	10	R	11	R	11	R	10	R	19	R	61	R	15	R	10	R
CHLOROFORM	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS009		AOCRSS010		AOCRSS010		AOCRSS011		AOCRSS012		AOCRSS013		AOCRSS014		AOCRSS015	
	SampleID	NDE141		NDE142		NDE143FD1		NDE144		NDE145		NDE146		NDE147		NDE148	
	DateCollected	11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
ACENAPHTHENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
3-NITROANILINE	UG/KG	1220	U	1330	U	1330	U	1350	U	1250	U	1340	U	1540	U	1580	U
2,4-DINITROPHENOL	UG/KG	1220	U	1330	U	1330	U	1350	U	1250	U	1340	U	1540	U	1580	U
DIBENZOFURAN	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
2,4-DINITROTOLUENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
4-NITROPHENOL	UG/KG	1220	U	1330	U	1330	U	1350	U	1250	U	1340	U	1540	U	1580	U
FLUORENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
DIETHYL PHTHALATE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
4-NITROANILINE	UG/KG	1220	U	1330	U	1330	U	1350	U	1250	U	1340	U	1540	U	1580	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1220	U	1330	U	1330	U	1350	U	1250	U	1340	U	1540	U	1580	U
N-NITROSODIPHENYLAMINE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
HEXACHLOROBENZENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
PENTACHLOROPHENOL	UG/KG	1220	U	1330	U	1330	U	1350	U	1250	U	1340	U	1540	U	1580	U
PHENANTHRENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
ANTHRACENE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
DI-n-BUTYL PHTHALATE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
FLUORANTHENE	UG/KG	408	U	443	U	442	U	148	J	416	U	447	U	512	U	527	U
PYRENE	UG/KG	408	U	443	U	442	U	164	J	416	U	447	U	512	U	527	U
BENZYL BUTYL PHTHALATE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
3,3'-DICHLOROBENZIDINE	UG/KG	816	U	887	U	885	U	903	U	833	U	895	U	1020	U	1050	U
BENZO(a)ANTHRACENE	UG/KG	408	U	443	U	442	U	205	J	416	U	447	U	512	U	527	U
CHRYSENE	UG/KG	408	U	443	U	442	U	264	J	416	U	447	U	512	U	527	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
DI-n-OCTYLPHTHALATE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
BENZO(b)FLUORANTHENE	UG/KG	408	U	40	J	442	U	399	J	416	U	447	U	512	U	527	U
BENZO(k)FLUORANTHENE	UG/KG	408	U	443	U	442	U	276	J	416	U	447	U	512	U	527	U
BENZO(a)PYRENE	UG/KG	408	U	32	J	442	U	288	J	416	U	447	U	512	U	527	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	408	U	24	J	25	J	268	J	416	U	447	U	512	U	527	U
DIBENZ(a,h)ANTHRACENE	UG/KG	408	U	443	U	442	U	62	J	416	U	447	U	512	U	527	U
BENZO(g,h,i)PERYLENE	UG/KG	408	U	27	J	442	U	253	J	416	U	447	U	512	U	527	U
CARBAZOLE	UG/KG	408	U	443	U	442	U	451	U	416	U	447	U	512	U	527	U
VOLATILES																	
CHLOROMETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
BROMOMETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
VINYL CHLORIDE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
CHLOROETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
1,1-DICHLOROETHENE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
CARBON DISULFIDE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
1,1-DICHLOROETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
ACETONE	UG/KG	10	R	10	R	10	R	12	R	10	R	12	R	10	R	10	R
CHLOROFORM	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS016		AOCRSS017		AOCRSS018		AOCRSS019		AOCRSS020		AOCRSS020		AOCRSS021		AOCRSS022	
	SampleID	NDE149		NDE150		NDE151		NDE152		NDE153		NDE154FD1		NDE155		NDE156	
	DateCollected	11/28/2000		11/28/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
ACENAPHTHENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
3-NITROANILINE	UG/KG	1560	U	1540	U	1340	U	1340	U	1260	U	1360	U	1310	U	1260	U
2,4-DINITROPHENOL	UG/KG	1560	U	1540	U	1340	U	1340	U	1260	U	1360	U	1310	U	1260	U
DIBENZOFURAN	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
2,4-DINITROTOLUENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
4-NITROPHENOL	UG/KG	1560	U	1540	U	1340	U	1340	U	1260	U	1360	U	1310	U	1260	U
FLUORENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
DIETHYL PHTHALATE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
4-NITROANILINE	UG/KG	1560	U	1540	U	1340	U	1340	U	1260	U	1360	U	1310	U	1260	U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1560	U	1540	U	1340	U	1340	U	1260	U	1360	U	1310	U	1260	U
N-NITROSODIPHENYLAMINE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
4-BROMOPHENYL PHENYL ETHER	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
HEXACHLOROBENZENE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
PENTACHLOROPHENOL	UG/KG	1560	U	1540	U	1340	U	1340	U	1260	U	1360	U	1310	U	1260	U
PHENANTHRENE	UG/KG	519	U	512	U	49	J	447	U	420	U	453	U	436	U	419	U
ANTHRACENE	UG/KG	519	U	512	U	184	J	447	U	420	U	453	U	436	U	419	U
DI-n-BUTYL PHTHALATE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
FLUORANTHENE	UG/KG	519	U	76	J	758	=	31	J	44	J	38	J	112	J	419	U
PYRENE	UG/KG	519	U	115	J	1040	=	47	J	46	J	40	J	94	J	419	U
BENZYL BUTYL PHTHALATE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
3,3'-DICHLOROBENZIDINE	UG/KG	1040	U	1020	U	891	U	895	U	841	U	905	U	872	U	838	U
BENZO(a)ANTHRACENE	UG/KG	519	U	62	J	569	=	35	J	31	J	34	J	48	J	419	U
CHRYSENE	UG/KG	519	U	78	J	1010	=	61	J	69	J	82	J	91	J	419	U
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
DI-n-OCTYLPHTHALATE	UG/KG	519	U	512	U	445	U	447	U	420	U	453	U	436	U	419	U
BENZO(b)FLUORANTHENE	UG/KG	519	U	93	J	902	=	60	J	88	J	104	J	78	J	419	U
BENZO(k)FLUORANTHENE	UG/KG	519	U	71	J	755	=	51	J	70	J	105	J	90	J	419	U
BENZO(a)PYRENE	UG/KG	519	U	75	J	458	=	36	J	56	J	76	J	62	J	419	U
INDENO(1,2,3-c,d)PYRENE	UG/KG	519	U	69	J	398	J	37	J	59	J	91	J	40	J	419	U
DIBENZ(a,h)ANTHRACENE	UG/KG	519	U	512	U	163	J	447	U	420	U	453	U	436	U	419	U
BENZO(g,h,i)PERYLENE	UG/KG	519	U	66	J	398	J	39	J	70	J	115	J	40	J	419	U
CARBAZOLE	UG/KG	519	U	512	U	68	J	447	U	420	U	453	U	436	U	419	U
VOLATILES																	
CHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
BROMOMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
VINYL CHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
CHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
1,1-DICHLOROETHENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
CARBON DISULFIDE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
1,1-DICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
ACETONE	UG/KG	16	R	10	R	12	R	30	R	15	R	14	R	24	R	11	R
CHLOROFORM	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS023		AOCRSS024		AOCRSS025		AOCRSS026		AOCRSS027		AOCRSS028		AOCRSS029		AOCRSS030	
	SampleID	NDE157		NDE158		NDE159		NDE160		NDE161		NDE162		NDE163		NDE164	
	DateCollected	11/29/2000		11/29/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
ACENAPHTHENE	UG/KG	394	U	448	U	420	U	526	U	1040	=	468	U	623	U	482	UJ
3-NITROANILINE	UG/KG	1180	U	1340	U	1260	U	1580	U	1480	U	1400	U	1870	U	1450	UJ
2,4-DINITROPHENOL	UG/KG	1180	U	1340	U	1260	U	1580	U	1480	U	1400	U	1870	U	1450	UJ
DIBENZOFURAN	UG/KG	394	U	448	U	420	U	526	U	1010	=	468	U	623	U	482	UJ
2,4-DINITROTOLUENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
4-NITROPHENOL	UG/KG	1180	U	1340	U	1260	U	1580	U	1480	U	1400	U	1870	U	1450	UJ
FLUORENE	UG/KG	394	U	448	U	420	U	526	U	965	=	468	U	623	U	482	UJ
4-CHLOROPHENYL PHENYL ETHER	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
DIETHYL PHTHALATE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
4-NITROANILINE	UG/KG	1180	U	1340	U	1260	U	1580	U	1480	U	1400	U	1870	U	1450	UJ
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1180	U	1340	U	1260	U	1580	U	1480	U	1400	U	1870	U	1450	UJ
N-NITROSODIPHENYLAMINE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
4-BROMOPHENYL PHENYL ETHER	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
HEXACHLOROBENZENE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
PENTACHLOROPHENOL	UG/KG	1180	U	1340	U	1260	U	1580	U	1480	U	1400	U	1870	U	1450	UJ
PHENANTHRENE	UG/KG	394	U	448	U	420	U	46	J	4400	=	468	U	623	U	93	J
ANTHRACENE	UG/KG	394	U	448	U	420	U	140	J	1230	=	468	U	623	U	289	J
DI-n-BUTYL PHTHALATE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
FLUORANTHENE	UG/KG	394	U	448	U	420	U	747	=	8820	=	146	J	60	J	1540	J
PYRENE	UG/KG	394	U	448	U	420	U	962	=	9790	=	159	J	82	J	1800	J
BENZYL BUTYL PHTHALATE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
3,3'-DICHLOROBENZIDINE	UG/KG	789	U	896	U	839	U	49	J	989	U	936	U	1250	U	964	UJ
BENZO(a)ANTHRACENE	UG/KG	394	U	448	U	420	U	861	=	5230	=	67	J	52	J	2170	J
CHRYSENE	UG/KG	394	U	448	U	420	U	1180	=	6500	R	116	J	77	J	2640	J
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
DI-n-OCTYLPHTHALATE	UG/KG	394	U	448	U	420	U	526	U	495	U	468	U	623	U	482	UJ
BENZO(b)FLUORANTHENE	UG/KG	394	U	448	U	25	J	1910	=	8820	=	115	J	78	J	3780	J
BENZO(k)FLUORANTHENE	UG/KG	394	U	448	U	420	U	1010	=	4750	=	110	J	74	J	2730	J
BENZO(a)PYRENE	UG/KG	394	U	448	U	420	U	1130	=	4930	=	81	J	57	J	2040	J
INDENO(1,2,3-c,d)PYRENE	UG/KG	394	U	448	U	420	U	403	J	1520	=	24	J	623	U	755	J
DIBENZ(a,h)ANTHRACENE	UG/KG	394	U	448	U	420	U	133	J	565	=	468	U	623	U	224	J
BENZO(g,h,i)PERYLENE	UG/KG	394	U	448	U	420	U	334	J	1210	=	468	U	623	U	515	J
CARBAZOLE	UG/KG	394	U	448	U	420	U	67	J	561	=	468	U	623	U	160	J
VOLATILES																	
CHLOROMETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
BROMOMETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
VINYL CHLORIDE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
CHLOROETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
1,1-DICHLOROETHENE	UG/KG	10	UJ	0.47	J	10	U	0.42	J	0.43	J	10	UJ	0.85	J	10	UJ
CARBON DISULFIDE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
1,1-DICHLOROETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
ACETONE	UG/KG	10	R	11	R	14	R	13	R	12	R	10	R	13	R	10	R
CHLOROFORM	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS030		AOCRSS031		AOCRSS032		AOCRSS033		AOCRSS034	
	SampleID	NDE165FD1		NDE166		NDE167		NDE168		NDE169	
	DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
ACENAPHTHENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
3-NITROANILINE	UG/KG	1490	UJ	1760	UJ	1530	UJ	1340	UJ	1530	UJ
2,4-DINITROPHENOL	UG/KG	1490	UJ	1760	UJ	1530	UJ	1340	UJ	1530	UJ
DIBENZOFURAN	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
2,4-DINITROTOLUENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
4-NITROPHENOL	UG/KG	1490	UJ	1760	UJ	1530	UJ	1340	UJ	1530	UJ
FLUORENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
4-CHLOROPHENYL PHENYL ETHER	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
DIETHYL PHTHALATE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
4-NITROANILINE	UG/KG	1490	UJ	1760	UJ	1530	UJ	1340	UJ	1530	UJ
4,6-DINITRO-2-METHYLPHENOL	UG/KG	1490	UJ	1760	UJ	1530	UJ	1340	UJ	1530	UJ
N-NITROSODIPHENYLAMINE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
4-BROMOPHENYL PHENYL ETHER	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
HEXACHLOROBENZENE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
PENTACHLOROPHENOL	UG/KG	1490	UJ	1760	UJ	1530	UJ	1340	UJ	1530	UJ
PHENANTHRENE	UG/KG	61	J	44	J	509	UJ	446	UJ	79	J
ANTHRACENE	UG/KG	184	J	107	J	30	J	446	UJ	510	UJ
DI-n-BUTYL PHTHALATE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
FLUORANTHENE	UG/KG	1110	J	750	J	210	J	129	J	782	J
PYRENE	UG/KG	1300	J	1030	J	256	J	151	J	720	J
BENZYL BUTYL PHTHALATE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
3,3'-DICHLOROBENZIDINE	UG/KG	994	UJ	1170	UJ	1020	UJ	891	UJ	1020	UJ
BENZO(a)ANTHRACENE	UG/KG	1400	J	793	J	164	J	131	J	160	J
CHRYSENE	UG/KG	1770	J	1110	J	303	J	223	J	484	J
bis(2-ETHYLHEXYL) PHTHALATE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
DI-n-OCTYLPHTHALATE	UG/KG	497	UJ	587	UJ	509	UJ	446	UJ	510	UJ
BENZO(b)FLUORANTHENE	UG/KG	2210	J	1380	J	440	J	270	J	313	J
BENZO(k)FLUORANTHENE	UG/KG	1660	J	1250	J	278	J	186	J	285	J
BENZO(a)PYRENE	UG/KG	1360	J	1000	J	260	J	182	J	200	J
INDENO(1,2,3-c,d)PYRENE	UG/KG	471	J	380	J	108	J	184	J	193	J
DIBENZ(a,h)ANTHRACENE	UG/KG	148	J	83	J	509	UJ	44	J	35	J
BENZO(g,h,i)PERYLENE	UG/KG	322	J	276	J	80	J	162	J	170	J
CARBAZOLE	UG/KG	99	J	51	J	509	UJ	446	UJ	88	J
VOLATILES											
CHLOROMETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
BROMOMETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
VINYL CHLORIDE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
CHLOROETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
1,1-DICHLOROETHENE	UG/KG	10	U	0.74	J	0.51	J	10	U	11	UJ
CARBON DISULFIDE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
1,1-DICHLOROETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
ACETONE	UG/KG	10	U	11	R	11	R	12	U	11	R
CHLOROFORM	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS001		AOCRSS002		AOCRSS003		AOCRSS004		AOCRSS005		AOCRSS006		AOCRSS007		AOCRSS008	
	SampleID	NDE133		NDE134		NDE135		NDE136		NDE137		NDE138		NDE139		NDE140	
	DateCollected	11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METHYLENE CHLORIDE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
CARBON TETRACHLORIDE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
BENZENE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
1,2-DICHLOROETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	11	R	11	R	10	R	19	R	10	R	15	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	11	U	11	U	10	U	0.62	J	10	UJ	15	U	10	U
1,2-DICHLOROPROPANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
1,1,1-TRICHLOROETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
BROMODICHLOROMETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
TOLUENE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
DIBROMOCHLOROMETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
CHLOROBENZENE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
ETHYLBENZENE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
METHYL ISOBUTYL KETONE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
1,1,2-TRICHLOROETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
2-HEXANONE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
XYLENES, TOTAL	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
STYRENE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
BROMOFORM	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	11	U	11	U	10	U	19	U	10	UJ	15	U	10	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS009		AOCRSS010		AOCRSS010		AOCRSS011		AOCRSS012		AOCRSS013		AOCRSS014		AOCRSS015	
	SampleID	NDE141		NDE142		NDE143FD1		NDE144		NDE145		NDE146		NDE147		NDE148	
	DateCollected	11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000		11/28/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METHYLENE CHLORIDE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
CARBON TETRACHLORIDE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
BENZENE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
1,2-DICHLOROETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	11	R	10	R	12	R	10	R	12	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	UJ	11	UJ	10	U	12	U	0.29	J	0.36	J	10	U	2.5	J
1,2-DICHLOROPROPANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
1,1,1-TRICHLOROETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
BROMODICHLOROMETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
cis-1,3-DICHLOROPROPENE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
TOLUENE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
trans-1,3-DICHLOROPROPENE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
DIBROMOCHLOROMETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
CHLOROBENZENE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
ETHYLBENZENE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
METHYL ISOBUTYL KETONE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	UJ	11	UJ	0.2	J	12	U	10	U	12	U	10	U	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	UJ	11	UJ	0.2	J	12	U	10	U	12	U	10	U	10	U
1,1,2-TRICHLOROETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	0.27	J
2-HEXANONE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
XYLENES, TOTAL	UG/KG	10	UJ	11	UJ	0.4	J	12	U	10	U	12	U	10	U	10	U
STYRENE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
BROMOFORM	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	UJ	11	UJ	10	U	12	U	10	U	12	U	10	U	10	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS016		AOCRSS017		AOCRSS018		AOCRSS019		AOCRSS020		AOCRSS020		AOCRSS021		AOCRSS022	
	SampleID	NDE149		NDE150		NDE151		NDE152		NDE153		NDE154FD1		NDE155		NDE156	
	DateCollected	11/28/2000		11/28/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000		11/29/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METHYLENE CHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
CARBON TETRACHLORIDE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
BENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
1,2-DICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	10	R	10	R	10	R	10	R	10	R	10	R	10	R
TRICHLOROETHYLENE (TCE)	UG/KG	1.3	J	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
1,2-DICHLOROPROPANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
1,1,1-TRICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
BROMODICHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
TOLUENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
DIBROMOCHLOROMETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
CHLOROBENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
ETHYLBENZENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
METHYL ISOBUTYL KETONE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	10	U	10	U	10	U	0.35	J	0.32	J	10	UJ	10	U
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
1,1,2-TRICHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
2-HEXANONE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
XYLENES, TOTAL	UG/KG	10	U	10	U	10	U	10	U	0.35	J	0.32	J	10	UJ	10	U
STYRENE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
BROMOFORM	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	10	U	10	U	10	U	10	U	10	U	10	UJ	10	U

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS023		AOCRSS024		AOCRSS025		AOCRSS026		AOCRSS027		AOCRSS028		AOCRSS029		AOCRSS030	
	SampleID	NDE157		NDE158		NDE159		NDE160		NDE161		NDE162		NDE163		NDE164	
	DateCollected	11/29/2000		11/29/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**																
METHYLENE CHLORIDE	UG/KG	10	UJ	10	U	0.48	J	10	U	10	U	10	UJ	10	U	10	UJ
CARBON TETRACHLORIDE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
BENZENE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
1,2-DICHLOROETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	10	R	10	R	10	R	10	R	10	R	10	R	10	UJ
TRICHLOROETHYLENE (TCE)	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
1,2-DICHLOROPROPANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
BROMODICHLOROMETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
TOLUENE	UG/KG	10	UJ	10	U	0.27	J	0.24	J	10	U	1.1	J	0.59	J	10	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
CHLOROBENZENE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
ETHYLBENZENE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
METHYL ISOBUTYL KETONE	UG/KG	1.5	J	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	0.42	J
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	J
1,1,2-TRICHLOROETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
2-HEXANONE	UG/KG	10	UJ	10	U	10	U	10	U	0.67	J	10	UJ	1.1	J	10	UJ
XYLENES, TOTAL	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	0.59	J
STYRENE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
BROMOFORM	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	UJ	10	U	10	U	10	U	10	U	10	UJ	10	U	10	UJ

AOC R Analytical Data Summary - Surface Soil
Phase II Expanded PA/SI
NASD, Vieques, Puerto Rico

	Site	AOC-R		AOC-R		AOC-R		AOC-R		AOC-R	
	StationID	AOCRSS030		AOCRSS031		AOCRSS032		AOCRSS033		AOCRSS034	
	SampleID	NDE165FD1		NDE166		NDE167		NDE168		NDE169	
	DateCollected	12/01/2000		12/01/2000		12/01/2000		12/01/2000		12/01/2000	
	Depth	0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5		0 to 0.5	
Parameter	**Units**										
METHYLENE CHLORIDE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
CARBON TETRACHLORIDE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
BENZENE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
1,2-DICHLOROETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
METHYL ETHYL KETONE (2-BUTANONE)	UG/KG	10	R	12	R	10	R	10	R	11	R
TRICHLOROETHYLENE (TCE)	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
1,2-DICHLOROPROPANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
1,1,1-TRICHLOROETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
BROMODICHLOROMETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
cis-1,3-DICHLOROPROPENE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
TOLUENE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
trans-1,3-DICHLOROPROPENE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
DIBROMOCHLOROMETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
CHLOROBENZENE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
ETHYLBENZENE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
METHYL ISOBUTYL KETONE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
M,P-XYLENE (SUM OF ISOMERS)	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
O-XYLENE (1,2-DIMETHYLBENZENE)	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
1,1,2-TRICHLOROETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
TETRACHLOROETHYLENE(PCE)	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
2-HEXANONE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
XYLENES, TOTAL	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
STYRENE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
BROMOFORM	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	10	U	12	UJ	10	UJ	10	U	11	UJ

Data Flags:

U = Undetected; analyte was analyzed but not detected above the method detection limit.

UJ = Detection limit was estimated; analyte was analyzed and qualified as undetected.

J = Estimated value; compounds detected at concentrations between the reporting limit and the method detection limit.

B = Analyte was detected in the associated method blank.

R = Date was unusable.

LABORATORY ANALYTICAL DATA SUMMARY - EFFLUENT SAMPLES

Parameter	Units	Site: B2023 WW Date: W13/00		Site: B2023 WW (FD1) Date: 6113100		Site: WWTP WW Date: 6/13/00	
Metals							
Arsenic	µg/L	5	U	5	U	5	U
Barium	µg/L	20.4	1	20.6	1	20.2	1
Cadmium	µg/L	1	U	1	U	1	U
Chromium, total	µg/L	2	U	2	U	5.3	J
Copper	µg/L	208	-	214	-	57.1	-
Lead (incl. Note on source)	µg/L	10.3	-	10.5	-	3.1	-
Mercury	µg/L	0.2	U	0.2	U	0.45	-
Nickel	µg/L	9	J	8.6	J	5	U
Selenium	µg/L	5	U	5	U	5	U
Silver	µg/L	1	U	1	U	1	U
Zinc	µg/L	797	-	823	-	193	-
Miscellaneous							
Sulfate (AS S04)	mg/L	36.2	-	27.7	-	27.4	-
Semi-Volatiles							
Phenol	µg/L	54	-	66	-	80	-
2-chlorophenol	µg/L	3	U	3	U	3	U
1,3-dichlorobenzene	µg/L	1	U	1	U	1	U
1,4-dichlorobenzene	µg/L	78	-	76	-	36	-
1,2-dichlorobenzene	µg/L	1	U	1	U	1	U
2-methylphenol o-cresol	µg/L	3	U	3	U	3	U
Cresols, m &	µg/L	140	-	176	-	798	-
2-nitrophenol	µg/L	4	U	4	U	4	U
2,4-dimethylphenol	µg/L	3	U	2	U	3	U
2,4-dichlorophenol	µg/L	3	U	3	U	3	U
4-chloro-3-methylphenol	µg/L	3	U	3	U	3	U
2,4,6-trichlorophenol	µg/L	3	U	3	U	3	U
2,4,5-trichlorophenol	µg/L	4	U	3	U	4	U
2,4-dinitrophenol	µg/L	6	U	5	U	6	U
4-nitrophenol	µg/L	4	U	4	U	4	U
4,6-dinitro-2-methylphenol	µg/L	6	U	5	U	6	U
Pentachlorophenol	µg/L	4	U	4	U	4	U
Volatiles							
Vinyl Chloride	µg/L	1	U	1	U	1	U
1,3-dichlorobenzene	µg/L	1	U	1	U	1	U
1,1-dichloroethene	µg/L	1	U	1	U	1	U
1,4-dichlorobenzene	µg/L	78	-	76	-	36	-
1,2-dichlorobenzene	µg/L	1	U	1	U	1	U
1,1,1-trichloroethane	µg/L	1	U	1	U	1	U
Carbon Tetrachloride	µg/L	1	U	1	U	1	U
Benzene	µg/L	0.3	J	0.3	J	0.2	J
1,2-dichloroethane	µg/L	1	U	1	U	1	U
Trichloroethylene (TCE)	µg/L	1	U	1	U	1	U
Toluene	µg/L	0.6	J	0.5	J	332	E
Tetrachloroethylene (PCE)	µg/L	1	U	1	U	1	U
Ethylbenzene	µg/L	1	U	1	U	0.8	J
M,p-xylene (sum of isomers)	µg/L	2	U	2	U	3	-
O-xylene (1,2-dimethylbenzene)	µg/L	1	U	1	U	2	-
Xylenes,total	µg/L	2	U	2	U	4	-

Abbreviations:
= - Indicates the value listed is the actual value quantified in the laboratory. E - Indicates a compound whose concentration exceeds the upper level of the calibration range of the instrument for that specific analysis.
J - Indicates an estimated value.
U - Indicates the compound was analyzed for but not detected.
µg/L - Micrograms per liter
mg/L - Milligrams per liter FD - Field Duplicate
WWTP - Wastewater treatment plant

LABORATORY ANALYTICAL DATA SUMMARY - SOIL AND SLUDGE SAMPLES

Parameter	Units	Site B2023-Rec Chamber Sludge Date: 6/13/00		Site: WWTP Perc Cell SB001 Soil Date: 6/8/00		Site: WWTP Perc Cell SB001 Soil (FD1) Date: 6/8/00		Site: WWTP Perc Cell SB002 Soil Date: 6/8/00		Site: WWTP Perc Cell SB003 Soil Date: 6/8/00		Site: WWTP Perc Cell SB004 Soil Date: 6/8/00		Site: WWTP Sed Tank SL001 Sludge Date: 6/13/00		Site: WWTP Sed Tank SL001 Sludge (FD1) Date: 6/13/00	
Metals																	
Arsenic	mg/kg	0.51	U	0.54	U	0.57	U	0.6	J	0.54	U	0.54	U	3.1	=	0.71	J
Barium	mg/kg	1.4	J	102	=	101	=	115	=	108	=	108	=	85.1	=	125	=
Cadmium	mg/kg	0.1	U	0.11	U	0.11	U	0.12	U	0.11	U	0.11	U	31.8	=	1.4	=
Chromium total	mg/kg	0.32	J	9.6	=	5.9	=	7.2	=	7	=	5.8	=	2200	=	154	=
Copper	mg/kg	17.6	=	19.9	=	13.1	=	22.1	=	23.4	=	21.1	=	351	=	302	=
Lead	mg/kg	1.1	=	0.95	=	0.72	=	3.5	=	0.67	=	1.2	=	676	=	294	=
Mercury	mg/kg	0.01	U	0.014	U	0.016	U	0.016	U	0.015	U	0.013	U	0.017	U	0.31	=
Nickel	mg/kg	0.51	U	3.5	J	2.2	J	3.5	J	3.1	J	3.1	J	14	=	15.2	=
Selenium	mg/kg	0.51	U	0.83	J	0.61	J	0.79	J	0.75	J	0.75	J	1	J	0.8	J
Silver	mg/kg	0.12	J	0.11	U	0.11	U	0.12	U	0.11	U	0.11	U	2.7	=	5.1	=
Zinc	mg/kg	78.6	=	72.9	=	79.9	=	99.1	=	88.5	=	88.5	J	1950	E	532	=
Semi-volatiles																	
Phenol	µg/kg	1580	U	30	U	32	U	35	U	30	U	29	U	3300	U	353	U
2-chlorophenol	µg/kg	1600	U	31	U	33	U	35	U	31	U	29	U	3350	U	359	U
13-dichlorobenzene	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
14-dichlorobenzene	µg/kg	7600	=	1	U	1	U	1	U	1	U	1	U	970	E	1300	E
12-dichlorobenzene	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
2-methylphenol o-cresol)	µg/kg	1800	U	35	U	37	U	40	U	35	U	33	U	3760	U	403	U
Cresols m &	µg/kg	1600	U	31	U	33	U	35	U	31	U	29	U	3350	U	359	U
2-nitrophenol	µg/kg	1480	U	29	U	30	U	32	U	28	U	27	U	3090	U	331	U
2 4dimethylphenol	µg/kg	1920	U	37	U	39	U	42	U	37	U	35	U	4020	U	430	U
2 4-dichlorophenol	µg/kg	1680	U	32	U	34	U	37	U	32	U	31	U	3500	U	375	U
4-chloro-3-methylphenol	µg/kg	1450	U	28	U	30	U	32	U	28	U	27	U	3040	U	326	U
2 4 6-trichlorophenol	µg/kg	1430	U	28	U	29	U	1	U	27	U	26	U	2990	U	320	U
2 4 5-trichlorophenol	µg/kg	1400	U	27	U	29	U	31	U	27	U	26	U	2940	U	315	U
2 4-dinitrophenol	µg/kg	1680	U	32	U	34	U	37	U	32	U	31	U	3500	U	375	U
4-nitrophenol	µg/kg	1230	U	24	U	25	U	27	U	24	U	23	U	2580	U	276	U
4 6-dinitro-2-methylphenol	µg/kg	1360	U	26	U	28	U	30	U	26	U	25	U	2830	U	304	U
Pentachlorophenol	µg/kg	1360	U	26	U	28	U	30	U	26	U	25	U	2830	U	304	U
Volatiles																	
Vinyl Chloride	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
11,3-dichlorobenzene	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
11-dichloroethene	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
14-dichlorobenzene	µg/kg	7600	=	1	U	1	U	1	U	1	U	1	U	970	E	1300	E
12-dichlorosenzene	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
111-trichloroethane	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
Carbon Tetrachloride	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
Benzene	µg/kg	97	=	1	U	1	U	1	U	1	U	1	U	3	J	12	U
12-dichloroethane	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
Trichloroethylene c	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
Toluene	µg/kg	120	=	1	U	1	U	1	U	1	U	1	U	4700	E	5100	E
Tetrachloroethylene pc	µg/kg	88	U	1	U	1	U	1	U	1	U	1	U	9	U	12	U
Ethylsenzene	µg/kg	180	=	1	U	1	U	1	U	1	U	1	U	22	=	22	=
M p-xylene sum of isomers	µg/kg	690	=	2	U	2	U	2	U	2	U	2	U	200	=	140	=
O-xylene 1 2-dimethylbenze	µg/kg	260	=	1	U	1	U	1	U	1	U	1	U	61	=	48	=
Xylenes total	µg/kg	960	=	2	U	2	U	2	U	2	U	2	U	260	=	190	=

Abbreviations:
- Indicates the value listed is the actual value quantified in the laboratory. E - indicates a compound whose concentration exceeds the upper level of the calibration range of the instrument for that specific analysis.
J - Indicates an estimated value.
U Indicates the compound was analyzed for but not detected. UG/KG - Micrograms per kilogram
MG/KG Milligrams per kilogram FD - Field Duplicate
WWTP - Wastewater treatment plant

Appendix I
Data Quality Evaluation

Vieques Island NASD Phase II Sampling Data Quality Evaluation (DQE)

TO: Marty Clasen/TPA

COPIES: Keith Coats/TPA
Doug VanNote/DFB

FROM: Kevin Sanders/GNA
Mark Stinnett/GNA

DATE: June 17, 2001

The purpose of the data quality evaluation process is to assess the effect of the overall analytical process on the usability of the data. The two major categories of data evaluation are laboratory performance and matrix interferences. Evaluation of laboratory performance is a check for compliance with the method requirements; either the laboratory did, or did not, analyze the samples within the limits of the analytical method. Evaluation of matrix interferences is more subtle and involves the analysis of several areas of results including surrogate spike recoveries, matrix spike recoveries, and duplicate sample results.

Introduction

Samples were collected from November 28, 2000 through December 20, 2000. Field QC samples collected included field duplicates, field blanks, and equipment rinsate blanks. The number of each type of sample is listed by analytical method in Table 1. The samples were analyzed for the following analytical fractions:

- Volatile organic compounds (VOCs) by CLP SOW OLMO4.2
- Semivolatile organic compounds (SVOCs) by CLP SOW OLMO4.2
- Organochlorine Pesticides and PCB's by CLP SOW OLMO4.2
- Total Petroleum Hydrocarbons by FLO-PRO
- Anions by Ion Chromatography, EPA 300.0
- Mercury by CLP SOW ILM04.0, EPA 245.2M and 245.5M
- Explosives by SW846 method 8330

Before the analytical results were released by the laboratory, both the sample and QC data were carefully reviewed to verify sample identity, instrument calibration, detection limits, dilution factors, numerical computations, accuracy of transcriptions, and chemical interpretations. Additionally, the QC data were reduced and the resulting data were reviewed to ascertain whether they were within the laboratory-defined limits for accuracy and precision. Any non-conforming data were discussed in the data package cover letter and case narrative.

The hardcopy data packages were reviewed by the project data validation subcontractor (Heartland Environmental Services, Inc) using the process outlined in the *EPA Region II's Functional Guidelines for Data Review* (Organic and Inorganic) SOP's. Data validation checklists used were those specified by EPA Region II. Areas of review included (when applicable to the SOW) holding time compliance,

calibration verification, blank results, matrix spike precision and accuracy, method accuracy as demonstrated by LCSs, field duplicate results, and interference checks. The Region II data review worksheet was completed for each of these data packages and any non-conformance documented. This data review and validation process is independent of the laboratory's checks and focuses on the usability of the data to support the project data interpretation and decision-making processes.

Data that were not within the acceptance limits were appended with a qualifying flag, which consists of a single or double-letter abbreviation that reflects a problem with the data. Although the qualifying flags are appended to data records during the database query process, they are also included in the final data summary tables deliverable so that the data will not be used indiscriminately. These also include secondary, or the two-digit "sub-qualifier" flags which are entered into the comments field of the database. The secondary qualifiers provide the reasoning behind the assignment of a specific qualifier to the data. The sub-qualifiers are presented and defined in Attachment I. The following primary flags were used to qualify the data:

- U - Undetected. Analyte was analyzed for but not detected above the method detection limit.
- UJ - Detection limit estimated. Analyte was analyzed for, and qualified as not detected. The result is estimated.
- J - Estimated. The analyte was present, but the reported value may not be accurate or precise.
- R - Rejected. The data are unusable. (NOTE: Analyte/compound may or may not be present.)

Numerical sample results that are greater than the method detection limit or inorganic instrument detection limit (MDL or IDL) but less than the contract required reporting limit (CRDL) are qualified with a "J" for estimated as required by the EPA Functional Guidelines for Evaluating Data Quality.

The entire database was queried for frequency of detection in blanks and field samples, detailed detections reported in all blank types, matrix spike/matrix spike duplicate (MS/MSD) results, field duplicate precision, and preparation and analysis dates pertaining to holding times. The queries were then manipulated to calculate necessary statistics for evaluation of the data.

Once the data review and validation process was completed, the entire data set were reviewed for target analyte frequencies of detection, dilution factors that might affect data usability, and patterns of target analyte distribution. The data set was also evaluated to identify potential data limitations, uncertainties, or both in the analytical results. Attachment A lists the changes in data qualifiers due to the validation processes. Attachment H presents all data which were rejected.

Holding Times

The holding times for each parameter were evaluated according to CLP SOW requirements. Attachment J indicates that 3,364 records were qualified as estimated (J or UJ) due to missed holding times. No data were rejected. These records included 1,870 pesticide, 1,098 semi-volatile, 380 volatile, and 16 FLO-PRO results.

Calibration

Attachment A indicates that 736 records were qualified due to initial or continuing calibration deficiencies. A total of 345 results were rejected due to these deficiencies. The rejected data applied

to two known volatile poor performers, acetone and 2-butanone (MEK). All other data were qualified as estimated (J or UJ).

Method Accuracy

The laboratory control sample (LCS) reflects method accuracy. The LCS consists of deionized water spiked with target compounds or elements and processed through the entire method of preparation and analysis. There were nine zinc records qualified as estimated (J or UJ) due to LCS recoveries outside criteria. All other LCS recoveries met control limit criteria for these data indicating that the analytical method was in control.

Potential Field Sampling and Laboratory Contamination

Four types of blank samples were used to monitor potential contamination introduced during field sampling, sample handling, shipping activities, as well as sample preparation and analysis in the laboratory. Types of blank samples included:

- **Trip Blank (TB)**: A sample of ASTM Type II water that is prepared in the laboratory prior to the sampling event. The water is stored in VOC sample containers and is not opened in the field, and travels back to the laboratory with the other samples for VOC analysis. This blank is used to monitor the potential for sample contamination during the sample container trip. One trip blank should be included in each sample cooler that contained samples for VOC analysis. Eighteen trip blanks were submitted to the laboratory with these samples.

- **Equipment Rinsate Blank (ERB)**: A sample of the target-free water used for the final rinse during the equipment decontamination process. This blank sample is collected by rinsing the sampling equipment after decontamination and is analyzed for the same analytical parameters as the corresponding samples. This blank is used to monitor potential contamination caused by incomplete equipment decontamination. One equipment rinsate blank should be collected per day of sampling, per type of sampling equipment. Depending on the method, up to thirteen equipment rinsate blanks were submitted to the laboratory for this field effort.

- **Field Blank or Ambient Blank (FB or AB)**: The field blank is an aliquot of the source water used for equipment decontamination. This blank monitors contamination that may be introduced from the water used for decontamination. One field blank should be collected from each source of decontamination water and analyzed for the same parameters as the associated samples. Depending on the method, up to three field blanks were collected during this sampling event for selected methods.

- **Laboratory Method Blank or Method Blank (MB)**: A laboratory method blank is ASTM Type II water that is treated as a sample in that it undergoes the same analytical process as the corresponding field samples. Method blanks are used to monitor laboratory performance and contamination introduced during the analytical procedure. One method blank was prepared and analyzed for every twenty samples or per analytical batch, whichever was more frequent.

According to the NFG, concentrations of common organic contaminants detected in samples at less than ten times the concentration of the associated blanks can be attributed to field sampling and laboratory contamination rather than environmental contamination from site activities. Common organic contaminants include acetone, methylene chloride, 2-butanone, and the phthalates. For other inorganic and organic contaminants, five times the concentration detected in the associated blanks (rather than ten times) is used to qualify results as potential field and/or laboratory contamination rather than environmental contamination. The ten times rule was applied on an sample delivery group (SDG) by SDG basis and not globally. Global application, however, would account for

anomalous data which should also be attributed to laboratory or field blank contamination. However, EPA Region II direction does not provide for the validation contractor to use any blank value determined below the CRDL as does traditional *EPA Functional Guidelines*. Additionally, use of field blank data is left to the validation contractors discretion and is generally not applied, as was the case with this data set.

Attachment G contrasts the frequency and magnitude of detection of targets common between normal field samples and blanks. Moreover, many results reported in blanks (especially metals) are well below any practical quantitation limit (PQL) and may represent Type I or II errors when associated with a matrix. A Type I (or alpha error) occurs when the value reported is dismissed as a biased high, or false positive result and a Type II (or beta error) is considered as a biased low or false negative result.

Detects in the samples at levels less than the action levels (5 or 10 times rule) were qualified as not detected. Attachment A (Change in Qualifiers) lists all changes in qualifier due to data validation and blank contamination (345 total results due to blanks). A comprehensive list of all detects in each blank is provided in Attachment B. Table 2 compiles the blank detections into a "frequency of detection" by target parameter. Additionally, Attachment F compiles frequency of detection by target analyte for all field samples after validation.

Four semi-volatile compounds were reported in blanks. Phthalates are used as plasticizers. The most common phthalates are bis(2-ethylhexyl) phthalate (BEHP), Di-n-butylphthalate, and Diethyl phthalate. Phthalates are often introduced into samples during handling. Gloves are often used when handling sampling equipment such as pumps, hoses, split spoons, dredges and bailers. Additionally, laboratory chemists use gloves when handling samples and extracts. Gloves are coated with plasticizers such as BEHP to facilitate release of the gloves from the skin. Attachment B indicates that BEHP was detected in a single ambient blank. Six samples were qualified as non-detect due to blank contamination by BEHP. Di-n-octylphthalate was reported in single equipment and lab blanks which resulted in six samples being qualified. . Di-ethyl phthalate was detected in two laboratory blanks but resulted in no samples being qualified. Pentachlorophenol was detected in a single ambient blank but did not result in any sample qualifications.

A single equipment blank (NDE132EB3) reported ten organochlorine pesticide target analytes at sub-part per-billion concentrations. No field samples were qualified for blank contamination for these compounds.

Thirteen volatile compounds were reported in laboratory and /or field blanks. Methylene chloride and acetone are used as extraction solvents and are common lab contaminants. Methylene chloride was found in equipment, laboratory, and trip blanks at concentrations less than the reporting limit of 10 ug/L. Twenty-nine samples were qualified as not detected for methylene chloride due to blank contamination. Table 2 indicates that acetone was detected in equipment and laboratory blank types. Ten samples were qualified as not detected due to acetone contamination. 1,2-Dichloroethane was reported in equipment and laboratory blanks. Six field samples were qualified as not detected. Chloroform, a trihalomethane (THM) and disinfection byproduct was detected in ambient and equipment blanks which resulted in three field samples being qualified as non-detects. Toluene was detected in all blank types. Twenty-three field samples were qualified for blank contamination. Trichloroethylene (TEC) was reported in laboratory blanks resulting in seven samples being qualified. Benzene, bromodichloromethane, carbon disulfide, m,p-xylene, o-xylene, total xylene, and 2-butanone were also detected in blanks but their detections did not result in any field sample qualification.

Matrix Effects

Surrogate Spike Recovery

Surrogate spike compounds were added to every sample analyzed for the organic parameters including field and laboratory blanks as well as field environment samples. Surrogate spikes consist of organic compounds which are similar to the method targets in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

Surrogate spike recoveries were used to monitor both laboratory performance and matrix interference. Surrogate spike recoveries from field and laboratory blanks were used to evaluate laboratory performance because the blanks should represent an "ideal" sample matrix. Surrogate spike recoveries for field samples were used to evaluate the potential for matrix interference. According to NFG, data are not qualified with respect to surrogate recoveries unless one or more volatile surrogates are out of specifications. Semivolatiles are not qualified unless two or more surrogates, within the same fraction (base/neutral or acid fraction), are out of specification.

All reported surrogate spike recoveries for field and QC samples are presented by each analytical fraction in Attachment C. Attachment A indicates that 2,971 records were qualified as estimated due to surrogate recoveries outside criteria. No data were rejected. The majority of surrogate recoveries were well within method acceptance ranges as reflected by Attachment C. The recoveries indicate that the matrix did not significantly influence the analytical method or the final analytical result.

Matrix Spike / Matrix Spike Duplicate Precision and Accuracy

A matrix spike is an aliquot of sample spiked with a known concentration of target analyte(s). The spiking occurs prior to sample preparation and analysis. A matrix spike is used to document the bias of a method in a given sample matrix. The matrix spike duplicate is an intralaboratory-split sample spiked with identical concentrations of target analyte(s). The spiking occurs prior to sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix. For the MS/MSD measurement, three aliquots of a single sample are analyzed; one native sample and two spiked with target analytes or compounds. Matrix accuracy is evaluated from the spike recoveries, while matrix precision is evaluated from comparison of the percent recoveries of the MS and MSD. Another method of measuring precision, typically associated with inorganic results is the native duplicate. A second aliquot of a native sample is digested and analyzed. Results from the native and the duplicate are compared and the RSD calculated for this precision measurement.

Organic results are not qualified upon the results of MS/MSD results alone. Evaluation is in conjunction with surrogate, LCS, and internal standard (if applicable) results. Additionally, many MS/MSD samples require dilution and thus the spike compounds added are diluted out and unable to be evaluated.

Inorganic results may be qualified solely upon the results of the matrix spike/matrix spike duplicate precision and accuracy. Instances where the native sample concentration for a given element exceeds the spike added concentration by a factor of four or more are not evaluated as the spike added would be masked by the native concentration. According to NFG, metals recoveries of greater than 30% and outside the 75-125% recovery control limits are required to be flagged as estimated. Precision requirements for waters are at 20 relative percent difference (RPD). All MS/MSD precision and accuracy results are listed in Attachment D. Moreover, Attachment A indicates which samples and what targets were qualified (283 records). Of these records qualified for precision and accuracy measurement outside criteria, none were rejected. All of these records were estimated (J or UJ). As Attachment D indicates, the majority of the accuracy and precision results were well within established criteria, indicating that the specific sample matrix did not greatly influence the overall analytical process or the final numerical sample result.

Attachment E lists all laboratory duplicate precision statistics. No data were qualified due to laboratory duplicate precision outside criteria. These data confirm that the laboratories method precision was in control and that the matrices were generally homogenous.

Field Duplicate Sample Results

Field duplicate analyses measure both field and laboratory precision and can also be affected by the homogeneity of the samples. Therefore the results may have more variability than lab duplicates, which measure only lab performance. According to the EPA *Functional Guidelines*, there are no qualification criteria for field duplicate precision.

Dependent upon the method, there were up to four sets of field duplicates collected during this field effort. Both the native and duplicate samples were analyzed for the same parameters.

An aqueous control limit of ± 20% for the RPD was used for original and duplicate sample values greater than or equal to five times the RL. Solid samples utilized a control limit of 35 RPD. A control limit of ± the RL for waters and 2 times the RL for soils was used if either the sample for the duplicate value was less than five times the RL. In the cases where only one result is above the five times the RL level and the other is below, the ± RL criteria were applied. Attachment K includes a summary of the field duplicate measurements and their associated precision statistic.

The attachment reflects 58 of 523 (11%) measurable results outside established criteria. no results outside criteria. Thus, the data were within the defined control limits. These precision data indicate that matrix heterogeneity and sampling technique did not greatly influence the final numerical result.

Total versus Dissolved Metals

Attachment L presents the dissolved versus total metals contrast. Criteria for evaluation of the data includes data that is at least five times the reporting limit (RL) and where the difference between results is less than 10 per cent of the dissolved concentration. These comparisons reveal that the dissolved concentration is greater than the total concentration in only 2 of 507 results.

Sample Results for Metals Near the Method Detection Limit (MDL)

The MDL is defined as the minimum concentration of an analyte that can be identified, measured, and reported with 99% confidence that the analyte concentration is greater than zero. However, sample results at, or near, the MDL reported in blanks (especially metals) may represent Type I or II errors. This phenomenon is compounded when measurements are associated with a matrix. A Type I (or alpha error) occurs when the value reported is dismissed as a biased high, or false positive result and a Type II (or beta error) is considered as a biased low or false negative result. Thus, some values at the lower levels of detection may be false positives caused by instrument noise or low-level background shifts rather than a true analyte signal. Additionally, concentrations near the MDL should be considered as not necessarily accurate or precise.

PARCCs

Precision--is defined as the agreement between duplicate results, and was estimated by comparing native laboratory duplicates and field duplicate sample results. Laboratory duplicate precision was documented as well within control limit criteria for most samples and targets. Other than the documented exceptions, the precision between native and field duplicate sample results were within acceptable criteria for the majority of the measurements indicating that sample matrix did not significantly interfere with the overall analytical process.

Accuracy--is a measure of the agreement between an experimental determination and the true value of the parameter being measured. For inorganic analyses a MS and LCS were spiked with a known reference material before preparation. The MS provides a measure of the matrix effects on the analytical accuracy. The LCS results demonstrate accuracy of the method. Matrix spike and LCS recoveries were within the method acceptance limits for the majority of the measurements; therefore, other than the documented exceptions, there was no evidence of significant matrix interferences that would affect the usability of the data.

Representativeness--this criteria is a qualitative measure of the degree to which sample data accurately and precisely represent a characteristic environmental condition. Representativeness is a subjective parameter and is used to evaluate the efficacy of the sampling plan design. Representativeness was demonstrated by providing full descriptions in the project scoping documents of the sampling techniques and the rationale used for selecting sampling locations.

Completeness--is defined as the percentage of measurements that are judged to be valid compared to the to total number of measurements made. Other than the 34 non-detected acrolein results rejected for poor continuing calibration statistics as previously mentioned, no other data were rejected. A goal of 90 percent usable data was established in the project scoping document and **98.6 %** percent (29173/29593) of the data was determined to be valid.

Comparability--is another qualitative measure designed to express the confidence with which one data set may be compared to another. Factors that affect comparability are sample collection and handling techniques, sample matrix type, and analytical method. Comparability is limited by the other PARCC parameters because data sets can be compared with confidence only when precision and accuracy are known. Data from this investigation are comparable with other data collected at the site because only EPA methods were used to analyze the sample and EPA Level III QC data are available to support the quality of the data.

Summary and Conclusions

Conclusions of the data quality evaluation process include:

- The laboratory analyzed the samples according to the EPA methods stated in the work plan as demonstrated by the deliverable summaries and analytical run sequences
- Sample results at, or near, the MDL reported in blanks (especially metals) may represent Type I or II errors. This phenomenon is compounded when measurements are associated with a matrix. A Type I (or alpha error) occurs when the value reported is dismissed as a biased high, or false positive result and a Type II (or beta error) is considered as a biased low or false negative result. Thus, some values at the lower levels of detection may be false positives caused by instrument noise or low-level background shifts rather than a true analyte signal.
- Spike recoveries, and duplicate sample results (other than the exceptions documented in the text and attachments) indicate that the specific sample matrix did not significantly interfere with the analytical process or the final numerical result.

The project objectives or PARCCs were met, and the data can be used in the project decision-making process as qualified by the data quality evaluation process.

Table 1 - Number of Samples Collected by Matrix, Method, and Type

Matrix	Analytical Method	Prep Method	N1	FD1	AB	EB	TB
SB	CLP_PEST	SW3550	58	4			
SD	CLP_PEST	SW3550	5	1			
SS	CLP_PEST	SW3550	92	11			
SW	CLP_PEST	SW3510	5	1	1	3	
SB	E200.7	SW3050	58	4			
SD	E200.7	SW3050	5	1			
SS	E200.7	SW3050	92	11			
SW	E200.7	SW3050	5	1			
WG	E200.7	FLDFLT	13	3	3	13	
SW	E245.2	METHOD	5	1			
WG	E245.2	FLDFLT	13	3			
WG	E245.2	METHOD	13	3	3	13	
SB	E245.5	METHOD	58	4			
SD	E245.5	METHOD	5	1			
SS	E245.5	METHOD	92	11			
SW	E300	NONE	5	1			
WG	E300	NONE	4	1	1	1	
SB	FL-PRO	METHOD	26				
SS	FL-PRO	METHOD	26	5		2	
SB	SW8260B	SW5030	58	4			
SD	SW8260B	SW5030	5	1			
SS	SW8260B	SW5030	92	11			
SW	SW8260B	SW5030	5	1			
WG	SW8260B	SW5030	13	3	3	13	18
SB	SW8270C	SW3550	59	4			
SD	SW8270C	SW3550	5	1			
SS	SW8270C	SW3550	93	11			
SW	SW8270C	SW3510	5	1			
WG	SW8270C	SW3510	13	3	3	13	
SB	SW8330	SW3550	5	1			
SD	SW8330	SW3550	5	1			
SS	SW8330	SW3550	5				
SW	SW8330	SW3510	5	1			
WG	SW8330	SW3510	4	1	1	4	

Table 2 - Frequency of L tion in Blanks of All Types

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL	Min DL	Max DL	Units
WQ	EB	CLP_PEST	SW3510	DIELDRIN	1	1	0.108	0.108	0.1	0.1	0.005	0.005	ug/L
WQ	EB	CLP_PEST	SW3510	ENDOSULFAN II (Beta)	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	ENDOSULFAN SULFATE	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	ENDRIN	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	ENDRIN ALDEHYDE	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	ENDRIN KETONE	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	METHOXYCHLOR	1	1	0.54	0.54	0.54	0.54	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	p,p'-DDD	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	p,p'-DDE	1	1	0.108	0.108	0.1	0.1	0.01	0.01	ug/L
WQ	EB	CLP_PEST	SW3510	p,p'-DDT	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
SOIL	LB	E200.7	SW3050	ALUMINUM	17	2	12	12	40	40	9.5	9.5	mg/Kg
WQ	EB	E200.7	SW3050	BARIUM	3	1	1.2	1.2	200	200	0.13	0.13	ug/L
WQ	EB	E200.7	SW3050	BARIUM	1	1	1.6	1.6	200	200	0.13	0.13	ug/L
SOIL	LB	E200.7	SW3050	BARIUM	17	2	0.014	0.035	40	40	0.01	0.013	mg/Kg
WATER	LB	E200.7	SW3050	BARIUM	13	1	0.18	0.18	200	200	0.13	0.13	ug/L
WQ	AB	E200.7	SW3050	BERYLLIUM	1	1	1.3	1.3	5	5	0.33	0.33	ug/L
WQ	EB	E200.7	SW3050	BERYLLIUM	9	2	1	1.2	5	5	0.33	0.33	ug/L
WQ	EB	E200.7	SW3050	BERYLLIUM	1	1	1.1	1.1	5	5	0.33	0.33	ug/L
SOIL	LB	E200.7	SW3050	CADMIUM	17	1	0.037	0.037	1	1	0.02	0.027	mg/Kg
WATER	LB	E200.7	SW3050	CADMIUM	13	1	0.54	0.54	5	5	0.27	0.27	ug/L
WQ	AB	E200.7	SW3050	CALCIUM	2	1	120	120	5000	5000	28	28	ug/L
WQ	AB	E200.7	SW3050	CALCIUM	1	1	85	85	5000	5000	28	28	ug/L
WQ	EB	E200.7	SW3050	CALCIUM	9	6	65	250	5000	5000	28	28	ug/L
WQ	EB	E200.7	SW3050	CALCIUM	3	2	120	480	5000	5000	28	28	ug/L
WQ	EB	E200.7	SW3050	CALCIUM	1	1	470	470	5000	5000	28	28	ug/L
SOIL	LB	E200.7	SW3050	CALCIUM	17	6	6	33	1000	1000	2.8	2.8	mg/Kg
WATER	LB	E200.7	SW3050	CALCIUM	13	5	190	336	5000	5000	28	28	ug/L
WATER	LB	E200.7	FLDFLT	CALCIUM, DISSOLVED	2	1	371	371	5000	5000	28	28	ug/L
WQ	EB	E200.7	SW3050	CHROMIUM, TOTAL	9	1	2.4	2.4	10	10	0.87	0.87	ug/L
WQ	EB	E200.7	SW3050	CHROMIUM, TOTAL	1	1	7.3	7.3	10	10	0.87	0.87	ug/L
WATER	LB	E200.7	SW3050	CHROMIUM, TOTAL	13	2	1.1	1.1	10	10	0.87	0.87	ug/L
SOIL	LB	E200.7	SW3050	COBALT	17	1	0.063	0.063	10	10	0.04	0.043	mg/Kg
WATER	LB	E200.7	SW3050	COBALT	13	2	0.88	0.88	50	50	0.43	0.43	ug/L
WQ	EB	E200.7	SW3050	COPPER	9	1	2.6	2.6	25	25	0.8	2	ug/L
WQ	EB	E200.7	SW3050	IRON	9	1	56	56	100	100	25	25	ug/L
WQ	EB	E200.7	SW3050	IRON	1	1	280	280	100	100	25	25	ug/L
SOIL	LB	E200.7	SW3050	IRON	17	7	2.6	11	20	20	2.5	2.5	mg/Kg
WATER	LB	E200.7	SW3050	IRON	13	5	46	70	100	100	25	25	ug/L
WQ	AB	E200.7	SW3050	MAGNESIUM	1	1	99	99	5000	5000	13	13	ug/L
WQ	EB	E200.7	SW3050	MAGNESIUM	9	1	160	160	5000	5000	13	13	ug/L
WQ	EB	E200.7	SW3050	MAGNESIUM	3	2	35	170	5000	5000	13	13	ug/L
WQ	EB	E200.7	SW3050	MAGNESIUM	1	1	360	360	5000	5000	13	13	ug/L
SOIL	LB	E200.7	SW3050	MAGNESIUM	17	3	2	5.5	1000	1000	0.13	1.3	mg/Kg

Table 2 - Frequency of Detection in Blanks of All Types

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL	Min DL	Max DL	Units
WATER	LB	E200.7	SW3050	MAGNESIUM	13	4	120	120	5000	5000	13	13	ug/L
WATER	LB	E200.7	FLDFLT	MAGNESIUM, DISSOLVED	2	1	200	200	5000	5000	13	13	ug/L
WQ	EB	E200.7	SW3050	MANGANESE	9	2	1.1	1.5	15	15	0.33	0.33	ug/L
WQ	EB	E200.7	SW3050	MANGANESE	3	1	1.2	1.2	15	15	0.33	0.33	ug/L
WQ	EB	E200.7	SW3050	MANGANESE	1	1	8.5	8.5	15	15	0.33	0.33	ug/L
SOIL	LB	E200.7	SW3050	MANGANESE	17	4	0.21	0.28	3	3	0.03	0.033	mg/Kg
WQ	AB	E200.7	SW3050	NICKEL	2	1	3	3	40	40	0.93	0.93	ug/L
WQ	AB	E200.7	SW3050	NICKEL	1	1	1.9	1.9	40	40	0.93	0.93	ug/L
WQ	EB	E200.7	SW3050	NICKEL	9	6	2.2	3.6	40	40	0.93	0.93	ug/L
WQ	EB	E200.7	SW3050	NICKEL	3	2	2.9	4.1	40	40	0.93	0.93	ug/L
WQ	EB	E200.7	SW3050	NICKEL	1	1	2.9	2.9	40	40	0.93	0.93	ug/L
SOIL	LB	E200.7	SW3050	NICKEL	17	1	0.17	0.17	8	8	0.09	0.093	mg/Kg
WATER	LB	E200.7	SW3050	NICKEL	13	2	1.9	1.9	40	40	0.93	0.93	ug/L
WQ	EB	E200.7	SW3050	POTASSIUM	9	1	130	130	5000	5000	30	30	ug/L
WQ	EB	E200.7	SW3050	POTASSIUM	3	1	77	77	5000	5000	30	30	ug/L
WQ	EB	E200.7	SW3050	POTASSIUM	1	1	210	210	5000	5000	30	30	ug/L
SOIL	LB	E200.7	SW3050	POTASSIUM	17	2	5	5	1000	1000	3	3	mg/Kg
WQ	EB	E200.7	SW3050	SODIUM	9	2	530	1500	5000	5000	200	200	ug/L
WQ	EB	E200.7	SW3050	SODIUM	3	1	1600	1600	5000	5000	200	200	ug/L
WQ	EB	E200.7	SW3050	SODIUM	1	1	3300	3300	5000	5000	200	200	ug/L
SOIL	LB	E200.7	SW3050	SODIUM	17	2	22	26	1000	1000	20	20	mg/Kg
WATER	LB	E200.7	SW3050	SODIUM	13	1	346	346	5000	5000	200	200	ug/L
WATER	LB	E200.7	FLDFLT	SODIUM, DISSOLVED	2	1	1060	1060	5000	5000	200	200	ug/L
WQ	AB	E200.7	SW3050	THALLIUM	2	2	8.3	9.8	10	10	3.4	3.4	ug/L
WQ	AB	E200.7	SW3050	THALLIUM	1	1	5.4	5.4	10	10	3.4	3.4	ug/L
WQ	EB	E200.7	SW3050	THALLIUM	9	8	4.5	9.7	10	10	3.4	3.4	ug/L
WQ	EB	E200.7	SW3050	THALLIUM	3	3	6.3	9.5	10	10	3.4	3.4	ug/L
WQ	EB	E200.7	SW3050	THALLIUM	1	1	4.9	4.9	10	10	3.4	3.4	ug/L
SOIL	LB	E200.7	SW3050	THALLIUM	17	2	0.49	0.71	2	2	0.34	0.34	mg/Kg
WATER	LB	E200.7	SW3050	THALLIUM	13	4	6.6	7.4	10	10	3.4	3.4	ug/L
WQ	AB	E200.7	SW3050	ZINC	2	1	8.1	8.1	20	20	5	5	ug/L
WQ	EB	E200.7	SW3050	ZINC	9	2	10	19	20	20	5	5	ug/L
WQ	EB	E200.7	SW3050	ZINC	3	2	6	20	20	20	5	5	ug/L
SOIL	LB	E200.7	SW3050	ZINC	17	5	0.56	1.6	4	4	0.5	0.5	mg/Kg
WATER	LB	E200.7	SW3050	ZINC	13	2	5.3	5.3	20	20	5	5	ug/L
WATER	LB	E245.2	METHOD	MERCURY	13	1	0.045	0.045	0.2	0.2	0.02	0.2	ug/L
WQ	EB	SW8260B	SW5030	1,2-DICHLOROETHANE	9	1	1.6	1.6	1	10	0.24	0.26	ug/L
SOIL	LB	SW8260B	SW5030	1,2-DICHLOROETHANE	40	7	0.28	1.3	9.3	12	0.16	0.26	ug/Kg
WATER	LB	SW8260B	SW5030	1,2-DICHLOROETHANE	19	3	1.4	1.7	1	10	0.24	0.26	ug/L
WQ	TB	SW8260B	SW5030	1,2-DICHLOROETHANE	15	1	0.28	0.28	1	10	0.24	0.26	ug/L
WQ	EB	SW8260B	SW5030	ACETONE	9	2	5.4	7.8	5	10	4.1	10	ug/L
WQ	EB	SW8260B	SW5030	ACETONE	3	1	6.2	6.2	5	10	4.1	4.1	ug/L
WQ	EB	SW8260B	SW5030	ACETONE	[illegible]	1	6.6	6.6	10	10	4.1	[illegible]	ug/L

Table 2 - Frequency of D[illegible]tion in Blanks of All Types

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL	Min DL	Max DL	Units
SOIL	LB	SW8260B	SW5030	ACETONE	40	40	4	59	9.3	12	1.4	9.3	ug/Kg
WATER	LB	SW8260B	SW5030	ACETONE	19	2	5.7	6.3	5	10	4.1	10	ug/L
WQ	TB	SW8260B	SW5030	ACETONE	15	6	4.5	9.4	5	10	4.1	10	ug/L
SOIL	LB	SW8260B	SW5030	BENZENE	40	2	0.21	0.21	9.3	12	0.1	0.22	ug/Kg
WQ	TB	SW8260B	SW5030	BENZENE	15	1	0.25	0.25	1	10	0.1	0.11	ug/L
WQ	AB	SW8260B	SW5030	BROMODICHLOROMETHANE	2	2	0.74	0.94	1	10	0.4	0.4	ug/L
WQ	EB	SW8260B	SW5030	CARBON DISULFIDE	9	1	0.4	0.4	1	10	0.26	0.31	ug/L
WQ	TB	SW8260B	SW5030	CARBON DISULFIDE	15	1	0.44	0.44	1	10	0.26	0.31	ug/L
WQ	AB	SW8260B	SW5030	CHLOROFORM	2	2	6.2	8.8	1	10	0.14	0.14	ug/L
WQ	AB	SW8260B	SW5030	CHLOROFORM	1	1	9.2	9.2	10	10	0.14	0.14	ug/L
WQ	EB	SW8260B	SW5030	CHLOROFORM	9	8	2.3	9.7	1	10	0.14	1	ug/L
WQ	EB	SW8260B	SW5030	CHLOROFORM	3	3	2.5	9	1	10	0.14	0.14	ug/L
WQ	EB	SW8260B	SW5030	CHLOROFORM	1	1	8.8	8.8	10	10	0.14	0.14	ug/L
SOIL	LB	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	40	2	0.38	0.38	9.3	12	0.15	0.23	ug/Kg
WQ	EB	SW8260B	SW5030	2-BUTANONE (MEK)	9	1	2.1	2.1	5	10	1.7	1.7	ug/L
WQ	TB	SW8260B	SW5030	2-BUTANONE (MEK)	15	1	4.9	4.9	5	10	1.7	1.7	ug/L
WQ	TB	SW8260B	SW5030	2-BUTANONE (MEK)	3	1	2.2	2.2	10	10	1.7	1.7	ug/L
WQ	EB	SW8260B	SW5030	METHYLENE CHLORIDE	9	2	0.27	7.5	2	10	0.12	2	ug/L
WQ	EB	SW8260B	SW5030	METHYLENE CHLORIDE	3	1	9.5	9.5	2	10	0.12	0.12	ug/L
WQ	EB	SW8260B	SW5030	METHYLENE CHLORIDE	1	1	6	6	10	10	0.12	0.12	ug/L
SOIL	LB	SW8260B	SW5030	METHYLENE CHLORIDE	40	15	0.32	5.1	9.3	12	0.24	1.9	ug/Kg
WATER	LB	SW8260B	SW5030	METHYLENE CHLORIDE	19	2	0.6	1.3	2	10	0.12	2	ug/L
WQ	TB	SW8260B	SW5030	METHYLENE CHLORIDE	15	4	0.22	1.3	2	10	0.12	2	ug/L
SOIL	LB	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	40	2	0.22	0.22	9.3	12	0.14	0.22	ug/Kg
WQ	AB	SW8260B	SW5030	TOLUENE	2	1	0.38	0.38	1	10	0.28	0.28	ug/L
WQ	AB	SW8260B	SW5030	TOLUENE	1	1	0.37	0.37	10	10	0.28	0.28	ug/L
WQ	EB	SW8260B	SW5030	TOLUENE	9	5	0.31	0.54	1	10	0.23	0.28	ug/L
WQ	EB	SW8260B	SW5030	TOLUENE	3	2	0.44	0.44	1	10	0.28	0.28	ug/L
WQ	EB	SW8260B	SW5030	TOLUENE	1	1	0.37	0.37	10	10	0.28	0.28	ug/L
SOIL	LB	SW8260B	SW5030	TOLUENE	40	2	0.22	0.22	9.3	12	0.15	0.25	ug/Kg
WQ	TB	SW8260B	SW5030	TOLUENE	15	11	0.89	5	1	10	0.23	0.28	ug/L
WQ	TB	SW8260B	SW5030	TOLUENE	3	3	2.3	2.7	10	10	0.28	0.28	ug/L
SOIL	LB	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	40	2	0.25	0.3	9.3	12	0.21	0.34	ug/Kg
SOIL	LB	SW8260B	SW5030	XYLENES, TOTAL	40	2	0.6	0.6	9.3	12	0.12	0.23	ug/Kg
WQ	AB	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	2	1	4.5	4.5	5.3	14	0.93	1.2	ug/L
SOIL	LB	SW8270C	SW3550	DIETHYL PHTHALATE	16	1	241	241	303	333	25	27	ug/Kg
WATER	LB	SW8270C	SW3510	DIETHYL PHTHALATE	13	2	0.65	0.65	5	10	0.37	0.43	ug/L
WQ	EB	SW8270C	SW3510	DI-n-OCTYLPHTHALATE	3	1	1.4	1.4	6.1	11	0.49	1.6	ug/L
WATER	LB	SW8270C	SW3510	DI-n-OCTYLPHTHALATE	13	1	3.6	3.6	5	10	0.46	1.3	ug/L
SOIL	LB	SW8270C	SW3550	PENTACHLOROPHENOL	16	1	213	213	909	1000	17	18	ug/Kg

Attachment A - Changes in Qualifier Through the Validation Process

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	IDL	RL	Units	Comments
SS	NDE133	CLP_PEST	SW3550	p,p'-DDD	12	J	0.26	3.7	ug/Kg	2C
SS	NDE137	CLP_PEST	SW3550	p,p'-DDD	7.4	J	0.27	3.8	ug/Kg	2C
SS	NDE145	CLP_PEST	SW3550	p,p'-DDD	14	J	0.24	3.5	ug/Kg	2C
SS	NDE146	CLP_PEST	SW3550	p,p'-DDD	6.4	J	0.25	3.7	ug/Kg	2C
SS	NDE148	CLP_PEST	SW3550	p,p'-DDD	9.4	J	0.29	4.1	ug/Kg	2C
SS	NDE151	CLP_PEST	SW3550	p,p'-DDD	4	J	0.26	3.7	ug/Kg	2C
SS	NDE149	CLP_PEST	SW3550	p,p'-DDD	4	U	0.28	4	ug/Kg	2C
SS	NDE160	CLP_PEST	SW3550	p,p'-DDE	19	J	0.37	3.7	ug/Kg	2C
SS	NDE159	CLP_PEST	SW3550	p,p'-DDE	3.6	U	0.36	3.6	ug/Kg	2C
SS	NDE160	CLP_PEST	SW3550	p,p'-DDT	8.9	J	0.43	3.7	ug/Kg	2C
SB	NDE012	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	2C
SB	NDE014	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	2C, HT
SS	NDE013	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.23	3.4	ug/Kg	2C, HT
SS	NDE015	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.24	3.4	ug/Kg	2C, HT
SS	NDE021	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	2C, HT
SS	NDE021	CLP_PEST	SW3550	p,p'-DDT	6.7	J	0.44	3.7	ug/Kg	2C, HT
SS	NDE161	CLP_PEST	SW3550	p,p'-DDE	9.4	J	0.78	7.7	ug/Kg	2C, SS
SS	NDE161	CLP_PEST	SW3550	p,p'-DDT	8.7	J	0.9	7.7	ug/Kg	2C, SS
SB	NDE036FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	10	U	0.2	10	ug/Kg	BL
SB	NDE038	SW8260B	SW5030	1,2-DICHLOROETHANE	10	U	0.23	10	ug/Kg	BL
SS	NDE137	SW8260B	SW5030	1,2-DICHLOROETHANE	19	U	0.42	19	ug/Kg	BL
SS	NDE143FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	10	U	0.21	10	ug/Kg	BL
SS	NDE144	SW8260B	SW5030	1,2-DICHLOROETHANE	12	U	0.26	12	ug/Kg	BL
SS	NDE147	SW8260B	SW5030	1,2-DICHLOROETHANE	10	U	0.19	10	ug/Kg	BL
SB	NDE195FD1	SW8260B	SW5030	ACETONE	57	U	1.7	10	ug/Kg	BL
SB	NDE196	SW8260B	SW5030	ACETONE	59	U	1.7	10	ug/Kg	BL
SB	NDE016	SW8260B	SW5030	ACETONE	21	U	2	10	ug/Kg	BL
SB	NDE018	SW8260B	SW5030	ACETONE	17	U	2	10	ug/Kg	BL
SB	NDE020	SW8260B	SW5030	ACETONE	25	U	1.7	10	ug/Kg	BL
SB	NDE025	SW8260B	SW5030	ACETONE	24	U	1.7	10	ug/Kg	BL
SS	NDE165FD1	SW8260B	SW5030	ACETONE	10	U	1.8	10	ug/Kg	BL
SS	NDE168	SW8260B	SW5030	ACETONE	12	U	1.9	10	ug/Kg	BL
SS	NDE192	SW8260B	SW5030	ACETONE	50	U	1.9	10	ug/Kg	BL
SS	NDE194	SW8260B	SW5030	ACETONE	19	U	1.9	10	ug/Kg	BL
WG	NDE219	SW8260B	SW5030	CHLOROFORM	1	U	0.14	1	ug/L	BL
WG	NDE221	SW8260B	SW5030	CHLOROFORM	1	U	0.14	1	ug/L	BL
WG	NDE222FD1	SW8260B	SW5030	CHLOROFORM	1	U	0.14	1	ug/L	BL
SB	NDE044	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.35	11	ug/Kg	BL
SB	NDE089	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.35	11	ug/Kg	BL
SB	NDE027	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.31	10	ug/Kg	BL
SB	NDE203	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.31	10	ug/Kg	BL
SB	NDE204	SW8260B	SW5030	METHYLENE CHLORIDE	12	U	0.4	12	ug/Kg	BL
SB	NDE035	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.33	10	ug/Kg	BL
SB	NDE036FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.3	10	ug/Kg	BL
SB	NDE038	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.34	10	ug/Kg	BL
SB	NDE039FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.31	10	ug/Kg	BL
SB	NDE103	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.33	10	ug/Kg	BL
SB	NDE105	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.31	10	ug/Kg	BL
SB	NDE109	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.28	10	ug/Kg	BL
SB	NDE111FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.3	10	ug/Kg	BL
SB	NDE112	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.36	11	ug/Kg	BL
SS	NDE134	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.36	11	ug/Kg	BL
SS	NDE135	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.36	11	ug/Kg	BL
SS	NDE137	SW8260B	SW5030	METHYLENE CHLORIDE	19	U	0.64	19	ug/Kg	BL
SS	NDE139	SW8260B	SW5030	METHYLENE CHLORIDE	15	U	0.5	15	ug/Kg	BL
SS	NDE140	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.28	10	ug/Kg	BL
SS	NDE144	SW8260B	SW5030	METHYLENE CHLORIDE	12	U	0.39	12	ug/Kg	BL
SS	NDE145	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.32	10	ug/Kg	BL
SS	NDE150	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.33	10	ug/Kg	BL
SS	NDE043	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.3	10	ug/Kg	BL
SS	NDE045	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.29	10	ug/Kg	BL
SS	NDE081	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.29	10	ug/Kg	BL
SS	NDE192	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.33	10	ug/Kg	BL
SS	NDE023	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.32	10	ug/Kg	BL
SB	NDE052	SW8260B	SW5030	TOLUENE	10	U	0.19	10	ug/Kg	BL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE122	SW8260B	SW5030	TOLUENE	11	U	0.23	11	ug/Kg	BL
SB	NDE126	SW8260B	SW5030	TOLUENE	10	U	0.2	10	ug/Kg	BL
SB	NDE103	SW8260B	SW5030	TOLUENE	10	U	0.21	10	ug/Kg	BL
SD	NDE114	SW8260B	SW5030	TOLUENE	18	U	0.38	18	ug/Kg	BL
SD	NDE116	SW8260B	SW5030	TOLUENE	21	U	0.45	21	ug/Kg	BL
SD	NDE117	SW8260B	SW5030	TOLUENE	34	U	0.73	34	ug/Kg	BL
SD	NDE118	SW8260B	SW5030	TOLUENE	12	U	0.26	12	ug/Kg	BL
SD	NDE119FD1	SW8260B	SW5030	TOLUENE	14	U	0.3	14	ug/Kg	BL
SS	NDE136	SW8260B	SW5030	TOLUENE	10	U	0.19	10	ug/Kg	BL
SS	NDE145	SW8260B	SW5030	TOLUENE	10	U	0.21	10	ug/Kg	BL
SS	NDE147	SW8260B	SW5030	TOLUENE	10	U	0.18	10	ug/Kg	BL
SS	NDE148	SW8260B	SW5030	TOLUENE	10	U	0.22	10	ug/Kg	BL
SS	NDE150	SW8260B	SW5030	TOLUENE	10	U	0.21	10	ug/Kg	BL
SS	NDE045	SW8260B	SW5030	TOLUENE	10	U	0.18	10	ug/Kg	BL
SS	NDE165FD1	SW8260B	SW5030	TOLUENE	10	U	0.2	10	ug/Kg	BL
SW	NDE171	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SW	NDE172FD1	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SW	NDE173	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SW	NDE175	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SW	NDE225	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SS	NDE133	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	U	0.29	10	ug/Kg	BL
SS	NDE134	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	U	0.32	11	ug/Kg	BL
SS	NDE136	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	U	0.27	10	ug/Kg	BL
SS	NDE139	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	15	U	0.44	15	ug/Kg	BL
SS	NDE140	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	U	0.25	10	ug/Kg	BL
WG	NDE213	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5.4	U	0.95	5.4	ug/L	BL
WG	NDE214	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	6.2	U	0.9	5.2	ug/L	BL
WG	NDE215	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5.2	U	0.91	5.2	ug/L	BL
WG	NDE217	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5.4	U	0.95	5.4	ug/L	BL
WG	NDE218	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5.4	U	0.94	5.4	ug/L	BL
WG	NDE220	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5	U	0.87	5	ug/L	BL
SB	NDE103	SW8270C	SW3550	DIETHYL PHTHALATE	580	U	47	580	ug/Kg	BL
SB	NDE105	SW8270C	SW3550	DIETHYL PHTHALATE	481	U	39	481	ug/Kg	BL
SB	NDE107	SW8270C	SW3550	DIETHYL PHTHALATE	488	U	40	488	ug/Kg	BL
SB	NDE109	SW8270C	SW3550	DIETHYL PHTHALATE	652	U	41	500	ug/Kg	BL
SB	NDE111FD1	SW8270C	SW3550	DIETHYL PHTHALATE	462	U	38	462	ug/Kg	BL
SB	NDE112	SW8270C	SW3550	DIETHYL PHTHALATE	513	U	42	513	ug/Kg	BL
SS	NDE138	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	BL, SS
SS	NDE142	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.35	11	ug/Kg	BL, SS
SS	NDE156	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	BL, SS
SS	NDE157	SW8260B	SW5030	TOLUENE	10	UJ	0.17	10	ug/Kg	BL, SS
SS	NDE138	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	BL, SS
SS	NDE141	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.25	10	ug/Kg	BL, SS
SB	NDE016	E200.7	SW3050	ZINC	20	J	0.53	4.2	mg/Kg	BS
SB	NDE018	E200.7	SW3050	ZINC	26	J	0.53	4.2	mg/Kg	BS
SB	NDE020	E200.7	SW3050	ZINC	27	J	0.56	4.5	mg/Kg	BS
SB	NDE022	E200.7	SW3050	ZINC	17	J	0.56	4.5	mg/Kg	BS
SB	NDE025	E200.7	SW3050	ZINC	16	J	0.58	4.6	mg/Kg	BS
SB	NDE027	E200.7	SW3050	ZINC	15	J	0.56	4.5	mg/Kg	BS
SB	NDE029	E200.7	SW3050	ZINC	18	J	0.59	4.7	mg/Kg	BS
SB	NDE031	E200.7	SW3050	ZINC	15	J	0.55	4.4	mg/Kg	BS
SB	NDE203	E200.7	SW3050	ZINC	20	J	0.58	4.7	mg/Kg	BS
SB	NDE096	CLP_PEST	SW3550	METHOXYCHLOR	17	UJ	0.29	17	ug/Kg	CC
SS	NDE095	CLP_PEST	SW3550	METHOXYCHLOR	17	UJ	0.29	17	ug/Kg	CC
SS	NDE097	CLP_PEST	SW3550	METHOXYCHLOR	17	UJ	0.29	17	ug/Kg	CC
SS	NDE099FD1	CLP_PEST	SW3550	METHOXYCHLOR	17	UJ	0.29	17	ug/Kg	CC
SS	NDE145DL1	CLP_PEST	SW3550	p,p'-DDT	48	J	2	17	ug/Kg	CC
SS	NDE155DL1	CLP_PEST	SW3550	p,p'-DDT	111	J	4.4	37	ug/Kg	CC
SB	NDE096	CLP_PEST	SW3550	p,p'-DDT	3.3	UJ	0.39	3.3	ug/Kg	CC
SS	NDE095	CLP_PEST	SW3550	p,p'-DDT	3.3	UJ	0.39	3.3	ug/Kg	CC
SS	NDE097	CLP_PEST	SW3550	p,p'-DDT	3.3	UJ	0.39	3.3	ug/Kg	CC
SS	NDE099FD1	CLP_PEST	SW3550	p,p'-DDT	3.3	UJ	0.39	3.3	ug/Kg	CC
WG	NDE219	CLP_PEST_L	SW3510	p,p'-DDT	0.02	UJ	0.02	0.02	ug/L	CC
SB	NDE044	E200.7	SW3050	SELENIUM	1.4	J	0.57	1.2	mg/Kg	CC
SB	NDE048	E200.7	SW3050	SELENIUM	1.2	J	0.49	1.1	mg/Kg	CC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE054	E200.7	SW3050	SELENIUM	1.2	J	0.48	1.1	mg/Kg	CC
SB	NDE060	E200.7	SW3050	SELENIUM	1.5	J	0.49	1.1	mg/Kg	CC
SB	NDE073	E200.7	SW3050	SELENIUM	1.1	J	0.5	1.1	mg/Kg	CC
SB	NDE078	E200.7	SW3050	SELENIUM	1.1	J	0.49	1.1	mg/Kg	CC
SB	NDE092	E200.7	SW3050	SELENIUM	0.76	J	0.51	1.1	mg/Kg	CC
SB	NDE094	E200.7	SW3050	SELENIUM	0.8	J	0.51	1.1	mg/Kg	CC
SB	NDE096	E200.7	SW3050	SELENIUM	1.2	J	0.52	1.1	mg/Kg	CC
SB	NDE098	E200.7	SW3050	SELENIUM	1.2	J	0.49	1.1	mg/Kg	CC
SS	NDE123	E200.7	SW3050	SELENIUM	1.2	J	0.52	1.1	mg/Kg	CC
SS	NDE155	E200.7	SW3050	SELENIUM	1.4	J	0.52	1.1	mg/Kg	CC
SS	NDE157	E200.7	SW3050	SELENIUM	1.1	J	0.49	1.1	mg/Kg	CC
SS	NDE053	E200.7	SW3050	SELENIUM	1.3	J	0.51	1.1	mg/Kg	CC
SS	NDE066	E200.7	SW3050	SELENIUM	1.1	J	0.49	1.1	mg/Kg	CC
SS	NDE068	E200.7	SW3050	SELENIUM	1.4	J	0.51	1.1	mg/Kg	CC
SS	NDE090	E200.7	SW3050	SELENIUM	1.6	J	0.52	1.1	mg/Kg	CC
SS	NDE091FD1	E200.7	SW3050	SELENIUM	0.97	J	0.54	1.2	mg/Kg	CC
SS	NDE095	E200.7	SW3050	SELENIUM	1.3	J	0.51	1.1	mg/Kg	CC
SS	NDE097	E200.7	SW3050	SELENIUM	1	J	0.48	1.1	mg/Kg	CC
SS	NDE099FD1	E200.7	SW3050	SELENIUM	0.96	J	0.48	1	mg/Kg	CC
SS	NDE159	E200.7	SW3050	SELENIUM	0.71	J	0.5	1.1	mg/Kg	CC
SS	NDE160	E200.7	SW3050	SELENIUM	1.6	J	0.51	1.1	mg/Kg	CC
SS	NDE161	E200.7	SW3050	SELENIUM	1.2	J	0.53	1.2	mg/Kg	CC
SS	NDE162	E200.7	SW3050	SELENIUM	0.88	J	0.5	1.1	mg/Kg	CC
SS	NDE021	E200.7	SW3050	SELENIUM	0.62	J	0.52	1.1	mg/Kg	CC
SS	NDE023	E200.7	SW3050	SELENIUM	0.82	J	0.5	1.1	mg/Kg	CC
SB	NDE019	E200.7	SW3050	SELENIUM	0.5	UJ	0.5	1.1	mg/Kg	CC
SS	NDE024FD1	E200.7	SW3050	SELENIUM	0.53	UJ	0.53	1.1	mg/Kg	CC
SS	NDE026	E200.7	SW3050	SELENIUM	0.52	UJ	0.52	1.1	mg/Kg	CC
SS	NDE028	E200.7	SW3050	SELENIUM	0.53	UJ	0.53	1.1	mg/Kg	CC
SS	NDE030	E200.7	SW3050	SELENIUM	0.52	UJ	0.52	1.1	mg/Kg	CC
SS	NDE032	E200.7	SW3050	SELENIUM	0.54	UJ	0.54	1.2	mg/Kg	CC
SS	NDE034	E200.7	SW3050	SELENIUM	0.49	UJ	0.49	1.1	mg/Kg	CC
SS	NDE037	E200.7	SW3050	SELENIUM	0.48	UJ	0.48	1	mg/Kg	CC
SS	NDE176	E200.7	SW3050	SELENIUM	0.5	UJ	0.5	1.1	mg/Kg	CC
SS	NDE177	E200.7	SW3050	SELENIUM	0.5	UJ	0.5	1.1	mg/Kg	CC
SS	NDE178	E200.7	SW3050	SELENIUM	0.52	UJ	0.52	1.1	mg/Kg	CC
SS	NDE179	E200.7	SW3050	SELENIUM	0.48	UJ	0.48	1	mg/Kg	CC
SB	NDE073	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC
SB	NDE094	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	CC
SB	NDE082	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC
SB	NDE089	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.8	11	ug/Kg	CC
SS	NDE097	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC
SS	NDE162	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	CC
SS	NDE081	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC
SS	NDE083	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2	12	ug/Kg	CC
SS	NDE086	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	CC
SS	NDE169	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.9	11	ug/Kg	CC
SB	NDE129	SW8260B	SW5030	ACETONE	82	R	1.9	10	ug/Kg	CC
SB	NDE054	SW8260B	SW5030	ACETONE	27	R	2.2	12	ug/Kg	CC
SB	NDE056	SW8260B	SW5030	ACETONE	18	R	1.7	10	ug/Kg	CC
SB	NDE058	SW8260B	SW5030	ACETONE	56	R	1.9	10	ug/Kg	CC
SB	NDE060	SW8260B	SW5030	ACETONE	38	R	1.8	10	ug/Kg	CC
SB	NDE063	SW8260B	SW5030	ACETONE	11	R	1.6	10	ug/Kg	CC
SB	NDE065	SW8260B	SW5030	ACETONE	15	R	1.7	10	ug/Kg	CC
SB	NDE096	SW8260B	SW5030	ACETONE	34	R	2.1	11	ug/Kg	CC
SB	NDE098	SW8260B	SW5030	ACETONE	19	R	1.8	10	ug/Kg	CC
SS	NDE127	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	CC
SS	NDE128FD1	SW8260B	SW5030	ACETONE	27	R	1.8	10	ug/Kg	CC
SS	NDE151	SW8260B	SW5030	ACETONE	12	R	1.7	10	ug/Kg	CC
SS	NDE152	SW8260B	SW5030	ACETONE	30	R	1.6	10	ug/Kg	CC
SS	NDE153	SW8260B	SW5030	ACETONE	15	R	1.9	10	ug/Kg	CC
SS	NDE154FD1	SW8260B	SW5030	ACETONE	14	R	1.8	10	ug/Kg	CC
SS	NDE155	SW8260B	SW5030	ACETONE	24	R	1.7	10	ug/Kg	CC
SS	NDE156	SW8260B	SW5030	ACETONE	11	R	1.8	10	ug/Kg	CC
SS	NDE157	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	CC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE158	SW8260B	SW5030	ACETONE	11	R	1.7	10	ug/Kg	CC
SS	NDE053	SW8260B	SW5030	ACETONE	16	R	1.8	10	ug/Kg	CC
SS	NDE055	SW8260B	SW5030	ACETONE	16	R	1.7	10	ug/Kg	CC
SS	NDE057	SW8260B	SW5030	ACETONE	14	R	1.4	10	ug/Kg	CC
SS	NDE059	SW8260B	SW5030	ACETONE	30	R	1.9	10	ug/Kg	CC
SS	NDE061	SW8260B	SW5030	ACETONE	19	R	1.5	10	ug/Kg	CC
SS	NDE062FD1	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	CC
SS	NDE064	SW8260B	SW5030	ACETONE	10	R	1.5	10	ug/Kg	CC
SS	NDE099FD1	SW8260B	SW5030	ACETONE	25	R	1.7	10	ug/Kg	CC
SS	NDE159	SW8260B	SW5030	ACETONE	14	R	1.9	10	ug/Kg	CC
SS	NDE160	SW8260B	SW5030	ACETONE	13	R	1.9	10	ug/Kg	CC
SS	NDE161	SW8260B	SW5030	ACETONE	12	R	1.8	10	ug/Kg	CC
SS	NDE163	SW8260B	SW5030	ACETONE	13	R	2	10	ug/Kg	CC
SS	NDE166	SW8260B	SW5030	ACETONE	11	R	2.3	12	ug/Kg	CC
SS	NDE167	SW8260B	SW5030	ACETONE	11	R	1.9	10	ug/Kg	CC
SS	NDE176	SW8260B	SW5030	ACETONE	948	R	182	948	ug/Kg	CC
SB	NDE129	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	CC, IC
SS	NDE128FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC, IC
SS	NDE151	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC, IC
SS	NDE152	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC, IC
SS	NDE153	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	CC, IC
SS	NDE154FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC, IC
SS	NDE155	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC, IC
SS	NDE156	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC, IC
SS	NDE157	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	CC, IC
SS	NDE158	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC, IC
SB	NDE006DL1	CLP_PEST	SW3550	ALDRIN	20	R	5.6	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ALDRIN	202	R	56	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ALDRIN	18	R	4.9	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ALDRIN	19	R	5.3	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ALDRIN	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ALDRIN	3.8	R	1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ALDRIN	3.8	R	1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ALDRIN	9	R	2.4	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ALDRIN	3.8	R	1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ALDRIN	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ALDRIN	4.2	R	1.1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ALDRIN	3.8	R	1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ALDRIN	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ALDRIN	9.5	R	2.6	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ALDRIN	19	R	5.3	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ALDRIN	9.2	R	2.5	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ALDRIN	19	R	5.1	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ALDRIN	20	R	5.3	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ALDRIN	21	R	5.6	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ALDRIN	20	R	5.6	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ALDRIN	91	R	25	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ALDRIN	912	R	252	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ALDRIN	18	R	5.1	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ALDRIN	185	R	51	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ALDRIN	18	R	5	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ALDRIN	182	R	50	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ALDRIN	9.2	R	2.6	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ALPHA BHC	20	R	5.8	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ALPHA BHC	202	R	58	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ALPHA BHC	18	R	5.1	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ALPHA BHC	19	R	5.5	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ALPHA BHC	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ALPHA BHC	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ALPHA BHC	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ALPHA BHC	9	R	2.5	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ALPHA BHC	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ALPHA BHC	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ALPHA BHC	4.2	R	1.2	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ALPHA BHC	3.8	R	1.1	3.8	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE153DL1	CLP_PEST	SW3550	ALPHA BHC	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ALPHA BHC	9.5	R	2.7	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ALPHA BHC	19	R	5.5	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ALPHA BHC	9.2	R	2.6	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ALPHA BHC	19	R	5.3	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ALPHA BHC	20	R	5.6	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ALPHA BHC	21	R	5.9	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ALPHA BHC	20	R	5.8	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ALPHA BHC	91	R	26	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ALPHA BHC	912	R	263	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ALPHA BHC	18	R	5.3	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ALPHA BHC	185	R	53	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ALPHA BHC	18	R	5.2	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ALPHA BHC	182	R	52	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ALPHA BHC	9.2	R	2.7	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	20	R	5.7	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ALPHA-CHLORDANE	202	R	57	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	18	R	5	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	19	R	5.4	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	9	R	2.5	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	4.2	R	1.2	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	9.5	R	2.7	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	19	R	5.4	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	9.2	R	2.6	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	19	R	5.2	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	20	R	5.4	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	21	R	5.8	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	20	R	5.7	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	91	R	26	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ALPHA-CHLORDANE	912	R	258	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	18	R	5.2	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ALPHA-CHLORDANE	185	R	52	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	18	R	5.1	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ALPHA-CHLORDANE	182	R	51	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	9.2	R	2.6	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	BETA BHC	20	R	5.4	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	BETA BHC	202	R	54	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	BETA BHC	18	R	4.7	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	BETA BHC	19	R	5	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	BETA BHC	4	R	1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	BETA BHC	3.8	R	0.99	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	BETA BHC	3.8	R	0.99	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	BETA BHC	9	R	2.3	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	BETA BHC	3.8	R	0.99	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	BETA BHC	4.3	R	1.1	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	BETA BHC	4.2	R	1.1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	BETA BHC	3.8	R	1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	BETA BHC	3.9	R	1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	BETA BHC	9.5	R	2.5	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	BETA BHC	19	R	5.1	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	BETA BHC	9.2	R	2.4	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	BETA BHC	19	R	4.9	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	BETA BHC	20	R	5.1	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	BETA BHC	21	R	5.4	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	BETA BHC	20	R	5.3	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	BETA BHC	91	R	24	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	BETA BHC	912	R	241	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	BETA BHC	18	R	4.9	18	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE005FD1DL2	CLP_PEST	SW3550	BETA BHC	185	R	49	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	BETA BHC	18	R	4.8	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	BETA BHC	182	R	48	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	BETA BHC	9.2	R	2.4	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	DELTA BHC	20	R	5.1	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	DELTA BHC	202	R	51	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	DELTA BHC	18	R	4.5	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	DELTA BHC	19	R	4.8	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	DELTA BHC	4	R	0.99	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	DELTA BHC	3.8	R	0.94	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	DELTA BHC	3.8	R	0.94	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	DELTA BHC	9	R	2.2	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	DELTA BHC	3.8	R	0.95	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	DELTA BHC	4.3	R	1.1	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	DELTA BHC	4.2	R	1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	DELTA BHC	3.8	R	0.96	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	DELTA BHC	3.9	R	0.96	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	DELTA BHC	9.5	R	2.4	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	DELTA BHC	19	R	4.8	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	DELTA BHC	9.2	R	2.3	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	DELTA BHC	19	R	4.7	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	DELTA BHC	20	R	4.9	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	DELTA BHC	21	R	5.2	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	DELTA BHC	20	R	5.1	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	DELTA BHC	91	R	23	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	DELTA BHC	912	R	231	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	DELTA BHC	18	R	4.7	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	DELTA BHC	185	R	47	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	DELTA BHC	18	R	4.6	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	DELTA BHC	182	R	46	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	DELTA BHC	9.2	R	2.3	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	DIELDRIN	39	R	4.9	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	DIELDRIN	392	R	49	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	DIELDRIN	35	R	4.3	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	DIELDRIN	37	R	4.6	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	DIELDRIN	7.7	R	0.95	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	DIELDRIN	7.3	R	0.9	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	DIELDRIN	7.3	R	0.9	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	DIELDRIN	17	R	2.1	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	DIELDRIN	7.3	R	0.9	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	DIELDRIN	8.3	R	1	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	DIELDRIN	8.1	R	0.99	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	DIELDRIN	7.4	R	0.91	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	DIELDRIN	7.5	R	0.92	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	DIELDRIN	18	R	2.3	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	DIELDRIN	37	R	4.6	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	DIELDRIN	18	R	2.2	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	DIELDRIN	36	R	4.4	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	DIELDRIN	38	R	4.7	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	DIELDRIN	40	R	4.9	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	DIELDRIN	39	R	4.9	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	DIELDRIN	177	R	22	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	DIELDRIN	1770	R	220	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	DIELDRIN	36	R	4.4	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	DIELDRIN	358	R	44	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	DIELDRIN	35	R	4.4	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	DIELDRIN	354	R	44	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	DIELDRIN	18	R	2.2	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	20	R	5.6	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	202	R	56	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	18	R	4.9	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	19	R	5.3	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.8	R	1	3.8	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE145DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	9	R	2.4	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	4.2	R	1.1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	9.5	R	2.6	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	19	R	5.3	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	9.2	R	2.5	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	19	R	5.1	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	20	R	5.3	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	21	R	5.6	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	20	R	5.6	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	91	R	25	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	912	R	252	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	18	R	5.1	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	185	R	51	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	18	R	5	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	182	R	50	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	9.2	R	2.6	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	39	R	3.6	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	392	R	36	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	35	R	3.1	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	37	R	3.4	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.7	R	0.69	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.3	R	0.66	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.3	R	0.66	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	17	R	1.6	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.3	R	0.66	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	8.3	R	0.75	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	8.1	R	0.72	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.4	R	0.67	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.5	R	0.67	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	18	R	1.7	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	37	R	3.4	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	18	R	1.6	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	36	R	3.2	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	38	R	3.4	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	40	R	3.6	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	39	R	3.5	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	177	R	16	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	1770	R	161	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	36	R	3.3	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	358	R	33	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	35	R	3.2	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	354	R	32	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	18	R	1.6	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	39	R	4.6	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDOSULFAN SULFATE	392	R	46	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	35	R	4.1	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	37	R	4.4	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.7	R	0.9	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.3	R	0.85	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.3	R	0.86	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	17	R	2	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.3	R	0.86	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	8.3	R	0.97	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	8.1	R	0.94	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.4	R	0.87	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.5	R	0.87	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	18	R	2.2	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	37	R	4.4	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	18	R	2.1	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	36	R	4.2	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	38	R	4.4	38	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	IDL	RL	Units	Comments
SS	NDE166DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	40	R	4.7	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	39	R	4.6	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	177	R	21	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDOSULFAN SULFATE	1770	R	209	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	36	R	4.2	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDOSULFAN SULFATE	358	R	42	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	35	R	4.2	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDOSULFAN SULFATE	354	R	42	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	18	R	2.1	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDRIN	39	R	4.8	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDRIN	392	R	48	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDRIN	35	R	4.2	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDRIN	37	R	4.5	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDRIN	7.7	R	0.92	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDRIN	7.3	R	0.88	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDRIN	7.3	R	0.88	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDRIN	17	R	2.1	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDRIN	7.3	R	0.88	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDRIN	8.3	R	0.99	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDRIN	8.1	R	0.96	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDRIN	7.4	R	0.89	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDRIN	7.5	R	0.9	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDRIN	18	R	2.2	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDRIN	37	R	4.5	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDRIN	18	R	2.1	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDRIN	36	R	4.3	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDRIN	38	R	4.5	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDRIN	40	R	4.8	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDRIN	39	R	4.7	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDRIN	177	R	21	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDRIN	1770	R	215	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDRIN	36	R	4.3	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDRIN	358	R	43	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDRIN	35	R	4.3	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDRIN	354	R	43	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDRIN	18	R	2.2	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	39	R	2.7	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDRIN ALDEHYDE	392	R	27	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	35	R	2.4	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	37	R	2.6	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.7	R	0.53	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.3	R	0.5	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.3	R	0.5	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	17	R	1.2	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.3	R	0.51	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	8.3	R	0.57	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	8.1	R	0.55	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.4	R	0.51	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.5	R	0.52	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	18	R	1.3	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	37	R	2.6	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	18	R	1.2	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	36	R	2.5	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	38	R	2.6	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	40	R	2.8	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	39	R	2.7	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	177	R	12	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDRIN ALDEHYDE	1770	R	123	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	36	R	2.5	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDRIN ALDEHYDE	358	R	25	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	35	R	2.5	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDRIN ALDEHYDE	354	R	25	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	18	R	1.2	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDRIN KETONE	39	R	2.6	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDRIN KETONE	392	R	26	392	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE008DL1	CLP_PEST	SW3550	ENDRIN KETONE	35	R	2.3	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDRIN KETONE	37	R	2.5	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.7	R	0.51	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.3	R	0.48	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.3	R	0.48	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDRIN KETONE	17	R	1.1	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.3	R	0.48	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDRIN KETONE	8.3	R	0.55	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDRIN KETONE	8.1	R	0.53	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.4	R	0.49	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.5	R	0.49	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDRIN KETONE	18	R	1.2	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDRIN KETONE	37	R	2.5	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDRIN KETONE	18	R	1.2	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDRIN KETONE	36	R	2.4	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDRIN KETONE	38	R	2.5	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDRIN KETONE	40	R	2.6	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDRIN KETONE	39	R	2.6	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDRIN KETONE	177	R	12	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDRIN KETONE	1770	R	118	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDRIN KETONE	36	R	2.4	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDRIN KETONE	358	R	24	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDRIN KETONE	35	R	2.4	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDRIN KETONE	354	R	24	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDRIN KETONE	18	R	1.2	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	20	R	5.6	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	202	R	56	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	18	R	4.9	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	19	R	5.3	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	9	R	2.4	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	4.2	R	1.1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	9.5	R	2.6	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	19	R	5.3	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	9.2	R	2.5	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	19	R	5.1	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	20	R	5.3	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	21	R	5.6	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	20	R	5.6	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	91	R	25	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	912	R	252	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	18	R	5.1	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	185	R	51	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	18	R	5	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	182	R	50	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	9.2	R	2.6	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	20	R	5.9	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	GAMMA-CHLORDANE	202	R	59	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	18	R	5.2	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	19	R	5.6	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	4	R	1.2	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	9	R	2.6	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	4.2	R	1.2	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.9	R	1.1	3.9	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE154FD1DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	9.5	R	2.8	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	19	R	5.6	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	9.2	R	2.7	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	19	R	5.4	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	20	R	5.7	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	21	R	6	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	20	R	5.9	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	91	R	27	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	GAMMA-CHLORDANE	912	R	268	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	18	R	5.4	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	GAMMA-CHLORDANE	185	R	54	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	18	R	5.4	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	GAMMA-CHLORDANE	182	R	54	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	9.2	R	2.7	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	HEPTACHLOR	20	R	7.4	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	HEPTACHLOR	202	R	74	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	HEPTACHLOR	18	R	6.5	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	HEPTACHLOR	19	R	6.9	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	HEPTACHLOR	4	R	1.4	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	HEPTACHLOR	3.8	R	1.4	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	HEPTACHLOR	3.8	R	1.4	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	HEPTACHLOR	9	R	3.2	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	HEPTACHLOR	3.8	R	1.4	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	HEPTACHLOR	4.3	R	1.5	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	HEPTACHLOR	4.2	R	1.5	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	HEPTACHLOR	3.8	R	1.4	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	HEPTACHLOR	3.9	R	1.4	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	HEPTACHLOR	9.5	R	3.4	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	HEPTACHLOR	19	R	7	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	HEPTACHLOR	9.2	R	3.3	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	HEPTACHLOR	19	R	6.7	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	HEPTACHLOR	20	R	7	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	HEPTACHLOR	21	R	7.4	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	HEPTACHLOR	20	R	7.3	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	HEPTACHLOR	91	R	33	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	HEPTACHLOR	912	R	333	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	HEPTACHLOR	18	R	6.7	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	HEPTACHLOR	185	R	67	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	HEPTACHLOR	18	R	6.6	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	HEPTACHLOR	182	R	66	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	HEPTACHLOR	9.2	R	3.4	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	20	R	7.1	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	202	R	71	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	18	R	6.3	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	19	R	6.7	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	4	R	1.4	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.8	R	1.3	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.8	R	1.3	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	9	R	3.1	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.8	R	1.3	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	4.3	R	1.5	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	4.2	R	1.4	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.8	R	1.3	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.9	R	1.3	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	9.5	R	3.3	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	19	R	6.7	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	9.2	R	3.2	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	19	R	6.5	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	20	R	6.8	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	21	R	7.2	21	ug/Kg	D
SS	NDE167DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	20	R	7.1	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	91	R	32	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	912	R	322	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	18	R	6.5	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	185	R	65	185	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE007DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	18	R	6.4	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	182	R	64	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	9.2	R	3.3	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	METHOXYCHLOR	202	R	3.4	202	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	METHOXYCHLOR	2020	R	34	2020	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	METHOXYCHLOR	178	R	3	178	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	METHOXYCHLOR	190	R	3.2	190	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	METHOXYCHLOR	40	R	0.7	40	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	METHOXYCHLOR	38	R	0.6	38	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	METHOXYCHLOR	38	R	0.6	38	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	METHOXYCHLOR	90	R	1.5	90	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	METHOXYCHLOR	38	R	0.6	38	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	METHOXYCHLOR	43	R	0.7	43	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	METHOXYCHLOR	42	R	0.7	42	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	METHOXYCHLOR	38	R	0.6	38	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	METHOXYCHLOR	39	R	0.6	39	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	METHOXYCHLOR	95	R	1.6	95	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	METHOXYCHLOR	194	R	3.3	194	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	METHOXYCHLOR	92	R	1.5	92	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	METHOXYCHLOR	187	R	3.1	187	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	METHOXYCHLOR	197	R	3.3	197	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	METHOXYCHLOR	207	R	3.5	207	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	METHOXYCHLOR	204	R	3.4	204	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	METHOXYCHLOR	912	R	16	912	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	METHOXYCHLOR	9120	R	156	9120	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	METHOXYCHLOR	185	R	3.1	185	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	METHOXYCHLOR	1850	R	31	1850	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	METHOXYCHLOR	182	R	3.1	182	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	METHOXYCHLOR	1820	R	31	1820	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	METHOXYCHLOR	92	R	1.6	92	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	p,p'-DDD	39	R	2.7	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	p,p'-DDD	392	R	27	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	p,p'-DDD	35	R	2.4	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	p,p'-DDD	4.6	R	2.6	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	p,p'-DDD	8.8	R	0.53	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	p,p'-DDD	2.8	R	0.5	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	p,p'-DDD	2.8	R	0.5	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	p,p'-DDD	14	R	1.2	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	p,p'-DDD	5.8	R	0.51	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	p,p'-DDD	8.7	R	0.57	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	p,p'-DDD	2.8	R	0.55	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	p,p'-DDD	7.4	R	0.51	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	p,p'-DDD	7.5	R	0.52	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	p,p'-DDD	18	R	1.3	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	p,p'-DDD	16	R	2.6	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	p,p'-DDD	18	R	1.2	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	p,p'-DDD	36	R	2.5	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	p,p'-DDD	38	R	2.6	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	p,p'-DDD	40	R	2.8	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	p,p'-DDD	39	R	2.7	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	p,p'-DDD	177	R	12	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	p,p'-DDD	1770	R	123	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	p,p'-DDD	36	R	2.5	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	p,p'-DDD	358	R	25	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	p,p'-DDD	35	R	2.5	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	p,p'-DDD	354	R	25	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	p,p'-DDD	18	R	1.2	18	ug/Kg	DL
SB	NDE006	CLP_PEST	SW3550	p,p'-DDE	831	R	0.4	3.9	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	p,p'-DDE	901	R	4	39	ug/Kg	DL
SB	NDE008	CLP_PEST	SW3550	p,p'-DDE	130	R	0.35	3.5	ug/Kg	DL
SB	NDE027	CLP_PEST	SW3550	p,p'-DDE	350	R	0.38	3.7	ug/Kg	DL
SS	NDE137	CLP_PEST	SW3550	p,p'-DDE	63	R	0.39	3.8	ug/Kg	DL
SS	NDE142	CLP_PEST	SW3550	p,p'-DDE	69	R	0.37	3.6	ug/Kg	DL
SS	NDE143FD1	CLP_PEST	SW3550	p,p'-DDE	76	R	0.37	3.7	ug/Kg	DL
SS	NDE145	CLP_PEST	SW3550	p,p'-DDE	114	R	0.35	3.5	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE146	CLP_PEST	SW3550	p,p'-DDE	65	R	0.37	3.7	ug/Kg	DL
SS	NDE148	CLP_PEST	SW3550	p,p'-DDE	82	R	0.42	4.1	ug/Kg	DL
SS	NDE149	CLP_PEST	SW3550	p,p'-DDE	79	R	0.41	4	ug/Kg	DL
SS	NDE151	CLP_PEST	SW3550	p,p'-DDE	78	R	0.38	3.7	ug/Kg	DL
SS	NDE153	CLP_PEST	SW3550	p,p'-DDE	64	R	0.38	3.7	ug/Kg	DL
SS	NDE154FD1	CLP_PEST	SW3550	p,p'-DDE	119	R	0.38	3.7	ug/Kg	DL
SS	NDE155	CLP_PEST	SW3550	p,p'-DDE	432	R	0.38	3.7	ug/Kg	DL
SS	NDE157	CLP_PEST	SW3550	p,p'-DDE	207	R	0.36	3.5	ug/Kg	DL
SS	NDE164	CLP_PEST	SW3550	p,p'-DDE	85	R	0.36	3.6	ug/Kg	DL
SS	NDE165FD1	CLP_PEST	SW3550	p,p'-DDE	76	R	0.38	3.8	ug/Kg	DL
SS	NDE166	CLP_PEST	SW3550	p,p'-DDE	88	R	0.4	4	ug/Kg	DL
SS	NDE167	CLP_PEST	SW3550	p,p'-DDE	167	R	0.4	3.9	ug/Kg	DL
SS	NDE004	CLP_PEST	SW3550	p,p'-DDE	3860	R	0.36	3.5	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	p,p'-DDE	4610	R	18	177	ug/Kg	DL
SS	NDE005FD1	CLP_PEST	SW3550	p,p'-DDE	3350	R	0.36	3.6	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	p,p'-DDE	4180	R	3.7	36	ug/Kg	DL
SS	NDE007	CLP_PEST	SW3550	p,p'-DDE	2550	R	0.36	3.5	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	p,p'-DDE	3150	R	3.6	35	ug/Kg	DL
SS	NDE017	CLP_PEST	SW3550	p,p'-DDE	128	R	0.36	3.6	ug/Kg	DL
SB	NDE006	CLP_PEST	SW3550	p,p'-DDT	812	R	0.46	3.9	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	p,p'-DDT	1000	R	4.6	39	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	p,p'-DDT	30	R	4.1	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	p,p'-DDT	37	R	4.4	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	p,p'-DDT	10	R	0.9	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	p,p'-DDT	4.6	R	0.85	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	p,p'-DDT	5.5	R	0.86	7.3	ug/Kg	DL
SS	NDE145	CLP_PEST	SW3550	p,p'-DDT	98	R	0.4	3.5	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	p,p'-DDT	25	R	0.86	7.3	ug/Kg	DL
SS	NDE148	CLP_PEST	SW3550	p,p'-DDT	72	R	0.48	4.1	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	p,p'-DDT	9.6	R	0.94	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	p,p'-DDT	51	R	0.87	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	p,p'-DDT	30	R	0.87	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	p,p'-DDT	29	R	2.2	18	ug/Kg	DL
SS	NDE155	CLP_PEST	SW3550	p,p'-DDT	119	R	0.44	3.7	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	p,p'-DDT	40	R	2.1	18	ug/Kg	DL
SS	NDE164	CLP_PEST	SW3550	p,p'-DDT	96	R	0.42	3.6	ug/Kg	DL
SS	NDE165FD1	CLP_PEST	SW3550	p,p'-DDT	79	R	0.44	3.8	ug/Kg	DL
SS	NDE166	CLP_PEST	SW3550	p,p'-DDT	69	R	0.46	4	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	p,p'-DDT	42	R	4.6	39	ug/Kg	DL
SS	NDE004	CLP_PEST	SW3550	p,p'-DDT	1790	R	0.41	3.5	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	p,p'-DDT	1760	R	209	1770	ug/Kg	DL
SS	NDE005FD1	CLP_PEST	SW3550	p,p'-DDT	1960	R	0.42	3.6	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	p,p'-DDT	2300	R	4.2	36	ug/Kg	DL
SS	NDE007	CLP_PEST	SW3550	p,p'-DDT	924	R	0.41	3.5	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	p,p'-DDT	1150	R	4.2	35	ug/Kg	DL
SS	NDE017	CLP_PEST	SW3550	p,p'-DDT	64	R	0.42	3.6	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	392	R	112	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	3920	R	1120	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	345	R	98	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	370	R	105	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	77	R	22	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	73	R	21	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	73	R	21	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	173	R	49	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	73	R	21	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	83	R	23	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	81	R	23	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	74	R	21	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	75	R	21	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	184	R	52	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	375	R	106	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	177	R	50	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	362	R	102	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	380	R	107	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	400	R	113	400	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	394	R	111	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	1770	R	504	1770	ug/Kg	DL
S	NDE004DL2	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	17700	R	5040	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	358	R	102	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	3580	R	1020	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	354	R	101	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	3540	R	1010	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	179	R	51	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	797	R	238	797	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	7970	R	2380	7970	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	701	R	209	701	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	750	R	224	750	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	155	R	46	155	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	147	R	44	147	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	148	R	44	148	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	351	R	104	351	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	149	R	44	149	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	167	R	50	167	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	163	R	48	163	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	150	R	45	150	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	152	R	45	152	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	374	R	111	374	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	759	R	225	759	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	360	R	106	360	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	733	R	216	733	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	771	R	227	771	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	810	R	240	810	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	798	R	237	798	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	3600	R	1070	3600	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	36000	R	10700	36000	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	727	R	217	727	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	7270	R	2170	7270	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	718	R	214	718	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	7180	R	2140	7180	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	364	R	109	364	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	392	R	321	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	3920	R	3210	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	345	R	283	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	370	R	302	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	77	R	62	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	73	R	59	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	73	R	59	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	173	R	140	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	73	R	59	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	83	R	67	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	81	R	65	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	74	R	60	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	75	R	60	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	184	R	150	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	375	R	303	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	177	R	143	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	362	R	292	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	380	R	307	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	400	R	324	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	394	R	319	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	1770	R	1450	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	17700	R	14500	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	358	R	293	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	3580	R	2930	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	354	R	289	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	3540	R	2890	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	179	R	147	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	392	R	238	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	3920	R	2380	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	345	R	209	345	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	370	R	224	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	77	R	46	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	73	R	44	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	73	R	44	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	173	R	104	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	73	R	44	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	83	R	50	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	81	R	48	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	74	R	45	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	75	R	45	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	184	R	111	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	375	R	225	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	177	R	106	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	362	R	216	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	380	R	227	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	400	R	240	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	394	R	237	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	1770	R	1070	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	17700	R	10700	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	358	R	217	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	3580	R	2170	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	354	R	214	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	3540	R	2140	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	179	R	109	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	392	R	202	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	3920	R	2020	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	345	R	178	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	370	R	190	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	77	R	39	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	73	R	37	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	73	R	37	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	173	R	88	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	73	R	37	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	83	R	42	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	81	R	41	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	74	R	38	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	75	R	38	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	184	R	94	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	375	R	191	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	177	R	90	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	362	R	184	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	380	R	193	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	400	R	204	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	394	R	201	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	1770	R	912	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	17700	R	9120	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	358	R	185	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	3580	R	1850	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	354	R	182	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	3540	R	1820	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	179	R	92	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	392	R	214	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	3920	R	2140	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	345	R	188	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	370	R	202	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	77	R	42	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	73	R	39	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	73	R	39	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	173	R	93	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	73	R	40	73	ug/Kg	D
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	83	R	45	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	81	R	43	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	74	R	40	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	75	R	40	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	184	R	100	184	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	375	R	202	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	177	R	96	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	362	R	195	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	380	R	204	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	400	R	216	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	394	R	213	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	1770	R	966	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	17700	R	9660	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	358	R	195	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	3580	R	1950	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	354	R	193	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	3540	R	1930	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	179	R	98	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	392	R	143	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	3920	R	1430	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	345	R	126	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	370	R	134	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	77	R	28	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	73	R	26	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	73	R	26	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	173	R	62	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	73	R	26	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	83	R	30	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	81	R	29	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	74	R	27	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	75	R	27	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	184	R	67	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	375	R	135	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	177	R	64	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	362	R	130	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	380	R	136	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	400	R	144	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	394	R	142	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	1770	R	644	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	17700	R	6440	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	358	R	130	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	3580	R	1300	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	354	R	129	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	3540	R	1290	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	179	R	65	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	TOXAPHENE	2020	R	83	2020	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	TOXAPHENE	20200	R	832	20200	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	TOXAPHENE	1780	R	73	1780	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	TOXAPHENE	1900	R	78	1900	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	TOXAPHENE	397	R	16	397	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	TOXAPHENE	377	R	15	377	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	TOXAPHENE	379	R	15	379	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	TOXAPHENE	898	R	36	898	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	TOXAPHENE	380	R	15	380	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	TOXAPHENE	428	R	17	428	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	TOXAPHENE	418	R	17	418	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	TOXAPHENE	384	R	16	384	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	TOXAPHENE	387	R	16	387	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	TOXAPHENE	955	R	39	955	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	TOXAPHENE	1940	R	79	1940	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	TOXAPHENE	920	R	37	920	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	TOXAPHENE	1870	R	76	1870	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	TOXAPHENE	1970	R	79	1970	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	TOXAPHENE	2070	R	84	2070	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	TOXAPHENE	2040	R	83	2040	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	TOXAPHENE	9120	R	376	9120	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	TOXAPHENE	91200	R	3760	91200	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	TOXAPHENE	1850	R	76	1850	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	TOXAPHENE	18500	R	760	18500	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	TOXAPHENE	1820	R	75	1820	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE007DL2	CLP_PEST	SW3550	TOXAPHENE	18200	R	750	18200	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	TOXAPHENE	923	R	38	923	ug/Kg	DL
SB	NDE122	E200.7	SW3050	CALCIUM	160000	R	3.6	1270	mg/Kg	DL
SB	NDE124	E200.7	SW3050	CALCIUM	151000	R	3	1080	mg/Kg	DL
SB	NDE044	E200.7	SW3050	IRON	56700	R	3.1	25	mg/Kg	DL
SB	NDE048	E200.7	SW3050	IRON	47600	R	2.7	21	mg/Kg	DL
SB	NDE050	E200.7	SW3050	IRON	44000	R	2.7	22	mg/Kg	DL
SB	NDE082	E200.7	SW3050	IRON	48000	R	2.7	21	mg/Kg	DL
SB	NDE085	E200.7	SW3050	IRON	44000	R	2.7	22	mg/Kg	DL
WG	NDE217DL1	E200.7	SW3050	SODIUM	1200000	R	2000	50000	ug/L	DL
SW	NDE171	E200.7	SW3050	SODIUM	3000000	R	200	5000	ug/L	DL
SW	NDE172FD1	E200.7	SW3050	SODIUM	3100000	R	200	5000	ug/L	DL
SW	NDE173	E200.7	SW3050	SODIUM	3100000	R	200	5000	ug/L	DL
SW	NDE174	E200.7	SW3050	SODIUM	3000000	R	200	5000	ug/L	DL
SW	NDE175	E200.7	SW3050	SODIUM	3100000	R	200	5000	ug/L	DL
SW	NDE225	E200.7	SW3050	SODIUM	3200000	R	200	5000	ug/L	DL
WG	NDE228	E200.7	SW3050	SODIUM	6600000	R	2000	50000	ug/L	DL
WG	NDE229FD1	E200.7	SW3050	SODIUM	6700000	R	2000	50000	ug/L	DL
WG	NDE230	E200.7	SW3050	SODIUM	2500000	R	200	5000	ug/L	DL
WG	NDE231	E200.7	SW3050	SODIUM	1700000	R	2000	50000	ug/L	DL
WG	NDE232	E200.7	SW3050	SODIUM	4100000	R	2000	50000	ug/L	DL
WG	NDE217DL1	E200.7	FLDFLT	SODIUM, DISSOLVED	1200000	R	2000	50000	ug/L	DL
WG	NDE228	E200.7	FLDFLT	SODIUM, DISSOLVED	5400000	R	200	5000	ug/L	DL
WG	NDE229FD1	E200.7	FLDFLT	SODIUM, DISSOLVED	5200000	R	200	5000	ug/L	DL
WG	NDE230	E200.7	FLDFLT	SODIUM, DISSOLVED	2700000	R	200	5000	ug/L	DL
WG	NDE231	E200.7	FLDFLT	SODIUM, DISSOLVED	1600000	R	200	5000	ug/L	DL
WG	NDE232	E200.7	FLDFLT	SODIUM, DISSOLVED	3400000	R	200	5000	ug/L	DL
WG	NDE228	E200.7	SW3050	ZINC	5	R	5	20	ug/L	DL
WG	NDE229FD1	E200.7	SW3050	ZINC	5	R	5	20	ug/L	DL
WG	NDE228	E200.7	FLDFLT	ZINC, DISSOLVED	5	R	5	20	ug/L	DL
WG	NDE229FD1	E200.7	FLDFLT	ZINC, DISSOLVED	5	R	5	20	ug/L	DL
WG	NDE230	E200.7	FLDFLT	ZINC, DISSOLVED	5	R	5	20	ug/L	DL
WG	NDE232	E200.7	FLDFLT	ZINC, DISSOLVED	5	R	5	20	ug/L	DL
SB	NDE087DL1	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	973	R	23	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	973	R	15	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	973	R	23	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,1-DICHLOROETHANE	973	R	46	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,1-DICHLOROETHENE	973	R	40	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,2-DICHLOROETHANE	973	R	22	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,2-DICHLOROPROPANE	973	R	12	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	2-BUTANONE (MEK)	973	R	166	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	2-HEXANONE	973	R	55	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	973	R	75	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	ACETONE	973	R	186	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	BENZENE	973	R	19	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	BROMODICHLOROMETHANE	973	R	17	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	BROMOFORM	973	R	21	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	BROMOMETHANE	973	R	81	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CARBON DISULFIDE	973	R	55	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CARBON TETRACHLORIDE	973	R	33	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CHLOROBENZENE	973	R	21	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CHLOROETHANE	973	R	54	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CHLOROFORM	973	R	25	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CHLOROMETHANE	973	R	77	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	973	R	23	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	DIBROMOCHLOROMETHANE	973	R	21	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	ETHYLBENZENE	212	R	31	973	ug/Kg	DL
SB	NDE087	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	1080	R	0.23	12	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	METHYLENE CHLORIDE	973	R	32	973	ug/Kg	DL
SB	NDE087	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	538	R	0.22	12	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	STYRENE	973	R	20	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	973	R	23	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	TOLUENE	973	R	21	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	973	R	19	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	973	R	28	973	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087DL1	SW8260B	SW5030	VINYL CHLORIDE	973	R	47	973	ug/Kg	DL
SB	NDE087	SW8260B	SW5030	XYLENES, TOTAL	1620	R	0.23	12	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	833	R	65	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	706	R	55	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	2470	R	193	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	1,2-DICHLOROBENZENE	833	R	78	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	1,2-DICHLOROBENZENE	706	R	66	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	1,2-DICHLOROBENZENE	2470	R	233	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	1,3-DICHLOROBENZENE	833	R	67	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	1,3-DICHLOROBENZENE	706	R	56	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	1,3-DICHLOROBENZENE	2470	R	198	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	1,4-DICHLOROBENZENE	833	R	77	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	1,4-DICHLOROBENZENE	706	R	65	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	1,4-DICHLOROBENZENE	2470	R	228	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	2500	R	48	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	2120	R	40	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	7420	R	141	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	833	R	48	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	706	R	41	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	2470	R	144	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4-DICHLOROPHENOL	833	R	48	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4-DICHLOROPHENOL	706	R	40	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4-DICHLOROPHENOL	2470	R	141	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	833	R	65	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	706	R	55	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	2470	R	193	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4-DINITROPHENOL	2500	R	57	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4-DINITROPHENOL	2120	R	48	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4-DINITROPHENOL	7420	R	168	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4-DINITROTOLUENE	833	R	58	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4-DINITROTOLUENE	706	R	49	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4-DINITROTOLUENE	2470	R	173	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,6-DINITROTOLUENE	833	R	49	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,6-DINITROTOLUENE	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,6-DINITROTOLUENE	2470	R	146	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-CHLOROETHYL ETHER	833	R	58	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-CHLOROETHYL ETHER	706	R	49	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-CHLOROETHYL ETHER	2470	R	171	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-CHLORONAPHTHALENE	833	R	51	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-CHLORONAPHTHALENE	706	R	43	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-CHLORONAPHTHALENE	2470	R	151	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-CHLOROPHENOL	833	R	54	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-CHLOROPHENOL	706	R	46	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-CHLOROPHENOL	2470	R	161	2470	ug/Kg	DL
SB	NDE087	SW8270C	SW3550	2-METHYLNAPHTHALENE	4660	R	25	416	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-METHYLNAPHTHALENE	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-METHYLNAPHTHALENE	1120	R	146	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	833	R	61	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	2470	R	181	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-NITROANILINE	2500	R	42	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-NITROANILINE	2120	R	35	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-NITROANILINE	7420	R	124	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-NITROPHENOL	833	R	50	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-NITROPHENOL	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-NITROPHENOL	2470	R	149	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	40	R	39	1670	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1410	R	33	1410	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	4950	R	116	4950	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	3-NITROANILINE	2500	R	39	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	3-NITROANILINE	2120	R	33	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	3-NITROANILINE	7420	R	116	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	2500	R	46	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	2120	R	39	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	7420	R	136	7420	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087DL1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	833	R	50	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	2470	R	149	2470	ug/Kg	DI
SB	NDE087DL1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	833	R	49	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	2470	R	146	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4-CHLOROANILINE	833	R	52	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-CHLOROANILINE	706	R	44	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-CHLOROANILINE	2470	R	154	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	833	R	49	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	2470	R	146	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4-NITROANILINE	2500	R	30	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-NITROANILINE	2120	R	25	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-NITROANILINE	7420	R	89	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4-NITROPHENOL	2500	R	42	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-NITROPHENOL	2120	R	35	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-NITROPHENOL	7420	R	124	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	ACENAPHTHENE	333	R	42	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	ACENAPHTHENE	706	R	35	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	ACENAPHTHENE	1120	R	124	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	ACENAPHTHYLENE	833	R	83	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	ACENAPHTHYLENE	706	R	71	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	ACENAPHTHYLENE	755	R	248	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	ANTHRACENE	833	R	47	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	ANTHRACENE	706	R	40	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	ANTHRACENE	1350	R	139	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(a)ANTHRACENE	833	R	43	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(a)ANTHRACENE	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZO(a)ANTHRACENE	5550	R	129	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(a)PYRENE	833	R	56	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(a)PYRENE	706	R	47	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZO(a)PYRENE	5530	R	166	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	833	R	49	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	706	R	42	706	ug/Kg	DL
SS	NDE161	SW8270C	SW3550	BENZO(b)FLUORANTHENE	10400	R	29	495	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	833	R	50	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	1290	R	149	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	833	R	59	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	706	R	50	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	6670	R	176	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	833	R	44	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	2470	R	131	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	833	R	62	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	2470	R	183	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	833	R	61	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	2470	R	181	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	833	R	63	833	ug/Kg	DL
SS	NDE064	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	4390	R	26	353	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	2470	R	186	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	CARBAZOLE	145	R	53	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	CARBAZOLE	706	R	44	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	CARBAZOLE	508	R	156	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	CHRYSENE	122	R	48	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	CHRYSENE	706	R	40	706	ug/Kg	DL
SS	NDE161	SW8270C	SW3550	CHRYSENE	6500	R	28	495	ug/Kg	DI
SS	NDE161DL1	SW8270C	SW3550	CHRYSENE	6780	R	141	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	CRESOLS, m & p	833	R	54	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	CRESOLS, m & p	706	R	46	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	CRESOLS, m & p	2470	R	161	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	833	R	55	833	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE064DL1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	706	R	47	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	2470	R	163	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DIBENZOFURAN	680	R	43	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DIBENZOFURAN	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DIBENZOFURAN	1080	R	129	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DIETHYL PHTHALATE	833	R	68	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DIETHYL PHTHALATE	706	R	58	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DIETHYL PHTHALATE	2470	R	203	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DIMETHYL PHTHALATE	833	R	54	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DIMETHYL PHTHALATE	706	R	46	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DIMETHYL PHTHALATE	2470	R	161	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	833	R	44	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	2470	R	131	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	833	R	63	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	706	R	53	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	2470	R	186	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	FLUORANTHENE	952	R	52	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	FLUORANTHENE	706	R	44	706	ug/Kg	DL
SS	NDE161	SW8270C	SW3550	FLUORANTHENE	7060	R	31	495	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	FLUORENE	939	R	47	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	FLUORENE	706	R	40	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	FLUORENE	1020	R	139	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	HEXACHLOROBENZENE	833	R	54	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	HEXACHLOROBENZENE	706	R	46	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	HEXACHLOROBENZENE	2470	R	161	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	HEXACHLOROBUTADIENE	833	R	69	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	HEXACHLOROBUTADIENE	706	R	59	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	HEXACHLOROBUTADIENE	2470	R	206	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	833	R	62	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	2470	R	183	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	HEXACHLOROETHANE	833	R	76	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	HEXACHLOROETHANE	706	R	64	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	HEXACHLOROETHANE	2470	R	225	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	833	R	43	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	1700	R	129	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	ISOPHORONE	833	R	30	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	ISOPHORONE	706	R	25	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	ISOPHORONE	2470	R	89	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	NAPHTHALENE	2570	R	62	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	NAPHTHALENE	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	NAPHTHALENE	952	R	183	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	NITROBENZENE	833	R	64	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	NITROBENZENE	706	R	54	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	NITROBENZENE	2470	R	191	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	833	R	59	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	706	R	50	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	2470	R	176	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	833	R	92	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	706	R	78	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	2470	R	272	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	PENTACHLOROPHENOL	2500	R	46	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	PENTACHLOROPHENOL	2120	R	39	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	PENTACHLOROPHENOL	7420	R	136	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	PHENANTHRENE	2660	R	48	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	PHENANTHRENE	706	R	41	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	PHENANTHRENE	4800	R	144	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	PHENOL	833	R	53	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	PHENOL	706	R	45	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	PHENOL	2470	R	159	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	PYRENE	421	R	47	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	PYRENE	706	R	40	706	ug/Kg	DL
SS	NDE161	SW8270C	SW3550	PYRENE	7660	R	28	495	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE153DL1	CLP_PEST	SW3550	p,p'-DDE	48	J	0.76	7.5	ug/Kg	FD
SS	NDE154FD1DL1	CLP_PEST	SW3550	p,p'-DDE	89	J	1.9	18	ug/Kg	FD
SW	NDE172FD1	E300	NONE	PERCHLORATE	82.2	J	0.8	2.5	ug/L	FD
WG	NDE228	E300	NONE	PERCHLORATE	48	J	8	25	ug/L	FD
WG	NDE216FD1	SW8260B	SW5030	TOLUENE	1	J	0.28	1	ug/L	FD
SS	NDE064DL1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	3880	J	53	706	ug/Kg	FD
SS	NDE062FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	376	UJ	28	376	ug/Kg	FD
SS	NDE084FD1	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	40	J	12	19	mg/Kg	FD, HT
SB	NDE080	CLP_PEST	SW3550	ALDRIN	2.2	UJ	0.59	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.57	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ALDRIN	2	UJ	0.54	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.51	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ALDRIN	2.5	UJ	0.7	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ALDRIN	3.3	UJ	0.92	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ALDRIN	2.4	UJ	0.65	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ALDRIN	2.4	UJ	0.65	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ALDRIN	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ALDRIN	2	UJ	0.53	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.56	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ALDRIN	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ALDRIN	2	UJ	0.54	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ALDRIN	2	UJ	0.53	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.62	2.2	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE082	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.59	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.56	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.53	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ALPHA BHC	2.5	UJ	0.72	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ALPHA BHC	3.3	UJ	0.96	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ALPHA BHC	2.4	UJ	0.68	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ALPHA BHC	2.4	UJ	0.67	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.59	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.62	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.58	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.55	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.58	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.62	2.2	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.2	UJ	0.6	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.58	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.55	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.52	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.5	UJ	0.71	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.3	UJ	0.94	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.4	UJ	0.66	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.4	UJ	0.66	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.58	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.2	UJ	0.61	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.51	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.51	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.54	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.2	UJ	0.61	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE191	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.51	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	DELTA BHC	2.5	UJ	0.63	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	DELTA BHC	3.3	UJ	0.84	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	DELTA BHC	2.4	UJ	0.59	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	DELTA BHC	2.4	UJ	0.59	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.52	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	DELTA BHC	2.2	UJ	0.54	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.51	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.48	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.51	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.49	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	DELTA BHC	2.2	UJ	0.54	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	DIELDRIN	4.2	UJ	0.52	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	DIELDRIN	4	UJ	0.49	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.44	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE019	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.45	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	DIELDRIN	4.9	UJ	0.61	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	DIELDRIN	6.4	UJ	0.8	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	DIELDRIN	4.6	UJ	0.57	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	DIELDRIN	4.6	UJ	0.57	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	DIELDRIN	4.1	UJ	0.5	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	DIELDRIN	4.3	UJ	0.52	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	DIELDRIN	4	UJ	0.48	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	DIELDRIN	4	UJ	0.49	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	DIELDRIN	4.2	UJ	0.52	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.44	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.42	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.42	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.44	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.2	UJ	0.59	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.57	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.54	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.51	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.5	UJ	0.7	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.3	UJ	0.92	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.4	UJ	0.65	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.4	UJ	0.65	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.5	1.9	ug/Kg	HT

Matrix	SampleID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE088	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.56	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.54	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.2	UJ	0.38	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4	UJ	0.36	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.9	UJ	0.44	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	6.4	UJ	0.58	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.6	UJ	0.41	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.6	UJ	0.41	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.1	UJ	0.36	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.3	UJ	0.38	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4	UJ	0.35	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4	UJ	0.35	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.31	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE192	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.2	UJ	0.38	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.31	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.31	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.2	UJ	0.49	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4	UJ	0.47	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.45	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.9	UJ	0.58	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDOSULFAN SULFATE	6.4	UJ	0.76	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.6	UJ	0.54	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.6	UJ	0.54	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.1	UJ	0.47	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.3	UJ	0.49	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.41	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4	UJ	0.46	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4	UJ	0.46	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.41	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.2	UJ	0.49	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.4	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.4	3.4	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE017	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDRIN	4.2	UJ	0.5	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDRIN	4	UJ	0.48	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDRIN	4.9	UJ	0.59	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDRIN	6.4	UJ	0.78	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDRIN	4.6	UJ	0.55	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDRIN	4.6	UJ	0.55	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDRIN	4.1	UJ	0.48	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDRIN	4.3	UJ	0.51	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDRIN	4	UJ	0.47	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDRIN	4	UJ	0.47	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDRIN	4.2	UJ	0.51	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE037	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.2	UJ	0.29	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4	UJ	0.27	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.9	UJ	0.34	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDRIN ALDEHYDE	6.4	UJ	0.45	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.6	UJ	0.32	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.6	UJ	0.32	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.1	UJ	0.28	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.3	UJ	0.29	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4	UJ	0.27	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4	UJ	0.27	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.2	UJ	0.29	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.23	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.24	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDRIN KETONE	4.2	UJ	0.27	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.22	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE089	CLP_PEST	SW3550	ENDRIN KETONE	4	UJ	0.26	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.26	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.24	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDRIN KETONE	4.9	UJ	0.32	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDRIN KETONE	6.4	UJ	0.43	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDRIN KETONE	4.6	UJ	0.3	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDRIN KETONE	4.6	UJ	0.3	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDRIN KETONE	4.1	UJ	0.26	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDRIN KETONE	4.3	UJ	0.28	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDRIN KETONE	4	UJ	0.26	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.24	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDRIN KETONE	4	UJ	0.26	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDRIN KETONE	4.2	UJ	0.28	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.22	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.23	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.2	UJ	0.59	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.57	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.54	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE012	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.51	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.5	UJ	0.7	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.3	UJ	0.92	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.4	UJ	0.65	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.4	UJ	0.65	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.56	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.54	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.2	UJ	0.63	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.6	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.5	UJ	0.74	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.3	UJ	0.98	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.4	UJ	0.69	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.4	UJ	0.69	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.61	2.1	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE188	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	HEPTACHLOR	2.2	UJ	0.79	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.72	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.2	UJ	0.76	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.64	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.72	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.66	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.69	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.65	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.65	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.65	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.5	UJ	0.89	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.3	UJ	1.2	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.4	UJ	0.83	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.4	UJ	0.83	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.73	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.2	UJ	0.76	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.64	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.64	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.68	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.71	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.7	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.68	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.2	UJ	0.76	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.69	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE013	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.68	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.7	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.66	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	METHOXYCHLOR	22	UJ	0.36	22	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.35	21	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	METHOXYCHLOR	25	UJ	0.43	25	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	METHOXYCHLOR	33	UJ	0.57	33	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	METHOXYCHLOR	24	UJ	0.4	24	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	METHOXYCHLOR	24	UJ	0.4	24	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.35	21	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	METHOXYCHLOR	22	UJ	0.37	22	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.32	20	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.34	21	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	p,p'-DDD	3.5	J	0.24	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	p,p'-DDD	4.8	J	0.24	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE080	CLP_PEST	SW3550	p,p'-DDD	4.2	UJ	0.29	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	p,p'-DDD	4	UJ	0.27	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	p,p'-DDD	4.9	UJ	0.34	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	p,p'-DDD	6.4	UJ	0.45	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	p,p'-DDD	4.6	UJ	0.32	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	p,p'-DDD	4.6	UJ	0.32	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	p,p'-DDD	4.1	UJ	0.28	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	p,p'-DDD	4.3	UJ	0.29	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	p,p'-DDD	4	UJ	0.27	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	p,p'-DDD	4	UJ	0.27	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	p,p'-DDD	4.2	UJ	0.29	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE006DL2	CLP_PEST	SW3550	p,p'-DDE	764	J	40	392	ug/Kg	HT
SB	NDE008DL1	CLP_PEST	SW3550	p,p'-DDE	124	J	3.6	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	p,p'-DDE	3.9	J	0.36	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	p,p'-DDE	8.7	J	0.35	3.5	ug/Kg	HT
SS	NDE164DL1	CLP_PEST	SW3550	p,p'-DDE	83	J	3.7	36	ug/Kg	HT
SS	NDE165FD1DL1	CLP_PEST	SW3550	p,p'-DDE	85	J	3.9	38	ug/Kg	HT
SS	NDE166DL1	CLP_PEST	SW3550	p,p'-DDE	76	J	4.1	40	ug/Kg	HT
SS	NDE167DL1	CLP_PEST	SW3550	p,p'-DDE	157	J	4	39	ug/Kg	HT
SS	NDE004DL2	CLP_PEST	SW3550	p,p'-DDE	3990	J	182	1770	ug/Kg	HT
SS	NDE005FD1DL2	CLP_PEST	SW3550	p,p'-DDE	3440	J	37	358	ug/Kg	HT
SS	NDE007DL2	CLP_PEST	SW3550	p,p'-DDE	2660	J	36	354	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	p,p'-DDE	50	J	0.39	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	p,p'-DDE	41	J	0.36	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	p,p'-DDE	14	J	0.35	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	p,p'-DDE	10	J	0.35	3.4	ug/Kg	HT
SS	NDE017DL1	CLP_PEST	SW3550	p,p'-DDE	126	J	1.8	18	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	p,p'-DDE	7.8	J	0.38	3.7	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	p,p'-DDE	41	J	0.35	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE080	CLP_PEST	SW3550	p,p'-DDE	4.2	UJ	0.43	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	p,p'-DDE	4	UJ	0.41	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.39	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	p,p'-DDE	4.9	UJ	0.5	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	p,p'-DDE	6.4	UJ	0.66	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	p,p'-DDE	4.6	UJ	0.47	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	p,p'-DDE	4.6	UJ	0.47	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	p,p'-DDE	4.1	UJ	0.41	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	p,p'-DDE	4.3	UJ	0.43	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	p,p'-DDE	4	UJ	0.4	4	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	p,p'-DDE	3.9	UJ	0.4	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.38	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	p,p'-DDE	4.2	UJ	0.43	4.2	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.36	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.39	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	p,p'-DDE	3.9	UJ	0.39	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SB	NDE006DL2	CLP_PEST	SW3550	p,p'-DDT	928	J	46	392	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	p,p'-DDT	22	J	0.4	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	p,p'-DDT	7.6	J	0.4	3.5	ug/Kg	HT
SS	NDE166DL1	CLP_PEST	SW3550	p,p'-DDT	89	J	4.7	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	p,p'-DDT	54	J	0.46	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	p,p'-DDT	3.6	J	0.41	3.6	ug/Kg	HT
SS	NDE004DL1	CLP_PEST	SW3550	p,p'-DDT	1940	J	21	177	ug/Kg	HT
SS	NDE005FD1DL2	CLP_PEST	SW3550	p,p'-DDT	2190	J	42	356	ug/Kg	HT
SS	NDE007DL2	CLP_PEST	SW3550	p,p'-DDT	1090	J	42	354	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	p,p'-DDT	17	J	0.42	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	p,p'-DDT	10	J	0.4	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	p,p'-DDT	11	J	0.4	3.4	ug/Kg	HT
SS	NDE017DL1	CLP_PEST	SW3550	p,p'-DDT	75	J	2.1	18	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	p,p'-DDT	29	J	0.4	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	p,p'-DDT	4.2	UJ	0.49	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	p,p'-DDT	4	UJ	0.47	4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	p,p'-DDT	4.1	UJ	0.47	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	p,p'-DDT	4.3	UJ	0.49	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.41	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	p,p'-DDT	4	UJ	0.46	4	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	p,p'-DDT	14	UJ	0.45	3.8	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE032	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	42	UJ	12	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.8	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	40	UJ	11	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	13	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	14	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	13	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	13	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.8	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	49	UJ	18	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	64	UJ	24	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	46	UJ	17	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	46	UJ	17	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	41	UJ	11	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	43	UJ	12	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	40	UJ	11	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	11	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	40	UJ	11	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	14	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	14	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	42	UJ	15	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	11	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	9.8	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	9.8	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	11	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	10	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	85	UJ	25	85	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	82	UJ	24	82	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	74	UJ	22	74	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	22	76	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	80	UJ	24	80	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	99	UJ	30	99	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	131	UJ	39	131	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	93	UJ	28	93	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	93	UJ	27	93	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	82	UJ	24	82	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	87	UJ	26	87	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	80	UJ	24	80	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	81	UJ	24	81	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	80	UJ	24	80	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	22	76	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	23	76	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	86	UJ	25	86	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	22	72	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	23	76	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	23	76	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	22	72	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	42	UJ	34	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	40	UJ	33	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	29	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE010	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	30	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	49	UJ	39	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	64	UJ	52	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	46	UJ	37	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	46	UJ	37	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	41	UJ	33	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	43	UJ	35	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	40	UJ	32	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	40	UJ	32	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	31	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	30	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	42	UJ	34	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	28	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	28	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	31	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	31	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	42	UJ	25	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	40	UJ	24	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	21	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	24	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	49	UJ	30	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	64	UJ	39	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	46	UJ	28	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	46	UJ	27	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE083	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	41	UJ	24	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	43	UJ	26	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	21	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	40	UJ	24	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	40	UJ	24	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	24	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	21	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	42	UJ	25	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	21	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	21	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	23	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	23	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	42	UJ	22	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	40	UJ	21	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	19	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	19	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	19	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	49	UJ	25	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	64	UJ	34	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	46	UJ	24	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	46	UJ	24	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	41	UJ	21	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	43	UJ	22	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	40	UJ	20	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	19	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	40	UJ	20	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	QL	RL	Units	Comments
SS	NDE189	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	42	UJ	22	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	18	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	18	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	42	UJ	23	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	40	UJ	22	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SB	NDE033	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE035	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE038	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	49	UJ	27	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	64	UJ	35	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	46	UJ	25	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	46	UJ	25	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	41	UJ	22	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	43	UJ	23	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	40	UJ	21	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	20	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	40	UJ	22	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT

Vieques Island NASD Phase II Sampling Data Quality Evaluation (DQE)

TO: Marty Clasen/TPA

COPIES: Keith Coats/TPA
Doug VanNote/DFB

FROM: Kevin Sanders/GNA
Mark Stinnett/GNA

DATE: June 17, 2001

The purpose of the data quality evaluation process is to assess the effect of the overall analytical process on the usability of the data. The two major categories of data evaluation are laboratory performance and matrix interferences. Evaluation of laboratory performance is a check for compliance with the method requirements; either the laboratory did, or did not, analyze the samples within the limits of the analytical method. Evaluation of matrix interferences is more subtle and involves the analysis of several areas of results including surrogate spike recoveries, matrix spike recoveries, and duplicate sample results.

Introduction

Samples were collected from November 28, 2000 through December 20, 2000. Field QC samples collected included field duplicates, field blanks, and equipment rinsate blanks. The number of each type of sample is listed by analytical method in Table 1. The samples were analyzed for the following analytical fractions:

- Volatile organic compounds (VOCs) by CLP SOW OLMO4.2
- Semivolatile organic compounds (SVOCs) by CLP SOW OLMO4.2
- Organochlorine Pesticides and PCB's by CLP SOW OLMO4.2
- Total Petroleum Hydrocarbons by FLO-PRO
- Anions by Ion Chromatography, EPA 300.0
- Mercury by CLP SOW ILM04.0, EPA 245.2M and 245.5M
- Explosives by SW846 method 8330

Before the analytical results were released by the laboratory, both the sample and QC data were carefully reviewed to verify sample identity, instrument calibration, detection limits, dilution factors, numerical computations, accuracy of transcriptions, and chemical interpretations. Additionally, the QC data were reduced and the resulting data were reviewed to ascertain whether they were within the laboratory-defined limits for accuracy and precision. Any non-conforming data were discussed in the data package cover letter and case narrative.

The hardcopy data packages were reviewed by the project data validation subcontractor (Heartland Environmental Services, Inc) using the process outlined in the *EPA Region II's Functional Guidelines for Data Review* (Organic and Inorganic) SOP's. Data validation checklists used were those specified by EPA Region II. Areas of review included (when applicable to the SOW) holding time compliance,

calibration verification, blank results, matrix spike precision and accuracy, method accuracy as demonstrated by LCSs, field duplicate results, and interference checks. The Region II data review worksheet was completed for each of these data packages and any non-conformance documented. This data review and validation process is independent of the laboratory's checks and focuses on the usability of the data to support the project data interpretation and decision-making processes.

Data that were not within the acceptance limits were appended with a qualifying flag, which consists of a single or double-letter abbreviation that reflects a problem with the data. Although the qualifying flags are appended to data records during the database query process, they are also included in the final data summary tables deliverable so that the data will not be used indiscriminately. These also include secondary, or the two-digit "sub-qualifier" flags which are entered into the comments field of the database. The secondary qualifiers provide the reasoning behind the assignment of a specific qualifier to the data. The sub-qualifiers are presented and defined in Attachment I. The following primary flags were used to qualify the data:

- U - Undetected. Analyte was analyzed for but not detected above the method detection limit.
- UJ - Detection limit estimated. Analyte was analyzed for, and qualified as not detected. The result is estimated.
- J - Estimated. The analyte was present, but the reported value may not be accurate or precise.
- R - Rejected. The data are unusable. (NOTE: Analyte/compound may or may not be present.)

Numerical sample results that are greater than the method detection limit or inorganic instrument detection limit (MDL or IDL) but less than the contract required reporting limit (CRDL) are qualified with a "J" for estimated as required by the EPA Functional Guidelines for Evaluating Data Quality.

The entire database was queried for frequency of detection in blanks and field samples, detailed detections reported in all blank types, matrix spike/matrix spike duplicate (MS/MSD) results, field duplicate precision, and preparation and analysis dates pertaining to holding times. The queries were then manipulated to calculate necessary statistics for evaluation of the data.

Once the data review and validation process was completed, the entire data set were reviewed for target analyte frequencies of detection, dilution factors that might affect data usability, and patterns of target analyte distribution. The data set was also evaluated to identify potential data limitations, uncertainties, or both in the analytical results. Attachment A lists the changes in data qualifiers due to the validation processes. Attachment H presents all data which were rejected.

Holding Times

The holding times for each parameter were evaluated according to CLP SOW requirements. Attachment J indicates that 3,364 records were qualified as estimated (J or UJ) due to missed holding times. No data were rejected. These records included 1,870 pesticide, 1,098 semi-volatile, 380 volatile, and 16 FLO-PRO results.

Calibration

Attachment A indicates that 736 records were qualified due to initial or continuing calibration deficiencies. A total of 345 results were rejected due to these deficiencies. The rejected data applied

to two known volatile poor performers, acetone and 2-butanone (MEK). All other data were qualified as estimated (J or UJ).

Method Accuracy

The laboratory control sample (LCS) reflects method accuracy. The LCS consists of deionized water spiked with target compounds or elements and processed through the entire method of preparation and analysis. There were nine zinc records qualified as estimated (J or UJ) due to LCS recoveries outside criteria. All other LCS recoveries met control limit criteria for these data indicating that the analytical method was in control.

Potential Field Sampling and Laboratory Contamination

Four types of blank samples were used to monitor potential contamination introduced during field sampling, sample handling, shipping activities, as well as sample preparation and analysis in the laboratory. Types of blank samples included:

- **Trip Blank (TB)**: A sample of ASTM Type II water that is prepared in the laboratory prior to the sampling event. The water is stored in VOC sample containers and is not opened in the field, and travels back to the laboratory with the other samples for VOC analysis. This blank is used to monitor the potential for sample contamination during the sample container trip. One trip blank should be included in each sample cooler that contained samples for VOC analysis. Eighteen trip blanks were submitted to the laboratory with these samples.

- **Equipment Rinsate Blank (ERB)**: A sample of the target-free water used for the final rinse during the equipment decontamination process. This blank sample is collected by rinsing the sampling equipment after decontamination and is analyzed for the same analytical parameters as the corresponding samples. This blank is used to monitor potential contamination caused by incomplete equipment decontamination. One equipment rinsate blank should be collected per day of sampling, per type of sampling equipment. Depending on the method, up to thirteen equipment rinsate blanks were submitted to the laboratory for this field effort.

- **Field Blank or Ambient Blank (FB or AB)**: The field blank is an aliquot of the source water used for equipment decontamination. This blank monitors contamination that may be introduced from the water used for decontamination. One field blank should be collected from each source of decontamination water and analyzed for the same parameters as the associated samples. Depending on the method, up to three field blanks were collected during this sampling event for selected methods.

- **Laboratory Method Blank or Method Blank (MB)**: A laboratory method blank is ASTM Type II water that is treated as a sample in that it undergoes the same analytical process as the corresponding field samples. Method blanks are used to monitor laboratory performance and contamination introduced during the analytical procedure. One method blank was prepared and analyzed for every twenty samples or per analytical batch, whichever was more frequent.

According to the NFG, concentrations of common organic contaminants detected in samples at less than ten times the concentration of the associated blanks can be attributed to field sampling and laboratory contamination rather than environmental contamination from site activities. Common organic contaminants include acetone, methylene chloride, 2-butanone, and the phthalates. For other inorganic and organic contaminants, five times the concentration detected in the associated blanks (rather than ten times) is used to qualify results as potential field and/or laboratory contamination rather than environmental contamination. The ten times rule was applied on an sample delivery group (SDG) by SDG basis and not globally. Global application, however, would account for

anomalous data which should also be attributed to laboratory or field blank contamination. However, EPA Region II direction does not provide for the validation contractor to use any blank value determined below the CRDL as does traditional *EPA Functional Guidelines*. Additionally, use of field blank data is left to the validation contractors discretion and is generally not applied, as was the case with this data set.

Attachment G contrasts the frequency and magnitude of detection of targets common between normal field samples and blanks. Moreover, many results reported in blanks (especially metals) are well below any practical quantitation limit (PQL) and may represent Type I or II errors when associated with a matrix. A Type I (or alpha error) occurs when the value reported is dismissed as a biased high, or false positive result and a Type II (or beta error) is considered as a biased low or false negative result.

Detects in the samples at levels less than the action levels (5 or 10 times rule) were qualified as not detected. Attachment A (Change in Qualifiers) lists all changes in qualifier due to data validation and blank contamination (345 total results due to blanks). A comprehensive list of all detects in each blank is provided in Attachment B. Table 2 compiles the blank detections into a "frequency of detection" by target parameter. Additionally, Attachment F compiles frequency of detection by target analyte for all field samples after validation.

Four semi-volatile compounds were reported in blanks. Phthalates are used as plasticizers. The most common phthalates are bis(2-ethylhexyl) phthalate (BEHP), Di-n-butylphthalate, and Diethyl phthalate. Phthalates are often introduced into samples during handling. Gloves are often used when handling sampling equipment such as pumps, hoses, split spoons, dredges and bailers. Additionally, laboratory chemists use gloves when handling samples and extracts. Gloves are coated with plasticizers such as BEHP to facilitate release of the gloves from the skin. Attachment B indicates that BEHP was detected in a single ambient blank. Six samples were qualified as non-detect due to blank contamination by BEHP. Di-n-octylphthalate was reported in single equipment and lab blanks which resulted in six samples being qualified. . Di-ethyl phthalate was detected in two laboratory blanks but resulted in no samples being qualified. Pentachlorophenol was detected in a single ambient blank but did not result in any sample qualifications.

A single equipment blank (NDE132EB3) reported ten organochlorine pesticide target analytes at sub-part per-billion concentrations. No field samples were qualified for blank contamination for these compounds.

Thirteen volatile compounds were reported in laboratory and /or field blanks. Methylene chloride and acetone are used as extraction solvents and are common lab contaminants. Methylene chloride was found in equipment, laboratory, and trip blanks at concentrations less than the reporting limit of 10 ug/L. Twenty-nine samples were qualified as not detected for methylene chloride due to blank contamination. Table 2 indicates that acetone was detected in equipment and laboratory blank types. Ten samples were qualified as not detected due to acetone contamination. 1,2-Dichloroethane was reported in equipment and laboratory blanks. Six field samples were qualified as not detected. Chloroform, a trihalomethane (THM) and disinfection byproduct was detected in ambient and equipment blanks which resulted in three field samples being qualified as non-detects. Toluene was detected in all blank types. Twenty-three field samples were qualified for blank contamination. Trichloroethylene (TEC) was reported in laboratory blanks resulting in seven samples being qualified. Benzene, bromodichloromethane, carbon disulfide, m,p-xylene, o-xylene, total xylene, and 2-butanone were also detected in blanks but their detections did not result in any field sample qualification.

Matrix Effects

Surrogate Spike Recovery

Surrogate spike compounds were added to every sample analyzed for the organic parameters including field and laboratory blanks as well as field environment samples. Surrogate spikes consist of organic compounds which are similar to the method targets in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

Surrogate spike recoveries were used to monitor both laboratory performance and matrix interference. Surrogate spike recoveries from field and laboratory blanks were used to evaluate laboratory performance because the blanks should represent an "ideal" sample matrix. Surrogate spike recoveries for field samples were used to evaluate the potential for matrix interference. According to NFG, data are not qualified with respect to surrogate recoveries unless one or more volatile surrogates are out of specifications. Semivolatiles are not qualified unless two or more surrogates, within the same fraction (base/neutral or acid fraction), are out of specification.

All reported surrogate spike recoveries for field and QC samples are presented by each analytical fraction in Attachment C. Attachment A indicates that 2,971 records were qualified as estimated due to surrogate recoveries outside criteria. No data were rejected. The majority of surrogate recoveries were well within method acceptance ranges as reflected by Attachment C. The recoveries indicate that the matrix did not significantly influence the analytical method or the final analytical result.

Matrix Spike / Matrix Spike Duplicate Precision and Accuracy

A matrix spike is an aliquot of sample spiked with a known concentration of target analyte(s). The spiking occurs prior to sample preparation and analysis. A matrix spike is used to document the bias of a method in a given sample matrix. The matrix spike duplicate is an intralaboratory-split sample spiked with identical concentrations of target analyte(s). The spiking occurs prior to sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix. For the MS/MSD measurement, three aliquots of a single sample are analyzed; one native sample and two spiked with target analytes or compounds. Matrix accuracy is evaluated from the spike recoveries, while matrix precision is evaluated from comparison of the percent recoveries of the MS and MSD. Another method of measuring precision, typically associated with inorganic results is the native duplicate. A second aliquot of a native sample is digested and analyzed. Results from the native and the duplicate are compared and the RSD calculated for this precision measurement.

Organic results are not qualified upon the results of MS/MSD results alone. Evaluation is in conjunction with surrogate, LCS, and internal standard (if applicable) results. Additionally, many MS/MSD samples require dilution and thus the spike compounds added are diluted out and unable to be evaluated.

Inorganic results may be qualified solely upon the results of the matrix spike/matrix spike duplicate precision and accuracy. Instances where the native sample concentration for a given element exceeds the spike added concentration by a factor of four or more are not evaluated as the spike added would be masked by the native concentration. According to NFG, metals recoveries of greater than 30% and outside the 75-125% recovery control limits are required to be flagged as estimated. Precision requirements for waters are at 20 relative percent difference (RPD). All MS/MSD precision and accuracy results are listed in Attachment D. Moreover, Attachment A indicates which samples and what targets were qualified (283 records). Of these records qualified for precision and accuracy measurement outside criteria, none were rejected. All of these records were estimated (J or UJ). As Attachment D indicates, the majority of the accuracy and precision results were well within established criteria, indicating that the specific sample matrix did not greatly influence the overall analytical process or the final numerical sample result.

Attachment E lists all laboratory duplicate precision statistics. No data were qualified due to laboratory duplicate precision outside criteria. These data confirm that the laboratories method precision was in control and that the matrices were generally homogenous.

Field Duplicate Sample Results

Field duplicate analyses measure both field and laboratory precision and can also be affected by the homogeneity of the samples. Therefore the results may have more variability than lab duplicates, which measure only lab performance. According to the EPA *Functional Guidelines*, there are no qualification criteria for field duplicate precision.

Dependent upon the method, there were up to four sets of field duplicates collected during this field effort. Both the native and duplicate samples were analyzed for the same parameters.

An aqueous control limit of ± 20% for the RPD was used for original and duplicate sample values greater than or equal to five times the RL. Solid samples utilized a control limit of 35 RPD. A control limit of ± the RL for waters and 2 times the RL for soils was used if either the sample for the duplicate value was less than five times the RL. In the cases where only one result is above the five times the RL level and the other is below, the ± RL criteria were applied. Attachment K includes a summary of the field duplicate measurements and their associated precision statistic.

The attachment reflects 58 of 523 (11%) measurable results outside established criteria. no results outside criteria. Thus, the data were within the defined control limits. These precision data indicate that matrix heterogeneity and sampling technique did not greatly influence the final numerical result.

Total versus Dissolved Metals

Attachment L presents the dissolved versus total metals contrast. Criteria for evaluation of the data includes data that is at least five times the reporting limit (RL) and where the difference between results is less than 10 per cent of the dissolved concentration. These comparisons reveal that the dissolved concentration is greater than the total concentration in only 2 of 507 results.

Sample Results for Metals Near the Method Detection Limit (MDL)

The MDL is defined as the minimum concentration of an analyte that can be identified, measured, and reported with 99% confidence that the analyte concentration is greater than zero. However, sample results at, or near, the MDL reported in blanks (especially metals) may represent Type I or II errors. This phenomenon is compounded when measurements are associated with a matrix. A Type I (or alpha error) occurs when the value reported is dismissed as a biased high, or false positive result and a Type II (or beta error) is considered as a biased low or false negative result. Thus, some values at the lower levels of detection may be false positives caused by instrument noise or low-level background shifts rather than a true analyte signal. Additionally, concentrations near the MDL should be considered as not necessarily accurate or precise.

PARCCs

Precision--is defined as the agreement between duplicate results, and was estimated by comparing native laboratory duplicates and field duplicate sample results. Laboratory duplicate precision was documented as well within control limit criteria for most samples and targets. Other than the documented exceptions, the precision between native and field duplicate sample results were within acceptable criteria for the majority of the measurements indicating that sample matrix did not significantly interfere with the overall analytical process.

Accuracy--is a measure of the agreement between an experimental determination and the true value of the parameter being measured. For inorganic analyses a MS and LCS were spiked with a known reference material before preparation. The MS provides a measure of the matrix effects on the analytical accuracy. The LCS results demonstrate accuracy of the method. Matrix spike and LCS recoveries were within the method acceptance limits for the majority of the measurements; therefore, other than the documented exceptions, there was no evidence of significant matrix interferences that would affect the usability of the data.

Representativeness--this criteria is a qualitative measure of the degree to which sample data accurately and precisely represent a characteristic environmental condition. Representativeness is a subjective parameter and is used to evaluate the efficacy of the sampling plan design. Representativeness was demonstrated by providing full descriptions in the project scoping documents of the sampling techniques and the rationale used for selecting sampling locations.

Completeness--is defined as the percentage of measurements that are judged to be valid compared to the to total number of measurements made. Other than the 34 non-detected acrolein results rejected for poor continuing calibration statistics as previously mentioned, no other data were rejected. A goal of 90 percent usable data was established in the project scoping document and **98.6 %** percent (29173/29593) of the data was determined to be valid.

Comparability--is another qualitative measure designed to express the confidence with which one data set may be compared to another. Factors that affect comparability are sample collection and handling techniques, sample matrix type, and analytical method. Comparability is limited by the other PARCC parameters because data sets can be compared with confidence only when precision and accuracy are known. Data from this investigation are comparable with other data collected at the site because only EPA methods were used to analyze the sample and EPA Level III QC data are available to support the quality of the data.

Summary and Conclusions

Conclusions of the data quality evaluation process include:

- The laboratory analyzed the samples according to the EPA methods stated in the work plan as demonstrated by the deliverable summaries and analytical run sequences
- Sample results at, or near, the MDL reported in blanks (especially metals) may represent Type I or II errors. This phenomenon is compounded when measurements are associated with a matrix. A Type I (or alpha error) occurs when the value reported is dismissed as a biased high, or false positive result and a Type II (or beta error) is considered as a biased low or false negative result. Thus, some values at the lower levels of detection may be false positives caused by instrument noise or low-level background shifts rather than a true analyte signal.
- Spike recoveries, and duplicate sample results (other than the exceptions documented in the text and attachments) indicate that the specific sample matrix did not significantly interfere with the analytical process or the final numerical result.

The project objectives or PARCCs were met, and the data can be used in the project decision-making process as qualified by the data quality evaluation process.

Table 1 - Number of Samples Collected by Matrix, Method, and Type

Matrix	Analytical Method	Prep Method	N1	FD1	AB	EB	TB
SB	CLP_PEST	SW3550	58	4			
SD	CLP_PEST	SW3550	5	1			
SS	CLP_PEST	SW3550	92	11			
SW	CLP_PEST	SW3510	5	1	1	3	
SB	E200.7	SW3050	58	4			
SD	E200.7	SW3050	5	1			
SS	E200.7	SW3050	92	11			
SW	E200.7	SW3050	5	1			
WG	E200.7	FLDFLT	13	3	3	13	
SW	E245.2	METHOD	5	1			
WG	E245.2	FLDFLT	13	3			
WG	E245.2	METHOD	13	3	3	13	
SB	E245.5	METHOD	58	4			
SD	E245.5	METHOD	5	1			
SS	E245.5	METHOD	92	11			
SW	E300	NONE	5	1			
WG	E300	NONE	4	1	1	1	
SB	FL-PRO	METHOD	26				
SS	FL-PRO	METHOD	26	5		2	
SB	SW8260B	SW5030	58	4			
SD	SW8260B	SW5030	5	1			
SS	SW8260B	SW5030	92	11			
SW	SW8260B	SW5030	5	1			
WG	SW8260B	SW5030	13	3	3	13	18
SB	SW8270C	SW3550	59	4			
SD	SW8270C	SW3550	5	1			
SS	SW8270C	SW3550	93	11			
SW	SW8270C	SW3510	5	1			
WG	SW8270C	SW3510	13	3	3	13	
SB	SW8330	SW3550	5	1			
SD	SW8330	SW3550	5	1			
SS	SW8330	SW3550	5				
SW	SW8330	SW3510	5	1			
WG	SW8330	SW3510	4	1	1	4	

Table 2 - Frequency of L tion in Blanks of All Types

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL	Min DL	Max DL	Units
WQ	EB	CLP_PEST	SW3510	DIELDRIN	1	1	0.108	0.108	0.1	0.1	0.005	0.005	ug/L
WQ	EB	CLP_PEST	SW3510	ENDOSULFAN II (Beta)	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	ENDOSULFAN SULFATE	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	ENDRIN	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	ENDRIN ALDEHYDE	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	ENDRIN KETONE	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	METHOXYCHLOR	1	1	0.54	0.54	0.54	0.54	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	p,p'-DDD	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
WQ	EB	CLP_PEST	SW3510	p,p'-DDE	1	1	0.108	0.108	0.1	0.1	0.01	0.01	ug/L
WQ	EB	CLP_PEST	SW3510	p,p'-DDT	1	1	0.108	0.108	0.1	0.1	0.02	0.02	ug/L
SOIL	LB	E200.7	SW3050	ALUMINUM	17	2	12	12	40	40	9.5	9.5	mg/Kg
WQ	EB	E200.7	SW3050	BARIUM	3	1	1.2	1.2	200	200	0.13	0.13	ug/L
WQ	EB	E200.7	SW3050	BARIUM	1	1	1.6	1.6	200	200	0.13	0.13	ug/L
SOIL	LB	E200.7	SW3050	BARIUM	17	2	0.014	0.035	40	40	0.01	0.013	mg/Kg
WATER	LB	E200.7	SW3050	BARIUM	13	1	0.18	0.18	200	200	0.13	0.13	ug/L
WQ	AB	E200.7	SW3050	BERYLLIUM	1	1	1.3	1.3	5	5	0.33	0.33	ug/L
WQ	EB	E200.7	SW3050	BERYLLIUM	9	2	1	1.2	5	5	0.33	0.33	ug/L
WQ	EB	E200.7	SW3050	BERYLLIUM	1	1	1.1	1.1	5	5	0.33	0.33	ug/L
SOIL	LB	E200.7	SW3050	CADMIUM	17	1	0.037	0.037	1	1	0.02	0.027	mg/Kg
WATER	LB	E200.7	SW3050	CADMIUM	13	1	0.54	0.54	5	5	0.27	0.27	ug/L
WQ	AB	E200.7	SW3050	CALCIUM	2	1	120	120	5000	5000	28	28	ug/L
WQ	AB	E200.7	SW3050	CALCIUM	1	1	85	85	5000	5000	28	28	ug/L
WQ	EB	E200.7	SW3050	CALCIUM	9	6	65	250	5000	5000	28	28	ug/L
WQ	EB	E200.7	SW3050	CALCIUM	3	2	120	480	5000	5000	28	28	ug/L
WQ	EB	E200.7	SW3050	CALCIUM	1	1	470	470	5000	5000	28	28	ug/L
SOIL	LB	E200.7	SW3050	CALCIUM	17	6	6	33	1000	1000	2.8	2.8	mg/Kg
WATER	LB	E200.7	SW3050	CALCIUM	13	5	190	336	5000	5000	28	28	ug/L
WATER	LB	E200.7	FLDFLT	CALCIUM, DISSOLVED	2	1	371	371	5000	5000	28	28	ug/L
WQ	EB	E200.7	SW3050	CHROMIUM, TOTAL	9	1	2.4	2.4	10	10	0.87	0.87	ug/L
WQ	EB	E200.7	SW3050	CHROMIUM, TOTAL	1	1	7.3	7.3	10	10	0.87	0.87	ug/L
WATER	LB	E200.7	SW3050	CHROMIUM, TOTAL	13	2	1.1	1.1	10	10	0.87	0.87	ug/L
SOIL	LB	E200.7	SW3050	COBALT	17	1	0.063	0.063	10	10	0.04	0.043	mg/Kg
WATER	LB	E200.7	SW3050	COBALT	13	2	0.88	0.88	50	50	0.43	0.43	ug/L
WQ	EB	E200.7	SW3050	COPPER	9	1	2.6	2.6	25	25	0.8	2	ug/L
WQ	EB	E200.7	SW3050	IRON	9	1	56	56	100	100	25	25	ug/L
WQ	EB	E200.7	SW3050	IRON	1	1	280	280	100	100	25	25	ug/L
SOIL	LB	E200.7	SW3050	IRON	17	7	2.6	11	20	20	2.5	2.5	mg/Kg
WATER	LB	E200.7	SW3050	IRON	13	5	46	70	100	100	25	25	ug/L
WQ	AB	E200.7	SW3050	MAGNESIUM	1	1	99	99	5000	5000	13	13	ug/L
WQ	EB	E200.7	SW3050	MAGNESIUM	9	1	160	160	5000	5000	13	13	ug/L
WQ	EB	E200.7	SW3050	MAGNESIUM	3	2	35	170	5000	5000	13	13	ug/L
WQ	EB	E200.7	SW3050	MAGNESIUM	1	1	360	360	5000	5000	13	13	ug/L
SOIL	LB	E200.7	SW3050	MAGNESIUM	17	3	2	5.5	1000	1000	0.13	1.3	mg/Kg

Table 2 - Frequency of Detection in Blanks of All Types

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL	Min DL	Max DL	Units
WATER	LB	E200.7	SW3050	MAGNESIUM	13	4	120	120	5000	5000	13	13	ug/L
WATER	LB	E200.7	FLDFLT	MAGNESIUM, DISSOLVED	2	1	200	200	5000	5000	13	13	ug/L
WQ	EB	E200.7	SW3050	MANGANESE	9	2	1.1	1.5	15	15	0.33	0.33	ug/L
WQ	EB	E200.7	SW3050	MANGANESE	3	1	1.2	1.2	15	15	0.33	0.33	ug/L
WQ	EB	E200.7	SW3050	MANGANESE	1	1	8.5	8.5	15	15	0.33	0.33	ug/L
SOIL	LB	E200.7	SW3050	MANGANESE	17	4	0.21	0.28	3	3	0.03	0.033	mg/Kg
WQ	AB	E200.7	SW3050	NICKEL	2	1	3	3	40	40	0.93	0.93	ug/L
WQ	AB	E200.7	SW3050	NICKEL	1	1	1.9	1.9	40	40	0.93	0.93	ug/L
WQ	EB	E200.7	SW3050	NICKEL	9	6	2.2	3.6	40	40	0.93	0.93	ug/L
WQ	EB	E200.7	SW3050	NICKEL	3	2	2.9	4.1	40	40	0.93	0.93	ug/L
WQ	EB	E200.7	SW3050	NICKEL	1	1	2.9	2.9	40	40	0.93	0.93	ug/L
SOIL	LB	E200.7	SW3050	NICKEL	17	1	0.17	0.17	8	8	0.09	0.093	mg/Kg
WATER	LB	E200.7	SW3050	NICKEL	13	2	1.9	1.9	40	40	0.93	0.93	ug/L
WQ	EB	E200.7	SW3050	POTASSIUM	9	1	130	130	5000	5000	30	30	ug/L
WQ	EB	E200.7	SW3050	POTASSIUM	3	1	77	77	5000	5000	30	30	ug/L
WQ	EB	E200.7	SW3050	POTASSIUM	1	1	210	210	5000	5000	30	30	ug/L
SOIL	LB	E200.7	SW3050	POTASSIUM	17	2	5	5	1000	1000	3	3	mg/Kg
WQ	EB	E200.7	SW3050	SODIUM	9	2	530	1500	5000	5000	200	200	ug/L
WQ	EB	E200.7	SW3050	SODIUM	3	1	1600	1600	5000	5000	200	200	ug/L
WQ	EB	E200.7	SW3050	SODIUM	1	1	3300	3300	5000	5000	200	200	ug/L
SOIL	LB	E200.7	SW3050	SODIUM	17	2	22	26	1000	1000	20	20	mg/Kg
WATER	LB	E200.7	SW3050	SODIUM	13	1	346	346	5000	5000	200	200	ug/L
WATER	LB	E200.7	FLDFLT	SODIUM, DISSOLVED	2	1	1060	1060	5000	5000	200	200	ug/L
WQ	AB	E200.7	SW3050	THALLIUM	2	2	8.3	9.8	10	10	3.4	3.4	ug/L
WQ	AB	E200.7	SW3050	THALLIUM	1	1	5.4	5.4	10	10	3.4	3.4	ug/L
WQ	EB	E200.7	SW3050	THALLIUM	9	8	4.5	9.7	10	10	3.4	3.4	ug/L
WQ	EB	E200.7	SW3050	THALLIUM	3	3	6.3	9.5	10	10	3.4	3.4	ug/L
WQ	EB	E200.7	SW3050	THALLIUM	1	1	4.9	4.9	10	10	3.4	3.4	ug/L
SOIL	LB	E200.7	SW3050	THALLIUM	17	2	0.49	0.71	2	2	0.34	0.34	mg/Kg
WATER	LB	E200.7	SW3050	THALLIUM	13	4	6.6	7.4	10	10	3.4	3.4	ug/L
WQ	AB	E200.7	SW3050	ZINC	2	1	8.1	8.1	20	20	5	5	ug/L
WQ	EB	E200.7	SW3050	ZINC	9	2	10	19	20	20	5	5	ug/L
WQ	EB	E200.7	SW3050	ZINC	3	2	6	20	20	20	5	5	ug/L
SOIL	LB	E200.7	SW3050	ZINC	17	5	0.56	1.6	4	4	0.5	0.5	mg/Kg
WATER	LB	E200.7	SW3050	ZINC	13	2	5.3	5.3	20	20	5	5	ug/L
WATER	LB	E245.2	METHOD	MERCURY	13	1	0.045	0.045	0.2	0.2	0.02	0.2	ug/L
WQ	EB	SW8260B	SW5030	1,2-DICHLOROETHANE	9	1	1.6	1.6	1	10	0.24	0.26	ug/L
SOIL	LB	SW8260B	SW5030	1,2-DICHLOROETHANE	40	7	0.28	1.3	9.3	12	0.16	0.26	ug/Kg
WATER	LB	SW8260B	SW5030	1,2-DICHLOROETHANE	19	3	1.4	1.7	1	10	0.24	0.26	ug/L
WQ	TB	SW8260B	SW5030	1,2-DICHLOROETHANE	15	1	0.28	0.28	1	10	0.24	0.26	ug/L
WQ	EB	SW8260B	SW5030	ACETONE	9	2	5.4	7.8	5	10	4.1	10	ug/L
WQ	EB	SW8260B	SW5030	ACETONE	3	1	6.2	6.2	5	10	4.1	4.1	ug/L
WQ	EB	SW8260B	SW5030	ACETONE	[illegible]	1	6.6	6.6	10	10	4.1	[illegible]	ug/L

Table 2 - Frequency of D[illegible]tion in Blanks of All Types

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL	Min DL	Max DL	Units
SOIL	LB	SW8260B	SW5030	ACETONE	40	40	4	59	9.3	12	1.4	9.3	ug/Kg
WATER	LB	SW8260B	SW5030	ACETONE	19	2	5.7	6.3	5	10	4.1	10	ug/L
WQ	TB	SW8260B	SW5030	ACETONE	15	6	4.5	9.4	5	10	4.1	10	ug/L
SOIL	LB	SW8260B	SW5030	BENZENE	40	2	0.21	0.21	9.3	12	0.1	0.22	ug/Kg
WQ	TB	SW8260B	SW5030	BENZENE	15	1	0.25	0.25	1	10	0.1	0.11	ug/L
WQ	AB	SW8260B	SW5030	BROMODICHLOROMETHANE	2	2	0.74	0.94	1	10	0.4	0.4	ug/L
WQ	EB	SW8260B	SW5030	CARBON DISULFIDE	9	1	0.4	0.4	1	10	0.26	0.31	ug/L
WQ	TB	SW8260B	SW5030	CARBON DISULFIDE	15	1	0.44	0.44	1	10	0.26	0.31	ug/L
WQ	AB	SW8260B	SW5030	CHLOROFORM	2	2	6.2	8.8	1	10	0.14	0.14	ug/L
WQ	AB	SW8260B	SW5030	CHLOROFORM	1	1	9.2	9.2	10	10	0.14	0.14	ug/L
WQ	EB	SW8260B	SW5030	CHLOROFORM	9	8	2.3	9.7	1	10	0.14	1	ug/L
WQ	EB	SW8260B	SW5030	CHLOROFORM	3	3	2.5	9	1	10	0.14	0.14	ug/L
WQ	EB	SW8260B	SW5030	CHLOROFORM	1	1	8.8	8.8	10	10	0.14	0.14	ug/L
SOIL	LB	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	40	2	0.38	0.38	9.3	12	0.15	0.23	ug/Kg
WQ	EB	SW8260B	SW5030	2-BUTANONE (MEK)	9	1	2.1	2.1	5	10	1.7	1.7	ug/L
WQ	TB	SW8260B	SW5030	2-BUTANONE (MEK)	15	1	4.9	4.9	5	10	1.7	1.7	ug/L
WQ	TB	SW8260B	SW5030	2-BUTANONE (MEK)	3	1	2.2	2.2	10	10	1.7	1.7	ug/L
WQ	EB	SW8260B	SW5030	METHYLENE CHLORIDE	9	2	0.27	7.5	2	10	0.12	2	ug/L
WQ	EB	SW8260B	SW5030	METHYLENE CHLORIDE	3	1	9.5	9.5	2	10	0.12	0.12	ug/L
WQ	EB	SW8260B	SW5030	METHYLENE CHLORIDE	1	1	6	6	10	10	0.12	0.12	ug/L
SOIL	LB	SW8260B	SW5030	METHYLENE CHLORIDE	40	15	0.32	5.1	9.3	12	0.24	1.9	ug/Kg
WATER	LB	SW8260B	SW5030	METHYLENE CHLORIDE	19	2	0.6	1.3	2	10	0.12	2	ug/L
WQ	TB	SW8260B	SW5030	METHYLENE CHLORIDE	15	4	0.22	1.3	2	10	0.12	2	ug/L
SOIL	LB	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	40	2	0.22	0.22	9.3	12	0.14	0.22	ug/Kg
WQ	AB	SW8260B	SW5030	TOLUENE	2	1	0.38	0.38	1	10	0.28	0.28	ug/L
WQ	AB	SW8260B	SW5030	TOLUENE	1	1	0.37	0.37	10	10	0.28	0.28	ug/L
WQ	EB	SW8260B	SW5030	TOLUENE	9	5	0.31	0.54	1	10	0.23	0.28	ug/L
WQ	EB	SW8260B	SW5030	TOLUENE	3	2	0.44	0.44	1	10	0.28	0.28	ug/L
WQ	EB	SW8260B	SW5030	TOLUENE	1	1	0.37	0.37	10	10	0.28	0.28	ug/L
SOIL	LB	SW8260B	SW5030	TOLUENE	40	2	0.22	0.22	9.3	12	0.15	0.25	ug/Kg
WQ	TB	SW8260B	SW5030	TOLUENE	15	11	0.89	5	1	10	0.23	0.28	ug/L
WQ	TB	SW8260B	SW5030	TOLUENE	3	3	2.3	2.7	10	10	0.28	0.28	ug/L
SOIL	LB	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	40	2	0.25	0.3	9.3	12	0.21	0.34	ug/Kg
SOIL	LB	SW8260B	SW5030	XYLENES, TOTAL	40	2	0.6	0.6	9.3	12	0.12	0.23	ug/Kg
WQ	AB	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	2	1	4.5	4.5	5.3	14	0.93	1.2	ug/L
SOIL	LB	SW8270C	SW3550	DIETHYL PHTHALATE	16	1	241	241	303	333	25	27	ug/Kg
WATER	LB	SW8270C	SW3510	DIETHYL PHTHALATE	13	2	0.65	0.65	5	10	0.37	0.43	ug/L
WQ	EB	SW8270C	SW3510	DI-n-OCTYLPHTHALATE	3	1	1.4	1.4	6.1	11	0.49	1.6	ug/L
WATER	LB	SW8270C	SW3510	DI-n-OCTYLPHTHALATE	13	1	3.6	3.6	5	10	0.46	1.3	ug/L
SOIL	LB	SW8270C	SW3550	PENTACHLOROPHENOL	16	1	213	213	909	1000	17	18	ug/Kg

Attachment A - Changes in Qualifier Through the Validation Process

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	IDL	RL	Units	Comments
SS	NDE133	CLP_PEST	SW3550	p,p'-DDD	12	J	0.26	3.7	ug/Kg	2C
SS	NDE137	CLP_PEST	SW3550	p,p'-DDD	7.4	J	0.27	3.8	ug/Kg	2C
SS	NDE145	CLP_PEST	SW3550	p,p'-DDD	14	J	0.24	3.5	ug/Kg	2C
SS	NDE146	CLP_PEST	SW3550	p,p'-DDD	6.4	J	0.25	3.7	ug/Kg	2C
SS	NDE148	CLP_PEST	SW3550	p,p'-DDD	9.4	J	0.29	4.1	ug/Kg	2C
SS	NDE151	CLP_PEST	SW3550	p,p'-DDD	4	J	0.26	3.7	ug/Kg	2C
SS	NDE149	CLP_PEST	SW3550	p,p'-DDD	4	U	0.28	4	ug/Kg	2C
SS	NDE160	CLP_PEST	SW3550	p,p'-DDE	19	J	0.37	3.7	ug/Kg	2C
SS	NDE159	CLP_PEST	SW3550	p,p'-DDE	3.6	U	0.36	3.6	ug/Kg	2C
SS	NDE160	CLP_PEST	SW3550	p,p'-DDT	8.9	J	0.43	3.7	ug/Kg	2C
SB	NDE012	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	2C
SB	NDE014	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	2C, HT
SS	NDE013	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.23	3.4	ug/Kg	2C, HT
SS	NDE015	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.24	3.4	ug/Kg	2C, HT
SS	NDE021	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	2C, HT
SS	NDE021	CLP_PEST	SW3550	p,p'-DDT	6.7	J	0.44	3.7	ug/Kg	2C, HT
SS	NDE161	CLP_PEST	SW3550	p,p'-DDE	9.4	J	0.78	7.7	ug/Kg	2C, SS
SS	NDE161	CLP_PEST	SW3550	p,p'-DDT	8.7	J	0.9	7.7	ug/Kg	2C, SS
SB	NDE036FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	10	U	0.2	10	ug/Kg	BL
SB	NDE038	SW8260B	SW5030	1,2-DICHLOROETHANE	10	U	0.23	10	ug/Kg	BL
SS	NDE137	SW8260B	SW5030	1,2-DICHLOROETHANE	19	U	0.42	19	ug/Kg	BL
SS	NDE143FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	10	U	0.21	10	ug/Kg	BL
SS	NDE144	SW8260B	SW5030	1,2-DICHLOROETHANE	12	U	0.26	12	ug/Kg	BL
SS	NDE147	SW8260B	SW5030	1,2-DICHLOROETHANE	10	U	0.19	10	ug/Kg	BL
SB	NDE195FD1	SW8260B	SW5030	ACETONE	57	U	1.7	10	ug/Kg	BL
SB	NDE196	SW8260B	SW5030	ACETONE	59	U	1.7	10	ug/Kg	BL
SB	NDE016	SW8260B	SW5030	ACETONE	21	U	2	10	ug/Kg	BL
SB	NDE018	SW8260B	SW5030	ACETONE	17	U	2	10	ug/Kg	BL
SB	NDE020	SW8260B	SW5030	ACETONE	25	U	1.7	10	ug/Kg	BL
SB	NDE025	SW8260B	SW5030	ACETONE	24	U	1.7	10	ug/Kg	BL
SS	NDE165FD1	SW8260B	SW5030	ACETONE	10	U	1.8	10	ug/Kg	BL
SS	NDE168	SW8260B	SW5030	ACETONE	12	U	1.9	10	ug/Kg	BL
SS	NDE192	SW8260B	SW5030	ACETONE	50	U	1.9	10	ug/Kg	BL
SS	NDE194	SW8260B	SW5030	ACETONE	19	U	1.9	10	ug/Kg	BL
WG	NDE219	SW8260B	SW5030	CHLOROFORM	1	U	0.14	1	ug/L	BL
WG	NDE221	SW8260B	SW5030	CHLOROFORM	1	U	0.14	1	ug/L	BL
WG	NDE222FD1	SW8260B	SW5030	CHLOROFORM	1	U	0.14	1	ug/L	BL
SB	NDE044	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.35	11	ug/Kg	BL
SB	NDE089	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.35	11	ug/Kg	BL
SB	NDE027	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.31	10	ug/Kg	BL
SB	NDE203	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.31	10	ug/Kg	BL
SB	NDE204	SW8260B	SW5030	METHYLENE CHLORIDE	12	U	0.4	12	ug/Kg	BL
SB	NDE035	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.33	10	ug/Kg	BL
SB	NDE036FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.3	10	ug/Kg	BL
SB	NDE038	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.34	10	ug/Kg	BL
SB	NDE039FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.31	10	ug/Kg	BL
SB	NDE103	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.33	10	ug/Kg	BL
SB	NDE105	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.31	10	ug/Kg	BL
SB	NDE109	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.28	10	ug/Kg	BL
SB	NDE111FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.3	10	ug/Kg	BL
SB	NDE112	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.36	11	ug/Kg	BL
SS	NDE134	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.36	11	ug/Kg	BL
SS	NDE135	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.36	11	ug/Kg	BL
SS	NDE137	SW8260B	SW5030	METHYLENE CHLORIDE	19	U	0.64	19	ug/Kg	BL
SS	NDE139	SW8260B	SW5030	METHYLENE CHLORIDE	15	U	0.5	15	ug/Kg	BL
SS	NDE140	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.28	10	ug/Kg	BL
SS	NDE144	SW8260B	SW5030	METHYLENE CHLORIDE	12	U	0.39	12	ug/Kg	BL
SS	NDE145	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.32	10	ug/Kg	BL
SS	NDE150	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.33	10	ug/Kg	BL
SS	NDE043	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.3	10	ug/Kg	BL
SS	NDE045	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.29	10	ug/Kg	BL
SS	NDE081	SW8260B	SW5030	METHYLENE CHLORIDE	11	U	0.29	10	ug/Kg	BL
SS	NDE192	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.33	10	ug/Kg	BL
SS	NDE023	SW8260B	SW5030	METHYLENE CHLORIDE	10	U	0.32	10	ug/Kg	BL
SB	NDE052	SW8260B	SW5030	TOLUENE	10	U	0.19	10	ug/Kg	BL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE122	SW8260B	SW5030	TOLUENE	11	U	0.23	11	ug/Kg	BL
SB	NDE126	SW8260B	SW5030	TOLUENE	10	U	0.2	10	ug/Kg	BL
SB	NDE103	SW8260B	SW5030	TOLUENE	10	U	0.21	10	ug/Kg	BL
SD	NDE114	SW8260B	SW5030	TOLUENE	18	U	0.38	18	ug/Kg	BL
SD	NDE116	SW8260B	SW5030	TOLUENE	21	U	0.45	21	ug/Kg	BL
SD	NDE117	SW8260B	SW5030	TOLUENE	34	U	0.73	34	ug/Kg	BL
SD	NDE118	SW8260B	SW5030	TOLUENE	12	U	0.26	12	ug/Kg	BL
SD	NDE119FD1	SW8260B	SW5030	TOLUENE	14	U	0.3	14	ug/Kg	BL
SS	NDE136	SW8260B	SW5030	TOLUENE	10	U	0.19	10	ug/Kg	BL
SS	NDE145	SW8260B	SW5030	TOLUENE	10	U	0.21	10	ug/Kg	BL
SS	NDE147	SW8260B	SW5030	TOLUENE	10	U	0.18	10	ug/Kg	BL
SS	NDE148	SW8260B	SW5030	TOLUENE	10	U	0.22	10	ug/Kg	BL
SS	NDE150	SW8260B	SW5030	TOLUENE	10	U	0.21	10	ug/Kg	BL
SS	NDE045	SW8260B	SW5030	TOLUENE	10	U	0.18	10	ug/Kg	BL
SS	NDE165FD1	SW8260B	SW5030	TOLUENE	10	U	0.2	10	ug/Kg	BL
SW	NDE171	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SW	NDE172FD1	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SW	NDE173	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SW	NDE175	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SW	NDE225	SW8260B	SW5030	TOLUENE	10	U	0.28	10	ug/L	BL
SS	NDE133	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	U	0.29	10	ug/Kg	BL
SS	NDE134	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	U	0.32	11	ug/Kg	BL
SS	NDE136	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	U	0.27	10	ug/Kg	BL
SS	NDE139	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	15	U	0.44	15	ug/Kg	BL
SS	NDE140	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	U	0.25	10	ug/Kg	BL
WG	NDE213	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5.4	U	0.95	5.4	ug/L	BL
WG	NDE214	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	6.2	U	0.9	5.2	ug/L	BL
WG	NDE215	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5.2	U	0.91	5.2	ug/L	BL
WG	NDE217	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5.4	U	0.95	5.4	ug/L	BL
WG	NDE218	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5.4	U	0.94	5.4	ug/L	BL
WG	NDE220	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	5	U	0.87	5	ug/L	BL
SB	NDE103	SW8270C	SW3550	DIETHYL PHTHALATE	580	U	47	580	ug/Kg	BL
SB	NDE105	SW8270C	SW3550	DIETHYL PHTHALATE	481	U	39	481	ug/Kg	BL
SB	NDE107	SW8270C	SW3550	DIETHYL PHTHALATE	488	U	40	488	ug/Kg	BL
SB	NDE109	SW8270C	SW3550	DIETHYL PHTHALATE	652	U	41	500	ug/Kg	BL
SB	NDE111FD1	SW8270C	SW3550	DIETHYL PHTHALATE	462	U	38	462	ug/Kg	BL
SB	NDE112	SW8270C	SW3550	DIETHYL PHTHALATE	513	U	42	513	ug/Kg	BL
SS	NDE138	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	BL, SS
SS	NDE142	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.35	11	ug/Kg	BL, SS
SS	NDE156	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	BL, SS
SS	NDE157	SW8260B	SW5030	TOLUENE	10	UJ	0.17	10	ug/Kg	BL, SS
SS	NDE138	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	BL, SS
SS	NDE141	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.25	10	ug/Kg	BL, SS
SB	NDE016	E200.7	SW3050	ZINC	20	J	0.53	4.2	mg/Kg	BS
SB	NDE018	E200.7	SW3050	ZINC	26	J	0.53	4.2	mg/Kg	BS
SB	NDE020	E200.7	SW3050	ZINC	27	J	0.56	4.5	mg/Kg	BS
SB	NDE022	E200.7	SW3050	ZINC	17	J	0.56	4.5	mg/Kg	BS
SB	NDE025	E200.7	SW3050	ZINC	16	J	0.58	4.6	mg/Kg	BS
SB	NDE027	E200.7	SW3050	ZINC	15	J	0.56	4.5	mg/Kg	BS
SB	NDE029	E200.7	SW3050	ZINC	18	J	0.59	4.7	mg/Kg	BS
SB	NDE031	E200.7	SW3050	ZINC	15	J	0.55	4.4	mg/Kg	BS
SB	NDE203	E200.7	SW3050	ZINC	20	J	0.58	4.7	mg/Kg	BS
SB	NDE096	CLP_PEST	SW3550	METHOXYCHLOR	17	UJ	0.29	17	ug/Kg	CC
SS	NDE095	CLP_PEST	SW3550	METHOXYCHLOR	17	UJ	0.29	17	ug/Kg	CC
SS	NDE097	CLP_PEST	SW3550	METHOXYCHLOR	17	UJ	0.29	17	ug/Kg	CC
SS	NDE099FD1	CLP_PEST	SW3550	METHOXYCHLOR	17	UJ	0.29	17	ug/Kg	CC
SS	NDE145DL1	CLP_PEST	SW3550	p,p'-DDT	48	J	2	17	ug/Kg	CC
SS	NDE155DL1	CLP_PEST	SW3550	p,p'-DDT	111	J	4.4	37	ug/Kg	CC
SB	NDE096	CLP_PEST	SW3550	p,p'-DDT	3.3	UJ	0.39	3.3	ug/Kg	CC
SS	NDE095	CLP_PEST	SW3550	p,p'-DDT	3.3	UJ	0.39	3.3	ug/Kg	CC
SS	NDE097	CLP_PEST	SW3550	p,p'-DDT	3.3	UJ	0.39	3.3	ug/Kg	CC
SS	NDE099FD1	CLP_PEST	SW3550	p,p'-DDT	3.3	UJ	0.39	3.3	ug/Kg	CC
WG	NDE219	CLP_PEST_L	SW3510	p,p'-DDT	0.02	UJ	0.02	0.02	ug/L	CC
SB	NDE044	E200.7	SW3050	SELENIUM	1.4	J	0.57	1.2	mg/Kg	CC
SB	NDE048	E200.7	SW3050	SELENIUM	1.2	J	0.49	1.1	mg/Kg	CC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE054	E200.7	SW3050	SELENIUM	1.2	J	0.48	1.1	mg/Kg	CC
SB	NDE060	E200.7	SW3050	SELENIUM	1.5	J	0.49	1.1	mg/Kg	CC
SB	NDE073	E200.7	SW3050	SELENIUM	1.1	J	0.5	1.1	mg/Kg	CC
SB	NDE078	E200.7	SW3050	SELENIUM	1.1	J	0.49	1.1	mg/Kg	CC
SB	NDE092	E200.7	SW3050	SELENIUM	0.76	J	0.51	1.1	mg/Kg	CC
SB	NDE094	E200.7	SW3050	SELENIUM	0.8	J	0.51	1.1	mg/Kg	CC
SB	NDE096	E200.7	SW3050	SELENIUM	1.2	J	0.52	1.1	mg/Kg	CC
SB	NDE098	E200.7	SW3050	SELENIUM	1.2	J	0.49	1.1	mg/Kg	CC
SS	NDE123	E200.7	SW3050	SELENIUM	1.2	J	0.52	1.1	mg/Kg	CC
SS	NDE155	E200.7	SW3050	SELENIUM	1.4	J	0.52	1.1	mg/Kg	CC
SS	NDE157	E200.7	SW3050	SELENIUM	1.1	J	0.49	1.1	mg/Kg	CC
SS	NDE053	E200.7	SW3050	SELENIUM	1.3	J	0.51	1.1	mg/Kg	CC
SS	NDE066	E200.7	SW3050	SELENIUM	1.1	J	0.49	1.1	mg/Kg	CC
SS	NDE068	E200.7	SW3050	SELENIUM	1.4	J	0.51	1.1	mg/Kg	CC
SS	NDE090	E200.7	SW3050	SELENIUM	1.6	J	0.52	1.1	mg/Kg	CC
SS	NDE091FD1	E200.7	SW3050	SELENIUM	0.97	J	0.54	1.2	mg/Kg	CC
SS	NDE095	E200.7	SW3050	SELENIUM	1.3	J	0.51	1.1	mg/Kg	CC
SS	NDE097	E200.7	SW3050	SELENIUM	1	J	0.48	1.1	mg/Kg	CC
SS	NDE099FD1	E200.7	SW3050	SELENIUM	0.96	J	0.48	1	mg/Kg	CC
SS	NDE159	E200.7	SW3050	SELENIUM	0.71	J	0.5	1.1	mg/Kg	CC
SS	NDE160	E200.7	SW3050	SELENIUM	1.6	J	0.51	1.1	mg/Kg	CC
SS	NDE161	E200.7	SW3050	SELENIUM	1.2	J	0.53	1.2	mg/Kg	CC
SS	NDE162	E200.7	SW3050	SELENIUM	0.88	J	0.5	1.1	mg/Kg	CC
SS	NDE021	E200.7	SW3050	SELENIUM	0.62	J	0.52	1.1	mg/Kg	CC
SS	NDE023	E200.7	SW3050	SELENIUM	0.82	J	0.5	1.1	mg/Kg	CC
SB	NDE019	E200.7	SW3050	SELENIUM	0.5	UJ	0.5	1.1	mg/Kg	CC
SS	NDE024FD1	E200.7	SW3050	SELENIUM	0.53	UJ	0.53	1.1	mg/Kg	CC
SS	NDE026	E200.7	SW3050	SELENIUM	0.52	UJ	0.52	1.1	mg/Kg	CC
SS	NDE028	E200.7	SW3050	SELENIUM	0.53	UJ	0.53	1.1	mg/Kg	CC
SS	NDE030	E200.7	SW3050	SELENIUM	0.52	UJ	0.52	1.1	mg/Kg	CC
SS	NDE032	E200.7	SW3050	SELENIUM	0.54	UJ	0.54	1.2	mg/Kg	CC
SS	NDE034	E200.7	SW3050	SELENIUM	0.49	UJ	0.49	1.1	mg/Kg	CC
SS	NDE037	E200.7	SW3050	SELENIUM	0.48	UJ	0.48	1	mg/Kg	CC
SS	NDE176	E200.7	SW3050	SELENIUM	0.5	UJ	0.5	1.1	mg/Kg	CC
SS	NDE177	E200.7	SW3050	SELENIUM	0.5	UJ	0.5	1.1	mg/Kg	CC
SS	NDE178	E200.7	SW3050	SELENIUM	0.52	UJ	0.52	1.1	mg/Kg	CC
SS	NDE179	E200.7	SW3050	SELENIUM	0.48	UJ	0.48	1	mg/Kg	CC
SB	NDE073	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC
SB	NDE094	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	CC
SB	NDE082	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC
SB	NDE089	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.8	11	ug/Kg	CC
SS	NDE097	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC
SS	NDE162	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	CC
SS	NDE081	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC
SS	NDE083	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2	12	ug/Kg	CC
SS	NDE086	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	CC
SS	NDE169	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.9	11	ug/Kg	CC
SB	NDE129	SW8260B	SW5030	ACETONE	82	R	1.9	10	ug/Kg	CC
SB	NDE054	SW8260B	SW5030	ACETONE	27	R	2.2	12	ug/Kg	CC
SB	NDE056	SW8260B	SW5030	ACETONE	18	R	1.7	10	ug/Kg	CC
SB	NDE058	SW8260B	SW5030	ACETONE	56	R	1.9	10	ug/Kg	CC
SB	NDE060	SW8260B	SW5030	ACETONE	38	R	1.8	10	ug/Kg	CC
SB	NDE063	SW8260B	SW5030	ACETONE	11	R	1.6	10	ug/Kg	CC
SB	NDE065	SW8260B	SW5030	ACETONE	15	R	1.7	10	ug/Kg	CC
SB	NDE096	SW8260B	SW5030	ACETONE	34	R	2.1	11	ug/Kg	CC
SB	NDE098	SW8260B	SW5030	ACETONE	19	R	1.8	10	ug/Kg	CC
SS	NDE127	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	CC
SS	NDE128FD1	SW8260B	SW5030	ACETONE	27	R	1.8	10	ug/Kg	CC
SS	NDE151	SW8260B	SW5030	ACETONE	12	R	1.7	10	ug/Kg	CC
SS	NDE152	SW8260B	SW5030	ACETONE	30	R	1.6	10	ug/Kg	CC
SS	NDE153	SW8260B	SW5030	ACETONE	15	R	1.9	10	ug/Kg	CC
SS	NDE154FD1	SW8260B	SW5030	ACETONE	14	R	1.8	10	ug/Kg	CC
SS	NDE155	SW8260B	SW5030	ACETONE	24	R	1.7	10	ug/Kg	CC
SS	NDE156	SW8260B	SW5030	ACETONE	11	R	1.8	10	ug/Kg	CC
SS	NDE157	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	CC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE158	SW8260B	SW5030	ACETONE	11	R	1.7	10	ug/Kg	CC
SS	NDE053	SW8260B	SW5030	ACETONE	16	R	1.8	10	ug/Kg	CC
SS	NDE055	SW8260B	SW5030	ACETONE	16	R	1.7	10	ug/Kg	CC
SS	NDE057	SW8260B	SW5030	ACETONE	14	R	1.4	10	ug/Kg	CC
SS	NDE059	SW8260B	SW5030	ACETONE	30	R	1.9	10	ug/Kg	CC
SS	NDE061	SW8260B	SW5030	ACETONE	19	R	1.5	10	ug/Kg	CC
SS	NDE062FD1	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	CC
SS	NDE064	SW8260B	SW5030	ACETONE	10	R	1.5	10	ug/Kg	CC
SS	NDE099FD1	SW8260B	SW5030	ACETONE	25	R	1.7	10	ug/Kg	CC
SS	NDE159	SW8260B	SW5030	ACETONE	14	R	1.9	10	ug/Kg	CC
SS	NDE160	SW8260B	SW5030	ACETONE	13	R	1.9	10	ug/Kg	CC
SS	NDE161	SW8260B	SW5030	ACETONE	12	R	1.8	10	ug/Kg	CC
SS	NDE163	SW8260B	SW5030	ACETONE	13	R	2	10	ug/Kg	CC
SS	NDE166	SW8260B	SW5030	ACETONE	11	R	2.3	12	ug/Kg	CC
SS	NDE167	SW8260B	SW5030	ACETONE	11	R	1.9	10	ug/Kg	CC
SS	NDE176	SW8260B	SW5030	ACETONE	948	R	182	948	ug/Kg	CC
SB	NDE129	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	CC, IC
SS	NDE128FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC, IC
SS	NDE151	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC, IC
SS	NDE152	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC, IC
SS	NDE153	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	CC, IC
SS	NDE154FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC, IC
SS	NDE155	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	CC, IC
SS	NDE156	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC, IC
SS	NDE157	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	CC, IC
SS	NDE158	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	CC, IC
SB	NDE006DL1	CLP_PEST	SW3550	ALDRIN	20	R	5.6	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ALDRIN	202	R	56	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ALDRIN	18	R	4.9	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ALDRIN	19	R	5.3	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ALDRIN	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ALDRIN	3.8	R	1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ALDRIN	3.8	R	1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ALDRIN	9	R	2.4	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ALDRIN	3.8	R	1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ALDRIN	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ALDRIN	4.2	R	1.1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ALDRIN	3.8	R	1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ALDRIN	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ALDRIN	9.5	R	2.6	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ALDRIN	19	R	5.3	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ALDRIN	9.2	R	2.5	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ALDRIN	19	R	5.1	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ALDRIN	20	R	5.3	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ALDRIN	21	R	5.6	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ALDRIN	20	R	5.6	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ALDRIN	91	R	25	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ALDRIN	912	R	252	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ALDRIN	18	R	5.1	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ALDRIN	185	R	51	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ALDRIN	18	R	5	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ALDRIN	182	R	50	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ALDRIN	9.2	R	2.6	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ALPHA BHC	20	R	5.8	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ALPHA BHC	202	R	58	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ALPHA BHC	18	R	5.1	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ALPHA BHC	19	R	5.5	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ALPHA BHC	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ALPHA BHC	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ALPHA BHC	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ALPHA BHC	9	R	2.5	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ALPHA BHC	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ALPHA BHC	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ALPHA BHC	4.2	R	1.2	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ALPHA BHC	3.8	R	1.1	3.8	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE153DL1	CLP_PEST	SW3550	ALPHA BHC	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ALPHA BHC	9.5	R	2.7	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ALPHA BHC	19	R	5.5	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ALPHA BHC	9.2	R	2.6	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ALPHA BHC	19	R	5.3	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ALPHA BHC	20	R	5.6	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ALPHA BHC	21	R	5.9	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ALPHA BHC	20	R	5.8	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ALPHA BHC	91	R	26	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ALPHA BHC	912	R	263	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ALPHA BHC	18	R	5.3	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ALPHA BHC	185	R	53	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ALPHA BHC	18	R	5.2	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ALPHA BHC	182	R	52	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ALPHA BHC	9.2	R	2.7	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	20	R	5.7	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ALPHA-CHLORDANE	202	R	57	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	18	R	5	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	19	R	5.4	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	9	R	2.5	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	4.2	R	1.2	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	9.5	R	2.7	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	19	R	5.4	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	9.2	R	2.6	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	19	R	5.2	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	20	R	5.4	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	21	R	5.8	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	20	R	5.7	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	91	R	26	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ALPHA-CHLORDANE	912	R	258	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	18	R	5.2	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ALPHA-CHLORDANE	185	R	52	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	18	R	5.1	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ALPHA-CHLORDANE	182	R	51	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ALPHA-CHLORDANE	9.2	R	2.6	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	BETA BHC	20	R	5.4	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	BETA BHC	202	R	54	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	BETA BHC	18	R	4.7	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	BETA BHC	19	R	5	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	BETA BHC	4	R	1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	BETA BHC	3.8	R	0.99	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	BETA BHC	3.8	R	0.99	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	BETA BHC	9	R	2.3	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	BETA BHC	3.8	R	0.99	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	BETA BHC	4.3	R	1.1	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	BETA BHC	4.2	R	1.1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	BETA BHC	3.8	R	1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	BETA BHC	3.9	R	1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	BETA BHC	9.5	R	2.5	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	BETA BHC	19	R	5.1	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	BETA BHC	9.2	R	2.4	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	BETA BHC	19	R	4.9	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	BETA BHC	20	R	5.1	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	BETA BHC	21	R	5.4	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	BETA BHC	20	R	5.3	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	BETA BHC	91	R	24	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	BETA BHC	912	R	241	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	BETA BHC	18	R	4.9	18	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE005FD1DL2	CLP_PEST	SW3550	BETA BHC	185	R	49	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	BETA BHC	18	R	4.8	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	BETA BHC	182	R	48	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	BETA BHC	9.2	R	2.4	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	DELTA BHC	20	R	5.1	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	DELTA BHC	202	R	51	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	DELTA BHC	18	R	4.5	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	DELTA BHC	19	R	4.8	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	DELTA BHC	4	R	0.99	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	DELTA BHC	3.8	R	0.94	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	DELTA BHC	3.8	R	0.94	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	DELTA BHC	9	R	2.2	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	DELTA BHC	3.8	R	0.95	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	DELTA BHC	4.3	R	1.1	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	DELTA BHC	4.2	R	1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	DELTA BHC	3.8	R	0.96	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	DELTA BHC	3.9	R	0.96	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	DELTA BHC	9.5	R	2.4	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	DELTA BHC	19	R	4.8	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	DELTA BHC	9.2	R	2.3	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	DELTA BHC	19	R	4.7	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	DELTA BHC	20	R	4.9	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	DELTA BHC	21	R	5.2	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	DELTA BHC	20	R	5.1	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	DELTA BHC	91	R	23	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	DELTA BHC	912	R	231	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	DELTA BHC	18	R	4.7	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	DELTA BHC	185	R	47	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	DELTA BHC	18	R	4.6	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	DELTA BHC	182	R	46	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	DELTA BHC	9.2	R	2.3	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	DIELDRIN	39	R	4.9	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	DIELDRIN	392	R	49	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	DIELDRIN	35	R	4.3	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	DIELDRIN	37	R	4.6	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	DIELDRIN	7.7	R	0.95	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	DIELDRIN	7.3	R	0.9	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	DIELDRIN	7.3	R	0.9	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	DIELDRIN	17	R	2.1	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	DIELDRIN	7.3	R	0.9	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	DIELDRIN	8.3	R	1	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	DIELDRIN	8.1	R	0.99	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	DIELDRIN	7.4	R	0.91	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	DIELDRIN	7.5	R	0.92	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	DIELDRIN	18	R	2.3	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	DIELDRIN	37	R	4.6	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	DIELDRIN	18	R	2.2	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	DIELDRIN	36	R	4.4	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	DIELDRIN	38	R	4.7	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	DIELDRIN	40	R	4.9	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	DIELDRIN	39	R	4.9	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	DIELDRIN	177	R	22	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	DIELDRIN	1770	R	220	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	DIELDRIN	36	R	4.4	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	DIELDRIN	358	R	44	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	DIELDRIN	35	R	4.4	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	DIELDRIN	354	R	44	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	DIELDRIN	18	R	2.2	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	20	R	5.6	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	202	R	56	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	18	R	4.9	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	19	R	5.3	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.8	R	1	3.8	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE145DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	9	R	2.4	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	4.2	R	1.1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	9.5	R	2.6	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	19	R	5.3	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	9.2	R	2.5	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	19	R	5.1	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	20	R	5.3	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	21	R	5.6	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	20	R	5.6	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	91	R	25	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	912	R	252	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	18	R	5.1	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	185	R	51	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	18	R	5	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	182	R	50	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	9.2	R	2.6	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	39	R	3.6	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	392	R	36	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	35	R	3.1	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	37	R	3.4	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.7	R	0.69	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.3	R	0.66	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.3	R	0.66	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	17	R	1.6	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.3	R	0.66	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	8.3	R	0.75	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	8.1	R	0.72	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.4	R	0.67	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.5	R	0.67	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	18	R	1.7	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	37	R	3.4	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	18	R	1.6	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	36	R	3.2	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	38	R	3.4	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	40	R	3.6	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	39	R	3.5	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	177	R	16	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	1770	R	161	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	36	R	3.3	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	358	R	33	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	35	R	3.2	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	354	R	32	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	18	R	1.6	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	39	R	4.6	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDOSULFAN SULFATE	392	R	46	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	35	R	4.1	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	37	R	4.4	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.7	R	0.9	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.3	R	0.85	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.3	R	0.86	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	17	R	2	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.3	R	0.86	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	8.3	R	0.97	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	8.1	R	0.94	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.4	R	0.87	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.5	R	0.87	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	18	R	2.2	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	37	R	4.4	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	18	R	2.1	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	36	R	4.2	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	38	R	4.4	38	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	IDL	RL	Units	Comments
SS	NDE166DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	40	R	4.7	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	39	R	4.6	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	177	R	21	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDOSULFAN SULFATE	1770	R	209	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	36	R	4.2	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDOSULFAN SULFATE	358	R	42	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	35	R	4.2	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDOSULFAN SULFATE	354	R	42	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	18	R	2.1	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDRIN	39	R	4.8	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDRIN	392	R	48	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDRIN	35	R	4.2	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDRIN	37	R	4.5	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDRIN	7.7	R	0.92	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDRIN	7.3	R	0.88	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDRIN	7.3	R	0.88	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDRIN	17	R	2.1	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDRIN	7.3	R	0.88	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDRIN	8.3	R	0.99	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDRIN	8.1	R	0.96	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDRIN	7.4	R	0.89	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDRIN	7.5	R	0.9	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDRIN	18	R	2.2	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDRIN	37	R	4.5	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDRIN	18	R	2.1	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDRIN	36	R	4.3	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDRIN	38	R	4.5	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDRIN	40	R	4.8	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDRIN	39	R	4.7	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDRIN	177	R	21	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDRIN	1770	R	215	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDRIN	36	R	4.3	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDRIN	358	R	43	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDRIN	35	R	4.3	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDRIN	354	R	43	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDRIN	18	R	2.2	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	39	R	2.7	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDRIN ALDEHYDE	392	R	27	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	35	R	2.4	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	37	R	2.6	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.7	R	0.53	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.3	R	0.5	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.3	R	0.5	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	17	R	1.2	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.3	R	0.51	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	8.3	R	0.57	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	8.1	R	0.55	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.4	R	0.51	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.5	R	0.52	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	18	R	1.3	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	37	R	2.6	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	18	R	1.2	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	36	R	2.5	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	38	R	2.6	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	40	R	2.8	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	39	R	2.7	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	177	R	12	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDRIN ALDEHYDE	1770	R	123	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	36	R	2.5	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDRIN ALDEHYDE	358	R	25	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	35	R	2.5	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDRIN ALDEHYDE	354	R	25	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	18	R	1.2	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	ENDRIN KETONE	39	R	2.6	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	ENDRIN KETONE	392	R	26	392	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE008DL1	CLP_PEST	SW3550	ENDRIN KETONE	35	R	2.3	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	ENDRIN KETONE	37	R	2.5	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.7	R	0.51	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.3	R	0.48	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.3	R	0.48	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	ENDRIN KETONE	17	R	1.1	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.3	R	0.48	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	ENDRIN KETONE	8.3	R	0.55	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	ENDRIN KETONE	8.1	R	0.53	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.4	R	0.49	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	ENDRIN KETONE	7.5	R	0.49	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	ENDRIN KETONE	18	R	1.2	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	ENDRIN KETONE	37	R	2.5	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	ENDRIN KETONE	18	R	1.2	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	ENDRIN KETONE	36	R	2.4	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	ENDRIN KETONE	38	R	2.5	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	ENDRIN KETONE	40	R	2.6	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	ENDRIN KETONE	39	R	2.6	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	ENDRIN KETONE	177	R	12	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	ENDRIN KETONE	1770	R	118	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	ENDRIN KETONE	36	R	2.4	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	ENDRIN KETONE	358	R	24	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	ENDRIN KETONE	35	R	2.4	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	ENDRIN KETONE	354	R	24	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	ENDRIN KETONE	18	R	1.2	18	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	20	R	5.6	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	202	R	56	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	18	R	4.9	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	19	R	5.3	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	4	R	1.1	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	9	R	2.4	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	4.2	R	1.1	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.8	R	1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.9	R	1.1	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	9.5	R	2.6	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	19	R	5.3	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	9.2	R	2.5	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	19	R	5.1	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	20	R	5.3	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	21	R	5.6	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	20	R	5.6	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	91	R	25	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	912	R	252	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	18	R	5.1	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	185	R	51	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	18	R	5	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	182	R	50	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	9.2	R	2.6	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	20	R	5.9	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	GAMMA-CHLORDANE	202	R	59	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	18	R	5.2	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	19	R	5.6	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	4	R	1.2	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	9	R	2.6	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	4.3	R	1.2	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	4.2	R	1.2	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.8	R	1.1	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.9	R	1.1	3.9	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE154FD1DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	9.5	R	2.8	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	19	R	5.6	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	9.2	R	2.7	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	19	R	5.4	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	20	R	5.7	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	21	R	6	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	20	R	5.9	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	91	R	27	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	GAMMA-CHLORDANE	912	R	268	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	18	R	5.4	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	GAMMA-CHLORDANE	185	R	54	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	18	R	5.4	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	GAMMA-CHLORDANE	182	R	54	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	GAMMA-CHLORDANE	9.2	R	2.7	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	HEPTACHLOR	20	R	7.4	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	HEPTACHLOR	202	R	74	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	HEPTACHLOR	18	R	6.5	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	HEPTACHLOR	19	R	6.9	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	HEPTACHLOR	4	R	1.4	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	HEPTACHLOR	3.8	R	1.4	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	HEPTACHLOR	3.8	R	1.4	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	HEPTACHLOR	9	R	3.2	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	HEPTACHLOR	3.8	R	1.4	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	HEPTACHLOR	4.3	R	1.5	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	HEPTACHLOR	4.2	R	1.5	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	HEPTACHLOR	3.8	R	1.4	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	HEPTACHLOR	3.9	R	1.4	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	HEPTACHLOR	9.5	R	3.4	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	HEPTACHLOR	19	R	7	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	HEPTACHLOR	9.2	R	3.3	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	HEPTACHLOR	19	R	6.7	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	HEPTACHLOR	20	R	7	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	HEPTACHLOR	21	R	7.4	21	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	HEPTACHLOR	20	R	7.3	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	HEPTACHLOR	91	R	33	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	HEPTACHLOR	912	R	333	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	HEPTACHLOR	18	R	6.7	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	HEPTACHLOR	185	R	67	185	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	HEPTACHLOR	18	R	6.6	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	HEPTACHLOR	182	R	66	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	HEPTACHLOR	9.2	R	3.4	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	20	R	7.1	20	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	202	R	71	202	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	18	R	6.3	18	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	19	R	6.7	19	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	4	R	1.4	4	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.8	R	1.3	3.8	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.8	R	1.3	3.8	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	9	R	3.1	9	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.8	R	1.3	3.8	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	4.3	R	1.5	4.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	4.2	R	1.4	4.2	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.8	R	1.3	3.8	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.9	R	1.3	3.9	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	9.5	R	3.3	9.5	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	19	R	6.7	19	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	9.2	R	3.2	9.2	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	19	R	6.5	19	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	20	R	6.8	20	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	21	R	7.2	21	ug/Kg	D
SS	NDE167DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	20	R	7.1	20	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	91	R	32	91	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	912	R	322	912	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	18	R	6.5	18	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	185	R	65	185	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE007DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	18	R	6.4	18	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	182	R	64	182	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	9.2	R	3.3	9.2	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	METHOXYCHLOR	202	R	3.4	202	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	METHOXYCHLOR	2020	R	34	2020	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	METHOXYCHLOR	178	R	3	178	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	METHOXYCHLOR	190	R	3.2	190	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	METHOXYCHLOR	40	R	0.7	40	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	METHOXYCHLOR	38	R	0.6	38	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	METHOXYCHLOR	38	R	0.6	38	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	METHOXYCHLOR	90	R	1.5	90	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	METHOXYCHLOR	38	R	0.6	38	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	METHOXYCHLOR	43	R	0.7	43	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	METHOXYCHLOR	42	R	0.7	42	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	METHOXYCHLOR	38	R	0.6	38	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	METHOXYCHLOR	39	R	0.6	39	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	METHOXYCHLOR	95	R	1.6	95	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	METHOXYCHLOR	194	R	3.3	194	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	METHOXYCHLOR	92	R	1.5	92	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	METHOXYCHLOR	187	R	3.1	187	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	METHOXYCHLOR	197	R	3.3	197	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	METHOXYCHLOR	207	R	3.5	207	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	METHOXYCHLOR	204	R	3.4	204	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	METHOXYCHLOR	912	R	16	912	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	METHOXYCHLOR	9120	R	156	9120	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	METHOXYCHLOR	185	R	3.1	185	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	METHOXYCHLOR	1850	R	31	1850	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	METHOXYCHLOR	182	R	3.1	182	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	METHOXYCHLOR	1820	R	31	1820	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	METHOXYCHLOR	92	R	1.6	92	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	p,p'-DDD	39	R	2.7	39	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	p,p'-DDD	392	R	27	392	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	p,p'-DDD	35	R	2.4	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	p,p'-DDD	4.6	R	2.6	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	p,p'-DDD	8.8	R	0.53	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	p,p'-DDD	2.8	R	0.5	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	p,p'-DDD	2.8	R	0.5	7.3	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	p,p'-DDD	14	R	1.2	17	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	p,p'-DDD	5.8	R	0.51	7.3	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	p,p'-DDD	8.7	R	0.57	8.3	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	p,p'-DDD	2.8	R	0.55	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	p,p'-DDD	7.4	R	0.51	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	p,p'-DDD	7.5	R	0.52	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	p,p'-DDD	18	R	1.3	18	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	p,p'-DDD	16	R	2.6	37	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	p,p'-DDD	18	R	1.2	18	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	p,p'-DDD	36	R	2.5	36	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	p,p'-DDD	38	R	2.6	38	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	p,p'-DDD	40	R	2.8	40	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	p,p'-DDD	39	R	2.7	39	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	p,p'-DDD	177	R	12	177	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	p,p'-DDD	1770	R	123	1770	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	p,p'-DDD	36	R	2.5	36	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	p,p'-DDD	358	R	25	358	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	p,p'-DDD	35	R	2.5	35	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	p,p'-DDD	354	R	25	354	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	p,p'-DDD	18	R	1.2	18	ug/Kg	DL
SB	NDE006	CLP_PEST	SW3550	p,p'-DDE	831	R	0.4	3.9	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	p,p'-DDE	901	R	4	39	ug/Kg	DL
SB	NDE008	CLP_PEST	SW3550	p,p'-DDE	130	R	0.35	3.5	ug/Kg	DL
SB	NDE027	CLP_PEST	SW3550	p,p'-DDE	350	R	0.38	3.7	ug/Kg	DL
SS	NDE137	CLP_PEST	SW3550	p,p'-DDE	63	R	0.39	3.8	ug/Kg	DL
SS	NDE142	CLP_PEST	SW3550	p,p'-DDE	69	R	0.37	3.6	ug/Kg	DL
SS	NDE143FD1	CLP_PEST	SW3550	p,p'-DDE	76	R	0.37	3.7	ug/Kg	DL
SS	NDE145	CLP_PEST	SW3550	p,p'-DDE	114	R	0.35	3.5	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE146	CLP_PEST	SW3550	p,p'-DDE	65	R	0.37	3.7	ug/Kg	DL
SS	NDE148	CLP_PEST	SW3550	p,p'-DDE	82	R	0.42	4.1	ug/Kg	DL
SS	NDE149	CLP_PEST	SW3550	p,p'-DDE	79	R	0.41	4	ug/Kg	DL
SS	NDE151	CLP_PEST	SW3550	p,p'-DDE	78	R	0.38	3.7	ug/Kg	DL
SS	NDE153	CLP_PEST	SW3550	p,p'-DDE	64	R	0.38	3.7	ug/Kg	DL
SS	NDE154FD1	CLP_PEST	SW3550	p,p'-DDE	119	R	0.38	3.7	ug/Kg	DL
SS	NDE155	CLP_PEST	SW3550	p,p'-DDE	432	R	0.38	3.7	ug/Kg	DL
SS	NDE157	CLP_PEST	SW3550	p,p'-DDE	207	R	0.36	3.5	ug/Kg	DL
SS	NDE164	CLP_PEST	SW3550	p,p'-DDE	85	R	0.36	3.6	ug/Kg	DL
SS	NDE165FD1	CLP_PEST	SW3550	p,p'-DDE	76	R	0.38	3.8	ug/Kg	DL
SS	NDE166	CLP_PEST	SW3550	p,p'-DDE	88	R	0.4	4	ug/Kg	DL
SS	NDE167	CLP_PEST	SW3550	p,p'-DDE	167	R	0.4	3.9	ug/Kg	DL
SS	NDE004	CLP_PEST	SW3550	p,p'-DDE	3860	R	0.36	3.5	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	p,p'-DDE	4610	R	18	177	ug/Kg	DL
SS	NDE005FD1	CLP_PEST	SW3550	p,p'-DDE	3350	R	0.36	3.6	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	p,p'-DDE	4180	R	3.7	36	ug/Kg	DL
SS	NDE007	CLP_PEST	SW3550	p,p'-DDE	2550	R	0.36	3.5	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	p,p'-DDE	3150	R	3.6	35	ug/Kg	DL
SS	NDE017	CLP_PEST	SW3550	p,p'-DDE	128	R	0.36	3.6	ug/Kg	DL
SB	NDE006	CLP_PEST	SW3550	p,p'-DDT	812	R	0.46	3.9	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	p,p'-DDT	1000	R	4.6	39	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	p,p'-DDT	30	R	4.1	35	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	p,p'-DDT	37	R	4.4	37	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	p,p'-DDT	10	R	0.9	7.7	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	p,p'-DDT	4.6	R	0.85	7.3	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	p,p'-DDT	5.5	R	0.86	7.3	ug/Kg	DL
SS	NDE145	CLP_PEST	SW3550	p,p'-DDT	98	R	0.4	3.5	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	p,p'-DDT	25	R	0.86	7.3	ug/Kg	DL
SS	NDE148	CLP_PEST	SW3550	p,p'-DDT	72	R	0.48	4.1	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	p,p'-DDT	9.6	R	0.94	8.1	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	p,p'-DDT	51	R	0.87	7.4	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	p,p'-DDT	30	R	0.87	7.5	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	p,p'-DDT	29	R	2.2	18	ug/Kg	DL
SS	NDE155	CLP_PEST	SW3550	p,p'-DDT	119	R	0.44	3.7	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	p,p'-DDT	40	R	2.1	18	ug/Kg	DL
SS	NDE164	CLP_PEST	SW3550	p,p'-DDT	96	R	0.42	3.6	ug/Kg	DL
SS	NDE165FD1	CLP_PEST	SW3550	p,p'-DDT	79	R	0.44	3.8	ug/Kg	DL
SS	NDE166	CLP_PEST	SW3550	p,p'-DDT	69	R	0.46	4	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	p,p'-DDT	42	R	4.6	39	ug/Kg	DL
SS	NDE004	CLP_PEST	SW3550	p,p'-DDT	1790	R	0.41	3.5	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	p,p'-DDT	1760	R	209	1770	ug/Kg	DL
SS	NDE005FD1	CLP_PEST	SW3550	p,p'-DDT	1960	R	0.42	3.6	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	p,p'-DDT	2300	R	4.2	36	ug/Kg	DL
SS	NDE007	CLP_PEST	SW3550	p,p'-DDT	924	R	0.41	3.5	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	p,p'-DDT	1150	R	4.2	35	ug/Kg	DL
SS	NDE017	CLP_PEST	SW3550	p,p'-DDT	64	R	0.42	3.6	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	392	R	112	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	3920	R	1120	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	345	R	98	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	370	R	105	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	77	R	22	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	73	R	21	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	73	R	21	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	173	R	49	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	73	R	21	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	83	R	23	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	81	R	23	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	74	R	21	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	75	R	21	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	184	R	52	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	375	R	106	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	177	R	50	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	362	R	102	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	380	R	107	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	400	R	113	400	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	394	R	111	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	1770	R	504	1770	ug/Kg	DL
S	NDE004DL2	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	17700	R	5040	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	358	R	102	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	3580	R	1020	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	354	R	101	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	3540	R	1010	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	179	R	51	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	797	R	238	797	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	7970	R	2380	7970	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	701	R	209	701	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	750	R	224	750	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	155	R	46	155	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	147	R	44	147	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	148	R	44	148	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	351	R	104	351	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	149	R	44	149	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	167	R	50	167	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	163	R	48	163	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	150	R	45	150	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	152	R	45	152	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	374	R	111	374	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	759	R	225	759	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	360	R	106	360	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	733	R	216	733	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	771	R	227	771	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	810	R	240	810	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	798	R	237	798	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	3600	R	1070	3600	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	36000	R	10700	36000	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	727	R	217	727	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	7270	R	2170	7270	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	718	R	214	718	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	7180	R	2140	7180	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	364	R	109	364	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	392	R	321	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	3920	R	3210	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	345	R	283	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	370	R	302	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	77	R	62	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	73	R	59	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	73	R	59	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	173	R	140	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	73	R	59	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	83	R	67	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	81	R	65	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	74	R	60	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	75	R	60	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	184	R	150	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	375	R	303	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	177	R	143	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	362	R	292	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	380	R	307	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	400	R	324	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	394	R	319	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	1770	R	1450	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	17700	R	14500	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	358	R	293	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	3580	R	2930	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	354	R	289	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	3540	R	2890	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	179	R	147	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	392	R	238	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	3920	R	2380	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	345	R	209	345	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	370	R	224	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	77	R	46	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	73	R	44	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	73	R	44	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	173	R	104	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	73	R	44	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	83	R	50	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	81	R	48	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	74	R	45	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	75	R	45	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	184	R	111	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	375	R	225	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	177	R	106	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	362	R	216	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	380	R	227	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	400	R	240	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	394	R	237	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	1770	R	1070	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	17700	R	10700	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	358	R	217	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	3580	R	2170	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	354	R	214	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	3540	R	2140	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	179	R	109	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	392	R	202	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	3920	R	2020	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	345	R	178	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	370	R	190	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	77	R	39	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	73	R	37	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	73	R	37	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	173	R	88	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	73	R	37	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	83	R	42	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	81	R	41	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	74	R	38	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	75	R	38	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	184	R	94	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	375	R	191	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	177	R	90	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	362	R	184	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	380	R	193	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	400	R	204	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	394	R	201	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	1770	R	912	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	17700	R	9120	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	358	R	185	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	3580	R	1850	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	354	R	182	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	3540	R	1820	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	179	R	92	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	392	R	214	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	3920	R	2140	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	345	R	188	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	370	R	202	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	77	R	42	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	73	R	39	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	73	R	39	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	173	R	93	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	73	R	40	73	ug/Kg	D
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	83	R	45	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	81	R	43	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	74	R	40	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	75	R	40	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	184	R	100	184	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	375	R	202	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	177	R	96	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	362	R	195	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	380	R	204	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	400	R	216	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	394	R	213	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	1770	R	966	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	17700	R	9660	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	358	R	195	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	3580	R	1950	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	354	R	193	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	3540	R	1930	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	179	R	98	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	392	R	143	392	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	3920	R	1430	3920	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	345	R	126	345	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	370	R	134	370	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	77	R	28	77	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	73	R	26	73	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	73	R	26	73	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	173	R	62	173	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	73	R	26	73	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	83	R	30	83	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	81	R	29	81	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	74	R	27	74	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	75	R	27	75	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	184	R	67	184	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	375	R	135	375	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	177	R	64	177	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	362	R	130	362	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	380	R	136	380	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	400	R	144	400	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	394	R	142	394	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	1770	R	644	1770	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	17700	R	6440	17700	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	358	R	130	358	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	3580	R	1300	3580	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	354	R	129	354	ug/Kg	DL
SS	NDE007DL2	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	3540	R	1290	3540	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	179	R	65	179	ug/Kg	DL
SB	NDE006DL1	CLP_PEST	SW3550	TOXAPHENE	2020	R	83	2020	ug/Kg	DL
SB	NDE006DL2	CLP_PEST	SW3550	TOXAPHENE	20200	R	832	20200	ug/Kg	DL
SB	NDE008DL1	CLP_PEST	SW3550	TOXAPHENE	1780	R	73	1780	ug/Kg	DL
SB	NDE027DL1	CLP_PEST	SW3550	TOXAPHENE	1900	R	78	1900	ug/Kg	DL
SS	NDE137DL1	CLP_PEST	SW3550	TOXAPHENE	397	R	16	397	ug/Kg	DL
SS	NDE142DL1	CLP_PEST	SW3550	TOXAPHENE	377	R	15	377	ug/Kg	DL
SS	NDE143FD1DL1	CLP_PEST	SW3550	TOXAPHENE	379	R	15	379	ug/Kg	DL
SS	NDE145DL1	CLP_PEST	SW3550	TOXAPHENE	898	R	36	898	ug/Kg	DL
SS	NDE146DL1	CLP_PEST	SW3550	TOXAPHENE	380	R	15	380	ug/Kg	DL
SS	NDE148DL1	CLP_PEST	SW3550	TOXAPHENE	428	R	17	428	ug/Kg	DL
SS	NDE149DL1	CLP_PEST	SW3550	TOXAPHENE	418	R	17	418	ug/Kg	DL
SS	NDE151DL1	CLP_PEST	SW3550	TOXAPHENE	384	R	16	384	ug/Kg	DL
SS	NDE153DL1	CLP_PEST	SW3550	TOXAPHENE	387	R	16	387	ug/Kg	DL
SS	NDE154FD1DL1	CLP_PEST	SW3550	TOXAPHENE	955	R	39	955	ug/Kg	DL
SS	NDE155DL1	CLP_PEST	SW3550	TOXAPHENE	1940	R	79	1940	ug/Kg	DL
SS	NDE157DL1	CLP_PEST	SW3550	TOXAPHENE	920	R	37	920	ug/Kg	DL
SS	NDE164DL1	CLP_PEST	SW3550	TOXAPHENE	1870	R	76	1870	ug/Kg	DL
SS	NDE165FD1DL1	CLP_PEST	SW3550	TOXAPHENE	1970	R	79	1970	ug/Kg	DL
SS	NDE166DL1	CLP_PEST	SW3550	TOXAPHENE	2070	R	84	2070	ug/Kg	DL
SS	NDE167DL1	CLP_PEST	SW3550	TOXAPHENE	2040	R	83	2040	ug/Kg	DL
SS	NDE004DL1	CLP_PEST	SW3550	TOXAPHENE	9120	R	376	9120	ug/Kg	DL
SS	NDE004DL2	CLP_PEST	SW3550	TOXAPHENE	91200	R	3760	91200	ug/Kg	DL
SS	NDE005FD1DL1	CLP_PEST	SW3550	TOXAPHENE	1850	R	76	1850	ug/Kg	DL
SS	NDE005FD1DL2	CLP_PEST	SW3550	TOXAPHENE	18500	R	760	18500	ug/Kg	DL
SS	NDE007DL1	CLP_PEST	SW3550	TOXAPHENE	1820	R	75	1820	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE007DL2	CLP_PEST	SW3550	TOXAPHENE	18200	R	750	18200	ug/Kg	DL
SS	NDE017DL1	CLP_PEST	SW3550	TOXAPHENE	923	R	38	923	ug/Kg	DL
SB	NDE122	E200.7	SW3050	CALCIUM	160000	R	3.6	1270	mg/Kg	DL
SB	NDE124	E200.7	SW3050	CALCIUM	151000	R	3	1080	mg/Kg	DL
SB	NDE044	E200.7	SW3050	IRON	56700	R	3.1	25	mg/Kg	DL
SB	NDE048	E200.7	SW3050	IRON	47600	R	2.7	21	mg/Kg	DL
SB	NDE050	E200.7	SW3050	IRON	44000	R	2.7	22	mg/Kg	DL
SB	NDE082	E200.7	SW3050	IRON	48000	R	2.7	21	mg/Kg	DL
SB	NDE085	E200.7	SW3050	IRON	44000	R	2.7	22	mg/Kg	DL
WG	NDE217DL1	E200.7	SW3050	SODIUM	1200000	R	2000	50000	ug/L	DL
SW	NDE171	E200.7	SW3050	SODIUM	3000000	R	200	5000	ug/L	DL
SW	NDE172FD1	E200.7	SW3050	SODIUM	3100000	R	200	5000	ug/L	DL
SW	NDE173	E200.7	SW3050	SODIUM	3100000	R	200	5000	ug/L	DL
SW	NDE174	E200.7	SW3050	SODIUM	3000000	R	200	5000	ug/L	DL
SW	NDE175	E200.7	SW3050	SODIUM	3100000	R	200	5000	ug/L	DL
SW	NDE225	E200.7	SW3050	SODIUM	3200000	R	200	5000	ug/L	DL
WG	NDE228	E200.7	SW3050	SODIUM	6600000	R	2000	50000	ug/L	DL
WG	NDE229FD1	E200.7	SW3050	SODIUM	6700000	R	2000	50000	ug/L	DL
WG	NDE230	E200.7	SW3050	SODIUM	2500000	R	200	5000	ug/L	DL
WG	NDE231	E200.7	SW3050	SODIUM	1700000	R	2000	50000	ug/L	DL
WG	NDE232	E200.7	SW3050	SODIUM	4100000	R	2000	50000	ug/L	DL
WG	NDE217DL1	E200.7	FLDFLT	SODIUM, DISSOLVED	1200000	R	2000	50000	ug/L	DL
WG	NDE228	E200.7	FLDFLT	SODIUM, DISSOLVED	5400000	R	200	5000	ug/L	DL
WG	NDE229FD1	E200.7	FLDFLT	SODIUM, DISSOLVED	5200000	R	200	5000	ug/L	DL
WG	NDE230	E200.7	FLDFLT	SODIUM, DISSOLVED	2700000	R	200	5000	ug/L	DL
WG	NDE231	E200.7	FLDFLT	SODIUM, DISSOLVED	1600000	R	200	5000	ug/L	DL
WG	NDE232	E200.7	FLDFLT	SODIUM, DISSOLVED	3400000	R	200	5000	ug/L	DL
WG	NDE228	E200.7	SW3050	ZINC	5	R	5	20	ug/L	DL
WG	NDE229FD1	E200.7	SW3050	ZINC	5	R	5	20	ug/L	DL
WG	NDE228	E200.7	FLDFLT	ZINC, DISSOLVED	5	R	5	20	ug/L	DL
WG	NDE229FD1	E200.7	FLDFLT	ZINC, DISSOLVED	5	R	5	20	ug/L	DL
WG	NDE230	E200.7	FLDFLT	ZINC, DISSOLVED	5	R	5	20	ug/L	DL
WG	NDE232	E200.7	FLDFLT	ZINC, DISSOLVED	5	R	5	20	ug/L	DL
SB	NDE087DL1	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	973	R	23	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	973	R	15	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	973	R	23	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,1-DICHLOROETHANE	973	R	46	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,1-DICHLOROETHENE	973	R	40	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,2-DICHLOROETHANE	973	R	22	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	1,2-DICHLOROPROPANE	973	R	12	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	2-BUTANONE (MEK)	973	R	166	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	2-HEXANONE	973	R	55	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	973	R	75	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	ACETONE	973	R	186	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	BENZENE	973	R	19	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	BROMODICHLOROMETHANE	973	R	17	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	BROMOFORM	973	R	21	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	BROMOMETHANE	973	R	81	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CARBON DISULFIDE	973	R	55	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CARBON TETRACHLORIDE	973	R	33	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CHLOROBENZENE	973	R	21	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CHLOROETHANE	973	R	54	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CHLOROFORM	973	R	25	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	CHLOROMETHANE	973	R	77	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	973	R	23	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	DIBROMOCHLOROMETHANE	973	R	21	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	ETHYLBENZENE	212	R	31	973	ug/Kg	DL
SB	NDE087	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	1080	R	0.23	12	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	METHYLENE CHLORIDE	973	R	32	973	ug/Kg	DL
SB	NDE087	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	538	R	0.22	12	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	STYRENE	973	R	20	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	973	R	23	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	TOLUENE	973	R	21	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	973	R	19	973	ug/Kg	DL
SB	NDE087DL1	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	973	R	28	973	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087DL1	SW8260B	SW5030	VINYL CHLORIDE	973	R	47	973	ug/Kg	DL
SB	NDE087	SW8260B	SW5030	XYLENES, TOTAL	1620	R	0.23	12	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	833	R	65	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	706	R	55	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	2470	R	193	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	1,2-DICHLOROBENZENE	833	R	78	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	1,2-DICHLOROBENZENE	706	R	66	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	1,2-DICHLOROBENZENE	2470	R	233	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	1,3-DICHLOROBENZENE	833	R	67	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	1,3-DICHLOROBENZENE	706	R	56	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	1,3-DICHLOROBENZENE	2470	R	198	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	1,4-DICHLOROBENZENE	833	R	77	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	1,4-DICHLOROBENZENE	706	R	65	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	1,4-DICHLOROBENZENE	2470	R	228	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	2500	R	48	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	2120	R	40	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	7420	R	141	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	833	R	48	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	706	R	41	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	2470	R	144	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4-DICHLOROPHENOL	833	R	48	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4-DICHLOROPHENOL	706	R	40	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4-DICHLOROPHENOL	2470	R	141	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	833	R	65	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	706	R	55	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	2470	R	193	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4-DINITROPHENOL	2500	R	57	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4-DINITROPHENOL	2120	R	48	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4-DINITROPHENOL	7420	R	168	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,4-DINITROTOLUENE	833	R	58	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,4-DINITROTOLUENE	706	R	49	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,4-DINITROTOLUENE	2470	R	173	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2,6-DINITROTOLUENE	833	R	49	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2,6-DINITROTOLUENE	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2,6-DINITROTOLUENE	2470	R	146	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-CHLOROETHYL ETHER	833	R	58	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-CHLOROETHYL ETHER	706	R	49	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-CHLOROETHYL ETHER	2470	R	171	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-CHLORONAPHTHALENE	833	R	51	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-CHLORONAPHTHALENE	706	R	43	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-CHLORONAPHTHALENE	2470	R	151	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-CHLOROPHENOL	833	R	54	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-CHLOROPHENOL	706	R	46	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-CHLOROPHENOL	2470	R	161	2470	ug/Kg	DL
SB	NDE087	SW8270C	SW3550	2-METHYLNAPHTHALENE	4660	R	25	416	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-METHYLNAPHTHALENE	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-METHYLNAPHTHALENE	1120	R	146	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	833	R	61	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	2470	R	181	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-NITROANILINE	2500	R	42	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-NITROANILINE	2120	R	35	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-NITROANILINE	7420	R	124	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	2-NITROPHENOL	833	R	50	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	2-NITROPHENOL	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	2-NITROPHENOL	2470	R	149	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	40	R	39	1670	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1410	R	33	1410	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	4950	R	116	4950	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	3-NITROANILINE	2500	R	39	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	3-NITROANILINE	2120	R	33	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	3-NITROANILINE	7420	R	116	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	2500	R	46	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	2120	R	39	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	7420	R	136	7420	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087DL1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	833	R	50	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	2470	R	149	2470	ug/Kg	DI
SB	NDE087DL1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	833	R	49	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	2470	R	146	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4-CHLOROANILINE	833	R	52	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-CHLOROANILINE	706	R	44	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-CHLOROANILINE	2470	R	154	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	833	R	49	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	2470	R	146	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4-NITROANILINE	2500	R	30	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-NITROANILINE	2120	R	25	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-NITROANILINE	7420	R	89	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	4-NITROPHENOL	2500	R	42	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	4-NITROPHENOL	2120	R	35	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	4-NITROPHENOL	7420	R	124	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	ACENAPHTHENE	333	R	42	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	ACENAPHTHENE	706	R	35	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	ACENAPHTHENE	1120	R	124	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	ACENAPHTHYLENE	833	R	83	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	ACENAPHTHYLENE	706	R	71	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	ACENAPHTHYLENE	755	R	248	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	ANTHRACENE	833	R	47	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	ANTHRACENE	706	R	40	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	ANTHRACENE	1350	R	139	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(a)ANTHRACENE	833	R	43	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(a)ANTHRACENE	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZO(a)ANTHRACENE	5550	R	129	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(a)PYRENE	833	R	56	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(a)PYRENE	706	R	47	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZO(a)PYRENE	5530	R	166	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	833	R	49	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	706	R	42	706	ug/Kg	DL
SS	NDE161	SW8270C	SW3550	BENZO(b)FLUORANTHENE	10400	R	29	495	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	833	R	50	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	706	R	42	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	1290	R	149	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	833	R	59	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	706	R	50	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	6670	R	176	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	833	R	44	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	2470	R	131	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	833	R	62	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	2470	R	183	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	833	R	61	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	2470	R	181	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	833	R	63	833	ug/Kg	DL
SS	NDE064	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	4390	R	26	353	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	2470	R	186	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	CARBAZOLE	145	R	53	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	CARBAZOLE	706	R	44	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	CARBAZOLE	508	R	156	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	CHRYSENE	122	R	48	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	CHRYSENE	706	R	40	706	ug/Kg	DL
SS	NDE161	SW8270C	SW3550	CHRYSENE	6500	R	28	495	ug/Kg	DI
SS	NDE161DL1	SW8270C	SW3550	CHRYSENE	6780	R	141	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	CRESOLS, m & p	833	R	54	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	CRESOLS, m & p	706	R	46	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	CRESOLS, m & p	2470	R	161	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	833	R	55	833	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE064DL1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	706	R	47	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	2470	R	163	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DIBENZOFURAN	680	R	43	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DIBENZOFURAN	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DIBENZOFURAN	1080	R	129	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DIETHYL PHTHALATE	833	R	68	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DIETHYL PHTHALATE	706	R	58	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DIETHYL PHTHALATE	2470	R	203	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DIMETHYL PHTHALATE	833	R	54	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DIMETHYL PHTHALATE	706	R	46	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DIMETHYL PHTHALATE	2470	R	161	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	833	R	44	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	2470	R	131	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	833	R	63	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	706	R	53	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	2470	R	186	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	FLUORANTHENE	952	R	52	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	FLUORANTHENE	706	R	44	706	ug/Kg	DL
SS	NDE161	SW8270C	SW3550	FLUORANTHENE	7060	R	31	495	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	FLUORENE	939	R	47	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	FLUORENE	706	R	40	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	FLUORENE	1020	R	139	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	HEXACHLOROBENZENE	833	R	54	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	HEXACHLOROBENZENE	706	R	46	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	HEXACHLOROBENZENE	2470	R	161	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	HEXACHLOROBUTADIENE	833	R	69	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	HEXACHLOROBUTADIENE	706	R	59	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	HEXACHLOROBUTADIENE	2470	R	206	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	833	R	62	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	2470	R	183	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	HEXACHLOROETHANE	833	R	76	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	HEXACHLOROETHANE	706	R	64	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	HEXACHLOROETHANE	2470	R	225	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	833	R	43	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	706	R	37	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	1700	R	129	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	ISOPHORONE	833	R	30	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	ISOPHORONE	706	R	25	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	ISOPHORONE	2470	R	89	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	NAPHTHALENE	2570	R	62	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	NAPHTHALENE	706	R	52	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	NAPHTHALENE	952	R	183	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	NITROBENZENE	833	R	64	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	NITROBENZENE	706	R	54	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	NITROBENZENE	2470	R	191	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	833	R	59	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	706	R	50	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	2470	R	176	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	833	R	92	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	706	R	78	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	2470	R	272	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	PENTACHLOROPHENOL	2500	R	46	2500	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	PENTACHLOROPHENOL	2120	R	39	2120	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	PENTACHLOROPHENOL	7420	R	136	7420	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	PHENANTHRENE	2660	R	48	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	PHENANTHRENE	706	R	41	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	PHENANTHRENE	4800	R	144	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	PHENOL	833	R	53	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	PHENOL	706	R	45	706	ug/Kg	DL
SS	NDE161DL1	SW8270C	SW3550	PHENOL	2470	R	159	2470	ug/Kg	DL
SB	NDE087DL1	SW8270C	SW3550	PYRENE	421	R	47	833	ug/Kg	DL
SS	NDE064DL1	SW8270C	SW3550	PYRENE	706	R	40	706	ug/Kg	DL
SS	NDE161	SW8270C	SW3550	PYRENE	7660	R	28	495	ug/Kg	DL

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE153DL1	CLP_PEST	SW3550	p,p'-DDE	48	J	0.76	7.5	ug/Kg	FD
SS	NDE154FD1DL1	CLP_PEST	SW3550	p,p'-DDE	89	J	1.9	18	ug/Kg	FD
SW	NDE172FD1	E300	NONE	PERCHLORATE	82.2	J	0.8	2.5	ug/L	FD
WG	NDE228	E300	NONE	PERCHLORATE	48	J	8	25	ug/L	FD
WG	NDE216FD1	SW8260B	SW5030	TOLUENE	1	J	0.28	1	ug/L	FD
SS	NDE064DL1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	3880	J	53	706	ug/Kg	FD
SS	NDE062FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	376	UJ	28	376	ug/Kg	FD
SS	NDE084FD1	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	40	J	12	19	mg/Kg	FD, HT
SB	NDE080	CLP_PEST	SW3550	ALDRIN	2.2	UJ	0.59	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.57	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ALDRIN	2	UJ	0.54	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.51	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ALDRIN	2.5	UJ	0.7	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ALDRIN	3.3	UJ	0.92	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ALDRIN	2.4	UJ	0.65	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ALDRIN	2.4	UJ	0.65	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ALDRIN	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ALDRIN	2	UJ	0.53	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.56	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ALDRIN	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ALDRIN	2	UJ	0.54	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ALDRIN	2	UJ	0.53	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.62	2.2	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE082	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.59	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.56	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.53	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ALPHA BHC	2.5	UJ	0.72	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ALPHA BHC	3.3	UJ	0.96	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ALPHA BHC	2.4	UJ	0.68	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ALPHA BHC	2.4	UJ	0.67	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.59	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.62	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.58	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.55	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.58	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.62	2.2	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.2	UJ	0.6	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.58	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.55	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.52	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.5	UJ	0.71	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.3	UJ	0.94	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.4	UJ	0.66	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.4	UJ	0.66	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.58	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.2	UJ	0.61	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.51	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.51	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.54	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.2	UJ	0.61	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT

Matrix	SampleID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE007	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.55	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.55	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	BETA BHC	2.2	UJ	0.57	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	BETA BHC	2.1	UJ	0.54	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.49	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	BETA BHC	2	UJ	0.52	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.49	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	BETA BHC	2.5	UJ	0.67	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	BETA BHC	3.3	UJ	0.88	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	BETA BHC	2.4	UJ	0.62	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	BETA BHC	2.4	UJ	0.62	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	BETA BHC	2.1	UJ	0.54	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	BETA BHC	2.2	UJ	0.57	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	BETA BHC	2	UJ	0.51	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	BETA BHC	2.1	UJ	0.53	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	BETA BHC	2	UJ	0.52	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.51	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	BETA BHC	2.2	UJ	0.57	2.2	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	BETA BHC	2	UJ	0.51	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	BETA BHC	2	UJ	0.52	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	DELTA BHC	2.2	UJ	0.54	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.52	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE191	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.51	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	DELTA BHC	2.5	UJ	0.63	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	DELTA BHC	3.3	UJ	0.84	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	DELTA BHC	2.4	UJ	0.59	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	DELTA BHC	2.4	UJ	0.59	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.52	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	DELTA BHC	2.2	UJ	0.54	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.51	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.48	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.51	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.49	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	DELTA BHC	2.2	UJ	0.54	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	DIELDRIN	4.2	UJ	0.52	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	DIELDRIN	4	UJ	0.49	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.44	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE019	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.45	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	DIELDRIN	4.9	UJ	0.61	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	DIELDRIN	6.4	UJ	0.8	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	DIELDRIN	4.6	UJ	0.57	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	DIELDRIN	4.6	UJ	0.57	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	DIELDRIN	4.1	UJ	0.5	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	DIELDRIN	4.3	UJ	0.52	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	DIELDRIN	4	UJ	0.48	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	DIELDRIN	4	UJ	0.49	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	DIELDRIN	4.2	UJ	0.52	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.44	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.42	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.42	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.44	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.2	UJ	0.59	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.57	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.54	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.51	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.5	UJ	0.7	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.3	UJ	0.92	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.4	UJ	0.65	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.4	UJ	0.65	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.5	1.9	ug/Kg	HT

Matrix	SampleID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE088	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.56	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.54	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.2	UJ	0.38	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4	UJ	0.36	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.9	UJ	0.44	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	6.4	UJ	0.58	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.6	UJ	0.41	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.6	UJ	0.41	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.1	UJ	0.36	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.3	UJ	0.38	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4	UJ	0.35	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4	UJ	0.35	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.31	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE192	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.2	UJ	0.38	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.31	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.31	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.2	UJ	0.49	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4	UJ	0.47	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.45	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.9	UJ	0.58	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDOSULFAN SULFATE	6.4	UJ	0.76	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.6	UJ	0.54	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.6	UJ	0.54	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.1	UJ	0.47	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.3	UJ	0.49	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.41	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4	UJ	0.46	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4	UJ	0.46	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.41	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.2	UJ	0.49	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.4	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.4	3.4	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE017	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDRIN	4.2	UJ	0.5	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDRIN	4	UJ	0.48	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDRIN	4.9	UJ	0.59	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDRIN	6.4	UJ	0.78	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDRIN	4.6	UJ	0.55	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDRIN	4.6	UJ	0.55	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDRIN	4.1	UJ	0.48	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDRIN	4.3	UJ	0.51	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDRIN	4	UJ	0.47	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDRIN	4	UJ	0.47	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDRIN	4.2	UJ	0.51	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE037	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.2	UJ	0.29	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4	UJ	0.27	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.9	UJ	0.34	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDRIN ALDEHYDE	6.4	UJ	0.45	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.6	UJ	0.32	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.6	UJ	0.32	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.1	UJ	0.28	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.3	UJ	0.29	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4	UJ	0.27	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4	UJ	0.27	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.2	UJ	0.29	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.23	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.24	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDRIN KETONE	4.2	UJ	0.27	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.22	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE089	CLP_PEST	SW3550	ENDRIN KETONE	4	UJ	0.26	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.26	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.24	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDRIN KETONE	4.9	UJ	0.32	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDRIN KETONE	6.4	UJ	0.43	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDRIN KETONE	4.6	UJ	0.3	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDRIN KETONE	4.6	UJ	0.3	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDRIN KETONE	4.1	UJ	0.26	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDRIN KETONE	4.3	UJ	0.28	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDRIN KETONE	4	UJ	0.26	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.24	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDRIN KETONE	4	UJ	0.26	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDRIN KETONE	4.2	UJ	0.28	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.22	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.23	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.2	UJ	0.59	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.57	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.54	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE012	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.51	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.5	UJ	0.7	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.3	UJ	0.92	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.4	UJ	0.65	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.4	UJ	0.65	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.56	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.54	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.2	UJ	0.63	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.6	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.5	UJ	0.74	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.3	UJ	0.98	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.4	UJ	0.69	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.4	UJ	0.69	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.61	2.1	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE084FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.2	UJ	0.63	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.59	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.58	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.57	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.2	UJ	0.64	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.58	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	HEPTACHLOR	2.2	UJ	0.78	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.66	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	HEPTACHLOR	2.1	UJ	0.75	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.68	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.67	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.67	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.68	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	HEPTACHLOR	2.5	UJ	0.92	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	HEPTACHLOR	3.3	UJ	1.2	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	HEPTACHLOR	2.4	UJ	0.86	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	HEPTACHLOR	2.4	UJ	0.86	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	HEPTACHLOR	2.1	UJ	0.75	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	HEPTACHLOR	2.2	UJ	0.79	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.66	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.7	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	HEPTACHLOR	2.1	UJ	0.74	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.72	2	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE188	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	HEPTACHLOR	2.2	UJ	0.79	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.72	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.2	UJ	0.76	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.64	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.72	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.66	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.69	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.65	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.65	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.65	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.5	UJ	0.89	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.3	UJ	1.2	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.4	UJ	0.83	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.4	UJ	0.83	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.73	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.2	UJ	0.76	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.64	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.64	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.68	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.71	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.7	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.68	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.2	UJ	0.76	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.69	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE013	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.68	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.7	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.66	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	METHOXYCHLOR	22	UJ	0.36	22	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.35	21	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	METHOXYCHLOR	25	UJ	0.43	25	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	METHOXYCHLOR	33	UJ	0.57	33	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	METHOXYCHLOR	24	UJ	0.4	24	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	METHOXYCHLOR	24	UJ	0.4	24	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.35	21	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	METHOXYCHLOR	22	UJ	0.37	22	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.32	20	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.34	21	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	p,p'-DDD	3.5	J	0.24	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	p,p'-DDD	4.8	J	0.24	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE080	CLP_PEST	SW3550	p,p'-DDD	4.2	UJ	0.29	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	p,p'-DDD	4	UJ	0.27	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	p,p'-DDD	4.9	UJ	0.34	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	p,p'-DDD	6.4	UJ	0.45	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	p,p'-DDD	4.6	UJ	0.32	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	p,p'-DDD	4.6	UJ	0.32	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	p,p'-DDD	4.1	UJ	0.28	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	p,p'-DDD	4.3	UJ	0.29	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	p,p'-DDD	4	UJ	0.27	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	p,p'-DDD	4	UJ	0.27	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	p,p'-DDD	4.2	UJ	0.29	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE006DL2	CLP_PEST	SW3550	p,p'-DDE	764	J	40	392	ug/Kg	HT
SB	NDE008DL1	CLP_PEST	SW3550	p,p'-DDE	124	J	3.6	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	p,p'-DDE	3.9	J	0.36	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	p,p'-DDE	8.7	J	0.35	3.5	ug/Kg	HT
SS	NDE164DL1	CLP_PEST	SW3550	p,p'-DDE	83	J	3.7	36	ug/Kg	HT
SS	NDE165FD1DL1	CLP_PEST	SW3550	p,p'-DDE	85	J	3.9	38	ug/Kg	HT
SS	NDE166DL1	CLP_PEST	SW3550	p,p'-DDE	76	J	4.1	40	ug/Kg	HT
SS	NDE167DL1	CLP_PEST	SW3550	p,p'-DDE	157	J	4	39	ug/Kg	HT
SS	NDE004DL2	CLP_PEST	SW3550	p,p'-DDE	3990	J	182	1770	ug/Kg	HT
SS	NDE005FD1DL2	CLP_PEST	SW3550	p,p'-DDE	3440	J	37	358	ug/Kg	HT
SS	NDE007DL2	CLP_PEST	SW3550	p,p'-DDE	2660	J	36	354	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	p,p'-DDE	50	J	0.39	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	p,p'-DDE	41	J	0.36	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	p,p'-DDE	14	J	0.35	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	p,p'-DDE	10	J	0.35	3.4	ug/Kg	HT
SS	NDE017DL1	CLP_PEST	SW3550	p,p'-DDE	126	J	1.8	18	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	p,p'-DDE	7.8	J	0.38	3.7	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	p,p'-DDE	41	J	0.35	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE080	CLP_PEST	SW3550	p,p'-DDE	4.2	UJ	0.43	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	p,p'-DDE	4	UJ	0.41	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.39	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	p,p'-DDE	4.9	UJ	0.5	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	p,p'-DDE	6.4	UJ	0.66	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	p,p'-DDE	4.6	UJ	0.47	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	p,p'-DDE	4.6	UJ	0.47	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	p,p'-DDE	4.1	UJ	0.41	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	p,p'-DDE	4.3	UJ	0.43	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	p,p'-DDE	4	UJ	0.4	4	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	p,p'-DDE	3.9	UJ	0.4	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.38	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	p,p'-DDE	4.2	UJ	0.43	4.2	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.36	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.39	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	p,p'-DDE	3.9	UJ	0.39	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SB	NDE006DL2	CLP_PEST	SW3550	p,p'-DDT	928	J	46	392	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	p,p'-DDT	22	J	0.4	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	p,p'-DDT	7.6	J	0.4	3.5	ug/Kg	HT
SS	NDE166DL1	CLP_PEST	SW3550	p,p'-DDT	89	J	4.7	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	p,p'-DDT	54	J	0.46	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	p,p'-DDT	3.6	J	0.41	3.6	ug/Kg	HT
SS	NDE004DL1	CLP_PEST	SW3550	p,p'-DDT	1940	J	21	177	ug/Kg	HT
SS	NDE005FD1DL2	CLP_PEST	SW3550	p,p'-DDT	2190	J	42	356	ug/Kg	HT
SS	NDE007DL2	CLP_PEST	SW3550	p,p'-DDT	1090	J	42	354	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	p,p'-DDT	17	J	0.42	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	p,p'-DDT	10	J	0.4	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	p,p'-DDT	11	J	0.4	3.4	ug/Kg	HT
SS	NDE017DL1	CLP_PEST	SW3550	p,p'-DDT	75	J	2.1	18	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	p,p'-DDT	29	J	0.4	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	p,p'-DDT	4.2	UJ	0.49	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	p,p'-DDT	4	UJ	0.47	4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	p,p'-DDT	4.1	UJ	0.47	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	p,p'-DDT	4.3	UJ	0.49	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.41	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	p,p'-DDT	4	UJ	0.46	4	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	p,p'-DDT	14	UJ	0.45	3.8	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE032	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	42	UJ	12	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.8	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	40	UJ	11	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	13	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	14	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	13	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	13	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.8	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	49	UJ	18	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	64	UJ	24	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	46	UJ	17	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	46	UJ	17	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	41	UJ	11	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	43	UJ	12	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	40	UJ	11	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	11	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	40	UJ	11	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	14	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	14	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	42	UJ	15	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	11	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	9.8	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	9.8	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	11	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	10	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	85	UJ	25	85	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	82	UJ	24	82	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	74	UJ	22	74	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	22	76	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	80	UJ	24	80	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	99	UJ	30	99	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	131	UJ	39	131	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	93	UJ	28	93	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	93	UJ	27	93	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	82	UJ	24	82	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	87	UJ	26	87	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	80	UJ	24	80	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	81	UJ	24	81	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	80	UJ	24	80	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	22	76	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	23	76	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	86	UJ	25	86	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	22	72	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	23	76	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	23	76	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	22	72	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	42	UJ	34	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	40	UJ	33	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	29	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE010	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	30	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	49	UJ	39	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	64	UJ	52	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	46	UJ	37	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	46	UJ	37	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	41	UJ	33	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	43	UJ	35	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	40	UJ	32	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	40	UJ	32	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	31	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	30	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	42	UJ	34	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	28	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	28	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	31	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	31	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	42	UJ	25	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	40	UJ	24	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	21	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	24	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	49	UJ	30	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	64	UJ	39	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	46	UJ	28	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	46	UJ	27	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE083	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	41	UJ	24	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	43	UJ	26	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	21	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	40	UJ	24	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	40	UJ	24	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	24	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	21	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	42	UJ	25	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	21	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	21	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	23	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	23	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	42	UJ	22	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	40	UJ	21	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	19	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	19	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	19	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	49	UJ	25	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	64	UJ	34	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	46	UJ	24	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	46	UJ	24	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	41	UJ	21	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	43	UJ	22	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	40	UJ	20	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	19	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	40	UJ	20	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	QL	RL	Units	Comments
SS	NDE189	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	42	UJ	22	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	18	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	18	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	42	UJ	23	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	40	UJ	22	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SB	NDE033	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE035	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE038	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	49	UJ	27	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	64	UJ	35	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	46	UJ	25	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	46	UJ	25	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	41	UJ	22	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	43	UJ	23	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	40	UJ	21	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	20	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	40	UJ	22	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE194	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	42	UJ	23	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	34	UJ	19	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	34	UJ	19	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	42	UJ	15	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	12	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	40	UJ	15	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.8	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	10	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.9	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	9.5	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	9.6	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	14	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	49	UJ	13	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	64	UJ	17	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	46	UJ	12	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	46	UJ	12	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	41	UJ	15	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	43	UJ	15	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	40	UJ	14	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	14	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	40	UJ	14	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	14	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	14	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.9	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	10	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	10	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	42	UJ	11	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	14	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	34	UJ	12	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	34	UJ	13	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE021	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	14	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	14	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	13	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	14	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	13	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	14	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	13	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	TOXAPHENE	218	UJ	8.9	218	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	TOXAPHENE	180	UJ	7.3	180	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	TOXAPHENE	186	UJ	7.5	186	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	TOXAPHENE	182	UJ	7.4	182	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	TOXAPHENE	209	UJ	8.5	209	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	TOXAPHENE	189	UJ	17	189	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	TOXAPHENE	197	UJ	18	197	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	TOXAPHENE	194	UJ	18	194	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	TOXAPHENE	185	UJ	17	185	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	TOXAPHENE	187	UJ	17	187	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	TOXAPHENE	202	UJ	8.3	202	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	TOXAPHENE	178	UJ	7.3	178	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	TOXAPHENE	183	UJ	7.5	183	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	TOXAPHENE	179	UJ	7.4	179	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	TOXAPHENE	178	UJ	7.3	178	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	TOXAPHENE	186	UJ	7.7	186	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	TOXAPHENE	254	UJ	23	254	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	TOXAPHENE	334	UJ	31	334	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	TOXAPHENE	237	UJ	22	237	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	TOXAPHENE	236	UJ	22	236	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	TOXAPHENE	183	UJ	7.4	183	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	TOXAPHENE	210	UJ	8.6	210	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	TOXAPHENE	222	UJ	9	222	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	TOXAPHENE	185	UJ	7.5	185	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	TOXAPHENE	205	UJ	8.3	205	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	TOXAPHENE	187	UJ	7.6	187	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	TOXAPHENE	197	UJ	7.9	197	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	TOXAPHENE	207	UJ	8.4	207	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	TOXAPHENE	204	UJ	8.3	204	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	TOXAPHENE	184	UJ	7.4	184	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	TOXAPHENE	203	UJ	8.2	203	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	TOXAPHENE	193	UJ	18	193	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	TOXAPHENE	203	UJ	19	203	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	TOXAPHENE	194	UJ	18	194	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	TOXAPHENE	219	UJ	20	219	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	TOXAPHENE	182	UJ	7.5	182	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	TOXAPHENE	185	UJ	7.6	185	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	TOXAPHENE	182	UJ	7.5	182	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	TOXAPHENE	196	UJ	8.1	196	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	TOXAPHENE	184	UJ	7.6	184	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	TOXAPHENE	177	UJ	7.3	177	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	TOXAPHENE	178	UJ	7.3	178	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	TOXAPHENE	185	UJ	7.6	185	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	TOXAPHENE	192	UJ	7.9	192	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	TOXAPHENE	182	UJ	7.5	182	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	TOXAPHENE	195	UJ	8	195	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	TOXAPHENE	190	UJ	7.8	190	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	TOXAPHENE	192	UJ	7.9	192	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	TOXAPHENE	190	UJ	7.8	190	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	TOXAPHENE	199	UJ	8.2	199	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	TOXAPHENE	180	UJ	7.4	180	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	TOXAPHENE	178	UJ	7.3	178	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE176	CLP_PEST	SW3550	TOXAPHENE	185	UJ	7.6	185	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	TOXAPHENE	184	UJ	7.6	184	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	TOXAPHENE	189	UJ	7.8	189	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	TOXAPHENE	179	UJ	7.4	179	ug/Kg	HT
SB	NDE092	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	20	J	10	16	mg/Kg	HT
SB	NDE094	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	40	J	10	17	mg/Kg	HT
SB	NDE096	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	22	J	10	16	mg/Kg	HT
SS	NDE090	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	17	J	10	17	mg/Kg	HT
SS	NDE093	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	70	J	9.5	16	mg/Kg	HT
SS	NDE095	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	339	J	101	164	mg/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.25	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	11	UJ	0.26	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.25	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.16	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	11	UJ	0.16	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	11	UJ	0.25	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.27	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.49	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1-DICHLOROETHANE	11	UJ	0.51	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.43	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.56	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.48	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.43	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1-DICHLOROETHENE	11	UJ	0.44	11	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,2-DICHLOROETHANE	11	UJ	0.24	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.26	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.13	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,2-DICHLOROPROPANE	11	UJ	0.13	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	2-HEXANONE	10	UJ	0.59	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	2-HEXANONE	11	UJ	0.61	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	2-HEXANONE	10	UJ	0.52	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	2-HEXANONE	12	UJ	0.66	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	2-HEXANONE	10	UJ	0.57	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.81	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	11	UJ	0.84	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.71	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	0.91	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.79	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	BENZENE	10	UJ	0.2	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	BENZENE	11	UJ	0.21	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	BENZENE	12	UJ	0.23	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.18	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	BROMODICHLOROMETHANE	11	UJ	0.18	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.2	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	BROMOFORM	10	UJ	0.22	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	BROMOFORM	11	UJ	0.23	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE166	SW8260B	SW5030	BROMOFORM	12	UJ	0.25	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.87	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	BROMOMETHANE	11	UJ	0.9	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.77	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	BROMOMETHANE	12	UJ	0.98	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.85	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.59	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CARBON DISULFIDE	11	UJ	0.61	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.52	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.66	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.57	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.36	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CARBON TETRACHLORIDE	11	UJ	0.37	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.31	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.4	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.35	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.22	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CHLOROBENZENE	11	UJ	0.23	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.25	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.58	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CHLOROETHANE	11	UJ	0.6	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.51	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.65	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.56	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CHLOROFORM	10	UJ	0.27	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CHLOROFORM	11	UJ	0.28	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CHLOROFORM	12	UJ	0.31	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CHLOROFORM	10	UJ	0.27	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.83	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CHLOROMETHANE	11	UJ	0.86	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.73	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.94	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.81	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.25	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	11	UJ	0.26	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.28	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.25	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.22	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	DIBROMOCHLOROMETHANE	11	UJ	0.23	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.25	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.34	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	ETHYLBENZENE	11	UJ	0.35	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.38	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	HT
SB	NDE087DL1	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	2970	J	20	973	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.21	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.22	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.24	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.35	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.36	11	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	METHYLENE CHLORIDE	12	UJ	0.39	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	HT
SB	NDE087DL1	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	1500	J	19	973	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.2	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.21	11	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE203	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.23	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	STYRENE	10	UJ	0.21	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	STYRENE	11	UJ	0.22	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	STYRENE	12	UJ	0.24	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	11	UJ	0.25	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.27	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.24	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	TOLUENE	10	UJ	0.22	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	TOLUENE	11	UJ	0.23	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	TOLUENE	12	UJ	0.25	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	11	UJ	0.21	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.23	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	UJ	0.31	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.34	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.5	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	VINYL CHLORIDE	11	UJ	0.52	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.44	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.57	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.49	10	ug/Kg	HT
SB	NDE087DL1	SW8260B	SW5030	XYLENES, TOTAL	4460	J	20	973	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.21	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	XYLENES, TOTAL	11	UJ	0.22	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.24	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	517	UJ	41	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	433	UJ	34	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	436	UJ	34	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	416	UJ	33	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	512	UJ	40	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	428	UJ	33	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	451	UJ	35	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	420	UJ	33	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	604	UJ	47	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	531	UJ	41	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	440	UJ	34	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	598	UJ	47	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	482	UJ	37	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	497	UJ	39	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	587	UJ	46	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	509	UJ	40	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	446	UJ	35	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	510	UJ	40	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	1,2-DICHLOROBENZENE	517	UJ	49	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	1,2-DICHLOROBENZENE	433	UJ	41	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	1,2-DICHLOROBENZENE	436	UJ	41	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	1,2-DICHLOROBENZENE	416	UJ	39	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	1,2-DICHLOROBENZENE	512	UJ	48	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	1,2-DICHLOROBENZENE	428	UJ	40	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	1,2-DICHLOROBENZENE	451	UJ	42	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	1,2-DICHLOROBENZENE	420	UJ	40	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	1,2-DICHLOROBENZENE	604	UJ	57	604	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE084FD1	SW8270C	SW3550	1,2-DICHLOROBENZENE	531	UJ	50	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	1,2-DICHLOROBENZENE	440	UJ	41	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	1,2-DICHLOROBENZENE	598	UJ	56	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	1,2-DICHLOROBENZENE	482	UJ	45	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	1,2-DICHLOROBENZENE	497	UJ	47	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	1,2-DICHLOROBENZENE	587	UJ	55	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	1,2-DICHLOROBENZENE	509	UJ	48	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	1,2-DICHLOROBENZENE	446	UJ	42	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	1,2-DICHLOROBENZENE	510	UJ	48	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	1,3-DICHLOROBENZENE	517	UJ	42	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	1,3-DICHLOROBENZENE	433	UJ	35	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	1,3-DICHLOROBENZENE	436	UJ	35	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	1,3-DICHLOROBENZENE	416	UJ	33	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	1,3-DICHLOROBENZENE	512	UJ	41	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	1,3-DICHLOROBENZENE	428	UJ	34	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	1,3-DICHLOROBENZENE	451	UJ	36	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	1,3-DICHLOROBENZENE	420	UJ	34	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	1,3-DICHLOROBENZENE	604	UJ	48	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	1,3-DICHLOROBENZENE	531	UJ	42	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	1,3-DICHLOROBENZENE	440	UJ	35	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	1,3-DICHLOROBENZENE	598	UJ	48	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	1,3-DICHLOROBENZENE	482	UJ	38	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	1,3-DICHLOROBENZENE	497	UJ	40	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	1,3-DICHLOROBENZENE	587	UJ	47	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	1,3-DICHLOROBENZENE	509	UJ	41	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	1,3-DICHLOROBENZENE	446	UJ	36	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	1,3-DICHLOROBENZENE	510	UJ	41	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	1,4-DICHLOROBENZENE	517	UJ	48	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	1,4-DICHLOROBENZENE	433	UJ	40	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	1,4-DICHLOROBENZENE	436	UJ	40	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	1,4-DICHLOROBENZENE	416	UJ	38	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	1,4-DICHLOROBENZENE	512	UJ	47	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	1,4-DICHLOROBENZENE	428	UJ	39	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	1,4-DICHLOROBENZENE	451	UJ	41	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	1,4-DICHLOROBENZENE	420	UJ	39	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	1,4-DICHLOROBENZENE	604	UJ	56	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	1,4-DICHLOROBENZENE	531	UJ	49	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	1,4-DICHLOROBENZENE	440	UJ	40	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	1,4-DICHLOROBENZENE	598	UJ	55	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	1,4-DICHLOROBENZENE	482	UJ	44	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	1,4-DICHLOROBENZENE	497	UJ	46	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	1,4-DICHLOROBENZENE	587	UJ	54	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	1,4-DICHLOROBENZENE	509	UJ	47	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	1,4-DICHLOROBENZENE	446	UJ	41	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	1,4-DICHLOROBENZENE	510	UJ	47	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1550	UJ	30	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1300	UJ	25	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1310	UJ	25	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1250	UJ	24	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1540	UJ	29	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1290	UJ	24	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1350	UJ	26	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1260	UJ	24	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1810	UJ	35	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1590	UJ	30	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1320	UJ	25	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1790	UJ	34	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1450	UJ	27	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1490	UJ	28	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1760	UJ	33	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1530	UJ	29	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1340	UJ	25	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1530	UJ	29	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	517	UJ	30	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	433	UJ	25	433	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE085	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	436	UJ	25	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	416	UJ	24	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	587	UJ	34	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DICHLOROPHENOL	517	UJ	30	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DICHLOROPHENOL	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DICHLOROPHENOL	436	UJ	25	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DICHLOROPHENOL	416	UJ	24	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DICHLOROPHENOL	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DICHLOROPHENOL	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DICHLOROPHENOL	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DICHLOROPHENOL	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DICHLOROPHENOL	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DICHLOROPHENOL	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DICHLOROPHENOL	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DICHLOROPHENOL	598	UJ	34	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DICHLOROPHENOL	482	UJ	27	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DICHLOROPHENOL	497	UJ	28	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DICHLOROPHENOL	587	UJ	33	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DICHLOROPHENOL	509	UJ	29	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DICHLOROPHENOL	446	UJ	25	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DICHLOROPHENOL	510	UJ	29	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DIMETHYLPHENOL	517	UJ	41	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DIMETHYLPHENOL	433	UJ	34	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DIMETHYLPHENOL	436	UJ	34	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DIMETHYLPHENOL	416	UJ	33	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DIMETHYLPHENOL	512	UJ	40	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	428	UJ	33	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DIMETHYLPHENOL	451	UJ	35	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DIMETHYLPHENOL	420	UJ	33	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DIMETHYLPHENOL	604	UJ	47	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	531	UJ	41	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DIMETHYLPHENOL	440	UJ	34	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DIMETHYLPHENOL	598	UJ	47	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DIMETHYLPHENOL	482	UJ	37	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	497	UJ	39	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DIMETHYLPHENOL	587	UJ	46	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DIMETHYLPHENOL	509	UJ	40	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DIMETHYLPHENOL	446	UJ	35	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DIMETHYLPHENOL	510	UJ	40	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DINITROPHENOL	1550	UJ	35	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DINITROPHENOL	1300	UJ	29	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DINITROPHENOL	1310	UJ	30	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DINITROPHENOL	1250	UJ	28	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DINITROPHENOL	1540	UJ	35	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DINITROPHENOL	1290	UJ	29	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DINITROPHENOL	1350	UJ	31	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DINITROPHENOL	1260	UJ	29	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DINITROPHENOL	1810	UJ	41	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DINITROPHENOL	1590	UJ	36	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DINITROPHENOL	1320	UJ	30	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DINITROPHENOL	1790	UJ	41	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DINITROPHENOL	1450	UJ	33	1450	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE165FD1	SW8270C	SW3550	2,4-DINITROPHENOL	1490	UJ	34	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DINITROPHENOL	1760	UJ	40	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DINITROPHENOL	1530	UJ	35	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DINITROPHENOL	1340	UJ	30	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DINITROPHENOL	1530	UJ	35	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DINITROTOLUENE	517	UJ	36	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DINITROTOLUENE	433	UJ	30	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DINITROTOLUENE	436	UJ	31	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DINITROTOLUENE	416	UJ	29	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DINITROTOLUENE	512	UJ	36	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DINITROTOLUENE	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DINITROTOLUENE	451	UJ	32	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DINITROTOLUENE	420	UJ	29	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DINITROTOLUENE	604	UJ	42	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DINITROTOLUENE	531	UJ	37	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DINITROTOLUENE	440	UJ	31	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DINITROTOLUENE	598	UJ	42	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DINITROTOLUENE	482	UJ	34	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DINITROTOLUENE	497	UJ	35	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DINITROTOLUENE	587	UJ	41	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DINITROTOLUENE	509	UJ	36	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DINITROTOLUENE	446	UJ	31	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DINITROTOLUENE	510	UJ	36	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,6-DINITROTOLUENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,6-DINITROTOLUENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,6-DINITROTOLUENE	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,6-DINITROTOLUENE	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,6-DINITROTOLUENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,6-DINITROTOLUENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,6-DINITROTOLUENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,6-DINITROTOLUENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,6-DINITROTOLUENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,6-DINITROTOLUENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,6-DINITROTOLUENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,6-DINITROTOLUENE	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,6-DINITROTOLUENE	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,6-DINITROTOLUENE	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,6-DINITROTOLUENE	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,6-DINITROTOLUENE	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,6-DINITROTOLUENE	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,6-DINITROTOLUENE	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-CHLOROETHYL ETHER	517	UJ	36	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-CHLOROETHYL ETHER	433	UJ	30	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-CHLOROETHYL ETHER	436	UJ	30	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-CHLOROETHYL ETHER	416	UJ	29	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-CHLOROETHYL ETHER	512	UJ	35	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-CHLOROETHYL ETHER	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-CHLOROETHYL ETHER	451	UJ	31	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-CHLOROETHYL ETHER	420	UJ	29	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-CHLOROETHYL ETHER	604	UJ	42	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-CHLOROETHYL ETHER	531	UJ	36	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-CHLOROETHYL ETHER	440	UJ	30	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-CHLOROETHYL ETHER	598	UJ	41	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-CHLOROETHYL ETHER	482	UJ	33	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-CHLOROETHYL ETHER	497	UJ	34	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-CHLOROETHYL ETHER	587	UJ	41	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-CHLOROETHYL ETHER	509	UJ	35	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-CHLOROETHYL ETHER	446	UJ	31	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-CHLOROETHYL ETHER	510	UJ	35	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-CHLORONAPHTHALENE	517	UJ	32	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-CHLORONAPHTHALENE	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-CHLORONAPHTHALENE	436	UJ	27	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-CHLORONAPHTHALENE	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-CHLORONAPHTHALENE	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-CHLORONAPHTHALENE	428	UJ	26	428	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE079	SW8270C	SW3550	2-CHLORONAPHTHALENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-CHLORONAPHTHALENE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-CHLORONAPHTHALENE	604	UJ	37	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-CHLORONAPHTHALENE	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-CHLORONAPHTHALENE	440	UJ	27	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-CHLORONAPHTHALENE	598	UJ	37	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-CHLORONAPHTHALENE	482	UJ	29	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-CHLORONAPHTHALENE	497	UJ	30	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-CHLORONAPHTHALENE	587	UJ	36	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-CHLORONAPHTHALENE	509	UJ	31	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-CHLORONAPHTHALENE	446	UJ	27	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-CHLORONAPHTHALENE	510	UJ	31	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-CHLOROPHENOL	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-CHLOROPHENOL	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-CHLOROPHENOL	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-CHLOROPHENOL	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-CHLOROPHENOL	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-CHLOROPHENOL	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-CHLOROPHENOL	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-CHLOROPHENOL	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-CHLOROPHENOL	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-CHLOROPHENOL	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-CHLOROPHENOL	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-CHLOROPHENOL	598	UJ	39	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-CHLOROPHENOL	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-CHLOROPHENOL	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-CHLOROPHENOL	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-CHLOROPHENOL	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-CHLOROPHENOL	446	UJ	29	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-CHLOROPHENOL	510	UJ	33	510	ug/Kg	HT
SB	NDE087DL1	SW8270C	SW3550	2-METHYLNAPHTHALENE	4630	J	49	833	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-METHYLNAPHTHALENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-METHYLNAPHTHALENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-METHYLNAPHTHALENE	436	UJ	26	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-METHYLNAPHTHALENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-METHYLNAPHTHALENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-METHYLNAPHTHALENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-METHYLNAPHTHALENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-METHYLNAPHTHALENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-METHYLNAPHTHALENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-METHYLNAPHTHALENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-METHYLNAPHTHALENE	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-METHYLNAPHTHALENE	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-METHYLNAPHTHALENE	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-METHYLNAPHTHALENE	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-METHYLNAPHTHALENE	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-METHYLNAPHTHALENE	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-METHYLNAPHTHALENE	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	433	UJ	31	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	416	UJ	30	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	512	UJ	37	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	428	UJ	31	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	604	UJ	44	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	440	UJ	32	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	482	UJ	35	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	497	UJ	36	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	509	UJ	37	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	446	UJ	32	446	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE169	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	510	UJ	37	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-NITROANILINE	1550	UJ	26	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-NITROANILINE	1300	UJ	22	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-NITROANILINE	1310	UJ	22	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-NITROANILINE	1250	UJ	21	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-NITROANILINE	1540	UJ	26	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-NITROANILINE	1290	UJ	21	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-NITROANILINE	1350	UJ	23	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-NITROANILINE	1260	UJ	21	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-NITROANILINE	1810	UJ	30	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-NITROANILINE	1590	UJ	26	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-NITROANILINE	1320	UJ	22	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-NITROANILINE	1790	UJ	30	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-NITROANILINE	1450	UJ	24	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-NITROANILINE	1490	UJ	25	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-NITROANILINE	1760	UJ	29	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-NITROANILINE	1530	UJ	26	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-NITROANILINE	1340	UJ	22	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-NITROANILINE	1530	UJ	25	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-NITROPHENOL	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-NITROPHENOL	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-NITROPHENOL	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-NITROPHENOL	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-NITROPHENOL	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-NITROPHENOL	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-NITROPHENOL	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-NITROPHENOL	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-NITROPHENOL	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-NITROPHENOL	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-NITROPHENOL	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-NITROPHENOL	598	UJ	36	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-NITROPHENOL	482	UJ	29	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-NITROPHENOL	497	UJ	30	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-NITROPHENOL	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-NITROPHENOL	509	UJ	31	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-NITROPHENOL	446	UJ	27	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-NITROPHENOL	510	UJ	31	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1030	UJ	24	1030	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	866	UJ	20	866	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	873	UJ	21	873	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	833	UJ	20	833	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1020	UJ	24	1020	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	857	UJ	20	857	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	902	UJ	21	902	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	841	UJ	20	841	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1210	UJ	28	1210	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1060	UJ	25	1060	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	880	UJ	21	880	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1200	UJ	28	1200	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	964	UJ	23	964	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	994	UJ	23	994	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1170	UJ	28	1170	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1020	UJ	24	1020	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	891	UJ	21	891	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1020	UJ	24	1020	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	3-NITROANILINE	1550	UJ	24	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	3-NITROANILINE	1300	UJ	20	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	3-NITROANILINE	1310	UJ	21	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	3-NITROANILINE	1250	UJ	20	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	3-NITROANILINE	1540	UJ	24	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	3-NITROANILINE	1290	UJ	20	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	3-NITROANILINE	1350	UJ	21	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	3-NITROANILINE	1260	UJ	20	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	3-NITROANILINE	1810	UJ	28	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	3-NITROANILINE	1590	UJ	25	1590	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE086	SW8270C	SW3550	3-NITROANILINE	1320	UJ	21	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	3-NITROANILINE	1790	UJ	28	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	3-NITROANILINE	1450	UJ	23	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	3-NITROANILINE	1490	UJ	23	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	3-NITROANILINE	1760	UJ	28	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	3-NITROANILINE	1530	UJ	24	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	3-NITROANILINE	1340	UJ	21	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	3-NITROANILINE	1530	UJ	24	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1550	UJ	29	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1300	UJ	24	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1310	UJ	24	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1250	UJ	23	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1540	UJ	28	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1290	UJ	24	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1350	UJ	25	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1260	UJ	23	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1810	UJ	33	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1590	UJ	29	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1320	UJ	24	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1790	UJ	33	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1450	UJ	26	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1490	UJ	27	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1760	UJ	32	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1530	UJ	28	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1340	UJ	24	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1530	UJ	28	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	598	UJ	36	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	482	UJ	29	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	497	UJ	30	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	509	UJ	31	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	446	UJ	27	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	510	UJ	31	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-CHLOROANILINE	517	UJ	32	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-CHLOROANILINE	433	UJ	27	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-CHLOROANILINE	436	UJ	27	436	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087	SW8270C	SW3550	4-CHLOROANILINE	416	UJ	26	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-CHLOROANILINE	512	UJ	32	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-CHLOROANILINE	428	UJ	27	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-CHLOROANILINE	451	UJ	28	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-CHLOROANILINE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-CHLOROANILINE	604	UJ	38	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-CHLOROANILINE	531	UJ	33	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-CHLOROANILINE	440	UJ	27	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-CHLOROANILINE	598	UJ	37	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-CHLOROANILINE	482	UJ	30	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-CHLOROANILINE	497	UJ	31	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-CHLOROANILINE	587	UJ	36	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-CHLOROANILINE	509	UJ	32	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-CHLOROANILINE	446	UJ	28	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-CHLOROANILINE	510	UJ	32	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-NITROANILINE	1550	UJ	19	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-NITROANILINE	1300	UJ	16	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-NITROANILINE	1310	UJ	16	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-NITROANILINE	1250	UJ	15	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-NITROANILINE	1540	UJ	18	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-NITROANILINE	1290	UJ	15	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-NITROANILINE	1350	UJ	16	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-NITROANILINE	1260	UJ	15	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-NITROANILINE	1810	UJ	22	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-NITROANILINE	1590	UJ	19	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-NITROANILINE	1320	UJ	16	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-NITROANILINE	1790	UJ	22	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-NITROANILINE	1450	UJ	17	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-NITROANILINE	1490	UJ	18	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-NITROANILINE	1760	UJ	21	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-NITROANILINE	1530	UJ	18	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-NITROANILINE	1340	UJ	16	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-NITROANILINE	1530	UJ	18	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-NITROPHENOL	1550	UJ	26	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-NITROPHENOL	1300	UJ	22	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-NITROPHENOL	1310	UJ	22	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-NITROPHENOL	1250	UJ	21	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-NITROPHENOL	1540	UJ	26	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-NITROPHENOL	1290	UJ	21	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-NITROPHENOL	1350	UJ	23	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-NITROPHENOL	1260	UJ	21	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-NITROPHENOL	1810	UJ	30	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-NITROPHENOL	1590	UJ	26	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-NITROPHENOL	1320	UJ	22	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-NITROPHENOL	1790	UJ	30	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-NITROPHENOL	1450	UJ	24	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-NITROPHENOL	1490	UJ	25	1490	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE166	SW8270C	SW3550	4-NITROPHENOL	1760	UJ	29	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-NITROPHENOL	1530	UJ	26	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-NITROPHENOL	1340	UJ	22	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-NITROPHENOL	1530	UJ	25	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ACENAPHTHENE	517	UJ	26	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ACENAPHTHENE	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ACENAPHTHENE	436	UJ	22	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ACENAPHTHENE	512	UJ	26	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ACENAPHTHENE	428	UJ	21	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ACENAPHTHENE	451	UJ	23	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ACENAPHTHENE	420	UJ	21	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ACENAPHTHENE	604	UJ	30	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ACENAPHTHENE	531	UJ	26	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ACENAPHTHENE	440	UJ	22	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ACENAPHTHENE	598	UJ	30	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	ACENAPHTHENE	482	UJ	24	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	ACENAPHTHENE	497	UJ	25	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	ACENAPHTHENE	587	UJ	29	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	ACENAPHTHENE	509	UJ	26	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ACENAPHTHENE	446	UJ	22	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ACENAPHTHENE	510	UJ	25	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ACENAPHTHYLENE	517	UJ	52	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ACENAPHTHYLENE	433	UJ	43	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ACENAPHTHYLENE	436	UJ	44	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	ACENAPHTHYLENE	416	UJ	42	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ACENAPHTHYLENE	512	UJ	51	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ACENAPHTHYLENE	428	UJ	43	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ACENAPHTHYLENE	451	UJ	45	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ACENAPHTHYLENE	420	UJ	42	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ACENAPHTHYLENE	604	UJ	61	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ACENAPHTHYLENE	531	UJ	53	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ACENAPHTHYLENE	440	UJ	44	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ACENAPHTHYLENE	598	UJ	60	598	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	ACENAPHTHYLENE	509	UJ	51	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ACENAPHTHYLENE	446	UJ	44	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ACENAPHTHYLENE	510	UJ	51	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ANTHRACENE	517	UJ	29	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ANTHRACENE	433	UJ	24	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ANTHRACENE	436	UJ	24	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	ANTHRACENE	416	UJ	23	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ANTHRACENE	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ANTHRACENE	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ANTHRACENE	451	UJ	25	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ANTHRACENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ANTHRACENE	604	UJ	34	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ANTHRACENE	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ANTHRACENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ANTHRACENE	598	UJ	34	598	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ANTHRACENE	446	UJ	25	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ANTHRACENE	510	UJ	29	510	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(a)ANTHRACENE	2170	J	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(a)ANTHRACENE	1400	J	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(a)ANTHRACENE	793	J	31	587	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(a)ANTHRACENE	517	UJ	27	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(a)ANTHRACENE	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(a)ANTHRACENE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZO(a)ANTHRACENE	27	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(a)ANTHRACENE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(a)ANTHRACENE	428	UJ	22	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(a)ANTHRACENE	451	UJ	23	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(a)ANTHRACENE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(a)ANTHRACENE	604	UJ	32	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(a)ANTHRACENE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(a)ANTHRACENE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(a)ANTHRACENE	598	UJ	31	598	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE164	SW8270C	SW3550	BENZO(a)PYRENE	2040	J	32	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(a)PYRENE	1360	J	33	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(a)PYRENE	1000	J	39	587	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(a)PYRENE	517	UJ	35	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(a)PYRENE	433	UJ	29	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(a)PYRENE	436	UJ	29	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZO(a)PYRENE	416	UJ	28	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(a)PYRENE	512	UJ	34	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(a)PYRENE	428	UJ	29	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(a)PYRENE	451	UJ	30	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(a)PYRENE	420	UJ	28	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(a)PYRENE	604	UJ	41	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(a)PYRENE	531	UJ	35	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(a)PYRENE	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(a)PYRENE	598	UJ	40	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(b)FLUORANTHENE	3780	J	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	2210	J	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(b)FLUORANTHENE	1380	J	35	587	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(b)FLUORANTHENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(b)FLUORANTHENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(b)FLUORANTHENE	436	UJ	26	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(b)FLUORANTHENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(b)FLUORANTHENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(b)FLUORANTHENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(b)FLUORANTHENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(b)FLUORANTHENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(b)FLUORANTHENE	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	515	J	29	482	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	598	UJ	36	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(k)FLUORANTHENE	2730	J	34	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	1680	J	35	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(k)FLUORANTHENE	1250	J	42	587	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(k)FLUORANTHENE	517	UJ	37	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(k)FLUORANTHENE	433	UJ	31	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(k)FLUORANTHENE	436	UJ	31	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(k)FLUORANTHENE	512	UJ	36	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(k)FLUORANTHENE	451	UJ	32	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(k)FLUORANTHENE	420	UJ	30	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(k)FLUORANTHENE	604	UJ	43	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	531	UJ	38	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(k)FLUORANTHENE	440	UJ	31	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(k)FLUORANTHENE	598	UJ	42	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	517	UJ	28	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	433	UJ	23	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	416	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	428	UJ	23	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	451	UJ	24	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	604	UJ	32	604	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE084FD1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	598	UJ	32	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	482	UJ	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	497	UJ	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	587	UJ	31	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	509	UJ	27	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	446	UJ	24	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	510	UJ	27	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	510	UJ	38	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	433	UJ	31	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	416	UJ	30	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	512	UJ	37	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	428	UJ	31	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	604	UJ	44	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	440	UJ	32	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	482	UJ	35	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	497	UJ	36	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	509	UJ	37	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	446	UJ	32	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	510	UJ	37	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	517	UJ	39	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	436	UJ	33	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	451	UJ	34	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	420	UJ	32	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	531	UJ	40	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	598	UJ	45	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	482	UJ	38	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	587	UJ	44	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	510	UJ	38	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	CARBAZOLE	517	UJ	33	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	CARBAZOLE	433	UJ	27	433	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE085	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	436	UJ	25	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	416	UJ	24	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	587	UJ	34	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DICHLOROPHENOL	517	UJ	30	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DICHLOROPHENOL	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DICHLOROPHENOL	436	UJ	25	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DICHLOROPHENOL	416	UJ	24	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DICHLOROPHENOL	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DICHLOROPHENOL	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DICHLOROPHENOL	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DICHLOROPHENOL	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DICHLOROPHENOL	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DICHLOROPHENOL	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DICHLOROPHENOL	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DICHLOROPHENOL	598	UJ	34	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DICHLOROPHENOL	482	UJ	27	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DICHLOROPHENOL	497	UJ	28	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DICHLOROPHENOL	587	UJ	33	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DICHLOROPHENOL	509	UJ	29	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DICHLOROPHENOL	446	UJ	25	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DICHLOROPHENOL	510	UJ	29	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DIMETHYLPHENOL	517	UJ	41	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DIMETHYLPHENOL	433	UJ	34	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DIMETHYLPHENOL	436	UJ	34	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DIMETHYLPHENOL	416	UJ	33	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DIMETHYLPHENOL	512	UJ	40	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	428	UJ	33	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DIMETHYLPHENOL	451	UJ	35	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DIMETHYLPHENOL	420	UJ	33	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DIMETHYLPHENOL	604	UJ	47	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	531	UJ	41	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DIMETHYLPHENOL	440	UJ	34	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DIMETHYLPHENOL	598	UJ	47	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DIMETHYLPHENOL	482	UJ	37	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	497	UJ	39	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DIMETHYLPHENOL	587	UJ	46	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DIMETHYLPHENOL	509	UJ	40	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DIMETHYLPHENOL	446	UJ	35	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DIMETHYLPHENOL	510	UJ	40	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DINITROPHENOL	1550	UJ	35	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DINITROPHENOL	1300	UJ	29	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DINITROPHENOL	1310	UJ	30	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DINITROPHENOL	1250	UJ	28	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DINITROPHENOL	1540	UJ	35	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DINITROPHENOL	1290	UJ	29	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DINITROPHENOL	1350	UJ	31	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DINITROPHENOL	1260	UJ	29	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DINITROPHENOL	1810	UJ	41	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DINITROPHENOL	1590	UJ	36	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DINITROPHENOL	1320	UJ	30	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DINITROPHENOL	1790	UJ	41	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DINITROPHENOL	1450	UJ	33	1450	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE165FD1	SW8270C	SW3550	2,4-DINITROPHENOL	1490	UJ	34	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DINITROPHENOL	1760	UJ	40	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DINITROPHENOL	1530	UJ	35	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DINITROPHENOL	1340	UJ	30	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DINITROPHENOL	1530	UJ	35	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DINITROTOLUENE	517	UJ	36	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DINITROTOLUENE	433	UJ	30	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DINITROTOLUENE	436	UJ	31	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DINITROTOLUENE	416	UJ	29	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DINITROTOLUENE	512	UJ	36	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DINITROTOLUENE	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DINITROTOLUENE	451	UJ	32	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DINITROTOLUENE	420	UJ	29	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DINITROTOLUENE	604	UJ	42	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DINITROTOLUENE	531	UJ	37	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DINITROTOLUENE	440	UJ	31	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DINITROTOLUENE	598	UJ	42	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DINITROTOLUENE	482	UJ	34	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DINITROTOLUENE	497	UJ	35	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DINITROTOLUENE	587	UJ	41	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DINITROTOLUENE	509	UJ	36	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DINITROTOLUENE	446	UJ	31	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DINITROTOLUENE	510	UJ	36	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,6-DINITROTOLUENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,6-DINITROTOLUENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,6-DINITROTOLUENE	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,6-DINITROTOLUENE	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,6-DINITROTOLUENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,6-DINITROTOLUENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,6-DINITROTOLUENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,6-DINITROTOLUENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,6-DINITROTOLUENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,6-DINITROTOLUENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,6-DINITROTOLUENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,6-DINITROTOLUENE	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,6-DINITROTOLUENE	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,6-DINITROTOLUENE	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,6-DINITROTOLUENE	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,6-DINITROTOLUENE	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,6-DINITROTOLUENE	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,6-DINITROTOLUENE	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-CHLOROETHYL ETHER	517	UJ	36	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-CHLOROETHYL ETHER	433	UJ	30	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-CHLOROETHYL ETHER	436	UJ	30	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-CHLOROETHYL ETHER	416	UJ	29	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-CHLOROETHYL ETHER	512	UJ	35	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-CHLOROETHYL ETHER	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-CHLOROETHYL ETHER	451	UJ	31	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-CHLOROETHYL ETHER	420	UJ	29	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-CHLOROETHYL ETHER	604	UJ	42	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-CHLOROETHYL ETHER	531	UJ	36	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-CHLOROETHYL ETHER	440	UJ	30	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-CHLOROETHYL ETHER	598	UJ	41	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-CHLOROETHYL ETHER	482	UJ	33	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-CHLOROETHYL ETHER	497	UJ	34	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-CHLOROETHYL ETHER	587	UJ	41	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-CHLOROETHYL ETHER	509	UJ	35	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-CHLOROETHYL ETHER	446	UJ	31	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-CHLOROETHYL ETHER	510	UJ	35	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-CHLORONAPHTHALENE	517	UJ	32	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-CHLORONAPHTHALENE	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-CHLORONAPHTHALENE	436	UJ	27	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-CHLORONAPHTHALENE	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-CHLORONAPHTHALENE	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-CHLORONAPHTHALENE	428	UJ	26	428	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE079	SW8270C	SW3550	2-CHLORONAPHTHALENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-CHLORONAPHTHALENE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-CHLORONAPHTHALENE	604	UJ	37	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-CHLORONAPHTHALENE	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-CHLORONAPHTHALENE	440	UJ	27	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-CHLORONAPHTHALENE	598	UJ	37	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-CHLORONAPHTHALENE	482	UJ	29	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-CHLORONAPHTHALENE	497	UJ	30	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-CHLORONAPHTHALENE	587	UJ	36	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-CHLORONAPHTHALENE	509	UJ	31	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-CHLORONAPHTHALENE	446	UJ	27	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-CHLORONAPHTHALENE	510	UJ	31	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-CHLOROPHENOL	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-CHLOROPHENOL	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-CHLOROPHENOL	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-CHLOROPHENOL	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-CHLOROPHENOL	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-CHLOROPHENOL	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-CHLOROPHENOL	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-CHLOROPHENOL	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-CHLOROPHENOL	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-CHLOROPHENOL	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-CHLOROPHENOL	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-CHLOROPHENOL	598	UJ	39	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-CHLOROPHENOL	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-CHLOROPHENOL	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-CHLOROPHENOL	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-CHLOROPHENOL	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-CHLOROPHENOL	446	UJ	29	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-CHLOROPHENOL	510	UJ	33	510	ug/Kg	HT
SB	NDE087DL1	SW8270C	SW3550	2-METHYLNAPHTHALENE	4630	J	49	833	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-METHYLNAPHTHALENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-METHYLNAPHTHALENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-METHYLNAPHTHALENE	436	UJ	26	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-METHYLNAPHTHALENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-METHYLNAPHTHALENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-METHYLNAPHTHALENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-METHYLNAPHTHALENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-METHYLNAPHTHALENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-METHYLNAPHTHALENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-METHYLNAPHTHALENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-METHYLNAPHTHALENE	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-METHYLNAPHTHALENE	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-METHYLNAPHTHALENE	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-METHYLNAPHTHALENE	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-METHYLNAPHTHALENE	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-METHYLNAPHTHALENE	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-METHYLNAPHTHALENE	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	433	UJ	31	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	416	UJ	30	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	512	UJ	37	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	428	UJ	31	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	604	UJ	44	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	440	UJ	32	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	482	UJ	35	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	497	UJ	36	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	509	UJ	37	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	446	UJ	32	446	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE169	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	510	UJ	37	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-NITROANILINE	1550	UJ	26	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-NITROANILINE	1300	UJ	22	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-NITROANILINE	1310	UJ	22	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-NITROANILINE	1250	UJ	21	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-NITROANILINE	1540	UJ	26	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-NITROANILINE	1290	UJ	21	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-NITROANILINE	1350	UJ	23	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-NITROANILINE	1260	UJ	21	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-NITROANILINE	1810	UJ	30	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-NITROANILINE	1590	UJ	26	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-NITROANILINE	1320	UJ	22	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-NITROANILINE	1790	UJ	30	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-NITROANILINE	1450	UJ	24	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-NITROANILINE	1490	UJ	25	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-NITROANILINE	1760	UJ	29	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-NITROANILINE	1530	UJ	26	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-NITROANILINE	1340	UJ	22	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-NITROANILINE	1530	UJ	25	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-NITROPHENOL	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-NITROPHENOL	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-NITROPHENOL	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-NITROPHENOL	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-NITROPHENOL	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-NITROPHENOL	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-NITROPHENOL	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-NITROPHENOL	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-NITROPHENOL	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-NITROPHENOL	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-NITROPHENOL	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-NITROPHENOL	598	UJ	36	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-NITROPHENOL	482	UJ	29	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-NITROPHENOL	497	UJ	30	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-NITROPHENOL	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-NITROPHENOL	509	UJ	31	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-NITROPHENOL	446	UJ	27	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-NITROPHENOL	510	UJ	31	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1030	UJ	24	1030	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	866	UJ	20	866	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	873	UJ	21	873	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	833	UJ	20	833	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1020	UJ	24	1020	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	857	UJ	20	857	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	902	UJ	21	902	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	841	UJ	20	841	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1210	UJ	28	1210	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1060	UJ	25	1060	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	880	UJ	21	880	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1200	UJ	28	1200	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	964	UJ	23	964	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	994	UJ	23	994	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1170	UJ	28	1170	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1020	UJ	24	1020	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	891	UJ	21	891	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1020	UJ	24	1020	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	3-NITROANILINE	1550	UJ	24	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	3-NITROANILINE	1300	UJ	20	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	3-NITROANILINE	1310	UJ	21	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	3-NITROANILINE	1250	UJ	20	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	3-NITROANILINE	1540	UJ	24	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	3-NITROANILINE	1290	UJ	20	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	3-NITROANILINE	1350	UJ	21	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	3-NITROANILINE	1260	UJ	20	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	3-NITROANILINE	1810	UJ	28	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	3-NITROANILINE	1590	UJ	25	1590	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE086	SW8270C	SW3550	3-NITROANILINE	1320	UJ	21	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	3-NITROANILINE	1790	UJ	28	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	3-NITROANILINE	1450	UJ	23	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	3-NITROANILINE	1490	UJ	23	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	3-NITROANILINE	1760	UJ	28	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	3-NITROANILINE	1530	UJ	24	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	3-NITROANILINE	1340	UJ	21	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	3-NITROANILINE	1530	UJ	24	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1550	UJ	29	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1300	UJ	24	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1310	UJ	24	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1250	UJ	23	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1540	UJ	28	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1290	UJ	24	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1350	UJ	25	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1260	UJ	23	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1810	UJ	33	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1590	UJ	29	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1320	UJ	24	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1790	UJ	33	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1450	UJ	26	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1490	UJ	27	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1760	UJ	32	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1530	UJ	28	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1340	UJ	24	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1530	UJ	28	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	598	UJ	36	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	482	UJ	29	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	497	UJ	30	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	509	UJ	31	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	446	UJ	27	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	510	UJ	31	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-CHLOROANILINE	517	UJ	32	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-CHLOROANILINE	433	UJ	27	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-CHLOROANILINE	436	UJ	27	436	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087	SW8270C	SW3550	4-CHLOROANILINE	416	UJ	26	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-CHLOROANILINE	512	UJ	32	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-CHLOROANILINE	428	UJ	27	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-CHLOROANILINE	451	UJ	28	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-CHLOROANILINE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-CHLOROANILINE	604	UJ	38	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-CHLOROANILINE	531	UJ	33	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-CHLOROANILINE	440	UJ	27	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-CHLOROANILINE	598	UJ	37	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-CHLOROANILINE	482	UJ	30	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-CHLOROANILINE	497	UJ	31	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-CHLOROANILINE	587	UJ	36	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-CHLOROANILINE	509	UJ	32	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-CHLOROANILINE	446	UJ	28	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-CHLOROANILINE	510	UJ	32	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-NITROANILINE	1550	UJ	19	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-NITROANILINE	1300	UJ	16	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-NITROANILINE	1310	UJ	16	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-NITROANILINE	1250	UJ	15	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-NITROANILINE	1540	UJ	18	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-NITROANILINE	1290	UJ	15	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-NITROANILINE	1350	UJ	16	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-NITROANILINE	1260	UJ	15	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-NITROANILINE	1810	UJ	22	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-NITROANILINE	1590	UJ	19	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-NITROANILINE	1320	UJ	16	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-NITROANILINE	1790	UJ	22	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-NITROANILINE	1450	UJ	17	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-NITROANILINE	1490	UJ	18	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-NITROANILINE	1760	UJ	21	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-NITROANILINE	1530	UJ	18	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-NITROANILINE	1340	UJ	16	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-NITROANILINE	1530	UJ	18	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-NITROPHENOL	1550	UJ	26	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-NITROPHENOL	1300	UJ	22	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-NITROPHENOL	1310	UJ	22	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-NITROPHENOL	1250	UJ	21	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-NITROPHENOL	1540	UJ	26	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-NITROPHENOL	1290	UJ	21	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-NITROPHENOL	1350	UJ	23	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-NITROPHENOL	1260	UJ	21	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-NITROPHENOL	1810	UJ	30	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-NITROPHENOL	1590	UJ	26	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-NITROPHENOL	1320	UJ	22	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-NITROPHENOL	1790	UJ	30	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-NITROPHENOL	1450	UJ	24	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-NITROPHENOL	1490	UJ	25	1490	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE166	SW8270C	SW3550	4-NITROPHENOL	1760	UJ	29	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-NITROPHENOL	1530	UJ	26	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-NITROPHENOL	1340	UJ	22	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-NITROPHENOL	1530	UJ	25	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ACENAPHTHENE	517	UJ	26	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ACENAPHTHENE	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ACENAPHTHENE	436	UJ	22	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ACENAPHTHENE	512	UJ	26	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ACENAPHTHENE	428	UJ	21	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ACENAPHTHENE	451	UJ	23	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ACENAPHTHENE	420	UJ	21	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ACENAPHTHENE	604	UJ	30	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ACENAPHTHENE	531	UJ	26	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ACENAPHTHENE	440	UJ	22	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ACENAPHTHENE	598	UJ	30	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	ACENAPHTHENE	482	UJ	24	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	ACENAPHTHENE	497	UJ	25	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	ACENAPHTHENE	587	UJ	29	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	ACENAPHTHENE	509	UJ	26	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ACENAPHTHENE	446	UJ	22	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ACENAPHTHENE	510	UJ	25	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ACENAPHTHYLENE	517	UJ	52	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ACENAPHTHYLENE	433	UJ	43	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ACENAPHTHYLENE	436	UJ	44	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	ACENAPHTHYLENE	416	UJ	42	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ACENAPHTHYLENE	512	UJ	51	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ACENAPHTHYLENE	428	UJ	43	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ACENAPHTHYLENE	451	UJ	45	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ACENAPHTHYLENE	420	UJ	42	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ACENAPHTHYLENE	604	UJ	61	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ACENAPHTHYLENE	531	UJ	53	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ACENAPHTHYLENE	440	UJ	44	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ACENAPHTHYLENE	598	UJ	60	598	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	ACENAPHTHYLENE	509	UJ	51	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ACENAPHTHYLENE	446	UJ	44	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ACENAPHTHYLENE	510	UJ	51	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ANTHRACENE	517	UJ	29	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ANTHRACENE	433	UJ	24	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ANTHRACENE	436	UJ	24	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	ANTHRACENE	416	UJ	23	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ANTHRACENE	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ANTHRACENE	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ANTHRACENE	451	UJ	25	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ANTHRACENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ANTHRACENE	604	UJ	34	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ANTHRACENE	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ANTHRACENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ANTHRACENE	598	UJ	34	598	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ANTHRACENE	446	UJ	25	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ANTHRACENE	510	UJ	29	510	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(a)ANTHRACENE	2170	J	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(a)ANTHRACENE	1400	J	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(a)ANTHRACENE	793	J	31	587	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(a)ANTHRACENE	517	UJ	27	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(a)ANTHRACENE	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(a)ANTHRACENE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZO(a)ANTHRACENE	27	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(a)ANTHRACENE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(a)ANTHRACENE	428	UJ	22	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(a)ANTHRACENE	451	UJ	23	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(a)ANTHRACENE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(a)ANTHRACENE	604	UJ	32	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(a)ANTHRACENE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(a)ANTHRACENE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(a)ANTHRACENE	598	UJ	31	598	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE164	SW8270C	SW3550	BENZO(a)PYRENE	2040	J	32	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(a)PYRENE	1360	J	33	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(a)PYRENE	1000	J	39	587	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(a)PYRENE	517	UJ	35	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(a)PYRENE	433	UJ	29	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(a)PYRENE	436	UJ	29	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZO(a)PYRENE	416	UJ	28	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(a)PYRENE	512	UJ	34	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(a)PYRENE	428	UJ	29	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(a)PYRENE	451	UJ	30	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(a)PYRENE	420	UJ	28	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(a)PYRENE	604	UJ	41	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(a)PYRENE	531	UJ	35	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(a)PYRENE	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(a)PYRENE	598	UJ	40	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(b)FLUORANTHENE	3780	J	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	2210	J	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(b)FLUORANTHENE	1380	J	35	587	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(b)FLUORANTHENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(b)FLUORANTHENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(b)FLUORANTHENE	436	UJ	26	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(b)FLUORANTHENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(b)FLUORANTHENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(b)FLUORANTHENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(b)FLUORANTHENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(b)FLUORANTHENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(b)FLUORANTHENE	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	515	J	29	482	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	598	UJ	36	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(k)FLUORANTHENE	2730	J	34	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	1680	J	35	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(k)FLUORANTHENE	1250	J	42	587	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(k)FLUORANTHENE	517	UJ	37	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(k)FLUORANTHENE	433	UJ	31	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(k)FLUORANTHENE	436	UJ	31	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(k)FLUORANTHENE	512	UJ	36	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(k)FLUORANTHENE	451	UJ	32	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(k)FLUORANTHENE	420	UJ	30	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(k)FLUORANTHENE	604	UJ	43	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	531	UJ	38	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(k)FLUORANTHENE	440	UJ	31	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(k)FLUORANTHENE	598	UJ	42	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	517	UJ	28	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	433	UJ	23	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	416	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	428	UJ	23	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	451	UJ	24	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	604	UJ	32	604	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE084FD1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	598	UJ	32	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	482	UJ	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	497	UJ	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	587	UJ	31	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	509	UJ	27	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	446	UJ	24	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	510	UJ	27	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	510	UJ	38	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	433	UJ	31	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	416	UJ	30	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	512	UJ	37	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	428	UJ	31	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	604	UJ	44	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	440	UJ	32	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	482	UJ	35	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	497	UJ	36	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	509	UJ	37	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	446	UJ	32	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	510	UJ	37	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	517	UJ	39	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	436	UJ	33	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	451	UJ	34	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	420	UJ	32	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	531	UJ	40	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	598	UJ	45	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	482	UJ	38	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	587	UJ	44	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	510	UJ	38	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	CARBAZOLE	517	UJ	33	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	CARBAZOLE	433	UJ	27	433	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE085	SW8270C	SW3550	CARBAZOLE	436	UJ	27	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	CARBAZOLE	512	UJ	32	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	CARBAZOLE	428	UJ	27	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	CARBAZOLE	451	UJ	28	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	CARBAZOLE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	CARBAZOLE	604	UJ	38	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	CARBAZOLE	531	UJ	33	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	CARBAZOLE	440	UJ	28	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	CARBAZOLE	598	UJ	38	598	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	CARBAZOLE	509	UJ	32	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	CARBAZOLE	446	UJ	28	446	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	CHRYSENE	2640	J	27	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	CHRYSENE	1770	J	28	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	CHRYSENE	1110	J	33	587	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	CHRYSENE	517	UJ	30	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	CHRYSENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	CHRYSENE	436	UJ	25	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	CHRYSENE	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	CHRYSENE	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	CHRYSENE	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	CHRYSENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	CHRYSENE	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	CHRYSENE	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	CHRYSENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	CHRYSENE	598	UJ	34	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	CRESOLS, m & p	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	CRESOLS, m & p	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	CRESOLS, m & p	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	CRESOLS, m & p	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	CRESOLS, m & p	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	CRESOLS, m & p	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	CRESOLS, m & p	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	CRESOLS, m & p	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	CRESOLS, m & p	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	CRESOLS, m & p	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	CRESOLS, m & p	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	CRESOLS, m & p	598	UJ	39	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	CRESOLS, m & p	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	CRESOLS, m & p	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	CRESOLS, m & p	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	CRESOLS, m & p	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	CRESOLS, m & p	446	UJ	29	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	CRESOLS, m & p	510	UJ	33	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	416	UJ	28	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	512	UJ	34	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	451	UJ	30	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	420	UJ	28	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	604	UJ	40	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	531	UJ	35	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	598	UJ	40	598	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	509	UJ	34	509	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DIBENZOFURAN	663	J	22	416	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DIBENZOFURAN	517	UJ	27	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DIBENZOFURAN	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DIBENZOFURAN	436	UJ	23	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DIBENZOFURAN	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DIBENZOFURAN	428	UJ	22	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DIBENZOFURAN	451	UJ	23	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DIBENZOFURAN	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DIBENZOFURAN	604	UJ	32	604	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE084FD1	SW8270C	SW3550	DIBENZOFURAN	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DIBENZOFURAN	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DIBENZOFURAN	598	UJ	31	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DIBENZOFURAN	482	UJ	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DIBENZOFURAN	497	UJ	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DIBENZOFURAN	587	UJ	31	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DIBENZOFURAN	509	UJ	27	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DIBENZOFURAN	446	UJ	23	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DIBENZOFURAN	510	UJ	26	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DIETHYL PHTHALATE	517	UJ	43	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DIETHYL PHTHALATE	433	UJ	35	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DIETHYL PHTHALATE	436	UJ	36	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DIETHYL PHTHALATE	416	UJ	34	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DIETHYL PHTHALATE	512	UJ	42	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DIETHYL PHTHALATE	428	UJ	35	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DIETHYL PHTHALATE	451	UJ	37	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DIETHYL PHTHALATE	420	UJ	34	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DIETHYL PHTHALATE	604	UJ	50	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DIETHYL PHTHALATE	531	UJ	43	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DIETHYL PHTHALATE	440	UJ	36	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DIETHYL PHTHALATE	598	UJ	49	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DIETHYL PHTHALATE	482	UJ	39	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DIETHYL PHTHALATE	497	UJ	41	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DIETHYL PHTHALATE	587	UJ	48	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DIETHYL PHTHALATE	509	UJ	42	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DIETHYL PHTHALATE	446	UJ	36	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DIETHYL PHTHALATE	510	UJ	42	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DIMETHYL PHTHALATE	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DIMETHYL PHTHALATE	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DIMETHYL PHTHALATE	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DIMETHYL PHTHALATE	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DIMETHYL PHTHALATE	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DIMETHYL PHTHALATE	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DIMETHYL PHTHALATE	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DIMETHYL PHTHALATE	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DIMETHYL PHTHALATE	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DIMETHYL PHTHALATE	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DIMETHYL PHTHALATE	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DIMETHYL PHTHALATE	598	UJ	39	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DIMETHYL PHTHALATE	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DIMETHYL PHTHALATE	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DIMETHYL PHTHALATE	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DIMETHYL PHTHALATE	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DIMETHYL PHTHALATE	446	UJ	29	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DIMETHYL PHTHALATE	510	UJ	33	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	517	UJ	28	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	433	UJ	23	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	416	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	428	UJ	23	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	451	UJ	24	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	604	UJ	32	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	598	UJ	32	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	482	UJ	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	497	UJ	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	587	UJ	31	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	509	UJ	27	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	446	UJ	24	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	510	UJ	27	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	517	UJ	39	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	433	UJ	32	433	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE085	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	436	UJ	33	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	451	UJ	34	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	420	UJ	32	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	531	UJ	40	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	598	UJ	45	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	587	UJ	44	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	510	UJ	38	510	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	FLUORANTHENE	969	J	26	416	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	FLUORANTHENE	1540	J	30	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	FLUORANTHENE	1110	J	31	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	FLUORANTHENE	750	J	36	587	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	FLUORANTHENE	782	J	32	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	FLUORANTHENE	517	UJ	32	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	FLUORANTHENE	433	UJ	27	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	FLUORANTHENE	436	UJ	27	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	FLUORANTHENE	512	UJ	32	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	FLUORANTHENE	428	UJ	27	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	FLUORANTHENE	451	UJ	28	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	FLUORANTHENE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	FLUORANTHENE	604	UJ	38	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	FLUORANTHENE	531	UJ	33	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	FLUORANTHENE	440	UJ	27	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	FLUORANTHENE	598	UJ	37	598	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	FLUORENE	893	J	23	416	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	FLUORENE	517	UJ	29	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	FLUORENE	433	UJ	24	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	FLUORENE	436	UJ	24	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	FLUORENE	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	FLUORENE	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	FLUORENE	451	UJ	25	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	FLUORENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	FLUORENE	604	UJ	34	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	FLUORENE	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	FLUORENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	FLUORENE	598	UJ	34	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	FLUORENE	482	UJ	27	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	FLUORENE	497	UJ	28	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	FLUORENE	587	UJ	33	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	FLUORENE	509	UJ	29	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	FLUORENE	446	UJ	25	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	FLUORENE	510	UJ	29	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	HEXACHLOROBENZENE	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	HEXACHLOROBENZENE	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	HEXACHLOROBENZENE	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	HEXACHLOROBENZENE	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	HEXACHLOROBENZENE	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	HEXACHLOROBENZENE	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	HEXACHLOROBENZENE	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	HEXACHLOROBENZENE	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	HEXACHLOROBENZENE	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	HEXACHLOROBENZENE	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	HEXACHLOROBENZENE	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	HEXACHLOROBENZENE	598	UJ	39	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	HEXACHLOROBENZENE	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	HEXACHLOROBENZENE	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	HEXACHLOROBENZENE	587	UJ	38	587	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE167	SW8270C	SW3550	HEXACHLOROBENZENE	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	HEXACHLOROBENZENE	446	UJ	29	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	HEXACHLOROBENZENE	510	UJ	33	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	HEXACHLOROBUTADIENE	517	UJ	43	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	HEXACHLOROBUTADIENE	433	UJ	36	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	HEXACHLOROBUTADIENE	436	UJ	36	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	HEXACHLOROBUTADIENE	416	UJ	35	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	HEXACHLOROBUTADIENE	512	UJ	43	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	HEXACHLOROBUTADIENE	428	UJ	36	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	HEXACHLOROBUTADIENE	451	UJ	37	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	HEXACHLOROBUTADIENE	420	UJ	35	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	HEXACHLOROBUTADIENE	604	UJ	50	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	HEXACHLOROBUTADIENE	531	UJ	44	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	HEXACHLOROBUTADIENE	440	UJ	36	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	HEXACHLOROBUTADIENE	598	UJ	50	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	HEXACHLOROBUTADIENE	482	UJ	40	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	HEXACHLOROBUTADIENE	497	UJ	41	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	HEXACHLOROBUTADIENE	587	UJ	49	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	HEXACHLOROBUTADIENE	509	UJ	42	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	HEXACHLOROBUTADIENE	446	UJ	37	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	HEXACHLOROBUTADIENE	510	UJ	42	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	510	UJ	38	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	HEXACHLOROETHANE	517	UJ	47	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	HEXACHLOROETHANE	433	UJ	39	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	HEXACHLOROETHANE	436	UJ	40	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	HEXACHLOROETHANE	416	UJ	38	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	HEXACHLOROETHANE	512	UJ	47	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	HEXACHLOROETHANE	428	UJ	39	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	HEXACHLOROETHANE	451	UJ	41	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	HEXACHLOROETHANE	420	UJ	38	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	HEXACHLOROETHANE	604	UJ	55	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	HEXACHLOROETHANE	531	UJ	48	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	HEXACHLOROETHANE	440	UJ	40	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	HEXACHLOROETHANE	598	UJ	54	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	HEXACHLOROETHANE	482	UJ	44	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	HEXACHLOROETHANE	497	UJ	45	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	HEXACHLOROETHANE	587	UJ	53	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	HEXACHLOROETHANE	509	UJ	46	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	HEXACHLOROETHANE	446	UJ	40	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	HEXACHLOROETHANE	510	UJ	46	510	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	755	J	25	482	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	517	UJ	27	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	416	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	428	UJ	22	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	451	UJ	23	451	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE081	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	604	UJ	32	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	598	UJ	31	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ISOPHORONE	517	UJ	19	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ISOPHORONE	433	UJ	16	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ISOPHORONE	436	UJ	16	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	ISOPHORONE	416	UJ	15	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ISOPHORONE	512	UJ	18	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ISOPHORONE	428	UJ	15	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ISOPHORONE	451	UJ	16	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ISOPHORONE	420	UJ	15	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ISOPHORONE	604	UJ	22	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ISOPHORONE	531	UJ	19	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ISOPHORONE	440	UJ	16	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ISOPHORONE	598	UJ	22	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	ISOPHORONE	482	UJ	17	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	ISOPHORONE	497	UJ	18	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	ISOPHORONE	587	UJ	21	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	ISOPHORONE	509	UJ	18	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ISOPHORONE	446	UJ	16	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ISOPHORONE	510	UJ	18	510	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	NAPHTHALENE	2550	J	31	416	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	NAPHTHALENE	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	NAPHTHALENE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	NAPHTHALENE	436	UJ	32	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	NAPHTHALENE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	NAPHTHALENE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	NAPHTHALENE	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	NAPHTHALENE	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	NAPHTHALENE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	NAPHTHALENE	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	NAPHTHALENE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	NAPHTHALENE	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	NAPHTHALENE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	NAPHTHALENE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	NAPHTHALENE	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	NAPHTHALENE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	NAPHTHALENE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	NAPHTHALENE	510	UJ	38	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	NITROBENZENE	517	UJ	40	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	NITROBENZENE	433	UJ	33	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	NITROBENZENE	436	UJ	34	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	NITROBENZENE	416	UJ	32	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	NITROBENZENE	512	UJ	39	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	NITROBENZENE	428	UJ	33	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	NITROBENZENE	451	UJ	35	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	NITROBENZENE	420	UJ	32	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	NITROBENZENE	604	UJ	47	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	NITROBENZENE	531	UJ	41	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	NITROBENZENE	440	UJ	34	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	NITROBENZENE	598	UJ	46	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	NITROBENZENE	482	UJ	37	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	NITROBENZENE	497	UJ	38	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	NITROBENZENE	587	UJ	45	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	NITROBENZENE	509	UJ	39	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	NITROBENZENE	446	UJ	34	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	NITROBENZENE	510	UJ	39	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	517	UJ	37	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	433	UJ	31	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	436	UJ	31	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	416	UJ	30	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	512	UJ	36	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	428	UJ	30	428	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE079	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	451	UJ	32	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	420	UJ	30	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	604	UJ	43	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	531	UJ	38	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	440	UJ	31	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	598	UJ	42	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	482	UJ	34	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	497	UJ	35	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	587	UJ	42	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	509	UJ	36	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	446	UJ	32	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	510	UJ	36	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	517	UJ	57	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	433	UJ	47	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	436	UJ	48	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	416	UJ	46	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	512	UJ	56	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	428	UJ	47	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	451	UJ	50	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	420	UJ	46	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	604	UJ	67	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	531	UJ	58	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	440	UJ	48	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	598	UJ	66	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	482	UJ	53	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	497	UJ	54	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	587	UJ	65	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	509	UJ	56	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	446	UJ	49	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	510	UJ	56	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	PENTACHLOROPHENOL	1550	UJ	29	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	PENTACHLOROPHENOL	1300	UJ	24	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	PENTACHLOROPHENOL	1310	UJ	24	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	PENTACHLOROPHENOL	1250	UJ	23	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	PENTACHLOROPHENOL	1540	UJ	28	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	PENTACHLOROPHENOL	1290	UJ	24	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	PENTACHLOROPHENOL	1350	UJ	25	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	PENTACHLOROPHENOL	1260	UJ	23	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	PENTACHLOROPHENOL	1810	UJ	33	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	PENTACHLOROPHENOL	1590	UJ	29	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	PENTACHLOROPHENOL	1320	UJ	24	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	PENTACHLOROPHENOL	1790	UJ	33	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	PENTACHLOROPHENOL	1450	UJ	26	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	PENTACHLOROPHENOL	1490	UJ	27	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	PENTACHLOROPHENOL	1760	UJ	32	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	PENTACHLOROPHENOL	1530	UJ	28	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	PENTACHLOROPHENOL	1340	UJ	24	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	PENTACHLOROPHENOL	1530	UJ	28	1530	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	PHENANTHRENE	2620	J	24	416	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	PHENANTHRENE	517	UJ	30	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	PHENANTHRENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	PHENANTHRENE	436	UJ	25	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	PHENANTHRENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	PHENANTHRENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	PHENANTHRENE	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	PHENANTHRENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	PHENANTHRENE	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	PHENANTHRENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	PHENANTHRENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	PHENANTHRENE	598	UJ	35	598	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	PHENANTHRENE	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	PHENANTHRENE	446	UJ	26	446	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	PHENOL	517	UJ	33	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	PHENOL	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	PHENOL	436	UJ	28	436	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087	SW8270C	SW3550	PHENOL	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	PHENOL	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	PHENOL	428	UJ	27	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	PHENOL	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	PHENOL	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	PHENOL	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	PHENOL	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	PHENOL	440	UJ	28	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	PHENOL	598	UJ	38	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	PHENOL	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	PHENOL	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	PHENOL	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	PHENOL	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	PHENOL	446	UJ	28	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	PHENOL	510	UJ	33	510	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	PYRENE	469	J	23	416	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	PYRENE	1800	J	27	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	PYRENE	1300	J	28	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	PYRENE	1030	J	33	587	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	PYRENE	720	J	29	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	PYRENE	517	UJ	29	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	PYRENE	433	UJ	24	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	PYRENE	436	UJ	24	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	PYRENE	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	PYRENE	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	PYRENE	451	UJ	25	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	PYRENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	PYRENE	604	UJ	34	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	PYRENE	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	PYRENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	PYRENE	598	UJ	34	598	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT,
SS	NDE168	CLP_PEST	SW3550	p,p'-DDE	4.9	J	0.36	3.6	ug/Kg	HT, 2C
SS	NDE169	CLP_PEST	SW3550	p,p'-DDE	6	J	0.39	3.9	ug/Kg	HT, 2C
SS	NDE164DL1	CLP_PEST	SW3550	p,p'-DDT	82	J	4.2	36	ug/Kg	HT, 2C
SS	NDE165FD1DL1	CLP_PEST	SW3550	p,p'-DDT	61	J	4.4	38	ug/Kg	HT, 2C
SB	NDE010	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT, 2C
SB	NDE019	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT, 2C
SD	NDE115	CLP_PEST	SW3550	p,p'-DDT	4.9	UJ	0.58	4.9	ug/Kg	HT, CC
SD	NDE116	CLP_PEST	SW3550	p,p'-DDT	6.4	UJ	0.76	6.4	ug/Kg	HT, CC
SD	NDE118	CLP_PEST	SW3550	p,p'-DDT	4.6	UJ	0.54	4.6	ug/Kg	HT, CC
SD	NDE119FD1	CLP_PEST	SW3550	p,p'-DDT	4.6	UJ	0.54	4.6	ug/Kg	HT, CC
SS	NDE083	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	19	J	11	18	mg/Kg	HT, FD
SB	NDE033	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ALDRIN	2	UJ	0.53	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ALDRIN	2.5	UJ	0.69	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.58	2.1	ug/Kg	HT, IC
SB	NDE006	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.58	2	ug/Kg	HT, IC
SB	NDE008	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SB	NDE010	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SB	NDE012	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SB	NDE014	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SB	NDE019	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.56	2	ug/Kg	HT,
SB	NDE036FD1	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SS	NDE004	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SS	NDE005FD1	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.53	1.8	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE007	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SS	NDE009	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.56	2	ug/Kg	HT, IC
SS	NDE011	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SS	NDE013	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE015	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE017	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.53	1.8	ug/Kg	HT, IC
SS	NDE021	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SS	NDE023	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SS	NDE024FD1	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.56	2	ug/Kg	HT, IC
SS	NDE026	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SS	NDE028	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SS	NDE030	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SS	NDE032	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT, IC
SS	NDE034	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE037	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE176	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.53	1.8	ug/Kg	HT, IC
SS	NDE177	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.53	1.8	ug/Kg	HT, IC
SS	NDE178	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SS	NDE179	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.5	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.49	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.58	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ALPHA BHC	2.5	UJ	0.72	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.6	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.55	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.49	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.49	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.5	UJ	0.7	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.59	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	BETA BHC	2	UJ	0.51	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	BETA BHC	2.5	UJ	0.66	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	BETA BHC	2.1	UJ	0.56	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.43	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	DELTA BHC	2.5	UJ	0.63	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.53	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.42	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	DIELDRIN	4.9	UJ	0.6	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	DIELDRIN	4.1	UJ	0.51	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE035	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.53	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT,
SB	NDE039FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT,
SS	NDE102	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.5	UJ	0.69	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.58	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.3	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.3	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.9	UJ	0.44	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.1	UJ	0.37	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.4	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.39	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.9	UJ	0.57	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.1	UJ	0.48	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT,
SB	NDE038	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.4	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDRIN	4.9	UJ	0.58	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDRIN	4.1	UJ	0.49	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.9	UJ	0.34	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.1	UJ	0.28	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.22	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.22	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDRIN KETONE	4.9	UJ	0.32	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDRIN KETONE	4.1	UJ	0.27	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT,
SB	NDE035	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.53	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE104	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.5	UJ	0.69	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.58	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.5	UJ	0.74	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.62	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.63	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.63	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	HEPTACHLOR	2.5	UJ	0.91	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	HEPTACHLOR	2.1	UJ	0.77	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.68	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.66	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.61	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.61	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.5	UJ	0.88	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.74	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.29	18	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.29	18	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	METHOXYCHLOR	25	UJ	0.42	25	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.36	21	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	p,p'-DDD	4.9	UJ	0.34	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	p,p'-DDD	4.1	UJ	0.28	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.38	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	p,p'-DDE	3.4	UJ	0.34	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	p,p'-DDE	3.4	UJ	0.34	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	p,p'-DDE	3.9	UJ	0.4	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	p,p'-DDE	4.9	UJ	0.5	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	p,p'-DDE	4.1	UJ	0.42	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.44	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE038	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	p,p'-DDT	3.4	UJ	0.4	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	p,p'-DDT	3.4	UJ	0.39	3.4	ug/Kg	HT,
SS	NDE106	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.46	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	p,p'-DDT	4.9	UJ	0.57	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	p,p'-DDT	4.1	UJ	0.48	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	14	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	13	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	13	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	12	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	12	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	14	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	49	UJ	18	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	41	UJ	15	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	22	76	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	69	UJ	20	69	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	69	UJ	20	69	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	99	UJ	29	99	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	83	UJ	25	83	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	30	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	29	37	ug/Kg	HT,
SS	NDE102	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	27	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	27	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	31	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	49	UJ	39	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	41	UJ	33	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	20	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	20	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	49	UJ	29	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	41	UJ	25	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	18	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	17	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	49	UJ	25	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	41	UJ	21	41	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	34	UJ	19	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	34	UJ	18	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT,
SS	NDE108	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	49	UJ	27	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	41	UJ	22	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	10	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	10	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.8	37	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE038	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.9	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.8	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	34	UJ	9	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	34	UJ	9	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	10	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	49	UJ	13	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	41	UJ	11	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	TOXAPHENE	193	UJ	18	193	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	TOXAPHENE	196	UJ	18	196	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	TOXAPHENE	191	UJ	18	191	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	TOXAPHENE	194	UJ	18	194	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	TOXAPHENE	191	UJ	18	191	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	TOXAPHENE	176	UJ	16	176	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	TOXAPHENE	175	UJ	16	175	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	TOXAPHENE	202	UJ	19	202	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	TOXAPHENE	252	UJ	23	252	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	TOXAPHENE	213	UJ	20	213	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	p,p'-DDE	3.8	J	0.38	3.7	ug/Kg	HT, IC, FD
SB	NDE039FD1	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT, IC, FD
SD	NDE117	CLP_PEST	SW3550	ALDRIN	4.5	UJ	1.2	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ALPHA BHC	4.5	UJ	1.3	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ALPHA-CHLORDANE	4.5	UJ	1.3	4.5	ug/Kg	HT, OT
SB	NDE006	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT, OT
SB	NDE008	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT, OT
SB	NDE010	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SB	NDE012	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT, OT
SB	NDE014	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT, OT
SB	NDE019	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.49	1.9	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	BETA BHC	4.5	UJ	1.2	4.5	ug/Kg	HT, OT
SS	NDE004	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SS	NDE005FD1	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SS	NDE007	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SS	NDE009	CLP_PEST	SW3550	BETA BHC	2	UJ	0.52	2	ug/Kg	HT, OT
SS	NDE011	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SS	NDE013	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT, OT
SS	NDE015	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT, OT
SS	NDE017	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SS	NDE021	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, OT
SS	NDE023	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	DELTA BHC	4.5	UJ	1.1	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	DIELDRIN	8.6	UJ	1.1	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	4.5	UJ	1.2	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	8.6	UJ	0.79	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDOSULFAN SULFATE	8.6	UJ	1	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDRIN	8.6	UJ	1.1	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDRIN ALDEHYDE	8.6	UJ	0.61	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	4.5	UJ	1.2	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	GAMMA-CHLORDANE	4.5	UJ	1.3	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	4.5	UJ	1.6	4.5	ug/Kg	HT, OT
SB	NDE189	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, OT
SB	NDE191	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT, OT
SB	NDE193	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, OT
SB	NDE195FD1	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT, OT
SB	NDE196	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	METHOXYCHLOR	45	UJ	0.76	45	ug/Kg	HT, OT
SS	NDE188	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, OT
SS	NDE190	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT, OT
SS	NDE192	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.33	19	ug/Kg	HT, OT
SS	NDE194	CLP_PEST	SW3550	METHOXYCHLOR	22	UJ	0.37	22	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	p,p'-DDD	8.6	UJ	0.61	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	p,p'-DDE	8.6	UJ	0.89	8.6	ug/Kg	HT, OT
SB	NDE189	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, OT
SB	NDE191	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.45	3.8	ug/Kg	HT, OT
SB	NDE193	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT, OT
SB	NDE195FD1	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT, OT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE196	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT, OT
SS	NDE188	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, OT
SS	NDE190	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.46	3.9	ug/Kg	HT, [illegible]
SS	NDE192	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.44	3.8	ug/Kg	HT, [illegible]
SS	NDE194	CLP_PEST	SW3550	p,p'-DDT	4.2	UJ	0.49	4.2	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	86	UJ	32	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	175	UJ	52	175	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	86	UJ	70	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	86	UJ	52	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	86	UJ	45	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	86	UJ	48	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	86	UJ	23	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	TOXAPHENE	447	UJ	42	447	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	p,p'-DDT	8.6	UJ	1	8.6	ug/Kg	HT, OT, CC
SS	NDE097	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	248	J	19	32	mg/Kg	HT, SS
SS	NDE099FD1	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	406	J	19	31	mg/Kg	HT, SS
SB	NDE098	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	16	UJ	9.9	16	mg/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.29	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.25	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	13	UJ	0.32	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.16	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	13	UJ	0.2	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	HT, [illegible]
SS	NDE004	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	13	UJ	0.31	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.47	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.56	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.41	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.45	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.49	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,1-DICHLOROETHANE	13	UJ	0.63	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.41	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1-DICHLOROETHENE	12	UJ	0.49	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.39	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.43	10	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.26	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.19	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,2-DICHLOROETHANE	13	UJ	0.29	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.1	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.13	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,2-DICHLOROPROPANE	13	UJ	0.16	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	2-HEXANONE	10	UJ	0.56	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	2-HEXANONE	12	UJ	0.67	12	ug/Kg	HT, [illegible]
SB	NDE022	SW8260B	SW5030	2-HEXANONE	10	UJ	0.49	10	ug/Kg	HT, [illegible]
SS	NDE004	SW8260B	SW5030	2-HEXANONE	10	UJ	0.54	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	2-HEXANONE	10	UJ	0.58	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	2-HEXANONE	13	UJ	0.75	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.77	10	ug/Kg	HT, SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE019	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	0.92	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.67	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.74	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.8	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	13	UJ	1	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	BENZENE	12	UJ	0.23	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	BENZENE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	BENZENE	13	UJ	0.25	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.2	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	BROMODICHLOROMETHANE	13	UJ	0.23	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	BROMOFORM	12	UJ	0.25	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	BROMOFORM	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	BROMOFORM	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	BROMOFORM	13	UJ	0.28	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.83	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	BROMOMETHANE	12	UJ	0.99	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.72	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.8	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.87	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	BROMOMETHANE	13	UJ	1.1	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.56	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.67	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.49	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.54	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.58	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CARBON DISULFIDE	13	UJ	0.75	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.41	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.36	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CARBON TETRACHLORIDE	13	UJ	0.45	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.25	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CHLOROBENZENE	13	UJ	0.28	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.55	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.66	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.48	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.53	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.57	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CHLOROETHANE	13	UJ	0.73	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CHLOROFORM	12	UJ	0.31	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CHLOROFORM	10	UJ	0.27	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CHLOROFORM	13	UJ	0.35	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.79	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.95	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.69	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.76	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.83	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CHLOROMETHANE	13	UJ	1.1	13	ug/Kg	HT, SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE010	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.29	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	HT, [illegible]
SS	NDE004	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	HT, [illegible]
SS	NDE017	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.25	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	13	UJ	0.32	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.25	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	DIBROMOCHLOROMETHANE	13	UJ	0.28	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.38	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.31	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	ETHYLBENZENE	13	UJ	0.43	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.24	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	13	UJ	0.27	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	METHYLENE CHLORIDE	12	UJ	0.4	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.32	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	METHYLENE CHLORIDE	13	UJ	0.44	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.23	12	ug/Kg	HT, [illegible]
SB	NDE022	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	13	UJ	0.25	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	STYRENE	12	UJ	0.24	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	STYRENE	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	STYRENE	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	STYRENE	13	UJ	0.27	13	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.28	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.24	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	13	UJ	0.31	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	TOLUENE	12	UJ	0.25	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	TOLUENE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	TOLUENE	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	TOLUENE	13	UJ	0.28	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.23	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	13	UJ	0.25	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	HT, [illegible]
SB	NDE019	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.35	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.25	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	13	UJ	0.39	13	ug/Kg	HT, SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE010	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.48	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.57	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.42	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.46	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.5	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	VINYL CHLORIDE	13	UJ	0.64	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.24	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	XYLENES, TOTAL	13	UJ	0.27	13	ug/Kg	HT, SS
SD	NDE117	CLP_PEST	SW3550	ENDRIN KETONE	8.6	UJ	0.57	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	HEPTACHLOR	4.5	UJ	1.6	4.5	ug/Kg	HT, OT
WG	NDE229FD1	E200.7	SW3050	ALUMINUM	190	J	95	200	ug/L	IB
WG	NDE216FD1	E200.7	SW3050	ALUMINUM	100	J	95	200	ug/L	IB
WG	NDE217	E200.7	SW3050	ALUMINUM	130	J	95	200	ug/L	IB
WG	NDE217	E200.7	SW3050	ANTIMONY	5.4	J	2.4	60	ug/L	IB
WG	NDE217	E200.7	FLDFLT	ANTIMONY, DISSOLVED	5.4	J	2.4	60	ug/L	IB
SB	NDE092	E200.7	SW3050	ARSENIC	2.1	J	0.32	2.2	mg/Kg	IB
SB	NDE094	E200.7	SW3050	ARSENIC	1.4	J	0.32	2.2	mg/Kg	IB
SB	NDE096	E200.7	SW3050	ARSENIC	1.6	J	0.33	2.2	mg/Kg	IB
SB	NDE098	E200.7	SW3050	ARSENIC	1.7	J	0.31	2.1	mg/Kg	IB
SB	NDE080	E200.7	SW3050	ARSENIC	2	J	0.37	2.6	mg/Kg	IB
SB	NDE085	E200.7	SW3050	ARSENIC	2.1	J	0.32	2.2	mg/Kg	IB
SB	NDE087	E200.7	SW3050	ARSENIC	1.9	J	0.31	2.1	mg/Kg	IB
SB	NDE193	E200.7	SW3050	ARSENIC	0.62	J	0.33	2.3	mg/Kg	IB
SB	NDE008	E200.7	SW3050	ARSENIC	0.78	J	0.3	2.1	mg/Kg	IB
SB	NDE012	E200.7	SW3050	ARSENIC	0.69	J	0.31	2.1	mg/Kg	IB
SB	NDE019	E200.7	SW3050	ARSENIC	1.4	J	0.32	2.2	mg/Kg	IB
SB	NDE020	E200.7	SW3050	ARSENIC	0.64	J	0.32	2.2	mg/Kg	IB
SB	NDE025	E200.7	SW3050	ARSENIC	1.1	J	0.34	2.3	mg/Kg	IB
SB	NDE203	E200.7	SW3050	ARSENIC	0.76	J	0.34	2.3	mg/Kg	IB
SB	NDE038	E200.7	SW3050	ARSENIC	0.88	J	0.33	2.2	mg/Kg	IB
SB	NDE103	E200.7	SW3050	ARSENIC	0.88	J	0.37	2.6	mg/Kg	IB
SS	NDE090	E200.7	SW3050	ARSENIC	1	J	0.32	2.2	mg/Kg	IB
SS	NDE091FD1	E200.7	SW3050	ARSENIC	1.3	J	0.34	2.3	mg/Kg	IB
SS	NDE093	E200.7	SW3050	ARSENIC	1.3	J	0.3	2.1	mg/Kg	IB
SS	NDE095	E200.7	SW3050	ARSENIC	1.9	J	0.32	2.2	mg/Kg	IB
SS	NDE097	E200.7	SW3050	ARSENIC	1.1	J	0.3	2.1	mg/Kg	IB
SS	NDE099FD1	E200.7	SW3050	ARSENIC	1.1	J	0.3	2.1	mg/Kg	IB
SS	NDE160	E200.7	SW3050	ARSENIC	0.91	J	0.32	2.2	mg/Kg	IB
SS	NDE161	E200.7	SW3050	ARSENIC	1.2	J	0.34	2.3	mg/Kg	IB
SS	NDE074FD1	E200.7	SW3050	ARSENIC	1.9	J	0.31	2.1	mg/Kg	IB
SS	NDE079	E200.7	SW3050	ARSENIC	1.7	J	0.31	2.1	mg/Kg	IB
SS	NDE081	E200.7	SW3050	ARSENIC	2	J	0.31	2.1	mg/Kg	IB
SS	NDE083	E200.7	SW3050	ARSENIC	1.8	J	0.36	2.5	mg/Kg	IB
SS	NDE084FD1	E200.7	SW3050	ARSENIC	2.3	J	0.37	2.6	mg/Kg	IB
SS	NDE086	E200.7	SW3050	ARSENIC	1.2	J	0.31	2.2	mg/Kg	IB
SS	NDE088	E200.7	SW3050	ARSENIC	1.5	J	0.34	2.4	mg/Kg	IB
SS	NDE167	E200.7	SW3050	ARSENIC	0.75	J	0.34	2.4	mg/Kg	IB
SS	NDE169	E200.7	SW3050	ARSENIC	0.74	J	0.34	2.4	mg/Kg	IB
SS	NDE194	E200.7	SW3050	ARSENIC	1.1	J	0.37	2.6	mg/Kg	IB
SS	NDE004	E200.7	SW3050	ARSENIC	1.4	J	0.32	2.2	mg/Kg	IB
SS	NDE005FD1	E200.7	SW3050	ARSENIC	1.5	J	0.32	2.2	mg/Kg	IB
SS	NDE017	E200.7	SW3050	ARSENIC	1.9	J	0.32	2.2	mg/Kg	IB
SS	NDE026	E200.7	SW3050	ARSENIC	1.3	J	0.33	2.2	mg/Kg	IB
SS	NDE028	E200.7	SW3050	ARSENIC	1.7	J	0.33	2.3	mg/Kg	IB
SS	NDE030	E200.7	SW3050	ARSENIC	1.5	J	0.33	2.2	mg/Kg	IB
SS	NDE032	E200.7	SW3050	ARSENIC	1.1	J	0.34	2.4	mg/Kg	IB
SS	NDE034	E200.7	SW3050	ARSENIC	1	J	0.31	2.1	mg/Kg	IB
SS	NDE176	E200.7	SW3050	ARSENIC	0.86	J	0.31	2.2	mg/Kg	IB
SS	NDE177	E200.7	SW3050	ARSENIC	0.89	J	0.31	2.2	mg/Kg	IB
SS	NDE178	E200.7	SW3050	ARSENIC	2	J	0.32	2.2	mg/Kg	IB
SS	NDE179	E200.7	SW3050	ARSENIC	0.54	J	0.3	2.1	mg/Kg	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE106	E200.7	SW3050	ARSENIC	0.91	J	0.34	2.4	mg/Kg	IB
SS	NDE110	E200.7	SW3050	ARSENIC	0.63	J	0.36	2.5	mg/Kg	IB
WG	NDE229FD1	E200.7	SW3050	ARSENIC	5.4	J	2.9	10	ug/L	IB
WG	NDE232	E200.7	SW3050	ARSENIC	5	J	2.9	10	ug/L	IB
WG	NDE214	E200.7	SW3050	ARSENIC	6.3	J	2.9	10	ug/L	IB
WG	NDE230	E200.7	FLDFLT	ARSENIC, DISSOLVED	6.4	J	2.9	10	ug/L	IB
SB	NDE073	E200.7	SW3050	BARIUM	43	J	0.01	43	mg/Kg	IB
SB	NDE092	E200.7	SW3050	BARIUM	41	J	0.01	44	mg/Kg	IB
SB	NDE085	E200.7	SW3050	BARIUM	26	J	0.01	43	mg/Kg	IB
SB	NDE087	E200.7	SW3050	BARIUM	40	J	0.01	42	mg/Kg	IB
SB	NDE089	E200.7	SW3050	BARIUM	47	J	0.01	49	mg/Kg	IB
SB	NDE189	E200.7	SW3050	BARIUM	31	J	0.01	44	mg/Kg	IB
SB	NDE195FD1	E200.7	SW3050	BARIUM	40	J	0.01	43	mg/Kg	IB
SB	NDE196	E200.7	SW3050	BARIUM	36	J	0.01	44	mg/Kg	IB
SB	NDE016	E200.7	SW3050	BARIUM	20	J	0.01	42	mg/Kg	IB
SB	NDE031	E200.7	SW3050	BARIUM	29	J	0.01	44	mg/Kg	IB
SS	NDE090	E200.7	SW3050	BARIUM	35	J	0.01	45	mg/Kg	IB
SS	NDE095	E200.7	SW3050	BARIUM	38	J	0.01	44	mg/Kg	IB
SS	NDE097	E200.7	SW3050	BARIUM	30	J	0.01	42	mg/Kg	IB
SS	NDE162	E200.7	SW3050	BARIUM	38	J	0.01	43	mg/Kg	IB
SS	NDE074FD1	E200.7	SW3050	BARIUM	40	J	0.01	43	mg/Kg	IB
SS	NDE079	E200.7	SW3050	BARIUM	41	J	0.01	43	mg/Kg	IB
SS	NDE088	E200.7	SW3050	BARIUM	47	J	0.01	48	mg/Kg	IB
SS	NDE177	E200.7	SW3050	BARIUM	42	J	0.01	43	mg/Kg	IB
SS	NDE179	E200.7	SW3050	BARIUM	23	J	0.01	42	mg/Kg	IB
WG	NDE219	E200.7	SW3050	BARIUM	94	J	0.13	200	ug/L	IB
WG	NDE222FD1	E200.7	SW3050	BARIUM	190	J	0.13	200	ug/L	IB
WG	NDE223	E200.7	SW3050	BARIUM	180	J	0.13	200	ug/L	IB
WG	NDE213	E200.7	SW3050	BARIUM	86	J	0.13	200	ug/L	IB
WG	NDE218	E200.7	SW3050	BARIUM	110	J	0.13	200	ug/L	IB
WG	NDE219	E200.7	FLDFLT	BARIUM, DISSOLVED	92	J	0.13	200	ug/L	IB
WG	NDE221	E200.7	FLDFLT	BARIUM, DISSOLVED	150	J	0.13	200	ug/L	IB
WG	NDE222FD1	E200.7	FLDFLT	BARIUM, DISSOLVED	170	J	0.13	200	ug/L	IB
WG	NDE223	E200.7	FLDFLT	BARIUM, DISSOLVED	160	J	0.13	200	ug/L	IB
WG	NDE213	E200.7	FLDFLT	BARIUM, DISSOLVED	51	J	0.13	200	ug/L	IB
WG	NDE215	E200.7	FLDFLT	BARIUM, DISSOLVED	190	J	0.13	200	ug/L	IB
WG	NDE218	E200.7	FLDFLT	BARIUM, DISSOLVED	110	J	0.13	200	ug/L	IB
SB	NDE092	E200.7	SW3050	BERYLLIUM	0.22	J	0.03	1.1	mg/Kg	IB
SB	NDE094	E200.7	SW3050	BERYLLIUM	0.26	J	0.03	1.1	mg/Kg	IB
SB	NDE096	E200.7	SW3050	BERYLLIUM	0.21	J	0.03	1.1	mg/Kg	IB
SB	NDE098	E200.7	SW3050	BERYLLIUM	0.14	J	0.03	1.1	mg/Kg	IB
SB	NDE080	E200.7	SW3050	BERYLLIUM	0.32	J	0.04	1.3	mg/Kg	IB
SB	NDE082	E200.7	SW3050	BERYLLIUM	0.23	J	0.03	1.1	mg/Kg	IB
SB	NDE085	E200.7	SW3050	BERYLLIUM	0.27	J	0.03	1.1	mg/Kg	IB
SB	NDE087	E200.7	SW3050	BERYLLIUM	0.32	J	0.03	1.1	mg/Kg	IB
SB	NDE089	E200.7	SW3050	BERYLLIUM	0.29	J	0.04	1.2	mg/Kg	IB
SB	NDE193	E200.7	SW3050	BERYLLIUM	0.13	J	0.03	1.1	mg/Kg	IB
SB	NDE019	E200.7	SW3050	BERYLLIUM	0.15	J	0.03	1.1	mg/Kg	IB
SB	NDE018	E200.7	SW3050	BERYLLIUM	0.15	J	0.03	1.1	mg/Kg	IB
SB	NDE020	E200.7	SW3050	BERYLLIUM	0.15	J	0.03	1.1	mg/Kg	IB
SB	NDE022	E200.7	SW3050	BERYLLIUM	0.22	J	0.03	1.1	mg/Kg	IB
SB	NDE025	E200.7	SW3050	BERYLLIUM	0.18	J	0.03	1.2	mg/Kg	IB
SB	NDE027	E200.7	SW3050	BERYLLIUM	0.16	J	0.03	1.1	mg/Kg	IB
SB	NDE029	E200.7	SW3050	BERYLLIUM	0.19	J	0.03	1.2	mg/Kg	IB
SB	NDE031	E200.7	SW3050	BERYLLIUM	0.17	J	0.03	1.1	mg/Kg	IB
SB	NDE203	E200.7	SW3050	BERYLLIUM	0.48	J	0.03	1.2	mg/Kg	IB
SB	NDE204	E200.7	SW3050	BERYLLIUM	0.42	J	0.04	1.2	mg/Kg	IB
SB	NDE033	E200.7	SW3050	BERYLLIUM	0.21	J	0.03	1.1	mg/Kg	IB
SB	NDE035	E200.7	SW3050	BERYLLIUM	0.24	J	0.03	1.1	mg/Kg	IB
SB	NDE036FD1	E200.7	SW3050	BERYLLIUM	0.23	J	0.03	1.1	mg/Kg	IB
SB	NDE038	E200.7	SW3050	BERYLLIUM	0.26	J	0.03	1.1	mg/Kg	IB
SB	NDE039FD1	E200.7	SW3050	BERYLLIUM	0.24	J	0.03	1.1	mg/Kg	IB
SB	NDE103	E200.7	SW3050	BERYLLIUM	0.26	J	0.042	1.3	mg/Kg	IB
SB	NDE105	E200.7	SW3050	BERYLLIUM	0.27	J	0.038	1.1	mg/Kg	IB
SB	NDE107	E200.7	SW3050	BERYLLIUM	0.17	J	0.037	1.1	mg/Kg	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE109	E200.7	SW3050	BERYLLIUM	0.3	J	0.037	1.1	mg/Kg	IB
SB	NDE111FD1	E200.7	SW3050	BERYLLIUM	0.23	J	0.038	1.1	mg/Kg	IB
SS	NDE090	E200.7	SW3050	BERYLLIUM	0.13	J	0.03	1.1	mg/Kg	IB
SS	NDE091FD1	E200.7	SW3050	BERYLLIUM	0.2	J	0.03	1.2	mg/Kg	IB
SS	NDE093	E200.7	SW3050	BERYLLIUM	0.22	J	0.03	1	mg/Kg	IB
SS	NDE095	E200.7	SW3050	BERYLLIUM	0.12	J	0.03	1.1	mg/Kg	IB
SS	NDE099FD1	E200.7	SW3050	BERYLLIUM	0.035	J	0.03	1	mg/Kg	IB
SS	NDE161	E200.7	SW3050	BERYLLIUM	0.28	J	0.03	1.2	mg/Kg	IB
SS	NDE163	E200.7	SW3050	BERYLLIUM	0.14	J	0.04	1.3	mg/Kg	IB
SS	NDE074FD1	E200.7	SW3050	BERYLLIUM	0.21	J	0.03	1.1	mg/Kg	IB
SS	NDE079	E200.7	SW3050	BERYLLIUM	0.18	J	0.03	1.1	mg/Kg	IB
SS	NDE081	E200.7	SW3050	BERYLLIUM	0.18	J	0.03	1.1	mg/Kg	IB
SS	NDE083	E200.7	SW3050	BERYLLIUM	0.42	J	0.04	1.2	mg/Kg	IB
SS	NDE084FD1	E200.7	SW3050	BERYLLIUM	0.32	J	0.04	1.3	mg/Kg	IB
SS	NDE086	E200.7	SW3050	BERYLLIUM	0.13	J	0.03	1.1	mg/Kg	IB
SS	NDE088	E200.7	SW3050	BERYLLIUM	0.22	J	0.03	1.2	mg/Kg	IB
SS	NDE164	E200.7	SW3050	BERYLLIUM	0.19	J	0.03	1.1	mg/Kg	IB
SS	NDE165FD1	E200.7	SW3050	BERYLLIUM	0.14	J	0.03	1.1	mg/Kg	IB
SS	NDE166	E200.7	SW3050	BERYLLIUM	0.21	J	0.04	1.2	mg/Kg	IB
SS	NDE167	E200.7	SW3050	BERYLLIUM	0.17	J	0.03	1.2	mg/Kg	IB
SS	NDE168	E200.7	SW3050	BERYLLIUM	0.12	J	0.03	1.1	mg/Kg	IB
SS	NDE169	E200.7	SW3050	BERYLLIUM	0.17	J	0.03	1.2	mg/Kg	IB
SS	NDE188	E200.7	SW3050	BERYLLIUM	0.11	J	0.03	1.1	mg/Kg	IB
SS	NDE190	E200.7	SW3050	BERYLLIUM	0.28	J	0.03	1.2	mg/Kg	IB
SS	NDE192	E200.7	SW3050	BERYLLIUM	0.13	J	0.03	1.1	mg/Kg	IB
SS	NDE004	E200.7	SW3050	BERYLLIUM	0.11	J	0.03	1.1	mg/Kg	IB
SS	NDE013	E200.7	SW3050	BERYLLIUM	0.12	J	0.03	1.1	mg/Kg	IB
SS	NDE021	E200.7	SW3050	BERYLLIUM	0.18	J	0.03	1.1	mg/Kg	IB
SS	NDE023	E200.7	SW3050	BERYLLIUM	0.26	J	0.03	1.1	mg/Kg	IB
SS	NDE024FD1	E200.7	SW3050	BERYLLIUM	0.17	J	0.03	1.1	mg/Kg	IB
SS	NDE026	E200.7	SW3050	BERYLLIUM	0.11	J	0.03	1.1	mg/Kg	IB
SS	NDE037	E200.7	SW3050	BERYLLIUM	0.11	J	0.03	1	mg/Kg	IB
SS	NDE176	E200.7	SW3050	BERYLLIUM	0.15	J	0.03	1.1	mg/Kg	IB
SS	NDE177	E200.7	SW3050	BERYLLIUM	0.12	J	0.03	1.1	mg/Kg	IB
SS	NDE102	E200.7	SW3050	BERYLLIUM	0.14	J	0.03	1	mg/Kg	IB
SS	NDE104	E200.7	SW3050	BERYLLIUM	0.2	J	0.03	1	mg/Kg	IB
SS	NDE106	E200.7	SW3050	BERYLLIUM	0.17	J	0.03	1.2	mg/Kg	IB
SS	NDE108	E200.7	SW3050	BERYLLIUM	0.32	J	0.04	1.5	mg/Kg	IB
SS	NDE110	E200.7	SW3050	BERYLLIUM	0.23	J	0.04	1.2	mg/Kg	IB
WG	NDE232	E200.7	SW3050	BERYLLIUM	1.6	J	0.33	5	ug/L	IB
SS	NDE088	E200.7	SW3050	CADMIUM	0.52	J	0.03	1.2	mg/Kg	IB
SS	NDE166	E200.7	SW3050	CADMIUM	0.18	J	0.03	1.2	mg/Kg	IB
SS	NDE176	E200.7	SW3050	CADMIUM	0.21	J	0.02	1.1	mg/Kg	IB
WG	NDE230	E200.7	SW3050	CADMIUM	3.9	J	0.27	5	ug/L	IB
WG	NDE232	E200.7	SW3050	CADMIUM	1.4	J	0.27	5	ug/L	IB
SB	NDE105	E200.7	SW3050	CALCIUM	1000	J	3.2	1140	mg/Kg	IB
SB	NDE109	E200.7	SW3050	CALCIUM	930	J	3.2	1130	mg/Kg	IB
SD	NDE117	E200.7	SW3050	CALCIUM	2800	J	7.3	2600	mg/Kg	IB
SS	NDE194	E200.7	SW3050	CALCIUM	1200	J	3.6	1280	mg/Kg	IB
WG	NDE228	E200.7	FLDFLT	CHROMIUM, DISSOLVED	3.2	J	0.87	10	ug/L	IB
WG	NDE229FD1	E200.7	FLDFLT	CHROMIUM, DISSOLVED	3.3	J	0.87	10	ug/L	IB
WG	NDE230	E200.7	FLDFLT	CHROMIUM, DISSOLVED	3	J	0.87	10	ug/L	IB
WG	NDE231	E200.7	FLDFLT	CHROMIUM, DISSOLVED	2.4	J	0.87	10	ug/L	IB
WG	NDE232	E200.7	FLDFLT	CHROMIUM, DISSOLVED	5.5	J	0.87	10	ug/L	IB
WG	NDE222FD1	E200.7	SW3050	CHROMIUM, TOTAL	6.2	J	0.87	10	ug/L	IB
WG	NDE223	E200.7	SW3050	CHROMIUM, TOTAL	4.8	J	0.87	10	ug/L	IB
WG	NDE228	E200.7	SW3050	CHROMIUM, TOTAL	3.3	J	0.87	10	ug/L	IB
WG	NDE229FD1	E200.7	SW3050	CHROMIUM, TOTAL	2.9	J	0.87	10	ug/L	IB
WG	NDE231	E200.7	SW3050	CHROMIUM, TOTAL	2.5	J	0.87	10	ug/L	IB
WG	NDE215	E200.7	SW3050	CHROMIUM, TOTAL	5.2	J	0.87	10	ug/L	IB
WG	NDE216FD1	E200.7	SW3050	CHROMIUM, TOTAL	3.2	J	0.87	10	ug/L	IB
WG	NDE220	E200.7	SW3050	CHROMIUM, TOTAL	4.9	J	0.87	10	ug/L	IB
SB	NDE189	E200.7	SW3050	COBALT	3.6	J	0.04	11	mg/Kg	IB
SB	NDE191	E200.7	SW3050	COBALT	5.9	J	0.04	11	mg/Kg	IB
SB	NDE193	E200.7	SW3050	COBALT	7.8	J	0.04	11	mg/Kg	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE195FD1	E200.7	SW3050	COBALT	5	J	0.04	11	mg/Kg	IB
SB	NDE196	E200.7	SW3050	COBALT	4.9	J	0.04	11	mg/Kg	IB
SB	NDE006	E200.7	SW3050	COBALT	5.9	J	0.05	12	mg/Kg	IB
SB	NDE008	E200.7	SW3050	COBALT	2.2	J	0.04	11	mg/Kg	IB
SB	NDE010	E200.7	SW3050	COBALT	6.9	J	0.04	11	mg/Kg	IB
SB	NDE012	E200.7	SW3050	COBALT	7.9	J	0.04	11	mg/Kg	IB
SB	NDE014	E200.7	SW3050	COBALT	2.4	J	0.04	10	mg/Kg	IB
SB	NDE019	E200.7	SW3050	COBALT	4.2	J	0.04	11	mg/Kg	IB
SB	NDE016	E200.7	SW3050	COBALT	3.1	J	0.04	11	mg/Kg	IB
SB	NDE020	E200.7	SW3050	COBALT	4.2	J	0.04	11	mg/Kg	IB
SB	NDE022	E200.7	SW3050	COBALT	5.1	J	0.04	11	mg/Kg	IB
SB	NDE025	E200.7	SW3050	COBALT	5.8	J	0.05	12	mg/Kg	IB
SB	NDE027	E200.7	SW3050	COBALT	5.5	J	0.04	11	mg/Kg	IB
SB	NDE029	E200.7	SW3050	COBALT	6.1	J	0.05	12	mg/Kg	IB
SB	NDE031	E200.7	SW3050	COBALT	4.1	J	0.04	11	mg/Kg	IB
SB	NDE203	E200.7	SW3050	COBALT	8.4	J	0.05	12	mg/Kg	IB
SB	NDE033	E200.7	SW3050	COBALT	7	J	0.04	11	mg/Kg	IB
SB	NDE035	E200.7	SW3050	COBALT	9	J	0.04	11	mg/Kg	IB
SB	NDE036FD1	E200.7	SW3050	COBALT	8.5	J	0.04	11	mg/Kg	IB
SB	NDE038	E200.7	SW3050	COBALT	9	J	0.04	11	mg/Kg	IB
SB	NDE039FD1	E200.7	SW3050	COBALT	9.2	J	0.04	11	mg/Kg	IB
SB	NDE103	E200.7	SW3050	COBALT	9.2	J	0.055	13	mg/Kg	IB
SB	NDE105	E200.7	SW3050	COBALT	9.7	J	0.049	11	mg/Kg	IB
SB	NDE107	E200.7	SW3050	COBALT	8.2	J	0.048	11	mg/Kg	IB
SB	NDE109	E200.7	SW3050	COBALT	9.9	J	0.049	11	mg/Kg	IB
SB	NDE111FD1	E200.7	SW3050	COBALT	7.3	J	0.049	11	mg/Kg	IB
SB	NDE112	E200.7	SW3050	COBALT	4.9	J	0.049	11	mg/Kg	IB
SS	NDE159	E200.7	SW3050	COBALT	5	J	0.04	11	mg/Kg	IB
SS	NDE160	E200.7	SW3050	COBALT	6.7	J	0.04	11	mg/Kg	IB
SS	NDE161	E200.7	SW3050	COBALT	9.1	J	0.05	12	mg/Kg	IB
SS	NDE162	E200.7	SW3050	COBALT	4.8	J	0.04	11	mg/Kg	IB
SS	NDE163	E200.7	SW3050	COBALT	7	J	0.05	13	mg/Kg	IB
SS	NDE164	E200.7	SW3050	COBALT	7.5	J	0.04	11	mg/Kg	IB
SS	NDE165FD1	E200.7	SW3050	COBALT	7.3	J	0.04	11	mg/Kg	IB
SS	NDE166	E200.7	SW3050	COBALT	8	J	0.05	12	mg/Kg	IB
SS	NDE167	E200.7	SW3050	COBALT	7.7	J	0.05	12	mg/Kg	IB
SS	NDE168	E200.7	SW3050	COBALT	6.6	J	0.04	11	mg/Kg	IB
SS	NDE169	E200.7	SW3050	COBALT	7.2	J	0.05	12	mg/Kg	IB
SS	NDE188	E200.7	SW3050	COBALT	6.7	J	0.04	11	mg/Kg	IB
SS	NDE190	E200.7	SW3050	COBALT	11	J	0.05	12	mg/Kg	IB
SS	NDE192	E200.7	SW3050	COBALT	9.5	J	0.04	11	mg/Kg	IB
SS	NDE194	E200.7	SW3050	COBALT	5.1	J	0.05	13	mg/Kg	IB
SS	NDE004	E200.7	SW3050	COBALT	9	J	0.04	11	mg/Kg	IB
SS	NDE005FD1	E200.7	SW3050	COBALT	8.1	J	0.04	11	mg/Kg	IB
SS	NDE007	E200.7	SW3050	COBALT	8.3	J	0.04	11	mg/Kg	IB
SS	NDE009	E200.7	SW3050	COBALT	4	J	0.05	12	mg/Kg	IB
SS	NDE011	E200.7	SW3050	COBALT	8.2	J	0.04	11	mg/Kg	IB
SS	NDE013	E200.7	SW3050	COBALT	8.6	J	0.04	11	mg/Kg	IB
SS	NDE015	E200.7	SW3050	COBALT	9.1	J	0.04	11	mg/Kg	IB
SS	NDE017	E200.7	SW3050	COBALT	7.2	J	0.04	11	mg/Kg	IB
SS	NDE021	E200.7	SW3050	COBALT	6.7	J	0.04	11	mg/Kg	IB
SS	NDE023	E200.7	SW3050	COBALT	9	J	0.04	11	mg/Kg	IB
SS	NDE024FD1	E200.7	SW3050	COBALT	6.9	J	0.04	11	mg/Kg	IB
SS	NDE026	E200.7	SW3050	COBALT	7.6	J	0.04	11	mg/Kg	IB
SS	NDE028	E200.7	SW3050	COBALT	7.1	J	0.04	11	mg/Kg	IB
SS	NDE030	E200.7	SW3050	COBALT	6.8	J	0.04	11	mg/Kg	IB
SS	NDE032	E200.7	SW3050	COBALT	5.9	J	0.05	12	mg/Kg	IB
SS	NDE034	E200.7	SW3050	COBALT	6.3	J	0.04	11	mg/Kg	IB
SS	NDE037	E200.7	SW3050	COBALT	7.1	J	0.04	10	mg/Kg	IB
SS	NDE176	E200.7	SW3050	COBALT	9.1	J	0.04	11	mg/Kg	IB
SS	NDE177	E200.7	SW3050	COBALT	5.3	J	0.04	11	mg/Kg	IB
SS	NDE178	E200.7	SW3050	COBALT	6.3	J	0.04	11	mg/Kg	IB
SS	NDE179	E200.7	SW3050	COBALT	3.2	J	0.04	10	mg/Kg	IB
SS	NDE102	E200.7	SW3050	COBALT	5.8	J	0.04	10	mg/Kg	IB
SS	NDE104	E200.7	SW3050	COBALT	9.2	J	0.04	10	mg/Kg	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE106	E200.7	SW3050	COBALT	5.8	J	0.05	12	mg/Kg	IB
SS	NDE108	E200.7	SW3050	COBALT	13	J	0.06	15	mg/Kg	IB
WG	NDE221	E200.7	SW3050	COBALT	23	J	0.43	50	ug/L	IB
WG	NDE228	E200.7	SW3050	COBALT	6.5	J	0.43	50	ug/L	IB
WG	NDE229FD1	E200.7	SW3050	COBALT	6.3	J	0.43	50	ug/L	IB
WG	NDE231	E200.7	SW3050	COBALT	15	J	0.43	50	ug/L	IB
WG	NDE213	E200.7	SW3050	COBALT	5.1	J	0.43	50	ug/L	IB
WG	NDE214	E200.7	SW3050	COBALT	22	J	0.43	50	ug/L	IB
WG	NDE215	E200.7	SW3050	COBALT	12	J	0.43	50	ug/L	IB
WG	NDE216FD1	E200.7	SW3050	COBALT	9.3	J	0.43	50	ug/L	IB
WG	NDE220	E200.7	SW3050	COBALT	5.4	J	0.43	50	ug/L	IB
WG	NDE223	E200.7	FLDFLT	COBALT, DISSOLVED	1.1	J	0.43	50	ug/L	IB
WG	NDE228	E200.7	FLDFLT	COBALT, DISSOLVED	5.8	J	0.43	50	ug/L	IB
WG	NDE229FD1	E200.7	FLDFLT	COBALT, DISSOLVED	5.4	J	0.43	50	ug/L	IB
WG	NDE230	E200.7	FLDFLT	COBALT, DISSOLVED	18	J	0.43	50	ug/L	IB
WG	NDE231	E200.7	FLDFLT	COBALT, DISSOLVED	12	J	0.43	50	ug/L	IB
WG	NDE219	E200.7	SW3050	COPPER	5.1	J	0.8	25	ug/L	IB
WG	NDE222FD1	E200.7	SW3050	COPPER	9	J	0.8	25	ug/L	IB
WG	NDE223	E200.7	SW3050	COPPER	6.3	J	0.8	25	ug/L	IB
WG	NDE231	E200.7	SW3050	COPPER	12	J	0.8	25	ug/L	IB
WG	NDE213	E200.7	SW3050	COPPER	17	J	0.8	25	ug/L	IB
WG	NDE215	E200.7	SW3050	COPPER	16	J	0.8	25	ug/L	IB
WG	NDE216FD1	E200.7	SW3050	COPPER	10	J	0.8	25	ug/L	IB
WG	NDE220	E200.7	SW3050	COPPER	12	J	0.8	25	ug/L	IB
WG	NDE219	E200.7	FLDFLT	COPPER, DISSOLVED	3.2	J	0.8	25	ug/L	IB
WG	NDE221	E200.7	FLDFLT	COPPER, DISSOLVED	2.8	J	0.8	25	ug/L	IB
WG	NDE222FD1	E200.7	FLDFLT	COPPER, DISSOLVED	3.2	J	0.8	25	ug/L	IB
WG	NDE223	E200.7	FLDFLT	COPPER, DISSOLVED	4	J	0.8	25	ug/L	IB
WG	NDE218	E200.7	SW3050	IRON	86	J	25	100	ug/L	IB
SB	NDE044	E200.7	SW3050	MAGNESIUM	18900	J	0.16	1240	mg/Kg	IB
SB	NDE008	E200.7	SW3050	MAGNESIUM	840	J	0.14	1050	mg/Kg	IB
SB	NDE014	E200.7	SW3050	MAGNESIUM	980	J	0.14	1050	mg/Kg	IB
SS	NDE194	E200.7	SW3050	MAGNESIUM	1100	J	0.17	1280	mg/Kg	IB
WG	NDE219	E200.7	FLDFLT	MANGANESE, DISSOLVED	7.4	J	0.33	15	ug/L	IB
SB	NDE189	E200.7	SW3050	NICKEL	3.1	J	0.1	8.9	mg/Kg	IB
SB	NDE191	E200.7	SW3050	NICKEL	3	J	0.11	9.2	mg/Kg	IB
SB	NDE193	E200.7	SW3050	NICKEL	6.9	J	0.1	9	mg/Kg	IB
SB	NDE195FD1	E200.7	SW3050	NICKEL	2.9	J	0.1	8.7	mg/Kg	IB
SB	NDE196	E200.7	SW3050	NICKEL	4.1	J	0.1	8.7	mg/Kg	IB
SB	NDE006	E200.7	SW3050	NICKEL	5.5	J	0.11	9.6	mg/Kg	IB
SB	NDE008	E200.7	SW3050	NICKEL	1.2	J	0.09	8.4	mg/Kg	IB
SB	NDE010	E200.7	SW3050	NICKEL	4.2	J	0.1	8.6	mg/Kg	IB
SB	NDE012	E200.7	SW3050	NICKEL	2.7	J	0.09	8.5	mg/Kg	IB
SB	NDE014	E200.7	SW3050	NICKEL	1.2	J	0.09	8.4	mg/Kg	IB
SB	NDE019	E200.7	SW3050	NICKEL	4	J	0.1	8.8	mg/Kg	IB
SB	NDE016	E200.7	SW3050	NICKEL	3.1	J	0.09	8.4	mg/Kg	IB
SB	NDE018	E200.7	SW3050	NICKEL	3.4	J	0.09	8.5	mg/Kg	IB
SB	NDE020	E200.7	SW3050	NICKEL	7.5	J	0.1	8.9	mg/Kg	IB
SB	NDE022	E200.7	SW3050	NICKEL	2.9	J	0.1	8.9	mg/Kg	IB
SB	NDE025	E200.7	SW3050	NICKEL	2.5	J	0.11	9.3	mg/Kg	IB
SB	NDE027	E200.7	SW3050	NICKEL	2.3	J	0.1	9	mg/Kg	IB
SB	NDE029	E200.7	SW3050	NICKEL	2.7	J	0.11	9.4	mg/Kg	IB
SB	NDE031	E200.7	SW3050	NICKEL	1.7	J	0.1	8.7	mg/Kg	IB
SB	NDE203	E200.7	SW3050	NICKEL	6.9	J	0.11	9.4	mg/Kg	IB
SB	NDE204	E200.7	SW3050	NICKEL	9.2	J	0.11	9.6	mg/Kg	IB
SB	NDE033	E200.7	SW3050	NICKEL	3.7	J	0.1	8.9	mg/Kg	IB
SB	NDE035	E200.7	SW3050	NICKEL	4.3	J	0.11	9.1	mg/Kg	IB
SB	NDE036FD1	E200.7	SW3050	NICKEL	3.9	J	0.1	8.9	mg/Kg	IB
SB	NDE038	E200.7	SW3050	NICKEL	4.2	J	0.1	9	mg/Kg	IB
SB	NDE039FD1	E200.7	SW3050	NICKEL	4	J	0.1	8.9	mg/Kg	IB
SB	NDE103	E200.7	SW3050	NICKEL	3.6	J	0.12	10	mg/Kg	IB
SB	NDE105	E200.7	SW3050	NICKEL	3.2	J	0.11	9.1	mg/Kg	IB
SB	NDE107	E200.7	SW3050	NICKEL	4	J	0.1	9	mg/Kg	IB
SB	NDE109	E200.7	SW3050	NICKEL	3.8	J	0.11	9	mg/Kg	IB
SB	NDE111FD1	E200.7	SW3050	NICKEL	2.6	J	0.11	9.2	mg/Kg	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE112	E200.7	SW3050	NICKEL	2.2	J	0.11	9.1	mg/Kg	IB
SS	NDE159	E200.7	SW3050	NICKEL	2.2	J	0.1	8.7	mg/Kg	IB
SS	NDE160	E200.7	SW3050	NICKEL	4.6	J	0.1	8.9	mg/Kg	IB
SS	NDE161	E200.7	SW3050	NICKEL	5.2	J	0.11	9.3	mg/Kg	IB
SS	NDE162	E200.7	SW3050	NICKEL	1.5	J	0.1	8.6	mg/Kg	IB
SS	NDE163	E200.7	SW3050	NICKEL	2.7	J	0.12	10	mg/Kg	IB
SS	NDE188	E200.7	SW3050	NICKEL	3.4	J	0.11	9.1	mg/Kg	IB
SS	NDE190	E200.7	SW3050	NICKEL	6.9	J	0.11	9.4	mg/Kg	IB
SS	NDE192	E200.7	SW3050	NICKEL	8.5	J	0.11	9	mg/Kg	IB
SS	NDE194	E200.7	SW3050	NICKEL	2.7	J	0.12	10	mg/Kg	IB
SS	NDE004	E200.7	SW3050	NICKEL	8.4	J	0.1	8.7	mg/Kg	IB
SS	NDE005FD1	E200.7	SW3050	NICKEL	8.1	J	0.1	8.7	mg/Kg	IB
SS	NDE009	E200.7	SW3050	NICKEL	4.7	J	0.11	9.3	mg/Kg	IB
SS	NDE013	E200.7	SW3050	NICKEL	7.4	J	0.09	8.5	mg/Kg	IB
SS	NDE021	E200.7	SW3050	NICKEL	8.4	J	0.11	9	mg/Kg	IB
SS	NDE023	E200.7	SW3050	NICKEL	7.2	J	0.1	8.6	mg/Kg	IB
SS	NDE024FD1	E200.7	SW3050	NICKEL	4.4	J	0.11	9.2	mg/Kg	IB
SS	NDE026	E200.7	SW3050	NICKEL	6.2	J	0.1	9	mg/Kg	IB
SS	NDE028	E200.7	SW3050	NICKEL	6.1	J	0.11	9.1	mg/Kg	IB
SS	NDE030	E200.7	SW3050	NICKEL	5.5	J	0.1	9	mg/Kg	IB
SS	NDE032	E200.7	SW3050	NICKEL	5.5	J	0.11	9.5	mg/Kg	IB
SS	NDE034	E200.7	SW3050	NICKEL	4.8	J	0.09	8.5	mg/Kg	IB
SS	NDE037	E200.7	SW3050	NICKEL	7	J	0.09	8.4	mg/Kg	IB
SS	NDE177	E200.7	SW3050	NICKEL	5.9	J	0.1	8.7	mg/Kg	IB
SS	NDE179	E200.7	SW3050	NICKEL	3.9	J	0.09	8.4	mg/Kg	IB
SS	NDE102	E200.7	SW3050	NICKEL	1.9	J	0.09	8.2	mg/Kg	IB
SS	NDE104	E200.7	SW3050	NICKEL	3.2	J	0.09	8.2	mg/Kg	IB
SS	NDE106	E200.7	SW3050	NICKEL	3.6	J	0.11	9.5	mg/Kg	IB
SS	NDE108	E200.7	SW3050	NICKEL	3	J	0.14	12	mg/Kg	IB
SS	NDE110	E200.7	SW3050	NICKEL	2.7	J	0.11	9.9	mg/Kg	IB
WG	NDE221	E200.7	SW3050	NICKEL	30	J	0.93	40	ug/L	IB
WG	NDE222FD1	E200.7	SW3050	NICKEL	16	J	0.93	40	ug/L	IB
WG	NDE223	E200.7	SW3050	NICKEL	12	J	0.93	40	ug/L	IB
WG	NDE230	E200.7	SW3050	NICKEL	18	J	0.93	40	ug/L	IB
WG	NDE232	E200.7	SW3050	NICKEL	25	J	0.93	40	ug/L	IB
WG	NDE213	E200.7	SW3050	NICKEL	22	J	0.93	40	ug/L	IB
WG	NDE215	E200.7	SW3050	NICKEL	9	J	0.93	40	ug/L	IB
WG	NDE216FD1	E200.7	SW3050	NICKEL	7.6	J	0.93	40	ug/L	IB
WG	NDE220	E200.7	SW3050	NICKEL	9.2	J	0.93	40	ug/L	IB
WG	NDE219	E200.7	FLDFLT	NICKEL, DISSOLVED	2.8	J	0.93	40	ug/L	IB
WG	NDE221	E200.7	FLDFLT	NICKEL, DISSOLVED	3.9	J	0.93	40	ug/L	IB
WG	NDE222FD1	E200.7	FLDFLT	NICKEL, DISSOLVED	7.1	J	0.93	40	ug/L	IB
WG	NDE223	E200.7	FLDFLT	NICKEL, DISSOLVED	7	J	0.93	40	ug/L	IB
WG	NDE213	E200.7	FLDFLT	NICKEL, DISSOLVED	7.7	J	0.93	40	ug/L	IB
SB	NDE080	E200.7	SW3050	POTASSIUM	380	J	3.8	1280	mg/Kg	IB
SB	NDE082	E200.7	SW3050	POTASSIUM	400	J	3.2	1060	mg/Kg	IB
SB	NDE085	E200.7	SW3050	POTASSIUM	220	J	3.3	1090	mg/Kg	IB
SB	NDE087	E200.7	SW3050	POTASSIUM	390	J	3.2	1060	mg/Kg	IB
SB	NDE089	E200.7	SW3050	POTASSIUM	550	J	3.7	1220	mg/Kg	IB
SB	NDE189	E200.7	SW3050	POTASSIUM	1000	J	3.3	1110	mg/Kg	IB
SB	NDE191	E200.7	SW3050	POTASSIUM	830	J	3.4	1140	mg/Kg	IB
SB	NDE193	E200.7	SW3050	POTASSIUM	950	J	3.4	1130	mg/Kg	IB
SB	NDE195FD1	E200.7	SW3050	POTASSIUM	630	J	3.3	1090	mg/Kg	IB
SB	NDE196	E200.7	SW3050	POTASSIUM	810	J	3.3	1090	mg/Kg	IB
SB	NDE006	E200.7	SW3050	POTASSIUM	1100	J	3.6	1200	mg/Kg	IB
SB	NDE008	E200.7	SW3050	POTASSIUM	440	J	3.2	1050	mg/Kg	IB
SB	NDE012	E200.7	SW3050	POTASSIUM	980	J	3.2	1060	mg/Kg	IB
SB	NDE014	E200.7	SW3050	POTASSIUM	650	J	3.1	1050	mg/Kg	IB
SB	NDE016	E200.7	SW3050	POTASSIUM	560	J	3.2	1050	mg/Kg	IB
SB	NDE018	E200.7	SW3050	POTASSIUM	970	J	3.2	1060	mg/Kg	IB
SB	NDE022	E200.7	SW3050	POTASSIUM	1000	J	3.3	1110	mg/Kg	IB
SB	NDE025	E200.7	SW3050	POTASSIUM	1000	J	3.5	1160	mg/Kg	IB
SB	NDE027	E200.7	SW3050	POTASSIUM	830	J	3.4	1120	mg/Kg	IB
SB	NDE029	E200.7	SW3050	POTASSIUM	1100	J	3.5	1170	mg/Kg	IB
SB	NDE031	E200.7	SW3050	POTASSIUM	700	J	3.3	1090	mg/Kg	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE203	E200.7	SW3050	POTASSIUM	630	J	3.5	1170	mg/Kg	IB
SB	NDE204	E200.7	SW3050	POTASSIUM	840	J	3.6	1200	mg/Kg	IB
SB	NDE103	E200.7	SW3050	POTASSIUM	1200	J	3.9	1290	mg/Kg	IB
SB	NDE105	E200.7	SW3050	POTASSIUM	500	J	3.4	1140	mg/Kg	IB
SB	NDE107	E200.7	SW3050	POTASSIUM	400	J	3.4	1120	mg/Kg	IB
SB	NDE109	E200.7	SW3050	POTASSIUM	430	J	3.4	1130	mg/Kg	IB
SB	NDE111FD1	E200.7	SW3050	POTASSIUM	980	J	3.4	1150	mg/Kg	IB
SB	NDE112	E200.7	SW3050	POTASSIUM	930	J	3.4	1140	mg/Kg	IB
SS	NDE074FD1	E200.7	SW3050	POTASSIUM	840	J	3.2	1060	mg/Kg	IB
SS	NDE079	E200.7	SW3050	POTASSIUM	700	J	3.2	1070	mg/Kg	IB
SS	NDE081	E200.7	SW3050	POTASSIUM	650	J	3.2	1060	mg/Kg	IB
SS	NDE083	E200.7	SW3050	POTASSIUM	600	J	3.7	1230	mg/Kg	IB
SS	NDE084FD1	E200.7	SW3050	POTASSIUM	690	J	3.9	1290	mg/Kg	IB
SS	NDE086	E200.7	SW3050	POTASSIUM	790	J	3.2	1080	mg/Kg	IB
SS	NDE088	E200.7	SW3050	POTASSIUM	910	J	3.6	1190	mg/Kg	IB
SS	NDE164	E200.7	SW3050	POTASSIUM	750	J	3.3	1090	mg/Kg	IB
SS	NDE165FD1	E200.7	SW3050	POTASSIUM	740	J	3.4	1140	mg/Kg	IB
SS	NDE166	E200.7	SW3050	POTASSIUM	1100	J	3.6	1200	mg/Kg	IB
SS	NDE167	E200.7	SW3050	POTASSIUM	580	J	3.6	1190	mg/Kg	IB
SS	NDE168	E200.7	SW3050	POTASSIUM	750	J	3.2	1070	mg/Kg	IB
SS	NDE169	E200.7	SW3050	POTASSIUM	870	J	3.5	1160	mg/Kg	IB
SS	NDE188	E200.7	SW3050	POTASSIUM	870	J	3.4	1130	mg/Kg	IB
SS	NDE194	E200.7	SW3050	POTASSIUM	680	J	3.8	1280	mg/Kg	IB
SS	NDE102	E200.7	SW3050	POTASSIUM	620	J	3.1	1020	mg/Kg	IB
SS	NDE104	E200.7	SW3050	POTASSIUM	420	J	3.1	1020	mg/Kg	IB
SS	NDE106	E200.7	SW3050	POTASSIUM	720	J	3.6	1190	mg/Kg	IB
SS	NDE108	E200.7	SW3050	POTASSIUM	970	J	4.4	1470	mg/Kg	IB
SS	NDE110	E200.7	SW3050	POTASSIUM	720	J	3.7	1240	mg/Kg	IB
SB	NDE189	E200.7	SW3050	SELENIUM	0.67	J	0.51	1.1	mg/Kg	IB
SB	NDE191	E200.7	SW3050	SELENIUM	0.93	J	0.53	1.1	mg/Kg	IB
SB	NDE193	E200.7	SW3050	SELENIUM	0.92	J	0.52	1.1	mg/Kg	IB
SB	NDE006	E200.7	SW3050	SELENIUM	0.91	J	0.55	1.2	mg/Kg	IB
SB	NDE012	E200.7	SW3050	SELENIUM	0.64	J	0.49	1.1	mg/Kg	IB
SB	NDE014	E200.7	SW3050	SELENIUM	0.55	J	0.48	1	mg/Kg	IB
SB	NDE016	E200.7	SW3050	SELENIUM	0.79	J	0.48	1.1	mg/Kg	IB
SB	NDE018	E200.7	SW3050	SELENIUM	0.57	J	0.49	1.1	mg/Kg	IB
SB	NDE022	E200.7	SW3050	SELENIUM	0.76	J	0.51	1.1	mg/Kg	IB
SB	NDE025	E200.7	SW3050	SELENIUM	1.2	J	0.53	1.2	mg/Kg	IB
SB	NDE027	E200.7	SW3050	SELENIUM	0.61	J	0.52	1.1	mg/Kg	IB
SB	NDE029	E200.7	SW3050	SELENIUM	0.65	J	0.54	1.2	mg/Kg	IB
SB	NDE203	E200.7	SW3050	SELENIUM	0.9	J	0.54	1.2	mg/Kg	IB
SB	NDE204	E200.7	SW3050	SELENIUM	0.89	J	0.55	1.2	mg/Kg	IB
SB	NDE035	E200.7	SW3050	SELENIUM	0.99	J	0.52	1.1	mg/Kg	IB
SB	NDE036FD1	E200.7	SW3050	SELENIUM	0.9	J	0.51	1.1	mg/Kg	IB
SB	NDE038	E200.7	SW3050	SELENIUM	1	J	0.52	1.1	mg/Kg	IB
SB	NDE039FD1	E200.7	SW3050	SELENIUM	1	J	0.51	1.1	mg/Kg	IB
SB	NDE103	E200.7	SW3050	SELENIUM	1.1	J	0.59	1.3	mg/Kg	IB
SB	NDE105	E200.7	SW3050	SELENIUM	0.94	J	0.53	1.1	mg/Kg	IB
SB	NDE109	E200.7	SW3050	SELENIUM	0.75	J	0.52	1.1	mg/Kg	IB
SB	NDE111FD1	E200.7	SW3050	SELENIUM	0.69	J	0.53	1.1	mg/Kg	IB
SS	NDE188	E200.7	SW3050	SELENIUM	1	J	0.52	1.1	mg/Kg	IB
SS	NDE190	E200.7	SW3050	SELENIUM	1	J	0.54	1.2	mg/Kg	IB
SS	NDE004	E200.7	SW3050	SELENIUM	1	J	0.5	1.1	mg/Kg	IB
SS	NDE005FD1	E200.7	SW3050	SELENIUM	0.86	J	0.5	1.1	mg/Kg	IB
SS	NDE007	E200.7	SW3050	SELENIUM	0.83	J	0.5	1.1	mg/Kg	IB
SS	NDE009	E200.7	SW3050	SELENIUM	0.65	J	0.54	1.2	mg/Kg	IB
SS	NDE011	E200.7	SW3050	SELENIUM	0.8	J	0.5	1.1	mg/Kg	IB
SS	NDE015	E200.7	SW3050	SELENIUM	0.98	J	0.49	1.1	mg/Kg	IB
SS	NDE017	E200.7	SW3050	SELENIUM	1.1	J	0.51	1.1	mg/Kg	IB
SS	NDE102	E200.7	SW3050	SELENIUM	0.71	J	0.47	1	mg/Kg	IB
SS	NDE106	E200.7	SW3050	SELENIUM	0.98	J	0.55	1.2	mg/Kg	IB
SS	NDE110	E200.7	SW3050	SELENIUM	0.98	J	0.57	1.2	mg/Kg	IB
SB	NDE082	E200.7	SW3050	SILVER	0.11	J	0.06	2.1	mg/Kg	IB
SB	NDE087	E200.7	SW3050	SILVER	0.12	J	0.06	2.1	mg/Kg	IB
SS	NDE097	E200.7	SW3050	SILVER	0.12	J	0.06	2.1	mg/Kg	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE081	E200.7	SW3050	SILVER	0.11	J	0.06	2.1	mg/Kg	IB
SS	NDE017	E200.7	SW3050	SILVER	0.17	J	0.06	2.2	mg/Kg	IB
WG	NDE228	E200.7	SW3050	SILVER	1.2	J	0.57	10	ug/L	IB
WG	NDE229FD1	E200.7	SW3050	SILVER	1.3	J	0.57	10	ug/L	IB
WG	NDE228	E200.7	FLDFLT	SILVER, DISSOLVED	1.2	J	0.57	10	ug/L	IB
WG	NDE229FD1	E200.7	FLDFLT	SILVER, DISSOLVED	1.4	J	0.57	10	ug/L	IB
SB	NDE092	E200.7	SW3050	SODIUM	470	J	22	1110	mg/Kg	IB
SB	NDE094	E200.7	SW3050	SODIUM	320	J	22	1100	mg/Kg	IB
SB	NDE096	E200.7	SW3050	SODIUM	300	J	22	1120	mg/Kg	IB
SB	NDE080	E200.7	SW3050	SODIUM	140	J	26	1280	mg/Kg	IB
SB	NDE089	E200.7	SW3050	SODIUM	310	J	24	1220	mg/Kg	IB
SB	NDE189	E200.7	SW3050	SODIUM	40	J	22	1110	mg/Kg	IB
SB	NDE191	E200.7	SW3050	SODIUM	66	J	23	1140	mg/Kg	IB
SB	NDE193	E200.7	SW3050	SODIUM	65	J	23	1130	mg/Kg	IB
SB	NDE195FD1	E200.7	SW3050	SODIUM	63	J	22	1090	mg/Kg	IB
SB	NDE196	E200.7	SW3050	SODIUM	63	J	22	1090	mg/Kg	IB
SB	NDE006	E200.7	SW3050	SODIUM	140	J	24	1200	mg/Kg	IB
SB	NDE008	E200.7	SW3050	SODIUM	43	J	21	1050	mg/Kg	IB
SB	NDE010	E200.7	SW3050	SODIUM	200	J	21	1070	mg/Kg	IB
SB	NDE012	E200.7	SW3050	SODIUM	48	J	21	1060	mg/Kg	IB
SB	NDE014	E200.7	SW3050	SODIUM	60	J	21	1050	mg/Kg	IB
SB	NDE019	E200.7	SW3050	SODIUM	420	J	22	1100	mg/Kg	IB
SB	NDE016	E200.7	SW3050	SODIUM	59	J	21	1050	mg/Kg	IB
SB	NDE018	E200.7	SW3050	SODIUM	46	J	21	1060	mg/Kg	IB
SB	NDE020	E200.7	SW3050	SODIUM	240	J	22	1120	mg/Kg	IB
SB	NDE022	E200.7	SW3050	SODIUM	170	J	22	1110	mg/Kg	IB
SB	NDE025	E200.7	SW3050	SODIUM	290	J	23	1160	mg/Kg	IB
SB	NDE027	E200.7	SW3050	SODIUM	130	J	22	1120	mg/Kg	IB
SB	NDE029	E200.7	SW3050	SODIUM	310	J	23	1170	mg/Kg	IB
SB	NDE031	E200.7	SW3050	SODIUM	180	J	22	1090	mg/Kg	IB
SB	NDE203	E200.7	SW3050	SODIUM	590	J	23	1170	mg/Kg	IB
SB	NDE204	E200.7	SW3050	SODIUM	850	J	24	1200	mg/Kg	IB
SB	NDE033	E200.7	SW3050	SODIUM	230	J	22	1120	mg/Kg	IB
SB	NDE035	E200.7	SW3050	SODIUM	110	J	23	1140	mg/Kg	IB
SB	NDE036FD1	E200.7	SW3050	SODIUM	130	J	22	1110	mg/Kg	IB
SB	NDE038	E200.7	SW3050	SODIUM	190	J	22	1120	mg/Kg	IB
SB	NDE039FD1	E200.7	SW3050	SODIUM	210	J	22	1110	mg/Kg	IB
SD	NDE116	E200.7	SW3050	SODIUM	1900	J	39	1900	mg/Kg	IB
SS	NDE090	E200.7	SW3050	SODIUM	410	J	22	1120	mg/Kg	IB
SS	NDE091FD1	E200.7	SW3050	SODIUM	640	J	23	1170	mg/Kg	IB
SS	NDE093	E200.7	SW3050	SODIUM	290	J	21	1050	mg/Kg	IB
SS	NDE095	E200.7	SW3050	SODIUM	370	J	22	1100	mg/Kg	IB
SS	NDE097	E200.7	SW3050	SODIUM	420	J	21	1050	mg/Kg	IB
SS	NDE099FD1	E200.7	SW3050	SODIUM	510	J	21	1050	mg/Kg	IB
SS	NDE159	E200.7	SW3050	SODIUM	41	J	22	1090	mg/Kg	IB
SS	NDE160	E200.7	SW3050	SODIUM	110	J	22	1120	mg/Kg	IB
SS	NDE161	E200.7	SW3050	SODIUM	430	J	23	1160	mg/Kg	IB
SS	NDE162	E200.7	SW3050	SODIUM	27	J	22	1080	mg/Kg	IB
SS	NDE163	E200.7	SW3050	SODIUM	52	J	25	1270	mg/Kg	IB
SS	NDE074FD1	E200.7	SW3050	SODIUM	520	J	21	1060	mg/Kg	IB
SS	NDE079	E200.7	SW3050	SODIUM	360	J	21	1070	mg/Kg	IB
SS	NDE081	E200.7	SW3050	SODIUM	830	J	21	1060	mg/Kg	IB
SS	NDE083	E200.7	SW3050	SODIUM	670	J	25	1230	mg/Kg	IB
SS	NDE084FD1	E200.7	SW3050	SODIUM	450	J	26	1290	mg/Kg	IB
SS	NDE086	E200.7	SW3050	SODIUM	570	J	22	1080	mg/Kg	IB
SS	NDE088	E200.7	SW3050	SODIUM	510	J	24	1190	mg/Kg	IB
SS	NDE164	E200.7	SW3050	SODIUM	210	J	22	1090	mg/Kg	IB
SS	NDE165FD1	E200.7	SW3050	SODIUM	290	J	23	1140	mg/Kg	IB
SS	NDE166	E200.7	SW3050	SODIUM	450	J	24	1200	mg/Kg	IB
SS	NDE167	E200.7	SW3050	SODIUM	99	J	24	1190	mg/Kg	IB
SS	NDE168	E200.7	SW3050	SODIUM	96	J	21	1070	mg/Kg	IB
SS	NDE169	E200.7	SW3050	SODIUM	140	J	24	1180	mg/Kg	IB
SS	NDE188	E200.7	SW3050	SODIUM	69	J	23	1130	mg/Kg	IB
SS	NDE190	E200.7	SW3050	SODIUM	160	J	24	1180	mg/Kg	IB
SS	NDE192	E200.7	SW3050	SODIUM	100	J	23	1130	mg/Kg	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE194	E200.7	SW3050	SODIUM	52	J	26	1280	mg/Kg	IB
SS	NDE004	E200.7	SW3050	SODIUM	230	J	22	1090	mg/Kg	IB
SS	NDE005FD1	E200.7	SW3050	SODIUM	180	J	22	1090	mg/Kg	IB
SS	NDE007	E200.7	SW3050	SODIUM	210	J	22	1080	mg/Kg	IB
SS	NDE009	E200.7	SW3050	SODIUM	590	J	23	1170	mg/Kg	IB
SS	NDE011	E200.7	SW3050	SODIUM	460	J	22	1090	mg/Kg	IB
SS	NDE013	E200.7	SW3050	SODIUM	260	J	21	1060	mg/Kg	IB
SS	NDE015	E200.7	SW3050	SODIUM	300	J	21	1060	mg/Kg	IB
SS	NDE017	E200.7	SW3050	SODIUM	270	J	22	1100	mg/Kg	IB
SS	NDE021	E200.7	SW3050	SODIUM	260	J	23	1130	mg/Kg	IB
SS	NDE023	E200.7	SW3050	SODIUM	130	J	22	1080	mg/Kg	IB
SS	NDE024FD1	E200.7	SW3050	SODIUM	230	J	23	1140	mg/Kg	IB
SS	NDE026	E200.7	SW3050	SODIUM	110	J	22	1120	mg/Kg	IB
SS	NDE028	E200.7	SW3050	SODIUM	140	J	23	1140	mg/Kg	IB
SS	NDE030	E200.7	SW3050	SODIUM	130	J	22	1120	mg/Kg	IB
SS	NDE032	E200.7	SW3050	SODIUM	110	J	24	1180	mg/Kg	IB
SS	NDE034	E200.7	SW3050	SODIUM	220	J	21	1070	mg/Kg	IB
SS	NDE037	E200.7	SW3050	SODIUM	200	J	21	1050	mg/Kg	IB
SS	NDE176	E200.7	SW3050	SODIUM	460	J	22	1080	mg/Kg	IB
SS	NDE177	E200.7	SW3050	SODIUM	340	J	22	1090	mg/Kg	IB
SS	NDE178	E200.7	SW3050	SODIUM	310	J	22	1120	mg/Kg	IB
SS	NDE179	E200.7	SW3050	SODIUM	360	J	21	1050	mg/Kg	IB
SS	NDE102	E200.7	SW3050	SODIUM	200	J	20	1020	mg/Kg	IB
SS	NDE104	E200.7	SW3050	SODIUM	170	J	20	1020	mg/Kg	IB
SS	NDE106	E200.7	SW3050	SODIUM	120	J	24	1190	mg/Kg	IB
SS	NDE108	E200.7	SW3050	SODIUM	620	J	29	1470	mg/Kg	IB
SS	NDE110	E200.7	SW3050	SODIUM	130	J	25	1240	mg/Kg	IB
SB	NDE196	E200.7	SW3050	THALLIUM	0.4	J	0.37	2.2	mg/Kg	IB
SB	NDE203	E200.7	SW3050	THALLIUM	0.43	J	0.4	2.3	mg/Kg	IB
SB	NDE105	E200.7	SW3050	THALLIUM	0.76	J	0.39	2.3	mg/Kg	IB
SB	NDE107	E200.7	SW3050	THALLIUM	0.41	J	0.38	2.2	mg/Kg	IB
SB	NDE109	E200.7	SW3050	THALLIUM	1	J	0.38	2.3	mg/Kg	IB
SS	NDE074FD1	E200.7	SW3050	THALLIUM	0.93	J	0.36	2.1	mg/Kg	IB
SS	NDE083	E200.7	SW3050	THALLIUM	0.73	J	0.42	2.5	mg/Kg	IB
SS	NDE084FD1	E200.7	SW3050	THALLIUM	0.58	J	0.44	2.6	mg/Kg	IB
SS	NDE188	E200.7	SW3050	THALLIUM	0.51	J	0.39	2.3	mg/Kg	IB
SS	NDE190	E200.7	SW3050	THALLIUM	0.68	J	0.4	2.4	mg/Kg	IB
SS	NDE104	E200.7	SW3050	THALLIUM	0.65	J	0.35	2	mg/Kg	IB
SS	NDE106	E200.7	SW3050	THALLIUM	0.55	J	0.4	2.4	mg/Kg	IB
SS	NDE108	E200.7	SW3050	THALLIUM	0.6	J	0.5	2.9	mg/Kg	IB
SS	NDE110	E200.7	SW3050	THALLIUM	0.75	J	0.42	2.5	mg/Kg	IB
WG	NDE214	E200.7	SW3050	THALLIUM	6.6	J	3.4	10	ug/L	IB
WG	NDE216FD1	E200.7	SW3050	THALLIUM	8	J	3.4	10	ug/L	IB
WG	NDE218	E200.7	SW3050	THALLIUM	9.3	J	3.4	10	ug/L	IB
WG	NDE220	E200.7	SW3050	THALLIUM	8	J	3.4	10	ug/L	IB
WG	NDE219	E200.7	FLDFLT	THALLIUM, DISSOLVED	5.3	J	3.4	10	ug/L	IB
WG	NDE223	E200.7	FLDFLT	THALLIUM, DISSOLVED	6.4	J	3.4	10	ug/L	IB
WG	NDE213	E200.7	FLDFLT	THALLIUM, DISSOLVED	9	J	3.4	10	ug/L	IB
SS	NDE160	E200.7	SW3050	VANADIUM	36	J	0.07	11	mg/Kg	IB
WG	NDE219	E200.7	SW3050	VANADIUM	12	J	0.7	50	ug/L	IB
WG	NDE222FD1	E200.7	SW3050	VANADIUM	15	J	0.7	50	ug/L	IB
WG	NDE223	E200.7	SW3050	VANADIUM	13	J	0.7	50	ug/L	IB
WG	NDE228	E200.7	SW3050	VANADIUM	6.8	J	0.7	50	ug/L	IB
WG	NDE229FD1	E200.7	SW3050	VANADIUM	7.1	J	0.7	50	ug/L	IB
WG	NDE231	E200.7	SW3050	VANADIUM	39	J	0.7	50	ug/L	IB
WG	NDE213	E200.7	SW3050	VANADIUM	43	J	0.7	50	ug/L	IB
WG	NDE215	E200.7	SW3050	VANADIUM	28	J	0.7	50	ug/L	IB
WG	NDE216FD1	E200.7	SW3050	VANADIUM	24	J	0.7	50	ug/L	IB
WG	NDE217	E200.7	SW3050	VANADIUM	6	J	0.7	50	ug/L	IB
WG	NDE218	E200.7	SW3050	VANADIUM	6.9	J	0.7	50	ug/L	IB
WG	NDE220	E200.7	SW3050	VANADIUM	20	J	0.7	50	ug/L	IB
WG	NDE219	E200.7	FLDFLT	VANADIUM, DISSOLVED	8	J	0.7	50	ug/L	IB
WG	NDE221	E200.7	FLDFLT	VANADIUM, DISSOLVED	8.2	J	0.7	50	ug/L	IB
WG	NDE222FD1	E200.7	FLDFLT	VANADIUM, DISSOLVED	8.1	J	0.7	50	ug/L	IB
WG	NDE223	E200.7	FLDFLT	VANADIUM, DISSOLVED	8.2	J	0.7	50	ug/L	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
WG	NDE228	E200.7	FLDFLT	VANADIUM, DISSOLVED	6.5	J	0.7	50	ug/L	IB
WG	NDE229FD1	E200.7	FLDFLT	VANADIUM, DISSOLVED	6.7	J	0.7	50	ug/L	IB
WG	NDE230	E200.7	FLDFLT	VANADIUM, DISSOLVED	6.3	J	0.7	50	ug/L	IB
WG	NDE231	E200.7	FLDFLT	VANADIUM, DISSOLVED	6.1	J	0.7	50	ug/L	IB
WG	NDE232	E200.7	FLDFLT	VANADIUM, DISSOLVED	3.8	J	0.7	50	ug/L	IB
WG	NDE213	E200.7	FLDFLT	VANADIUM, DISSOLVED	20	J	0.7	50	ug/L	IB
WG	NDE214	E200.7	FLDFLT	VANADIUM, DISSOLVED	2.8	J	0.7	50	ug/L	IB
WG	NDE215	E200.7	FLDFLT	VANADIUM, DISSOLVED	9.6	J	0.7	50	ug/L	IB
WG	NDE216FD1	E200.7	FLDFLT	VANADIUM, DISSOLVED	10	J	0.7	50	ug/L	IB
WG	NDE217	E200.7	FLDFLT	VANADIUM, DISSOLVED	6	J	0.7	50	ug/L	IB
WG	NDE218	E200.7	FLDFLT	VANADIUM, DISSOLVED	6.2	J	0.7	50	ug/L	IB
WG	NDE220	E200.7	FLDFLT	VANADIUM, DISSOLVED	4.9	J	0.7	50	ug/L	IB
SS	NDE160	E200.7	SW3050	ZINC	36	J	0.56	4.5	mg/Kg	IB
WG	NDE213	E200.7	SW3050	ZINC	19	J	5	20	ug/L	IB
WG	NDE215	E200.7	SW3050	ZINC	19	J	5	20	ug/L	IB
WG	NDE216FD1	E200.7	SW3050	ZINC	11	J	5	20	ug/L	IB
WG	NDE223	E200.7	FLDFLT	ZINC, DISSOLVED	9.7	J	5	20	ug/L	IB
WG	NDE230	E245.2	METHOD	MERCURY	0.076	J	0.025	0.2	ug/L	IB
WG	NDE231	E245.2	METHOD	MERCURY	0.033	J	0.025	0.2	ug/L	IB
WG	NDE232	E245.2	METHOD	MERCURY	0.065	J	0.025	0.2	ug/L	IB
SB	NDE080	E245.5	METHOD	MERCURY	0.0047	J	0.0038	0.05	mg/Kg	IB
SB	NDE089	E245.5	METHOD	MERCURY	0.0089	J	0.0037	0.04	mg/Kg	IB
SB	NDE189	E245.5	METHOD	MERCURY	0.005	J	0.0028	0.04	mg/Kg	IB
SB	NDE191	E245.5	METHOD	MERCURY	0.0071	J	0.0029	0.04	mg/Kg	IB
SB	NDE193	E245.5	METHOD	MERCURY	0.0065	J	0.0028	0.04	mg/Kg	IB
SB	NDE195FD1	E245.5	METHOD	MERCURY	0.0061	J	0.0027	0.04	mg/Kg	IB
SB	NDE196	E245.5	METHOD	MERCURY	0.0033	J	0.0027	0.04	mg/Kg	IB
SB	NDE006	E245.5	METHOD	MERCURY	0.013	J	0.003	0.04	mg/Kg	IB
SB	NDE010	E245.5	METHOD	MERCURY	0.011	J	0.0027	0.04	mg/Kg	IB
SB	NDE012	E245.5	METHOD	MERCURY	0.0038	J	0.0027	0.04	mg/Kg	IB
SB	NDE014	E245.5	METHOD	MERCURY	0.0032	J	0.0026	0.04	mg/Kg	IB
SB	NDE019	E245.5	METHOD	MERCURY	0.041	J	0.0027	0.04	mg/Kg	IB
SB	NDE022	E245.5	METHOD	MERCURY	0.0034	J	0.0028	0.04	mg/Kg	IB
SB	NDE027	E245.5	METHOD	MERCURY	0.0041	J	0.0028	0.04	mg/Kg	IB
SB	NDE029	E245.5	METHOD	MERCURY	0.0094	J	0.0029	0.04	mg/Kg	IB
SB	NDE033	E245.5	METHOD	MERCURY	0.015	J	0.0028	0.04	mg/Kg	IB
SB	NDE035	E245.5	METHOD	MERCURY	0.014	J	0.0028	0.04	mg/Kg	IB
SB	NDE036FD1	E245.5	METHOD	MERCURY	0.011	J	0.0028	0.04	mg/Kg	IB
SB	NDE038	E245.5	METHOD	MERCURY	0.0088	J	0.0028	0.04	mg/Kg	IB
SB	NDE039FD1	E245.5	METHOD	MERCURY	0.0093	J	0.0028	0.04	mg/Kg	IB
SB	NDE103	E245.5	METHOD	MERCURY	0.02	J	0.003	0.052	mg/Kg	IB
SB	NDE105	E245.5	METHOD	MERCURY	0.0066	J	0.002	0.046	mg/Kg	IB
SB	NDE107	E245.5	METHOD	MERCURY	0.0081	J	0.002	0.045	mg/Kg	IB
SB	NDE109	E245.5	METHOD	MERCURY	0.0042	J	0.002	0.045	mg/Kg	IB
SB	NDE111FD1	E245.5	METHOD	MERCURY	0.0034	J	0.002	0.046	mg/Kg	IB
SS	NDE136	E245.5	METHOD	MERCURY	0.0028	J	0.0028	0.04	mg/Kg	IB
SS	NDE074FD1	E245.5	METHOD	MERCURY	0.0041	J	0.0032	0.04	mg/Kg	IB
SS	NDE083	E245.5	METHOD	MERCURY	0.014	J	0.0037	0.04	mg/Kg	IB
SS	NDE084FD1	E245.5	METHOD	MERCURY	0.034	J	0.0039	0.05	mg/Kg	IB
SS	NDE164	E245.5	METHOD	MERCURY	0.018	J	0.0033	0.04	mg/Kg	IB
SS	NDE165FD1	E245.5	METHOD	MERCURY	0.014	J	0.0034	0.04	mg/Kg	IB
SS	NDE166	E245.5	METHOD	MERCURY	0.021	J	0.0036	0.04	mg/Kg	IB
SS	NDE167	E245.5	METHOD	MERCURY	0.016	J	0.0036	0.04	mg/Kg	IB
SS	NDE168	E245.5	METHOD	MERCURY	0.01	J	0.0032	0.04	mg/Kg	IB
SS	NDE169	E245.5	METHOD	MERCURY	0.016	J	0.0035	0.04	mg/Kg	IB
SS	NDE188	E245.5	METHOD	MERCURY	0.023	J	0.0028	0.04	mg/Kg	IB
SS	NDE190	E245.5	METHOD	MERCURY	0.03	J	0.0029	0.04	mg/Kg	IB
SS	NDE194	E245.5	METHOD	MERCURY	0.0099	J	0.0032	0.05	mg/Kg	IB
SS	NDE004	E245.5	METHOD	MERCURY	0.027	J	0.0027	0.04	mg/Kg	IB
SS	NDE005FD1	E245.5	METHOD	MERCURY	0.026	J	0.0027	0.04	mg/Kg	IB
SS	NDE007	E245.5	METHOD	MERCURY	0.04	J	0.0027	0.04	mg/Kg	IB
SS	NDE009	E245.5	METHOD	MERCURY	0.024	J	0.0029	0.04	mg/Kg	IB
SS	NDE011	E245.5	METHOD	MERCURY	0.032	J	0.0027	0.04	mg/Kg	IB
SS	NDE013	E245.5	METHOD	MERCURY	0.037	J	0.0026	0.04	mg/Kg	IB
SS	NDE015	E245.5	METHOD	MERCURY	0.021	J	0.0026	0.04	mg/Kg	IB

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE017	E245.5	METHOD	MERCURY	0.025	J	0.0028	0.04	mg/Kg	IB
SS	NDE023	E245.5	METHOD	MERCURY	0.035	J	0.0027	0.04	mg/Kg	IB
SS	NDE024FD1	E245.5	METHOD	MERCURY	0.033	J	0.0029	0.04	mg/Kg	IB
SS	NDE026	E245.5	METHOD	MERCURY	0.043	J	0.0028	0.04	mg/Kg	IB
SS	NDE028	E245.5	METHOD	MERCURY	0.041	J	0.0029	0.04	mg/Kg	IB
SS	NDE032	E245.5	METHOD	MERCURY	0.029	J	0.003	0.04	mg/Kg	IB
SS	NDE034	E245.5	METHOD	MERCURY	0.019	J	0.0027	0.04	mg/Kg	IB
SS	NDE037	E245.5	METHOD	MERCURY	0.04	J	0.0026	0.04	mg/Kg	IB
SS	NDE176	E245.5	METHOD	MERCURY	0.02	J	0.0027	0.04	mg/Kg	IB
SS	NDE178	E245.5	METHOD	MERCURY	0.014	J	0.0028	0.04	mg/Kg	IB
SS	NDE179	E245.5	METHOD	MERCURY	0.0049	J	0.0026	0.04	mg/Kg	IB
SS	NDE102	E245.5	METHOD	MERCURY	0.013	J	0.0025	0.04	mg/Kg	IB
SS	NDE104	E245.5	METHOD	MERCURY	0.021	J	0.0026	0.04	mg/Kg	IB
SS	NDE106	E245.5	METHOD	MERCURY	0.03	J	0.003	0.04	mg/Kg	IB
SS	NDE108	E245.5	METHOD	MERCURY	0.036	J	0.0037	0.05	mg/Kg	IB
SS	NDE110	E245.5	METHOD	MERCURY	0.028	J	0.0031	0.04	mg/Kg	IB
SB	NDE103	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.633	2.2	ug/Kg	IC
SB	NDE105	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.558	2	ug/Kg	IC
SB	NDE107	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.552	1.9	ug/Kg	IC
SB	NDE109	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.558	1.9	ug/Kg	IC
SB	NDE111FD1	CLP_PEST	SW3550	ALPHA BHC	1.7	UJ	0.566	1.7	ug/Kg	IC
SB	NDE112	CLP_PEST	SW3550	ALPHA BHC	1.7	UJ	0.553	1.7	ug/Kg	IC
SD	NDE114	CLP_PEST	SW3550	ALPHA BHC	2.3	UJ	0.66	2.3	ug/Kg	IC
SS	NDE133	CLP_PEST	SW3550	p,p'-DDT	34	J	0.44	3.7	ug/Kg	IC
SS	NDE137	CLP_PEST	SW3550	p,p'-DDT	19	J	0.45	3.8	ug/Kg	IC
SS	NDE141	CLP_PEST	SW3550	p,p'-DDT	7.6	J	0.44	3.8	ug/Kg	IC
SS	NDE142	CLP_PEST	SW3550	p,p'-DDT	9.2	J	0.43	3.6	ug/Kg	IC
SS	NDE143FD1	CLP_PEST	SW3550	p,p'-DDT	11	J	0.43	3.7	ug/Kg	IC
SS	NDE144	CLP_PEST	SW3550	p,p'-DDT	22	J	0.42	3.6	ug/Kg	IC
SS	NDE146	CLP_PEST	SW3550	p,p'-DDT	44	J	0.43	3.7	ug/Kg	IC
SS	NDE149	CLP_PEST	SW3550	p,p'-DDT	19	J	0.47	4	ug/Kg	IC
SS	NDE150	CLP_PEST	SW3550	p,p'-DDT	6.6	J	0.44	3.8	ug/Kg	IC
SS	NDE134	CLP_PEST	SW3550	p,p'-DDT	4	UJ	0.47	4	ug/Kg	IC
SS	NDE135	CLP_PEST	SW3550	p,p'-DDT	4	UJ	0.47	4	ug/Kg	IC
SS	NDE138	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	IC
SS	NDE139	CLP_PEST	SW3550	p,p'-DDT	4	UJ	0.47	4	ug/Kg	IC
SS	NDE147	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.45	3.8	ug/Kg	IC
WG	NDE219	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE221	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE222FD1	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE223	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE228	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE229FD1	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE230	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE231	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE232	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE213	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE214	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE215	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE216FD1	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE217	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE218	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
WG	NDE220	SW8260B	SW5030	ACETONE	5	R	4.1	5	ug/L	IC
SS	NDE133	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.3	19	ug/Kg	IC, CC
SS	NDE134	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.3	21	ug/Kg	IC, CC
SS	NDE135	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.3	21	ug/Kg	IC, CC
SS	NDE136	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.3	19	ug/Kg	IC, CC
SS	NDE137	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.3	20	ug/Kg	IC, CC
SS	NDE138	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.3	19	ug/Kg	IC, CC
SS	NDE139	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.3	21	ug/Kg	IC, CC
SS	NDE192	SW8260B	SW5030	2-BUTANONE (MEK)	10	J	1.7	10	ug/Kg	IC, CC
SB	NDE044	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.8	11	ug/Kg	IC, CC
SB	NDE046	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.9	11	ug/Kg	IC, CC
SB	NDE048	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE050	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.8	11	ug/Kg	IC, CC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE052	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE122	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.9	11	ug/Kg	IC, CC
SB	NDE124	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.9	11	ug/Kg	IC, C
SB	NDE126	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, C
SB	NDE054	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2	12	ug/Kg	IC, CC
SB	NDE056	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE058	SW8260B	SW5030	2-BUTANONE (MEK)	4.1	R	1.7	10	ug/Kg	IC, CC
SB	NDE063	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE065	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE067	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE069	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE071	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE076	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	IC, CC
SB	NDE078	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE096	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.9	11	ug/Kg	IC, CC
SB	NDE098	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE189	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE191	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE193	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	IC, CC
SB	NDE195FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE196	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE006	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	1.9	12	ug/Kg	IC, CC
SB	NDE008	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE010	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE012	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE014	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE019	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2	12	ug/Kg	IC, CC
SB	NDE016	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE018	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE020	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE022	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE025	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, C
SB	NDE027	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE029	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE031	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.8	11	ug/Kg	IC, CC
SB	NDE203	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE204	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2.1	12	ug/Kg	IC, CC
SB	NDE033	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE035	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE036FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE038	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE039FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE103	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE105	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE107	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE109	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	IC, CC
SB	NDE111FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SB	NDE112	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.8	11	ug/Kg	IC, CC
SD	NDE115	SW8260B	SW5030	2-BUTANONE (MEK)	16	R	2.7	16	ug/Kg	IC, CC
SD	NDE118	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2.1	12	ug/Kg	IC, CC
SS	NDE133	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE134	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.9	11	ug/Kg	IC, CC
SS	NDE135	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.8	11	ug/Kg	IC, CC
SS	NDE136	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE137	SW8260B	SW5030	2-BUTANONE (MEK)	19	R	3.3	19	ug/Kg	IC, CC
SS	NDE138	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE139	SW8260B	SW5030	2-BUTANONE (MEK)	15	R	2.6	15	ug/Kg	IC, CC
SS	NDE140	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	IC, CC
SS	NDE141	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SS	NDE142	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.8	11	ug/Kg	IC, C
SS	NDE143FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE144	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2	12	ug/Kg	IC, CC
SS	NDE145	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE146	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2	12	ug/Kg	IC, CC
SS	NDE147	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	IC, CC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE148	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE149	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE150	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE043	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SS	NDE045	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SS	NDE047	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SS	NDE049	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	IC, CC
SS	NDE121	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE123	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE125	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE127	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE053	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE055	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SS	NDE057	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.3	10	ug/Kg	IC, CC
SS	NDE059	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE062FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	IC, CC
SS	NDE064	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.3	10	ug/Kg	IC, CC
SS	NDE066	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE068	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE070	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE072	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE077	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE099FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SS	NDE159	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE160	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE161	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE163	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE165FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE166	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2	12	ug/Kg	IC, CC
SS	NDE167	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE168	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE190	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE194	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE004	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE005FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE007	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE009	SW8260B	SW5030	2-BUTANONE (MEK)	15	R	2.5	15	ug/Kg	IC, CC
SS	NDE011	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE013	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE015	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE017	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE021	SW8260B	SW5030	2-BUTANONE (MEK)	13	R	2.3	13	ug/Kg	IC, CC
SS	NDE023	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE024FD1	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.8	11	ug/Kg	IC, CC
SS	NDE026	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.5	10	ug/Kg	IC, CC
SS	NDE028	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.9	11	ug/Kg	IC, CC
SS	NDE030	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE032	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE034	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE037	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE176	SW8260B	SW5030	2-BUTANONE (MEK)	948	R	163	948	ug/Kg	IC, CC
SS	NDE177	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE178	SW8260B	SW5030	2-BUTANONE (MEK)	11	R	1.9	11	ug/Kg	IC, CC
SS	NDE179	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2	12	ug/Kg	IC, CC
SS	NDE102	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE104	SW8260B	SW5030	2-BUTANONE (MEK)	9.8	R	1.7	9.8	ug/Kg	IC, CC
SS	NDE106	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2.1	12	ug/Kg	IC, CC
SS	NDE108	SW8260B	SW5030	2-BUTANONE (MEK)	13	R	2.3	13	ug/Kg	IC, CC
SS	NDE110	SW8260B	SW5030	2-BUTANONE (MEK)	12	R	2	12	ug/Kg	IC, CC
SW	NDE171	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/L	IC, CC
SW	NDE172FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/L	IC, CC
SW	NDE173	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/L	IC, CC
SW	NDE174	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/L	IC, CC
SW	NDE175	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/L	IC, CC
SW	NDE225	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.7	10	ug/L	IC, CC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
WG	NDE219	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE221	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE222FD1	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, C
WG	NDE223	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, C
WG	NDE228	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE229FD1	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE230	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE231	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE232	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE213	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE214	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE215	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE216FD1	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE217	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE218	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
WG	NDE220	SW8260B	SW5030	2-BUTANONE (MEK)	5	R	1.7	5	ug/L	IC, CC
SB	NDE044	SW8260B	SW5030	ACETONE	11	R	2	11	ug/Kg	IC, CC
SB	NDE046	SW8260B	SW5030	ACETONE	17	R	2.1	11	ug/Kg	IC, CC
SB	NDE048	SW8260B	SW5030	ACETONE	11	R	1.8	10	ug/Kg	IC, CC
SB	NDE050	SW8260B	SW5030	ACETONE	12	R	2.1	11	ug/Kg	IC, CC
SB	NDE052	SW8260B	SW5030	ACETONE	11	R	1.8	10	ug/Kg	IC, CC
SB	NDE122	SW8260B	SW5030	ACETONE	17	R	2.1	11	ug/Kg	IC, CC
SB	NDE124	SW8260B	SW5030	ACETONE	27	R	2.1	11	ug/Kg	IC, CC
SB	NDE126	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE067	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE069	SW8260B	SW5030	ACETONE	15	R	1.7	10	ug/Kg	IC, CC
SB	NDE071	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SB	NDE073	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE092	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE094	SW8260B	SW5030	ACETONE	25	R	1.9	10	ug/Kg	IC, CC
SB	NDE080	SW8260B	SW5030	ACETONE	11	R	2	11	ug/Kg	IC, CC
SB	NDE082	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, C
SB	NDE085	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SB	NDE087	SW8260B	SW5030	ACETONE	15	R	2.2	12	ug/Kg	IC, CC
SB	NDE089	SW8260B	SW5030	ACETONE	11	R	2	11	ug/Kg	IC, CC
SB	NDE006	SW8260B	SW5030	ACETONE	12	R	2.2	12	ug/Kg	IC, CC
SB	NDE008	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE010	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SB	NDE012	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SB	NDE014	SW8260B	SW5030	ACETONE	22	R	2	10	ug/Kg	IC, CC
SB	NDE019	SW8260B	SW5030	ACETONE	20	R	2.3	12	ug/Kg	IC, CC
SB	NDE022	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE027	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE029	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SB	NDE031	SW8260B	SW5030	ACETONE	12	R	2.1	11	ug/Kg	IC, CC
SB	NDE203	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE204	SW8260B	SW5030	ACETONE	13	R	2.3	12	ug/Kg	IC, CC
SB	NDE033	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SB	NDE035	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SB	NDE036FD1	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE038	SW8260B	SW5030	ACETONE	10	R	2	10	ug/Kg	IC, CC
SB	NDE039FD1	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE103	SW8260B	SW5030	ACETONE	22	R	1.9	10	ug/Kg	IC, CC
SB	NDE105	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SB	NDE107	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE109	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	IC, CC
SB	NDE111FD1	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SB	NDE112	SW8260B	SW5030	ACETONE	12	R	2	11	ug/Kg	IC, CC
SD	NDE114	SW8260B	SW5030	ACETONE	44	R	3.4	18	ug/Kg	IC, CC
SD	NDE115	SW8260B	SW5030	ACETONE	50	R	3	16	ug/Kg	IC,
SD	NDE116	SW8260B	SW5030	ACETONE	54	R	4	21	ug/Kg	IC, CC
SD	NDE117	SW8260B	SW5030	ACETONE	73	R	6.6	34	ug/Kg	IC, CC
SD	NDE118	SW8260B	SW5030	ACETONE	24	R	2.4	12	ug/Kg	IC, CC
SD	NDE119FD1	SW8260B	SW5030	ACETONE	33	R	2.7	14	ug/Kg	IC, CC
SS	NDE133	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE134	SW8260B	SW5030	ACETONE	11	R	2.1	11	ug/Kg	IC, CC
SS	NDE135	SW8260B	SW5030	ACETONE	11	R	2.1	11	ug/Kg	IC, CC
SS	NDE136	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE137	SW8260B	SW5030	ACETONE	19	R	3.7	19	ug/Kg	IC, CC
SS	NDE138	SW8260B	SW5030	ACETONE	61	R	2	10	ug/Kg	IC, CC
SS	NDE139	SW8260B	SW5030	ACETONE	15	R	2.9	15	ug/Kg	IC, CC
SS	NDE140	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE141	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE142	SW8260B	SW5030	ACETONE	10	R	2	11	ug/Kg	IC, CC
SS	NDE143FD1	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE144	SW8260B	SW5030	ACETONE	12	R	2.2	12	ug/Kg	IC, CC
SS	NDE145	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE146	SW8260B	SW5030	ACETONE	12	R	2.3	12	ug/Kg	IC, CC
SS	NDE147	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE148	SW8260B	SW5030	ACETONE	10	R	2	10	ug/Kg	IC, CC
SS	NDE149	SW8260B	SW5030	ACETONE	16	R	2	10	ug/Kg	IC, CC
SS	NDE150	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE043	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE045	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE047	SW8260B	SW5030	ACETONE	11	R	1.7	10	ug/Kg	IC, CC
SS	NDE049	SW8260B	SW5030	ACETONE	12	R	1.6	10	ug/Kg	IC, CC
SS	NDE051	SW8260B	SW5030	ACETONE	13	R	1.5	10	ug/Kg	IC, CC
SS	NDE121	SW8260B	SW5030	ACETONE	18	R	1.7	10	ug/Kg	IC, CC
SS	NDE123	SW8260B	SW5030	ACETONE	18	R	1.8	10	ug/Kg	IC, CC
SS	NDE125	SW8260B	SW5030	ACETONE	23	R	1.8	10	ug/Kg	IC, CC
SS	NDE066	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE068	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE072	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE075	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE090	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE091FD1	SW8260B	SW5030	ACETONE	34	R	1.7	10	ug/Kg	IC, CC
SS	NDE093	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE095	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE097	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE162	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE074FD1	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE079	SW8260B	SW5030	ACETONE	10	R	1.6	10	ug/Kg	IC, CC
SS	NDE081	SW8260B	SW5030	ACETONE	22	R	1.7	10	ug/Kg	IC, CC
SS	NDE083	SW8260B	SW5030	ACETONE	14	R	2.2	12	ug/Kg	IC, CC
SS	NDE084FD1	SW8260B	SW5030	ACETONE	12	R	2.3	12	ug/Kg	IC, CC
SS	NDE086	SW8260B	SW5030	ACETONE	16	R	1.5	10	ug/Kg	IC, CC
SS	NDE088	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE164	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE169	SW8260B	SW5030	ACETONE	11	R	2.1	11	ug/Kg	IC, CC
SS	NDE004	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE005FD1	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE007	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE009	SW8260B	SW5030	ACETONE	15	R	2.8	15	ug/Kg	IC, CC
SS	NDE011	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE013	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE015	SW8260B	SW5030	ACETONE	21	R	1.9	10	ug/Kg	IC, CC
SS	NDE017	SW8260B	SW5030	ACETONE	19	R	2	10	ug/Kg	IC, CC
SS	NDE021	SW8260B	SW5030	ACETONE	21	R	2.5	13	ug/Kg	IC, CC
SS	NDE023	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE024FD1	SW8260B	SW5030	ACETONE	11	R	2	11	ug/Kg	IC, CC
SS	NDE026	SW8260B	SW5030	ACETONE	10	R	1.7	10	ug/Kg	IC, CC
SS	NDE028	SW8260B	SW5030	ACETONE	11	R	2.2	11	ug/Kg	IC, CC
SS	NDE030	SW8260B	SW5030	ACETONE	32	R	1.8	10	ug/Kg	IC, CC
SS	NDE032	SW8260B	SW5030	ACETONE	30	R	2	10	ug/Kg	IC, CC
SS	NDE034	SW8260B	SW5030	ACETONE	38	R	1.9	10	ug/Kg	IC, CC
SS	NDE037	SW8260B	SW5030	ACETONE	10	R	1.8	10	ug/Kg	IC, CC
SS	NDE177	SW8260B	SW5030	ACETONE	10	R	1.9	10	ug/Kg	IC, CC
SS	NDE178	SW8260B	SW5030	ACETONE	11	R	2.1	11	ug/Kg	IC, CC
SS	NDE179	SW8260B	SW5030	ACETONE	12	R	2.3	12	ug/Kg	IC, CC
SS	NDE102	SW8260B	SW5030	ACETONE	13	R	10	10	ug/Kg	IC, CC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE106	SW8260B	SW5030	ACETONE	12	R	12	12	ug/Kg	IC, CC
SS	NDE108	SW8260B	SW5030	ACETONE	24	R	13	13	ug/Kg	IC, CC
SS	NDE110	SW8260B	SW5030	ACETONE	25	R	12	12	ug/Kg	IC, CC
SW	NDE171	SW8260B	SW5030	ACETONE	10	R	4.1	10	ug/L	IC, CC
SW	NDE172FD1	SW8260B	SW5030	ACETONE	10	R	4.1	10	ug/L	IC, CC
SW	NDE173	SW8260B	SW5030	ACETONE	10	R	4.1	10	ug/L	IC, CC
SW	NDE174	SW8260B	SW5030	ACETONE	10	R	4.1	10	ug/L	IC, CC
SW	NDE175	SW8260B	SW5030	ACETONE	10	R	4.1	10	ug/L	IC, CC
SW	NDE225	SW8260B	SW5030	ACETONE	10	R	4.1	10	ug/L	IC, CC
SS	NDE140	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.3	20	ug/Kg	IC, CC, OT
SS	NDE141	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.3	20	ug/Kg	IC, CC, OT
SS	NDE142	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.3	19	ug/Kg	IC, CC, OT
SS	NDE143FD1	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.3	19	ug/Kg	IC, CC, OT
SS	NDE144	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.3	19	ug/Kg	IC, CC, OT
SS	NDE145	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	IC, CC, OT
SS	NDE146	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.3	19	ug/Kg	IC, CC, OT
SS	NDE147	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.3	20	ug/Kg	IC, CC, OT
SS	NDE148	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.4	21	ug/Kg	IC, CC, OT
SS	NDE149	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.3	21	ug/Kg	IC, CC, OT
SS	NDE150	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.3	19	ug/Kg	IC, CC, OT
SS	NDE061	SW8260B	SW5030	2-BUTANONE (MEK)	10	R	1.4	10	ug/Kg	IC,CC
SS	NDE104	SW8260B	SW5030	ACETONE	34	R	9.8	9.8	ug/Kg	IC., CC
SS	NDE108	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	13	UJ	0.2	13	ug/Kg	IS
SS	NDE153	CLP_PEST	SW3550	p,p'-DDT	32	J	0.44	3.7	ug/Kg	MS
WG	NDE216FD1	E200.7	FLDFLT	ALUMINUM, DISSOLVED	100	J	95	200	ug/L	MS
WG	NDE217	E200.7	FLDFLT	ALUMINUM, DISSOLVED	130	J	95	200	ug/L	MS
SB	NDE092	E200.7	SW3050	ANTIMONY	1.4	J	0.27	13	mg/Kg	MS
SB	NDE094	E200.7	SW3050	ANTIMONY	1.4	J	0.26	13	mg/Kg	MS
SB	NDE096	E200.7	SW3050	ANTIMONY	1.2	J	0.27	13	mg/Kg	MS
SB	NDE098	E200.7	SW3050	ANTIMONY	2	J	0.26	12.8	mg/Kg	MS
SB	NDE080	E200.7	SW3050	ANTIMONY	1.7	J	0.31	15	mg/Kg	MS
SB	NDE082	E200.7	SW3050	ANTIMONY	2.9	J	0.25	13	mg/Kg	MS
SB	NDE085	E200.7	SW3050	ANTIMONY	2.2	J	0.26	13	mg/Kg	MS
SB	NDE087	E200.7	SW3050	ANTIMONY	2	J	0.25	13	mg/Kg	MS
SB	NDE089	E200.7	SW3050	ANTIMONY	2.1	J	0.29	15	mg/Kg	MS
SB	NDE189	E200.7	SW3050	ANTIMONY	0.38	J	0.27	13	mg/Kg	MS
SB	NDE193	E200.7	SW3050	ANTIMONY	0.43	J	0.27	14	mg/Kg	MS
SB	NDE195FD1	E200.7	SW3050	ANTIMONY	0.38	J	0.26	13	mg/Kg	MS
SB	NDE196	E200.7	SW3050	ANTIMONY	0.33	J	0.26	13	mg/Kg	MS
SB	NDE008	E200.7	SW3050	ANTIMONY	0.9	J	0.29	14	mg/Kg	MS
SB	NDE010	E200.7	SW3050	ANTIMONY	0.59	J	0.26	13	mg/Kg	MS
SB	NDE012	E200.7	SW3050	ANTIMONY	0.44	J	0.25	13	mg/Kg	MS
SB	NDE019	E200.7	SW3050	ANTIMONY	0.36	J	0.26	13	mg/Kg	MS
SB	NDE016	E200.7	SW3050	ANTIMONY	0.38	J	0.25	13	mg/Kg	MS
SB	NDE018	E200.7	SW3050	ANTIMONY	0.44	J	0.25	13	mg/Kg	MS
SB	NDE203	E200.7	SW3050	ANTIMONY	0.44	J	0.28	14	mg/Kg	MS
SB	NDE204	E200.7	SW3050	ANTIMONY	0.49	J	0.29	14	mg/Kg	MS
SB	NDE038	E200.7	SW3050	ANTIMONY	0.44	J	0.27	13	mg/Kg	MS
SB	NDE039FD1	E200.7	SW3050	ANTIMONY	0.55	J	0.27	13	mg/Kg	MS
SB	NDE105	E200.7	SW3050	ANTIMONY	0.54	J	0.27	14	mg/Kg	MS
SB	NDE107	E200.7	SW3050	ANTIMONY	0.36	J	0.27	13	mg/Kg	MS
SB	NDE109	E200.7	SW3050	ANTIMONY	0.44	J	0.27	14	mg/Kg	MS
SB	NDE111FD1	E200.7	SW3050	ANTIMONY	0.54	J	0.28	14	mg/Kg	MS
SS	NDE090	E200.7	SW3050	ANTIMONY	0.8	J	0.27	13	mg/Kg	MS
SS	NDE091FD1	E200.7	SW3050	ANTIMONY	1.3	J	0.28	14	mg/Kg	MS
SS	NDE093	E200.7	SW3050	ANTIMONY	1.2	J	0.25	13	mg/Kg	MS
SS	NDE095	E200.7	SW3050	ANTIMONY	1.1	J	0.26	13	mg/Kg	MS
SS	NDE097	E200.7	SW3050	ANTIMONY	0.97	J	0.25	13	mg/Kg	MS
SS	NDE099FD1	E200.7	SW3050	ANTIMONY	1	J	0.25	13	mg/Kg	MS
SS	NDE160	E200.7	SW3050	ANTIMONY	0.38	J	0.27	13	mg/Kg	MS
SS	NDE161	E200.7	SW3050	ANTIMONY	0.62	J	0.28	14	mg/Kg	MS
SS	NDE074FD1	E200.7	SW3050	ANTIMONY	1.2	J	0.26	13	mg/Kg	MS
SS	NDE079	E200.7	SW3050	ANTIMONY	1.1	J	0.26	13	mg/Kg	MS
SS	NDE081	E200.7	SW3050	ANTIMONY	1.4	J	0.26	13	mg/Kg	MS
SS	NDE083	E200.7	SW3050	ANTIMONY	1.4	J	0.3	15	mg/Kg	MS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE084FD1	E200.7	SW3050	ANTIMONY	1.1	J	0.31	15	mg/Kg	MS
SS	NDE086	E200.7	SW3050	ANTIMONY	0.86	J	0.26	13	mg/Kg	MS
SS	NDE088	E200.7	SW3050	ANTIMONY	1.2	J	0.29	14	mg/Kg	MS
SS	NDE164	E200.7	SW3050	ANTIMONY	0.61	J	0.26	13	mg/Kg	MS
SS	NDE165FD1	E200.7	SW3050	ANTIMONY	0.88	J	0.27	14	mg/Kg	MS
SS	NDE166	E200.7	SW3050	ANTIMONY	0.61	J	0.29	14	mg/Kg	MS
SS	NDE167	E200.7	SW3050	ANTIMONY	0.4	J	0.29	14	mg/Kg	MS
SS	NDE168	E200.7	SW3050	ANTIMONY	0.35	J	0.26	13	mg/Kg	MS
SS	NDE169	E200.7	SW3050	ANTIMONY	0.67	J	0.28	14	mg/Kg	MS
SS	NDE188	E200.7	SW3050	ANTIMONY	0.48	J	0.27	14	mg/Kg	MS
SS	NDE190	E200.7	SW3050	ANTIMONY	0.7	J	0.28	14	mg/Kg	MS
SS	NDE192	E200.7	SW3050	ANTIMONY	0.53	J	0.27	14	mg/Kg	MS
SS	NDE194	E200.7	SW3050	ANTIMONY	0.73	J	0.31	15	mg/Kg	MS
SS	NDE004	E200.7	SW3050	ANTIMONY	1.6	J	0.26	13	mg/Kg	MS
SS	NDE005FD1	E200.7	SW3050	ANTIMONY	1.5	J	0.26	13	mg/Kg	MS
SS	NDE007	E200.7	SW3050	ANTIMONY	0.86	J	0.26	13	mg/Kg	MS
SS	NDE009	E200.7	SW3050	ANTIMONY	0.68	J	0.28	14	mg/Kg	MS
SS	NDE011	E200.7	SW3050	ANTIMONY	0.77	J	0.26	13	mg/Kg	MS
SS	NDE013	E200.7	SW3050	ANTIMONY	1.2	J	0.25	13	mg/Kg	MS
SS	NDE015	E200.7	SW3050	ANTIMONY	2	J	0.25	13	mg/Kg	MS
SS	NDE017	E200.7	SW3050	ANTIMONY	1.2	J	0.26	13	mg/Kg	MS
SS	NDE021	E200.7	SW3050	ANTIMONY	0.77	J	0.27	14	mg/Kg	MS
SS	NDE023	E200.7	SW3050	ANTIMONY	0.47	J	0.26	13	mg/Kg	MS
SS	NDE176	E200.7	SW3050	ANTIMONY	1	J	0.26	13	mg/Kg	MS
SS	NDE178	E200.7	SW3050	ANTIMONY	6.3	J	0.27	13	mg/Kg	MS
SS	NDE179	E200.7	SW3050	ANTIMONY	0.61	J	0.25	13	mg/Kg	MS
SS	NDE102	E200.7	SW3050	ANTIMONY	0.4	J	0.24	12	mg/Kg	MS
SS	NDE106	E200.7	SW3050	ANTIMONY	0.48	J	0.28	14	mg/Kg	MS
SS	NDE110	E200.7	SW3050	ANTIMONY	0.37	J	0.3	15	mg/Kg	MS
SB	NDE191	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	14	mg/Kg	MS
SB	NDE008	E200.7	SW3050	ANTIMONY	0.25	UJ	0.25	13	mg/Kg	MS
SB	NDE014	E200.7	SW3050	ANTIMONY	0.25	UJ	0.25	13	mg/Kg	MS
SB	NDE020	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	13	mg/Kg	MS
SB	NDE022	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	13	mg/Kg	MS
SB	NDE025	E200.7	SW3050	ANTIMONY	0.28	UJ	0.28	14	mg/Kg	MS
SB	NDE027	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	13	mg/Kg	MS
SB	NDE029	E200.7	SW3050	ANTIMONY	0.28	UJ	0.28	14	mg/Kg	MS
SB	NDE031	E200.7	SW3050	ANTIMONY	0.26	UJ	0.26	13	mg/Kg	MS
SB	NDE033	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	13	mg/Kg	MS
SB	NDE035	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	14	mg/Kg	MS
SB	NDE036FD1	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	13	mg/Kg	MS
SB	NDE103	E200.7	SW3050	ANTIMONY	0.31	UJ	0.31	15	mg/Kg	MS
SB	NDE112	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	14	mg/Kg	MS
SD	NDE114	E200.7	SW3050	ANTIMONY	0.33	UJ	0.33	16	mg/Kg	MS
SS	NDE159	E200.7	SW3050	ANTIMONY	0.26	UJ	0.26	13	mg/Kg	MS
SS	NDE162	E200.7	SW3050	ANTIMONY	0.26	UJ	0.26	13	mg/Kg	MS
SS	NDE163	E200.7	SW3050	ANTIMONY	0.31	UJ	0.31	15	mg/Kg	MS
SS	NDE024FD1	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	14	mg/Kg	MS
SS	NDE026	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	13	mg/Kg	MS
SS	NDE028	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	14	mg/Kg	MS
SS	NDE030	E200.7	SW3050	ANTIMONY	0.27	UJ	0.27	13	mg/Kg	MS
SS	NDE032	E200.7	SW3050	ANTIMONY	0.28	UJ	0.28	14	mg/Kg	MS
SS	NDE034	E200.7	SW3050	ANTIMONY	0.26	UJ	0.26	13	mg/Kg	MS
SS	NDE037	E200.7	SW3050	ANTIMONY	0.25	UJ	0.25	13	mg/Kg	MS
SS	NDE177	E200.7	SW3050	ANTIMONY	0.26	UJ	0.26	13	mg/Kg	MS
SS	NDE104	E200.7	SW3050	ANTIMONY	0.25	UJ	0.25	12	mg/Kg	MS
SS	NDE108	E200.7	SW3050	ANTIMONY	0.35	UJ	0.35	18	mg/Kg	MS
SB	NDE092	E200.7	SW3050	CHROMIUM, TOTAL	68	J	0.09	2.2	mg/Kg	MS
SB	NDE094	E200.7	SW3050	CHROMIUM, TOTAL	38	J	0.09	2.2	mg/Kg	MS
SB	NDE096	E200.7	SW3050	CHROMIUM, TOTAL	40	J	0.09	2.2	mg/Kg	MS
SB	NDE098	E200.7	SW3050	CHROMIUM, TOTAL	86	J	0.09	2.1	mg/Kg	MS
SS	NDE133	E200.7	SW3050	CHROMIUM, TOTAL	19	J	0.09	2.3	mg/Kg	MS
SS	NDE134	E200.7	SW3050	CHROMIUM, TOTAL	40	J	0.1	2.4	mg/Kg	MS
SS	NDE135	E200.7	SW3050	CHROMIUM, TOTAL	9.6	J	0.11	2.4	mg/Kg	MS
SS	NDE136	E200.7	SW3050	CHROMIUM, TOTAL	50	J	0.09	2.2	mg/Kg	MS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE137	E200.7	SW3050	CHROMIUM, TOTAL	21	J	0.1	2.3	mg/Kg	MS
SS	NDE139	E200.7	SW3050	CHROMIUM, TOTAL	2.9	J	0.11	2.4	mg/Kg	MS
SS	NDE140	E200.7	SW3050	CHROMIUM, TOTAL	35	J	0.09	2.3	mg/Kg	MS
SS	NDE141	E200.7	SW3050	CHROMIUM, TOTAL	32	J	0.09	2.3	mg/Kg	MS
SS	NDE142	E200.7	SW3050	CHROMIUM, TOTAL	24	J	0.09	2.2	mg/Kg	MS
SS	NDE143FD1	E200.7	SW3050	CHROMIUM, TOTAL	30	J	0.09	2.3	mg/Kg	MS
SS	NDE144	E200.7	SW3050	CHROMIUM, TOTAL	36	J	0.09	2.2	mg/Kg	MS
SS	NDE145	E200.7	SW3050	CHROMIUM, TOTAL	64	J	0.09	2.1	mg/Kg	MS
SS	NDE146	E200.7	SW3050	CHROMIUM, TOTAL	33	J	0.09	2.2	mg/Kg	MS
SS	NDE147	E200.7	SW3050	CHROMIUM, TOTAL	82	J	0.1	2.4	mg/Kg	MS
SS	NDE148	E200.7	SW3050	CHROMIUM, TOTAL	70	J	0.11	2.5	mg/Kg	MS
SS	NDE149	E200.7	SW3050	CHROMIUM, TOTAL	82	J	0.11	2.4	mg/Kg	MS
SS	NDE150	E200.7	SW3050	CHROMIUM, TOTAL	12	J	0.1	2.3	mg/Kg	MS
SS	NDE090	E200.7	SW3050	CHROMIUM, TOTAL	41	J	0.09	2.2	mg/Kg	MS
SS	NDE091FD1	E200.7	SW3050	CHROMIUM, TOTAL	59	J	0.1	2.3	mg/Kg	MS
SS	NDE093	E200.7	SW3050	CHROMIUM, TOTAL	36	J	0.09	2.1	mg/Kg	MS
SS	NDE095	E200.7	SW3050	CHROMIUM, TOTAL	48	J	0.09	2.2	mg/Kg	MS
SS	NDE097	E200.7	SW3050	CHROMIUM, TOTAL	35	J	0.09	2.1	mg/Kg	MS
SS	NDE099FD1	E200.7	SW3050	CHROMIUM, TOTAL	32	J	0.09	2.1	mg/Kg	MS
SS	NDE159	E200.7	SW3050	CHROMIUM, TOTAL	4	J	0.09	2.2	mg/Kg	MS
SS	NDE160	E200.7	SW3050	CHROMIUM, TOTAL	7.5	J	0.09	2.2	mg/Kg	MS
SS	NDE161	E200.7	SW3050	CHROMIUM, TOTAL	10	J	0.1	2.3	mg/Kg	MS
SS	NDE162	E200.7	SW3050	CHROMIUM, TOTAL	2.5	J	0.09	2.2	mg/Kg	MS
SS	NDE163	E200.7	SW3050	CHROMIUM, TOTAL	4.1	J	0.11	2.5	mg/Kg	MS
SB	NDE092	E200.7	SW3050	COPPER	43	J	0.02	5.5	mg/Kg	MS
SB	NDE094	E200.7	SW3050	COPPER	70	J	0.02	5.5	mg/Kg	MS
SB	NDE096	E200.7	SW3050	COPPER	72	J	0.02	5.6	mg/Kg	MS
SB	NDE098	E200.7	SW3050	COPPER	20	J	0.02	5.35	mg/Kg	MS
SS	NDE090	E200.7	SW3050	COPPER	61	J	0.02	5.6	mg/Kg	MS
SS	NDE091FD1	E200.7	SW3050	COPPER	82	J	0.02	5.9	mg/Kg	MS
SS	NDE093	E200.7	SW3050	COPPER	55	J	0.02	5.2	mg/Kg	MS
SS	NDE095	E200.7	SW3050	COPPER	56	J	0.02	5.5	mg/Kg	MS
SS	NDE097	E200.7	SW3050	COPPER	45	J	0.02	5.3	mg/Kg	MS
SS	NDE099FD1	E200.7	SW3050	COPPER	45	J	0.02	5.2	mg/Kg	MS
SS	NDE159	E200.7	SW3050	COPPER	12	J	0.02	5.4	mg/Kg	MS
SS	NDE160	E200.7	SW3050	COPPER	21	J	0.02	5.6	mg/Kg	MS
SS	NDE161	E200.7	SW3050	COPPER	30	J	0.02	5.8	mg/Kg	MS
SS	NDE162	E200.7	SW3050	COPPER	12	J	0.02	5.4	mg/Kg	MS
SS	NDE163	E200.7	SW3050	COPPER	20	J	0.02	6.4	mg/Kg	MS
SB	NDE092	E200.7	SW3050	LEAD	1.7	J	0.18	0.66	mg/Kg	MS
SB	NDE094	E200.7	SW3050	LEAD	7.5	J	0.18	0.66	mg/Kg	MS
SB	NDE096	E200.7	SW3050	LEAD	4.6	J	0.18	0.67	mg/Kg	MS
SB	NDE098	E200.7	SW3050	LEAD	1.3	J	0.17	0.64	mg/Kg	MS
SS	NDE133	E200.7	SW3050	LEAD	14	J	0.18	0.68	mg/Kg	MS
SS	NDE134	E200.7	SW3050	LEAD	3.8	J	0.19	0.72	mg/Kg	MS
SS	NDE135	E200.7	SW3050	LEAD	2.8	J	0.2	0.73	mg/Kg	MS
SS	NDE136	E200.7	SW3050	LEAD	1.4	J	0.18	0.67	mg/Kg	MS
SS	NDE137	E200.7	SW3050	LEAD	4.1	J	0.19	0.7	mg/Kg	MS
SS	NDE138	E200.7	SW3050	LEAD	1.1	J	0.18	0.67	mg/Kg	MS
SS	NDE139	E200.7	SW3050	LEAD	2	J	0.19	0.73	mg/Kg	MS
SS	NDE140	E200.7	SW3050	LEAD	1.7	J	0.18	0.69	mg/Kg	MS
SS	NDE141	E200.7	SW3050	LEAD	150	J	0.18	0.68	mg/Kg	MS
SS	NDE142	E200.7	SW3050	LEAD	23	J	0.18	0.67	mg/Kg	MS
SS	NDE143FD1	E200.7	SW3050	LEAD	28	J	0.18	0.68	mg/Kg	MS
SS	NDE144	E200.7	SW3050	LEAD	3.5	J	0.18	0.66	mg/Kg	MS
SS	NDE145	E200.7	SW3050	LEAD	75	J	0.17	0.64	mg/Kg	MS
SS	NDE146	E200.7	SW3050	LEAD	7.6	J	0.18	0.67	mg/Kg	MS
SS	NDE147	E200.7	SW3050	LEAD	3.5	J	0.19	0.71	mg/Kg	MS
SS	NDE148	E200.7	SW3050	LEAD	18	J	0.2	0.75	mg/Kg	MS
SS	NDE149	E200.7	SW3050	LEAD	12	J	0.2	0.73	mg/Kg	MS
SS	NDE150	E200.7	SW3050	LEAD	11	J	0.18	0.69	mg/Kg	MS
SS	NDE090	E200.7	SW3050	LEAD	0.81	J	0.18	0.67	mg/Kg	MS
SS	NDE091FD1	E200.7	SW3050	LEAD	1.5	J	0.19	0.7	mg/Kg	MS
SS	NDE093	E200.7	SW3050	LEAD	8.8	J	0.17	0.63	mg/Kg	MS
SS	NDE095	E200.7	SW3050	LEAD	9.9	J	0.18	0.66	mg/Kg	MS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE097	E200.7	SW3050	LEAD	2.3	J	0.17	0.63	mg/Kg	MS
SS	NDE099FD1	E200.7	SW3050	LEAD	5.1	J	0.17	0.63	mg/Kg	MS
SS	NDE159	E200.7	SW3050	LEAD	3	J	0.17	0.65	mg/Kg	MS
SS	NDE160	E200.7	SW3050	LEAD	7.2	J	0.18	0.67	mg/Kg	MS
SS	NDE161	E200.7	SW3050	LEAD	14	J	0.19	0.7	mg/Kg	MS
SS	NDE162	E200.7	SW3050	LEAD	6.2	J	0.17	0.65	mg/Kg	MS
SS	NDE163	E200.7	SW3050	LEAD	3.8	J	0.2	0.76	mg/Kg	MS
SD	NDE115	E200.7	SW3050	MANGANESE	510	J	0.04	4.5	mg/Kg	MS
SD	NDE116	E200.7	SW3050	MANGANESE	400	J	0.06	5.8	mg/Kg	MS
SD	NDE117	E200.7	SW3050	MANGANESE	320	J	0.08	7.8	mg/Kg	MS
SD	NDE118	E200.7	SW3050	MANGANESE	250	J	0.04	4.1	mg/Kg	MS
SD	NDE119FD1	E200.7	SW3050	MANGANESE	110	J	0.04	4.1	mg/Kg	MS
SB	NDE092	E200.7	SW3050	VANADIUM	90	J	0.07	11	mg/Kg	MS
SB	NDE094	E200.7	SW3050	VANADIUM	94	J	0.07	11	mg/Kg	MS
SB	NDE096	E200.7	SW3050	VANADIUM	100	J	0.07	11	mg/Kg	MS
SB	NDE098	E200.7	SW3050	VANADIUM	65	J	0.07	10.7	mg/Kg	MS
SS	NDE090	E200.7	SW3050	VANADIUM	84	J	0.07	11	mg/Kg	MS
SS	NDE091FD1	E200.7	SW3050	VANADIUM	96	J	0.08	12	mg/Kg	MS
SS	NDE093	E200.7	SW3050	VANADIUM	83	J	0.07	10	mg/Kg	MS
SS	NDE095	E200.7	SW3050	VANADIUM	91	J	0.07	11	mg/Kg	MS
SS	NDE097	E200.7	SW3050	VANADIUM	69	J	0.07	11	mg/Kg	MS
SS	NDE099FD1	E200.7	SW3050	VANADIUM	76	J	0.07	10	mg/Kg	MS
SS	NDE159	E200.7	SW3050	VANADIUM	29	J	0.07	11	mg/Kg	MS
SS	NDE161	E200.7	SW3050	VANADIUM	54	J	0.08	12	mg/Kg	MS
SS	NDE162	E200.7	SW3050	VANADIUM	28	J	0.07	11	mg/Kg	MS
SS	NDE163	E200.7	SW3050	VANADIUM	32	J	0.08	13	mg/Kg	MS
SB	NDE092	E200.7	SW3050	ZINC	40	J	0.55	4.4	mg/Kg	MS
SB	NDE094	E200.7	SW3050	ZINC	47	J	0.55	4.4	mg/Kg	MS
SB	NDE096	E200.7	SW3050	ZINC	47	J	0.56	4.5	mg/Kg	MS
SB	NDE098	E200.7	SW3050	ZINC	39	J	0.54	4.3	mg/Kg	MS
SB	NDE204	E200.7	SW3050	ZINC	28	J	0.6	4.8	mg/Kg	MS
SS	NDE090	E200.7	SW3050	ZINC	40	J	0.56	4.5	mg/Kg	MS
SS	NDE091FD1	E200.7	SW3050	ZINC	47	J	0.59	4.7	mg/Kg	MS
SS	NDE093	E200.7	SW3050	ZINC	44	J	0.52	4.2	mg/Kg	MS
SS	NDE095	E200.7	SW3050	ZINC	43	J	0.55	4.4	mg/Kg	MS
SS	NDE097	E200.7	SW3050	ZINC	40	J	0.53	4.2	mg/Kg	MS
SS	NDE099FD1	E200.7	SW3050	ZINC	43	J	0.52	4.2	mg/Kg	MS
SS	NDE159	E200.7	SW3050	ZINC	20	J	0.54	4.4	mg/Kg	MS
SS	NDE161	E200.7	SW3050	ZINC	42	J	0.58	4.6	mg/Kg	MS
SS	NDE162	E200.7	SW3050	ZINC	19	J	0.54	4.3	mg/Kg	MS
SS	NDE163	E200.7	SW3050	ZINC	25	J	0.64	5.1	mg/Kg	MS
SB	NDE092	E245.5	METHOD	MERCURY	0.0097	J	0.0028	0.04	mg/Kg	MS
SB	NDE094	E245.5	METHOD	MERCURY	0.0028	J	0.0028	0.04	mg/Kg	MS
SS	NDE093	E245.5	METHOD	MERCURY	0.0055	J	0.0026	0.04	mg/Kg	MS
SS	NDE095	E245.5	METHOD	MERCURY	0.0028	J	0.0028	0.04	mg/Kg	MS
SS	NDE159	E245.5	METHOD	MERCURY	0.0038	J	0.0027	0.04	mg/Kg	MS
SS	NDE160	E245.5	METHOD	MERCURY	0.011	J	0.0028	0.04	mg/Kg	MS
SS	NDE161	E245.5	METHOD	MERCURY	0.011	J	0.0029	0.04	mg/Kg	MS
SS	NDE162	E245.5	METHOD	MERCURY	0.012	J	0.0027	0.04	mg/Kg	MS
SB	NDE054	E245.5	METHOD	MERCURY	0.0026	UJ	0.0026	0.04	mg/Kg	MS
SB	NDE056	E245.5	METHOD	MERCURY	0.0027	UJ	0.0027	0.04	mg/Kg	MS
SB	NDE096	E245.5	METHOD	MERCURY	0.0028	UJ	0.0028	0.04	mg/Kg	MS
SB	NDE098	E245.5	METHOD	MERCURY	0.0027	UJ	0.0027	0.04	mg/Kg	MS
SS	NDE057	E245.5	METHOD	MERCURY	0.0026	UJ	0.0026	0.04	mg/Kg	MS
SS	NDE061	E245.5	METHOD	MERCURY	0.0026	UJ	0.0026	0.04	mg/Kg	MS
SS	NDE062FD1	E245.5	METHOD	MERCURY	0.0027	UJ	0.0027	0.04	mg/Kg	MS
SS	NDE090	E245.5	METHOD	MERCURY	0.0028	UJ	0.0028	0.04	mg/Kg	MS
SS	NDE091FD1	E245.5	METHOD	MERCURY	0.0029	UJ	0.0029	0.04	mg/Kg	MS
SS	NDE097	E245.5	METHOD	MERCURY	0.0026	UJ	0.0026	0.04	mg/Kg	MS
SS	NDE099FD1	E245.5	METHOD	MERCURY	0.0026	UJ	0.0026	0.04	mg/Kg	MS
SS	NDE163	E245.5	METHOD	MERCURY	0.021	UJ	0.0032	0.05	mg/Kg	MS
SB	NDE006	E200.7	SW3050	BARIUM	44	J	0.01	48	mg/Kg	MS, MD
SB	NDE008	E200.7	SW3050	BARIUM	26	J	0.01	42	mg/Kg	MS, MD
SB	NDE010	E200.7	SW3050	BARIUM	87	J	0.01	43	mg/Kg	MS, MD
SB	NDE012	E200.7	SW3050	BARIUM	160	J	0.01	42	mg/Kg	MS, MD

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE014	E200.7	SW3050	BARIUM	23	J	0.01	42	mg/Kg	MS, MD
SB	NDE019	E200.7	SW3050	BARIUM	110	J	0.01	44	mg/Kg	MS, MD
SS	NDE004	E200.7	SW3050	BARIUM	60	J	0.01	44	mg/Kg	MS, M
SS	NDE005FD1	E200.7	SW3050	BARIUM	51	J	0.01	43	mg/Kg	MS,
SS	NDE007	E200.7	SW3050	BARIUM	54	J	0.01	43	mg/Kg	MS, MD
SS	NDE009	E200.7	SW3050	BARIUM	130	J	0.01	47	mg/Kg	MS, MD
SS	NDE011	E200.7	SW3050	BARIUM	130	J	0.01	44	mg/Kg	MS, MD
SS	NDE013	E200.7	SW3050	BARIUM	140	J	0.01	42	mg/Kg	MS, MD
SS	NDE015	E200.7	SW3050	BARIUM	50	J	0.01	42	mg/Kg	MS, MD
SS	NDE017	E200.7	SW3050	BARIUM	110	J	0.01	44	mg/Kg	MS, MD
SS	NDE021	E200.7	SW3050	BARIUM	76	J	0.01	45	mg/Kg	MS, MD
SS	NDE023	E200.7	SW3050	BARIUM	290	J	0.01	43	mg/Kg	MS, MD
SB	NDE080	E200.7	SW3050	CHROMIUM, TOTAL	87	J	0.11	2.6	mg/Kg	MS, MD
SB	NDE082	E200.7	SW3050	CHROMIUM, TOTAL	160	J	0.09	2.1	mg/Kg	MS, MD
SB	NDE085	E200.7	SW3050	CHROMIUM, TOTAL	130	J	0.09	2.2	mg/Kg	MS, MD
SB	NDE087	E200.7	SW3050	CHROMIUM, TOTAL	110	J	0.09	2.1	mg/Kg	MS, MD
SB	NDE089	E200.7	SW3050	CHROMIUM, TOTAL	130	J	0.11	2.4	mg/Kg	MS, MD
SB	NDE006	E200.7	SW3050	CHROMIUM, TOTAL	16	J	0.1	2.4	mg/Kg	MS, MD
SB	NDE008	E200.7	SW3050	CHROMIUM, TOTAL	3.6	J	0.09	2.1	mg/Kg	MS, MD
SB	NDE010	E200.7	SW3050	CHROMIUM, TOTAL	10	J	0.09	2.1	mg/Kg	MS, MD
SB	NDE012	E200.7	SW3050	CHROMIUM, TOTAL	5.3	J	0.09	2.1	mg/Kg	MS, MD
SB	NDE014	E200.7	SW3050	CHROMIUM, TOTAL	3.6	J	0.09	2.1	mg/Kg	MS, MD
SB	NDE019	E200.7	SW3050	CHROMIUM, TOTAL	7.9	J	0.09	2.2	mg/Kg	MS, MD
SS	NDE074FD1	E200.7	SW3050	CHROMIUM, TOTAL	34	J	0.09	2.1	mg/Kg	MS, MD
SS	NDE079	E200.7	SW3050	CHROMIUM, TOTAL	32	J	0.09	2.1	mg/Kg	MS, MD
SS	NDE081	E200.7	SW3050	CHROMIUM, TOTAL	63	J	0.09	2.1	mg/Kg	MS, MD
SS	NDE083	E200.7	SW3050	CHROMIUM, TOTAL	110	J	0.11	2.5	mg/Kg	MS, MD
SS	NDE084FD1	E200.7	SW3050	CHROMIUM, TOTAL	71	J	0.11	2.6	mg/Kg	MS, MD
SS	NDE086	E200.7	SW3050	CHROMIUM, TOTAL	34	J	0.09	2.2	mg/Kg	MS, MD
SS	NDE088	E200.7	SW3050	CHROMIUM, TOTAL	57	J	0.1	2.4	mg/Kg	MS, MD
SS	NDE164	E200.7	SW3050	CHROMIUM, TOTAL	10	J	0.09	2.2	mg/Kg	MS, MD
SS	NDE165FD1	E200.7	SW3050	CHROMIUM, TOTAL	16	J	0.09	2.3	mg/Kg	MS,
SS	NDE166	E200.7	SW3050	CHROMIUM, TOTAL	12	J	0.1	2.4	mg/Kg	MS, MD
SS	NDE167	E200.7	SW3050	CHROMIUM, TOTAL	9.1	J	0.1	2.4	mg/Kg	MS, MD
SS	NDE168	E200.7	SW3050	CHROMIUM, TOTAL	5.5	J	0.09	2.1	mg/Kg	MS, MD
SS	NDE169	E200.7	SW3050	CHROMIUM, TOTAL	38	J	0.1	2.4	mg/Kg	MS, MD
SS	NDE004	E200.7	SW3050	CHROMIUM, TOTAL	20	J	0.09	2.2	mg/Kg	MS, MD
SS	NDE005FD1	E200.7	SW3050	CHROMIUM, TOTAL	20	J	0.09	2.2	mg/Kg	MS, MD
SS	NDE007	E200.7	SW3050	CHROMIUM, TOTAL	20	J	0.09	2.2	mg/Kg	MS, MD
SS	NDE009	E200.7	SW3050	CHROMIUM, TOTAL	10	J	0.1	2.3	mg/Kg	MS, MD
SS	NDE011	E200.7	SW3050	CHROMIUM, TOTAL	18	J	0.09	2.2	mg/Kg	MS, MD
SS	NDE013	E200.7	SW3050	CHROMIUM, TOTAL	14	J	0.09	2.1	mg/Kg	MS, MD
SS	NDE015	E200.7	SW3050	CHROMIUM, TOTAL	36	J	0.09	2.1	mg/Kg	MS, MD
SS	NDE017	E200.7	SW3050	CHROMIUM, TOTAL	20	J	0.09	2.2	mg/Kg	MS, MD
SS	NDE021	E200.7	SW3050	CHROMIUM, TOTAL	17	J	0.09	2.3	mg/Kg	MS, MD
SS	NDE023	E200.7	SW3050	CHROMIUM, TOTAL	16	J	0.09	2.2	mg/Kg	MS, MD
SW	NDE175RE1	CLP_PEST	SW3510	ALDRIN	0.056	R	0.01	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	ALDRIN	0.053	R	0.01	0.05	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	ALPHA BHC	0.056	R	0.02	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	ALPHA BHC	0.053	R	0.02	0.05	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	ALPHA-CHLORDANE	0.056	R	0.01	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	ALPHA-CHLORDANE	0.053	R	0.01	0.05	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	BETA BHC	0.056	R	0.006	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	BETA BHC	0.053	R	0.005	0.05	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	DELTA BHC	0.056	R	0.008	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	DELTA BHC	0.053	R	0.007	0.05	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	DIELDRIN	0.111	R	0.006	0.11	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	DIELDRIN	0.105	R	0.005	0.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	ENDOSULFAN I (Alpha)	0.056	R	0.02	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	ENDOSULFAN I (Alpha)	0.053	R	0.02	0.05	ug/L	O
SW	NDE175RE1	CLP_PEST	SW3510	ENDOSULFAN II (Beta)	0.111	R	0.02	0.11	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	ENDOSULFAN II (Beta)	0.105	R	0.02	0.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	ENDOSULFAN SULFATE	0.111	R	0.02	0.11	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	ENDOSULFAN SULFATE	0.105	R	0.02	0.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	ENDRIN	0.111	R	0.02	0.11	ug/L	OT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SW	NDE225RE1	CLP_PEST	SW3510	ENDRIN	0.105	R	0.02	0.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	ENDRIN ALDEHYDE	0.111	R	0.02	0.11	ug/L	OT
W	NDE225RE1	CLP_PEST	SW3510	ENDRIN ALDEHYDE	0.105	R	0.02	0.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	ENDRIN KETONE	0.111	R	0.02	0.11	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	ENDRIN KETONE	0.105	R	0.02	0.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	GAMMA BHC (LINDANE)	0.056	R	0.02	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	GAMMA BHC (LINDANE)	0.053	R	0.02	0.05	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	GAMMA-CHLORDANE	0.056	R	0.01	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	GAMMA-CHLORDANE	0.053	R	0.01	0.05	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	HEPTACHLOR	0.056	R	0.006	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	HEPTACHLOR	0.053	R	0.005	0.05	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	HEPTACHLOR EPOXIDE	0.056	R	0.01	0.05	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	HEPTACHLOR EPOXIDE	0.053	R	0.01	0.05	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	METHOXYCHLOR	0.556	R	0.02	0.55	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	METHOXYCHLOR	0.526	R	0.02	0.52	ug/L	OT
SB	NDE022	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	OT
SB	NDE203	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	OT
SB	NDE204	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	OT
SW	NDE175RE1	CLP_PEST	SW3510	p,p'-DDD	0.111	R	0.02	0.11	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	p,p'-DDD	0.105	R	0.02	0.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	p,p'-DDE	0.111	R	0.01	0.11	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	p,p'-DDE	0.105	R	0.01	0.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	p,p'-DDT	0.111	R	0.02	0.11	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	p,p'-DDT	0.105	R	0.02	0.1	ug/L	OT
SB	NDE067	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	OT
SB	NDE069	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	OT
SB	NDE071	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	OT
SB	NDE073	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	OT
SB	NDE022	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.43	3.6	ug/Kg	OT
SB	NDE203	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.45	3.9	ug/Kg	OT
SB	NDE204	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.46	3.9	ug/Kg	OT
SS	NDE066	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.4	3.5	ug/Kg	OT
SS	NDE068	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	OT
SS	NDE070	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	OT
SS	NDE072	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	OT
SW	NDE175RE1	CLP_PEST	SW3510	PCB-1016 (AROCHLOR 1016)	1.1	R	0.08	1.1	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	PCB-1016 (AROCHLOR 1016)	1.1	R	0.08	1.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	PCB-1221 (AROCHLOR 1221)	2.2	R	0.12	2.2	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	PCB-1221 (AROCHLOR 1221)	2.1	R	0.11	2.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	PCB-1232 (AROCHLOR 1232)	1.1	R	0.08	1.1	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	PCB-1232 (AROCHLOR 1232)	1.1	R	0.08	1.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	PCB-1242 (AROCHLOR 1242)	1.1	R	0.06	1.1	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	PCB-1242 (AROCHLOR 1242)	1.1	R	0.06	1.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	PCB-1248 (AROCHLOR 1248)	1.1	R	0.13	1.1	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	PCB-1248 (AROCHLOR 1248)	1.1	R	0.12	1.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	PCB-1254 (AROCHLOR 1254)	1.1	R	0.15	1.1	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	PCB-1254 (AROCHLOR 1254)	1.1	R	0.14	1.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	PCB-1260 (AROCHLOR 1260)	1.1	R	0.11	1.1	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	PCB-1260 (AROCHLOR 1260)	1.1	R	0.1	1.1	ug/L	OT
SW	NDE175RE1	CLP_PEST	SW3510	TOXAPHENE	5.6	R	0.43	5.6	ug/L	OT
SW	NDE225RE1	CLP_PEST	SW3510	TOXAPHENE	5.3	R	0.41	5.3	ug/L	OT
SB	NDE048	E200.7	SW3050	THALLIUM	0.36	R	0.36	2.1	mg/Kg	RE
SB	NDE050	E200.7	SW3050	THALLIUM	0.37	R	0.37	2.2	mg/Kg	RE
SB	NDE052	E200.7	SW3050	THALLIUM	0.37	R	0.37	2.1	mg/Kg	RE
SS	NDE075	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE071	E200.7	SW3050	ALUMINUM	17000	J	10	42	mg/Kg	SD
SS	NDE024FD1	E200.7	SW3050	ALUMINUM	7700	J	11	46	mg/Kg	SD
SS	NDE026	E200.7	SW3050	ALUMINUM	8100	J	11	45	mg/Kg	SD
SS	NDE028	E200.7	SW3050	ALUMINUM	7100	J	11	46	mg/Kg	SD
SS	NDE030	E200.7	SW3050	ALUMINUM	6700	J	11	45	mg/Kg	SD
SS	NDE032	E200.7	SW3050	ALUMINUM	5900	J	11	47	mg/Kg	SD
SS	NDE034	E200.7	SW3050	ALUMINUM	6200	J	10	43	mg/Kg	SD
SS	NDE037	E200.7	SW3050	ALUMINUM	7300	J	10	42	mg/Kg	SD
SS	NDE176	E200.7	SW3050	ALUMINUM	11000	J	10	43	mg/Kg	SD
SS	NDE177	E200.7	SW3050	ALUMINUM	5600	J	10	43	mg/Kg	SD

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE178	E200.7	SW3050	ALUMINUM	4600	J	11	45	mg/Kg	SD
SS	NDE179	E200.7	SW3050	ALUMINUM	3400	J	10	42	mg/Kg	SD
SB	NDE033	E200.7	SW3050	CALCIUM	6200	J	3.1	1120	mg/Kg	SD
SB	NDE035	E200.7	SW3050	CALCIUM	4100	J	3.2	1140	mg/Kg	SD
SB	NDE036FD1	E200.7	SW3050	CALCIUM	5200	J	3.1	1110	mg/Kg	SD
SB	NDE038	E200.7	SW3050	CALCIUM	3300	J	3.1	1120	mg/Kg	SD
SB	NDE039FD1	E200.7	SW3050	CALCIUM	2900	J	3.1	1110	mg/Kg	SD
SB	NDE033	E200.7	SW3050	CHROMIUM, TOTAL	8.9	J	0.09	2.2	mg/Kg	SD
SB	NDE035	E200.7	SW3050	CHROMIUM, TOTAL	11	J	0.09	2.3	mg/Kg	SD
SB	NDE036FD1	E200.7	SW3050	CHROMIUM, TOTAL	9.5	J	0.09	2.2	mg/Kg	SD
SB	NDE038	E200.7	SW3050	CHROMIUM, TOTAL	10	J	0.09	2.2	mg/Kg	SD
SB	NDE039FD1	E200.7	SW3050	CHROMIUM, TOTAL	10	J	0.09	2.2	mg/Kg	SD
SB	NDE189	E200.7	SW3050	MANGANESE	95	J	0.03	3.3	mg/Kg	SD
SB	NDE191	E200.7	SW3050	MANGANESE	320	J	0.03	3.4	mg/Kg	SD
SB	NDE193	E200.7	SW3050	MANGANESE	670	J	0.03	3.4	mg/Kg	SD
SB	NDE195FD1	E200.7	SW3050	MANGANESE	270	J	0.03	3.3	mg/Kg	SD
SB	NDE196	E200.7	SW3050	MANGANESE	210	J	0.03	3.3	mg/Kg	SD
SS	NDE188	E200.7	SW3050	MANGANESE	180	J	0.03	3.4	mg/Kg	SD
SS	NDE190	E200.7	SW3050	MANGANESE	640	J	0.03	3.5	mg/Kg	SD
SS	NDE192	E200.7	SW3050	MANGANESE	470	J	0.03	3.4	mg/Kg	SD
SS	NDE194	E200.7	SW3050	MANGANESE	150	J	0.04	3.8	mg/Kg	SD
WG	NDE219	E200.7	SW3050	MANGANESE	22	J	0.33	15	ug/L	SD
WG	NDE221	E200.7	SW3050	MANGANESE	1300	J	0.33	15	ug/L	SD
WG	NDE222FD1	E200.7	SW3050	MANGANESE	290	J	0.33	15	ug/L	SD
WG	NDE223	E200.7	SW3050	MANGANESE	230	J	0.33	15	ug/L	SD
WG	NDE228	E200.7	SW3050	MANGANESE	14000	J	0.33	15	ug/L	SD
WG	NDE229FD1	E200.7	SW3050	MANGANESE	14000	J	0.33	15	ug/L	SD
WG	NDE230	E200.7	SW3050	MANGANESE	15000	J	0.33	15	ug/L	SD
WG	NDE231	E200.7	SW3050	MANGANESE	9300	J	0.33	15	ug/L	SD
WG	NDE232	E200.7	SW3050	MANGANESE	17000	J	0.33	15	ug/L	SD
SB	NDE080	E200.7	SW3050	NICKEL	56	J	0.12	10	mg/Kg	SD
SB	NDE082	E200.7	SW3050	NICKEL	83	J	0.09	8.4	mg/Kg	SD
SB	NDE085	E200.7	SW3050	NICKEL	78	J	0.1	8.7	mg/Kg	SD
SB	NDE087	E200.7	SW3050	NICKEL	66	J	0.09	8.5	mg/Kg	SD
SB	NDE089	E200.7	SW3050	NICKEL	60	J	0.11	9.7	mg/Kg	SD
SS	NDE074FD1	E200.7	SW3050	NICKEL	21	J	0.09	8.5	mg/Kg	SD
SS	NDE079	E200.7	SW3050	NICKEL	20	J	0.09	8.5	mg/Kg	SD
SS	NDE081	E200.7	SW3050	NICKEL	38	J	0.09	8.5	mg/Kg	SD
SS	NDE083	E200.7	SW3050	NICKEL	57	J	0.11	9.8	mg/Kg	SD
SS	NDE084FD1	E200.7	SW3050	NICKEL	38	J	0.12	10	mg/Kg	SD
SS	NDE086	E200.7	SW3050	NICKEL	21	J	0.1	8.6	mg/Kg	SD
SS	NDE088	E200.7	SW3050	NICKEL	31	J	0.11	9.5	mg/Kg	SD
SS	NDE164	E200.7	SW3050	NICKEL	5.2	J	0.1	8.7	mg/Kg	SD
SS	NDE165FD1	E200.7	SW3050	NICKEL	7.4	J	0.11	9.1	mg/Kg	SD
SS	NDE166	E200.7	SW3050	NICKEL	6.8	J	0.11	9.6	mg/Kg	SD
SS	NDE167	E200.7	SW3050	NICKEL	5.5	J	0.11	9.5	mg/Kg	SD
SS	NDE168	E200.7	SW3050	NICKEL	2.9	J	0.09	8.5	mg/Kg	SD
SS	NDE169	E200.7	SW3050	NICKEL	7.9	J	0.11	9.4	mg/Kg	SD
SB	NDE092	E200.7	SW3050	POTASSIUM	460	J	3.3	1110	mg/Kg	SD
SB	NDE094	E200.7	SW3050	POTASSIUM	570	J	3.3	1100	mg/Kg	SD
SB	NDE096	E200.7	SW3050	POTASSIUM	650	J	3.4	1120	mg/Kg	SD
SB	NDE098	E200.7	SW3050	POTASSIUM	77	J	3.2	1070	mg/Kg	SD
SS	NDE090	E200.7	SW3050	POTASSIUM	440	J	3.4	1120	mg/Kg	SD
SS	NDE091FD1	E200.7	SW3050	POTASSIUM	580	J	3.5	1170	mg/Kg	SD
SS	NDE093	E200.7	SW3050	POTASSIUM	620	J	3.1	1050	mg/Kg	SD
SS	NDE095	E200.7	SW3050	POTASSIUM	690	J	3.3	1100	mg/Kg	SD
SS	NDE097	E200.7	SW3050	POTASSIUM	590	J	3.2	1050	mg/Kg	SD
SS	NDE099FD1	E200.7	SW3050	POTASSIUM	670	J	3.1	1050	mg/Kg	SD
SS	NDE159	E200.7	SW3050	POTASSIUM	760	J	3.3	1090	mg/Kg	SD
SS	NDE160	E200.7	SW3050	POTASSIUM	840	J	3.3	1120	mg/Kg	SD
SS	NDE161	E200.7	SW3050	POTASSIUM	1100	J	3.5	1160	mg/Kg	SD
SS	NDE162	E200.7	SW3050	POTASSIUM	650	J	3.2	1080	mg/Kg	SD
SS	NDE163	E200.7	SW3050	POTASSIUM	800	J	3.8	1270	mg/Kg	SD
SS	NDE024FD1	E200.7	SW3050	POTASSIUM	1500	J	3.4	1140	mg/Kg	SD
SS	NDE026	E200.7	SW3050	POTASSIUM	1500	J	3.4	1120	mg/Kg	SD

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE028	E200.7	SW3050	POTASSIUM	1200	J	3.4	1140	mg/Kg	SD
SS	NDE030	E200.7	SW3050	POTASSIUM	1200	J	3.4	1120	mg/Kg	SD
SS	NDE032	E200.7	SW3050	POTASSIUM	1200	J	3.5	1180	mg/Kg	SD
SS	NDE034	E200.7	SW3050	POTASSIUM	1300	J	3.2	1070	mg/Kg	SD
SS	NDE037	E200.7	SW3050	POTASSIUM	1300	J	3.1	1050	mg/Kg	SD
SS	NDE176	E200.7	SW3050	POTASSIUM	2000	J	3.3	1080	mg/Kg	SD
SS	NDE177	E200.7	SW3050	POTASSIUM	1400	J	3.3	1090	mg/Kg	SD
SS	NDE178	E200.7	SW3050	POTASSIUM	1100	J	3.4	1120	mg/Kg	SD
SS	NDE179	E200.7	SW3050	POTASSIUM	860	J	3.1	1050	mg/Kg	SD
WG	NDE219	E200.7	SW3050	POTASSIUM	6200	J	30	5000	ug/L	SD
WG	NDE221	E200.7	SW3050	POTASSIUM	5100	J	30	5000	ug/L	SD
WG	NDE222FD1	E200.7	SW3050	POTASSIUM	6300	J	30	5000	ug/L	SD
WG	NDE223	E200.7	SW3050	POTASSIUM	5900	J	30	5000	ug/L	SD
WG	NDE228	E200.7	SW3050	POTASSIUM	320000	J	30	5000	ug/L	SD
WG	NDE229FD1	E200.7	SW3050	POTASSIUM	330000	J	30	5000	ug/L	SD
WG	NDE230	E200.7	SW3050	POTASSIUM	52000	J	30	5000	ug/L	SD
WG	NDE231	E200.7	SW3050	POTASSIUM	22000	J	30	5000	ug/L	SD
WG	NDE232	E200.7	SW3050	POTASSIUM	130000	J	30	5000	ug/L	SD
WG	NDE213	E200.7	SW3050	POTASSIUM	4600	J	30	5000	ug/L	SD
WG	NDE214	E200.7	SW3050	POTASSIUM	54000	J	30	5000	ug/L	SD
WG	NDE215	E200.7	SW3050	POTASSIUM	13000	J	30	5000	ug/L	SD
WG	NDE216FD1	E200.7	SW3050	POTASSIUM	12000	J	30	5000	ug/L	SD
WG	NDE217	E200.7	SW3050	POTASSIUM	12000	J	30	5000	ug/L	SD
WG	NDE218	E200.7	SW3050	POTASSIUM	8500	J	30	5000	ug/L	SD
WG	NDE220	E200.7	SW3050	POTASSIUM	6000	J	30	5000	ug/L	SD
WG	NDE219	E200.7	FLDFLT	POTASSIUM, DISSOLVED	6100	J	30	5000	ug/L	SD
WG	NDE221	E200.7	FLDFLT	POTASSIUM, DISSOLVED	4700	J	30	5000	ug/L	SD
WG	NDE222FD1	E200.7	FLDFLT	POTASSIUM, DISSOLVED	5900	J	30	5000	ug/L	SD
WG	NDE223	E200.7	FLDFLT	POTASSIUM, DISSOLVED	5600	J	30	5000	ug/L	SD
WG	NDE228	E200.7	FLDFLT	POTASSIUM, DISSOLVED	370000	J	30	5000	ug/L	SD
WG	NDE229FD1	E200.7	FLDFLT	POTASSIUM, DISSOLVED	360000	J	30	5000	ug/L	SD
WG	NDE230	E200.7	FLDFLT	POTASSIUM, DISSOLVED	43000	J	30	5000	ug/L	SD
WG	NDE231	E200.7	FLDFLT	POTASSIUM, DISSOLVED	21000	J	30	5000	ug/L	SD
WG	NDE232	E200.7	FLDFLT	POTASSIUM, DISSOLVED	130000	J	30	5000	ug/L	SD
WG	NDE213	E200.7	FLDFLT	POTASSIUM, DISSOLVED	4100	J	30	5000	ug/L	SD
WG	NDE214	E200.7	FLDFLT	POTASSIUM, DISSOLVED	56000	J	30	5000	ug/L	SD
WG	NDE215	E200.7	FLDFLT	POTASSIUM, DISSOLVED	12000	J	30	5000	ug/L	SD
WG	NDE216FD1	E200.7	FLDFLT	POTASSIUM, DISSOLVED	12000	J	30	5000	ug/L	SD
WG	NDE217	E200.7	FLDFLT	POTASSIUM, DISSOLVED	12000	J	30	5000	ug/L	SD
WG	NDE218	E200.7	FLDFLT	POTASSIUM, DISSOLVED	8800	J	30	5000	ug/L	SD
WG	NDE220	E200.7	FLDFLT	POTASSIUM, DISSOLVED	5800	J	30	5000	ug/L	SD
SW	NDE171DL1	E200.7	SW3050	SODIUM	3400000	J	2000	5000	ug/L	SD
SW	NDE172FD1DL1	E200.7	SW3050	SODIUM	3600000	J	2000	5000	ug/L	SD
SW	NDE173DL1	E200.7	SW3050	SODIUM	3600000	J	2000	5000	ug/L	SD
SW	NDE174DL1	E200.7	SW3050	SODIUM	3500000	J	2000	5000	ug/L	SD
SW	NDE175DL1	E200.7	SW3050	SODIUM	3700000	J	2000	5000	ug/L	SD
SW	NDE225DL1	E200.7	SW3050	SODIUM	3700000	J	2000	5000	ug/L	SD
SS	NDE161	CLP_PEST	SW3550	ALDRIN	3.9	UJ	1.1	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	ALDRIN	0.056	UJ	0.01	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	ALDRIN	0.053	UJ	0.01	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	ALPHA BHC	3.9	UJ	1.1	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	ALPHA BHC	0.056	UJ	0.02	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	ALPHA BHC	0.053	UJ	0.02	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.9	UJ	1.1	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	ALPHA-CHLORDANE	0.056	UJ	0.01	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	ALPHA-CHLORDANE	0.053	UJ	0.01	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	BETA BHC	3.9	UJ	1	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	BETA BHC	0.056	UJ	0.006	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	BETA BHC	0.053	UJ	0.005	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	DELTA BHC	3.9	UJ	0.99	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SW	NDE175	CLP_PEST	SW3510	DELTA BHC	0.056	UJ	0.008	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	DELTA BHC	0.053	UJ	0.007	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	DIELDRIN	7.7	UJ	0.95	7.7	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	DIELDRIN	0.111	UJ	0.006	0.11	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	DIELDRIN	0.105	UJ	0.005	0.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.9	UJ	1.1	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	ENDOSULFAN I (Alpha)	0.056	UJ	0.02	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	ENDOSULFAN I (Alpha)	0.053	UJ	0.02	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	7.7	UJ	0.69	7.7	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	ENDOSULFAN II (Beta)	0.111	UJ	0.02	0.11	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	ENDOSULFAN II (Beta)	0.105	UJ	0.02	0.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	ENDOSULFAN SULFATE	7.7	UJ	0.9	7.7	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	ENDOSULFAN SULFATE	0.111	UJ	0.02	0.11	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	ENDOSULFAN SULFATE	0.105	UJ	0.02	0.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	ENDRIN	7.7	UJ	0.92	7.7	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	ENDRIN	0.111	UJ	0.02	0.11	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	ENDRIN	0.105	UJ	0.02	0.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	ENDRIN ALDEHYDE	7.7	UJ	0.53	7.7	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	ENDRIN ALDEHYDE	0.111	UJ	0.02	0.11	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	ENDRIN ALDEHYDE	0.105	UJ	0.02	0.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	ENDRIN KETONE	7.7	UJ	0.51	7.7	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	ENDRIN KETONE	0.111	UJ	0.02	0.11	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	ENDRIN KETONE	0.105	UJ	0.02	0.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.9	UJ	1.1	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	GAMMA BHC (LINDANE)	0.056	UJ	0.02	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	GAMMA BHC (LINDANE)	0.053	UJ	0.02	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.9	UJ	1.2	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	GAMMA-CHLORDANE	0.056	UJ	0.01	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	GAMMA-CHLORDANE	0.053	UJ	0.01	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	HEPTACHLOR	3.9	UJ	1.4	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	HEPTACHLOR	0.056	UJ	0.006	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	HEPTACHLOR	0.053	UJ	0.005	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.9	UJ	1.4	3.9	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	HEPTACHLOR EPOXIDE	0.056	UJ	0.01	0.05	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	HEPTACHLOR EPOXIDE	0.053	UJ	0.01	0.05	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	METHOXYCHLOR	39	UJ	0.67	39	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	METHOXYCHLOR	0.556	UJ	0.02	0.55	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	METHOXYCHLOR	0.526	UJ	0.02	0.52	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	p,p'-DDD	7.7	UJ	0.53	7.7	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	p,p'-DDD	0.111	UJ	0.02	0.11	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	p,p'-DDD	0.105	UJ	0.02	0.1	ug/L	SS
SW	NDE175	CLP_PEST	SW3510	p,p'-DDE	0.111	UJ	0.01	0.11	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	p,p'-DDE	0.105	UJ	0.01	0.1	ug/L	SS
SW	NDE175	CLP_PEST	SW3510	p,p'-DDT	0.111	UJ	0.02	0.11	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	p,p'-DDT	0.105	UJ	0.02	0.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	77	UJ	22	77	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	PCB-1016 (AROCHLOR 1016)	1.1	UJ	0.08	1.1	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	PCB-1016 (AROCHLOR 1016)	1.1	UJ	0.08	1.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	156	UJ	46	156	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	PCB-1221 (AROCHLOR 1221)	2.2	UJ	0.12	2.2	ug/L	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SW	NDE225	CLP_PEST	SW3510	PCB-1221 (AROCHLOR 1221)	2.1	UJ	0.11	2.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	77	UJ	63	77	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	PCB-1232 (AROCHLOR 1232)	1.1	UJ	0.08	1.1	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	PCB-1232 (AROCHLOR 1232)	1.1	UJ	0.08	1.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	77	UJ	46	77	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	PCB-1242 (AROCHLOR 1242)	1.1	UJ	0.06	1.1	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	PCB-1242 (AROCHLOR 1242)	1.1	UJ	0.06	1.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	77	UJ	39	77	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	PCB-1248 (AROCHLOR 1248)	1.1	UJ	0.13	1.1	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	PCB-1248 (AROCHLOR 1248)	1.1	UJ	0.12	1.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	77	UJ	42	77	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	PCB-1254 (AROCHLOR 1254)	1.1	UJ	0.15	1.1	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	PCB-1254 (AROCHLOR 1254)	1.1	UJ	0.14	1.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	77	UJ	28	77	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	PCB-1260 (AROCHLOR 1260)	1.1	UJ	0.11	1.1	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	PCB-1260 (AROCHLOR 1260)	1.1	UJ	0.1	1.1	ug/L	SS
SS	NDE161	CLP_PEST	SW3550	TOXAPHENE	395	UJ	16	395	ug/Kg	SS
SS	NDE162	CLP_PEST	SW3550	TOXAPHENE	182	UJ	7.5	182	ug/Kg	SS
SW	NDE175	CLP_PEST	SW3510	TOXAPHENE	5.6	UJ	0.43	5.6	ug/L	SS
SW	NDE225	CLP_PEST	SW3510	TOXAPHENE	5.3	UJ	0.41	5.3	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	ALDRIN	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	ALDRIN	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	ALDRIN	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	ALDRIN	0.012	UJ	0.012	0.012	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	ALDRIN	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	ALDRIN	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	ALDRIN	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	ALDRIN	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	ALDRIN	0.012	UJ	0.012	0.012	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	ALDRIN	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	ALDRIN	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	ALDRIN	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	ALDRIN	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	ALPHA BHC	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	ALPHA BHC	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	ALPHA BHC	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	ALPHA BHC	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	ALPHA BHC	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	ALPHA BHC	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	ALPHA BHC	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	ALPHA BHC	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	ALPHA BHC	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	ALPHA BHC	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	ALPHA BHC	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	ALPHA BHC	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	ALPHA BHC	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.012	UJ	0.012	0.012	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.012	UJ	0.012	0.012	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	ALPHA-CHLORDANE	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	BETA BHC	0.01	UJ	0.005	0.01	ug/L	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
WG	NDE222FD1	CLP_PEST_L	SW3510	BETA BHC	0.011	UJ	0.006	0.011	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	BETA BHC	0.01	UJ	0.005	0.01	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	BETA BHC	0.012	UJ	0.006	0.012	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	BETA BHC	0.011	UJ	0.006	0.011	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	BETA BHC	0.011	UJ	0.005	0.011	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	BETA BHC	0.011	UJ	0.006	0.011	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	BETA BHC	0.011	UJ	0.006	0.011	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	BETA BHC	0.012	UJ	0.006	0.012	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	BETA BHC	0.011	UJ	0.005	0.011	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	BETA BHC	0.011	UJ	0.005	0.011	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	BETA BHC	0.011	UJ	0.005	0.011	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	BETA BHC	0.01	UJ	0.005	0.01	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	DELTA BHC	0.01	UJ	0.007	0.01	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	DELTA BHC	0.011	UJ	0.008	0.011	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	DELTA BHC	0.01	UJ	0.007	0.01	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	DELTA BHC	0.012	UJ	0.008	0.012	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	DELTA BHC	0.011	UJ	0.008	0.011	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	DELTA BHC	0.011	UJ	0.007	0.011	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	DELTA BHC	0.011	UJ	0.008	0.011	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	DELTA BHC	0.011	UJ	0.008	0.011	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	DELTA BHC	0.012	UJ	0.008	0.012	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	DELTA BHC	0.011	UJ	0.007	0.011	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	DELTA BHC	0.011	UJ	0.008	0.011	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	DELTA BHC	0.011	UJ	0.007	0.011	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	DELTA BHC	0.01	UJ	0.007	0.01	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	DIELDRIN	0.021	UJ	0.005	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	DIELDRIN	0.023	UJ	0.006	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	DIELDRIN	0.02	UJ	0.005	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	DIELDRIN	0.023	UJ	0.006	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	DIELDRIN	0.022	UJ	0.006	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	DIELDRIN	0.021	UJ	0.005	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	DIELDRIN	0.022	UJ	0.006	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	DIELDRIN	0.023	UJ	0.006	0.023	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	DIELDRIN	0.023	UJ	0.006	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	DIELDRIN	0.021	UJ	0.005	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	DIELDRIN	0.022	UJ	0.005	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	DIELDRIN	0.021	UJ	0.005	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	DIELDRIN	0.02	UJ	0.005	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	ENDOSULFAN I (Alpha)	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	ENDOSULFAN II (Beta)	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.021	UJ	0.021	0.021	ug/L	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
WG	NDE222FD1	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	ENDOSULFAN SULFATE	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	ENDRIN	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	ENDRIN	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	ENDRIN	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	ENDRIN	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	ENDRIN	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	ENDRIN	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	ENDRIN	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	ENDRIN	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	ENDRIN	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	ENDRIN	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	ENDRIN	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	ENDRIN	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	ENDRIN	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	ENDRIN ALDEHYDE	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	ENDRIN KETONE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	ENDRIN KETONE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	ENDRIN KETONE	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	ENDRIN KETONE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	ENDRIN KETONE	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	ENDRIN KETONE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	ENDRIN KETONE	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	ENDRIN KETONE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	ENDRIN KETONE	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	ENDRIN KETONE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	ENDRIN KETONE	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	ENDRIN KETONE	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	ENDRIN KETONE	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	GAMMA BHC (LINDANE)	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.01	UJ	0.01	0.01	ug/L	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
WG	NDE222FD1	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.012	UJ	0.012	0.012	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.012	UJ	0.012	0.012	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	GAMMA-CHLORDANE	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	HEPTACHLOR	0.01	UJ	0.005	0.01	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	HEPTACHLOR	0.011	UJ	0.006	0.011	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	HEPTACHLOR	0.01	UJ	0.005	0.01	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	HEPTACHLOR	0.012	UJ	0.006	0.012	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	HEPTACHLOR	0.011	UJ	0.006	0.011	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	HEPTACHLOR	0.011	UJ	0.005	0.011	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	HEPTACHLOR	0.011	UJ	0.006	0.011	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	HEPTACHLOR	0.011	UJ	0.006	0.011	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	HEPTACHLOR	0.012	UJ	0.006	0.012	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	HEPTACHLOR	0.011	UJ	0.005	0.011	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	HEPTACHLOR	0.011	UJ	0.005	0.011	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	HEPTACHLOR	0.011	UJ	0.005	0.011	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	HEPTACHLOR	0.01	UJ	0.005	0.01	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.012	UJ	0.012	0.012	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.012	UJ	0.012	0.012	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.011	UJ	0.011	0.011	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	HEPTACHLOR EPOXIDE	0.01	UJ	0.01	0.01	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	METHOXYCHLOR	0.103	UJ	0.021	0.103	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	METHOXYCHLOR	0.114	UJ	0.023	0.114	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	METHOXYCHLOR	0.101	UJ	0.02	0.101	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	METHOXYCHLOR	0.116	UJ	0.023	0.116	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	METHOXYCHLOR	0.111	UJ	0.022	0.111	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	METHOXYCHLOR	0.106	UJ	0.021	0.106	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	METHOXYCHLOR	0.112	UJ	0.022	0.112	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	METHOXYCHLOR	0.114	UJ	0.023	0.114	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	METHOXYCHLOR	0.116	UJ	0.023	0.116	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	METHOXYCHLOR	0.107	UJ	0.021	0.107	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	METHOXYCHLOR	0.108	UJ	0.022	0.108	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	METHOXYCHLOR	0.105	UJ	0.021	0.105	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	METHOXYCHLOR	0.102	UJ	0.02	0.102	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	p,p'-DDD	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	p,p'-DDD	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	p,p'-DDD	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	p,p'-DDD	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	p,p'-DDD	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	p,p'-DDD	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	p,p'-DDD	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	p,p'-DDD	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	p,p'-DDD	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	p,p'-DDD	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	p,p'-DDD	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	p,p'-DDD	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	p,p'-DDE	0.021	UJ	0.01	0.021	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	p,p'-DDE	0.023	UJ	0.011	0.023	ug/L	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
WG	NDE223	CLP_PEST_L	SW3510	p,p'-DDE	0.02	UJ	0.01	0.02	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	p,p'-DDE	0.023	UJ	0.012	0.023	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	p,p'-DDE	0.022	UJ	0.011	0.022	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	p,p'-DDE	0.021	UJ	0.011	0.021	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	p,p'-DDE	0.022	UJ	0.011	0.022	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	p,p'-DDE	0.023	UJ	0.011	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	p,p'-DDE	0.021	UJ	0.011	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	p,p'-DDE	0.022	UJ	0.011	0.022	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	p,p'-DDE	0.021	UJ	0.011	0.021	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	p,p'-DDE	0.02	UJ	0.01	0.02	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	p,p'-DDT	0.028	J	0.021	0.021	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	p,p'-DDT	0.023	UJ	0.023	0.023	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	p,p'-DDT	0.021	UJ	0.021	0.021	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	p,p'-DDT	0.022	UJ	0.022	0.022	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	p,p'-DDT	0.02	UJ	0.02	0.02	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.206	UJ	0.082	0.206	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.229	UJ	0.091	0.229	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.201	UJ	0.08	0.201	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.233	UJ	0.093	0.233	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.222	UJ	0.089	0.222	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.213	UJ	0.085	0.213	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.225	UJ	0.09	0.225	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.229	UJ	0.091	0.229	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.233	UJ	0.093	0.233	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.214	UJ	0.086	0.214	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.215	UJ	0.086	0.215	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.211	UJ	0.084	0.211	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	PCB-1016 (AROCHLOR 1016)	0.204	UJ	0.082	0.204	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.412	UJ	0.113	0.412	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.457	UJ	0.126	0.457	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.402	UJ	0.111	0.402	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.465	UJ	0.128	0.465	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.444	UJ	0.122	0.444	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.426	UJ	0.117	0.426	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.449	UJ	0.124	0.449	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.457	UJ	0.126	0.457	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.465	UJ	0.128	0.465	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.428	UJ	0.118	0.428	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.43	UJ	0.118	0.43	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.421	UJ	0.116	0.421	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	PCB-1221 (AROCHLOR 1221)	0.408	UJ	0.112	0.408	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.206	UJ	0.082	0.206	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.229	UJ	0.091	0.229	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.201	UJ	0.08	0.201	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.233	UJ	0.093	0.233	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.222	UJ	0.089	0.222	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.213	UJ	0.085	0.213	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.225	UJ	0.09	0.225	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.229	UJ	0.091	0.229	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.233	UJ	0.093	0.233	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.214	UJ	0.086	0.214	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.215	UJ	0.086	0.215	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.211	UJ	0.084	0.211	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	PCB-1232 (AROCHLOR 1232)	0.204	UJ	0.082	0.204	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.206	UJ	0.062	0.206	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.229	UJ	0.069	0.229	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.201	UJ	0.06	0.201	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.233	UJ	0.07	0.233	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.222	UJ	0.067	0.222	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.213	UJ	0.064	0.213	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.225	UJ	0.067	0.225	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.229	UJ	0.069	0.229	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.233	UJ	0.07	0.233	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.214	UJ	0.064	0.214	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.215	UJ	0.065	0.215	ug/L	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
WG	NDE217	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.211	UJ	0.063	0.211	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	PCB-1242 (AROCHLOR 1242)	0.204	UJ	0.061	0.204	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.206	UJ	0.124	0.206	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.229	UJ	0.137	0.229	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.201	UJ	0.121	0.201	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.233	UJ	0.14	0.233	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.222	UJ	0.133	0.222	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.213	UJ	0.128	0.213	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.225	UJ	0.135	0.225	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.229	UJ	0.137	0.229	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.233	UJ	0.14	0.233	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.214	UJ	0.128	0.214	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.215	UJ	0.129	0.215	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.211	UJ	0.126	0.211	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	PCB-1248 (AROCHLOR 1248)	0.204	UJ	0.122	0.204	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.206	UJ	0.144	0.206	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.229	UJ	0.16	0.229	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.201	UJ	0.141	0.201	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.233	UJ	0.163	0.233	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.222	UJ	0.156	0.222	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.213	UJ	0.149	0.213	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.225	UJ	0.157	0.225	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.229	UJ	0.16	0.229	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.233	UJ	0.163	0.233	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.214	UJ	0.15	0.214	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.215	UJ	0.151	0.215	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.211	UJ	0.147	0.211	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	PCB-1254 (AROCHLOR 1254)	0.204	UJ	0.143	0.204	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.206	UJ	0.103	0.206	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.229	UJ	0.114	0.229	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.201	UJ	0.101	0.201	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.233	UJ	0.116	0.233	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.222	UJ	0.111	0.222	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.213	UJ	0.106	0.213	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.225	UJ	0.112	0.225	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.229	UJ	0.114	0.229	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.233	UJ	0.116	0.233	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.214	UJ	0.107	0.214	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.215	UJ	0.108	0.215	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.211	UJ	0.105	0.211	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	PCB-1260 (AROCHLOR 1260)	0.204	UJ	0.102	0.204	ug/L	SS
WG	NDE221	CLP_PEST_L	SW3510	TOXAPHENE	1	UJ	0.402	1	ug/L	SS
WG	NDE222FD1	CLP_PEST_L	SW3510	TOXAPHENE	1.1	UJ	0.446	1.1	ug/L	SS
WG	NDE223	CLP_PEST_L	SW3510	TOXAPHENE	1	UJ	0.392	1	ug/L	SS
WG	NDE228	CLP_PEST_L	SW3510	TOXAPHENE	1.2	UJ	0.454	1.2	ug/L	SS
WG	NDE229FD1	CLP_PEST_L	SW3510	TOXAPHENE	1.1	UJ	0.433	1.1	ug/L	SS
WG	NDE230	CLP_PEST_L	SW3510	TOXAPHENE	1.1	UJ	0.415	1.1	ug/L	SS
WG	NDE231	CLP_PEST_L	SW3510	TOXAPHENE	1.1	UJ	0.438	1.1	ug/L	SS
WG	NDE232	CLP_PEST_L	SW3510	TOXAPHENE	1.1	UJ	0.446	1.1	ug/L	SS
WG	NDE214	CLP_PEST_L	SW3510	TOXAPHENE	1.2	UJ	0.454	1.2	ug/L	SS
WG	NDE215	CLP_PEST_L	SW3510	TOXAPHENE	1.1	UJ	0.417	1.1	ug/L	SS
WG	NDE216FD1	CLP_PEST_L	SW3510	TOXAPHENE	1.1	UJ	0.419	1.1	ug/L	SS
WG	NDE217	CLP_PEST_L	SW3510	TOXAPHENE	1.1	UJ	0.411	1.1	ug/L	SS
WG	NDE220	CLP_PEST_L	SW3510	TOXAPHENE	1	UJ	0.398	1	ug/L	SS
SB	NDE058	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	23	J	9.7	16	mg/Kg	SS
SB	NDE060	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	75	J	10	16	mg/Kg	SS
SS	NDE043	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	121	J	55	89	mg/Kg	SS
SS	NDE047	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	108	J	47	77	mg/Kg	SS
SS	NDE051	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	160	J	53	87	mg/Kg	SS
SS	NDE053	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	103	J	9.6	16	mg/Kg	SS
SS	NDE057	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	443	J	48	78	mg/Kg	SS
SS	NDE066	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	71	J	9.7	16	mg/Kg	SS
SS	NDE068	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	31	J	10	16	mg/Kg	SS
SS	NDE072	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	56	J	10	16	mg/Kg	SS
SS	NDE075	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	66	J	9.7	16	mg/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE077	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	57	J	9.7	16	mg/Kg	SS
SB	NDE046	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	20	UJ	12	20	mg/Kg	SS
SB	NDE052	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	16	UJ	9.9	16	mg/Kg	SS
SB	NDE054	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	16	UJ	9.7	16	mg/Kg	SS
SB	NDE056	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	16	UJ	9.7	16	mg/Kg	SS
SB	NDE071	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	16	UJ	9.7	16	mg/Kg	SS
SB	NDE065	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	11	UJ	0.26	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.25	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.29	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.25	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	11	UJ	0.26	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	11	UJ	0.27	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	11	UJ	0.27	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	15	UJ	0.36	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE013	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	11	UJ	0.26	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	11	UJ	0.27	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.25	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	11	UJ	0.27	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.29	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.37	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	11	UJ	0.16	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.12	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.17	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	11	UJ	0.16	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	11	UJ	0.17	11	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE188	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	11	UJ	0.17	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	15	UJ	0.22	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	11	UJ	0.16	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	11	UJ	0.17	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	11	UJ	0.17	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	11	UJ	0.24	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.27	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.26	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	11	UJ	0.24	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE083	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.27	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.27	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	11	UJ	0.26	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	11	UJ	0.25	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	15	UJ	0.34	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	11	UJ	0.25	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	11	UJ	0.26	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	11	UJ	0.25	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.32	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.43	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.43	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.39	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	1,1-DICHLOROETHANE	11	UJ	0.5	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.43	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.55	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.44	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.39	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.54	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.44	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.44	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.57	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.41	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.41	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	1,1-DICHLOROETHANE	11	UJ	0.5	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.44	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.38	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.36	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.39	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.37	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE093	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.41	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.39	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.55	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.56	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.38	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.44	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	1,1-DICHLOROETHANE	11	UJ	0.53	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	1,1-DICHLOROETHANE	11	UJ	0.52	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.44	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	1,1-DICHLOROETHANE	15	UJ	0.7	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	1,1-DICHLOROETHANE	11	UJ	0.5	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	1,1-DICHLOROETHANE	11	UJ	0.53	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.44	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	1,1-DICHLOROETHANE	11	UJ	0.52	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.56	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.46	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.38	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.38	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.37	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.4	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.37	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.34	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.37	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.4	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	1,1-DICHLOROETHENE	11	UJ	0.44	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.37	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.4	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	1,1-DICHLOROETHENE	12	UJ	0.48	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.39	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.41	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.34	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	1,1-DICHLOROETHENE	12	UJ	0.47	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.41	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.4	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	1,1-DICHLOROETHENE	12	UJ	0.5	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	1,1-DICHLOROETHENE	11	UJ	0.44	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.38	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.39	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.41	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE070	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.4	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.4	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.37	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.41	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.4	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.37	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.41	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.35	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	1,1-DICHLOROETHENE	12	UJ	0.48	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	1,1-DICHLOROETHENE	12	UJ	0.49	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.4	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.38	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	1,1-DICHLOROETHENE	11	UJ	0.46	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	1,1-DICHLOROETHENE	11	UJ	0.45	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.38	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.39	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	1,1-DICHLOROETHENE	15	UJ	0.61	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.41	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.39	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	1,1-DICHLOROETHENE	11	UJ	0.44	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	1,1-DICHLOROETHENE	11	UJ	0.47	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.39	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.41	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.39	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.4	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	1,1-DICHLOROETHENE	11	UJ	0.45	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	1,1-DICHLOROETHENE	12	UJ	0.49	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	1,1-DICHLOROETHENE	12	UJ	0.38	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	1,2-DICHLOROETHANE	11	UJ	0.23	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.26	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.25	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.27	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	1,2-DICHLOROETHANE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.18	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE055	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.26	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.26	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	1,2-DICHLOROETHANE	11	UJ	0.25	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	1,2-DICHLOROETHANE	11	UJ	0.24	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	1,2-DICHLOROETHANE	15	UJ	0.33	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	1,2-DICHLOROETHANE	11	UJ	0.24	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	1,2-DICHLOROETHANE	11	UJ	0.25	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	1,2-DICHLOROETHANE	11	UJ	0.24	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.26	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.28	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.1	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	1,2-DICHLOROPROPANE	11	UJ	0.13	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.1	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.15	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.1	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE141	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.1	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	1,2-DICHLOROPROPANE	11	UJ	0.13	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.09	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.09	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.09	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.09	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.1	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.1	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.09	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	1,2-DICHLOROPROPANE	11	UJ	0.13	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	1,2-DICHLOROPROPANE	11	UJ	0.13	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	1,2-DICHLOROPROPANE	15	UJ	0.18	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	1,2-DICHLOROPROPANE	11	UJ	0.13	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	1,2-DICHLOROPROPANE	11	UJ	0.14	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	1,2-DICHLOROPROPANE	11	UJ	0.13	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.5	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	2-BUTANONE (MEK)	11	UJ	1.8	11	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.7	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.5	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.5	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.5	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.7	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.7	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.5	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.4	10	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	2-BUTANONE (MEK)	12	UJ	2	12	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.7	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	2-BUTANONE (MEK)	10	UJ	1.6	10	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	2-BUTANONE (MEK)	11	UJ	1.9	11	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	2-HEXANONE	10	UJ	0.52	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	2-HEXANONE	10	UJ	0.52	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	2-HEXANONE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE076	SW8260B	SW5030	2-HEXANONE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	2-HEXANONE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	2-HEXANONE	11	UJ	0.6	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	2-HEXANONE	10	UJ	0.51	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	2-HEXANONE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	2-HEXANONE	12	UJ	0.66	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	2-HEXANONE	10	UJ	0.53	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	2-HEXANONE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	2-HEXANONE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	2-HEXANONE	12	UJ	0.64	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	2-HEXANONE	10	UJ	0.52	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	2-HEXANONE	10	UJ	0.56	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	2-HEXANONE	10	UJ	0.58	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	2-HEXANONE	10	UJ	0.52	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	2-HEXANONE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	2-HEXANONE	12	UJ	0.66	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	2-HEXANONE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	2-HEXANONE	10	UJ	0.58	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	2-HEXANONE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	2-HEXANONE	11	UJ	0.6	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	2-HEXANONE	10	UJ	0.52	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	2-HEXANONE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	2-HEXANONE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	2-HEXANONE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	2-HEXANONE	10	UJ	0.44	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	2-HEXANONE	10	UJ	0.53	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	2-HEXANONE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	2-HEXANONE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	2-HEXANONE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	2-HEXANONE	10	UJ	0.51	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	2-HEXANONE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	2-HEXANONE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	2-HEXANONE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	2-HEXANONE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	2-HEXANONE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	2-HEXANONE	12	UJ	0.65	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	2-HEXANONE	12	UJ	0.66	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	2-HEXANONE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	2-HEXANONE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	2-HEXANONE	10	UJ	0.52	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	2-HEXANONE	11	UJ	0.63	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	2-HEXANONE	11	UJ	0.62	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	2-HEXANONE	10	UJ	0.52	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	2-HEXANONE	10	UJ	0.53	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	2-HEXANONE	10	UJ	0.57	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	2-HEXANONE	15	UJ	0.83	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	2-HEXANONE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	2-HEXANONE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	2-HEXANONE	11	UJ	0.6	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	2-HEXANONE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	2-HEXANONE	11	UJ	0.64	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	2-HEXANONE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	2-HEXANONE	10	UJ	0.58	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	2-HEXANONE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	2-HEXANONE	10	UJ	0.53	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	2-HEXANONE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	2-HEXANONE	11	UJ	0.62	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	2-HEXANONE	12	UJ	0.67	12	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE087	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	53	J	0.9	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.71	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.71	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.69	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.76	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.89	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.64	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.68	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.69	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.76	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	11	UJ	0.82	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.7	10	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.72	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.76	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.64	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	0.88	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.72	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.77	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.8	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.72	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.75	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	0.94	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.67	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.79	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.67	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	11	UJ	0.82	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.88	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.72	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.88	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.59	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.63	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.6	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.73	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.77	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.75	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.75	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.7	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.68	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.69	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.77	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.76	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.69	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.76	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.67	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.64	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	0.9	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	0.91	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.62	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.76	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.71	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	11	UJ	0.86	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	11	UJ	0.85	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.72	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.73	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.78	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	15	UJ	1.1	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.77	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.74	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	11	UJ	0.83	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.68	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	11	UJ	0.87	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.74	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.8	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.77	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.73	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE177	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.75	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	11	UJ	0.85	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	0.93	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	1.5	12	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	ACETONE	29	UJ	1.6	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	ACETONE	31	UJ	1.7	10	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	ACETONE	18	UJ	1.8	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	ACETONE	17	UJ	1.9	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	ACETONE	10	UJ	1.6	10	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	ACETONE	11	UJ	2.1	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	ACETONE	16	UJ	1.8	10	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	BENZENE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	BENZENE	11	UJ	0.2	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	BENZENE	12	UJ	0.22	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	BENZENE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	BENZENE	12	UJ	0.22	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	BENZENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	BENZENE	12	UJ	0.23	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	BENZENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	BENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	BENZENE	11	UJ	0.2	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	BENZENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	BENZENE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	BENZENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	BENZENE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	BENZENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	BENZENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	BENZENE	12	UJ	0.22	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	BENZENE	12	UJ	0.23	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	BENZENE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	BENZENE	11	UJ	0.21	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	BENZENE	11	UJ	0.21	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE007	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	BENZENE	15	UJ	0.28	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	BENZENE	11	UJ	0.2	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	BENZENE	11	UJ	0.22	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	BENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	BENZENE	11	UJ	0.21	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	BENZENE	12	UJ	0.23	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	BENZENE	12	UJ	0.13	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.14	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	BROMODICHLOROMETHANE	11	UJ	0.18	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.2	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.14	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.19	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.21	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	BROMODICHLOROMETHANE	11	UJ	0.18	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.13	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.2	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.2	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.14	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE088	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	BROMODICHLOROMETHANE	11	UJ	0.19	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	BROMODICHLOROMETHANE	11	UJ	0.19	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	BROMODICHLOROMETHANE	15	UJ	0.25	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	BROMODICHLOROMETHANE	11	UJ	0.18	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	BROMODICHLOROMETHANE	11	UJ	0.19	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	BROMODICHLOROMETHANE	11	UJ	0.19	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.2	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.24	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	BROMOFORM	10	UJ	0.18	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	BROMOFORM	11	UJ	0.22	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	BROMOFORM	12	UJ	0.25	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	BROMOFORM	10	UJ	0.17	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	BROMOFORM	12	UJ	0.24	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	BROMOFORM	10	UJ	0.22	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	BROMOFORM	12	UJ	0.26	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	BROMOFORM	10	UJ	0.18	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	BROMOFORM	10	UJ	0.22	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	BROMOFORM	10	UJ	0.18	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	BROMOFORM	11	UJ	0.22	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	BROMOFORM	10	UJ	0.17	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	BROMOFORM	10	UJ	0.16	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	BROMOFORM	10	UJ	0.17	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	BROMOFORM	10	UJ	0.16	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE162	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	BROMOFORM	10	UJ	0.18	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	BROMOFORM	10	UJ	0.18	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	BROMOFORM	12	UJ	0.25	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	BROMOFORM	12	UJ	0.25	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	BROMOFORM	10	UJ	0.17	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	BROMOFORM	11	UJ	0.23	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	BROMOFORM	11	UJ	0.23	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	BROMOFORM	15	UJ	0.31	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	BROMOFORM	11	UJ	0.23	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	BROMOFORM	11	UJ	0.24	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	BROMOFORM	10	UJ	0.22	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	BROMOFORM	11	UJ	0.23	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	BROMOFORM	12	UJ	0.25	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	BROMOFORM	12	UJ	0.3	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.76	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.77	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.75	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.82	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.75	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.69	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.74	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.74	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.82	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	BROMOMETHANE	11	UJ	0.88	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.76	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.82	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	BROMOMETHANE	12	UJ	0.97	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.78	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.82	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.69	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	BROMOMETHANE	12	UJ	0.95	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.77	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.83	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.86	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.77	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.81	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	BROMOMETHANE	12	UJ	1	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.72	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.86	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.72	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	BROMOMETHANE	11	UJ	0.88	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.74	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.78	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.68	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.74	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.63	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.68	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.65	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.79	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.83	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.81	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.81	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE075	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.75	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.74	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.74	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.83	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.82	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.74	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.82	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.72	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.69	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	BROMOMETHANE	12	UJ	0.97	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	BROMOMETHANE	12	UJ	0.98	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.67	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.82	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.77	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	BROMOMETHANE	11	UJ	0.93	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	BROMOMETHANE	11	UJ	0.92	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.77	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.79	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.84	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	BROMOMETHANE	15	UJ	1.2	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.83	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.8	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	BROMOMETHANE	11	UJ	0.89	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.74	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	BROMOMETHANE	11	UJ	0.94	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.8	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.86	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.83	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.79	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.81	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	BROMOMETHANE	11	UJ	0.92	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	BROMOMETHANE	12	UJ	1	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	BROMOMETHANE	12	UJ	0.53	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.52	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.52	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	CARBON DISULFIDE	11	UJ	0.6	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.51	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.66	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.53	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.64	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.52	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.56	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.58	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.52	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.68	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.58	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	CARBON DISULFIDE	11	UJ	0.6	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.52	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.43	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE062FD1	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.44	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.53	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.51	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.65	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.66	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.52	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	CARBON DISULFIDE	11	UJ	0.63	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	CARBON DISULFIDE	11	UJ	0.62	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.52	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.53	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.57	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	CARBON DISULFIDE	15	UJ	0.83	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	CARBON DISULFIDE	11	UJ	0.6	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	CARBON DISULFIDE	11	UJ	0.64	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.58	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.53	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	CARBON DISULFIDE	11	UJ	0.62	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.67	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.37	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.28	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	CARBON TETRACHLORIDE	11	UJ	0.36	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.4	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.28	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.39	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.35	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.41	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.35	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE142	SW8260B	SW5030	CARBON TETRACHLORIDE	11	UJ	0.36	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.26	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.27	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.4	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.4	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	CARBON TETRACHLORIDE	11	UJ	0.38	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	CARBON TETRACHLORIDE	11	UJ	0.38	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.35	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	CARBON TETRACHLORIDE	15	UJ	0.5	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	CARBON TETRACHLORIDE	11	UJ	0.36	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	CARBON TETRACHLORIDE	11	UJ	0.39	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.35	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	CARBON TETRACHLORIDE	11	UJ	0.38	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.41	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.45	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	CHLOROBENZENE	11	UJ	0.22	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.25	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.24	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.22	10	ug/Kg	SS

Matrix	SampleID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE027	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.26	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	CHLOROBENZENE	11	UJ	0.22	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.25	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.25	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	CHLOROBENZENE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	CHLOROBENZENE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	CHLOROBENZENE	15	UJ	0.31	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	CHLOROBENZENE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	CHLOROBENZENE	11	UJ	0.24	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	CHLOROBENZENE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.25	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.2	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.51	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.51	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.54	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.54	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	CHLOROETHANE	11	UJ	0.58	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.5	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.54	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.65	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.52	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE191	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.54	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.63	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.51	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.55	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.57	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.51	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.54	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.67	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.57	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	CHLOROETHANE	11	UJ	0.59	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.51	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.52	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.53	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.64	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.65	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.51	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	CHLOROETHANE	11	UJ	0.62	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	CHLOROETHANE	11	UJ	0.61	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.51	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.52	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.56	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	CHLOROETHANE	15	UJ	0.81	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.53	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	CHLOROETHANE	11	UJ	0.59	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	CHLOROETHANE	11	UJ	0.63	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.53	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.57	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.55	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.52	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.54	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	CHLOROETHANE	11	UJ	0.61	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.66	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.65	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	CHLOROFORM	10	UJ	0.22	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE094	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	CHLOROFORM	11	UJ	0.28	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	CHLOROFORM	12	UJ	0.31	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	CHLOROFORM	10	UJ	0.22	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	CHLOROFORM	12	UJ	0.3	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	CHLOROFORM	10	UJ	0.27	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	CHLOROFORM	12	UJ	0.32	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	CHLOROFORM	10	UJ	0.27	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	CHLOROFORM	11	UJ	0.28	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	CHLOROFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	CHLOROFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	CHLOROFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	CHLOROFORM	10	UJ	0.2	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	CHLOROFORM	10	UJ	0.22	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	CHLOROFORM	10	UJ	0.22	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	CHLOROFORM	12	UJ	0.3	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	CHLOROFORM	12	UJ	0.31	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	CHLOROFORM	10	UJ	0.21	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	CHLOROFORM	11	UJ	0.29	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	CHLOROFORM	11	UJ	0.29	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	CHLOROFORM	15	UJ	0.38	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	CHLOROFORM	11	UJ	0.28	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	CHLOROFORM	11	UJ	0.3	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	CHLOROFORM	10	UJ	0.27	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	CHLOROFORM	11	UJ	0.29	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	CHLOROFORM	12	UJ	0.31	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	CHLOROFORM	12	UJ	1.2	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.73	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.73	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE069	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.71	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.78	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.71	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.66	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.7	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.7	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.78	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	CHLOROMETHANE	11	UJ	0.84	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.72	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.78	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.93	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.74	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.78	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.66	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.91	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.74	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.79	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.82	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.73	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.77	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.96	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.68	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.81	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.69	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	CHLOROMETHANE	11	UJ	0.84	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.7	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.74	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.65	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.7	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.6	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.65	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.62	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.75	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.79	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.77	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.77	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.72	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.7	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.7	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.79	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.78	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.71	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.78	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.68	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.66	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.92	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.94	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.64	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.78	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.73	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	CHLOROMETHANE	11	UJ	0.86	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	CHLOROMETHANE	11	UJ	0.87	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.73	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.75	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.8	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	CHLOROMETHANE	15	UJ	1.2	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.79	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.76	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	CHLOROMETHANE	11	UJ	0.85	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.7	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	CHLOROMETHANE	11	UJ	0.9	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.76	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.82	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.79	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.75	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE177	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.77	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	CHLOROMETHANE	11	UJ	0.87	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.95	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.94	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	11	UJ	0.26	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.28	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.28	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.25	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.29	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.25	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	11	UJ	0.26	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.28	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.28	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	11	UJ	0.27	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	11	UJ	0.27	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	15	UJ	0.36	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	11	UJ	0.26	11	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE026	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	11	UJ	0.27	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.25	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	11	UJ	0.27	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.29	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.33	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	DIBROMOCHLOROMETHANE	11	UJ	0.22	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.25	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.24	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.26	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	DIBROMOCHLOROMETHANE	11	UJ	0.22	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.25	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.25	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	DIBROMOCHLOROMETHANE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	DIBROMOCHLOROMETHANE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE005FD1	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	DIBROMOCHLOROMETHANE	15	UJ	0.31	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	DIBROMOCHLOROMETHANE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	DIBROMOCHLOROMETHANE	11	UJ	0.24	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	DIBROMOCHLOROMETHANE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.25	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.26	12	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	ETHYLBENZENE	96	J	0.38	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.29	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.29	10	ug/Kg	SS
SB	NDE089	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.29	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.29	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.27	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	ETHYLBENZENE	11	UJ	0.34	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.29	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.27	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.37	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.31	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.39	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	ETHYLBENZENE	11	UJ	0.34	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.26	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.24	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.26	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.25	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.27	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.37	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.38	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.26	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE088	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	ETHYLBENZENE	11	UJ	0.36	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	ETHYLBENZENE	11	UJ	0.35	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	ETHYLBENZENE	15	UJ	0.47	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	ETHYLBENZENE	11	UJ	0.34	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	ETHYLBENZENE	11	UJ	0.36	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	ETHYLBENZENE	11	UJ	0.35	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.38	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.32	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.17	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.21	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.17	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.23	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.21	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.24	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.21	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.21	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.23	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.24	12	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE086	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.22	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.22	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	15	UJ	0.3	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.21	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.23	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.21	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.22	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.24	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.24	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.28	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.35	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	METHYLENE CHLORIDE	12	UJ	0.39	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.27	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	METHYLENE CHLORIDE	12	UJ	0.38	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.27	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.25	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.27	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.26	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.3	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.28	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	METHYLENE CHLORIDE	12	UJ	0.39	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	METHYLENE CHLORIDE	12	UJ	0.39	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.27	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.37	11	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE188	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.37	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	METHYLENE CHLORIDE	15	UJ	0.49	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.35	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.38	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.31	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.32	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.36	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	METHYLENE CHLORIDE	12	UJ	0.4	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.16	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.2	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.16	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.22	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.2	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.23	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.2	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.15	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.22	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.23	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.15	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.21	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.21	11	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE190	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	15	UJ	0.28	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.16	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.2	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.22	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.21	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.23	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.23	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	STYRENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	STYRENE	11	UJ	0.21	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	STYRENE	12	UJ	0.23	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	STYRENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	STYRENE	12	UJ	0.23	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	STYRENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	STYRENE	12	UJ	0.24	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	STYRENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	STYRENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	STYRENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	STYRENE	11	UJ	0.21	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	STYRENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	STYRENE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	STYRENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	STYRENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	STYRENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	STYRENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	STYRENE	12	UJ	0.23	12	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE084FD1	SW8260B	SW5030	STYRENE	12	UJ	0.24	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	STYRENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	STYRENE	11	UJ	0.22	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	STYRENE	11	UJ	0.22	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	STYRENE	15	UJ	0.3	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	STYRENE	11	UJ	0.21	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	STYRENE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	STYRENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	STYRENE	11	UJ	0.22	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	STYRENE	12	UJ	0.24	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	STYRENE	12	UJ	0.24	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	11	UJ	0.24	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.27	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.19	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.26	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.24	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.28	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.24	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	11	UJ	0.24	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.18	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE097	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.19	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.27	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.27	12	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	11	UJ	0.26	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	11	UJ	0.25	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	15	UJ	0.34	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	11	UJ	0.25	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	11	UJ	0.26	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.24	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	11	UJ	0.25	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.28	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.37	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	TOLUENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	TOLUENE	11	UJ	0.22	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	TOLUENE	12	UJ	0.25	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	TOLUENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	TOLUENE	12	UJ	0.24	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	TOLUENE	10	UJ	0.22	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	TOLUENE	12	UJ	0.26	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	TOLUENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	TOLUENE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	TOLUENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	TOLUENE	11	UJ	0.22	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	TOLUENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	TOLUENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE074FD1	SW8260B	SW5030	TOLUENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	TOLUENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	TOLUENE	12	UJ	0.25	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	TOLUENE	12	UJ	0.25	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	TOLUENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	TOLUENE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	TOLUENE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	TOLUENE	15	UJ	0.31	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	TOLUENE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	TOLUENE	11	UJ	0.24	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	TOLUENE	10	UJ	0.22	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	TOLUENE	11	UJ	0.23	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	TOLUENE	12	UJ	0.25	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	TOLUENE	12	UJ	0.27	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	11	UJ	0.2	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.22	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.16	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.22	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.23	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	11	UJ	0.2	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.14	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE090	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.16	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.22	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.23	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.15	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	11	UJ	0.21	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	11	UJ	0.21	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	15	UJ	0.28	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	11	UJ	0.2	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	11	UJ	0.22	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	11	UJ	0.21	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.23	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.32	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.24	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	UJ	0.31	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.34	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.24	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.33	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.35	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.25	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	UJ	0.31	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.24	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.22	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.24	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.23	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE070	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.25	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.24	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.34	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.34	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.24	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	UJ	0.32	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	UJ	0.32	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	15	UJ	0.43	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	UJ	0.31	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.26	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	UJ	0.33	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	UJ	0.32	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.35	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.31	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.44	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.44	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SB	NDE071	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.4	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	VINYL CHLORIDE	11	UJ	0.51	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.44	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE087	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.56	12	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.45	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.4	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.55	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.45	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.48	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.5	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.45	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.58	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE142	SW8260B	SW5030	VINYL CHLORIDE	11	UJ	0.51	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.39	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Prof Qual	DL	RL	Units	Comments
SS	NDE055	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE057	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.37	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.39	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.38	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE091FD1	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE093	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.42	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.4	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.56	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.57	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.39	10	ug/Kg	SS
SS	NDE088	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE164	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.44	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	VINYL CHLORIDE	11	UJ	0.54	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	VINYL CHLORIDE	11	UJ	0.53	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.49	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	VINYL CHLORIDE	15	UJ	0.71	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	VINYL CHLORIDE	11	UJ	0.51	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.43	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	VINYL CHLORIDE	11	UJ	0.55	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.46	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.5	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.48	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.45	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.47	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	VINYL CHLORIDE	11	UJ	0.53	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.58	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.57	12	ug/Kg	SS
SB	NDE065	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SB	NDE067	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SB	NDE069	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SB	NDE073	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SB	NDE076	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.17	10	ug/Kg	SS
SB	NDE078	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SB	NDE092	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SB	NDE094	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SB	NDE080	SW8260B	SW5030	XYLENES, TOTAL	11	UJ	0.21	11	ug/Kg	SS
SB	NDE082	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SB	NDE085	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SB	NDE189	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SB	NDE191	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SB	NDE193	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.17	10	ug/Kg	SS
SB	NDE006	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.23	12	ug/Kg	SS
SB	NDE008	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SB	NDE012	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SB	NDE016	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.21	10	ug/Kg	SS
SB	NDE027	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SB	NDE029	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SB	NDE204	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.24	12	ug/Kg	SS
SB	NDE107	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.17	10	ug/Kg	SS
SS	NDE138	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.21	10	ug/Kg	SS
SS	NDE141	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.17	10	ug/Kg	SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE142	SW8260B	SW5030	XYLENES, TOTAL	11	UJ	0.21	11	ug/Kg	SS
SS	NDE155	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SS	NDE156	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SS	NDE157	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.16	10	ug/Kg	SS
SS	NDE055	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SS	NDE062FD1	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.16	10	ug/Kg	SS
SS	NDE064	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.16	10	ug/Kg	SS
SS	NDE066	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SS	NDE068	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SS	NDE070	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SS	NDE072	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SS	NDE075	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SS	NDE090	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SS	NDE095	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SS	NDE097	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SS	NDE162	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SS	NDE074FD1	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.17	10	ug/Kg	SS
SS	NDE079	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.17	10	ug/Kg	SS
SS	NDE083	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.23	12	ug/Kg	SS
SS	NDE084FD1	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.24	12	ug/Kg	SS
SS	NDE086	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.16	10	ug/Kg	SS
SS	NDE169	SW8260B	SW5030	XYLENES, TOTAL	11	UJ	0.22	11	ug/Kg	SS
SS	NDE188	SW8260B	SW5030	XYLENES, TOTAL	11	UJ	0.22	11	ug/Kg	SS
SS	NDE190	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SS	NDE005FD1	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SS	NDE007	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SS	NDE009	SW8260B	SW5030	XYLENES, TOTAL	15	UJ	0.3	15	ug/Kg	SS
SS	NDE011	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SS	NDE013	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SS	NDE024FD1	SW8260B	SW5030	XYLENES, TOTAL	11	UJ	0.21	11	ug/Kg	SS
SS	NDE026	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	SS
SS	NDE028	SW8260B	SW5030	XYLENES, TOTAL	11	UJ	0.23	11	ug/Kg	SS
SS	NDE030	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SS	NDE032	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.21	10	ug/Kg	SS
SS	NDE034	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS
SS	NDE037	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SS	NDE177	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	SS
SS	NDE178	SW8260B	SW5030	XYLENES, TOTAL	11	UJ	0.22	11	ug/Kg	SS
SS	NDE179	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.24	12	ug/Kg	SS
SS	NDE110	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.15	12	ug/Kg	SS
WG	NDE214	CLP_PEST_L	SW3510	p,p'-DDD	0.42	J	0.023	0.023	ug/L	SS, 2C
SS	NDE155	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	SS, BL
WG	NDE221	CLP_PEST_L	SW3510	p,p'-DDT	0.021	UJ	0.021	0.021	ug/L	SS, CC
WG	NDE222FD1	CLP_PEST_L	SW3510	p,p'-DDT	0.023	UJ	0.023	0.023	ug/L	SS, CC
WG	NDE223	CLP_PEST_L	SW3510	p,p'-DDT	0.02	UJ	0.02	0.02	ug/L	SS, CC
WG	NDE228	CLP_PEST_L	SW3510	p,p'-DDT	0.023	UJ	0.023	0.023	ug/L	SS, CC
WG	NDE229FD1	CLP_PEST_L	SW3510	p,p'-DDT	0.022	UJ	0.022	0.022	ug/L	SS, CC
WG	NDE230	CLP_PEST_L	SW3510	p,p'-DDT	0.021	UJ	0.021	0.021	ug/L	SS, CC
WG	NDE231	CLP_PEST_L	SW3510	p,p'-DDT	0.022	UJ	0.022	0.022	ug/L	SS, CC
WG	NDE232	CLP_PEST_L	SW3510	p,p'-DDT	0.023	UJ	0.023	0.023	ug/L	SS, CC
SB	NDE087	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	232	J	9.7	16	mg/Kg	SS, HT
SS	NDE074FD1	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	196	J	19	32	mg/Kg	SS, HT
SS	NDE079	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	130	J	9.8	16	mg/Kg	SS, HT
SS	NDE081	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	18	J	9.7	16	mg/Kg	SS, HT
SS	NDE086	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	377	J	9.9	16	mg/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.48	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.42	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	2-HEXANONE	10	UJ	0.57	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.78	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS, HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE015	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.84	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.57	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.35	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.56	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.8	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.49	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS, HT

Attachment B - Detections Reported in all Blank Types

Matrix	Analytical Method	Prep Method	Sample ID	Sample Type	Parameter	Lab Result	Lab Qual	RL	DL	Units
WQ	CLP_PEST	SW3510	NDE132EB3	EB	DIELDRIN	0.108	J	0.1	0.005	ug/L
WQ	CLP_PEST	SW3510	NDE132EB3	EB	ENDOSULFAN II (Beta)	0.108	J	0.1	0.02	ug/L
WQ	CLP_PEST	SW3510	NDE132EB3	EB	ENDOSULFAN SULFATE	0.108	J	0.1	0.02	ug/L
WQ	CLP_PEST	SW3510	NDE132EB3	EB	ENDRIN	0.108	J	0.1	0.02	ug/L
WQ	CLP_PEST	SW3510	NDE132EB3	EB	ENDRIN ALDEHYDE	0.108	J	0.1	0.02	ug/L
WQ	CLP_PEST	SW3510	NDE132EB3	EB	ENDRIN KETONE	0.108	J	0.1	0.02	ug/L
WQ	CLP_PEST	SW3510	NDE132EB3	EB	METHOXYCHLOR	0.54	J	0.54	0.02	ug/L
WQ	CLP_PEST	SW3510	NDE132EB3	EB	p,p'-DDD	0.108	J	0.1	0.02	ug/L
WQ	CLP_PEST	SW3510	NDE132EB3	EB	p,p'-DDE	0.108	J	0.1	0.01	ug/L
WQ	CLP_PEST	SW3510	NDE132EB3	EB	p,p'-DDT	0.108	J	0.1	0.02	ug/L
SOIL	E200.7	SW3050	16485BLK	LB	ALUMINUM	12	B	40	9.5	mg/Kg
SOIL	E200.7	SW3050	17536BLK	LB	ALUMINUM	12	B	40	9.5	mg/Kg
WQ	E200.7	SW3050	NDE131EB2	EB	BARIUM	1.2	J	200	0.13	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	BARIUM	1.6	B	200	0.13	ug/L
SOIL	E200.7	SW3050	11882BLK	LB	BARIUM	0.014	J	40	0.01	mg/Kg
SOIL	E200.7	SW3050	BLKS120500A	LB	BARIUM	0.035	J	40	0.01	mg/Kg
WATER	E200.7	SW3050	12129BLK173	LB	BARIUM	0.18	J	200	0.13	ug/L
WQ	E200.7	SW3050	NDE003AB2	AB	BERYLLIUM	1.3	B	5	0.33	ug/L
WQ	E200.7	SW3050	NDE002EB1	EB	BERYLLIUM	1.2	B	5	0.33	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	BERYLLIUM	1	B	5	0.33	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	BERYLLIUM	1.1	B	5	0.33	ug/L
SOIL	E200.7	SW3050	BLKS120500A	LB	CADMIUM	0.037	J	1	0.02	mg/Kg
WATER	E200.7	SW3050	12129BLK173	LB	CADMIUM	0.54	J	5	0.27	ug/L
WQ	E200.7	SW3050	NDE001AB1	AB	CALCIUM	120	J	5000	28	ug/L
WQ	E200.7	SW3050	NDE003AB2	AB	CALCIUM	85	B	5000	28	ug/L
WQ	E200.7	SW3050	NDE130EB1	EB	CALCIUM	76	J	5000	28	ug/L
WQ	E200.7	SW3050	NDE040EB1	EB	CALCIUM	68	B	5000	28	ug/L
WQ	E200.7	SW3050	NDE197EB1	EB	CALCIUM	200	B	5000	28	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	CALCIUM	250	B	5000	28	ug/L
WQ	E200.7	SW3050	NDE100EB1	EB	CALCIUM	120	B	5000	28	ug/L
WQ	E200.7	SW3050	NDE113EB1	EB	CALCIUM	65	J	5000	28	ug/L
WQ	E200.7	SW3050	NDE131EB2	EB	CALCIUM	120	J	5000	28	ug/L
WQ	E200.7	SW3050	NDE101EB2	EB	CALCIUM	480	B	5000	28	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	CALCIUM	470	B	5000	28	ug/L
SOIL	E200.7	SW3050	11882BLK	LB	CALCIUM	6	J	1000	2.8	mg/Kg
SOIL	E200.7	SW3050	14040BLK	LB	CALCIUM	6	J	1000	2.8	mg/Kg
SOIL	E200.7	SW3050	BLKS120500A	LB	CALCIUM	12	J	1000	2.8	mg/Kg
SOIL	E200.7	SW3050	12165BLK	LB	CALCIUM	14	J	1000	2.8	mg/Kg
SOIL	E200.7	SW3050	12172BLK	LB	CALCIUM	28	B	1000	2.8	mg/Kg
SOIL	E200.7	SW3050	18855BLK	LB	CALCIUM	33	J	1000	2.8	mg/Kg
WATER	E200.7	SW3050	12129BLK	LB	CALCIUM	190	J	5000	28	ug/L
WATER	E200.7	SW3050	12129BLK173	LB	CALCIUM	190	J	5000	28	ug/L
WATER	E200.7	SW3050	12129BLK	LB	CALCIUM	190	B	5000	28	ug/L
WATER	E200.7	SW3050	12129BLK	LB	CALCIUM	190	B	5000	28	ug/L
WATER	E200.7	SW3050	19241BLK	LB	CALCIUM	336	B	5000	28	ug/L
WATER	E200.7	FLDFLT	19647BLK	LB	CALCIUM, DISSOLVED	371	B	5000	28	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	CHROMIUM, TOTAL	2.4	B	10	0.87	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	CHROMIUM, TOTAL	7.3	B	10	0.87	ug/L
WATER	E200.7	SW3050	12129BLK	LB	CHROMIUM, TOTAL	1.1	J	10	0.87	ug/L
WATER	E200.7	SW3050	12129BLK173	LB	CHROMIUM, TOTAL	1.1	J	10	0.87	ug/L
SOIL	E200.7	SW3050	BLKS120500A	LB	COBALT	0.063	J	10	0.04	mg/Kg
WATER	E200.7	SW3050	12129BLK	LB	COBALT	0.88	J	50	0.43	ug/L
WATER	E200.7	SW3050	12129BLK173	LB	COBALT	0.88	J	50	0.43	ug/L
WQ	E200.7	SW3050	NDE100EB1	EB	COPPER	2.6	B	25	0.8	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	IRON	56	B	100	25	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	IRON	280	=	100	25	ug/L
SOIL	E200.7	SW3050	BLKS120500A	LB	IRON	2.6	J	20	2.5	mg/Kg
SOIL	E200.7	SW3050	12120BLK	LB	IRON	6.7	J	20	2.5	mg/Kg
SOIL	E200.7	SW3050	12169BLK	LB	IRON	7.9	B	20	2.5	mg/Kg
SOIL	E200.7	SW3050	12172BLK	LB	IRON	11	B	20	2.5	mg/Kg
SOIL	E200.7	SW3050	16485BLK	LB	IRON	5.7	B	20	2.5	mg/Kg
SOIL	E200.7	SW3050	14036BLK	LB	IRON	5	B	20	2.5	mg/Kg

Matrix	Analytical Method	Prep Method	Sample ID	Sample Type	Parameter	Lab Result	Lab Qual	RL	DL	Units
SOIL	E200.7	SW3050	17536BLK	LB	IRON	5.7	B	20	2.5	mg/Kg
WATER	E200.7	SW3050	12129BLK	LB	IRON	46	J	100	25	ug/L
WATER	E200.7	SW3050	12129BLK173	LB	IRON	46	J	100	25	ug/L
WATER	E200.7	SW3050	13943BLK	LB	IRON	70	B	100	25	ug/L
WATER	E200.7	SW3050	13943BLK	LB	IRON	70	B	100	25	ug/L
WATER	E200.7	SW3050	17343BLK	LB	IRON	70	B	100	25	ug/L
WQ	E200.7	SW3050	NDE003AB2	AB	MAGNESIUM	99	B	5000	13	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	MAGNESIUM	160	B	5000	13	ug/L
WQ	E200.7	SW3050	NDE131EB2	EB	MAGNESIUM	35	J	5000	13	ug/L
WQ	E200.7	SW3050	NDE101EB2	EB	MAGNESIUM	170	B	5000	13	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	MAGNESIUM	360	B	5000	13	ug/L
SOIL	E200.7	SW3050	11882BLK	LB	MAGNESIUM	2	J	1000	0.13	mg/Kg
SOIL	E200.7	SW3050	14040BLK	LB	MAGNESIUM	5.5	J	1000	0.13	mg/Kg
SOIL	E200.7	SW3050	BLKS120500A	LB	MAGNESIUM	4.8	J	1000	0.13	mg/Kg
WATER	E200.7	SW3050	12129BLK	LB	MAGNESIUM	120	J	5000	13	ug/L
WATER	E200.7	SW3050	12129BLK173	LB	MAGNESIUM	120	J	5000	13	ug/L
WATER	E200.7	SW3050	12129BLK	LB	MAGNESIUM	120	B	5000	13	ug/L
WATER	E200.7	SW3050	12129BLK	LB	MAGNESIUM	120	B	5000	13	ug/L
WATER	E200.7	FLDFLT	19647BLK	LB	MAGNESIUM, DISSOLVED	200	B	5000	13	ug/L
WQ	E200.7	SW3050	NDE040EB1	EB	MANGANESE	1.1	B	15	0.33	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	MANGANESE	1.5	B	15	0.33	ug/L
WQ	E200.7	SW3050	NDE101EB2	EB	MANGANESE	1.2	B	15	0.33	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	MANGANESE	8.5	B	15	0.33	ug/L
SOIL	E200.7	SW3050	12116BLK	LB	MANGANESE	0.21	J	3	0.03	mg/Kg
SOIL	E200.7	SW3050	12172BLK	LB	MANGANESE	0.28	B	3	0.03	mg/Kg
SOIL	E200.7	SW3050	18596BLK	LB	MANGANESE	0.22	B	3	0.033	mg/Kg
SOIL	E200.7	SW3050	18596BLK	LB	MANGANESE	0.22	J	3	0.03	mg/Kg
WQ	E200.7	SW3050	NDE001AB1	AB	NICKEL	3	J	40	0.93	ug/L
WQ	E200.7	SW3050	NDE003AB2	AB	NICKEL	1.9	B	40	0.93	ug/L
WQ	E200.7	SW3050	NDE130EB1	EB	NICKEL	3.4	J	40	0.93	ug/L
WQ	E200.7	SW3050	NDE040EB1	EB	NICKEL	3.6	B	40	0.93	ug/L
WQ	E200.7	SW3050	NDE197EB1	EB	NICKEL	3.2	B	40	0.93	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	NICKEL	2.8	B	40	0.93	ug/L
WQ	E200.7	SW3050	NDE100EB1	EB	NICKEL	2.3	B	40	0.93	ug/L
WQ	E200.7	SW3050	NDE113EB1	EB	NICKEL	2.2	J	40	0.93	ug/L
WQ	E200.7	SW3050	NDE131EB2	EB	NICKEL	4.1	J	40	0.93	ug/L
WQ	E200.7	SW3050	NDE101EB2	EB	NICKEL	2.9	B	40	0.93	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	NICKEL	2.9	B	40	0.93	ug/L
SOIL	E200.7	SW3050	BLKS120500A	LB	NICKEL	0.17	J	8	0.09	mg/Kg
WATER	E200.7	SW3050	12129BLK	LB	NICKEL	1.9	J	40	0.93	ug/L
WATER	E200.7	SW3050	12129BLK173	LB	NICKEL	1.9	J	40	0.93	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	POTASSIUM	130	B	5000	30	ug/L
WQ	E200.7	SW3050	NDE101EB2	EB	POTASSIUM	77	B	5000	30	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	POTASSIUM	210	B	5000	30	ug/L
SOIL	E200.7	SW3050	11882BLK	LB	POTASSIUM	5	J	1000	3	mg/Kg
SOIL	E200.7	SW3050	14040BLK	LB	POTASSIUM	5	J	1000	3	mg/Kg
WQ	E200.7	SW3050	NDE002EB1	EB	SODIUM	530	B	5000	200	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	SODIUM	1500	B	5000	200	ug/L
WQ	E200.7	SW3050	NDE101EB2	EB	SODIUM	1600	B	5000	200	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	SODIUM	3300	B	5000	200	ug/L
SOIL	E200.7	SW3050	12172BLK	LB	SODIUM	26	B	1000	20	mg/Kg
SOIL	E200.7	SW3050	14032BLK	LB	SODIUM	22	B	1000	20	mg/Kg
WATER	E200.7	SW3050	19604BLK	LB	SODIUM	346	B	5000	200	ug/L
WATER	E200.7	FLDFLT	19647BLK	LB	SODIUM, DISSOLVED	1060	B	5000	200	ug/L
WQ	E200.7	SW3050	NDE001AB1	AB	THALLIUM	8.3	J	10	3.4	ug/L
WQ	E200.7	SW3050	NDE237AB1	AB	THALLIUM	9.8	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE003AB2	AB	THALLIUM	5.4	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE130EB1	EB	THALLIUM	9.5	J	10	3.4	ug/L
WQ	E200.7	SW3050	NDE040EB1	EB	THALLIUM	8.6	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE197EB1	EB	THALLIUM	9	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE002EB1	EB	THALLIUM	7.8	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	THALLIUM	4.5	B	10	3.4	ug/L

Matrix	Analytical Method	Prep Method	Sample ID	Sample Type	Parameter	Lab Result	Lab Qual	RL	DL	Units
WQ	E200.7	SW3050	NDE100EB1	EB	THALLIUM	7.3	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE113EB1	EB	THALLIUM	6.3	J	10	3.4	ug/L
WQ	E200.7	SW3050	NDE235EB1	EB	THALLIUM	9.7	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE131EB2	EB	THALLIUM	9.5	J	10	3.4	ug/L
WQ	E200.7	SW3050	NDE101EB2	EB	THALLIUM	6.3	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE236EB2	EB	THALLIUM	7.7	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE132EB3	EB	THALLIUM	4.9	B	10	3.4	ug/L
SOIL	E200.7	SW3050	BLKS120500A	LB	THALLIUM	0.49	J	2	0.34	mg/Kg
SOIL	E200.7	SW3050	12172BLK	LB	THALLIUM	0.71	B	2	0.34	mg/Kg
WATER	E200.7	SW3050	13943BLK	LB	THALLIUM	7.4	B	10	3.4	ug/L
WATER	E200.7	SW3050	13943BLK	LB	THALLIUM	7.4	B	10	3.4	ug/L
WATER	E200.7	SW3050	17343BLK	LB	THALLIUM	7.4	B	10	3.4	ug/L
WATER	E200.7	SW3050	19604BLK	LB	THALLIUM	6.6	B	10	3.4	ug/L
WQ	E200.7	SW3050	NDE001AB1	AB	ZINC	8.1	J	20	5	ug/L
WQ	E200.7	SW3050	NDE197EB1	EB	ZINC	19	B	20	5	ug/L
WQ	E200.7	SW3050	NDE210EB1	EB	ZINC	10	B	20	5	ug/L
WQ	E200.7	SW3050	NDE131EB2	EB	ZINC	6	J	20	5	ug/L
WQ	E200.7	SW3050	NDE101EB2	EB	ZINC	20	B	20	5	ug/L
SOIL	E200.7	SW3050	BLKS120500A	LB	ZINC	0.56	J	4	0.5	mg/Kg
SOIL	E200.7	SW3050	12116BLK	LB	ZINC	1.5	J	4	0.5	mg/Kg
SOIL	E200.7	SW3050	12165BLK	LB	ZINC	1.1	J	4	0.5	mg/Kg
SOIL	E200.7	SW3050	12172BLK	LB	ZINC	1.6	B	4	0.5	mg/Kg
SOIL	E200.7	SW3050	18855BLK	LB	ZINC	1.6	J	4	0.5	mg/Kg
WATER	E200.7	SW3050	12129BLK	LB	ZINC	5.3	J	20	5	ug/L
WATER	E200.7	SW3050	12129BLK173	LB	ZINC	5.3	J	20	5	ug/L
WATER	E245.2	METHOD	12508BLK	LB	MERCURY	0.045	J	0.2	0.02	ug/L
WQ	SW8260B	SW5030	NDE130EB1	EB	1,2-DICHLOROETHANE	1.6	J	10	0.26	ug/L
SOIL	SW8260B	SW5030	1202blk12	LB	1,2-DICHLOROETHANE	1.2	J	10	0.21	ug/Kg
SOIL	SW8260B	SW5030	1202blk12	LB	1,2-DICHLOROETHANE	1.2	J	10	0.21	ug/Kg
SOIL	SW8260B	SW5030	1204blk34	LB	1,2-DICHLOROETHANE	1.3	J	10	0.21	ug/Kg
SOIL	SW8260B	SW5030	1208blk12	LB	1,2-DICHLOROETHANE	0.28	J	12	0.25	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	1,2-DICHLOROETHANE	0.41	J	10	0.21	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	1,2-DICHLOROETHANE	0.41	J	10	0.21	ug/Kg
SOIL	SW8260B	SW5030	1216blk12	LB	1,2-DICHLOROETHANE	0.29	J	10	0.22	ug/Kg
WATER	SW8260B	SW5030	1201blk32	LB	1,2-DICHLOROETHANE	1.7	J	10	0.26	ug/L
WATER	SW8260B	SW5030	1201blk32	LB	1,2-DICHLOROETHANE	1.7	J	10	0.26	ug/L
WATER	SW8260B	SW5030	1220blka34	LB	1,2-DICHLOROETHANE	1.4	J	10	0.26	ug/L
WQ	SW8260B	SW5030	NDE182TB1	TB	1,2-DICHLOROETHANE	0.28	J	10	0.26	ug/L
WQ	SW8260B	SW5030	NDE002EB1	EB	2-BUTANONE (MEK)	2.1	J	10	1.7	ug/L
WQ	SW8260B	SW5030	NDE211TB1	TB	2-BUTANONE (MEK)	4.9	J	10	1.7	ug/L
WQ	SW8260B	SW5030	NDE200TB2	TB	2-BUTANONE (MEK)	2.2	J	10	1.7	ug/L
WQ	SW8260B	SW5030	NDE130EB1	EB	ACETONE	7.8	J	10	4.1	ug/L
WQ	SW8260B	SW5030	NDE210EB1	EB	ACETONE	5.4	J	10	4.1	ug/L
WQ	SW8260B	SW5030	NDE101EB2	EB	ACETONE	6.2	J	10	4.1	ug/L
WQ	SW8260B	SW5030	NDE132EB3	EB	ACETONE	6.6	J	10	4.1	ug/L
SOIL	SW8260B	SW5030	1129blk14	LB	ACETONE	5.4	J	10	1.6	ug/Kg
SOIL	SW8260B	SW5030	1201blk14	LB	ACETONE	9.8	J	10	1.9	ug/Kg
SOIL	SW8260B	SW5030	1202blk12	LB	ACETONE	6.8	J	10	1.9	ug/Kg
SOIL	SW8260B	SW5030	1204blk32	LB	ACETONE	15	=	11	2	ug/Kg
SOIL	SW8260B	SW5030	1202blk12	LB	ACETONE	6.8	J	10	1.9	ug/Kg
SOIL	SW8260B	SW5030	1204blk32	LB	ACETONE	15	=	11	2	ug/Kg
SOIL	SW8260B	SW5030	1204blk34	LB	ACETONE	17	=	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1205blk32	LB	ACETONE	28	=	10	2	ug/Kg
SOIL	SW8260B	SW5030	1206blk35	LB	ACETONE	23	=	10	1.9	ug/Kg
SOIL	SW8260B	SW5030	1207blk32	LB	ACETONE	36	=	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1205blk12	LB	ACETONE	11	=	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1205blk35	LB	ACETONE	47	=	10	1.9	ug/Kg
SOIL	SW8260B	SW5030	1207blk14	LB	ACETONE	9.8	J	11	2.1	ug/Kg
SOIL	SW8260B	SW5030	1208blk12	LB	ACETONE	13	=	12	2.2	ug/Kg
SOIL	SW8260B	SW5030	1208blk14	LB	ACETONE	18	=	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1211blk32	LB	ACETONE	21	=	11	2.1	ug/Kg
SOIL	SW8260B	SW5030	1208blk14	LB	ACETONE	8.6	J	10	2	ug/Kg

Matrix	Analytical Method	Prep Method	Sample ID	Sample Type	Parameter	Lab Result	Lab Qual	RL	DL	Units
SOIL	SW8260B	SW5030	1210blk13	LB	ACETONE	5.9	J	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1210blk34	LB	ACETONE	59	=	10	2	ug/Kg
SOIL	SW8260B	SW5030	1213blk34	LB	ACETONE	10	=	10	1.9	ug/
SOIL	SW8260B	SW5030	1213mblk31	LB	ACETONE	17	=	10	1.9	ug/
SOIL	SW8260B	SW5030	1210blk32	LB	ACETONE	18	=	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1212blk12	LB	ACETONE	8	J	10	2	ug/Kg
SOIL	SW8260B	SW5030	1215blk12	LB	ACETONE	11	=	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1215blk14	LB	ACETONE	7.2	J	10	1.9	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	ACETONE	14	=	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1213mblk31	LB	ACETONE	20	=	12	2.2	ug/Kg
SOIL	SW8260B	SW5030	1214blk12	LB	ACETONE	6	J	10	2	ug/Kg
SOIL	SW8260B	SW5030	1214blk14	LB	ACETONE	6.1	J	10	1.9	ug/Kg
SOIL	SW8260B	SW5030	1214blk14	LB	ACETONE	6.1	J	10	1.9	ug/Kg
SOIL	SW8260B	SW5030	1214blk34	LB	ACETONE	18	=	11	2.1	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	ACETONE	14	=	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1216blk12	LB	ACETONE	4	J	10	1.9	ug/Kg
SOIL	SW8260B	SW5030	1217blk13	LB	ACETONE	6	J	10	1.8	ug/Kg
SOIL	SW8260B	SW5030	1217blk13	LB	ACETONE	6	J	9.3	9.3	ug/Kg
SOIL	SW8260B	SW5030	1220blk14	LB	ACETONE	4.5	J	10	1.4	ug/Kg
SOIL	SW8260B	SW5030	1221blk12	LB	ACETONE	8.5	J	10	1.7	ug/Kg
SOIL	SW8260B	SW5030	1220blk14	LB	ACETONE	4.5	J	10	1.4	ug/Kg
SOIL	SW8260B	SW5030	1220blk14	LB	ACETONE	4.5	J	10	1.4	ug/Kg
SOIL	SW8260B	SW5030	1221blk12	LB	ACETONE	8.5	J	10	1.7	ug/Kg
WATER	SW8260B	SW5030	1201blk34	LB	ACETONE	5.7	J	10	4.1	ug/L
WATER	SW8260B	SW5030	1212blk32	LB	ACETONE	6.3	J	10	10	ug/L
WQ	SW8260B	SW5030	NDE182TB1	TB	ACETONE	7	J	10	4.1	ug/L
WQ	SW8260B	SW5030	NDE183TB1	TB	ACETONE	4.5	J	10	4.1	ug/L
WQ	SW8260B	SW5030	NDE186TB1	TB	ACETONE	7.7	J	10	4.1	ug/L
WQ	SW8260B	SW5030	NDE211TB1	TB	ACETONE	5.1	J	10	4.1	ug/L
WQ	SW8260B	SW5030	NDE212TB1	TB	ACETONE	9.4	J	10	10	ug/
WQ	SW8260B	SW5030	NDE233TB1	TB	ACETONE	7	=	5	4.1	u
SOIL	SW8260B	SW5030	1216blk32	LB	BENZENE	0.21	J	10	0.18	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	BENZENE	0.21	J	10	0.18	ug/Kg
WQ	SW8260B	SW5030	NDE186TB1	TB	BENZENE	0.25	J	10	0.1	ug/L
WQ	SW8260B	SW5030	NDE001AB1	AB	BROMODICHLOROMETHANE	0.74	J	10	0.4	ug/L
WQ	SW8260B	SW5030	NDE237AB1	AB	BROMODICHLOROMETHANE	0.94	J	1	0.4	ug/L
WQ	SW8260B	SW5030	NDE197EB1	EB	CARBON DISULFIDE	0.4	J	10	0.26	ug/L
WQ	SW8260B	SW5030	NDE198TB1	TB	CARBON DISULFIDE	0.44	J	10	0.26	ug/L
WQ	SW8260B	SW5030	NDE001AB1	AB	CHLOROFORM	6.2	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE237AB1	AB	CHLOROFORM	8.8	=	1	0.14	ug/L
WQ	SW8260B	SW5030	NDE003AB2	AB	CHLOROFORM	9.2	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE130EB1	EB	CHLOROFORM	3.2	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE040EB1	EB	CHLOROFORM	2.3	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE197EB1	EB	CHLOROFORM	8.7	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE002EB1	EB	CHLOROFORM	9.7	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE210EB1	EB	CHLOROFORM	8	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE113EB1	EB	CHLOROFORM	8.1	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE170EB1	EB	CHLOROFORM	9.4	=	1	0.14	ug/L
WQ	SW8260B	SW5030	NDE235EB1	EB	CHLOROFORM	2.3	=	1	0.14	ug/L
WQ	SW8260B	SW5030	NDE131EB2	EB	CHLOROFORM	2.5	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE101EB2	EB	CHLOROFORM	9	J	10	0.14	ug/L
WQ	SW8260B	SW5030	NDE236EB2	EB	CHLOROFORM	8.8	=	1	0.14	ug/L
WQ	SW8260B	SW5030	NDE132EB3	EB	CHLOROFORM	8.8	J	10	0.14	ug/L
SOIL	SW8260B	SW5030	1216blk32	LB	ISOMERS)	0.38	J	10	0.19	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	ISOMERS)	0.38	J	10	0.19	ug/Kg
WQ	SW8260B	SW5030	NDE130EB1	EB	METHYLENE CHLORIDE	0.27	J	10	0.12	ug/L
WQ	SW8260B	SW5030	NDE210EB1	EB	METHYLENE CHLORIDE	7.5	J	10	0.12	ug/L
WQ	SW8260B	SW5030	NDE101EB2	EB	METHYLENE CHLORIDE	9.5	J	10	0.12	u
WQ	SW8260B	SW5030	NDE132EB3	EB	METHYLENE CHLORIDE	6	J	10	0.12	ug/L
SOIL	SW8260B	SW5030	1201blk14	LB	METHYLENE CHLORIDE	0.4	J	10	0.33	ug/Kg
SOIL	SW8260B	SW5030	1207blk32	LB	METHYLENE CHLORIDE	0.32	J	10	0.31	ug/Kg
SOIL	SW8260B	SW5030	1205blk12	LB	METHYLENE CHLORIDE	0.36	J	10	0.31	ug/Kg

Matrix	Analytical Method	Prep Method	Sample ID	Sample Type	Parameter	Lab Result	Lab Qual	RL	DL	Units
SOIL	SW8260B	SW5030	1208blk14	LB	METHYLENE CHLORIDE	0.55	J	10	0.31	ug/Kg
SOIL	SW8260B	SW5030	1210blk13	LB	METHYLENE CHLORIDE	0.59	J	10	0.31	ug/Kg
SOIL	SW8260B	SW5030	1213mblk31	LB	METHYLENE CHLORIDE	4.4	J	10	0.33	ug/Kg
SOIL	SW8260B	SW5030	1212blk12	LB	METHYLENE CHLORIDE	3.1	J	10	0.34	ug/Kg
SOIL	SW8260B	SW5030	1215blk12	LB	METHYLENE CHLORIDE	1.4	J	10	0.32	ug/Kg
SOIL	SW8260B	SW5030	1215blk14	LB	METHYLENE CHLORIDE	1.8	J	10	0.33	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	METHYLENE CHLORIDE	0.61	J	10	0.31	ug/Kg
SOIL	SW8260B	SW5030	1213mblk31	LB	METHYLENE CHLORIDE	5.1	J	12	0.39	ug/Kg
SOIL	SW8260B	SW5030	1214blk12	LB	METHYLENE CHLORIDE	2	J	10	0.34	ug/Kg
SOIL	SW8260B	SW5030	1214blk14	LB	METHYLENE CHLORIDE	0.82	J	10	0.33	ug/Kg
SOIL	SW8260B	SW5030	1214blk14	LB	METHYLENE CHLORIDE	0.82	J	10	0.33	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	METHYLENE CHLORIDE	0.61	J	10	0.31	ug/Kg
WATER	SW8260B	SW5030	1214blk32	LB	METHYLENE CHLORIDE	1.3	J	10	0.12	ug/L
WATER	SW8260B	SW5030	0102blka14	LB	METHYLENE CHLORIDE	0.6	J	2	0.12	ug/L
WQ	SW8260B	SW5030	NDE181TB1	TB	METHYLENE CHLORIDE	1.3	J	10	0.12	ug/L
WQ	SW8260B	SW5030	NDE182TB1	TB	METHYLENE CHLORIDE	0.23	J	10	0.12	ug/L
WQ	SW8260B	SW5030	NDE184TB1	TB	METHYLENE CHLORIDE	0.26	J	10	0.12	ug/L
WQ	SW8260B	SW5030	NDE186TB1	TB	METHYLENE CHLORIDE	0.22	J	10	0.12	ug/L
SOIL	SW8260B	SW5030	1216blk32	LB	DIMETHYLBENZENE)	0.22	J	10	0.18	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	DIMETHYLBENZENE)	0.22	J	10	0.18	ug/Kg
WQ	SW8260B	SW5030	NDE001AB1	AB	TOLUENE	0.38	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE003AB2	AB	TOLUENE	0.37	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE130EB1	EB	TOLUENE	0.54	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE197EB1	EB	TOLUENE	0.41	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE002EB1	EB	TOLUENE	0.31	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE210EB1	EB	TOLUENE	0.33	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE113EB1	EB	TOLUENE	0.47	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE131EB2	EB	TOLUENE	0.44	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE101EB2	EB	TOLUENE	0.44	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE132EB3	EB	TOLUENE	0.37	J	10	0.28	ug/L
SOIL	SW8260B	SW5030	1216blk32	LB	TOLUENE	0.22	J	10	0.2	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	TOLUENE	0.22	J	10	0.2	ug/Kg
WQ	SW8260B	SW5030	NDE181TB1	TB	TOLUENE	0.89	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE182TB1	TB	TOLUENE	2.2	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE183TB1	TB	TOLUENE	1.2	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE184TB1	TB	TOLUENE	2.7	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE186TB1	TB	TOLUENE	3.3	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE198TB1	TB	TOLUENE	3.2	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE199TB1	TB	TOLUENE	3.6	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE209TB1	TB	TOLUENE	2.7	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE211TB1	TB	TOLUENE	5	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE224TB1	TB	TOLUENE	3.6	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE226TB1	TB	TOLUENE	3.3	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE185TB2	TB	TOLUENE	2.3	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE187TB2	TB	TOLUENE	2.7	J	10	0.28	ug/L
WQ	SW8260B	SW5030	NDE200TB2	TB	TOLUENE	2.3	J	10	0.28	ug/L
SOIL	SW8260B	SW5030	1129blk14	LB	TRICHLOROETHYLENE (TCE)	0.25	J	10	0.24	ug/Kg
SOIL	SW8260B	SW5030	1208blk14	LB	TRICHLOROETHYLENE (TCE)	0.3	J	10	0.3	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	XYLENES, TOTAL	0.6	J	10	0.19	ug/Kg
SOIL	SW8260B	SW5030	1216blk32	LB	XYLENES, TOTAL	0.6	J	10	0.19	ug/Kg
WQ	SW8270C	SW3510	NDE237AB1	AB	bis(2-ETHYLHEXYL) PHTHALATE	4.5	J	5.3	0.93	ug/L
SOIL	SW8270C	SW3550	1214BLKS1	LB	DIETHYL PHTHALATE	241	J	303	25	ug/Kg
WATER	SW8270C	SW3510	1218BLKA3	LB	DIETHYL PHTHALATE	0.65	J	10	0.37	ug/L
WATER	SW8270C	SW3510	1218BLKA3	LB	DIETHYL PHTHALATE	0.65	J	10	0.37	ug/L
WQ	SW8270C	SW3510	NDE101EB2	EB	DI-n-OCTYLPHTHALATE	1.4	J	11	0.49	ug/L
WATER	SW8270C	SW3510	1205BLKA2	LB	DI-n-OCTYLPHTHALATE	3.6	J	10	0.46	ug/L
SOIL	SW8270C	SW3550	1207BLKS1	LB	PENTACHLOROPHENOL	213	J	1000	18	ug/Kg

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C35-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 4-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW503/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3510	SOIL	1206toxlcs	BS		38	71																									
CLP_PEST	SW3510	SOIL	1206toxlcs	BS		38	71																									
CLP_PEST	SW3510	SW	NDE171	N1		36	39																									
CLP_PEST	SW3510	SW	NDE171MS	MS		42	38																									
CLP_PEST	SW3510	SW	NDE171SD	SD		42	35																									
CLP_PEST	SW3510	SW	NDE172FD1	FD1		40	38																									
CLP_PEST	SW3510	SW	NDE173	N1		39	32																									
CLP_PEST	SW3510	SW	NDE174	N1		37	41																									
CLP_PEST	SW3510	SW	NDE175	N1		25	35																									
CLP_PEST	SW3510	SW	NDE175RE1	LR	RE	27	36																									
CLP_PEST	SW3510	SW	NDE225	N1		20	27																									
CLP_PEST	SW3510	SW	NDE225RE1	LR	RE	24	31																									
CLP_PEST	SW3510	WATER	1206blka	LB		48	31																									
CLP_PEST	SW3510	WATER	1206blka2	LB		48	31																									
CLP_PEST	SW3510	WATER	1206blka2lcs	BS		76	82																									
CLP_PEST	SW3510	WATER	1206blka2ms	BS		52	72																									
CLP_PEST	SW3510	WATER	1206blka2sd	BD		46	78																									
CLP_PEST	SW3510	WATER	1206blkalcs	BS		56	75																									
CLP_PEST	SW3510	WATER	1206blkams	BS		62	69																									
CLP_PEST	SW3510	WATER	1206blkasd	BD		60	55																									
CLP_PEST	SW3510	WATER	1212blka	LB		58	67																									
CLP_PEST	SW3510	WATER	1212blka2	LB		58	67																									
CLP_PEST	SW3510	WATER	1212blka2lcs	BS		57	67																									
CLP_PEST	SW3510	WATER	1212blka2ms	BS		50	66																									
CLP_PEST	SW3510	WATER	1212blka2sd	BD		52	64																									
CLP_PEST	SW3510	WATER	1212blkalcs	BS		58	72																									
CLP_PEST	SW3510	WATER	1212blkams	BS		55	65																									
CLP_PEST	SW3510	WATER	1212blkasd	BD		46	62																									
CLP_PEST	SW3510	WATER	1212toxlcs	BS		41	57																									
CLP_PEST	SW3510	WATER	1206blka	LB		48	31																									
CLP_PEST	SW3510	WATER	1206blka2	LB		48	31																									
CLP_PEST	SW3510	WATER	1206blka2lcs	BS		76	82																									
CLP_PEST	SW3510	WATER	1206blka2ms	BS		52	72																									
CLP_PEST	SW3510	WATER	1206blka2sd	BD		46	78																									
CLP_PEST	SW3510	WATER	1206blkalcs	BS		55	75																									
CLP_PEST	SW3510	WATER	1206blkams	BS		62	69																									
CLP_PEST	SW3510	WATER	1206blkasd	BD		60	55																									
CLP_PEST	SW3510	WATER	1212blka	LB		85	67																									

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-NONATRIACONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-2-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3510	WATER	1212blka2	LB		65	67																								
CLP_PEST	SW3510	WATER	1212blka2lcs	BS		57	67																								
CLP_PEST	SW3510	WATER	1212blka2ms	BS		50	66																								
CLP_PEST	SW3510	WATER	1212blka2sd	BD		52	64																								
CLP_PEST	SW3510	WATER	1212blkalcs	BS		58	72																								
CLP_PEST	SW3510	WATER	1212blkams	BS		55	65																								
CLP_PEST	SW3510	WATER	1212blkasd	BD		46	62																								
CLP_PEST	SW3510	WATER	1212toxlcs	BS		41	57																								
CLP_PEST	SW3510	WATER	1212blka	LB		58	67																								
CLP_PEST	SW3510	WATER	1212blka2	LB		58	67																								
CLP_PEST	SW3510	WATER	1212blka2lcs	BS		57	67																								
CLP_PEST	SW3510	WATER	1212blka2ms	BS		50	66																								
CLP_PEST	SW3510	WATER	1212blka2sd	BD		52	64																								
CLP_PEST	SW3510	WATER	1212blkalcs	BS		58	72																								
CLP_PEST	SW3510	WATER	1212blkams	BS		55	65																								
CLP_PEST	SW3510	WATER	1212blkasd	BD		46	62																								
CLP_PEST	SW3510	WATER	1212toxlcs	BS		41	57																								
CLP_PEST	SW3510	WATER	1212blka	LB		58	67																								
CLP_PEST	SW3510	WATER	1212blka2	LB		58	67																								
CLP_PEST	SW3510	WATER	1212blka2lcs	BS		57	67																								
CLP_PEST	SW3510	WATER	1212blka2ms	BS		50	66																								
CLP_PEST	SW3510	WATER	1212blka2sd	BD		52	64																								
CLP_PEST	SW3510	WATER	1212blkalcs	BS		58	72																								
CLP_PEST	SW3510	WATER	1212blkams	BS		55	65																								
CLP_PEST	SW3510	WATER	1212blkasd	BD		46	62																								
CLP_PEST	SW3510	WATER	1212toxlcs	BS		41	57																								
CLP_PEST	SW3510	WATER	1218blka2	LB		49	42																								
CLP_PEST	S[illegible]0	WATER	1218blka2ms	BS		52	46																								
CLP_PEST	S[illegible]0	WATER	1218blka2sd	BD		55	59																								

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_I (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_I (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C35-NONATRIACONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 4-BROMO-2-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3510	WATER	1218blkalcs	BS		50	47																								
CLP_PEST	SW3510	WATER	1218blkams	BS		44	48																								
CLP_PEST	SW3510	WATER	1218blkasd	BD		53	67																								
CLP_PEST	SW3510	WATER	1218lcsa2	BS		49	62																								
CLP_PEST	SW3510	WATER	1218toxlcsa	BS		44	64																								
CLP_PEST	SW3510	WATER	0109sulfurblk	LB		50	40																								
CLP_PEST	SW3510	WATER	1218blka	LB		53	44																								
CLP_PEST	SW3510	WATER	1218blka2	LB		53	44																								
CLP_PEST	SW3510	WATER	1218blka2ms	BS		52	46																								
CLP_PEST	SW3510	WATER	1218blka2sd	BD		55	59																								
CLP_PEST	SW3510	WATER	1218blkalcs	BS		50	47																								
CLP_PEST	SW3510	WATER	1218blkams	BS		44	48																								
CLP_PEST	SW3510	WATER	1218blkasd	BD		53	67																								
CLP_PEST	SW3510	WATER	1218lcsa2	BS		49	62																								
CLP_PEST	SW3510	WATER	1218toxlcsa	BS		44	64																								
CLP_PEST	SW3510	WATER	NDE171-2MS	MS		46	52																								
CLP_PEST	SW3510	WATER	NDE171-2SD	SD		38	45																								
CLP_PEST	SW3510	WATER	1218blka	LB		49	42																								
CLP_PEST	SW3510	WATER	1218blka2	LB		49	42																								
CLP_PEST	SW3510	WATER	1218blka2ms	BS		52	46																								
CLP_PEST	SW3510	WATER	1218blka2sd	BD		55	59																								
CLP_PEST	SW3510	WATER	1218blkalcs	BS		50	47																								
CLP_PEST	SW3510	WATER	1218blkams	BS		44	48																								
CLP_PEST	SW3510	WATER	1218blkasd	BD		53	67																								
CLP_PEST	SW3510	WATER	1218lcsa2	BS		49	62																								
CLP_PEST	SW3510	WATER	1218toxlcsa	BS		44	64																								
CLP_PEST	SW3510	WQ	NDE131EB2	EB2		44.5	29.1																								
CLP_PEST	SW3510	WQ	NDE040EB1	EB1		35.5	51.8																								
CLP_PEST	SW3510	WQ	NDE197EB1	EB1		44	46																								
CLP_PEST	SW3510	WQ	NDE002EB1	EB1		69	37																								
CLP_PEST	SW3510	WQ	NDE003AB2	AB2		60	55																								
CLP_PEST	SW3510	WQ	NDE210EB1	EB1		52	28																								
CLP_PEST	SW3510	WQ	NDE132EB3	EB3		48.2	30																								
CLP_PEST	SW3510	WQ	NDE100EB1	EB1		58.3	27.5																								
CLP_PEST	SW3510	WQ	NDE101EB2	EB2		43.6	45.5																								
CLP_PEST	SW3510	WQ	NDE113EB1	EB1		42.5	52.5																								
CLP_PEST	SW3550	SB	NDE044	N1				56.8	61.2																						
CLP_PEST	SW3550	SB	NDE045	N1				59.3	70.6																						

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-AROMATRIX COATANE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030A/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030A/NONE) = 4-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5035/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SB	NDE048	N1				62.2	70.8																						
CLP_PEST	SW3550	SB	NDE050	N1				66.9	71.7																						
CLP_PEST	SW3550	SB	NDE052	N1				55.6	66																						
CLP_PEST	SW3550	SB	NDE122	N1				57.6	63.5																						
CLP_PEST	SW3550	SB	NDE124	N1				67.3	65.7																						
CLP_PEST	SW3550	SB	NDE126	N1				61.1	65																						
CLP_PEST	SW3550	SB	NDE129	N1				48.9	60.3																						
CLP_PEST	SW3550	SB	NDE054	N1				57	97.5																						
CLP_PEST	SW3550	SB	NDE056	N1				54.5	74.6																						
CLP_PEST	SW3550	SB	NDE058	N1				61.8	69.1																						
CLP_PEST	SW3550	SB	NDE060	N1				63.5	72.3																						
CLP_PEST	SW3550	SB	NDE063	N1				68.1	70.6																						
CLP_PEST	SW3550	SB	NDE065	N1				66.5	67.7																						
CLP_PEST	SW3550	SB	NDE067	N1				68.8	68.1																						
CLP_PEST	SW3550	SB	NDE069	N1				74.2	73.9																						
CLP_PEST	SW3550	SB	NDE071	N1				71.9	77.6																						
CLP_PEST	SW3550	SB	NDE073	N1				71.9	71.9																						
CLP_PEST	SW3550	SB	NDE076	N1				75.5	75.5																						
CLP_PEST	SW3550	SB	NDE078	N1				71.6	75																						
CLP_PEST	SW3550	SB	NDE092	N1				67.9	68.8																						
CLP_PEST	SW3550	SB	NDE094	N1				74.3	71																						
CLP_PEST	SW3550	SB	NDE096	N1				63.4	74.6																						
CLP_PEST	SW3550	SB	NDE098	N1				59.1	61																						
CLP_PEST	SW3550	SB	NDE080	N1				55.9	71.8																						
CLP_PEST	SW3550	SB	NDE082	N1				53.5	63.9																						
CLP_PEST	SW3550	SB	NDE085	N1				65.1	64.8																						
CLP_PEST	SW3550	SB	NDE087	N1				52.7	60.8																						
CLP_PEST	SW3550	SB	NDE089	N1				43.1	50.7																						
CLP_PEST	SW3550	SB	NDE189	N1				70	72																						
CLP_PEST	SW3550	SB	NDE191	N1				62	72																						
CLP_PEST	SW3550	SB	NDE193	N1				67	76																						
CLP_PEST	SW3550	SB	NDE195FD1	FD1				72	79																						
CLP_PEST	SW3550	SB	NDE196	N1				72	79																						
CLP_PEST	SW3550	SB	NDE006	N1				79	82																						
CLP_PEST	SW3550	SB	NDE006DL1	LR	DL			96	110																						
CLP_PEST	SW3550	SB	NDE006DL2	LR	DL			80	131																						
CLP_PEST	SW[illegible]50	SB	NDE008	N1				81	85																						
CLP_PEST	S[illegible]	SB	NDE008DL1	LR	DL			97	113																						

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type			CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-HONATRIAKONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROB	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SB	NDE010	N1				71	77																								
CLP_PEST	SW3550	SB	NDE012	N1				74	79																								
CLP_PEST	SW3550	SB	NDE014	N1				79	87																								
CLP_PEST	SW3550	SB	NDE019	N1				70	83																								
CLP_PEST	SW3550	SB	NDE016	N1				62.9	76.1																								
CLP_PEST	SW3550	SB	NDE016ms	MS				78.8	83.9																								
CLP_PEST	SW3550	SB	NDE016sd	SD				78.9	85.2																								
CLP_PEST	SW3550	SB	NDE018	N1				61.1	76.6																								
CLP_PEST	SW3550	SB	NDE020	N1				58.8	76.6																								
CLP_PEST	SW3550	SB	NDE025	N1				58.4	72.4																								
CLP_PEST	SW3550	SB	NDE027	N1				54.1	68.9																								
CLP_PEST	SW3550	SB	NDE027DL1	LR	DL			68	83.7																								
CLP_PEST	SW3550	SB	NDE029	N1				56.8	70.5																								
CLP_PEST	SW3550	SB	NDE031	N1				61.9	67.4																								
CLP_PEST	SW3550	SB	NDE203	N1				46.7	62.3																								
CLP_PEST	SW3550	SB	NDE204	N1				55.2	70.2																								
CLP_PEST	SW3550	SB	NDE022	N1				61	73.2																								
CLP_PEST	SW3550	SB	NDE033	N1				59.5	55.3																								
CLP_PEST	SW3550	SB	NDE035	N1				66	87.8																								
CLP_PEST	SW3550	SB	NDE036FD1	FD1				53.7	57.3																								
CLP_PEST	SW3550	SB	NDE038	N1				77.4	75.3																								
CLP_PEST	SW3550	SB	NDE038-2MS	MS				85.6	87.6																								
CLP_PEST	SW3550	SB	NDE038MS	MS				81.4	77.9																								
CLP_PEST	SW3550	SB	NDE038-2SD	SD				84.6	81.5																								
CLP_PEST	SW3550	SB	NDE038SD	SD				83.5	75.5																								
CLP_PEST	SW3550	SB	NDE039FD1	FD1				79.9	69.5																								
CLP_PEST	SW3550	SB	NDE103	N1				69	62.8																								
CLP_PEST	SW3550	SB	NDE105	N1				69.3	60.9																								
CLP_PEST	SW3550	SB	NDE107	N1				74.6	62.7																								
CLP_PEST	SW3550	SB	NDE109	N1				80.4	62.2																								
CLP_PEST	SW3550	SB	NDE111FD1	FD1				69.9	59.9																								
CLP_PEST	SW3550	SB	NDE112	N1				67.2	60.9																								
CLP_PEST	SW3550	SB	NDE112MS	MS				63.8	68.1																								
CLP_PEST	SW3550	SB	NDE112-2MS	MS				68.6	60.1																								
CLP_PEST	SW3550	SB	NDE112SD	SD				65.7	59.3																								
CLP_PEST	SW3550	SB	NDE112-2SD	SD				64.5	61.5																								
CLP_PEST	SW3550	SD	NDE114	N1				61	63																								
CLP_PEST	SW3550	SD	NDE115	N1				48.9	61.7																								

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL_PRO (METHOD/NONE) = C39-NONATRIA CONTANE	FL_PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3010/NONE) = 2,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 2,6-DINITROTOLUENE
CLP_PEST	SW3550	SD	NDE116	N1				40.5	58.8																					
CLP_PEST	SW3550	SD	NDE117	N1				42.1	58.2																					
CLP_PEST	SW3550	SD	NDE118	N1				44.2	59.1																					
CLP_PEST	SW3550	SD	NDE118MS	MS				40.1	61.5																					
CLP_PEST	SW3550	SD	NDE118-2MS	MS				55.2	65.6																					
CLP_PEST	SW3550	SD	NDE118SD	SD				46.4	64.6																					
CLP_PEST	SW3550	SD	NDE118-2SD	SD				62.6	65.9																					
CLP_PEST	SW3550	SD	NDE119FD1	FD1				45.8	62.4																					
CLP_PEST	SW3550	SOIL	1130blks	LB				57.1	75.6																					
CLP_PEST	SW3550	SOIL	1130blks2	LB				57.1	75.6																					
CLP_PEST	SW3550	SOIL	1130blk2lcs	BS				55.9	87.4																					
CLP_PEST	SW3550	SOIL	1130blks2ms	BS				58.9	84.6																					
CLP_PEST	SW3550	SOIL	1130blks2sd	BD				59.6	86																					
CLP_PEST	SW3550	SOIL	1130blkslcs	BS				70.6	89.2																					
CLP_PEST	SW3550	SOIL	1130blksms	BS				70	85.3																					
CLP_PEST	SW3550	SOIL	1130blkssd	BD				56.7	86.1																					
CLP_PEST	SW3550	SOIL	1130toxlcs	BS				61.5	74.7																					
CLP_PEST	SW3550	SOIL	1202blks	LB				61.8	78.1																					
CLP_PEST	SW3550	SOIL	1202blks2lcs	BS				73.8	94.7																					
CLP_PEST	SW3550	SOIL	1202blks2ms	BS				61.2	84.9																					
CLP_PEST	SW3550	SOIL	1202blks2sd	BD				66.7	92.6																					
CLP_PEST	SW3550	SOIL	1202blkslcs	BS				75	87.8																					
CLP_PEST	SW3550	SOIL	1202blksms	BS				58.6	84.1																					
CLP_PEST	SW3550	SOIL	1202blkssd	BD				65.9	89.7																					
CLP_PEST	SW3550	SOIL	1202toxlcs	BS				67.7	86.1																					
CLP_PEST	SW3550	SOIL	1204blks	LB				54.1	67.7																					
CLP_PEST	SW3550	SOIL	1204blks2	LB				54.1	67.7																					
CLP_PEST	SW3550	SOIL	1204blks2ms	BS				58.7	69.7																					
CLP_PEST	SW3550	SOIL	1204blks2sd	BD				48.5	67.4																					
CLP_PEST	SW3550	SOIL	1204blksms	BS				45	63.6																					
CLP_PEST	SW3550	SOIL	1204blkssd	BD				59.8	81.1																					
CLP_PEST	SW3550	SOIL	1204lcs2s	BS				56.8	69.6																					
CLP_PEST	SW3550	SOIL	1204lcss	BS				54	68.7																					
CLP_PEST	SW3550	SOIL	1204toxlcs	BS				57.8	71																					
CLP_PEST	SW3550	SOIL	1206-2lcss	BS				55.6	83.4																					
CLP_PEST	SW3550	SOIL	1206blks	LB				61.8	76.1																					
CLP_PEST	SW3550	SOIL	1206lcss	BS				57.7	78.7																					
CLP_PEST	SW3550	SOIL	1206toxlcs	BS				67.9	82.6																					

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_E (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_E (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C38-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SOIL	1207blks	LB				75.6	89																						
CLP_PEST	SW3550	SOIL	1207blks2	LB				75.6	89																						
CLP_PEST	SW3550	SOIL	1207blks2lcs	BS				91.1	107.9																						
CLP_PEST	SW3550	SOIL	1207blks2ms	BS				77.2	99																						
CLP_PEST	SW3550	SOIL	1207blks2sd	BD				77.5	95																						
CLP_PEST	SW3550	SOIL	1207blkslcs	BS				69.2	82.1																						
CLP_PEST	SW3550	SOIL	1207blksms	BS				82.5	97.7																						
CLP_PEST	SW3550	SOIL	1207blkssd	BD				71.2	85.1																						
CLP_PEST	SW3550	SOIL	1207toxlcs	BS				73.5	84.4																						
CLP_PEST	SW3550	SOIL	1208blks	LB				54	67.5																						
CLP_PEST	SW3550	SOIL	1208blks-2	LB				54	67.5																						
CLP_PEST	SW3550	SOIL	1208blks-2lcs	BS				66.9	79.5																						
CLP_PEST	SW3550	SOIL	1208blkslcs	BS				67.3	79.2																						
CLP_PEST	SW3550	SOIL	1208toxlcs	BS				59	67.7																						
CLP_PEST	SW3550	SOIL	1211blks	LB				55.3	72.8																						
CLP_PEST	SW3550	SOIL	1211blkslcs	BS				65.2	81.5																						
CLP_PEST	SW3550	SOIL	1211blkslcs2	BS				73.3	77.7																						
CLP_PEST	SW3550	SOIL	1211toxlcs	BS				71.8	79.7																						
CLP_PEST	SW3550	SOIL	1213blks	LB				66	83																						
CLP_PEST	SW3550	SOIL	1213blks2	LB				66	83																						
CLP_PEST	SW3550	SOIL	1213blks2lcs	BS				71	84																						
CLP_PEST	SW3550	SOIL	1213blks2ms	BS				63	79																						
CLP_PEST	SW3550	SOIL	1213blks2sd	BD				74	81																						
CLP_PEST	SW3550	SOIL	1213blkslcs	BS				72	83																						
CLP_PEST	SW3550	SOIL	1213blksms	BS				70	85																						
CLP_PEST	SW3550	SOIL	1213blkssd	BD				72	82																						
CLP_PEST	SW3550	SOIL	1213toxlcs	BS				66	79																						
CLP_PEST	SW3550	SOIL	121700blks	LB				69	82																						
CLP_PEST	SW3550	SOIL	121700blks2	LB				69	82																						
CLP_PEST	SW3550	SOIL	121700lcss	BS				76	83																						
CLP_PEST	SW3550	SOIL	121700lcss2	BS				77	83																						
CLP_PEST	SW3550	SOIL	121700toxlcs	BS				68	92																						
CLP_PEST	SW3550	SOIL	121500blks	LB				72.2	77.6																						
CLP_PEST	SW3550	SOIL	121500lcss	BS				74.1	73.4																						
CLP_PEST	SW3550	SOIL	121500lcss2	BS				76.6	74.9																						
CLP_PEST	SW3550	SOIL	1215toxlcs	BS				77.7	81.4																						
CLP_PEST	SW3550	SOIL	1213blks	LB				65.9	83.1																						
CLP_PEST	SW3550	SOIL	1213blks2	LB				65.9	83.1																						

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C39 NONATRIACONTANE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SOIL	1213blks2lcs	BS				70.9	83.8																							
CLP_PEST	SW3550	SOIL	1213blks2ms	BS				63	79.3																							
CLP_PEST	SW3550	SOIL	1213blks2sd	BD				73.8	81.5																							
CLP_PEST	SW3550	SOIL	1213blkslcs	BS				71.7	83																							
CLP_PEST	SW3550	SOIL	1213blksms	BS				69.5	85.4																							
CLP_PEST	SW3550	SOIL	1213blkssd	BD				71.5	82.5																							
CLP_PEST	SW3550	SOIL	1213toxlcs	BS				66.3	78.9																							
CLP_PEST	SW3550	SOIL	121500blks	LB				72.2	77.8																							
CLP_PEST	SW3550	SOIL	121500lcss	BS				74.1	73.4																							
CLP_PEST	SW3550	SOIL	121500lcss2	BS				76.6	74.9																							
CLP_PEST	SW3550	SOIL	1215toxaphene	BS				77.7	81.4																							
CLP_PEST	SW3550	SOIL	121900blks	LB				70.7	63.7																							
CLP_PEST	SW3550	SOIL	121900blks2	LB				70.7	63.7																							
CLP_PEST	SW3550	SOIL	21900blks2lcs	BS				72.2	55																							
CLP_PEST	SW3550	SOIL	121900blks2ms	MS				68.7	55																							
CLP_PEST	SW3550	SOIL	121900blks2sd	SD				69.4	57.5																							
CLP_PEST	SW3550	SOIL	121900blkslcs	BS				69.9	58.3																							
CLP_PEST	SW3550	SOIL	121900blksms	MS				72.5	53																							
CLP_PEST	SW3550	SOIL	121900blkssd	SD				63	53																							
CLP_PEST	SW3550	SOIL	121900toxlcs	BS				67.4	55.8																							
CLP_PEST	SW3550	SOIL	121900blks	LB				70.7	63.7																							
CLP_PEST	SW3550	SOIL	121900blks2	LB				70.7	63.7																							
CLP_PEST	SW3550	SOIL	21900blks2lcs	BS				72.2	55																							
CLP_PEST	SW3550	SOIL	121900blkslcs	BS				69.9	58.3																							
CLP_PEST	SW3550	SOIL	121900toxlcs	BS				67.4	55.8																							
CLP_PEST	SW3550	SOIL	121900blks	LB				71	68																							
CLP_PEST	SW3550	SOIL	121900blks2	LB				71	68																							
CLP_PEST	SW3550	SOIL	21900blks2lcs	BS				72	55																							
CLP_PEST	SW3550	SOIL	121900blks2ms	MS				69	55																							
CLP_PEST	SW3550	SOIL	121900blks2sd	SD				69	57																							
CLP_PEST	SW3550	SOIL	121900blkslcs	BS				70	58																							
CLP_PEST	SW3550	SOIL	121900blksms	MS				73	53																							
CLP_PEST	SW3550	SOIL	121900blkssd	SD				63	53																							
CLP_PEST	SW3550	SOIL	121900toxlcs	BS				67	56																							
CLP_PEST	SW3550	SOIL	1227blks	LB				55.7	67.3																							
CLP_PEST	SW3550	SOIL	1227blks2lcs	BS				48.3	69.5																							
CLP_PEST	SW[illegible]	SOIL	1227blkslcs	BS				54.6	67.9																							
CLP_PEST	S[illegible]	SOIL	1227toxlcs	BS				48.2	67.4																							

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_1 (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_1 (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = CS6-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 2,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE133	N1				58	66.6																						
CLP_PEST	SW3550	SS	NDE134	N1				59.8	65.8																						
CLP_PEST	SW3550	SS	NDE135	N1				50.5	60.7																						
CLP_PEST	SW3550	SS	NDE136	N1				72.6	73.5																						
CLP_PEST	SW3550	SS	NDE137	N1				64.7	75.3																						
CLP_PEST	SW3550	SS	NDE137DL1	LR	DL			50	47.4																						
CLP_PEST	SW3550	SS	NDE138	N1				67.6	75.6																						
CLP_PEST	SW3550	SS	NDE139	N1				65.3	72.5																						
CLP_PEST	SW3550	SS	NDE140	N1				67.4	75.9																						
CLP_PEST	SW3550	SS	NDE141	N1				67	75.1																						
CLP_PEST	SW3550	SS	NDE142	N1				69.4	72.4																						
CLP_PEST	SW3550	SS	NDE142DL1	LR	DL			55.5	53.6																						
CLP_PEST	SW3550	SS	NDE143FD1	FD1				75.1	77.2																						
CLP_PEST	SW3550	SS	NDE143FD1DL1	LR	DL			55.3	55																						
CLP_PEST	SW3550	SS	NDE144	N1				64.8	74.2																						
CLP_PEST	SW3550	SS	NDE145	N1				71.4	76.7																						
CLP_PEST	SW3550	SS	NDE145DL1	LR	DL			56.2	58.7																						
CLP_PEST	SW3550	SS	NDE146	N1				69.8	71																						
CLP_PEST	SW3550	SS	NDE146DL1	LR	DL			55.7	54.2																						
CLP_PEST	SW3550	SS	NDE147	N1				66.2	71.1																						
CLP_PEST	SW3550	SS	NDE148	N1				75.2	76.5																						
CLP_PEST	SW3550	SS	NDE148DL1	LR	DL			58.7	54.9																						
CLP_PEST	SW3550	SS	NDE149	N1				65.3	70.5																						
CLP_PEST	SW3550	SS	NDE149DL1	LR	DL			52.2	51.4																						
CLP_PEST	SW3550	SS	NDE150	N1				67.2	72.4																						
CLP_PEST	SW3550	SS	NDE043	N1				121.2	129.4																						
CLP_PEST	SW3550	SS	NDE045	N1				66	69.6																						
CLP_PEST	SW3550	SS	NDE047	N1				69.2	67.9																						
CLP_PEST	SW3550	SS	NDE049	N1				72.5	68																						
CLP_PEST	SW3550	SS	NDE051	N1				65.8	60.4																						
CLP_PEST	SW3550	SS	NDE121	N1				56.4	57.3																						
CLP_PEST	SW3550	SS	NDE123	N1				61.7	57.9																						
CLP_PEST	SW3550	SS	NDE125	N1				54.2	50.1																						
CLP_PEST	SW3550	SS	NDE127	N1				62.8	60.7																						
CLP_PEST	SW3550	SS	NDE127MS	MS				70.4	74																						
CLP_PEST	SW3550	SS	NDE1272MS	MS				69.2	74																						
CLP_PEST	SW3550	SS	NDE1272SD	SD				68.3	93.5																						
CLP_PEST	SW3550	SS	NDE127SD	SD				68.4	77																						

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-NONATRIACONTANE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 4-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW8510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE128FD1	FD1				51.5	60.4																						
CLP_PEST	SW3550	SS	NDE151	N1				54.2	72.6																						
CLP_PEST	SW3550	SS	NDE151DL1	LR	DL			50.9	74.7																						
CLP_PEST	SW3550	SS	NDE152	N1				53.6	56																						
CLP_PEST	SW3550	SS	NDE153	N1				60.6	61.5																						
CLP_PEST	SW3550	SS	NDE153DL1	LR	DL			50	63.2																						
CLP_PEST	SW3550	SS	NDE153-2MS	MS				56.8	81.4																						
CLP_PEST	SW3550	SS	NDE153MS	MS				46.4	56.5																						
CLP_PEST	SW3550	SS	NDE153-2SD	SD				55.3	70.7																						
CLP_PEST	SW3550	SS	NDE153SD	SD				52.7	60.1																						
CLP_PEST	SW3550	SS	NDE154FD1	FD1				51.9	57.3																						
CLP_PEST	SW3550	SS	NDE154FD1DL1	LR	DL			45.7	64.5																						
CLP_PEST	SW3550	SS	NDE155	N1				50.3	56.8																						
CLP_PEST	SW3550	SS	NDE155DL1	LR	DL			44.1	65.3																						
CLP_PEST	SW3550	SS	NDE156	N1				51.6	54.9																						
CLP_PEST	SW3550	SS	NDE157	N1				48.9	55.7																						
CLP_PEST	SW3550	SS	NDE157DL1	LR	DL			43	65.3																						
CLP_PEST	SW3550	SS	NDE158	N1				46.4	55.1																						
CLP_PEST	SW3550	SS	NDE053	N1				63.2	95.5																						
CLP_PEST	SW3550	SS	NDE055	N1				57	73.6																						
CLP_PEST	SW3550	SS	NDE057	N1				59.9	67.5																						
CLP_PEST	SW3550	SS	NDE059	N1				57.2	72.3																						
CLP_PEST	SW3550	SS	NDE061	N1				57.1	65.8																						
CLP_PEST	SW3550	SS	NDE061MS	MS				58.6	69.2																						
CLP_PEST	SW3550	SS	NDE061SD	SD				56.2	65.5																						
CLP_PEST	SW3550	SS	NDE061-2MS	MS				55.3	64.9																						
CLP_PEST	SW3550	SS	NDE061-2SD	SD				55.6	64.8																						
CLP_PEST	SW3550	SS	NDE062FD1	FD1				62.6	66.7																						
CLP_PEST	SW3550	SS	NDE064	N1				55.7	61.3																						
CLP_PEST	SW3550	SS	NDE066	N1				75.9	76.5																						
CLP_PEST	SW3550	SS	NDE068	N1				75.9	70.5																						
CLP_PEST	SW3550	SS	NDE068ms	MS				76.5	70.5																						
CLP_PEST	SW3550	SS	NDE068sd	SD				84.3	75.7																						
CLP_PEST	SW3550	SS	NDE070	N1				79.8	77.4																						
CLP_PEST	SW3550	SS	NDE070MS	MS				79.3	73.1																						
CLP_PEST	SW3550	SS	NDE070SD	SD				85.7	82.1																						
CLP_PEST	SW3550	SS	NDE072	N1				71.7	69.3																						
CLP_PEST	SW3550	SS	NDE075	N1				70.2	79.8																						

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROSE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE077	N1				73.5	72.2																							
CLP_PEST	SW3550	SS	NDE090	N1				66.4	70.5																							
CLP_PEST	SW3550	SS	NDE091FD1	FD1				71.8	70.7																							
CLP_PEST	SW3550	SS	NDE093	N1				61	64.4																							
CLP_PEST	SW3550	SS	NDE095	N1				62.7	89.1																							
CLP_PEST	SW3550	SS	NDE095-2MS	MS				56.7	75.3																							
CLP_PEST	SW3550	SS	NDE095MS	MS				53.1	81.2																							
CLP_PEST	SW3550	SS	NDE095-2SD	SD				57.9	82.1																							
CLP_PEST	SW3550	SS	NDE095SD	SD				55.8	85.1																							
CLP_PEST	SW3550	SS	NDE097	N1				70.6	97																							
CLP_PEST	SW3550	SS	NDE099FD1	FD1				70	61.1																							
CLP_PEST	SW3550	SS	NDE159	N1				58.1	62																							
CLP_PEST	SW3550	SS	NDE160	N1				68.8	97																							
CLP_PEST	SW3550	SS	NDE161	N1				13.9	115.5																							
CLP_PEST	SW3550	SS	NDE162	N1				53.5	50.8																							
CLP_PEST	SW3550	SS	NDE163	N1				53.1	57.8																							
CLP_PEST	SW3550	SS	NDE074FD1	FD1				78.8	81.9																							
CLP_PEST	SW3550	SS	NDE079	N1				75.2	79																							
CLP_PEST	SW3550	SS	NDE081	N1				68.4	79.7																							
CLP_PEST	SW3550	SS	NDE083	N1				63.1	61.8																							
CLP_PEST	SW3550	SS	NDE084FD1	FD1				54.2	62.2																							
CLP_PEST	SW3550	SS	NDE086	N1				67.1	58.8																							
CLP_PEST	SW3550	SS	NDE088	N1				59.7	57.2																							
CLP_PEST	SW3550	SS	NDE164	N1				72.9	104																							
CLP_PEST	SW3550	SS	NDE164DL1	LR	DL			71.7	114.6																							
CLP_PEST	SW3550	SS	NDE165FD1	FD1				69.4	103.2																							
CLP_PEST	SW3550	SS	NDE165FD1DL1	LR	DL			64.2	94.5																							
CLP_PEST	SW3550	SS	NDE166	N1				63.9	73																							
CLP_PEST	SW3550	SS	NDE166DL1	LR	DL			63.6	104.1																							
CLP_PEST	SW3550	SS	NDE167	N1				66.5	62.3																							
CLP_PEST	SW3550	SS	NDE167DL1	LR	DL			58.7	79.5																							
CLP_PEST	SW3550	SS	NDE168	N1				67.9	59																							
CLP_PEST	SW3550	SS	NDE169	N1				50	53.4																							
CLP_PEST	SW3550	SS	NDE169MS	MS				57.2	74.9																							
CLP_PEST	SW3550	SS	NDE169-2MS	MS				60.8	86.4																							
CLP_PEST	SW3550	SS	NDE169SD	SD				64.8	101.5																							
CLP_PEST	SW3550	SS	NDE169-2SD	SD				65.4	68.5																							
CLP_PEST	SW3550	SS	NDE188	N1				69	76																							

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LIR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-NONATRIACONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW6330 (SW3550/NONE) = 3,4-DINITROTOLUENE	SW6330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE190	N1				64	71																					
CLP_PEST	SW3550	SS	NDE192	N1				73	74																					
CLP_PEST	SW3550	SS	NDE194	N1				63	76																					
CLP_PEST	SW3550	SS	NDE194MS	MS				67	79																					
CLP_PEST	SW3550	SS	NDE194SD	SD				58	70																					
CLP_PEST	SW3550	SS	NDE004	N1				77	85																					
CLP_PEST	SW3550	SS	NDE004DL1	LR	DL			85	113																					
CLP_PEST	SW3550	SS	NDE004DL2	LR	DL			58	0																					
CLP_PEST	SW3550	SS	NDE005FD1	FD1				79	90																					
CLP_PEST	SW3550	SS	NDE005FD1DL1	LR	DL			93	112																					
CLP_PEST	SW3550	SS	NDE005FD1DL2	LR	DL			80	115																					
CLP_PEST	SW3550	SS	NDE007	N1				76	89																					
CLP_PEST	SW3550	SS	NDE007DL1	LR	DL			90	112																					
CLP_PEST	SW3550	SS	NDE007DL2	LR	DL			84	131																					
CLP_PEST	SW3550	SS	NDE009	N1				75	79																					
CLP_PEST	SW3550	SS	NDE011	N1				75	78																					
CLP_PEST	SW3550	SS	NDE013	N1				78	86																					
CLP_PEST	SW3550	SS	NDE015	N1				75	81																					
CLP_PEST	SW3550	SS	NDE017	N1				74	81																					
CLP_PEST	SW3550	SS	NDE017DL1	LR	DL			92	108																					
CLP_PEST	SW3550	SS	NDE021	N1				73	76																					
CLP_PEST	SW3550	SS	NDE023	N1				103	68																					
CLP_PEST	SW3550	SS	NDE023MS	MS				73	87																					
CLP_PEST	SW3550	SS	NDE023-2MS	MS				76	81																					
CLP_PEST	SW3550	SS	NDE023SD	SD				76	97																					
CLP_PEST	SW3550	SS	NDE023-2SD	SD				80	84																					
CLP_PEST	SW3550	SS	NDE024FD1	FD1				81.8	70.5																					
CLP_PEST	SW3550	SS	NDE026	N1				82	68.6																					
CLP_PEST	SW3550	SS	NDE028	N1				61	61																					
CLP_PEST	SW3550	SS	NDE030	N1				70.1	63																					
CLP_PEST	SW3550	SS	NDE032	N1				70.6	57.1																					
CLP_PEST	SW3550	SS	NDE034	N1				71.1	59.3																					
CLP_PEST	SW3550	SS	NDE037	N1				67.7	58.2																					
CLP_PEST	SW3550	SS	NDE176	N1				69.2	72																					
CLP_PEST	SW3550	SS	NDE177	N1				74	62.1																					
CLP_PEST	SW3550	SS	NDE178	N1				72.3	69.6																					
CLP_PEST	SW[illegible]50	SS	NDE179	N1				69.8	68.9																					
CLP_PEST	S[illegible]	SS	NDE102	N1				77	66																					

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	EB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C38-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8330 (SW4510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW8550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE104	N1				74	70																						
CLP_PEST	SW3550	SS	NDE106	N1				100	86																						
CLP_PEST	SW3550	SS	NDE108	N1				100	80																						
CLP_PEST	SW3550	SS	NDE110	N1				83	66																						
L	SW3510	WATER	1221blka	LB						34	48																				
L	SW3510	WATER	1221blka2	LB						34	48																				
L	SW3510	WATER	1221blka2lcs	BS						56	57																				
L	SW3510	WATER	1221blka2ms	BS						42	60																				
L	SW3510	WATER	1221blka2sd	BD						48	61																				
L	SW3510	WATER	1221blkalcs	BS						44	63																				
L	SW3510	WATER	1221blkams	BS						43	62																				
L	SW3510	WATER	1221blkasd	BD						40	55																				
L	SW3510	WATER	1221toxlcs	BS						39	57																				
L	SW3510	WATER	1226blka	LB						32	50																				
L	SW3510	WATER	1226blka2lcs	BS						50	61																				
L	SW3510	WATER	1226blkalcs	BS						44	58																				
L	SW3510	WATER	1226toxlcsa	BS						46	63																				
L	SW3510	WG	NDE218	N1						45	54																				
L	SW3510	WG	NDE221	N1						35	23																				
L	SW3510	WG	NDE222FD1	FD1						34.5	26.4																				
L	SW3510	WG	NDE223	N1						36	26																				
L	SW3510	WG	NDE228	N1						35	27.5																				
L	SW3510	WG	NDE229FD1	FD1						33.6	27.3																				
L	SW3510	WG	NDE230	N1						41.8	28.2																				
L	SW3510	WG	NDE231	N1						40.9	16.4																				
L	SW3510	WG	NDE232	N1						32.7	15.5																				
L	SW3510	WG	NDE213	N1						40	35																				
L	SW3510	WG	NDE214	N1						38.3	26.7																				
L	SW3510	WG	NDE215	N1						40.9	22.7																				
L	SW3510	WG	NDE215MS	MS						44.5	34.5																				
L	SW3510	WG	NDE215-2MS	MS						52.7	36.4																				
L	SW3510	WG	NDE215SD	SD						55	39																				
L	SW3510	WG	NDE215-2SD	SD						50	32.7																				
L	SW3510	WG	NDE216FD1	FD1						42.7	25.5																				
L	SW3510	WG	NDE217	N1						50	27																				
L	SW3510	WG	NDE218	N1						36.4	38.2																				
L	SW3510	WG	NDE220	N1						33	22																				
L	SW3510	WQ	NDE170EB1	EB1						34.2	43.3																				

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type			CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-HONATRIAKONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROB	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SB	NDE010	N1				71	77																								
CLP_PEST	SW3550	SB	NDE012	N1				74	79																								
CLP_PEST	SW3550	SB	NDE014	N1				79	87																								
CLP_PEST	SW3550	SB	NDE019	N1				70	83																								
CLP_PEST	SW3550	SB	NDE016	N1				62.9	76.1																								
CLP_PEST	SW3550	SB	NDE016ms	MS				78.8	83.9																								
CLP_PEST	SW3550	SB	NDE016sd	SD				78.9	85.2																								
CLP_PEST	SW3550	SB	NDE018	N1				61.1	76.6																								
CLP_PEST	SW3550	SB	NDE020	N1				58.8	76.6																								
CLP_PEST	SW3550	SB	NDE025	N1				58.4	72.4																								
CLP_PEST	SW3550	SB	NDE027	N1				54.1	68.9																								
CLP_PEST	SW3550	SB	NDE027DL1	LR	DL			68	83.7																								
CLP_PEST	SW3550	SB	NDE029	N1				56.8	70.5																								
CLP_PEST	SW3550	SB	NDE031	N1				61.9	67.4																								
CLP_PEST	SW3550	SB	NDE203	N1				46.7	62.3																								
CLP_PEST	SW3550	SB	NDE204	N1				55.2	70.2																								
CLP_PEST	SW3550	SB	NDE022	N1				61	73.2																								
CLP_PEST	SW3550	SB	NDE033	N1				59.5	55.3																								
CLP_PEST	SW3550	SB	NDE035	N1				66	87.8																								
CLP_PEST	SW3550	SB	NDE036FD1	FD1				53.7	57.3																								
CLP_PEST	SW3550	SB	NDE038	N1				77.4	75.3																								
CLP_PEST	SW3550	SB	NDE038-2MS	MS				85.6	87.6																								
CLP_PEST	SW3550	SB	NDE038MS	MS				81.4	77.9																								
CLP_PEST	SW3550	SB	NDE038-2SD	SD				84.6	81.5																								
CLP_PEST	SW3550	SB	NDE038SD	SD				83.5	75.5																								
CLP_PEST	SW3550	SB	NDE039FD1	FD1				79.9	69.5																								
CLP_PEST	SW3550	SB	NDE103	N1				69	62.8																								
CLP_PEST	SW3550	SB	NDE105	N1				69.3	60.9																								
CLP_PEST	SW3550	SB	NDE107	N1				74.6	62.7																								
CLP_PEST	SW3550	SB	NDE109	N1				80.4	62.2																								
CLP_PEST	SW3550	SB	NDE111FD1	FD1				69.9	59.9																								
CLP_PEST	SW3550	SB	NDE112	N1				67.2	60.9																								
CLP_PEST	SW3550	SB	NDE112MS	MS				63.8	68.1																								
CLP_PEST	SW3550	SB	NDE112-2MS	MS				68.6	60.1																								
CLP_PEST	SW3550	SB	NDE112SD	SD				65.7	59.3																								
CLP_PEST	SW3550	SB	NDE112-2SD	SD				64.5	61.5																								
CLP_PEST	SW3550	SD	NDE114	N1				61	63																								
CLP_PEST	SW3550	SD	NDE115	N1				48.9	61.7																								

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL_PRO (METHOD/NONE) = C39-NONATRIA CONTANE	FL_PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3010/NONE) = 2,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 2,6-DINITROTOLUENE
CLP_PEST	SW3550	SD	NDE116	N1				40.5	58.8																					
CLP_PEST	SW3550	SD	NDE117	N1				42.1	58.2																					
CLP_PEST	SW3550	SD	NDE118	N1				44.2	59.1																					
CLP_PEST	SW3550	SD	NDE118MS	MS				40.1	61.5																					
CLP_PEST	SW3550	SD	NDE118-2MS	MS				55.2	65.6																					
CLP_PEST	SW3550	SD	NDE118SD	SD				46.4	64.6																					
CLP_PEST	SW3550	SD	NDE118-2SD	SD				62.6	65.9																					
CLP_PEST	SW3550	SD	NDE119FD1	FD1				45.8	62.4																					
CLP_PEST	SW3550	SOIL	1130blks	LB				57.1	75.6																					
CLP_PEST	SW3550	SOIL	1130blks2	LB				57.1	75.6																					
CLP_PEST	SW3550	SOIL	1130blk2lcs	BS				55.9	87.4																					
CLP_PEST	SW3550	SOIL	1130blks2ms	BS				58.9	84.6																					
CLP_PEST	SW3550	SOIL	1130blks2sd	BD				59.6	86																					
CLP_PEST	SW3550	SOIL	1130blkslcs	BS				70.6	89.2																					
CLP_PEST	SW3550	SOIL	1130blksms	BS				70	85.3																					
CLP_PEST	SW3550	SOIL	1130blkssd	BD				56.7	86.1																					
CLP_PEST	SW3550	SOIL	1130toxlcs	BS				61.5	74.7																					
CLP_PEST	SW3550	SOIL	1202blks	LB				61.8	78.1																					
CLP_PEST	SW3550	SOIL	1202blks2lcs	BS				73.8	94.7																					
CLP_PEST	SW3550	SOIL	1202blks2ms	BS				61.2	84.9																					
CLP_PEST	SW3550	SOIL	1202blks2sd	BD				66.7	92.6																					
CLP_PEST	SW3550	SOIL	1202blkslcs	BS				75	87.8																					
CLP_PEST	SW3550	SOIL	1202blksms	BS				58.6	84.1																					
CLP_PEST	SW3550	SOIL	1202blkssd	BD				65.9	89.7																					
CLP_PEST	SW3550	SOIL	1202toxlcs	BS				67.7	86.1																					
CLP_PEST	SW3550	SOIL	1204blks	LB				54.1	67.7																					
CLP_PEST	SW3550	SOIL	1204blks2	LB				54.1	67.7																					
CLP_PEST	SW3550	SOIL	1204blks2ms	BS				58.7	69.7																					
CLP_PEST	SW3550	SOIL	1204blks2sd	BD				48.5	67.4																					
CLP_PEST	SW3550	SOIL	1204blksms	BS				45	63.6																					
CLP_PEST	SW3550	SOIL	1204blkssd	BD				59.8	81.1																					
CLP_PEST	SW3550	SOIL	1204lcs2s	BS				56.8	69.6																					
CLP_PEST	SW3550	SOIL	1204lcss	BS				54	68.7																					
CLP_PEST	SW3550	SOIL	1204toxlcs	BS				57.8	71																					
CLP_PEST	SW3550	SOIL	1206-2lcss	BS				55.6	83.4																					
CLP_PEST	SW3550	SOIL	1206blks	LB				61.8	76.1																					
CLP_PEST	SW3550	SOIL	1206lcss	BS				57.7	78.7																					
CLP_PEST	SW3550	SOIL	1206toxlcs	BS				67.9	82.6																					

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_E (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_E (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C38-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SOIL	1207blks	LB				75.6	89																						
CLP_PEST	SW3550	SOIL	1207blks2	LB				75.6	89																						
CLP_PEST	SW3550	SOIL	1207blks2lcs	BS				91.1	107.9																						
CLP_PEST	SW3550	SOIL	1207blks2ms	BS				77.2	99																						
CLP_PEST	SW3550	SOIL	1207blks2sd	BD				77.5	95																						
CLP_PEST	SW3550	SOIL	1207blkslcs	BS				69.2	82.1																						
CLP_PEST	SW3550	SOIL	1207blksms	BS				82.5	97.7																						
CLP_PEST	SW3550	SOIL	1207blkssd	BD				71.2	85.1																						
CLP_PEST	SW3550	SOIL	1207toxlcs	BS				73.5	84.4																						
CLP_PEST	SW3550	SOIL	1208blks	LB				54	67.5																						
CLP_PEST	SW3550	SOIL	1208blks-2	LB				54	67.5																						
CLP_PEST	SW3550	SOIL	1208blks-2lcs	BS				66.9	79.5																						
CLP_PEST	SW3550	SOIL	1208blkslcs	BS				67.3	79.2																						
CLP_PEST	SW3550	SOIL	1208toxlcs	BS				59	67.7																						
CLP_PEST	SW3550	SOIL	1211blks	LB				55.3	72.8																						
CLP_PEST	SW3550	SOIL	1211blkslcs	BS				65.2	81.5																						
CLP_PEST	SW3550	SOIL	1211blkslcs2	BS				73.3	77.7																						
CLP_PEST	SW3550	SOIL	1211toxlcs	BS				71.8	79.7																						
CLP_PEST	SW3550	SOIL	1213blks	LB				66	83																						
CLP_PEST	SW3550	SOIL	1213blks2	LB				66	83																						
CLP_PEST	SW3550	SOIL	1213blks2lcs	BS				71	84																						
CLP_PEST	SW3550	SOIL	1213blks2ms	BS				63	79																						
CLP_PEST	SW3550	SOIL	1213blks2sd	BD				74	81																						
CLP_PEST	SW3550	SOIL	1213blkslcs	BS				72	83																						
CLP_PEST	SW3550	SOIL	1213blksms	BS				70	85																						
CLP_PEST	SW3550	SOIL	1213blkssd	BD				72	82																						
CLP_PEST	SW3550	SOIL	1213toxlcs	BS				66	79																						
CLP_PEST	SW3550	SOIL	121700blks	LB				69	82																						
CLP_PEST	SW3550	SOIL	121700blks2	LB				69	82																						
CLP_PEST	SW3550	SOIL	121700lcss	BS				76	83																						
CLP_PEST	SW3550	SOIL	121700lcss2	BS				77	83																						
CLP_PEST	SW3550	SOIL	121700toxlcs	BS				68	92																						
CLP_PEST	SW3550	SOIL	121500blks	LB				72.2	77.6																						
CLP_PEST	SW3550	SOIL	121500lcss	BS				74.1	73.4																						
CLP_PEST	SW3550	SOIL	121500lcss2	BS				76.6	74.9																						
CLP_PEST	SW3550	SOIL	1215toxlcs	BS				77.7	81.4																						
CLP_PEST	SW3550	SOIL	1213blks	LB				65.9	83.1																						
CLP_PEST	SW3550	SOIL	1213blks2	LB				65.9	83.1																						

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C39 NONATRIACONTANE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SOIL	1213blks2lcs	BS				70.9	83.8																							
CLP_PEST	SW3550	SOIL	1213blks2ms	BS				63	79.3																							
CLP_PEST	SW3550	SOIL	1213blks2sd	BD				73.8	81.5																							
CLP_PEST	SW3550	SOIL	1213blkslcs	BS				71.7	83																							
CLP_PEST	SW3550	SOIL	1213blksms	BS				69.5	85.4																							
CLP_PEST	SW3550	SOIL	1213blkssd	BD				71.5	82.5																							
CLP_PEST	SW3550	SOIL	1213toxlcs	BS				66.3	78.9																							
CLP_PEST	SW3550	SOIL	121500blks	LB				72.2	77.8																							
CLP_PEST	SW3550	SOIL	121500lcss	BS				74.1	73.4																							
CLP_PEST	SW3550	SOIL	121500lcss2	BS				76.6	74.9																							
CLP_PEST	SW3550	SOIL	1215toxaphene	BS				77.7	81.4																							
CLP_PEST	SW3550	SOIL	121900blks	LB				70.7	63.7																							
CLP_PEST	SW3550	SOIL	121900blks2	LB				70.7	63.7																							
CLP_PEST	SW3550	SOIL	21900blks2lcs	BS				72.2	55																							
CLP_PEST	SW3550	SOIL	121900blks2ms	MS				68.7	55																							
CLP_PEST	SW3550	SOIL	121900blks2sd	SD				69.4	57.5																							
CLP_PEST	SW3550	SOIL	121900blkslcs	BS				69.9	58.3																							
CLP_PEST	SW3550	SOIL	121900blksms	MS				72.5	53																							
CLP_PEST	SW3550	SOIL	121900blkssd	SD				63	53																							
CLP_PEST	SW3550	SOIL	121900toxlcs	BS				67.4	55.8																							
CLP_PEST	SW3550	SOIL	121900blks	LB				70.7	63.7																							
CLP_PEST	SW3550	SOIL	121900blks2	LB				70.7	63.7																							
CLP_PEST	SW3550	SOIL	21900blks2lcs	BS				72.2	55																							
CLP_PEST	SW3550	SOIL	121900blkslcs	BS				69.9	58.3																							
CLP_PEST	SW3550	SOIL	121900toxlcs	BS				67.4	55.8																							
CLP_PEST	SW3550	SOIL	121900blks	LB				71	68																							
CLP_PEST	SW3550	SOIL	121900blks2	LB				71	68																							
CLP_PEST	SW3550	SOIL	21900blks2lcs	BS				72	55																							
CLP_PEST	SW3550	SOIL	121900blks2ms	MS				69	55																							
CLP_PEST	SW3550	SOIL	121900blks2sd	SD				69	57																							
CLP_PEST	SW3550	SOIL	121900blkslcs	BS				70	58																							
CLP_PEST	SW3550	SOIL	121900blksms	MS				73	53																							
CLP_PEST	SW3550	SOIL	121900blkssd	SD				63	53																							
CLP_PEST	SW3550	SOIL	121900toxlcs	BS				67	56																							
CLP_PEST	SW3550	SOIL	1227blks	LB				55.7	67.3																							
CLP_PEST	SW3550	SOIL	1227blks2lcs	BS				48.3	69.5																							
CLP_PEST	SW[illegible]	SOIL	1227blkslcs	BS				54.6	67.9																							
CLP_PEST	S[illegible]	SOIL	1227toxlcs	BS				48.2	67.4																							

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_1 (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_1 (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = CS6-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 2,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE133	N1				58	66.6																						
CLP_PEST	SW3550	SS	NDE134	N1				59.8	65.8																						
CLP_PEST	SW3550	SS	NDE135	N1				50.5	60.7																						
CLP_PEST	SW3550	SS	NDE136	N1				72.6	73.5																						
CLP_PEST	SW3550	SS	NDE137	N1				64.7	75.3																						
CLP_PEST	SW3550	SS	NDE137DL1	LR	DL			50	47.4																						
CLP_PEST	SW3550	SS	NDE138	N1				67.6	75.6																						
CLP_PEST	SW3550	SS	NDE139	N1				65.3	72.5																						
CLP_PEST	SW3550	SS	NDE140	N1				67.4	75.9																						
CLP_PEST	SW3550	SS	NDE141	N1				67	75.1																						
CLP_PEST	SW3550	SS	NDE142	N1				69.4	72.4																						
CLP_PEST	SW3550	SS	NDE142DL1	LR	DL			55.5	53.6																						
CLP_PEST	SW3550	SS	NDE143FD1	FD1				75.1	77.2																						
CLP_PEST	SW3550	SS	NDE143FD1DL1	LR	DL			55.3	55																						
CLP_PEST	SW3550	SS	NDE144	N1				64.8	74.2																						
CLP_PEST	SW3550	SS	NDE145	N1				71.4	76.7																						
CLP_PEST	SW3550	SS	NDE145DL1	LR	DL			56.2	58.7																						
CLP_PEST	SW3550	SS	NDE146	N1				69.8	71																						
CLP_PEST	SW3550	SS	NDE146DL1	LR	DL			55.7	54.2																						
CLP_PEST	SW3550	SS	NDE147	N1				66.2	71.1																						
CLP_PEST	SW3550	SS	NDE148	N1				75.2	76.5																						
CLP_PEST	SW3550	SS	NDE148DL1	LR	DL			58.7	54.9																						
CLP_PEST	SW3550	SS	NDE149	N1				65.3	70.5																						
CLP_PEST	SW3550	SS	NDE149DL1	LR	DL			52.2	51.4																						
CLP_PEST	SW3550	SS	NDE150	N1				67.2	72.4																						
CLP_PEST	SW3550	SS	NDE043	N1				121.2	129.4																						
CLP_PEST	SW3550	SS	NDE045	N1				66	69.6																						
CLP_PEST	SW3550	SS	NDE047	N1				69.2	67.9																						
CLP_PEST	SW3550	SS	NDE049	N1				72.5	68																						
CLP_PEST	SW3550	SS	NDE051	N1				65.8	60.4																						
CLP_PEST	SW3550	SS	NDE121	N1				56.4	57.3																						
CLP_PEST	SW3550	SS	NDE123	N1				61.7	57.9																						
CLP_PEST	SW3550	SS	NDE125	N1				54.2	50.1																						
CLP_PEST	SW3550	SS	NDE127	N1				62.8	60.7																						
CLP_PEST	SW3550	SS	NDE127MS	MS				70.4	74																						
CLP_PEST	SW3550	SS	NDE1272MS	MS				69.2	74																						
CLP_PEST	SW3550	SS	NDE1272SD	SD				68.3	93.5																						
CLP_PEST	SW3550	SS	NDE127SD	SD				68.4	77																						

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-NONATRIACONTANE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 4-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW8510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE128FD1	FD1				51.5	60.4																						
CLP_PEST	SW3550	SS	NDE151	N1				54.2	72.6																						
CLP_PEST	SW3550	SS	NDE151DL1	LR	DL			50.9	74.7																						
CLP_PEST	SW3550	SS	NDE152	N1				53.6	56																						
CLP_PEST	SW3550	SS	NDE153	N1				60.6	61.5																						
CLP_PEST	SW3550	SS	NDE153DL1	LR	DL			50	63.2																						
CLP_PEST	SW3550	SS	NDE153-2MS	MS				56.8	81.4																						
CLP_PEST	SW3550	SS	NDE153MS	MS				46.4	56.5																						
CLP_PEST	SW3550	SS	NDE153-2SD	SD				55.3	70.7																						
CLP_PEST	SW3550	SS	NDE153SD	SD				52.7	60.1																						
CLP_PEST	SW3550	SS	NDE154FD1	FD1				51.9	57.3																						
CLP_PEST	SW3550	SS	NDE154FD1DL1	LR	DL			45.7	64.5																						
CLP_PEST	SW3550	SS	NDE155	N1				50.3	56.8																						
CLP_PEST	SW3550	SS	NDE155DL1	LR	DL			44.1	65.3																						
CLP_PEST	SW3550	SS	NDE156	N1				51.6	54.9																						
CLP_PEST	SW3550	SS	NDE157	N1				48.9	55.7																						
CLP_PEST	SW3550	SS	NDE157DL1	LR	DL			43	65.3																						
CLP_PEST	SW3550	SS	NDE158	N1				46.4	55.1																						
CLP_PEST	SW3550	SS	NDE053	N1				63.2	95.5																						
CLP_PEST	SW3550	SS	NDE055	N1				57	73.6																						
CLP_PEST	SW3550	SS	NDE057	N1				59.9	67.5																						
CLP_PEST	SW3550	SS	NDE059	N1				57.2	72.3																						
CLP_PEST	SW3550	SS	NDE061	N1				57.1	65.8																						
CLP_PEST	SW3550	SS	NDE061MS	MS				58.6	69.2																						
CLP_PEST	SW3550	SS	NDE061SD	SD				56.2	65.5																						
CLP_PEST	SW3550	SS	NDE061-2MS	MS				55.3	64.9																						
CLP_PEST	SW3550	SS	NDE061-2SD	SD				55.6	64.8																						
CLP_PEST	SW3550	SS	NDE062FD1	FD1				62.6	66.7																						
CLP_PEST	SW3550	SS	NDE064	N1				55.7	61.3																						
CLP_PEST	SW3550	SS	NDE066	N1				75.9	76.5																						
CLP_PEST	SW3550	SS	NDE068	N1				75.9	70.5																						
CLP_PEST	SW3550	SS	NDE068ms	MS				76.5	70.5																						
CLP_PEST	SW3550	SS	NDE068sd	SD				84.3	75.7																						
CLP_PEST	SW3550	SS	NDE070	N1				79.8	77.4																						
CLP_PEST	SW3550	SS	NDE070MS	MS				79.3	73.1																						
CLP_PEST	SW3550	SS	NDE070SD	SD				85.7	82.1																						
CLP_PEST	SW3550	SS	NDE072	N1				71.7	69.3																						
CLP_PEST	SW3550	SS	NDE075	N1				70.2	79.8																						

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROSE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE077	N1				73.5	72.2																							
CLP_PEST	SW3550	SS	NDE090	N1				66.4	70.5																							
CLP_PEST	SW3550	SS	NDE091FD1	FD1				71.8	70.7																							
CLP_PEST	SW3550	SS	NDE093	N1				61	64.4																							
CLP_PEST	SW3550	SS	NDE095	N1				62.7	89.1																							
CLP_PEST	SW3550	SS	NDE095-2MS	MS				56.7	75.3																							
CLP_PEST	SW3550	SS	NDE095MS	MS				53.1	81.2																							
CLP_PEST	SW3550	SS	NDE095-2SD	SD				57.9	82.1																							
CLP_PEST	SW3550	SS	NDE095SD	SD				55.8	85.1																							
CLP_PEST	SW3550	SS	NDE097	N1				70.6	97																							
CLP_PEST	SW3550	SS	NDE099FD1	FD1				70	61.1																							
CLP_PEST	SW3550	SS	NDE159	N1				58.1	62																							
CLP_PEST	SW3550	SS	NDE160	N1				68.8	97																							
CLP_PEST	SW3550	SS	NDE161	N1				13.9	115.5																							
CLP_PEST	SW3550	SS	NDE162	N1				53.5	50.8																							
CLP_PEST	SW3550	SS	NDE163	N1				53.1	57.8																							
CLP_PEST	SW3550	SS	NDE074FD1	FD1				78.8	81.9																							
CLP_PEST	SW3550	SS	NDE079	N1				75.2	79																							
CLP_PEST	SW3550	SS	NDE081	N1				68.4	79.7																							
CLP_PEST	SW3550	SS	NDE083	N1				63.1	61.8																							
CLP_PEST	SW3550	SS	NDE084FD1	FD1				54.2	62.2																							
CLP_PEST	SW3550	SS	NDE086	N1				67.1	58.8																							
CLP_PEST	SW3550	SS	NDE088	N1				59.7	57.2																							
CLP_PEST	SW3550	SS	NDE164	N1				72.9	104																							
CLP_PEST	SW3550	SS	NDE164DL1	LR	DL			71.7	114.6																							
CLP_PEST	SW3550	SS	NDE165FD1	FD1				69.4	103.2																							
CLP_PEST	SW3550	SS	NDE165FD1DL1	LR	DL			64.2	94.5																							
CLP_PEST	SW3550	SS	NDE166	N1				63.9	73																							
CLP_PEST	SW3550	SS	NDE166DL1	LR	DL			63.6	104.1																							
CLP_PEST	SW3550	SS	NDE167	N1				66.5	62.3																							
CLP_PEST	SW3550	SS	NDE167DL1	LR	DL			58.7	79.5																							
CLP_PEST	SW3550	SS	NDE168	N1				67.9	59																							
CLP_PEST	SW3550	SS	NDE169	N1				50	53.4																							
CLP_PEST	SW3550	SS	NDE169MS	MS				57.2	74.9																							
CLP_PEST	SW3550	SS	NDE169-2MS	MS				60.8	86.4																							
CLP_PEST	SW3550	SS	NDE169SD	SD				64.8	101.5																							
CLP_PEST	SW3550	SS	NDE169-2SD	SD				65.4	68.5																							
CLP_PEST	SW3550	SS	NDE188	N1				69	76																							

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LIR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-NONATRIACONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW6330 (SW3550/NONE) = 3,4-DINITROTOLUENE	SW6330 (SW3550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE190	N1				64	71																					
CLP_PEST	SW3550	SS	NDE192	N1				73	74																					
CLP_PEST	SW3550	SS	NDE194	N1				63	76																					
CLP_PEST	SW3550	SS	NDE194MS	MS				67	79																					
CLP_PEST	SW3550	SS	NDE194SD	SD				58	70																					
CLP_PEST	SW3550	SS	NDE004	N1				77	85																					
CLP_PEST	SW3550	SS	NDE004DL1	LR	DL			85	113																					
CLP_PEST	SW3550	SS	NDE004DL2	LR	DL			58	0																					
CLP_PEST	SW3550	SS	NDE005FD1	FD1				79	90																					
CLP_PEST	SW3550	SS	NDE005FD1DL1	LR	DL			93	112																					
CLP_PEST	SW3550	SS	NDE005FD1DL2	LR	DL			80	115																					
CLP_PEST	SW3550	SS	NDE007	N1				76	89																					
CLP_PEST	SW3550	SS	NDE007DL1	LR	DL			90	112																					
CLP_PEST	SW3550	SS	NDE007DL2	LR	DL			84	131																					
CLP_PEST	SW3550	SS	NDE009	N1				75	79																					
CLP_PEST	SW3550	SS	NDE011	N1				75	78																					
CLP_PEST	SW3550	SS	NDE013	N1				78	86																					
CLP_PEST	SW3550	SS	NDE015	N1				75	81																					
CLP_PEST	SW3550	SS	NDE017	N1				74	81																					
CLP_PEST	SW3550	SS	NDE017DL1	LR	DL			92	108																					
CLP_PEST	SW3550	SS	NDE021	N1				73	76																					
CLP_PEST	SW3550	SS	NDE023	N1				103	68																					
CLP_PEST	SW3550	SS	NDE023MS	MS				73	87																					
CLP_PEST	SW3550	SS	NDE023-2MS	MS				76	81																					
CLP_PEST	SW3550	SS	NDE023SD	SD				76	97																					
CLP_PEST	SW3550	SS	NDE023-2SD	SD				80	84																					
CLP_PEST	SW3550	SS	NDE024FD1	FD1				81.8	70.5																					
CLP_PEST	SW3550	SS	NDE026	N1				82	68.6																					
CLP_PEST	SW3550	SS	NDE028	N1				61	61																					
CLP_PEST	SW3550	SS	NDE030	N1				70.1	63																					
CLP_PEST	SW3550	SS	NDE032	N1				70.6	57.1																					
CLP_PEST	SW3550	SS	NDE034	N1				71.1	59.3																					
CLP_PEST	SW3550	SS	NDE037	N1				67.7	58.2																					
CLP_PEST	SW3550	SS	NDE176	N1				69.2	72																					
CLP_PEST	SW3550	SS	NDE177	N1				74	62.1																					
CLP_PEST	SW3550	SS	NDE178	N1				72.3	69.6																					
CLP_PEST	SW[illegible]50	SS	NDE179	N1				69.8	68.9																					
CLP_PEST	S[illegible]	SS	NDE102	N1				77	66																					

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	EB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C38-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8330 (SW4510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW8550/NONE) = 3,4-DINITROTOLUENE
CLP_PEST	SW3550	SS	NDE104	N1				74	70																						
CLP_PEST	SW3550	SS	NDE106	N1				100	86																						
CLP_PEST	SW3550	SS	NDE108	N1				100	80																						
CLP_PEST	SW3550	SS	NDE110	N1				83	66																						
L	SW3510	WATER	1221blka	LB						34	48																				
L	SW3510	WATER	1221blka2	LB						34	48																				
L	SW3510	WATER	1221blka2lcs	BS						56	57																				
L	SW3510	WATER	1221blka2ms	BS						42	60																				
L	SW3510	WATER	1221blka2sd	BD						48	61																				
L	SW3510	WATER	1221blkalcs	BS						44	63																				
L	SW3510	WATER	1221blkams	BS						43	62																				
L	SW3510	WATER	1221blkasd	BD						40	55																				
L	SW3510	WATER	1221toxlcs	BS						39	57																				
L	SW3510	WATER	1226blka	LB						32	50																				
L	SW3510	WATER	1226blka2lcs	BS						50	61																				
L	SW3510	WATER	1226blkalcs	BS						44	58																				
L	SW3510	WATER	1226toxlcsa	BS						46	63																				
L	SW3510	WG	NDE218	N1						45	54																				
L	SW3510	WG	NDE221	N1						35	23																				
L	SW3510	WG	NDE222FD1	FD1						34.5	26.4																				
L	SW3510	WG	NDE223	N1						36	26																				
L	SW3510	WG	NDE228	N1						35	27.5																				
L	SW3510	WG	NDE229FD1	FD1						33.6	27.3																				
L	SW3510	WG	NDE230	N1						41.8	28.2																				
L	SW3510	WG	NDE231	N1						40.9	16.4																				
L	SW3510	WG	NDE232	N1						32.7	15.5																				
L	SW3510	WG	NDE213	N1						40	35																				
L	SW3510	WG	NDE214	N1						38.3	26.7																				
L	SW3510	WG	NDE215	N1						40.9	22.7																				
L	SW3510	WG	NDE215MS	MS						44.5	34.5																				
L	SW3510	WG	NDE215-2MS	MS						52.7	36.4																				
L	SW3510	WG	NDE215SD	SD						55	39																				
L	SW3510	WG	NDE215-2SD	SD						50	32.7																				
L	SW3510	WG	NDE216FD1	FD1						42.7	25.5																				
L	SW3510	WG	NDE217	N1						50	27																				
L	SW3510	WG	NDE218	N1						36.4	38.2																				
L	SW3510	WG	NDE220	N1						33	22																				
L	SW3510	WQ	NDE170EB1	EB1						34.2	43.3																				

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	QA Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL_PRO (METHOD/NONE) = C36-NONATRIACONTANE	FL_PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW8510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW8550/NONE) = 3,4-DINITROTOLUENE
L	SW3510	WQ	NDE235EB1	EB1						42	48																			
L	SW3510	WQ	NDE236EB2	EB2						38	53																			
L	SW3510	WQ	NDE237AB1	AB1						40	49																			
FL-PRO	METHOD	SB	NDE044	N1								73.5	96.4																	
FL-PRO	METHOD	SB	NDE046	N1								56.8	98.1																	
FL-PRO	METHOD	SB	NDE048	N1								63.6	97.9																	
FL-PRO	METHOD	SB	NDE050	N1								61.6	82																	
FL-PRO	METHOD	SB	NDE052	N1								51.2	93																	
FL-PRO	METHOD	SB	NDE054	N1								42.9	92.9																	
FL-PRO	METHOD	SB	NDE056	N1								18.4	97.6																	
FL-PRO	METHOD	SB	NDE058	N1								40.7	104.8																	
FL-PRO	METHOD	SB	NDE060	N1								58.1	114																	
FL-PRO	METHOD	SB	NDE063	N1								42.4	130.2																	
FL-PRO	METHOD	SB	NDE065	N1								80.7	90.5																	
FL-PRO	METHOD	SB	NDE067	N1								74.3	85.7																	
FL-PRO	METHOD	SB	NDE069	N1								64.6	76.2																	
FL-PRO	METHOD	SB	NDE071	N1								54.5	71.4																	
FL-PRO	METHOD	SB	NDE073	N1								77.1	88.4																	
FL-PRO	METHOD	SB	NDE076	N1								74	85.7																	
FL-PRO	METHOD	SB	NDE078	N1								78.6	85.7																	
FL-PRO	METHOD	SB	NDE092	N1								63.6	84.1																	
FL-PRO	METHOD	SB	NDE094	N1								69.3	84.1																	
FL-PRO	METHOD	SB	NDE096	N1								65.3	81.8																	
FL-PRO	METHOD	SB	NDE098	N1								51	79.1																	
FL-PRO	METHOD	SB	NDE080	N1								43.9	90																	
FL-PRO	METHOD	SB	NDE082	N1								52.2	85.7																	
FL-PRO	METHOD	SB	NDE085	N1								59.8	90.7																	
FL-PRO	METHOD	SB	NDE087	N1								43.3	104.8																	
FL-PRO	METHOD	SB	NDE089	N1								28.1	89.6																	
FL-PRO	METHOD	SOIL	120300blks	LB								56.7	105																	
FL-PRO	METHOD	SOIL	120300blksms	BS								55.4	97.5																	
FL-PRO	METHOD	SOIL	120300blkssd	BD								43.3	105																	
FL-PRO	METHOD	SOIL	120300lcss	BS								36.3	95																	
FL-PRO	METHOD	SOIL	120700blks	LB								37.9	95																	
FL-PRO	METHOD	SOIL	120700blksms	BS								68.3	95																	
FL-PRO	METHOD	SOIL	120700blkssd	BD								56.3	97.5																	
FL-PRO	METHOD	SOIL	120700lcss	BS								21.3	50																	
FL-PRO	ME[illegible]	SOIL	121100blks	LB								62.2	90																	

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW8510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW8510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW8550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW8550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C38-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
FL-PRO	METHOD	SOIL	121100blksms	BS								61.3	92.5																		
FL-PRO	METHOD	SOIL	121100blkssd	BD								65.8	97.5																		
FL-PRO	METHOD	SOIL	121100lcss	BS								75.7	95																		
FL-PRO	METHOD	SOIL	121400blks	LB								74.1	90																		
FL-PRO	METHOD	SOIL	121400lcss	BS								62.6	84.6																		
FL-PRO	METHOD	SOIL	121400blks	LB								69.6	82.5																		
FL-PRO	METHOD	SOIL	121400blksms	BS								80	92.5																		
FL-PRO	METHOD	SOIL	121400blkssd	BD								67.1	82.5																		
FL-PRO	METHOD	SOIL	121400lcss	BS								61.7	87.5																		
FL-PRO	METHOD	SS	NDE043	N1								53.5	131.9																		
FL-PRO	METHOD	SS	NDE045	N1								69.7	100																		
FL-PRO	METHOD	SS	NDE047	N1								149.4	156.1																		
FL-PRO	METHOD	SS	NDE049	N1								74.8	84.8																		
FL-PRO	METHOD	SS	NDE051	N1								92.1	143.5																		
FL-PRO	METHOD	SS	NDE053	N1								296.4	97.6																		
FL-PRO	METHOD	SS	NDE055	N1								77.9	104.5																		
FL-PRO	METHOD	SS	NDE057	N1								8.5	129.3																		
FL-PRO	METHOD	SS	NDE059	N1								0	140.5																		
FL-PRO	METHOD	SS	NDE061	N1								0	223.8																		
FL-PRO	METHOD	SS	NDE061MS	MS								0	200																		
FL-PRO	METHOD	SS	NDE061SD	SD								35.8	219																		
FL-PRO	METHOD	SS	NDE062FD1	FD1								23.5	175.2																		
FL-PRO	METHOD	SS	NDE064	N1								13.9	166.7																		
FL-PRO	METHOD	SS	NDE066	N1								29	81																		
FL-PRO	METHOD	SS	NDE068	N1								34.2	81.8																		
FL-PRO	METHOD	SS	NDE070	N1								63	79.5																		
FL-PRO	METHOD	SS	NDE072	N1								36.4	86																		
FL-PRO	METHOD	SS	NDE075	N1								56.3	85.7																		
FL-PRO	METHOD	SS	NDE077	N1								37.3	88.1																		
FL-PRO	METHOD	SS	NDE090	N1								66.5	86.7																		
FL-PRO	METHOD	SS	NDE091FD1	FD1								54.3	67.4																		
FL-PRO	METHOD	SS	NDE093	N1								71	82.9																		
FL-PRO	METHOD	SS	NDE095	N1								15.2	95.5																		
FL-PRO	METHOD	SS	NDE095MS	MS								16.9	107																		
FL-PRO	METHOD	SS	NDE095SD	SD								18.4	85.7																		
FL-PRO	METHOD	SS	NDE097	N1								27.8	85.7																		
FL-PRO	METHOD	SS	NDE099FD1	FD1								35.8	85.4																		
FL-PRO	METHOD	SS	NDE074FD1	FD1								8.3	88.1																		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = CS3-NONAETRIA COINTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
FL-PRO	METHOD	SS	NDE079	N1								39.6	90.5																				
FL-PRO	METHOD	SS	NDE081	N1								55.6	95.2																				
FL-PRO	METHOD	SS	NDE083	N1								63.4	93.9																				
FL-PRO	METHOD	SS	NDE084FD1	FD1								61.4	92.2																				
FL-PRO	METHOD	SS	NDE086	N1								17.4	18.1																				
FL-PRO	METHOD	SS	NDE088	N1								82.9	89.4																				
FL-PRO	METHOD	WATER	120600blka	LB								86.7	88																				
FL-PRO	METHOD	WATER	120600blkams	BS								91.7	87																				
FL-PRO	METHOD	WATER	120600blkasd	BD								80	80																				
FL-PRO	METHOD	WATER	120600lcsa	BS								80	84																				
FL-PRO	METHOD	WATER	120600blka	LB								86.7	88																				
FL-PRO	METHOD	WATER	120600blkams	BS								91.7	87																				
FL-PRO	METHOD	WATER	120600blkasd	BD								80	80																				
FL-PRO	METHOD	WATER	120600lcsa	BS								80	84																				
FL-PRO	METHOD	WQ	NDE131EB2	EB2								32.8	54.5																				
FL-PRO	METHOD	WQ	NDE040EB1	EB1								39.7	83.3																				
SW8260B	SW5030	SB	NDE044	N1										73.6	91.4		91.2																
SW8260B	SW5030	SB	NDE046	N1										100.6	99.6		96.2																
SW8260B	SW5030	SB	NDE048	N1										89.4	80.2		85																
SW8260B	SW5030	SB	NDE050	N1										98.2	89.4		88.8																
SW8260B	SW5030	SB	NDE052	N1										106.2	96		98																
SW8260B	SW5030	SB	NDE122	N1										100.6	90.4		99																
SW8260B	SW5030	SB	NDE124	N1										103.6	92.6		89.8																
SW8260B	SW5030	SB	NDE126	N1										93.4	89.2		88																
SW8260B	SW5030	SB	NDE129	N1										93.2	82.4		85.2																
SW8260B	SW5030	SB	NDE054	N1										99.2	101.2		98																
SW8260B	SW5030	SB	NDE056	N1										94.4	94.4		88.4																
SW8260B	SW5030	SB	NDE058	N1										93.4	92.8		89.4																
SW8260B	SW5030	SB	NDE060	N1										96.2	97.8		92.2																
SW8260B	SW5030	SB	NDE063	N1										95	97.2		86																
SW8260B	SW5030	SB	NDE065	N1										94.8	69		79																
SW8260B	SW5030	SB	NDE067	N1										90.4	77.6		80																
SW8260B	SW5030	SB	NDE069	N1										82.6	65.6		70.8																
SW8260B	SW5030	SB	NDE071	N1										88.4	71.8		77.2																
SW8260B	SW5030	SB	NDE073	N1										62.8	59.6		65.2																
SW8260B	SW5030	SB	NDE076	N1										93.8	64.6		73.6																
SW8260B	[illegible]30	SB	NDE078	N1										92.2	66.4		73.8																
SW8260B	[illegible]0	SB	NDE092	N1										[illegible].4	40.8		57.4																

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW8510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL_PRO (METHOD/NONE) = C36-MONATRIA CONTANE	FL_PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW8510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW8550/NONE) = 3,4-DINITROTOLUENE
SW8260B	SW5030	SB	NDE094	N1										79.8	73.2		77														
SW8260B	SW5030	SB	NDE096	N1										93.4	77.2		90														
SW8260B	SW5030	SB	NDE098	N1										109.2	96.8		100.4														
SW8260B	SW5030	SB	NDE080	N1										84.2	56.2		74.2														
SW8260B	SW5030	SB	NDE082	N1										80.4	68.2		78.2														
SW8260B	SW5030	SB	NDE085	N1										106.8	115.2		106.8														
SW8260B	SW5030	SB	NDE087	N1										69.4	56.8		69														
SW8260B	SW5030	SB	NDE087DL1	LR	DL									98.2	92.4		100.8														
SW8260B	SW5030	SB	NDE089	N1										91.8	72		86														
SW8260B	SW5030	SB	NDE189	N1										92	61		72														
SW8260B	SW5030	SB	NDE191	N1										107	73		82														
SW8260B	SW5030	SB	NDE193	N1										80	66		79														
SW8260B	SW5030	SB	NDE195FD1	FD1										87	75		86														
SW8260B	SW5030	SB	NDE196	N1										101	100		98														
SW8260B	SW5030	SB	NDE006	N1										89.4	46.8		65														
SW8260B	SW5030	SB	NDE008	N1										89.4	62.4		69.6														
SW8260B	SW5030	SB	NDE010	N1										87.6	69		78.4														
SW8260B	SW5030	SB	NDE012	N1										105.6	57.6		80														
SW8260B	SW5030	SB	NDE014	N1										102.8	86.6		84.4														
SW8260B	SW5030	SB	NDE019	N1										98.2	71.8		72														
SW8260B	SW5030	SB	NDE016	N1										96	71		77														
SW8260B	SW5030	SB	NDE018	N1										99	80		85														
SW8260B	SW5030	SB	NDE020	N1										98	85		87														
SW8260B	SW5030	SB	NDE025	N1										97	82		84														
SW8260B	SW5030	SB	NDE027	N1										76	49		55														
SW8260B	SW5030	SB	NDE029	N1										91	67		72														
SW8260B	SW5030	SB	NDE031	N1										95	86		88														
SW8260B	SW5030	SB	NDE203	N1										100	88		85														
SW8260B	SW5030	SB	NDE204	N1										96	64		72														
SW8260B	SW5030	SB	NDE022	N1										100	78		81														
SW8260B	SW5030	SB	NDE033	N1										108.4	76.8		100.4														
SW8260B	SW5030	SB	NDE035	N1										100.4	81.6		93														
SW8260B	SW5030	SB	NDE036FD1	FD1										97.8	70		85.6														
SW8260B	SW5030	SB	NDE038	N1										97	73.2		84.8														
SW8260B	SW5030	SB	NDE038MS	MS										94.8	78		90.8														
SW8260B	SW5030	SB	NDE038SD	SD										94.2	77.6		89.4														
SW8260B	SW5030	SB	NDE039FD1	FD1										85.6	68.6		88.2														
SW8260B	SW5030	SB	NDE103	N1										107.2	96.4		105.6														

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C26-NONATRIACONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8260B	SW5030	SB	NDE105	N1										81.6	77.4		103.2														
SW8260B	SW5030	SB	NDE107	N1										67.6	44.8		70														
SW8260B	SW5030	SB	NDE109	N1										75.4	73		94.4														
SW8260B	SW5030	SB	NDE111FD1	FD1										70	64.8		87.6														
SW8260B	SW5030	SB	NDE112	N1										87.4	81.4		104.6														
SW8260B	SW5030	SB	NDE112MS	MS										71.6	62.4		87.6														
SW8260B	SW5030	SB	NDE112SD	SD										75.4	73		95.8														
SW8260B	SW5030	SD	NDE114	N1										119	106		120														
SW8260B	SW5030	SD	NDE115	N1										105	82		88														
SW8260B	SW5030	SD	NDE116	N1										121	109		119														
SW8260B	SW5030	SD	NDE117	N1										119	102		110														
SW8260B	SW5030	SD	NDE118	N1										111	92		103														
SW8260B	SW5030	SD	NDE118MS	MS										115	107		120														
SW8260B	SW5030	SD	NDE118SD	SD										115	103		114														
SW8260B	SW5030	SD	NDE119FD1	FD1										108	84		97														
SW8260B	SW5030	SOIL	1129blk14	LB										100.2	103.4		100.4														
SW8260B	SW5030	SOIL	1129BLK14MS	BS										97.6	101.2		97.6														
SW8260B	SW5030	SOIL	1129BLK14SD	BD										101.4	101.6		98.8														
SW8260B	SW5030	SOIL	1129lcs12	BS										98.2	100.4		98														
SW8260B	SW5030	SOIL	1201blk14	LB										102.4	109.6		101.8														
SW8260B	SW5030	SOIL	1201BLK14MS	BS										102.4	109.2		99.6														
SW8260B	SW5030	SOIL	1201BLK14SD	BD										100	108.2		98.2														
SW8260B	SW5030	SOIL	1201lcs12	BS										100.6	109.2		96.4														
SW8260B	SW5030	SOIL	1202blk12	LB										102.2	106.8		101.6														
SW8260B	SW5030	SOIL	1202blk12ms	BS										101.4	115.8		100.8														
SW8260B	SW5030	SOIL	1202blk12sd	BD										99.6	110.6		100.6														
SW8260B	SW5030	SOIL	1202lcs11	BS										100	112.8		99.6														
SW8260B	SW5030	SOIL	1204blk32	LB										101.6	102.8		99.6														
SW8260B	SW5030	SOIL	1204blk32ms	BS										94.6	92.2		89.4														
SW8260B	SW5030	SOIL	1204blk32sd	BD										97.6	95.4		95.8														
SW8260B	SW5030	SOIL	1204lcs31	BS										99	99.6		102.8														
SW8260B	SW5030	SOIL	1202blk12	LB										102.2	106.8		101.6														
SW8260B	SW5030	SOIL	1202blk12ms	BS										101.4	115.8		100.8														
SW8260B	SW5030	SOIL	1202blk12sd	BD										99.6	110.6		100.6														
SW8260B	SW5030	SOIL	1202lcs11	BS										100	112.8		99.6														
SW8260B	SW5030	SOIL	1204blk32	LB										101.6	102.8		99.6														
SW8260B	SW[illegible]	SOIL	1204blk32ms	BS										[illegible]6	92.2		89.4														
SW8260B	S[illegible]	SOIL	1204blk32sd	BD										[illegible]	95.4		95.8														

Analytical Method	Preparation Method	Matrix	Sample Id	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C34-HONATRIA CONTANE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8260B	SW5030	SOIL	1204blk34	LB										104.8	96		104.6														
SW8260B	SW5030	SOIL	1204blk34ms	BS										99	94		100.4														
SW8260B	SW5030	SOIL	1204blk34sd	BD										98	95.4		103														
SW8260B	SW5030	SOIL	1204lcs31	BS										99	99.6		102.8														
SW8260B	SW5030	SOIL	1204lcs32	BS										106	94.6		99.6														
SW8260B	SW5030	SOIL	1205blk32	LB										103.8	102		102.2														
SW8260B	SW5030	SOIL	1205lcs31	BS										97.4	99.4		105.8														
SW8260B	SW5030	SOIL	1206blk35	LB										98.8	102.4		99.2														
SW8260B	SW5030	SOIL	1206lcs32	BS										98.2	102.2		101.6														
SW8260B	SW5030	SOIL	1207blk32	LB										103.2	107.6		102.8														
SW8260B	SW5030	SOIL	1207lcs31	BS										95.8	104		106.2														
SW8260B	SW5030	SOIL	1205blk12	LB										108.4	101.8	102.6	98.8														
SW8260B	SW5030	SOIL	1205blk12ms	BS										98.8	94		92.6														
SW8260B	SW5030	SOIL	1205blk12sd	BD										102.6	96.8		95.2														
SW8260B	SW5030	SOIL	1205blk35	LB										92.8	100.2		92.4														
SW8260B	SW5030	SOIL	1205blk35ms	BS										90.6	89.8		91														
SW8260B	SW5030	SOIL	1205blk35sd	BD										94.6	98.2		91.4														
SW8260B	SW5030	SOIL	1205lcs11	BS										105.8	96.6		94.2														
SW8260B	SW5030	SOIL	1205lcs32	BS										88.2	94.4		92														
SW8260B	SW5030	SOIL	1207blk14	LB										80.2	86.6		98.4														
SW8260B	SW5030	SOIL	1207lcs12	BS										86.4	87.2		87														
SW8260B	SW5030	SOIL	1208blk12	LB										91.8	86		90.6														
SW8260B	SW5030	SOIL	1208blk14	LB										91.4	84.4		86.8														
SW8260B	SW5030	SOIL	1208lcs11	BS										89.4	84.8		88														
SW8260B	SW5030	SOIL	1208lcs12	BS										88.8	82.8		89														
SW8260B	SW5030	SOIL	1211blk32	LB										104.4	102.6		101.8														
SW8260B	SW5030	SOIL	1211blk32ms	BS										98.6	98.6		105.8														
SW8260B	SW5030	SOIL	1211blk32sd	BD										105	97.6		102														
SW8260B	SW5030	SOIL	1211lcs31	BS										108.4	94.8		104.8														
SW8260B	SW5030	SOIL	1208blk14	LB										94	93		95.8														
SW8260B	SW5030	SOIL	1209lcs11	BS										95.2	91.4		97.2														
SW8260B	SW5030	SOIL	1210blk13	LB										105.2	109.8		102.2														
SW8260B	SW5030	SOIL	1210blk34	LB										100	92.8		97														
SW8260B	SW5030	SOIL	1210lcs11	BS										99.8	106		100.2														
SW8260B	SW5030	SOIL	1210lcs32	BS										97.8	89.2		96														
SW8260B	SW5030	SOIL	1213blk34	LB										109.4	107.8		106.4														
SW8260B	SW5030	SOIL	1213lcs35	BS										100	94		98.8														
SW8260B	SW5030	SOIL	1213mblk31	LB										111.2	99		103														

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C9-NONATRIACONTANE	FL_PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW5610/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW5610/NONE) = 3/4-DINITROTOLUENE
SW8260B	SW5030	SOIL	1213mblk31ms	BS										104.8	94		97.6													
SW8260B	SW5030	SOIL	1213mblk31sd	BD										101.6	94.2		97													
SW8260B	SW5030	SOIL	1210blk32	LB										113	93		102													
SW8260B	SW5030	SOIL	1210lcs31	BS										109	100		110													
SW8260B	SW5030	SOIL	1212blk12	LB										99	103		97													
SW8260B	SW5030	SOIL	1212lcs11	BS										91	93		92													
SW8260B	SW5030	SOIL	1215blk12	LB										102.4	84.8		88.2													
SW8260B	SW5030	SOIL	1215blk14	LB										91.6	80.6		92													
SW8260B	SW5030	SOIL	1215lcs12	BS										98	79.2		88.6													
SW8260B	SW5030	SOIL	1215lcs13	BS										94.6	76.8		84.6													
SW8260B	SW5030	SOIL	1216blk32	LB										98.8	96.8		90.2													
SW8260B	SW5030	SOIL	1216lcs31	BS										97	93.8		98.4													
SW8260B	SW5030	SOIL	1213lcs35	BS										100	94		98.8													
SW8260B	SW5030	SOIL	1213mblk31	LB										111.2	99		103													
SW8260B	SW5030	SOIL	1213mblk31ms	BS										104.8	94		97.6													
SW8260B	SW5030	SOIL	1213mblk31sd	BD										101.6	94.2		97													
SW8260B	SW5030	SOIL	1214blk12	LB										98.8	92.6		91													
SW8260B	SW5030	SOIL	1214blk12ms	BS										95.8	87.8		90.8													
SW8260B	SW5030	SOIL	1214blk12sd	BD										99	90.4		91.8													
SW8260B	SW5030	SOIL	1214blk14	LB										98.4	93.4		91.6													
SW8260B	SW5030	SOIL	1214lcs11	BS										94.8	84		89.4													
SW8260B	SW5030	SOIL	1214lcs15	BS										94.8	78.4		84													
SW8260B	SW5030	SOIL	1214blk14	LB										98	93		92													
SW8260B	SW5030	SOIL	1214blk14ms	BS										102	93		96													
SW8260B	SW5030	SOIL	1214blk14sd	BD										100	92		95													
SW8260B	SW5030	SOIL	1214blk34	LB										106	102		104													
SW8260B	SW5030	SOIL	1214lcs15	BS										95	78		84													
SW8260B	SW5030	SOIL	1214lcs32	BS										100	93		98													
SW8260B	SW5030	SOIL	1216blk32	LB										99	97		90													
SW8260B	SW5030	SOIL	1216lcs31	BS										97	94		98													
SW8260B	SW5030	SOIL	1216blk12	LB										95.4	81.2		88.6													
SW8260B	SW5030	SOIL	1216lcs11	BS										93.2	80.4		89.2													
SW8260B	SW5030	SOIL	1217blk13	LB										105.8	82.2		102.2													
SW8260B	SW5030	SOIL	1217lcs12	BS										108.2	87.6		103.2													
SW8260B	SW5030	SOIL	1217blk13	LB										106	82		102													
SW8260B	SW5030	SOIL	1217blk13ms	BS										106	75		103													
SW8260B	SW5030	SOIL	1217blk13sd	BD										102	76		105													
SW8260B	SW5030	SOIL	1217lcs12	BS										8	88		103													

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW8510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	RL-PRO (METHOD/NONE) = C38-NONATRIA CONTANE	RL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8260B	SW5030	SOIL	1220blk14	LB										117.6	111.4		121.2													
SW8260B	SW5030	SOIL	1220lcs12	BS										119	106		112.8													
SW8260B	SW5030	SOIL	1221blk12	LB										111.6	109.6		115.5													
SW8260B	SW5030	SOIL	1221lcs12	BS										113.2	111.2		117.8													
SW8260B	SW5030	SOIL	1220blk14	LB										118	111		121													
SW8260B	SW5030	SOIL	1220lcs12	BS										119	106		113													
SW8260B	SW5030	SOIL	1220blk14	LB										118	111		121													
SW8260B	SW5030	SOIL	1220lcs12	BS										119	106		113													
SW8260B	SW5030	SOIL	1221blk12	LB										112	110		116													
SW8260B	SW5030	SOIL	1221lcs12	BS										113	111		118													
SW8260B	SW5030	SS	NDE133	N1										92.8	92.4		88.8													
SW8260B	SW5030	SS	NDE134	N1										88.6	83.2		86.2													
SW8260B	SW5030	SS	NDE135	N1										91	87.2		89													
SW8260B	SW5030	SS	NDE136	N1										92.8	98.6		87.6													
SW8260B	SW5030	SS	NDE137	N1										109.2	122.6		101.4													
SW8260B	SW5030	SS	NDE138	N1										90.2	78.4		83.2													
SW8260B	SW5030	SS	NDE139	N1										95.8	83		87.6													
SW8260B	SW5030	SS	NDE140	N1										91.8	91.8		87.8													
SW8260B	SW5030	SS	NDE141	N1										92	90.4		82.8													
SW8260B	SW5030	SS	NDE142	N1										83.6	70		72.6													
SW8260B	SW5030	SS	NDE143FD1	FD1										95.8	87.6		87													
SW8260B	SW5030	SS	NDE144	N1										98	104.8		91.8													
SW8260B	SW5030	SS	NDE145	N1										93	102		92.2													
SW8260B	SW5030	SS	NDE146	N1										98	111.6		93.2													
SW8260B	SW5030	SS	NDE147	N1										87	91.8		85													
SW8260B	SW5030	SS	NDE148	N1										94.2	88.2		88.2													
SW8260B	SW5030	SS	NDE149	N1										100.2	106.2		95.2													
SW8260B	SW5030	SS	NDE150	N1										96.2	92.6		87.8													
SW8260B	SW5030	SS	NDE043	N1										98	98.8		91													
SW8260B	SW5030	SS	NDE045	N1										95	88.4		89.8													
SW8260B	SW5030	SS	NDE047	N1										96.4	89.2		89.8													
SW8260B	SW5030	SS	NDE049	N1										100.6	97.2		95.8													
SW8260B	SW5030	SS	NDE051	N1										99	98.6		88.2													
SW8260B	SW5030	SS	NDE121	N1										98.2	87.6		85.4													
SW8260B	SW5030	SS	NDE123	N1										97.4	92.6		89.2													
SW8260B	SW5030	SS	NDE125	N1										95.8	99		93.6													
SW8260B	SW5030	SS	NDE127	N1										107.2	108.2		100.2													
SW8260B	SW5030	SS	NDE127MS	MS										98.8	110.4		93.4													

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LA Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-HONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 2,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 2,4-DINITROTOLUENE
SW8260B	SW5030	SS	NDE127SD	SD										105.2	110		99.6												
SW8260B	SW5030	SS	NDE128FD1	FD1										99	111.2		91.4												
SW8260B	SW5030	SS	NDE151	N1										96.2	112.6		89.6												
SW8260B	SW5030	SS	NDE152	N1										95.4	97.6		85.6												
SW8260B	SW5030	SS	NDE153	N1										98	106.6		88.6												
SW8260B	SW5030	SS	NDE153MS	MS										93	108.4		96.6												
SW8260B	SW5030	SS	NDE153SD	SD										98	103.8		94.4												
SW8260B	SW5030	SS	NDE154FD1	FD1										97.6	104.6		86.4												
SW8260B	SW5030	SS	NDE155	N1										86.2	48		64.4												
SW8260B	SW5030	SS	NDE156	N1										97.2	91.4		80.4												
SW8260B	SW5030	SS	NDE157	N1										79.6	59.6		67.4												
SW8260B	SW5030	SS	NDE158	N1										99.4	100.2		95.8												
SW8260B	SW5030	SS	NDE053	N1										99.2	82.4		87.2												
SW8260B	SW5030	SS	NDE055	N1										87.2	74		76.4												
SW8260B	SW5030	SS	NDE057	N1										91.6	99		80.6												
SW8260B	SW5030	SS	NDE059	N1										99.8	98.8		85.2												
SW8260B	SW5030	SS	NDE061	N1										105.4	112		85.8												
SW8260B	SW5030	SS	NDE061MS	MS										87.2	112.2		85.8												
SW8260B	SW5030	SS	NDE061SD	SD										94.4	73.6		84.4												
SW8260B	SW5030	SS	NDE062FD1	FD1										99.8	122.4		91.2												
SW8260B	SW5030	SS	NDE064	N1										96.2	89.4		77.2												
SW8260B	SW5030	SS	NDE066	N1										77.2	39.6		56												
SW8260B	SW5030	SS	NDE068	N1										90.4	75.8		78												
SW8260B	SW5030	SS	NDE070	N1										83.8	65.8		77.6												
SW8260B	SW5030	SS	NDE072	N1										96.8	75.4		81												
SW8260B	SW5030	SS	NDE075	N1										84.4	54.8		64.4												
SW8260B	SW5030	SS	NDE077	N1										100.4	102		88												
SW8260B	SW5030	SS	NDE090	N1										84.6	66.2		75.6												
SW8260B	SW5030	SS	NDE091FD1	FD1										66.6	48.4		62.4												
SW8260B	SW5030	SS	NDE093	N1										79.6	62		70.6												
SW8260B	SW5030	SS	NDE095	N1										88.2	92		74												
SW8260B	SW5030	SS	NDE095MS	MS										77.2	86.6		69.8												
SW8260B	SW5030	SS	NDE095SD	SD										75.4	65		61.6												
SW8260B	SW5030	SS	NDE097	N1										74.2	65.8		64.4												
SW8260B	SW5030	SS	NDE099FD1	FD1										108.6	101		90.2												
SW8260B	SW5030	SS	NDE159	N1										107.4	98.8		96.8												
SW8260B	SW	SS	NDE160	N1										[illegible]4	96.2		86.4												
SW8260B	SW	SS	NDE161	N1										[illegible]2	92.6		88.4												

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 4-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8260B	SW5030	SS	NDE162	N1										85.2	70.2		78.2														
SW8260B	SW5030	SS	NDE163	N1										111.2	100		94.8														
SW8260B	SW5030	SS	NDE074FD1	FD1										73.8	49.8		65.6														
SW8260B	SW5030	SS	NDE079	N1										79	51.2		67.4														
SW8260B	SW5030	SS	NDE081	N1										89.4	77.2		84.6														
SW8260B	SW5030	SS	NDE083	N1										70.4	52.2		66														
SW8260B	SW5030	SS	NDE084FD1	FD1										93.2	74		83.2														
SW8260B	SW5030	SS	NDE086	N1										92.4	62.4		82.8														
SW8260B	SW5030	SS	NDE088	N1										66	40.8		59														
SW8260B	SW5030	SS	NDE164	N1										70	52.8		66.2														
SW8260B	SW5030	SS	NDE165FD1	FD1										103.2	79.8		87.6														
SW8260B	SW5030	SS	NDE166	N1										99.2	106.8		93														
SW8260B	SW5030	SS	NDE167	N1										103.2	107		97.2														
SW8260B	SW5030	SS	NDE168	N1										99.6	88		88														
SW8260B	SW5030	SS	NDE169	N1										75.6	51.2		69.8														
SW8260B	SW5030	SS	NDE169MS	MS										81.6	80.8		78.2														
SW8260B	SW5030	SS	NDE169SD	SD										85	81		79.4														
SW8260B	SW5030	SS	NDE188	N1										77.8	65.2		72														
SW8260B	SW5030	SS	NDE190	N1										97	73		76														
SW8260B	SW5030	SS	NDE192	N1										99	92		98														
SW8260B	SW5030	SS	NDE194	N1										99	82		85														
SW8260B	SW5030	SS	NDE194MS	MS										108	102		105														
SW8260B	SW5030	SS	NDE194SD	SD										103	98		101														
SW8260B	SW5030	SS	NDE004	N1										63.2	60		65.4														
SW8260B	SW5030	SS	NDE005FD1	FD1										89.2	75.4		75.8														
SW8260B	SW5030	SS	NDE007	N1										91	68.8		74.4														
SW8260B	SW5030	SS	NDE009	N1										98.4	59.2		73.6														
SW8260B	SW5030	SS	NDE011	N1										97	52		71.6														
SW8260B	SW5030	SS	NDE013	N1										99.4	63.8		76														
SW8260B	SW5030	SS	NDE015	N1										93.6	84.4		80.4														
SW8260B	SW5030	SS	NDE017	N1										94.2	69.6		77.6														
SW8260B	SW5030	SS	NDE021	N1										87.6	71.4		73.2														
SW8260B	SW5030	SS	NDE023	N1										98.4	69.8		92														
SW8260B	SW5030	SS	NDE023MS	MS										98.2	83.2		91.4														
SW8260B	SW5030	SS	NDE023SD	SD										102.2	81.4		91.2														
SW8260B	SW5030	SS	NDE024FD1	FD1										83	63.4		74														
SW8260B	SW5030	SS	NDE026	N1										87.4	57.4		72.4														
SW8260B	SW5030	SS	NDE028	N1										89.6	73.6		76.4														

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C3-NONATRIA CONTAINE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8260B	SW5030	SS	NDE030	N1										91	77.2		74.8														
SW8260B	SW5030	SS	NDE032	N1										66	26.8		44.6														
SW8260B	SW5030	SS	NDE034	N1										78.8	27.8		47.2														
SW8260B	SW5030	SS	NDE037	N1										84.2	44.2		53.2														
SW8260B	SW5030	SS	NDE176	N1										94.8	89.2		90.6														
SW8260B	SW5030	SS	NDE177	N1										60	18.2		40.8														
SW8260B	SW5030	SS	NDE178	N1										76.6	32.8		52.2														
SW8260B	SW5030	SS	NDE179	N1										79.8	49.8		63.2														
SW8260B	SW5030	SS	NDE102	N1										95	78		85														
SW8260B	SW5030	SS	NDE104	N1										94	71		86														
SW8260B	SW5030	SS	NDE106	N1										95	80		88														
SW8260B	SW5030	SS	NDE108	N1										103	82		91														
SW8260B	SW5030	SS	NDE110	N1										95	70		82														
SW8260B	SW5030	SW	NDE171	N1										110	109		107														
SW8260B	SW5030	SW	NDE171MS	MS										107	98		101														
SW8260B	SW5030	SW	NDE171SD	SD										104	96		100														
SW8260B	SW5030	SW	NDE172FD1	FD1										113	107		101														
SW8260B	SW5030	SW	NDE173	N1										113	109		106														
SW8260B	SW5030	SW	NDE174	N1										112	102		106														
SW8260B	SW5030	SW	NDE175	N1										107	107		106														
SW8260B	SW5030	SW	NDE225	N1										108	106		108														
SW8260B	SW5030	WATER	1201blk32	LB										87.2	86		91.2														
SW8260B	SW5030	WATER	1201blk32ms	BS										96.4	88.2		88.8														
SW8260B	SW5030	WATER	1201blk32sd	BD										91	90.2		88														
SW8260B	SW5030	WATER	1201blk34	LB										98.2	96.4		96.6														
SW8260B	SW5030	WATER	1201blk34ms	BS										102	95.2		99.6														
SW8260B	SW5030	WATER	1201blk34sd	BD										95.6	90		92.8														
SW8260B	SW5030	WATER	1201lcs31	BS										93.6	91.6		88.4														
SW8260B	SW5030	WATER	1201lcs33	BS										97.2	93.4		95.6														
SW8260B	SW5030	WATER	1201blk32	LB										87.2	86		91.2														
SW8260B	SW5030	WATER	1201blk32ms	BS										96.4	88.2		88.8														
SW8260B	SW5030	WATER	1201blk32sd	BD										91	90.2		88														
SW8260B	SW5030	WATER	1201lcs31	BS										93.6	91.6		88.4														
SW8260B	SW5030	WATER	1202blk32	LB										101.4	94.4		99														
SW8260B	SW5030	WATER	1202blk32ms	BS										97.6	89.6		95.6														
SW8260B	SW5030	WATER	1202blk32sd	BD										98	89.6		94.4														
SW8260B	SW[illegible]	WATER	1202lcs31	BS										[illegible].6	94.6		99.4														
SW8260B	S[illegible]	WATER	1202blk32	LB										[illegible].4	94.4		99														

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C30-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8260B	SW5030	WATER	1202blk32ms	BS										97.6	89.6		95.6													
SW8260B	SW5030	WATER	1202blk32sd	BD										98	89.6		94.4													
SW8260B	SW5030	WATER	1202lcs31	BS										99.6	94.8		99.4													
SW8260B	SW5030	WATER	1209blk25	LB										106	98		105													
SW8260B	SW5030	WATER	1209blk25ms	BS										98	93		99													
SW8260B	SW5030	WATER	1209blk25sd	BD										102	95		102													
SW8260B	SW5030	WATER	1209lcs21	BS										93	92		90													
SW8260B	SW5030	WATER	1209blk25	LB										105.6	98		104.6													
SW8260B	SW5030	WATER	1209blk25ms	BS										97.8	92.6		98.6													
SW8260B	SW5030	WATER	1209blk25sd	BD										102.4	95.4		101.8													
SW8260B	SW5030	WATER	1209lcs21	BS										93	91.6		90.2													
SW8260B	SW5030	WATER	1209blk25	LB										105.6	98		104.6													
SW8260B	SW5030	WATER	1209blk25ms	BS										97.8	92.6		98.6													
SW8260B	SW5030	WATER	1209blk25sd	BD										102.4	95.4		101.8													
SW8260B	SW5030	WATER	1209lcs21	BS										93	91.6		90.2													
SW8260B	SW5030	WATER	1209blk25	LB										106	98		105													
SW8260B	SW5030	WATER	1209blk25ms	BS										98	93		99													
SW8260B	SW5030	WATER	1209blk25sd	BD										102	95		102													
SW8260B	SW5030	WATER	1209lcs21	BS										93	92		90													
SW8260B	SW5030	WATER	1210blk25	LB										102	96.8		100.2													
SW8260B	SW5030	WATER	1210blk25ms	BS										99.6	98.2		98.8													
SW8260B	SW5030	WATER	1210blk25sd	BD										98.8	94.4		98.6													
SW8260B	SW5030	WATER	1210lcs22	BS										102.6	96.6		100.2													
SW8260B	SW5030	WATER	1212blk32	LB										100	98		90													
SW8260B	SW5030	WATER	1212blk32ms	BS										88	86		82													
SW8260B	SW5030	WATER	1212blk32sd	BD										93	90		88													
SW8260B	SW5030	WATER	1212blk33	LB										99	95		99													
SW8260B	SW5030	WATER	1212lcs31	BS										94	91		93													
SW8260B	SW5030	WATER	1212lcs33	BS										96	93		92													
SW8260B	SW5030	WATER	1214blk32	LB										97	91.4		88.4													
SW8260B	SW5030	WATER	1214blk32ms	BS										90.4	91.6		92.8													
SW8260B	SW5030	WATER	1214blk32sd	BD										82.2	93		89.2													
SW8260B	SW5030	WATER	1214lcs31	BS										96	86.8		88.4													
SW8260B	SW5030	WATER	1219blk34	LB										107	105		106													
SW8260B	SW5030	WATER	1219lcs32	BS										104	96		102													
SW8260B	SW5030	WATER	1220blka34ms	BS										106	97		103													
SW8260B	SW5030	WATER	1220blka34sd	BD										104	98		104													
SW8260B	SW5030	WATER	1220blka34	LB										108	105		103													

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C9-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8260B	SW5030	WATER	1220lcsa34	BS										100	99		101														
SW8260B	SW5030	WATER	1228blk14	LB										100	100		94														
SW8260B	SW5030	WATER	1228blk15	LB										110	100		108														
SW8260B	SW5030	WATER	1228lcs31	BS										106	95		98														
SW8260B	SW5030	WATER	1228lcs33	BS										106	102		110														
SW8260B	SW5030	WATER	0102blka14	LB										106	104		110														
SW8260B	SW5030	WATER	0102lcsa33	BS										96	96		98														
SW8260B	SW5030	WATER	1228blk14	LB										110	100		108														
SW8260B	SW5030	WATER	1228lcs33	BS										106	102		110														
SW8260B	SW5030	WG	NDE219	N1										120	136		134														
SW8260B	SW5030	WG	NDE221	N1										108	136		140														
SW8260B	SW5030	WG	NDE222FD1	FD1										122	136		130														
SW8260B	SW5030	WG	NDE223	N1										140	136		130														
SW8260B	SW5030	WG	NDE228	N1										130	126		120														
SW8260B	SW5030	WG	NDE229FD1	FD1										104	104		98														
SW8260B	SW5030	WG	NDE230	N1										96	104		102														
SW8260B	SW5030	WG	NDE231	N1										100	108		108														
SW8260B	SW5030	WG	NDE232	N1										110	96		98														
SW8260B	SW5030	WG	NDE213	N1										96	108		106														
SW8260B	SW5030	WG	NDE214	N1										110	108		110														
SW8260B	SW5030	WG	NDE215	N1										110	112		110														
SW8260B	SW5030	WG	NDE215MS	MS										104	104		108														
SW8260B	SW5030	WG	NDE215SD	SD										110	110		104														
SW8260B	SW5030	WG	NDE216FD1	FD1										112	114		108														
SW8260B	SW5030	WG	NDE217	N1										112	108		108														
SW8260B	SW5030	WG	NDE218	N1										100	106		110														
SW8260B	SW5030	WG	NDE220	N1										114	96		108														
SW8260B	SW5030	WQ	NDE001AB1	AB1										98.4	98.4		99.2														
SW8260B	SW5030	WQ	NDE130EB1	EB1										101.8	95.6		99														
SW8260B	SW5030	WQ	NDE181TB1	TB1										97.8	97.2		96.6														
SW8260B	SW5030	WQ	NDE182TB1	TB1										107.2	103.2		101.8														
SW8260B	SW5030	WQ	NDE183TB1	TB1										98.2	101.4		97														
SW8260B	SW5030	WQ	NDE184TB1	TB1										97.4	96.8		97.4														
SW8260B	SW5030	WQ	NDE185TB2	TB2										101.8	92.8		96.4														
SW8260B	SW5030	WQ	NDE131EB2	EB2										96.4	97.6		95.8														
SW8260B	SW5030	WQ	NDE040EB1	EB1										96.6	93		91.4														
SW8260B	S[illegible]	WQ	NDE186TB1	TB1										[illegible]8	95.6		100.2														
SW8260B	[illegible]	WQ	NDE187TB2	TB2										[illegible]	93.2		96.8														

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL_PRO (METHOD/NONE) = C9s-NONATRIACONTANE	FL_PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8260B	SW5030	WQ	NDE197EB1	EB1										106	97		104														
SW8260B	SW5030	WQ	NDE198TB1	TB1										104	96		102														
SW8260B	SW5030	WQ	NDE002EB1	EB1										104.2	97.6		102.8														
SW8260B	SW5030	WQ	NDE003AB2	AB2										102.6	98.8		102.4														
SW8260B	SW5030	WQ	NDE199TB1	TB1										102.8	96.2		104.4														
SW8260B	SW5030	WQ	NDE200TB2	TB2										100.4	98.4		102.2														
SW8260B	SW5030	WQ	NDE209TB1	TB1										101	98		103														
SW8260B	SW5030	WQ	NDE210EB1	EB1										103	98		104														
SW8260B	SW5030	WQ	NDE132EB3	EB3										101.2	97.4		97.8														
SW8260B	SW5030	WQ	NDE211TB1	TB1										104	97		99.6														
SW8260B	SW5030	WQ	NDE100EB1	EB1										98	98		99														
SW8260B	SW5030	WQ	NDE212TB1	TB1										93	92		89														
SW8260B	SW5030	WQ	NDE101EB2	EB2										99.2	99.8		95.8														
SW8260B	SW5030	WQ	NDE224TB1	TB1										97.8	97.6		94.4														
SW8260B	SW5030	WQ	NDE226TB1	TB1										111	103		108														
SW8260B	SW5030	WQ	NDE113EB1	EB1										109	107		106														
SW8260B	SW5030	WQ	NDE227TB1	TB1										111	110		107														
SW8260B	SW5030	WQ	NDE170EB1	EB1										200	190		188														
SW8260B	SW5030	WQ	NDE233TB1	TB1										112	102		108														
SW8260B	SW5030	WQ	NDE234TB1	TB1										104	104		108														
SW8260B	SW5030	WQ	NDE235EB1	EB1										94	106		98														
SW8260B	SW5030	WQ	NDE236EB2	EB2										96	104		110														
SW8260B	SW5030	WQ	NDE237AB1	AB1										104	112		108														
SW8270C	SW3510	SW	NDE171	N1														13	48.3	20.6	58.1	19.3	53.6								
SW8270C	SW3510	SW	NDE171MS	MS														13.8	54.6	25	62.9	25.2	58.6								
SW8270C	SW3510	SW	NDE171SD	SD														8.1	31	13.2	36.2	12.5	33.2								
SW8270C	SW3510	SW	NDE172FD1	FD1														10.3	50.9	19.4	63.7	17.6	55.5								
SW8270C	SW3510	SW	NDE173	N1														12	43.4	23.1	52	22.9	44.2								
SW8270C	SW3510	SW	NDE174	N1														25.1	49	34.4	60.6	31.6	53.8								
SW8270C	SW3510	SW	NDE175	N1														27.7	56.3	39	70.8	37.4	58								
SW8270C	SW3510	SW	NDE225	N1														55.2	47	32.7	56	30.9	53.2								
SW8270C	SW3510	WATER	1202BLKA1	LB														53	51.4	61	56.4	48.4	65.4								
SW8270C	SW3510	WATER	1202BLKA1MS	BS														89	81.7	59.5	95.5	41	84.3								
SW8270C	SW3510	WATER	1202BLKA1SD	BD														87	78.6	54.5	87.3	37.5	84.2								
SW8270C	SW3510	WATER	1202LCSA1	BS														93.5	84.8	59	96	40.5	85.5								
SW8270C	SW3510	WATER	1204BLKA1	LB														84	72.1	49.7	89.2	32.4	87.4								
SW8270C	SW3510	WATER	1204BLKA1MS	BS														91.5	77.4	52	89.3	35.3	89.5								
SW8270C	SW3510	WATER	1204BLKA1SD	BD														90	78.4	53.5	88.7	35.2	75.6								

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL_PRO (METHOD/NONE) = C30-NONATRIA CONTANE	FL_PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW5035/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW5035/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3510	WATER	1204LCSA1	BS														90.5	80.6	51	88.7	34.1	85.1								
SW8270C	SW3510	WATER	1205BLKA2	LB														100	101	61	105	41.1	106								
SW8270C	SW3510	WATER	1205BLKA2MS	BS														106.5	105	62.5	114	43.6	93.4								
SW8270C	SW3510	WATER	1205BLKA2SD	BD														106	101	63	108	43.4	98.5								
SW8270C	SW3510	WATER	1205LCSA2	BS														95	90.4	58.5	97.3	38.3	90.8								
SW8270C	SW3510	WATER	1208BLKW2	LB														93	94.4	53	106	36.4	108								
SW8270C	SW3510	WATER	1208BLKW2MS	BS														108	93.9	64.5	108	42	109								
SW8270C	SW3510	WATER	1208BLKW2SD	BD														103.5	85.1	49.2	93.2	33.6	100								
SW8270C	SW3510	WATER	1208LCSW2	BS														112	98.4	66	115	43.3	107								
SW8270C	SW3510	WATER	1208BLKW2	LB														93	94.4	53	106	36.4	108								
SW8270C	SW3510	WATER	1208BLKW2MS	BS														108	93.9	64.5	108	42	109								
SW8270C	SW3510	WATER	1208BLKW2SD	BD														103.5	85.1	49.2	93.2	33.6	100								
SW8270C	SW3510	WATER	1208LCSW2	BS														112	98.4	66	115	43.3	107								
SW8270C	SW3510	WATER	1212blka2	LB														65	59	37	72	30	79								
SW8270C	SW3510	WATER	1212blka2ms	BS														80	65	52	80	38	81								
SW8270C	SW3510	WATER	1212blka2sd	BD														82	65	50	83	35	81								
SW8270C	SW3510	WATER	1212LCSA2	BS														73	61	44	76	31	76								
SW8270C	SW3510	WATER	1212blka2	LB														65	59.4	36.9	71.7	29.8	79.4								
SW8270C	SW3510	WATER	1212blka2ms	BS														80	64.6	52	79.8	37.5	81								
SW8270C	SW3510	WATER	1212blka2sd	BD														81.5	65.2	49.5	82.6	35.1	80.8								
SW8270C	SW3510	WATER	1212LCSA2	BS														73	60.5	44.5	75.6	31.2	76.3								
SW8270C	SW3510	WATER	1215BLKA1	LB														63	60.3	38.4	67.5	30	85.5								
SW8270C	SW3510	WATER	1215BLKA1MS	BS														100	81.1	52.5	90.9	40.8	97.6								
SW8270C	SW3510	WATER	1215BLKA1SD	BD														93.5	76.3	47.7	86.7	37.1	96.6								
SW8270C	SW3510	WATER	1215LCSA1	BS														101	81.1	55.5	96.1	41.7	99								
SW8270C	SW3510	WATER	1218BLKA3	LB														62	50.6	36.9	66.8	28.1	60.1								
SW8270C	SW3510	WATER	1218BLKA3MS	BS														60	50.1	35.2	60.4	25.2	60.3								
SW8270C	SW3510	WATER	1218BLKA3SD	BD														61.5	54.1	39.3	66.2	27.1	62.4								
SW8270C	SW3510	WATER	1218LCSA3	BS														63	50.3	35.1	59.6	26.2	63.2								
SW8270C	SW3510	WATER	1218BLKA3	LB														62	50.6	36.9	66.8	28.1	60.1								
SW8270C	SW3510	WATER	1218BLKA3MS	BS														60	50.1	35.2	60.4	25.2	60.3								
SW8270C	SW3510	WATER	1218BLKA3SD	BD														61.5	54.1	39.3	66.2	27.1	62.4								
SW8270C	SW[illegible]	WATER	1218LCSA3	BS														63	50.3	35.1	59.6	26.2	63.2								
SW8270C	S[illegible]	WATER	1222BLKA1	LB														99	76.9	35.2	91.8	26.5	95.7								

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-NONATRIACONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-	BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3510	WATER	1222BLKA1MS	BS															99	83.7	39.1	94.3	27	87								
SW8270C	SW3510	WATER	1222BLKA1SD	BD															93.5	78.9	38.8	101	26.2	89.4								
SW8270C	SW3510	WATER	1222LCSA1	BS															100.5	83.8	39.6	102	25.9	93.6								
SW8270C	SW3510	WATER	1226BLKA1	LB															69.5	54.1	37.4	64	30.2	71.8								
SW8270C	SW3510	WATER	1226LCSA1	BS															78	57	42.7	89.5	29.2	74.1								
SW8270C	SW3510	WG	NDE219	N1															89.8	75.6	32.5	94.2	23.5	52.6								
SW8270C	SW3510	WG	NDE221	N1															90.7	72.2	33.6	91.2	23.7	39.2								
SW8270C	SW3510	WG	NDE222FD1	FD1															88.9	72.7	34.9	93.2	25.7	41.9								
SW8270C	SW3510	WG	NDE223	N1															89.7	76	33.8	92.5	23.8	39								
SW8270C	SW3510	WG	NDE228	N1															95.9	78.9	42.5	93.6	37.1	32.4								
SW8270C	SW3510	WG	NDE229FD1	FD1															98.2	81.8	40.3	98.2	34.5	36								
SW8270C	SW3510	WG	NDE230	N1															85	74.9	38.6	90.9	32.3	24.5								
SW8270C	SW3510	WG	NDE231	N1															81.8	67.9	54.7	90.2	44	26.6								
SW8270C	SW3510	WG	NDE232	N1															93.4	74.6	40.5	95.3	30.4	39.5								
SW8270C	SW3510	WG	NDE213	N1															70.5	55.8	44.1	63.9	35.7	58.4								
SW8270C	SW3510	WG	NDE214	N1															70.9	55	36.5	61.3	32.8	59.1								
SW8270C	SW3510	WG	NDE215	N1															36.9	44.6	33.1	53.8	28.8	31.4								
SW8270C	SW3510	WG	NDE215MS	MS															75.3	57.8	41.3	63.5	29.7	56.9								
SW8270C	SW3510	WG	NDE215SD	SD															94.4	72.4	49.3	79.1	35.5	74.4								
SW8270C	SW3510	WG	NDE216FD1	FD1															57.3	55	37.4	61.7	32.7	56.9								
SW8270C	SW3510	WG	NDE217	N1															69.1	50.3	46.1	61.7	44.4	36.2								
SW8270C	SW3510	WG	NDE218	N1															64.2	50.7	33.9	58.5	27.9	52.8								
SW8270C	SW3510	WG	NDE220	N1															71.5	55.8	35.3	66.1	32.7	43								
SW8270C	SW3510	WG	NDE001AB1	AB1															83.5	82	61.9	90.6	45.3	87.8								
SW8270C	SW3510	WG	NDE130EB1	EB1															84.1	83.6	56.4	92.7	38.7	90.9								
SW8270C	SW3510	WG	NDE131EB2	EB2															86.2	77.1	52.5	86	34	85.5								
SW8270C	SW3510	WG	NDE040EB1	EB1															54.3	57.4	33.1	57.9	21.3	61.2								
SW8270C	SW3510	WG	NDE197EB1	EB1															97	97.9	59.5	110	42	110								
SW8270C	SW3510	WG	NDE002EB1	EB1															94.1	90.9	55	101.8	37.9	105.5								
SW8270C	SW3510	WG	NDE003AB2	AB2															92.2	90.4	55.7	104.3	39.9	111.3								
SW8270C	SW3510	WG	NDE210EB1	EB1															103.2	75.3	63.5	99.1	41.6	106.3								
SW8270C	SW3510	WG	NDE132EB3	EB3															70	68	44	85	33	79								
SW8270C	SW3510	WG	NDE100EB1	EB1															62.9	66.2	36.7	78.9	28.4	75.2								
SW8270C	SW3510	WG	NDE101EB2	EB2															84.5	64.5	40.6	73.4	32.6	84.4								
SW8270C	SW3510	WG	NDE113EB1	EB1															67.9	55.4	35.5	67.1	29.7	64								
SW8270C	SW3510	WG	NDE170EB1	EB1															98.3	78.2	38.9	99.2	28.3	76.3								
SW8270C	SW3510	WG	NDE235EB1	EB1															55.9	58.7	35.2	66.1	30.6	65.9								
SW8270C	SW3510	WG	NDE236EB2	EB2															57.4	57	35.6	60.2	31	71.7								

Attachment C - Spiked Surrogate Recoveries

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL_PRO (METHOD/NONE) = C35-NONATRIA CONTANE	FL_PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3570/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW5560/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3510	WQ	NDE237AB1	AB1														66.2	59.7	35.6	64.7	32.7	76.5								
SW8270C	SW3550	SB	NDE044	N1																				72.1	72.5	61.5	75.5	66.6	77.4		
SW8270C	SW3550	SB	NDE046	N1																				91.2	91.3	75.2	92.3	81.4	95		
SW8270C	SW3550	SB	NDE048	N1																				79.3	75.8	64	78.4	69	79.3		
SW8270C	SW3550	SB	NDE050	N1																				72.1	78	68.7	80.2	70.6	80.7		
SW8270C	SW3550	SB	NDE052	N1																				77.7	75	69.6	78.1	69.2	78.4		
SW8270C	SW3550	SB	NDE122	N1																				82.6	77	70.7	76.2	69.5	81.4		
SW8270C	SW3550	SB	NDE124	N1																				81.4	81.4	71.3	84	70.3	83.7		
SW8270C	SW3550	SB	NDE126	N1																				70.2	64.4	57.2	67.2	60.2	75.6		
SW8270C	SW3550	SB	NDE129	N1																				76	69	59	71	64	80		
SW8270C	SW3550	SB	NDE054	N1																				90.5	87.3	75.4	92.1	78	92.4		
SW8270C	SW3550	SB	NDE056	N1																				87	87.6	75.4	90.7	79.8	90.1		
SW8270C	SW3550	SB	NDE058	N1																				87.4	80.6	70.6	80.6	74.1	83.9		
SW8270C	SW3550	SB	NDE060	N1																				92.1	85.2	77.1	76	79.9	88.3		
SW8270C	SW3550	SB	NDE063	N1																				90.4	83.2	76.4	81.1	73.2	81.3		
SW8270C	SW3550	SB	NDE065	N1																				92.7	88.7	80.1	87.1	77.9	85.2		
SW8270C	SW3550	SB	NDE067	N1																				57.9	57.6	50.5	55.5	50.4	59.7		
SW8270C	SW3550	SB	NDE069	N1																				83	78.4	73.9	79	73.1	82.5		
SW8270C	SW3550	SB	NDE071	N1																				75	72	67.2	74.6	64	75.1		
SW8270C	SW3550	SB	NDE073	N1																				80.6	76.1	67.6	72	67.2	75.1		
SW8270C	SW3550	SB	NDE076	N1																				85.3	82.7	75.8	81.6	75.9	84.7		
SW8270C	SW3550	SB	NDE078	N1																				74.2	72.3	66.8	74.7	65.4	73.9		
SW8270C	SW3550	SB	NDE092	N1																				54	58	57	57	59	59		
SW8270C	SW3550	SB	NDE094	N1																				78	69	69	66	71	68		
SW8270C	SW3550	SB	NDE096	N1																				63	58	51	54	53	66		
SW8270C	SW3550	SB	NDE098	N1																				66	66	59	60	60	75		
SW8270C	SW3550	SB	NDE080	N1																				74	75.6	63.9	71.8	69.1	79.3		
SW8270C	SW3550	SB	NDE082	N1																				72.6	79	66.2	75.9	71.8	83.8		
SW8270C	SW3550	SB	NDE085	N1																				68.6	77.1	59.9	72	65.7	83		
SW8270C	SW3550	SB	NDE087	N1																				84	82.9	75.4	83.7	78.5	91.6		
SW8270C	SW3550	SB	NDE087DL1	LR	DL																			81.5	82	82	85.1	82.7	85.1		
SW8270C	SW3550	SB	NDE089	N1																				74.3	78.5	68.1	75.8	70.4	80.7		
SW8270C	SW3550	SB	NDE189	N1																				96.8	80.2	74.4	95.2	76.5	88.1		
SW8270C	SW3550	SB	NDE191	N1																				92.2	76	64.1	96.2	67.7	82.1		
SW8270C	SW3550	SB	NDE193	N1																				89.3	78	68.5	95.5	71.2	87.1		
SW8270C	SW3550	SB	NDE195FD1	FD1																				100.3	87.8	75.1	106.5	79.5	91.4		
SW8270C	SW[illegible]	SB	NDE196	N1																				98.6	85.7	72.8	103.9	78.3	[illegible].7		
SW8270C	SW[illegible]	SB	NDE006	N1																				42.3	72	33.9	84.2	37	[illegible].8		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-NONATRIACONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SB	NDE008	N1																					42.7	76.5	35.8	87	39.9	90.5		
SW8270C	SW3550	SB	NDE010	N1																					40.3	73.3	32.1	86.8	36	88		
SW8270C	SW3550	SB	NDE012	N1																					41.4	77.8	32.4	85	38.2	91.6		
SW8270C	SW3550	SB	NDE014	N1																					41.1	76.9	34.2	83.1	40.5	86.4		
SW8270C	SW3550	SB	NDE019	N1																					40.4	71.2	32	87.1	35.9	92		
SW8270C	SW3550	SB	NDE016	N1																					39.3	71.3	33.6	76.7	37.1	77.6		
SW8270C	SW3550	SB	NDE018	N1																					40.4	72.9	34.6	74.4	38.5	76.4		
SW8270C	SW3550	SB	NDE020	N1																					39.3	69.2	31.5	74.4	35.8	78.1		
SW8270C	SW3550	SB	NDE025	N1																					44.6	77.8	37.4	84.4	40.3	82		
SW8270C	SW3550	SB	NDE027	N1																					43.4	77.1	33	76.2	37.9	80.9		
SW8270C	SW3550	SB	NDE029	N1																					45.3	76.4	35.3	79.7	41	86.2		
SW8270C	SW3550	SB	NDE031	N1																					44	80.6	34.2	80.9	39.3	81.1		
SW8270C	SW3550	SB	NDE203	N1																					40.6	68.4	32.7	72.3	34	76.2		
SW8270C	SW3550	SB	NDE204	N1																					38.5	63.5	31.1	70	34.2	76.8		
SW8270C	SW3550	SB	NDE022	N1																					35.8	71	29.1	74	34.6	79.3		
SW8270C	SW3550	SB	NDE033	N1																					42	79	37	87	43	88		
SW8270C	SW3550	SB	NDE035	N1																					35	68	29	71	35	85		
SW8270C	SW3550	SB	NDE036FD1	FD1																					34	63	28	65	32	67		
SW8270C	SW3550	SB	NDE038	N1																					42	72	32	77	37	80		
SW8270C	SW3550	SB	NDE038MS	MS																					37	66	29	70	32	71		
SW8270C	SW3550	SB	NDE038SD	SD																					36	66	30	72	32	76		
SW8270C	SW3550	SB	NDE039FD1	FD1																					41	75	34	83	43	99		
SW8270C	SW3550	SB	NDE103	N1																					85.1	76	78.3	79	79.1	80.5		
SW8270C	SW3550	SB	NDE105	N1																					72	69.9	62.9	75.7	67.5	77.8		
SW8270C	SW3550	SB	NDE107	N1																					70.6	71.7	59	73.6	65.6	74		
SW8270C	SW3550	SB	NDE109	N1																					66.3	71.8	56.9	73.4	62.3	76		
SW8270C	SW3550	SB	NDE111FD1	FD1																					79	81	65	83.3	71.5	87		
SW8270C	SW3550	SB	NDE112	N1																					75.7	74.3	64.7	75.6	69.6	79.5		
SW8270C	SW3550	SB	NDE112MS	MS																					78.4	72.9	64.9	73.7	69.1	78.5		
SW8270C	SW3550	SB	NDE112SD	SD																					77.2	74.9	68.3	75.8	71.5	80.1		
SW8270C	SW3550	SD	NDE114	N1																					49	81.7	41	90.2	42.3	81.4		
SW8270C	SW3550	SD	NDE115	N1																					45.6	75.9	38.5	90.9	43.3	95.4		
SW8270C	SW3550	SD	NDE116	N1																					36.8	60.2	30.4	75.3	36.6	71.9		
SW8270C	SW3550	SD	NDE117	N1																					49.1	82.6	39.8	100.7	46.5	97.8		
SW8270C	SW3550	SD	NDE118	N1																					44.6	73.2	35.6	84.3	41.6	85.3		
SW8270C	SW3550	SD	NDE118MS	MS																					40.8	67.8	33.2	76.9	38.6	78.6		
SW8270C	SW3550	SD	NDE118SD	SD																					49	83.2	37.2	91	42.7	92.9		
SW8270C	SW3550	SD	NDE119FD1	FD1																					48.3	80.4	39.5	101	46.4	92.5		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	EB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C39-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE/4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE)= 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE)= 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE)= 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW5610/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SOIL	1204BLKW1	LB																				78.4	73.9	72.3	79.9	71	81.8		
SW8270C	SW3550	SOIL	1204BLKW1MS	BS																				85.6	79	69.9	83.8	72.6	85.3		
SW8270C	SW3550	SOIL	1204BLKW1SD	BD																				85.3	76.6	75	82.6	74.4	84.7		
SW8270C	SW3550	SOIL	1204LCSW1	BS																				87.4	77.5	75.4	82.6	76.6	88		
SW8270C	SW3550	SOIL	1206BLKS2	LB																				99	94.9	88.5	102.7	87.4	102.7		
SW8270C	SW3550	SOIL	1206LCSS2	BS																				105.8	93.4	87.3	102.1	92.2	103.6		
SW8270C	SW3550	SOIL	1205BLKS1	LB																				81	71	62	74	69	84		
SW8270C	SW3550	SOIL	1205LCSS1	BS																				87	77	67	77	70	88		
SW8270C	SW3550	SOIL	1207BLKS1	LB																				104.5	99.4	95.1	105.1	93.6	104.5		
SW8270C	SW3550	SOIL	1207LCSS1	BS																				101.5	95.2	91.5	101.8	91.3	97		
SW8270C	SW3550	SOIL	1207BLKS1	LB																				87.1	82	75	80.8	73.6	85.6		
SW8270C	SW3550	SOIL	1207BLKS1MS	BS																				88.6	86.8	79	85.9	77.1	89.2		
SW8270C	SW3550	SOIL	1207BLKS1SD	BD																				89.7	87.1	78.1	85.9	76.5	89.5		
SW8270C	SW3550	SOIL	1207LCSS1	BS																				85.6	85.9	78.3	86.5	76.6	88		
SW8270C	SW3550	SOIL	1208BLKS2	LB																				58	65	65	62	66	69		
SW8270C	SW3550	SOIL	1208LCS2	BS																				61	70	68	67	66	65		
SW8270C	SW3550	SOIL	1209BLKS2	LB																				78.9	79.3	74.5	79.3	76.3	83.2		
SW8270C	SW3550	SOIL	1209LCSS2	BS																				82.2	80.5	73.5	80.8	73.3	83.5		
SW8270C	SW3550	SOIL	121000blks1	LB																				91.2	79.3	69.1	90.4	71.8	91		
SW8270C	SW3550	SOIL	121000lcss1	BS																				101.2	85.6	78	103	79.8	94.6		
SW8270C	SW3550	SOIL	1211BLKS3	LB																				38.2	70.6	31.3	78.7	36.1	84.1		
SW8270C	SW3550	SOIL	1211LCSS3	BS																				47.2	80.2	33.3	83.5	37.2	90.4		
SW8270C	SW3550	SOIL	1213BLKS1	LB																				42.9	67.3	19.3	71.8	14.7	95.5		
SW8270C	SW3550	SOIL	1213LCSS1	BS																				36.9	64.3	21.9	77.2	15.3	77.8		
SW8270C	SW3550	SOIL	1212blks2	LB																				48.7	84.1	45.9	89.8	48.3	91.9		
SW8270C	SW3550	SOIL	1212LCSS2	BS																				49.3	85.6	35.5	78.1	37.2	91.6		
SW8270C	SW3550	SOIL	1212blks2	LB																				49	84	46	90	48	92		
SW8270C	SW3550	SOIL	1212LCSS2	BS																				49	86	36	78	37	92		
SW8270C	SW3550	SOIL	1213BLKS1	LB																				42.9	67.3	19.3	71.8	14.7	95.5		
SW8270C	SW3550	SOIL	1213LCSS1	BS																				36.9	64.3	21.9	77.2	15.3	77.8		
SW8270C	SW3550	SOIL	1214BLKS1	LB																				91.4	75.6	62.5	84.8	74.3	91.4		
SW8270C	SW3550	SOIL	1214LCSS1	BS																				92.7	80.5	72.4	92.4	72.6	89.8		
SW8270C	SW3550	SOIL	1218BLKS1	LB																				43.2	78.7	38.4	88.6	42.3	81.1		
SW8270C	SW3550	SOIL	1218BLKS1MS	BS																				46.5	82.3	38.7	88.3	38.8	81.7		
SW8270C	SW3550	SOIL	1218BLKS1SD	BD																				46.3	86.5	39.6	89.2	40.6	81.7		
SW8270C	SW3550	SOIL	1218LCSS1	BS																				46.6	81.1	41.1	91.6	43.8	83.5		
SW8270C	SW3550	SOIL	1219BLKS1	LB																				45.9	79.2	35.6	89.4	43.6	91.4		
SW8270C	SW[illegible]	SOIL	1219LCSS1	BS																				46	81.2	37.8	97	43.1	[illegible].1		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	Lab Type	GLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SS	NDE133	N1																					111.7	104.8	94.4	111.4	99.7	115.1		
SW8270C	SW3550	SS	NDE134	N1																					91.9	85.8	78.7	92.8	82.3	93.5		
SW8270C	SW3550	SS	NDE135	N1																					82.3	77.1	72.6	85.1	77.3	83.5		
SW8270C	SW3550	SS	NDE136	N1																					94.5	88.2	83.9	93.8	83.2	96.7		
SW8270C	SW3550	SS	NDE137	N1																					91.9	87.4	80.1	90.1	82.3	91.9		
SW8270C	SW3550	SS	NDE138	N1																					71.1	68	62.1	72.4	63.7	71.4		
SW8270C	SW3550	SS	NDE139	N1																					104.4	95.6	85.1	97.6	89.5	106.6		
SW8270C	SW3550	SS	NDE140	N1																					100.4	93	84.7	97.4	87.4	102.4		
SW8270C	SW3550	SS	NDE141	N1																					99.3	93.9	85	96.8	88	100.7		
SW8270C	SW3550	SS	NDE142	N1																					103.8	96.4	85.3	98.2	89.2	105.6		
SW8270C	SW3550	SS	NDE143FD1	FD1																					96.2	88	76.4	91	81.4	98		
SW8270C	SW3550	SS	NDE144	N1																					102.1	93.3	88.7	97.6	90.7	103.5		
SW8270C	SW3550	SS	NDE145	N1																					85.6	72.8	70.5	71.6	73.9	86.3		
SW8270C	SW3550	SS	NDE146	N1																					96.3	92.6	79.7	96	85.5	99.3		
SW8270C	SW3550	SS	NDE147	N1																					93.4	92.4	83.5	95.7	87.2	99.6		
SW8270C	SW3550	SS	NDE148	N1																					86.9	82.7	72.6	89.2	81.1	99.8		
SW8270C	SW3550	SS	NDE149	N1																					83.8	80	65.7	84	76.5	98.5		
SW8270C	SW3550	SS	NDE150	N1																					86	80.9	70.3	82	76.2	90.4		
SW8270C	SW3550	SS	NDE150ms	MS																					101.3	94.5	87.5	96.4	89.4	98.5		
SW8270C	SW3550	SS	NDE150sd	SD																					99.2	93.8	86.9	98.9	88.5	100.2		
SW8270C	SW3550	SS	NDE043	N1																					94.8	84.9	76	82.7	75.8	86.8		
SW8270C	SW3550	SS	NDE045	N1																					94.4	88.8	75.8	89.4	78.9	86.4		
SW8270C	SW3550	SS	NDE047	N1																					98	89.2	87.2	94.2	88.6	88.7		
SW8270C	SW3550	SS	NDE049	N1																					72.2	69.7	59.9	71.2	62.2	71.5		
SW8270C	SW3550	SS	NDE051	N1																					78.5	79.3	70.8	74.4	69	76		
SW8270C	SW3550	SS	NDE121	N1																					74.5	68.9	60.1	71.4	63.1	75.9		
SW8270C	SW3550	SS	NDE123	N1																					62	67.6	55.1	66.2	58.1	64.9		
SW8270C	SW3550	SS	NDE125	N1																					75.3	74.2	63.2	79.6	64.7	79.4		
SW8270C	SW3550	SS	NDE127	N1																					71.2	74.7	60.6	76.3	65.5	81.3		
SW8270C	SW3550	SS	NDE127MS	MS																					75.8	78.2	67.5	74.6	68.9	77.3		
SW8270C	SW3550	SS	NDE127SD	SD																					79.2	78.4	68.8	77.3	70.4	81.7		
SW8270C	SW3550	SS	NDE128FD1	FD1																					77	70	55	70	64	79		
SW8270C	SW3550	SS	NDE151	N1																					79	69	52	69	63	78		
SW8270C	SW3550	SS	NDE152	N1																					73	70	49	68	60	76		
SW8270C	SW3550	SS	NDE153	N1																					74	69	47	71	57	77		
SW8270C	SW3550	SS	NDE153MS	MS																					75	73	48	75	61	78		
SW8270C	SW3550	SS	NDE153SD	SD																					78	69	46	73	59	75		
SW8270C	SW3550	SS	NDE154FD1	FD1																					69	67	47	70	59	69		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 4-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SS	NDE155	N1																				69	65	44	68	58	70		
SW8270C	SW3550	SS	NDE156	N1																				69	69	60	69	58	68		
SW8270C	SW3550	SS	NDE157	N1																				71	70	62	70	69	71		
SW8270C	SW3550	SS	NDE158	N1																				73	74	70	76	74	78		
SW8270C	SW3550	SS	NDE053	N1																				89.2	86	76.2	90.7	80.5	91.2		
SW8270C	SW3550	SS	NDE055	N1																				90.4	84.3	77.7	88	80.9	88		
SW8270C	SW3550	SS	NDE057	N1																				91.1	87.1	79.7	89.9	81.9	87.6		
SW8270C	SW3550	SS	NDE059	N1																				83.4	77.6	73.4	81.6	72.7	79		
SW8270C	SW3550	SS	NDE061	N1																				82.4	76.2	74.1	76.5	74.2	78.8		
SW8270C	SW3550	SS	NDE061MS	MS																				88.6	84.9	74.1	82.9	74.5	80.9		
SW8270C	SW3550	SS	NDE061SD	SD																				91.2	86	79.4	86.8	79.5	83.9		
SW8270C	SW3550	SS	NDE062FD1	FD1																				83	82.2	73.7	78.5	74.9	84		
SW8270C	SW3550	SS	NDE064DL1	LR	DL																			95.3	91.5	86.4	90.1	83.3	92.1		
SW8270C	SW3550	SS	NDE064	N1																				110.9	103.7	93.5	109.9	91.4	102.8		
SW8270C	SW3550	SS	NDE066	N1																				62.4	60.9	55.1	60.2	54.5	61.7		
SW8270C	SW3550	SS	NDE068	N1																				77.7	74.6	68.5	74.1	69.3	78.8		
SW8270C	SW3550	SS	NDE070	N1																				66	65	56.2	64.7	58.8	68.4		
SW8270C	SW3550	SS	NDE072	N1																				55.8	53.3	47.8	53.3	52.3	57.7		
SW8270C	SW3550	SS	NDE075	N1																				82.6	74.2	64.1	73.7	64.6	76		
SW8270C	SW3550	SS	NDE077	N1																				80.8	78.5	74.9	78.3	73.6	77.2		
SW8270C	SW3550	SS	NDE090	N1																				52	58	54	56	54	57		
SW8270C	SW3550	SS	NDE091FD1	FD1																				56	61	58	60	60	65		
SW8270C	SW3550	SS	NDE093	N1																				56	52	49	50	54	50		
SW8270C	SW3550	SS	NDE095	N1																				64	65	58	61	60	63		
SW8270C	SW3550	SS	NDE095MS	MS																				67	66	58	59	60	74		
SW8270C	SW3550	SS	NDE095SD	SD																				57	58	48	52	55	65		
SW8270C	SW3550	SS	NDE097	N1																				46	55	32	51	48	51		
SW8270C	SW3550	SS	NDE099FD1	FD1																				53	61	37	60	58	62		
SW8270C	SW3550	SS	NDE159	N1																				73	80	73	76	75	89		
SW8270C	SW3550	SS	NDE160	N1																				49	55	48	51	50	58		
SW8270C	SW3550	SS	NDE161	N1																				48	55	44	50	47	59		
SW8270C	SW3550	SS	NDE161DL1	LR	DL																			54	61	41	56	54	70		
SW8270C	SW3550	SS	NDE162	N1																				67	79	68	72	71	83		
SW8270C	SW3550	SS	NDE163	N1																				71	79	73	77	74	84		
SW8270C	SW3550	SS	NDE074FD1	FD1																				79.2	80.1	67.7	73.4	75.4	78.3		
SW8270C	SW3550	SS	NDE079	N1																				77.5	79.6	64.6	72.5	71.4	83.4		
SW8270C	SW3550	SS	NDE081	N1																				76.5	78.8	69.6	75.2	75	81		
SW8270C	SW3550	SS	NDE083	N1																				76.7	70.9	61	72.7	69.9	82.6		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LF Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-4-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = O-TERPHENYL	FL-PRO (METHOD/NONE) = C35-NONATRIA CONTANE	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SS	NDE084FD1	FD1																					80.3	77.2	66.1	75.9	71.3	83.4		
SW8270C	SW3550	SS	NDE086	N1																					81.4	84.8	73	80.9	78.2	93.6		
SW8270C	SW3550	SS	NDE088	N1																					84.2	82.4	73.5	80.4	76.3	87.6		
SW8270C	SW3550	SS	NDE164	N1																					80.2	80.5	69	75.9	74.7	85.9		
SW8270C	SW3550	SS	NDE165FD1	FD1																					79	80.3	72.3	75.9	76.6	84.1		
SW8270C	SW3550	SS	NDE166	N1																					74.3	77.5	70.5	74.4	64.4	82.8		
SW8270C	SW3550	SS	NDE167	N1																					74.2	85.5	73.8	77.6	76.7	84.3		
SW8270C	SW3550	SS	NDE168	N1																					72.1	79.1	72.8	78.9	74.1	79.4		
SW8270C	SW3550	SS	NDE169	N1																					73.2	79	69.9	73.3	72	78.8		
SW8270C	SW3550	SS	NDE169MS	MS																					79	81.1	76.5	79	78.2	83.8		
SW8270C	SW3550	SS	NDE169SD	SD																					75.6	81.8	72.8	78.5	74.3	78.1		
SW8270C	SW3550	SS	NDE188	N1																					85.9	83.6	63.7	96.1	70.4	90.2		
SW8270C	SW3550	SS	NDE190	N1																					77.4	84.4	63.7	97.8	69.8	88		
SW8270C	SW3550	SS	NDE192	N1																					90.3	86.7	70.5	100	75.3	93.1		
SW8270C	SW3550	SS	NDE194	N1																					80.1	84	62.5	100.2	70.1	88.8		
SW8270C	SW3550	SS	NDE194MS	MS																					99.6	83.4	74.4	105.8	77.9	91.4		
SW8270C	SW3550	SS	NDE194SD	SD																					98.9	84.9	73.2	105.3	76.4	90.7		
SW8270C	SW3550	SS	NDE004	N1																					40.7	76.6	31.3	88	36.9	84.5		
SW8270C	SW3550	SS	NDE005FD1	FD1																					39.3	73.7	30.7	80.7	35.7	83.9		
SW8270C	SW3550	SS	NDE007	N1																					39.6	75.2	30.7	80.4	39.1	89.5		
SW8270C	SW3550	SS	NDE009	N1																					42.3	75.2	34.1	85.3	37.8	91.7		
SW8270C	SW3550	SS	NDE011	N1																					40.6	79.4	29.6	86.7	37.3	89.2		
SW8270C	SW3550	SS	NDE013	N1																					41	77.9	33.9	84.7	40.3	89.7		
SW8270C	SW3550	SS	NDE015	N1																					44	78.1	34.5	89.7	40.1	92.1		
SW8270C	SW3550	SS	NDE017	N1																					40.2	76	33.1	86.9	39.4	89.3		
SW8270C	SW3550	SS	NDE021	N1																					39.9	74.4	32.2	84.7	38.2	97		
SW8270C	SW3550	SS	NDE023	N1																					44.2	80.7	34.9	86.3	40.6	94.4		
SW8270C	SW3550	SS	NDE023MS	MS																					46.6	90.7	38.3	96.3	42.1	93.2		
SW8270C	SW3550	SS	NDE023SD	SD																					47.9	83.9	38	89.3	41.7	87.9		
SW8270C	SW3550	SS	NDE024FD1	FD1																					68.8	61	56.4	65.2	60.9	85.6		
SW8270C	SW3550	SS	NDE026	N1																					76.3	66.2	62.8	70.8	67.5	71		
SW8270C	SW3550	SS	NDE028	N1																					63.4	56.6	51.7	59.8	54.5	80.3		
SW8270C	SW3550	SS	NDE030	N1																					85.8	73.9	65.8	80.9	69.1	75.6		
SW8270C	SW3550	SS	NDE032	N1																					77.6	72.5	61.9	71.7	70.1	74.3		
SW8270C	SW3550	SS	NDE034	N1																					81.4	70.4	65.6	72.4	69.3	70.1		
SW8270C	SW3550	SS	NDE034MS	MS																					85.2	75	71.1	77.1	73.5	74		
SW8270C	SW3550	SS	NDE034SD	SD																					85.5	75.2	68.7	73.8	72.7	75.2		
SW8270C	SW3550	SS	NDE037	N1																					75.5	70.3	64.9	68.3	68.3	69.1		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C34-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW846/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SS	NDE176	N1																				81	95.4	83.5	90.1	93.8	98		
SW8270C	SW3550	SS	NDE177	N1																				70.9	69.1	62	65.6	64.3	67.8		
SW8270C	SW3550	SS	NDE178	N1																				116.7	123.9	110.5	111.5	120.2	118.3		
SW8270C	SW3550	SS	NDE179	N1																				83.3	79.6	75.3	73.8	79.3	79.2		
SW8270C	SW3550	SS	NDE102	N1																				71.3	66.7	51.5	57	58.8	70.5		
SW8270C	SW3550	SS	NDE104	N1																				72.2	67.1	62.4	63.4	64.7	69		
SW8270C	SW3550	SS	NDE106	N1																				72	66.5	58.7	59.8	63.6	69.1		
SW8270C	SW3550	SS	NDE108	N1																				62.4	63.2	47.8	58	57.8	67.4		
SW8270C	SW3550	SS	NDE110	N1																				53.8	57.6	41.7	50.5	50.5	59.6		
SW8330	SW3510	SW	NDE171	N1																										91.5	
SW8330	SW3510	SW	NDE171MS	MS																										90.5	
SW8330	SW3510	SW	NDE171SD	SD																										80.5	
SW8330	SW3510	SW	NDE172FD1	FD1																										74.8	
SW8330	SW3510	SW	NDE173	N1																										91.8	
SW8330	SW3510	SW	NDE174	N1																										86	
SW8330	SW3510	SW	NDE175	N1																										102.3	
SW8330	SW3510	SW	NDE225	N1																										98.3	
SW8330	SW3510	WATER	121900blka	LB																										82.75	
SW8330	SW3510	WATER	121900blkams	BS																										86.3	
SW8330	SW3510	WATER	121900blkasd	BD																										82.5	
SW8330	SW3510	WATER	121900lcsa	BS																										86.3	
SW8330	SW3510	WATER	121900blka	LB																										82.5	
SW8330	SW3510	WATER	121900lcsa	BS																										86.3	
SW8330	SW3510	WATER	121900blka	LB																										83	
SW8330	SW3510	WATER	121900blkams	BS																										86	
SW8330	SW3510	WATER	121900blkasd	BD																										83	
SW8330	SW3510	WATER	121900lcsa	BS																										86	
SW8330	SW3510	WATER	122100blka	LB																										83	
SW8330	SW3510	WATER	122100blkams	BS																										79.5	
SW8330	SW3510	WATER	122100blkasd	BD																										82.3	
SW8330	SW3510	WATER	122100lcsa	BS																										93.5	
SW8330	SW3510	WATER	122600bka	LB																										101.8	
SW8330	SW3510	WATER	122600bkams	BS																										105.5	
SW8330	SW3510	WATER	122600bkasd	BD																										105	
SW8330	SW3510	WATER	122600lcsa	BS																										96	
SW8330	SW3510	WG	NDE228	N1																										86.8	
SW8330	SW[illegible]	WG	NDE229FD1	FD1																										92	
SW8330	S[illegible]	WG	NDE230	N1																										99.5	

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL_PRO (METHOD/NONE) = C39-NONATRIA CONTANE	FL_PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO/4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW8550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8330	SW3510	WG	NDE231	N1																										82	
SW8330	SW3510	WG	NDE232	N1																										90.3	
SW8330	SW3510	WQ	NDE101EB2	EB2																										91	
SW8330	SW3510	WQ	NDE113EB1	EB1																										96	
SW8330	SW3510	WQ	NDE170EB1	EB1																										92.5	
SW8330	SW3510	WQ	NDE237AB1	AB1																										102.8	
SW8330	SW3550	SB	NDE103	N1																											115.6
SW8330	SW3550	SB	NDE105	N1																											112.3
SW8330	SW3550	SB	NDE107	N1																											114.5
SW8330	SW3550	SB	NDE109	N1																											120.4
SW8330	SW3550	SB	NDE111FD1	FD1																											114
SW8330	SW3550	SB	NDE112	N1																											116.7
SW8330	SW3550	SB	NDE112MS	MS																											108
SW8330	SW3550	SB	NDE112SD	SD																											105.3
SW8330	SW3550	SD	NDE114	N1																											113.2
SW8330	SW3550	SD	NDE115	N1																											127
SW8330	SW3550	SD	NDE116	N1																											128
SW8330	SW3550	SD	NDE117	N1																											137
SW8330	SW3550	SD	NDE118	N1																											99
SW8330	SW3550	SD	NDE118MS	MS																											96
SW8330	SW3550	SD	NDE118SD	SD																											103
SW8330	SW3550	SD	NDE119FD1	FD1																											121
SW8330	SW3550	SOIL	121800blks	LB																											115.7
SW8330	SW3550	SOIL	121800blks	LB																											115.7
SW8330	SW3550	SOIL	122000blks	LB																											120
SW8330	SW3550	SOIL	122000kcss	BS																											100

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SB	SW8260B	SW5030	NDE038	1,1-DICHLOROETHENE	10	U	24	=	20	24	=	20	ug/Kg	113
SB	SW8260B	SW5030	NDE112	1,1-DICHLOROETHENE	11	U	21	=	20	23	=	20	ug/Kg	104.5
SD	SW8260B	SW5030	NDE118	1,1-DICHLOROETHENE	12	U	23	=	20	23	=	20	ug/Kg	114
SS	SW8260B	SW5030	NDE023	1,1-DICHLOROETHENE	10	U	18	=	20	20	=	20	ug/Kg	89.9
SS	SW8260B	SW5030	NDE061	1,1-DICHLOROETHENE	0.43	J	16	=	17	14	=	16	ug/Kg	91
SS	SW8260B	SW5030	NDE095	1,1-DICHLOROETHENE	10	U	14	=	20	13	=	18	ug/Kg	71.7
SS	SW8260B	SW5030	NDE127	1,1-DICHLOROETHENE	10	U	15	=	18	19	=	19	ug/Kg	86.4
SS	SW8260B	SW5030	NDE153	1,1-DICHLOROETHENE	10	U	17	=	18	18	=	17	ug/Kg	92.3
SS	SW8260B	SW5030	NDE169	1,1-DICHLOROETHENE	11	U	21	=	21	23	=	23	ug/Kg	101.9
SS	SW8260B	SW5030	NDE194	1,1-DICHLOROETHENE	10	U	15	=	19	19	=	24	ug/Kg	79.4
SW	SW8260B	SW5030	NDE171	1,1-DICHLOROETHENE	10	U	20	=	20	19	=	20	ug/L	98.5
WG	SW8260B	SW5030	NDE215	1,1-DICHLOROETHENE	1	U	4.8	=	5	4.3	=	5	ug/L	96
SB	SW8330	SW3550	NDE112	1,3,5-TRINITROBENZENE	285	U	11500	=	11300	11600	=	11300	ug/Kg	101.8
SD	SW8330	SW3550	NDE118	1,3,5-TRINITROBENZENE	337	U	13500	=	13800	14100	=	13800	ug/Kg	97.8
SW	SW8330	SW3510	NDE171	1,3,5-TRINITROBENZENE	5	U	36	=	40	32	=	40	ug/L	89.5
SB	SW8330	SW3550	NDE112	1,3-DINITROBENZENE	285	U	11600	=	11300	11900	=	11300	ug/Kg	102.7
SD	SW8330	SW3550	NDE118	1,3-DINITROBENZENE	337	U	13600	=	13800	14400	=	13800	ug/Kg	98.6
SW	SW8330	SW3510	NDE171	1,3-DINITROBENZENE	5	U	35	=	40	32	=	40	ug/L	87
SB	SW8330	SW3550	NDE112	2,4,6-TRINITROTOLUENE	285	U	11900	=	11300	11900	=	11300	ug/Kg	105.3
SD	SW8330	SW3550	NDE118	2,4,6-TRINITROTOLUENE	337	U	13600	=	13800	14300	=	13800	ug/Kg	98.6
SW	SW8330	SW3510	NDE171	2,4,6-TRINITROTOLUENE	5	U	38	=	40	32	=	40	ug/L	95
SB	SW8330	SW3550	NDE112	2,4-DINITROTOLUENE	285	U	11900	=	11300	11900	=	11300	ug/Kg	105.3
SB	SW8270C	SW3550	NDE038	2,4-DINITROTOLUENE	553	U	1750	=	2300	1860	=	2380	ug/Kg	76.1
SB	SW8270C	SW3550	NDE112	2,4-DINITROTOLUENE	513	U	1560	=	2160	1690	=	2070	ug/Kg	72.2
SD	SW8330	SW3550	NDE118	2,4-DINITROTOLUENE	337	U	13600	=	13800	14500	=	13800	ug/Kg	98.6
SD	SW8270C	SW3550	NDE118	2,4-DINITROTOLUENE	706	U	2300	=	2890	2870	=	2890	ug/Kg	79.6
SS	SW8270C	SW3550	NDE023	2,4-DINITROTOLUENE	517	U	2160	=	2060	1960	=	1820	ug/Kg	104.9
SS	SW8270C	SW3550	NDE034	2,4-DINITROTOLUENE	551	U	1450	=	2060	1120	=	1820	ug/Kg	70.4
SS	SW8270C	SW3550	NDE061	2,4-DINITROTOLUENE	344	U	1180	=	1410	1280	=	1540	ug/Kg	84.3
SS	SW8270C	SW3550	NDE095	2,4-DINITROTOLUENE	946	U	931	J	1880	706	J	1760	ug/Kg	49.5
SS	SW8270C	SW3550	NDE127	2,4-DINITROTOLUENE	427	U	1680	=	2130	1550	=	1920	ug/Kg	78.9
SS	SW8270C	SW3550	NDE150	2,4-DINITROTOLUENE	512	U	3040	=	3210	2360	=	2440	ug/Kg	94.7
SS	SW8270C	SW3550	NDE153	2,4-DINITROTOLUENE	420	U	1520	=	1820	1480	=	1780	ug/Kg	83.5
SS	SW8270C	SW3550	NDE169	2,4-DINITROTOLUENE	510	U	1590	=	1910	1520	=	1860	ug/Kg	83.2
SS	SW8270C	SW3550	NDE194	2,4-DINITROTOLUENE	455	U	2040	=	1810	2160	=	1800	ug/Kg	112.7
SW	SW8330	SW3510	NDE171	2,4-DINITROTOLUENE	5	U	36	=	40	32	=	40	ug/L	89.5
SW	SW8270C	SW3510	NDE171	2,4-DINITROTOLUENE	10	U	27	=	41	15	=	41	ug/L	65
WG	SW8270C	SW3510	NDE215	2,4-DINITROTOLUENE	5.2	U	32	=	43	43	=	43	ug/L	74.7
SB	SW8330	SW3550	NDE112	2,6-DINITROTOLUENE	285	U	11900	=	11300	12000	=	11300	ug/Kg	105.3
SD	SW8330	SW3550	NDE118	2,6-DINITROTOLUENE	337	U	13600	=	13800	14200	=	13800	ug/Kg	98.6
SW	SW8330	SW3510	NDE171	2,6-DINITROTOLUENE	5	U	34	=	40	31	=	40	ug/L	84.3
SB	SW8270C	SW3550	NDE038	2-CHLOROPHENOL	553	U	1610	=	2300	1660	=	2380	ug/Kg	70
SB	SW8270C	SW3550	NDE112	2-CHLOROPHENOL	513	U	1520	=	2160	1640	=	2070	ug/Kg	70.4
SD	SW8270C	SW3550	NDE118	2-CHLOROPHENOL	706	U	2340	=	2890	2660	=	2890	ug/Kg	81
SS	SW8270C	SW3550	NDE023	2-CHLOROPHENOL	517	U	1820	=	2060	1650	=	1820	ug/Kg	88.3
SS	SW8270C	SW3550	NDE034	2-CHLOROPHENOL	551	U	1740	=	2060	1540	=	1820	ug/Kg	84.5
SS	SW8270C	SW3550	NDE061	2-CHLOROPHENOL	344	U	1130	=	1410	1330	=	1540	ug/Kg	80.7
SS	SW8270C	SW3550	NDE095	2-CHLOROPHENOL	946	U	1200	=	1880	974	=	1760	ug/Kg	63.8
SS	SW8270C	SW3550	NDE127	2-CHLOROPHENOL	427	U	1650	=	2130	1490	=	1920	ug/Kg	77.5
SS	SW8270C	SW3550	NDE150	2-CHLOROPHENOL	512	U	2940	=	3210	2320	=	2440	ug/Kg	91.6
SS	SW8270C	SW3550	NDE153	2-CHLOROPHENOL	420	U	1290	=	1820	1220	=	1780	ug/Kg	70.9
SS	SW8270C	SW3550	NDE169	2-CHLOROPHENOL	510	U	1600	=	1910	1460	=	1860	ug/Kg	83.8

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-NONATRIACONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SB	NDE008	N1																					42.7	76.5	35.8	87	39.9	90.5		
SW8270C	SW3550	SB	NDE010	N1																					40.3	73.3	32.1	86.8	36	88		
SW8270C	SW3550	SB	NDE012	N1																					41.4	77.8	32.4	85	38.2	91.6		
SW8270C	SW3550	SB	NDE014	N1																					41.1	76.9	34.2	83.1	40.5	86.4		
SW8270C	SW3550	SB	NDE019	N1																					40.4	71.2	32	87.1	35.9	92		
SW8270C	SW3550	SB	NDE016	N1																					39.3	71.3	33.6	76.7	37.1	77.6		
SW8270C	SW3550	SB	NDE018	N1																					40.4	72.9	34.6	74.4	38.5	76.4		
SW8270C	SW3550	SB	NDE020	N1																					39.3	69.2	31.5	74.4	35.8	78.1		
SW8270C	SW3550	SB	NDE025	N1																					44.6	77.8	37.4	84.4	40.3	82		
SW8270C	SW3550	SB	NDE027	N1																					43.4	77.1	33	76.2	37.9	80.9		
SW8270C	SW3550	SB	NDE029	N1																					45.3	76.4	35.3	79.7	41	86.2		
SW8270C	SW3550	SB	NDE031	N1																					44	80.6	34.2	80.9	39.3	81.1		
SW8270C	SW3550	SB	NDE203	N1																					40.6	68.4	32.7	72.3	34	76.2		
SW8270C	SW3550	SB	NDE204	N1																					38.5	63.5	31.1	70	34.2	76.8		
SW8270C	SW3550	SB	NDE022	N1																					35.8	71	29.1	74	34.6	79.3		
SW8270C	SW3550	SB	NDE033	N1																					42	79	37	87	43	88		
SW8270C	SW3550	SB	NDE035	N1																					35	68	29	71	35	85		
SW8270C	SW3550	SB	NDE036FD1	FD1																					34	63	28	65	32	67		
SW8270C	SW3550	SB	NDE038	N1																					42	72	32	77	37	80		
SW8270C	SW3550	SB	NDE038MS	MS																					37	66	29	70	32	71		
SW8270C	SW3550	SB	NDE038SD	SD																					36	66	30	72	32	76		
SW8270C	SW3550	SB	NDE039FD1	FD1																					41	75	34	83	43	99		
SW8270C	SW3550	SB	NDE103	N1																					85.1	76	78.3	79	79.1	80.5		
SW8270C	SW3550	SB	NDE105	N1																					72	69.9	62.9	75.7	67.5	77.8		
SW8270C	SW3550	SB	NDE107	N1																					70.6	71.7	59	73.6	65.6	74		
SW8270C	SW3550	SB	NDE109	N1																					66.3	71.8	56.9	73.4	62.3	76		
SW8270C	SW3550	SB	NDE111FD1	FD1																					79	81	65	83.3	71.5	87		
SW8270C	SW3550	SB	NDE112	N1																					75.7	74.3	64.7	75.6	69.6	79.5		
SW8270C	SW3550	SB	NDE112MS	MS																					78.4	72.9	64.9	73.7	69.1	78.5		
SW8270C	SW3550	SB	NDE112SD	SD																					77.2	74.9	68.3	75.8	71.5	80.1		
SW8270C	SW3550	SD	NDE114	N1																					49	81.7	41	90.2	42.3	81.4		
SW8270C	SW3550	SD	NDE115	N1																					45.6	75.9	38.5	90.9	43.3	95.4		
SW8270C	SW3550	SD	NDE116	N1																					36.8	60.2	30.4	75.3	36.6	71.9		
SW8270C	SW3550	SD	NDE117	N1																					49.1	82.6	39.8	100.7	46.5	97.8		
SW8270C	SW3550	SD	NDE118	N1																					44.6	73.2	35.6	84.3	41.6	85.3		
SW8270C	SW3550	SD	NDE118MS	MS																					40.8	67.8	33.2	76.9	38.6	78.6		
SW8270C	SW3550	SD	NDE118SD	SD																					49	83.2	37.2	91	42.7	92.9		
SW8270C	SW3550	SD	NDE119FD1	FD1																					48.3	80.4	39.5	101	46.4	92.5		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	EB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C39-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE/4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE)= 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE)= 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE)= 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW5610/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SOIL	1204BLKW1	LB																				78.4	73.9	72.3	79.9	71	81.8		
SW8270C	SW3550	SOIL	1204BLKW1MS	BS																				85.6	79	69.9	83.8	72.6	85.3		
SW8270C	SW3550	SOIL	1204BLKW1SD	BD																				85.3	76.6	75	82.6	74.4	84.7		
SW8270C	SW3550	SOIL	1204LCSW1	BS																				87.4	77.5	75.4	82.6	76.6	88		
SW8270C	SW3550	SOIL	1206BLKS2	LB																				99	94.9	88.5	102.7	87.4	102.7		
SW8270C	SW3550	SOIL	1206LCSS2	BS																				105.8	93.4	87.3	102.1	92.2	103.6		
SW8270C	SW3550	SOIL	1205BLKS1	LB																				81	71	62	74	69	84		
SW8270C	SW3550	SOIL	1205LCSS1	BS																				87	77	67	77	70	88		
SW8270C	SW3550	SOIL	1207BLKS1	LB																				104.5	99.4	95.1	105.1	93.6	104.5		
SW8270C	SW3550	SOIL	1207LCSS1	BS																				101.5	95.2	91.5	101.8	91.3	97		
SW8270C	SW3550	SOIL	1207BLKS1	LB																				87.1	82	75	80.8	73.6	85.6		
SW8270C	SW3550	SOIL	1207BLKS1MS	BS																				88.6	86.8	79	85.9	77.1	89.2		
SW8270C	SW3550	SOIL	1207BLKS1SD	BD																				89.7	87.1	78.1	85.9	76.5	89.5		
SW8270C	SW3550	SOIL	1207LCSS1	BS																				85.6	85.9	78.3	86.5	76.6	88		
SW8270C	SW3550	SOIL	1208BLKS2	LB																				58	65	65	62	66	69		
SW8270C	SW3550	SOIL	1208LCS2	BS																				61	70	68	67	66	65		
SW8270C	SW3550	SOIL	1209BLKS2	LB																				78.9	79.3	74.5	79.3	76.3	83.2		
SW8270C	SW3550	SOIL	1209LCSS2	BS																				82.2	80.5	73.5	80.8	73.3	83.5		
SW8270C	SW3550	SOIL	121000blks1	LB																				91.2	79.3	69.1	90.4	71.8	91		
SW8270C	SW3550	SOIL	121000lcss1	BS																				101.2	85.6	78	103	79.8	94.6		
SW8270C	SW3550	SOIL	1211BLKS3	LB																				38.2	70.6	31.3	78.7	36.1	84.1		
SW8270C	SW3550	SOIL	1211LCSS3	BS																				47.2	80.2	33.3	83.5	37.2	90.4		
SW8270C	SW3550	SOIL	1213BLKS1	LB																				42.9	67.3	19.3	71.8	14.7	95.5		
SW8270C	SW3550	SOIL	1213LCSS1	BS																				36.9	64.3	21.9	77.2	15.3	77.8		
SW8270C	SW3550	SOIL	1212blks2	LB																				48.7	84.1	45.9	89.8	48.3	91.9		
SW8270C	SW3550	SOIL	1212LCSS2	BS																				49.3	85.6	35.5	78.1	37.2	91.6		
SW8270C	SW3550	SOIL	1212blks2	LB																				49	84	46	90	48	92		
SW8270C	SW3550	SOIL	1212LCSS2	BS																				49	86	36	78	37	92		
SW8270C	SW3550	SOIL	1213BLKS1	LB																				42.9	67.3	19.3	71.8	14.7	95.5		
SW8270C	SW3550	SOIL	1213LCSS1	BS																				36.9	64.3	21.9	77.2	15.3	77.8		
SW8270C	SW3550	SOIL	1214BLKS1	LB																				91.4	75.6	62.5	84.8	74.3	91.4		
SW8270C	SW3550	SOIL	1214LCSS1	BS																				92.7	80.5	72.4	92.4	72.6	89.8		
SW8270C	SW3550	SOIL	1218BLKS1	LB																				43.2	78.7	38.4	88.6	42.3	81.1		
SW8270C	SW3550	SOIL	1218BLKS1MS	BS																				46.5	82.3	38.7	88.3	38.8	81.7		
SW8270C	SW3550	SOIL	1218BLKS1SD	BD																				46.3	86.5	39.6	89.2	40.6	81.7		
SW8270C	SW3550	SOIL	1218LCSS1	BS																				46.6	81.1	41.1	91.6	43.8	83.5		
SW8270C	SW3550	SOIL	1219BLKS1	LB																				45.9	79.2	35.6	89.4	43.6	91.4		
SW8270C	SW[illegible]	SOIL	1219LCSS1	BS																				46	81.2	37.8	97	43.1	[illegible].1		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	Lab Type	GLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SS	NDE133	N1																					111.7	104.8	94.4	111.4	99.7	115.1		
SW8270C	SW3550	SS	NDE134	N1																					91.9	85.8	78.7	92.8	82.3	93.5		
SW8270C	SW3550	SS	NDE135	N1																					82.3	77.1	72.6	85.1	77.3	83.5		
SW8270C	SW3550	SS	NDE136	N1																					94.5	88.2	83.9	93.8	83.2	96.7		
SW8270C	SW3550	SS	NDE137	N1																					91.9	87.4	80.1	90.1	82.3	91.9		
SW8270C	SW3550	SS	NDE138	N1																					71.1	68	62.1	72.4	63.7	71.4		
SW8270C	SW3550	SS	NDE139	N1																					104.4	95.6	85.1	97.6	89.5	106.6		
SW8270C	SW3550	SS	NDE140	N1																					100.4	93	84.7	97.4	87.4	102.4		
SW8270C	SW3550	SS	NDE141	N1																					99.3	93.9	85	96.8	88	100.7		
SW8270C	SW3550	SS	NDE142	N1																					103.8	96.4	85.3	98.2	89.2	105.6		
SW8270C	SW3550	SS	NDE143FD1	FD1																					96.2	88	76.4	91	81.4	98		
SW8270C	SW3550	SS	NDE144	N1																					102.1	93.3	88.7	97.6	90.7	103.5		
SW8270C	SW3550	SS	NDE145	N1																					85.6	72.8	70.5	71.6	73.9	86.3		
SW8270C	SW3550	SS	NDE146	N1																					96.3	92.6	79.7	96	85.5	99.3		
SW8270C	SW3550	SS	NDE147	N1																					93.4	92.4	83.5	95.7	87.2	99.6		
SW8270C	SW3550	SS	NDE148	N1																					86.9	82.7	72.6	89.2	81.1	99.8		
SW8270C	SW3550	SS	NDE149	N1																					83.8	80	65.7	84	76.5	98.5		
SW8270C	SW3550	SS	NDE150	N1																					86	80.9	70.3	82	76.2	90.4		
SW8270C	SW3550	SS	NDE150ms	MS																					101.3	94.5	87.5	96.4	89.4	98.5		
SW8270C	SW3550	SS	NDE150sd	SD																					99.2	93.8	86.9	98.9	88.5	100.2		
SW8270C	SW3550	SS	NDE043	N1																					94.8	84.9	76	82.7	75.8	86.8		
SW8270C	SW3550	SS	NDE045	N1																					94.4	88.8	75.8	89.4	78.9	86.4		
SW8270C	SW3550	SS	NDE047	N1																					98	89.2	87.2	94.2	88.6	88.7		
SW8270C	SW3550	SS	NDE049	N1																					72.2	69.7	59.9	71.2	62.2	71.5		
SW8270C	SW3550	SS	NDE051	N1																					78.5	79.3	70.8	74.4	69	76		
SW8270C	SW3550	SS	NDE121	N1																					74.5	68.9	60.1	71.4	63.1	75.9		
SW8270C	SW3550	SS	NDE123	N1																					62	67.6	55.1	66.2	58.1	64.9		
SW8270C	SW3550	SS	NDE125	N1																					75.3	74.2	63.2	79.6	64.7	79.4		
SW8270C	SW3550	SS	NDE127	N1																					71.2	74.7	60.6	76.3	65.5	81.3		
SW8270C	SW3550	SS	NDE127MS	MS																					75.8	78.2	67.5	74.6	68.9	77.3		
SW8270C	SW3550	SS	NDE127SD	SD																					79.2	78.4	68.8	77.3	70.4	81.7		
SW8270C	SW3550	SS	NDE128FD1	FD1																					77	70	55	70	64	79		
SW8270C	SW3550	SS	NDE151	N1																					79	69	52	69	63	78		
SW8270C	SW3550	SS	NDE152	N1																					73	70	49	68	60	76		
SW8270C	SW3550	SS	NDE153	N1																					74	69	47	71	57	77		
SW8270C	SW3550	SS	NDE153MS	MS																					75	73	48	75	61	78		
SW8270C	SW3550	SS	NDE153SD	SD																					78	69	46	73	59	75		
SW8270C	SW3550	SS	NDE154FD1	FD1																					69	67	47	70	59	69		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C36-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = O-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 4-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SS	NDE155	N1																				69	65	44	68	58	70		
SW8270C	SW3550	SS	NDE156	N1																				69	69	60	69	58	68		
SW8270C	SW3550	SS	NDE157	N1																				71	70	62	70	69	71		
SW8270C	SW3550	SS	NDE158	N1																				73	74	70	76	74	78		
SW8270C	SW3550	SS	NDE053	N1																				89.2	86	76.2	90.7	80.5	91.2		
SW8270C	SW3550	SS	NDE055	N1																				90.4	84.3	77.7	88	80.9	88		
SW8270C	SW3550	SS	NDE057	N1																				91.1	87.1	79.7	89.9	81.9	87.6		
SW8270C	SW3550	SS	NDE059	N1																				83.4	77.6	73.4	81.6	72.7	79		
SW8270C	SW3550	SS	NDE061	N1																				82.4	76.2	74.1	76.5	74.2	78.8		
SW8270C	SW3550	SS	NDE061MS	MS																				88.6	84.9	74.1	82.9	74.5	80.9		
SW8270C	SW3550	SS	NDE061SD	SD																				91.2	86	79.4	86.8	79.5	83.9		
SW8270C	SW3550	SS	NDE062FD1	FD1																				83	82.2	73.7	78.5	74.9	84		
SW8270C	SW3550	SS	NDE064DL1	LR	DL																			95.3	91.5	86.4	90.1	83.3	92.1		
SW8270C	SW3550	SS	NDE064	N1																				110.9	103.7	93.5	109.9	91.4	102.8		
SW8270C	SW3550	SS	NDE066	N1																				62.4	60.9	55.1	60.2	54.5	61.7		
SW8270C	SW3550	SS	NDE068	N1																				77.7	74.6	68.5	74.1	69.3	78.8		
SW8270C	SW3550	SS	NDE070	N1																				66	65	56.2	64.7	58.8	68.4		
SW8270C	SW3550	SS	NDE072	N1																				55.8	53.3	47.8	53.3	52.3	57.7		
SW8270C	SW3550	SS	NDE075	N1																				82.6	74.2	64.1	73.7	64.6	76		
SW8270C	SW3550	SS	NDE077	N1																				80.8	78.5	74.9	78.3	73.6	77.2		
SW8270C	SW3550	SS	NDE090	N1																				52	58	54	56	54	57		
SW8270C	SW3550	SS	NDE091FD1	FD1																				56	61	58	60	60	65		
SW8270C	SW3550	SS	NDE093	N1																				56	52	49	50	54	50		
SW8270C	SW3550	SS	NDE095	N1																				64	65	58	61	60	63		
SW8270C	SW3550	SS	NDE095MS	MS																				67	66	58	59	60	74		
SW8270C	SW3550	SS	NDE095SD	SD																				57	58	48	52	55	65		
SW8270C	SW3550	SS	NDE097	N1																				46	55	32	51	48	51		
SW8270C	SW3550	SS	NDE099FD1	FD1																				53	61	37	60	58	62		
SW8270C	SW3550	SS	NDE159	N1																				73	80	73	76	75	89		
SW8270C	SW3550	SS	NDE160	N1																				49	55	48	51	50	58		
SW8270C	SW3550	SS	NDE161	N1																				48	55	44	50	47	59		
SW8270C	SW3550	SS	NDE161DL1	LR	DL																			54	61	41	56	54	70		
SW8270C	SW3550	SS	NDE162	N1																				67	79	68	72	71	83		
SW8270C	SW3550	SS	NDE163	N1																				71	79	73	77	74	84		
SW8270C	SW3550	SS	NDE074FD1	FD1																				79.2	80.1	67.7	73.4	75.4	78.3		
SW8270C	SW3550	SS	NDE079	N1																				77.5	79.6	64.6	72.5	71.4	83.4		
SW8270C	SW3550	SS	NDE081	N1																				76.5	78.8	69.6	75.2	75	81		
SW8270C	SW3550	SS	NDE083	N1																				76.7	70.9	61	72.7	69.9	82.6		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LF Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-4-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = O-TERPHENYL	FL-PRO (METHOD/NONE) = C35-NONATRIA CONTANE	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D6	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D6	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SS	NDE084FD1	FD1																					80.3	77.2	66.1	75.9	71.3	83.4		
SW8270C	SW3550	SS	NDE086	N1																					81.4	84.8	73	80.9	78.2	93.6		
SW8270C	SW3550	SS	NDE088	N1																					84.2	82.4	73.5	80.4	76.3	87.6		
SW8270C	SW3550	SS	NDE164	N1																					80.2	80.5	69	75.9	74.7	85.9		
SW8270C	SW3550	SS	NDE165FD1	FD1																					79	80.3	72.3	75.9	76.6	84.1		
SW8270C	SW3550	SS	NDE166	N1																					74.3	77.5	70.5	74.4	64.4	82.8		
SW8270C	SW3550	SS	NDE167	N1																					74.2	85.5	73.8	77.6	76.7	84.3		
SW8270C	SW3550	SS	NDE168	N1																					72.1	79.1	72.8	78.9	74.1	79.4		
SW8270C	SW3550	SS	NDE169	N1																					73.2	79	69.9	73.3	72	78.8		
SW8270C	SW3550	SS	NDE169MS	MS																					79	81.1	76.5	79	78.2	83.8		
SW8270C	SW3550	SS	NDE169SD	SD																					75.6	81.8	72.8	78.5	74.3	78.1		
SW8270C	SW3550	SS	NDE188	N1																					85.9	83.6	63.7	96.1	70.4	90.2		
SW8270C	SW3550	SS	NDE190	N1																					77.4	84.4	63.7	97.8	69.8	88		
SW8270C	SW3550	SS	NDE192	N1																					90.3	86.7	70.5	100	75.3	93.1		
SW8270C	SW3550	SS	NDE194	N1																					80.1	84	62.5	100.2	70.1	88.8		
SW8270C	SW3550	SS	NDE194MS	MS																					99.6	83.4	74.4	105.8	77.9	91.4		
SW8270C	SW3550	SS	NDE194SD	SD																					98.9	84.9	73.2	105.3	76.4	90.7		
SW8270C	SW3550	SS	NDE004	N1																					40.7	76.6	31.3	88	36.9	84.5		
SW8270C	SW3550	SS	NDE005FD1	FD1																					39.3	73.7	30.7	80.7	35.7	83.9		
SW8270C	SW3550	SS	NDE007	N1																					39.6	75.2	30.7	80.4	39.1	89.5		
SW8270C	SW3550	SS	NDE009	N1																					42.3	75.2	34.1	85.3	37.8	91.7		
SW8270C	SW3550	SS	NDE011	N1																					40.6	79.4	29.6	86.7	37.3	89.2		
SW8270C	SW3550	SS	NDE013	N1																					41	77.9	33.9	84.7	40.3	89.7		
SW8270C	SW3550	SS	NDE015	N1																					44	78.1	34.5	89.7	40.1	92.1		
SW8270C	SW3550	SS	NDE017	N1																					40.2	76	33.1	86.9	39.4	89.3		
SW8270C	SW3550	SS	NDE021	N1																					39.9	74.4	32.2	84.7	38.2	97		
SW8270C	SW3550	SS	NDE023	N1																					44.2	80.7	34.9	86.3	40.6	94.4		
SW8270C	SW3550	SS	NDE023MS	MS																					46.6	90.7	38.3	96.3	42.1	93.2		
SW8270C	SW3550	SS	NDE023SD	SD																					47.9	83.9	38	89.3	41.7	87.9		
SW8270C	SW3550	SS	NDE024FD1	FD1																					68.8	61	56.4	65.2	60.9	85.6		
SW8270C	SW3550	SS	NDE026	N1																					76.3	66.2	62.8	70.8	67.5	71		
SW8270C	SW3550	SS	NDE028	N1																					63.4	56.6	51.7	59.8	54.5	80.3		
SW8270C	SW3550	SS	NDE030	N1																					85.8	73.9	65.8	80.9	69.1	75.6		
SW8270C	SW3550	SS	NDE032	N1																					77.6	72.5	61.9	71.7	70.1	74.3		
SW8270C	SW3550	SS	NDE034	N1																					81.4	70.4	65.6	72.4	69.3	70.1		
SW8270C	SW3550	SS	NDE034MS	MS																					85.2	75	71.1	77.1	73.5	74		
SW8270C	SW3550	SS	NDE034SD	SD																					85.5	75.2	68.7	73.8	72.7	75.2		
SW8270C	SW3550	SS	NDE037	N1																					75.5	70.3	64.9	68.3	68.3	69.1		

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LB Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL-PRO (METHOD/NONE) = C34-NONATRIA CONTANE	FL-PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO-4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW3550/NONE) = TERPHENYL-D14	SW8330 (SW846/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8270C	SW3550	SS	NDE176	N1																				81	95.4	83.5	90.1	93.8	98		
SW8270C	SW3550	SS	NDE177	N1																				70.9	69.1	62	65.6	64.3	67.8		
SW8270C	SW3550	SS	NDE178	N1																				116.7	123.9	110.5	111.5	120.2	118.3		
SW8270C	SW3550	SS	NDE179	N1																				83.3	79.6	75.3	73.8	79.3	79.2		
SW8270C	SW3550	SS	NDE102	N1																				71.3	66.7	51.5	57	58.8	70.5		
SW8270C	SW3550	SS	NDE104	N1																				72.2	67.1	62.4	63.4	64.7	69		
SW8270C	SW3550	SS	NDE106	N1																				72	66.5	58.7	59.8	63.6	69.1		
SW8270C	SW3550	SS	NDE108	N1																				62.4	63.2	47.8	58	57.8	67.4		
SW8270C	SW3550	SS	NDE110	N1																				53.8	57.6	41.7	50.5	50.5	59.6		
SW8330	SW3510	SW	NDE171	N1																										91.5	
SW8330	SW3510	SW	NDE171MS	MS																										90.5	
SW8330	SW3510	SW	NDE171SD	SD																										80.5	
SW8330	SW3510	SW	NDE172FD1	FD1																										74.8	
SW8330	SW3510	SW	NDE173	N1																										91.8	
SW8330	SW3510	SW	NDE174	N1																										86	
SW8330	SW3510	SW	NDE175	N1																										102.3	
SW8330	SW3510	SW	NDE225	N1																										98.3	
SW8330	SW3510	WATER	121900blka	LB																										82.75	
SW8330	SW3510	WATER	121900blkams	BS																										86.3	
SW8330	SW3510	WATER	121900blkasd	BD																										82.5	
SW8330	SW3510	WATER	121900lcsa	BS																										86.3	
SW8330	SW3510	WATER	121900blka	LB																										82.5	
SW8330	SW3510	WATER	121900lcsa	BS																										86.3	
SW8330	SW3510	WATER	121900blka	LB																										83	
SW8330	SW3510	WATER	121900blkams	BS																										86	
SW8330	SW3510	WATER	121900blkasd	BD																										83	
SW8330	SW3510	WATER	121900lcsa	BS																										86	
SW8330	SW3510	WATER	122100blka	LB																										83	
SW8330	SW3510	WATER	122100blkams	BS																										79.5	
SW8330	SW3510	WATER	122100blkasd	BD																										82.3	
SW8330	SW3510	WATER	122100lcsa	BS																										93.5	
SW8330	SW3510	WATER	122600bka	LB																										101.8	
SW8330	SW3510	WATER	122600bkams	BS																										105.5	
SW8330	SW3510	WATER	122600bkasd	BD																										105	
SW8330	SW3510	WATER	122600lcsa	BS																										96	
SW8330	SW3510	WG	NDE228	N1																										86.8	
SW8330	SW[illegible]	WG	NDE229FD1	FD1																										92	
SW8330	S[illegible]	WG	NDE230	N1																										99.5	

Analytical Method	Preparation Method	Matrix	Sample ID	Sample Type	LR Type	CLP_PEST (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3510/NONE) = DECACHLOROBIPHENYL	CLP_PEST (SW3550/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST (SW3550/NONE) = DECACHLOROBIPHENYL	CLP_PEST_L (SW3510/NONE) = 2,4,5,6-TETRACHLORO-META-XYLENE	CLP_PEST_L (SW3510/NONE) = DECACHLOROBIPHENYL	FL_PRO (METHOD/NONE) = C39-NONATRIA CONTANE	FL_PRO (METHOD/NONE) = o-TERPHENYL	SW8260B (SW5030/NONE) = 1,2-DICHLOROETHANE-D4	SW8260B (SW5030/NONE) = 1-BROMO/4-FLUOROBENZENE (4-BROMOFLUOROBE	SW8260B (SW5030/NONE) = DIBROMOFLUOROMETHANE	SW8260B (SW5030/NONE) = TOLUENE-D8	SW8270C (SW3510/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3510/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3510/NONE) = 2-FLUOROPHENOL	SW8270C (SW3510/NONE) = NITROBENZENE-D5	SW8270C (SW3510/NONE) = PHENOL-D5	SW8270C (SW3510/NONE) = TERPHENYL-D14	SW8270C (SW3550/NONE) = 2,4,6-TRIBROMOPHENOL	SW8270C (SW3550/NONE) = 2-FLUOROBIPHENYL	SW8270C (SW3550/NONE) = 2-FLUOROPHENOL	SW8270C (SW3550/NONE) = NITROBENZENE-D5	SW8270C (SW3550/NONE) = PHENOL-D5	SW8270C (SW8550/NONE) = TERPHENYL-D14	SW8330 (SW3510/NONE) = 3,4-DINITROTOLUENE	SW8330 (SW3550/NONE) = 3,4-DINITROTOLUENE
SW8330	SW3510	WG	NDE231	N1																										82	
SW8330	SW3510	WG	NDE232	N1																										90.3	
SW8330	SW3510	WQ	NDE101EB2	EB2																										91	
SW8330	SW3510	WQ	NDE113EB1	EB1																										96	
SW8330	SW3510	WQ	NDE170EB1	EB1																										92.5	
SW8330	SW3510	WQ	NDE237AB1	AB1																										102.8	
SW8330	SW3550	SB	NDE103	N1																											115.6
SW8330	SW3550	SB	NDE105	N1																											112.3
SW8330	SW3550	SB	NDE107	N1																											114.5
SW8330	SW3550	SB	NDE109	N1																											120.4
SW8330	SW3550	SB	NDE111FD1	FD1																											114
SW8330	SW3550	SB	NDE112	N1																											116.7
SW8330	SW3550	SB	NDE112MS	MS																											108
SW8330	SW3550	SB	NDE112SD	SD																											105.3
SW8330	SW3550	SD	NDE114	N1																											113.2
SW8330	SW3550	SD	NDE115	N1																											127
SW8330	SW3550	SD	NDE116	N1																											128
SW8330	SW3550	SD	NDE117	N1																											137
SW8330	SW3550	SD	NDE118	N1																											99
SW8330	SW3550	SD	NDE118MS	MS																											96
SW8330	SW3550	SD	NDE118SD	SD																											103
SW8330	SW3550	SD	NDE119FD1	FD1																											121
SW8330	SW3550	SOIL	121800blks	LB																											115.7
SW8330	SW3550	SOIL	121800blks	LB																											115.7
SW8330	SW3550	SOIL	122000blks	LB																											120
SW8330	SW3550	SOIL	122000kcss	BS																											100

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SB	SW8260B	SW5030	NDE038	1,1-DICHLOROETHENE	10	U	24	=	20	24	=	20	ug/Kg	113
SB	SW8260B	SW5030	NDE112	1,1-DICHLOROETHENE	11	U	21	=	20	23	=	20	ug/Kg	104.5
SD	SW8260B	SW5030	NDE118	1,1-DICHLOROETHENE	12	U	23	=	20	23	=	20	ug/Kg	114
SS	SW8260B	SW5030	NDE023	1,1-DICHLOROETHENE	10	U	18	=	20	20	=	20	ug/Kg	89.9
SS	SW8260B	SW5030	NDE061	1,1-DICHLOROETHENE	0.43	J	16	=	17	14	=	16	ug/Kg	91
SS	SW8260B	SW5030	NDE095	1,1-DICHLOROETHENE	10	U	14	=	20	13	=	18	ug/Kg	71.7
SS	SW8260B	SW5030	NDE127	1,1-DICHLOROETHENE	10	U	15	=	18	19	=	19	ug/Kg	86.4
SS	SW8260B	SW5030	NDE153	1,1-DICHLOROETHENE	10	U	17	=	18	18	=	17	ug/Kg	92.3
SS	SW8260B	SW5030	NDE169	1,1-DICHLOROETHENE	11	U	21	=	21	23	=	23	ug/Kg	101.9
SS	SW8260B	SW5030	NDE194	1,1-DICHLOROETHENE	10	U	15	=	19	19	=	24	ug/Kg	79.4
SW	SW8260B	SW5030	NDE171	1,1-DICHLOROETHENE	10	U	20	=	20	19	=	20	ug/L	98.5
WG	SW8260B	SW5030	NDE215	1,1-DICHLOROETHENE	1	U	4.8	=	5	4.3	=	5	ug/L	96
SB	SW8330	SW3550	NDE112	1,3,5-TRINITROBENZENE	285	U	11500	=	11300	11600	=	11300	ug/Kg	101.8
SD	SW8330	SW3550	NDE118	1,3,5-TRINITROBENZENE	337	U	13500	=	13800	14100	=	13800	ug/Kg	97.8
SW	SW8330	SW3510	NDE171	1,3,5-TRINITROBENZENE	5	U	36	=	40	32	=	40	ug/L	89.5
SB	SW8330	SW3550	NDE112	1,3-DINITROBENZENE	285	U	11600	=	11300	11900	=	11300	ug/Kg	102.7
SD	SW8330	SW3550	NDE118	1,3-DINITROBENZENE	337	U	13600	=	13800	14400	=	13800	ug/Kg	98.6
SW	SW8330	SW3510	NDE171	1,3-DINITROBENZENE	5	U	35	=	40	32	=	40	ug/L	87
SB	SW8330	SW3550	NDE112	2,4,6-TRINITROTOLUENE	285	U	11900	=	11300	11900	=	11300	ug/Kg	105.3
SD	SW8330	SW3550	NDE118	2,4,6-TRINITROTOLUENE	337	U	13600	=	13800	14300	=	13800	ug/Kg	98.6
SW	SW8330	SW3510	NDE171	2,4,6-TRINITROTOLUENE	5	U	38	=	40	32	=	40	ug/L	95
SB	SW8330	SW3550	NDE112	2,4-DINITROTOLUENE	285	U	11900	=	11300	11900	=	11300	ug/Kg	105.3
SB	SW8270C	SW3550	NDE038	2,4-DINITROTOLUENE	553	U	1750	=	2300	1860	=	2380	ug/Kg	76.1
SB	SW8270C	SW3550	NDE112	2,4-DINITROTOLUENE	513	U	1560	=	2160	1690	=	2070	ug/Kg	72.2
SD	SW8330	SW3550	NDE118	2,4-DINITROTOLUENE	337	U	13600	=	13800	14500	=	13800	ug/Kg	98.6
SD	SW8270C	SW3550	NDE118	2,4-DINITROTOLUENE	706	U	2300	=	2890	2870	=	2890	ug/Kg	79.6
SS	SW8270C	SW3550	NDE023	2,4-DINITROTOLUENE	517	U	2160	=	2060	1960	=	1820	ug/Kg	104.9
SS	SW8270C	SW3550	NDE034	2,4-DINITROTOLUENE	551	U	1450	=	2060	1120	=	1820	ug/Kg	70.4
SS	SW8270C	SW3550	NDE061	2,4-DINITROTOLUENE	344	U	1180	=	1410	1280	=	1540	ug/Kg	84.3
SS	SW8270C	SW3550	NDE095	2,4-DINITROTOLUENE	946	U	931	J	1880	706	J	1760	ug/Kg	49.5
SS	SW8270C	SW3550	NDE127	2,4-DINITROTOLUENE	427	U	1680	=	2130	1550	=	1920	ug/Kg	78.9
SS	SW8270C	SW3550	NDE150	2,4-DINITROTOLUENE	512	U	3040	=	3210	2360	=	2440	ug/Kg	94.7
SS	SW8270C	SW3550	NDE153	2,4-DINITROTOLUENE	420	U	1520	=	1820	1480	=	1780	ug/Kg	83.5
SS	SW8270C	SW3550	NDE169	2,4-DINITROTOLUENE	510	U	1590	=	1910	1520	=	1860	ug/Kg	83.2
SS	SW8270C	SW3550	NDE194	2,4-DINITROTOLUENE	455	U	2040	=	1810	2160	=	1800	ug/Kg	112.7
SW	SW8330	SW3510	NDE171	2,4-DINITROTOLUENE	5	U	36	=	40	32	=	40	ug/L	89.5
SW	SW8270C	SW3510	NDE171	2,4-DINITROTOLUENE	10	U	27	=	41	15	=	41	ug/L	65
WG	SW8270C	SW3510	NDE215	2,4-DINITROTOLUENE	5.2	U	32	=	43	43	=	43	ug/L	74.7
SB	SW8330	SW3550	NDE112	2,6-DINITROTOLUENE	285	U	11900	=	11300	12000	=	11300	ug/Kg	105.3
SD	SW8330	SW3550	NDE118	2,6-DINITROTOLUENE	337	U	13600	=	13800	14200	=	13800	ug/Kg	98.6
SW	SW8330	SW3510	NDE171	2,6-DINITROTOLUENE	5	U	34	=	40	31	=	40	ug/L	84.3
SB	SW8270C	SW3550	NDE038	2-CHLOROPHENOL	553	U	1610	=	2300	1660	=	2380	ug/Kg	70
SB	SW8270C	SW3550	NDE112	2-CHLOROPHENOL	513	U	1520	=	2160	1640	=	2070	ug/Kg	70.4
SD	SW8270C	SW3550	NDE118	2-CHLOROPHENOL	706	U	2340	=	2890	2660	=	2890	ug/Kg	81
SS	SW8270C	SW3550	NDE023	2-CHLOROPHENOL	517	U	1820	=	2060	1650	=	1820	ug/Kg	88.3
SS	SW8270C	SW3550	NDE034	2-CHLOROPHENOL	551	U	1740	=	2060	1540	=	1820	ug/Kg	84.5
SS	SW8270C	SW3550	NDE061	2-CHLOROPHENOL	344	U	1130	=	1410	1330	=	1540	ug/Kg	80.7
SS	SW8270C	SW3550	NDE095	2-CHLOROPHENOL	946	U	1200	=	1880	974	=	1760	ug/Kg	63.8
SS	SW8270C	SW3550	NDE127	2-CHLOROPHENOL	427	U	1650	=	2130	1490	=	1920	ug/Kg	77.5
SS	SW8270C	SW3550	NDE150	2-CHLOROPHENOL	512	U	2940	=	3210	2320	=	2440	ug/Kg	91.6
SS	SW8270C	SW3550	NDE153	2-CHLOROPHENOL	420	U	1290	=	1820	1220	=	1780	ug/Kg	70.9
SS	SW8270C	SW3550	NDE169	2-CHLOROPHENOL	510	U	1600	=	1910	1460	=	1860	ug/Kg	83.8

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SS	SW8270C	SW3550	NDE194	2-CHLOROPHENOL	455	U	1610	=	1810	1630	=	1800	ug/Kg	89
SW	SW8270C	SW3510	NDE171	2-CHLOROPHENOL	10	U	15	=	41	6.9	J	41	ug/L	35.9
WG	SW8270C	SW3510	NDE215	2-CHLOROPHENOL	5.2	U	32	=	43	40	=	43	ug/L	75.3
SB	SW8330	SW3550	NDE112	2-NITROTOLUENE	285	U	11600	=	11300	12000	=	11300	ug/Kg	102.7
SD	SW8330	SW3550	NDE118	2-NITROTOLUENE	337	U	14000	=	13800	14200	=	13800	ug/Kg	101.4
SW	SW8330	SW3510	NDE171	2-NITROTOLUENE	5	U	23	=	40	25	=	40	ug/L	57.3
SB	SW8330	SW3550	NDE112	3-NITROTOLUENE	285	U	11200	=	11300	11200	=	11300	ug/Kg	99.1
SD	SW8330	SW3550	NDE118	3-NITROTOLUENE	337	U	13600	=	13800	15100	=	13800	ug/Kg	98.6
SW	SW8330	SW3510	NDE171	3-NITROTOLUENE	5	U	23	=	40	25	=	40	ug/L	57.8
SB	SW8270C	SW3550	NDE038	4-CHLORO-3-METHYLPHENOL	553	U	1850	=	2300	1900	=	2380	ug/Kg	80.4
SB	SW8270C	SW3550	NDE112	4-CHLORO-3-METHYLPHENOL	513	U	1670	=	2160	1720	=	2070	ug/Kg	77.3
SD	SW8270C	SW3550	NDE118	4-CHLORO-3-METHYLPHENOL	706	U	2590	=	2890	3040	=	2890	ug/Kg	89.6
SS	SW8270C	SW3550	NDE023	4-CHLORO-3-METHYLPHENOL	517	U	2010	=	2060	1970	=	1820	ug/Kg	97.6
SS	SW8270C	SW3550	NDE034	4-CHLORO-3-METHYLPHENOL	551	U	1830	=	2060	1600	=	1820	ug/Kg	88.8
SS	SW8270C	SW3550	NDE061	4-CHLORO-3-METHYLPHENOL	344	U	1210	=	1410	1360	=	1540	ug/Kg	86.4
SS	SW8270C	SW3550	NDE095	4-CHLORO-3-METHYLPHENOL	946	U	936	J	1880	748	J	1760	ug/Kg	49.8
SS	SW8270C	SW3550	NDE127	4-CHLORO-3-METHYLPHENOL	427	U	1590	=	2130	1420	=	1920	ug/Kg	74.6
SS	SW8270C	SW3550	NDE150	4-CHLORO-3-METHYLPHENOL	512	U	3210	=	3210	2510	=	2440	ug/Kg	100
SS	SW8270C	SW3550	NDE153	4-CHLORO-3-METHYLPHENOL	420	U	1420	=	1820	1340	=	1780	ug/Kg	78
SS	SW8270C	SW3550	NDE169	4-CHLORO-3-METHYLPHENOL	510	U	1530	=	1910	1460	=	1860	ug/Kg	80.1
SS	SW8270C	SW3550	NDE194	4-CHLORO-3-METHYLPHENOL	455	U	1770	=	1810	1790	=	1800	ug/Kg	97.8
SW	SW8270C	SW3510	NDE171	4-CHLORO-3-METHYLPHENOL	10	U	9.3	J	41	3.8	J	41	ug/L	22.6
WG	SW8270C	SW3510	NDE215	4-CHLORO-3-METHYLPHENOL	5.2	U	33	=	43	43	=	43	ug/L	75.8
SB	SW8270C	SW3550	NDE038	4-NITROPHENOL	1660	U	1810	=	2300	1970	=	2380	ug/Kg	78.7
SB	SW8270C	SW3550	NDE112	4-NITROPHENOL	1540	U	1790	=	2160	1900	=	2070	ug/Kg	82.9
SD	SW8270C	SW3550	NDE118	4-NITROPHENOL	2120	U	2510	=	2890	3000	=	2890	ug/Kg	86.9
SS	SW8270C	SW3550	NDE023	4-NITROPHENOL	1550	U	2000	=	2060	1780	=	1820	ug/Kg	97.1
SS	SW8270C	SW3550	NDE034	4-NITROPHENOL	1650	U	1910	=	2060	1670	=	1820	ug/Kg	92.7
SS	SW8270C	SW3550	NDE061	4-NITROPHENOL	1030	U	1260	=	1410	1340	=	1540	ug/Kg	90
SS	SW8270C	SW3550	NDE095	4-NITROPHENOL	2840	U	729	J	1880	556	J	1760	ug/Kg	38.8
SS	SW8270C	SW3550	NDE127	4-NITROPHENOL	1280	U	1670	=	2130	1590	=	1920	ug/Kg	78.4
SS	SW8270C	SW3550	NDE150	4-NITROPHENOL	1540	U	3150	=	3210	2430	=	2440	ug/Kg	98.1
SS	SW8270C	SW3550	NDE153	4-NITROPHENOL	1260	U	1370	=	1820	1280	J	1780	ug/Kg	75.3
SS	SW8270C	SW3550	NDE169	4-NITROPHENOL	1530	U	1260	J	1910	1200	J	1860	ug/Kg	66
SS	SW8270C	SW3550	NDE194	4-NITROPHENOL	1370	U	1920	=	1810	1980	=	1800	ug/Kg	106.1
SW	SW8270C	SW3510	NDE171	4-NITROPHENOL	52	U	23	J	41	12	J	41	ug/L	56.6
WG	SW8270C	SW3510	NDE215	4-NITROPHENOL	21	U	16	J	43	24	=	43	ug/L	36
SB	SW8330	SW3550	NDE112	4-NITROTOLUENE	285	U	11300	=	11300	11700	=	11300	ug/Kg	100
SD	SW8330	SW3550	NDE118	4-NITROTOLUENE	337	U	13300	=	13800	14100	=	13800	ug/Kg	96.4
SW	SW8330	SW3510	NDE171	4-NITROTOLUENE	5	U	24	=	40	25	=	40	ug/L	60.5
SB	SW8270C	SW3550	NDE038	ACENAPHTHENE	553	U	1780	=	2300	1940	=	2380	ug/Kg	77.4
SB	SW8270C	SW3550	NDE112	ACENAPHTHENE	513	U	1680	=	2160	1770	=	2070	ug/Kg	77.8
SD	SW8270C	SW3550	NDE118	ACENAPHTHENE	706	U	2290	=	2890	2860	=	2890	ug/Kg	79.2
SS	SW8270C	SW3550	NDE023	ACENAPHTHENE	517	U	2110	=	2060	1800	=	1820	ug/Kg	102.4
SS	SW8270C	SW3550	NDE034	ACENAPHTHENE	551	U	1800	=	2060	1600	=	1820	ug/Kg	87.4
SS	SW8270C	SW3550	NDE061	ACENAPHTHENE	344	U	1290	=	1410	1410	=	1540	ug/Kg	92.1
SS	SW8270C	SW3550	NDE095	ACENAPHTHENE	946	U	1210	=	1880	929	=	1760	ug/Kg	64.4
SS	SW8270C	SW3550	NDE127	ACENAPHTHENE	427	U	1800	=	2130	1620	=	1920	ug/Kg	84.5
SS	SW8270C	SW3550	NDE150	ACENAPHTHENE	512	U	3250	=	3210	2550	=	2440	ug/Kg	101.2
SS	SW8270C	SW3550	NDE153	ACENAPHTHENE	420	U	1530	=	1820	1440	=	1780	ug/Kg	84.1
SS	SW8270C	SW3550	NDE169	ACENAPHTHENE	510	U	1690	=	1910	1610	=	1860	ug/Kg	88.5
SS	SW8270C	SW3550	NDE194	ACENAPHTHENE	455	U	1740	=	1810	1790	=	1800	ug/Kg	96.1

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SW	SW8270C	SW3510	NDE171	ACENAPHTHENE	10	U	17	=	41	8.9	J	41	ug/L	40.3
WG	SW8270C	SW3510	NDE215	ACENAPHTHENE	5.2	U	31	=	43	40	=	43	ug/L	70.9
SB	CLP_PEST	SW3550	NDE038	ALDRIN	1.9	U	16	=	17	17	=	18	ug/Kg	91.2
SB	CLP_PEST	SW3550	NDE112	ALDRIN	1.7	U	12	=	15	12	=	15	ug/Kg	78.7
SD	CLP_PEST	SW3550	NDE118	ALDRIN	2.4	U	13	=	21	15	=	21	ug/Kg	62
SS	CLP_PEST	SW3550	NDE023	ALDRIN	1.8	U	15	=	16	16	=	16	ug/Kg	96.3
SS	CLP_PEST	SW3550	NDE061	ALDRIN	1.8	U	11	=	16	11	=	16	ug/Kg	70
SS	CLP_PEST	SW3550	NDE068	ALDRIN	1.9	U	15	=	17	16	=	17	ug/Kg	90.5
SS	CLP_PEST	SW3550	NDE095	ALDRIN	1.7	U	8.7	=	15	9.2	=	15	ug/Kg	57.2
SS	CLP_PEST	SW3550	NDE127	ALDRIN	1.9	U	18	=	17	16	=	17	ug/Kg	106.5
SS	CLP_PEST	SW3550	NDE153	ALDRIN	1.9	U	12	=	17	13	=	17	ug/Kg	69.2
SS	CLP_PEST	SW3550	NDE169	ALDRIN	2	U	14	=	17	14	=	16	ug/Kg	81.2
SS	CLP_PEST	SW3550	NDE194	ALDRIN	2.2	U	15	=	19	15	=	19	ug/Kg	76
SW	CLP_PEST	SW3510	NDE171	ALDRIN	0.053	U	0.25	=	0.52	0.26	=	0.53	ug/L	48.1
WG	CLP_PEST_L	SW3510	NDE215	ALDRIN	0.011	U	0.3	=	0.56	0.32	=	0.52	ug/L	53.6
SW	E200.7	SW3050	NDE171	ALUMINUM	300	=	2580	=	2000				ug/L	114
WG	E200.7	SW3050	NDE215	ALUMINUM	3800	=	6200	=	2000				ug/L	120
WG	E200.7	SW3050	NDE219	ALUMINUM	910	=	2990	=	2000				ug/L	104
WG	E200.7	FLDFLT	NDE215	ALUMINUM, DISSOLVED	95	U	2920	=	2000				ug/L	146
WG	E200.7	FLDFLT	NDE219	ALUMINUM, DISSOLVED	95	U	2090	=	2000				ug/L	104.5
SB	E200.7	SW3050	NDE016	ANTIMONY	0.38	B	65	=	100				mg/Kg	64.6
SB	E200.7	SW3050	NDE038	ANTIMONY	0.44	B	44	=	112				mg/Kg	38.8
SB	E200.7	SW3050	NDE112	ANTIMONY	0.27	U	56	=	114.03				mg/Kg	49.1
SB	E200.7	SW3050	NDE112	ANTIMONY	0.27	U	56	=	114				mg/Kg	49.1
SD	E200.7	SW3050	NDE118	ANTIMONY	0.33	U	111	=	138				mg/Kg	80.4
SS	E200.7	SW3050	NDE023	ANTIMONY	0.47	B	48	=	108				mg/Kg	44
SS	E200.7	SW3050	NDE024FD1	ANTIMONY	0.27	U	49	=	114				mg/Kg	42.8
SS	E200.7	SW3050	NDE066	ANTIMONY	1.5	J	61.181	=	105.49				mg/Kg	56.6
SS	E200.7	SW3050	NDE102	ANTIMONY	0.4	B	46	=	102				mg/Kg	44.7
SS	E200.7	SW3050	NDE133	ANTIMONY	0.83	J	27	=	100				mg/Kg	26
SS	E200.7	SW3050	NDE145	ANTIMONY	2.1	J	47	=	100				mg/Kg	45
SS	E200.7	SW3050	NDE153	ANTIMONY	0.82	J	37	=	100				mg/Kg	35
SS	E200.7	SW3050	NDE169	ANTIMONY	0.67	B	62	=	164				mg/Kg	37
SS	E200.7	SW3050	NDE194	ANTIMONY	0.73	B	61	=	128				mg/Kg	48
SW	E200.7	SW3050	NDE171	ANTIMONY	2.4	U	558	=	500				ug/L	111.6
WG	E200.7	SW3050	NDE215	ANTIMONY	2.4	U	516	=	500				ug/L	103.2
WG	E200.7	SW3050	NDE219	ANTIMONY	2.4	U	495	=	500				ug/L	99
WG	E200.7	FLDFLT	NDE215	ANTIMONY, DISSOLVED	2.4	U	515	=	500				ug/L	103
WG	E200.7	FLDFLT	NDE219	ANTIMONY, DISSOLVED	2.4	U	516	=	500				ug/L	103.2
SB	E200.7	SW3050	NDE016	ARSENIC	0.31	U	350	=	400				mg/Kg	87.5
SB	E200.7	SW3050	NDE038	ARSENIC	0.88	B	396	=	450				mg/Kg	87.8
SB	E200.7	SW3050	NDE112	ARSENIC	0.33	U	413	=	456				mg/Kg	90.6
SB	E200.7	SW3050	NDE112	ARSENIC	0.33	U	413	=	456.1				mg/Kg	90.6
SD	E200.7	SW3050	NDE118	ARSENIC	0.4	U	494	=	553				mg/Kg	89.3
SS	E200.7	SW3050	NDE023	ARSENIC	67	=	432	=	432				mg/Kg	84
SS	E200.7	SW3050	NDE024FD1	ARSENIC	43	=	450	=	458				mg/Kg	88.9
SS	E200.7	SW3050	NDE066	ARSENIC	1.3	J	379.747	=	421.94				mg/Kg	89.7
SS	E200.7	SW3050	NDE102	ARSENIC	0.3	U	358	=	408				mg/Kg	87.8
SS	E200.7	SW3050	NDE133	ARSENIC	0.64	J	350	=	400				mg/Kg	87
SS	E200.7	SW3050	NDE145	ARSENIC	1.8	J	350	=	400				mg/Kg	88
SS	E200.7	SW3050	NDE153	ARSENIC	0.81	J	360	=	400				mg/Kg	90
SS	E200.7	SW3050	NDE169	ARSENIC	0.74	B	573	=	655				mg/Kg	87

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SS	E200.7	SW3050	NDE194	ARSENIC	1.1	B	457	=	512				mg/Kg	89
SW	E200.7	SW3050	NDE171	ARSENIC	2.9	U	2250	=	2000				ug/L	112.5
WG	E200.7	SW3050	NDE215	ARSENIC	2.9	U	2120	=	2000				ug/L	106
WG	E200.7	SW3050	NDE219	ARSENIC	2.9	U	1970	=	2000				ug/L	98.5
WG	E200.7	FLDFLT	NDE215	ARSENIC, DISSOLVED	2.9	U	2050	=	2000				ug/L	102.5
WG	E200.7	FLDFLT	NDE219	ARSENIC, DISSOLVED	2.9	U	2020	=	2000				ug/L	101
SB	E200.7	SW3050	NDE016	BARIUM	20	B	390	=	400				mg/Kg	92.5
SB	E200.7	SW3050	NDE038	BARIUM	81	=	497	=	450				mg/Kg	92.5
SB	E200.7	SW3050	NDE112	BARIUM	110	=	472	=	456.1				mg/Kg	79.4
SB	E200.7	SW3050	NDE112	BARIUM	110	=	472	=	346				mg/Kg	79.4
SD	E200.7	SW3050	NDE118	BARIUM	7.2	J	539	=	553				mg/Kg	96.2
SS	E200.7	SW3050	NDE023	BARIUM	290	=	864	=	432				mg/Kg	133
SS	E200.7	SW3050	NDE024FD1	BARIUM	63	=	481	=	458				mg/Kg	91.2
SS	E200.7	SW3050	NDE066	BARIUM	39	J	421.941	=	421.94				mg/Kg	90.8
SS	E200.7	SW3050	NDE102	BARIUM	67	=	493	=	408				mg/Kg	104.6
SS	E200.7	SW3050	NDE133	BARIUM	69	=	430	=	400				mg/Kg	92
SS	E200.7	SW3050	NDE145	BARIUM	51	=	410	=	400				mg/Kg	90
SS	E200.7	SW3050	NDE153	BARIUM	54	=	420	=	400				mg/Kg	92
SS	E200.7	SW3050	NDE169	BARIUM	52	=	687	=	655				mg/Kg	97
SS	E200.7	SW3050	NDE194	BARIUM	54	=	550	=	512				mg/Kg	97
SW	E200.7	SW3050	NDE171	BARIUM	300	=	2100	=	2000				ug/L	90
WG	E200.7	SW3050	NDE215	BARIUM	300	=	2090	=	2000				ug/L	89.5
WG	E200.7	SW3050	NDE219	BARIUM	94	B	2050	=	2000				ug/L	97.8
WG	E200.7	FLDFLT	NDE215	BARIUM, DISSOLVED	190	B	2020	=	2000				ug/L	91.5
WG	E200.7	FLDFLT	NDE219	BARIUM, DISSOLVED	92	B	2120	=	2000				ug/L	101.4
SB	SW8260B	SW5030	NDE038	BENZENE	10	U	20	=	20	21	=	20	ug/Kg	95.5
SB	SW8260B	SW5030	NDE112	BENZENE	11	U	19	=	20	21	=	20	ug/Kg	93.5
SD	SW8260B	SW5030	NDE118	BENZENE	12	U	23	=	20	24	=	20	ug/Kg	113.5
SS	SW8260B	SW5030	NDE023	BENZENE	10	U	18	=	20	21	=	20	ug/Kg	88.9
SS	SW8260B	SW5030	NDE061	BENZENE	10	U	16	=	17	14	=	16	ug/Kg	95.3
SS	SW8260B	SW5030	NDE095	BENZENE	0.27	J	17	=	20	15	=	18	ug/Kg	83
SS	SW8260B	SW5030	NDE127	BENZENE	10	U	17	=	18	19	=	19	ug/Kg	93.2
SS	SW8260B	SW5030	NDE153	BENZENE	10	U	18	=	18	16	=	17	ug/Kg	98.4
SS	SW8260B	SW5030	NDE169	BENZENE	11	U	19	=	21	21	=	23	ug/Kg	93.3
SS	SW8260B	SW5030	NDE194	BENZENE	10	U	19	=	19	22	=	24	ug/Kg	96.4
SW	SW8260B	SW5030	NDE171	BENZENE	10	U	20	=	20	19	=	20	ug/L	100
WG	SW8260B	SW5030	NDE215	BENZENE	1	U	4.6	=	5	4.6	=	5	ug/L	92
SB	E200.7	SW3050	NDE016	BERYLLIUM	0.035	U	9.9	=	10				mg/Kg	99
SB	E200.7	SW3050	NDE038	BERYLLIUM	0.26	B	11	=	11				mg/Kg	94.3
SB	E200.7	SW3050	NDE112	BERYLLIUM	0.038	U	11	=	11.4				mg/Kg	96.5
SB	E200.7	SW3050	NDE112	BERYLLIUM	0.038	U	11	=	11				mg/Kg	100
SD	E200.7	SW3050	NDE118	BERYLLIUM	0.046	U	13	=	14				mg/Kg	92.9
SS	E200.7	SW3050	NDE023	BERYLLIUM	0.26	B	10	=	11				mg/Kg	88.5
SS	E200.7	SW3050	NDE024FD1	BERYLLIUM	0.17	B	11	=	11				mg/Kg	93.7
SS	E200.7	SW3050	NDE066	BERYLLIUM	0.18	J	9.81	=	10.55				mg/Kg	91.3
SS	E200.7	SW3050	NDE102	BERYLLIUM	0.14	B	9.8	=	10				mg/Kg	94.8
SS	E200.7	SW3050	NDE133	BERYLLIUM	0.25	J	9.4	=	10				mg/Kg	91
SS	E200.7	SW3050	NDE145	BERYLLIUM	0.23	J	9.2	=	10				mg/Kg	90
SS	E200.7	SW3050	NDE153	BERYLLIUM	0.17	J	9.6	=	10				mg/Kg	94
SS	E200.7	SW3050	NDE169	BERYLLIUM	0.17	B	15	=	17				mg/Kg	87
SS	E200.7	SW3050	NDE194	BERYLLIUM	0.042	U	12	=	13				mg/Kg	94
SW	E200.7	SW3050	NDE171	BERYLLIUM	0.33	U	48	=	50				ug/L	96

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
WG	E200.7	SW3050	NDE215	BERYLLIUM	0.33	U	50	=	50				ug/L	100
WG	E200.7	SW3050	NDE219	BERYLLIUM	0.33	U	47	=	50				ug/L	94
WG	E200.7	FLDFLT	NDE215	BERYLLIUM, DISSOLVED	0.33	U	48	=	50				ug/L	96
WG	E200.7	FLDFLT	NDE219	BERYLLIUM, DISSOLVED	0.33	U	49	=	50				ug/L	98
SB	E200.7	SW3050	NDE016	CADMIUM	0.028	U	9.3	=	10				mg/Kg	93
SB	E200.7	SW3050	NDE038	CADMIUM	0.03	U	10	=	11				mg/Kg	91.7
SB	E200.7	SW3050	NDE112	CADMIUM	0.031	U	11	=	11.4				mg/Kg	96.5
SB	E200.7	SW3050	NDE112	CADMIUM	0.031	U	11	=	11				mg/Kg	100
SD	E200.7	SW3050	NDE118	CADMIUM	0.037	U	13	=	14				mg/Kg	92.9
SS	E200.7	SW3050	NDE023	CADMIUM	0.029	U	10	=	11				mg/Kg	90.9
SS	E200.7	SW3050	NDE024FD1	CADMIUM	0.031	U	11	=	11				mg/Kg	94.4
SS	E200.7	SW3050	NDE066	CADMIUM	0.029	U	9.177	=	10.55				mg/Kg	86.7
SS	E200.7	SW3050	NDE102	CADMIUM	0.028	U	9.6	=	10				mg/Kg	93.8
SS	E200.7	SW3050	NDE133	CADMIUM	0.03	U	8.7	=	10				mg/Kg	91
SS	E200.7	SW3050	NDE145	CADMIUM	0.029	U	8.9	=	10				mg/Kg	88
SS	E200.7	SW3050	NDE153	CADMIUM	0.03	U	9.2	=	10				mg/Kg	94
SS	E200.7	SW3050	NDE169	CADMIUM	0.032	U	15	=	17				mg/Kg	88
SS	E200.7	SW3050	NDE194	CADMIUM	0.035	U	12	=	13				mg/Kg	95
SW	E200.7	SW3050	NDE171	CADMIUM	0.27	U	50	=	50				ug/L	100
WG	E200.7	SW3050	NDE215	CADMIUM	0.27	U	51	=	50				ug/L	102
WG	E200.7	SW3050	NDE219	CADMIUM	0.27	U	48	=	50				ug/L	96
WG	E200.7	FLDFLT	NDE215	CADMIUM, DISSOLVED	0.27	U	49	=	50				ug/L	98
WG	E200.7	FLDFLT	NDE219	CADMIUM, DISSOLVED	0.27	U	49	=	50				ug/L	98
SB	SW8260B	SW5030	NDE038	CHLOROBENZENE	10	U	18	=	20	17	=	20	ug/Kg	88
SB	SW8260B	SW5030	NDE112	CHLOROBENZENE	11	U	15	=	20	18	=	20	ug/Kg	73
SD	SW8260B	SW5030	NDE118	CHLOROBENZENE	12	U	20	=	20	20	=	20	ug/Kg	101
SS	SW8260B	SW5030	NDE023	CHLOROBENZENE	10	U	15	=	20	18	=	20	ug/Kg	75.4
SS	SW8260B	SW5030	NDE061	CHLOROBENZENE	10	U	15	=	17	12	=	16	ug/Kg	89.9
SS	SW8260B	SW5030	NDE095	CHLOROBENZENE	10	U	15	=	20	12	=	18	ug/Kg	75.8
SS	SW8260B	SW5030	NDE127	CHLOROBENZENE	10	U	16	=	18	19	=	19	ug/Kg	91.5
SS	SW8260B	SW5030	NDE153	CHLOROBENZENE	10	U	18	=	18	16	=	17	ug/Kg	100.5
SS	SW8260B	SW5030	NDE169	CHLOROBENZENE	11	U	21	=	21	22	=	23	ug/Kg	98.6
SS	SW8260B	SW5030	NDE194	CHLOROBENZENE	10	U	19	=	19	22	=	24	ug/Kg	95.4
SW	SW8260B	SW5030	NDE171	CHLOROBENZENE	10	U	20	=	20	19	=	20	ug/L	99
WG	SW8260B	SW5030	NDE215	CHLOROBENZENE	1	U	4.6	=	5	4.6	=	5	ug/L	92
WG	E200.7	FLDFLT	NDE215	CHROMIUM, DISSOLVED	0.87	U	191	=	200				ug/L	95.5
WG	E200.7	FLDFLT	NDE219	CHROMIUM, DISSOLVED	0.87	U	193	=	200				ug/L	96.5
SB	E200.7	SW3050	NDE016	CHROMIUM, TOTAL	6.4	=	43	=	40				mg/Kg	91.5
SB	E200.7	SW3050	NDE038	CHROMIUM, TOTAL	10	=	52	=	45				mg/Kg	93.3
SB	E200.7	SW3050	NDE112	CHROMIUM, TOTAL	5.5	=	49	=	40.5				mg/Kg	94.6
SB	E200.7	SW3050	NDE112	CHROMIUM, TOTAL	5.5	=	49	=	45.61				mg/Kg	95.4
SD	E200.7	SW3050	NDE118	CHROMIUM, TOTAL	1.9	J	55	=	55				mg/Kg	96.5
SS	E200.7	SW3050	NDE023	CHROMIUM, TOTAL	16	=	48	=	43				mg/Kg	74.4
SS	E200.7	SW3050	NDE024FD1	CHROMIUM, TOTAL	8.1	=	50	=	48				mg/Kg	91.6
SS	E200.7	SW3050	NDE066	CHROMIUM, TOTAL	42	=	73.84	=	42.19				mg/Kg	75.5
SS	E200.7	SW3050	NDE102	CHROMIUM, TOTAL	3.3	=	42	=	41				mg/Kg	95.4
SS	E200.7	SW3050	NDE133	CHROMIUM, TOTAL	19	=	52	=	40				mg/Kg	88
SS	E200.7	SW3050	NDE145	CHROMIUM, TOTAL	64	=	82	=	40				mg/Kg	56
SS	E200.7	SW3050	NDE153	CHROMIUM, TOTAL	20	=	51	=	40				mg/Kg	83
SS	E200.7	SW3050	NDE169	CHROMIUM, TOTAL	38	=	66	=	66				mg/Kg	42
SS	E200.7	SW3050	NDE194	CHROMIUM, TOTAL	6.4	=	56	=	51				mg/Kg	97
SW	E200.7	SW3050	NDE171	CHROMIUM, TOTAL	0.87	U	192	=	200				ug/L	96

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
WG	E200.7	SW3050	NDE215	CHROMIUM, TOTAL	5.2	B	201	=	200				ug/L	97.9
WG	E200.7	SW3050	NDE219	CHROMIUM, TOTAL	0.87	U	190	=	200				ug/L	95
SB	E200.7	SW3050	NDE016	COBALT	3.1	B	97	=	100				mg/Kg	93.9
SB	E200.7	SW3050	NDE038	COBALT	9	B	115	=	112				mg/Kg	94
SB	E200.7	SW3050	NDE112	COBALT	4.9	B	117	=	114.03				mg/Kg	98.3
SB	E200.7	SW3050	NDE112	COBALT	4.9	B	117	=	109.1				mg/Kg	98.3
SD	E200.7	SW3050	NDE118	COBALT	3	J	134	=	138				mg/Kg	94.9
SS	E200.7	SW3050	NDE023	COBALT	9	B	107	=	108				mg/Kg	91
SS	E200.7	SW3050	NDE024FD1	COBALT	6.9	B	113	=	114				mg/Kg	92.9
SS	E200.7	SW3050	NDE066	COBALT	15	=	105.485	=	105.49				mg/Kg	85.8
SS	E200.7	SW3050	NDE102	COBALT	5.8	B	104	=	102				mg/Kg	96.3
SS	E200.7	SW3050	NDE133	COBALT	12	=	100	=	100				mg/Kg	90
SS	E200.7	SW3050	NDE145	COBALT	16	=	100	=	100				mg/Kg	87
SS	E200.7	SW3050	NDE153	COBALT	10	J	99	=	100				mg/Kg	90
SS	E200.7	SW3050	NDE169	COBALT	7.2	B	159	=	164				mg/Kg	93
SS	E200.7	SW3050	NDE194	COBALT	5.1	B	131	=	128				mg/Kg	98
SW	E200.7	SW3050	NDE171	COBALT	0.43	U	500	=	500				ug/L	100
WG	E200.7	SW3050	NDE215	COBALT	12	B	519	=	500				ug/L	101.4
WG	E200.7	SW3050	NDE219	COBALT	0.43	U	473	=	500				ug/L	94.6
WG	E200.7	FLDFLT	NDE215	COBALT, DISSOLVED	0.43	U	490	=	500				ug/L	98
WG	E200.7	FLDFLT	NDE219	COBALT, DISSOLVED	0.43	U	484	=	500				ug/L	96.8
SB	E200.7	SW3050	NDE016	COPPER	10	=	53	=	50				mg/Kg	86
SB	E200.7	SW3050	NDE038	COPPER	25	=	77	=	56				mg/Kg	92.2
SB	E200.7	SW3050	NDE112	COPPER	13	=	69	=	44				mg/Kg	98.2
SB	E200.7	SW3050	NDE112	COPPER	13	=	69	=	57.01				mg/Kg	98.2
SD	E200.7	SW3050	NDE118	COPPER	6.1	J	71	=	69				mg/Kg	94.1
SS	E200.7	SW3050	NDE023	COPPER	87	=	130	=	54				mg/Kg	79
SS	E200.7	SW3050	NDE024FD1	COPPER	110	=	161	=	57				mg/Kg	89.7
SS	E200.7	SW3050	NDE066	COPPER	49	=	93.882	=	52.74				mg/Kg	85.1
SS	E200.7	SW3050	NDE102	COPPER	14	=	63	=	51				mg/Kg	96.5
SS	E200.7	SW3050	NDE133	COPPER	44	=	82	=	50				mg/Kg	85
SS	E200.7	SW3050	NDE145	COPPER	67	=	100	=	50				mg/Kg	77
SS	E200.7	SW3050	NDE153	COPPER	41	=	81	=	50				mg/Kg	89
SS	E200.7	SW3050	NDE169	COPPER	18	=	98	=	81				mg/Kg	98
SS	E200.7	SW3050	NDE194	COPPER	16	=	82	=	64				mg/Kg	103
SW	E200.7	SW3050	NDE171	COPPER	3	J	268	=	250				ug/L	106
WG	E200.7	SW3050	NDE215	COPPER	16	B	267	=	250				ug/L	100.4
WG	E200.7	SW3050	NDE219	COPPER	5.1	B	254	=	250				ug/L	99.6
WG	E200.7	FLDFLT	NDE215	COPPER, DISSOLVED	0.8	U	245	=	250				ug/L	98
WG	E200.7	FLDFLT	NDE219	COPPER, DISSOLVED	3.2	B	260	=	250				ug/L	102.7
SB	CLP_PEST	SW3550	NDE038	DIELDRIN	3.7	U	16	=	17	17	=	18	ug/Kg	91.8
SB	CLP_PEST	SW3550	NDE112	DIELDRIN	3.3	U	13	=	15	13	=	15	ug/Kg	86.7
SD	CLP_PEST	SW3550	NDE118	DIELDRIN	4.6	U	15	=	21	17	=	21	ug/Kg	72.1
SS	CLP_PEST	SW3550	NDE023	DIELDRIN	3.5	U	15	=	16	16	=	16	ug/Kg	94.4
SS	CLP_PEST	SW3550	NDE061	DIELDRIN	3.5	U	12	=	16	11	=	16	ug/Kg	76.9
SS	CLP_PEST	SW3550	NDE068	DIELDRIN	3.7	U	14	=	17	15	=	17	ug/Kg	82.1
SS	CLP_PEST	SW3550	NDE095	DIELDRIN	3.3	U	9.9	=	15	10	=	15	ug/Kg	65.1
SS	CLP_PEST	SW3550	NDE127	DIELDRIN	3.7	U	15	=	17	14	=	17	ug/Kg	85.3
SS	CLP_PEST	SW3550	NDE153	DIELDRIN	3.7	U	12	=	17	13	=	17	ug/Kg	71
SS	CLP_PEST	SW3550	NDE169	DIELDRIN	3.9	U	12	=	17	12	=	16	ug/Kg	68.2
SS	CLP_PEST	SW3550	NDE194	DIELDRIN	4.2	U	15	=	19	11	=	19	ug/Kg	80.2
SW	CLP_PEST	SW3510	NDE171	DIELDRIN	0.106	U	0.38	=	0.52	0.38	=	0.53	ug/L	73.1

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
WG	CLP_PEST_L	SW3510	NDE215	DIELDRIN	0.021	U	0.36	=	0.56	0.36	=	0.52	ug/L	64.3
SB	CLP_PEST	SW3550	NDE038	ENDRIN	3.7	U	16	=	17	18	=	18	ug/Kg	91.8
SB	CLP_PEST	SW3550	NDE112	ENDRIN	3.3	U	11	=	15	11	=	15	ug/Kg	74
SD	CLP_PEST	SW3550	NDE118	ENDRIN	4.6	U	15	=	21	18	=	21	ug/Kg	73.6
SS	CLP_PEST	SW3550	NDE023	ENDRIN	3.5	U	15	=	16	16	=	16	ug/Kg	92.5
SS	CLP_PEST	SW3550	NDE061	ENDRIN	3.5	U	13	=	16	12	=	16	ug/Kg	80
SS	CLP_PEST	SW3550	NDE068	ENDRIN	3.7	U	16	=	17	17	=	17	ug/Kg	92.9
SS	CLP_PEST	SW3550	NDE095	ENDRIN	3.3	U	11	=	15	12	=	15	ug/Kg	71.1
SS	CLP_PEST	SW3550	NDE127	ENDRIN	3.7	U	17	=	17	17	=	17	ug/Kg	101.2
SS	CLP_PEST	SW3550	NDE153	ENDRIN	3.7	U	14	=	17	14	=	17	ug/Kg	80.5
SS	CLP_PEST	SW3550	NDE169	ENDRIN	3.9	U	13	=	17	13	=	16	ug/Kg	78.2
SS	CLP_PEST	SW3550	NDE194	ENDRIN	4.2	U	16	=	19	16	=	19	ug/Kg	84.9
SW	CLP_PEST	SW3510	NDE171	ENDRIN	0.106	U	0.4	=	0.52	0.42	=	0.53	ug/L	76.9
WG	CLP_PEST_L	SW3510	NDE215	ENDRIN	0.021	U	0.39	=	0.56	0.37	=	0.52	ug/L	69.6
SB	CLP_PEST	SW3550	NDE038	GAMMA BHC (LINDANE)	1.9	U	16	=	17	17	=	18	ug/Kg	91.8
SB	CLP_PEST	SW3550	NDE112	GAMMA BHC (LINDANE)	1.7	U	9.7	=	15	9.8	=	15	ug/Kg	64.7
SD	CLP_PEST	SW3550	NDE118	GAMMA BHC (LINDANE)	2.4	U	14	=	21	16	=	21	ug/Kg	65.4
SS	CLP_PEST	SW3550	NDE023	GAMMA BHC (LINDANE)	1.8	U	14	=	16	15	=	16	ug/Kg	88.8
SS	CLP_PEST	SW3550	NDE061	GAMMA BHC (LINDANE)	1.8	U	10	=	16	9.8	=	16	ug/Kg	63.8
SS	CLP_PEST	SW3550	NDE068	GAMMA BHC (LINDANE)	1.9	U	15	=	17	16	=	17	ug/Kg	88.1
SS	CLP_PEST	SW3550	NDE095	GAMMA BHC (LINDANE)	1.7	U	9.2	=	15	9.7	=	15	ug/Kg	60.5
SS	CLP_PEST	SW3550	NDE127	GAMMA BHC (LINDANE)	1.9	U	15	=	17	15	=	17	ug/Kg	87.6
SS	CLP_PEST	SW3550	NDE153	GAMMA BHC (LINDANE)	1.9	U	11	=	17	12	=	17	ug/Kg	67.5
SS	CLP_PEST	SW3550	NDE169	GAMMA BHC (LINDANE)	2	U	13	=	17	14	=	16	ug/Kg	77.1
SS	CLP_PEST	SW3550	NDE194	GAMMA BHC (LINDANE)	2.2	U	16	=	19	15	=	19	ug/Kg	82.3
SW	CLP_PEST	SW3510	NDE171	GAMMA BHC (LINDANE)	0.053	U	0.39	=	0.52	0.4	=	0.53	ug/L	75
WG	CLP_PEST_L	SW3510	NDE215	GAMMA BHC (LINDANE)	0.021	U	0.34	=	0.56	0.35	=	0.52	ug/L	60.7
SB	CLP_PEST	SW3550	NDE038	HEPTACHLOR	1.9	U	16	=	17	19	=	18	ug/Kg	96.5
SB	CLP_PEST	SW3550	NDE112	HEPTACHLOR	1.7	U	9	=	15	9.4	=	15	ug/Kg	60
SD	CLP_PEST	SW3550	NDE118	HEPTACHLOR	2.4	U	13	=	21	16	=	21	ug/Kg	63.5
SS	CLP_PEST	SW3550	NDE023	HEPTACHLOR	1.8	U	15	=	16	16	=	16	ug/Kg	91.9
SS	CLP_PEST	SW3550	NDE061	HEPTACHLOR	1.8	U	11	=	16	11	=	16	ug/Kg	70.6
SS	CLP_PEST	SW3550	NDE068	HEPTACHLOR	1.9	U	14	=	17	15	=	17	ug/Kg	81.5
SS	CLP_PEST	SW3550	NDE095	HEPTACHLOR	1.7	U	9.8	=	15	10	=	15	ug/Kg	64.5
SS	CLP_PEST	SW3550	NDE127	HEPTACHLOR	1.9	U	16	=	17	15	=	17	ug/Kg	92.9
SS	CLP_PEST	SW3550	NDE153	HEPTACHLOR	1.9	U	12	=	17	12	=	17	ug/Kg	68
SS	CLP_PEST	SW3550	NDE169	HEPTACHLOR	2	U	13	=	17	12	=	16	ug/Kg	74.1
SS	CLP_PEST	SW3550	NDE194	HEPTACHLOR	2.2	U	14	=	19	14	=	19	ug/Kg	74
SW	CLP_PEST	SW3510	NDE171	HEPTACHLOR	0.053	U	0.32	=	0.52	0.35	=	0.53	ug/L	61.5
WG	CLP_PEST_L	SW3510	NDE215	HEPTACHLOR	0.011	U	0.35	=	0.56	0.36	=	0.52	ug/L	62.5
SB	SW8330	SW3550	NDE112	HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	285	U	9360	=	11300	9470	=	11300	ug/Kg	82.8
SD	SW8330	SW3550	NDE118	HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	337	U	14800	=	13800	14200	=	13800	ug/Kg	107.2
SW	SW8330	SW3510	NDE171	HEXAHYDRO-1,3,5-TRINITRO-1,3,5,7-TETRAZOCINE	5	U	38	=	40	34	=	40	ug/L	94.8
SW	E200.7	SW3050	NDE171	IRON	200	=	1250	=	1000				ug/L	105
WG	E200.7	SW3050	NDE215	IRON	4500	=	5850	=	1000				ug/L	135
WG	E200.7	SW3050	NDE219	IRON	1100	=	2160	=	1000				ug/L	106
WG	E200.7	FLDFLT	NDE215	IRON, DISSOLVED	25	U	979	=	1000				ug/L	97.9
WG	E200.7	FLDFLT	NDE219	IRON, DISSOLVED	25	U	1030	=	1000				ug/L	103
SB	E200.7	SW3050	NDE016	LEAD	5.7	=	96	=	100				mg/Kg	90.3
SB	E200.7	SW3050	NDE038	LEAD	1.9	=	109	=	112				mg/Kg	95.4
SB	E200.7	SW3050	NDE112	LEAD	2.9	=	115	=	114.03				mg/Kg	98.3
SB	E200.7	SW3050	NDE112	LEAD	2.9	=	115	=	111.1				mg/Kg	98.3

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SD	E200.7	SW3050	NDE118	LEAD	1.1	=	133	=	138				mg/Kg	95.6
SS	E200.7	SW3050	NDE023	LEAD	29	=	119	=	108				mg/Kg	83
SS	E200.7	SW3050	NDE024FD1	LEAD	24	=	142	=	114				mg/Kg	103
SS	E200.7	SW3050	NDE066	LEAD	1.7	=	97.046	=	105.49				mg/Kg	90.4
SS	E200.7	SW3050	NDE102	LEAD	2.5	=	97	=	102				mg/Kg	92.8
SS	E200.7	SW3050	NDE133	LEAD	14	=	100	=	100				mg/Kg	92
SS	E200.7	SW3050	NDE145	LEAD	75	=	140	=	100				mg/Kg	73
SS	E200.7	SW3050	NDE153	LEAD	5.2	=	96	=	100				mg/Kg	92
SS	E200.7	SW3050	NDE169	LEAD	3.7	=	154	=	164				mg/Kg	92
SS	E200.7	SW3050	NDE194	LEAD	4.1	=	128	=	128				mg/Kg	96
SW	E200.7	SW3050	NDE171	LEAD	1.6	U	520	=	500				ug/L	104
WG	E200.7	SW3050	NDE215	LEAD	1.6	U	518	=	500				ug/L	103.6
WG	E200.7	SW3050	NDE219	LEAD	1.6	U	486	=	500				ug/L	97.2
WG	E200.7	FLDFLT	NDE215	LEAD, DISSOLVED	1.6	U	513	=	500				ug/L	102.6
WG	E200.7	FLDFLT	NDE219	LEAD, DISSOLVED	1.6	U	503	=	500				ug/L	100.6
SB	E200.7	SW3050	NDE016	MANGANESE	150	=	230	=	100				mg/Kg	80
SB	E200.7	SW3050	NDE038	MANGANESE	420	=	548	=	112				mg/Kg	113.6
SB	E200.7	SW3050	NDE112	MANGANESE	530	=	265	=	-416				mg/Kg	-232.5
SB	E200.7	SW3050	NDE112	MANGANESE	530	=	265	=	114.03				mg/Kg	-232.4
SD	E200.7	SW3050	NDE118	MANGANESE	250	=	227	=	138				mg/Kg	-16.7
SS	E200.7	SW3050	NDE023	MANGANESE	720	=	486	=	108				mg/Kg	-220
SS	E200.7	SW3050	NDE024FD1	MANGANESE	360	=	452	=	114				mg/Kg	80.4
SS	E200.7	SW3050	NDE066	MANGANESE	570	=	601.266	=	105.49				mg/Kg	29.6
SS	E200.7	SW3050	NDE102	MANGANESE	480	=	822	=	102				mg/Kg	335.1
SS	E200.7	SW3050	NDE133	MANGANESE	580	=	570	=	100				mg/Kg	53
SS	E200.7	SW3050	NDE145	MANGANESE	600	=	600	=	100				mg/Kg	35
SS	E200.7	SW3050	NDE153	MANGANESE	580	=	540	=	100				mg/Kg	18
SS	E200.7	SW3050	NDE169	MANGANESE	610	=	950	=	164				mg/Kg	207
SS	E200.7	SW3050	NDE194	MANGANESE	150	=	299	=	128				mg/Kg	116
SW	E200.7	SW3050	NDE171	MANGANESE	2300	=	2780	=	500				ug/L	96
WG	E200.7	SW3050	NDE215	MANGANESE	1100	=	1620	=	500				ug/L	104
WG	E200.7	SW3050	NDE219	MANGANESE	22	=	497	=	500				ug/L	95
WG	E200.7	FLDFLT	NDE215	MANGANESE, DISSOLVED	92	=	555	=	500				ug/L	92.6
WG	E200.7	FLDFLT	NDE219	MANGANESE, DISSOLVED	7.4	B	492	=	500				ug/L	96.9
SB	E245.5	METHOD	NDE016	MERCURY	0.0026	U	0.274	=	0.32				mg/Kg	86.7
SB	E245.5	METHOD	NDE038	MERCURY	0.0088	B	0.304	=	0.3412				mg/Kg	87.4
SB	E245.5	METHOD	NDE112	MERCURY	0.0029	U	0.32	=	0.34				mg/Kg	93.3
SD	E245.5	METHOD	NDE114	MERCURY	0.0034	U	0.453	=	0.41				mg/Kg	110
SD	E245.5	METHOD	NDE118	MERCURY	0.013	J	0.44	=	0.417				mg/Kg	103.6
SS	E245.5	METHOD	NDE023	MERCURY	0.035	B	0.31	=	0.325				mg/Kg	85.9
SS	E245.5	METHOD	NDE024FD1	MERCURY	0.033	B	0.35	=	0.297				mg/Kg	105.7
SS	E245.5	METHOD	NDE066	MERCURY	0.0026	U	0.23	=	0.3				mg/Kg	78
SS	E245.5	METHOD	NDE110	MERCURY	0.028	B	0.42	=	0.372				mg/Kg	105.8
SS	E245.5	METHOD	NDE133	MERCURY	0.012	J	0.36	=	0.338				mg/Kg	105.9
SS	E245.5	METHOD	NDE153	MERCURY	0.011	J	0.36	=	0.299				mg/Kg	102
SS	E245.5	METHOD	NDE169	MERCURY	0.016	B	0.31	=	0.304				mg/Kg	98
SS	E245.5	METHOD	NDE194	MERCURY	0.0099	B	0.31	=	0.3801				mg/Kg	79
SW	E245.2	METHOD	NDE171	MERCURY	0.049	J	2.4	=	3.001				ug/L	78.4
WG	E245.2	METHOD	NDE215	MERCURY	0.025	U	2.73	=	3				ug/L	91
WG	E245.2	METHOD	NDE219	MERCURY	0.025	U	2.71	=	3				ug/L	90.3
WG	E245.2	FLDFLT	NDE215	MERCURY, DISSOLVED	0.025	U	2.3	=	3				ug/L	76.7
WG	E245.2	FLDFLT	NDE219	MERCURY, DISSOLVED	0.025	U	2.78	=	3				ug/L	92.7

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SB	SW8330	SW3550	NDE112	METHYL-2,4,6-TRINITROPHENYLNITRAMINE	285	U	11100	=	11300	11100	=	11300	ug/Kg	98.2
SD	SW8330	SW3550	NDE118	METHYL-2,4,6-TRINITROPHENYLNITRAMINE	337	U	12600	=	13800	13400	=	13800	ug/Kg	91.3
SW	SW8330	SW3510	NDE171	METHYL-2,4,6-TRINITROPHENYLNITRAMINE	5	U	28	=	40	20	=	40	ug/L	69
SB	E200.7	SW3050	NDE016	NICKEL	3.1	B	98	=	100				mg/Kg	94.9
SB	E200.7	SW3050	NDE038	NICKEL	4.2	B	110	=	112				mg/Kg	94.4
SB	E200.7	SW3050	NDE112	NICKEL	2.2	B	114	=	111.8				mg/Kg	98.1
SB	E200.7	SW3050	NDE112	NICKEL	2.2	B	114	=	114.03				mg/Kg	98
SD	E200.7	SW3050	NDE118	NICKEL	0.89	J	135	=	138				mg/Kg	97.2
SS	E200.7	SW3050	NDE023	NICKEL	7.2	B	107	=	108				mg/Kg	92
SS	E200.7	SW3050	NDE024FD1	NICKEL	4.4	B	110	=	114				mg/Kg	92.5
SS	E200.7	SW3050	NDE066	NICKEL	25	=	116.034	=	105.49				mg/Kg	86.3
SS	E200.7	SW3050	NDE102	NICKEL	1.9	B	99	=	102				mg/Kg	95.3
SS	E200.7	SW3050	NDE133	NICKEL	13	=	100	=	100				mg/Kg	89
SS	E200.7	SW3050	NDE145	NICKEL	26	=	110	=	100				mg/Kg	87
SS	E200.7	SW3050	NDE153	NICKEL	12	=	100	=	100				mg/Kg	89
SS	E200.7	SW3050	NDE169	NICKEL	7.9	B	154	=	164				mg/Kg	89
SS	E200.7	SW3050	NDE194	NICKEL	2.7	B	126	=	128				mg/Kg	96
SW	E200.7	SW3050	NDE171	NICKEL	2.8	J	485	=	500				ug/L	96.4
WG	E200.7	SW3050	NDE215	NICKEL	9	B	511	=	500				ug/L	100.4
WG	E200.7	SW3050	NDE219	NICKEL	0.93	U	475	=	500				ug/L	95
WG	E200.7	FLDFLT	NDE215	NICKEL, DISSOLVED	0.93	U	485	=	500				ug/L	97
WG	E200.7	FLDFLT	NDE219	NICKEL, DISSOLVED	2.8	B	487	=	500				ug/L	96.8
SB	SW8330	SW3550	NDE112	NITROBENZENE	285	U	11800	=	11300	11900	=	11300	ug/Kg	104.4
SD	SW8330	SW3550	NDE118	NITROBENZENE	337	U	13700	=	13800	14800	=	13800	ug/Kg	99.3
SW	SW8330	SW3510	NDE171	NITROBENZENE	5	U	24	=	40	27	=	40	ug/L	60.5
SB	SW8270C	SW3550	NDE038	N-NITROSODI-n-PROPYLAMINE	553	U	1720	=	2300	1880	=	2380	ug/Kg	74.8
SB	SW8270C	SW3550	NDE112	N-NITROSODI-n-PROPYLAMINE	513	U	1480	=	2160	1600	=	2070	ug/Kg	68.5
SD	SW8270C	SW3550	NDE118	N-NITROSODI-n-PROPYLAMINE	706	U	2710	=	2890	2980	=	2890	ug/Kg	93.8
SS	SW8270C	SW3550	NDE023	N-NITROSODI-n-PROPYLAMINE	517	U	2160	=	2060	1850	=	1820	ug/Kg	104.9
SS	SW8270C	SW3550	NDE034	N-NITROSODI-n-PROPYLAMINE	551	U	1560	=	2060	1380	=	1820	ug/Kg	75.7
SS	SW8270C	SW3550	NDE061	N-NITROSODI-n-PROPYLAMINE	344	U	1070	=	1410	1230	=	1540	ug/Kg	76.4
SS	SW8270C	SW3550	NDE095	N-NITROSODI-n-PROPYLAMINE	946	U	1150	=	1880	919	=	1760	ug/Kg	61.2
SS	SW8270C	SW3550	NDE127	N-NITROSODI-n-PROPYLAMINE	427	U	1590	=	2130	1430	=	1920	ug/Kg	74.6
SS	SW8270C	SW3550	NDE150	N-NITROSODI-n-PROPYLAMINE	512	U	2980	=	3210	2350	=	2440	ug/Kg	92.8
SS	SW8270C	SW3550	NDE153	N-NITROSODI-n-PROPYLAMINE	420	U	1270	=	1820	1230	=	1780	ug/Kg	69.8
SS	SW8270C	SW3550	NDE169	N-NITROSODI-n-PROPYLAMINE	510	U	1480	=	1910	1390	=	1860	ug/Kg	77.5
SS	SW8270C	SW3550	NDE194	N-NITROSODI-n-PROPYLAMINE	455	U	1580	=	1810	1580	=	1800	ug/Kg	87.3
SW	SW8270C	SW3510	NDE171	N-NITROSODI-n-PROPYLAMINE	10	U	30	=	41	16	=	41	ug/L	72.1
WG	SW8270C	SW3510	NDE215	N-NITROSODI-n-PROPYLAMINE	5.2	U	33	=	43	38	=	43	ug/L	77
SB	SW8330	SW3550	NDE112	TETRAZOCINE	285	U	11500	=	11300	11500	=	11300	ug/Kg	101.8
SD	SW8330	SW3550	NDE118	TETRAZOCINE	337	U	13800	=	13800	14400	=	13800	ug/Kg	100
SW	SW8330	SW3510	NDE171	TETRAZOCINE	5	U	41	=	40	35	=	40	ug/L	102.5
SB	CLP_PEST	SW3550	NDE038	p,p'-DDT	3.7	U	16	=	17	19	=	18	ug/Kg	94.1
SB	CLP_PEST	SW3550	NDE112	p,p'-DDT	3.3	U	4.4	=	15	5.1	=	15	ug/Kg	29.3
SD	CLP_PEST	SW3550	NDE118	p,p'-DDT	4.6	U	14	=	21	17	=	21	ug/Kg	67.3
SS	CLP_PEST	SW3550	NDE023	p,p'-DDT	3.5	U	17	=	16	19	=	16	ug/Kg	106.3
SS	CLP_PEST	SW3550	NDE061	p,p'-DDT	3.5	U	10	=	16	8.6	=	16	ug/Kg	63.8
SS	CLP_PEST	SW3550	NDE068	p,p'-DDT	3.7	U	11	=	17	9.9	=	17	ug/Kg	63.1
SS	CLP_PEST	SW3550	NDE095	p,p'-DDT	3.3	U	9	=	15	9.2	=	15	ug/Kg	59.2
SS	CLP_PEST	SW3550	NDE127	p,p'-DDT	1.2	J	19	=	17	19	=	17	ug/Kg	103
SS	CLP_PEST	SW3550	NDE153	p,p'-DDT	32	=	21	=	17	22	=	17	ug/Kg	-60
SS	CLP_PEST	SW3550	NDE169	p,p'-DDT	3.9	U	17	=	17	19	=	16	ug/Kg	100

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SS	CLP_PEST	SW3550	NDE194	p,p'-DDT	4.2	U	16	=	19	15	=	19	ug/Kg	83.3
SW	CLP_PEST	SW3510	NDE171	p,p'-DDT	0.106	U	0.28	=	0.52	0.31	=	0.53	ug/L	53.8
WG	CLP_PEST_L	SW3510	NDE215	p,p'-DDT	0.021	U	0.39	=	0.56	0.36	=	0.52	ug/L	69.6
SB	CLP_PEST	SW3550	NDE016	PCB-1016 (AROCHLOR 1016)	35	U	197	=	316	209	=	317	ug/Kg	62.3
SB	CLP_PEST	SW3550	NDE038	PCB-1016 (AROCHLOR 1016)	37	U	214	E	340	214	E	351	ug/Kg	62.9
SB	CLP_PEST	SW3550	NDE112	PCB-1016 (AROCHLOR 1016)	33	U	160	=	303	163	=	301	ug/Kg	52.8
SD	CLP_PEST	SW3550	NDE118	PCB-1016 (AROCHLOR 1016)	46	U	163	=	418	151	=	417	ug/Kg	39
SS	CLP_PEST	SW3550	NDE023	PCB-1016 (AROCHLOR 1016)	35	U	201	E	321	202	E	328	ug/Kg	64.8
SS	CLP_PEST	SW3550	NDE061	PCB-1016 (AROCHLOR 1016)	35	U	138	E	322	138	E	324	ug/Kg	42.9
SS	CLP_PEST	SW3550	NDE070	PCB-1016 (AROCHLOR 1016)	37	U	192	=	338	201	=	336	ug/Kg	56.8
SS	CLP_PEST	SW3550	NDE095	PCB-1016 (AROCHLOR 1016)	33	U	117	=	300	127	=	302	ug/Kg	39
SS	CLP_PEST	SW3550	NDE127	PCB-1016 (AROCHLOR 1016)	37	U	228	=	331	246	=	338	ug/Kg	68.9
SS	CLP_PEST	SW3550	NDE153	PCB-1016 (AROCHLOR 1016)	37	U	203	=	338	205	=	339	ug/Kg	60.1
SS	CLP_PEST	SW3550	NDE169	PCB-1016 (AROCHLOR 1016)	39	U	178	=	339	195	=	327	ug/Kg	52.5
WG	CLP_PEST_L	SW3510	NDE215	PCB-1016 (AROCHLOR 1016)	0.214	U	5.9	=	11	5.4	=	11	ug/L	53.6
SS	CLP_PEST	SW3550	NDE127	PCB-1254 (AROCHLOR 1254)	37	U	239	=	331	260	=	338	ug/Kg	72.2
SS	CLP_PEST	SW3550	NDE153	PCB-1254 (AROCHLOR 1254)	37	U	216	=	338	219	=	339	ug/Kg	63.9
SB	CLP_PEST	SW3550	NDE016	PCB-1260 (AROCHLOR 1260)	35	U	200	=	316	209	=	317	ug/Kg	63.3
SB	CLP_PEST	SW3550	NDE038	PCB-1260 (AROCHLOR 1260)	37	U	185	E	340	190	E	351	ug/Kg	54.4
SB	CLP_PEST	SW3550	NDE112	PCB-1260 (AROCHLOR 1260)	33	U	128	=	303	132	=	301	ug/Kg	42.2
SD	CLP_PEST	SW3550	NDE118	PCB-1260 (AROCHLOR 1260)	46	U	194	=	418	200	=	417	ug/Kg	46.4
SS	CLP_PEST	SW3550	NDE023	PCB-1260 (AROCHLOR 1260)	35	U	179	E	321	184	E	328	ug/Kg	55.8
SS	CLP_PEST	SW3550	NDE061	PCB-1260 (AROCHLOR 1260)	35	U	129	E	322	134	E	324	ug/Kg	40.1
SS	CLP_PEST	SW3550	NDE070	PCB-1260 (AROCHLOR 1260)	37	U	162	=	338	177	=	336	ug/Kg	47.9
SS	CLP_PEST	SW3550	NDE095	PCB-1260 (AROCHLOR 1260)	33	U	172	=	300	162	=	302	ug/Kg	57.3
SS	CLP_PEST	SW3550	NDE169	PCB-1260 (AROCHLOR 1260)	39	U	234	=	339	233	=	327	ug/Kg	69
WG	CLP_PEST_L	SW3510	NDE215	PCB-1260 (AROCHLOR 1260)	0.214	U	5.3	=	11	4.9	=	11	ug/L	48.2
SB	SW8270C	SW3550	NDE038	PENTACHLOROPHENOL	1660	U	1900	=	2300	1940	=	2380	ug/Kg	82.6
SB	SW8270C	SW3550	NDE112	PENTACHLOROPHENOL	1540	U	1420	J	2160	1550	J	2070	ug/Kg	65.7
SD	SW8270C	SW3550	NDE118	PENTACHLOROPHENOL	2120	U	2700	=	2890	3300	=	2890	ug/Kg	93.4
SS	SW8270C	SW3550	NDE023	PENTACHLOROPHENOL	1550	U	1970	=	2060	1890	=	1820	ug/Kg	95.6
SS	SW8270C	SW3550	NDE034	PENTACHLOROPHENOL	1650	U	1960	=	2060	1740	=	1820	ug/Kg	95.1
SS	SW8270C	SW3550	NDE061	PENTACHLOROPHENOL	1030	U	1220	=	1410	1440	=	1540	ug/Kg	87.1
SS	SW8270C	SW3550	NDE095	PENTACHLOROPHENOL	2840	U	1120	J	1880	865	J	1760	ug/Kg	59.6
SS	SW8270C	SW3550	NDE127	PENTACHLOROPHENOL	1280	U	1680	=	2130	1530	=	1920	ug/Kg	78.9
SS	SW8270C	SW3550	NDE150	PENTACHLOROPHENOL	1540	U	2800	=	3210	2230	=	2440	ug/Kg	87.2
SS	SW8270C	SW3550	NDE153	PENTACHLOROPHENOL	1260	U	1590	=	1820	1560	=	1780	ug/Kg	87.4
SS	SW8270C	SW3550	NDE169	PENTACHLOROPHENOL	1530	U	1700	=	1910	1480	=	1860	ug/Kg	89
SS	SW8270C	SW3550	NDE194	PENTACHLOROPHENOL	1370	U	2020	=	1810	2080	=	1800	ug/Kg	111.6
SW	SW8270C	SW3510	NDE171	PENTACHLOROPHENOL	52	U	20	J	41	9.6	J	41	ug/L	47.8
WG	SW8270C	SW3510	NDE215	PENTACHLOROPHENOL	21	U	38	=	43	50	=	43	ug/L	88.1
SW	E300	NONE	NDE171	PERCHLORATE	12.5	=	212	=	262.5				ug/L	85
SS	FL-PRO	METHOD	NDE061	PETROLEUM HYDROCARBONS	1200	=	1230	=	143	866	=	144	mg/Kg	21
SS	FL-PRO	METHOD	NDE095	PETROLEUM HYDROCARBONS	339	=	540	=	147	439	=	144.54	mg/Kg	137
SB	SW8270C	SW3550	NDE038	PHENOL	553	U	1620	=	2300	1600	=	2380	ug/Kg	70.4
SB	SW8270C	SW3550	NDE112	PHENOL	513	U	1550	=	2160	1670	=	2070	ug/Kg	71.8
SD	SW8270C	SW3550	NDE118	PHENOL	706	U	2180	=	2890	2800	=	2890	ug/Kg	75.4
SS	SW8270C	SW3550	NDE023	PHENOL	517	U	1790	=	2060	1410	=	1820	ug/Kg	86.9
SS	SW8270C	SW3550	NDE034	PHENOL	551	U	1610	=	2060	1410	=	1820	ug/Kg	78.2
SS	SW8270C	SW3550	NDE061	PHENOL	344	U	1090	=	1410	1260	=	1540	ug/Kg	77.9
SS	SW8270C	SW3550	NDE095	PHENOL	946	U	1040	=	1880	856	J	1760	ug/Kg	55.3
SS	SW8270C	SW3550	NDE127	PHENOL	427	U	1520	=	2130	1420	=	1920	ug/Kg	71.4

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SS	SW8270C	SW3550	NDE150	PHENOL	512	U	2920	=	3210	2290	=	2440	ug/Kg	91
SS	SW8270C	SW3550	NDE153	PHENOL	420	U	1180	=	1820	1140	=	1780	ug/Kg	64.8
SS	SW8270C	SW3550	NDE169	PHENOL	510	U	1440	=	1910	1250	=	1860	ug/Kg	75.4
SS	SW8270C	SW3550	NDE194	PHENOL	455	U	1480	=	1810	1470	=	1800	ug/Kg	81.8
SW	SW8270C	SW3510	NDE171	PHENOL	10	U	11	=	41	4.7	J	41	ug/L	25.6
WG	SW8270C	SW3510	NDE215	PHENOL	5.2	U	15	=	43	19	=	43	ug/L	35.8
SB	SW8270C	SW3550	NDE038	PYRENE	553	U	1770	=	2300	1960	=	2380	ug/Kg	77
SB	SW8270C	SW3550	NDE112	PYRENE	513	U	1700	=	2160	1790	=	2070	ug/Kg	78.7
SD	SW8270C	SW3550	NDE118	PYRENE	706	U	2260	=	2890	2910	=	2890	ug/Kg	78.2
SS	SW8270C	SW3550	NDE023	PYRENE	32	J	2050	=	2060	1690	=	1820	ug/Kg	98
SS	SW8270C	SW3550	NDE034	PYRENE	551	U	1710	=	2060	1530	=	1820	ug/Kg	83
SS	SW8270C	SW3550	NDE061	PYRENE	344	U	1240	=	1410	1430	=	1540	ug/Kg	88.6
SS	SW8270C	SW3550	NDE095	PYRENE	946	U	1530	=	1880	1240	=	1760	ug/Kg	81.4
SS	SW8270C	SW3550	NDE127	PYRENE	427	U	1690	=	2130	1580	=	1920	ug/Kg	79.3
SS	SW8270C	SW3550	NDE150	PYRENE	115	J	3370	=	3210	2640	=	2440	ug/Kg	101
SS	SW8270C	SW3550	NDE153	PYRENE	46	J	1480	=	1820	1470	=	1780	ug/Kg	79
SS	SW8270C	SW3550	NDE169	PYRENE	720	=	1900	=	1910	1600	=	1860	ug/Kg	62
SS	SW8270C	SW3550	NDE194	PYRENE	455	U	1750	=	1810	1760	=	1800	ug/Kg	96.7
SW	SW8270C	SW3510	NDE171	PYRENE	10	U	26	=	41	14	=	41	ug/L	63.6
WG	SW8270C	SW3510	NDE215	PYRENE	5.2	U	35	=	43	44	=	43	ug/L	82.3
SB	E200.7	SW3050	NDE016	SELENIUM	0.79	B	350	=	400				mg/Kg	87.3
SB	E200.7	SW3050	NDE038	SELENIUM	1	B	404	=	450				mg/Kg	89.5
SB	E200.7	SW3050	NDE112	SELENIUM	0.52	U	426	=	456.1				mg/Kg	93.4
SB	E200.7	SW3050	NDE112	SELENIUM	0.52	U	426	=	456				mg/Kg	93.4
SD	E200.7	SW3050	NDE118	SELENIUM	0.64	U	503	=	553				mg/Kg	91
SS	E200.7	SW3050	NDE023	SELENIUM	0.82	B	389	=	432				mg/Kg	90
SS	E200.7	SW3050	NDE024FD1	SELENIUM	0.53	U	416	=	458				mg/Kg	91
SS	E200.7	SW3050	NDE066	SELENIUM	1.1	=	379.747	=	421.94				mg/Kg	89.7
SS	E200.7	SW3050	NDE102	SELENIUM	0.71	B	369	=	408				mg/Kg	90.3
SS	E200.7	SW3050	NDE133	SELENIUM	0.8	J	360	=	400				mg/Kg	90
SS	E200.7	SW3050	NDE145	SELENIUM	0.49	U	370	=	400				mg/Kg	92
SS	E200.7	SW3050	NDE153	SELENIUM	0.95	J	370	=	400				mg/Kg	91
SS	E200.7	SW3050	NDE169	SELENIUM	1.3	=	573	=	655				mg/Kg	87
SS	E200.7	SW3050	NDE194	SELENIUM	0.59	U	475	=	512				mg/Kg	93
SW	E200.7	SW3050	NDE171	SELENIUM	4.6	U	2490	=	2000				ug/L	124.5
WG	E200.7	SW3050	NDE215	SELENIUM	4.6	U	2420	=	2000				ug/L	121
WG	E200.7	SW3050	NDE219	SELENIUM	4.6	U	2280	=	2000				ug/L	114
WG	E200.7	FLDFLT	NDE215	SELENIUM, DISSOLVED	4.6	U	2380	=	2000				ug/L	119
WG	E200.7	FLDFLT	NDE219	SELENIUM, DISSOLVED	4.6	U	2350	=	2000				ug/L	117.5
SB	E200.7	SW3050	NDE016	SILVER	0.06	U	9.3	=	10				mg/Kg	93
SB	E200.7	SW3050	NDE038	SILVER	0.064	U	11	=	11				mg/Kg	93.7
SB	E200.7	SW3050	NDE112	SILVER	0.065	U	11	=	11				mg/Kg	100
SB	E200.7	SW3050	NDE112	SILVER	0.065	U	11	=	11.4				mg/Kg	96.5
SD	E200.7	SW3050	NDE118	SILVER	0.079	U	13	=	14				mg/Kg	92.9
SS	E200.7	SW3050	NDE023	SILVER	0.062	U	10	=	11				mg/Kg	90.9
SS	E200.7	SW3050	NDE024FD1	SILVER	0.065	U	11	=	11				mg/Kg	93.3
SS	E200.7	SW3050	NDE066	SILVER	0.12	J	9.81	=	10.55				mg/Kg	91.9
SS	E200.7	SW3050	NDE102	SILVER	0.058	U	9.7	=	10				mg/Kg	94.9
SS	E200.7	SW3050	NDE133	SILVER	0.064	U	9.3	=	10				mg/Kg	93
SS	E200.7	SW3050	NDE145	SILVER	0.061	U	9.5	=	10				mg/Kg	95
SS	E200.7	SW3050	NDE153	SILVER	0.064	U	9.3	=	10				mg/Kg	93
SS	E200.7	SW3050	NDE169	SILVER	0.067	U	15	=	17				mg/Kg	88

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SS	E200.7	SW3050	NDE194	SILVER	0.073	U	12	=	128				mg/Kg	95
SW	E200.7	SW3050	NDE171	SILVER	0.57	U	57	=	50				ug/L	114
WG	E200.7	SW3050	NDE215	SILVER	0.57	U	51	=	50				ug/L	102
WG	E200.7	SW3050	NDE219	SILVER	0.57	U	50	=	50				ug/L	100
WG	E200.7	FLDFLT	NDE215	SILVER, DISSOLVED	0.57	U	49	=	50				ug/L	98
WG	E200.7	FLDFLT	NDE219	SILVER, DISSOLVED	0.57	U	50	=	50				ug/L	100
SB	E200.7	SW3050	NDE016	THALLIUM	0.36	U	370	=	400				mg/Kg	92.5
SB	E200.7	SW3050	NDE038	THALLIUM	0.38	U	424	=	450				mg/Kg	94.3
SB	E200.7	SW3050	NDE112	THALLIUM	0.39	U	445	=	456				mg/Kg	97.6
SB	E200.7	SW3050	NDE112	THALLIUM	0.39	U	445	=	456.1				mg/Kg	97.6
SD	E200.7	SW3050	NDE118	THALLIUM	0.47	U	528	=	553				mg/Kg	95.5
SS	E200.7	SW3050	NDE023	THALLIUM	0.37	U	410	=	432				mg/Kg	95
SS	E200.7	SW3050	NDE024FD1	THALLIUM	0.39	U	423	=	458				mg/Kg	92.5
SS	E200.7	SW3050	NDE066	THALLIUM	0.36	U	379.747	=	421.94				mg/Kg	89.9
SS	E200.7	SW3050	NDE102	THALLIUM	0.35	U	383	=	408				mg/Kg	94
SS	E200.7	SW3050	NDE133	THALLIUM	0.38	U	370	=	400				mg/Kg	92
SS	E200.7	SW3050	NDE145	THALLIUM	0.36	U	360	=	400				mg/Kg	91
SS	E200.7	SW3050	NDE153	THALLIUM	0.38	U	370	=	400				mg/Kg	93
SS	E200.7	SW3050	NDE169	THALLIUM	0.4	U	606	=	655				mg/Kg	93
SS	E200.7	SW3050	NDE194	THALLIUM	0.44	U	478	=	512				mg/Kg	93
SW	E200.7	SW3050	NDE171	THALLIUM	17	=	2260	=	2000				ug/L	112.2
WG	E200.7	SW3050	NDE215	THALLIUM	10	=	2260	=	2000				ug/L	112.5
WG	E200.7	SW3050	NDE219	THALLIUM	3.4	U	2080	=	2000				ug/L	104
WG	E200.7	FLDFLT	NDE215	THALLIUM, DISSOLVED	3.4	U	2170	=	2000				ug/L	108.5
WG	E200.7	FLDFLT	NDE219	THALLIUM, DISSOLVED	5.3	B	2100	=	2000				ug/L	104.7
SB	SW8260B	SW5030	NDE038	TOLUENE	10	U	20	=	20	21	=	20	ug/Kg	95
SB	SW8260B	SW5030	NDE112	TOLUENE	11	U	18	=	20	21	=	20	ug/Kg	90.5
SD	SW8260B	SW5030	NDE118	TOLUENE	12	J	22	=	20	23	=	20	ug/Kg	109
SS	SW8260B	SW5030	NDE023	TOLUENE	10	U	17	=	20	20	=	20	ug/Kg	84.9
SS	SW8260B	SW5030	NDE061	TOLUENE	10	U	15	=	17	13	=	16	ug/Kg	88.8
SS	SW8260B	SW5030	NDE095	TOLUENE	10	U	17	=	20	13	=	18	ug/Kg	86.9
SS	SW8260B	SW5030	NDE127	TOLUENE	10	U	16	=	18	19	=	19	ug/Kg	92.7
SS	SW8260B	SW5030	NDE153	TOLUENE	10	U	20	=	18	17	=	17	ug/Kg	108.7
SS	SW8260B	SW5030	NDE169	TOLUENE	11	U	20	=	21	21	=	23	ug/Kg	95.7
SS	SW8260B	SW5030	NDE194	TOLUENE	10	U	20	=	19	23	=	24	ug/Kg	100.5
SW	SW8260B	SW5030	NDE171	TOLUENE	10	J	21	=	20	20	=	20	ug/L	102
WG	SW8260B	SW5030	NDE215	TOLUENE	0.43	J	5.6	=	5	5.6	=	5	ug/L	103
SB	SW8260B	SW5030	NDE038	TRICHLOROETHYLENE (TCE)	10	U	19	=	20	19	=	20	ug/Kg	92
SB	SW8260B	SW5030	NDE112	TRICHLOROETHYLENE (TCE)	11	U	18	=	20	22	=	20	ug/Kg	92
SD	SW8260B	SW5030	NDE118	TRICHLOROETHYLENE (TCE)	12	U	23	=	20	22	=	20	ug/Kg	115.5
SS	SW8260B	SW5030	NDE023	TRICHLOROETHYLENE (TCE)	10	U	16	=	20	19	=	20	ug/Kg	80.9
SS	SW8260B	SW5030	NDE061	TRICHLOROETHYLENE (TCE)	10	U	15	=	17	13	=	16	ug/Kg	88.2
SS	SW8260B	SW5030	NDE095	TRICHLOROETHYLENE (TCE)	10	U	16	=	20	14	=	18	ug/Kg	79.8
SS	SW8260B	SW5030	NDE127	TRICHLOROETHYLENE (TCE)	10	U	15	=	18	18	=	19	ug/Kg	85.9
SS	SW8260B	SW5030	NDE153	TRICHLOROETHYLENE (TCE)	10	U	18	=	18	15	=	17	ug/Kg	95.6
SS	SW8260B	SW5030	NDE169	TRICHLOROETHYLENE (TCE)	11	U	22	=	21	22	=	23	ug/Kg	103.8
SS	SW8260B	SW5030	NDE194	TRICHLOROETHYLENE (TCE)	10	U	19	=	19	23	=	24	ug/Kg	96.9
SW	SW8260B	SW5030	NDE171	TRICHLOROETHYLENE (TCE)	10	U	19	=	20	19	=	20	ug/L	93
WG	SW8260B	SW5030	NDE215	TRICHLOROETHYLENE (TCE)	1	U	4.6	=	5	4.4	=	5	ug/L	92
SB	E200.7	SW3050	NDE016	VANADIUM	27	=	120	=	100				mg/Kg	93
SB	E200.7	SW3050	NDE038	VANADIUM	65	=	168	=	112				mg/Kg	91.2
SB	E200.7	SW3050	NDE112	VANADIUM	38	=	146	=	114.03				mg/Kg	94.7

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	MS Lab Result	MS Lab Qual	MS Spike Added	MSD Lab Result	MSD Lab Qual	MSD Spike Added	Units	MS %Rec
SB	E200.7	SW3050	NDE112	VANADIUM	38	=	146	=	76				mg/Kg	94.7
SD	E200.7	SW3050	NDE118	VANADIUM	20	=	154	=	138				mg/Kg	97.1
SS	E200.7	SW3050	NDE023	VANADIUM	62	=	151	=	108				mg/Kg	83
SS	E200.7	SW3050	NDE024FD1	VANADIUM	46	=	151	=	114				mg/Kg	91.8
SS	E200.7	SW3050	NDE066	VANADIUM	85	=	168.776	=	105.49				mg/Kg	79.4
SS	E200.7	SW3050	NDE102	VANADIUM	47	=	148	=	102				mg/Kg	98.9
SS	E200.7	SW3050	NDE133	VANADIUM	62	=	140	=	100				mg/Kg	85
SS	E200.7	SW3050	NDE145	VANADIUM	79	=	160	=	100				mg/Kg	90
SS	E200.7	SW3050	NDE153	VANADIUM	59	=	130	=	100				mg/Kg	79
SS	E200.7	SW3050	NDE169	VANADIUM	42	=	197	=	164				mg/Kg	95
SS	E200.7	SW3050	NDE194	VANADIUM	35	=	163	=	128				mg/Kg	100
SW	E200.7	SW3050	NDE171	VANADIUM	1.5	J	491	=	500				ug/L	97.9
WG	E200.7	SW3050	NDE215	VANADIUM	28	B	531	=	500				ug/L	100.6
WG	E200.7	SW3050	NDE219	VANADIUM	12	B	496	=	500				ug/L	96.8
WG	E200.7	FLDFLT	NDE215	VANADIUM, DISSOLVED	9.6	B	486	=	500				ug/L	95.3
WG	E200.7	FLDFLT	NDE219	VANADIUM, DISSOLVED	8	B	505	=	500				ug/L	99.4
SB	E200.7	SW3050	NDE016	ZINC	20	=	110	=	100				mg/Kg	90
SB	E200.7	SW3050	NDE038	ZINC	28	=	132	=	112				mg/Kg	92.1
SB	E200.7	SW3050	NDE112	ZINC	17	=	123	=	97				mg/Kg	93
SB	E200.7	SW3050	NDE112	ZINC	17	=	123	=	114.03				mg/Kg	93
SD	E200.7	SW3050	NDE118	ZINC	7.5	=	133	=	138				mg/Kg	90.9
SS	E200.7	SW3050	NDE023	ZINC	95	=	194	=	108				mg/Kg	92
SS	E200.7	SW3050	NDE024FD1	ZINC	88	=	195	=	114				mg/Kg	93.1
SS	E200.7	SW3050	NDE066	ZINC	39	=	126.582	=	105.49				mg/Kg	83
SS	E200.7	SW3050	NDE102	ZINC	18	=	105	=	102				mg/Kg	85.3
SS	E200.7	SW3050	NDE133	ZINC	45	=	130	=	100				mg/Kg	90
SS	E200.7	SW3050	NDE145	ZINC	42	=	130	=	100				mg/Kg	86
SS	E200.7	SW3050	NDE153	ZINC	40	=	110	=	100				mg/Kg	79
SS	E200.7	SW3050	NDE169	ZINC	23	=	180	=	164				mg/Kg	96
SS	E200.7	SW3050	NDE194	ZINC	29	=	157	=	128				mg/Kg	100
SW	E200.7	SW3050	NDE171	ZINC	5	U	531	=	500				ug/L	106.2
WG	E200.7	SW3050	NDE215	ZINC	19	B	532	=	500				ug/L	102.6
WG	E200.7	SW3050	NDE219	ZINC	5	U	489	=	500				ug/L	97.8
WG	E200.7	FLDFLT	NDE215	ZINC, DISSOLVED	5	U	518	=	500				ug/L	103.6
WG	E200.7	FLDFLT	NDE219	ZINC, DISSOLVED	5	U	501	=	500				ug/L	100.2

Attachment E - Laboratory Duplicate Precision

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	Lab Dup Lab Result	Lab Dup Lab Qual	RL	DL	Units	RPD
SB	E200.7	SW3050	NDE016	ALUMINUM	3100	=	3200	=	42	10	mg/Kg	3.17%
SB	E200.7	SW3050	NDE038	ALUMINUM	9400	=	8740	=	45	11	mg/Kg	7.28%
SB	E200.7	SW3050	NDE112	ALUMINUM	9700	=	10800	=	46	11	mg/Kg	10.73%
SB	E200.7	SW3050	NDE112	ALUMINUM	9700	=	10800	=	46	11	mg/Kg	10.73%
SD	E200.7	SW3050	NDE118	ALUMINUM	1500	=	1850	=	55	13	mg/Kg	20.90%
SS	E200.7	SW3050	NDE145	ALUMINUM	19000	=	18000	=	43	10	mg/Kg	5.41%
SS	E200.7	SW3050	NDE127	ALUMINUM	6350	=	6630	=	45	11	mg/Kg	4.31%
SS	E200.7	SW3050	NDE153	ALUMINUM	11000	=	8400	=	45	11	mg/Kg	26.80%
SS	E200.7	SW3050	NDE061	ALUMINUM	20000	=	18000	=	42	10	mg/Kg	10.53%
SS	E200.7	SW3050	NDE066	ALUMINUM	17000	=	15822.785	=	42	10	mg/Kg	7.17%
SS	E200.7	SW3050	NDE095	ALUMINUM	18000	=	16501.65	=	44	10	mg/Kg	8.69%
SS	E200.7	SW3050	NDE169	ALUMINUM	7500	=	5005.189	=	47	11	mg/Kg	39.90%
SS	E200.7	SW3050	NDE194	ALUMINUM	4300	=	5306	=	51	12	mg/Kg	20.95%
SS	E200.7	SW3050	NDE023	ALUMINUM	7100	=	6370	=	43	10	mg/Kg	10.84%
SS	E200.7	SW3050	NDE024FD1	ALUMINUM	7700	=	6460	=	46	11	mg/Kg	17.51%
SS	E200.7	SW3050	NDE102	ALUMINUM	4500	=	4320	=	41	9.7	mg/Kg	4.08%
SB	E200.7	SW3050	NDE016	ALUMINUM, DISSOLVED	0.38	B	0.24	U	13	0.25	mg/Kg	200.00%
SB	E200.7	SW3050	NDE038	ANTIMONY	0.44	B	0.27	U	13	0.27	mg/Kg	200.00%
SS	E200.7	SW3050	NDE145	ANTIMONY	2.1	J	1.8	J	13	0.26	mg/Kg	15.38%
SS	E200.7	SW3050	NDE127	ANTIMONY	0.5	J	0.61	J	13	0.27	mg/Kg	19.82%
SS	E200.7	SW3050	NDE153	ANTIMONY	0.82	J	0.65	J	14	0.27	mg/Kg	23.13%
SS	E200.7	SW3050	NDE061	ANTIMONY	1.4	J	1.3	J	13	0.25	mg/Kg	7.41%
SS	E200.7	SW3050	NDE066	ANTIMONY	1.5	J	1.1603	J	13	0.25	mg/Kg	25.54%
SS	E200.7	SW3050	NDE095	ANTIMONY	1.1	B	1.1001	B	13	0.26	mg/Kg	0.01%
SS	E200.7	SW3050	NDE169	ANTIMONY	0.67	B	0.28	U	14	0.28	mg/Kg	200.00%
SS	E200.7	SW3050	NDE194	ANTIMONY	0.73	B	0.31	U	15	0.31	mg/Kg	200.00%
SS	E200.7	SW3050	NDE023	ANTIMONY	0.47	B	0.56	B	13	0.26	mg/Kg	17.48%
SS	E200.7	SW3050	NDE102	ANTIMONY	0.4	B	0.24	U	12	0.24	mg/Kg	200.00%
SB	E200.7	SW3050	NDE016	ARSENIC	0.31	U	0.8	B	2.1	0.31	mg/Kg	200.00%
SB	E200.7	SW3050	NDE038	ARSENIC	0.88	B	1.3	B	2.2	0.33	mg/Kg	38.53%
SS	E200.7	SW3050	NDE145	ARSENIC	1.8	J	1.7	J	2.1	0.31	mg/Kg	5.71%
SS	E200.7	SW3050	NDE127	ARSENIC	0.51	J	0.61	J	2.2	0.33	mg/Kg	17.86%
SS	E200.7	SW3050	NDE153	ARSENIC	0.81	J	0.33	U	2.3	0.33	mg/Kg	200.00%
SS	E200.7	SW3050	NDE061	ARSENIC	1.2	J	1	J	2.1	0.31	mg/Kg	18.18%
SS	E200.7	SW3050	NDE066	ARSENIC	1.3	J	0.9599	J	2.1	0.31	mg/Kg	30.10%
SS	E200.7	SW3050	NDE095	ARSENIC	1.9	B	3.3003	=	2.2	0.32	mg/Kg	53.85%
SS	E200.7	SW3050	NDE169	ARSENIC	0.74	B	0.744	B	2.4	0.34	mg/Kg	0.54%
SS	E200.7	SW3050	NDE194	ARSENIC	1.1	B	1.47	B	2.6	0.37	mg/Kg	28.79%
SS	E200.7	SW3050	NDE023	ARSENIC	67	=	58	=	2.2	0.31	mg/Kg	14.40%
SS	E200.7	SW3050	NDE024FD1	ARSENIC	43	=	46	=	2.3	0.33	mg/Kg	6.74%
SB	E200.7	SW3050	NDE016	BARIUM	20	B	26	B	42	0.01	mg/Kg	26.09%
SB	E200.7	SW3050	NDE038	BARIUM	81	=	82	=	45	0.01	mg/Kg	1.23%
SB	E200.7	SW3050	NDE112	BARIUM	110	=	154	=	46	0.015	mg/Kg	33.33%
SB	E200.7	SW3050	NDE112	BARIUM	110	=	154	=	46	0.015	mg/Kg	33.33%
SD	E200.7	SW3050	NDE118	BARIUM	7.2	J	5	J	55	0.01	mg/Kg	36.07%
SS	E200.7	SW3050	NDE145	BARIUM	51	=	59	=	43	0.01	mg/Kg	14.55%
SS	E200.7	SW3050	NDE127	BARIUM	40	J	44	J	45	0.01	mg/Kg	9.52%
SS	E200.7	SW3050	NDE153	BARIUM	54	=	77	=	45	0.01	mg/Kg	35.11%
SS	E200.7	SW3050	NDE061	BARIUM	42	=	43	=	42	0.01	mg/Kg	2.35%
SS	E200.7	SW3050	NDE066	BARIUM	39	J	35.865	J	42	0.01	mg/Kg	8.38%
SS	E200.7	SW3050	NDE095	BARIUM	38	B	34.1034	B	44	0.01	mg/Kg	10.81%
SS	E200.7	SW3050	NDE169	BARIUM	52	=	50.708	=	47	0.01	mg/Kg	2.52%
SS	E200.7	SW3050	NDE194	BARIUM	54	=	60	=	51	0.01	mg/Kg	10.53%
SS	E200.7	SW3050	NDE023	BARIUM	290	=	91	=	43	0.01	mg/Kg	104.46%
SS	E200.7	SW3050	NDE024FD1	BARIUM	63	=	61	=	46	0.01	mg/Kg	3.23%
SS	E200.7	SW3050	NDE102	BARIUM	67	=	43	=	41	0.01	mg/Kg	43.64%
SB	E200.7	SW3050	NDE038	BERYLLIUM	0.26	B	0.23	B	1.1	0.03	mg/Kg	12.24%
SB	E200.7	SW3050	NDE112	BERYLLIUM	0.038	U	0.15	B	1.1	0.038	mg/Kg	200.00%
SB	E200.7	SW3050	NDE112	BERYLLIUM	0.038	U	0.15	J	1.1	0.038	mg/Kg	200.00%
SS	E200.7	SW3050	NDE145	BERYLLIUM	0.23	J	0.21	J	1.1	0.03	mg/Kg	9.09%
SS	E200.7	SW3050	NDE127	BERYLLIUM	0.14	J	0.12	J	1.1	0.03	mg/Kg	15.38%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	Lab Dup Lab Result	Lab Dup Lab Qual	RL	DL	Units	RPD
SS	E200.7	SW3050	NDE153	BERYLLIUM	0.17	J	0.17	J	1.1	0.03	mg/Kg	0.00%
SS	E200.7	SW3050	NDE061	BERYLLIUM	0.14	J	0.13	J	1.1	0.03	mg/Kg	7[illegible]
SS	E200.7	SW3050	NDE066	BERYLLIUM	0.18	J	0.1371	J	1.1	0.03	mg/Kg	2[illegible]
SS	E200.7	SW3050	NDE095	BERYLLIUM	0.12	B	0.0396	B	1.1	0.03	mg/Kg	100.75%
SS	E200.7	SW3050	NDE169	BERYLLIUM	0.17	B	0.166	B	1.2	0.03	mg/Kg	2.38%
SS	E200.7	SW3050	NDE023	BERYLLIUM	0.26	B	0.18	B	1.1	0.03	mg/Kg	36.36%
SS	E200.7	SW3050	NDE024FD1	BERYLLIUM	0.17	B	0.15	B	1.1	0.03	mg/Kg	12.50%
SS	E200.7	SW3050	NDE102	BERYLLIUM	0.14	B	0.12	B	1	0.03	mg/Kg	15.38%
SS	E200.7	SW3050	NDE095	CADMIUM	0.03	U	0.033	B	1.1	0.03	mg/Kg	200.00%
SB	E200.7	SW3050	NDE016	CALCIUM	2700	=	4100	=	1050	3	mg/Kg	41.18%
SB	E200.7	SW3050	NDE038	CALCIUM	3300	=	3190	=	1120	3.1	mg/Kg	3.39%
SB	E200.7	SW3050	NDE112	CALCIUM	5900	=	6760	=	1140	3.2	mg/Kg	13.59%
SB	E200.7	SW3050	NDE112	CALCIUM	5900	=	6760	=	1140	3.2	mg/Kg	13.59%
SD	E200.7	SW3050	NDE118	CALCIUM	5400	=	1230	J	1380	3.9	mg/Kg	125.79%
SS	E200.7	SW3050	NDE145	CALCIUM	55000	=	54000	=	1070	3	mg/Kg	1.83%
SS	E200.7	SW3050	NDE127	CALCIUM	7280	=	8970	=	1120	3.1	mg/Kg	20.80%
SS	E200.7	SW3050	NDE153	CALCIUM	16000	=	7500	=	1130	3.2	mg/Kg	72.34%
SS	E200.7	SW3050	NDE061	CALCIUM	20000	=	18000	=	1060	3	mg/Kg	10.53%
SS	E200.7	SW3050	NDE066	CALCIUM	17000	=	17932.49	=	1050	3	mg/Kg	5.34%
SS	E200.7	SW3050	NDE095	CALCIUM	18000	=	17601.76	=	1100	3.1	mg/Kg	2.24%
SS	E200.7	SW3050	NDE169	CALCIUM	4100	=	2806.604	=	1180	3.3	mg/Kg	37.45%
SS	E200.7	SW3050	NDE194	CALCIUM	1200	B	1312	=	1280	3.6	mg/Kg	8.92%
SS	E200.7	SW3050	NDE023	CALCIUM	9000	=	10500	=	1080	3	mg/Kg	15.38%
SS	E200.7	SW3050	NDE024FD1	CALCIUM	11000	=	10800	=	1140	3.2	mg/Kg	1.83%
SS	E200.7	SW3050	NDE102	CALCIUM	4700	=	4390	=	1020	2.9	mg/Kg	6.82%
SB	E200.7	SW3050	NDE016	CHROMIUM, TOTAL	6.4	=	7.1	=	2.1	0.09	mg/Kg	10.37%
SB	E200.7	SW3050	NDE038	CHROMIUM, TOTAL	10	=	9.5	=	2.2	0.09	mg/Kg	5.13%
SB	E200.7	SW3050	NDE112	CHROMIUM, TOTAL	5.5	=	4.9	=	2.3	0.099	mg/Kg	11.54%
SB	E200.7	SW3050	NDE112	CHROMIUM, TOTAL	5.5	=	4.9	=	2.3	0.099	mg/Kg	11.54%
SD	E200.7	SW3050	NDE118	CHROMIUM, TOTAL	1.9	J	2.4	J	2.8	0.12	mg/Kg	2[illegible]
SS	E200.7	SW3050	NDE145	CHROMIUM, TOTAL	64	=	41	=	2.1	0.09	mg/Kg	43.81%
SS	E200.7	SW3050	NDE127	CHROMIUM, TOTAL	7.3	=	7.8	=	2.2	0.09	mg/Kg	6.62%
SS	E200.7	SW3050	NDE153	CHROMIUM, TOTAL	20	=	12	=	2.3	0.09	mg/Kg	50.00%
SS	E200.7	SW3050	NDE061	CHROMIUM, TOTAL	47	=	44	=	2.1	0.09	mg/Kg	6.59%
SS	E200.7	SW3050	NDE066	CHROMIUM, TOTAL	42	=	40.0844	=	2.1	0.09	mg/Kg	4.67%
SS	E200.7	SW3050	NDE095	CHROMIUM, TOTAL	48	=	37.4037	=	2.2	0.09	mg/Kg	24.81%
SS	E200.7	SW3050	NDE169	CHROMIUM, TOTAL	38	=	3.597	=	2.4	0.1	mg/Kg	165.41%
SS	E200.7	SW3050	NDE194	CHROMIUM, TOTAL	6.4	=	6.914	=	2.6	0.11	mg/Kg	7.72%
SS	E200.7	SW3050	NDE023	CHROMIUM, TOTAL	16	=	8.3	=	2.2	0.09	mg/Kg	63.37%
SS	E200.7	SW3050	NDE024FD1	CHROMIUM, TOTAL	8.1	=	7.4	=	2.3	0.1	mg/Kg	9.03%
SS	E200.7	SW3050	NDE102	CHROMIUM, TOTAL	3.3	=	3.5	=	2	0.08	mg/Kg	5.88%
SB	E200.7	SW3050	NDE016	COBALT	3.1	B	4	B	11	0.04	mg/Kg	25.35%
SB	E200.7	SW3050	NDE038	COBALT	9	B	8.8	B	11	0.04	mg/Kg	2.25%
SB	E200.7	SW3050	NDE112	COBALT	4.9	B	7.7	J	11	0.049	mg/Kg	44.44%
SB	E200.7	SW3050	NDE112	COBALT	4.9	B	7.7	B	11	0.049	mg/Kg	44.44%
SD	E200.7	SW3050	NDE118	COBALT	3	J	3	J	14	0.05	mg/Kg	0.00%
SS	E200.7	SW3050	NDE145	COBALT	16	=	13	=	11	0.04	mg/Kg	20.69%
SS	E200.7	SW3050	NDE127	COBALT	5.8	J	6.1	J	11	0.04	mg/Kg	5.04%
SS	E200.7	SW3050	NDE153	COBALT	10	J	9.5	J	11	0.04	mg/Kg	5.13%
SS	E200.7	SW3050	NDE061	COBALT	18	=	17	=	11	0.04	mg/Kg	5.71%
SS	E200.7	SW3050	NDE066	COBALT	15	=	14.7679	=	11	0.04	mg/Kg	1.56%
SS	E200.7	SW3050	NDE095	COBALT	16	=	15.4015	=	11	0.04	mg/Kg	3.81%
SS	E200.7	SW3050	NDE169	COBALT	7.2	B	6.639	B	12	0.05	mg/Kg	8.11%
SS	E200.7	SW3050	NDE194	COBALT	5.1	B	6.78	B	13	0.05	mg/Kg	28.28%
SS	E200.7	SW3050	NDE023	COBALT	9	B	7.3	B	11	0.04	mg/Kg	20.86%
SS	E200.7	SW3050	NDE024FD1	COBALT	6.9	B	6.5	B	11	0.04	mg/Kg	5.97%
SS	E200.7	SW3050	NDE102	COBALT	5.8	B	5.4	B	10	0.04	mg/Kg	[illegible]
SB	E200.7	SW3050	NDE016	COPPER	10	=	9.7	=	5.3	0.08	mg/Kg	3.0[illegible]
SB	E200.7	SW3050	NDE038	COPPER	25	=	24	=	5.6	0.09	mg/Kg	4.08%
SB	E200.7	SW3050	NDE112	COPPER	13	=	15	=	5.7	0.091	mg/Kg	14.29%
SB	E200.7	SW3050	NDE112	COPPER	13	=	15	=	5.7	0.091	mg/Kg	14.29%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	Lab Dup Lab Result	Lab Dup Lab Qual	RL	DL	Units	RPD
SD	E200.7	SW3050	NDE118	COPPER	6.1	J	5.7	J	6.9	0.11	mg/Kg	6.78%
SS	E200.7	SW3050	NDE145	COPPER	67	=	52	=	5.3	0.02	mg/Kg	25.21%
SS	E200.7	SW3050	NDE127	COPPER	20	=	21	=	5.6	0.02	mg/Kg	4.88%
SS	E200.7	SW3050	NDE153	COPPER	41	=	31	=	5.6	0.02	mg/Kg	27.78%
SS	E200.7	SW3050	NDE061	COPPER	55	=	58	=	5.3	0.02	mg/Kg	5.31%
SS	E200.7	SW3050	NDE066	COPPER	49	=	47.4684	=	5.3	0.02	mg/Kg	3.18%
SS	E200.7	SW3050	NDE095	COPPER	56	=	55.0055	=	5.5	0.02	mg/Kg	1.79%
SS	E200.7	SW3050	NDE169	COPPER	18	=	16.038	=	5.9	0.09	mg/Kg	11.53%
SS	E200.7	SW3050	NDE194	COPPER	16	=	17.67	=	6.4	0.1	mg/Kg	9.92%
SS	E200.7	SW3050	NDE023	COPPER	87	=	80	=	5.4	0.08	mg/Kg	8.38%
SS	E200.7	SW3050	NDE024FD1	COPPER	110	=	107	=	5.7	0.09	mg/Kg	2.76%
SS	E200.7	SW3050	NDE102	COPPER	14	=	14	=	5.1	0.08	mg/Kg	0.00%
SB	E200.7	SW3050	NDE016	IRON	9300	=	10000	=	21	2.7	mg/Kg	7.25%
SB	E200.7	SW3050	NDE038	IRON	22000	=	20800	=	22	2.8	mg/Kg	5.61%
SB	E200.7	SW3050	NDE112	IRON	13000	=	14800	=	23	2.9	mg/Kg	12.95%
SB	E200.7	SW3050	NDE112	IRON	13000	=	14800	=	23	2.9	mg/Kg	12.95%
SD	E200.7	SW3050	NDE118	IRON	6300	=	5910	=	28	3.5	mg/Kg	6.39%
SS	E200.7	SW3050	NDE145	IRON	26000	=	24000	=	21	2.7	mg/Kg	8.00%
SS	E200.7	SW3050	NDE127	IRON	12600	=	13100	=	22	2.8	mg/Kg	3.89%
SS	E200.7	SW3050	NDE153	IRON	19000	=	16000	=	23	2.8	mg/Kg	17.14%
SS	E200.7	SW3050	NDE061	IRON	31000	=	30000	=	21	2.7	mg/Kg	3.28%
SS	E200.7	SW3050	NDE066	IRON	28000	=	26371.308	=	21	2.7	mg/Kg	5.99%
SS	E200.7	SW3050	NDE095	IRON	30000	=	27502.75	=	22	2.8	mg/Kg	8.69%
SS	E200.7	SW3050	NDE169	IRON	14000	=	11729.953	=	24	3	mg/Kg	17.65%
SS	E200.7	SW3050	NDE194	IRON	11000	=	13290	=	26	3.2	mg/Kg	18.86%
SS	E200.7	SW3050	NDE023	IRON	21000	=	17300	=	22	2.7	mg/Kg	19.32%
SS	E200.7	SW3050	NDE024FD1	IRON	17000	=	17500	=	23	2.9	mg/Kg	2.90%
SS	E200.7	SW3050	NDE102	IRON	13000	=	12900	=	20	2.6	mg/Kg	0.77%
SB	E200.7	SW3050	NDE016	LEAD	5.7	=	5.6	=	0.63	0.17	mg/Kg	1.77%
SB	E200.7	SW3050	NDE038	LEAD	1.9	=	1.7	=	0.67	0.18	mg/Kg	11.11%
SB	E200.7	SW3050	NDE112	LEAD	2.9	=	3.6	=	0.68	0.18	mg/Kg	21.54%
SB	E200.7	SW3050	NDE112	LEAD	2.9	=	3.6	=	0.68	0.18	mg/Kg	21.54%
SD	E200.7	SW3050	NDE118	LEAD	1.1	=	1.2	=	0.83	0.22	mg/Kg	8.70%
SS	E200.7	SW3050	NDE145	LEAD	75	=	74	=	0.64	0.17	mg/Kg	1.34%
SS	E200.7	SW3050	NDE127	LEAD	7.8	=	7.7	=	0.67	0.18	mg/Kg	1.29%
SS	E200.7	SW3050	NDE153	LEAD	5.2	=	5.3	=	0.68	0.18	mg/Kg	1.90%
SS	E200.7	SW3050	NDE061	LEAD	1.8	=	2.1	=	0.63	0.17	mg/Kg	15.38%
SS	E200.7	SW3050	NDE066	LEAD	1.7	=	2.7426	=	0.63	0.17	mg/Kg	46.94%
SS	E200.7	SW3050	NDE095	LEAD	9.9	=	13.2013	=	0.66	0.18	mg/Kg	28.58%
SS	E200.7	SW3050	NDE169	LEAD	3.7	=	3.868	=	0.71	0.19	mg/Kg	4.44%
SS	E200.7	SW3050	NDE194	LEAD	4.1	=	3.3	=	0.77	0.2	mg/Kg	21.62%
SS	E200.7	SW3050	NDE023	LEAD	29	=	18	=	0.65	0.17	mg/Kg	46.81%
SS	E200.7	SW3050	NDE024FD1	LEAD	24	=	35	=	0.69	0.18	mg/Kg	37.29%
SS	E200.7	SW3050	NDE102	LEAD	2.5	=	2.7	=	0.61	0.16	mg/Kg	7.69%
SB	E200.7	SW3050	NDE016	MAGNESIUM	1400	=	1600	=	1050	0.14	mg/Kg	13.33%
SB	E200.7	SW3050	NDE038	MAGNESIUM	3000	=	2910	=	1120	0.15	mg/Kg	3.05%
SB	E200.7	SW3050	NDE112	MAGNESIUM	2000	=	2200	=	1140	1.5	mg/Kg	9.52%
SB	E200.7	SW3050	NDE112	MAGNESIUM	2000	=	2200	=	1140	1.5	mg/Kg	9.52%
SD	E200.7	SW3050	NDE118	MAGNESIUM	910	J	1150	J	1380	1.8	mg/Kg	23.30%
SS	E200.7	SW3050	NDE145	MAGNESIUM	14000	=	13000	=	1070	0.14	mg/Kg	7.41%
SS	E200.7	SW3050	NDE127	MAGNESIUM	1810	=	1920	=	1120	0.15	mg/Kg	5.90%
SS	E200.7	SW3050	NDE153	MAGNESIUM	5800	=	3100	=	1130	0.15	mg/Kg	60.67%
SS	E200.7	SW3050	NDE061	MAGNESIUM	15000	=	14000	=	1060	0.14	mg/Kg	6.90%
SS	E200.7	SW3050	NDE066	MAGNESIUM	12000	=	11603.376	=	1050	0.14	mg/Kg	3.36%
SS	E200.7	SW3050	NDE095	MAGNESIUM	15000	=	13201.32	=	1100	0.14	mg/Kg	12.76%
SS	E200.7	SW3050	NDE169	MAGNESIUM	1500	=	1238.208	=	1180	0.15	mg/Kg	19.12%
SS	E200.7	SW3050	NDE194	MAGNESIUM	1100	B	1280	=	1280	0.17	mg/Kg	15.13%
SS	E200.7	SW3050	NDE023	MAGNESIUM	2800	=	2380	=	1080	0.14	mg/Kg	16.22%
SS	E200.7	SW3050	NDE024FD1	MAGNESIUM	2100	=	2050	=	1140	0.15	mg/Kg	2.41%
SS	E200.7	SW3050	NDE102	MAGNESIUM	1600	=	1540	=	1020	0.13	mg/Kg	3.82%
SB	E200.7	SW3050	NDE016	MANGANESE	150	=	190	=	3.2	0.03	mg/Kg	23.53%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	Lab Dup Lab Result	Lab Dup Lab Qual	RL	DL	Units	RPD
SB	E200.7	SW3050	NDE038	MANGANESE	420	=	440	=	3.4	0.03	mg/Kg	4.65%
SB	E200.7	SW3050	NDE112	MANGANESE	530	=	697	=	3.4	0.038	mg/Kg	2[illegible]
SB	E200.7	SW3050	NDE112	MANGANESE	530	=	697	=	3.4	0.038	mg/Kg	2[illegible]
SD	E200.7	SW3050	NDE118	MANGANESE	250	=	94	=	4.1	0.04	mg/Kg	90.70%
SS	E200.7	SW3050	NDE145	MANGANESE	600	=	540	=	3.2	0.03	mg/Kg	10.53%
SS	E200.7	SW3050	NDE127	MANGANESE	340	=	362	=	3.4	0.03	mg/Kg	6.27%
SS	E200.7	SW3050	NDE153	MANGANESE	580	=	1200	=	3.4	0.03	mg/Kg	69.66%
SS	E200.7	SW3050	NDE061	MANGANESE	670	=	680	=	3.2	0.03	mg/Kg	1.48%
SS	E200.7	SW3050	NDE066	MANGANESE	570	=	569.6203	=	3.2	0.03	mg/Kg	0.07%
SS	E200.7	SW3050	NDE095	MANGANESE	590	=	550.055	=	3.3	0.03	mg/Kg	7.01%
SS	E200.7	SW3050	NDE169	MANGANESE	610	=	596.698	=	3.5	0.03	mg/Kg	2.20%
SS	E200.7	SW3050	NDE194	MANGANESE	150	=	180	=	3.8	0.04	mg/Kg	18.18%
SS	E200.7	SW3050	NDE023	MANGANESE	720	=	400	=	3.2	0.03	mg/Kg	57.14%
SS	E200.7	SW3050	NDE024FD1	MANGANESE	360	=	354	=	3.4	0.03	mg/Kg	1.68%
SS	E200.7	SW3050	NDE102	MANGANESE	480	=	384	=	3.1	0.03	mg/Kg	22.22%
SB	E245.5	METHOD	NDE038	MERCURY	0.0088	B	0.0028	U	0.04	0.0028	mg/Kg	200.00%
SD	E245.5	METHOD	NDE118	MERCURY	0.013	J	0.0035	U	0.05	0.0035	mg/Kg	200.00%
SS	E245.5	METHOD	NDE127	MERCURY	0.033	J	0.041	J	0.04	0.0028	mg/Kg	21.62%
SS	E245.5	METHOD	NDE153	MERCURY	0.011	J	0.014	J	0.04	0.0028	mg/Kg	24.00%
SS	E245.5	METHOD	NDE169	MERCURY	0.016	B	0.003	U	0.04	0.0035	mg/Kg	200.00%
SS	E245.5	METHOD	NDE194	MERCURY	0.0099	B	0.0032	U	0.05	0.0032	mg/Kg	200.00%
SS	E245.5	METHOD	NDE023	MERCURY	0.035	B	0.025	B	0.04	0.0027	mg/Kg	33.33%
SS	E245.5	METHOD	NDE024FD1	MERCURY	0.033	B	0.028	B	0.04	0.0029	mg/Kg	16.39%
SS	E245.5	METHOD	NDE110	MERCURY	0.028	B	0.0309	B	0.04	0.0031	mg/Kg	9.85%
SB	E200.7	SW3050	NDE016	NICKEL	3.1	B	3.9	B	8.4	0.09	mg/Kg	22.86%
SB	E200.7	SW3050	NDE038	NICKEL	4.2	B	4.1	B	9	0.1	mg/Kg	2.41%
SB	E200.7	SW3050	NDE112	NICKEL	2.2	B	2.1	B	9.1	0.11	mg/Kg	4.65%
SB	E200.7	SW3050	NDE112	NICKEL	2.2	B	2.1	J	9.1	0.11	mg/Kg	4.65%
SD	E200.7	SW3050	NDE118	NICKEL	0.89	J	1.7	J	11	0.13	mg/Kg	62.[illegible]
SS	E200.7	SW3050	NDE145	NICKEL	26	=	22	=	8.5	0.09	mg/Kg	1[illegible]
SS	E200.7	SW3050	NDE127	NICKEL	3.4	J	3.5	J	9	0.1	mg/Kg	2.90%
SS	E200.7	SW3050	NDE153	NICKEL	12	=	6.9	J	9	0.1	mg/Kg	53.97%
SS	E200.7	SW3050	NDE061	NICKEL	30	=	27	=	8.5	0.09	mg/Kg	10.53%
SS	E200.7	SW3050	NDE066	NICKEL	25	=	23.2068	=	8.4	0.09	mg/Kg	7.44%
SS	E200.7	SW3050	NDE095	NICKEL	27	=	25.3025	=	8.8	0.1	mg/Kg	6.49%
SS	E200.7	SW3050	NDE169	NICKEL	7.9	B	1.969	B	9.4	0.11	mg/Kg	120.19%
SS	E200.7	SW3050	NDE194	NICKEL	2.7	B	3.2	B	10	0.12	mg/Kg	16.95%
SS	E200.7	SW3050	NDE023	NICKEL	7.2	B	5.3	B	8.6	0.1	mg/Kg	30.40%
SS	E200.7	SW3050	NDE024FD1	NICKEL	4.4	B	4.1	B	9.2	0.11	mg/Kg	7.06%
SS	E200.7	SW3050	NDE102	NICKEL	1.9	B	1.9	B	8.2	0.09	mg/Kg	0.00%
SB	E200.7	SW3050	NDE016	POTASSIUM	560	B	600	B	1050	3.2	mg/Kg	6.90%
SB	E200.7	SW3050	NDE038	POTASSIUM	1800	=	1730	=	1120	3.4	mg/Kg	3.97%
SB	E200.7	SW3050	NDE112	POTASSIUM	930	B	960	J	1140	3.4	mg/Kg	3.17%
SB	E200.7	SW3050	NDE112	POTASSIUM	930	B	960	B	1140	3.4	mg/Kg	3.17%
SD	E200.7	SW3050	NDE118	POTASSIUM	410	J	346	J	1380	4.1	mg/Kg	16.93%
SS	E200.7	SW3050	NDE145	POTASSIUM	790	J	710	J	1070	3.2	mg/Kg	10.67%
SS	E200.7	SW3050	NDE127	POTASSIUM	1320	=	1410	=	1120	3.4	mg/Kg	6.59%
SS	E200.7	SW3050	NDE153	POTASSIUM	680	J	570	J	1130	3.4	mg/Kg	17.60%
SS	E200.7	SW3050	NDE061	POTASSIUM	740	J	690	J	1060	3.2	mg/Kg	6.99%
SS	E200.7	SW3050	NDE066	POTASSIUM	680	J	590.7173	J	1050	3.2	mg/Kg	14.05%
SS	E200.7	SW3050	NDE095	POTASSIUM	690	B	605.0605	B	1100	3.3	mg/Kg	13.12%
SS	E200.7	SW3050	NDE169	POTASSIUM	870	B	753.538	B	1180	3.5	mg/Kg	14.35%
SS	E200.7	SW3050	NDE194	POTASSIUM	680	B	756.8	B	1280	3.8	mg/Kg	10.69%
SS	E200.7	SW3050	NDE023	POTASSIUM	1600	=	1510	=	1080	3.2	mg/Kg	5.79%
SS	E200.7	SW3050	NDE024FD1	POTASSIUM	1500	=	1490	=	1140	3.4	mg/Kg	0.67%
SS	E200.7	SW3050	NDE102	POTASSIUM	620	B	593	B	1020	3.1	mg/Kg	4.45%
SB	E200.7	SW3050	NDE016	SELENIUM	0.79	B	0.53	B	1.1	0.48	mg/Kg	3[illegible]
SB	E200.7	SW3050	NDE038	SELENIUM	1	B	0.96	B	1.1	0.52	mg/Kg	4.08[illegible]
SD	E200.7	SW3050	NDE118	SELENIUM	0.64	U	0.72	J	1.4	0.64	mg/Kg	200.00%
SS	E200.7	SW3050	NDE127	SELENIUM	0.78	J	0.63	J	1.1	0.52	mg/Kg	21.28%
SS	E200.7	SW3050	NDE153	SELENIUM	0.95	J	0.82	J	1.1	0.52	mg/Kg	14.69%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Lab Qual	Lab Dup Lab Result	Lab Dup Lab Qual	RL	DL	Units	RPD
WG	E200.7	SW3050	NDE215	ALUMINUM	3800	=	4640	=	200	95	ug/L	19.91%
WG	E200.7	FLDFLT	NDE215	ALUMINUM, DISSOLVED	95	U	708	=	200	95	ug/L	[illegible]
SW	E200.7	SW3050	NDE171	BARIUM	300	=	319	=	200	0.13	ug/L	[illegible]
WG	E200.7	SW3050	NDE219	BARIUM	94	B	85	B	200	0.13	ug/L	10.06%
WG	E200.7	SW3050	NDE215	BARIUM	300	=	301	=	200	0.13	ug/L	0.33%
WG	E200.7	FLDFLT	NDE219	BARIUM, DISSOLVED	92	B	88	B	200	0.13	ug/L	4.44%
WG	E200.7	FLDFLT	NDE215	BARIUM, DISSOLVED	190	B	207	=	200	0.13	ug/L	8.56%
SW	E200.7	SW3050	NDE171	CALCIUM	220000	=	227000	=	5000	28	ug/L	3.13%
WG	E200.7	SW3050	NDE219	CALCIUM	82000	=	74200	=	5000	28	ug/L	9.99%
WG	E200.7	SW3050	NDE215	CALCIUM	200000	=	196000	=	5000	28	ug/L	2.02%
WG	E200.7	FLDFLT	NDE219	CALCIUM, DISSOLVED	82000	=	77700	=	5000	28	ug/L	5.39%
WG	E200.7	FLDFLT	NDE215	CALCIUM, DISSOLVED	180000	=	178000	=	5000	28	ug/L	1.12%
WG	E200.7	SW3050	NDE215	CHROMIUM, TOTAL	5.2	B	5.99	B	10	0.87	ug/L	14.12%
WG	E200.7	SW3050	NDE215	COBALT	12	B	12	B	50	0.43	ug/L	0.00%
SW	E200.7	SW3050	NDE171	COPPER	3	J	0.8	U	25	0.8	ug/L	200.00%
WG	E200.7	SW3050	NDE219	COPPER	5.1	B	5.1	B	25	0.8	ug/L	0.00%
WG	E200.7	SW3050	NDE215	COPPER	16	B	17	B	25	0.8	ug/L	6.06%
WG	E200.7	FLDFLT	NDE219	COPPER, DISSOLVED	3.2	B	0.8	U	25	0.8	ug/L	200.00%
SW	E200.7	SW3050	NDE171	IRON	200	=	217	=	100	25	ug/L	8.15%
WG	E200.7	SW3050	NDE219	IRON	1100	=	995	=	100	25	ug/L	10.02%
WG	E200.7	SW3050	NDE215	IRON	4500	=	5500	=	100	25	ug/L	20.00%
SW	E200.7	SW3050	NDE171	MAGNESIUM	500000	=	523000	=	5000	13	ug/L	4.50%
WG	E200.7	SW3050	NDE219	MAGNESIUM	51000	=	46200	=	5000	13	ug/L	9.88%
WG	E200.7	SW3050	NDE215	MAGNESIUM	110000	=	110000	=	5000	13	ug/L	0.00%
WG	E200.7	FLDFLT	NDE219	MAGNESIUM, DISSOLVED	51000	=	48200	=	5000	13	ug/L	5.65%
WG	E200.7	FLDFLT	NDE215	MAGNESIUM, DISSOLVED	97000	=	96400	=	5000	13	ug/L	0.62%
SW	E200.7	SW3050	NDE171	MANGANESE	2300	=	2390	=	15	0.33	ug/L	3.84%
WG	E200.7	SW3050	NDE219	MANGANESE	22	=	20	=	15	0.33	ug/L	9.52%
WG	E200.7	SW3050	NDE215	MANGANESE	1100	=	1140	=	15	0.33	ug/L	[illegible]
WG	E200.7	FLDFLT	NDE219	MANGANESE, DISSOLVED	7.4	B	6.98	B	15	0.33	ug/L	[illegible]
WG	E200.7	FLDFLT	NDE215	MANGANESE, DISSOLVED	92	=	90	=	15	0.33	ug/L	2.20%
SW	E245.2	METHOD	NDE171	MERCURY	0.049	J	0.025	U	0.2	0.02	ug/L	200.00%
SW	E200.7	SW3050	NDE171	NICKEL	2.8	J	0.93	U	40	0.93	ug/L	200.00%
WG	E200.7	SW3050	NDE215	NICKEL	9	B	9.35	B	40	0.93	ug/L	3.81%
WG	E200.7	FLDFLT	NDE219	NICKEL, DISSOLVED	2.8	B	0.93	U	40	0.93	ug/L	200.00%
SW	E300	NONE	NDE171	PERCHLORATE	12.5	=	12.5	=	2.5	0.8	ug/L	0.00%
SW	E200.7	SW3050	NDE171	POTASSIUM	240000	=	256000	=	5000	30	ug/L	6.45%
WG	E200.7	SW3050	NDE219	POTASSIUM	6200	=	5510	=	5000	30	ug/L	11.78%
WG	E200.7	SW3050	NDE215	POTASSIUM	13000	=	12700	=	5000	30	ug/L	2.33%
WG	E200.7	FLDFLT	NDE219	POTASSIUM, DISSOLVED	6100	=	5750	=	5000	30	ug/L	5.91%
WG	E200.7	FLDFLT	NDE215	POTASSIUM, DISSOLVED	12000	=	11700	=	5000	30	ug/L	2.53%
SW	E200.7	SW3050	NDE171	SODIUM	3000000	E	3120000	E	5000	200	ug/L	3.92%
WG	E200.7	SW3050	NDE219	SODIUM	170000	=	152000	=	5000	200	ug/L	11.18%
WG	E200.7	SW3050	NDE215	SODIUM	890000	=	888000	=	5000	200	ug/L	0.22%
WG	E200.7	FLDFLT	NDE219	SODIUM, DISSOLVED	170000	=	158000	=	5000	200	ug/L	7.32%
WG	E200.7	FLDFLT	NDE215	SODIUM, DISSOLVED	830000	=	826000	=	5000	200	ug/L	0.48%
SW	E200.7	SW3050	NDE171	THALLIUM	17	=	12	=	10	3.4	ug/L	34.48%
WG	E200.7	SW3050	NDE215	THALLIUM	10	=	8.86	B	10	3.4	ug/L	12.09%
WG	E200.7	FLDFLT	NDE219	THALLIUM, DISSOLVED	5.3	B	3.4	U	10	3.4	ug/L	200.00%
WG	E200.7	FLDFLT	NDE215	THALLIUM, DISSOLVED	3.4	U	7.63	B	10	3.4	ug/L	200.00%
SW	E200.7	SW3050	NDE171	VANADIUM	1.5	J	0.7	U	50	0.7	ug/L	200.00%
WG	E200.7	SW3050	NDE219	VANADIUM	12	B	9.4	B	50	0.7	ug/L	24.30%
WG	E200.7	SW3050	NDE215	VANADIUM	28	B	30	B	50	0.7	ug/L	6.90%
WG	E200.7	FLDFLT	NDE219	VANADIUM, DISSOLVED	8	B	7.52	B	50	0.7	ug/L	6.19%
WG	E200.7	FLDFLT	NDE215	VANADIUM, DISSOLVED	9.6	B	9.29	B	50	0.7	ug/L	3.28%
WG	E200.7	SW3050	NDE215	ZINC	19	B	20	=	20	5	ug/L	5.13%

Matrix	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Minimum Reporting Limit	Maximum Reporting Limit	Mimimum Detection Limit	Maximum Detection Limit	Units
SS	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	103	1	0.69	0.69	9.8	948	0.11	14	UG/KG
SB	SW8260B	SW5030	1,1-DICHLOROETHENE	62	6	0.42	0.78	10	12	0.34	0.5	UG/KG
SS	SW8260B	SW5030	1,1-DICHLOROETHENE	103	9	0.42	0.85	9.8	948	0.31	39	UG/KG
SB	SW8260B	SW5030	1,2-DICHLOROETHANE	62	2	1.2	2	10	12	0.18	0.27	UG/KG
SS	SW8260B	SW5030	1,2-DICHLOROETHANE	103	1	1	1	9.8	948	0.17	21	UG/KG
SS	SW8270C	SW3550	2,6-DINITROTOLUENE	103	3	1210	1230	331	28200	19	1660	UG/KG
SS	SW8260B	SW5030	2-HEXANONE	103	6	0.67	3.2	9.8	948	0.43	54	UG/KG
SB	SW8270C	SW3550	2-METHYLNAPHTHALENE	62	2	176	4630	347	2960	20	174	UG/KG
SS	SW8270C	SW3550	2-METHYLNAPHTHALENE	103	5	28	1130	331	28200	19	1660	UG/KG
SS	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	103	1	49	49	662	56300	16	1320	UG/KG
SS	SW8270C	SW3550	3-NITROANILINE	103	1	48	48	994	84500	16	1320	UG/KG
SB	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	62	1	236	236	347	2960	21	177	UG/KG
SS	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	103	4	217	267	331	28200	20	1690	UG/KG
SB	SW8270C	SW3550	ACENAPHTHENE	62	1	331	331	347	2960	17	148	UG/KG
SS	SW8270C	SW3550	ACENAPHTHENE	103	1	1040	1040	331	28200	17	1410	UG/KG
SS	SW8270C	SW3550	ACENAPHTHYLENE	103	6	134	890	331	28200	33	2820	UG/KG
SS	SW8260B	SW5030	ACETONE	8	1	6.7	6.7	10	11	1.8	2.1	UG/KG
SS	CLP_PEST	SW3550	ALDRIN	103	1	0.73	0.73	1.7	3.9	0.47	1.1	UG/KG
SB	E200.7	SW3050	ALUMINUM	62	62	1970	32600	42	51	10	12	MG/KG
SD	E200.7	SW3050	ALUMINUM	6	6	1500	11000	55	104	13	25	MG/KG
SS	E200.7	SW3050	ALUMINUM	103	103	3400	26000	41	59	9.7	14	MG/KG
SW	E200.7	SW3050	ALUMINUM	6	3	110	320	200	200	95	95	UG/L
WG	E200.7	SW3050	ALUMINUM	16	15	100	72000	200	200	95	95	UG/L
WG	E200.7	FLDFLT	ALUMINUM, DISSOLVED	16	2	100	130	200	200	95	95	UG/L
SS	SW8270C	SW3550	ANTHRACENE	103	7	30	1230	331	28200	18	1580	UG/KG
SB	E200.7	SW3050	ANTIMONY	62	48	0.3	2.9	12.8	15	0.25	0.31	MG/KG
SS	E200.7	SW3050	ANTIMONY	103	90	0.35	6.3	12	18	0.24	0.35	MG/KG
SW	E200.7	SW3050	ANTIMONY	6	1	3	3	60	60	2.4	2.4	UG/L
WG	E200.7	SW3050	ANTIMONY	16	1	5.4	5.4	60	60	2.4	2.4	UG/L
WG	E200.7	FLDFLT	ANTIMONY, DISSOLVED	16	1	5.4	5.4	60	60	2.4	2.4	UG/L
SB	E200.7	SW3050	ARSENIC	62	41	0.59	24	2.1	2.6	0.3	0.37	MG/KG
SS	E200.7	SW3050	ARSENIC	103	87	0.46	67	2	2.9	0.3	0.55	MG/KG
WG	E200.7	SW3050	ARSENIC	16	3	5	6.3	10	10	2.9	2.9	UG/L
WG	E200.7	FLDFLT	ARSENIC, DISSOLVED	16	1	6.4	6.4	10	10	2.9	2.9	UG/L
SB	E200.7	SW3050	BARIUM	62	62	14	200	42	51	0.01	0.017	MG/KG
SD	E200.7	SW3050	BARIUM	6	6	6.2	77	55	104	0.01	0.03	MG/KG
SS	E200.7	SW3050	BARIUM	103	102	23	290	41	59	0.01	0.11	MG/KG
SW	E200.7	SW3050	BARIUM	6	6	280	320	200	200	0.13	0.13	UG/L
WG	E200.7	SW3050	BARIUM	16	16	86	770	200	200	0.13	0.13	UG/L
WG	E200.7	FLDFLT	BARIUM, DISSOLVED	16	16	51	580	200	200	0.13	0.13	UG/L
SS	SW8260B	SW5030	BENZENE	103	2	0.27	1.2	9.8	948	0.11	18	UG/KG
SB	SW8270C	SW3550	BENZO(a)ANTHRACENE	62	1	68	68	347	2960	18	154	UG/KG
SS	SW8270C	SW3550	BENZO(a)ANTHRACENE	103	23	29	5230	331	28200	17	1470	UG/KG
SB	SW8270C	SW3550	BENZO(a)PYRENE	62	1	71	71	347	2960	23	198	UG/KG
SS	SW8270C	SW3550	BENZO(a)PYRENE	103	27	32	4930	331	28200	22	1890	UG/KG

Matrix	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Minimum Reporting Limit	Maximum Reporting Limit	Minimum Detection Limit	Maximum Detection Limit	Units
SB	SW8270C	SW3550	BENZO(b)FLUORANTHENE	62	3	31	104	347	2960	20	174	UG/KG
SS	SW8270C	SW3550	BENZO(b)FLUORANTHENE	103	29	25	8820	331	28200	19	1660	UG/KG
SS	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	103	20	27	1210	331	28200	20	1690	UG/KG
SB	SW8270C	SW3550	BENZO(k)FLUORANTHENE	62	2	32	88	347	2960	25	210	UG/KG
SS	SW8270C	SW3550	BENZO(k)FLUORANTHENE	103	25	44	4750	331	28200	23	2000	UG/KG
SB	E200.7	SW3050	BERYLLIUM	62	51	0.11	0.48	1	1.3	0.03	0.042	MG/KG
SD	E200.7	SW3050	BERYLLIUM	6	1	0.31	0.31	1.4	2.6	0.04	0.08	MG/KG
SS	E200.7	SW3050	BERYLLIUM	103	80	0.035	0.42	1	1.5	0.03	0.11	MG/KG
WG	E200.7	SW3050	BERYLLIUM	16	1	1.6	1.6	5	5	0.33	0.33	UG/L
SS	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	103	1	3880	3880	331	28200	25	2110	UG/KG
SW	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	6	1	1	1	10	11	0.86	0.88	UG/L
WG	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	16	3	1.2	19	5	5.9	0.87	1	UG/L
SB	E200.7	SW3050	CADMIUM	62	2	0.049	0.13	1	1.3	0.02	0.035	MG/KG
SS	E200.7	SW3050	CADMIUM	103	4	0.18	2.7	1	1.5	0.02	0.11	MG/KG
WG	E200.7	SW3050	CADMIUM	16	2	1.4	3.9	5	5	0.27	0.27	UG/L
SB	E200.7	SW3050	CALCIUM	62	62	930	185000	1050	2540	2.9	7.2	MG/KG
SD	E200.7	SW3050	CALCIUM	6	6	1000	5400	1370	2600	3.8	7.3	MG/KG
SS	E200.7	SW3050	CALCIUM	103	103	1200	55000	1020	1470	2.9	5.5	MG/KG
SW	E200.7	SW3050	CALCIUM	6	6	220000	240000	5000	5000	28	28	UG/L
WG	E200.7	SW3050	CALCIUM	16	16	35000	830000	5000	5000	28	28	UG/L
WG	E200.7	FLDFLT	CALCIUM, DISSOLVED	16	16	24000	630000	5000	5000	28	28	UG/L
SB	SW8270C	SW3550	CARBAZOLE	62	1	158	158	347	2960	22	186	UG/KG
SS	SW8270C	SW3550	CARBAZOLE	103	7	51	561	331	28200	21	1780	UG/KG
SB	SW8260B	SW5030	CARBON DISULFIDE	62	2	0.91	1.9	10	12	0.47	0.68	UG/KG
SD	SW8260B	SW5030	CARBON DISULFIDE	6	5	1.8	18	12	34	0.7	1.9	UG/KG
SS	SW8260B	SW5030	CARBON DISULFIDE	103	1	0.61	0.61	9.8	948	0.3	54	UG/KG
WG	E200.7	FLDFLT	CHROMIUM, DISSOLVED	16	5	2.4	5.5	10	10	0.87	0.87	UG/L
SB	E200.7	SW3050	CHROMIUM, TOTAL	62	62	3.3	160	2.1	2.6	0.09	0.11	MG/KG
SD	E200.7	SW3050	CHROMIUM, TOTAL	6	6	1.8	5.4	2.7	5.2	0.12	0.23	MG/KG
SS	E200.7	SW3050	CHROMIUM, TOTAL	103	103	1.2	110	2	2.9	0.08	0.13	MG/KG
WG	E200.7	SW3050	CHROMIUM, TOTAL	16	13	2.5	43	10	10	0.87	0.87	UG/L
SB	SW8270C	SW3550	CHRYSENE	62	2	121	129	347	2960	20	168	UG/KG
SS	SW8270C	SW3550	CHRYSENE	102	25	29	2640	331	28200	19	1610	UG/KG
SB	E200.7	SW3050	COBALT	62	62	1.5	31	10	13	0.04	0.055	MG/KG
SD	E200.7	SW3050	COBALT	6	6	3	7.8	14	26	0.05	0.11	MG/KG
SS	E200.7	SW3050	COBALT	103	103	3.2	27	10	15	0.04	0.11	MG/KG
WG	E200.7	SW3050	COBALT	16	11	5.1	63	50	50	0.43	0.43	UG/L
WG	E200.7	FLDFLT	COBALT, DISSOLVED	16	5	1.1	18	50	50	0.43	0.43	UG/L
SB	E200.7	SW3050	COPPER	62	62	3.7	225	5.2	6.4	0.02	0.1	MG/KG
SD	E200.7	SW3050	COPPER	6	6	6.1	18	6.9	13	0.11	0.21	MG/KG
SS	E200.7	SW3050	COPPER	103	103	12	110	5.1	7.3	0.02	0.22	MG/KG
SW	E200.7	SW3050	COPPER	6	6	2.4	3.2	25	25	0.8	0.8	UG/L
WG	E200.7	SW3050	COPPER	16	12	5.1	130	25	25	0.8	0.8	UG/L
WG	E200.7	FLDFLT	COPPER, DISSOLVED	16	4	2.8	4	25	25	0.8	0.8	UG/L
SS	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	103	9	35	565	331	28200	22	1860	UG

Matrix	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Minimum Reporting Limit	Maximum Reporting Limit	Minimum Detection Limit	Maximum Detection Limit	Units
SB	SW8270C	SW3550	DIBENZOFURAN	62	2	51	663	347	2960	18	154	UG/KG
SS	SW8270C	SW3550	DIBENZOFURAN	103	2	38	1010	331	28200	17	1470	UG/KG
SB	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	62	1	36	36	347	2960	18	157	UG/KG
SS	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	103	1	49	49	331	28200	17	1490	UG/KG
SB	SW8260B	SW5030	ETHYLBENZENE	62	3	0.89	96	10	12	0.27	0.39	UG/KG
SS	SW8260B	SW5030	ETHYLBENZENE	103	1	3.7	3.7	9.8	948	0.24	31	UG/KG
SB	SW8270C	SW3550	FLUORANTHENE	62	2	89	969	347	2960	21	183	UG/KG
SS	SW8270C	SW3550	FLUORANTHENE	103	25	31	8820	331	28200	20	1750	UG/KG
SB	SW8270C	SW3550	FLUORENE	62	2	76	893	347	2960	19	165	UG/KG
SS	SW8270C	SW3550	FLUORENE	103	1	965	965	331	28200	18	1580	UG/KG
SS	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	103	23	24	1520	331	28200	17	1470	UG/KG
SB	E200.7	SW3050	IRON	62	62	5100	62500	21	50	2.6	6.2	MG/KG
SD	E200.7	SW3050	IRON	6	6	6300	18000	27	52	3.5	6.6	MG/KG
SS	E200.7	SW3050	IRON	103	103	7700	44000	20	29	2.6	5.5	MG/KG
SW	E200.7	SW3050	IRON	6	5	50	230	100	100	25	25	UG/L
WG	E200.7	SW3050	IRON	16	15	86	68000	100	100	25	25	UG/L
WG	E200.7	FLDFLT	IRON, DISSOLVED	16	3	120	270	100	100	25	25	UG/L
SB	SW8270C	SW3550	ISOPHORONE	62	1	90	90	347	2960	12	106	UG/KG
SS	SW8270C	SW3550	ISOPHORONE	103	3	106	112	331	28200	12	1010	UG/KG
SB	E200.7	SW3050	LEAD	62	54	0.26	48	0.63	0.77	0.17	0.21	MG/KG
SD	E200.7	SW3050	LEAD	6	6	1.1	4.6	0.82	1.6	0.22	0.42	MG/KG
SS	E200.7	SW3050	LEAD	103	102	0.47	150	0.61	0.88	0.16	0.23	MG/KG
WG	E200.7	SW3050	LEAD	16	2	6.9	12	3	3	1.6	1.6	UG/L
SB	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	62	5	0.54	2970	10	973	0.17	20	UG/KG
SS	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	103	12	0.2	58	9.8	948	0.15	19	UG/KG
WG	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	16	1	0.78	0.78	1	1	0.2	0.2	UG/L
SB	E200.7	SW3050	MAGNESIUM	62	62	840	26000	1050	1290	0.14	1.7	MG/KG
SD	E200.7	SW3050	MAGNESIUM	6	6	690	2500	1370	2600	1.8	3.4	MG/KG
SS	E200.7	SW3050	MAGNESIUM	103	102	1100	19000	1020	1470	0.13	2.7	MG/KG
SW	E200.7	SW3050	MAGNESIUM	6	6	500000	550000	5000	5000	13	13	UG/L
WG	E200.7	SW3050	MAGNESIUM	16	16	19000	980000	5000	5000	13	13	UG/L
WG	E200.7	FLDFLT	MAGNESIUM, DISSOLVED	16	16	13000	1000000	5000	5000	13	13	UG/L
SB	E200.7	SW3050	MANGANESE	62	62	87	1200	3.1	3.9	0.03	0.042	MG/KG
SD	E200.7	SW3050	MANGANESE	6	6	93	510	4.1	7.8	0.04	0.08	MG/KG
SS	E200.7	SW3050	MANGANESE	103	103	140	1200	3.1	4.4	0.03	0.11	MG/KG
SW	E200.7	SW3050	MANGANESE	6	6	1500	2600	15	15	0.33	0.33	UG/L
WG	E200.7	SW3050	MANGANESE	16	16	18	17000	15	15	0.33	0.33	UG/L
WG	E200.7	FLDFLT	MANGANESE, DISSOLVED	16	15	7.4	13000	15	15	0.33	0.33	UG/L
SB	E245.5	METHOD	MERCURY	62	38	0.0028	0.1	0.04	0.052	0.002	0.0038	MG/KG
SD	E245.5	METHOD	MERCURY	6	4	0.0083	0.022	0.05	0.1	0.0034	0.0065	MG/KG
SS	E245.5	METHOD	MERCURY	103	82	0.0028	0.071	0.04	0.05	0.0025	0.0039	MG/KG
SW	E245.2	METHOD	MERCURY	6	1	0.049	0.049	0.2	0.2	0.02	0.02	UG/L
WG	E245.2	METHOD	MERCURY	16	3	0.033	0.076	0.2	0.2	0.025	0.025	UG/L
SB	SW8260B	SW5030	2-BUTANONE (MEK)	5	2	2.9	4.1	10	12	1.5	2	UG/KG
SD	SW8260B	SW5030	2-BUTANONE (MEK)	4	4	2.6	11	14	34	2.4	5.9	UG/KG

Matrix	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Minimum Reporting Limit	Maximum Reporting Limit	Minimum Detection Limit	Maximum Detection Limit	Units
SS	SW8260B	SW5030	2-BUTANONE (MEK)	13	2	5	10	10	12	1.4	2	UG/KG
SB	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	62	3	0.79	53	10	12	0.64	0.94	UG/KG
SS	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	103	2	1.5	2.8	9.8	948	0.59	74	UG/KG
SB	SW8260B	SW5030	METHYLENE CHLORIDE	62	1	0.58	0.58	10	12	0.27	0.4	UG/KG
SD	SW8260B	SW5030	METHYLENE CHLORIDE	6	4	1.1	3.6	12	34	0.41	1.1	UG/KG
SS	SW8260B	SW5030	METHYLENE CHLORIDE	103	8	0.34	0.9	9.8	948	0.25	32	UG/KG
SB	SW8270C	SW3550	NAPHTHALENE	62	2	90	2550	347	2960	26	219	UG/KG
SS	SW8270C	SW3550	NAPHTHALENE	103	2	69	834	331	28200	24	2090	UG/KG
SB	E200.7	SW3050	NICKEL	62	62	1.2	84	8.4	10	0.09	0.12	MG/KG
SD	E200.7	SW3050	NICKEL	6	6	0.85	2.5	11	21	0.13	0.24	MG/KG
SS	E200.7	SW3050	NICKEL	103	103	1.5	57	8.2	12	0.09	0.14	MG/KG
SW	E200.7	SW3050	NICKEL	6	6	2.6	4.1	40	40	0.93	0.93	UG/L
WG	E200.7	SW3050	NICKEL	16	10	7.6	59	40	40	0.93	0.93	UG/L
WG	E200.7	FLDFLT	NICKEL, DISSOLVED	16	5	2.8	7.7	40	40	0.93	0.93	UG/L
SB	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	62	1	603	603	347	2960	25	210	UG/KG
SS	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	103	4	562	717	331	28200	23	2000	UG/KG
SB	SW8260B	SW5030	DIMETHYLBENZENE)	62	5	0.23	1500	10	973	0.16	19	UG/KG
SS	SW8260B	SW5030	DIMETHYLBENZENE)	103	7	0.18	24	9.8	948	0.14	18	UG/KG
WG	SW8260B	SW5030	DIMETHYLBENZENE)	16	1	0.41	0.41	1	1	0.22	0.22	UG/L
SB	CLP_PEST	SW3550	p,p'-DDD	62	4	2.5	13	3.3	4.3	0.23	0.299	UG/KG
SS	CLP_PEST	SW3550	p,p'-DDD	103	15	0.8	18	3.3	7.7	0.23	0.53	UG/KG
WG	L	SW3510	p,p'-DDD	16	1	0.42	0.42	0.02	0.028	0.02	0.028	UG/L
SB	CLP_PEST	SW3550	p,p'-DDE	62	13	1.5	764	3.3	392	0.34	40	UG/KG
SS	CLP_PEST	SW3550	p,p'-DDE	103	45	0.66	3990	3.3	1770	0.34	182	UG/KG
WG	L	SW3510	p,p'-DDE	16	1	0.022	0.022	0.02	0.028	0.01	0.014	UG/L
SB	CLP_PEST	SW3550	p,p'-DDT	62	6	0.9	928	3.3	392	0.39	46	UG/KG
SS	CLP_PEST	SW3550	p,p'-DDT	103	40	0.5	2190	3.3	358	0.39	42	UG/KG
WG	L	SW3510	p,p'-DDT	16	1	0.028	0.028	0.02	0.028	0.02	0.028	UG/L
SW	E300	NONE	PERCHLORATE	6	6	12.5	82.2	2.5	2.5	0.8	0.8	UG/L
WG	E300	NONE	PERCHLORATE	5	1	48	48	12	25	4	8	UG/L
SB	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	26	13	11	232	16	78	9.6	48	MG/KG
SS	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	31	30	11	1200	16	164	9.5	101	MG/KG
SB	SW8270C	SW3550	PHENANTHRENE	62	2	144	2620	347	2960	20	171	UG/KG
SS	SW8270C	SW3550	PHENANTHRENE	103	13	32	4400	331	28200	19	1630	UG/KG
SB	E200.7	SW3050	POTASSIUM	62	62	77	2700	1050	1290	3.1	3.9	MG/KG
SD	E200.7	SW3050	POTASSIUM	6	6	410	1300	1370	2600	4.1	7.8	MG/KG
SS	E200.7	SW3050	POTASSIUM	103	103	360	3400	1020	1470	3.1	5.5	MG/KG
SW	E200.7	SW3050	POTASSIUM	6	6	240000	270000	5000	5000	30	30	UG/L
WG	E200.7	SW3050	POTASSIUM	16	16	4600	330000	5000	5000	30	30	UG/L
WG	E200.7	FLDFLT	POTASSIUM, DISSOLVED	16	16	4100	370000	5000	5000	30	30	UG/L
SB	SW8270C	SW3550	PYRENE	62	2	97	469	347	2960	19	165	UG/KG
SS	SW8270C	SW3550	PYRENE	103	26	32	9790	331	28200	18	1580	UG/KG
SB	E200.7	SW3050	SELENIUM	62	47	0.55	1.5	1	1.3	0.48	0.59	MG/KG
SD	E200.7	SW3050	SELENIUM	6	3	0.74	1.6	1.4	2.6	0.63	1.2	MG/KG
SS	E200.7	SW3050	SELENIUM	103	64	0.6	1.6	1	1.5	0.47	0.68	MG

Matrix	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Minimum Reporting Limit	Maximum Reporting Limit	Mimimum Detection Limit	Maximum Detection Limit	Units
WG	E200.7	FLDFLT	SELENIUM, DISSOLVED	16	1	6.4	6.4	5	5	4.6	4.6	UG/L
SB	E200.7	SW3050	SILVER	62	8	0.064	0.12	2.1	2.6	0.06	0.073	MG/KG
SS	E200.7	SW3050	SILVER	103	10	0.075	0.17	2	2.9	0.05	0.11	MG/KG
WG	E200.7	SW3050	SILVER	16	2	1.2	1.3	10	10	0.57	0.57	UG/L
WG	E200.7	FLDFLT	SILVER, DISSOLVED	16	2	1.2	1.4	10	10	0.57	0.57	UG/L
SB	E200.7	SW3050	SODIUM	62	60	40	3200	1050	1300	21	26	MG/KG
SD	E200.7	SW3050	SODIUM	6	6	1200	4900	1400	2600	27	52	MG/KG
SS	E200.7	SW3050	SODIUM	103	100	27	890	1020	1470	20	29	MG/KG
SW	E200.7	SW3050	SODIUM	6	6	3400000	3700000	5000	5000	2000	2000	UG/L
WG	E200.7	SW3050	SODIUM	16	16	160000	6700000	5000	5000	200	2000	UG/L
WG	E200.7	FLDFLT	SODIUM, DISSOLVED	16	16	160000	7100000	5000	5000	200	2000	UG/L
SB	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	62	3	0.29	1.6	10	12	0.19	0.28	UG/KG
SS	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	103	2	0.27	0.27	9.8	948	0.18	22	UG/KG
SB	E200.7	SW3050	THALLIUM	62	5	0.4	1	2.1	2.6	0.36	0.44	MG/KG
SD	E200.7	SW3050	THALLIUM	6	1	0.84	0.84	2.7	5.2	0.47	0.89	MG/KG
SS	E200.7	SW3050	THALLIUM	103	9	0.51	0.93	2	2.9	0.33	0.5	MG/KG
SW	E200.7	SW3050	THALLIUM	6	6	7.2	17	10	10	3.4	3.4	UG/L
WG	E200.7	SW3050	THALLIUM	16	6	6.6	10	10	10	3.4	3.4	UG/L
WG	E200.7	FLDFLT	THALLIUM, DISSOLVED	16	3	5.3	9	10	10	3.4	3.4	UG/L
SB	SW8260B	SW5030	TOLUENE	62	4	0.33	0.78	10	12	0.17	0.26	UG/KG
SS	SW8260B	SW5030	TOLUENE	103	12	0.24	25	9.8	948	0.16	20	UG/KG
WG	SW8260B	SW5030	TOLUENE	16	12	0.41	1.3	1	1	0.28	0.28	UG/L
SB	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	62	2	0.34	0.37	10	12	0.24	0.35	UG/KG
SS	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	103	6	0.29	2.5	9.8	948	0.22	28	UG/KG
SB	E200.7	SW3050	VANADIUM	62	62	20	188	10	13	0.07	0.09	MG/KG
SD	E200.7	SW3050	VANADIUM	6	6	20	64	14	26	0.09	0.18	MG/KG
SS	E200.7	SW3050	VANADIUM	103	103	21	140	10	15	0.07	0.11	MG/KG
SW	E200.7	SW3050	VANADIUM	6	4	1.2	1.5	50	50	0.7	0.7	UG/L
WG	E200.7	SW3050	VANADIUM	16	16	6	330	50	50	0.7	0.7	UG/L
WG	E200.7	FLDFLT	VANADIUM, DISSOLVED	16	16	2.8	20	50	50	0.7	0.7	UG/L
SW	SW8260B	SW5030	VINYL CHLORIDE	6	1	0.54	0.54	10	10	0.3	0.3	UG/L
SB	SW8260B	SW5030	XYLENES, TOTAL	62	5	1	4460	10	973	0.17	20	UG/KG
SS	SW8260B	SW5030	XYLENES, TOTAL	103	12	0.2	82	9.8	948	0.13	19	UG/KG
WG	SW8260B	SW5030	XYLENES, TOTAL	16	1	1.2	1.2	1	1	0.22	0.22	UG/L
SB	E200.7	SW3050	ZINC	62	62	6.8	130	4.2	5.1	0.52	0.64	MG/KG
SD	E200.7	SW3050	ZINC	6	6	7.3	25	5.5	10	0.69	1.3	MG/KG
SS	E200.7	SW3050	ZINC	103	103	18	260	4.1	5.9	0.51	0.73	MG/KG
WG	E200.7	SW3050	ZINC	16	8	11	94	20	20	5	20	UG/L
WG	E200.7	FLDFLT	ZINC, DISSOLVED	16	1	9.7	9.7	20	20	5	20	UG/L

Attachment G - Contrast Between Common Targets Detected in Both Field Samples and Blanks

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL
SOIL	LB	SW8260B	SW5030	1,2-DICHLOROETHANE	40	7	0.28	1.3	9.3	12
SB	N	SW8260B	SW5030	1,2-DICHLOROETHANE	62	2	1.2	2	10	12
SS	N	SW8260B	SW5030	1,2-DICHLOROETHANE	103	1	1	1	9.8	948
WQ	EB	SW8260B	SW5030	1,2-DICHLOROETHANE	9	1	1.6	1.6	1	10
WATER	LB	SW8260B	SW5030	1,2-DICHLOROETHANE	19	3	1.4	1.7	1	10
WQ	TB1	SW8260B	SW5030	1,2-DICHLOROETHANE	15	1	0.28	0.28	1	10
SB	N	SW8260B	SW5030	2-BUTANONE (MEK)	5	2	2.9	4.1	10	12
SD	N	SW8260B	SW5030	2-BUTANONE (MEK)	4	4	2.6	11	14	34
SS	N	SW8260B	SW5030	2-BUTANONE (MEK)	13	2	5	10	10	12
WQ	EB	SW8260B	SW5030	2-BUTANONE (MEK)	9	1	2.1	2.1	5	10
WQ	TB1	SW8260B	SW5030	2-BUTANONE (MEK)	15	1	4.9	4.9	5	10
WQ	TB2	SW8260B	SW5030	2-BUTANONE (MEK)	3	1	2.2	2.2	10	10
SOIL	LB	SW8260B	SW5030	ACETONE	40	40	4	59	9.3	12
SS	N	SW8260B	SW5030	ACETONE	8	1	6.7	6.7	10	11
WQ	EB	SW8260B	SW5030	ACETONE	9	2	5.4	7.8	5	10
WQ	EB	SW8260B	SW5030	ACETONE	3	1	6.2	6.2	5	10
WQ	EB	SW8260B	SW5030	ACETONE	1	1	6.6	6.6	10	10
WATER	LB	SW8260B	SW5030	ACETONE	19	2	5.7	6.3	5	10
WQ	TB1	SW8260B	SW5030	ACETONE	15	6	4.5	9.4	5	10
SOIL	LB	E200.7	SW3050	ALUMINUM	17	2	12	12	40	40
SB	N	E200.7	SW3050	ALUMINUM	62	62	1970	32600	42	51
SD	N	E200.7	SW3050	ALUMINUM	6	6	1500	11000	55	104
SS	N	E200.7	SW3050	ALUMINUM	103	103	3400	26000	41	59
SW	N	E200.7	SW3050	ALUMINUM	6	3	110	320	200	200
WG	N	E200.7	SW3050	ALUMINUM	16	15	100	72000	200	200
SOIL	LB	E200.7	SW3050	BARIUM	17	2	0.014	0.035	40	40
SB	N	E200.7	SW3050	BARIUM	62	62	14	200	42	51
SD	N	E200.7	SW3050	BARIUM	6	6	6.2	77	55	104
SS	N	E200.7	SW3050	BARIUM	103	102	23	290	41	59
WQ	EB	E200.7	SW3050	BARIUM	3	1	1.2	1.2	200	200
WQ	EB	E200.7	SW3050	BARIUM	1	1	1.6	1.6	200	200
WATER	LB	E200.7	SW3050	BARIUM	13	1	0.18	0.18	200	200
SW	N	E200.7	SW3050	BARIUM	6	6	280	320	200	200
WG	N	E200.7	SW3050	BARIUM	16	16	86	770	200	200
SOIL	LB	SW8260B	SW5030	BENZENE	40	2	0.21	0.21	9.3	12
SS	N	SW8260B	SW5030	BENZENE	103	2	0.27	1.2	9.8	948
WQ	TB1	SW8260B	SW5030	BENZENE	15	1	0.25	0.25	1	10
SB	N	E200.7	SW3050	BERYLLIUM	62	51	0.11	0.48	1	1.3
SD	N	E200.7	SW3050	BERYLLIUM	6	1	0.31	0.31	1.4	2.6
SS	N	E200.7	SW3050	BERYLLIUM	103	80	0.035	0.42	1	1.5
WQ	AB	E200.7	SW3050	BERYLLIUM	1	1	1.3	1.3	5	5
WQ	EB	E200.7	SW3050	BERYLLIUM	9	2	1	1.2	5	5
WQ	EB	E200.7	SW3050	BERYLLIUM	1	1	1.1	1.1	5	5
WG	N	E200.7	SW3050	BERYLLIUM	16	1	1.6	1.6	5	5
SS	N	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	103	1	3880	3880	331	28200
WQ	AB	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	2	1	4.5	4.5	5.3	14
SW	N	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	6	1	1	1	10	11
WG	N	SW8270C	SW3510	bis(2-ETHYLHEXYL) PHTHALATE	16	3	1.2	19	5	5.9
SOIL	LB	E200.7	SW3050	CADMIUM	17	1	0.037	0.037	1	1
SB	N	E200.7	SW3050	CADMIUM	62	2	0.049	0.13	1	1.3
SS	N	E200.7	SW3050	CADMIUM	103	4	0.18	2.7	1	1.5
WATER	LB	E200.7	SW3050	CADMIUM	13	1	0.54	0.54	5	5
WG	N	E200.7	SW3050	CADMIUM	16	2	1.4	3.9	5	5
SOIL	LB	E200.7	SW3050	CALCIUM	17	6	6	33	1000	1000
SB	N	E200.7	SW3050	CALCIUM	62	62	930	185000	1050	2540
SD	N	E200.7	SW3050	CALCIUM	6	6	1000	5400	1370	2600
SS	N	E200.7	SW3050	CALCIUM	103	103	1200	55000	1020	1470
WQ	AB	E200.7	SW3050	CALCIUM	2	1	120	120	5000	5000
WQ	AB	E200.7	SW3050	CALCIUM	1	1	85	85	5000	5000
WQ	EB	E200.7	SW3050	CALCIUM	9	6	65	250	5000	5000
WQ	EB	E200.7	SW3050	CALCIUM	3	2	120	480	5000	5000
WQ	EB	E200.7	SW3050	CALCIUM	1	1	470	470	5000	5000

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL
WATER	LB	E200.7	SW3050	CALCIUM	13	5	190	336	5000	5000
SW	N	E200.7	SW3050	CALCIUM	6	6	220000	240000	5000	5000
WG	N	E200.7	SW3050	CALCIUM	16	16	35000	830000	5000	[illegible]
WATER	LB	E200.7	FLDFLT	CALCIUM, DISSOLVED	2	1	371	371	5000	[illegible]
WG	N	E200.7	FLDFLT	CALCIUM, DISSOLVED	16	16	24000	630000	5000	5000
SB	N	SW8260B	SW5030	CARBON DISULFIDE	62	2	0.91	1.9	10	12
SD	N	SW8260B	SW5030	CARBON DISULFIDE	6	5	1.8	18	12	34
SS	N	SW8260B	SW5030	CARBON DISULFIDE	103	1	0.61	0.61	9.8	948
WQ	EB	SW8260B	SW5030	CARBON DISULFIDE	9	1	0.4	0.4	1	10
WQ	TB1	SW8260B	SW5030	CARBON DISULFIDE	15	1	0.44	0.44	1	10
SB	N	E200.7	SW3050	CHROMIUM, TOTAL	62	62	3.3	160	2.1	2.6
SD	N	E200.7	SW3050	CHROMIUM, TOTAL	6	6	1.8	5.4	2.7	5.2
SS	N	E200.7	SW3050	CHROMIUM, TOTAL	103	103	1.2	110	2	2.9
WQ	EB	E200.7	SW3050	CHROMIUM, TOTAL	9	1	2.4	2.4	10	10
WQ	EB	E200.7	SW3050	CHROMIUM, TOTAL	1	1	7.3	7.3	10	10
WATER	LB	E200.7	SW3050	CHROMIUM, TOTAL	13	2	1.1	1.1	10	10
WG	N	E200.7	SW3050	CHROMIUM, TOTAL	16	13	2.5	43	10	10
SOIL	LB	E200.7	SW3050	COBALT	17	1	0.063	0.063	10	10
SB	N	E200.7	SW3050	COBALT	62	62	1.5	31	10	13
SD	N	E200.7	SW3050	COBALT	6	6	3	7.8	14	26
SS	N	E200.7	SW3050	COBALT	103	103	3.2	27	10	15
WATER	LB	E200.7	SW3050	COBALT	13	2	0.88	0.88	50	50
WG	N	E200.7	SW3050	COBALT	16	11	5.1	63	50	50
SB	N	E200.7	SW3050	COPPER	62	62	3.7	225	5.2	6.4
SD	N	E200.7	SW3050	COPPER	6	6	6.1	18	6.9	13
SS	N	E200.7	SW3050	COPPER	103	103	12	110	5.1	7.3
WQ	EB	E200.7	SW3050	COPPER	9	1	2.6	2.6	25	25
SW	N	E200.7	SW3050	COPPER	6	6	2.4	3.2	25	25
WG	N	E200.7	SW3050	COPPER	16	12	5.1	130	25	25
SOIL	LB	E200.7	SW3050	IRON	17	7	2.6	11	20	[illegible]
SB	N	E200.7	SW3050	IRON	62	62	5100	62500	21	[illegible]
SD	N	E200.7	SW3050	IRON	6	6	6300	18000	27	52
SS	N	E200.7	SW3050	IRON	103	103	7700	44000	20	29
WQ	EB	E200.7	SW3050	IRON	9	1	56	56	100	100
WQ	EB	E200.7	SW3050	IRON	1	1	280	280	100	100
WATER	LB	E200.7	SW3050	IRON	13	5	46	70	100	100
SW	N	E200.7	SW3050	IRON	6	5	50	230	100	100
WG	N	E200.7	SW3050	IRON	16	15	86	68000	100	100
SOIL	LB	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	40	2	0.38	0.38	9.3	12
SB	N	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	62	5	0.54	2970	10	973
SS	N	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	103	12	0.2	58	9.8	948
WG	N	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	16	1	0.78	0.78	1	1
SOIL	LB	E200.7	SW3050	MAGNESIUM	17	3	2	5.5	1000	1000
SB	N	E200.7	SW3050	MAGNESIUM	62	62	840	26000	1050	1290
SD	N	E200.7	SW3050	MAGNESIUM	6	6	690	2500	1370	2600
SS	N	E200.7	SW3050	MAGNESIUM	103	102	1100	19000	1020	1470
WQ	AB	E200.7	SW3050	MAGNESIUM	1	1	99	99	5000	5000
WQ	EB	E200.7	SW3050	MAGNESIUM	9	1	160	160	5000	5000
WQ	EB	E200.7	SW3050	MAGNESIUM	3	2	35	170	5000	5000
WQ	EB	E200.7	SW3050	MAGNESIUM	1	1	360	360	5000	5000
WATER	LB	E200.7	SW3050	MAGNESIUM	13	4	120	120	5000	5000
SW	N	E200.7	SW3050	MAGNESIUM	6	6	500000	550000	5000	5000
WG	N	E200.7	SW3050	MAGNESIUM	16	16	19000	980000	5000	5000
WATER	LB	E200.7	FLDFLT	MAGNESIUM, DISSOLVED	2	1	200	200	5000	5000
WG	N	E200.7	FLDFLT	MAGNESIUM, DISSOLVED	16	16	13000	1000000	5000	5000
SOIL	LB	E200.7	SW3050	MANGANESE	17	4	0.21	0.28	3	3
SB	N	E200.7	SW3050	MANGANESE	62	62	87	1200	3.1	3.9
SD	N	E200.7	SW3050	MANGANESE	6	6	93	510	4.1	[illegible]
SS	N	E200.7	SW3050	MANGANESE	103	103	140	1200	3.1	4.4
WQ	EB	E200.7	SW3050	MANGANESE	9	2	1.1	1.5	15	15
WQ	EB	E200.7	SW3050	MANGANESE	3	1	1.2	1.2	15	15
WQ	EB	E200.7	SW3050	MANGANESE	1	1	8.5	8.5	15	15

Attachment G - Contrast Between Common Targets Detected in Both Field Samples and Blanks

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL
SW	N	E200.7	SW3050	MANGANESE	6	6	1500	2600	15	15
WG	N	E200.7	SW3050	MANGANESE	16	16	18	17000	15	15
SB	N	E245.5	METHOD	MERCURY	62	38	0.0028	0.1	0.04	0.052
SD	N	E245.5	METHOD	MERCURY	6	4	0.0083	0.022	0.05	0.1
SS	N	E245.5	METHOD	MERCURY	103	82	0.0028	0.071	0.04	0.05
WATER	LB	E245.2	METHOD	MERCURY	13	1	0.045	0.045	0.2	0.2
SW	N	E245.2	METHOD	MERCURY	6	1	0.049	0.049	0.2	0.2
WG	N	E245.2	METHOD	MERCURY	16	3	0.033	0.076	0.2	0.2
SOIL	LB	SW8260B	SW5030	METHYLENE CHLORIDE	40	15	0.32	5.1	9.3	12
SB	N	SW8260B	SW5030	METHYLENE CHLORIDE	62	1	0.58	0.58	10	12
SD	N	SW8260B	SW5030	METHYLENE CHLORIDE	6	4	1.1	3.6	12	34
SS	N	SW8260B	SW5030	METHYLENE CHLORIDE	103	8	0.34	0.9	9.8	948
WQ	EB	SW8260B	SW5030	METHYLENE CHLORIDE	9	2	0.27	7.5	2	10
WQ	EB	SW8260B	SW5030	METHYLENE CHLORIDE	3	1	9.5	9.5	2	10
WQ	EB	SW8260B	SW5030	METHYLENE CHLORIDE	1	1	6	6	10	10
WATER	LB	SW8260B	SW5030	METHYLENE CHLORIDE	19	2	0.6	1.3	2	10
WQ	TB1	SW8260B	SW5030	METHYLENE CHLORIDE	15	4	0.22	1.3	2	10
SOIL	LB	E200.7	SW3050	NICKEL	17	1	0.17	0.17	8	8
SB	N	E200.7	SW3050	NICKEL	62	62	1.2	84	8.4	10
SD	N	E200.7	SW3050	NICKEL	6	6	0.85	2.5	11	21
SS	N	E200.7	SW3050	NICKEL	103	103	1.5	57	8.2	12
WQ	AB	E200.7	SW3050	NICKEL	2	1	3	3	40	40
WQ	AB	E200.7	SW3050	NICKEL	1	1	1.9	1.9	40	40
WQ	EB	E200.7	SW3050	NICKEL	9	6	2.2	3.6	40	40
WQ	EB	E200.7	SW3050	NICKEL	3	2	2.9	4.1	40	40
WQ	EB	E200.7	SW3050	NICKEL	1	1	2.9	2.9	40	40
WATER	LB	E200.7	SW3050	NICKEL	13	2	1.9	1.9	40	40
SW	N	E200.7	SW3050	NICKEL	6	6	2.6	4.1	40	40
WG	N	E200.7	SW3050	NICKEL	16	10	7.6	59	40	40
SOIL	LB	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	40	2	0.22	0.22	9.3	12
SB	N	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	62	5	0.23	1500	10	973
SS	N	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	103	7	0.18	24	9.8	948
WG	N	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	16	1	0.41	0.41	1	1
SB	N	CLP_PEST	SW3550	p,p'-DDD	62	4	2.5	13	3.3	4.3
SS	N	CLP_PEST	SW3550	p,p'-DDD	103	15	0.8	18	3.3	7.7
WQ	EB	CLP_PEST	SW3510	p,p'-DDD	1	1	0.108	0.108	0.1	0.1
WG	N	_L	SW3510	p,p'-DDD	16	1	0.42	0.42	0.02	0.028
SB	N	CLP_PEST	SW3550	p,p'-DDE	62	13	1.5	764	3.3	392
SS	N	CLP_PEST	SW3550	p,p'-DDE	103	45	0.66	3990	3.3	1770
WQ	EB	CLP_PEST	SW3510	p,p'-DDE	1	1	0.108	0.108	0.1	0.1
WG	N	_L	SW3510	p,p'-DDE	16	1	0.022	0.022	0.02	0.028
SB	N	CLP_PEST	SW3550	p,p'-DDT	62	6	0.9	928	3.3	392
SS	N	CLP_PEST	SW3550	p,p'-DDT	103	40	0.5	2190	3.3	358
WQ	EB	CLP_PEST	SW3510	p,p'-DDT	1	1	0.108	0.108	0.1	0.1
WG	N	_L	SW3510	p,p'-DDT	16	1	0.028	0.028	0.02	0.028
SOIL	LB	E200.7	SW3050	POTASSIUM	17	2	5	5	1000	1000
SB	N	E200.7	SW3050	POTASSIUM	62	62	77	2700	1050	1290
SD	N	E200.7	SW3050	POTASSIUM	6	6	410	1300	1370	2600
SS	N	E200.7	SW3050	POTASSIUM	103	103	360	3400	1020	1470
WQ	EB	E200.7	SW3050	POTASSIUM	9	1	130	130	5000	5000
WQ	EB	E200.7	SW3050	POTASSIUM	3	1	77	77	5000	5000
WQ	EB	E200.7	SW3050	POTASSIUM	1	1	210	210	5000	5000
SW	N	E200.7	SW3050	POTASSIUM	6	6	240000	270000	5000	5000
WG	N	E200.7	SW3050	POTASSIUM	16	16	4600	330000	5000	5000
SOIL	LB	E200.7	SW3050	SODIUM	17	2	22	26	1000	1000
SB	N	E200.7	SW3050	SODIUM	62	60	40	3200	1050	1300
SD	N	E200.7	SW3050	SODIUM	6	6	1200	4900	1400	2600
SS	N	E200.7	SW3050	SODIUM	103	100	27	890	1020	1470
WQ	EB	E200.7	SW3050	SODIUM	9	2	530	1500	5000	5000
WQ	EB	E200.7	SW3050	SODIUM	3	1	1600	1600	5000	5000
WQ	EB	E200.7	SW3050	SODIUM	1	1	3300	3300	5000	5000
WATER	LB	E200.7	SW3050	SODIUM	13	1	346	346	5000	5000

Attachment G - Contrast Between Common Targets Detected In Both Field Samples and Blanks

Matrix	Sample Type	Analytical Method	Prep Method	Parameter	Number Analyzed	Number Detected	Minimum Detected	Maximum Detected	Min RL	Max RL
SW	N	E200.7	SW3050	SODIUM	6	6	3400000	3700000	5000	5000
WG	N	E200.7	SW3050	SODIUM	16	16	160000	6700000	5000	5000
WATER	LB	E200.7	FLDFLT	SODIUM, DISSOLVED	2	1	1060	1060	5000	
WG	N	E200.7	FLDFLT	SODIUM, DISSOLVED	16	16	160000	7100000	5000	5000
SOIL	LB	E200.7	SW3050	THALLIUM	17	2	0.49	0.71	2	2
SB	N	E200.7	SW3050	THALLIUM	62	5	0.4	1	2.1	2.6
SD	N	E200.7	SW3050	THALLIUM	6	1	0.84	0.84	2.7	5.2
SS	N	E200.7	SW3050	THALLIUM	103	9	0.51	0.93	2	2.9
WQ	AB	E200.7	SW3050	THALLIUM	2	2	8.3	9.8	10	10
WQ	AB	E200.7	SW3050	THALLIUM	1	1	5.4	5.4	10	10
WQ	EB	E200.7	SW3050	THALLIUM	9	8	4.5	9.7	10	10
WQ	EB	E200.7	SW3050	THALLIUM	3	3	6.3	9.5	10	10
WQ	EB	E200.7	SW3050	THALLIUM	1	1	4.9	4.9	10	10
WATER	LB	E200.7	SW3050	THALLIUM	13	4	6.6	7.4	10	10
SW	N	E200.7	SW3050	THALLIUM	6	6	7.2	17	10	10
WG	N	E200.7	SW3050	THALLIUM	16	6	6.6	10	10	10
SOIL	LB	SW8260B	SW5030	TOLUENE	40	2	0.22	0.22	9.3	12
SB	N	SW8260B	SW5030	TOLUENE	62	4	0.33	0.78	10	12
SS	N	SW8260B	SW5030	TOLUENE	103	12	0.24	25	9.8	948
WQ	AB	SW8260B	SW5030	TOLUENE	2	1	0.38	0.38	1	10
WQ	AB	SW8260B	SW5030	TOLUENE	1	1	0.37	0.37	10	10
WQ	EB	SW8260B	SW5030	TOLUENE	9	5	0.31	0.54	1	10
WQ	EB	SW8260B	SW5030	TOLUENE	3	2	0.44	0.44	1	10
WQ	EB	SW8260B	SW5030	TOLUENE	1	1	0.37	0.37	10	10
WG	N	SW8260B	SW5030	TOLUENE	16	12	0.41	1.3	1	1
WQ	TB1	SW8260B	SW5030	TOLUENE	15	11	0.89	5	1	10
WQ	TB2	SW8260B	SW5030	TOLUENE	3	3	2.3	2.7	10	10
SOIL	LB	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	40	2	0.25	0.3	9.3	12
SB	N	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	62	2	0.34	0.37	10	12
SS	N	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	103	6	0.29	2.5	9.8	[illegible]
SOIL	LB	SW8260B	SW5030	XYLENES, TOTAL	40	2	0.6	0.6	9.3	
SB	N	SW8260B	SW5030	XYLENES, TOTAL	62	5	1	4460	10	973
SS	N	SW8260B	SW5030	XYLENES, TOTAL	103	12	0.2	82	9.8	948
WG	N	SW8260B	SW5030	XYLENES, TOTAL	16	1	1.2	1.2	1	1
SOIL	LB	E200.7	SW3050	ZINC	17	5	0.56	1.6	4	4
SB	N	E200.7	SW3050	ZINC	62	62	6.8	130	4.2	5.1
SD	N	E200.7	SW3050	ZINC	6	6	7.3	25	5.5	10
SS	N	E200.7	SW3050	ZINC	103	103	18	260	4.1	5.9
WQ	AB	E200.7	SW3050	ZINC	2	1	8.1	8.1	20	20
WQ	EB	E200.7	SW3050	ZINC	9	2	10	19	20	20
WQ	EB	E200.7	SW3050	ZINC	3	2	6	20	20	20
WATER	LB	E200.7	SW3050	ZINC	13	2	5.3	5.3	20	20
WG	N	E200.7	SW3050	ZINC	16	8	11	94	20	20

Min DL	Max DL	Units
0.16	0.26	ug/Kg
0.18	0.27	ug/Kg
0.17	21	ug/Kg
0.24	0.26	ug/L
0.24	0.26	ug/L
0.24	0.26	ug/L
1.5	2	ug/Kg
2.4	5.9	ug/Kg
1.4	2	ug/Kg
1.7	1.7	ug/L
1.7	1.7	ug/L
1.7	1.7	ug/L
1.4	9.3	ug/Kg
1.8	2.1	ug/Kg
4.1	10	ug/L
4.1	4.1	ug/L
4.1	4.1	ug/L
4.1	10	ug/L
4.1	10	ug/L
9.5	9.5	mg/Kg
10	12	mg/Kg
13	25	mg/Kg
9.7	14	mg/Kg
95	95	ug/L
95	95	ug/L
0.01	0.013	mg/Kg
0.01	0.017	mg/Kg
0.01	0.03	mg/Kg
0.01	0.11	mg/Kg
0.13	0.13	ug/L
0.13	0.13	ug/L
0.13	0.13	ug/L
0.13	0.13	ug/L
0.13	0.13	ug/L
0.1	0.22	ug/Kg
0.11	18	ug/Kg
0.1	0.11	ug/L
0.03	0.042	mg/Kg
0.04	0.08	mg/Kg
0.03	0.11	mg/Kg
0.33	0.33	ug/L
0.33	0.33	ug/L
0.33	0.33	ug/L
0.33	0.33	ug/L
25	2110	ug/Kg
0.93	1.2	ug/L
0.86	0.88	ug/L
0.87	1	ug/L
0.02	0.027	mg/Kg
0.02	0.035	mg/Kg
0.02	0.11	mg/Kg
0.27	0.27	ug/L
0.27	0.27	ug/L
2.8	2.8	mg/Kg
2.9	7.2	mg/Kg
3.8	7.3	mg/Kg
2.9	5.5	mg/Kg
28	28	ug/L
28	28	ug/L
28	28	ug/L
28	28	ug/L
28	28	ug/L

Min DL	Max DL	Units
28	28	ug/L
28	28	ug/L
28	28	ug/L
28	28	ug/L
28	28	ug/L
0.47	0.68	ug/Kg
0.7	1.9	ug/Kg
0.3	54	ug/Kg
0.26	0.31	ug/L
0.26	0.31	ug/L
0.09	0.11	mg/Kg
0.12	0.23	mg/Kg
0.08	0.13	mg/Kg
0.87	0.87	ug/L
0.87	0.87	ug/L
0.87	0.87	ug/L
0.87	0.87	ug/L
0.04	0.043	mg/Kg
0.04	0.055	mg/Kg
0.05	0.11	mg/Kg
0.04	0.11	mg/Kg
0.43	0.43	ug/L
0.43	0.43	ug/L
0.02	0.1	mg/Kg
0.11	0.21	mg/Kg
0.02	0.22	mg/Kg
0.8	2	ug/L
0.8	0.8	ug/L
0.8	0.8	ug/L
2.5	2.5	mg/Kg
2.6	6.2	mg/Kg
3.5	6.6	mg/Kg
2.6	5.5	mg/Kg
25	25	ug/L
25	25	ug/L
25	25	ug/L
25	25	ug/L
25	25	ug/L
0.15	0.23	ug/Kg
0.17	20	ug/Kg
0.15	19	ug/Kg
0.2	0.2	ug/L
0.13	1.3	mg/Kg
0.14	1.7	mg/Kg
1.8	3.4	mg/Kg
0.13	2.7	mg/Kg
13	13	ug/L
13	13	ug/L
13	13	ug/L
13	13	ug/L
13	13	ug/L
13	13	ug/L
13	13	ug/L
13	13	ug/L
13	13	ug/L
0.03	0.033	mg/Kg
0.03	0.042	mg/Kg
0.04	0.08	mg/Kg
0.03	0.11	mg/Kg
0.33	0.33	ug/L
0.33	0.33	ug/L
0.33	0.33	ug/L

Min DL	Max DL	Units
0.33	0.33	ug/L
0.33	0.33	ug/L
0.002	0.0038	mg/Kg
0.0034	0.0065	mg/Kg
0.0025	0.0039	mg/Kg
0.02	0.2	ug/L
0.02	0.02	ug/L
0.025	0.025	ug/L
0.24	1.9	ug/Kg
0.27	0.4	ug/Kg
0.41	1.1	ug/Kg
0.25	32	ug/Kg
0.12	2	ug/L
0.12	0.12	ug/L
0.12	0.12	ug/L
0.12	2	ug/L
0.12	2	ug/L
0.09	0.093	mg/Kg
0.09	0.12	mg/Kg
0.13	0.24	mg/Kg
0.09	0.14	mg/Kg
0.93	0.93	ug/L
0.93	0.93	ug/L
0.93	0.93	ug/L
0.93	0.93	ug/L
0.93	0.93	ug/L
0.93	0.93	ug/L
0.93	0.93	ug/L
0.93	0.93	ug/L
0.14	0.22	ug/Kg
0.16	19	ug/Kg
0.14	18	ug/Kg
0.22	0.22	ug/L
0.23	0.299	ug/Kg
0.23	0.53	ug/Kg
0.02	0.02	ug/L
0.02	0.026	ug/L
0.34	40	ug/Kg
0.34	182	ug/Kg
0.01	0.01	ug/L
0.01	0.014	ug/L
0.39	46	ug/Kg
0.39	42	ug/Kg
0.02	0.02	ug/L
0.02	0.028	ug/L
3	3	mg/Kg
3.1	3.9	mg/Kg
4.1	7.8	mg/Kg
3.1	5.5	mg/Kg
30	30	ug/L
30	30	ug/L
30	30	ug/L
30	30	ug/L
30	30	ug/L
20	20	mg/Kg
21	26	mg/Kg
27	52	mg/Kg
20	29	mg/Kg
200	200	ug/L
200	200	ug/L
200	200	ug/L
200	200	ug/L

Min DL	Max DL	Units
2000	2000	ug/L
200	2000	ug/L
200	200	ug/L
200	2000	ug/L
0.34	0.34	mg/Kg
0.36	0.44	mg/Kg
0.47	0.89	mg/Kg
0.33	0.5	mg/Kg
3.4	3.4	ug/L
3.4	3.4	ug/L
3.4	3.4	ug/L
3.4	3.4	ug/L
3.4	3.4	ug/L
3.4	3.4	ug/L
3.4	3.4	ug/L
3.4	3.4	ug/L
0.15	0.25	ug/Kg
0.17	0.26	ug/Kg
0.16	20	ug/Kg
0.28	0.28	ug/L
0.28	0.28	ug/L
0.23	0.28	ug/L
0.28	0.28	ug/L
0.28	0.28	ug/L
0.28	0.28	ug/L
0.23	0.28	ug/L
0.28	0.28	ug/L
0.21	0.34	ug/Kg
0.24	0.35	ug/Kg
0.22	28	ug/Kg
0.12	0.23	ug/Kg
0.17	20	ug/Kg
0.13	19	ug/Kg
0.22	0.22	ug/L
0.5	0.5	mg/Kg
0.52	0.64	mg/Kg
0.69	1.3	mg/Kg
0.51	0.73	mg/Kg
5	5	ug/L
5	5	ug/L
5	5	ug/L
5	5	ug/L
5	20	ug/L

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SB	NDE073	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	CC
SB	NDE094	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	CC
SB	NDE082	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	CC
SB	NDE089	N1		2-BUTANONE (MEK)	11	U	R	11	1.8	UG/KG	CC
SS	NDE097	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	CC
SS	NDE162	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	CC
SS	NDE081	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	CC
SS	NDE083	N1		2-BUTANONE (MEK)	12	U	R	12	2	UG/KG	CC
SS	NDE086	N1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	CC
SS	NDE169	N1		2-BUTANONE (MEK)	11	U	R	11	1.9	UG/KG	CC
SB	NDE129	N1		ACETONE	82	=	R	10	1.9	UG/KG	CC
SB	NDE054	N1		ACETONE	27	=	R	12	2.2	UG/KG	CC
SB	NDE056	N1		ACETONE	18	=	R	10	1.7	UG/KG	CC
SB	NDE058	N1		ACETONE	56	=	R	10	1.9	UG/KG	CC
SB	NDE060	N1		ACETONE	38	=	R	10	1.8	UG/KG	CC
SB	NDE063	N1		ACETONE	11	=	R	10	1.6	UG/KG	CC
SB	NDE065	N1		ACETONE	15	=	R	10	1.7	UG/KG	CC
SB	NDE096	N1		ACETONE	34	B	R	11	2.1	UG/KG	CC
SB	NDE098	N1		ACETONE	19	B	R	10	1.8	UG/KG	CC
SS	NDE127	N1		ACETONE	10	J	R	10	1.9	UG/KG	CC
SS	NDE128FD1	FD1		ACETONE	27	=	R	10	1.8	UG/KG	CC
SS	NDE151	N1		ACETONE	12	=	R	10	1.7	UG/KG	CC
SS	NDE152	N1		ACETONE	30	=	R	10	1.6	UG/KG	CC
SS	NDE153	N1		ACETONE	15	=	R	10	1.9	UG/KG	CC
SS	NDE154FD1	FD1		ACETONE	14	=	R	10	1.8	UG/KG	CC
SS	NDE155	N1		ACETONE	24	=	R	10	1.7	UG/KG	CC
SS	NDE156	N1		ACETONE	11	=	R	10	1.8	UG/KG	CC
SS	NDE157	N1		ACETONE	10	J	R	10	1.6	UG/KG	CC
SS	NDE158	N1		ACETONE	11	=	R	10	1.7	UG/KG	CC
SS	NDE053	N1		ACETONE	16	=	R	10	1.8	UG/KG	CC
SS	NDE055	N1		ACETONE	16	=	R	10	1.7	UG/KG	CC
SS	NDE057	N1		ACETONE	14	=	R	10	1.4	UG/KG	CC
SS	NDE059	N1		ACETONE	30	=	R	10	1.9	UG/KG	CC
SS	NDE061	N1		ACETONE	19	=	R	10	1.5	UG/KG	CC
SS	NDE062FD1	FD1		ACETONE	10	J	R	10	1.6	UG/KG	CC
SS	NDE064	N1		ACETONE	10	U	R	10	1.5	UG/KG	CC
SS	NDE099FD1	FD1		ACETONE	25	B	R	10	1.7	UG/KG	CC
SS	NDE159	N1		ACETONE	14	B	R	10	1.9	UG/KG	CC
SS	NDE160	N1		ACETONE	13	B	R	10	1.9	UG/KG	CC
SS	NDE161	N1		ACETONE	12	B	R	10	1.8	UG/KG	CC
SS	NDE163	N1		ACETONE	13	B	R	10	2	UG/KG	CC
SS	NDE166	N1		ACETONE	11	J	R	12	2.3	UG/KG	CC
SS	NDE167	N1		ACETONE	11	=	R	10	1.9	UG/KG	CC
SS	NDE176	N1		ACETONE	948	J	R	948	182	UG/KG	CC
SB	NDE129	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	CC, IC
SS	NDE128FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	CC, IC
SS	NDE151	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	CC, IC
SS	NDE152	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	CC, IC
SS	NDE153	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	CC, IC
SS	NDE154FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	CC, IC
SS	NDE155	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	CC, IC
SS	NDE156	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	CC, IC
SS	NDE157	N1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	CC, IC
SS	NDE158	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	CC, IC
SB	NDE087DL1	LR	DL	1,1,1-TRICHLOROETHANE	973	U	R	973	23	UG/KG	DL
SB	NDE087DL1	LR	DL	1,1,2,2-TETRACHLOROETHANE	973	U	R	973	15	UG/KG	DL
SB	NDE087DL1	LR	DL	1,1,2-TRICHLOROETHANE	973	U	R	973	23	UG/KG	DL
SB	NDE087DL1	LR	DL	1,1-DICHLOROETHANE	973	U	R	973	46	UG/KG	DL
SB	NDE087DL1	LR	DL	1,1-DICHLOROETHENE	973	U	R	973	40	UG/KG	DL
SB	NDE087DL1	LR	DL	1,2,4-TRICHLOROBENZENE	833	U	R	833	65	UG/KG	DL
SS	NDE064DL1	LR	DL	1,2,4-TRICHLOROBENZENE	706	U	R	706	55	UG/KG	DL
SS	NDE161DL1	LR	DL	1,2,4-TRICHLOROBENZENE	2470	U	R	2470	193	UG/KG	DL
SB	NDE087DL1	LR	DL	1,2-DICHLOROBENZENE	833	U	R	833	78	UG/KG	DL
SS	NDE064DL1	LR	DL	1,2-DICHLOROBENZENE	706	U	R	706	66	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE161DL1	LR	DL	1,2-DICHLOROBENZENE	2470	U	R	2470	233	UG/KG	DL
SB	NDE087DL1	LR	DL	1,2-DICHLOROETHANE	973	U	R	973	22	UG/KG	DL
SB	NDE087DL1	LR	DL	1,2-DICHLOROPROPANE	973	U	R	973	12	UG/KG	DL
SB	NDE087DL1	LR	DL	1,3-DICHLOROBENZENE	833	U	R	833	67	UG/KG	DL
SS	NDE064DL1	LR	DL	1,3-DICHLOROBENZENE	706	U	R	706	56	UG/KG	DL
SS	NDE161DL1	LR	DL	1,3-DICHLOROBENZENE	2470	U	R	2470	198	UG/KG	DL
SB	NDE087DL1	LR	DL	1,4-DICHLOROBENZENE	833	U	R	833	77	UG/KG	DL
SS	NDE064DL1	LR	DL	1,4-DICHLOROBENZENE	706	U	R	706	65	UG/KG	DL
SS	NDE161DL1	LR	DL	1,4-DICHLOROBENZENE	2470	U	R	2470	228	UG/KG	DL
SB	NDE087DL1	LR	DL	2,4,5-TRICHLOROPHENOL	2500	U	R	2500	48	UG/KG	DL
SS	NDE064DL1	LR	DL	2,4,5-TRICHLOROPHENOL	2120	U	R	2120	40	UG/KG	DL
SS	NDE161DL1	LR	DL	2,4,5-TRICHLOROPHENOL	7420	U	R	7420	141	UG/KG	DL
SB	NDE087DL1	LR	DL	2,4,6-TRICHLOROPHENOL	833	U	R	833	48	UG/KG	DL
SS	NDE064DL1	LR	DL	2,4,6-TRICHLOROPHENOL	706	U	R	706	41	UG/KG	DL
SS	NDE161DL1	LR	DL	2,4,6-TRICHLOROPHENOL	2470	U	R	2470	144	UG/KG	DL
SB	NDE087DL1	LR	DL	2,4-DICHLOROPHENOL	833	U	R	833	48	UG/KG	DL
SS	NDE064DL1	LR	DL	2,4-DICHLOROPHENOL	706	U	R	706	40	UG/KG	DL
SS	NDE161DL1	LR	DL	2,4-DICHLOROPHENOL	2470	U	R	2470	141	UG/KG	DL
SB	NDE087DL1	LR	DL	2,4-DIMETHYLPHENOL	833	U	R	833	65	UG/KG	DL
SS	NDE064DL1	LR	DL	2,4-DIMETHYLPHENOL	706	U	R	706	55	UG/KG	DL
SS	NDE161DL1	LR	DL	2,4-DIMETHYLPHENOL	2470	U	R	2470	193	UG/KG	DL
SB	NDE087DL1	LR	DL	2,4-DINITROPHENOL	2500	U	R	2500	57	UG/KG	DL
SS	NDE064DL1	LR	DL	2,4-DINITROPHENOL	2120	U	R	2120	48	UG/KG	DL
SS	NDE161DL1	LR	DL	2,4-DINITROPHENOL	7420	U	R	7420	168	UG/KG	DL
SB	NDE087DL1	LR	DL	2,4-DINITROTOLUENE	833	U	R	833	58	UG/KG	DL
SS	NDE064DL1	LR	DL	2,4-DINITROTOLUENE	706	U	R	706	49	UG/KG	DL
SS	NDE161DL1	LR	DL	2,4-DINITROTOLUENE	2470	U	R	2470	173	UG/KG	DL
SB	NDE087DL1	LR	DL	2,6-DINITROTOLUENE	833	U	R	833	49	UG/KG	DL
SS	NDE064DL1	LR	DL	2,6-DINITROTOLUENE	706	U	R	706	42	UG/KG	DL
SS	NDE161DL1	LR	DL	2,6-DINITROTOLUENE	2470	U	R	2470	146	UG/KG	DL
SB	NDE087DL1	LR	DL	2-BUTANONE (MEK)	973	U	R	973	166	UG/KG	DL
SB	NDE087DL1	LR	DL	2-CHLOROETHYL ETHER	833	U	R	833	58	UG/KG	DL
SS	NDE064DL1	LR	DL	2-CHLOROETHYL ETHER	706	U	R	706	49	UG/KG	DL
SS	NDE161DL1	LR	DL	2-CHLOROETHYL ETHER	2470	U	R	2470	171	UG/KG	DL
SB	NDE087DL1	LR	DL	2-CHLORONAPHTHALENE	833	U	R	833	51	UG/KG	DL
SS	NDE064DL1	LR	DL	2-CHLORONAPHTHALENE	706	U	R	706	43	UG/KG	DL
SS	NDE161DL1	LR	DL	2-CHLORONAPHTHALENE	2470	U	R	2470	151	UG/KG	DL
SB	NDE087DL1	LR	DL	2-CHLOROPHENOL	833	U	R	833	54	UG/KG	DL
SS	NDE064DL1	LR	DL	2-CHLOROPHENOL	706	U	R	706	46	UG/KG	DL
SS	NDE161DL1	LR	DL	2-CHLOROPHENOL	2470	U	R	2470	161	UG/KG	DL
SB	NDE087DL1	LR	DL	2-HEXANONE	973	U	R	973	55	UG/KG	DL
SB	NDE087	N1		2-METHYLNAPHTHALENE	4660	E	R	416	25	UG/KG	DL
SS	NDE064DL1	LR	DL	2-METHYLNAPHTHALENE	706	U	R	706	42	UG/KG	DL
SS	NDE161DL1	LR	DL	2-METHYLNAPHTHALENE	1120	J	R	2470	146	UG/KG	DL
SB	NDE087DL1	LR	DL	2-METHYLPHENOL (o-CRESOL)	833	U	R	833	61	UG/KG	DL
SS	NDE064DL1	LR	DL	2-METHYLPHENOL (o-CRESOL)	706	U	R	706	52	UG/KG	DL
SS	NDE161DL1	LR	DL	2-METHYLPHENOL (o-CRESOL)	2470	U	R	2470	181	UG/KG	DL
SB	NDE087DL1	LR	DL	2-NITROANILINE	2500	U	R	2500	42	UG/KG	DL
SS	NDE064DL1	LR	DL	2-NITROANILINE	2120	U	R	2120	35	UG/KG	DL
SS	NDE161DL1	LR	DL	2-NITROANILINE	7420	U	R	7420	124	UG/KG	DL
SB	NDE087DL1	LR	DL	2-NITROPHENOL	833	U	R	833	50	UG/KG	DL
SS	NDE064DL1	LR	DL	2-NITROPHENOL	706	U	R	706	42	UG/KG	DL
SS	NDE161DL1	LR	DL	2-NITROPHENOL	2470	U	R	2470	149	UG/KG	DL
SB	NDE087DL1	LR	DL	3,3'-DICHLOROBENZIDINE	40	J	R	1670	39	UG/KG	DL
SS	NDE064DL1	LR	DL	3,3'-DICHLOROBENZIDINE	1410	U	R	1410	33	UG/KG	DL
SS	NDE161DL1	LR	DL	3,3'-DICHLOROBENZIDINE	4950	U	R	4950	116	UG/KG	DL
SB	NDE087DL1	LR	DL	3-NITROANILINE	2500	U	R	2500	39	UG/KG	DL
SS	NDE064DL1	LR	DL	3-NITROANILINE	2120	U	R	2120	33	UG/KG	DL
SS	NDE161DL1	LR	DL	3-NITROANILINE	7420	U	R	7420	116	UG/KG	DL
SB	NDE087DL1	LR	DL	4,6-DINITRO-2-METHYLPHENOL	2500	U	R	2500	46	UG/KG	DL
SS	NDE064DL1	LR	DL	4,6-DINITRO-2-METHYLPHENOL	2120	U	R	2120	39	UG/KG	DL
SS	NDE161DL1	LR	DL	4,6-DINITRO-2-METHYLPHENOL	7420	U	R	7420	136	UG/KG	DL
SB	NDE087DL1	LR	DL	4-BROMOPHENYL PHENYL ETHER	833	U	R	833	50	UG/KG	DL
SS	NDE064DL1	LR	DL	4-BROMOPHENYL PHENYL ETHER	706	U	R	706	42	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE161DL1	LR	DL	4-BROMOPHENYL PHENYL ETHER	2470	U	R	2470	149	UG/KG	DL
SB	NDE087DL1	LR	DL	4-CHLORO-3-METHYLPHENOL	833	U	R	833	49	UG/KG	DL
SS	NDE064DL1	LR	DL	4-CHLORO-3-METHYLPHENOL	706	U	R	706	42	UG/KG	DL
SS	NDE161DL1	LR	DL	4-CHLORO-3-METHYLPHENOL	2470	U	R	2470	146	UG/KG	DL
SB	NDE087DL1	LR	DL	4-CHLOROANILINE	833	U	R	833	52	UG/KG	DL
SS	NDE064DL1	LR	DL	4-CHLOROANILINE	706	U	R	706	44	UG/KG	DL
SS	NDE161DL1	LR	DL	4-CHLOROANILINE	2470	U	R	2470	154	UG/KG	DL
SB	NDE087DL1	LR	DL	4-CHLOROPHENYL PHENYL ETHER	833	U	R	833	49	UG/KG	DL
SS	NDE064DL1	LR	DL	4-CHLOROPHENYL PHENYL ETHER	706	U	R	706	42	UG/KG	DL
SS	NDE161DL1	LR	DL	4-CHLOROPHENYL PHENYL ETHER	2470	U	R	2470	146	UG/KG	DL
SB	NDE087DL1	LR	DL	4-METHYL-2-PENTANONE (MIBK)	973	U	R	973	75	UG/KG	DL
SB	NDE087DL1	LR	DL	4-NITROANILINE	2500	U	R	2500	30	UG/KG	DL
SS	NDE064DL1	LR	DL	4-NITROANILINE	2120	U	R	2120	25	UG/KG	DL
SS	NDE161DL1	LR	DL	4-NITROANILINE	7420	U	R	7420	89	UG/KG	DL
SB	NDE087DL1	LR	DL	4-NITROPHENOL	2500	U	R	2500	42	UG/KG	DL
SS	NDE064DL1	LR	DL	4-NITROPHENOL	2120	U	R	2120	35	UG/KG	DL
SS	NDE161DL1	LR	DL	4-NITROPHENOL	7420	U	R	7420	124	UG/KG	DL
SB	NDE087DL1	LR	DL	ACENAPHTHENE	333	J	R	833	42	UG/KG	DL
SS	NDE064DL1	LR	DL	ACENAPHTHENE	706	U	R	706	35	UG/KG	DL
SS	NDE161DL1	LR	DL	ACENAPHTHENE	1120	J	R	2470	124	UG/KG	DL
SB	NDE087DL1	LR	DL	ACENAPHTHYLENE	833	U	R	833	83	UG/KG	DL
SS	NDE064DL1	LR	DL	ACENAPHTHYLENE	706	U	R	706	71	UG/KG	DL
SS	NDE161DL1	LR	DL	ACENAPHTHYLENE	755	J	R	2470	248	UG/KG	DL
SB	NDE087DL1	LR	DL	ACETONE	973	U	R	973	186	UG/KG	DL
SB	NDE006DL2	LR	DL	ALDRIN	202	U	R	202	56	UG/KG	DL
SB	NDE006DL1	LR	DL	ALDRIN	20	U	R	20	5.6	UG/KG	DL
SB	NDE008DL1	LR	DL	ALDRIN	18	U	R	18	4.9	UG/KG	DL
SB	NDE027DL1	LR	DL	ALDRIN	19	U	R	19	5.3	UG/KG	DL
SS	NDE137DL1	LR	DL	ALDRIN	4	U	R	4	1.1	UG/KG	DL
SS	NDE142DL1	LR	DL	ALDRIN	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	ALDRIN	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE145DL1	LR	DL	ALDRIN	9	U	R	9	2.4	UG/KG	DL
SS	NDE146DL1	LR	DL	ALDRIN	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE148DL1	LR	DL	ALDRIN	4.3	U	R	4.3	1.2	UG/KG	DL
SS	NDE149DL1	LR	DL	ALDRIN	4.2	U	R	4.2	1.1	UG/KG	DL
SS	NDE151DL1	LR	DL	ALDRIN	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE153DL1	LR	DL	ALDRIN	3.9	U	R	3.9	1.1	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	ALDRIN	9.5	U	R	9.5	2.6	UG/KG	DL
SS	NDE155DL1	LR	DL	ALDRIN	19	U	R	19	5.3	UG/KG	DL
SS	NDE157DL1	LR	DL	ALDRIN	9.2	U	R	9.2	2.5	UG/KG	DL
SS	NDE164DL1	LR	DL	ALDRIN	19	U	R	19	5.1	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	ALDRIN	20	U	R	20	5.3	UG/KG	DL
SS	NDE166DL1	LR	DL	ALDRIN	21	U	R	21	5.6	UG/KG	DL
SS	NDE167DL1	LR	DL	ALDRIN	20	U	R	20	5.6	UG/KG	DL
SS	NDE004DL2	LR	DL	ALDRIN	912	U	R	912	252	UG/KG	DL
SS	NDE004DL1	LR	DL	ALDRIN	91	U	R	91	25	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	ALDRIN	18	U	R	18	5.1	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	ALDRIN	185	U	R	185	51	UG/KG	DL
SS	NDE007DL2	LR	DL	ALDRIN	182	U	R	182	50	UG/KG	DL
SS	NDE007DL1	LR	DL	ALDRIN	18	U	R	18	5	UG/KG	DL
SS	NDE017DL1	LR	DL	ALDRIN	9.2	U	R	9.2	2.6	UG/KG	DL
SB	NDE006DL1	LR	DL	ALPHA BHC	20	U	R	20	5.8	UG/KG	DL
SB	NDE006DL2	LR	DL	ALPHA BHC	202	U	R	202	58	UG/KG	DL
SB	NDE008DL1	LR	DL	ALPHA BHC	18	U	R	18	5.1	UG/KG	DL
SB	NDE027DL1	LR	DL	ALPHA BHC	19	U	R	19	5.5	UG/KG	DL
SS	NDE137DL1	LR	DL	ALPHA BHC	4	U	R	4	1.1	UG/KG	DL
SS	NDE142DL1	LR	DL	ALPHA BHC	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	ALPHA BHC	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE145DL1	LR	DL	ALPHA BHC	9	U	R	9	2.5	UG/KG	DL
SS	NDE146DL1	LR	DL	ALPHA BHC	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE148DL1	LR	DL	ALPHA BHC	4.3	U	R	4.3	1.2	UG/KG	DL
SS	NDE149DL1	LR	DL	ALPHA BHC	4.2	U	R	4.2	1.2	UG/KG	DL
SS	NDE151DL1	LR	DL	ALPHA BHC	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE153DL1	LR	DL	ALPHA BHC	3.9	U	R	3.9	1.1	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE154FD1DL1	LR	DL	ALPHA BHC	9.5	U	R	9.5	2.7	UG/KG	DL
SS	NDE155DL1	LR	DL	ALPHA BHC	19	U	R	19	5.5	UG/KG	DL
SS	NDE157DL1	LR	DL	ALPHA BHC	9.2	U	R	9.2	2.6	UG/KG	DL
SS	NDE164DL1	LR	DL	ALPHA BHC	19	U	R	19	5.3	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	ALPHA BHC	20	U	R	20	5.6	UG/KG	DL
SS	NDE166DL1	LR	DL	ALPHA BHC	21	U	R	21	5.9	UG/KG	DL
SS	NDE167DL1	LR	DL	ALPHA BHC	20	U	R	20	5.8	UG/KG	DL
SS	NDE004DL1	LR	DL	ALPHA BHC	91	U	R	91	26	UG/KG	DL
SS	NDE004DL2	LR	DL	ALPHA BHC	912	U	R	912	263	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	ALPHA BHC	185	U	R	185	53	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	ALPHA BHC	18	U	R	18	5.3	UG/KG	DL
SS	NDE007DL2	LR	DL	ALPHA BHC	182	U	R	182	52	UG/KG	DL
SS	NDE007DL1	LR	DL	ALPHA BHC	18	U	R	18	5.2	UG/KG	DL
SS	NDE017DL1	LR	DL	ALPHA BHC	9.2	U	R	9.2	2.7	UG/KG	DL
SB	NDE006DL1	LR	DL	ALPHA-CHLORDANE	20	U	R	20	5.7	UG/KG	DL
SB	NDE006DL2	LR	DL	ALPHA-CHLORDANE	202	U	R	202	57	UG/KG	DL
SB	NDE008DL1	LR	DL	ALPHA-CHLORDANE	18	U	R	18	5	UG/KG	DL
SB	NDE027DL1	LR	DL	ALPHA-CHLORDANE	19	U	R	19	5.4	UG/KG	DL
SS	NDE137DL1	LR	DL	ALPHA-CHLORDANE	4	U	R	4	1.1	UG/KG	DL
SS	NDE142DL1	LR	DL	ALPHA-CHLORDANE	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	ALPHA-CHLORDANE	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE145DL1	LR	DL	ALPHA-CHLORDANE	9	U	R	9	2.5	UG/KG	DL
SS	NDE146DL1	LR	DL	ALPHA-CHLORDANE	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE148DL1	LR	DL	ALPHA-CHLORDANE	4.3	U	R	4.3	1.2	UG/KG	DL
SS	NDE149DL1	LR	DL	ALPHA-CHLORDANE	4.2	U	R	4.2	1.2	UG/KG	DL
SS	NDE151DL1	LR	DL	ALPHA-CHLORDANE	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE153DL1	LR	DL	ALPHA-CHLORDANE	3.9	U	R	3.9	1.1	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	ALPHA-CHLORDANE	9.5	U	R	9.5	2.7	UG/KG	DL
SS	NDE155DL1	LR	DL	ALPHA-CHLORDANE	19	U	R	19	5.4	UG/KG	DL
SS	NDE157DL1	LR	DL	ALPHA-CHLORDANE	9.2	U	R	9.2	2.6	UG/KG	DL
SS	NDE164DL1	LR	DL	ALPHA-CHLORDANE	19	U	R	19	5.2	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	ALPHA-CHLORDANE	20	U	R	20	5.4	UG/KG	DL
SS	NDE166DL1	LR	DL	ALPHA-CHLORDANE	21	U	R	21	5.8	UG/KG	DL
SS	NDE167DL1	LR	DL	ALPHA-CHLORDANE	20	U	R	20	5.7	UG/KG	DL
SS	NDE004DL2	LR	DL	ALPHA-CHLORDANE	912	U	R	912	258	UG/KG	DL
SS	NDE004DL1	LR	DL	ALPHA-CHLORDANE	91	U	R	91	26	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	ALPHA-CHLORDANE	18	U	R	18	5.2	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	ALPHA-CHLORDANE	185	U	R	185	52	UG/KG	DL
SS	NDE007DL1	LR	DL	ALPHA-CHLORDANE	18	U	R	18	5.1	UG/KG	DL
SS	NDE007DL2	LR	DL	ALPHA-CHLORDANE	182	U	R	182	51	UG/KG	DL
SS	NDE017DL1	LR	DL	ALPHA-CHLORDANE	9.2	U	R	9.2	2.6	UG/KG	DL
SB	NDE087DL1	LR	DL	ANTHRACENE	833	U	R	833	47	UG/KG	DL
SS	NDE064DL1	LR	DL	ANTHRACENE	706	U	R	706	40	UG/KG	DL
SS	NDE161DL1	LR	DL	ANTHRACENE	1350	J	R	2470	139	UG/KG	DL
SB	NDE087DL1	LR	DL	BENZENE	973	U	R	973	19	UG/KG	DL
SB	NDE087DL1	LR	DL	BENZO(a)ANTHRACENE	833	U	R	833	43	UG/KG	DL
SS	NDE064DL1	LR	DL	BENZO(a)ANTHRACENE	706	U	R	706	37	UG/KG	DL
SS	NDE161DL1	LR	DL	BENZO(a)ANTHRACENE	5550	=	R	2470	129	UG/KG	DL
SB	NDE087DL1	LR	DL	BENZO(a)PYRENE	833	U	R	833	56	UG/KG	DL
SS	NDE064DL1	LR	DL	BENZO(a)PYRENE	706	U	R	706	47	UG/KG	DL
SS	NDE161DL1	LR	DL	BENZO(a)PYRENE	5530	=	R	2470	166	UG/KG	DL
SB	NDE087DL1	LR	DL	BENZO(b)FLUORANTHENE	833	U	R	833	49	UG/KG	DL
SS	NDE064DL1	LR	DL	BENZO(b)FLUORANTHENE	706	U	R	706	42	UG/KG	DL
SS	NDE161	N1		BENZO(b)FLUORANTHENE	10400	E	R	495	29	UG/KG	DL
SB	NDE087DL1	LR	DL	BENZO(g,h,i)PERYLENE	833	U	R	833	50	UG/KG	DL
SS	NDE064DL1	LR	DL	BENZO(g,h,i)PERYLENE	706	U	R	706	42	UG/KG	DL
SS	NDE161DL1	LR	DL	BENZO(g,h,i)PERYLENE	1290	J	R	2470	149	UG/KG	DL
SB	NDE087DL1	LR	DL	BENZO(k)FLUORANTHENE	833	U	R	833	59	UG/KG	DL
SS	NDE064DL1	LR	DL	BENZO(k)FLUORANTHENE	706	U	R	706	50	UG/KG	DL
SS	NDE161DL1	LR	DL	BENZO(k)FLUORANTHENE	6670	=	R	2470	176	UG/KG	DL
SB	NDE087DL1	LR	DL	BENZYL BUTYL PHTHALATE	833	U	R	833	44	UG/KG	DL
SS	NDE064DL1	LR	DL	BENZYL BUTYL PHTHALATE	706	U	R	706	37	UG/KG	DL
SS	NDE161DL1	LR	DL	BENZYL BUTYL PHTHALATE	2470	U	R	2470	131	UG/KG	DL
SB	NDE008DL1	LR	DL	BETA BHC	20	U	R	20	5.4	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SB	NDE006DL2	LR	DL	BETA BHC	202	U	R	202	54	UG/KG	DL
SB	NDE008DL1	LR	DL	BETA BHC	18	U	R	18	4.7	UG/KG	DL
SB	NDE027DL1	LR	DL	BETA BHC	19	U	R	19	5	UG/KG	DL
SS	NDE137DL1	LR	DL	BETA BHC	4	U	R	4	1	UG/KG	DL
SS	NDE142DL1	LR	DL	BETA BHC	3.8	U	R	3.8	0.99	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	BETA BHC	3.8	U	R	3.8	0.99	UG/KG	DL
SS	NDE145DL1	LR	DL	BETA BHC	9	U	R	9	2.3	UG/KG	DL
SS	NDE146DL1	LR	DL	BETA BHC	3.8	U	R	3.8	0.99	UG/KG	DL
SS	NDE148DL1	LR	DL	BETA BHC	4.3	U	R	4.3	1.1	UG/KG	DL
SS	NDE149DL1	LR	DL	BETA BHC	4.2	U	R	4.2	1.1	UG/KG	DL
SS	NDE151DL1	LR	DL	BETA BHC	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE153DL1	LR	DL	BETA BHC	3.9	U	R	3.9	1	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	BETA BHC	9.5	U	R	9.5	2.5	UG/KG	DL
SS	NDE155DL1	LR	DL	BETA BHC	19	U	R	19	5.1	UG/KG	DL
SS	NDE157DL1	LR	DL	BETA BHC	9.2	U	R	9.2	2.4	UG/KG	DL
SS	NDE164DL1	LR	DL	BETA BHC	19	U	R	19	4.9	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	BETA BHC	20	U	R	20	5.1	UG/KG	DL
SS	NDE166DL1	LR	DL	BETA BHC	21	U	R	21	5.4	UG/KG	DL
SS	NDE167DL1	LR	DL	BETA BHC	20	U	R	20	5.3	UG/KG	DL
SS	NDE004DL1	LR	DL	BETA BHC	91	U	R	91	24	UG/KG	DL
SS	NDE004DL2	LR	DL	BETA BHC	912	U	R	912	241	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	BETA BHC	185	U	R	185	49	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	BETA BHC	18	U	R	18	4.9	UG/KG	DL
SS	NDE007DL2	LR	DL	BETA BHC	182	U	R	182	48	UG/KG	DL
SS	NDE007DL1	LR	DL	BETA BHC	18	U	R	18	4.8	UG/KG	DL
SS	NDE017DL1	LR	DL	BETA BHC	9.2	U	R	9.2	2.4	UG/KG	DL
SB	NDE087DL1	LR	DL	bis(2-CHLOROETHOXY) METHANE	833	U	R	833	62	UG/KG	DL
SS	NDE064DL1	LR	DL	bis(2-CHLOROETHOXY) METHANE	706	U	R	706	52	UG/KG	DL
SS	NDE161DL1	LR	DL	bis(2-CHLOROETHOXY) METHANE	2470	U	R	2470	183	UG/KG	DL
SB	NDE087DL1	LR	DL	bis(2-CHLOROISOPROPYL) ETHER	833	U	R	833	61	UG/KG	DL
SS	NDE064DL1	LR	DL	bis(2-CHLOROISOPROPYL) ETHER	706	U	R	706	52	UG/KG	DL
SS	NDE161DL1	LR	DL	bis(2-CHLOROISOPROPYL) ETHER	2470	U	R	2470	181	UG/KG	DL
SB	NDE087DL1	LR	DL	bis(2-ETHYLHEXYL) PHTHALATE	833	U	R	833	63	UG/KG	DL
SS	NDE064	N1		bis(2-ETHYLHEXYL) PHTHALATE	4390	E	R	353	26	UG/KG	DL
SS	NDE161DL1	LR	DL	bis(2-ETHYLHEXYL) PHTHALATE	2470	U	R	2470	186	UG/KG	DL
SB	NDE087DL1	LR	DL	BROMODICHLOROMETHANE	973	U	R	973	17	UG/KG	DL
SB	NDE087DL1	LR	DL	BROMOFORM	973	U	R	973	21	UG/KG	DL
SB	NDE087DL1	LR	DL	BROMOMETHANE	973	U	R	973	81	UG/KG	DL
SB	NDE122	N1		CALCIUM	160000	E	R	1270	3.6	MG/KG	DL
SB	NDE124	N1		CALCIUM	151000	E	R	1080	3	MG/KG	DL
SB	NDE087DL1	LR	DL	CARBAZOLE	145	J	R	833	53	UG/KG	DL
SS	NDE064DL1	LR	DL	CARBAZOLE	706	U	R	706	44	UG/KG	DL
SS	NDE161DL1	LR	DL	CARBAZOLE	508	J	R	2470	156	UG/KG	DL
SB	NDE087DL1	LR	DL	CARBON DISULFIDE	973	U	R	973	55	UG/KG	DL
SB	NDE087DL1	LR	DL	CARBON TETRACHLORIDE	973	U	R	973	33	UG/KG	DL
SB	NDE087DL1	LR	DL	CHLOROBENZENE	973	U	R	973	21	UG/KG	DL
SB	NDE087DL1	LR	DL	CHLOROETHANE	973	U	R	973	54	UG/KG	DL
SB	NDE087DL1	LR	DL	CHLOROFORM	973	U	R	973	25	UG/KG	DL
SB	NDE087DL1	LR	DL	CHLOROMETHANE	973	U	R	973	77	UG/KG	DL
SB	NDE087DL1	LR	DL	CHRYSENE	122	J	R	833	48	UG/KG	DL
SS	NDE064DL1	LR	DL	CHRYSENE	706	U	R	706	40	UG/KG	DL
SS	NDE161	N1		CHRYSENE	6500	E	R	495	28	UG/KG	DL
SS	NDE161DL1	LR	DL	CHRYSENE	6780	=	R	2470	141	UG/KG	DL
SB	NDE087DL1	LR	DL	cis-1,3-DICHLOROPROPENE	973	U	R	973	23	UG/KG	DL
SB	NDE087DL1	LR	DL	CRESOLS, m & p	833	U	R	833	54	UG/KG	DL
SS	NDE064DL1	LR	DL	CRESOLS, m & p	706	U	R	706	46	UG/KG	DL
SS	NDE161DL1	LR	DL	CRESOLS, m & p	2470	U	R	2470	161	UG/KG	DL
SB	NDE006DL1	LR	DL	DELTA BHC	20	U	R	20	5.1	UG/KG	DL
SB	NDE006DL2	LR	DL	DELTA BHC	202	U	R	202	51	UG/KG	DL
SB	NDE008DL1	LR	DL	DELTA BHC	18	U	R	18	4.5	UG/KG	DL
SB	NDE027DL1	LR	DL	DELTA BHC	19	U	R	19	4.8	UG/KG	DL
SS	NDE137DL1	LR	DL	DELTA BHC	4	U	R	4	0.99	UG/KG	DL
SS	NDE142DL1	LR	DL	DELTA BHC	3.8	U	R	3.8	0.94	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	DELTA BHC	3.8	U	R	3.8	0.94	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE145DL1	LR	DL	DELTA BHC	9	U	R	9	2.2	UG/KG	DL
SS	NDE146DL1	LR	DL	DELTA BHC	3.8	U	R	3.8	0.95	UG/KG	DL
SS	NDE148DL1	LR	DL	DELTA BHC	4.3	U	R	4.3	1.1	UG/KG	DL
SS	NDE149DL1	LR	DL	DELTA BHC	4.2	U	R	4.2	1	UG/KG	DL
SS	NDE151DL1	LR	DL	DELTA BHC	3.8	U	R	3.8	0.96	UG/KG	DL
SS	NDE153DL1	LR	DL	DELTA BHC	3.9	U	R	3.9	0.96	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	DELTA BHC	9.5	U	R	9.5	2.4	UG/KG	DL
SS	NDE155DL1	LR	DL	DELTA BHC	19	U	R	19	4.8	UG/KG	DL
SS	NDE157DL1	LR	DL	DELTA BHC	9.2	U	R	9.2	2.3	UG/KG	DL
SS	NDE164DL1	LR	DL	DELTA BHC	19	U	R	19	4.7	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	DELTA BHC	20	U	R	20	4.9	UG/KG	DL
SS	NDE166DL1	LR	DL	DELTA BHC	21	U	R	21	5.2	UG/KG	DL
SS	NDE167DL1	LR	DL	DELTA BHC	20	U	R	20	5.1	UG/KG	DL
SS	NDE004DL1	LR	DL	DELTA BHC	91	U	R	91	23	UG/KG	DL
SS	NDE004DL2	LR	DL	DELTA BHC	912	U	R	912	231	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	DELTA BHC	18	U	R	18	4.7	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	DELTA BHC	185	U	R	185	47	UG/KG	DL
SS	NDE007DL1	LR	DL	DELTA BHC	18	U	R	18	4.6	UG/KG	DL
SS	NDE007DL2	LR	DL	DELTA BHC	182	U	R	182	46	UG/KG	DL
SS	NDE017DL1	LR	DL	DELTA BHC	9.2	U	R	9.2	2.3	UG/KG	DL
SB	NDE087DL1	LR	DL	DIBENZ(a,h)ANTHRACENE	833	U	R	833	55	UG/KG	DL
SS	NDE064DL1	LR	DL	DIBENZ(a,h)ANTHRACENE	706	U	R	706	47	UG/KG	DL
SS	NDE161DL1	LR	DL	DIBENZ(a,h)ANTHRACENE	2470	U	R	2470	163	UG/KG	DL
SB	NDE087DL1	LR	DL	DIBENZOFURAN	680	J	R	833	43	UG/KG	DL
SS	NDE064DL1	LR	DL	DIBENZOFURAN	706	U	R	706	37	UG/KG	DL
SS	NDE161DL1	LR	DL	DIBENZOFURAN	1080	J	R	2470	129	UG/KG	DL
SB	NDE087DL1	LR	DL	DIBROMOCHLOROMETHANE	973	U	R	973	21	UG/KG	DL
SB	NDE006DL2	LR	DL	DIELDRIN	392	U	R	392	49	UG/KG	DL
SB	NDE006DL1	LR	DL	DIELDRIN	39	U	R	39	4.9	UG/KG	DL
SB	NDE008DL1	LR	DL	DIELDRIN	35	U	R	35	4.3	UG/KG	DL
SB	NDE027DL1	LR	DL	DIELDRIN	37	U	R	37	4.6	UG/KG	DL
SS	NDE137DL1	LR	DL	DIELDRIN	7.7	U	R	7.7	0.95	UG/KG	DL
SS	NDE142DL1	LR	DL	DIELDRIN	7.3	U	R	7.3	0.9	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	DIELDRIN	7.3	U	R	7.3	0.9	UG/KG	DL
SS	NDE145DL1	LR	DL	DIELDRIN	17	U	R	17	2.1	UG/KG	DL
SS	NDE146DL1	LR	DL	DIELDRIN	7.3	U	R	7.3	0.9	UG/KG	DL
SS	NDE148DL1	LR	DL	DIELDRIN	8.3	U	R	8.3	1	UG/KG	DL
SS	NDE149DL1	LR	DL	DIELDRIN	8.1	U	R	8.1	0.99	UG/KG	DL
SS	NDE151DL1	LR	DL	DIELDRIN	7.4	U	R	7.4	0.91	UG/KG	DL
SS	NDE153DL1	LR	DL	DIELDRIN	7.5	U	R	7.5	0.92	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	DIELDRIN	18	U	R	18	2.3	UG/KG	DL
SS	NDE155DL1	LR	DL	DIELDRIN	37	U	R	37	4.6	UG/KG	DL
SS	NDE157DL1	LR	DL	DIELDRIN	18	U	R	18	2.2	UG/KG	DL
SS	NDE164DL1	LR	DL	DIELDRIN	36	U	R	36	4.4	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	DIELDRIN	38	U	R	38	4.7	UG/KG	DL
SS	NDE166DL1	LR	DL	DIELDRIN	40	U	R	40	4.9	UG/KG	DL
SS	NDE167DL1	LR	DL	DIELDRIN	39	U	R	39	4.9	UG/KG	DL
SS	NDE004DL2	LR	DL	DIELDRIN	1770	U	R	1770	220	UG/KG	DL
SS	NDE004DL1	LR	DL	DIELDRIN	177	U	R	177	22	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	DIELDRIN	36	U	R	36	4.4	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	DIELDRIN	358	U	R	358	44	UG/KG	DL
SS	NDE007DL2	LR	DL	DIELDRIN	354	U	R	354	44	UG/KG	DL
SS	NDE007DL1	LR	DL	DIELDRIN	35	U	R	35	4.4	UG/KG	DL
SS	NDE017DL1	LR	DL	DIELDRIN	18	U	R	18	2.2	UG/KG	DL
SB	NDE087DL1	LR	DL	DIETHYL PHTHALATE	833	U	R	833	68	UG/KG	DL
SS	NDE064DL1	LR	DL	DIETHYL PHTHALATE	706	U	R	706	58	UG/KG	DL
SS	NDE161DL1	LR	DL	DIETHYL PHTHALATE	2470	U	R	2470	203	UG/KG	DL
SB	NDE087DL1	LR	DL	DIMETHYL PHTHALATE	833	U	R	833	54	UG/KG	DL
SS	NDE064DL1	LR	DL	DIMETHYL PHTHALATE	706	U	R	706	46	UG/KG	DL
SS	NDE161DL1	LR	DL	DIMETHYL PHTHALATE	2470	U	R	2470	161	UG/KG	DL
SB	NDE087DL1	LR	DL	DI-n-BUTYL PHTHALATE	833	U	R	833	44	UG/KG	DL
SS	NDE064DL1	LR	DL	DI-n-BUTYL PHTHALATE	706	U	R	706	37	UG/KG	DL
SS	NDE161DL1	LR	DL	DI-n-BUTYL PHTHALATE	2470	U	R	2470	131	UG/KG	DL
SB	NDE087DL1	LR	DL	DI-n-OCTYLPHTHALATE	833	U	R	833	63	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE064DL1	LR	DL	DI-n-OCTYLPHTHALATE	706	U	R	706	53	UG/KG	DL
SS	NDE161DL1	LR	DL	DI-n-OCTYLPHTHALATE	2470	U	R	2470	186	UG/KG	DL
SB	NDE006DL2	LR	DL	ENDOSULFAN I (Alpha)	202	U	R	202	56	UG/KG	DL
SB	NDE006DL1	LR	DL	ENDOSULFAN I (Alpha)	20	U	R	20	5.6	UG/KG	DL
SB	NDE008DL1	LR	DL	ENDOSULFAN I (Alpha)	18	U	R	18	4.9	UG/KG	DL
SB	NDE027DL1	LR	DL	ENDOSULFAN I (Alpha)	19	U	R	19	5.3	UG/KG	DL
SS	NDE137DL1	LR	DL	ENDOSULFAN I (Alpha)	4	U	R	4	1.1	UG/KG	DL
SS	NDE142DL1	LR	DL	ENDOSULFAN I (Alpha)	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	ENDOSULFAN I (Alpha)	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE145DL1	LR	DL	ENDOSULFAN I (Alpha)	9	U	R	9	2.4	UG/KG	DL
SS	NDE146DL1	LR	DL	ENDOSULFAN I (Alpha)	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE148DL1	LR	DL	ENDOSULFAN I (Alpha)	4.3	U	R	4.3	1.2	UG/KG	DL
SS	NDE149DL1	LR	DL	ENDOSULFAN I (Alpha)	4.2	U	R	4.2	1.1	UG/KG	DL
SS	NDE151DL1	LR	DL	ENDOSULFAN I (Alpha)	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE153DL1	LR	DL	ENDOSULFAN I (Alpha)	3.9	U	R	3.9	1.1	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	ENDOSULFAN I (Alpha)	9.5	U	R	9.5	2.6	UG/KG	DL
SS	NDE155DL1	LR	DL	ENDOSULFAN I (Alpha)	19	U	R	19	5.3	UG/KG	DL
SS	NDE157DL1	LR	DL	ENDOSULFAN I (Alpha)	9.2	U	R	9.2	2.5	UG/KG	DL
SS	NDE164DL1	LR	DL	ENDOSULFAN I (Alpha)	19	U	R	19	5.1	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	ENDOSULFAN I (Alpha)	20	U	R	20	5.3	UG/KG	DL
SS	NDE166DL1	LR	DL	ENDOSULFAN I (Alpha)	21	U	R	21	5.6	UG/KG	DL
SS	NDE167DL1	LR	DL	ENDOSULFAN I (Alpha)	20	U	R	20	5.6	UG/KG	DL
SS	NDE004DL1	LR	DL	ENDOSULFAN I (Alpha)	91	U	R	91	25	UG/KG	DL
SS	NDE004DL2	LR	DL	ENDOSULFAN I (Alpha)	912	U	R	912	252	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	ENDOSULFAN I (Alpha)	185	U	R	185	51	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	ENDOSULFAN I (Alpha)	18	U	R	18	5.1	UG/KG	DL
SS	NDE007DL2	LR	DL	ENDOSULFAN I (Alpha)	182	U	R	182	50	UG/KG	DL
SS	NDE007DL1	LR	DL	ENDOSULFAN I (Alpha)	18	U	R	18	5	UG/KG	DL
SS	NDE017DL1	LR	DL	ENDOSULFAN I (Alpha)	9.2	U	R	9.2	2.6	UG/KG	DL
SB	NDE006DL1	LR	DL	ENDOSULFAN II (Beta)	39	U	R	39	3.6	UG/KG	DL
SB	NDE006DL2	LR	DL	ENDOSULFAN II (Beta)	392	U	R	392	36	UG/KG	DL
SB	NDE008DL1	LR	DL	ENDOSULFAN II (Beta)	35	U	R	35	3.1	UG/KG	DL
SB	NDE027DL1	LR	DL	ENDOSULFAN II (Beta)	37	U	R	37	3.4	UG/KG	DL
SS	NDE137DL1	LR	DL	ENDOSULFAN II (Beta)	7.7	U	R	7.7	0.69	UG/KG	DL
SS	NDE142DL1	LR	DL	ENDOSULFAN II (Beta)	7.3	U	R	7.3	0.66	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	ENDOSULFAN II (Beta)	7.3	U	R	7.3	0.66	UG/KG	DL
SS	NDE145DL1	LR	DL	ENDOSULFAN II (Beta)	17	U	R	17	1.6	UG/KG	DL
SS	NDE146DL1	LR	DL	ENDOSULFAN II (Beta)	7.3	U	R	7.3	0.66	UG/KG	DL
SS	NDE148DL1	LR	DL	ENDOSULFAN II (Beta)	8.3	U	R	8.3	0.75	UG/KG	DL
SS	NDE149DL1	LR	DL	ENDOSULFAN II (Beta)	8.1	U	R	8.1	0.72	UG/KG	DL
SS	NDE151DL1	LR	DL	ENDOSULFAN II (Beta)	7.4	U	R	7.4	0.67	UG/KG	DL
SS	NDE153DL1	LR	DL	ENDOSULFAN II (Beta)	7.5	U	R	7.5	0.67	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	ENDOSULFAN II (Beta)	18	U	R	18	1.7	UG/KG	DL
SS	NDE155DL1	LR	DL	ENDOSULFAN II (Beta)	37	U	R	37	3.4	UG/KG	DL
SS	NDE157DL1	LR	DL	ENDOSULFAN II (Beta)	18	U	R	18	1.6	UG/KG	DL
SS	NDE164DL1	LR	DL	ENDOSULFAN II (Beta)	36	U	R	36	3.2	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	ENDOSULFAN II (Beta)	38	U	R	38	3.4	UG/KG	DL
SS	NDE166DL1	LR	DL	ENDOSULFAN II (Beta)	40	U	R	40	3.6	UG/KG	DL
SS	NDE167DL1	LR	DL	ENDOSULFAN II (Beta)	39	U	R	39	3.5	UG/KG	DL
SS	NDE004DL2	LR	DL	ENDOSULFAN II (Beta)	1770	U	R	1770	161	UG/KG	DL
SS	NDE004DL1	LR	DL	ENDOSULFAN II (Beta)	177	U	R	177	16	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	ENDOSULFAN II (Beta)	358	U	R	358	33	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	ENDOSULFAN II (Beta)	36	U	R	36	3.3	UG/KG	DL
SS	NDE007DL2	LR	DL	ENDOSULFAN II (Beta)	354	U	R	354	32	UG/KG	DL
SS	NDE007DL1	LR	DL	ENDOSULFAN II (Beta)	35	U	R	35	3.2	UG/KG	DL
SS	NDE017DL1	LR	DL	ENDOSULFAN II (Beta)	18	U	R	18	1.6	UG/KG	DL
SB	NDE006DL2	LR	DL	ENDOSULFAN SULFATE	392	U	R	392	46	UG/KG	DL
SB	NDE006DL1	LR	DL	ENDOSULFAN SULFATE	39	U	R	39	4.6	UG/KG	DL
SB	NDE008DL1	LR	DL	ENDOSULFAN SULFATE	35	U	R	35	4.1	UG/KG	DL
SB	NDE027DL1	LR	DL	ENDOSULFAN SULFATE	37	U	R	37	4.4	UG/KG	DL
SS	NDE137DL1	LR	DL	ENDOSULFAN SULFATE	7.7	U	R	7.7	0.9	UG/KG	DL
SS	NDE142DL1	LR	DL	ENDOSULFAN SULFATE	7.3	U	R	7.3	0.85	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	ENDOSULFAN SULFATE	7.3	U	R	7.3	0.86	UG/KG	DL
SS	NDE145DL1	LR	DL	ENDOSULFAN SULFATE	17	U	R	17	2	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE146DL1	LR	DL	ENDOSULFAN SULFATE	7.3	U	R	7.3	0.86	UG/KG	DL
SS	NDE148DL1	LR	DL	ENDOSULFAN SULFATE	8.3	U	R	8.3	0.97	UG/KG	DL
SS	NDE149DL1	LR	DL	ENDOSULFAN SULFATE	8.1	U	R	8.1	0.94	UG/KG	DL
SS	NDE151DL1	LR	DL	ENDOSULFAN SULFATE	7.4	U	R	7.4	0.87	UG/KG	DL
SS	NDE153DL1	LR	DL	ENDOSULFAN SULFATE	7.5	U	R	7.5	0.87	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	ENDOSULFAN SULFATE	18	U	R	18	2.2	UG/KG	DL
SS	NDE155DL1	LR	DL	ENDOSULFAN SULFATE	37	U	R	37	4.4	UG/KG	DL
SS	NDE157DL1	LR	DL	ENDOSULFAN SULFATE	18	U	R	18	2.1	UG/KG	DL
SS	NDE164DL1	LR	DL	ENDOSULFAN SULFATE	36	U	R	36	4.2	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	ENDOSULFAN SULFATE	38	U	R	38	4.4	UG/KG	DL
SS	NDE166DL1	LR	DL	ENDOSULFAN SULFATE	40	U	R	40	4.7	UG/KG	DL
SS	NDE167DL1	LR	DL	ENDOSULFAN SULFATE	39	U	R	39	4.6	UG/KG	DL
SS	NDE004DL2	LR	DL	ENDOSULFAN SULFATE	1770	U	R	1770	209	UG/KG	DL
SS	NDE004DL1	LR	DL	ENDOSULFAN SULFATE	177	U	R	177	21	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	ENDOSULFAN SULFATE	36	U	R	36	4.2	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	ENDOSULFAN SULFATE	358	U	R	358	42	UG/KG	DL
SS	NDE007DL1	LR	DL	ENDOSULFAN SULFATE	35	U	R	35	4.2	UG/KG	DL
SS	NDE007DL2	LR	DL	ENDOSULFAN SULFATE	354	U	R	354	42	UG/KG	DL
SS	NDE017DL1	LR	DL	ENDOSULFAN SULFATE	18	U	R	18	2.1	UG/KG	DL
SB	NDE006DL1	LR	DL	ENDRIN	39	U	R	39	4.8	UG/KG	DL
SB	NDE006DL2	LR	DL	ENDRIN	392	U	R	392	48	UG/KG	DL
SB	NDE008DL1	LR	DL	ENDRIN	35	U	R	35	4.2	UG/KG	DL
SB	NDE027DL1	LR	DL	ENDRIN	37	U	R	37	4.5	UG/KG	DL
SS	NDE137DL1	LR	DL	ENDRIN	7.7	U	R	7.7	0.92	UG/KG	DL
SS	NDE142DL1	LR	DL	ENDRIN	7.3	U	R	7.3	0.88	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	ENDRIN	7.3	U	R	7.3	0.88	UG/KG	DL
SS	NDE145DL1	LR	DL	ENDRIN	17	U	R	17	2.1	UG/KG	DL
SS	NDE146DL1	LR	DL	ENDRIN	7.3	U	R	7.3	0.88	UG/KG	DL
SS	NDE148DL1	LR	DL	ENDRIN	8.3	U	R	8.3	0.99	UG/KG	DL
SS	NDE149DL1	LR	DL	ENDRIN	8.1	U	R	8.1	0.96	UG/KG	DL
SS	NDE151DL1	LR	DL	ENDRIN	7.4	U	R	7.4	0.89	UG/KG	DL
SS	NDE153DL1	LR	DL	ENDRIN	7.5	U	R	7.5	0.9	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	ENDRIN	18	U	R	18	2.2	UG/KG	DL
SS	NDE155DL1	LR	DL	ENDRIN	37	U	R	37	4.5	UG/KG	DL
SS	NDE157DL1	LR	DL	ENDRIN	18	U	R	18	2.1	UG/KG	DL
SS	NDE164DL1	LR	DL	ENDRIN	36	U	R	36	4.3	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	ENDRIN	38	U	R	38	4.5	UG/KG	DL
SS	NDE166DL1	LR	DL	ENDRIN	40	U	R	40	4.8	UG/KG	DL
SS	NDE167DL1	LR	DL	ENDRIN	39	U	R	39	4.7	UG/KG	DL
SS	NDE004DL2	LR	DL	ENDRIN	1770	U	R	1770	215	UG/KG	DL
SS	NDE004DL1	LR	DL	ENDRIN	177	U	R	177	21	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	ENDRIN	36	U	R	36	4.3	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	ENDRIN	358	U	R	358	43	UG/KG	DL
SS	NDE007DL2	LR	DL	ENDRIN	354	U	R	354	43	UG/KG	DL
SS	NDE007DL1	LR	DL	ENDRIN	35	U	R	35	4.3	UG/KG	DL
SS	NDE017DL1	LR	DL	ENDRIN	18	U	R	18	2.2	UG/KG	DL
SB	NDE006DL2	LR	DL	ENDRIN ALDEHYDE	392	U	R	392	27	UG/KG	DL
SB	NDE006DL1	LR	DL	ENDRIN ALDEHYDE	39	U	R	39	2.7	UG/KG	DL
SB	NDE008DL1	LR	DL	ENDRIN ALDEHYDE	35	U	R	35	2.4	UG/KG	DL
SB	NDE027DL1	LR	DL	ENDRIN ALDEHYDE	37	U	R	37	2.6	UG/KG	DL
SS	NDE137DL1	LR	DL	ENDRIN ALDEHYDE	7.7	U	R	7.7	0.53	UG/KG	DL
SS	NDE142DL1	LR	DL	ENDRIN ALDEHYDE	7.3	U	R	7.3	0.5	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	ENDRIN ALDEHYDE	7.3	U	R	7.3	0.5	UG/KG	DL
SS	NDE145DL1	LR	DL	ENDRIN ALDEHYDE	17	U	R	17	1.2	UG/KG	DL
SS	NDE146DL1	LR	DL	ENDRIN ALDEHYDE	7.3	U	R	7.3	0.51	UG/KG	DL
SS	NDE148DL1	LR	DL	ENDRIN ALDEHYDE	8.3	U	R	8.3	0.57	UG/KG	DL
SS	NDE149DL1	LR	DL	ENDRIN ALDEHYDE	8.1	U	R	8.1	0.55	UG/KG	DL
SS	NDE151DL1	LR	DL	ENDRIN ALDEHYDE	7.4	U	R	7.4	0.51	UG/KG	DL
SS	NDE153DL1	LR	DL	ENDRIN ALDEHYDE	7.5	U	R	7.5	0.52	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	ENDRIN ALDEHYDE	18	U	R	18	1.3	UG/KG	DL
SS	NDE155DL1	LR	DL	ENDRIN ALDEHYDE	37	U	R	37	2.6	UG/KG	DL
SS	NDE157DL1	LR	DL	ENDRIN ALDEHYDE	18	U	R	18	1.2	UG/KG	DL
SS	NDE164DL1	LR	DL	ENDRIN ALDEHYDE	36	U	R	36	2.5	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	ENDRIN ALDEHYDE	38	U	R	38	2.6	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE166DL1	LR	DL	ENDRIN ALDEHYDE	40	U	R	40	2.8	UG/KG	DL
SS	NDE167DL1	LR	DL	ENDRIN ALDEHYDE	39	U	R	39	2.7	UG/KG	DL
SS	NDE004DL2	LR	DL	ENDRIN ALDEHYDE	1770	U	R	1770	123	UG/KG	DL
SS	NDE004DL1	LR	DL	ENDRIN ALDEHYDE	177	U	R	177	12	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	ENDRIN ALDEHYDE	36	U	R	36	2.5	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	ENDRIN ALDEHYDE	358	U	R	358	25	UG/KG	DL
SS	NDE007DL1	LR	DL	ENDRIN ALDEHYDE	35	U	R	35	2.5	UG/KG	DL
SS	NDE007DL2	LR	DL	ENDRIN ALDEHYDE	354	U	R	354	25	UG/KG	DL
SS	NDE017DL1	LR	DL	ENDRIN ALDEHYDE	18	U	R	18	1.2	UG/KG	DL
SB	NDE006DL2	LR	DL	ENDRIN KETONE	392	U	R	392	26	UG/KG	DL
SB	NDE006DL1	LR	DL	ENDRIN KETONE	39	U	R	39	2.6	UG/KG	DL
SB	NDE008DL1	LR	DL	ENDRIN KETONE	35	U	R	35	2.3	UG/KG	DL
SB	NDE027DL1	LR	DL	ENDRIN KETONE	37	U	R	37	2.5	UG/KG	DL
SS	NDE137DL1	LR	DL	ENDRIN KETONE	7.7	U	R	7.7	0.51	UG/KG	DL
SS	NDE142DL1	LR	DL	ENDRIN KETONE	7.3	U	R	7.3	0.48	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	ENDRIN KETONE	7.3	U	R	7.3	0.48	UG/KG	DL
SS	NDE145DL1	LR	DL	ENDRIN KETONE	17	U	R	17	1.1	UG/KG	DL
SS	NDE146DL1	LR	DL	ENDRIN KETONE	7.3	U	R	7.3	0.48	UG/KG	DL
SS	NDE148DL1	LR	DL	ENDRIN KETONE	8.3	U	R	8.3	0.55	UG/KG	DL
SS	NDE149DL1	LR	DL	ENDRIN KETONE	8.1	U	R	8.1	0.53	UG/KG	DL
SS	NDE151DL1	LR	DL	ENDRIN KETONE	7.4	U	R	7.4	0.49	UG/KG	DL
SS	NDE153DL1	LR	DL	ENDRIN KETONE	7.5	U	R	7.5	0.49	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	ENDRIN KETONE	18	U	R	18	1.2	UG/KG	DL
SS	NDE155DL1	LR	DL	ENDRIN KETONE	37	U	R	37	2.5	UG/KG	DL
SS	NDE157DL1	LR	DL	ENDRIN KETONE	18	U	R	18	1.2	UG/KG	DL
SS	NDE164DL1	LR	DL	ENDRIN KETONE	36	U	R	36	2.4	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	ENDRIN KETONE	38	U	R	38	2.5	UG/KG	DL
SS	NDE166DL1	LR	DL	ENDRIN KETONE	40	U	R	40	2.6	UG/KG	DL
SS	NDE167DL1	LR	DL	ENDRIN KETONE	39	U	R	39	2.6	UG/KG	DL
SS	NDE004DL2	LR	DL	ENDRIN KETONE	1770	U	R	1770	118	UG/KG	DL
SS	NDE004DL1	LR	DL	ENDRIN KETONE	177	U	R	177	12	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	ENDRIN KETONE	36	U	R	36	2.4	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	ENDRIN KETONE	358	U	R	358	24	UG/KG	DL
SS	NDE007DL1	LR	DL	ENDRIN KETONE	35	U	R	35	2.4	UG/KG	DL
SS	NDE007DL2	LR	DL	ENDRIN KETONE	354	U	R	354	24	UG/KG	DL
SS	NDE017DL1	LR	DL	ENDRIN KETONE	18	U	R	18	1.2	UG/KG	DL
SB	NDE087DL1	LR	DL	ETHYLBENZENE	212	J	R	973	31	UG/KG	DL
SB	NDE087DL1	LR	DL	FLUORANTHENE	952	=	R	833	52	UG/KG	DL
SS	NDE064DL1	LR	DL	FLUORANTHENE	706	U	R	706	44	UG/KG	DL
SS	NDE161	N1		FLUORANTHENE	7060	E	R	495	31	UG/KG	DL
SB	NDE087DL1	LR	DL	FLUORENE	939	=	R	833	47	UG/KG	DL
SS	NDE064DL1	LR	DL	FLUORENE	706	U	R	706	40	UG/KG	DL
SS	NDE161DL1	LR	DL	FLUORENE	1020	J	R	2470	139	UG/KG	DL
SB	NDE006DL1	LR	DL	GAMMA BHC (LINDANE)	20	U	R	20	5.6	UG/KG	DL
SB	NDE006DL2	LR	DL	GAMMA BHC (LINDANE)	202	U	R	202	56	UG/KG	DL
SB	NDE008DL1	LR	DL	GAMMA BHC (LINDANE)	18	U	R	18	4.9	UG/KG	DL
SB	NDE027DL1	LR	DL	GAMMA BHC (LINDANE)	19	U	R	19	5.3	UG/KG	DL
SS	NDE137DL1	LR	DL	GAMMA BHC (LINDANE)	4	U	R	4	1.1	UG/KG	DL
SS	NDE142DL1	LR	DL	GAMMA BHC (LINDANE)	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	GAMMA BHC (LINDANE)	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE145DL1	LR	DL	GAMMA BHC (LINDANE)	9	U	R	9	2.4	UG/KG	DL
SS	NDE146DL1	LR	DL	GAMMA BHC (LINDANE)	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE148DL1	LR	DL	GAMMA BHC (LINDANE)	4.3	U	R	4.3	1.2	UG/KG	DL
SS	NDE149DL1	LR	DL	GAMMA BHC (LINDANE)	4.2	U	R	4.2	1.1	UG/KG	DL
SS	NDE151DL1	LR	DL	GAMMA BHC (LINDANE)	3.8	U	R	3.8	1	UG/KG	DL
SS	NDE153DL1	LR	DL	GAMMA BHC (LINDANE)	3.9	U	R	3.9	1.1	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	GAMMA BHC (LINDANE)	9.5	U	R	9.5	2.6	UG/KG	DL
SS	NDE155DL1	LR	DL	GAMMA BHC (LINDANE)	19	U	R	19	5.3	UG/KG	DL
SS	NDE157DL1	LR	DL	GAMMA BHC (LINDANE)	9.2	U	R	9.2	2.5	UG/KG	DL
SS	NDE164DL1	LR	DL	GAMMA BHC (LINDANE)	19	U	R	19	5.1	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	GAMMA BHC (LINDANE)	20	U	R	20	5.3	UG/KG	DL
SS	NDE166DL1	LR	DL	GAMMA BHC (LINDANE)	21	U	R	21	5.6	UG/KG	DL
SS	NDE167DL1	LR	DL	GAMMA BHC (LINDANE)	20	U	R	20	5.6	UG/KG	DL
SS	NDE004DL2	LR	DL	GAMMA BHC (LINDANE)	912	U	R	912	252	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE004DL1	LR	DL	GAMMA BHC (LINDANE)	91	U	R	91	25	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	GAMMA BHC (LINDANE)	185	U	R	185	51	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	GAMMA BHC (LINDANE)	18	U	R	18	5.1	UG/KG	DL
SS	NDE007DL2	LR	DL	GAMMA BHC (LINDANE)	182	U	R	182	50	UG/KG	DL
SS	NDE007DL1	LR	DL	GAMMA BHC (LINDANE)	18	U	R	18	5	UG/KG	DL
SS	NDE017DL1	LR	DL	GAMMA BHC (LINDANE)	9.2	U	R	9.2	2.6	UG/KG	DL
SB	NDE006DL2	LR	DL	GAMMA-CHLORDANE	202	U	R	202	59	UG/KG	DL
SB	NDE006DL1	LR	DL	GAMMA-CHLORDANE	20	U	R	20	5.9	UG/KG	DL
SB	NDE008DL1	LR	DL	GAMMA-CHLORDANE	18	U	R	18	5.2	UG/KG	DL
SB	NDE027DL1	LR	DL	GAMMA-CHLORDANE	19	U	R	19	5.6	UG/KG	DL
SS	NDE137DL1	LR	DL	GAMMA-CHLORDANE	4	U	R	4	1.2	UG/KG	DL
SS	NDE142DL1	LR	DL	GAMMA-CHLORDANE	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	GAMMA-CHLORDANE	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE145DL1	LR	DL	GAMMA-CHLORDANE	9	U	R	9	2.6	UG/KG	DL
SS	NDE146DL1	LR	DL	GAMMA-CHLORDANE	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE148DL1	LR	DL	GAMMA-CHLORDANE	4.3	U	R	4.3	1.2	UG/KG	DL
SS	NDE149DL1	LR	DL	GAMMA-CHLORDANE	4.2	U	R	4.2	1.2	UG/KG	DL
SS	NDE151DL1	LR	DL	GAMMA-CHLORDANE	3.8	U	R	3.8	1.1	UG/KG	DL
SS	NDE153DL1	LR	DL	GAMMA-CHLORDANE	3.9	U	R	3.9	1.1	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	GAMMA-CHLORDANE	9.5	U	R	9.5	2.8	UG/KG	DL
SS	NDE155DL1	LR	DL	GAMMA-CHLORDANE	19	U	R	19	5.6	UG/KG	DL
SS	NDE157DL1	LR	DL	GAMMA-CHLORDANE	9.2	U	R	9.2	2.7	UG/KG	DL
SS	NDE164DL1	LR	DL	GAMMA-CHLORDANE	19	U	R	19	5.4	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	GAMMA-CHLORDANE	20	U	R	20	5.7	UG/KG	DL
SS	NDE166DL1	LR	DL	GAMMA-CHLORDANE	21	U	R	21	6	UG/KG	DL
SS	NDE167DL1	LR	DL	GAMMA-CHLORDANE	20	U	R	20	5.9	UG/KG	DL
SS	NDE004DL2	LR	DL	GAMMA-CHLORDANE	912	U	R	912	268	UG/KG	DL
SS	NDE004DL1	LR	DL	GAMMA-CHLORDANE	91	U	R	91	27	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	GAMMA-CHLORDANE	185	U	R	185	54	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	GAMMA-CHLORDANE	18	U	R	18	5.4	UG/KG	DL
SS	NDE007DL1	LR	DL	GAMMA-CHLORDANE	18	U	R	18	5.4	UG/KG	DL
SS	NDE007DL2	LR	DL	GAMMA-CHLORDANE	182	U	R	182	54	UG/KG	DL
SS	NDE017DL1	LR	DL	GAMMA-CHLORDANE	9.2	U	R	9.2	2.7	UG/KG	DL
SB	NDE006DL1	LR	DL	HEPTACHLOR	20	U	R	20	7.4	UG/KG	DL
SB	NDE006DL2	LR	DL	HEPTACHLOR	202	U	R	202	74	UG/KG	DL
SB	NDE008DL1	LR	DL	HEPTACHLOR	18	U	R	18	6.5	UG/KG	DL
SB	NDE027DL1	LR	DL	HEPTACHLOR	19	U	R	19	6.9	UG/KG	DL
SS	NDE137DL1	LR	DL	HEPTACHLOR	4	U	R	4	1.4	UG/KG	DL
SS	NDE142DL1	LR	DL	HEPTACHLOR	3.8	U	R	3.8	1.4	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	HEPTACHLOR	3.8	U	R	3.8	1.4	UG/KG	DL
SS	NDE145DL1	LR	DL	HEPTACHLOR	9	U	R	9	3.2	UG/KG	DL
SS	NDE146DL1	LR	DL	HEPTACHLOR	3.8	U	R	3.8	1.4	UG/KG	DL
SS	NDE148DL1	LR	DL	HEPTACHLOR	4.3	U	R	4.3	1.5	UG/KG	DL
SS	NDE149DL1	LR	DL	HEPTACHLOR	4.2	U	R	4.2	1.5	UG/KG	DL
SS	NDE151DL1	LR	DL	HEPTACHLOR	3.8	U	R	3.8	1.4	UG/KG	DL
SS	NDE153DL1	LR	DL	HEPTACHLOR	3.9	U	R	3.9	1.4	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	HEPTACHLOR	9.5	U	R	9.5	3.4	UG/KG	DL
SS	NDE155DL1	LR	DL	HEPTACHLOR	19	U	R	19	7	UG/KG	DL
SS	NDE157DL1	LR	DL	HEPTACHLOR	9.2	U	R	9.2	3.3	UG/KG	DL
SS	NDE164DL1	LR	DL	HEPTACHLOR	19	U	R	19	6.7	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	HEPTACHLOR	20	U	R	20	7	UG/KG	DL
SS	NDE166DL1	LR	DL	HEPTACHLOR	21	U	R	21	7.4	UG/KG	DL
SS	NDE167DL1	LR	DL	HEPTACHLOR	20	U	R	20	7.3	UG/KG	DL
SS	NDE004DL1	LR	DL	HEPTACHLOR	91	U	R	91	33	UG/KG	DL
SS	NDE004DL2	LR	DL	HEPTACHLOR	912	U	R	912	333	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	HEPTACHLOR	185	U	R	185	67	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	HEPTACHLOR	18	U	R	18	6.7	UG/KG	DL
SS	NDE007DL2	LR	DL	HEPTACHLOR	182	U	R	182	66	UG/KG	DL
SS	NDE007DL1	LR	DL	HEPTACHLOR	18	U	R	18	6.6	UG/KG	DL
SS	NDE017DL1	LR	DL	HEPTACHLOR	9.2	U	R	9.2	3.4	UG/KG	DL
SB	NDE006DL1	LR	DL	HEPTACHLOR EPOXIDE	20	U	R	20	7.1	UG/KG	DL
SB	NDE006DL2	LR	DL	HEPTACHLOR EPOXIDE	202	U	R	202	71	UG/KG	DL
SB	NDE008DL1	LR	DL	HEPTACHLOR EPOXIDE	18	U	R	18	6.3	UG/KG	DL
SB	NDE027DL1	LR	DL	HEPTACHLOR EPOXIDE	19	U	R	19	6.7	UG/KG	DL

Matrix	Sample ID	Sample Type	ILR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE137DL1	LR	DL	HEPTACHLOR EPOXIDE	4	U	R	4	1.4	UG/KG	DL
SS	NDE142DL1	LR	DL	HEPTACHLOR EPOXIDE	3.8	U	R	3.8	1.3	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	HEPTACHLOR EPOXIDE	3.8	U	R	3.8	1.3	UG/KG	DL
SS	NDE145DL1	LR	DL	HEPTACHLOR EPOXIDE	9	U	R	9	3.1	UG/KG	DL
SS	NDE146DL1	LR	DL	HEPTACHLOR EPOXIDE	3.8	U	R	3.8	1.3	UG/KG	DL
SS	NDE148DL1	LR	DL	HEPTACHLOR EPOXIDE	4.3	U	R	4.3	1.5	UG/KG	DL
SS	NDE149DL1	LR	DL	HEPTACHLOR EPOXIDE	4.2	U	R	4.2	1.4	UG/KG	DL
SS	NDE151DL1	LR	DL	HEPTACHLOR EPOXIDE	3.8	U	R	3.8	1.3	UG/KG	DL
SS	NDE153DL1	LR	DL	HEPTACHLOR EPOXIDE	3.9	U	R	3.9	1.3	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	HEPTACHLOR EPOXIDE	9.5	U	R	9.5	3.3	UG/KG	DL
SS	NDE155DL1	LR	DL	HEPTACHLOR EPOXIDE	19	U	R	19	6.7	UG/KG	DL
SS	NDE157DL1	LR	DL	HEPTACHLOR EPOXIDE	9.2	U	R	9.2	3.2	UG/KG	DL
SS	NDE164DL1	LR	DL	HEPTACHLOR EPOXIDE	19	U	R	19	6.5	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	HEPTACHLOR EPOXIDE	20	U	R	20	6.8	UG/KG	DL
SS	NDE166DL1	LR	DL	HEPTACHLOR EPOXIDE	21	U	R	21	7.2	UG/KG	DL
SS	NDE167DL1	LR	DL	HEPTACHLOR EPOXIDE	20	U	R	20	7.1	UG/KG	DL
SS	NDE004DL1	LR	DL	HEPTACHLOR EPOXIDE	91	U	R	91	32	UG/KG	DL
SS	NDE004DL2	LR	DL	HEPTACHLOR EPOXIDE	912	U	R	912	322	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	HEPTACHLOR EPOXIDE	18	U	R	18	6.5	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	HEPTACHLOR EPOXIDE	185	U	R	185	65	UG/KG	DL
SS	NDE007DL2	LR	DL	HEPTACHLOR EPOXIDE	182	U	R	182	64	UG/KG	DL
SS	NDE007DL1	LR	DL	HEPTACHLOR EPOXIDE	18	U	R	18	6.4	UG/KG	DL
SS	NDE017DL1	LR	DL	HEPTACHLOR EPOXIDE	9.2	U	R	9.2	3.3	UG/KG	DL
SB	NDE087DL1	LR	DL	HEXACHLOROBENZENE	833	U	R	833	54	UG/KG	DL
SS	NDE064DL1	LR	DL	HEXACHLOROBENZENE	706	U	R	706	46	UG/KG	DL
SS	NDE161DL1	LR	DL	HEXACHLOROBENZENE	2470	U	R	2470	161	UG/KG	DL
SB	NDE087DL1	LR	DL	HEXACHLOROBUTADIENE	833	U	R	833	69	UG/KG	DL
SS	NDE064DL1	LR	DL	HEXACHLOROBUTADIENE	706	U	R	706	59	UG/KG	DL
SS	NDE161DL1	LR	DL	HEXACHLOROBUTADIENE	2470	U	R	2470	206	UG/KG	DL
SB	NDE087DL1	LR	DL	HEXACHLOROCYCLOPENTADIENE	833	U	R	833	62	UG/KG	DL
SS	NDE064DL1	LR	DL	HEXACHLOROCYCLOPENTADIENE	706	U	R	706	52	UG/KG	DL
SS	NDE161DL1	LR	DL	HEXACHLOROCYCLOPENTADIENE	2470	U	R	2470	183	UG/KG	DL
SB	NDE087DL1	LR	DL	HEXACHLOROETHANE	833	U	R	833	76	UG/KG	DL
SS	NDE064DL1	LR	DL	HEXACHLOROETHANE	706	U	R	706	64	UG/KG	DL
SS	NDE161DL1	LR	DL	HEXACHLOROETHANE	2470	U	R	2470	225	UG/KG	DL
SB	NDE087DL1	LR	DL	INDENO(1,2,3-c,d)PYRENE	833	U	R	833	43	UG/KG	DL
SS	NDE064DL1	LR	DL	INDENO(1,2,3-c,d)PYRENE	706	U	R	706	37	UG/KG	DL
SS	NDE161DL1	LR	DL	INDENO(1,2,3-c,d)PYRENE	1700	J	R	2470	129	UG/KG	DL
SB	NDE044	N1		IRON	56700	E	R	25	3.1	MG/KG	DL
SB	NDE048	N1		IRON	47600	E	R	21	2.7	MG/KG	DL
SB	NDE050	N1		IRON	44000	E	R	22	2.7	MG/KG	DL
SB	NDE082	N1		IRON	48000	E	R	21	2.7	MG/KG	DL
SB	NDE085	N1		IRON	44000	E	R	22	2.7	MG/KG	DL
SB	NDE087DL1	LR	DL	ISOPHORONE	833	U	R	833	30	UG/KG	DL
SS	NDE064DL1	LR	DL	ISOPHORONE	706	U	R	706	25	UG/KG	DL
SS	NDE161DL1	LR	DL	ISOPHORONE	2470	U	R	2470	89	UG/KG	DL
SB	NDE087	N1		M,P-XYLENE (SUM OF ISOMERS)	1080	E	R	12	0.23	UG/KG	DL
SB	NDE006DL1	LR	DL	METHOXYCHLOR	202	U	R	202	3.4	UG/KG	DL
SB	NDE006DL2	LR	DL	METHOXYCHLOR	2020	U	R	2020	34	UG/KG	DL
SB	NDE008DL1	LR	DL	METHOXYCHLOR	178	U	R	178	3	UG/KG	DL
SB	NDE027DL1	LR	DL	METHOXYCHLOR	190	U	R	190	3.2	UG/KG	DL
SS	NDE137DL1	LR	DL	METHOXYCHLOR	40	U	R	40	0.7	UG/KG	DL
SS	NDE142DL1	LR	DL	METHOXYCHLOR	38	U	R	38	0.6	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	METHOXYCHLOR	38	U	R	38	0.6	UG/KG	DL
SS	NDE145DL1	LR	DL	METHOXYCHLOR	90	U	R	90	1.5	UG/KG	DL
SS	NDE146DL1	LR	DL	METHOXYCHLOR	38	U	R	38	0.6	UG/KG	DL
SS	NDE148DL1	LR	DL	METHOXYCHLOR	43	U	R	43	0.7	UG/KG	DL
SS	NDE149DL1	LR	DL	METHOXYCHLOR	42	U	R	42	0.7	UG/KG	DL
SS	NDE151DL1	LR	DL	METHOXYCHLOR	38	U	R	38	0.6	UG/KG	DL
SS	NDE153DL1	LR	DL	METHOXYCHLOR	39	U	R	39	0.6	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	METHOXYCHLOR	95	U	R	95	1.6	UG/KG	DL
SS	NDE155DL1	LR	DL	METHOXYCHLOR	194	U	R	194	3.3	UG/KG	DL
SS	NDE157DL1	LR	DL	METHOXYCHLOR	92	U	R	92	1.5	UG/KG	DL
SS	NDE164DL1	LR	DL	METHOXYCHLOR	187	U	R	187	3.1	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE165FD1DL1	LR	DL	METHOXYCHLOR	197	U	R	197	3.3	UG/KG	DL
SS	NDE166DL1	LR	DL	METHOXYCHLOR	207	U	R	207	3.5	UG/KG	DL
SS	NDE167DL1	LR	DL	METHOXYCHLOR	204	U	R	204	3.4	UG/KG	DL
SS	NDE004DL2	LR	DL	METHOXYCHLOR	9120	U	R	9120	156	UG/KG	DL
SS	NDE004DL1	LR	DL	METHOXYCHLOR	912	U	R	912	16	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	METHOXYCHLOR	1850	U	R	1850	31	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	METHOXYCHLOR	185	U	R	185	3.1	UG/KG	DL
SS	NDE007DL2	LR	DL	METHOXYCHLOR	1820	U	R	1820	31	UG/KG	DL
SS	NDE007DL1	LR	DL	METHOXYCHLOR	182	U	R	182	3.1	UG/KG	DL
SS	NDE017DL1	LR	DL	METHOXYCHLOR	92	U	R	92	1.6	UG/KG	DL
SB	NDE087DL1	LR	DL	METHYLENE CHLORIDE	973	U	R	973	32	UG/KG	DL
SB	NDE087DL1	LR	DL	NAPHTHALENE	2570	=	R	833	62	UG/KG	DL
SS	NDE064DL1	LR	DL	NAPHTHALENE	706	U	R	706	52	UG/KG	DL
SS	NDE161DL1	LR	DL	NAPHTHALENE	952	J	R	2470	183	UG/KG	DL
SB	NDE087DL1	LR	DL	NITROBENZENE	833	U	R	833	64	UG/KG	DL
SS	NDE064DL1	LR	DL	NITROBENZENE	706	U	R	706	54	UG/KG	DL
SS	NDE161DL1	LR	DL	NITROBENZENE	2470	U	R	2470	191	UG/KG	DL
SB	NDE087DL1	LR	DL	N-NITROSODI-n-PROPYLAMINE	833	U	R	833	59	UG/KG	DL
SS	NDE064DL1	LR	DL	N-NITROSODI-n-PROPYLAMINE	706	U	R	706	50	UG/KG	DL
SS	NDE161DL1	LR	DL	N-NITROSODI-n-PROPYLAMINE	2470	U	R	2470	176	UG/KG	DL
SB	NDE087DL1	LR	DL	N-NITROSODIPHENYLAMINE	833	U	R	833	92	UG/KG	DL
SS	NDE064DL1	LR	DL	N-NITROSODIPHENYLAMINE	706	U	R	706	78	UG/KG	DL
SS	NDE161DL1	LR	DL	N-NITROSODIPHENYLAMINE	2470	U	R	2470	272	UG/KG	DL
SB	NDE087	N1		O-XYLENE (1,2-DIMETHYLBENZENE)	538	E	R	12	0.22	UG/KG	DL
SB	NDE006DL2	LR	DL	p,p'-DDD	392	U	R	392	27	UG/KG	DL
SB	NDE006DL1	LR	DL	p,p'-DDD	39	U	R	39	2.7	UG/KG	DL
SB	NDE008DL1	LR	DL	p,p'-DDD	35	U	R	35	2.4	UG/KG	DL
SB	NDE027DL1	LR	DL	p,p'-DDD	4.6	J	R	37	2.6	UG/KG	DL
SS	NDE137DL1	LR	DL	p,p'-DDD	8.8	=	R	7.7	0.53	UG/KG	DL
SS	NDE142DL1	LR	DL	p,p'-DDD	2.8	J	R	7.3	0.5	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	p,p'-DDD	2.8	J	R	7.3	0.5	UG/KG	DL
SS	NDE145DL1	LR	DL	p,p'-DDD	14	J	R	17	1.2	UG/KG	DL
SS	NDE146DL1	LR	DL	p,p'-DDD	5.8	J	R	7.3	0.51	UG/KG	DL
SS	NDE148DL1	LR	DL	p,p'-DDD	8.7	=	R	8.3	0.57	UG/KG	DL
SS	NDE149DL1	LR	DL	p,p'-DDD	2.8	J	R	8.1	0.55	UG/KG	DL
SS	NDE151DL1	LR	DL	p,p'-DDD	7.4	U	R	7.4	0.51	UG/KG	DL
SS	NDE153DL1	LR	DL	p,p'-DDD	7.5	U	R	7.5	0.52	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	p,p'-DDD	18	U	R	18	1.3	UG/KG	DL
SS	NDE155DL1	LR	DL	p,p'-DDD	16	J	R	37	2.6	UG/KG	DL
SS	NDE157DL1	LR	DL	p,p'-DDD	18	U	R	18	1.2	UG/KG	DL
SS	NDE164DL1	LR	DL	p,p'-DDD	36	U	R	36	2.5	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	p,p'-DDD	38	U	R	38	2.6	UG/KG	DL
SS	NDE166DL1	LR	DL	p,p'-DDD	40	U	R	40	2.8	UG/KG	DL
SS	NDE167DL1	LR	DL	p,p'-DDD	39	U	R	39	2.7	UG/KG	DL
SS	NDE004DL1	LR	DL	p,p'-DDD	177	U	R	177	12	UG/KG	DL
SS	NDE004DL2	LR	DL	p,p'-DDD	1770	U	R	1770	123	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	p,p'-DDD	358	U	R	358	25	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	p,p'-DDD	36	U	R	36	2.5	UG/KG	DL
SS	NDE007DL1	LR	DL	p,p'-DDD	35	U	R	35	2.5	UG/KG	DL
SS	NDE007DL2	LR	DL	p,p'-DDD	354	U	R	354	25	UG/KG	DL
SS	NDE017DL1	LR	DL	p,p'-DDD	18	U	R	18	1.2	UG/KG	DL
SB	NDE006	N1		p,p'-DDE	831	E	R	3.9	0.4	UG/KG	DL
SB	NDE006DL1	LR	DL	p,p'-DDE	901	E	R	39	4	UG/KG	DL
SB	NDE008	N1		p,p'-DDE	130	E	R	3.5	0.35	UG/KG	DL
SB	NDE027	N1		p,p'-DDE	350	=	R	3.7	0.38	UG/KG	DL
SS	NDE137	N1		p,p'-DDE	63	E	R	3.8	0.39	UG/KG	DL
SS	NDE142	N1		p,p'-DDE	69	E	R	3.6	0.37	UG/KG	DL
SS	NDE143FD1	FD1		p,p'-DDE	76	E	R	3.7	0.37	UG/KG	DL
SS	NDE145	N1		p,p'-DDE	114	E	R	3.5	0.35	UG/KG	DL
SS	NDE146	N1		p,p'-DDE	65	E	R	3.7	0.37	UG/KG	DL
SS	NDE148	N1		p,p'-DDE	82	E	R	4.1	0.42	UG/KG	DL
SS	NDE149	N1		p,p'-DDE	79	E	R	4	0.41	UG/KG	DL
SS	NDE151	N1		p,p'-DDE	78	=	R	3.7	0.38	UG/KG	DL
SS	NDE153	N1		p,p'-DDE	64	=	R	3.7	0.38	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE154FD1	FD1		p,p'-DDE	119	=	R	3.7	0.38	UG/KG	DL
SS	NDE155	N1		p,p'-DDE	432	=	R	3.7	0.38	UG/KG	DL
SS	NDE157	N1		p,p'-DDE	207	=	R	3.5	0.36	UG/KG	DL
SS	NDE164	N1		p,p'-DDE	85	=	R	3.6	0.36	UG/KG	DL
SS	NDE165FD1	FD1		p,p'-DDE	76	E	R	3.8	0.38	UG/KG	DL
SS	NDE166	N1		p,p'-DDE	88	=	R	4	0.4	UG/KG	DL
SS	NDE167	N1		p,p'-DDE	167	=	R	3.9	0.4	UG/KG	DL
SS	NDE004DL1	LR	DL	p,p'-DDE	4610	E	R	177	18	UG/KG	DL
SS	NDE004	N1		p,p'-DDE	3860	E	R	3.5	0.36	UG/KG	DL
SS	NDE005FD1	FD1		p,p'-DDE	3350	E	R	3.6	0.36	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	p,p'-DDE	4160	E	R	36	3.7	UG/KG	DL
SS	NDE007	N1		p,p'-DDE	2550	E	R	3.5	0.36	UG/KG	DL
SS	NDE007DL1	LR	DL	p,p'-DDE	3150	E	R	35	3.6	UG/KG	DL
SS	NDE017	N1		p,p'-DDE	128	E	R	3.6	0.36	UG/KG	DL
SB	NDE006DL1	LR	DL	p,p'-DDT	1000	E	R	39	4.6	UG/KG	DL
SB	NDE006	N1		p,p'-DDT	812	E	R	3.9	0.46	UG/KG	DL
SB	NDE008DL1	LR	DL	p,p'-DDT	30	J	R	35	4.1	UG/KG	DL
SB	NDE027DL1	LR	DL	p,p'-DDT	37	U	R	37	4.4	UG/KG	DL
SS	NDE137DL1	LR	DL	p,p'-DDT	10	=	R	7.7	0.9	UG/KG	DL
SS	NDE142DL1	LR	DL	p,p'-DDT	4.6	J	R	7.3	0.85	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	p,p'-DDT	5.5	J	R	7.3	0.86	UG/KG	DL
SS	NDE145	N1		p,p'-DDT	98	E	R	3.5	0.4	UG/KG	DL
SS	NDE146DL1	LR	DL	p,p'-DDT	25	=	R	7.3	0.86	UG/KG	DL
SS	NDE148	N1		p,p'-DDT	72	E	R	4.1	0.48	UG/KG	DL
SS	NDE149DL1	LR	DL	p,p'-DDT	9.6	=	R	8.1	0.94	UG/KG	DL
SS	NDE151DL1	LR	DL	p,p'-DDT	51	=	R	7.4	0.87	UG/KG	DL
SS	NDE153DL1	LR	DL	p,p'-DDT	30	=	R	7.5	0.87	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	p,p'-DDT	29	=	R	18	2.2	UG/KG	DL
SS	NDE155	N1		p,p'-DDT	119	=	R	3.7	0.44	UG/KG	DL
SS	NDE157DL1	LR	DL	p,p'-DDT	40	=	R	18	2.1	UG/KG	DL
SS	NDE164	N1		p,p'-DDT	96	E	R	3.6	0.42	UG/KG	DL
SS	NDE165FD1	FD1		p,p'-DDT	79	E	R	3.8	0.44	UG/KG	DL
SS	NDE166	N1		p,p'-DDT	69	E	R	4	0.46	UG/KG	DL
SS	NDE167DL1	LR	DL	p,p'-DDT	42	=	R	39	4.6	UG/KG	DL
SS	NDE004DL2	LR	DL	p,p'-DDT	1760	J	R	1770	209	UG/KG	DL
SS	NDE004	N1		p,p'-DDT	1790	E	R	3.5	0.41	UG/KG	DL
SS	NDE005FD1	FD1		p,p'-DDT	1960	E	R	3.6	0.42	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	p,p'-DDT	2300	E	R	36	4.2	UG/KG	DL
SS	NDE007	N1		p,p'-DDT	924	E	R	3.5	0.41	UG/KG	DL
SS	NDE007DL1	LR	DL	p,p'-DDT	1150	E	R	35	4.2	UG/KG	DL
SS	NDE017	N1		p,p'-DDT	64	E	R	3.6	0.42	UG/KG	DL
SB	NDE006DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	392	U	R	392	112	UG/KG	DL
SB	NDE006DL2	LR	DL	PCB-1016 (AROCHLOR 1016)	3920	U	R	3920	1120	UG/KG	DL
SB	NDE008DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	345	U	R	345	98	UG/KG	DL
SB	NDE027DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	370	U	R	370	105	UG/KG	DL
SS	NDE137DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	77	U	R	77	22	UG/KG	DL
SS	NDE142DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	73	U	R	73	21	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	73	U	R	73	21	UG/KG	DL
SS	NDE145DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	173	U	R	173	49	UG/KG	DL
SS	NDE146DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	73	U	R	73	21	UG/KG	DL
SS	NDE148DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	83	U	R	83	23	UG/KG	DL
SS	NDE149DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	81	U	R	81	23	UG/KG	DL
SS	NDE151DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	74	U	R	74	21	UG/KG	DL
SS	NDE153DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	75	U	R	75	21	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	184	U	R	184	52	UG/KG	DL
SS	NDE155DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	375	U	R	375	106	UG/KG	DL
SS	NDE157DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	177	U	R	177	50	UG/KG	DL
SS	NDE164DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	362	U	R	362	102	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	380	U	R	380	107	UG/KG	DL
SS	NDE166DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	400	U	R	400	113	UG/KG	DL
SS	NDE167DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	394	U	R	394	111	UG/KG	DL
SS	NDE004DL2	LR	DL	PCB-1016 (AROCHLOR 1016)	17700	U	R	17700	5040	UG/KG	DL
SS	NDE004DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	1770	U	R	1770	504	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	358	U	R	358	102	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE005FD1DL2	LR	DL	PCB-1016 (AROCHLOR 1016)	3580	U	R	3580	1020	UG/KG	DL
SS	NDE007DL2	LR	DL	PCB-1016 (AROCHLOR 1016)	3540	U	R	3540	1010	UG/KG	DL
SS	NDE007DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	354	U	R	354	101	UG/KG	DL
SS	NDE017DL1	LR	DL	PCB-1016 (AROCHLOR 1016)	179	U	R	179	51	UG/KG	DL
SB	NDE006DL2	LR	DL	PCB-1221 (AROCHLOR 1221)	7970	U	R	7970	2380	UG/KG	DL
SB	NDE006DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	797	U	R	797	238	UG/KG	DL
SB	NDE008DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	701	U	R	701	209	UG/KG	DL
SB	NDE027DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	750	U	R	750	224	UG/KG	DL
SS	NDE137DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	155	U	R	155	46	UG/KG	DL
SS	NDE142DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	147	U	R	147	44	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	148	U	R	148	44	UG/KG	DL
SS	NDE145DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	351	U	R	351	104	UG/KG	DL
SS	NDE146DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	149	U	R	149	44	UG/KG	DL
SS	NDE148DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	167	U	R	167	50	UG/KG	DL
SS	NDE149DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	163	U	R	163	48	UG/KG	DL
SS	NDE151DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	150	U	R	150	45	UG/KG	DL
SS	NDE153DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	152	U	R	152	45	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	374	U	R	374	111	UG/KG	DL
SS	NDE155DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	759	U	R	759	225	UG/KG	DL
SS	NDE157DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	360	U	R	360	106	UG/KG	DL
SS	NDE164DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	733	U	R	733	216	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	771	U	R	771	227	UG/KG	DL
SS	NDE166DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	810	U	R	810	240	UG/KG	DL
SS	NDE167DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	798	U	R	798	237	UG/KG	DL
SS	NDE004DL2	LR	DL	PCB-1221 (AROCHLOR 1221)	36000	U	R	36000	10700	UG/KG	DL
SS	NDE004DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	3600	U	R	3600	1070	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	727	U	R	727	217	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	PCB-1221 (AROCHLOR 1221)	7270	U	R	7270	2170	UG/KG	DL
SS	NDE007DL2	LR	DL	PCB-1221 (AROCHLOR 1221)	7180	U	R	7180	2140	UG/KG	DL
SS	NDE007DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	718	U	R	718	214	UG/KG	DL
SS	NDE017DL1	LR	DL	PCB-1221 (AROCHLOR 1221)	364	U	R	364	109	UG/KG	DL
SB	NDE006DL2	LR	DL	PCB-1232 (AROCHLOR 1232)	3920	U	R	3920	3210	UG/KG	DL
SB	NDE006DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	392	U	R	392	321	UG/KG	DL
SB	NDE008DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	345	U	R	345	283	UG/KG	DL
SB	NDE027DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	370	U	R	370	302	UG/KG	DL
SS	NDE137DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	77	U	R	77	62	UG/KG	DL
SS	NDE142DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	73	U	R	73	59	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	73	U	R	73	59	UG/KG	DL
SS	NDE145DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	173	U	R	173	140	UG/KG	DL
SS	NDE146DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	73	U	R	73	59	UG/KG	DL
SS	NDE148DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	83	U	R	83	67	UG/KG	DL
SS	NDE149DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	81	U	R	81	65	UG/KG	DL
SS	NDE151DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	74	U	R	74	60	UG/KG	DL
SS	NDE153DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	75	U	R	75	60	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	184	U	R	184	150	UG/KG	DL
SS	NDE155DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	375	U	R	375	303	UG/KG	DL
SS	NDE157DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	177	U	R	177	143	UG/KG	DL
SS	NDE164DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	362	U	R	362	292	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	380	U	R	380	307	UG/KG	DL
SS	NDE166DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	400	U	R	400	324	UG/KG	DL
SS	NDE167DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	394	U	R	394	319	UG/KG	DL
SS	NDE004DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	1770	U	R	1770	1450	UG/KG	DL
SS	NDE004DL2	LR	DL	PCB-1232 (AROCHLOR 1232)	17700	U	R	17700	14500	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	358	U	R	358	293	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	PCB-1232 (AROCHLOR 1232)	3580	U	R	3580	2930	UG/KG	DL
SS	NDE007DL2	LR	DL	PCB-1232 (AROCHLOR 1232)	3540	U	R	3540	2890	UG/KG	DL
SS	NDE007DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	354	U	R	354	289	UG/KG	DL
SS	NDE017DL1	LR	DL	PCB-1232 (AROCHLOR 1232)	179	U	R	179	147	UG/KG	DL
SB	NDE006DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	392	U	R	392	238	UG/KG	DL
SB	NDE006DL2	LR	DL	PCB-1242 (AROCHLOR 1242)	3920	U	R	3920	2380	UG/KG	DL
SB	NDE008DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	345	U	R	345	209	UG/KG	DL
SB	NDE027DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	370	U	R	370	224	UG/KG	DL
SS	NDE137DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	77	U	R	77	46	UG/KG	DL
SS	NDE142DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	73	U	R	73	44	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE143FD1DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	73	U	R	73	44	UG/KG	DL
SS	NDE145DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	173	U	R	173	104	UG/KG	DL
SS	NDE146DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	73	U	R	73	44	UG/KG	DL
SS	NDE148DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	83	U	R	83	50	UG/KG	DL
SS	NDE149DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	81	U	R	81	48	UG/KG	DL
SS	NDE151DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	74	U	R	74	45	UG/KG	DL
SS	NDE153DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	75	U	R	75	45	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	184	U	R	184	111	UG/KG	DL
SS	NDE155DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	375	U	R	375	225	UG/KG	DL
SS	NDE157DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	177	U	R	177	106	UG/KG	DL
SS	NDE164DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	362	U	R	362	216	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	380	U	R	380	227	UG/KG	DL
SS	NDE166DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	400	U	R	400	240	UG/KG	DL
SS	NDE167DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	394	U	R	394	237	UG/KG	DL
SS	NDE004DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	1770	U	R	1770	1070	UG/KG	DL
SS	NDE004DL2	LR	DL	PCB-1242 (AROCHLOR 1242)	17700	U	R	17700	10700	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	358	U	R	358	217	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	PCB-1242 (AROCHLOR 1242)	3580	U	R	3580	2170	UG/KG	DL
SS	NDE007DL2	LR	DL	PCB-1242 (AROCHLOR 1242)	3540	U	R	3540	2140	UG/KG	DL
SS	NDE007DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	354	U	R	354	214	UG/KG	DL
SS	NDE017DL1	LR	DL	PCB-1242 (AROCHLOR 1242)	179	U	R	179	109	UG/KG	DL
SB	NDE006DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	392	U	R	392	202	UG/KG	DL
SB	NDE006DL2	LR	DL	PCB-1248 (AROCHLOR 1248)	3920	U	R	3920	2020	UG/KG	DL
SB	NDE008DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	345	U	R	345	178	UG/KG	DL
SB	NDE027DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	370	U	R	370	190	UG/KG	DL
SS	NDE137DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	77	U	R	77	39	UG/KG	DL
SS	NDE142DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	73	U	R	73	37	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	73	U	R	73	37	UG/KG	DL
SS	NDE145DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	173	U	R	173	88	UG/KG	DL
SS	NDE146DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	73	U	R	73	37	UG/KG	DL
SS	NDE148DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	83	U	R	83	42	UG/KG	DL
SS	NDE149DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	81	U	R	81	41	UG/KG	DL
SS	NDE151DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	74	U	R	74	38	UG/KG	DL
SS	NDE153DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	75	U	R	75	38	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	184	U	R	184	94	UG/KG	DL
SS	NDE155DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	375	U	R	375	191	UG/KG	DL
SS	NDE157DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	177	U	R	177	90	UG/KG	DL
SS	NDE164DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	362	U	R	362	184	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	380	U	R	380	193	UG/KG	DL
SS	NDE166DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	400	U	R	400	204	UG/KG	DL
SS	NDE167DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	394	U	R	394	201	UG/KG	DL
SS	NDE004DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	1770	U	R	1770	912	UG/KG	DL
SS	NDE004DL2	LR	DL	PCB-1248 (AROCHLOR 1248)	17700	U	R	17700	9120	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	PCB-1248 (AROCHLOR 1248)	3580	U	R	3580	1850	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	358	U	R	358	185	UG/KG	DL
SS	NDE007DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	354	U	R	354	182	UG/KG	DL
SS	NDE007DL2	LR	DL	PCB-1248 (AROCHLOR 1248)	3540	U	R	3540	1820	UG/KG	DL
SS	NDE017DL1	LR	DL	PCB-1248 (AROCHLOR 1248)	179	U	R	179	92	UG/KG	DL
SB	NDE006DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	392	U	R	392	214	UG/KG	DL
SB	NDE006DL2	LR	DL	PCB-1254 (AROCHLOR 1254)	3920	U	R	3920	2140	UG/KG	DL
SB	NDE008DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	345	U	R	345	188	UG/KG	DL
SB	NDE027DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	370	U	R	370	202	UG/KG	DL
SS	NDE137DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	77	U	R	77	42	UG/KG	DL
SS	NDE142DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	73	U	R	73	39	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	73	U	R	73	39	UG/KG	DL
SS	NDE145DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	173	U	R	173	93	UG/KG	DL
SS	NDE146DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	73	U	R	73	40	UG/KG	DL
SS	NDE148DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	83	U	R	83	45	UG/KG	DL
SS	NDE149DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	81	U	R	81	43	UG/KG	DL
SS	NDE151DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	74	U	R	74	40	UG/KG	DL
SS	NDE153DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	75	U	R	75	40	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	184	U	R	184	100	UG/KG	DL
SS	NDE155DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	375	U	R	375	202	UG/KG	DL
SS	NDE157DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	177	U	R	177	96	UG/KG	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE164DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	362	U	R	362	195	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	380	U	R	380	204	UG/KG	DL
SS	NDE166DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	400	U	R	400	216	UG/KG	DL
SS	NDE167DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	394	U	R	394	213	UG/KG	DL
SS	NDE004DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	1770	U	R	1770	966	UG/KG	DL
SS	NDE004DL2	LR	DL	PCB-1254 (AROCHLOR 1254)	17700	U	R	17700	9660	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	PCB-1254 (AROCHLOR 1254)	3580	U	R	3580	1950	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	358	U	R	358	195	UG/KG	DL
SS	NDE007DL2	LR	DL	PCB-1254 (AROCHLOR 1254)	3540	U	R	3540	1930	UG/KG	DL
SS	NDE007DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	354	U	R	354	193	UG/KG	DL
SS	NDE017DL1	LR	DL	PCB-1254 (AROCHLOR 1254)	179	U	R	179	98	UG/KG	DL
SB	NDE006DL2	LR	DL	PCB-1260 (AROCHLOR 1260)	3920	U	R	3920	1430	UG/KG	DL
SB	NDE006DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	392	U	R	392	143	UG/KG	DL
SB	NDE008DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	345	U	R	345	126	UG/KG	DL
SB	NDE027DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	370	U	R	370	134	UG/KG	DL
SS	NDE137DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	77	U	R	77	28	UG/KG	DL
SS	NDE142DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	73	U	R	73	26	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	73	U	R	73	26	UG/KG	DL
SS	NDE145DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	173	U	R	173	62	UG/KG	DL
SS	NDE146DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	73	U	R	73	26	UG/KG	DL
SS	NDE148DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	83	U	R	83	30	UG/KG	DL
SS	NDE149DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	81	U	R	81	29	UG/KG	DL
SS	NDE151DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	74	U	R	74	27	UG/KG	DL
SS	NDE153DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	75	U	R	75	27	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	184	U	R	184	67	UG/KG	DL
SS	NDE155DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	375	U	R	375	135	UG/KG	DL
SS	NDE157DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	177	U	R	177	64	UG/KG	DL
SS	NDE164DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	362	U	R	362	130	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	380	U	R	380	136	UG/KG	DL
SS	NDE166DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	400	U	R	400	144	UG/KG	DL
SS	NDE167DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	394	U	R	394	142	UG/KG	DL
SS	NDE004DL2	LR	DL	PCB-1260 (AROCHLOR 1260)	17700	U	R	17700	6440	UG/KG	DL
SS	NDE004DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	1770	U	R	1770	644	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	PCB-1260 (AROCHLOR 1260)	3580	U	R	3580	1300	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	358	U	R	358	130	UG/KG	DL
SS	NDE007DL2	LR	DL	PCB-1260 (AROCHLOR 1260)	3540	U	R	3540	1290	UG/KG	DL
SS	NDE007DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	354	U	R	354	129	UG/KG	DL
SS	NDE017DL1	LR	DL	PCB-1260 (AROCHLOR 1260)	179	U	R	179	65	UG/KG	DL
SB	NDE087DL1	LR	DL	PENTACHLOROPHENOL	2500	U	R	2500	46	UG/KG	DL
SS	NDE064DL1	LR	DL	PENTACHLOROPHENOL	2120	U	R	2120	39	UG/KG	DL
SS	NDE161DL1	LR	DL	PENTACHLOROPHENOL	7420	U	R	7420	136	UG/KG	DL
SB	NDE087DL1	LR	DL	PHENANTHRENE	2660	=	R	833	48	UG/KG	DL
SS	NDE064DL1	LR	DL	PHENANTHRENE	706	U	R	706	41	UG/KG	DL
SS	NDE161DL1	LR	DL	PHENANTHRENE	4800	=	R	2470	144	UG/KG	DL
SB	NDE087DL1	LR	DL	PHENOL	833	U	R	833	53	UG/KG	DL
SS	NDE064DL1	LR	DL	PHENOL	706	U	R	706	45	UG/KG	DL
SS	NDE161DL1	LR	DL	PHENOL	2470	U	R	2470	159	UG/KG	DL
SB	NDE087DL1	LR	DL	PYRENE	421	J	R	833	47	UG/KG	DL
SS	NDE064DL1	LR	DL	PYRENE	706	U	R	706	40	UG/KG	DL
SS	NDE161	N1		PYRENE	7660	E	R	495	28	UG/KG	DL
WG	NDE217DL1	LR	DL	SODIUM	1200000	=	R	50000	2000	UG/L	DL
SW	NDE171	N1		SODIUM	3000000	E	R	5000	200	UG/L	DL
SW	NDE172FD1	FD1		SODIUM	3100000	E	R	5000	200	UG/L	DL
SW	NDE173	N1		SODIUM	3100000	E	R	5000	200	UG/L	DL
SW	NDE174	N1		SODIUM	3000000	E	R	5000	200	UG/L	DL
SW	NDE175	N1		SODIUM	3100000	E	R	5000	200	UG/L	DL
SW	NDE225	N1		SODIUM	3200000	E	R	5000	200	UG/L	DL
WG	NDE228	N1		SODIUM	6600000	E	R	50000	2000	UG/L	DL
WG	NDE229FD1	FD1		SODIUM	6700000	E	R	50000	2000	UG/L	DL
WG	NDE230	N1		SODIUM	2500000	E	R	5000	200	UG/L	DL
WG	NDE231	N1		SODIUM	1700000	E	R	50000	2000	UG/L	DL
WG	NDE232	N1		SODIUM	4100000	E	R	50000	2000	UG/L	DL
WG	NDE217DL1	LR	DL	SODIUM, DISSOLVED	1200000	=	R	50000	2000	UG/L	DL
WG	NDE228	N1		SODIUM, DISSOLVED	5400000	E	R	5000	200	UG/L	DL

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
WG	NDE229FD1	FD1		SODIUM, DISSOLVED	5200000	E	R	5000	200	UG/L	DL
WG	NDE230	N1		SODIUM, DISSOLVED	2700000	E	R	5000	200	UG/L	DL
WG	NDE231	N1		SODIUM, DISSOLVED	1600000	E	R	5000	200	UG/L	DL
WG	NDE232	N1		SODIUM, DISSOLVED	3400000	E	R	5000	200	UG/L	DL
SB	NDE087DL1	LR	DL	STYRENE	973	U	R	973	20	UG/KG	DL
SB	NDE087DL1	LR	DL	TETRACHLOROETHYLENE(PCE)	973	U	R	973	23	UG/KG	DL
SB	NDE087DL1	LR	DL	TOLUENE	973	U	R	973	21	UG/KG	DL
SB	NDE006DL1	LR	DL	TOXAPHENE	2020	U	R	2020	83	UG/KG	DL
SB	NDE006DL2	LR	DL	TOXAPHENE	20200	U	R	20200	832	UG/KG	DL
SB	NDE008DL1	LR	DL	TOXAPHENE	1780	U	R	1780	73	UG/KG	DL
SB	NDE027DL1	LR	DL	TOXAPHENE	1900	U	R	1900	78	UG/KG	DL
SS	NDE137DL1	LR	DL	TOXAPHENE	397	U	R	397	16	UG/KG	DL
SS	NDE142DL1	LR	DL	TOXAPHENE	377	U	R	377	15	UG/KG	DL
SS	NDE143FD1DL1	LR	DL	TOXAPHENE	379	U	R	379	15	UG/KG	DL
SS	NDE145DL1	LR	DL	TOXAPHENE	898	U	R	898	36	UG/KG	DL
SS	NDE146DL1	LR	DL	TOXAPHENE	380	U	R	380	15	UG/KG	DL
SS	NDE148DL1	LR	DL	TOXAPHENE	428	U	R	428	17	UG/KG	DL
SS	NDE149DL1	LR	DL	TOXAPHENE	418	U	R	418	17	UG/KG	DL
SS	NDE151DL1	LR	DL	TOXAPHENE	384	U	R	384	16	UG/KG	DL
SS	NDE153DL1	LR	DL	TOXAPHENE	387	U	R	387	16	UG/KG	DL
SS	NDE154FD1DL1	LR	DL	TOXAPHENE	955	U	R	955	39	UG/KG	DL
SS	NDE155DL1	LR	DL	TOXAPHENE	1940	U	R	1940	79	UG/KG	DL
SS	NDE157DL1	LR	DL	TOXAPHENE	920	U	R	920	37	UG/KG	DL
SS	NDE164DL1	LR	DL	TOXAPHENE	1870	U	R	1870	76	UG/KG	DL
SS	NDE165FD1DL1	LR	DL	TOXAPHENE	1970	U	R	1970	79	UG/KG	DL
SS	NDE166DL1	LR	DL	TOXAPHENE	2070	U	R	2070	84	UG/KG	DL
SS	NDE167DL1	LR	DL	TOXAPHENE	2040	U	R	2040	83	UG/KG	DL
SS	NDE004DL1	LR	DL	TOXAPHENE	9120	U	R	9120	376	UG/KG	DL
SS	NDE004DL2	LR	DL	TOXAPHENE	91200	U	R	91200	3760	UG/KG	DL
SS	NDE005FD1DL2	LR	DL	TOXAPHENE	18500	U	R	18500	760	UG/KG	DL
SS	NDE005FD1DL1	LR	DL	TOXAPHENE	1850	U	R	1850	76	UG/KG	DL
SS	NDE007DL1	LR	DL	TOXAPHENE	1820	U	R	1820	75	UG/KG	DL
SS	NDE007DL2	LR	DL	TOXAPHENE	18200	U	R	18200	750	UG/KG	DL
SS	NDE017DL1	LR	DL	TOXAPHENE	923	U	R	923	38	UG/KG	DL
SB	NDE087DL1	LR	DL	trans-1,3-DICHLOROPROPENE	973	U	R	973	19	UG/KG	DL
SB	NDE087DL1	LR	DL	TRICHLOROETHYLENE (TCE)	973	U	R	973	28	UG/KG	DL
SB	NDE087DL1	LR	DL	VINYL CHLORIDE	973	U	R	973	47	UG/KG	DL
SB	NDE087	N1		XYLENES, TOTAL	1620	E	R	12	0.23	UG/KG	DL
WG	NDE228	N1		ZINC	5	E	R	20	5	UG/L	DL
WG	NDE229FD1	FD1		ZINC	5	E	R	20	5	UG/L	DL
WG	NDE228	N1		ZINC, DISSOLVED	5	E	R	20	5	UG/L	DL
WG	NDE229FD1	FD1		ZINC, DISSOLVED	5	E	R	20	5	UG/L	DL
WG	NDE230	N1		ZINC, DISSOLVED	5	E	R	20	5	UG/L	DL
WG	NDE232	N1		ZINC, DISSOLVED	5	E	R	20	5	UG/L	DL
WG	NDE219	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE221	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE222FD1	FD1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE223	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE228	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE229FD1	FD1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE230	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE231	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE232	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE213	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE214	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE215	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE216FD1	FD1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE217	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE218	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
WG	NDE220	N1		ACETONE	5	U	R	5	4.1	UG/L	IC
SB	NDE044	N1		2-BUTANONE (MEK)	11	U	R	11	1.8	UG/KG	IC, CC
SB	NDE046	N1		2-BUTANONE (MEK)	11	U	R	11	1.9	UG/KG	IC, CC
SB	NDE048	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE050	N1		2-BUTANONE (MEK)	11	U	R	11	1.8	UG/KG	IC, CC

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SB	NDE052	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE122	N1		2-BUTANONE (MEK)	11	U	R	11	1.9	UG/KG	IC, CC
SB	NDE124	N1		2-BUTANONE (MEK)	11	U	R	11	1.9	UG/KG	IC, CC
SB	NDE126	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE054	N1		2-BUTANONE (MEK)	12	U	R	12	2	UG/KG	IC, CC
SB	NDE056	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE058	N1		2-BUTANONE (MEK)	4.1	J	R	10	1.7	UG/KG	IC, CC
SB	NDE063	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE065	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE067	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE069	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE071	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE076	N1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	IC, CC
SB	NDE078	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE096	N1		2-BUTANONE (MEK)	11	U	R	11	1.9	UG/KG	IC, CC
SB	NDE098	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE189	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE191	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE193	N1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	IC, CC
SB	NDE195FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE196	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE006	N1		2-BUTANONE (MEK)	12	U	R	12	1.9	UG/KG	IC, CC
SB	NDE008	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE010	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE012	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE014	N1		2-BUTANONE (MEK)	10	U	R	10	1.8	UG/KG	IC, CC
SB	NDE019	N1		2-BUTANONE (MEK)	12	U	R	12	2	UG/KG	IC, CC
SB	NDE016	N1		2-BUTANONE (MEK)	10	U	R	10	1.8	UG/KG	IC, CC
SB	NDE018	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE020	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE025	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE027	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE029	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE031	N1		2-BUTANONE (MEK)	11	U	R	11	1.8	UG/KG	IC, CC
SB	NDE203	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE204	N1		2-BUTANONE (MEK)	12	U	R	12	2.1	UG/KG	IC, CC
SB	NDE022	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE033	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE035	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE036FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE038	N1		2-BUTANONE (MEK)	10	U	R	10	1.8	UG/KG	IC, CC
SB	NDE039FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE103	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE105	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SB	NDE107	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE109	N1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	IC, CC
SB	NDE111FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SB	NDE112	N1		2-BUTANONE (MEK)	11	U	R	11	1.8	UG/KG	IC, CC
SD	NDE115	N1		2-BUTANONE (MEK)	16	U	R	16	2.7	UG/KG	IC, CC
SD	NDE118	N1		2-BUTANONE (MEK)	12	U	R	12	2.1	UG/KG	IC, CC
SS	NDE133	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE134	N1		2-BUTANONE (MEK)	11	U	R	11	1.9	UG/KG	IC, CC
SS	NDE135	N1		2-BUTANONE (MEK)	11	U	R	11	1.8	UG/KG	IC, CC
SS	NDE136	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE137	N1		2-BUTANONE (MEK)	19	U	R	19	3.3	UG/KG	IC, CC
SS	NDE138	N1		2-BUTANONE (MEK)	10	U	R	10	1.8	UG/KG	IC, CC
SS	NDE139	N1		2-BUTANONE (MEK)	15	U	R	15	2.6	UG/KG	IC, CC
SS	NDE140	N1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	IC, CC
SS	NDE141	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, C
SS	NDE142	N1		2-BUTANONE (MEK)	11	U	R	11	1.8	UG/KG	IC, CC
SS	NDE143FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE144	N1		2-BUTANONE (MEK)	12	U	R	12	2	UG/KG	IC, CC
SS	NDE145	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE146	N1		2-BUTANONE (MEK)	12	U	R	12	2	UG/KG	IC, CC

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE147	N1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	IC, CC
SS	NDE148	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE149	N1		2-BUTANONE (MEK)	10	U	R	10	1.8	UG/KG	IC, CC
SS	NDE150	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE043	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SS	NDE045	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SS	NDE047	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SS	NDE049	N1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	IC, CC
SS	NDE121	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE123	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE125	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE127	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE053	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE055	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SS	NDE057	N1		2-BUTANONE (MEK)	10	U	R	10	1.3	UG/KG	IC, CC
SS	NDE059	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE062FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	IC, CC
SS	NDE064	N1		2-BUTANONE (MEK)	10	U	R	10	1.3	UG/KG	IC, CC
SS	NDE066	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE068	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE070	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE072	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE077	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE099FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SS	NDE159	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE160	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE161	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE163	N1		2-BUTANONE (MEK)	10	U	R	10	1.8	UG/KG	IC, CC
SS	NDE165FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE166	N1		2-BUTANONE (MEK)	12	U	R	12	2	UG/KG	IC, CC
SS	NDE167	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE168	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE190	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE194	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE004	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE005FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE007	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE009	N1		2-BUTANONE (MEK)	15	U	R	15	2.5	UG/KG	IC, CC
SS	NDE011	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE013	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE015	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE017	N1		2-BUTANONE (MEK)	10	U	R	10	1.8	UG/KG	IC, CC
SS	NDE021	N1		2-BUTANONE (MEK)	13	U	R	13	2.3	UG/KG	IC, CC
SS	NDE023	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE024FD1	FD1		2-BUTANONE (MEK)	11	U	R	11	1.8	UG/KG	IC, CC
SS	NDE026	N1		2-BUTANONE (MEK)	10	U	R	10	1.5	UG/KG	IC, CC
SS	NDE028	N1		2-BUTANONE (MEK)	11	U	R	11	1.9	UG/KG	IC, CC
SS	NDE030	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE032	N1		2-BUTANONE (MEK)	10	U	R	10	1.8	UG/KG	IC, CC
SS	NDE034	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE037	N1		2-BUTANONE (MEK)	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE176	N1		2-BUTANONE (MEK)	948	U	R	948	163	UG/KG	IC, CC
SS	NDE177	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE178	N1		2-BUTANONE (MEK)	11	U	R	11	1.9	UG/KG	IC, CC
SS	NDE179	N1		2-BUTANONE (MEK)	12	U	R	12	2	UG/KG	IC, CC
SS	NDE102	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE104	N1		2-BUTANONE (MEK)	9.8	U	R	9.8	1.7	UG/KG	IC, CC
SS	NDE106	N1		2-BUTANONE (MEK)	12	U	R	12	2.1	UG/KG	IC, CC
SS	NDE108	N1		2-BUTANONE (MEK)	13	U	R	13	2.3	UG/KG	IC, CC
SS	NDE110	N1		2-BUTANONE (MEK)	12	U	R	12	2	UG/KG	IC, CC
SW	NDE171	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/L	IC, CC
SW	NDE172FD1	FD1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/L	IC, CC
SW	NDE173	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/L	IC, CC
SW	NDE174	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/L	IC, CC

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SW	NDE175	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/L	IC, CC
SW	NDE225	N1		2-BUTANONE (MEK)	10	U	R	10	1.7	UG/L	IC, CC
WG	NDE219	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE221	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE222FD1	FD1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE223	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE228	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE229FD1	FD1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE230	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE231	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE232	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE213	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE214	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE215	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE216FD1	FD1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE217	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE218	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
WG	NDE220	N1		2-BUTANONE (MEK)	5	U	R	5	1.7	UG/L	IC, CC
SB	NDE044	N1		ACETONE	11	J	R	11	2	UG/KG	IC, CC
SB	NDE046	N1		ACETONE	17	=	R	11	2.1	UG/KG	IC, CC
SB	NDE048	N1		ACETONE	11	=	R	10	1.8	UG/KG	IC, CC
SB	NDE050	N1		ACETONE	12	=	R	11	2.1	UG/KG	IC, CC
SB	NDE052	N1		ACETONE	11	=	R	10	1.8	UG/KG	IC, CC
SB	NDE122	N1		ACETONE	17	=	R	11	2.1	UG/KG	IC, CC
SB	NDE124	N1		ACETONE	27	=	R	11	2.1	UG/KG	IC, CC
SB	NDE126	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SB	NDE067	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SB	NDE069	N1		ACETONE	15	=	R	10	1.7	UG/KG	IC, CC
SB	NDE071	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SB	NDE073	N1		ACETONE	10	J	R	10	1.7	UG/KG	IC, CC
SB	NDE092	N1		ACETONE	10	B	R	10	1.7	UG/KG	IC, CC
SB	NDE094	N1		ACETONE	25	B	R	10	1.9	UG/KG	IC, CC
SB	NDE080	N1		ACETONE	11	J	R	11	2	UG/KG	IC, CC
SB	NDE082	N1		ACETONE	10	J	R	10	1.7	UG/KG	IC, CC
SB	NDE085	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SB	NDE087	N1		ACETONE	15	=	R	12	2.2	UG/KG	IC, CC
SB	NDE089	N1		ACETONE	11	J	R	11	2	UG/KG	IC, CC
SB	NDE006	N1		ACETONE	12	J	R	12	2.2	UG/KG	IC, CC
SB	NDE008	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SB	NDE010	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SB	NDE012	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SB	NDE014	N1		ACETONE	22	=	R	10	2	UG/KG	IC, CC
SB	NDE019	N1		ACETONE	20	=	R	12	2.3	UG/KG	IC, CC
SB	NDE027	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SB	NDE029	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SB	NDE031	N1		ACETONE	12	=	R	11	2.1	UG/KG	IC, CC
SB	NDE203	N1		ACETONE	10	U	R	10	1.8	UG/KG	IC, CC
SB	NDE204	N1		ACETONE	13	=	R	12	2.3	UG/KG	IC, CC
SB	NDE022	N1		ACETONE	10	U	R	10	1.7	UG/KG	IC, CC
SB	NDE033	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SB	NDE035	N1		ACETONE	10	B	R	10	1.9	UG/KG	IC, CC
SB	NDE036FD1	FD1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SB	NDE038	N1		ACETONE	10	J	R	10	2	UG/KG	IC, CC
SB	NDE039FD1	FD1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SB	NDE103	N1		ACETONE	22	=	R	10	1.9	UG/KG	IC, CC
SB	NDE105	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SB	NDE107	N1		ACETONE	10	J	R	10	1.6	UG/KG	IC, CC
SB	NDE109	N1		ACETONE	10	J	R	10	1.6	UG/KG	IC, CC
SB	NDE111FD1	FD1		ACETONE	10	=	R	10	1.7	UG/KG	IC, CC
SB	NDE112	N1		ACETONE	12	=	R	11	2	UG/KG	IC, CC
SD	NDE114	N1		ACETONE	44	=	R	18	3.4	UG/KG	IC, CC
SD	NDE115	N1		ACETONE	50	=	R	16	3	UG/KG	IC, CC
SD	NDE116	N1		ACETONE	54	=	R	21	4	UG/KG	IC, CC
SD	NDE117	N1		ACETONE	73	=	R	34	6.6	UG/KG	IC, CC

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SD	NDE118	N1		ACETONE	24	=	R	12	2.4	UG/KG	IC, CC
SD	NDE119FD1	FD1		ACETONE	33	=	R	14	2.7	UG/KG	IC, CC
SS	NDE133	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SS	NDE134	N1		ACETONE	11	J	R	11	2.1	UG/KG	IC, CC
SS	NDE135	N1		ACETONE	11	J	R	11	2.1	UG/KG	IC, CC
SS	NDE136	N1		ACETONE	10	J	R	10	1.7	UG/KG	IC, CC
SS	NDE137	N1		ACETONE	19	J	R	19	3.7	UG/KG	IC, CC
SS	NDE138	N1		ACETONE	61	=	R	10	2	UG/KG	IC, CC
SS	NDE139	N1		ACETONE	15	J	R	15	2.9	UG/KG	IC, CC
SS	NDE140	N1		ACETONE	10	J	R	10	1.6	UG/KG	IC, CC
SS	NDE141	N1		ACETONE	10	J	R	10	1.7	UG/KG	IC, CC
SS	NDE142	N1		ACETONE	10	J	R	11	2	UG/KG	IC, CC
SS	NDE143FD1	FD1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SS	NDE144	N1		ACETONE	12	J	R	12	2.2	UG/KG	IC, CC
SS	NDE145	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SS	NDE146	N1		ACETONE	12	J	R	12	2.3	UG/KG	IC, CC
SS	NDE147	N1		ACETONE	10	J	R	10	1.6	UG/KG	IC, CC
SS	NDE148	N1		ACETONE	10	J	R	10	2	UG/KG	IC, CC
SS	NDE149	N1		ACETONE	16	=	R	10	2	UG/KG	IC, CC
SS	NDE150	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SS	NDE043	N1		ACETONE	10	J	R	10	1.7	UG/KG	IC, CC
SS	NDE045	N1		ACETONE	10	J	R	10	1.6	UG/KG	IC, CC
SS	NDE047	N1		ACETONE	11	=	R	10	1.7	UG/KG	IC, CC
SS	NDE049	N1		ACETONE	12	=	R	10	1.6	UG/KG	IC, CC
SS	NDE051	N1		ACETONE	13	=	R	10	1.5	UG/KG	IC, CC
SS	NDE121	N1		ACETONE	18	=	R	10	1.7	UG/KG	IC, CC
SS	NDE123	N1		ACETONE	18	=	R	10	1.8	UG/KG	IC, CC
SS	NDE125	N1		ACETONE	23	=	R	10	1.8	UG/KG	IC, CC
SS	NDE066	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SS	NDE068	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SS	NDE072	N1		ACETONE	10	U	R	10	1.9	UG/KG	IC, CC
SS	NDE075	N1		ACETONE	10	U	R	10	1.7	UG/KG	IC, CC
SS	NDE090	N1		ACETONE	10	B	R	10	1.7	UG/KG	IC, CC
SS	NDE091FD1	FD1		ACETONE	34	B	R	10	1.7	UG/KG	IC, CC
SS	NDE093	N1		ACETONE	10	B	R	10	1.9	UG/KG	IC, CC
SS	NDE095	N1		ACETONE	10	B	R	10	1.9	UG/KG	IC, CC
SS	NDE097	N1		ACETONE	10	B	R	10	1.7	UG/KG	IC, CC
SS	NDE162	N1		ACETONE	10	B	R	10	1.9	UG/KG	IC, CC
SS	NDE074FD1	FD1		ACETONE	10	J	R	10	1.6	UG/KG	IC, CC
SS	NDE079	N1		ACETONE	10	U	R	10	1.6	UG/KG	IC, CC
SS	NDE081	N1		ACETONE	22	=	R	10	1.7	UG/KG	IC, CC
SS	NDE083	N1		ACETONE	14	=	R	12	2.2	UG/KG	IC, CC
SS	NDE084FD1	FD1		ACETONE	12	J	R	12	2.3	UG/KG	IC, CC
SS	NDE086	N1		ACETONE	16	=	R	10	1.5	UG/KG	IC, CC
SS	NDE088	N1		ACETONE	10	U	R	10	1.9	UG/KG	IC, CC
SS	NDE164	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SS	NDE169	N1		ACETONE	11	J	R	11	2.1	UG/KG	IC, CC
SS	NDE004	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SS	NDE005FD1	FD1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SS	NDE007	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SS	NDE009	N1		ACETONE	15	J	R	15	2.8	UG/KG	IC, CC
SS	NDE011	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SS	NDE013	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC
SS	NDE015	N1		ACETONE	21	=	R	10	1.9	UG/KG	IC, CC
SS	NDE017	N1		ACETONE	19	=	R	10	2	UG/KG	IC, CC
SS	NDE021	N1		ACETONE	21	=	R	13	2.5	UG/KG	IC, CC
SS	NDE023	N1		ACETONE	10	=	R	10	1.8	UG/KG	IC, CC
SS	NDE024FD1	FD1		ACETONE	11	J	R	11	2	UG/KG	IC, CC
SS	NDE026	N1		ACETONE	10	J	R	10	1.7	UG/KG	IC, CC
SS	NDE028	N1		ACETONE	11	J	R	11	2.2	UG/KG	IC, CC
SS	NDE030	N1		ACETONE	32	=	R	10	1.8	UG/KG	IC, CC
SS	NDE032	N1		ACETONE	30	=	R	10	2	UG/KG	IC, CC
SS	NDE034	N1		ACETONE	38	=	R	10	1.9	UG/KG	IC, CC
SS	NDE037	N1		ACETONE	10	J	R	10	1.8	UG/KG	IC, CC

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SS	NDE177	N1		ACETONE	10	J	R	10	1.9	UG/KG	IC, CC
SS	NDE178	N1		ACETONE	11	J	R	11	2.1	UG/KG	IC, CC
SS	NDE179	N1		ACETONE	12	J	R	12	2.3	UG/KG	IC, CC
SS	NDE102	N1		ACETONE	13	=	R	10	10	UG/KG	IC, CC
SS	NDE106	N1		ACETONE	12	=	R	12	12	UG/KG	IC, CC
SS	NDE108	N1		ACETONE	24	=	R	13	13	UG/KG	IC, CC
SS	NDE110	N1		ACETONE	25	=	R	12	12	UG/KG	IC, CC
SW	NDE171	N1		ACETONE	10	U	R	10	4.1	UG/L	IC, CC
SW	NDE172FD1	FD1		ACETONE	10	U	R	10	4.1	UG/L	IC, CC
SW	NDE173	N1		ACETONE	10	U	R	10	4.1	UG/L	IC, CC
SW	NDE174	N1		ACETONE	10	U	R	10	4.1	UG/L	IC, CC
SW	NDE175	N1		ACETONE	10	U	R	10	4.1	UG/L	IC, CC
SW	NDE225	N1		ACETONE	10	U	R	10	4.1	UG/L	IC, CC
SS	NDE061	N1		2-BUTANONE (MEK)	10	U	R	10	1.4	UG/KG	IC,CC
SS	NDE104	N1		ACETONE	34	=	R	9.8	9.8	UG/KG	IC., CC
SW	NDE175RE1	LR	RE	ALDRIN	0.056	U	R	0.05	0.01	UG/L	OT
SW	NDE225RE1	LR	RE	ALDRIN	0.053	U	R	0.05	0.01	UG/L	OT
SW	NDE175RE1	LR	RE	ALPHA BHC	0.056	U	R	0.05	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	ALPHA BHC	0.053	U	R	0.05	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	ALPHA-CHLORDANE	0.056	U	R	0.05	0.01	UG/L	OT
SW	NDE225RE1	LR	RE	ALPHA-CHLORDANE	0.053	U	R	0.05	0.01	UG/L	OT
SW	NDE175RE1	LR	RE	BETA BHC	0.056	U	R	0.05	0.006	UG/L	OT
SW	NDE225RE1	LR	RE	BETA BHC	0.053	U	R	0.05	0.005	UG/L	OT
SW	NDE175RE1	LR	RE	DELTA BHC	0.056	U	R	0.05	0.008	UG/L	OT
SW	NDE225RE1	LR	RE	DELTA BHC	0.053	U	R	0.05	0.007	UG/L	OT
SW	NDE175RE1	LR	RE	DIELDRIN	0.111	U	R	0.11	0.006	UG/L	OT
SW	NDE225RE1	LR	RE	DIELDRIN	0.105	U	R	0.1	0.005	UG/L	OT
SW	NDE175RE1	LR	RE	ENDOSULFAN I (Alpha)	0.056	U	R	0.05	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	ENDOSULFAN I (Alpha)	0.053	U	R	0.05	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	ENDOSULFAN II (Beta)	0.111	U	R	0.11	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	ENDOSULFAN II (Beta)	0.105	U	R	0.1	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	ENDOSULFAN SULFATE	0.111	U	R	0.11	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	ENDOSULFAN SULFATE	0.105	U	R	0.1	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	ENDRIN	0.111	U	R	0.11	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	ENDRIN	0.105	U	R	0.1	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	ENDRIN ALDEHYDE	0.111	U	R	0.11	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	ENDRIN ALDEHYDE	0.105	U	R	0.1	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	ENDRIN KETONE	0.111	U	R	0.11	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	ENDRIN KETONE	0.105	U	R	0.1	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	GAMMA BHC (LINDANE)	0.056	U	R	0.05	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	GAMMA BHC (LINDANE)	0.053	U	R	0.05	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	GAMMA-CHLORDANE	0.056	U	R	0.05	0.01	UG/L	OT
SW	NDE225RE1	LR	RE	GAMMA-CHLORDANE	0.053	U	R	0.05	0.01	UG/L	OT
SW	NDE175RE1	LR	RE	HEPTACHLOR	0.056	U	R	0.05	0.006	UG/L	OT
SW	NDE225RE1	LR	RE	HEPTACHLOR	0.053	U	R	0.05	0.005	UG/L	OT
SW	NDE175RE1	LR	RE	HEPTACHLOR EPOXIDE	0.056	U	R	0.05	0.01	UG/L	OT
SW	NDE225RE1	LR	RE	HEPTACHLOR EPOXIDE	0.053	U	R	0.05	0.01	UG/L	OT
SW	NDE175RE1	LR	RE	METHOXYCHLOR	0.556	U	R	0.55	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	METHOXYCHLOR	0.526	U	R	0.52	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	p,p'-DDD	0.111	U	R	0.11	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	p,p'-DDD	0.105	U	R	0.1	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	p,p'-DDE	0.111	U	R	0.11	0.01	UG/L	OT
SW	NDE225RE1	LR	RE	p,p'-DDE	0.105	U	R	0.1	0.01	UG/L	OT
SW	NDE175RE1	LR	RE	p,p'-DDT	0.111	U	R	0.11	0.02	UG/L	OT
SW	NDE225RE1	LR	RE	p,p'-DDT	0.105	U	R	0.1	0.02	UG/L	OT
SW	NDE175RE1	LR	RE	PCB-1016 (AROCHLOR 1016)	1.1	U	R	1.1	0.08	UG/L	OT
SW	NDE225RE1	LR	RE	PCB-1016 (AROCHLOR 1016)	1.1	U	R	1.1	0.08	UG/L	OT
SW	NDE175RE1	LR	RE	PCB-1221 (AROCHLOR 1221)	2.2	U	R	2.2	0.12	UG/L	OT
SW	NDE225RE1	LR	RE	PCB-1221 (AROCHLOR 1221)	2.1	U	R	2.1	0.11	UG/L	OT
SW	NDE175RE1	LR	RE	PCB-1232 (AROCHLOR 1232)	1.1	U	R	1.1	0.08	UG/L	OT
SW	NDE225RE1	LR	RE	PCB-1232 (AROCHLOR 1232)	1.1	U	R	1.1	0.08	UG/L	OT
SW	NDE175RE1	LR	RE	PCB-1242 (AROCHLOR 1242)	1.1	U	R	1.1	0.06	UG/L	OT
SW	NDE225RE1	LR	RE	PCB-1242 (AROCHLOR 1242)	1.1	U	R	1.1	0.06	UG/L	OT
SW	NDE175RE1	LR	RE	PCB-1248 (AROCHLOR 1248)	1.1	U	R	1.1	0.13	UG/L	OT

Matrix	Sample ID	Sample Type	LR Type	Parameter	Lab Result	Lab Qual	Final Qual	Reporting Limit	Detection Limit	Units	Comments
SW	NDE225RE1	LR	RE	PCB-1248 (AROCHLOR 1248)	1.1	U	R	1.1	0.12	UG/L	OT
SW	NDE175RE1	LR	RE	PCB-1254 (AROCHLOR 1254)	1.1	U	R	1.1	0.15	UG/L	OT
SW	NDE225RE1	LR	RE	PCB-1254 (AROCHLOR 1254)	1.1	U	R	1.1	0.14	UG/L	OT
SW	NDE175RE1	LR	RE	PCB-1260 (AROCHLOR 1260)	1.1	U	R	1.1	0.11	UG/L	OT
SW	NDE225RE1	LR	RE	PCB-1260 (AROCHLOR 1260)	1.1	U	R	1.1	0.1	UG/L	OT
SW	NDE175RE1	LR	RE	TOXAPHENE	5.6	U	R	5.6	0.43	UG/L	OT
SW	NDE225RE1	LR	RE	TOXAPHENE	5.3	U	R	5.3	0.41	UG/L	OT
SB	NDE048	N1		THALLIUM	0.36	E	R	2.1	0.36	MG/KG	RE
SB	NDE050	N1		THALLIUM	0.37	E	R	2.2	0.37	MG/KG	RE
SB	NDE052	N1		THALLIUM	0.37	E	R	2.1	0.37	MG/KG	RE

Attachment I - Secondary Data Validation Code Definitions

Code	Definitions
TN	Tune
BS	Blank Spike/LCS
IS	Internal Standard
MS	Matrix Spike and/or Matrix Spike Duplicate Recovery
MD	Matrix Spike/Matrix Spike Duplicate Precision
2S	Second Source
SD	Serial Dilution
SS	Spiked Surrogate
LR	Analysis present above linear range (or calibration) range
IC	Initial Calibration
CC	Continuing Calibration Verification
PD	Pesticide Degradation
LD	Lab Duplicate
2C	Second Column (Confirmation)
HT	Holding Time
PS	Post Spike
BL	Blank
RE	Re-extraction
DL	Dilution
IB	In-Between
FD	Field Duplicate
OT	Other

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE167	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.2	UJ	0.29	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.23	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.24	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDRIN KETONE	4.2	UJ	0.27	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.22	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDRIN KETONE	4	UJ	0.26	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.26	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.24	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDRIN KETONE	4.9	UJ	0.32	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDRIN KETONE	6.4	UJ	0.43	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDRIN KETONE	4.6	UJ	0.3	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDRIN KETONE	4.6	UJ	0.3	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDRIN KETONE	4.1	UJ	0.26	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDRIN KETONE	4.3	UJ	0.28	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDRIN KETONE	4	UJ	0.26	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.24	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDRIN KETONE	4	UJ	0.26	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDRIN KETONE	4.2	UJ	0.28	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE007	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.22	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.23	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDRIN KETONE	3.6	UJ	0.23	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDRIN KETONE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.2	UJ	0.59	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.57	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.54	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.51	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.5	UJ	0.7	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	3.3	UJ	0.92	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.4	UJ	0.65	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.4	UJ	0.65	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.56	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.54	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.53	2	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE026	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.2	UJ	0.63	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.6	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.5	UJ	0.74	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	GAMMA-CHLORDANE	3.3	UJ	0.98	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.4	UJ	0.69	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.4	UJ	0.69	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.61	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.2	UJ	0.63	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.59	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.58	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.57	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.2	UJ	0.64	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.53	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.54	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE179	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	HEPTACHLOR	2.2	UJ	0.78	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.66	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	HEPTACHLOR	2.1	UJ	0.75	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.68	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.67	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.67	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.68	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	HEPTACHLOR	2.5	UJ	0.92	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	HEPTACHLOR	3.3	UJ	1.2	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	HEPTACHLOR	2.4	UJ	0.86	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	HEPTACHLOR	2.4	UJ	0.86	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	HEPTACHLOR	2.1	UJ	0.75	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	HEPTACHLOR	2.2	UJ	0.79	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.66	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.7	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	HEPTACHLOR	2.1	UJ	0.74	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.72	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	HEPTACHLOR	2.2	UJ	0.79	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.66	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.72	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.67	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.65	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.2	UJ	0.76	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.64	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.72	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.66	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.69	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE195FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.65	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.65	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.65	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.5	UJ	0.89	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	3.3	UJ	1.2	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.4	UJ	0.83	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.4	UJ	0.83	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.73	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.2	UJ	0.76	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.64	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.64	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.68	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.71	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.7	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.68	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.2	UJ	0.76	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.69	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.68	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.7	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.62	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.65	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.64	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.66	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.63	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	METHOXYCHLOR	22	UJ	0.36	22	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.35	21	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	METHOXYCHLOR	25	UJ	0.43	25	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	METHOXYCHLOR	33	UJ	0.57	33	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	METHOXYCHLOR	24	UJ	0.4	24	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	METHOXYCHLOR	24	UJ	0.4	24	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.35	21	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE084FD1	CLP_PEST	SW3550	METHOXYCHLOR	22	UJ	0.37	22	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.32	20	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.34	21	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.31	18	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.3	18	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	p,p'-DDD	4.2	UJ	0.29	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	p,p'-DDD	4	UJ	0.27	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	p,p'-DDD	4.9	UJ	0.34	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	p,p'-DDD	6.4	UJ	0.45	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	p,p'-DDD	4.6	UJ	0.32	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	p,p'-DDD	4.6	UJ	0.32	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	p,p'-DDD	4.1	UJ	0.28	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	p,p'-DDD	4.3	UJ	0.29	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	p,p'-DDD	4	UJ	0.27	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	p,p'-DDD	4	UJ	0.27	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	p,p'-DDD	4.2	UJ	0.29	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE017	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.25	3.6	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.26	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	p,p'-DDD	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	p,p'-DDE	4.2	UJ	0.43	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	p,p'-DDE	4	UJ	0.41	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.39	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	p,p'-DDE	4.9	UJ	0.5	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	p,p'-DDE	6.4	UJ	0.66	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	p,p'-DDE	4.6	UJ	0.47	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	p,p'-DDE	4.6	UJ	0.47	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	p,p'-DDE	4.1	UJ	0.41	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	p,p'-DDE	4.3	UJ	0.43	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	p,p'-DDE	4	UJ	0.4	4	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	p,p'-DDE	3.9	UJ	0.4	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.38	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	p,p'-DDE	4.2	UJ	0.43	4.2	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.36	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.39	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	p,p'-DDE	3.9	UJ	0.39	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	p,p'-DDE	3.6	UJ	0.36	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	p,p'-DDE	3.5	UJ	0.35	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	p,p'-DDT	4.2	UJ	0.49	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	p,p'-DDT	4	UJ	0.47	4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	p,p'-DDT	4.1	UJ	0.47	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	p,p'-DDT	4.3	UJ	0.49	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.41	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	p,p'-DDT	4	UJ	0.46	4	ug/Kg	HT
SS	NDE189	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	p,p'-DDT	14	UJ	0.45	3.8	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE176	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	42	UJ	12	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.8	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	40	UJ	11	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	13	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	14	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	13	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	13	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.8	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	49	UJ	18	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	64	UJ	24	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	46	UJ	17	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	46	UJ	17	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	41	UJ	11	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	43	UJ	12	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	40	UJ	11	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	11	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	40	UJ	11	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	14	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	14	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	42	UJ	15	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	11	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	9.8	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	9.8	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	10	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	11	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	11	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	11	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	36	UJ	10	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	10	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	35	UJ	9.9	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	85	UJ	25	85	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	82	UJ	24	82	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE189	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	74	UJ	22	74	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	22	76	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	80	UJ	24	80	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	99	UJ	30	99	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	131	UJ	39	131	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	93	UJ	28	93	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	93	UJ	27	93	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	82	UJ	24	82	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	87	UJ	26	87	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	80	UJ	24	80	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	81	UJ	24	81	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	80	UJ	24	80	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	22	76	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	23	76	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	86	UJ	25	86	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	22	72	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	23	76	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	21	72	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	23	76	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	71	UJ	21	71	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	73	UJ	22	73	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	72	UJ	22	72	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	70	UJ	21	70	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	42	UJ	34	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	40	UJ	33	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	29	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE010	CLP_PEST	SW3550	p,p'-DDD	3.5	J	0.24	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	p,p'-DDD	4.8	J	0.24	3.5	ug/Kg	HT
SB	NDE006DL2	CLP_PEST	SW3550	p,p'-DDE	764	J	40	392	ug/Kg	HT
SB	NDE008DL1	CLP_PEST	SW3550	p,p'-DDE	124	J	3.6	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	p,p'-DDE	3.9	J	0.36	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	p,p'-DDE	8.7	J	0.35	3.5	ug/Kg	HT
SS	NDE164DL1	CLP_PEST	SW3550	p,p'-DDE	83	J	3.7	36	ug/Kg	HT
SS	1	CLP_PEST	SW3550	p,p'-DDE	85	J	3.9	38	ug/Kg	HT
SS	NDE166DL1	CLP_PEST	SW3550	p,p'-DDE	76	J	4.1	40	ug/Kg	HT
SS	NDE167DL1	CLP_PEST	SW3550	p,p'-DDE	157	J	4	39	ug/Kg	HT
SS	NDE004DL2	CLP_PEST	SW3550	p,p'-DDE	3990	J	182	1770	ug/Kg	HT
SS	2	CLP_PEST	SW3550	p,p'-DDE	3440	J	37	358	ug/Kg	HT
SS	NDE007DL2	CLP_PEST	SW3550	p,p'-DDE	2660	J	36	354	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	p,p'-DDE	50	J	0.39	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	p,p'-DDE	41	J	0.36	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	p,p'-DDE	14	J	0.35	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	p,p'-DDE	10	J	0.35	3.4	ug/Kg	HT
SS	NDE017DL1	CLP_PEST	SW3550	p,p'-DDE	126	J	1.8	18	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	p,p'-DDE	7.8	J	0.38	3.7	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	p,p'-DDE	41	J	0.35	3.5	ug/Kg	HT
SB	NDE006DL2	CLP_PEST	SW3550	p,p'-DDT	928	J	46	392	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	p,p'-DDT	22	J	0.4	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	p,p'-DDT	7.6	J	0.4	3.5	ug/Kg	HT
SS	NDE166DL1	CLP_PEST	SW3550	p,p'-DDT	89	J	4.7	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	p,p'-DDT	54	J	0.46	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	p,p'-DDT	3.6	J	0.41	3.6	ug/Kg	HT
SS	NDE004DL1	CLP_PEST	SW3550	p,p'-DDT	1940	J	21	177	ug/Kg	HT
SS	2	CLP_PEST	SW3550	p,p'-DDT	2190	J	42	358	ug/Kg	HT
SS	NDE007DL2	CLP_PEST	SW3550	p,p'-DDT	1090	J	42	354	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	p,p'-DDT	17	J	0.42	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	p,p'-DDT	10	J	0.4	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	p,p'-DDT	11	J	0.4	3.4	ug/Kg	HT
SS	NDE017DL1	CLP_PEST	SW3550	p,p'-DDT	75	J	2.1	18	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	p,p'-DDT	29	J	0.4	3.5	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	p,p'-DDE	4.9	J	0.36	3.6	ug/Kg	HT, 2C
SS	NDE169	CLP_PEST	SW3550	p,p'-DDE	6	J	0.39	3.9	ug/Kg	HT, 2C
SS	NDE164DL1	CLP_PEST	SW3550	p,p'-DDT	82	J	4.2	36	ug/Kg	HT, 2C
SS	1	CLP_PEST	SW3550	p,p'-DDT	61	J	4.4	38	ug/Kg	HT, 2C
SB	NDE038	CLP_PEST	SW3550	p,p'-DDE	3.8	J	0.38	3.7	ug/Kg	HT, IC, FD
SS	NDE021	CLP_PEST	SW3550	p,p'-DDT	6.7	J	0.44	3.7	ug/Kg	2C, HT
SB	NDE080	CLP_PEST	SW3550	ALDRIN	2.2	UJ	0.59	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.57	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ALDRIN	2	UJ	0.54	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.51	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ALDRIN	2.5	UJ	0.7	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ALDRIN	3.3	UJ	0.92	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ALDRIN	2.4	UJ	0.65	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ALDRIN	2.4	UJ	0.65	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ALDRIN	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE164	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ALDRIN	2	UJ	0.53	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.56	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ALDRIN	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ALDRIN	2	UJ	0.54	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ALDRIN	2	UJ	0.53	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ALDRIN	2	UJ	0.55	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.62	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.59	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.56	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.53	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ALPHA BHC	2.5	UJ	0.72	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ALPHA BHC	3.3	UJ	0.96	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ALPHA BHC	2.4	UJ	0.68	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ALPHA BHC	2.4	UJ	0.67	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.59	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.62	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.58	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.55	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.58	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ALPHA BHC	2.2	UJ	0.62	2.2	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.2	UJ	0.59	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.57	2.1	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE189	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.54	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.51	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.5	UJ	0.7	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	3.3	UJ	0.92	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.4	UJ	0.65	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.4	UJ	0.65	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.56	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.2	UJ	0.6	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.54	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.53	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.2	UJ	0.6	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.49	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.51	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.58	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.55	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.52	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT

Matrix	SampleID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE014	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.52	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.5	UJ	0.71	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ALPHA-CHLORDANE	3.3	UJ	0.94	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.4	UJ	0.66	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.4	UJ	0.66	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.58	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.2	UJ	0.61	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.51	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.51	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.54	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.57	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.2	UJ	0.61	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.55	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.55	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.52	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.5	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	BETA BHC	2.2	UJ	0.57	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	BETA BHC	2.1	UJ	0.54	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.49	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	BETA BHC	2	UJ	0.52	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.49	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	BETA BHC	2.5	UJ	0.67	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	BETA BHC	3.3	UJ	0.88	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	BETA BHC	2.4	UJ	0.62	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	BETA BHC	2.4	UJ	0.62	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	BETA BHC	2.1	UJ	0.54	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	BETA BHC	2.2	UJ	0.57	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	BETA BHC	2	UJ	0.51	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	BETA BHC	2.1	UJ	0.53	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE168	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	BETA BHC	2	UJ	0.52	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.51	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	BETA BHC	2.2	UJ	0.57	2.2	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	BETA BHC	2	UJ	0.51	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	BETA BHC	2	UJ	0.52	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.2	UJ	0.38	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4	UJ	0.36	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.9	UJ	0.44	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	6.4	UJ	0.58	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.6	UJ	0.41	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.6	UJ	0.41	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.1	UJ	0.36	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.3	UJ	0.38	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4	UJ	0.35	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4	UJ	0.35	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.31	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.2	UJ	0.38	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.31	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.31	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.32	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE030	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.6	UJ	0.32	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.5	UJ	0.31	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	DELTA BHC	2.2	UJ	0.54	2.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.52	2.1	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.51	2	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	DELTA BHC	2.5	UJ	0.63	2.5	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	DELTA BHC	3.3	UJ	0.84	3.3	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	DELTA BHC	2.4	UJ	0.59	2.4	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	DELTA BHC	2.4	UJ	0.59	2.4	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.52	2.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	DELTA BHC	2.2	UJ	0.54	2.2	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.51	2	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.46	1.9	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.48	2	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.51	2.1	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.49	1.9	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	DELTA BHC	2.2	UJ	0.54	2.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	DIELDRIN	4.2	UJ	0.52	4.2	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE082	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	DIELDRIN	4	UJ	0.49	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.44	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.45	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	DIELDRIN	4.9	UJ	0.61	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	DIELDRIN	6.4	UJ	0.8	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	DIELDRIN	4.6	UJ	0.57	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	DIELDRIN	4.6	UJ	0.57	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	DIELDRIN	4.1	UJ	0.5	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	DIELDRIN	4.3	UJ	0.52	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	DIELDRIN	4	UJ	0.48	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	DIELDRIN	4	UJ	0.49	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	DIELDRIN	4.2	UJ	0.52	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.44	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.42	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.42	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.44	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	DIELDRIN	3.6	UJ	0.44	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	DIELDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.2	UJ	0.49	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4	UJ	0.47	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.45	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE006	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.9	UJ	0.58	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDOSULFAN SULFATE	6.4	UJ	0.76	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.6	UJ	0.54	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.6	UJ	0.54	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.1	UJ	0.47	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.3	UJ	0.49	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.41	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4	UJ	0.46	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4	UJ	0.46	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.41	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.2	UJ	0.49	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.4	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.4	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.45	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.4	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDRIN	4.2	UJ	0.5	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDRIN	4	UJ	0.48	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.41	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.43	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDRIN	4.9	UJ	0.59	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDRIN	6.4	UJ	0.78	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDRIN	4.6	UJ	0.55	4.6	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	IDL	RL	Units	Comments
SD	NDE119FD1	CLP_PEST	SW3550	ENDRIN	4.6	UJ	0.55	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDRIN	4.1	UJ	0.48	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDRIN	4.3	UJ	0.51	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDRIN	4	UJ	0.47	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDRIN	4	UJ	0.47	4	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.42	3.6	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	ENDRIN	4.2	UJ	0.51	4.2	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.46	3.8	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.46	3.9	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.41	3.5	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	ENDRIN	3.6	UJ	0.43	3.6	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	ENDRIN	3.5	UJ	0.42	3.5	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.2	UJ	0.29	4.2	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.23	3.5	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4	UJ	0.27	4	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.25	3.6	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.9	UJ	0.34	4.9	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	ENDRIN ALDEHYDE	6.4	UJ	0.45	6.4	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.6	UJ	0.32	4.6	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.6	UJ	0.32	4.6	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.5	UJ	0.24	3.5	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.1	UJ	0.28	4.1	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.3	UJ	0.29	4.3	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4	UJ	0.27	4	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.6	UJ	0.24	3.6	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4	UJ	0.27	4	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE014	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	30	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	49	UJ	39	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	64	UJ	52	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	46	UJ	37	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	46	UJ	37	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	41	UJ	33	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	43	UJ	35	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	40	UJ	32	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	40	UJ	32	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	31	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	30	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	42	UJ	34	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	28	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	28	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	31	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	31	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	31	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	32	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	29	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	36	UJ	29	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	35	UJ	28	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	42	UJ	25	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	40	UJ	24	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	21	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	24	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	49	UJ	30	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	64	UJ	39	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	46	UJ	28	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	46	UJ	27	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	41	UJ	24	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	43	UJ	26	43	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE086	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	21	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	40	UJ	24	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	40	UJ	24	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	24	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	21	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	42	UJ	25	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	21	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	21	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	23	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	23	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	36	UJ	22	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	35	UJ	21	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	42	UJ	22	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	40	UJ	21	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	19	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	19	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	19	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	49	UJ	25	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	64	UJ	34	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	46	UJ	24	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	46	UJ	24	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	41	UJ	21	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	43	UJ	22	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	40	UJ	20	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	19	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	40	UJ	20	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE190	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	42	UJ	22	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	18	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	18	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	36	UJ	18	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	35	UJ	18	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	42	UJ	23	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	40	UJ	22	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SB	NDE033	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE035	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE038	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	49	UJ	27	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	64	UJ	35	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	46	UJ	25	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	46	UJ	25	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	41	UJ	22	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	43	UJ	23	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	40	UJ	21	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	20	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	40	UJ	22	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	42	UJ	23	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	34	UJ	19	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	34	UJ	19	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	38	UJ	21	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	20	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	36	UJ	19	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	37	UJ	20	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	35	UJ	19	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	42	UJ	15	42	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	12	35	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	40	UJ	15	40	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.8	37	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	10	38	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.9	37	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	9.5	36	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	9.6	36	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	14	39	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	49	UJ	13	49	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	64	UJ	17	64	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	46	UJ	12	46	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	46	UJ	12	46	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	41	UJ	15	41	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	43	UJ	15	43	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	40	UJ	14	40	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	14	38	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	40	UJ	14	40	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	14	39	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	14	39	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.9	37	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	10	39	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	10	38	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	42	UJ	11	42	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	14	38	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	34	UJ	12	34	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	34	UJ	13	34	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	14	37	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE024FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	14	38	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	13	37	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	14	37	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	13	37	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	14	39	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	36	UJ	13	36	ug/Kg	HT
SS	NDE178	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	13	37	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	35	UJ	13	35	ug/Kg	HT
SB	NDE080	CLP_PEST	SW3550	TOXAPHENE	218	UJ	8.9	218	ug/Kg	HT
SB	NDE082	CLP_PEST	SW3550	TOXAPHENE	180	UJ	7.3	180	ug/Kg	HT
SB	NDE085	CLP_PEST	SW3550	TOXAPHENE	186	UJ	7.5	186	ug/Kg	HT
SB	NDE087	CLP_PEST	SW3550	TOXAPHENE	182	UJ	7.4	182	ug/Kg	HT
SB	NDE089	CLP_PEST	SW3550	TOXAPHENE	209	UJ	8.5	209	ug/Kg	HT
SB	NDE189	CLP_PEST	SW3550	TOXAPHENE	189	UJ	17	189	ug/Kg	HT
SB	NDE191	CLP_PEST	SW3550	TOXAPHENE	197	UJ	18	197	ug/Kg	HT
SB	NDE193	CLP_PEST	SW3550	TOXAPHENE	194	UJ	18	194	ug/Kg	HT
SB	NDE195FD1	CLP_PEST	SW3550	TOXAPHENE	185	UJ	17	185	ug/Kg	HT
SB	NDE196	CLP_PEST	SW3550	TOXAPHENE	187	UJ	17	187	ug/Kg	HT
SB	NDE006	CLP_PEST	SW3550	TOXAPHENE	202	UJ	8.3	202	ug/Kg	HT
SB	NDE008	CLP_PEST	SW3550	TOXAPHENE	178	UJ	7.3	178	ug/Kg	HT
SB	NDE010	CLP_PEST	SW3550	TOXAPHENE	183	UJ	7.5	183	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	TOXAPHENE	179	UJ	7.4	179	ug/Kg	HT
SB	NDE014	CLP_PEST	SW3550	TOXAPHENE	178	UJ	7.3	178	ug/Kg	HT
SB	NDE019	CLP_PEST	SW3550	TOXAPHENE	186	UJ	7.7	186	ug/Kg	HT
SD	NDE115	CLP_PEST	SW3550	TOXAPHENE	254	UJ	23	254	ug/Kg	HT
SD	NDE116	CLP_PEST	SW3550	TOXAPHENE	334	UJ	31	334	ug/Kg	HT
SD	NDE118	CLP_PEST	SW3550	TOXAPHENE	237	UJ	22	237	ug/Kg	HT
SD	NDE119FD1	CLP_PEST	SW3550	TOXAPHENE	236	UJ	22	236	ug/Kg	HT
SS	NDE081	CLP_PEST	SW3550	TOXAPHENE	183	UJ	7.4	183	ug/Kg	HT
SS	NDE083	CLP_PEST	SW3550	TOXAPHENE	210	UJ	8.6	210	ug/Kg	HT
SS	NDE084FD1	CLP_PEST	SW3550	TOXAPHENE	222	UJ	9	222	ug/Kg	HT
SS	NDE086	CLP_PEST	SW3550	TOXAPHENE	185	UJ	7.5	185	ug/Kg	HT
SS	NDE088	CLP_PEST	SW3550	TOXAPHENE	205	UJ	8.3	205	ug/Kg	HT
SS	NDE164	CLP_PEST	SW3550	TOXAPHENE	187	UJ	7.6	187	ug/Kg	HT
SS	NDE165FD1	CLP_PEST	SW3550	TOXAPHENE	197	UJ	7.9	197	ug/Kg	HT
SS	NDE166	CLP_PEST	SW3550	TOXAPHENE	207	UJ	8.4	207	ug/Kg	HT
SS	NDE167	CLP_PEST	SW3550	TOXAPHENE	204	UJ	8.3	204	ug/Kg	HT
SS	NDE168	CLP_PEST	SW3550	TOXAPHENE	184	UJ	7.4	184	ug/Kg	HT
SS	NDE169	CLP_PEST	SW3550	TOXAPHENE	203	UJ	8.2	203	ug/Kg	HT
SS	NDE188	CLP_PEST	SW3550	TOXAPHENE	193	UJ	18	193	ug/Kg	HT
SS	NDE190	CLP_PEST	SW3550	TOXAPHENE	203	UJ	19	203	ug/Kg	HT
SS	NDE192	CLP_PEST	SW3550	TOXAPHENE	194	UJ	18	194	ug/Kg	HT
SS	NDE194	CLP_PEST	SW3550	TOXAPHENE	219	UJ	20	219	ug/Kg	HT
SS	NDE004	CLP_PEST	SW3550	TOXAPHENE	182	UJ	7.5	182	ug/Kg	HT
SS	NDE005FD1	CLP_PEST	SW3550	TOXAPHENE	185	UJ	7.6	185	ug/Kg	HT
SS	NDE007	CLP_PEST	SW3550	TOXAPHENE	182	UJ	7.5	182	ug/Kg	HT
SS	NDE009	CLP_PEST	SW3550	TOXAPHENE	196	UJ	8.1	196	ug/Kg	HT
SS	NDE011	CLP_PEST	SW3550	TOXAPHENE	184	UJ	7.6	184	ug/Kg	HT
SS	NDE013	CLP_PEST	SW3550	TOXAPHENE	177	UJ	7.3	177	ug/Kg	HT
SS	NDE015	CLP_PEST	SW3550	TOXAPHENE	178	UJ	7.3	178	ug/Kg	HT
SS	NDE017	CLP_PEST	SW3550	TOXAPHENE	185	UJ	7.6	185	ug/Kg	HT
SS	NDE021	CLP_PEST	SW3550	TOXAPHENE	192	UJ	7.9	192	ug/Kg	HT
SS	NDE023	CLP_PEST	SW3550	TOXAPHENE	182	UJ	7.5	182	ug/Kg	HT
SS	NDE024FD1	CLP_PEST	SW3550	TOXAPHENE	195	UJ	8	195	ug/Kg	HT
SS	NDE026	CLP_PEST	SW3550	TOXAPHENE	190	UJ	7.8	190	ug/Kg	HT
SS	NDE028	CLP_PEST	SW3550	TOXAPHENE	192	UJ	7.9	192	ug/Kg	HT
SS	NDE030	CLP_PEST	SW3550	TOXAPHENE	190	UJ	7.8	190	ug/Kg	HT
SS	NDE032	CLP_PEST	SW3550	TOXAPHENE	199	UJ	8.2	199	ug/Kg	HT
SS	NDE034	CLP_PEST	SW3550	TOXAPHENE	180	UJ	7.4	180	ug/Kg	HT
SS	NDE037	CLP_PEST	SW3550	TOXAPHENE	178	UJ	7.3	178	ug/Kg	HT
SS	NDE176	CLP_PEST	SW3550	TOXAPHENE	185	UJ	7.6	185	ug/Kg	HT
SS	NDE177	CLP_PEST	SW3550	TOXAPHENE	184	UJ	7.6	184	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE178	CLP_PEST	SW3550	TOXAPHENE	189	UJ	7.8	189	ug/Kg	HT
SS	NDE179	CLP_PEST	SW3550	TOXAPHENE	179	UJ	7.4	179	ug/Kg	HT
SB	NDE012	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	HT, 2C
SB	NDE010	CLP_PEST	SW3550	p,p'-DDT	3.5	UJ	0.41	3.5	ug/Kg	HT, 2C
SB	NDE019	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT, 2C
SD	NDE115	CLP_PEST	SW3550	p,p'-DDT	4.9	UJ	0.58	4.9	ug/Kg	HT, CC
SD	NDE116	CLP_PEST	SW3550	p,p'-DDT	6.4	UJ	0.76	6.4	ug/Kg	HT, CC
SD	NDE118	CLP_PEST	SW3550	p,p'-DDT	4.6	UJ	0.54	4.6	ug/Kg	HT, CC
SD	NDE119FD1	CLP_PEST	SW3550	p,p'-DDT	4.6	UJ	0.54	4.6	ug/Kg	HT, CC
SB	NDE033	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ALDRIN	2	UJ	0.53	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ALDRIN	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ALDRIN	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ALDRIN	2.5	UJ	0.69	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ALDRIN	2.1	UJ	0.58	2.1	ug/Kg	HT, IC
SB	NDE006	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.58	2	ug/Kg	HT, IC
SB	NDE008	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SB	NDE010	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SB	NDE012	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SB	NDE014	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SB	NDE019	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.56	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SS	NDE004	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SS	NDE005FD1	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.53	1.8	ug/Kg	HT, IC
SS	NDE007	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SS	NDE009	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.56	2	ug/Kg	HT, IC
SS	NDE011	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SS	NDE013	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE015	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE017	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.53	1.8	ug/Kg	HT, IC
SS	NDE021	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SS	NDE023	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.52	1.8	ug/Kg	HT, IC
SS	NDE024FD1	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.56	2	ug/Kg	HT, IC
SS	NDE026	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SS	NDE028	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SS	NDE030	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SS	NDE032	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.57	2	ug/Kg	HT, IC
SS	NDE034	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE037	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE176	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.53	1.8	ug/Kg	HT, IC
SS	NDE177	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.53	1.8	ug/Kg	HT, IC
SS	NDE178	CLP_PEST	SW3550	ALPHA BHC	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SS	NDE179	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.5	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ALPHA BHC	1.8	UJ	0.49	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ALPHA BHC	2	UJ	0.58	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ALPHA BHC	2.5	UJ	0.72	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ALPHA BHC	2.1	UJ	0.6	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.53	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2	UJ	0.55	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.5	UJ	0.69	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	2.1	UJ	0.58	2.1	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE033	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.55	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.54	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.49	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ALPHA-CHLORDANE	1.8	UJ	0.49	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ALPHA-CHLORDANE	2	UJ	0.56	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.5	UJ	0.7	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ALPHA-CHLORDANE	2.1	UJ	0.59	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	BETA BHC	2	UJ	0.51	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.45	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	BETA BHC	2.5	UJ	0.66	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	BETA BHC	2.1	UJ	0.56	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.8	UJ	0.34	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.7	UJ	0.33	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.3	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.4	UJ	0.3	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	3.9	UJ	0.35	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.9	UJ	0.44	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	4.1	UJ	0.37	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.49	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.48	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	DELTA BHC	1.9	UJ	0.47	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.44	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	DELTA BHC	1.8	UJ	0.43	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	DELTA BHC	2	UJ	0.5	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	DELTA BHC	2.5	UJ	0.63	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	DELTA BHC	2.1	UJ	0.53	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	DIELDRIN	3.8	UJ	0.47	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.46	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	DIELDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.42	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	DIELDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	DIELDRIN	3.9	UJ	0.48	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	DIELDRIN	4.9	UJ	0.6	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	DIELDRIN	4.1	UJ	0.51	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.8	UJ	0.44	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.7	UJ	0.43	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.4	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.4	UJ	0.39	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDOSULFAN SULFATE	3.9	UJ	0.46	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.9	UJ	0.57	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDOSULFAN SULFATE	4.1	UJ	0.48	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDRIN	3.8	UJ	0.45	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.45	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDRIN	3.7	UJ	0.44	3.7	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE102	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.41	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDRIN	3.4	UJ	0.4	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDRIN	3.9	UJ	0.47	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDRIN	4.9	UJ	0.58	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDRIN	4.1	UJ	0.49	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.8	UJ	0.26	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDRIN ALDEHYDE	3.9	UJ	0.27	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.9	UJ	0.34	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDRIN ALDEHYDE	4.1	UJ	0.28	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	ENDRIN KETONE	3.8	UJ	0.25	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	ENDRIN KETONE	3.7	UJ	0.24	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.22	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	ENDRIN KETONE	3.4	UJ	0.22	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	ENDRIN KETONE	3.9	UJ	0.25	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	ENDRIN KETONE	4.9	UJ	0.32	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	ENDRIN KETONE	4.1	UJ	0.27	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.53	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.53	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.9	UJ	0.52	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	1.8	UJ	0.48	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2	UJ	0.55	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.5	UJ	0.69	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	2.1	UJ	0.58	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.57	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.56	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.9	UJ	0.55	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	GAMMA-CHLORDANE	1.8	UJ	0.51	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	GAMMA-CHLORDANE	2	UJ	0.59	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.5	UJ	0.74	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	GAMMA-CHLORDANE	2.1	UJ	0.62	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.71	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.7	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	HEPTACHLOR	1.9	UJ	0.69	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.63	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	HEPTACHLOR	1.8	UJ	0.63	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	HEPTACHLOR	2	UJ	0.73	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	HEPTACHLOR	2.5	UJ	0.91	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	HEPTACHLOR	2.1	UJ	0.77	2.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.68	2	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.67	1.9	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.9	UJ	0.66	1.9	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.61	1.8	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	1.8	UJ	0.61	1.8	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2	UJ	0.71	2	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.5	UJ	0.88	2.5	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	2.1	UJ	0.74	2.1	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE033	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.29	18	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.29	18	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	METHOXYCHLOR	25	UJ	0.42	25	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.36	21	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	p,p'-DDD	4.9	UJ	0.34	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	p,p'-DDD	4.1	UJ	0.28	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.38	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	p,p'-DDE	3.4	UJ	0.34	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	p,p'-DDE	3.4	UJ	0.34	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	p,p'-DDE	3.9	UJ	0.4	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	p,p'-DDE	4.9	UJ	0.5	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	p,p'-DDE	4.1	UJ	0.42	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.44	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	p,p'-DDT	3.4	UJ	0.4	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	p,p'-DDT	3.4	UJ	0.39	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.46	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	p,p'-DDT	4.9	UJ	0.57	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	p,p'-DDT	4.1	UJ	0.48	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	14	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	13	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	13	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	12	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	12	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	14	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	49	UJ	18	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	41	UJ	15	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	22	76	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	69	UJ	20	69	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	69	UJ	20	69	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	99	UJ	29	99	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	83	UJ	25	83	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	30	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	29	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	27	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	27	34	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE033	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.29	18	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	METHOXYCHLOR	18	UJ	0.29	18	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	METHOXYCHLOR	25	UJ	0.42	25	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	METHOXYCHLOR	21	UJ	0.36	21	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	p,p'-DDD	3.8	UJ	0.26	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.25	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.23	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	p,p'-DDD	3.9	UJ	0.27	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	p,p'-DDD	4.9	UJ	0.34	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	p,p'-DDD	4.1	UJ	0.28	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.38	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	p,p'-DDE	3.8	UJ	0.38	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	p,p'-DDE	3.4	UJ	0.34	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	p,p'-DDE	3.4	UJ	0.34	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	p,p'-DDE	3.9	UJ	0.4	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	p,p'-DDE	4.9	UJ	0.5	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	p,p'-DDE	4.1	UJ	0.42	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.44	3.8	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	p,p'-DDT	3.4	UJ	0.4	3.4	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	p,p'-DDT	3.4	UJ	0.39	3.4	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.46	3.9	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	p,p'-DDT	4.9	UJ	0.57	4.9	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	p,p'-DDT	4.1	UJ	0.48	4.1	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	38	UJ	14	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	13	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	14	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	37	UJ	13	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	12	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	34	UJ	12	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	39	UJ	14	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	49	UJ	18	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	41	UJ	15	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	77	UJ	23	77	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	76	UJ	22	76	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	75	UJ	22	75	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	69	UJ	20	69	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	69	UJ	20	69	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	79	UJ	23	79	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	99	UJ	29	99	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	83	UJ	25	83	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	38	UJ	30	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	30	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	37	UJ	29	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	27	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	34	UJ	27	34	ug/Kg	HT, IC

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE106	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	39	UJ	31	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	49	UJ	39	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	41	UJ	33	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	38	UJ	23	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	37	UJ	22	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	20	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	34	UJ	20	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	39	UJ	23	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	49	UJ	29	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	41	UJ	25	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	38	UJ	20	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	37	UJ	19	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	18	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	34	UJ	17	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	39	UJ	20	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	49	UJ	25	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	41	UJ	21	41	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	34	UJ	19	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	34	UJ	18	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	39	UJ	21	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	49	UJ	27	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	41	UJ	22	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	10	37	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	38	UJ	10	38	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.8	37	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.9	37	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	37	UJ	9.8	37	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	34	UJ	9	34	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	34	UJ	9	34	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	39	UJ	10	39	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	49	UJ	13	49	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	41	UJ	11	41	ug/Kg	HT, IC
SB	NDE033	CLP_PEST	SW3550	TOXAPHENE	193	UJ	18	193	ug/Kg	HT, IC
SB	NDE035	CLP_PEST	SW3550	TOXAPHENE	196	UJ	18	196	ug/Kg	HT, IC
SB	NDE036FD1	CLP_PEST	SW3550	TOXAPHENE	191	UJ	18	191	ug/Kg	HT, IC
SB	NDE038	CLP_PEST	SW3550	TOXAPHENE	194	UJ	18	194	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	TOXAPHENE	191	UJ	18	191	ug/Kg	HT, IC
SS	NDE102	CLP_PEST	SW3550	TOXAPHENE	176	UJ	16	176	ug/Kg	HT, IC
SS	NDE104	CLP_PEST	SW3550	TOXAPHENE	175	UJ	16	175	ug/Kg	HT, IC
SS	NDE106	CLP_PEST	SW3550	TOXAPHENE	202	UJ	19	202	ug/Kg	HT, IC
SS	NDE108	CLP_PEST	SW3550	TOXAPHENE	252	UJ	23	252	ug/Kg	HT, IC
SS	NDE110	CLP_PEST	SW3550	TOXAPHENE	213	UJ	20	213	ug/Kg	HT, IC
SB	NDE039FD1	CLP_PEST	SW3550	p,p'-DDE	3.7	UJ	0.37	3.7	ug/Kg	HT, IC, FD
SD	NDE117	CLP_PEST	SW3550	ALDRIN	4.5	UJ	1.2	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ALPHA BHC	4.5	UJ	1.3	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDOSULFAN I (Alpha)	4.5	UJ	1.2	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ALPHA-CHLORDANE	4.5	UJ	1.3	4.5	ug/Kg	HT, OT
SB	NDE006	CLP_PEST	SW3550	BETA BHC	2	UJ	0.53	2	ug/Kg	HT, OT
SB	NDE008	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT, OT
SB	NDE010	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SB	NDE012	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT, OT
SB	NDE014	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT, OT
SB	NDE019	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.49	1.9	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	BETA BHC	4.5	UJ	1.2	4.5	ug/Kg	HT, OT
SS	NDE004	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SS	NDE005FD1	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SS	NDE007	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SS	NDE009	CLP_PEST	SW3550	BETA BHC	2	UJ	0.52	2	ug/Kg	HT, OT
SS	NDE011	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE013	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.46	1.8	ug/Kg	HT, OT
SS	NDE015	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.47	1.8	ug/Kg	HT, OT
SS	NDE017	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SS	NDE021	CLP_PEST	SW3550	BETA BHC	1.9	UJ	0.5	1.9	ug/Kg	HT, OT
SS	NDE023	CLP_PEST	SW3550	BETA BHC	1.8	UJ	0.48	1.8	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDOSULFAN II (Beta)	8.6	UJ	0.79	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	DELTA BHC	4.5	UJ	1.1	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	DIELDRIN	8.6	UJ	1.1	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDOSULFAN SULFATE	8.6	UJ	1	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDRIN	8.6	UJ	1.1	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	ENDRIN ALDEHYDE	8.6	UJ	0.61	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	GAMMA BHC (LINDANE)	4.5	UJ	1.2	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	GAMMA-CHLORDANE	4.5	UJ	1.3	4.5	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	HEPTACHLOR EPOXIDE	4.5	UJ	1.6	4.5	ug/Kg	HT, OT
SB	NDE189	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, OT
SB	NDE191	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.33	20	ug/Kg	HT, OT
SB	NDE193	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, OT
SB	NDE195FD1	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT, OT
SB	NDE196	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.31	19	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	METHOXYCHLOR	45	UJ	0.76	45	ug/Kg	HT, OT
SS	NDE188	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.32	19	ug/Kg	HT, OT
SS	NDE190	CLP_PEST	SW3550	METHOXYCHLOR	20	UJ	0.34	20	ug/Kg	HT, OT
SS	NDE192	CLP_PEST	SW3550	METHOXYCHLOR	19	UJ	0.33	19	ug/Kg	HT, OT
SS	NDE194	CLP_PEST	SW3550	METHOXYCHLOR	22	UJ	0.37	22	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	p,p'-DDD	8.6	UJ	0.61	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	p,p'-DDE	8.6	UJ	0.89	8.6	ug/Kg	HT, OT
SB	NDE189	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, OT
SB	NDE191	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.45	3.8	ug/Kg	HT, OT
SB	NDE193	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.44	3.7	ug/Kg	HT, OT
SB	NDE195FD1	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT, OT
SB	NDE196	CLP_PEST	SW3550	p,p'-DDT	3.6	UJ	0.42	3.6	ug/Kg	HT, OT
SS	NDE188	CLP_PEST	SW3550	p,p'-DDT	3.7	UJ	0.43	3.7	ug/Kg	HT, OT
SS	NDE190	CLP_PEST	SW3550	p,p'-DDT	3.9	UJ	0.46	3.9	ug/Kg	HT, OT
SS	NDE192	CLP_PEST	SW3550	p,p'-DDT	3.8	UJ	0.44	3.8	ug/Kg	HT, OT
SS	NDE194	CLP_PEST	SW3550	p,p'-DDT	4.2	UJ	0.49	4.2	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1016 (AROCHLOR 1016)	86	UJ	32	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1221 (AROCHLOR 1221)	175	UJ	52	175	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1232 (AROCHLOR 1232)	86	UJ	70	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1242 (AROCHLOR 1242)	86	UJ	52	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1248 (AROCHLOR 1248)	86	UJ	45	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1254 (AROCHLOR 1254)	86	UJ	48	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	PCB-1260 (AROCHLOR 1260)	86	UJ	23	86	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	TOXAPHENE	447	UJ	42	447	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	p,p'-DDT	8.6	UJ	1	8.6	ug/Kg	HT, OT, CC
SD	NDE117	CLP_PEST	SW3550	ENDRIN KETONE	8.6	UJ	0.57	8.6	ug/Kg	HT, OT
SD	NDE117	CLP_PEST	SW3550	HEPTACHLOR	4.5	UJ	1.6	4.5	ug/Kg	HT, OT
SB	NDE014	CLP_PEST	SW3550	p,p'-DDD	3.5	UJ	0.24	3.5	ug/Kg	2C, HT
SS	NDE013	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.23	3.4	ug/Kg	2C, HT
SS	NDE015	CLP_PEST	SW3550	p,p'-DDD	3.4	UJ	0.24	3.4	ug/Kg	2C, HT
SS	NDE021	CLP_PEST	SW3550	p,p'-DDD	3.7	UJ	0.26	3.7	ug/Kg	2C, HT
SS	NDE084FD1	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	40	J	12	19	mg/Kg	FD, HT
SB	NDE092	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	20	J	10	16	mg/Kg	HT
SB	NDE094	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	40	J	10	17	mg/Kg	HT
SB	NDE096	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	22	J	10	16	mg/Kg	HT
SS	NDE090	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	17	J	10	17	mg/Kg	HT
SS	NDE093	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	70	J	9.5	16	mg/Kg	HT
SS	NDE095	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	339	J	101	164	mg/Kg	HT
SS	NDE083	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	19	J	11	18	mg/Kg	HT, FD
SS	NDE097	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	248	J	19	32	mg/Kg	HT, SS
SS	NDE099FD1	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	406	J	19	31	mg/Kg	HT, SS
SB	NDE087	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	232	J	9.7	16	mg/Kg	SS, HT
SS	NDE074FD1	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	196	J	19	32	mg/Kg	SS, HT
SS	NDE079	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	130	J	9.8	16	mg/Kg	SS, HT
SS	NDE081	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	18	J	9.7	16	mg/Kg	SS, HT
SS	NDE086	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	377	J	9.9	16	mg/Kg	SS, HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE098	FL-PRO	METHOD	PETROLEUM HYDROCARBONS	16	UJ	9.9	16	mg/Kg	HT, SS
SB	NDE087DL1	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	2970	J	20	973	ug/Kg	HT
SB	NDE087DL1	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	1500	J	19	973	ug/Kg	HT
SB	NDE087DL1	SW8260B	SW5030	XYLENES, TOTAL	4460	J	20	973	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.25	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	11	UJ	0.26	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.25	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.16	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	11	UJ	0.16	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	11	UJ	0.25	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.27	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.49	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1-DICHLOROETHANE	11	UJ	0.51	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.43	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.56	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.48	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.43	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,1-DICHLOROETHENE	11	UJ	0.44	11	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,2-DICHLOROETHANE	11	UJ	0.24	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.2	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.26	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.13	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	1,2-DICHLOROPROPANE	11	UJ	0.13	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.11	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	2-HEXANONE	10	UJ	0.59	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	2-HEXANONE	11	UJ	0.61	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	2-HEXANONE	10	UJ	0.52	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	2-HEXANONE	12	UJ	0.66	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	2-HEXANONE	10	UJ	0.57	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	BENZENE	10	UJ	0.2	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	BENZENE	11	UJ	0.21	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	BENZENE	12	UJ	0.23	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.18	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	BROMODICHLOROMETHANE	11	UJ	0.18	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.2	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	BROMOFORM	10	UJ	0.22	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	BROMOFORM	11	UJ	0.23	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	BROMOFORM	10	UJ	0.19	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	BROMOFORM	12	UJ	0.25	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.87	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	BROMOMETHANE	11	UJ	0.9	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.77	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	BROMOMETHANE	12	UJ	0.98	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.85	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.59	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CARBON DISULFIDE	11	UJ	0.61	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.52	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.66	12	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE167	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.57	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.36	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CARBON TETRACHLORIDE	11	UJ	0.37	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.31	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.4	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.35	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.22	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CHLOROBENZENE	11	UJ	0.23	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.19	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.25	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.58	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CHLOROETHANE	11	UJ	0.6	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.51	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.65	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.56	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CHLOROFORM	10	UJ	0.27	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CHLOROFORM	11	UJ	0.28	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CHLOROFORM	10	UJ	0.24	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CHLOROFORM	12	UJ	0.31	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CHLOROFORM	10	UJ	0.27	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.83	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	CHLOROMETHANE	11	UJ	0.86	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.73	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.94	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.81	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.25	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	11	UJ	0.26	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.22	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.28	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.25	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.22	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	DIBROMOCHLOROMETHANE	11	UJ	0.23	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.19	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.25	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.34	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	ETHYLBENZENE	11	UJ	0.35	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.3	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.38	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.21	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.22	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.24	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.81	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	11	UJ	0.84	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.71	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	0.91	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.79	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.35	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	METHYLENE CHLORIDE	11	UJ	0.36	11	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	METHYLENE CHLORIDE	12	UJ	0.39	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.2	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.21	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.23	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	STYRENE	10	UJ	0.21	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	STYRENE	11	UJ	0.22	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	STYRENE	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	STYRENE	12	UJ	0.24	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE031	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	11	UJ	0.25	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.21	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.27	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.24	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	TOLUENE	10	UJ	0.22	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	TOLUENE	11	UJ	0.23	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	TOLUENE	10	UJ	0.19	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	TOLUENE	12	UJ	0.25	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	11	UJ	0.21	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.23	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	11	UJ	0.31	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.27	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.34	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.5	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	VINYL CHLORIDE	11	UJ	0.52	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.44	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.57	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.49	10	ug/Kg	HT
SB	NDE014	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.21	10	ug/Kg	HT
SB	NDE031	SW8260B	SW5030	XYLENES, TOTAL	11	UJ	0.22	11	ug/Kg	HT
SB	NDE203	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.18	10	ug/Kg	HT
SS	NDE166	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.24	12	ug/Kg	HT
SS	NDE167	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	HT
SB	NDE010	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	12	UJ	0.29	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.21	10	ug/Kg	HT, S
SS	NDE004	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.25	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	13	UJ	0.32	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	12	UJ	0.18	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.13	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.14	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.16	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	13	UJ	0.2	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	12	UJ	0.28	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	13	UJ	0.31	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.47	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1-DICHLOROETHANE	12	UJ	0.56	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.41	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.45	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.49	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,1-DICHLOROETHANE	13	UJ	0.63	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.41	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,1-DICHLOROETHENE	12	UJ	0.49	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.36	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.39	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.43	10	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	1,2-DICHLOROETHANE	12	UJ	0.26	12	ug/Kg	HT, S
SB	NDE022	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.19	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.23	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,2-DICHLOROETHANE	13	UJ	0.29	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	HT, SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE019	SW8260B	SW5030	1,2-DICHLOROPROPANE	12	UJ	0.14	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.1	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.13	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	1,2-DICHLOROPROPANE	13	UJ	0.16	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	2-HEXANONE	10	UJ	0.56	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	2-HEXANONE	12	UJ	0.67	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	2-HEXANONE	10	UJ	0.49	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	2-HEXANONE	10	UJ	0.54	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	2-HEXANONE	10	UJ	0.58	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	2-HEXANONE	13	UJ	0.75	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	BENZENE	12	UJ	0.23	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	BENZENE	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	BENZENE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	BENZENE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	BENZENE	13	UJ	0.25	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	BROMODICHLOROMETHANE	12	UJ	0.2	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.15	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.16	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	BROMODICHLOROMETHANE	13	UJ	0.23	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	BROMOFORM	12	UJ	0.25	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	BROMOFORM	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	BROMOFORM	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	BROMOFORM	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	BROMOFORM	13	UJ	0.28	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.83	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	BROMOMETHANE	12	UJ	0.99	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.72	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.8	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.87	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	BROMOMETHANE	13	UJ	1.1	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.56	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CARBON DISULFIDE	12	UJ	0.67	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.49	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.54	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.58	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CARBON DISULFIDE	13	UJ	0.75	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.34	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CARBON TETRACHLORIDE	12	UJ	0.41	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.3	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.33	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.36	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CARBON TETRACHLORIDE	13	UJ	0.45	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CHLOROBENZENE	12	UJ	0.25	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CHLOROBENZENE	13	UJ	0.28	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.55	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CHLOROETHANE	12	UJ	0.66	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.48	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.53	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.57	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CHLOROETHANE	13	UJ	0.73	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CHLOROFORM	12	UJ	0.31	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CHLOROFORM	10	UJ	0.23	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CHLOROFORM	10	UJ	0.25	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CHLOROFORM	10	UJ	0.27	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CHLOROFORM	13	UJ	0.35	13	ug/Kg	HT, SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE010	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.79	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	CHLOROMETHANE	12	UJ	0.95	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.69	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.76	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.83	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	CHLOROMETHANE	13	UJ	1.1	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	12	UJ	0.29	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.23	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.25	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	13	UJ	0.32	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	DIBROMOCHLOROMETHANE	12	UJ	0.25	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	DIBROMOCHLOROMETHANE	13	UJ	0.28	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.32	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	ETHYLBENZENE	12	UJ	0.38	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.28	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.31	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	ETHYLBENZENE	13	UJ	0.43	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	12	UJ	0.24	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.19	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	13	UJ	0.27	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.77	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	12	UJ	0.92	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.67	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.74	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.8	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	13	UJ	1	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.33	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	METHYLENE CHLORIDE	12	UJ	0.4	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.29	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.32	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	METHYLENE CHLORIDE	13	UJ	0.44	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	12	UJ	0.23	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	13	UJ	0.25	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	STYRENE	12	UJ	0.24	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	STYRENE	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	STYRENE	10	UJ	0.19	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	STYRENE	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	STYRENE	13	UJ	0.27	13	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	12	UJ	0.28	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.24	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	13	UJ	0.31	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	HT, S
SB	NDE019	SW8260B	SW5030	TOLUENE	12	UJ	0.25	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	TOLUENE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	TOLUENE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	TOLUENE	10	UJ	0.22	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	TOLUENE	13	UJ	0.28	13	ug/Kg	HT, SS

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE010	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	12	UJ	0.23	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.18	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.2	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	13	UJ	0.25	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.29	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	12	UJ	0.35	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.25	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.28	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	13	UJ	0.39	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.48	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	VINYL CHLORIDE	12	UJ	0.57	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.42	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.46	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.5	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	VINYL CHLORIDE	13	UJ	0.64	13	ug/Kg	HT, SS
SB	NDE010	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	HT, SS
SB	NDE019	SW8260B	SW5030	XYLENES, TOTAL	12	UJ	0.24	12	ug/Kg	HT, SS
SB	NDE022	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.17	10	ug/Kg	HT, SS
SS	NDE004	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.19	10	ug/Kg	HT, SS
SS	NDE017	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.21	10	ug/Kg	HT, SS
SS	NDE021	SW8260B	SW5030	XYLENES, TOTAL	13	UJ	0.27	13	ug/Kg	HT, SS
SS	NDE015	SW8260B	SW5030	1,1,1-TRICHLOROETHANE	10	UJ	0.24	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,1,2,2-TETRACHLOROETHANE	10	UJ	0.15	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,1,2-TRICHLOROETHANE	10	UJ	0.23	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,1-DICHLOROETHANE	10	UJ	0.48	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,1-DICHLOROETHENE	10	UJ	0.42	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,2-DICHLOROETHANE	10	UJ	0.22	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	1,2-DICHLOROPROPANE	10	UJ	0.12	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	2-HEXANONE	10	UJ	0.57	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	BENZENE	10	UJ	0.19	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	BROMODICHLOROMETHANE	10	UJ	0.17	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	BROMOFORM	10	UJ	0.21	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	BROMOMETHANE	10	UJ	0.84	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CARBON DISULFIDE	10	UJ	0.57	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CARBON TETRACHLORIDE	10	UJ	0.35	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CHLOROBENZENE	10	UJ	0.21	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CHLOROETHANE	10	UJ	0.56	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CHLOROFORM	10	UJ	0.26	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	CHLOROMETHANE	10	UJ	0.8	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	cis-1,3-DICHLOROPROPENE	10	UJ	0.24	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	DIBROMOCHLOROMETHANE	10	UJ	0.21	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	ETHYLBENZENE	10	UJ	0.33	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.2	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	4-METHYL-2-PENTANONE (MIBK)	10	UJ	0.78	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	METHYLENE CHLORIDE	10	UJ	0.34	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.19	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	STYRENE	10	UJ	0.2	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	TETRACHLOROETHYLENE(PCE)	10	UJ	0.23	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	TOLUENE	10	UJ	0.21	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	trans-1,3-DICHLOROPROPENE	10	UJ	0.19	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	TRICHLOROETHYLENE (TCE)	10	UJ	0.3	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	VINYL CHLORIDE	10	UJ	0.49	10	ug/Kg	SS, HT
SS	NDE015	SW8260B	SW5030	XYLENES, TOTAL	10	UJ	0.2	10	ug/Kg	SS, HT
SB	NDE087DL1	SW8270C	SW3550	2-METHYLNAPHTHALENE	4630	J	49	833	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(a)ANTHRACENE	2170	J	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(a)ANTHRACENE	1400	J	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(a)ANTHRACENE	793	J	31	587	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(a)PYRENE	2040	J	32	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(a)PYRENE	1360	J	33	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(a)PYRENE	1000	J	39	587	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(b)FLUORANTHENE	3780	J	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	2210	J	29	497	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE166	SW8270C	SW3550	BENZO(b)FLUORANTHENE	1380	J	35	587	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	515	J	29	482	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZO(k)FLUORANTHENE	2730	J	34	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	1680	J	35	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZO(k)FLUORANTHENE	1250	J	42	587	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	CHRYSENE	2640	J	27	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	CHRYSENE	1770	J	28	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	CHRYSENE	1110	J	33	587	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DIBENZOFURAN	663	J	22	416	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	FLUORANTHENE	969	J	26	416	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	FLUORANTHENE	1540	J	30	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	FLUORANTHENE	1110	J	31	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	FLUORANTHENE	750	J	36	587	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	FLUORANTHENE	782	J	32	510	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	FLUORENE	893	J	23	416	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	755	J	25	482	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	NAPHTHALENE	2550	J	31	416	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	PHENANTHRENE	2620	J	24	416	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	PYRENE	469	J	23	416	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	PYRENE	1800	J	27	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	PYRENE	1300	J	28	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	PYRENE	1030	J	33	587	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	PYRENE	720	J	29	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	517	UJ	41	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	433	UJ	34	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	436	UJ	34	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	416	UJ	33	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	512	UJ	40	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	428	UJ	33	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	451	UJ	35	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	420	UJ	33	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	604	UJ	47	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	531	UJ	41	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	440	UJ	34	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	598	UJ	47	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	482	UJ	37	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	497	UJ	39	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	587	UJ	46	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	509	UJ	40	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	446	UJ	35	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	1,2,4-TRICHLOROBENZENE	510	UJ	40	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	1,2-DICHLOROBENZENE	517	UJ	49	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	1,2-DICHLOROBENZENE	433	UJ	41	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	1,2-DICHLOROBENZENE	436	UJ	41	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	1,2-DICHLOROBENZENE	416	UJ	39	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	1,2-DICHLOROBENZENE	512	UJ	48	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	1,2-DICHLOROBENZENE	428	UJ	40	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	1,2-DICHLOROBENZENE	451	UJ	42	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	1,2-DICHLOROBENZENE	420	UJ	40	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	1,2-DICHLOROBENZENE	604	UJ	57	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	1,2-DICHLOROBENZENE	531	UJ	50	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	1,2-DICHLOROBENZENE	440	UJ	41	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	1,2-DICHLOROBENZENE	598	UJ	56	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	1,2-DICHLOROBENZENE	482	UJ	45	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	1,2-DICHLOROBENZENE	497	UJ	47	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	1,2-DICHLOROBENZENE	587	UJ	55	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	1,2-DICHLOROBENZENE	509	UJ	48	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	1,2-DICHLOROBENZENE	446	UJ	42	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	1,2-DICHLOROBENZENE	510	UJ	48	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	1,3-DICHLOROBENZENE	517	UJ	42	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	1,3-DICHLOROBENZENE	433	UJ	35	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	1,3-DICHLOROBENZENE	436	UJ	35	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	1,3-DICHLOROBENZENE	416	UJ	33	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	1,3-DICHLOROBENZENE	512	UJ	41	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	1,3-DICHLOROBENZENE	428	UJ	34	428	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE079	SW8270C	SW3550	1,3-DICHLOROBENZENE	451	UJ	36	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	1,3-DICHLOROBENZENE	420	UJ	34	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	1,3-DICHLOROBENZENE	604	UJ	48	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	1,3-DICHLOROBENZENE	531	UJ	42	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	1,3-DICHLOROBENZENE	440	UJ	35	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	1,3-DICHLOROBENZENE	598	UJ	48	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	1,3-DICHLOROBENZENE	482	UJ	38	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	1,3-DICHLOROBENZENE	497	UJ	40	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	1,3-DICHLOROBENZENE	587	UJ	47	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	1,3-DICHLOROBENZENE	509	UJ	41	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	1,3-DICHLOROBENZENE	446	UJ	36	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	1,3-DICHLOROBENZENE	510	UJ	41	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	1,4-DICHLOROBENZENE	517	UJ	48	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	1,4-DICHLOROBENZENE	433	UJ	40	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	1,4-DICHLOROBENZENE	436	UJ	40	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	1,4-DICHLOROBENZENE	416	UJ	38	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	1,4-DICHLOROBENZENE	512	UJ	47	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	1,4-DICHLOROBENZENE	428	UJ	39	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	1,4-DICHLOROBENZENE	451	UJ	41	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	1,4-DICHLOROBENZENE	420	UJ	39	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	1,4-DICHLOROBENZENE	604	UJ	56	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	1,4-DICHLOROBENZENE	531	UJ	49	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	1,4-DICHLOROBENZENE	440	UJ	40	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	1,4-DICHLOROBENZENE	598	UJ	55	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	1,4-DICHLOROBENZENE	482	UJ	44	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	1,4-DICHLOROBENZENE	497	UJ	46	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	1,4-DICHLOROBENZENE	587	UJ	54	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	1,4-DICHLOROBENZENE	509	UJ	47	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	1,4-DICHLOROBENZENE	446	UJ	41	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	1,4-DICHLOROBENZENE	510	UJ	47	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1550	UJ	30	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1300	UJ	25	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1310	UJ	25	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1250	UJ	24	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1540	UJ	29	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1290	UJ	24	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1350	UJ	26	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1260	UJ	24	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1810	UJ	35	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1590	UJ	30	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1320	UJ	25	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1790	UJ	34	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1450	UJ	27	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1490	UJ	28	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1760	UJ	33	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1530	UJ	29	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1340	UJ	25	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4,5-TRICHLOROPHENOL	1530	UJ	29	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	517	UJ	30	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	436	UJ	25	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	416	UJ	24	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	587	UJ	34	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	446	UJ	26	446	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE169	SW8270C	SW3550	2,4,6-TRICHLOROPHENOL	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DICHLOROPHENOL	517	UJ	30	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DICHLOROPHENOL	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DICHLOROPHENOL	436	UJ	25	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DICHLOROPHENOL	416	UJ	24	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DICHLOROPHENOL	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DICHLOROPHENOL	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DICHLOROPHENOL	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DICHLOROPHENOL	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DICHLOROPHENOL	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DICHLOROPHENOL	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DICHLOROPHENOL	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DICHLOROPHENOL	598	UJ	34	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DICHLOROPHENOL	482	UJ	27	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DICHLOROPHENOL	497	UJ	28	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DICHLOROPHENOL	587	UJ	33	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DICHLOROPHENOL	509	UJ	29	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DICHLOROPHENOL	446	UJ	25	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DICHLOROPHENOL	510	UJ	29	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DIMETHYLPHENOL	517	UJ	41	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DIMETHYLPHENOL	433	UJ	34	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DIMETHYLPHENOL	436	UJ	34	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DIMETHYLPHENOL	416	UJ	33	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DIMETHYLPHENOL	512	UJ	40	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	428	UJ	33	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DIMETHYLPHENOL	451	UJ	35	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DIMETHYLPHENOL	420	UJ	33	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DIMETHYLPHENOL	604	UJ	47	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	531	UJ	41	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DIMETHYLPHENOL	440	UJ	34	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DIMETHYLPHENOL	598	UJ	47	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DIMETHYLPHENOL	482	UJ	37	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DIMETHYLPHENOL	497	UJ	39	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DIMETHYLPHENOL	587	UJ	46	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DIMETHYLPHENOL	509	UJ	40	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DIMETHYLPHENOL	446	UJ	35	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DIMETHYLPHENOL	510	UJ	40	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DINITROPHENOL	1550	UJ	35	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DINITROPHENOL	1300	UJ	29	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DINITROPHENOL	1310	UJ	30	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DINITROPHENOL	1250	UJ	28	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DINITROPHENOL	1540	UJ	35	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DINITROPHENOL	1290	UJ	29	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DINITROPHENOL	1350	UJ	31	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DINITROPHENOL	1260	UJ	29	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DINITROPHENOL	1810	UJ	41	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DINITROPHENOL	1590	UJ	36	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,4-DINITROPHENOL	1320	UJ	30	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DINITROPHENOL	1790	UJ	41	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DINITROPHENOL	1450	UJ	33	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DINITROPHENOL	1490	UJ	34	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DINITROPHENOL	1760	UJ	40	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DINITROPHENOL	1530	UJ	35	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DINITROPHENOL	1340	UJ	30	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DINITROPHENOL	1530	UJ	35	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,4-DINITROTOLUENE	517	UJ	36	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,4-DINITROTOLUENE	433	UJ	30	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,4-DINITROTOLUENE	436	UJ	31	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,4-DINITROTOLUENE	416	UJ	29	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,4-DINITROTOLUENE	512	UJ	36	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,4-DINITROTOLUENE	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,4-DINITROTOLUENE	451	UJ	32	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,4-DINITROTOLUENE	420	UJ	29	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,4-DINITROTOLUENE	604	UJ	42	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,4-DINITROTOLUENE	531	UJ	37	531	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE086	SW8270C	SW3550	2,4-DINITROTOLUENE	440	UJ	31	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,4-DINITROTOLUENE	598	UJ	42	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,4-DINITROTOLUENE	482	UJ	34	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,4-DINITROTOLUENE	497	UJ	35	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,4-DINITROTOLUENE	587	UJ	41	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,4-DINITROTOLUENE	509	UJ	36	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,4-DINITROTOLUENE	446	UJ	31	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,4-DINITROTOLUENE	510	UJ	36	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2,6-DINITROTOLUENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2,6-DINITROTOLUENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2,6-DINITROTOLUENE	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2,6-DINITROTOLUENE	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2,6-DINITROTOLUENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2,6-DINITROTOLUENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2,6-DINITROTOLUENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2,6-DINITROTOLUENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2,6-DINITROTOLUENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2,6-DINITROTOLUENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2,6-DINITROTOLUENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2,6-DINITROTOLUENE	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2,6-DINITROTOLUENE	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2,6-DINITROTOLUENE	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2,6-DINITROTOLUENE	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2,6-DINITROTOLUENE	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2,6-DINITROTOLUENE	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2,6-DINITROTOLUENE	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-CHLORONAPHTHALENE	517	UJ	32	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-CHLORONAPHTHALENE	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-CHLORONAPHTHALENE	436	UJ	27	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-CHLORONAPHTHALENE	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-CHLORONAPHTHALENE	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-CHLORONAPHTHALENE	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-CHLORONAPHTHALENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-CHLORONAPHTHALENE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-CHLORONAPHTHALENE	604	UJ	37	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-CHLORONAPHTHALENE	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-CHLORONAPHTHALENE	440	UJ	27	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-CHLORONAPHTHALENE	598	UJ	37	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-CHLORONAPHTHALENE	482	UJ	29	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-CHLORONAPHTHALENE	497	UJ	30	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-CHLORONAPHTHALENE	587	UJ	36	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-CHLORONAPHTHALENE	509	UJ	31	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-CHLORONAPHTHALENE	446	UJ	27	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-CHLORONAPHTHALENE	510	UJ	31	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-CHLOROPHENOL	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-CHLOROPHENOL	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-CHLOROPHENOL	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-CHLOROPHENOL	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-CHLOROPHENOL	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-CHLOROPHENOL	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-CHLOROPHENOL	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-CHLOROPHENOL	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-CHLOROPHENOL	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-CHLOROPHENOL	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-CHLOROPHENOL	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-CHLOROPHENOL	598	UJ	39	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-CHLOROPHENOL	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-CHLOROPHENOL	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-CHLOROPHENOL	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-CHLOROPHENOL	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-CHLOROPHENOL	446	UJ	29	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-CHLOROPHENOL	510	UJ	33	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-METHYLNAPHTHALENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-METHYLNAPHTHALENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-METHYLNAPHTHALENE	436	UJ	26	436	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE089	SW8270C	SW3550	2-METHYLNAPHTHALENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-METHYLNAPHTHALENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-METHYLNAPHTHALENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-METHYLNAPHTHALENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-METHYLNAPHTHALENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-METHYLNAPHTHALENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-METHYLNAPHTHALENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-METHYLNAPHTHALENE	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-METHYLNAPHTHALENE	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-METHYLNAPHTHALENE	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-METHYLNAPHTHALENE	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-METHYLNAPHTHALENE	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-METHYLNAPHTHALENE	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-METHYLNAPHTHALENE	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	433	UJ	31	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	416	UJ	30	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	512	UJ	37	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	428	UJ	31	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	604	UJ	44	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	440	UJ	32	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	482	UJ	35	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	497	UJ	36	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	509	UJ	37	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	446	UJ	32	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-METHYLPHENOL (o-CRESOL)	510	UJ	37	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-NITROANILINE	1550	UJ	28	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-NITROANILINE	1300	UJ	22	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-NITROANILINE	1310	UJ	22	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-NITROANILINE	1250	UJ	21	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-NITROANILINE	1540	UJ	26	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-NITROANILINE	1290	UJ	21	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-NITROANILINE	1350	UJ	23	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-NITROANILINE	1260	UJ	21	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-NITROANILINE	1810	UJ	30	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-NITROANILINE	1590	UJ	26	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-NITROANILINE	1320	UJ	22	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-NITROANILINE	1790	UJ	30	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-NITROANILINE	1450	UJ	24	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-NITROANILINE	1490	UJ	25	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-NITROANILINE	1760	UJ	29	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-NITROANILINE	1530	UJ	26	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-NITROANILINE	1340	UJ	22	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-NITROANILINE	1530	UJ	25	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-NITROPHENOL	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-NITROPHENOL	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-NITROPHENOL	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-NITROPHENOL	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-NITROPHENOL	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-NITROPHENOL	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-NITROPHENOL	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-NITROPHENOL	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-NITROPHENOL	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-NITROPHENOL	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-NITROPHENOL	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-NITROPHENOL	598	UJ	36	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-NITROPHENOL	482	UJ	29	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-NITROPHENOL	497	UJ	30	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-NITROPHENOL	587	UJ	35	587	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE167	SW8270C	SW3550	2-NITROPHENOL	509	UJ	31	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-NITROPHENOL	446	UJ	27	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-NITROPHENOL	510	UJ	31	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1030	UJ	24	1030	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	866	UJ	20	866	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	873	UJ	21	873	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	833	UJ	20	833	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1020	UJ	24	1020	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	857	UJ	20	857	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	902	UJ	21	902	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	841	UJ	20	841	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1210	UJ	28	1210	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1060	UJ	25	1060	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	880	UJ	21	880	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1200	UJ	28	1200	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	964	UJ	23	964	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	994	UJ	23	994	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1170	UJ	28	1170	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1020	UJ	24	1020	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	891	UJ	21	891	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	3,3'-DICHLOROBENZIDINE	1020	UJ	24	1020	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	3-NITROANILINE	1550	UJ	24	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	3-NITROANILINE	1300	UJ	20	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	3-NITROANILINE	1310	UJ	21	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	3-NITROANILINE	1250	UJ	20	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	3-NITROANILINE	1540	UJ	24	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	3-NITROANILINE	1290	UJ	20	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	3-NITROANILINE	1350	UJ	21	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	3-NITROANILINE	1260	UJ	20	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	3-NITROANILINE	1810	UJ	28	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	3-NITROANILINE	1590	UJ	25	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	3-NITROANILINE	1320	UJ	21	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	3-NITROANILINE	1790	UJ	28	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	3-NITROANILINE	1450	UJ	23	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	3-NITROANILINE	1490	UJ	23	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	3-NITROANILINE	1760	UJ	28	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	3-NITROANILINE	1530	UJ	24	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	3-NITROANILINE	1340	UJ	21	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	3-NITROANILINE	1530	UJ	24	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1550	UJ	29	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1300	UJ	24	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1310	UJ	24	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1250	UJ	23	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1540	UJ	28	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1290	UJ	24	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1350	UJ	25	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1260	UJ	23	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1810	UJ	33	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1590	UJ	29	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1320	UJ	24	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1790	UJ	33	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1450	UJ	26	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1490	UJ	27	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1760	UJ	32	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1530	UJ	28	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1340	UJ	24	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4,6-DINITRO-2-METHYLPHENOL	1530	UJ	28	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	420	UJ	25	420	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE083	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	598	UJ	36	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	482	UJ	29	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	497	UJ	30	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	509	UJ	31	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	446	UJ	27	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-BROMOPHENYL PHENYL ETHER	510	UJ	31	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-CHLORO-3-METHYLPHENOL	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-CHLOROANILINE	517	UJ	32	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-CHLOROANILINE	433	UJ	27	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-CHLOROANILINE	436	UJ	27	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-CHLOROANILINE	416	UJ	26	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-CHLOROANILINE	512	UJ	32	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-CHLOROANILINE	428	UJ	27	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-CHLOROANILINE	451	UJ	28	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-CHLOROANILINE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-CHLOROANILINE	604	UJ	38	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-CHLOROANILINE	531	UJ	33	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-CHLOROANILINE	440	UJ	27	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-CHLOROANILINE	598	UJ	37	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-CHLOROANILINE	482	UJ	30	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-CHLOROANILINE	497	UJ	31	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-CHLOROANILINE	587	UJ	36	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-CHLOROANILINE	509	UJ	32	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-CHLOROANILINE	446	UJ	28	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-CHLOROANILINE	510	UJ	32	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	598	UJ	35	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	482	UJ	28	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	497	UJ	29	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	587	UJ	35	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	446	UJ	26	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-CHLOROPHENYL PHENYL ETHER	510	UJ	30	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-NITROANILINE	1550	UJ	19	1550	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE082	SW8270C	SW3550	4-NITROANILINE	1300	UJ	16	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-NITROANILINE	1310	UJ	16	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-NITROANILINE	1250	UJ	15	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-NITROANILINE	1540	UJ	18	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-NITROANILINE	1290	UJ	15	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-NITROANILINE	1350	UJ	16	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-NITROANILINE	1260	UJ	15	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-NITROANILINE	1810	UJ	22	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-NITROANILINE	1590	UJ	19	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-NITROANILINE	1320	UJ	16	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-NITROANILINE	1790	UJ	22	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-NITROANILINE	1450	UJ	17	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-NITROANILINE	1490	UJ	18	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-NITROANILINE	1760	UJ	21	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-NITROANILINE	1530	UJ	18	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-NITROANILINE	1340	UJ	16	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-NITROANILINE	1530	UJ	18	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	4-NITROPHENOL	1550	UJ	26	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	4-NITROPHENOL	1300	UJ	22	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	4-NITROPHENOL	1310	UJ	22	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	4-NITROPHENOL	1250	UJ	21	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	4-NITROPHENOL	1540	UJ	26	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	4-NITROPHENOL	1290	UJ	21	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	4-NITROPHENOL	1350	UJ	23	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	4-NITROPHENOL	1260	UJ	21	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	4-NITROPHENOL	1810	UJ	30	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	4-NITROPHENOL	1590	UJ	26	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	4-NITROPHENOL	1320	UJ	22	1320	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	4-NITROPHENOL	1790	UJ	30	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	4-NITROPHENOL	1450	UJ	24	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	4-NITROPHENOL	1490	UJ	25	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	4-NITROPHENOL	1760	UJ	29	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	4-NITROPHENOL	1530	UJ	26	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	4-NITROPHENOL	1340	UJ	22	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	4-NITROPHENOL	1530	UJ	25	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ACENAPHTHENE	517	UJ	26	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ACENAPHTHENE	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ACENAPHTHENE	436	UJ	22	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ACENAPHTHENE	512	UJ	26	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ACENAPHTHENE	428	UJ	21	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ACENAPHTHENE	451	UJ	23	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ACENAPHTHENE	420	UJ	21	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ACENAPHTHENE	604	UJ	30	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ACENAPHTHENE	531	UJ	26	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ACENAPHTHENE	440	UJ	22	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ACENAPHTHENE	598	UJ	30	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	ACENAPHTHENE	482	UJ	24	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	ACENAPHTHENE	497	UJ	25	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	ACENAPHTHENE	587	UJ	29	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	ACENAPHTHENE	509	UJ	26	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ACENAPHTHENE	446	UJ	22	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ACENAPHTHENE	510	UJ	25	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ACENAPHTHYLENE	517	UJ	52	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ACENAPHTHYLENE	433	UJ	43	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ACENAPHTHYLENE	436	UJ	44	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	ACENAPHTHYLENE	416	UJ	42	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ACENAPHTHYLENE	512	UJ	51	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ACENAPHTHYLENE	428	UJ	43	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ACENAPHTHYLENE	451	UJ	45	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ACENAPHTHYLENE	420	UJ	42	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ACENAPHTHYLENE	604	UJ	61	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ACENAPHTHYLENE	531	UJ	53	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ACENAPHTHYLENE	440	UJ	44	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ACENAPHTHYLENE	598	UJ	60	598	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	ACENAPHTHYLENE	509	UJ	51	509	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE168	SW8270C	SW3550	ACENAPHTHYLENE	446	UJ	44	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ACENAPHTHYLENE	510	UJ	51	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ANTHRACENE	517	UJ	29	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ANTHRACENE	433	UJ	24	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ANTHRACENE	436	UJ	24	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	ANTHRACENE	416	UJ	23	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ANTHRACENE	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ANTHRACENE	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ANTHRACENE	451	UJ	25	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ANTHRACENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ANTHRACENE	604	UJ	34	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ANTHRACENE	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ANTHRACENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ANTHRACENE	598	UJ	34	598	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ANTHRACENE	446	UJ	25	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ANTHRACENE	510	UJ	29	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(a)ANTHRACENE	517	UJ	27	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(a)ANTHRACENE	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(a)ANTHRACENE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZO(a)ANTHRACENE	27	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(a)ANTHRACENE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(a)ANTHRACENE	428	UJ	22	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(a)ANTHRACENE	451	UJ	23	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(a)ANTHRACENE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(a)ANTHRACENE	604	UJ	32	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(a)ANTHRACENE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(a)ANTHRACENE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(a)ANTHRACENE	598	UJ	31	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(a)PYRENE	517	UJ	35	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(a)PYRENE	433	UJ	29	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(a)PYRENE	436	UJ	29	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZO(a)PYRENE	416	UJ	28	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(a)PYRENE	512	UJ	34	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(a)PYRENE	428	UJ	29	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(a)PYRENE	451	UJ	30	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(a)PYRENE	420	UJ	28	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(a)PYRENE	604	UJ	41	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(a)PYRENE	531	UJ	35	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(a)PYRENE	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(a)PYRENE	598	UJ	40	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(b)FLUORANTHENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(b)FLUORANTHENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(b)FLUORANTHENE	436	UJ	26	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(b)FLUORANTHENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(b)FLUORANTHENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(b)FLUORANTHENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(b)FLUORANTHENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(b)FLUORANTHENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(b)FLUORANTHENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(b)FLUORANTHENE	598	UJ	35	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	517	UJ	31	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	433	UJ	26	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	436	UJ	26	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	416	UJ	25	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	512	UJ	31	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	428	UJ	26	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	451	UJ	27	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	420	UJ	25	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	604	UJ	36	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	531	UJ	32	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	440	UJ	26	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(g,h,i)PERYLENE	598	UJ	36	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZO(k)FLUORANTHENE	517	UJ	37	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZO(k)FLUORANTHENE	433	UJ	31	433	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE085	SW8270C	SW3550	BENZO(k)FLUORANTHENE	436	UJ	31	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZO(k)FLUORANTHENE	512	UJ	36	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZO(k)FLUORANTHENE	451	UJ	32	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZO(k)FLUORANTHENE	420	UJ	30	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZO(k)FLUORANTHENE	604	UJ	43	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZO(k)FLUORANTHENE	531	UJ	38	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZO(k)FLUORANTHENE	440	UJ	31	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZO(k)FLUORANTHENE	598	UJ	42	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	517	UJ	28	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	433	UJ	23	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	416	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	428	UJ	23	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	451	UJ	24	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	604	UJ	32	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	598	UJ	32	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	482	UJ	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	497	UJ	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	587	UJ	31	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	509	UJ	27	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	446	UJ	24	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	BENZYL BUTYL PHTHALATE	510	UJ	27	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	bis(2-CHLOROETHOXY) METHANE	510	UJ	38	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	2-CHLOROETHYL ETHER	517	UJ	36	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	2-CHLOROETHYL ETHER	433	UJ	30	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	2-CHLOROETHYL ETHER	436	UJ	30	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	2-CHLOROETHYL ETHER	416	UJ	29	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	2-CHLOROETHYL ETHER	512	UJ	35	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	2-CHLOROETHYL ETHER	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	2-CHLOROETHYL ETHER	451	UJ	31	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	2-CHLOROETHYL ETHER	420	UJ	29	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	2-CHLOROETHYL ETHER	604	UJ	42	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	2-CHLOROETHYL ETHER	531	UJ	36	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	2-CHLOROETHYL ETHER	440	UJ	30	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	2-CHLOROETHYL ETHER	598	UJ	41	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	2-CHLOROETHYL ETHER	482	UJ	33	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	2-CHLOROETHYL ETHER	497	UJ	34	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	2-CHLOROETHYL ETHER	587	UJ	41	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	2-CHLOROETHYL ETHER	509	UJ	35	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	2-CHLOROETHYL ETHER	446	UJ	31	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	2-CHLOROETHYL ETHER	510	UJ	35	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	433	UJ	31	433	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE085	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	416	UJ	30	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	512	UJ	37	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	428	UJ	31	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	604	UJ	44	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	440	UJ	32	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	482	UJ	35	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	497	UJ	36	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	509	UJ	37	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	446	UJ	32	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	bis(2-CHLOROISOPROPYL) ETHER	510	UJ	37	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	517	UJ	39	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	436	UJ	33	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	451	UJ	34	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	420	UJ	32	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	531	UJ	40	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	598	UJ	45	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	587	UJ	44	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	bis(2-ETHYLHEXYL) PHTHALATE	510	UJ	38	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	CARBAZOLE	517	UJ	33	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	CARBAZOLE	433	UJ	27	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	CARBAZOLE	436	UJ	27	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	CARBAZOLE	512	UJ	32	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	CARBAZOLE	428	UJ	27	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	CARBAZOLE	451	UJ	28	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	CARBAZOLE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	CARBAZOLE	604	UJ	38	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	CARBAZOLE	531	UJ	33	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	CARBAZOLE	440	UJ	28	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	CARBAZOLE	598	UJ	38	598	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	CARBAZOLE	509	UJ	32	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	CARBAZOLE	446	UJ	28	446	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	CHRYSENE	517	UJ	30	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	CHRYSENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	CHRYSENE	436	UJ	25	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	CHRYSENE	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	CHRYSENE	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	CHRYSENE	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	CHRYSENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	CHRYSENE	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	CHRYSENE	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	CHRYSENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	CHRYSENE	598	UJ	34	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	CRESOLS, m & p	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	CRESOLS, m & p	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	CRESOLS, m & p	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	CRESOLS, m & p	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	CRESOLS, m & p	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	CRESOLS, m & p	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	CRESOLS, m & p	451	UJ	29	451	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE081	SW8270C	SW3550	CRESOLS, m & p	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	CRESOLS, m & p	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	CRESOLS, m & p	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	CRESOLS, m & p	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	CRESOLS, m & p	598	UJ	39	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	CRESOLS, m & p	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	CRESOLS, m & p	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	CRESOLS, m & p	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	CRESOLS, m & p	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	CRESOLS, m & p	446	UJ	29	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	CRESOLS, m & p	510	UJ	33	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	436	UJ	29	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	416	UJ	28	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	512	UJ	34	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	451	UJ	30	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	420	UJ	28	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	604	UJ	40	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	531	UJ	35	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	598	UJ	40	598	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DIBENZ(a,h)ANTHRACENE	509	UJ	34	509	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DIBENZOFURAN	517	UJ	27	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DIBENZOFURAN	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DIBENZOFURAN	436	UJ	23	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DIBENZOFURAN	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DIBENZOFURAN	428	UJ	22	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DIBENZOFURAN	451	UJ	23	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DIBENZOFURAN	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DIBENZOFURAN	604	UJ	32	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DIBENZOFURAN	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DIBENZOFURAN	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DIBENZOFURAN	598	UJ	31	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DIBENZOFURAN	482	UJ	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DIBENZOFURAN	497	UJ	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DIBENZOFURAN	587	UJ	31	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DIBENZOFURAN	509	UJ	27	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DIBENZOFURAN	446	UJ	23	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DIBENZOFURAN	510	UJ	26	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DIETHYL PHTHALATE	517	UJ	43	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DIETHYL PHTHALATE	433	UJ	35	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DIETHYL PHTHALATE	436	UJ	36	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DIETHYL PHTHALATE	416	UJ	34	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DIETHYL PHTHALATE	512	UJ	42	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DIETHYL PHTHALATE	428	UJ	35	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DIETHYL PHTHALATE	451	UJ	37	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DIETHYL PHTHALATE	420	UJ	34	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DIETHYL PHTHALATE	604	UJ	50	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DIETHYL PHTHALATE	531	UJ	43	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DIETHYL PHTHALATE	440	UJ	36	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DIETHYL PHTHALATE	598	UJ	49	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DIETHYL PHTHALATE	482	UJ	39	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DIETHYL PHTHALATE	497	UJ	41	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DIETHYL PHTHALATE	587	UJ	48	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DIETHYL PHTHALATE	509	UJ	42	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DIETHYL PHTHALATE	446	UJ	36	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DIETHYL PHTHALATE	510	UJ	42	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DIMETHYL PHTHALATE	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DIMETHYL PHTHALATE	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DIMETHYL PHTHALATE	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DIMETHYL PHTHALATE	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DIMETHYL PHTHALATE	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DIMETHYL PHTHALATE	428	UJ	28	428	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE079	SW8270C	SW3550	DIMETHYL PHTHALATE	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DIMETHYL PHTHALATE	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DIMETHYL PHTHALATE	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DIMETHYL PHTHALATE	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DIMETHYL PHTHALATE	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DIMETHYL PHTHALATE	598	UJ	39	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DIMETHYL PHTHALATE	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DIMETHYL PHTHALATE	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DIMETHYL PHTHALATE	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DIMETHYL PHTHALATE	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DIMETHYL PHTHALATE	446	UJ	29	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DIMETHYL PHTHALATE	510	UJ	33	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	517	UJ	28	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	433	UJ	23	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	416	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	428	UJ	23	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	451	UJ	24	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	604	UJ	32	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	598	UJ	32	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	482	UJ	25	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	497	UJ	26	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	587	UJ	31	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	509	UJ	27	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	446	UJ	24	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DI-n-BUTYL PHTHALATE	510	UJ	27	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	517	UJ	39	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	436	UJ	33	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	451	UJ	34	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	420	UJ	32	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	531	UJ	40	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	598	UJ	45	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	587	UJ	44	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	DI-n-OCTYLPHTHALATE	510	UJ	38	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	FLUORANTHENE	517	UJ	32	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	FLUORANTHENE	433	UJ	27	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	FLUORANTHENE	436	UJ	27	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	FLUORANTHENE	512	UJ	32	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	FLUORANTHENE	428	UJ	27	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	FLUORANTHENE	451	UJ	28	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	FLUORANTHENE	420	UJ	26	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	FLUORANTHENE	604	UJ	38	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	FLUORANTHENE	531	UJ	33	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	FLUORANTHENE	440	UJ	27	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	FLUORANTHENE	598	UJ	37	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	FLUORENE	517	UJ	29	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	FLUORENE	433	UJ	24	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	FLUORENE	436	UJ	24	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	FLUORENE	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	FLUORENE	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	FLUORENE	451	UJ	25	451	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE081	SW8270C	SW3550	FLUORENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	FLUORENE	604	UJ	34	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	FLUORENE	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	FLUORENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	FLUORENE	598	UJ	34	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	FLUORENE	482	UJ	27	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	FLUORENE	497	UJ	28	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	FLUORENE	587	UJ	33	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	FLUORENE	509	UJ	29	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	FLUORENE	446	UJ	25	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	FLUORENE	510	UJ	29	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	HEXACHLOROBENZENE	517	UJ	34	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	HEXACHLOROBENZENE	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	HEXACHLOROBENZENE	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	HEXACHLOROBENZENE	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	HEXACHLOROBENZENE	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	HEXACHLOROBENZENE	428	UJ	28	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	HEXACHLOROBENZENE	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	HEXACHLOROBENZENE	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	HEXACHLOROBENZENE	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	HEXACHLOROBENZENE	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	HEXACHLOROBENZENE	440	UJ	29	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	HEXACHLOROBENZENE	598	UJ	39	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	HEXACHLOROBENZENE	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	HEXACHLOROBENZENE	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	HEXACHLOROBENZENE	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	HEXACHLOROBENZENE	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	HEXACHLOROBENZENE	446	UJ	29	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	HEXACHLOROBENZENE	510	UJ	33	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	HEXACHLOROBUTADIENE	517	UJ	43	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	HEXACHLOROBUTADIENE	433	UJ	36	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	HEXACHLOROBUTADIENE	436	UJ	36	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	HEXACHLOROBUTADIENE	416	UJ	35	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	HEXACHLOROBUTADIENE	512	UJ	43	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	HEXACHLOROBUTADIENE	428	UJ	36	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	HEXACHLOROBUTADIENE	451	UJ	37	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	HEXACHLOROBUTADIENE	420	UJ	35	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	HEXACHLOROBUTADIENE	604	UJ	50	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	HEXACHLOROBUTADIENE	531	UJ	44	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	HEXACHLOROBUTADIENE	440	UJ	36	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	HEXACHLOROBUTADIENE	598	UJ	50	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	HEXACHLOROBUTADIENE	482	UJ	40	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	HEXACHLOROBUTADIENE	497	UJ	41	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	HEXACHLOROBUTADIENE	587	UJ	49	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	HEXACHLOROBUTADIENE	509	UJ	42	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	HEXACHLOROBUTADIENE	446	UJ	37	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	HEXACHLOROBUTADIENE	510	UJ	42	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	517	UJ	38	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	436	UJ	32	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	416	UJ	31	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	HEXACHLOROCYCLOPENTADIENE	510	UJ	38	510	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE080	SW8270C	SW3550	HEXACHLOROETHANE	517	UJ	47	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	HEXACHLOROETHANE	433	UJ	39	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	HEXACHLOROETHANE	436	UJ	40	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	HEXACHLOROETHANE	416	UJ	38	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	HEXACHLOROETHANE	512	UJ	47	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	HEXACHLOROETHANE	428	UJ	39	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	HEXACHLOROETHANE	451	UJ	41	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	HEXACHLOROETHANE	420	UJ	38	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	HEXACHLOROETHANE	604	UJ	55	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	HEXACHLOROETHANE	531	UJ	48	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	HEXACHLOROETHANE	440	UJ	40	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	HEXACHLOROETHANE	598	UJ	54	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	HEXACHLOROETHANE	482	UJ	44	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	HEXACHLOROETHANE	497	UJ	45	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	HEXACHLOROETHANE	587	UJ	53	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	HEXACHLOROETHANE	509	UJ	46	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	HEXACHLOROETHANE	446	UJ	40	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	HEXACHLOROETHANE	510	UJ	46	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	517	UJ	27	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	433	UJ	22	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	436	UJ	23	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	416	UJ	22	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	512	UJ	27	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	428	UJ	22	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	451	UJ	23	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	420	UJ	22	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	604	UJ	32	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	531	UJ	28	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	440	UJ	23	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	INDENO(1,2,3-c,d)PYRENE	598	UJ	31	598	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	ISOPHORONE	517	UJ	19	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	ISOPHORONE	433	UJ	16	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	ISOPHORONE	436	UJ	16	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	ISOPHORONE	416	UJ	15	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	ISOPHORONE	512	UJ	18	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	ISOPHORONE	428	UJ	15	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	ISOPHORONE	451	UJ	16	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	ISOPHORONE	420	UJ	15	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	ISOPHORONE	604	UJ	22	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	ISOPHORONE	531	UJ	19	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	ISOPHORONE	440	UJ	16	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	ISOPHORONE	598	UJ	22	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	ISOPHORONE	482	UJ	17	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	ISOPHORONE	497	UJ	18	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	ISOPHORONE	587	UJ	21	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	ISOPHORONE	509	UJ	18	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	ISOPHORONE	446	UJ	16	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	ISOPHORONE	510	UJ	18	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	NAPHTHALENE	517	UJ	36	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	NAPHTHALENE	433	UJ	32	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	NAPHTHALENE	436	UJ	32	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	NAPHTHALENE	512	UJ	38	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	NAPHTHALENE	428	UJ	32	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	NAPHTHALENE	451	UJ	33	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	NAPHTHALENE	420	UJ	31	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	NAPHTHALENE	604	UJ	45	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	NAPHTHALENE	531	UJ	39	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	NAPHTHALENE	440	UJ	33	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	NAPHTHALENE	598	UJ	44	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	NAPHTHALENE	482	UJ	36	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	NAPHTHALENE	497	UJ	37	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	NAPHTHALENE	587	UJ	43	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	NAPHTHALENE	509	UJ	38	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	NAPHTHALENE	446	UJ	33	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	NAPHTHALENE	510	UJ	38	510	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SB	NDE080	SW8270C	SW3550	NITROBENZENE	517	UJ	40	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	NITROBENZENE	433	UJ	33	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	NITROBENZENE	436	UJ	34	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	NITROBENZENE	416	UJ	32	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	NITROBENZENE	512	UJ	39	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	NITROBENZENE	428	UJ	33	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	NITROBENZENE	451	UJ	35	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	NITROBENZENE	420	UJ	32	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	NITROBENZENE	604	UJ	47	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	NITROBENZENE	531	UJ	41	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	NITROBENZENE	440	UJ	34	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	NITROBENZENE	598	UJ	46	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	NITROBENZENE	482	UJ	37	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	NITROBENZENE	497	UJ	38	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	NITROBENZENE	587	UJ	45	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	NITROBENZENE	509	UJ	39	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	NITROBENZENE	446	UJ	34	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	NITROBENZENE	510	UJ	39	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	517	UJ	37	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	433	UJ	31	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	436	UJ	31	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	416	UJ	30	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	512	UJ	36	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	428	UJ	30	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	451	UJ	32	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	420	UJ	30	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	604	UJ	43	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	531	UJ	38	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	440	UJ	31	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	598	UJ	42	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	482	UJ	34	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	497	UJ	35	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	587	UJ	42	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	509	UJ	36	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	446	UJ	32	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	N-NITROSODI-n-PROPYLAMINE	510	UJ	36	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	517	UJ	57	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	433	UJ	47	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	436	UJ	48	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	416	UJ	46	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	512	UJ	56	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	428	UJ	47	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	451	UJ	50	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	420	UJ	46	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	604	UJ	67	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	531	UJ	58	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	440	UJ	48	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	598	UJ	66	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	482	UJ	53	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	497	UJ	54	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	587	UJ	65	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	509	UJ	56	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	446	UJ	49	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	N-NITROSODIPHENYLAMINE	510	UJ	56	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	PENTACHLOROPHENOL	1550	UJ	29	1550	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	PENTACHLOROPHENOL	1300	UJ	24	1300	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	PENTACHLOROPHENOL	1310	UJ	24	1310	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	PENTACHLOROPHENOL	1250	UJ	23	1250	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	PENTACHLOROPHENOL	1540	UJ	28	1540	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	PENTACHLOROPHENOL	1290	UJ	24	1290	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	PENTACHLOROPHENOL	1350	UJ	25	1350	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	PENTACHLOROPHENOL	1260	UJ	23	1260	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	PENTACHLOROPHENOL	1810	UJ	33	1810	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	PENTACHLOROPHENOL	1590	UJ	29	1590	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	PENTACHLOROPHENOL	1320	UJ	24	1320	ug/Kg	HT

Matrix	Sample ID	Analytical Method	Prep Method	Parameter	Lab Result	Proj Qual	DL	RL	Units	Comments
SS	NDE088	SW8270C	SW3550	PENTACHLOROPHENOL	1790	UJ	33	1790	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	PENTACHLOROPHENOL	1450	UJ	26	1450	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	PENTACHLOROPHENOL	1490	UJ	27	1490	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	PENTACHLOROPHENOL	1760	UJ	32	1760	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	PENTACHLOROPHENOL	1530	UJ	28	1530	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	PENTACHLOROPHENOL	1340	UJ	24	1340	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	PENTACHLOROPHENOL	1530	UJ	28	1530	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	PHENANTHRENE	517	UJ	30	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	PHENANTHRENE	433	UJ	25	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	PHENANTHRENE	436	UJ	25	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	PHENANTHRENE	512	UJ	30	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	PHENANTHRENE	428	UJ	25	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	PHENANTHRENE	451	UJ	26	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	PHENANTHRENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	PHENANTHRENE	604	UJ	35	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	PHENANTHRENE	531	UJ	31	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	PHENANTHRENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	PHENANTHRENE	598	UJ	35	598	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	PHENANTHRENE	509	UJ	30	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	PHENANTHRENE	446	UJ	26	446	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	PHENOL	517	UJ	33	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	PHENOL	433	UJ	28	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	PHENOL	436	UJ	28	436	ug/Kg	HT
SB	NDE087	SW8270C	SW3550	PHENOL	416	UJ	27	416	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	PHENOL	512	UJ	33	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	PHENOL	428	UJ	27	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	PHENOL	451	UJ	29	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	PHENOL	420	UJ	27	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	PHENOL	604	UJ	39	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	PHENOL	531	UJ	34	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	PHENOL	440	UJ	28	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	PHENOL	598	UJ	38	598	ug/Kg	HT
SS	NDE164	SW8270C	SW3550	PHENOL	482	UJ	31	482	ug/Kg	HT
SS	NDE165FD1	SW8270C	SW3550	PHENOL	497	UJ	32	497	ug/Kg	HT
SS	NDE166	SW8270C	SW3550	PHENOL	587	UJ	38	587	ug/Kg	HT
SS	NDE167	SW8270C	SW3550	PHENOL	509	UJ	33	509	ug/Kg	HT
SS	NDE168	SW8270C	SW3550	PHENOL	446	UJ	28	446	ug/Kg	HT
SS	NDE169	SW8270C	SW3550	PHENOL	510	UJ	33	510	ug/Kg	HT
SB	NDE080	SW8270C	SW3550	PYRENE	517	UJ	29	517	ug/Kg	HT
SB	NDE082	SW8270C	SW3550	PYRENE	433	UJ	24	433	ug/Kg	HT
SB	NDE085	SW8270C	SW3550	PYRENE	436	UJ	24	436	ug/Kg	HT
SB	NDE089	SW8270C	SW3550	PYRENE	512	UJ	29	512	ug/Kg	HT
SS	NDE074FD1	SW8270C	SW3550	PYRENE	428	UJ	24	428	ug/Kg	HT
SS	NDE079	SW8270C	SW3550	PYRENE	451	UJ	25	451	ug/Kg	HT
SS	NDE081	SW8270C	SW3550	PYRENE	420	UJ	24	420	ug/Kg	HT
SS	NDE083	SW8270C	SW3550	PYRENE	604	UJ	34	604	ug/Kg	HT
SS	NDE084FD1	SW8270C	SW3550	PYRENE	531	UJ	30	531	ug/Kg	HT
SS	NDE086	SW8270C	SW3550	PYRENE	440	UJ	25	440	ug/Kg	HT
SS	NDE088	SW8270C	SW3550	PYRENE	598	UJ	34	598	ug/Kg	HT

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SS	CLP_PEST	SW3550	NDE004	p,p'-DDE	3860	R	3440	J	UG/KG	0.36	3.5	200%
SS	CLP_PEST	SW3550	NDE004	p,p'-DDT	1790	R	2190	J	UG/KG	0.41	3.5	200%
SS	E200.7	SW3050	NDE004	BERYLLIUM	0.11	J	0.036	U	MG/KG	0.03	1.1	200%
SS	E200.7	SW3050	NDE004	SODIUM	230	J	180	J	MG/KG	22	1090	24%
SS	E200.7	SW3050	NDE004	MANGANESE	490	=	410	=	MG/KG	0.03	3.3	18%
SS	E200.7	SW3050	NDE004	CALCIUM	8800	=	7400	=	MG/KG	3.1	1090	17%
SS	E200.7	SW3050	NDE004	BARIUM	60	J	51	J	MG/KG	0.01	44	16%
SS	E200.7	SW3050	NDE004	SELENIUM	1	J	0.86	J	MG/KG	0.5	1.1	15%
SS	E200.7	SW3050	NDE004	COBALT	9	J	8.1	J	MG/KG	0.04	11	11%
SS	E200.7	SW3050	NDE004	COPPER	31	=	28	=	MG/KG	0.08	5.5	10%
SS	E200.7	SW3050	NDE004	ALUMINUM	9700	=	9000	=	MG/KG	10	44	7%
SS	E200.7	SW3050	NDE004	POTASSIUM	1400	=	1300	=	MG/KG	3.3	1090	7%
SS	E200.7	SW3050	NDE004	ARSENIC	1.4	J	1.5	J	MG/KG	0.32	2.2	7%
SS	E200.7	SW3050	NDE004	ANTIMONY	1.6	J	1.5	J	MG/KG	0.26	13	6%
SS	E200.7	SW3050	NDE004	ZINC	81	=	76	=	MG/KG	0.55	4.4	6%
SS	E200.7	SW3050	NDE004	VANADIUM	52	=	49	=	MG/KG	0.07	11	6%
SS	E200.7	SW3050	NDE004	IRON	18000	=	17000	=	MG/KG	2.8	22	6%
SS	E200.7	SW3050	NDE004	LEAD	20	=	19	=	MG/KG	0.17	0.66	5%
SS	E200.7	SW3050	NDE004	NICKEL	8.4	J	8.1	J	MG/KG	0.1	8.7	4%
SS	E200.7	SW3050	NDE004	MAGNESIUM	4300	=	4200	=	MG/KG	0.14	1090	2%
SS	E200.7	SW3050	NDE004	CHROMIUM, TOTAL	20	J	20	J	MG/KG	0.09	2.2	0%
SS	E245.5	METHOD	NDE004	MERCURY	0.027	J	0.026	J	MG/KG	0.0027	0.04	4%
SS	SW8270C	SW3550	NDE004	DI-n-BUTYL PHTHALATE	475	U	49	J	UG/KG	25	475	200%
SS	SW8270C	SW3550	NDE004	INDENO(1,2,3-c,d)PYRENE	26	J	471	U	UG/KG	25	475	200%
SS	SW8270C	SW3550	NDE004	PHENANTHRENE	475	U	36	J	UG/KG	27	475	200%
SS	SW8270C	SW3550	NDE004	FLUORANTHENE	56	J	111	J	UG/KG	29	475	66%
SS	SW8270C	SW3550	NDE004	PYRENE	57	J	92	J	UG/KG	26	475	47%
SS	SW8270C	SW3550	NDE004	CHRYSENE	57	J	83	J	UG/KG	27	475	37%
SS	SW8270C	SW3550	NDE004	BENZO(k)FLUORANTHENE	54	J	72	J	UG/KG	34	475	29%
SS	SW8270C	SW3550	NDE004	BENZO(b)FLUORANTHENE	72	J	84	J	UG/KG	28	475	15%
SS	SW8270C	SW3550	NDE004	BENZO(a)ANTHRACENE	32	J	30	J	UG/KG	25	475	6%
SS	SW8270C	SW3550	NDE004	BENZO(a)PYRENE	43	J	41	J	UG/KG	32	475	5%
SS	CLP_PEST	SW3550	NDE004DL1	p,p'-DDE	4610	R	3440	J	UG/KG	18	177	200%
SS	CLP_PEST	SW3550	NDE004DL1	p,p'-DDT	1940	J	1960	R	UG/KG	21	177	200%
SS	CLP_PEST	SW3550	NDE004DL1	p,p'-DDT	1940	J	2300	R	UG/KG	21	177	200%
SS	CLP_PEST	SW3550	NDE004DL1	p,p'-DDT	1940	J	2190	J	UG/KG	21	177	12%
SS	CLP_PEST	SW3550	NDE004DL2	p,p'-DDE	3990	J	4160	R	UG/KG	182	1770	200%
SS	CLP_PEST	SW3550	NDE004DL2	p,p'-DDE	3990	J	3350	R	UG/KG	182	1770	200%
SS	CLP_PEST	SW3550	NDE004DL2	p,p'-DDT	1760	R	2190	J	UG/KG	209	1770	200%
SS	CLP_PEST	SW3550	NDE004DL2	p,p'-DDE	3990	J	3440	J	UG/KG	182	1770	15%
SS	E200.7	SW3050	NDE023	ANTIMONY	0.47	J	0.27	UJ	MG/KG	0.26	13	200%
SS	E200.7	SW3050	NDE023	SELENIUM	0.82	J	0.53	UJ	MG/KG	0.5	1.1	200%
SS	E200.7	SW3050	NDE023	BARIUM	290	J	63	=	MG/KG	0.01	43	129%
SS	E200.7	SW3050	NDE023	MANGANESE	720	=	360	=	MG/KG	0.03	3.2	67%
SS	E200.7	SW3050	NDE023	CHROMIUM, TOTAL	16	J	8.1	=	MG/KG	0.09	2.2	66%
SS	E200.7	SW3050	NDE023	SODIUM	130	J	230	J	MG/KG	22	1080	56%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SS	E200.7	SW3050	NDE023	NICKEL	7.2	J	4.4	J	MG/KG	0.1	8.6	48%
SS	E200.7	SW3050	NDE023	ARSENIC	67	=	43	=	MG/KG	0.31	2.2	44%
SS	E200.7	SW3050	NDE023	BERYLLIUM	0.26	J	0.17	J	MG/KG	0.03	1.1	42%
SS	E200.7	SW3050	NDE023	VANADIUM	62	=	46	=	MG/KG	0.07	11	30%
SS	E200.7	SW3050	NDE023	MAGNESIUM	2800	=	2100	=	MG/KG	0.14	1080	29%
SS	E200.7	SW3050	NDE023	COBALT	9	J	6.9	J	MG/KG	0.04	11	26%
SS	E200.7	SW3050	NDE023	COPPER	87	=	110	=	MG/KG	0.08	5.4	23%
SS	E200.7	SW3050	NDE023	IRON	21000	=	17000	=	MG/KG	2.7	22	21%
SS	E200.7	SW3050	NDE023	CALCIUM	9000	=	11000	=	MG/KG	3	1080	20%
SS	E200.7	SW3050	NDE023	LEAD	29	=	24	=	MG/KG	0.17	0.65	19%
SS	E200.7	SW3050	NDE023	ALUMINUM	7100	=	7700	J	MG/KG	10	43	8%
SS	E200.7	SW3050	NDE023	ZINC	95	=	88	=	MG/KG	0.54	4.3	8%
SS	E200.7	SW3050	NDE023	POTASSIUM	1600	=	1500	J	MG/KG	3.2	1080	6%
SS	E245.5	METHOD	NDE023	MERCURY	0.035	J	0.033	J	MG/KG	0.0027	0.04	6%
SS	SW8270C	SW3550	NDE023	2,6-DINITROTOLUENE	517	U	1220	=	UG/KG	30	517	200%
SS	SW8270C	SW3550	NDE023	2-METHYLNAPHTHALENE	36	J	561	U	UG/KG	30	517	200%
SS	SW8270C	SW3550	NDE023	4-BROMOPHENYL PHENYL ETHER	517	U	228	J	UG/KG	31	517	200%
SS	SW8270C	SW3550	NDE023	BENZO(a)ANTHRACENE	29	J	561	U	UG/KG	27	517	200%
SS	SW8270C	SW3550	NDE023	FLUORANTHENE	33	J	561	U	UG/KG	32	517	200%
SS	SW8270C	SW3550	NDE023	ISOPHORONE	517	U	108	J	UG/KG	19	517	200%
SS	SW8270C	SW3550	NDE023	N-NITROSODI-n-PROPYLAMINE	517	U	595	=	UG/KG	37	517	200%
SS	SW8270C	SW3550	NDE023	PHENANTHRENE	37	J	561	U	UG/KG	30	517	200%
SS	SW8270C	SW3550	NDE023	PYRENE	32	J	561	U	UG/KG	29	517	200%
SS	E200.7	SW3050	NDE023SDL1	BARIUM	2365		63	=	MG/KG	1.1	1.1	200%
SB	E200.7	SW3050	NDE035	CALCIUM	4100	J	5200	J	MG/KG	3.2	1140	24%
SB	E200.7	SW3050	NDE035	LEAD	1.7	=	2.1	=	MG/KG	0.18	0.68	21%
SB	E200.7	SW3050	NDE035	SODIUM	110	J	130	J	MG/KG	23	1140	17%
SB	E200.7	SW3050	NDE035	BARIUM	98	=	84	=	MG/KG	0.01	46	15%
SB	E200.7	SW3050	NDE035	COPPER	28	=	24	=	MG/KG	0.09	5.7	15%
SB	E200.7	SW3050	NDE035	CHROMIUM, TOTAL	11	J	9.5	J	MG/KG	0.09	2.3	15%
SB	E200.7	SW3050	NDE035	VANADIUM	61	=	54	=	MG/KG	0.08	11	12%
SB	E200.7	SW3050	NDE035	MANGANESE	560	=	500	=	MG/KG	0.03	3.4	11%
SB	E200.7	SW3050	NDE035	ZINC	30	=	27	=	MG/KG	0.57	4.6	11%
SB	E200.7	SW3050	NDE035	NICKEL	4.3	J	3.9	J	MG/KG	0.11	9.1	10%
SB	E200.7	SW3050	NDE035	SELENIUM	0.99	J	0.9	J	MG/KG	0.52	1.1	10%
SB	E200.7	SW3050	NDE035	POTASSIUM	1600	=	1500	=	MG/KG	3.4	1140	6%
SB	E200.7	SW3050	NDE035	COBALT	9	J	8.5	J	MG/KG	0.04	11	6%
SB	E200.7	SW3050	NDE035	IRON	20000	=	19000	=	MG/KG	2.9	23	5%
SB	E200.7	SW3050	NDE035	ALUMINUM	8900	=	8500	=	MG/KG	11	46	5%
SB	E200.7	SW3050	NDE035	BERYLLIUM	0.24	J	0.23	J	MG/KG	0.03	1.1	4%
SB	E200.7	SW3050	NDE035	MAGNESIUM	2800	=	2700	=	MG/KG	0.15	1140	4%
SB	E245.5	METHOD	NDE035	MERCURY	0.014	J	0.011	J	MG/KG	0.0028	0.04	24%
SB	SW8260B	SW5030	NDE035	1,2-DICHLOROETHANE	2	J	10	U	UG/KG	0.22	10	200%
SB	SW8270C	SW3550	NDE035	4-BROMOPHENYL PHENYL ETHER	2960	U	236	J	UG/KG	177	2960	200%
SB	SW8270C	SW3550	NDE035	FLUORENE	2960	U	76	J	UG/KG	165	2960	200%
SB	SW8270C	SW3550	NDE035	ISOPHORONE	2960	U	90	J	UG/KG	106	2960	200%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SB	SW8270C	SW3550	NDE035	N-NITROSODI-n-PROPYLAMINE	2960	U	603	=	UG/KG	210	2960	200%
SB	CLP_PEST	SW3550	NDE038	p,p'-DDE	3.8	J	3.7	UJ	UG/KG	0.38	3.7	200%
SB	E200.7	SW3050	NDE038	ARSENIC	0.88	J	2.4	=	MG/KG	0.33	2.2	93%
SB	E200.7	SW3050	NDE038	LEAD	1.9	=	1.5	=	MG/KG	0.18	0.67	24%
SB	E200.7	SW3050	NDE038	ANTIMONY	0.44	J	0.55	J	MG/KG	0.27	13	22%
SB	E200.7	SW3050	NDE038	CALCIUM	3300	J	2900	J	MG/KG	3.1	1120	13%
SB	E200.7	SW3050	NDE038	SODIUM	190	J	210	J	MG/KG	22	1120	10%
SB	E200.7	SW3050	NDE038	BERYLLIUM	0.26	J	0.24	J	MG/KG	0.03	1.1	8%
SB	E200.7	SW3050	NDE038	BARIUM	81	=	75	=	MG/KG	0.01	45	8%
SB	E200.7	SW3050	NDE038	ALUMINUM	9400	=	8900	=	MG/KG	11	45	5%
SB	E200.7	SW3050	NDE038	NICKEL	4.2	J	4	J	MG/KG	0.1	9	5%
SB	E200.7	SW3050	NDE038	MANGANESE	420	=	400	=	MG/KG	0.03	3.4	5%
SB	E200.7	SW3050	NDE038	VANADIUM	65	=	68	=	MG/KG	0.07	11	5%
SB	E200.7	SW3050	NDE038	IRON	22000	=	23000	=	MG/KG	2.8	22	4%
SB	E200.7	SW3050	NDE038	ZINC	28	=	27	=	MG/KG	0.56	4.5	4%
SB	E200.7	SW3050	NDE038	MAGNESIUM	3000	=	3100	=	MG/KG	0.15	1120	3%
SB	E200.7	SW3050	NDE038	COBALT	9	J	9.2	J	MG/KG	0.04	11	2%
SB	E200.7	SW3050	NDE038	CHROMIUM, TOTAL	10	J	10	J	MG/KG	0.09	2.2	0%
SB	E200.7	SW3050	NDE038	COPPER	25	=	25	=	MG/KG	0.09	5.6	0%
SB	E200.7	SW3050	NDE038	POTASSIUM	1800	=	1800	=	MG/KG	3.4	1120	0%
SB	E200.7	SW3050	NDE038	SELENIUM	1	J	1	J	MG/KG	0.52	1.1	0%
SB	E245.5	METHOD	NDE038	MERCURY	0.0088	J	0.0093	J	MG/KG	0.0028	0.04	6%
SB	SW8260B	SW5030	NDE038	CARBON DISULFIDE	10	U	0.91	J	UG/KG	0.58	10	200%
SS	E200.7	SW3050	NDE064	BERYLLIUM	0.11	J	0.035	U	MG/KG	0.03	1.1	200%
SS	E200.7	SW3050	NDE064	LEAD	1.9	=	1.1	=	MG/KG	0.17	0.63	53%
SS	E200.7	SW3050	NDE064	SELENIUM	0.6	J	0.83	J	MG/KG	0.48	1.1	32%
SS	E200.7	SW3050	NDE064	BARIUM	39	J	31	J	MG/KG	0.01	42	23%
SS	E200.7	SW3050	NDE064	CHROMIUM, TOTAL	45	=	36	=	MG/KG	0.09	2.1	22%
SS	E200.7	SW3050	NDE064	POTASSIUM	710	J	610	J	MG/KG	3.2	1050	15%
SS	E200.7	SW3050	NDE064	ANTIMONY	1.1	J	0.95	J	MG/KG	0.25	13	15%
SS	E200.7	SW3050	NDE064	ARSENIC	1.1	J	0.97	J	MG/KG	0.31	2.1	13%
SS	E200.7	SW3050	NDE064	CALCIUM	17000	=	15000	=	MG/KG	2.9	1050	13%
SS	E200.7	SW3050	NDE064	SODIUM	500	J	460	J	MG/KG	21	1050	8%
SS	E200.7	SW3050	NDE064	VANADIUM	88	=	81	=	MG/KG	0.07	11	8%
SS	E200.7	SW3050	NDE064	MANGANESE	640	=	590	=	MG/KG	0.03	3.2	8%
SS	E200.7	SW3050	NDE064	COBALT	17	=	16	=	MG/KG	0.04	11	6%
SS	E200.7	SW3050	NDE064	NICKEL	26	=	25	=	MG/KG	0.09	8.4	4%
SS	E200.7	SW3050	NDE064	IRON	29000	=	28000	=	MG/KG	2.7	21	4%
SS	E200.7	SW3050	NDE064	ZINC	41	=	40	=	MG/KG	0.53	4.2	2%
SS	E200.7	SW3050	NDE064	COPPER	52	=	51	=	MG/KG	0.02	5.3	2%
SS	E200.7	SW3050	NDE064	ALUMINUM	18000	=	18000	=	MG/KG	10	42	0%
SS	E200.7	SW3050	NDE064	MAGNESIUM	14000	=	14000	=	MG/KG	0.14	1050	0%
SS	E245.5	METHOD	NDE064	MERCURY	0.0039	J	0.0027	UJ	MG/KG	0.0026	0.04	200%
SS	FL-PRO	METHOD	NDE064	PETROLEUM HYDROCARBONS	889	=	945	=	MG/KG	96	157	6%
SS	SW8270C	SW3550	NDE064DL1	bis(2-ETHYLHEXYL) PHTHALATE	3880	J	376	UJ	UG/KG	53	706	200%
SS	E200.7	SW3050	NDE079	THALLIUM	0.36	U	0.93	J	MG/KG	0.36	2.1	200%

Attachment K - Field Duplicate Precision

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SS	E200.7	SW3050	NDE079	SODIUM	360	J	520	J	MG/KG	21	1070	36%
SS	E200.7	SW3050	NDE079	CALCIUM	16000	=	21000	=	MG/KG	3	1070	27%
SS	E200.7	SW3050	NDE079	LEAD	1.7	=	2.1	=	MG/KG	0.17	0.64	21%
SS	E200.7	SW3050	NDE079	COPPER	51	=	63	=	MG/KG	0.08	5.3	21%
SS	E200.7	SW3050	NDE079	ALUMINUM	15000	=	18000	=	MG/KG	10	43	18%
SS	E200.7	SW3050	NDE079	POTASSIUM	700	J	840	J	MG/KG	3.2	1070	18%
SS	E200.7	SW3050	NDE079	MAGNESIUM	11000	=	13000	=	MG/KG	0.14	1070	17%
SS	E200.7	SW3050	NDE079	BERYLLIUM	0.18	J	0.21	J	MG/KG	0.03	1.1	15%
SS	E200.7	SW3050	NDE079	IRON	27000	=	31000	=	MG/KG	2.7	21	14%
SS	E200.7	SW3050	NDE079	ARSENIC	1.7	J	1.9	J	MG/KG	0.31	2.1	11%
SS	E200.7	SW3050	NDE079	VANADIUM	77	=	85	=	MG/KG	0.07	11	10%
SS	E200.7	SW3050	NDE079	ANTIMONY	1.1	J	1.2	J	MG/KG	0.26	13	9%
SS	E200.7	SW3050	NDE079	COBALT	14	=	15	=	MG/KG	0.04	11	7%
SS	E200.7	SW3050	NDE079	CHROMIUM, TOTAL	32	J	34	J	MG/KG	0.09	2.1	6%
SS	E200.7	SW3050	NDE079	NICKEL	20	J	21	J	MG/KG	0.09	8.5	5%
SS	E200.7	SW3050	NDE079	ZINC	40	=	42	=	MG/KG	0.53	4.3	5%
SS	E200.7	SW3050	NDE079	MANGANESE	570	=	590	=	MG/KG	0.03	3.2	3%
SS	E200.7	SW3050	NDE079	BARIUM	41	J	40	J	MG/KG	0.01	43	2%
SS	E245.5	METHOD	NDE079	MERCURY	0.0032	U	0.0041	J	MG/KG	0.0032	0.04	200%
SS	FL-PRO	METHOD	NDE079	PETROLEUM HYDROCARBONS	130	J	196	J	MG/KG	9.8	16	40%
SS	E200.7	SW3050	NDE083	LEAD	1.6	=	8.7	=	MG/KG	0.2	0.74	138%
SS	E200.7	SW3050	NDE083	CALCIUM	7200	=	23000	=	MG/KG	3.4	1230	105%
SS	E200.7	SW3050	NDE083	CHROMIUM, TOTAL	110	J	71	J	MG/KG	0.11	2.5	43%
SS	E200.7	SW3050	NDE083	NICKEL	57	J	38	J	MG/KG	0.11	9.8	40%
SS	E200.7	SW3050	NDE083	SODIUM	670	J	450	J	MG/KG	25	1230	39%
SS	E200.7	SW3050	NDE083	BERYLLIUM	0.42	J	0.32	J	MG/KG	0.04	1.2	27%
SS	E200.7	SW3050	NDE083	COBALT	26	=	20	=	MG/KG	0.05	12	26%
SS	E200.7	SW3050	NDE083	ARSENIC	1.8	J	2.3	J	MG/KG	0.36	2.5	24%
SS	E200.7	SW3050	NDE083	ANTIMONY	1.4	J	1.1	J	MG/KG	0.3	15	24%
SS	E200.7	SW3050	NDE083	THALLIUM	0.73	J	0.58	J	MG/KG	0.42	2.5	23%
SS	E200.7	SW3050	NDE083	IRON	44000	=	36000	=	MG/KG	3.1	25	20%
SS	E200.7	SW3050	NDE083	VANADIUM	140	=	120	=	MG/KG	0.08	12	15%
SS	E200.7	SW3050	NDE083	POTASSIUM	600	J	690	J	MG/KG	3.7	1230	14%
SS	E200.7	SW3050	NDE083	COPPER	70	=	62	=	MG/KG	0.09	6.2	12%
SS	E200.7	SW3050	NDE083	ALUMINUM	25000	=	23000	=	MG/KG	12	49	8%
SS	E200.7	SW3050	NDE083	ZINC	48	=	51	=	MG/KG	0.62	4.9	6%
SS	E200.7	SW3050	NDE083	BARIUM	65	=	62	=	MG/KG	0.01	49	5%
SS	E200.7	SW3050	NDE083	MANGANESE	780	=	810	=	MG/KG	0.04	3.7	4%
SS	E200.7	SW3050	NDE083	MAGNESIUM	9700	=	10000	=	MG/KG	0.16	1230	3%
SS	E245.5	METHOD	NDE083	MERCURY	0.014	J	0.034	J	MG/KG	0.0037	0.04	83%
SS	FL-PRO	METHOD	NDE083	PETROLEUM HYDROCARBONS	19	J	40	J	MG/KG	11	18	71%
SS	E200.7	SW3050	NDE090	NICKEL	20	=	38	=	MG/KG	0.1	9	62%
SS	E200.7	SW3050	NDE090	LEAD	0.81	J	1.5	J	MG/KG	0.18	0.67	60%
SS	E200.7	SW3050	NDE090	CALCIUM	9500	=	16000	=	MG/KG	3.1	1120	51%
SS	E200.7	SW3050	NDE090	SELENIUM	1.6	J	0.97	J	MG/KG	0.52	1.1	49%
SS	E200.7	SW3050	NDE090	ANTIMONY	0.8	J	1.3	J	MG/KG	0.27	13	48%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SS	E200.7	SW3050	NDE090	SODIUM	410	J	640	J	MG/KG	22	1120	44%
SS	E200.7	SW3050	NDE090	BERYLLIUM	0.13	J	0.2	J	MG/KG	0.03	1.1	42%
SS	E200.7	SW3050	NDE090	CHROMIUM, TOTAL	41	J	59	J	MG/KG	0.09	2.2	36%
SS	E200.7	SW3050	NDE090	BARIUM	35	J	50	=	MG/KG	0.01	45	35%
SS	E200.7	SW3050	NDE090	COBALT	15	=	21	=	MG/KG	0.04	11	33%
SS	E200.7	SW3050	NDE090	COPPER	61	J	82	J	MG/KG	0.02	5.6	29%
SS	E200.7	SW3050	NDE090	POTASSIUM	440	J	580	J	MG/KG	3.4	1120	27%
SS	E200.7	SW3050	NDE090	ARSENIC	1	J	1.3	J	MG/KG	0.32	2.2	26%
SS	E200.7	SW3050	NDE090	MANGANESE	660	=	790	=	MG/KG	0.03	3.4	18%
SS	E200.7	SW3050	NDE090	ZINC	40	J	47	J	MG/KG	0.56	4.5	16%
SS	E200.7	SW3050	NDE090	VANADIUM	84	J	96	J	MG/KG	0.07	11	13%
SS	E200.7	SW3050	NDE090	ALUMINUM	16000	=	18000	=	MG/KG	11	45	12%
SS	E200.7	SW3050	NDE090	MAGNESIUM	12000	=	13000	=	MG/KG	0.15	1120	8%
SS	E200.7	SW3050	NDE090	IRON	30000	=	31000	=	MG/KG	2.8	22	3%
SS	FL-PRO	METHOD	NDE090	PETROLEUM HYDROCARBONS	17	J	15	J	MG/KG	10	17	13%
SS	SW8260B	SW5030	NDE090	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	1	J	UG/KG	0.18	10	200%
SS	SW8260B	SW5030	NDE090	O-XYLENE (1,2-DIMETHYLBENZENE)	10	UJ	0.34	J	UG/KG	0.17	10	200%
SS	SW8260B	SW5030	NDE090	TOLUENE	10	UJ	0.87	J	UG/KG	0.19	10	200%
SS	SW8260B	SW5030	NDE090	XYLENES, TOTAL	10	UJ	1.4	J	UG/KG	0.18	10	200%
SS	E200.7	SW3050	NDE097	BERYLLIUM	0.035	U	0.035	J	MG/KG	0.03	1.1	200%
SS	E200.7	SW3050	NDE097	SILVER	0.12	J	0.06	U	MG/KG	0.06	2.1	200%
SS	E200.7	SW3050	NDE097	LEAD	2.3	J	5.1	J	MG/KG	0.17	0.63	78%
SS	E200.7	SW3050	NDE097	CALCIUM	14000	=	17000	=	MG/KG	2.9	1050	19%
SS	E200.7	SW3050	NDE097	SODIUM	420	J	510	J	MG/KG	21	1050	19%
SS	E200.7	SW3050	NDE097	COBALT	13	=	15	=	MG/KG	0.04	11	14%
SS	E200.7	SW3050	NDE097	POTASSIUM	590	J	670	J	MG/KG	3.2	1050	13%
SS	E200.7	SW3050	NDE097	ALUMINUM	15000	=	17000	=	MG/KG	10	42	13%
SS	E200.7	SW3050	NDE097	IRON	25000	=	28000	=	MG/KG	2.6	21	11%
SS	E200.7	SW3050	NDE097	VANADIUM	69	J	76	J	MG/KG	0.07	11	10%
SS	E200.7	SW3050	NDE097	CHROMIUM, TOTAL	35	J	32	J	MG/KG	0.09	2.1	9%
SS	E200.7	SW3050	NDE097	MAGNESIUM	12000	=	13000	=	MG/KG	0.14	1050	8%
SS	E200.7	SW3050	NDE097	MANGANESE	500	=	540	=	MG/KG	0.03	3.2	8%
SS	E200.7	SW3050	NDE097	ZINC	40	J	43	J	MG/KG	0.53	4.2	7%
SS	E200.7	SW3050	NDE097	NICKEL	20	=	21	=	MG/KG	0.09	8.4	5%
SS	E200.7	SW3050	NDE097	SELENIUM	1	J	0.96	J	MG/KG	0.48	1.1	4%
SS	E200.7	SW3050	NDE097	ANTIMONY	0.97	J	1	J	MG/KG	0.25	13	3%
SS	E200.7	SW3050	NDE097	ARSENIC	1.1	J	1.1	J	MG/KG	0.3	2.1	0%
SS	E200.7	SW3050	NDE097	BARIUM	30	J	30	B	MG/KG	0.01	42	0%
SS	E200.7	SW3050	NDE097	COPPER	45	J	45	J	MG/KG	0.02	5.3	0%
SS	FL-PRO	METHOD	NDE097	PETROLEUM HYDROCARBONS	248	J	406	J	MG/KG	19	32	48%
SS	SW8260B	SW5030	NDE097	1,1-DICHLOROETHENE	10	UJ	0.47	J	UG/KG	0.37	10	200%
SS	SW8260B	SW5030	NDE097	M,P-XYLENE (SUM OF ISOMERS)	10	UJ	0.22	J	UG/KG	0.18	10	200%
SS	SW8260B	SW5030	NDE097	METHYLENE CHLORIDE	10	UJ	0.56	J	UG/KG	0.3	10	200%
SS	SW8260B	SW5030	NDE097	TOLUENE	10	UJ	1.5	J	UG/KG	0.19	10	200%
SS	SW8260B	SW5030	NDE097	XYLENES, TOTAL	10	UJ	0.22	J	UG/KG	0.18	10	200%
SB	E200.7	SW3050	NDE112	ANTIMONY	0.27	UJ	0.54	J	MG/KG	0.27	14	200%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SB	E200.7	SW3050	NDE112	BERYLLIUM	0.038	U	0.23	J	MG/KG	0.038	1.1	200%
SB	E200.7	SW3050	NDE112	SELENIUM	0.52	U	0.69	J	MG/KG	0.52	1.1	200%
SB	E200.7	SW3050	NDE112	CALCIUM	5900	=	11000	=	MG/KG	3.2	1140	60%
SB	E200.7	SW3050	NDE112	COBALT	4.9	J	7.3	J	MG/KG	0.049	11	39%
SB	E200.7	SW3050	NDE112	BARIUM	110	=	160	=	MG/KG	0.015	46	37%
SB	E200.7	SW3050	NDE112	VANADIUM	38	=	49	=	MG/KG	0.08	11	25%
SB	E200.7	SW3050	NDE112	LEAD	2.9	=	3.6	=	MG/KG	0.18	0.58	22%
SB	E200.7	SW3050	NDE112	MANGANESE	530	=	650	=	MG/KG	0.038	3.4	20%
SB	E200.7	SW3050	NDE112	MAGNESIUM	2000	=	2400	=	MG/KG	1.5	1140	18%
SB	E200.7	SW3050	NDE112	NICKEL	2.2	J	2.6	J	MG/KG	0.11	9.1	17%
SB	E200.7	SW3050	NDE112	SODIUM	1900	=	2200	=	MG/KG	23	1100	15%
SB	E200.7	SW3050	NDE112	COPPER	13	=	15	=	MG/KG	0.091	5.7	14%
SB	E200.7	SW3050	NDE112	ALUMINUM	9700	=	11000	=	MG/KG	11	46	13%
SB	E200.7	SW3050	NDE112	ZINC	17	=	19	=	MG/KG	0.57	4.6	11%
SB	E200.7	SW3050	NDE112	CHROMIUM, TOTAL	5.5	=	5.1	=	MG/KG	0.099	2.3	8%
SB	E200.7	SW3050	NDE112	IRON	13000	=	14000	=	MG/KG	2.9	23	7%
SB	E200.7	SW3050	NDE112	POTASSIUM	930	J	980	J	MG/KG	3.4	1140	5%
SB	E245.5	METHOD	NDE112	MERCURY	0.0029	U	0.0034	J	MG/KG	0.002	0.046	200%
SD	E200.7	SW3050	NDE118	CALCIUM	5400	=	1600	=	MG/KG	3.9	1380	109%
SD	E200.7	SW3050	NDE118	MANGANESE	250	J	110	J	MG/KG	0.04	4.1	78%
SD	E200.7	SW3050	NDE118	SODIUM	1600	=	1200	J	MG/KG	28	1400	29%
SD	E200.7	SW3050	NDE118	MAGNESIUM	910	J	690	J	MG/KG	1.8	1380	28%
SD	E200.7	SW3050	NDE118	LEAD	1.1	=	1.3	=	MG/KG	0.22	0.83	17%
SD	E200.7	SW3050	NDE118	BARIUM	7.2	J	6.2	J	MG/KG	0.01	55	15%
SD	E200.7	SW3050	NDE118	IRON	6300	=	7300	=	MG/KG	3.5	28	15%
SD	E200.7	SW3050	NDE118	VANADIUM	20	=	23	=	MG/KG	0.09	14	14%
SD	E200.7	SW3050	NDE118	COBALT	3	J	3.3	J	MG/KG	0.05	14	10%
SD	E200.7	SW3050	NDE118	ALUMINUM	1500	=	1600	=	MG/KG	13	55	6%
SD	E200.7	SW3050	NDE118	COPPER	6.1	J	6.5	J	MG/KG	0.11	6.9	6%
SD	E200.7	SW3050	NDE118	CHROMIUM, TOTAL	1.9	J	1.8	J	MG/KG	0.12	2.8	5%
SD	E200.7	SW3050	NDE118	NICKEL	0.89	J	0.85	J	MG/KG	0.13	11	5%
SD	E200.7	SW3050	NDE118	ZINC	7.5	=	7.3	=	MG/KG	0.69	5.5	3%
SD	E200.7	SW3050	NDE118	POTASSIUM	410	J	420	J	MG/KG	4.1	1380	2%
SD	E245.5	METHOD	NDE118	MERCURY	0.013	J	0.0035	U	MG/KG	0.0035	0.05	200%
SD	SW8260B	SW5030	NDE118	METHYL ETHYL KETONE (2-BUTANONE)	12	R	2.6	J	UG/KG	2.1	12	200%
SD	SW8260B	SW5030	NDE118	METHYLENE CHLORIDE	1.1	J	14	U	UG/KG	0.41	12	200%
SD	SW8260B	SW5030	NDE118	CARBON DISULFIDE	5.7	J	5.1	J	UG/KG	0.7	12	11%
SS	CLP_PEST	SW3550	NDE127	p,p'-DDE	2.3	J	0.74	J	UG/KG	0.37	3.7	103%
SS	CLP_PEST	SW3550	NDE127	p,p'-DDT	1.2	J	0.59	J	UG/KG	0.43	3.7	68%
SS	E200.7	SW3050	NDE127	ANTIMONY	0.5	J	0.91	J	MG/KG	0.27	13	58%
SS	E200.7	SW3050	NDE127	ZINC	57	=	93	=	MG/KG	0.56	4.5	48%
SS	E200.7	SW3050	NDE127	SODIUM	91	J	130	J	MG/KG	22	1120	35%
SS	E200.7	SW3050	NDE127	BARIUM	40	J	52	=	MG/KG	0.01	45	26%
SS	E200.7	SW3050	NDE127	MAGNESIUM	1810	=	2300	=	MG/KG	0.15	1120	24%
SS	E200.7	SW3050	NDE127	NICKEL	3.4	J	4.3	J	MG/KG	0.1	9	23%
SS	E200.7	SW3050	NDE127	ALUMINUM	6350	=	7900	=	MG/KG	11	45	22%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SS	E200.7	SW3050	NDE127	CHROMIUM, TOTAL	7.3	=	8.9	=	MG/KG	0.09	2.2	20%
SS	E200.7	SW3050	NDE127	BERYLLIUM	0.14	J	0.17	J	MG/KG	0.03	1.1	19%
SS	E200.7	SW3050	NDE127	COBALT	5.8	J	7	J	MG/KG	0.04	11	19%
SS	E200.7	SW3050	NDE127	MANGANESE	340	=	410	=	MG/KG	0.03	3.4	19%
SS	E200.7	SW3050	NDE127	IRON	12600	=	15000	=	MG/KG	2.8	22	17%
SS	E200.7	SW3050	NDE127	SELENIUM	0.78	J	0.66	J	MG/KG	0.52	1.1	17%
SS	E200.7	SW3050	NDE127	COPPER	20	=	23	=	MG/KG	0.02	5.6	14%
SS	E200.7	SW3050	NDE127	CALCIUM	7280	=	8300	=	MG/KG	3.1	1120	13%
SS	E200.7	SW3050	NDE127	ARSENIC	0.51	J	0.58	J	MG/KG	0.33	2.2	13%
SS	E200.7	SW3050	NDE127	VANADIUM	36	=	40	=	MG/KG	0.07	11	11%
SS	E200.7	SW3050	NDE127	LEAD	7.8	=	8.5	=	MG/KG	0.18	0.67	9%
SS	E200.7	SW3050	NDE127	POTASSIUM	1320	=	1400	=	MG/KG	3.4	1120	6%
SS	E245.5	METHOD	NDE127	MERCURY	0.033	J	0.0028	U	MG/KG	0.0028	0.04	200%
SS	SW8260B	SW5030	NDE127	M,P-XYLENE (SUM OF ISOMERS)	10	U	0.27	J	UG/KG	0.2	10	200%
SS	SW8260B	SW5030	NDE127	XYLENES, TOTAL	10	U	0.27	J	UG/KG	0.2	10	200%
SS	SW8260B	SW5030	NDE127	2-HEXANONE	1.2	J	1.2	J	UG/KG	0.57	10	0%
SS	CLP_PEST	SW3550	NDE142	p,p'-DDD	2.2	J	2.8	R	UG/KG	0.25	3.6	200%
SS	CLP_PEST	SW3550	NDE142	p,p'-DDE	69	R	52	=	UG/KG	0.37	3.6	200%
SS	CLP_PEST	SW3550	NDE142	p,p'-DDT	9.2	J	5.5	R	UG/KG	0.43	3.6	200%
SS	CLP_PEST	SW3550	NDE142	p,p'-DDT	9.2	J	11	J	UG/KG	0.43	3.6	18%
SS	CLP_PEST	SW3550	NDE142	p,p'-DDD	2.2	J	2.6	J	UG/KG	0.25	3.6	17%
SS	E200.7	SW3050	NDE142	SELENIUM	0.72	J	0.52	U	MG/KG	0.51	1.1	200%
SS	E200.7	SW3050	NDE142	SODIUM	270	J	400	J	MG/KG	22	1120	39%
SS	E200.7	SW3050	NDE142	ANTIMONY	1.5	J	2	J	MG/KG	0.27	13	29%
SS	E200.7	SW3050	NDE142	CHROMIUM, TOTAL	24	J	30	J	MG/KG	0.09	2.2	22%
SS	E200.7	SW3050	NDE142	POTASSIUM	700	J	570	J	MG/KG	3.4	1120	20%
SS	E200.7	SW3050	NDE142	LEAD	23	J	28	J	MG/KG	0.18	0.67	20%
SS	E200.7	SW3050	NDE142	ARSENIC	1.4	J	1.2	J	MG/KG	0.32	2.2	15%
SS	E200.7	SW3050	NDE142	NICKEL	14	=	16	=	MG/KG	0.1	9	13%
SS	E200.7	SW3050	NDE142	CALCIUM	30000	=	27000	=	MG/KG	3.1	1120	11%
SS	E200.7	SW3050	NDE142	ZINC	58	=	64	=	MG/KG	0.56	4.5	10%
SS	E200.7	SW3050	NDE142	MANGANESE	580	=	530	=	MG/KG	0.03	3.4	9%
SS	E200.7	SW3050	NDE142	COPPER	45	=	49	=	MG/KG	0.02	5.6	9%
SS	E200.7	SW3050	NDE142	BARIUM	47	=	51	=	MG/KG	0.01	45	8%
SS	E200.7	SW3050	NDE142	COBALT	12	=	13	=	MG/KG	0.04	11	8%
SS	E200.7	SW3050	NDE142	ALUMINUM	14000	=	15000	=	MG/KG	11	45	7%
SS	E200.7	SW3050	NDE142	IRON	23000	=	22000	=	MG/KG	2.8	22	4%
SS	E200.7	SW3050	NDE142	VANADIUM	57	=	59	=	MG/KG	0.07	11	3%
SS	E200.7	SW3050	NDE142	MAGNESIUM	9100	=	9000	=	MG/KG	0.15	1120	1%
SS	E200.7	SW3050	NDE142	BERYLLIUM	0.24	J	0.24	J	MG/KG	0.03	1.1	0%
SS	E245.5	METHOD	NDE142	MERCURY	0.014	J	0.014	J	MG/KG	0.0028	0.04	0%
SS	SW8260B	SW5030	NDE142	M,P-XYLENE (SUM OF ISOMERS)	11	UJ	0.2	J	UG/KG	0.21	11	200%
SS	SW8260B	SW5030	NDE142	O-XYLENE (1,2-DIMETHYLBENZENE)	11	UJ	0.2	J	UG/KG	0.2	11	200%
SS	SW8260B	SW5030	NDE142	XYLENES, TOTAL	11	UJ	0.4	J	UG/KG	0.21	11	200%
SS	SW8270C	SW3550	NDE142	BENZO(a)PYRENE	32	J	442	U	UG/KG	30	443	200%
SS	SW8270C	SW3550	NDE142	BENZO(b)FLUORANTHENE	40	J	442	U	UG/KG	26	443	200%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SS	SW8270C	SW3550	NDE142	BENZO(g,h,i)PERYLENE	27	J	442	U	UG/KG	27	443	200%
SS	SW8270C	SW3550	NDE142	INDENO(1,2,3-c,d)PYRENE	24	J	25	J	UG/KG	23	443	4%
SS	CLP_PEST	SW3550	NDE142DL1	p,p'-DDD	2.8	R	2.6	J	UG/KG	0.5	7.3	200%
SS	CLP_PEST	SW3550	NDE142DL1	p,p'-DDE	49	=	76	R	UG/KG	0.74	7.3	200%
SS	CLP_PEST	SW3550	NDE142DL1	p,p'-DDT	4.6	R	11	J	UG/KG	0.85	7.3	200%
SS	CLP_PEST	SW3550	NDE142DL1	p,p'-DDE	49	=	52	=	UG/KG	0.74	7.3	6%
SS	CLP_PEST	SW3550	NDE153	p,p'-DDE	64	R	89	J	UG/KG	0.38	3.7	200%
SS	CLP_PEST	SW3550	NDE153	p,p'-DDT	32	J	29	R	UG/KG	0.44	3.7	200%
SS	CLP_PEST	SW3550	NDE153	p,p'-DDT	32	J	27	=	UG/KG	0.44	3.7	17%
SS	E200.7	SW3050	NDE153	LEAD	5.2	=	12	=	MG/KG	0.18	0.58	79%
SS	E200.7	SW3050	NDE153	COPPER	41	=	69	=	MG/KG	0.02	5.6	51%
SS	E200.7	SW3050	NDE153	BARIUM	54	=	36	J	MG/KG	0.01	45	40%
SS	E200.7	SW3050	NDE153	NICKEL	12	=	18	=	MG/KG	0.1	9	40%
SS	E200.7	SW3050	NDE153	SODIUM	220	J	330	J	MG/KG	23	1130	40%
SS	E200.7	SW3050	NDE153	MAGNESIUM	5800	=	8600	=	MG/KG	0.15	1130	39%
SS	E200.7	SW3050	NDE153	ANTIMONY	0.82	J	1.2	J	MG/KG	0.27	14	38%
SS	E200.7	SW3050	NDE153	ALUMINUM	11000	=	15000	=	MG/KG	11	45	31%
SS	E200.7	SW3050	NDE153	ZINC	40	=	54	=	MG/KG	0.56	4.5	30%
SS	E200.7	SW3050	NDE153	BERYLLIUM	0.17	J	0.13	J	MG/KG	0.03	1.1	27%
SS	E200.7	SW3050	NDE153	COBALT	10	J	13	=	MG/KG	0.04	11	26%
SS	E200.7	SW3050	NDE153	CALCIUM	16000	=	13000	=	MG/KG	3.2	1130	21%
SS	E200.7	SW3050	NDE153	POTASSIUM	680	J	560	J	MG/KG	3.4	1130	19%
SS	E200.7	SW3050	NDE153	CHROMIUM, TOTAL	20	=	24	=	MG/KG	0.09	2.3	18%
SS	E200.7	SW3050	NDE153	MANGANESE	580	=	500	=	MG/KG	0.03	3.4	15%
SS	E200.7	SW3050	NDE153	IRON	19000	=	22000	=	MG/KG	2.8	23	15%
SS	E200.7	SW3050	NDE153	VANADIUM	59	=	67	=	MG/KG	0.07	11	13%
SS	E200.7	SW3050	NDE153	ARSENIC	0.81	J	0.86	J	MG/KG	0.33	2.3	6%
SS	E200.7	SW3050	NDE153	SELENIUM	0.95	J	0.95	J	MG/KG	0.52	1.1	0%
SS	E245.5	METHOD	NDE153	MERCURY	0.011	J	0.0061	J	MG/KG	0.0028	0.04	57%
SS	SW8260B	SW5030	NDE153	M,P-XYLENE (SUM OF ISOMERS)	0.35	J	0.32	J	UG/KG	0.2	10	9%
SS	SW8260B	SW5030	NDE153	XYLENES, TOTAL	0.35	J	0.32	J	UG/KG	0.2	10	9%
SS	SW8270C	SW3550	NDE153	BENZO(g,h,i)PERYLENE	70	J	115	J	UG/KG	25	420	49%
SS	SW8270C	SW3550	NDE153	INDENO(1,2,3-c,d)PYRENE	59	J	91	J	UG/KG	22	420	43%
SS	SW8270C	SW3550	NDE153	BENZO(k)FLUORANTHENE	70	J	105	J	UG/KG	30	420	40%
SS	SW8270C	SW3550	NDE153	BENZO(a)PYRENE	56	J	76	J	UG/KG	28	420	30%
SS	SW8270C	SW3550	NDE153	CHRYSENE	69	J	82	J	UG/KG	24	420	17%
SS	SW8270C	SW3550	NDE153	BENZO(b)FLUORANTHENE	88	J	104	J	UG/KG	25	420	17%
SS	SW8270C	SW3550	NDE153	FLUORANTHENE	44	J	38	J	UG/KG	26	420	15%
SS	SW8270C	SW3550	NDE153	PYRENE	46	J	40	J	UG/KG	24	420	14%
SS	SW8270C	SW3550	NDE153	BENZO(a)ANTHRACENE	31	J	34	J	UG/KG	22	420	9%
SS	CLP_PEST	SW3550	NDE153DL1	p,p'-DDE	48	J	119	R	UG/KG	0.76	7.5	200%
SS	CLP_PEST	SW3550	NDE153DL1	p,p'-DDT	30	R	27	=	UG/KG	0.87	7.5	200%
SS	CLP_PEST	SW3550	NDE153DL1	p,p'-DDE	48	J	89	J	UG/KG	0.76	7.5	60%
SS	CLP_PEST	SW3550	NDE164	p,p'-DDE	85	R	85	J	UG/KG	0.36	3.6	200%
SS	CLP_PEST	SW3550	NDE164	p,p'-DDT	96	R	61	J	UG/KG	0.42	3.6	200%
SS	E200.7	SW3050	NDE164	CHROMIUM, TOTAL	10	J	16	J	MG/KG	0.09	2.2	46%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SS	E200.7	SW3050	NDE164	LEAD	20	=	29	=	MG/KG	0.17	0.65	37%
SS	E200.7	SW3050	NDE164	ANTIMONY	0.61	J	0.88	J	MG/KG	0.26	13	36%
SS	E200.7	SW3050	NDE164	NICKEL	5.2	J	7.4	J	MG/KG	0.1	8.7	35%
SS	E200.7	SW3050	NDE164	SODIUM	210	J	290	J	MG/KG	22	1090	32%
SS	E200.7	SW3050	NDE164	ARSENIC	15	=	11	=	MG/KG	0.32	2.2	31%
SS	E200.7	SW3050	NDE164	BERYLLIUM	0.19	J	0.14	J	MG/KG	0.03	1.1	30%
SS	E200.7	SW3050	NDE164	CALCIUM	17000	=	23000	=	MG/KG	3.1	1090	30%
SS	E200.7	SW3050	NDE164	IRON	13000	=	17000	=	MG/KG	2.7	22	27%
SS	E200.7	SW3050	NDE164	MAGNESIUM	2600	=	3400	=	MG/KG	0.14	1090	27%
SS	E200.7	SW3050	NDE164	ZINC	42	=	47	=	MG/KG	0.55	4.4	11%
SS	E200.7	SW3050	NDE164	COPPER	26	=	29	=	MG/KG	0.08	5.5	11%
SS	E200.7	SW3050	NDE164	ALUMINUM	6500	=	7100	=	MG/KG	10	44	9%
SS	E200.7	SW3050	NDE164	MANGANESE	520	=	480	=	MG/KG	0.03	3.3	8%
SS	E200.7	SW3050	NDE164	VANADIUM	40	=	42	=	MG/KG	0.07	11	5%
SS	E200.7	SW3050	NDE164	BARIUM	52	=	50	=	MG/KG	0.01	44	4%
SS	E200.7	SW3050	NDE164	COBALT	7.5	J	7.3	J	MG/KG	0.04	11	3%
SS	E200.7	SW3050	NDE164	POTASSIUM	750	J	740	J	MG/KG	3.3	1090	1%
SS	E245.5	METHOD	NDE164	MERCURY	0.018	J	0.014	J	MG/KG	0.0033	0.04	25%
SS	SW8260B	SW5030	NDE164	M,P-XYLENE (SUM OF ISOMERS)	0.42	J	10	U	UG/KG	0.19	10	200%
SS	SW8260B	SW5030	NDE164	O-XYLENE (1,2-DIMETHYLBENZENE)	10	J	10	U	UG/KG	0.18	10	200%
SS	SW8260B	SW5030	NDE164	XYLENES, TOTAL	0.59	J	10	U	UG/KG	0.19	10	200%
SS	SW8270C	SW3550	NDE164	BENZO(b)FLUORANTHENE	3780	J	2210	J	UG/KG	28	482	52%
SS	SW8270C	SW3550	NDE164	BENZO(k)FLUORANTHENE	2730	J	1680	J	UG/KG	34	482	48%
SS	SW8270C	SW3550	NDE164	CARBAZOLE	160	J	99	J	UG/KG	30	482	47%
SS	SW8270C	SW3550	NDE164	INDENO(1,2,3-c,d)PYRENE	755	J	471	J	UG/KG	25	482	46%
SS	SW8270C	SW3550	NDE164	BENZO(g,h,i)PERYLENE	515	J	322	J	UG/KG	29	482	46%
SS	SW8270C	SW3550	NDE164	ACENAPHTHYLENE	331	J	208	J	UG/KG	48	482	46%
SS	SW8270C	SW3550	NDE164	ANTHRACENE	289	J	184	J	UG/KG	27	482	44%
SS	SW8270C	SW3550	NDE164	BENZO(a)ANTHRACENE	2170	J	1400	J	UG/KG	25	482	43%
SS	SW8270C	SW3550	NDE164	PHENANTHRENE	93	J	61	J	UG/KG	28	482	42%
SS	SW8270C	SW3550	NDE164	DIBENZ(a,h)ANTHRACENE	224	J	148	J	UG/KG	32	482	41%
SS	SW8270C	SW3550	NDE164	BENZO(a)PYRENE	2040	J	1360	J	UG/KG	32	482	40%
SS	SW8270C	SW3550	NDE164	CHRYSENE	2640	J	1770	J	UG/KG	27	482	39%
SS	SW8270C	SW3550	NDE164	FLUORANTHENE	1640	J	1110	J	UG/KG	30	482	32%
SS	SW8270C	SW3550	NDE164	PYRENE	1800	J	1300	J	UG/KG	27	482	32%
SS	CLP_PEST	SW3550	NDE164DL1	p,p'-DDE	83	J	76	R	UG/KG	3.7	36	200%
SS	CLP_PEST	SW3550	NDE164DL1	p,p'-DDT	82	J	79	R	UG/KG	4.2	36	200%
SS	CLP_PEST	SW3550	NDE164DL1	p,p'-DDT	82	J	61	J	UG/KG	4.2	36	29%
SS	CLP_PEST	SW3550	NDE164DL1	p,p'-DDE	83	J	85	J	UG/KG	3.7	36	2%
SW	E200.7	SW3050	NDE171	ANTIMONY	2.4	U	3	J	UG/L	2.4	60	200%
SW	E200.7	SW3050	NDE171	SODIUM	3E+06	R	4E+06	J	UG/L	200	5000	200%
SW	E200.7	SW3050	NDE171	THALLIUM	17	=	10	=	UG/L	3.4	10	52%
SW	E200.7	SW3050	NDE171	IRON	200	=	230	=	UG/L	25	100	14%
SW	E200.7	SW3050	NDE171	MANGANESE	2300	=	2600	=	UG/L	0.33	15	12%
SW	E200.7	SW3050	NDE171	NICKEL	2.8	J	3.1	J	UG/L	0.93	40	10%
SW	E200.7	SW3050	NDE171	COPPER	3	J	3.2	J	UG/L	0.8	25	6%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
SW	E200.7	SW3050	NDE171	ALUMINUM	300	=	320	=	UG/L	95	200	6%
SW	E200.7	SW3050	NDE171	BARIUM	300	=	320	=	UG/L	0.13	200	6%
SW	E200.7	SW3050	NDE171	MAGNESIUM	500000	=	530000	=	UG/L	13	5000	6%
SW	E200.7	SW3050	NDE171	CALCIUM	220000	=	230000	=	UG/L	28	5000	4%
SW	E200.7	SW3050	NDE171	POTASSIUM	240000	=	250000	=	UG/L	30	5000	4%
SW	E200.7	SW3050	NDE171	VANADIUM	1.5	J	1.5	J	UG/L	0.7	50	0%
SW	E245.2	METHOD	NDE171	MERCURY	0.049	J	0.025	U	UG/L	0.02	0.2	200%
SW	E300	NONE	NDE171	PERCHLORATE	12.5	=	82.2	J	UG/L	0.8	2.5	147%
SW	E200.7	SW3050	NDE171DL1	SODIUM	3E+06	J	3E+06	R	UG/L	2000	5000	200%
SW	E200.7	SW3050	NDE171DL1	SODIUM	3E+06	J	4E+06	J	UG/L	2000	5000	6%
SB	E200.7	SW3050	NDE196	THALLIUM	0.4	J	0.37	U	MG/KG	0.37	2.2	200%
SB	E200.7	SW3050	NDE196	ZINC	28	=	18	=	MG/KG	0.54	4.4	43%
SB	E200.7	SW3050	NDE196	LEAD	0.65	=	0.98	=	MG/KG	0.17	0.65	40%
SB	E200.7	SW3050	NDE196	MAGNESIUM	2000	=	1400	=	MG/KG	0.14	1090	35%
SB	E200.7	SW3050	NDE196	NICKEL	4.1	J	2.9	J	MG/KG	0.1	8.7	34%
SB	E200.7	SW3050	NDE196	MANGANESE	210	J	270	J	MG/KG	0.03	3.3	25%
SB	E200.7	SW3050	NDE196	POTASSIUM	810	J	630	J	MG/KG	3.3	1090	25%
SB	E200.7	SW3050	NDE196	ALUMINUM	5300	=	4200	=	MG/KG	10	44	23%
SB	E200.7	SW3050	NDE196	CALCIUM	1600	=	1300	=	MG/KG	3.1	1090	21%
SB	E200.7	SW3050	NDE196	COPPER	16	=	13	=	MG/KG	0.08	5.4	21%
SB	E200.7	SW3050	NDE196	ANTIMONY	0.33	J	0.38	J	MG/KG	0.26	13	14%
SB	E200.7	SW3050	NDE196	VANADIUM	35	=	31	=	MG/KG	0.07	11	12%
SB	E200.7	SW3050	NDE196	BARIUM	36	J	40	J	MG/KG	0.01	44	11%
SB	E200.7	SW3050	NDE196	CHROMIUM, TOTAL	9.7	=	8.8	=	MG/KG	0.09	2.2	10%
SB	E200.7	SW3050	NDE196	IRON	12000	=	11000	=	MG/KG	2.7	22	9%
SB	E200.7	SW3050	NDE196	COBALT	4.9	J	5	J	MG/KG	0.04	11	2%
SB	E200.7	SW3050	NDE196	SODIUM	63	J	63	J	MG/KG	22	1090	0%
SB	E245.5	METHOD	NDE196	MERCURY	0.0033	J	0.0061	J	MG/KG	0.0027	0.04	60%
WG	E200.7	FLDFLT	NDE215	ALUMINUM, DISSOLVED	95	U	100	J	UG/L	95	200	200%
WG	E200.7	SW3050	NDE215	ALUMINUM	3800	=	100	J	UG/L	95	200	190%
WG	E200.7	SW3050	NDE215	ZINC	19	J	11	J	UG/L	5	20	53%
WG	E200.7	SW3050	NDE215	CHROMIUM, TOTAL	5.2	J	3.2	J	UG/L	0.87	10	48%
WG	E200.7	SW3050	NDE215	COPPER	16	J	10	J	UG/L	0.8	25	46%
WG	E200.7	SW3050	NDE215	IRON	4500	=	2900	=	UG/L	25	100	43%
WG	E200.7	SW3050	NDE215	BARIUM	300	=	210	=	UG/L	0.13	200	35%
WG	E200.7	SW3050	NDE215	COBALT	12	J	9.3	J	UG/L	0.43	50	25%
WG	E200.7	SW3050	NDE215	THALLIUM	10	=	8	J	UG/L	3.4	10	22%
WG	E200.7	FLDFLT	NDE215	MANGANESE, DISSOLVED	92	=	110	=	UG/L	0.33	15	18%
WG	E200.7	SW3050	NDE215	NICKEL	9	J	7.6	J	UG/L	0.93	40	17%
WG	E200.7	SW3050	NDE215	CALCIUM	200000	=	170000	=	UG/L	28	5000	16%
WG	E200.7	SW3050	NDE215	VANADIUM	28	J	24	J	UG/L	0.7	50	15%
WG	E200.7	SW3050	NDE215	MAGNESIUM	110000	=	98000	=	UG/L	13	5000	12%
WG	E200.7	FLDFLT	NDE215	BARIUM, DISSOLVED	190	J	210	=	UG/L	0.13	200	10%
WG	E200.7	SW3050	NDE215	POTASSIUM	13000	J	12000	J	UG/L	30	5000	8%
WG	E200.7	FLDFLT	NDE215	SODIUM, DISSOLVED	830000	=	890000	=	UG/L	200	5000	7%
WG	E200.7	SW3050	NDE215	SODIUM	890000	=	850000	=	UG/L	200	5000	5%

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
WG	E200.7	FLDFLT	NDE215	VANADIUM, DISSOLVED	9.6	J	10	J	UG/L	0.7	50	4%
WG	E200.7	FLDFLT	NDE215	MAGNESIUM, DISSOLVED	97000	=	100000	=	UG/L	13	5000	3%
WG	E200.7	FLDFLT	NDE215	CALCIUM, DISSOLVED	180000	=	180000	=	UG/L	28	5000	0%
WG	E200.7	SW3050	NDE215	MANGANESE	1100	=	1100	=	UG/L	0.33	15	0%
WG	E200.7	FLDFLT	NDE215	POTASSIUM, DISSOLVED	12000	J	12000	J	UG/L	30	5000	0%
WG	SW8260B	SW5030	NDE215	TOLUENE	0.43	J	1	J	UG/L	0.28	1	80%
WG	E200.7	FLDFLT	NDE223	COBALT, DISSOLVED	1.1	J	0.43	U	UG/L	0.43	50	200%
WG	E200.7	FLDFLT	NDE223	THALLIUM, DISSOLVED	6.4	J	3.4	U	UG/L	3.4	10	200%
WG	E200.7	SW3050	NDE223	ZINC	22	=	5	U	UG/L	5	20	200%
WG	E200.7	FLDFLT	NDE223	ZINC, DISSOLVED	9.7	J	5	U	UG/L	5	20	200%
WG	E200.7	SW3050	NDE223	IRON	790	=	1200	=	UG/L	25	100	41%
WG	E200.7	SW3050	NDE223	ALUMINUM	680	=	990	=	UG/L	95	200	37%
WG	E200.7	SW3050	NDE223	COPPER	6.3	J	9	J	UG/L	0.8	25	35%
WG	E200.7	SW3050	NDE223	NICKEL	12	J	16	J	UG/L	0.93	40	29%
WG	E200.7	SW3050	NDE223	CHROMIUM, TOTAL	4.8	J	6.2	J	UG/L	0.87	10	25%
WG	E200.7	SW3050	NDE223	MANGANESE	230	J	290	J	UG/L	0.33	15	23%
WG	E200.7	FLDFLT	NDE223	COPPER, DISSOLVED	4	J	3.2	J	UG/L	0.8	25	22%
WG	E200.7	SW3050	NDE223	VANADIUM	13	J	15	J	UG/L	0.7	50	14%
WG	E200.7	FLDFLT	NDE223	MANGANESE, DISSOLVED	210	=	230	=	UG/L	0.33	15	9%
WG	E200.7	SW3050	NDE223	POTASSIUM	5900	J	6300	J	UG/L	30	5000	7%
WG	E200.7	FLDFLT	NDE223	BARIUM, DISSOLVED	160	J	170	J	UG/L	0.13	200	6%
WG	E200.7	SW3050	NDE223	BARIUM	180	J	190	J	UG/L	0.13	200	5%
WG	E200.7	FLDFLT	NDE223	POTASSIUM, DISSOLVED	5600	J	5900	J	UG/L	30	5000	5%
WG	E200.7	SW3050	NDE223	MAGNESIUM	51000	=	53000	=	UG/L	13	5000	4%
WG	E200.7	FLDFLT	NDE223	CALCIUM, DISSOLVED	71000	=	73000	=	UG/L	28	5000	3%
WG	E200.7	SW3050	NDE223	CALCIUM	76000	=	78000	=	UG/L	28	5000	3%
WG	E200.7	FLDFLT	NDE223	MAGNESIUM, DISSOLVED	48000	=	49000	=	UG/L	13	5000	2%
WG	E200.7	FLDFLT	NDE223	NICKEL, DISSOLVED	7	J	7.1	J	UG/L	0.93	40	1%
WG	E200.7	FLDFLT	NDE223	VANADIUM, DISSOLVED	8.2	J	8.1	J	UG/L	0.7	50	1%
WG	E200.7	SW3050	NDE223	SODIUM	170000	=	170000	=	UG/L	200	5000	0%
WG	E200.7	FLDFLT	NDE223	SODIUM, DISSOLVED	160000	=	160000	=	UG/L	200	5000	0%
WG	SW8260B	SW5030	NDE223	TOLUENE	0.75	J	1	U	UG/L	0.28	1	200%
WG	SW8270C	SW3510	NDE223	bis(2-ETHYLHEXYL) PHTHALATE	19	=	15	=	UG/L	0.93	5.3	24%
WG	E200.7	SW3050	NDE228	ARSENIC	2.9	U	5.4	J	UG/L	2.9	10	200%
WG	E200.7	SW3050	NDE228	SODIUM	7E+06	R	7E+06	=	UG/L	2000	50000	200%
WG	E200.7	FLDFLT	NDE228	SODIUM, DISSOLVED	5E+06	R	7E+06	=	UG/L	200	5000	200%
WG	E200.7	FLDFLT	NDE228	IRON, DISSOLVED	270	=	190	=	UG/L	25	100	35%
WG	E200.7	FLDFLT	NDE228	SILVER, DISSOLVED	1.2	J	1.4	J	UG/L	0.57	10	15%
WG	E200.7	SW3050	NDE228	IRON	440	=	380	=	UG/L	25	100	15%
WG	E200.7	SW3050	NDE228	CHROMIUM, TOTAL	3.3	J	2.9	J	UG/L	0.87	10	13%
WG	E200.7	SW3050	NDE228	ALUMINUM	210	=	190	J	UG/L	95	200	10%
WG	E200.7	SW3050	NDE228	SILVER	1.2	J	1.3	J	UG/L	0.57	10	8%
WG	E200.7	FLDFLT	NDE228	COBALT, DISSOLVED	5.8	J	5.4	J	UG/L	0.43	50	7%
WG	E200.7	SW3050	NDE228	VANADIUM	6.8	J	7.1	J	UG/L	0.7	50	4%
WG	E200.7	SW3050	NDE228	COBALT	6.5	J	6.3	J	UG/L	0.43	50	3%
WG	E200.7	SW3050	NDE228	MAGNESIUM	950000	=	980000	=	UG/L	13	5000	3%

Attachment K - Field Duplicate Precision

Matrix	Analytical Method	Prep Method	Sample ID	Parameter	Lab Result	Final Qual	Field Dup Lab Result	Field Dup Final Qual	Units	DL	RL	RPD
WG	E200.7	SW3050	NDE228	POTASSIUM	320000	J	330000	J	UG/L	30	5000	3%
WG	E200.7	FLDFLT	NDE228	CHROMIUM, DISSOLVED	3.2	J	3.3	J	UG/L	0.67	10	3%
WG	E200.7	FLDFLT	NDE228	VANADIUM, DISSOLVED	6.5	J	6.7	J	UG/L	0.7	50	3%
WG	E200.7	FLDFLT	NDE228	BARIUM, DISSOLVED	370	=	360	=	UG/L	0.13	200	3%
WG	E200.7	FLDFLT	NDE228	POTASSIUM, DISSOLVED	370000	J	360000	J	UG/L	30	5000	3%
WG	E200.7	SW3050	NDE228	BARIUM	430	=	420	=	UG/L	0.13	200	2%
WG	E200.7	FLDFLT	NDE228	CALCIUM, DISSOLVED	450000	=	440000	=	UG/L	28	5000	2%
WG	E200.7	FLDFLT	NDE228	MAGNESIUM, DISSOLVED	1E+06	=	990000	=	UG/L	13	5000	1%
WG	E200.7	SW3050	NDE228	CALCIUM	460000	=	460000	=	UG/L	28	5000	0%
WG	E200.7	SW3050	NDE228	MANGANESE	14000	J	14000	J	UG/L	0.33	15	0%
WG	E200.7	FLDFLT	NDE228	MANGANESE, DISSOLVED	13000	=	13000	=	UG/L	0.33	15	0%
WG	E300	NONE	NDE228	PERCHLORATE	48	J	8	U	UG/L	8	25	200%
WG	SW8260B	SW5030	NDE228	TOLUENE	0.66	J	0.53	J	UG/L	0.28	1	22%
WG	E200.7	SW3050	NDE228DL1	SODIUM	7E+06	=	7E+06	R	UG/L	2000	5000	200%
WG	E200.7	FLDFLT	NDE228DL1	SODIUM, DISSOLVED	7E+06	=	5E+06	R	UG/L	2000	5000	200%
WG	E200.7	FLDFLT	NDE228DL1	SODIUM, DISSOLVED	7E+06	=	7E+06	=	UG/L	2000	5000	3%
WG	E200.7	SW3050	NDE228DL1	SODIUM	7E+06	=	7E+06	=	UG/L	2000	5000	2%

Attachment L - Total versus Dissolved Metals

SampleID	Parameter	Total Conc	Total Qual	Dissolved Conc	Dissolved Qual	Units	RL	Dissolved > Total ?	Total > 5X RL ?	Dissolved > 5X RL ?	Is Difference > 10% of Dissolved Concentration ?
NDE228	POTASSIUM	320000	J	370000	J	UG/L	30	Yes	Yes	Yes	Yes
NDE230	MAGNESIUM	590000	=	680000	=	UG/L	13	Yes	Yes	Yes	Yes
NDE217DL1	SODIUM	1200000	R	1200000	R	UG/L	2000	Yes	Yes	Yes	No
NDE230	SODIUM	2500000	R	2700000	R	UG/L	200	Yes	Yes	Yes	No
NDE218	BARIUM	110	J	110	J	UG/L	0.13	Yes	Yes	Yes	No
NDE214	POTASSIUM	54000	J	56000	J	UG/L	30	Yes	Yes	Yes	No
NDE216FD1	POTASSIUM	12000	J	12000	J	UG/L	30	Yes	Yes	Yes	No
NDE217	POTASSIUM	12000	J	12000	J	UG/L	30	Yes	Yes	Yes	No
NDE218	POTASSIUM	8500	J	8800	J	UG/L	30	Yes	Yes	Yes	No
NDE229FD1	POTASSIUM	330000	J	360000	J	UG/L	30	Yes	Yes	Yes	No
NDE232	POTASSIUM	130000	J	130000	J	UG/L	30	Yes	Yes	Yes	No
NDE217	VANADIUM	6	J	6	J	UG/L	0.7	Yes	Yes	Yes	No
NDE219D	BARIUM	85	B	88	B	UG/L	0.13	Yes	Yes	Yes	No
18241LCS	ALUMINUM	51900	=	51900	=	UG/L	95	Yes	Yes	Yes	No
18241LCS	ANTIMONY	506	=	506	=	UG/L	2.4	Yes	Yes	Yes	No
NDE219S	ANTIMONY	495	=	516	=	UG/L	2.4	Yes	Yes	Yes	No
18241LCS	ARSENIC	2030	=	2030	=	UG/L	2.9	Yes	Yes	Yes	No
NDE219S	ARSENIC	1970	=	2020	=	UG/L	2.9	Yes	Yes	Yes	No
18241LCS	BARIUM	1880	=	1880	=	UG/L	0.13	Yes	Yes	Yes	No
NDE216FD1	BARIUM	210	=	210	=	UG/L	0.13	Yes	Yes	Yes	No
NDE217	BARIUM	400	=	400	=	UG/L	0.13	Yes	Yes	Yes	No
NDE219S	BARIUM	2050	=	2120	=	UG/L	0.13	Yes	Yes	Yes	No
NDE231	BARIUM	570	=	580	=	UG/L	0.13	Yes	Yes	Yes	No
18241LCS	BERYLLIUM	51	=	51	=	UG/L	0.33	Yes	Yes	Yes	No
NDE219S	BERYLLIUM	47	=	49	=	UG/L	0.33	Yes	Yes	Yes	No
18241LCS	CADMIUM	51	=	51	=	UG/L	0.27	Yes	Yes	Yes	No
NDE219S	CADMIUM	48	=	49	=	UG/L	0.27	Yes	Yes	Yes	No
18241LCS	CALCIUM	54100	=	54100	=	UG/L	28	Yes	Yes	Yes	No
NDE216FD1	CALCIUM	170000	=	180000	=	UG/L	28	Yes	Yes	Yes	No
NDE217	CALCIUM	340000	=	340000	=	UG/L	28	Yes	Yes	Yes	No
NDE219	CALCIUM	82000	=	82000	=	UG/L	28	Yes	Yes	Yes	No
NDE219D	CALCIUM	74200	=	77700	=	UG/L	28	Yes	Yes	Yes	No
NDE230	CALCIUM	570000	=	630000	=	UG/L	28	Yes	Yes	Yes	No
18241LCS	CHROMIUM, TOTAL	199	=	199	=	UG/L	0.87	Yes	Yes	Yes	No
NDE219S	CHROMIUM, TOTAL	190	=	193	=	UG/L	0.87	Yes	Yes	Yes	No
18241LCS	COBALT	505	=	505	=	UG/L	0.43	Yes	Yes	Yes	No
NDE219S	COBALT	473	=	484	=	UG/L	0.43	Yes	Yes	Yes	No
18241LCS	COPPER	245	=	245	=	UG/L	0.8	Yes	Yes	Yes	No
NDE219S	COPPER	254	=	260	=	UG/L	0.8	Yes	Yes	Yes	No
18241LCS	IRON	54300	=	54300	=	UG/L	25	Yes	Yes	Yes	No
18241LCS	LEAD	514	=	514	=	UG/L	1.6	Yes	Yes	Yes	No
NDE219S	LEAD	486	=	503	=	UG/L	1.6	Yes	Yes	Yes	No
18241LCS	MAGNESIUM	51600	=	51600	=	UG/L	13	Yes	Yes	Yes	No
NDE214	MAGNESIUM	220000	=	220000	=	UG/L	13	Yes	Yes	Yes	No
NDE216FD1	MAGNESIUM	98000	=	100000	=	UG/L	13	Yes	Yes	Yes	No
NDE217	MAGNESIUM	280000	=	280000	=	UG/L	13	Yes	Yes	Yes	No
NDE219	MAGNESIUM	51000	=	51000	=	UG/L	13	Yes	Yes	Yes	No
NDE219D	MAGNESIUM	46200	=	48200	=	UG/L	13	Yes	Yes	Yes	No
NDE228	MAGNESIUM	950000	=	1000000	=	UG/L	13	Yes	Yes	Yes	No
NDE229FD1	MAGNESIUM	980000	=	990000	=	UG/L	13	Yes	Yes	Yes	No
18241LCS	MANGANESE	495	=	495	=	UG/L	0.33	Yes	Yes	Yes	No
NDE217	MANGANESE	1800	=	1800	=	UG/L	0.33	Yes	Yes	Yes	No
19558LCS	MERCURY	2.26	=	2.26	=	UG/L	0.025	Yes	Yes	Yes	No
NDE219S	MERCURY	2.71	=	2.78	=	UG/L	0.025	Yes	Yes	Yes	No
18241LCS	NICKEL	510	=	510	=	UG/L	0.93	Yes	Yes	Yes	No
NDE219S	NICKEL	475	=	487	=	UG/L	0.93	Yes	Yes	Yes	No
18241LCS	POTASSIUM	49300	=	49300	=	UG/L	30	Yes	Yes	Yes	No
NDE219D	POTASSIUM	5510	=	5750	=	UG/L	30	Yes	Yes	Yes	No
18241LCS	SELENIUM	2360	=	2360	=	UG/L	4.6	Yes	Yes	Yes	No
NDE219S	SELENIUM	2280	=	2350	=	UG/L	4.6	Yes	Yes	Yes	No
18241LCS	SILVER	51	=	51	=	UG/L	0.57	Yes	Yes	Yes	No
NDE219S	SILVER	50	=	50	=	UG/L	0.57	Yes	Yes	Yes	No
18241LCS	SODIUM	52000	=	52000	=	UG/L	200	Yes	Yes	Yes	No

SampleID	Parameter	Total Conc	Total Qual	Dissolved Conc	Dissolved Qual	Units	RL	Dissolved > Total ?	Total > 5X RL ?	Dissolved > 5X RL ?	Is Difference > 10% of Dissolved Concentration ?
NDE214	SODIUM	940000	=	980000	=	UG/L	200	Yes	Yes	Yes	No
NDE216FD1	SODIUM	850000	=	890000	=	UG/L	200	Yes	Yes	Yes	No
NDE217	SODIUM	1200000	=	1200000	=	UG/L	200	Yes	Yes	Yes	No
NDE218	SODIUM	180000	=	180000	=	UG/L	200	Yes	Yes	Yes	No
NDE219	SODIUM	170000	=	170000	=	UG/L	200	Yes	Yes	Yes	No
NDE219D	SODIUM	152000	=	158000	=	UG/L	200	Yes	Yes	Yes	No
NDE221	SODIUM	160000	=	170000	=	UG/L	200	Yes	Yes	Yes	No
NDE228DL1	SODIUM	6600000	=	7100000	=	UG/L	2000	Yes	Yes	Yes	No
NDE229FD1DL1	SODIUM	6700000	=	6900000	=	UG/L	2000	Yes	Yes	Yes	No
NDE230DL1	SODIUM	2900000	=	3000000	=	UG/L	2000	Yes	Yes	Yes	No
18241LCS	THALLIUM	2060	=	2060	=	UG/L	3.4	Yes	Yes	Yes	No
NDE219S	THALLIUM	2080	=	2100	=	UG/L	3.4	Yes	Yes	Yes	No
18241LCS	VANADIUM	501	=	501	=	UG/L	0.7	Yes	Yes	Yes	No
NDE219S	VANADIUM	496	=	505	=	UG/L	0.7	Yes	Yes	Yes	No
18241LCS	ZINC	513	=	513	=	UG/L	5	Yes	Yes	Yes	No
NDE219S	ZINC	489	=	501	=	UG/L	5	Yes	Yes	Yes	No
NDE230	ARSENIC	2.9	U	6.4	J	UG/L	2.9	Yes	No	No	Yes
NDE223	COBALT	0.43	U	1.1	J	UG/L	0.43	Yes	No	No	Yes
NDE219	NICKEL	0.93	U	2.8	J	UG/L	0.93	Yes	No	No	Yes
NDE219	THALLIUM	3.4	U	5.3	J	UG/L	3.4	Yes	No	No	Yes
NDE223	THALLIUM	3.4	U	6.4	J	UG/L	3.4	Yes	No	No	Yes
NDE221	SELENIUM	4.6	U	6.4	=	UG/L	4.6	Yes	No	No	Yes
NDE229FD1	CHROMIUM, TOTAL	2.9	J	3.3	J	UG/L	0.87	Yes	No	No	Yes
NDE228	ZINC	5	R	5	R	UG/L	5	Yes	No	No	No
NDE229FD1	ZINC	5	R	5	R	UG/L	5	Yes	No	No	No
NDE216FD1	ALUMINUM	100	J	100	J	UG/L	95	Yes	No	No	No
NDE217	ALUMINUM	130	J	130	J	UG/L	95	Yes	No	No	No
NDE217	ANTIMONY	5.4	J	5.4	J	UG/L	2.4	Yes	No	No	No
NDE228	SILVER	1.2	J	1.2	J	UG/L	0.57	Yes	No	No	No
NDE229FD1	SILVER	1.3	J	1.4	J	UG/L	0.57	Yes	No	No	No
NDE228	SODIUM	6600000	R	5400000	R	UG/L	2000	No	Yes	Yes	Yes
NDE229FD1	SODIUM	6700000	R	5200000	R	UG/L	2000	No	Yes	Yes	Yes
NDE231	SODIUM	1700000	R	1600000	R	UG/L	2000	No	Yes	Yes	No
NDE232	SODIUM	4100000	R	3400000	R	UG/L	2000	No	Yes	Yes	Yes
NDE229FD1	ALUMINUM	190	J	95	U	UG/L	95	No	No	No	Yes
NDE214	ARSENIC	6.3	J	2.9	U	UG/L	2.9	No	No	No	Yes
NDE229FD1	ARSENIC	5.4	J	2.9	U	UG/L	2.9	No	No	No	Yes
NDE232	ARSENIC	5	J	2.9	U	UG/L	2.9	No	No	No	Yes
NDE232	BERYLLIUM	1.6	J	0.33	U	UG/L	0.33	No	No	No	Yes
NDE230	CADMIUM	3.9	J	0.27	U	UG/L	0.27	No	Yes	No	Yes
NDE232	CADMIUM	1.4	J	0.27	U	UG/L	0.27	No	Yes	No	Yes
NDE215	CHROMIUM, TOTAL	5.2	J	0.87	U	UG/L	0.87	No	Yes	No	Yes
NDE216FD1	CHROMIUM, TOTAL	3.2	J	0.87	U	UG/L	0.87	No	No	No	Yes
NDE220	CHROMIUM, TOTAL	4.9	J	0.87	U	UG/L	0.87	No	Yes	No	Yes
NDE222FD1	CHROMIUM, TOTAL	6.2	J	0.87	U	UG/L	0.87	No	Yes	No	Yes
NDE223	CHROMIUM, TOTAL	4.8	J	0.87	U	UG/L	0.87	No	Yes	No	Yes
NDE213	COBALT	5.1	J	0.43	U	UG/L	0.43	No	Yes	No	Yes
NDE214	COBALT	22	J	0.43	U	UG/L	0.43	No	Yes	No	Yes
NDE215	COBALT	12	J	0.43	U	UG/L	0.43	No	Yes	No	Yes
NDE216FD1	COBALT	9.3	J	0.43	U	UG/L	0.43	No	Yes	No	Yes
NDE220	COBALT	5.4	J	0.43	U	UG/L	0.43	No	Yes	No	Yes
NDE221	COBALT	23	J	0.43	U	UG/L	0.43	No	Yes	No	Yes
NDE213	COPPER	17	J	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE215	COPPER	16	J	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE216FD1	COPPER	10	J	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE220	COPPER	12	J	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE231	COPPER	12	J	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE218	IRON	86	J	25	U	UG/L	25	No	No	No	Yes
NDE230	MERCURY	0.076	J	0.025	U	UG/L	0.025	No	No	No	Yes
NDE231	MERCURY	0.033	J	0.025	U	UG/L	0.025	No	No	No	Yes
NDE232	MERCURY	0.065	J	0.025	U	UG/L	0.025	No	No	No	Yes
NDE215	NICKEL	9	J	0.93	U	UG/L	0.93	No	Yes	No	Yes
NDE216FD1	NICKEL	7.6	J	0.93	U	UG/L	0.93	No	Yes	No	Yes

SampleID	Parameter	Total Conc	Total Qual	Dissolved Conc	Dissolved Qual	Units	RL	Dissolved > Total ?	Total > 5X RL ?	Dissolved >5X RL ?	Is Difference > 10% of Dissolved Concentration ?
NDE220	NICKEL	9.2	J	0.93	U	UG/L	0.93	No	Yes	No	Yes
NDE230	NICKEL	18	J	0.93	U	UG/L	0.93	No	Yes	No	Yes
NDE232	NICKEL	25	J	0.93	U	UG/L	0.93	No	Yes	No	Yes
NDE214	THALLIUM	6.6	J	3.4	U	UG/L	3.4	No	No	No	Yes
NDE216FD1	THALLIUM	8	J	3.4	U	UG/L	3.4	No	No	No	Yes
NDE218	THALLIUM	9.3	J	3.4	U	UG/L	3.4	No	No	No	Yes
NDE220	THALLIUM	8	J	3.4	U	UG/L	3.4	No	No	No	Yes
NDE213	ZINC	19	J	5	U	UG/L	5	No	No	No	Yes
NDE215	ZINC	19	J	5	U	UG/L	5	No	No	No	Yes
NDE216FD1	ZINC	11	J	5	U	UG/L	5	No	No	No	Yes
NDE213	BARIUM	86	J	51	J	UG/L	0.13	No	Yes	Yes	Yes
NDE219	BARIUM	94	J	92	J	UG/L	0.13	No	Yes	Yes	No
NDE222FD1	BARIUM	190	J	170	J	UG/L	0.13	No	Yes	Yes	Yes
NDE223	BARIUM	180	J	160	J	UG/L	0.13	No	Yes	Yes	Yes
NDE228	CHROMIUM, TOTAL	3.3	J	3.2	J	UG/L	0.87	No	No	No	No
NDE231	CHROMIUM, TOTAL	2.5	J	2.4	J	UG/L	0.87	No	No	No	No
NDE228	COBALT	6.5	J	5.8	J	UG/L	0.43	No	Yes	Yes	Yes
NDE229FD1	COBALT	6.3	J	5.4	J	UG/L	0.43	No	Yes	Yes	Yes
NDE231	COBALT	15	J	12	J	UG/L	0.43	No	Yes	Yes	Yes
NDE219	COPPER	5.1	J	3.2	J	UG/L	0.8	No	Yes	No	Yes
NDE222FD1	COPPER	9	J	3.2	J	UG/L	0.8	No	Yes	No	Yes
NDE223	COPPER	6.3	J	4	J	UG/L	0.8	No	Yes	No	Yes
NDE219	MANGANESE	22	J	7.4	J	UG/L	0.33	No	Yes	Yes	Yes
NDE213	NICKEL	22	J	7.7	J	UG/L	0.93	No	Yes	Yes	Yes
NDE221	NICKEL	30	J	3.9	J	UG/L	0.93	No	Yes	No	Yes
NDE222FD1	NICKEL	16	J	7.1	J	UG/L	0.93	No	Yes	Yes	Yes
NDE223	NICKEL	12	J	7	J	UG/L	0.93	No	Yes	Yes	Yes
NDE213	POTASSIUM	4600	J	4100	J	UG/L	30	No	Yes	Yes	Yes
NDE215	POTASSIUM	13000	J	12000	J	UG/L	30	No	Yes	Yes	No
NDE219	POTASSIUM	6200	J	6100	J	UG/L	30	No	Yes	Yes	No
NDE220	POTASSIUM	6000	J	5800	J	UG/L	30	No	Yes	Yes	No
NDE221	POTASSIUM	5100	J	4700	J	UG/L	30	No	Yes	Yes	No
NDE222FD1	POTASSIUM	6300	J	5900	J	UG/L	30	No	Yes	Yes	No
NDE223	POTASSIUM	5900	J	5600	J	UG/L	30	No	Yes	Yes	No
NDE230	POTASSIUM	52000	J	43000	J	UG/L	30	No	Yes	Yes	Yes
NDE231	POTASSIUM	22000	J	21000	J	UG/L	30	No	Yes	Yes	No
NDE213	VANADIUM	43	J	20	J	UG/L	0.7	No	Yes	Yes	Yes
NDE215	VANADIUM	28	J	9.6	J	UG/L	0.7	No	Yes	Yes	Yes
NDE216FD1	VANADIUM	24	J	10	J	UG/L	0.7	No	Yes	Yes	Yes
NDE218	VANADIUM	6.9	J	6.2	J	UG/L	0.7	No	Yes	Yes	Yes
NDE219	VANADIUM	12	J	8	J	UG/L	0.7	No	Yes	Yes	Yes
NDE220	VANADIUM	20	J	4.9	J	UG/L	0.7	No	Yes	Yes	Yes
NDE222FD1	VANADIUM	15	J	8.1	J	UG/L	0.7	No	Yes	Yes	Yes
NDE223	VANADIUM	13	J	8.2	J	UG/L	0.7	No	Yes	Yes	Yes
NDE228	VANADIUM	6.8	J	6.5	J	UG/L	0.7	No	Yes	Yes	No
NDE229FD1	VANADIUM	7.1	J	6.7	J	UG/L	0.7	No	Yes	Yes	No
NDE231	VANADIUM	39	J	6.1	J	UG/L	0.7	No	Yes	Yes	Yes
NDE221	MANGANESE	1300	J	370	=	UG/L	0.33	No	Yes	Yes	Yes
NDE222FD1	MANGANESE	290	J	230	=	UG/L	0.33	No	Yes	Yes	Yes
NDE223	MANGANESE	230	J	210	=	UG/L	0.33	No	Yes	Yes	No
NDE228	MANGANESE	14000	J	13000	=	UG/L	0.33	No	Yes	Yes	No
NDE229FD1	MANGANESE	14000	J	13000	=	UG/L	0.33	No	Yes	Yes	No
NDE230	MANGANESE	15000	J	12000	=	UG/L	0.33	No	Yes	Yes	Yes
NDE231	MANGANESE	9300	J	9100	=	UG/L	0.33	No	Yes	Yes	No
NDE232	MANGANESE	17000	J	3700	=	UG/L	0.33	No	Yes	Yes	Yes
NDE215D	CHROMIUM, TOTAL	5.99	B	0.87	U	UG/L	0.87	No	Yes	No	Yes
NDE215D	COBALT	12	B	0.43	U	UG/L	0.43	No	Yes	No	Yes
NDE215D	COPPER	17	B	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE219D	COPPER	5.1	B	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE215D	NICKEL	9.35	B	0.93	U	UG/L	0.93	No	Yes	No	Yes
NDE215D	THALLIUM	8.86	B	7.63	B	UG/L	3.4	No	No	No	Yes
NDE215D	VANADIUM	30	B	9.29	B	UG/L	0.7	No	Yes	Yes	Yes
NDE219D	VANADIUM	9.4	B	7.52	B	UG/L	0.7	No	Yes	Yes	Yes

SampleID	Parameter	Total Conc	Total Qual	Dissolved Conc	Dissolved Qual	Units	RL	Dissolved > Total ?	Total > 5X RL ?	Dissolved > 5X RL ?	Is Difference > 10% of Dissolved Concentration ?
NDE213	ALUMINUM	6000	=	95	U	UG/L	95	No	Yes	No	Yes
NDE214	ALUMINUM	9100	=	95	U	UG/L	95	No	Yes	No	Yes
NDE215	ALUMINUM	3800	=	95	U	UG/L	95	No	Yes	No	Yes
NDE219	ALUMINUM	910	=	95	U	UG/L	95	No	Yes	No	Yes
NDE219D	ALUMINUM	866	=	95	U	UG/L	95	No	Yes	No	Yes
NDE220	ALUMINUM	2000	=	95	U	UG/L	95	No	Yes	No	Yes
NDE221	ALUMINUM	9100	=	95	U	UG/L	95	No	Yes	No	Yes
NDE222FD1	ALUMINUM	990	=	95	U	UG/L	95	No	Yes	No	Yes
NDE223	ALUMINUM	680	=	95	U	UG/L	95	No	Yes	No	Yes
NDE228	ALUMINUM	210	=	95	U	UG/L	95	No	No	No	Yes
NDE230	ALUMINUM	72000	=	95	U	UG/L	95	No	Yes	No	Yes
NDE231	ALUMINUM	2100	=	95	U	UG/L	95	No	Yes	No	Yes
NDE232	ALUMINUM	30000	=	95	U	UG/L	95	No	Yes	No	Yes
NDE213	CHROMIUM, TOTAL	11	=	0.87	U	UG/L	0.87	No	Yes	No	Yes
NDE214	CHROMIUM, TOTAL	15	=	0.87	U	UG/L	0.87	No	Yes	No	Yes
NDE221	CHROMIUM, TOTAL	19	=	0.87	U	UG/L	0.87	No	Yes	No	Yes
NDE232	COBALT	53	=	0.43	U	UG/L	0.43	No	Yes	No	Yes
NDE214	COPPER	25	=	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE230	COPPER	130	=	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE232	COPPER	48	=	0.8	U	UG/L	0.8	No	Yes	No	Yes
NDE214	IRON	11000	=	25	U	UG/L	25	No	Yes	No	Yes
NDE215	IRON	4500	=	25	U	UG/L	25	No	Yes	No	Yes
NDE215D	IRON	5500	=	25	U	UG/L	25	No	Yes	No	Yes
NDE216FD1	IRON	2900	=	25	U	UG/L	25	No	Yes	No	Yes
NDE219	IRON	1100	=	25	U	UG/L	25	No	Yes	No	Yes
NDE219D	IRON	995	=	25	U	UG/L	25	No	Yes	No	Yes
NDE220	IRON	3800	=	25	U	UG/L	25	No	Yes	No	Yes
NDE221	IRON	9600	=	25	U	UG/L	25	No	Yes	No	Yes
NDE222FD1	IRON	1200	=	25	U	UG/L	25	No	Yes	No	Yes
NDE223	IRON	790	=	25	U	UG/L	25	No	Yes	No	Yes
NDE230	IRON	68000	=	25	U	UG/L	25	No	Yes	No	Yes
NDE231	IRON	1500	=	25	U	UG/L	25	No	Yes	No	Yes
NDE232	IRON	15000	=	25	U	UG/L	25	No	Yes	No	Yes
NDE230	LEAD	12	=	1.6	U	UG/L	1.6	No	Yes	No	Yes
NDE232	LEAD	6.9	=	1.6	U	UG/L	1.6	No	No	No	Yes
NDE218	MANGANESE	18	=	0.33	U	UG/L	0.33	No	Yes	No	Yes
NDE214	NICKEL	59	=	0.93	U	UG/L	0.93	No	Yes	No	Yes
NDE215	THALLIUM	10	=	3.4	U	UG/L	3.4	No	No	No	Yes
NDE214	ZINC	33	=	5	U	UG/L	5	No	Yes	No	Yes
NDE215D	ZINC	20	=	5	U	UG/L	5	No	No	No	Yes
NDE221	ZINC	28	=	5	U	UG/L	5	No	Yes	No	Yes
NDE230	ZINC	94	=	5	R	UG/L	5	No	Yes	No	Yes
NDE232	ZINC	33	=	5	R	UG/L	5	No	Yes	No	Yes
NDE215	BARIUM	300	=	190	J	UG/L	0.13	No	Yes	Yes	Yes
NDE221	BARIUM	390	=	150	J	UG/L	0.13	No	Yes	Yes	Yes
NDE230	CHROMIUM, TOTAL	26	=	3	J	UG/L	0.87	No	Yes	No	Yes
NDE232	CHROMIUM, TOTAL	43	=	5.5	J	UG/L	0.87	No	Yes	Yes	Yes
NDE230	COBALT	63	=	18	J	UG/L	0.43	No	Yes	Yes	Yes
NDE221	COPPER	26	=	2.8	J	UG/L	0.8	No	Yes	No	Yes
NDE213	THALLIUM	10	=	9	J	UG/L	3.4	No	No	No	Yes
NDE214	VANADIUM	70	=	2.8	J	UG/L	0.7	No	Yes	No	Yes
NDE221	VANADIUM	64	=	8.2	J	UG/L	0.7	No	Yes	Yes	Yes
NDE230	VANADIUM	330	=	6.3	J	UG/L	0.7	No	Yes	Yes	Yes
NDE232	VANADIUM	160	=	3.8	J	UG/L	0.7	No	Yes	Yes	Yes
NDE223	ZINC	22	=	9.7	J	UG/L	5	No	No	No	Yes
NDE219D	MANGANESE	20	=	6.98	B	UG/L	0.33	No	Yes	Yes	Yes
NDE215D	ALUMINUM	4640	=	708	=	UG/L	95	No	Yes	Yes	Yes
NDE215S	ALUMINUM	6200	=	2920	=	UG/L	95	No	Yes	Yes	Yes
NDE219S	ALUMINUM	2990	=	2090	=	UG/L	95	No	Yes	Yes	Yes
NDE215S	ANTIMONY	516	=	515	=	UG/L	2.4	No	Yes	Yes	No
NDE215S	ARSENIC	2120	=	2050	=	UG/L	2.9	No	Yes	Yes	No
NDE214	BARIUM	490	=	460	=	UG/L	0.13	No	Yes	Yes	No
NDE215D	BARIUM	301	=	207	=	UG/L	0.13	No	Yes	Yes	Yes

SampleID	Parameter	Total Conc	Total Qual	Dissolved Conc	Dissolved Qual	Units	RL	Dissolved > Total ?	Total > 5X RL ?	Dissolved > 5X RL ?	Is Difference > 10% of Dissolved Concentration ?
NDE215S	BARIUM	2090	=	2020	=	UG/L	0.13	No	Yes	Yes	No
NDE220	BARIUM	250	=	200	=	UG/L	0.13	No	Yes	Yes	Yes
NDE228	BARIUM	430	=	370	=	UG/L	0.13	No	Yes	Yes	Yes
NDE229FD1	BARIUM	420	=	360	=	UG/L	0.13	No	Yes	Yes	Yes
NDE230	BARIUM	770	=	530	=	UG/L	0.13	No	Yes	Yes	Yes
NDE232	BARIUM	480	=	260	=	UG/L	0.13	No	Yes	Yes	Yes
NDE215S	BERYLLIUM	50	=	48	=	UG/L	0.33	No	Yes	Yes	No
NDE215S	CADMIUM	51	=	49	=	UG/L	0.27	No	Yes	Yes	No
NDE213	CALCIUM	35000	=	24000	=	UG/L	28	No	Yes	Yes	Yes
NDE214	CALCIUM	320000	=	270000	=	UG/L	28	No	Yes	Yes	Yes
NDE215	CALCIUM	200000	=	180000	=	UG/L	28	No	Yes	Yes	Yes
NDE215D	CALCIUM	196000	=	178000	=	UG/L	28	No	Yes	Yes	Yes
NDE218	CALCIUM	120000	=	110000	=	UG/L	28	No	Yes	Yes	No
NDE220	CALCIUM	120000	=	110000	=	UG/L	28	No	Yes	Yes	No
NDE221	CALCIUM	79000	=	64000	=	UG/L	28	No	Yes	Yes	Yes
NDE222FD1	CALCIUM	78000	=	73000	=	UG/L	28	No	Yes	Yes	No
NDE223	CALCIUM	76000	=	71000	=	UG/L	28	No	Yes	Yes	No
NDE228	CALCIUM	460000	=	450000	=	UG/L	28	No	Yes	Yes	No
NDE229FD1	CALCIUM	460000	=	440000	=	UG/L	28	No	Yes	Yes	No
NDE231	CALCIUM	370000	=	360000	=	UG/L	28	No	Yes	Yes	No
NDE232	CALCIUM	830000	=	580000	=	UG/L	28	No	Yes	Yes	Yes
NDE215S	CHROMIUM, TOTAL	201	=	191	=	UG/L	0.87	No	Yes	Yes	No
NDE215S	COBALT	519	=	490	=	UG/L	0.43	No	Yes	Yes	No
NDE215S	COPPER	267	=	245	=	UG/L	0.8	No	Yes	Yes	No
NDE213	IRON	8200	=	120	=	UG/L	25	No	Yes	No	Yes
NDE215S	IRON	5850	=	979	=	UG/L	25	No	Yes	Yes	Yes
NDE219S	IRON	2160	=	1030	=	UG/L	25	No	Yes	Yes	Yes
NDE228	IRON	440	=	270	=	UG/L	25	No	Yes	Yes	Yes
NDE229FD1	IRON	380	=	190	=	UG/L	25	No	Yes	Yes	Yes
NDE215S	LEAD	518	=	513	=	UG/L	1.6	No	Yes	Yes	No
NDE213	MAGNESIUM	19000	=	13000	=	UG/L	13	No	Yes	Yes	Yes
NDE215	MAGNESIUM	110000	=	97000	=	UG/L	13	No	Yes	Yes	Yes
NDE215D	MAGNESIUM	110000	=	96400	=	UG/L	13	No	Yes	Yes	Yes
NDE218	MAGNESIUM	59000	=	58000	=	UG/L	13	No	Yes	Yes	No
NDE220	MAGNESIUM	76000	=	71000	=	UG/L	13	No	Yes	Yes	No
NDE221	MAGNESIUM	49000	=	42000	=	UG/L	13	No	Yes	Yes	Yes
NDE222FD1	MAGNESIUM	53000	=	49000	=	UG/L	13	No	Yes	Yes	No
NDE223	MAGNESIUM	51000	=	48000	=	UG/L	13	No	Yes	Yes	No
NDE231	MAGNESIUM	300000	=	290000	=	UG/L	13	No	Yes	Yes	No
NDE232	MAGNESIUM	740000	=	690000	=	UG/L	13	No	Yes	Yes	No
NDE213	MANGANESE	250	=	150	=	UG/L	0.33	No	Yes	Yes	Yes
NDE214	MANGANESE	8300	=	5800	=	UG/L	0.33	No	Yes	Yes	Yes
NDE215	MANGANESE	1100	=	92	=	UG/L	0.33	No	Yes	Yes	Yes
NDE215D	MANGANESE	1140	=	90	=	UG/L	0.33	No	Yes	Yes	Yes
NDE215S	MANGANESE	1620	=	555	=	UG/L	0.33	No	Yes	Yes	Yes
NDE216FD1	MANGANESE	1100	=	110	=	UG/L	0.33	No	Yes	Yes	Yes
NDE219S	MANGANESE	497	=	492	=	UG/L	0.33	No	Yes	Yes	No
NDE220	MANGANESE	400	=	190	=	UG/L	0.33	No	Yes	Yes	Yes
NDE215S	MERCURY	2.73	=	2.3	=	UG/L	0.025	No	Yes	Yes	Yes
NDE215S	NICKEL	511	=	485	=	UG/L	0.93	No	Yes	Yes	No
NDE215D	POTASSIUM	12700	=	11700	=	UG/L	30	No	Yes	Yes	No
NDE215S	SELENIUM	2420	=	2380	=	UG/L	4.6	No	Yes	Yes	No
NDE215S	SILVER	51	=	49	=	UG/L	0.57	No	Yes	Yes	No
NDE213	SODIUM	290000	=	280000	=	UG/L	200	No	Yes	Yes	No
NDE215	SODIUM	890000	=	830000	=	UG/L	200	No	Yes	Yes	No
NDE215D	SODIUM	888000	=	826000	=	UG/L	200	No	Yes	Yes	No
NDE220	SODIUM	210000	=	200000	=	UG/L	200	No	Yes	Yes	No
NDE222FD1	SODIUM	170000	=	160000	=	UG/L	200	No	Yes	Yes	No
NDE223	SODIUM	170000	=	160000	=	UG/L	200	No	Yes	Yes	No
NDE231DL1	SODIUM	1700000	=	1600000	=	UG/L	2000	No	Yes	Yes	No
NDE232DL1	SODIUM	4100000	=	4000000	=	UG/L	2000	No	Yes	Yes	No
NDE215S	THALLIUM	2260	=	2170	=	UG/L	3.4	No	Yes	Yes	No
NDE215S	VANADIUM	531	=	486	=	UG/L	0.7	No	Yes	Yes	No

SampleID	Parameter	Total Conc	Total Qual	Dissolved Conc	Dissolved Qual	Units	RL	Dissolved > Total ?	Total > 5X RL ?	Dissolved > 5X RL ?	Is Difference > 10% of Dissolved Concentration ?
NDE215S	ZINC	532	=	518	=	UG/L	5	No	Yes	Yes	No
18240BLK	ALUMINUM	95	U	95	U	UG/L	95				
NDE218	ALUMINUM	95	U	95	U	UG/L	95				
18240BLK	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE213	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE214	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE215	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE215D	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE216FD1	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE218	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE219	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE219D	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE220	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE221	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE222FD1	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE223	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE228	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE229FD1	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE230	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE231	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
NDE232	ANTIMONY	2.4	U	2.4	U	UG/L	2.4				
18240BLK	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE213	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE215	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE215D	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE216FD1	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE217	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE218	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE219	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE219D	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE220	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE221	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE222FD1	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE223	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE228	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
NDE231	ARSENIC	2.9	U	2.9	U	UG/L	2.9				
18240BLK	BARIUM	0.13	U	0.13	U	UG/L	0.13				
18240BLK	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE213	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE214	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE215	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE215D	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE216FD1	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE217	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE218	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE219	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE219D	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE220	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE221	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE222FD1	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE223	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE228	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE229FD1	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE230	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
NDE231	BERYLLIUM	0.33	U	0.33	U	UG/L	0.33				
18240BLK	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE213	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE214	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE215	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE215D	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE216FD1	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE217	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE218	CADMIUM	0.27	U	0.27	U	UG/L	0.27				

SampleID	Parameter	Total Conc	Total Qual	Dissolved Conc	Dissolved Qual	Units	RL	Dissolved > Total ?	Total > 5X RL ?	Dissolved > 5X RL ?	Is Difference > 10% of Dissolved Concentration ?
NDE219	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE219D	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE220	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE221	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE222FD1	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE223	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE228	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE229FD1	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
NDE231	CADMIUM	0.27	U	0.27	U	UG/L	0.27				
18240BLK	CALCIUM	28	U	28	U	UG/L	28				
18240BLK	CHROMIUM, TOTAL	0.87	U	0.87	U	UG/L	0.87				
NDE217	CHROMIUM, TOTAL	0.87	U	0.87	U	UG/L	0.87				
NDE218	CHROMIUM, TOTAL	0.87	U	0.87	U	UG/L	0.87				
NDE219	CHROMIUM, TOTAL	0.87	U	0.87	U	UG/L	0.87				
NDE219D	CHROMIUM, TOTAL	0.87	U	0.87	U	UG/L	0.87				
18240BLK	COBALT	0.43	U	0.43	U	UG/L	0.43				
NDE217	COBALT	0.43	U	0.43	U	UG/L	0.43				
NDE218	COBALT	0.43	U	0.43	U	UG/L	0.43				
NDE219	COBALT	0.43	U	0.43	U	UG/L	0.43				
NDE219D	COBALT	0.43	U	0.43	U	UG/L	0.43				
NDE222FD1	COBALT	0.43	U	0.43	U	UG/L	0.43				
18240BLK	COPPER	0.8	U	0.8	U	UG/L	0.8				
NDE217	COPPER	0.8	U	0.8	U	UG/L	0.8				
NDE218	COPPER	0.8	U	0.8	U	UG/L	0.8				
NDE228	COPPER	0.8	U	0.8	U	UG/L	0.8				
NDE229FD1	COPPER	0.8	U	0.8	U	UG/L	0.8				
18240BLK	IRON	25	U	25	U	UG/L	25				
NDE217	IRON	25	U	25	U	UG/L	25				
18240BLK	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE213	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE214	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE215	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE215D	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE216FD1	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE217	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE218	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE219	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE219D	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE220	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE221	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE222FD1	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE223	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE228	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE229FD1	LEAD	1.6	U	1.6	U	UG/L	1.6				
NDE231	LEAD	1.6	U	1.6	U	UG/L	1.6				
18240BLK	MAGNESIUM	13	U	13	U	UG/L	13				
18240BLK	MANGANESE	0.33	U	0.33	U	UG/L	0.33				
19557BLK	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE213	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE214	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE215	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE215D	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE216FD1	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE217	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE218	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE219	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE219D	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE220	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE221	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE222FD1	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE223	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE228	MERCURY	0.025	U	0.025	U	UG/L	0.025				
NDE229FD1	MERCURY	0.025	U	0.025	U	UG/L	0.025				

SampleID	Parameter	Total Conc	Total Qual	Dissolved Conc	Dissolved Qual	Units	RL	Dissolved > Total ?	Total > 5X RL ?	Dissolved > 5X RL ?	Is Difference > 10% of Dissolved Concentration ?
18240BLK	NICKEL	0.93	U	0.93	U	UG/L	0.93				
NDE217	NICKEL	0.93	U	0.93	U	UG/L	0.93				
NDE218	NICKEL	0.93	U	0.93	U	UG/L	0.93				
NDE219D	NICKEL	0.93	U	0.93	U	UG/L	0.93				
NDE228	NICKEL	0.93	U	0.93	U	UG/L	0.93				
NDE229FD1	NICKEL	0.93	U	0.93	U	UG/L	0.93				
NDE231	NICKEL	0.93	U	0.93	U	UG/L	0.93				
18240BLK	POTASSIUM	30	U	30	U	UG/L	30				
18240BLK	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE213	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE214	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE215	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE215D	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE216FD1	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE217	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE218	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE219	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE219D	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE220	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE222FD1	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE223	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE228	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE229FD1	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE230	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE231	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
NDE232	SELENIUM	4.6	U	4.6	U	UG/L	4.6				
18240BLK	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE213	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE214	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE215	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE215D	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE216FD1	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE217	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE218	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE219	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE219D	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE220	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE221	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE222FD1	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE223	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE230	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE231	SILVER	0.57	U	0.57	U	UG/L	0.57				
NDE232	SILVER	0.57	U	0.57	U	UG/L	0.57				
18240BLK	SODIUM	200	U	200	U	UG/L	200				
18240BLK	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
NDE217	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
NDE219D	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
NDE221	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
NDE222FD1	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
NDE228	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
NDE229FD1	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
NDE230	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
NDE231	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
NDE232	THALLIUM	3.4	U	3.4	U	UG/L	3.4				
18240BLK	VANADIUM	0.7	U	0.7	U	UG/L	0.7				
18240BLK	ZINC	5	U	5	U	UG/L	5				
NDE217	ZINC	5	U	5	U	UG/L	5				
NDE218	ZINC	5	U	5	U	UG/L	5				
NDE219	ZINC	5	U	5	U	UG/L	5				
NDE219D	ZINC	5	U	5	U	UG/L	5				
NDE220	ZINC	5	U	5	U	UG/L	5				
NDE222FD1	ZINC	5	U	5	U	UG/L	5				
NDE228DL2	ZINC	20	U	20	U	UG/L	20				

SampleID	Parameter	Total Conc	Total Qual	Dissolved Conc	Dissolved Qual	Units	RL	Dissolved > Total ?	Total > 5X RL ?	Dissolved > 5X RL ?	Is Difference > 10% of Dissolved Concentration ?
NDE229FD1DL2	ZINC	20	U	20	U	UG/L	20				
NDE231	ZINC	5	U	5	U	UG/L	5				

Appendix J
Responses to Comments

Responses to Comments from EQB, EPA and TAPP on Draft Expanded PA/SI Phase II Report

Responses to EQB (TRC) Comments on Navy's Draft Expanded PA/SI Report

Comments Submitted 5/2/02

AOC B–Wastewater Treatment Plant

EQB Comment 1

AOC B – Wastewater Treatment Plant

Site Summary: The PA / SI indicates that since 1983, wastewater treatment plant effluent was drained into "…four wastewater lagoons with no discharge point…" The PA / SI indicates that the April 2000 Environmental Baseline Survey concluded that dumping of hazardous waste in the past is suspected.

PA/SI Investigation Summary: Four surface and subsurface soil samples were collected from the center of each lagoon and analyzed for VOCs, SVOCs, pesticides / PCBs, and inorganic compounds. Aluminum, manganese, lead, and vanadium were detected at concentrations above residential PRGs, but below NASD background levels in surface soils. Pesticides / PCBs, SVOCs, and VOCs were not detected above screening criteria in surface soil. Subsurface soil samples contained no contaminants above PRGs or background.

Response to EQB Comment 1

The second sentence has been re-worded to state that "According to the EBS Report, disposal of hazardous constituents may have occurred at the WWTP during past operations". However, the historical archive research and site data does not provide any evidence that hazardous waste was likely disposed of at the site."

Page-Specific Comments

Comment 2

Page 3-1, Paragraph 4: The site description needs to indicate whether the lagoons are lined.

Response to Comment 2

The text has been revised to state that the soil boring data from the investigation indicated that the lagoons are unlined..

EQB Comment 3

Page 3-6: No ground water data are available to assess ground water quality impacts. Samples need to be collected from a minimum of two water table ground water monitoring wells and analyzed for the full suite of parameters.

Response to Comment 3

Four soil samples were completed in the wastewater lagoons and at each soil boring both surface and subsurface soil samples were analyzed for the metals, pesticides, PCBs, SVOCs, and VOCs. These soil samples were distributed over the four quadrants of the lagoons to characterize any releases from the lagoons. Although several metals were detected above PRGs in the surface soils they were the same metals detected in the background soils. None of the subsurface soils detected metals above PRGs. A draft risk assessment prepared for the site indicates that the metal concentrations do not pose an unacceptable risk to human health. Consequently, groundwater sampling is not proposed for this site.

AOC K–Water Well At Public Works

EQB Comment 4

Page 7-1, ¶5: The construction details of the former water well need to be provided to evaluate these wells as suitable monitoring points.

Response to EQB Comment 4

The well construction details of supply well AOC K are presented in the Final PA/SI report.

AOC L–Septic Vault

EQB Comment 5

General Comment

Samples from a minimum of two ground water monitoring wells need to be collected and analyzed for the full suite of analytes. These results are necessary to evaluate the ground water quality impacts from the site.

Response to EQB Comment 5

The EBS states that “It is suspected that the vault was used in the 1940s for the treatment of installation sewage and no drainage field was present”. Therefore, any releases from the vault would likely have resulted from overflow of the vault and not from discharge to groundwater. Therefore, groundwater monitoring wells were not installed. Surface and subsurface soil samples were collected at the outlet of the vault at SB-01 and SB-02 as well. In addition, soil samples were collected at two other locations (SB-03 and SB-04) to provide analytical data for the entire perimeter around the vault. Although metals were detected above PRGs, they are likely indicative of site background levels. A risk assessment will be completed to assess if the metals concentrations meet acceptable risk.

EQB Comment 6

Page 8-2, Paragraph 5: It is not clear whether the subsurface soil samples at this site were obtained below the discharge depth of the vault. Data should be provided to indicated the depth of the subsurface samples. If they were not collected below the discharge depth of the vault, deeper samples should be obtained prior to recommending NFA for this site.

Response to EQB Comment 6

Surface and subsurface soil samples were collected below the discharge depth of the vault, at SB-01 and SB-02. In addition, soil samples were collected at two other locations below the discharge depth to provide analytical data for the entire perimeter around the vault. Although metals were detected above PRGs, they are likely indicative of site background levels. A risk assessment will be completed to assess if the metals concentrations meet acceptable risk.

Responses to EPA Comments on Navy's Draft Expanded PA/SI Phase II Report (July 2001)

EPA Comment 1

Section 1.6.2. Land Use: In developing the PRE and RI/FS for the site it is important to clearly define the land use following appropriate EPA guidance on land use. The current screening analysis used a residential scenario and changes from this assumption must be discussed in the site-specific risk assessments that are developed after this point.

Response to Comment 1

At the screening phases of the risk evaluations, residential land use based criteria are used to provide a conservative assessment of potential risks to human health and the environment. An expanded discussion of risk, based on the future land use for each of the sites, will be addressed as part of a risk analysis in the RI/FS document(s).

EPA Comment 2

Section 2.11: The current report uses background data to determine whether chemicals are site-related but fails to describe the procedures used. As described above, this approach should be defined and the approach outlined by Dr. Singh should be followed.

For risk assessments developed under the RI/FS and PRE process, it is important to use the Agency's new guidance on background sampling that recommends that background no longer be used as a criteria for removing chemicals of concern but rather this information should be discussed in the risk characterization. This recent guidance on use of background data clarifies earlier procedures on this topic as outlined in the Risk Assessment Guidance for Superfund. This approach should be followed in the second phase of this project.

Response to Comment 2

The risk assessment will follow the latest EPA guidance on background(U.S EPA, 2002). Exceedances will be addressed through a focused risk evaluation that incorporates appropriate procedures as outlined in the Risk Assessment Guidance for Superfund. The

focused Risk assessment will follow the latest EPA guidance on the analysis of background samples. All chemicals above RBCs/PRGs will be retained for risk assessment regardless of their presence within/below background levels and chemicals within/below background levels will be discussed at the end of risk characterization.

EPA Comment 3

AOC B - Wastewater Treatment Plant: Section 3.2 should provide additional site history information regarding the suspected dumping of hazardous waste that may have occurred at this site. Existing information regarding the types of hazardous material dumped should be included if available.

Response to Comment 3

The report of hazardous material dumping was initially identified as a potential source of release in the Initial Assessment Study conducted in 1984. The subsequent Environmental Baseline Survey did not validate or produce any additional information indicating that hazardous waste were in fact dumped at this site

EPA Comment 4

AOC H - Power Plant: Page 4-8, Section 4.7.1., last paragraph is missing text.

Response to Comment 4

The paragraph has been re-written, as follows:

Although detections of explosives (2,6-dinitrotoluene) were observed above the leachability criteria, all detections were within acceptable risk based screening criteria. Further, the groundwater analysis results for this site confirm that explosives have not leached from the soils to groundwater. The revised text is included in the Final PA/SI Report.

EPA Comment 5

AOC H - Power Plant: Figure 4-4. It is unclear why the screening criteria M includes an exceedence of the MCL and Region 3 Drinking Water Regulations while T only includes exceedence of the Region 9 Tap Water PRG. The important information is whether the MCL is exceeded without a further determination of exceedence of the Region 9 Drinking Water Standard for regulatory purposes. If the Region 3 information is presented it should be presented as a separate individual criteria.

Response to Comment 5

The legend on Figure 4-4 has been changed to indicate exceedences of screening qualifier 'M' indicates above Maximum Contaminant Level per Drinking Water Standards and Health Advisories, EPA 2000.

EPA Comment 6

AOC I - Asphalt Plant: Under Section 5.7.2 the data indicate that the maximum concentration of chromium found at the site exceeds the background level. It is unclear how the determination is made that chromium may not be site related. In light of Dr. Singh's comments, this should be re-evaluated and the text changed as appropriate.

Response to Comment 6

The chromium exceedances above background will be addressed through a risk assessment that incorporates appropriate procedures as outlined in the Risk Assessment Guidance for Superfund and Dr. Singh's comments (July 2, 2001).

EPA Comment 7

AOC J - Former Staging and Disposal Site: There has been considerable discussion within the Agency regarding perchlorate sampling. During the proposed sampling in the next phase it may be helpful to discuss sampling for perchlorate with Region 9 risk assessors who has been involved in developing sampling procedures. Region 2 will help facilitate this contact.

Response to Comment 7

Comment Noted. Upon development of the RI/FS Workplan, these recommendations will be implemented.

EPA Comment 8

AOC J - Former Staging and Disposal Site: The discussion under Section 6.6.1 requires further clarification. As indicated earlier, the risk assessments do not use data from filtered samples as the basis for analysis. This section should present results for unfiltered samples as the basis for decision making regarding further evaluation. It is also important to note that 6 of the seven metals exceeded background samples. It is recommended that the unfiltered data should be evaluated in a risk assessment to determine the level of risk posed by this groundwater.

Response to Comment 8

Unfiltered groundwater data will be evaluated in a risk assessment that will be conducted for a Remedial; Investigation that will be completed at this site. Filtered samples are collected to assess if the presence of unfiltered samples is due to suspended soil particles and are not used in the risk assessment. Groundwater samples will be collected using low-flow sampling techniques during the RI. Exceedances of background values are discussed in Section 6.7.1. of the Final PA/SI Report.

Section 6.6.1 has been revised by adding the following text:

However, all metals that exceed MCLs will be evaluated in the risk assessment conducted for the RI. The revised text is included in Attachment A.

EPA Comment 9

AOC J - Former Staging and Disposal Site: On page 6-11, the text should clarify what criteria was used in the evaluation of sediment samples and the basis for this comparison. Review of Table 6-5 indicates comparison to ECOSD developed by Region 4. These criteria are not appropriate for human health risk assessments. It is recommended that the text clarify the location of the sediment, whether this is a completed exposure pathway, and how people may be exposed to the contaminated sediment. Based on this information a screening level may be determined.

Response to Comment 9

No constituents were detected above comparison criteria, this has been clarified in the Final PA/SI Report. A Remedial Investigation will be completed for this site where additional surface water and sediment samples will be collected. In addition, a risk assessment will be conducted. The proposed sample locations and approach for the risk assessment will be presented in the RI/FS Work Plan.

EPA Comment 10

AOC K - Water Well: In Region 2, we do not perform risk assessments using unfiltered water samples as proposed for this AOC. It is recommended that the PRE should evaluate the groundwater data using unfiltered samples and present these results as the basis for decisions.

Response to Comment 10

It is not our intent to use filtered samples for risk assessments. Groundwater risk estimations will be based on unfiltered samples. However, filtered samples are used to assess if the metals detected are from suspended particulates rather than from metals dissolved in the groundwater (see response to comment 8).

The last paragraph of section 7.7.1 has been re-worded, as follows:

Based on the interpretation of these results, a risk assessment will be conducted to assess the potential risk to human health from metals that were detected above the screening criteria in the unfiltered groundwater samples.

EPA Comment 11

AOC K - Water Well: In Section 7.7.1, the discussion regarding background is not clear. It appears that the document indicates that the detections are likely the result of background contamination and on this basis it is determined that there is no need for further evaluation. This discussion is confusing and requires clarification especially based on the criteria outlined in Dr. Singh's comments since it appears that the maximum concentration of aluminum exceeds the background concentration found. The decision regarding whether additional analysis for these chemicals is required and will need to be revisited following the additional analysis described above.

Response to Comment 11

The estimates for background used in the screening do not take into account the data variability in the background data set. Additional statistical evaluations will be conducted during the PRE to determine if the site data are different from background data following existing background analysis guidance.

Section 7.7.1 text has been clarified as follows:

Background exceedances will be addressed through a risk assessment that will be completed as a separate document and will incorporate appropriate procedures as outlined in the Risk Assessment Guidance for Superfund and Dr. Singh's related memo (July 2, 2001).

EPA Comment 12

AOC K - Water Well: The discussion regarding laboratory contamination with BEHP is unclear. There are specific criteria in RAGS-Part A that address evaluation of laboratory contamination and the RAGS-Part A approach should be used to evaluate whether BEHP is a laboratory contaminant or whether it is a site-related contaminant.

Response to Comment 12

BEHP, also known as bis(2-ethylhexyl)phthalate is a phthalate ester, which has been identified as a common laboratory contaminant within Chapter 5 of the RAGS, Part A document. As per this guidance, a sample concentration has to be at least 10 times that detected in the blanks, in order for it to be considered as potentially associated with the site. BEHP, like several other phthalates is a common constituent of plastics typically used in equipment during sampling and analysis, and is introduced in the sampling and analysis process. For this reason, EPA recognizes these as common laboratory contaminants. Therefore, the detected BEHP, since it is below the levels found in the blanks, was not considered related to the site. From the Data Quality Evaluation (DQE) in Appendix I, Attachment B indicates that BEHP was detected in a single ambient blank. Six samples were qualified as non-detect due to blank contamination by BEHP. Di-n-octylphthalate was reported in single equipment and lab blanks which resulted in six samples being qualified. Di-ethyl phthalate was detected in two laboratory blanks but resulted in no samples being qualified.

Comment 13

AOC L - Septic Vault: See previous comments regarding background contamination analysis and requested clarifications.

Response to Comment 13

Background exceedances will be addressed through a risk assessment that will be completed as a separate document and will incorporate appropriate procedures as outlined in the Risk Assessment Guidance for Superfund and Dr. Singh's comments (July 2, 2001).

EPA Comment 14

AOC R - Former Construction Staging Area: Section 9.7.1. The baseline risk assessment evaluates risks in the absence of institutional controls as described in the NCP and RAGS-Part A. The assumption that the contaminants are associated with a previous asphalt cover that may have been present is not clear. It is recommended that the SVOCs should be evaluated in the comprehensive risk assessment.

Response to Comment 14

As already stated in the report, a risk assessment will be conducted for the SVOC (mostly PAHs) data.

Based on the interpretation of the results, a Remedial Investigation, including a risk assessment will be completed to address human health risk potential associated with the SVOC exceedances and metals observed above background values. This revision has been incorporated into the Final PA/SI Report.

EPA Comment 15

AOC R - Former Construction Staging Area: See previous comment regarding evaluation of metals data.

Response to Comment 15

The text in this section has been updated to convey the following:

Background exceedances will be addressed through a Remedial Investigation that will include a risk assessment that incorporates appropriate procedures as outlined in the Risk Assessment Guidance for Superfund and Dr. Singh's comments (July 2, 2001).

General Comments

EPA Comment G.1

The document should clarify the decision process used for determining whether a Remedial Investigation/Feasibility Study is required or a Preliminary Risk Evaluation. In addition, the text should explain the decision points following the Preliminary Risk Evaluation (i.e., would an RI/FS be conducted if a specific target risk level were exceeded?).

Response to Comment G.1

A decision flow chart has been added to the PA/SI report. If the data indicate a need for further sampling, additional sampling will be proposed.

Section 2.11 Risk-Based Criteria Screening Procedure has been modified as follows:

A decision flow chart is shown in Figure 2-1. Constituents below risk-based screening criteria will be dropped out. However, all constituents exceeding screening criteria or background levels will be evaluated using a risk assessment.

EPA Comment G.2

The ecological section of the document and the QA/QC of data were not reviewed as part of this evaluation and should be sent to appropriate reviewers.

Response to Comment G.2

Comment noted.

EPA Comment G.3

The July 2, 2001 memo from Dr. Anita Singh indicates that the 95% upper tolerance limit (UTL) is the preferred method for evaluating background level contaminant concentrations. The memo further indicates that "... in this approach, even a single exceedance of the background UTL by onsite (e.g., monitoring well) data is considered as an indication of contamination due to site activities (EPA, 1989, page 5-22). It is desirable that the Navy uses this approach consistently." As currently presented, it is unclear how background was evaluated at the individual AOCs since details are not presented in the document. At a minimum, the background analysis procedures should be clearly defined in the screening procedures

section following the recommendations presented in Dr. Sing's memo described above. As appropriate, the reported screening procedures for the various AOCs may require modification and re-evaluation based on this analysis.

Response to Comment G.3

The background screening procedures are included in the Final Background Investigation Report and have been added to Section 2.11 as follows:

A background sampling program was conducted at NASD Vieques to determine the commonly occurring concentrations of metals (inorganic constituents) in surface soil, sub-surface soil, groundwater, surface water, and sediments at the site. Samples were collected from areas of NASD that had not been previously disturbed. Undisturbed sample locations were selected based on an analysis of aerial photographs from 1936-1999. The appropriate number of samples, (for the range of 75 to 95 percent confidence level of the results) were collected. Background values of Upper Tolerance Limit (UTL) 95% were developed for detected constituents in each media.

A statistical approach was used as the primary method for developing the background concentrations. This approach was supported by a graphical method that showed similar background concentrations.

The background concentrations that were developed can be used as reliable indications of the commonly occurring inorganic constituents at NASD and can be used to evaluate whether constituents detected during future investigations are due to background conditions or to activities related to a specific site at NASD. Site data can be screened to the background concentrations and if the site data are below the background concentrations, it can be assumed that these constituents are not related to site activities.

If inorganic constituents exceed the background concentrations for a specific site, and if other site-specific information indicates contamination is not likely to be site operations related, then additional statistical comparisons may be conducted. These evaluations could include comparisons of data distributions by different statistical methods such as UCL 95 percent comparisons and analysis of variance (ANOVA). For these evaluations, the entire site data population for a particular media is compared with the background population for that media. These additional comparisons may be used for future analysis when a UTL 95 percent based background value is exceeded for a specific site.

If site data are above MCLs, then a risk assessment will be conducted to determine the risk to human health and the environment.

EPA Comment G.4

At several AOCs, the unfiltered data showed exceedences of the PRGs. The authors then compared the PRGs to the filtered data and determined based on this analysis that the groundwater was acceptable based on sample contamination with particulates. This approach is not appropriate since EPA uses the unfiltered data for decision making.

Response to Comment G.4

Unfiltered groundwater data will be used for risk based decision-making. Unfiltered inorganic groundwater constituents that exceed MCLs will be evaluated in a focused risk assessment.

Additional Comments (Submitted under separate cover)

EPA Comment A.1

1. pg. 1-4 (Previous Investigations) - next to last paragraph states “In Oct. 2000,CH2M HILL prepared a Final Expanded PA/SI” - This should be revised to state “A Final Phase 1 Expanded PA/SI”.

Response to Comment A.1

The text has been changed accordingly. The revised section is included in the Final PA/SI Report

EPA Comment A.2

2. pg. 1-4 (Previous Investigations) - last paragraph states “A detailed description of the field investigations for the PA/SI was presented in the Site Specific Workplan” - This should be revised to state “for the Phase 2 Expanded PA/SI Seven Sites”.

Response to Comment A.2

The text has been changed accordingly in the Final PA/SI Report.

EPA Comment A.3

3. pg. 3-4 (Laboratory Analytical Results) - 1'st paragraph 2'nd sentence states “Section 3.7 presents conclusions and recommendations” This should be revised to state “Section 3.6”.

Response to Comment A.3

The text has been changed accordingly. The revised section is included in the Final PA/SI Report

EPA Comment A.4

4. pg.4-8 (Surface Soil) - last paragraph 2'nd sentence states “The concentrations for explosives were below the residential and industrial PRG but” This sentence is incomplete – please correct this.

Response to Comment A.4

The paragraph has been re-written in accordance with the specific comments for Section 4. The revised section is included in the revised PA/SI Report.

Responses to TAPP Comments on Navy's Draft Expanded PA/SI Report

Comments submitted 11/2001

Section II–Field Investigation Procedures

TAPP Comment 1

Specific references will need follow-up as the individual AOC sections are reviewed. For instance, this section notes that monitoring wells were discussed at AOCs K, J and H, but it is unclear whether any of the other four AOCs should have or did receive groundwater investigation.

Response to Comment 1

The other four AOCs (B, I, L, R) were identified as sites that may have been associated with potential releases at or near the ground surface. Therefore, these sites were investigated by the sampling of surface and subsurface soils only. Should these investigations indicate that contaminant migration extends below the surface, then groundwater samples would be collected. However, the initial investigations at these sites did not detect subsurface contamination.

Section III - Wastewater treatment Plant (AOC B)

TAPP Comment 2

With regard to previous investigations, note that the Environmental Baseline Survey reported that dumping of hazardous wastes may have occurred at the site. Interestingly, the compounds detected seem to suggest this may have been the case, as one would not suspect 1,4 dichlorobenzene to be a regular sewage sludge constituent. In the summary provided of this previous investigation, they do not discuss the source of the detections and indicate no further sampling was needed based on this 2000 investigation because sludge criteria were not exceeded.

Response to Comment 2

The historical archive research and site data does not provide information that hazardous waste was likely disposed of at the site. Metals occur naturally within soils and groundwater. Dichlorobenzene and toluene are by-products of gasoline, which may have been associated with non-hazardous, disinfectant or petroleum contamination at the wastewater plant. A risk assessment will be conducted and submitted as a separate document to evaluate if unacceptable risks are present.

TAPP Comment 3

It is unclear what the evidence is for hazardous disposal at this site. However, given this report, there is some concern whether they analyzed for all the appropriate compounds. Specifically, measuring for polycyclic aromatic hydrocarbons, explosives and radiological parameters, should be considered.

Response to Comment 3

The archive search and interviews for the Environmental Baseline Survey did not identify any contaminant sources containing explosives, radiological waste or PAHs that could have potentially discharged these contaminants into the wastewater treatment plant.

The report of hazardous material dumping was initially identified as a potential source of release in the Initial Assessment Study conducted in 1984. The subsequent Environmental Baseline Survey did not validate or produce any additional information indicating that hazardous waste were in fact dumped at this site.

TAPP Comment 4

At a minimum, a transparent discussion should take place about historical activities, the weaknesses of record keeping and the inevitable holes in historical record searches. Even if no evidence to date has been uncovered of the use of specific compounds, empirical data should be collected at a few agreed upon locations to confirm the absence of specific classes of compounds often found on military installations.

Response to Comment 4

Metals, SVOC, VOCs, Pesticides and PCBs were analyzed which are constituents found on some military bases. Explosives were detected only at locations directly below where ordnance was found. NASD was not a typical military installation in that there was not a significant amount of industrial operations that would generate a large volume of hazardous waste, because the facility was primarily an ammunition storage facility.

Section IV–Power Plant (AOC H)

TAPP Comment 5

Some groundwater contours are provided for this site to justify the locations of monitoring wells located at the site. However, initial review of the well locations, and considering the known and inferred contour lines, leaves me to believe that two additional monitoring wells (one on each long side of the structure) are needed. The text itself suggests that tidal effects may influence groundwater flow. In turn, clear definition of the groundwater flow becomes critical to understanding where best to sample. Thus, not only are a few more monitoring wells important for proper contaminant investigation, collecting groundwater elevation data over time to evaluate tidal fluxes is also necessary to ensure an adequate understanding of potential contamination migration. This becomes particularly relevant given the various detections within the soil.

Response to Comment 5

AOC H has been recommended for a Remedial Investigation/Feasibility Study. As part of this study, additional monitoring wells will be installed. At a minimum, two additional monitoring wells will be installed, for sampling and groundwater elevation monitoring.

TAPP Comment 6

It is also important to note that the reported history for the site does not explain the presence of 2,6 dinitrotoluene. In this regard, the explanation for the presence of the pesti-

cides and SVOCs should also be discussed within the text. It is interesting to note that the propylamine compound is found in the same corner of the property as the 2,6-DNT. Additionally, it should be noted that these detections exceed the Region 9 soil screening level for migration to groundwater and that it is on this lateral side of the building where a monitoring well currently does not exist, which means groundwater flow in that vicinity cannot be delineated. Until such issues are clarified, conclusions about risks are more questionable.

Response to Comment 6

The former use of the site as a fire training facility may explain the presence of 2,6 dinitrotoluene As previously discussed, additional monitoring wells will be installed to further characterize the extent of groundwater impacts. The proposed locations of the investigations will be presented in a work plan for the RI/FS for this site.

TAPP Comment 7

Again, the reasoning for not measuring other compounds should be discussed, including perchlorate a known contaminant of certain fuels and petroleum hydrocarbons given the storage tanks referenced.

Response to Comment 7

There is no evidence that perchlorate was used at the site. However, based on EPA's comment that this constituent is a potential site-related constituent at sites containing explosives, perchlorate will be included in the analyte list for the investigations to be performed for the Remedial Investigation. Petroleum hydrocarbon constituents, VOCs and SVOCs were analyzed at this site.

TAPP Comment 8

Also note that it needs to be clarified why compounds such as trichloroethene and tetrachloroethane were analyzed for in soil borings but not in groundwater samples. Additionally, it is unclear if other solvents, such as tetrachloroethane, were analyzed for.

Response to Comment 8

Volatile organic compounds including trichloroethelene and tetrachloroetylene were analyzed for in the groundwater and are presented in Appendix H of the Final PA/SI Report.. However, these constituents were not detected above screening levels and were therefore not illustrated on the figures. Additional investigations will be conducted as part of the RI.

Section V–Asphalt Plant (AOC I)

TAPP Comment 9

The consistent levels of chromium and the TPHs clearly stand out at this site. The language in this section is confusing as it notes chromium exceedances of the background levels in both the surface and the subsurface, but notes only one of the subsurface detections exceed the background level and suggests that it "may be indicative of background conditions." Instead, there needs to be a discussion of the potential sources for the chromium detected.

Response to Comment 9

The reference to background refers to the condition that only 3/23 metals detected exceeded background levels and therefore “the majority of metal detections are likely indicative of background conditions". No known source of chromium is present at the site. However, a risk assessment will be completed to assess if there is an unacceptable risk of chromium at the site.

TAPP Comment 10

As for the TPHs, they note that 25 samples exceeded the 100 ppm comparison criterion, ranging from 103 to 1,200 ppm. While they note that this is indicative of a release, they note that none of the petroleum-derived hazardous constituents exceed their respective risk-based criteria. In turn, it appears that the RI/FS will focus on this issue to determine whether the documented release needs to be remediated.

Response to Comment 10

Total Petroleum Hydrocarbon (TPH) is an indicator parameter that is utilized to assess is a release has occurred and does not have a human health risk levels associated with it. Therefore, the RI/FS will assess which constituents (VOCs and SVOCs) of the TPH pose an unacceptable risk and, therefore, will require remedial action.

TAPP Comment 11

It should also be noted that no further sampling is recommended in the subsurface despite the surface detections. The text even states that “no evidence exists to indicate that a release to the subsurface soil has occurred as a result of site related activities.” This statement in itself needs multi-stakeholder discussion to understand the conclusions being drawn and the impacts of such conclusion on future cleanup and use. Clearly, certain types of contaminant releases are to the surface but can migrate and impact subsurface soil and other media over time. These issues of risk, to both human and ecological receptors, and long-term fate will need to be looked at closely in the RI/FS process.

Response to Comment 11

The types of petroleum hydrocarbons present at the site, asphalt, have very low mobility in soils. The subsurface soil sampling confirmed that there were no impacts from the site on the subsurface soil. The RI/FS will address the mobility of these constituents, the ecological risk and the human health risk associated with the petroleum hydrocarbons detected at the site.

TAPP Comment 12

On a smaller note, it appears that various data results were qualified as being unusable in the section 5 tables. This issue should be discussed and clarified during a future working meeting.

Response to Comment 12

Collected samples that were qualified as unusable, or that could impact the conclusions and recommendations of the report, will be re-sampled during the RI process.

Former Staging and Disposal Area (AOC J)

TAPP Comment 13

This area is a perfect example of where information regarding the types of materials that may have been present are "non-existent" according to the text. In such a case, evidence must be significant that specific classes of compounds were not, used on the island before they should be left off of compound lists for analyses. In this site, radiological and petroleum hydrocarbons immediately come to mind. Upon further review, the latter becomes even more of a concern given that perchlorate was detected at the site and is known to be in certain military fuels.

Response to Comment 13

Petroleum hydrocarbons were analyzed using VOCs and SVOCs. TPH is an indicator parameter that is only required at EQB regulated petroleum sites. Additional perchlorate sampling will be conducted as part of the RI. Available information indicated that radiological contaminants were not relevant to this site and did not require further consideration.

TAPP Comment 14

More attention must be given to conclusions presented in the text without the supporting logic. For instance, the authors do present the groundwater flow data for this site and indicate that monitoring well #3 is "upgradient." However, the materials provided do not provide any spatial information regarding where activities took place on the site map, such as specific areas of known, suspected or possible storage/dumping. In other words, if any dumping or debris storage took place on the western end of the fenced area, then clearly well #3 would be upgradient compared to the other wells installed but not necessarily upgradient of any potential residual contamination.

Response to Comment 14

Additional information are presented on the site map in the Final PA/SI Report, including the estimated extent of the waste area, such that the groundwater flow direction across the waste site will be illustrated.

TAPP Comment 15

Toward this end, the selected areas for the groundwater wells appear inadequate to get a good feel for groundwater flow beneath the site, regardless of what contamination is found or not found in the paragraphs to follow. On this issue, one should acknowledge that this is not a significant concern in this case since further groundwater investigations are recommended for this site. It is assumed that additional wells will be considered in future investigations.

Response to Comment 15

Additional monitoring wells will be installed as part of the RI to better delineate the extent of groundwater impacts from the site. These well locations will be presented in a work plan for the RI for this site.

TAPP Comment 16

In the conclusions regarding surface water copper and mercury were found to be above surface water criteria. In the case of copper, its detection below the background concentration causes the authors to imply that additional evaluation of this metal is not needed. The memorandum regarding the background study should be reviewed and considered in assessing the adequacy of the background data for making this decision.

Response to Comment 16

As part of the RI additional surface water and sediment samples will be collected upgradient and downgradient from the site and analyzed for metals (including copper and mercury). This additional data will be utilized to determine if elevated levels of metals are site-related or part of the background concentrations.

TAPP Comment 17

For surface soil, the text indicates that no evidence exists to indicate a release to this medium and that further investigation is not recommended. While this may be a reasonable recommendation, the absence of site-specific discussion regarding evidence of activity, locations within the site of known storage, etc., makes it difficult to evaluate the soil sampling locations. Some concern exists with the simple observation that several of the samples appear to be adjacent to the perimeter fencing or along the woods line of the site. If this is the case, the soil sample locations may not have been placed in the ideal locations for detecting soil contamination. Further exploration of such issues, including a site visit, should be conducted among all stakeholders involved in assessing the adequacy of such investigative conclusions.

Response to Comment 17

A map will be provided within the Final RI Report to illustrate the sample locations with respect to the extent of the waste area. The locations of additional soil samples will be provided in the RI Work Plan. However, the collection of subsurface soil samples from within the waste material will be limited due to: 1) safety concerns drilling through waste, 2) the potential for vertical migration of waste to the groundwater, and 3) the unrepresentative nature of sampling waste materials.

Water Well at Public Works (AOC K)

TAPP Comment 18

As with other graphics within this document, the map depicting AOC K is very difficult to utilize in conjunction with the accompanying text. The boundary of the Public Works Compound and the location of the barracks are not evident in the figures but are used within the text to help the reader pinpoint the location of the AOC. Additionally, the location of the well where the benzene was detected in 1996 is not adequately shown.

Response to Comment 18

The Final PA/SI Report provides a figure illustrating the location of AOC K with respect to the Public Works Area, the barracks location, and the well where benzene was originally detected.

TAPP Comment 19

While someone with significant experience at the site may understand the figures, they should be drafted a) for use by other interested stakeholders and b) to adequately document the decision process so that future reviews can follow the scientific and logical conclusions drawn. (Note that maps from the next section clarified some features on the map in this section—clarity needs to be consistent and better legends could contribute to achieving such clarity).

Response to Comment 19

As discussed previously, a figure illustrating the features requested is provided in the Final PA/SI Report.

TAPP Comment 20

As for the contamination at the site, the evaluation of the results is simply inadequate. The main reason presented at the beginning of this section for the expanded PA/SI was the detection of benzene at 21 micrograms per liter. However, the results and conclusions do not discuss the significance or reasoning for what appears to be the non-detection of this carcinogen in this investigation. With the absence of such discussion, the reader is left completely in the dark regarding this peculiarity. Has the benzene plume, if it is a plume, simply not reached the closest down gradient well yet? Were the monitoring wells installed too far from the site where the benzene was originally detected (it appears the closest down-gradient well is more than 80 feet away)? Were the wells installed at the wrong depths? Neither the text nor the graphics present any information that would suggest the conclusion that "no further groundwater sampling is recommended" is reasonable and logical.

Response to Comment 20

Additional discussions of the rationale for the recommendation are provided in the Final PA/SI Report including: the well depths were installed at the same depth as the water supply well; the former supply well (AOC-K) ; the benzene concentrations previously detected were not detected during resampling of the well; and no sources of benzene contamination were detected during the investigation.

Septic Vault (AOC L)

TAPP Comment 21

The investigation of this site is simple and the results seem unremarkable. Yet, upon initial review, some questions exist regarding how the septic vault itself will be sampled and remediated, given the transfer of this property. Without direct involvement in the Vieques process, it is not clear if the findings in this section that "no further sampling is recommended for surface and subsurface soil" refers specifically to the suitability of transfer and soil or if this section proposes that no other investigation is required period. If the latter is the proposed conclusion, then a discussion regarding the drainage fields that were not located and other media (e.g., groundwater) should be included in this document.

Response to Comment 21

AOC L septic vault was empty at the time of sampling and, therefore, no samples were collected. Although the EBS indicated that no drainage field were identified, soil samples were collected at the outfall of the vault and at a depth below the base of the septic vault. This provides an assessment of impacts to the soils adjacent to the vault. This discussion will be provided in the Final PA/SI Report.

Former Construction Staging Area (AOC R)

Comment 22

In this investigation, the analysis for SVOCs include several compounds typically associated with PAH discussions, but the presence of these petroleum-related compounds is not discussed in this light for this AOC. However, SVOCs and petroleum hydrocarbons, including diesel range organics, gasoline range organics and BTEX compounds, were covered in another section (AOC I) of this document. In the development of an investigation and in the presentation of the results consistency and clarity needs to be a conscious focus. The reasons for the differences in analyte/compound discussions between the two sections are unclear. It also is not clear from the text that all the petroleum-based compounds were measured for. In other words, given the documented light vehicle maintenance from the site description for this AOC, the petroleum issue should not be left embedded in the SVOC results.

Response to Comment 22

Petroleum related contaminants were analyzed from 34 surface soil samples using VOC and SVOC analytical scans. This analytical scan provides analysis of BTEX and PAH compounds typically associated with petroleum hydrocarbons. The analytical parameter Total Petroleum Hydrocarbons (TPH) was analyzed at AOC I because it is an analytical requirement at petroleum storage facilities. However, this parameter does not provide a measure of the risk to human health at a site.

TAPP Comment 23

As for the conclusions and recommendations, the text does not provide any discussion or evidence that the SVOCs detected could not be the result of the documented light vehicle maintenance activities. Thus, it is not clear that the contaminants found can solely be contributed to the asphalt previously present, as suggested in the text. In fact, the current language within this section does not even make clear whether asphalt was or may have been present at the site previously.

Response to Comment 23

The SVOCs detected are typically detected in asphalt pavement. However, a Remedial Investigation, including a risk assessment is proposed for the site to assess the extent and impacts from the SVOCs.

TAPP Comment 24

Lastly, it should be noted that the text indicates that “no evidence exists to suggest that a release of hazardous materials to the surface soil has occurred at this site as a result of site-

related activities." With the presence of the SVOCs, it is not clear how the authors can draw such a conclusion based on the current information provided within this document, even if the SVOCs are there as a result of asphalt.

Response to Comment 24

This conclusion will be deleted from the report. The significance of whether or not a release has occurred will be dependent upon the results of the RI and risk assessment.

Comments Submitted 4/2002

Comment Responses Regarding TRC Approved Generic Site Investigation Work Plan and Site-wide Groundwater Assessment Process

The Navy's contractor prepared a Master Work Plan for Site Investigations conducted at NASD, Vieques Island, Puerto Rico. This work plan was reviewed and approved by EPA and provides the information needed for sampling procedures utilized for the PA/SI. Regarding the site-wide groundwater assessment, it is the Navy's policy to conduct groundwater investigation only at those sites that are known or suspected to have an impact on the groundwater, not to conduct a basewide investigation. However, The Deed transferring the property from the Navy to The Municipality of Vieques (MOV) allows MOV to notify the Navy within 90 days of any previously unidentified condition that may require a response action by the Navy, such as a known release to the groundwater.

TAPP Comment 1

Site Selection – The Section 1.1, *Background*, mentions 10 sites for which a Phase I PA/SI was completed in June 2000. It is assumed that the seven sites addressed in this Phase II document were selected from those sites addressed in the referenced Phase I effort. Please clarify. If this is the case, has the TRC discussed why the other three sites did not require any additional investigation?

Response to Comment 1

The sites addressed in the Phase II PA/SI are in addition to the sites reference in the Phase I effort.

TAPP Comment 2

Munition Disposal – Section 1.4, *NASD Description*, indicates that waste management activities included the storage of aged and inoperable munitions. Has the Navy developed a detailed description of how these items were disposed of during the existence of NASD? It would be helpful to have such a document as a reference for the upcoming TAPP work if such a document exists. It is suggested that, at a minimum, the cleanup process include field inspection of areas immediately surrounding identified AOCs, as well as areas not identified as AOCs but suspected to have been used for NASD activities. Note that such inspection is not only important for finding munitions disposal but also disposal of other potentially hazardous materials.

Response to Comment 2

Prior to 1979, the disposal of the waste ordnance at NASD took place at SWMU 04. This is discussed in the Phase I PA/SI report. Since 1979 waste ordnance from NASD was disposed of at AFTWTF. All of the SWMUs and AOCs identified in Phase II PA/SI have been considered for ordnance and evidence of hazardous waste.

TAPP Comment 3

FUDS Sites – It has been reported that at least one FUDS exists on Vieques. It is associated with the Vieques Municipal Airport, which is discussed in Section 1.6 of this document. What is the current use of this FUDS and has any initial characterization been integrated into the current characterization efforts of NASD?

Response to TAPP Comment 3

The PA/SI did not identify any FUDS sites at the former NASD property.

Comment 4

Monitoring Well Installation – Section 2.2 addresses well installation for AOC H, J and K. Please clarify for the TAPP any differences in approaches used for these three sites.

Response to Comment 4

AOCs H and J are areas where potential sources of contamination were attributed to subsurface conditions such as buried waste and underground storage tanks. Therefore, surface and subsurface soil samples were collected to identify potential source areas. At AOC K the resampling of the well revealed that the source of benzene contamination was no longer present. Therefore, the investigations included the installation of wells to characterize the potential downgradient extent of groundwater impacts.

Comment 5

Well Purging – Please indicate the guidance or policy associated with purging 3 well volumes before collecting samples.

Response to Comment 5

The purging of three well volumes of water before collecting samples is included in the Groundwater Sampling Procedure in the Master Work Plan that was reviewed and approved by EPA.

TAPP Comment 6

Groundwater Elevation – Please note the TAPP recommendation that additional groundwater elevation assessments will need to be conducted beyond the single field effort referenced in Section 2.4, *Groundwater Elevation Measurements*.

Response to Comment 6

For sites that will be carried forward to an RI/FS additional rounds of groundwater elevation measurement will be collected and evaluated. For sites that will likely be closed

out under a No Further Action Document, no additional groundwater elevation data is anticipated.

TAPP Comment 7

Subsurface Soil Sampling – Please provide the logic behind collecting the subsurface sample from the 4-6 ft range. Within the response, please address why the soil samples were not collected from the 6-inch to 4-ft range since the drilling was being conducted anyway. Also, please address what made the project team select a 2-ft composite for sample collection versus 1-ft composite or discrete sample collection at specific intervals.

Response to TAPP Comment 7

The subsurface samples were collected from the 4-6 ft range since this is the range that there is potential risk exposure to either a construction worker or utility worker. EPA has approved the two-foot composite sample for providing an indication of whether contamination is present or not. If contamination was detected at either of these intervals additional soil sampling would be considered. However, where no contamination is detected no additional sampling is proposed.

TAPP Comment 8

Surface and Sediment Sample Collection – Please explain the need for the two different surface water sample collection approaches noted in this section. Additionally, how did the collection team minimize sediment infiltration into the surface water sample if wading was employed?

Response to TAPP Comment 8

The two different approaches allow for the evaluation of risk to human health and ecological receptors. Evaluation of human health risks require the collection of unfiltered samples the evaluation of ecological risks requires the collection of filtered samples. As stated in the Master Work Plan "the sample site is approached from the downstream manner that avoids the disturbance of bottom sediments" Specific details of the sampling procedures are included in the Master Work plan.

TAPP Comment 9

Comparison Criteria – Section 2.11 indicates that tap water risk-based concentrations (RBC)/ preliminary remediation goals (PRGs) and maximum contaminant levels (MCL) were used for screening groundwater. Given that these two criteria sources differ greatly, namely RBCs being strictly health based while MCLs are not, please provide more specific information on how these two-types of criteria were utilized in the screening process. Also, please indicate how the project team addressed any analytes/chemicals that were detected but did not have a comparison number for the media in question. Lastly, please confirm that the detection limits for each analyte/ compound of the analytical techniques employed were lower than the respective PRGs.

Response to TAPP Comment 9

The lowest, most conservative, PRGs were selected for comparison purposes to provide a conservative risk screening. These PRGs also included the transfer from groundwater to soil

criteria, which in some cases, is more conservative than the RBCs. A risk assessment will be provided in the NFA Report for this site.

TAPP Comment 10

Explosives – Please indicate why only AOCs J and H were assessed for explosives. Please correct text in Section 2 that suggests explosives were sampled for at each of the seven sites. In the broader perspective, please provide the TAPP/TRC with the project team's approach on where and when to measure for explosives. For instance, did sites within the Phase I assessment get characterized for explosives before being removed from further consideration? Based on the activities on Vieques, it is strongly recommended that explosives be considered in every sampling protocol for each site investigated until findings suggest this is no longer necessary. This is one example of the issues that should be discussed in the broader generic investigation plan and groundwater process proposals above.

Response to TAPP Comment 10

Section 2 provides a description of sampling procedures for all the methods utilized and is not specific to each of the sites. AOCs J and H were the only two sites of the seven sites investigated that were suspected to potentially contain explosives. If the community is aware of other occurrences of explosives, it is recommended that they notify the Navy in accordance with the procedures indicated in the Deed.

TAPP Comment 11

Sample Holding Times – Please explain why 3,364 records were qualified as estimated due to missing holding time requirements.

Response to TAPP Comment 11

The laboratory prepared and analyzed samples under standard EPA SW846 holding time requirements. Application of SW846 holding times to this data result in zero holding times missed. However, the data validation was performed following EPA Region 2's Data Validation Standard Operating Procedures. These holding times are shorter than the standard SW846 frame of reference. Although several records were qualified as estimated due to the exceedances of Region II holding times, no data were rejected as unusable due to holding time exceedances. Additionally, if the verified time of receipt (VTSR) is applied as per CLP most only missed the tighter Region II holding times by a single day.

TAPP Comment 12

Analysis Calibration – Please clarify why 345 results were rejected for acetone and 2-butanone, but other data associated with calibration deficiencies were not rejected, but assigned only a J or UJ qualifier.

Response to TAPP Comment 12

Acetone and 2-Butanone are traditional poor performers to as defined by the EPA and as experienced by most laboratories utilizing method 8260B for analyses. The laboratory case narrative indicated that these two analytes had a relative response factor (RRF) of less than

the minimum RRF of 0.05. Thus, as per guidance, "detects" were estimated with a "J" flag and "non-detects" were rejected. Other analytes which were qualified as estimated but not rejected had no problems with RRF criteria but may have had RSD's outside warning limits.

TAPP Comment 13

Field and Lab Contamination – Section 2.13.6 indicates a significant variety of contaminants in the various blank samples analyzed. The number of blank contaminants and certain types of the contaminants identified seem unusual or unexpected. What efforts have been made by the project team to evaluate the sampling process and try to reduce blank contamination in the future?

Response to TAPP Comment 13

The semivolatile fraction yielded mainly phthalate contamination, which as described by the EPA CLP Program, are common contaminants. These ubiquitous compounds are plasticizers and are used in the manufacture of gloves in order to facilitate removal from the skin. Pentachlorophenol was detected at trace levels in a single ambient blank and did not result in the qualification of any field data. Phthalates are not contaminants of concern (COC) on these sites.

The organochlorine pesticides contamination in a single equipment blank at sub part-per-billion (ppb) levels is an anomaly which also did not affect the qualification of any field samples.

Six of the thirteen compounds found in volatiles blanks elicited some qualification of data. The other seven compounds were at trace levels and did not affect the data. Acetone and methylene chloride are defined as common lab contaminants by the EPA as they are extraction solvents. These two compounds are seen in most all labs at low levels and are not contaminants of concern at these sites. Toluene and chloroform (a trihalomethane and disinfection by-product {DBP}) are also frequent contaminants at sub ppb levels. 1,2-dichloroethane and TCE detections were also at sub ppb levels and were more than likely artifacts.

Actions taken to continue to be proactive and cognizant included discussions with all members of the field teams and the laboratory to assist in this partnering effort. Additionally, the project chemist will conduct field and laboratory audits to monitor procedure and offer any recommendations, if required.

TAPP Comment 14

Overall Reporting – The text in this section does not report the QA / QC information consistently. For instance, in the total versus dissolved metals discussion, the text indicates that "only 2 out of 507 results (less than 0.5%)" showed dissolved metal concentration being greater than the total concentration. However, for other sections, such as in the surrogate spike recovery section, the text only indicates that 2,971 samples were qualified as estimated because of recoveries outside of criteria. In this case no total number of samples was provided. Also, in this and other subsections, what the acceptable criteria are (i.e. 20%) is not discussed. The text in the document should provide a clear picture of the strengths and the weaknesses of the data quality and use a consistent approach to report the summary results.

Response to TAPP Comment 14

The surrogate data qualification cannot be compared in the same manner as dissolved and total metals. Semivolatiles have a different number of compounds than volatiles, so dividing that total records number by "X" number of compounds will not work. Additionally, SVOC's have 2 analytical fractions, the acids and the base-neutrals which have their own surrogate assignments. Thus, there are some samples which only have the base-neutral compounds qualified and some samples only have the acid compounds qualified. This scenario would is experienced with MS/MSD's, LCS's, internal standards, calibration, and, of course, blanks.

The text does describe the strengths and weaknesses of each QC area which is reviewed and could be qualified. The CLP program sets control limits in the scope of work (SOW) which are followed by the lab and the data validation subcontractor. The PARCC's section of the text summarizes the data quality objectives (DQOs) and presents numbers which define completeness and thus, the usability of the data.

Section 3: AOC B–Wastewater Treatment Plant

TAPP Comment 15

Ecological Survey – Section 3.2.1 indicates a qualitative ecological survey was conducted at AOC B and refers the reader to Appendix F. However, Appendix F focuses on 5 AOCs of which AOC B is not one of them. What was the reasoning for selecting only 5 of the 7 for the detailed description provided in this appendix?

Response to TAPP Comment 15

AOC B is located in the main public works area of NASD. A qualitative ecological survey was conducted on this area during the PA/SI for 10 sites (CH2M HILL, 2000, Appendix I). The Final PA/SI references this report. The survey concluded that no federally protected species or preferred habitats were observed in the public works area.

TAPP Comment 16

Soil Sampling – The text in section 3.4.1 indicates that soil samples were collected from the middle of each of the four quadrants in the sewage treatment lagoon. However, Figure 3.1 only indicates one of the four samples was collected from the middle of the quadrant. This may be significant depending on the grading of the different quadrants. Please clarify where the samples were actually collected from. Also, please clarify if the black lines on the figure represent the drain pipes from the quadrants.

Response to TAPP Comment 16

The description of the sample locations in the text are clarified to match the actual locations shown on Figure 3.1. The black lines showing the drain lines will be presented in the legend of the figure.

TAPP Comment 17

Groundwater – Given the possibility of hazardous waste dumping at this site, please provide the reasoning for not conducting any groundwater sampling at this location?

Response to TAPP Comment 17

As responded previously under Response to TAPP Comment 3 (11/2001) there is no evidence, in either the records search or the soils and effluent data collected, that hazardous waste dumping occurred at this site.

TAPP Comment 18

Data Quality – This section should provide some explanation of why specific data from Table 3-1 were unusable.

Response to TAPP Comment 18

No detected data in Table 3-1 were rejected or considered unusable. Due to a modification of the table 3-1, a letter "R" footnote was added to the results to which indicate which screening criterion had been exceeded. This "R" flag is identified in another part of the table and defines which samples are Regional IX Preliminary Remediation Goals – Residential Soil (R).

TAPP Comment 19

Conclusion – Please provide justification for the authors' assertion that toluene and 1,4 dichlorobenzene are present as a result of sewage or natural processes in order to support their conclusion that "no evidence exists to suggest that a release of hazardous materials to surface soil has occurred at this site as a result of site-related activities."

Response to TAPP Comment 19

The text does not state that "toluene and 1,4 dichlorobenzene are present as a result of sewage or natural processes". These constituents are petroleum constituents that were detected at low levels in the effluent sample and may be a result of petroleum releases to the plant rather than hazardous material releases. Furthermore, these constituents were not detected in the sludge sample or any of the 12 soil samples collected.

Section 4: AOC H–Power Plant

TAPP Comment 20

Previous Comments – To clarify an oversight in previous comments submitted by Theodore J Henry Consulting, please note that after closer review of Appendix H that, indeed, trichloroethene and tetrachloroethane were analyzed for in groundwater. Thus the inquiry in the previous set of comments can be disregarded. Beyond this, please refer to the previous comments for issues to be discussed at the TRC meeting.

Response to TAPP Comment 20

Comment noted

TAPP Comment 21

Quebradas/Lagoons – This PA/SI investigation does not appear to consider the potential for contamination in the surface water body directly adjacent AOC H. Considering pathways from runoff to historical tendencies for disposing of wastes in such features, please clarify

why this topographic feature was not investigated with AOC H. Also, please indicate the Navy's current plan for how this will eventually be investigated.

Response to TAPP Comment 21

AOC H has been recommended for a RI/FS. As part of the RI additional samples will be collected, including surface water samples of the quebrada adjacent to AOC H. Details of the sampling locations will be presented in a work plan For the RI/FS.

Section 5: AOC I–Asphalt Plant

TAPP Comment 22

Site Characterization – TRC discussion should be conducted on the characterization of this site. Specific to the delineated asphalt plant area, a better understanding of site activities and the subsequent sampling locations is needed. For example, it is not possible to determine from Figure 5-1 and the associated text why soil samples were not collected from the area east of the gravel ramp area.

On the broader scale, it is clear that a much larger area than the specific plant section was used during NASD activities. In turn, it is not clear why the Phase II sampling did not include a broader characterization of the impacted site. In other words, only a relatively small fraction of the area visible in Figure 10 (Appendix F) has been sampled. While it is understandable for sampling to focus primarily on the asphalt plant, clearly some characterization of the larger footprint will be needed to install stakeholder confidence that the area will be suitable for future use.

Response to TAPP Comment 22

The soil samples were collected at areas where visually contaminated soils were identified. In areas where asphalt was released the impacted areas were readily apparent from the visually stained soils. AOC I has been recommended for a RI/FS. As part of the RI, additional samples will be collected, including soil samples to further characterize the extent of petroleum contamination. Details of the sampling locations will be presented in the Work Plan For the RI/FS.

TAPP Comment 23

Petroleum Hydrocarbons – Please note that Section 5 text indicates sampling for TPH – Diesel Range Organics and TPH – Gasoline Range Organics. However, Appendix H only reports a single TPH value. Please clarify. Additionally, while the text indicates that none of the petroleum-derived hazardous substances exceeded their individual RBCs, these data do not appear to be included in the document for stakeholder review.

Response to TAPP Comment 23

The only TPH that was detected was Diesel Range Organics. This will be clarified in Appendix H. The petroleum-derived hazardous substances are included in Appendix H

TAPP Comment 24

Background Metals – Please note that the conclusions regarding which metal concentrations are within background and which exceed background are premature until issues surrounding the background study are resolved. In turn, it is important that the technical TRC meetings address the background issues first, before moving into the Phase II PA/SI or AOC E comments and concerns.

On this same issue, please note that previous comments on the chromium findings and the authors' association of these findings with background are still a significant issue for discussion. Again, consideration of how activities could have increased the soil levels of chromium in this area should be included in this document, instead of just focusing on how the chromium driver *may* be within background.

Response to TAPP Comment 24

The background concentration issues have been discussed and resolved with representatives from the community, EPA and EQB. The recommended follow up measures will not alter the method and conclusions regarding metals concentrations. The chromium comments have been previously addressed.

TAPP Comment 25

Future Characterization – With regard to subsurface soil, the document does not recommend any additional soil sampling. This decision requires further discussion. Besides the background issue previously mentioned, discussions should consider the fact that that the 6-inches to 4-ft range has not been characterized and that future soil characterization in the RI/FS should consider both lateral and vertical delineation of the areas with elevated chromium and TPH, noting that the surface concentrations of TPH would not be expected to be as high as concentrations found a few feet down due to volatilization.

Response to TAPP Comment 25

Additional sampling is recommended as part of the subsequent RI/FS for this site. The purpose of the PA/SI is to assess whether or not contamination is present. As part of the RI, additional samples will be collected. Details of the sampling locations and rationale will be presented in the work plan For the RI/FS.

TAPP Comment 26

With regard to groundwater, there is no current discussion of whether the proposed RI/FS work would address this issue. From the TAPP perspective, the current information suggests that some groundwater characterization should be conducted at this site, particularly since Figure 5-3 does indicate that subsurface (and surface) chromium levels exceeded screening levels for migration to groundwater.

Response to TAPP Comment 26

The PA/SI did not detect any site-related contamination in the subsurface soil samples. The chromium is likely attributed to background conditions. Based on this information and the nature of the asphalt, there is no evidence that support that there is a potential for ground-

water contamination. Therefore, groundwater characterization is not anticipated for this site.

Section 6: AOC J–Former Staging and Disposal Site

TAPP Comment 27

Potential Disposal Areas – In Figure 17 of Appendix F, a variety of less dense or cleared vegetation is visible in areas to the east and south of AOC-J. Please provide the TRC with information on what these areas might be and what, if any, field investigations have been conducted of these locations.

Response to TAPP Comment 27

No documented information or visible indications from the site inspection indicated that these areas are areas where there have been contaminants released. The Deed transferring the property from the Navy to The Municipality of Vieques (MOV) allows MOV to notify the Navy within 90 days of any previously unidentified condition that may require a response action by the Navy, such as a known release to the groundwater.

TAPP Comment 28

Unfiltered Groundwater Samples – Please clarify why the unfiltered groundwater samples were identified as a concern in this sampling process for this site. In the Section 2, *Field Investigation Procedures*, the purging of the well was identified as a normal part of the sampling process, which presumably is conducted to minimize the impacts of such sediments. How is this previously discussed protocol lacking assuming the proposed explanation for the elevated metals in this section is correct?

Additionally, the text indicates that dissolved metals were not observed above screening criteria, but no mention is made of whether the dissolved metals were above the draft background numbers. Please clarify. Additionally, if total metals exceeded comparison and background criteria but did not do so for dissolved parameters, it would seem logical that any assessment of this issue would have to consider solubility factors of the aquifer (i.e. maybe the metals are present at elevated levels but the aquifer environment results in the lower dissolved readings). In short, metals should probably be included in the planned RI/FS to address groundwater, particularly since open burning/open detonation (OB/OD) of military munitions may have taken place at this site.

Response to TAPP Comment 28

Unfiltered samples are required to be collected in CERCLA investigations to address human health risk associated with direct contact and incidental ingestion. Filtered samples are collected to provide an indication of the groundwater quality if it were to be used as a source of potable water, since water supply samples are filtered. Metals will be analyzed as part of the RI/FS. Details of the sampling locations and rationale will be presented in the Work plan For the RI/FS.

TAPP Comment 29

Surface Water – Note that surface water comparison criteria exceedances were noted for mercury and copper, yet only mercury was identified as warranting additional

investigation. Please note that until background is resolved, copper should also be considered in any early planning for the AOC J RI/FS.

Response to TAPP Comment 29

The entire list of TAL Metals will be analyzed from the surface waters part of the RI/FS. Details of the sampling locations, including background locations and rationale will be presented in the work plan for the RI/FS.

TAPP Comment 30

Of particular interest is the fact that perchlorate was detected in all surface water samples with one being as high as 82.2 ppb, but this was not mentioned in the surface water discussion. Please provide the comparison criterion used to delete this compound from consideration. Also note that the data from Appendix H appears to differ from Table 6-2, which does not report the perchlorate detection of 82.2 ppb, presumably because of different sampling techniques. Appendix H reports well 01 sample results as Sample ID NDE171 and NDE172FD1, while Table 6-2 appears to only report the NDE171 sample. Please clarify this issue.

Response to TAPP Comment 30

Table 6-2 is designed to convey risk assessment information and includes site-specific samples only. Appendix H is the complete Data Summary Table reporting NDE171 and the field duplicate NDE172FD1, a QC sample. The Perchlorate value that is missing in Table 6-2, sample NDE172FD1, was not included since it was a QC sample.

TAPP Comment 31

Sediments – Section 6.6.5 only states that "no detections in sediments exceeded ecological screening criteria." Please confirm that all compounds detected actually had a screening value to compare to in the investigation.

Response to TAPP Comment 31

Sediment screening criteria are not available for all compounds detected. For the available sediment screening criteria, all detections were below criteria. The sediment detections will be re-evaluated during the RI/FS for this site.

TAPP Comment 32

Well and Soil Sampling Locations – In follow-up to previous comments submitted, it is appropriate to reemphasize conclusions drawn regard sampling locations and what is considered up-gradient. This site has little historical information, so the Phase II data should be evaluated closely to determine what gradients may exist and where contamination may have been released. For example, vanadium was detected in wells 02, 03 and 04 at concentrations of 330, 39 and 160 parts per billion (ppb), respectively. However, detection of this metal in well 01 was only in the 7 ppb range approximately 5 to 50 times lower, suggesting its presence may not be due to background.

Response to TAPP Comment 32

The RI/FS work plan will provide proposed groundwater sampling locations for the site and the rationale for selecting those locations.

TAPP Comment 33

Explosives – Please provide the TRC/TAPP with additional information regarding the efforts to analyze for explosives, as there are many concerns that need to be discussed. First, please confirm that the explosives RDX and HMX were analyzed for; while Appendix H appears to indicate this to be the case, the appropriate references to confirm the chemical names of these compounds were not available at the time these comments were developed and submitted. Also note that it appears the chemical name for RDX may be incorrect in the Appendix H data.

Response to TAPP Comment 33

The data packages were reviewed to confirm that RDX, Hexahydro-1,3,5-trinitro-1,3,5-triazine and HMX, Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine where analyzed for and both appear in the Target Analyte list. RDX was incorrectly referenced in Appendix H as Hexahydro-1,3,5-trinitro-1,3,5,7-tetrazocine. The laboratory analyzed all designated samples for explosives by SW846 Method 8330.

TAPP Comment 34

Regarding method detection limits, please note that it does not appear that the detection limits for several explosives were sufficient. While the Region 9 PRGs were not available at the time of these comments, note that Region 3 RBCs for several explosives are below the method detection limits reported. For instance, TNT RBC is 2.2 ppb while the detection limit reported in Appendix H is 5 ppb. For RDX, a military explosive most likely to be found in groundwater and a possible human carcinogen, the RBC is 0.61 ppb and the lifetime drinking water advisory is 2.0 ppb, but the detection limit in Appendix H is listed as 5 ppb.

Response to TAPP Comment 34

The values reported in Appendix H are the Reporting Limits and not the Method Detection Limits. The laboratory MDLs were reviewed and found to comply with the laboratory project instructions. The MDL for TNT is listed by the laboratory as 0.2 ppb. The MDL for RDX is listed by the laboratory as 0.21 ppb. The MDLs for SW-846 Method 8330 were low enough to support the assessment effort.

TAPP Comment 35

Perchlorate is another one where the detection limit may not be sensitive enough depending on what comparison concentration is being used; current figures in use elsewhere range from 4-18 ppb, while the detection limit listed in Appendix H appears to be 8 ppb (except where 4 ppb was listed for one well). A review of detection limits for different media in association with the comparison criteria is critical for the explosives as well as other classes of compounds.

Response to TAPP Comment 35

The laboratory confirmed their Method Detection Limit of 0.8 ppb for Perchlorate, Method 314. The value listed in Appendix H is the Reporting Limit. A review of analyses including the MDL would indicate the data capable of supporting a risk assessment.

TAPP Comment 36

Buffer Territory – Given the unknown activities at this site and the detection of military-related compounds such as perchlorate, it is particularly important to consider that additional activities may have taken place outside the perimeter of the area currently investigated. This issue needs to be addressed here as well as other sites and should be discussed in the broader context of the generic site investigation approach.

Response to TAPP Comment 36

It is the Navy's policy to conduct investigations only at those sites that are known or suspected to have an impact on the environment, not to conduct a basewide investigation. However, The Deed transferring the property from the Navy to The Municipality of Vieques (MOV) allows MOV to notify the Navy within 90 days of any previously unidentified condition that may require a response action by the Navy, such as a known release of explosives to the environment.

Section 7: AOC K–Water Well at Public Works

TAPP Comment 37

Groundwater Flow Direction – Note that Figure 7-2 is a good example of where additional water flow information is necessary. Beyond the questions posed in the previous comments submitted, note that it is quite possible that the benzene previously detected in the production well at AOC K is moving northeast and, thus, bypassing monitoring well 02.

Response to TAPP Comment 37

The groundwater elevation data shows that monitoring well MW-02 is directly downgradient of AOC K. Based on this information and the most recent data for AOC K, benzene was not detected and it is unlikely to have bypassed the monitoring well network.

TAPP Comment 38

Groundwater Contamination – It is concluded that the phthalate BEHP is not worth further investigation simply based on the indication that this compound is a common laboratory artifact. Since the detected level exceeds certain RBCs and phthalates were likely used in NASD materials, more evidence should be provided for why this detection is being dismissed.

Response to TAPP Comment 38

A risk assessment will be conducted for all compounds exceeding RBCs. The phthalate BEHP will be addressed during the risk assessment.

TAPP Comment 39

Also, until the background issues are decided, the project team should not dismiss the thallium detections in two monitoring wells since these levels exceed the Region 3 RBC referenced for these comments.

Response to TAPP Comment 39

Comment noted

TAPP Comment 40

Soil Characterization – Referencing back to the need for a clear and agreed upon generic site investigation protocol, please explain why no soil sampling was conducted at this known public works site during this Phase II investigation. Limited groundwater sampling is not enough to determine that this site is ready for future unrestricted use.

Response to TAPP Comment 40

Prior to conducting any soil sampling, the groundwater data was developed in an attempt to track down the upgradient source of contamination. However, the upgradient well data, which did not detect benzene, indicates there is no significant source of benzene. This data in conjunction with the most recent AOC-K data, which shows that no benzene was detected, does not provide any evidence that a benzene source remains. Therefore, no soil borings are warranted.

Section 8: AOC L–Septic Vault

TAPP Comment 41

Site Characterization – Noting the previous comments submitted, please clarify if the vault itself, the soil beneath the vault or the groundwater beneath the subsurface soil have been sampled as of yet. Clearly to characterize a site sufficiently, it is important to known whether any potential contaminants of concern exist within the vault where they would have been dumped.

Response to TAPP Comment 41

The EBS states that "It is suspected that the vault was used in the 1940s for the treatment of installation sewage and no drainage field was present". Therefore, any releases from the vault would likely have resulted from overflow of the vault and not from discharge to groundwater. As a result, groundwater monitoring wells were not installed. Surface and subsurface soil samples were collected at the outlet of the vault at SB-01 and SB-02 as well. In addition, soil samples were collected at two of the locations to provide analytical data for the entire perimeter around the vault.

TAPP Comment 42

Data and Comparison Criteria – This section provides a clear opportunity to highlight the criteria discussion that needs to take place. Using nitrobenzene as an example, note that the method detection limit is provided as somewhere between 427 and 500 ppb. While this variation alone should be clarified, please also note that the EPA Region 3 RBC (Soil

Screening Level) for transfers from soil to groundwater is 90 ppb. It is important to clarify that all detection levels are adequate to support the screening and risk assessment process.

Note that Table 8-1 reports the detection of 2-hexanone at levels of 0.00087 and 0.0012 ppm, but reports the compound as undetected in other samples at detection limits of 0.01 ppm, which is 10-fold higher than the actual concentrations reported for the other samples. Please clarify.

Response to TAPP Comment 42

The variation in the reporting limits between 427 and 500 ppb is affected by the weight of the sample and percent moisture. It should be noted that the quantitation values are the reporting limits and not the method detection limits. The laboratory obtained all reporting limits as set forth in the laboratory project instructions and is adequate to support the screening and risk assessment process.

Table 8-1 is reporting 2-hexanone at levels between the reporting limit and the method detection limit. These values are qualified with a "J" flag to indicate this condition. The signal to noise ratio is sufficiently large to positively identify the peak as the target analyte. The samples that report a "U" indicate a non-detected condition where no signal was recognized by the instrument.

Section 9: AOC R–Former Construction Staging Area

TAPP Comment 43

Site Characterization – Please note that AOC-R is another site where it is not clear that the sampling conducted thus far actually characterizes the entire site. Instead, sampling focuses on the northern cleared area and the concrete pad without sampling around the square concrete structure or the adjacent woods area.

Response to TAPP Comment 43

The site investigations were conducted in the vicinity where activities would most likely have impacted the environment: adjacent to the concrete pad where the workshops were located and within the vehicle maintenance area. A Remedial Investigation will be conducted at AOC R to characterize the extent of constituents detected in the surface soils.

TAPP Comment 44

Previous Pavement – The current text is vague as far as whether previous areas of this AOC were, in fact, paved at some point or if they "may have been paved." If this is the basis for excluding additional investigation of the SVOCs detected, the document should clearly indicate where these paved areas use to be and how the project team is aware of this past source. Toward this issue, it is interesting to note that these SVOCs were detected at both the concrete pad and the northern cleared area locations.

Response to TAPP Comment 44

The SVOCs will be addressed by conducting a Remedial Investigation which will include a risk assessment. The proposed additional investigations will be included in the work plan.

TAPP Comment 45

Groundwater – It is not clear how the authors can conclude that no other investigation is needed at this site given that some of the SVOCs detected exceed EPA Region 3 industrial and residential soil RBC, as well as the soil screening level for transfer of at least one contaminant from soil to groundwater.

Response to TAPP Comment 45

A Remedial Investigation will be conducted for the site to assess the extent of SVOCs within the soils..

Appendix F–Qualitative Ecological Survey

TAPP Comment 46

Risk Assessment – The introduction indicates that an ecological risk assessment was conducted as part of the Phase II effort, but does not appear to be included in the report, as Appendix F is only a qualitative ecological survey. Please clarify when this information will be come available?

Response to TAPP Comment 46

The risk assessment was a qualitative assessment that is performed to assess if a more detailed survey is warranted. At the sites where an RI/FS will be conducted, a more detailed ecological survey will be performed. At those sites where site-related contaminants are not present, a more detailed ecological survey will not be conducted.

TAPP Comment 47

Control Sites – For the five AOCs assessed in this appendix, it appears that control sites were selected that were in the same proximity of the sites under investigation. Please provide the basis for the control site selection process as it appear somewhat odd to select control sites so close to sites where past activity has been documented. It is not clear that the control sites would provide unbiased comparison.

Response to TAPP Comment 47

The background sampling locations are discussed in the Background Investigation Report.

TAPP Comment 48

Vegetation Clearance – Please explain why the qualitative ecological surveys were conducted at several sites that had recently been cleared of overgrown vegetation. Text from Appendix F indicates that the quality of plant life and ecological receptors in the area were temporarily impacted by clearance activities and that the assessments conducted were, thus, altered. Would it not have been more reflective of the site to wait until such sites better reflected undisturbed areas?

Note that both the assessment of a recently cleared area and its comparison to adjacent control sites may, unnecessarily, reduce the quality and accuracy of such an assessment.

Response to TAPP Comment 48

See responses to comments 46 and 47.

AFWTF - Altantic Fleet Weapons Training Facility
EMA - Eastern Maneuver Area
Former NASD - Former Naval Ammunition Storage Detachment

Figure 1-1
SITE LOCATION MAP
Vieques Island, Puerto Rico

CH2MHILL

T:\Environmental\Puerto Rico Drawings\Vieques\160403 – NASD Phase 2\Figure 1-2.dwg

Figure 1-2
LOCATION MAP OF PHASE II PA/SI SITES AT NASD
Vieques Island, Puerto Rico

CH2MHILL



T:\Puerto Rico Drawings\Vieques\SMP17SITES\AOC-B.DWG

Figure 3-1
AOC-B WWTP Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Puerto Rico Drawings\Vieques\06-25\2001\AOC-BSS.DWG 1=0.0

Figure 3-2 AOC-B
Surface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-H2.dwg

Figure 4-1
AOC-H Power Plant Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



LEGEND

GROUNDWATER CONTOUR LINE	
MONITORING WELL LOCATION WITH GROUNDWATER ELEVATION IN FEET MSL	MW-01 GW ELEV=0.88
SURFACE/SUBSURFACE SOIL	SS/SB-01
SURFACE SOIL	SS-001
APPROXIMATE GROUNDWATER FLOW DIRECTION	

N

40' 0 40' 80'

GRAPHIC SCALE IN FEET
1" = 40'

T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-Hgwc.dwg

Figure 4-2
Groundwater Contour Map AOC-H
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



AOC-H SS/SB-09

Metals		
Arsenic	6.2	I R
Manganese	370	R

AOC-H SS/SB-10

Metals		
Arsenic	67	I R L
Manganese	720	R
Vanadium	62	R

AOC-H SS/SB-07

Metals		
Arsenic	1.9	R
Manganese	390	R

AOC-H SS/SB-06

Metals		
Arsenic	2.2	R
Manganese	390	R

AOC-H SS-03

Metals		
Antimony	6.3 J	R
Arsenic	2.0 J	R
Chromium Total	46	L
Manganese	390	R

AOC-H SS/SB-05

Metals		
Arsenic	3.5	I R
Manganese	560	R
Vanadium	55	R

AOC-H SS/SB-11

Metals		
Arsenic	1.3 J	R
2-6 Dinitrotoluene	1.21	L
Manganese	410	R
Semi-Volatiles		
N-Nitrosodi-n-Propylamine	0.658	I R L
2-6 Dinitrotoluene	1.21	L

AOC-H SS/SB-04

Metals		
Arsenic	2.4	R
Manganese	580	R
Semi-Volatiles		
Benzo (a) Pyrene	0.12 J	R

AOC-H SS/SB-12

Metals		
Arsenic	1.7 J	R
Manganese	370	R
Semi-Volatiles		
N-Nitrosodi-n-Propylamine	0.562 J	R

AOC-H SS/SB-03

Metals		
Arsenic	33	I R L
Manganese	510	R

AOC-H SS-04

Metals		
Arsenic	0.54 J	R

AOC-H SS/SB-13

Metals		
Arsenic	1.5 J	R
2-6 Dinitrotoluene	1.23	L
Manganese	360	R
Semi-Volatiles		
N-Nitrosodi-n-Propylamine	0.717	I R L
2-6 Dinitrotoluene	1.23	L

AOC-H SS/SB-02

Metals		
Arsenic	2.3	R
Manganese	440	R

AOC-H SS/SB-14

Metals		
Arsenic	1.1 J	R
Manganese	344	R

AOC-H SS/SB-01

Metals		
Arsenic	1.4 J	R
Manganese	490	R

AOC-H SS/SB-15

Metals		
Arsenic	1 J	R
Manganese	340	R

AOC-H SS-01

Metals		
Arsenic	0.86 J	R
Chromium Total	50	L
Manganese	350	R
Vanadium	63	R

AOC-H SS/SB-16

Metals		
Arsenic	4.7	I R
Manganese	410	R

AOC-H SS-02

Metals		
Arsenic	0.89 J	R
Manganese	290	R
Semi-Volatiles		
Benzo (a) Pyrene	0.074 J	R

LEGEND

MONITORING WELL	MW-01
SURFACE/SUBSURFACE SOIL	SS/SB-01
SURFACE SOIL	SS-01
CONCENTRATIONS IN MILLIGRAMS PER KILOGRAM	Mg/Kg

SCREENING CRITERIA

I – EXCEEDS INDUSTRIAL PRG

L – EXCEEDS REGION IX SOIL SCREENING LEVELS FOR MIGRATION TO GROUNDWATER

R – EXCEEDS RESIDENTIAL PRG

T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-HSS.dwg

Figure 4-3 AOC-H
Surface Soil Detections Above Screening Critera
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings–NASD\06–25–2001\AOC–HGW.dwg

Figure 4-4 AOC-H
Groundwater Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-12.dwg

Figure 5-1
AOC-I Asphalt Plant Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-12.dwg

Figure 5-1
AOC-I Asphalt Plant Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-ISSS.dwg

Figure 5-3 AOC-I
Subsurface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-J2.dwg

Figure 6-1
AOC-J Former Staging and Disposal Site Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-Jgwc.dwg

Figure 6-2
AOC J Groundwater Flow Map
Former NASD, Vieques Island, Puerto Rico

CH2MHILL



AOC-J MW-03			
Total Metals			
Aluminum	2,100		M
Barium	570		T
Iron	1,500		M
Manganese	9,300	J	M T
Vanadium	39	J	T

AOC-J MW-04			
Total Metals			
Aluminum	30,000		M
Barium	480		T
Arsenic	5	J	T
Iron	15,000		M
Manganese	17,000	J	M T
Vanadium	160		T

AOC-J MW-02			
Total Metals			
Aluminum	72,000		M
Barium	770		T
Cadmium	3.9	J	T
Iron	68,000		M
Manganese	15,000	J	M T
Vanadium	330		T

AOC-J MW-01			
Explosives			
Perchlorate	48	J	R
Total Metals			
Aluminum	210		M
Barium	430		T
Iron	440		M
Manganese	1,400	J	M T

T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-JGW.dwg

Figure 6-3 AOC-J
Groundwater Detections Above screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-JSW.dwg

Figure 6-4 AOC-J
Surface Water Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-JSS.dwg

Figure 6-5 AOC-J
Surface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



LEGEND

MONITORING WELL ⊙ MW-01

GRAPHIC SCALE IN FEET
1" = 80'
80' 40' 0 80' 160'

T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-K2.dwg

Figure 7-1
AOC-K Water Well at Public Works Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

File Path: t:\environmental\navy clean ii_vieques_ pr\former nasd\gis\mw location and gw flow.apr



LEGEND

Monitoring Well Location With Groundwater Elevation on 11/08/02

1.0 Groundwater Contour Line

Approximate Groundwater Flow Direction

N

0 100 200 Feet

Graphic Scale in Feet
1"=100'

Note: Groundwater Elevations in feet MSL

Figure 7-2
Groundwater Contour Map AOC-K
Naval Ammunition Support Detachment,Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-KGW.dwg

Figure 7-3
Groundwater Detections Above Screening Criteria AOC K
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-L2.dwg

Figure 8-1
AOC-L Septic Vault Sample Locations
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



AOC-L SS/SB-04			
Metals			
Arsenic	0.51	J	R
Manganese	340		R

AOC-L SS/SB-01			
Metals			
Arsenic	1	J	R
Manganese	332		R

AOC-L SS/SB-02			
Metals			
Arsenic	0.46	J	R
Manganese	444		R

AOC-L SS/SB-03		
Metals		
Manganese	472	R

T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-LSS.dwg

Figure 8-2 AOC-L
Surface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL

File Path: t:\environmental\navy clean ii_vieques_ pr\former nasd\gis\aoc r.apr



N

0 100 200 Feet

Figure 9-1
AOC-R Former Operations/Staging Area
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL



T:\Environmental\Puerto Rico Drawings\Vieques\Former NASD\Drawings-NASD\06-25-2001\AOC-RSS.dwg

Figure 9-2 AOC-R
Surface Soil Detections Above Screening Criteria
Naval Ammunition Support Detachment, Vieques Island

CH2MHILL