

Baker

Baker Environmental, Inc.
Airport Office Park, Building 3
420 Rouser Road
Coraopolis, Pennsylvania 15108

(412) 269-6000
FAX (412) 269-6097

April 24, 1992

Commanding Officer
Atlantic Division
Naval Facilities Engineering Command
Norfolk, Virginia 23511-6287

Attn: Mr. Byron Brant, P.E.
Code 1822

Re: Contract N62470-89-D-4814
Contract Task Order (CTO) 0086
Additional Work at HPIA
Draft - Operable Unit Evaluation Report

Dear Mr. Brant:


Enclosed please find two (2) copies of the above-referenced report for your review. Copies of this report have been forwarded to Mr. George Radford (EMD, Camp Lejeune).

The draft operable unit prioritization has grouped the 17 current RI/FS sites into nine potential operable units. Baker accomplished this task by considering four options for prioritizing the sites: 1) geography (relative locations of the sites); 2) materials disposed and contaminants detected at the sites; 3) separate operable unit for each site; and, 4) sites in common drainage areas. Potential groups of operable units were listed based on these four options. Then a recommendation of the nine potential operable units was made based on criteria that take into account the similarities of some of the sites, and the unique characteristics of other sites.

If you have any questions, please do not hesitate to contact me at (412) 269-2016.

Sincerely,

BAKER ENVIRONMENTAL, INC.



Raymond P. Wattras
Project Manager

RPW/daf
Enclosures (2)

cc: Ms. Laurie Boucher (w/o enclosure)
Mr. Keith Simmons (w/o enclosure)
Mr. Marc Lambert, P.E. (w/o enclosure)
Mr. George Radford (with 6 enclosures)