

M00146.AR.005760
MCAS CHERRY POINT
5090.3a

DRAFT RECEPTOR STUDY CAPE HART HOUSING WITH TRANSMITTAL MCAS CHERRY
POINT NC
1/14/2000
CATLIN ENGINEERS AND SCIENTISTS

CATLIN

**ENVIRONMENTAL AND
ENGINEERING CONSULTANTS**

LAW

**WILMINGTON, N.C.
RALEIGH, N.C.**

**RECEPTOR STUDY
CAPEHART HOUSING**

DRAFT

**MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

January 14, 2000

CONTRACT No. N62470-95-D-6009

DELIVERY ORDER No. 0067

CATLIN Engineers and Scientists Project No. 199136



**Prepared By:
CATLIN Engineers and Scientists
Wilmington, North Carolina
(910) 452-5861**

CATLIN

ENVIRONMENTAL AND
ENGINEERING CONSULTANTS

LAW

WILMINGTON, N.C.
RALEIGH, N.C.

January 14, 2000

LANTNAVFACENGCOM

Attn: John Kresky, P.E., Code 18213
1510 Gilbert Street
Norfolk, Virginia 23511-2699

Re: **DRAFT RECEPTOR STUDY
CAPEHART HOUSING
CONTRACT NO. N62470-95-D-6009
DELIVERY ORDER NO. 0067
CATLIN Project No. 199136**

Dear Mr. Kresky:

CATLIN Engineers and Scientists is pleased to provide you with one copy of the Draft Receptor Study Report at Capehart Housing located at MCAS Cherry Point, North Carolina.

CATLIN appreciates the opportunity to continue to provide services to LANTDIV and the Air Station on your environmental projects.

Sincerely,

Willif Wable For:
Keith P. Bulla, P.E.
Project Engineer

Gary McSmith
Gary McSmith, EIT
Project Manager

KPB/GM/dbc

Enclosure

cc: John Myers, MCAS EAD (w/2 copies)
Christine Foskey, LANTNAVFACENGCOM (letter only)

9136RPT2.LTR

RECEPTOR STUDY REPORT

CAPEHART HOUSING

**MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

JANUARY 14, 2000

**Contract No. N62470-95-D-6009
Delivery Order No. 0067
CATLIN Engineers and Scientists Project No. 199136**

DRAFT

Prepared by:

**CATLIN ENGINEERS AND SCIENTISTS
220 OLD DAIRY ROAD
WILMINGTON, NORTH CAROLINA 28405
(910) 452-5861**

TABLE OF CONTENTS

DRAFT RECEPTOR STUDY REPORT CAPEHART HOUSING MARINE CORPS AIR STATION CHERRY POINT, NORTH CAROLINA

	PAGE
1.0 INTRODUCTION	1
2.0 DESCRIPTION OF FIELD ACTIVITIES	1
2.1 <i>Direct Push Technology (DPT)</i>	2
2.2 <i>Description of Subsurface Samples</i>	2
2.3 <i>DPT Ground Water Investigation</i>	2
2.3.1 <i>Sample Collection and Laboratory Analysis</i>	3
3.0 RESULTS OF GROUND WATER SAMPLING	3
3.1 <i>EPA Method 602 - Drinking Water Volatiles</i>	4
3.2 <i>EPA Method 625 - Base/Neutrals (B/N)</i>	4
4.0 QUALITY CONTROL PROCEDURES	5
4.1 <i>Equipment decontamination</i>	5
4.1.1 <i>DPT Sampler</i>	5
4.1.2 <i>Soil and Ground Water Sample Collection Equipment</i>	6
4.2 <i>Sample Collection and Shipment</i>	6
4.2.1 <i>Sample Identification</i>	6
4.2.2 <i>Chain of Custody and Transportation Procedures</i>	7
4.2.3 <i>Off-Site Laboratory</i>	8
5.0 FINDINGS OF RECEPTOR STUDY	8
6.0 RECOMMENDATION	8

TABLES

TABLE 1	TEMPORARY PIEZOMETER WELL CASING AND WATER ELEVATIONS
TABLE 2	SUMMARY OF LABORATORY RESULTS - GROUND WATER EPA METHOD 602 (PURGEABLE AROMATICS)
TABLE 3	SUMMARY OF LABORATORY RESULTS - GROUND WATER EPA METHOD 625 (BASE/NEUTRALS) PLUS 10 LARGEST NON-TARGET PEAKS

TABLE OF CONTENTS (CONTINUED)

FIGURES

- FIGURE 1** GENERAL LOCATION MAP
- FIGURE 2** GROUND WATER CONTOUR MAP
CAPEHART OFFICER'S HOUSING
- FIGURE 3** GROUND WATER CONTOUR MAP
CAPEHART STAFF HOUSING
UNITS 5, 6, AND 11 VANCE ROAD
- FIGURE 4** GROUND WATER CONTOURS
CAPEHART STAFF HOUSING - GATES ROAD
UNITS 20 AND 42
- FIGURE 5** EPA METHOD 602 CAPEHART OFFICER'S HOUSING
- FIGURE 6** EPA METHOD 602 CAPEHART STAFF HOUSING
UNITS 5, 6, AND 11 VANCE ROAD
- FIGURE 7** EPA METHOD 602 CAPEHART STAFF HOUSING
GATES ROAD UNITS 20 AND 42
- FIGURE 8** EPA METHOD 625 CAPEHART OFFICER'S HOUSING
- FIGURE 9** EPA METHOD 625 CAPEHART STAFF HOUSING
UNITS 5, 6, AND 11 VANCE ROAD
- FIGURE 10** EPA METHOD 625 CAPEHART STAFF HOUSING
GATES ROAD UNITS 20 AND 42

APPENDICES

- APPENDIX A** BORING LOGS
- APPENDIX B** LABORATORY ANALYTICAL REPORTS
AND CHAIN-OF-CUSTODY DOCUMENTATION

**DRAFT RECEPTOR STUDY REPORT
CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

CATLIN PROJECT NO. 199136

JANUARY 14, 2000

1.0 INTRODUCTION

(Refer to Figure 1)

In accordance with Delivery Order No. 0067, Contract Number N62470-95-D-6009, CATLIN Engineers and Scientists conducted a Receptor Study for heating oil tanks (HOTs) at Capehart Housing, aboard Marine Corps Air Station (MCAS) Cherry Point, North Carolina to determine possible effects from 54 HOTs that may have been abandoned in-place. This Receptor Study was performed in conjunction with the Tank Survey to determine the location of the HOTs under the same Delivery Order. The general location of the investigation is illustrated on Figure 1. The Staff and Officers family quarters that make up Capehart Housing were once heated by #2 fuel oil supplied from the unregulated 250-gallon HOTs. These HOTs were either closed in-place or removed during past renovations of housing.

The locations of the HOTs were determined to assist with the receptor survey. Though the HOTs are not suspected to have released fuel or any other contaminant to the environment, the MCAS is proactive in protection of the nearby Neuse River and its tributary, Slocum Creek. This investigation will insure that no contamination from No. 2 fuel oil in ground water is flowing into the Neuse River.

2.0 DESCRIPTION OF FIELD ACTIVITIES

(Refer to Table 1 and Figures 2 through 10)

As documented in the Tank Survey Report dated October 29, 1999, the HOTs were located using subsurface exploratory techniques. Once the HOTs were located, twenty-five piezometers were installed in the vicinity of the Officers Family Housing Units and five temporary piezometers were installed in the vicinity of the Staff Family Housing Units Numbers 5, 6, and 11 on Vance Road. The Delivery Order identified Staff Family Units Numbers 20 and 42 to have piezometers installed; however, as determined during the Tank Survey Study, HOTs were not found to exist at these locations and the piezometers were not installed.

The elevations of the tops of the piezometers were surveyed from established benchmarks and depth to ground water measurements were taken. The horizontal locations of the piezometers were surveyed utilizing Global Positioning System (GPS) to determine the North Carolina State Plane (NCSP) NAD83 coordinates. If ground structure interference

with satellite transmission prevented the use of GPS, the locations of the piezometers were measured from corners of the closest housing unit and positioned on MCAS Cherry Point's Geographic Information System (GIS). The location of the piezometers are illustrated on Figures 2, 3, and 4. The piezometer elevation data is summarized in Table 1.

Using the ground water elevation data, the ground water contours were calculated and the direction of ground water flow determined. The ground water elevation data is summarized in Table 1. The ground water contours for the sites are illustrated on Figures 2, 3, and 4.

The ground water flow direction was used to established the locations of ground water samples located downgradient from selected HOTs. Twenty-six ground water samples were taken at the Officers Family Housing Units and four ground water samples were taken at the Staff Housing Units in the vicinity of HOTs at Units 5 and 11, Vance Road. The locations of the sampling points are illustrated in Figures 5 through 10. The ground water samples were collected utilizing Direct Push Technology (DPT).

2.1 *Direct Push Technology (DPT)* *(Refer to Figures 5 through 10)*

A total of 30 DPT probes (DP-01-26 through DP-55, 55DUP S-6 and S-11) were installed by a truck-mounted hydraulic sampling device to provide ground water data concerning potential contamination at the subject site.

Static force and a percussion hammer were utilized to advance a 2-inch diameter sampling device into the subsurface. Soil probe samples were collected continuously from ground water until the saturated zone was penetrated. Refer to Figures 5 through 10 for DPT locations.

2.2 *Description of Subsurface Samples* *(Refer to Appendix A)*

Soil samples were continuously collected from the DPT probes in 4-foot intervals utilizing smooth bore samplers with acetate liners. Soils were described in the field by a geologist trained in using visual/manual techniques as described in American Society for Testing and Materials (ASTM) D-2488. Additional field methods were used in conjunction with the aforementioned techniques to allow for a more thorough description of soils. The soils were classified in accordance with the Unified Soil Classification System (USCS). A drilling record for each selected probehole was produced. Boring logs are provided in Appendix A.

2.3 *DPT Ground Water Investigation*

The DPT ground water samples were collected from each of the 30 DPT probe locations by installing a temporary monitoring well (1-inch diameter) into probe borings. A ground water sample was collected after purging, when the temporary

well accumulated sufficient water for the analysis required. Ground water samples were obtained with a peristaltic pump utilizing dedicated polyethylene tubing.

2.3.1 Sample Collection and Laboratory Analysis

The sampling program consisted of purging approximately one to two pump volumes of water from each DPT (temporary monitoring well), then collected ground water samples from each. The sampling was performed in accordance with State acceptable procedures and practices.

Ground water samples were collected and placed into containers outlined below based upon the type of laboratory analysis scheduled for that sample:

Analytical Method	Bottle Type & Size	Total Number of Bottles per Sample Off-Site Lab	Preservative
EPA 602	Glass Vial/40 ml	1	HCL, <4° C
EPA 625	Amber Glass Jar/ 1 liter	1	<4° C

3.0 RESULTS OF GROUND WATER SAMPLING

(Refer to Tables 1 through 3 and Figures 2 through 4)

The chemical concentrations detected from the ground water sample analyses were plotted on site maps, Figures 5 through 10. As specified, the following analyses were utilized to characterize ground water quality at the Officers and Staff Capehart Housing sites:

- Drinking Water Volatiles - EPA Method 602
- Base/Neutral Extractables - EPA Method 625

All temporary monitoring wells DP-01 through DP-26, DPS-5, DPS-5DUP, DP-S6, and DP-S11 were analyzed per EPA Methods 602 and 625. North Carolina Groundwater Quality Standards (NCAC T15A:02L) have been established for the maximum allowable concentrations of specific compounds. The following Class GA standards apply to compounds identified from this investigation:

- Benzene 1 ppb
- MTBE 200 ppb
- Ethylbenzene 29 ppb
- Toluene 1,000 ppb
- Total Xylenes 530 ppb
- Bis(2-ethylhexyl)phthalate 3 ppb

Where no numerical Groundwater Quality Standard exists for a compound, then the laboratory detected limit of that compound is equivalent to the standard.

3.1 EPA Method 602 - Drinking Water Volatiles
(Refer to Table 2, Figures 5 through 7)

Drinking water volatile compounds were not identified in excess of accepted State Standards. Total drinking water volatile concentrations ranged from Below Quantitation Limits (BQL) to 17 ppb.

Detectable concentrations were identified only in temporary wells DP-009, DP-021, DP-033, DP-023, and DP-S6. Table 2 summarizes the results of the volatile compounds identified from ground water samples and compares the data to NCAC T15A:02L Standards. Figure 5 through Figure 7 illustrate the individual constituent concentrations identified.

3.2 EPA Method 625 - Base/Neutrals (B/N)
(Refer to Table 3, Figures 8 through 10)

Results of the B/N analysis revealed only one sample from a temporary monitoring well, DP-015, with detectable target B/N compounds. The compound identified was bis(2-ethylhexyl)phthalate at a concentration of 47 ppb. However, tentatively identified compounds (TICs) other than target B/N compounds were identified in all the temporary wells.

Since the TICs are not present in the list of target compounds, they are identified and quantified using individual standards. The TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantified only if the peak height is equal or greater than 10% of that of the nearest internal standard. The quantitations provided in the analytical results are estimates.

The TICs identified and their locations are as follows:

Tentatively Identified Compound	Locations	Range of Concentration (ppb)
.alpha.-pinene	DP-001	31
.alpha.-3-cyclohexene-1-methanol	DP-001	26
trans-1,2-dichlorocyclohexane	DP-001 DP-002 DP-003 DP-004 DP-005 DP-006 DP-007	8 to 11
7-Oxabicyclo[4.1.0]heptone	DP-003	35
Sulfur, mol. (S8)	DP-002	5
Unknowns (Total)	All Wells	11 to 107

Table 3 summarizes the results of the B/N compounds identified from the ground water samples. Figures 8 through 10 illustrate the individual constituent concentrations identified.

These tentatively identified compounds do not appear to be associated with the HOTs.

4.0 QUALITY CONTROL PROCEDURES

4.1 *Equipment Decontamination*

Potable water obtained from on-site sources was utilized for equipment decontamination.

4.1.1 DPT Sampler

The DPT sampler and associated tools were cleaned in accordance with the following guidelines:

- DPT sampler and all support equipment were cleaned of excess grease, oils, and caked-on soil prior to arrival at the site.
- Rods and other DPT equipment were decontaminated between borings as follows:
 - High temperature and pressure water rinse.

- If any noticeable petroleum hydrocarbon film was present, the tools were washed with phosphate-free detergent and tap water using a brush.
- High temperature and pressure tap water rinse.
- Allowed to air dry.
- Placed on and covered with clean plastic until next use.
- Equipment such as pumps and pump lines were flushed thoroughly with potable water prior to use. Dedicated tubing was used for each DPT water sample.

4.1.2 Soil and Ground Water Sample Collection Equipment

Disposable polyethylene tubing used for ground water sampling was disposed of after the sampling of each

DPT sample probes and other sample collection equipment were decontaminated between sample events as follows:

- Tap water rinse.
- Washed with phosphate-free detergent and tap water using a brush to remove any particle matter or surface film.
- Tap water rinse.
- Rinsed thoroughly with distilled water.
- Rinsed with alcohol.
- Rinsed with distilled water and allowed to air dry.
- Wrapped completely with aluminum foil and sealed in airtight plastic bags or placed on clean plastic if planned for immediate reuse.

4.2 *Sample Collection and Shipment*

4.2.1 Sample Identification

Prior to collecting each soil and ground water sample, sample bottles were labelled with the following information:

- Date and time of sample collection;
- Project identification number;
- Sample location number;
- Initials of person collecting sample;
- Type of preservative added to sample; and,
- Parameter(s) or parameter group to be analyzed.

Additional specific information, such as sampling interval, may have been added. The sample location number on the label corresponds to the sample location numbers assigned on the field site map.

4.2.2 Chain of Custody and Transportation Procedures (Refer to Appendix B)

Chain of Custody (COC) procedures were followed to establish documentation of sample possession from the time of collection until completion of analysis. As few people as possible handled the sample(s). The sampler was responsible for the care and custody of the samples until they were dispatched for shipment to the off-site laboratory. An accurate record of sample collection, transport, and analysis was maintained and documented. Chain of Custody records are provided in Appendix B.

The COC Record was used by personnel responsible for ensuring the integrity of samples from the time of collection to shipment to the off-site laboratory. The laboratory did not proceed with sample analysis without correctly prepared COC Records and Analytical Request Forms. The laboratory was responsible for maintaining COC of the sample(s) from time of receipt to disposal. Chain of Custody procedures were instituted and followed throughout the investigation.

The COC Record was signed by each individual who maintained custody of the samples. General preparation of the COC Record for samples to be delivered to the off-site laboratory was as follows:

- Samples were accompanied by a COC Record at all times.
- The COC Record was initiated in the field by the person collecting the samples. Every sample was assigned a unique identification number that was entered on the COC Record.
- The COC Record was completed in the field identifying the project, sampler, RC&A assigned project number, etc.
- If the person collecting the samples did not transport the samples to the laboratory or deliver the sample containers for shipment, the first block for "Relinquished By _____" was signed by the sampler.

- The person transporting the samples to the laboratory or delivering them for shipment signed the Record as "Relinquished By _____."

4.2.3 Off-Site Laboratory

Collected soil and ground water samples were transported by courier to Paradigm Analytical Laboratories, Inc. in Wilmington, North Carolina. Prior to the start of the field investigation, necessary arrangements were made with the laboratory to assure proper and prompt delivery and log in of the collected samples. Shipment and COC procedures were as follows:

- Samples were packed properly for shipment so that bottles would not dislodge and/or break. The samples were kept cool using either ice packs or ice in zip-lock bags.
- Samples were transported via a Paradigm courier.
- The COC record was sealed in a watertight container and placed in the shipping container.
- The courier double checked the contents of the shipping container to assure that the samples were properly packed and the COC inventory was correct.

5.0 FINDINGS OF RECEPTOR STUDY

The ground water investigation at the Staff and Officers Capehart did not find indications of releases from the HOTs. Ground water samples were analyzed per EPA Methods 602 and 625 which did not indicate a heating oil signature in any sample analyzed. The investigation did reveal one noncompliant target constituent, bis(2-ethylhexyl)phthalate at 47 ppb. The NCAC 2L Standard for this constituent is 3 ppb. This compound is identified as a plasticizer and could be attributed to sampling or laboratory contamination.

The analytical results also identified TICs, however, the TICs identified cannot be attributed to the release from the HOTs.

6.0 RECOMMENDATION

The HOTs are not regulated and should be closed if no longer needed for service.

TABLES

TABLE 1
TEMPORARY PIEZOMETER WELL CASING AND WATER ELEVATIONS

**CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

WELL NO.	WELL TYPE	DATE MEASURED	TOTAL DEPTH (Feet)	TOP OF CASING ELEVATION (Feet)	DEPTH TO GROUND WATER (Feet)	WATER TABLE ELEVATION (Feet)
P-1	II	9/2/99	22	18.725	15.54	3.085
P-2	II	9/2/99	20	20.705	17.13	3.575
P-3	II	9/2/99	20	19.900	16.09	3.81
P-4	II	9/2/99	20	20.515	16.61	3.905
P-5	II	9/2/99	20	29.150	17.33	11.82
P-6	II	9/2/99	20	25.080	16.41	8.67
P-7	II	9/2/99	20	26.650	18.30	8.35
P-8	II	9/2/99	20	26.660	17.26	9.40
P-9	II	9/2/99	20	28.030	17.17	10.86
P-10	II	9/2/99	20	28.880	17.51	11.37
P-11	II	9/2/99	20	28.590	16.59	12.00
P-12	II	9/2/99	20	28.780	17.80	10.98
P-13	II	9/2/99	20	27.140	18.17	8.97
P-14	II	9/2/99	20	27.650	18.30	9.35
P-15	II	9/2/99	20	27.050	18.39	8.66
P-16	II	9/2/99	22.5	28.280	21.48	6.80
P-17	II	9/2/99	25	29.490	23.93	5.56
P-18	II	9/2/99	20	21.730	16.63	5.10
P-19	II	9/2/99	25	28.310	21.87	6.44
P-20	II	9/2/99	25	26.910	21.38	5.53
P-21	II	9/2/99	25	29.565	21.41	8.155
P-22	II	9/2/99	25	24.285	18.57	5.715
P-23	II	9/2/99	20	26.820	15.51	11.31
P-24	II	9/2/99	25	20.845	17.30	3.545
P-25	II	9/2/99	25	21.510	17.65	3.85

TABLE 2 (Page 1 of 3)

**SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 602 (PURGEABLE AROMATICS)**

**CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

	T15A:02L Standards	01	02	03	04	05	06	07	08	09	010
DATE SAMPLED		9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99
ANALYTE											
Benzene	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	29	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MTBE	200	<2	<2	<2	<2	<2	<2	<2	<2	<2	1
Toluene	1,000	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
m/p-Xylene	530	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
o-Xylene	530	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2

* All results in ug/l (ppb)

** All other compounds as listed in the Laboratory Analytical Results contained in Appendix B.

<# (i.e. <1) = Below Quantitation Limits

TABLE 2 (Page 2 of 3)

SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 602 (PURGEABLE AROMATICS)

CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA

	T15A:02L Standards	010	011	012	013	014	015	016	017	018	019
DATE SAMPLED		9/9/99	9/9/99	9/9/99	9/9/99	11/4/99	11/4/99	11/4/99	10/28/99	11/8/99	11/3/99
ANALYTE											
Benzene	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	29	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MTBE	200	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Toluene	1,000	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
m/p-Xylene	530	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
o-Xylene	530	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2

* All results in ug/l (ppb)

** All other compounds as listed in the Laboratory Analytical Results contained in Appendix B.

<# (i.e. <1) = Below Quantitation Limits

TABLE 2 (Page 3 of 3)

SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 602 (PURGEABLE AROMATICS)

CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA

	T15A:02L Standards	020	021	022	023	024	025	026	S-5	S-5 DUP	S-6	S-11
DATE SAMPLED		11/3/99	11/3/99	11/3/99	11/3/9	11/4/99	11/4/99	11/4/99	11/8/99	11/8/99	11/8/99	11/8/99
ANALYTE												
Benzene	1	<1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	29	<1	3	<1	<1	<1	<1	<1	<1	<1	<1	<1
MTBE	200	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Toluene	1,000	<1	3	2	3	<1	<1	<1	<1	<1	1	<1
m/p-Xylene	530	<2	7	2	3	<2	<2	<2	<2	<2	<2	<2
o-Xylene	530	<2	3	<2	<2	<2	<2	<2	<2	<2	<2	<2

* All results in ug/l (ppb)

** All other compounds as listed in the Laboratory Analytical Results contained in Appendix B.

<# (i.e. <1) = Below Quantitation Limits

TABLE 3 (Page 1 of 3)

**SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 625 (BASE/NEUTRALS)
PLUS 10 LARGEST NON-TARGET PEAKS**

**CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

	T15A:02L Standards	01	02	03	04	05	06	07	08	09	010
DATE SAMPLED		9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99
ANALYTE											
bis(2-ethylhexyl)phthalate	3	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
	TEN LARGEST NON-TARGET PEAKS										
.alpha.-pinene	NE	31	--	--	--	--	--	--	--	--	--
.alpha.-3-cyclohexene-1-methanol	NE	26	--	--	--	--	--	--	--	--	--
trans-1,2-dichlorocyclo-hexane	NE	9	10	11	9	8	10	8	--	--	--
7-oxabicyclo[4.1.0] heptane	NE	--	--	35	--	--	--	--	--	--	--
Sulfur, mol. (S8)	NE	--	5	--	--	--	--	--	--	--	--
Unknown Semivolatiles	--	4 - 15	5 - 10	5 - 27	4 - 29	8 - 15	5 - 11	6 - 18	4 - 17	4 - 11	6 - 33

* All results in ug/l (ppb)

-- Not Available

Shaded areas indicate concentrations exceeding NCAC T15A:02L Groundwater Quality Standards for Target Compounds.

<#, i.e. <10 = Below Quantitation Limits (BQL). This indicates that the substance was not detected at or above this practical quantitation limit. Therefore, there is no violation of the standard in accordance with NCAC T15A:02L .0202(b)(1).

Note: All samples were analyzed by Paradigm Analytical Laboratories, Inc.

TABLE 3 (Page 2 of 3)

SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 625 (BASE/NEUTRALS)
PLUS 10 LARGEST NON-TARGET PEAKS

CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA

	T15A:02L Standards	011	012	013	014	015	016	017	018	019	020
DATE SAMPLED		9/9/99	9/9/99	9/9/99	11/4/99	11/4/99	11/4/99	10/28/99	11/8/99	11/3/99	11/3/99
ANALYTE											
bis(2-ethylhexyl)phthalate	3	<10	<10	<10	<10	47	<10	<10	<10	<10	<10
TEN LARGEST NON-TARGET PEAKS											
.alpha.-pinene	--	--	--	--	--	--	--	--	--	--	--
.alpha.-3-cyclohexene-1-methanol	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-dichlorocyclo-hexane	--	--	--	--	--	--	--	--	--	--	--
7-oxabicyclo[4.1.0] heptane	--	--	--	--	--	--	--	--	--	--	--
Sulfur, mol. (S8)	--	--	--	--	--	--	--	--	--	--	--
Unknown Semivolatiles	--	4 - 16	5 - 11	4 - 13	7 - 38	7 - 34	12 - 36	7 - 20	5 - 6	8 - 40	4 - 18

* All results in ug/l (ppb)

-- Not Available

Shaded areas indicate concentrations exceeding NCAC T15A:02L Groundwater Quality Standards for Target Compounds.

<#, i.e. <10 = Below Quantitation Limits (BQL). This indicates that the substance was not detected at or above this practical quantitation limit. Therefore, there is no violation of the standard in accordance with NCAC T15A:02L .0202(b)(1).

Note: All samples were analyzed by Paradigm Analytical Laboratories, Inc.

TABLE 3 (Page 3 of 3)

**SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 625 (BASE/NEUTRALS)
PLUS 10 LARGEST NON-TARGET PEAKS**

**CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

	T15A:02L Standards	021	022	023	024	025	026	S-5	S-5 DUP	S-6	S-11
DATE SAMPLED		11/3/99	11/3/99	11/3/99	11/4/99	11/4/99	11/4/99	11/8/99	11/8/99	11/8/99	11/8/99
ANALYTE											
bis(2-ethylhexyl)phthalate	3	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
	TEN LARGEST NON-TARGET PEAKS										
.alpha.-pinene	--	--	--	--	--	--	--	--	--	--	--
.alpha.-3-cyclohexene-1- methanol	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-dichlorocyclo-hexane	--	--	--	--	--	--	--	--	--	--	--
7-oxabicyclo[4.1.0] heptane	--	--	--	--	--	--	--	--	--	--	--
Sulfur, mol. (S8)	--	--	--	--	--	--	--	--	--	--	--
Unknown Semivolatiles	--	19	6 - 37	10 - 43	7 - 34	8 - 36	6 - 38	12 - 20	6 - 9	5 - 20	5 - 15


* All results in ug/l (ppb)

-- Not Available

Shaded areas indicate concentrations exceeding NCAC T15A:02L Groundwater Quality Standards for Target Compounds.

<#, i.e. <10 = Below Quantitation Limits (BQL). This indicates that the substance was not detected at or above this practical quantitation limit. Therefore, there is no violation of the standard in accordance with NCAC T15A:02L .0202(b)(1).

Note: All samples were analyzed by Paradigm Analytical Laboratories, Inc.




	PROJECT TANK SURVEY AND RECEPTOR PROTECTION STUDY CAPEHART HOUSING MCAS CHERRY POINT, NC	TITLE GENERAL LOCATION MAP	FIGURE 1
	JOB NO. 99136-F DATE JULY 1999	SCALE: AS SHOWN DRAWN BY: WJW CHECKED BY: GM	




LEGEND

-  Ground Water Contours
-  Piezometer
-  Tank Location



CAELIN ENGINEERS and SCIENTISTS	PROJECT	MCAS CHERRY POINT TANK SURVEY AND RECEPTOR PROTECTION STUDY CAPEHART HOUSING	TITLE	GROUND WATER CONTOUR MAP CAPEHART OFFICER'S HOUSING	FIGURE	2
	JOB NO:	99136	DATE:	JAN 99	SCALE:	AS SHOWN
			DRAWN BY:	MWW	CHECKED BY:	KB



LEGEND

-  Ground Water Contours
-  Piezometer
-  UST Location



	PROJECT MCAS CHERRY POINT TANK SURVEY AND RECEPTOR PROTECTION STUDY CAPEHART HOUSING	TITLE GROUND WATER CONTOUR MAP CAPEHART STAFF HOUSING UNITS 5,6, AND 11 VANCE ROAD	FIGURE 3
	JOB NO: 99136 DATE: JAN 99	SCALE: AS SHOWN	DRAWN BY: MMW CHECKED BY: KB



20 Gates Road

Catawba Road


Gates Road

42 Gates Road

A thorough investigation did not locate tanks at:

20 Gates Road or
42 Gates Road



They are believed to have been previously removed,
therefore ground water measurements were not taken.



	PROJECT	MCAS CHERRY POINT TANK SURVEY AND RECEPTOR PROTECTION STUDY CAPEHART HOUSING	TITLE	GROUND WATER CONTOURS CAPEHART STAFF HOUSING - GATES ROAD UNITS 20 AND 42	FIGURE	4			
	JOB NO:	99136	DATE:	JAN 99	SCALE:	AS SHOWN	DRAWN BY:	MWW	CHECKED BY:

LEGEND

- ⊕ Power Probe Sample Location
- ◆ 602 2L Non-Compliant
- 602 2L Compliant



 CATLIN ENGINEERS and SCIENTISTS	PROJECT MCAS CHERRY POINT TANK SURVEY AND RECEPTOR PROTECTION STUDY CAPEHART HOUSING	TITLE EPA METHOD 602 CAPEHART OFFICER'S HOUSING	FIGURE 5
	JOB NO: 99136 DATE: JAN 99	SCALE: AS SHOWN	DRAWN BY: MWW CHECKED BY: KB



	PROJECT MCAS CHERRY POINT TANK SURVEY AND RECEPTOR PROTECTION STUDY CAPEHART HOUSING	TITLE EPA METHOD 602 CAPEHART STAFF HOUSING UNITS 5,6, AND 11 VANCE ROAD	FIGURE 6
	JOB NO: 99136 DATE: JAN 99	SCALE: AS SHOWN DRAWN BY: MWW CHECKED BY: KB	




CAELIN ENGINEERS and SCIENTISTS	PROJECT	MCAS CHERRY POINT TANK SURVEY AND RECEPTOR PROTECTION STUDY CAPEHART HOUSING		TITLE	EPA METHOD 602 CAPEHART STAFF HOUSING - GATES ROAD UNITS 20 AND 42	FIGURE	7		
	JOB NO:	99136	DATE:	JAN 99	SCALE:	AS SHOWN	DRAWN BY:	MWW	CHECKED BY:

Neuse River




LEGEND

- ⊕ Power Probe Sample Location
- 625 2L Non-Compliant
- ◆ 625 2 2L Compliant



Notes: □ 1. 2L Standard refers to North Carolina Ground Water Quality Standard 15A NCAC 2L.0202
 2. The "Date Sampled" field in the table should be interpreted as "YYYYMMDD"

Sample ID	Date Sampled	Method	Parameter	Result	Units	2L Standard
O15	19991104	EPA 625	Bis(2-ethylhexyl)phthalate	47.00000	ug/L	3.00000



	PROJECT MCAS CHERRY POINT TANK SURVEY AND RECEPTOR PROTECTION STUDY CAPEHART HOUSING	TITLE EPA METHOD 625 CAPEHART OFFICER'S HOUSING	FIGURE 8
	JOB NO: 99136 DATE: JAN 99	SCALE: AS SHOWN	DRAWN BY: MWW CHECKED BY: KB



	PROJECT MCAS CHERRY POINT TANK SURVEY AND RECEPTOR PROTECTION STUDY CAPEHART HOUSING	TITLE EPA METHOD 625 CAPEHART STAFF HOUSING UNITS 5,6, AND 11 VANCE ROAD	FIGURE 9
	JOB NO. 99136 DATE: JAN 99	SCALE: AS SHOWN DRAWN BY: MWW CHECKED BY: KB	



CAELIN
ENGINEERS and SCIENTISTS

PROJECT
MCAS CHERRY POINT
TANK SURVEY AND
RECEPTOR PROTECTION STUDY
CAPEHART HOUSING

TITLE
EPA METHOD 625
CAPEHART STAFF HOUSING - GATES ROAD
UNITS 20 AND 42

FIGURE

JOB NO: 99136 DATE: JAN 99 SCALE: AS SHOWN DRAWN BY: MWW CHECKED BY: KB

10

APPENDIX A
BORING LOGS

BORING LOG

BORING NUMBER 324 (#015)
 TOTAL DEPTH 24.0'

SITE LOCATION CAPEHART HOUSING
MCAS Cherry Point, North Carolina

DRILLED BY B. Miller
 LOGGED BY R. Wenzel

DRILLING DATE 10/28/99

SAMPLE DEPTH (FT.)		SAMPLE DESCRIPTION	USCS	WATER CONTENT	ODOR	PID/ FID PPM	BLOW COUNT
0	1.0	Black, fine grained SANDY SILT with plant roots (topsoil).	ML	Moist	--	--	--
1.0	2.0	Orange, fine to medium grained SANDY CLAY.	CL	Moist	--	--	--
2.0	3.0	Dark gray to tan, fine grained SAND, well sorted.	SP	Moist	--	--	--
3.0	4.0	Orange, fine to medium grained SANDY CLAY.	CL	Moist	--	--	--
4.0	7.0	Orange to tan, fine to medium grained SILTY SAND, moderately sorted.	SP	Moist	--	--	--
7.0	12.0	Orange, fine grained SAND, well sorted with pockets of clayey fine sand.		Moist	--	--	--
12.0	15.0	Mottled orange, tan, and white, fine grained SAND, well sorted with pockets of gray clay.			--	--	--
15.0	19.0	Mottled orange, tan, and gray, fine to medium grained, alternating layers of SANDY CLAY and CLAYEY SAND.		Moist	--	--	--
19.0	20.0	Mottled orange, tan, and gray, fine to coarse grained CLAYEY SAND, poorly sorted.			--	--	--
20.0	24.0	Orange, brown, and tan, fine to medium grained SAND, moderately sorted.		Saturated	--	--	--

REMARKS _____

PAGE 1 OF 1

BORING LOG

BORING NUMBER 325 (#016)
 TOTAL DEPTH 20.0'

SITE LOCATION CAPEHART HOUSING
MCAS Cherry Point, North Carolina

DRILLED BY B. Miller
 LOGGED BY R. Wenzel

DRILLING DATE 10/28/99

SAMPLE DEPTH (FT.)		SAMPLE DESCRIPTION	USCS	WATER CONTENT	ODOR	PID/FID PPM	BLOW COUNT
0	1.0	Black, fine grained SANDY SILT with plant roots.	ML	Moist	--	--	--
1.0	2.0	Orange, fine grained SANDY CLAY with plant roots.	CL	Moist	--	--	--
2.0	3.0	Tan, fine grained SAND, well sorted.	SP	Moist	--	--	--
3.0	4.0	Orange, fine grained SANDY CLAY.	CL	Moist	--	--	--
4.0	8.0	Orangish-brown and tan, fine grained CLAYEY SAND, well sorted.	SP	Moist	--	--	--
8.0	11.0	Orange, fine grained SAND, well sorted.	SP	Moist	--	--	--
11.0	13.0	Orange, fine grained CLAY, well sorted with pockets of gray clay.	SP	Moist	--	--	--
13.0	20.0	Mottled orange, gray, and tan, fine to medium grained, SAND and CLAYEY SAND with interbedded lenses of gray clay, moderately sorted.	SP/CL	Moist to Wet	--	--	--

REMARKS _____

PAGE 1 OF 1

BORING LOG

BORING NUMBER 331 (#019)
 TOTAL DEPTH 16.0'

SITE LOCATION CAPEHART HOUSING
MCAS Cherry Point, North Carolina

DRILLED BY S. Tyler
 LOGGED BY B. Harrison

DRILLING DATE 11/03/99

SAMPLE DEPTH (FT.)		SAMPLE DESCRIPTION	USCS	WATER CONTENT	ODOR	PID/FID PPM	BLOW COUNT
0	2.0	Dark brown to brown, SILTY SAND with top 6" organic.	SM		No	--	--
2.0	4.0	Brown to yellowish-brown CLAY.	MH		No	--	--
4.0	5.0	Mottled brownish-tan and orangish-brown SILTY SAND.	SM		No	--	--
5.0	7.0	Brown to orangish-brown SILTY SAND.	SM		No	--	--
7.0	8.0	Yellowish-orange, fine grained SAND.	SP		No	--	--
8.0	9.0	Tan/orangish-brown SILTY SAND.	SM		No	--	--
9.0	10.0	Gray and yellowish-orange CLAY/SAND/SILT.	SC		No	--	--
10.0	11.0	Yellowish-orange, fine grained SAND layered with light gray fat clay.	SP/CH		No	--	--
11.0	12.0	Orangish-brown and gray CLAYEY SILT.	ML		No	--	--
12.0	13.0	Yellowish-orange, fine to medium grained SAND.	SP		No	--	--
13.0	14.0	Mottled gray and orangish-brown SILTY CLAY.	CL		No	--	--

REMARKS _____

PAGE 1 OF 2

BORING LOG

BORING NUMBER 332 (#020)
 TOTAL DEPTH 16.0'

SITE LOCATION CAPEHART HOUSING
MCAS Cherry Point, North Carolina

DRILLED BY S. Tyler
 LOGGED BY B. Harrison

DRILLING DATE 11/03/99

SAMPLE DEPTH (FT.)		SAMPLE DESCRIPTION	USCS	WATER CONTENT	ODOR	PID/FID PPM	BLOW COUNT
0	2.0	Dark brown, fine grained SAND with fines and organics in top 6".	SM		No	--	--
2.0	4.0	Tan to light brown, fine grained SAND.	SP		No	--	--
4.0	8.0	Tan SILTY SAND.	SM		No	--	--
8.0	9.0	Tan to yellowish-orange SILTY SAND.	SM		No	--	--
9.0	10.0	Light tan, fine grained SAND.	SP		No	--	--
10.0	10.5	Mottled yellowish-orange, tan, and gray, fine grained CLAYEY SAND.	ML		No	--	--
10.0	12.0	Yellowish-orange, fine grained SAND.	SP		No	--	--
12.0	13.0	Mottled yellowish-orange and light gray CLAY with minor fine grained SAND.	CH		No	--	--
13.0	14.0	Mottled yellowish-orange and light gray SANDY CLAY.	SC		No	--	--
14.0	16.0	Mottled yellowish-orange and light gray SILTY CLAY.	ML		No	--	--

REMARKS _____

PAGE 1 OF 1

BORING LOG

BORING NUMBER 334 (#021)
 TOTAL DEPTH 16.0'

SITE LOCATION CAPEHART HOUSING
MCAS Cherry Point, North Carolina

DRILLED BY S. Tyler
 LOGGED BY B. Harrison

DRILLING DATE 11/03/99

SAMPLE DEPTH (FT.)		SAMPLE DESCRIPTION	USCS	WATER CONTENT	ODOR	PID/FID PPM	BLOW COUNT
0	2.0	Dark brown SILTY SAND with organics in top 6".	SM		No	--	--
2.0	4.0	Brown SILTY SAND.	SM		No	--	--
4.0	5.0	Mottled brownish-gray with reddish-orange CLAYEY SILT.	ML		No	--	--
5.0	6.0	Light brown CLAYEY SILT.	ML		No	--	--
6.0	7.0	Light brown SANDY CLAY.	SC		No	--	--
7.0	8.0	Gray and brown CLAYEY SILT with black petro staining.	ML		Yes	--	--
8.0	9.0	Brown SILTY SAND.	SM		No	--	--
9.0	12.0	Layered light tan, fine grained SAND with yellowish-orange silty sand and gray silty clay.	SP/SM /MH		No	--	--
12.0	16.0	Mottled yellowish-orange and gray SANDY to SILTY CLAY.	CL		No	--	--

REMARKS _____

PAGE 1 OF 1

BORING LOG

BORING NUMBER 336 (#022)
 TOTAL DEPTH 16.0'

SITE LOCATION CAPEHART HOUSING
MCAS Cherry Point, North Carolina

DRILLED BY S. Tyler
 LOGGED BY B. Harrison

DRILLING DATE 11/03/99

SAMPLE DEPTH (FT.)		SAMPLE DESCRIPTION	USCS	WATER CONTENT	ODOR	PID/FID PPM	BLOW COUNT
0	2.0	Dark brown SILTY SAND with organics in top 6".	SM		No	--	--
2.0	4.0	Brown SILTY SAND.	SM		No	--	--
4.0	5.0	Brown SILTY SAND.	SM		No	--	--
5.0	6.5	Mottled brown and gray CLAY with fines.	MH		No	--	--
6.5	8.0	Brown, fine grained CLAYEY SAND/SILT.	SC		No	--	--
8.0	9.0	Brown, fine grained CLAYEY SAND/SILT.	SC		No	--	--
9.0	9.5	Orangish-brown, fine to medium grained SAND.	SP		No	--	--
9.5	10.0	Orangish-brown and gray CLAYEY SAND.	SC		No	--	--
10.0	10.5	Light gray, fine grained SAND.	SP		No	--	--
10.5	12.0	Brown and gray CLAYEY SAND/SILT.	SC		No	--	--
12.0	15.0	Orangish-brown and gray SILTY SAND.	SM		No	--	--
15.0	16.0	Light tan, fine grained SAND.	SP		No	--	--

REMARKS _____

PAGE 1 OF 1

BORING LOG

BORING NUMBER 343 (#026)
 TOTAL DEPTH 16.0'

SITE LOCATION CAPEHART HOUSING
MCAS Cherry Point, North Carolina

DRILLED BY S. Tyler
 LOGGED BY B. Harrison

DRILLING DATE 11/04/99

SAMPLE DEPTH (FT.)		SAMPLE DESCRIPTION	USCS	WATER CONTENT	ODOR	PID/FID PPM	BLOW COUNT
0	4.0	Dark brown SILTY SAND, organic.	SM		No	--	--
4.0	6.0	Tan SILTY SAND with root mass.	SM		No	--	--
6.0	8.0	Light tan SILTY SAND.	SM		No	--	--
8.0	12.0	Light tan SILTY SAND.	SM		No	--	--
12.0	13.0	Orange, fine grained SAND with black organic staining.	SP		No	--	--
13.0	14.0	Gray and light brown SANDY/SILTY CLAY.	CL		No	--	--
14.0	14.5	Yellowish-orange, fine grained SAND.	SP		No	--	--
14.5	15.5	Gray SILTY SAND.	SM		No	--	--
15.5	16.0	Gray to dark gray CLAYEY SILT.	ML		No	--	--

REMARKS _____

PAGE 1 OF 1

APPENDIX B

**LABORATORY ANALYTICAL REPORTS AND
CHAIN-OF-CUSTODY DOCUMENTATION**

TABLE 2 (Page 1 of 3)

**SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 602 (PURGEABLE AROMATICS)**

**CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

	T15A:02L Standards	01	02	03	04	05	06	07	08	09	010
DATE SAMPLED		9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99
ANALYTE											
Benzene	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	29	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MTBE	200	<2	<2	<2	<2	<2	<2	<2	<2	<2	1
Toluene	1,000	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
m/p-Xylene	530	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
o-Xylene	530	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2

* All results in ug/l (ppb)

** All other compounds as listed in the Laboratory Analytical Results contained in Appendix B.

<# (i.e. <1) = Below Quantitation Limits

TABLE 2 (Page 2 of 3)

**SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 602 (PURGEABLE AROMATICS)**

**CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

	T15A:02L Standards	010	011	012	013	014	015	016	017	018	019
DATE SAMPLED		9/9/99	9/9/99	9/9/99	9/9/99	11/4/99	11/4/99	11/4/99	10/28/99	11/8/99	11/3/99
ANALYTE											
Benzene	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	29	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MTBE	200	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Toluene	1,000	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
m/p-Xylene	530	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
o-Xylene	530	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2

* All results in ug/l (ppb)

** All other compounds as listed in the Laboratory Analytical Results contained in Appendix B.

<# (i.e. <1) = Below Quantitation Limits

TABLE 2 (Page 3 of 3)

SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 602 (PURGEABLE AROMATICS)

CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA

	T15A:02L Standards	020	021	022	023	024	025	026	S-5	S-5 DUP	S-6	S-11
DATE SAMPLED		11/3/99	11/3/99	11/3/99	11/3/9	11/4/99	11/4/99	11/4/99	11/8/99	11/8/99	11/8/99	11/8/99
ANALYTE												
Benzene	1	<1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	29	<1	3	<1	<1	<1	<1	<1	<1	<1	<1	<1
MTBE	200	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Toluene	1,000	<1	3	2	3	<1	<1	<1	<1	<1	1	<1
m/p-Xylene	530	<2	7	2	3	<2	<2	<2	<2	<2	<2	<2
o-Xylene	530	<2	3	<2	<2	<2	<2	<2	<2	<2	<2	<2

* All results in ug/l (ppb)

** All other compounds as listed in the Laboratory Analytical Results contained in Appendix B.

<# (i.e. <1) = Below Quantitation Limits

TABLE 3 (Page 1 of 3)

SUMMARY OF LABORATORY RESULTS* - GROUND WATER
 EPA METHOD 625 (BASE/NEUTRALS)
 PLUS 10 LARGEST NON-TARGET PEAKS

CAPEHART HOUSING
 MARINE CORPS AIR STATION
 CHERRY POINT, NORTH CAROLINA

	T15A:02L Standards	01	02	03	04	05	06	07	08	09	010
DATE SAMPLED		9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99	9/9/99
ANALYTE											
bis(2-ethylhexyl)phthalate	3	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
	TEN LARGEST NON-TARGET PEAKS										
.alpha.-pinene	NE	31	--	--	--	--	--	--	--	--	--
.alpha.-3-cyclohexene-1-methanol	NE	26	--	--	--	--	--	--	--	--	--
trans-1,2-dichlorocyclo-hexane	NE	9	10	11	9	8	10	8	--	--	--
7-oxabicyclo[4.1.0] heptane	NE	--	--	35	--	--	--	--	--	--	--
Sulfur, mol. (S8)	NE	--	5	--	--	--	--	--	--	--	--
Unknown Semivolatiles	--	4 - 15	5 - 10	5 - 27	4 - 29	8 - 15	5 - 11	6 - 18	4 - 17	4 - 11	6 - 33

* All results in ug/l (ppb)

-- Not Available

Shaded areas indicate concentrations exceeding NCAC T15A:02L Groundwater Quality Standards for Target Compounds.

<#, i.e. <10 = Below Quantitation Limits (BQL). This indicates that the substance was not detected at or above this practical quantitation limit. Therefore, there is no violation of the standard in accordance with NCAC T15A:02L .0202(b)(1).

Note: All samples were analyzed by Paradigm Analytical Laboratories, Inc.

TABLE 3 (Page 2 of 3)

**SUMMARY OF LABORATORY RESULTS* - GROUND WATER
EPA METHOD 625 (BASE/NEUTRALS)
PLUS 10 LARGEST NON-TARGET PEAKS**

**CAPEHART HOUSING
MARINE CORPS AIR STATION
CHERRY POINT, NORTH CAROLINA**

	T15A:02L Standards	011	012	013	014	015	016	017	018	019	020
DATE SAMPLED		9/9/99	9/9/99	9/9/99	11/4/99	11/4/99	11/4/99	10/28/99	11/8/99	11/3/99	11/3/99
ANALYTE											
bis(2-ethylhexyl)phthalate	3	<10	<10	<10	<10	47	<10	<10	<10	<10	<10
	TEN LARGEST NON-TARGET PEAKS										
.alpha.-pinene	--	--	--	--	--	--	--	--	--	--	--
.alpha.-3-cyclohexene-1-methanol	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-dichlorocyclo-hexane	--	--	--	--	--	--	--	--	--	--	--
7-oxabicyclo[4.1,0] heptane	--	--	--	--	--	--	--	--	--	--	--
Sulfur, mol. (S8)	--	--	--	--	--	--	--	--	--	--	--
Unknown Semivolatiles	--	4 - 16	5 - 11	4 - 13	7 - 38	7 - 34	12 - 36	7 - 20	5 - 6	8 - 40	4 - 18

* All results in ug/l (ppb)

-- Not Available

Shaded areas indicate concentrations exceeding NCAC T15A:02L Groundwater Quality Standards for Target Compounds.

<#, i.e. <10 = Below Quantitation Limits (BQL). This indicates that the substance was not detected at or above this practical quantitation limit. Therefore, there is no violation of the standard in accordance with NCAC T15A:02L .0202(b)(1).

Note: All samples were analyzed by Paradigm Analytical Laboratories, Inc.

TABLE 3 (Page 3 of 3)

SUMMARY OF LABORATORY RESULTS* - GROUND WATER
 EPA METHOD 625 (BASE/NEUTRALS)
 PLUS 10 LARGEST NON-TARGET PEAKS

CAPEHART HOUSING
 MARINE CORPS AIR STATION
 CHERRY POINT, NORTH CAROLINA

	T15A:02L Standards	021	022	023	024	025	026	S-5	S-5 DUP	S-6	S-11
DATE SAMPLED		11/3/99	11/3/99	11/3/99	11/4/99	11/4/99	11/4/99	11/8/99	11/8/99	11/8/99	11/8/99
ANALYTE											
bis(2-ethylhexyl)phthalate	3	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
TEN LARGEST NON-TARGET PEAKS											
.alpha.-pinene	--	--	--	--	--	--	--	--	--	--	--
.alpha.-3-cyclohexene-1-methanol	--	--	--	--	--	--	--	--	--	--	--
trans-1,2-dichlorocyclo-hexane	--	--	--	--	--	--	--	--	--	--	--
7-oxabicyclo[4.1.0] heptane	--	--	--	--	--	--	--	--	--	--	--
Sulfur, mol. (S8)	--	--	--	--	--	--	--	--	--	--	--
Unknown Semivolatiles	--	19	6 - 37	10 - 43	7 - 34	8 - 36	6 - 38	12 - 20	6 - 9	5 - 20	5 - 15

* All results in ug/l (ppb)

-- Not Available

Shaded areas indicate concentrations exceeding NCAC T15A:02L Groundwater Quality Standards for Target Compounds.

<#, i.e. <10 = Below Quantitation Limits (BQL). This indicates that the substance was not detected at or above this practical quantitation limit. Therefore, there is no violation of the standard in accordance with NCAC T15A:02L .0202(b)(1).

Note: All samples were analyzed by Paradigm Analytical Laboratories, Inc.

RECEIVED
DATE 11/30/99

PARADIGM ANALYTICAL LABORATORIES, INC.
2627 Northchase Parkway S.E.
Wilmington, North Carolina 28405
(910) 350-1903
Fax (910) 350-1557

Mr. Keith Bulla
Richard Catlin & Associates
P.O. Box 10279
Wilmington, NC 28404-0279

November 22, 1999

Report Number: G128-513

Client Project ID: 99136-F

Dear Mr. Bulla,


Enclosed are the results of the analytical services performed under the referenced project. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from the date of this report unless other arrangements are requested.

If there are any questions about the report or the services performed during this project, please call for assistance. We will be happy to answer any questions or concerns which you may have.

Thank you for using Paradigm Analytical Labs for your analytical services. We look forward to working with you again on any additional analytical needs which you may have.

Sincerely,

Paradigm Analytical Laboratories, Inc.



Laboratory Director
Mark Randall

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 014
Client Project ID: 99136-F
Lab Sample ID: 75488
Lab Project ID: G128-513

Analyzed By: EKR
Date Collected: 11/4/99
Date Received: 11/5/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/10/99	1	1	BQL
Diisopropyl ether (DIPE)	11/10/99	1	1	BQL
Ethylbenzene	11/10/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/10/99	1	2	BQL
Toluene	11/10/99	1	1	BQL
m/p-Xylene	11/10/99	1	2	BQL
o-Xylene	11/10/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	39	98

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 015
 Client Project ID: 99136-F
 Lab Sample ID: 75489
 Lab Project ID: G128-513

Analyzed By: EKR
 Date Collected: 11/4/99
 Date Received: 11/5/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/10/99	1	1	BQL
Diisopropyl ether (DIPE)	11/10/99	1	1	BQL
Ethylbenzene	11/10/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/10/99	1	2	BQL
Toluene	11/10/99	1	1	BQL
m/p-Xylene	11/10/99	1	2	BQL
o-Xylene	11/10/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	40	99

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 016
 Client Project ID: 99136-F
 Lab Sample ID: 75490
 Lab Project ID: G128-513

Analyzed By: EKR
 Date Collected: 11/4/99
 Date Received: 11/5/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/10/99	1	1	BQL
Diisopropyl ether (DIPE)	11/10/99	1	1	BQL
Ethylbenzene	11/10/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/10/99	1	2	BQL
Toluene	11/10/99	1	1	BQL
m/p-Xylene	11/10/99	1	2	BQL
o-Xylene	11/10/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	41	101

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 019
Client Project ID: 99136-F
Lab Sample ID: 75492
Lab Project ID: G128-513

Analyzed By: EKR
Date Collected: 11/3/99
Date Received: 11/5/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/9/99	1	1	BQL
Diisopropyl ether (DIPE)	11/9/99	1	1	BQL
Ethylbenzene	11/9/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/9/99	1	2	BQL
Toluene	11/9/99	1	1	BQL
m/p-Xylene	11/9/99	1	2	BQL
o-Xylene	11/9/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	39	97

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 020
Client Project ID: 99136-F
Lab Sample ID: 75493
Lab Project ID: G128-513

Analyzed By: EKR
Date Collected: 11/3/99
Date Received: 11/5/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/9/99	1	1	BQL
Diisopropyl ether (DIPE)	11/9/99	1	1	BQL
Ethylbenzene	11/9/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/9/99	1	2	BQL
Toluene	11/9/99	1	1	BQL
m/p-Xylene	11/9/99	1	2	BQL
o-Xylene	11/9/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	39	99

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 021
 Client Project ID: 99136-F
 Lab Sample ID: 75494
 Lab Project ID: G128-513

Analyzed By: EKR
 Date Collected: 11/3/99
 Date Received: 11/5/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/9/99	1	1	1
Diisopropyl ether (DIPE)	11/9/99	1	1	BQL
Ethylbenzene	11/9/99	1	1	3
Methyl-tert-butyl ether (MTBE)	11/9/99	1	2	BQL
Toluene	11/9/99	1	1	3
m/p-Xylene	11/9/99	1	2	7
o-Xylene	11/9/99	1	2	3

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	39	98

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 022
 Client Project ID: 99136-F
 Lab Sample ID: 75495
 Lab Project ID: G128-513

Analyzed By: EKR
 Date Collected: 11/3/99
 Date Received: 11/5/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/10/99	1	1	BQL
Diisopropyl ether (DIPE)	11/10/99	1	1	BQL
Ethylbenzene	11/10/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/10/99	1	2	BQL
Toluene	11/10/99	1	1	2
m/p-Xylene	11/10/99	1	2	2
o-Xylene	11/10/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	41	102

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 023
 Client Project ID: 99136-F
 Lab Sample ID: 75496
 Lab Project ID: G128-513

Analyzed By: EKR
 Date Collected: 11/3/99
 Date Received: 11/5/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/10/99	1	1	BQL
Diisopropyl ether (DIPE)	11/10/99	1	1	BQL
Ethylbenzene	11/10/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/10/99	1	2	BQL
Toluene	11/10/99	1	1	3
m/p-Xylene	11/10/99	1	2	3
o-Xylene	11/10/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	41	102

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 024
 Client Project ID: 99136-F
 Lab Sample ID: 75497
 Lab Project ID: G128-513

Analyzed By: EKR
 Date Collected: 11/4/99
 Date Received: 11/5/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/10/99	1	1	BQL
Diisopropyl ether (DIPE)	11/10/99	1	1	BQL
Ethylbenzene	11/10/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/10/99	1	2	BQL
Toluene	11/10/99	1	1	BQL
m/p-Xylene	11/10/99	1	2	BQL
o-Xylene	11/10/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	40	101

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 025
 Client Project ID: 99136-F
 Lab Sample ID: 75498
 Lab Project ID: G128-513

Analyzed By: EKR
 Date Collected: 11/4/99
 Date Received: 11/5/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/10/99	1	1	BQL
Diisopropyl ether (DIPE)	11/10/99	1	1	BQL
Ethylbenzene	11/10/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/10/99	1	2	BQL
Toluene	11/10/99	1	1	BQL
m/p-Xylene	11/10/99	1	2	BQL
o-Xylene	11/10/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	39	97

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 026
 Client Project ID: 99136-F
 Lab Sample ID: 75499
 Lab Project ID: G128-513

Analyzed By: EKR
 Date Collected: 11/4/99
 Date Received: 11/5/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/10/99	1	1	BQL
Diisopropyl ether (DIPE)	11/10/99	1	1	BQL
Ethylbenzene	11/10/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/10/99	1	2	BQL
Toluene	11/10/99	1	1	BQL
m/p-Xylene	11/10/99	1	2	BQL
o-Xylene	11/10/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	39	98

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 014
Client Project ID: 99136-F
Lab Sample ID: 75488
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/11/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 014
Client Project ID: 99136-F
Lab Sample ID: 75488
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/11/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL


Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	20	13.3	66
2-Fluorophenol	20	15.7	79
Nitrobenzene-d5	20	14.1	70
Phenol-d6	20	12.8	64
2,4,6-Tribromophenol	20	15.7	79
4-Terphenyl-d14	20	15.3	77

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 014
 Client Project ID: 99136-F
 Lab Sample ID: 75488
 Lab Project ID: G128-513
 Matrix: Water


Date Collected: 11/4/99
 Date Received: 11/5/99
 Date Analyzed: 11/11/99
 Analyzed By: MRC
 Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			38
2	Unknown			26
3	Unknown			7
4	Unknown			7
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 015
Client Project ID: 99136-F
Lab Sample ID: 75489
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/11/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	47
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Results for Semivolatiles
by GCMS 625

Client Sample ID: 015
Client Project ID: 99136-F
Lab Sample ID: 75489
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/11/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	8.3	83
2-Fluorophenol	10	7.9	79
Nitrobenzene-d5	10	7.7	77
Phenol-d6	10	7	70
2,4,6-Tribromophenol	10	7.6	76
4-Terphenyl-d14	10	9.9	99

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 015
 Client Project ID: 99136-F
 Lab Sample ID: 75489
 Lab Project ID: G128-513
 Matrix: Water

Date Collected: 11/4/99
 Date Received: 11/5/99
 Date Analyzed: 11/11/99
 Analyzed By: MRC
 Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			34
2	Unknown			18
3	Unknown			15
4	Unknown			10
5	Unknown			9
6	Unknown			7
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by:  _____

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 016
Client Project ID: 99136-F
Lab Sample ID: 75490
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 016
Client Project ID: 99136-F
Lab Sample ID: 75490
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL


Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	7.6	76
2-Fluorophenol	10	7.5	75
Nitrobenzene-d5	10	7.4	74
Phenol-d6	10	6.6	66
2,4,6-Tribromophenol	10	7.3	73
4-Terphenyl-d14	10	8.8	88

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 016
 Client Project ID: 99136-F
 Lab Sample ID: 75490
 Lab Project ID: G128-513
 Matrix: Water


Date Collected: 11/4/99
 Date Received: 11/5/99
 Date Analyzed: 11/12/99
 Analyzed By: MRC
 Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			36
2	Unknown			22
3	Unknown			13
4	Unknown			12
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 019
Client Project ID: 99136-F
Lab Sample ID: 75492
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 019
Client Project ID: 99136-F
Lab Sample ID: 75492
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	6.8	68
2-Fluorophenol	10	5.7	57
Nitrobenzene-d5	10	6.1	61
Phenol-d6	10	5.1	51
2,4,6-Tribromophenol	10	7.1	71
4-Terphenyl-d14	10	8.8	88

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 019
 Client Project ID: 99136-F
 Lab Sample ID: 75492
 Lab Project ID: G128-513
 Matrix: Water


Date Collected: 11/3/99
 Date Received: 11/5/99
 Date Analyzed: 11/12/99
 Analyzed By: MRC
 Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			40
2	Unknown			11
3	Unknown			8
4				
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 020
Client Project ID: 99136-F
Lab Sample ID: 75493
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/9/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 020
Client Project ID: 99136-F
Lab Sample ID: 75493
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/9/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	3.7	37
2-Fluorophenol	10	2.8	28
Nitrobenzene-d5	10	2.9	29
Phenol-d6	10	2.9	29
2,4,6-Tribromophenol	10	2.5	25
4-Terphenyl-d14	10	4.7	47

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 020
Client Project ID: 99136-F
Lab Sample ID: 75493
Lab Project ID: G128-513
Matrix: Water


Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/9/99
Analyzed By: MRC
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			18
2	Unknown			4
3				
4				
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 021
Client Project ID: 99136-F
Lab Sample ID: 75494
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/10/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 021
Client Project ID: 99136-F
Lab Sample ID: 75494
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/10/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	3.5	35
2-Fluorophenol	10	2	20
Nitrobenzene-d5	10	2.7	27
Phenol-d6	10	2.6	26
2,4,6-Tribromophenol	10	2.7	27
4-Terphenyl-d14	10	4.3	43

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 021
Client Project ID: 99136-F
Lab Sample ID: 75494
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/10/99
Analyzed By: MRC
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			19
2				
3				
4				
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by:  _____

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 022
Client Project ID: 99136-F
Lab Sample ID: 75495
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

**Results for Semivolatiles
by GCMS 625**

Client Sample ID: 022
 Client Project ID: 99136-F
 Lab Sample ID: 75495
 Lab Project ID: G128-513
 Matrix: Water

Date Collected: 11/3/99
 Date Received: 11/5/99
 Date Analyzed: 11/12/99
 Analyzed By: MRC
 Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	7.1	70
2-Fluorophenol	10	5.6	56
Nitrobenzene-d5	10	6.2	62
Phenol-d6	10	5.4	54
2,4,6-Tribromophenol	10	6.8	68
4-Terphenyl-d14	10	9	90

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 022
 Client Project ID: 99136-F
 Lab Sample ID: 75495
 Lab Project ID: G128-513
 Matrix: Water

Date Collected: 11/3/99
 Date Received: 11/5/99
 Date Analyzed: 11/12/99
 Analyzed By: MRC
 Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			37
2	Unknown			11
3	Unknown			10
4	Unknown			8
5	Unknown			7
6	Unknown			6
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 023
Client Project ID: 99136-F
Lab Sample ID: 75496
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

**Results for Semivolatiles
by GCMS 625**

Client Sample ID: 023
 Client Project ID: 99136-F
 Lab Sample ID: 75496
 Lab Project ID: G128-513
 Matrix: Water

Date Collected: 11/3/99
 Date Received: 11/5/99
 Date Analyzed: 11/12/99
 Analyzed By: MRC
 Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	8	80
2-Fluorophenol	10	8	80
Nitrobenzene-d5	10	7.7	77
Phenol-d6	10	6.8	67
2,4,6-Tribromophenol	10	8.3	83
4-Terphenyl-d14	10	9.3	92

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 023
Client Project ID: 99136-F
Lab Sample ID: 75496
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/3/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			43
2	Unknown			10
3				
4				
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by:  _____

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 024
Client Project ID: 99136-F
Lab Sample ID: 75497
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 024
Client Project ID: 99136-F
Lab Sample ID: 75497
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL


Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	7.9	79
2-Fluorophenol	10	8.7	87
Nitrobenzene-d5	10	8.3	83
Phenol-d6	10	7.5	75
2,4,6-Tribromophenol	10	7.5	75
4-Terphenyl-d14	10	8.7	87

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 024
Client Project ID: 99136-F
Lab Sample ID: 75497
Lab Project ID: G128-513
Matrix: Water


Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			34
2	Unknown			26
3	Unknown			13
4	Unknown			11
5	Unknown			9
6	Unknown			7
7	Unknown			7
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 025
Client Project ID: 99136-F
Lab Sample ID: 75498
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 025
Client Project ID: 99136-F
Lab Sample ID: 75498
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	6.5	65
2-Fluorophenol	10	5.8	58
Nitrobenzene-d5	10	5.8	58
Phenol-d6	10	5.9	59
2,4,6-Tribromophenol	10	7	70
4-Terphenyl-d14	10	9.4	94

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: W

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 025
 Client Project ID: 99136-F
 Lab Sample ID: 75498
 Lab Project ID: G128-513
 Matrix: Water


Date Collected: 11/4/99
 Date Received: 11/5/99
 Date Analyzed: 11/12/99
 Analyzed By: MRC
 Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			36
2	Unknown			20
3	Unknown			15
4	Unknown			12
5	Unknown			8
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 026
Client Project ID: 99136-F
Lab Sample ID: 75499
Lab Project ID: G128-513
Matrix: Water

Date Collected: 11/4/99
Date Received: 11/5/99
Date Analyzed: 11/12/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Client: CATUM ENGINEERS, Supt Project ID: 99136-F Date: 11-5-99 Report To: CATUM
 Address: 220 OLD DAIRY RD. P.O. Number: 991105-01 Turnaround: Standard MR. KEITH BULLA
 Address: Wilm. NC Contact: _____ Job Number: _____
 Quote #: _____ Phone: _____ Invoice To: CATUM

Sample ID	Date	Time	Matrix	Preservatives			Analyses							Comments: Please specify any special reporting requirements				
				HCL (K) VOAS			EPA 602	EPA 625+ TLCS										
014	11-4-99	1340	GRND WTR	↓			✓	✓									6128-513	
015	↓	1300	↓	↓			✓	✓									EDD files	
016	↓	1430	↓	↓			✓	✓										
018							✓	✓										Not sampled per [unclear]
019	1100	11-3	↓	↓			✓	✓										
020	1215	11-3	↓	↓			✓	✓										
021	1340	11-3	↓	↓			✓	✓										
022	1430	11-3	↓	↓			✓	✓										
023	1540	11-3	↓	↓			✓	✓										
Relinquished By		Date	Time	Received By		Date	Time	Temperature	Sampled By			Airbill #						
[Signature]		11-5-99	1115	[Signature]		11/5/99	1115	WILKINSON	[Signature]									

Client: CATLIN Eng & Scie Project ID: 99136-F Date: 11-5-99 Report To: CATLIN
 Address: 220 OLD DAIRY P.O. Number: 991105-01 Turnaround: _____
 Address: WILM. NC Contact: _____ Job Number: _____
 Quote #: _____ Phone: _____ Invoice To: CATLIN

Sample ID	Date	Time	Matrix	Preservatives			Analyses							Comments: Please specify any special reporting requirements		
				MCL in GAS			EPA 602									
024	11-4-99	0850	Gravel WTR.	✓			✓									G128-513
025	11-4-99	0950		✓			✓									
026	11-4-99	1100		✓			✓									
Relinquished By		Date	Time	Received By		Date	Time	Temperature	Sampled By		Airbill #					
[Signature]		11-5-99	1115	ERIN [Signature]		11/5/99	1115	WILM-ONCE								

RECEIVED
LS 11/30/9

PARADIGM ANALYTICAL LABORATORIES, INC.
2627 Northchase Parkway S.E.
Wilmington, North Carolina 28405
(910) 350-1903
Fax (910) 350-1557

Mr. Keith Bulla
Richard Catlin & Associates
P.O. Box 10279
Wilmington, NC 28404-0279

November 19, 1999

Report Number: G128-514

Client Project ID: 99136-F

Dear Mr. Bulla,

Enclosed are the results of the analytical services performed under the referenced project. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from the date of this report unless other arrangements are requested.

If there are any questions about the report or the services performed during this project, please call for assistance. We will be happy to answer any questions or concerns which you may have.

Thank you for using Paradigm Analytical Labs for your analytical services. We look forward to working with you again on any additional analytical needs which you may have.

Sincerely,

Paradigm Analytical Laboratories, Inc.



Laboratory Director
Mark Randall

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: 018
Client Project ID: 99136-F
Lab Sample ID: 75628
Lab Project ID: G128-514

Analyzed By: EKR
Date Collected: 11/8/99
Date Received: 11/9/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/12/99	1	1	BQL
Diisopropyl ether (DIPE)	11/12/99	1	1	BQL
Ethylbenzene	11/12/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/12/99	1	2	BQL
Toluene	11/12/99	1	1	BQL
m/p-Xylene	11/12/99	1	2	BQL
o-Xylene	11/12/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	40	99

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: S-5
Client Project ID: 99136-F
Lab Sample ID: 75629
Lab Project ID: G128-514

Analyzed By: EKR
Date Collected: 11/8/99
Date Received: 11/9/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/12/99	1	1	BQL
Diisopropyl ether (DIPE)	11/12/99	1	1	BQL
Ethylbenzene	11/12/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/12/99	1	2	BQL
Toluene	11/12/99	1	1	BQL
m/p-Xylene	11/12/99	1	2	BQL
o-Xylene	11/12/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	40	99

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: hw

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: S-5 Dup
Client Project ID: 99136-F
Lab Sample ID: 75630
Lab Project ID: G128-514

Analyzed By: EKR
Date Collected: 11/8/99
Date Received: 11/9/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/12/99	1	1	BQL
Diisopropyl ether (DIPE)	11/12/99	1	1	BQL
Ethylbenzene	11/12/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/12/99	1	2	BQL
Toluene	11/12/99	1	1	BQL
m/p-Xylene	11/12/99	1	2	BQL
o-Xylene	11/12/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	40	99

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: S-6
 Client Project ID: 99136-F
 Lab Sample ID: 75631
 Lab Project ID: G128-514

Analyzed By: EKR
 Date Collected: 11/8/99
 Date Received: 11/9/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/10/99	1	1	BQL
Diisopropyl ether (DIPE)	11/10/99	1	1	BQL
Ethylbenzene	11/10/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/10/99	1	2	BQL
Toluene	11/10/99	1	1	BQL 1
m/p-Xylene	11/10/99	1	2	BQL
o-Xylene	11/10/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	40	100

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: S-11
Client Project ID: 99136-F
Lab Sample ID: 75632
Lab Project ID: G128-514

Analyzed By: EKR
Date Collected: 11/8/99
Date Received: 11/9/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/12/99	1	1	BQL
Diisopropyl ether (DIPE)	11/12/99	1	1	BQL
Ethylbenzene	11/12/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/12/99	1	2	BQL
Toluene	11/12/99	1	1	BQL
m/p-Xylene	11/12/99	1	2	BQL
o-Xylene	11/12/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	40	100

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: 018
Client Project ID: 99136-F
Lab Sample ID: 75628
Lab Project ID: G128-514
Matrix: Water

Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

**Results for Semivolatiles
by GCMS 625**

Client Sample ID: 018
 Client Project ID: 99136-F
 Lab Sample ID: 75628
 Lab Project ID: G128-514
 Matrix: Water

Date Collected: 11/8/99
 Date Received: 11/9/99
 Date Analyzed: 11/13/99
 Analyzed By: MRC
 Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	8.7	87
2-Fluorophenol	10	7.9	79
Nitrobenzene-d5	10	8.4	84
Phenol-d6	10	8.7	87
2,4,6-Tribromophenol	10	9	90
4-Terphenyl-d14	10	10.4	104

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: 018
Client Project ID: 99136-F
Lab Sample ID: 75628
Lab Project ID: G128-514
Matrix: Water


Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			6
2	Unknown			5
3				
4				
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: S-5
Client Project ID: 99136-F
Lab Sample ID: 75629
Lab Project ID: G128-514
Matrix: Water

Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: S-5
Client Project ID: 99136-F
Lab Sample ID: 75629
Lab Project ID: G128-514
Matrix: Water

Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	8.2	82
2-Fluorophenol	10	7.7	77
Nitrobenzene-d5	10	7.9	79
Phenol-d6	10	8.5	85
2,4,6-Tribromophenol	10	8.8	88
4-Terphenyl-d14	10	9.6	96

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results of Library Search for Semivolatile Compounds

by GCMS

Client Sample ID: S-5
Client Project ID: 99136-F
Lab Sample ID: 75629
Lab Project ID: G128-514
Matrix: Water

Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			20
2	Unknown			12
3				
4				
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by:  _____

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: S-5 Dup
Client Project ID: 99136-F
Lab Sample ID: 75630
Lab Project ID: G128-514
Matrix: Water

Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: S-5 Dup
Client Project ID: 99136-F
Lab Sample ID: 75630
Lab Project ID: G128-514
Matrix: Water

Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	8.4	84
2-Fluorophenol	10	6.6	66
Nitrobenzene-d5	10	8.1	81
Phenol-d6	10	8.5	85
2,4,6-Tribromophenol	10	9	90
4-Terphenyl-d14	10	11	110

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: S-5 Dup
Client Project ID: 99136-F
Lab Sample ID: 75630
Lab Project ID: G128-514
Matrix: Water


Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			9
2	Unknown			6
3				
4				
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: S-6
Client Project ID: 99136-F
Lab Sample ID: 75631
Lab Project ID: G128-514
Matrix: Water

Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/17/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS 625

Client Sample ID: S-11
Client Project ID: 99136-F
Lab Sample ID: 75632
Lab Project ID: G128-514
Matrix: Water

Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

**Results for Semivolatiles
by GCMS 625**

Client Sample ID: S-11
 Client Project ID: 99136-F
 Lab Sample ID: 75632
 Lab Project ID: G128-514
 Matrix: Water

Date Collected: 11/8/99
 Date Received: 11/9/99
 Date Analyzed: 11/13/99
 Analyzed By: MRC
 Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2-Fluorobiphenyl	10	7.6	76
2-Fluorophenol	10	5.6	56
Nitrobenzene-d5	10	6.6	66
Phenol-d6	10	7.2	72
2,4,6-Tribromophenol	10	9.3	93
4-Terphenyl-d14	10	10.2	102

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results of Library Search for Semivolatile Compounds
by GCMS

Client Sample ID: S-11
Client Project ID: 99136-F
Lab Sample ID: 75632
Lab Project ID: G128-514
Matrix: Water

Date Collected: 11/8/99
Date Received: 11/9/99
Date Analyzed: 11/13/99
Analyzed By: MRC
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			15
2	Unknown			7
3	Unknown			5
4				
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: *AW*

Client: CATLIN Eng. & Survey Project ID: 99136-F Date: 11-9-99 Report To: CATLIN
 Address: 220 Old Dairy Rd. P.O. Number: 991109-1 Turnaround: Standard ATTN: Keith Bulla
 Address: WILM. NC Contact: Keith Bulla Job Number: _____
 Quote #: _____ Phone: _____ Invoice To: CATLIN

Sample ID	Date	Time	Matrix	Preservatives			Analyses										Comments: Please specify any special reporting requirements						
				MCL 14 VOLS			EPA 602	EPA 625+ TLPs															
018	11-8-99	1115	Gravel WTR	✓			✓	✓														G128-514	
S-5		1430		✓			✓	✓															
S-5 Dup		1440		✓			✓	✓															
S-6		1250		✓			✓	✓															
S-11		1530		✓			✓	✓															
Relinquished By				Date	Time	Received By				Date	Time	Temperature	Sampled By			Airbill #							
Brian Jones				11/9/99	12:00	STANLEY				11/9/99	12:00	W/TKIN-OUCE											

PARADIGM ANALYTICAL LABORATORIES, INC.
2627 Northchase Parkway S.E.
Wilmington, North Carolina 28405
(910) 350-1903
Fax (910) 350-1557

RECEIVED
BY *KS* DATE *11/30/99*

Mr. Keith Bulla
Richard Catlin & Associates
P.O. Box 10279
Wilmington, NC 28404-0279

November 19, 1999

Report Number: G128-511

Client Project ID: 99136-F

Dear Mr. Bulla,

Enclosed are the results of the analytical services performed under the referenced project. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from the date of this report unless other arrangements are requested.

If there are any questions about the report or the services performed during this project, please call for assistance. We will be happy to answer any questions or concerns which you may have.

Thank you for using Paradigm Analytical Labs for your analytical services. We look forward to working with you again on any additional analytical needs which you may have.

Sincerely,

Paradigm Analytical Laboratories, Inc.



Laboratory Director
Mark Randall

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: O17
 Client Project ID: 99136-F
 Lab Sample ID: 74971
 Lab Project ID: G128-511

Analyzed By: EKR
 Date Collected: 10/28/99
 Date Received: 10/29/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	11/3/99	1	1	BQL
Diisopropyl ether (DIPE)	11/3/99	1	1	BQL
Ethylbenzene	11/3/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	11/3/99	1	2	BQL
Toluene	11/3/99	1	1	BQL
m/p-Xylene	11/3/99	1	2	BQL
o-Xylene	11/3/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	43	106

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O17
Client Project ID: 99136-F
Lab Sample ID: 74971
Lab Project ID: G128-511
Matrix: Water

Date Collected: 10/28/99
Date Received: 10/29/99
Date Analyzed: 11/5/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O17
Client Project ID: 99136-F
Lab Sample ID: 74971
Lab Project ID: G128-511
Matrix: Water

Date Collected: 10/28/99
Date Received: 10/29/99
Date Analyzed: 11/5/99
Analyzed By: MRC
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL


Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	6.6	66
2-Fluorobiphenyl	10	8.2	82
2-Fluorophenol	10	7.4	74
4-Terphenyl-d14	10	9.2	92
Nitrobenzene-d5	10	7.6	76
Phenol-d6	10	7.4	74

Comments:

Results are corrected for %solids and dilution where applicable.

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

2627 Northchase Parkway SE, Wilmington, NC 28405

Phone: (910)-350-1903 FAX: (910)-350-1557

Chain-of Custody Record & Analytical Request

COC# 1637

Page ___ of ___

Client: RICHARD CATHY & ASSOC Project ID: 99136-F

Date: 10/28/99

Report To: Keith Bullis

Address: P.O. Box 10279 P.O. Number: 991029-4

Turnaround: _____

Address: WILM. NC 28405

Contact: _____

Job Number: _____

Quote #: _____

Phone: _____

Invoice To: _____

Sample ID	Date	Time	Matrix	Preservatives			Analyses				Comments: Please specify any special reporting requirements	
				HCL IN UOAT			EPA 602	EPA 625+ TLA7P				
014	10/28/99	0930	GW	✓			✓	✓				E-Files for all of these projects. per Steve. G 128-511 014, 015, 016 - vials broken at lab - client to resample Cogn 11/1/99
015	10/28/99	1122	GW	✓			✓	✓	Cancelled 11/1/99 - Resample			
016	10/28/99	1345	GW	✓			✓	✓				
017	10/28/99	1447	GW	✓			✓	✓				

Relinquished By	Date / Time	Received By	Date / Time	Temp	Initials	Airbill #
<u>[Signature]</u>	10/29/99 1030	<u>[Signature]</u>	10/29/99 1030		NAKIN-DUCE	

RECEIVED
BY KS DATE 10/8/99

PARADIGM ANALYTICAL LABORATORIES, INC.
2627 Northchase Parkway S.E.
Wilmington, North Carolina 28405
(910) 350-1903
Fax (910) 350-1557

Mr. Keith Bulla
Richard Catlin & Assoc. Inc.
P.O. BOX 10279
Wilmington, NC 28405

Date 10-05-99

Report Number: G128-499

Project ID: 99136

Dear Mr. Bulla:


Enclosed are the results of the analytical services performed under the referenced project. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from date of this report unless other arrangements are requested.

If there are any questions about the report or the services performed during this project, please call for assistance. We will be happy to answer any questions or concerns which you may have.

Thank you for using Paradigm Analytical Labs for your analytical service projects. We look forward to working with you again on any additional needs which you may have.

Sincerely,

Paradigm Analytical Laboratories



Laboratory Director
Mark Randall

PARADIGM ANALYTICAL LABORATORIES, INC.
Results for Volatiles
by GC 602

Client Sample ID: O-1
Client Project ID: 99136 F
Lab Sample ID: 72348
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/20/99	1	1	BQL
Diisopropyl ether (DIPE)	9/20/99	1	1	BQL
Ethylbenzene	9/20/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/20/99	1	2	BQL
Toluene	9/20/99	1	1	BQL
m/p-Xylene	9/20/99	1	2	BQL
o-Xylene	9/20/99	1	2	BQL


Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	40	100

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: O-2
Client Project ID: 99136 F
Lab Sample ID: 72349
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/20/99	1	1	BQL
Diisopropyl ether (DIPE)	9/20/99	1	1	BQL
Ethylbenzene	9/20/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/20/99	1	2	BQL
Toluene	9/20/99	1	1	BQL
m/p-Xylene	9/20/99	1	2	BQL
o-Xylene	9/20/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	41	101

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By:

PARADIGM ANALYTICAL LABORATORIES, INC.
Results for Volatiles
by GC 602

Client Sample ID: O-3
Client Project ID: 99136 F
Lab Sample ID: 72350
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/20/99	1	1	BQL
Diisopropyl ether (DIPE)	9/20/99	1	1	BQL
Ethylbenzene	9/20/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/20/99	1	2	BQL
Toluene	9/20/99	1	1	BQL
m/p-Xylene	9/20/99	1	2	BQL
o-Xylene	9/20/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	41	101

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: O-4
Client Project ID: 99136 F
Lab Sample ID: 72351
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/22/99	1	1	BQL
Diisopropyl ether (DIPE)	9/22/99	1	1	BQL
Ethylbenzene	9/22/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/22/99	1	2	BQL
Toluene	9/22/99	1	1	BQL
m/p-Xylene	9/22/99	1	2	BQL
o-Xylene	9/22/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	38	95

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: O-5
Client Project ID: 99136 F
Lab Sample ID: 72352
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/22/99	1	1	BQL
Diisopropyl ether (DIPE)	9/22/99	1	1	BQL
Ethylbenzene	9/22/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/22/99	1	2	BQL
Toluene	9/22/99	1	1	BQL
m/p-Xylene	9/22/99	1	2	BQL
o-Xylene	9/22/99	1	2	BQL


Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	38	95

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: O-6
 Client Project ID: 99136 F
 Lab Sample ID: 72353
 Lab Project ID: G128-499

Analyzed By: RNP
 Date Collected: 9/9/99
 Date Received: 9/14/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/22/99	1	1	BQL
Diisopropyl ether (DIPE)	9/22/99	1	1	BQL
Ethylbenzene	9/22/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/22/99	1	2	BQL
Toluene	9/22/99	1	1	BQL
m/p-Xylene	9/22/99	1	2	BQL
o-Xylene	9/22/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	38	94

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results for Volatiles
by GC 602

Client Sample ID: O-7
Client Project ID: 99136 F
Lab Sample ID: 72354
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/22/99	1	1	BQL
Diisopropyl ether (DIPE)	9/22/99	1	1	BQL
Ethylbenzene	9/22/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/22/99	1	2	BQL
Toluene	9/22/99	1	1	BQL
m/p-Xylene	9/22/99	1	2	BQL
o-Xylene	9/22/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	37	94

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: O-8
Client Project ID: 99136 F
Lab Sample ID: 72355
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/22/99	1	1	BQL
Diisopropyl ether (DIPE)	9/22/99	1	1	BQL
Ethylbenzene	9/22/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/22/99	1	2	BQL
Toluene	9/22/99	1	1	BQL
m/p-Xylene	9/22/99	1	2	BQL
o-Xylene	9/22/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	38	94

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: O-9
Client Project ID: 99136 F
Lab Sample ID: 72356
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/22/99	1	1	BQL
Diisopropyl ether (DIPE)	9/22/99	1	1	BQL
Ethylbenzene	9/22/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/22/99	1	2	BQL
Toluene	9/22/99	1	1	1
m/p-Xylene	9/22/99	1	2	BQL
o-Xylene	9/22/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	38	94

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: O-10
Client Project ID: 99136 F
Lab Sample ID: 72357
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/22/99	1	1	BQL
Diisopropyl ether (DIPE)	9/22/99	1	1	BQL
Ethylbenzene	9/22/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/22/99	1	2	BQL
Toluene	9/22/99	1	1	BQL
m/p-Xylene	9/22/99	1	2	BQL
o-Xylene	9/22/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	38	95

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results for Volatiles
by GC 602

Client Sample ID: O-11
Client Project ID: 99136 F
Lab Sample ID: 72358
Lab Project ID: G128-499

Analyzed By: RNP
Date Collected: 9/9/99
Date Received: 9/14/99
Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/22/99	1	1	BQL
Diisopropyl ether (DIPE)	9/22/99	1	1	BQL
Ethylbenzene	9/22/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/22/99	1	2	BQL
Toluene	9/22/99	1	1	BQL
m/p-Xylene	9/22/99	1	2	BQL
o-Xylene	9/22/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	38	95

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Volatiles

by GC 602

Client Sample ID: O-13
 Client Project ID: 99136 F
 Lab Sample ID: 72360
 Lab Project ID: G128-499

Analyzed By: RNP
 Date Collected: 9/9/99
 Date Received: 9/14/99
 Matrix: Water

Compound	Date Analyzed	Dilution	Quantitation Limit (ug/L)	Result (ug/L)
Benzene	9/22/99	1	1	BQL
Diisopropyl ether (DIPE)	9/22/99	1	1	BQL
Ethylbenzene	9/22/99	1	1	BQL
Methyl-tert-butyl ether (MTBE)	9/22/99	1	2	BQL
Toluene	9/22/99	1	1	BQL
m/p-Xylene	9/22/99	1	2	BQL
o-Xylene	9/22/99	1	2	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
Trifluorotoluene	40	38	95

Comments:

All values corrected for dilution.

Flags:

BQL = Below quantitation limit

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-1
Client Project ID: 99136 F
Lab Sample ID: 72348
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-1
Client Project ID: 99136 F
Lab Sample ID: 72348
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	9.8	98
2-Fluorobiphenyl	10	9.5	95
2-Fluorophenol	10	8	80
4-Terphenyl-d14	10	10.3	103
Nitrobenzene-d5	10	8.8	88
Phenol-d6	10	8.5	85


Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-1
Client Project ID: 99136 F
Lab Sample ID: 72348
Lab Project ID: G128-499
Matrix: Water

Date Analyzed: 9/21/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	.alpha.-pinene	000080-56-8	94	31
2	.alpha.-3-Cyclohexene-1-methanol	000098-55-5	90	26
3	Unknown			15
4	Unknown			10
5	trans-1,2-Dichlorocyclohexane	000822-86-6	90	9
6	Unknown			7
7	Unknown			5
8	Unknown			4
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-2
Client Project ID: 99136 F
Lab Sample ID: 72349
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-2
Client Project ID: 99136 F
Lab Sample ID: 72349
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	9.3	93
2-Fluorobiphenyl	10	10.5	105
2-Fluorophenol	10	8.8	88
4-Terphenyl-d14	10	12.4	124
Nitrobenzene-d5	10	9.3	93
Phenol-d6	10	9.1	91

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-2
Client Project ID: 99136 F
Lab Sample ID: 72349
Lab Project ID: G128-499
Matrix: Water

Date Analyzed: 9/21/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	trans-1,2-Dichlorocyclohexane	000822-86-6	90	10
2	Unknown			10
3	Unknown			5
4	Sulfur, mol. (S8)	010544-50-0	91	5
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-3
Client Project ID: 99136 F
Lab Sample ID: 72350
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-3
Client Project ID: 99136 F
Lab Sample ID: 72350
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	9.2	92
2-Fluorobiphenyl	10	10.4	104
2-Fluorophenol	10	8.9	89
4-Terphenyl-d14	10	12.7	127
Nitrobenzene-d5	10	9.4	94
Phenol-d6	10	9.1	91

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-3
Client Project ID: 99136 F
Lab Sample ID: 72350
Lab Project ID: G128-499
Matrix: Water


Date Analyzed: 9/21/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	7-Oxabicyclo[4.1.0]heptane	000286-20-4	90	35
2	Unknown			27
3	trans-1,2-Dichlorocyclohexane	000822-86-6	90	11
4	Unknown			10
5	Unknown			7
6	Unknown			5
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles

by GCMS EPA 625

Client Sample ID: O-4
 Client Project ID: 99136 F
 Lab Sample ID: 72351
 Lab Project ID: G128-499
 Matrix: Water

Date Collected: 9/9/99
 Date Received: 9/14/99
 Date Analyzed: 9/21/99
 Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-4
Client Project ID: 99136 F
Lab Sample ID: 72351
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	9.3	93
2-Fluorobiphenyl	10	10.7	107
2-Fluorophenol	10	9.1	91
4-Terphenyl-d14	10	12.5	125
Nitrobenzene-d5	10	10	100
Phenol-d6	10	9.5	95

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By:

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-4
Client Project ID: 99136 F
Lab Sample ID: 72351
Lab Project ID: G128-499
Matrix: Water


Date Analyzed: 9/21/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			29
2	Unknown			11
3	Unknown			10
4	Unknown			9
5	trans-1,2-Dichlorocyclohexane	000822-86-6	90	9
6	Unknown			6
7	Unknown			5
8	Unknown			4
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles

by GCMS EPA 625

Client Sample ID: O-5
 Client Project ID: 99136 F
 Lab Sample ID: 72352
 Lab Project ID: G128-499
 Matrix: Water

Date Collected: 9/9/99
 Date Received: 9/14/99
 Date Analyzed: 9/21/99
 Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-5
Client Project ID: 99136 F
Lab Sample ID: 72352
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	8.3	83
2-Fluorobiphenyl	10	8.6	86
2-Fluorophenol	10	6.4	64
4-Terphenyl-d14	10	12.6	126
Nitrobenzene-d5	10	7.5	75
Phenol-d6	10	7.1	71

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-5
Client Project ID: 99136 F
Lab Sample ID: 72352
Lab Project ID: G128-499
Matrix: Water

Date Analyzed: 9/21/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			15
2	Unknown			11
3	trans-1,2-Dichlorocyclohexane	000822-86-6	90	8
4	Unknown			9
5	Unknown			8
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-6
Client Project ID: 99136 F
Lab Sample ID: 72353
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-6
Client Project ID: 99136 F
Lab Sample ID: 72353
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	9.6	96
2-Fluorobiphenyl	10	10.5	105
2-Fluorophenol	10	8.8	88
4-Terphenyl-d14	10	13	130
Nitrobenzene-d5	10	9.5	95
Phenol-d6	10	9.1	91


Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-6
Client Project ID: 99136 F
Lab Sample ID: 72353
Lab Project ID: G128-499
Matrix: Water


Date Analyzed: 9/21/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			11
2	trans-1,2-Dichlorocyclohexane	000822-86-6	90	10
3	Unknown			8
4	Unknown			8
5	Unknown			5
6	Unknown			5
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles

by GCMS EPA 625

Client Sample ID: O-7
 Client Project ID: 99136 F
 Lab Sample ID: 72354
 Lab Project ID: G128-499
 Matrix: Water

Date Collected: 9/9/99
 Date Received: 9/14/99
 Date Analyzed: 9/21/99
 Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Results for Semivolatiles

by GCMS EPA 625

Client Sample ID: O-7
 Client Project ID: 99136 F
 Lab Sample ID: 72354
 Lab Project ID: G128-499
 Matrix: Water

Date Collected: 9/9/99
 Date Received: 9/14/99
 Date Analyzed: 9/21/99
 Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	8.7	87
2-Fluorobiphenyl	10	9.4	94
2-Fluorophenol	10	7.8	78
4-Terphenyl-d14	10	13.6	136
Nitrobenzene-d5	10	8.6	86
Phenol-d6	10	8.3	83

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-7
Client Project ID: 99136 F
Lab Sample ID: 72354
Lab Project ID: G128-499
Matrix: Water


Date Analyzed: 9/21/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			18
2	Unknown			12
3	trans-1,2-Dichlorocyclohexane	000822-86-6	90	8
4	Unknown			6
5	Unknown			6
6	Unknown			6
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles

by GCMS EPA 625

Client Sample ID: O-8
 Client Project ID: 99136 F
 Lab Sample ID: 72355
 Lab Project ID: G128-499
 Matrix: Water

Date Collected: 9/9/99
 Date Received: 9/14/99
 Date Analyzed: 9/21/99
 Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-8
Client Project ID: 99136 F
Lab Sample ID: 72355
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/21/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	8.2	82
2-Fluorobiphenyl	10	10.7	107
2-Fluorophenol	10	9.2	92
4-Terphenyl-d14	10	12.9	129
Nitrobenzene-d5	10	9.4	94
Phenol-d6	10	9.1	91

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-8
Client Project ID: 99136 F
Lab Sample ID: 72355
Lab Project ID: G128-499
Matrix: Water


Date Analyzed: 9/21/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			17
2	Unknown			14
3	Unknown			8
4	Unknown			4
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-9
Client Project ID: 99136 F
Lab Sample ID: 72356
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-9
Client Project ID: 99136 F
Lab Sample ID: 72356
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	10	100
2-Fluorobiphenyl	10	10.9	109
2-Fluorophenol	10	9.2	92
4-Terphenyl-d14	10	13.4	134
Nitrobenzene-d5	10	10.2	102
Phenol-d6	10	10	100

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-9
Client Project ID: 99136 F
Lab Sample ID: 72356
Lab Project ID: G128-499
Matrix: Water


Date Analyzed: 9/22/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			11
2	Unknown			9
3	Unknown			8
4	Unknown			7
5	Unknown			5
6	Unknown			4
7	Unknown			4
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-10
Client Project ID: 99136 F
Lab Sample ID: 72357
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-10
Client Project ID: 99136 F
Lab Sample ID: 72357
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	9.4	94
2-Fluorobiphenyl	10	11.6	116
2-Fluorophenol	10	9.7	97
4-Terphenyl-d14	10	10.3	103
Nitrobenzene-d5	10	10.5	105
Phenol-d6	10	10.2	102

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-10
Client Project ID: 99136 F
Lab Sample ID: 72357
Lab Project ID: G128-499
Matrix: Water

Date Analyzed: 9/22/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			33
2	Unknown			16
3	Unknown			12
4	Unknown			6
5				
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-11
Client Project ID: 99136 F
Lab Sample ID: 72358
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-11
Client Project ID: 99136 F
Lab Sample ID: 72358
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	8.8	88
2-Fluorobiphenyl	10	10.3	103
2-Fluorophenol	10	8.1	81
4-Terphenyl-d14	10	11.7	117
Nitrobenzene-d5	10	9.3	93
Phenol-d6	10	8.8	88

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-11
Client Project ID: 99136 F
Lab Sample ID: 72358
Lab Project ID: G128-499
Matrix: Water

Date Analyzed: 9/22/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			16
2	Unknown			11
3	Unknown			10
4	Unknown			10
5	Unknown			4
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-12
Client Project ID: 99136 F
Lab Sample ID: 72359
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-12
Client Project ID: 99136 F
Lab Sample ID: 72359
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	9.4	94
2-Fluorobiphenyl	10	11.4	114
2-Fluorophenol	10	9.9	99
4-Terphenyl-d14	10	14.2	142
Nitrobenzene-d5	10	10.5	105
Phenol-d6	10	10.2	102

Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-12
Client Project ID: 99136 F
Lab Sample ID: 72359
Lab Project ID: G128-499
Matrix: Water

Date Analyzed: 9/22/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			11
2	Unknown			11
3	Unknown			8
4	Unknown			7
5	Unknown			5
6	Unknown			5
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 

PARADIGM ANALYTICAL LABORATORIES, INC.

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-13
Client Project ID: 99136 F
Lab Sample ID: 72360
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Acenaphthene	10	BQL
Acenaphthylene	10	BQL
Anthracene	10	BQL
Benzo[a]anthracene	10	BQL
Benzo[a]pyrene	10	BQL
Benzo[b]fluoranthene	10	BQL
Benzo[g,h,i]perylene	10	BQL
Benzo[k]fluoranthene	10	BQL
Bis(2-chloroethoxy)methane	10	BQL
Bis(2-chloroethyl)ether	10	BQL
Bis(2-chloroisopropyl)ether	10	BQL
Bis(2-ethylhexyl)phthalate	10	BQL
4-bromophenyl phenyl ether	10	BQL
Butylbenzylphthalate	10	BQL
4-Chloro-3-methylphenol	10	BQL
2-Chloronaphthalene	10	BQL
2-Chlorophenol	10	BQL
4-Chlorophenyl phenyl ether	10	BQL
Chrysene	10	BQL
Di-n-Butylphthalate	10	BQL
Di-n-octylphthalate	10	BQL
Dibenzo[a,h]anthracene	10	BQL
1,2-Dichlorobenzene	10	BQL
1,3-Dichlorobenzene	10	BQL
1,4-Dichlorobenzene	10	BQL
3,3'-Dichlorobenzidine	20	BQL
2,4-Dichlorophenol	10	BQL
Diethylphthalate	10	BQL
2,4-Dimethylphenol	10	BQL
Dimethylphthalate	10	BQL
4,6-Dinitro-2-methylphenol	50	BQL
2,4-Dinitrophenol	50	BQL
2,4-Dinitrotoluene	10	BQL
2,6-Dinitrotoluene	10	BQL
Fluoranthene	10	BQL
Fluorene	10	BQL
Hexachlorobenzene	10	BQL
Hexachlorobutadiene	10	BQL
Hexachlorocyclopentadiene	20	BQL
Hexachloroethane	10	BQL

Results for Semivolatiles
by GCMS EPA 625

Client Sample ID: O-13
Client Project ID: 99136 F
Lab Sample ID: 72360
Lab Project ID: G128-499
Matrix: Water

Date Collected: 9/9/99
Date Received: 9/14/99
Date Analyzed: 9/22/99
Dilution: 1

Compound	Quantitation Limit (ug/L)	Result (ug/L)
Indeno(1,2,3-c,d)pyrene	10	BQL
Isophorone	10	BQL
N-Nitrosodi-n-propylamine	10	BQL
N-Nitrosodiphenylamine	10	BQL
Naphthalene	10	BQL
Nitrobenzene	10	BQL
2-Nitrophenol	10	BQL
4-Nitrophenol	50	BQL
Pentachlorophenol	50	BQL
Phenanthrene	10	BQL
Phenol	10	BQL
Pyrene	10	BQL
1,2,4-Trichlorobenzene	10	BQL
2,4,6-Trichlorophenol	10	BQL

Surrogate Spike Recoveries	Spike Added	Spike Result	Percent Recovered
2,4,6-Tribromophenol	10	11.4	114
2-Fluorobiphenyl	10	11.8	118
2-Fluorophenol	10	9.1	91
4-Terphenyl-d14	10	13.4	134
Nitrobenzene-d5	10	10.5	105
Phenol-d6	10	10.4	104


Comments:

Results are corrected for %solids and dilution where applicable.

Analyzed By: MRC

Flags:

BQL = Below Quantitation Limit.

Reviewed By: 

PARADIGM ANALYTICAL LABORATORIES, INC.
Results of Library Search
for Semivolatile Compounds
by GCMS

Client Sample ID: O-13
Client Project ID: 99136 F
Lab Sample ID: 72360
Lab Project ID: G128-499
Matrix: Water

Date Analyzed: 9/22/99
Analyzed By: MRC
Date Collected: 9/9/99
Date Received: 9/14/99
Dilution: 1.0

Num.	Compound	CAS#	Match Probability	Result (ug/L)
1	Unknown			13
2	Unknown			13
3	Unknown			10
4	Unknown			4
5	Unknown			4
6				
7				
8				
9				
10				

Comment:

Tentatively Identified Compound (TIC) refers to substances which are not present in the list of target compounds. Therefore, not all TICs are identified and quantitated using individual standards. TIC listings are prepared utilizing a computerized library search of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist.

Quantitation is accomplished by relative peak height of the compound compared to that of the nearest internal standard from the total ion chromatogram. TICs are identified and quantitated only if the peak height is equal to or greater than 10% of that of the nearest internal standard. Quantitation provided is an estimate.

Reviewed by: 