



RHODE ISLAND
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

235 Promenade Street, Providence, RI 02908-5767

TDD 401-831-5508

16 July 1998

Mr. Philip Otis, P.E., Remedial Project Manager
US Department of the Navy, Northern Division
Code 18, Mail Stop #82
10 Industrial Highway
Lester, PA 19113-2090

RE: Navy Response to 23 June 1998 RIDEM Comments;
Feasibility Study Report.
IR Site 07 - Calf Pasture Point
NCBC Davisville, Rhode Island
Submitted 15 July 1998, Dated 2 July 1998

Dear Mr. Otis;

The Rhode Island Department of Environmental Management, Office of Waste Management (RIDEM) has reviewed the above referenced responses to comments and finds them acceptable with the following noted exception:

Comment 5 - This comment dealt with the issue of the Town of North Kingstown enforcing the groundwater use restriction and their being a lack of correspondence indicating they would do so. The Navy responded that it would provide periodic inspections as part of the Long Term Risk Monitoring Plan (LTRMP). The latest LTRMP, submitted 19 May 1998, makes no references to deed restriction inspections by the Navy. Upon re-submission of the LTRMP please include this section in the document.

If you have any questions or require additional information please call me at (401) 222-2797 ext. 7138.

Sincerely,

Richard Gottlieb, P.E.
Principal Sanitary Engineer

Attachment:

cc: W. Angell, DEM OWM
C. Williams, EPA Region 1
H. Cohen, RIEDC

S. Licardi, ToNK
W. Davis, CSO NCBC
J. Shultz, EA Eng.