



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

Department of Environmental Management
DIVISION OF SITE REMEDIATION
291 Promenade Street
Providence, R.I. 02908-5767

18 April 1996

Ms. Christine Davis
US Department of the Navy, Northern Division
10 Industrial Highway, MSC 82
Lester, PA 19113-2090

RE: Contract NO. N62472-94-D-0398, Delivery Order 0006
Removal Actions - Site 13
NCBC Davisville, Rhode Island
Submitted 15 April 1996

Dear Ms. Davis;

The Rhode Island Department of Environmental Management (RIDEM) Division of Site remediation has reviewed the above referenced document and finds it acceptable per the following comment: The Scope of Work (SOW) notes assumed quantities per May '96 sampling to be excavated. Please be advised that RIDEM also recognizes this as assumed quantities, however, if actual field conditions indicate a larger quantity to be removed this will be done as indicated by confirmatory sampling. Also, as noted in RIDEM's 22 March 1996 letter to Mr. Otis, if PCB contamination is found at the four foot depth it may be necessary to sample groundwater since groundwater which is approximately one foot below this level. RIDEM is again reiterating this concern since it was not mentioned sampling plan (Sampling Report and Recommendations - Site 13) or in the above referenced scope of work.

00301

If you have any questions or require additional information please call me at (401) 277 3872 ext. 7138.

Sincerely,



Richard Gottlieb, P.E.
Principal Sanitary Engineer

cc: W. Angell, DEM DSR
C. Williams, EPA Region 1
P. Otis, US Navy, Northern Division /